

LUBER FINER[®]

BUILT TO DO MORE[®]

MEDIUM AND HEAVY-DUTY 2018 APPLICATION CATALOG

CATÁLOGO DE APLICACIONES PARA USO MEDIANO Y PESADO 2018
CATALOGUE D'APPLICATION 2018 USAGE MOYEN ET INTENSIF



www.Luber-Finer.com

BUILT TO DO MORE®



LUBE FILTERS

Oil is the lifeblood of the heavy duty engine. Luber-finer® high-efficiency oil filters provide protection from oil contaminants to help ensure optimal performance. Efficient filtration can reduce wear, guard against system failure and promote maximum equipment performance and uptime.

FILTROS DE LUBRICANTE

El aceite es el elemento vital del motor para servicio pesado. Los filtros de aceite de alta eficiencia Luber-finer® proporcionan protección contra los contaminantes del aceite para ayudar a asegurar un rendimiento óptimo. La filtración eficiente puede reducir el desgaste, proteger contra las fallas del sistema y fomentar el máximo rendimiento y tiempo de actividad del equipo.

FILTRES À HUILE

L'huile est l'élément vital du moteur à usage intensif. Les filtres à huile Luber-finer® haute efficacité fournissent une protection contre les polluants de l'huile, contribuant ainsi à garantir des performances optimales. Une filtration efficace peut réduire l'usure, protéger contre une défaillance du système et permet une performance et une période de disponibilité maximum de l'équipement.



FUEL FILTERS

Diesel fuel quality can have a major impact on engine operation and performance. Fleets must meet emissions standards while trying to maintain efficiency and maximize uptime. A quality Luber-finer® Fuel Filter can remove fuel contaminants, microbes and excess water. Scheduled maintenance and use of Luber-finer® Fuel Filters are vital to protecting your fuel system and equipment investment.

FILTROS DE COMBUSTIBLE

La calidad del combustible diésel puede tener un gran impacto en el funcionamiento y el rendimiento del motor. Las flotas deben cumplir con las normas de emisiones a la vez que tratan de mantener la eficiencia y maximizar el tiempo de actividad. Un filtro de combustible de calidad Luber-finer® puede eliminar los contaminantes del combustible, los microbios y el exceso de agua. El mantenimiento programado y el uso de filtros de combustible Luber-finer® son vitales para la protección de su sistema de combustible y su inversión en equipo.

FILTRES À CARBURANT

La qualité du carburant diesel peut avoir un impact important sur le fonctionnement et la performance du moteur. Les parcs automobiles doivent se conformer aux normes d'émissions tout en essayant de maintenir l'efficacité et en optimisant la période de disponibilité. Un filtre à carburant de qualité Luber-finer® permet d'éliminer les impuretés du carburant, les microbes et l'excès d'eau. Un entretien planifié ainsi que l'utilisation des filtres à carburant Luber-finer® sont indispensables à la protection de votre circuit d'alimentation et de votre investissement en matière d'équipement.



CABIN FILTERS

Fleet managers and regulators are always trying to improve safety. Breathing cleaner cabin air may help drivers be more alert so they can finish their routes safely. Quality cabin air filters can help remove allergens, dust and particulate matter that can irritate the eyes, nose and throat.

FILTROS PARA LA CABINA

Los administradores y los reguladores de flotas siempre están tratando de mejorar la seguridad. Respirar aire de cabina más limpio puede ayudar a los conductores a estar más alerta para que puedan terminar sus rutas de forma segura. Los filtros de aire de buena calidad para la cabina pueden ayudar a eliminar alérgenos, polvo y partículas que pueden irritar los ojos, la nariz y la garganta.

FILTRES D'HABITACLE

Les directeurs de parc automobile et les régulateurs essayent toujours d'améliorer la sécurité. Respirer de l'air plus propre dans l'habitacle peut aider les conducteurs à être plus alertes pour qu'ils puissent finir leur déplacement en sécurité. Des filtres à air de qualité pour habitacle peuvent aider à débarrasser la cabine d'allergènes, de poussière et de matière particulaire qui peuvent irriter les yeux, le nez et la gorge.

Subject

Heavy Duty Filters..... Inside Front Cover
Table of Contents..... 1-3
Spanish Footnotes4-15
French Footnotes 16-27
Product Identification..... 28
Heavy Duty Filters.....Inside Back Cover

**HOW TO USE THIS CATALOG
TO SELECT THE CORRECT
LUBER-FINER PRODUCT –**

USE INDEX BARS **1** through **4** if you know
the vehicle, equipment or engine model.

Table of Contents

- On-Highway Applications.....1-166
- Radial Seal Air Filter Design 167-169
- Loss of Oil Pump Prime..... 170



**Section
1**

- Off-Highway Applications 1-534




**Section
2**

- Lawn and Garden Equipment 1-51
- The Impact of Dents on Canister Filters..... 52



**Section
3**

- Engine Applications..... 1-92
- Luber-finer Warranty93-96



**Section
4**

For more product information, go to www.luber-finer.com

Contenido

Sección 1

- Aplicaciones en carretera 1-166
- Diseño de filtros de aire con sello radial 167-169
- Perdida de empuje de la bomba de aceite ... 170



Sección 2

- Aplicaciones fuera de la carretera 1-534



Sección 3

- Equipos para césped y jardines 1-51
- La importancia de las abolladuras en los filtros 52



Sección 4

- Aplicaciones para motores 1-92
- Garantía 93-96



Tema

Filtros para servicio pesado
.....cara interna de la portada anterior
Contenido 1-3
Notas al pie de página en español 4-15
Notas al pie de página en francés 16-27
Identificación de productos 28
Filtros para servicio pesado
.....cara interna de la portada posterior

CÓMO USAR ESTE CATÁLOGO PARA SELECCIONAR EL PRODUCTO LUBER-FINER CORRECTO –

USE LAS BARRAS DE ÍNDICE **1** a **4** si conoce el modelo del vehículo, equipo o motor.

Para más información sobre el producto, visite www.luber-finer.com

Sujet

Filtres pour conditions de service extrêmesdeuxième de couverture
Table des matières..... 1-3
Notes explicatives espagnoles 4-15
Notes de bas page en français..... 16-27
Identification produit 28
Filtres pour conditions de service extrêmestroisième de couverture

COMMENT UTILISER CE CATALOGUE POUR CHOISIR LES BONS PRODUIT LUBER-FINER -

UTILISEZ LES ONGLETS D'INDEX **1** à **4** si vous connaissez le modèle de véhicule, d'équipement ou de moteur.

Table des matières

- Applications sur route 1-166
- Filtre À Air À Joint Radial..... 167-169
- Perte d'amorçage de pompe à huile 170



Section 1

- Applications hors route 1-534




Section 2

- Équipement pour pelouses et jardins 1-51
- Les conséquences d'enfoncements sur les filtres à cartouche 52



Section 3

- Moteurs 1-92
- Garantie 93-96



Section 4

Pour de plus amples information sur les produits, accédez à www.luber-finer.com

Notas al pie de la página

1 Interior	44 Desde el 02/02	90 Desde el 11/81
2 Exterior	45 Hasta el 06/06	91 Hasta el 11/88
3 Vida útil prolongada con tecnología de liberación prolongada	46 Desde el 04/96	92 Hasta el 07/90
4 Mantenimiento 1 onza de producto químico	47 Hasta el 01/07	93 Desde el 06/74
5 Bandeja profunda	48 Hasta el 05/98	94 Hasta el 12/89
6 Bandeja poco profunda	49 Desde el 03/00	95 Desde el 05/80
7 8" de altura	50 Desde el 04/98	96 Hasta el 12/90
8 4,5" de altura	51 Desde el 04/00	97 Desde el 01/74
9 3,5" de altura	52 Desde el 02/87	98 Desde el 03/88
10 Sin envoltorio	53 Hasta el 09/93	99 Hasta el 12/01
11 Servodirección	54 Desde el 12/86	100 Desde el 01/87
12 Opcional	55 Hasta el 04/90	101 Desde el 09/02
13 Montada en bastidor opcional	56 Desde el 05/91	102 8,31" de altura
14 Vida extendida	57 Parcial	103 Hasta el 03/06
15 Estándar	58 Desde el 11/95	104 Desde el 01/97
16 Interno	59 Desde el 03/93	105 Desde el 02/86
17 Versión larga	60 Desde el 05/96	106 Hasta el 05/87
18 Corto	61 Desde el 03/98	107 Desde el 07/75
19 Larga	62 Desde el 07/92	108 Eco-Finer
20 Alta eficiencia	63 Rosca de 9/16", puerto del sensor	109 Hasta el 06/83
21 Montado en bastidor	64 Desde el 03/95	110 Desde el 04/73
22 2" o 7" filtro de sumidero alta capacidad	65 Derivación	111 Hasta el 07/77
23 2" o 7" filtro de sumidero capacidad estándar	66 Larga vida útil	112 Desde el 08/82
24 4" filtro de sumidero	67 Desde el 09/87	113 Hasta el 02/89
25 Montado en motor	68 Hasta el 05/97	114 Desde el 09/63
26 9,8" de altura	69 Desde el 08/90	115 Hasta el 08/65
27 7,5" de altura	70 Desde el 09/99	116 Desde el 03/86
28 Contiene 1 onza de producto químico	71 Hasta el 10/02	117 Desde el 11/85
29 Rosca de 1 1/8"	72 Desde el 03/97	118 Hasta el 12/86
30 Rosca de 1" x 12	73 Desde el 05/94	119 Desde el 01/91
31 Alto	74 Hasta el 10/99	120 Hasta el 02/89
32 Montado remotamente	75 Desde el 01/88	121 Desde el 07/87
33 Montado en bastidor	76 Hasta el 02/95	122 Desde el 03/89
34 Montaje vertical	77 Desde el 01/70	123 Hasta el 08/95
35 Hasta el 10/88	78 Hasta el 08/91	124 Desde el 08/85
36 Hasta el 05/89	79 Desde el 02/82	125 Hasta el 09/95
37 Hasta el 07/87	80 Hasta el 12/91	126 Desde el 08/87
38 Desde el 09/00	81 Desde el 01/90	127 Hasta el 01/95
39 Hasta el 03/02	82 Hasta el 12/93	128 Desde el 07/88
40 Desde el 02/94	83 Hasta el 10/93	129 Hasta el 09/96
41 Cartucho	84 Hasta el 10/92	130 Desde el 09/83
42 Desde el 08/94	85 Desde el 06/85	131 Desde el 09/85
43 Hasta el 12/00	86 Hasta el 09/91	132 Hasta el 09/94
	87 Hasta el 10/92	133 Desde el 01/89
	88 Desde el 01/75	134 Desde el 07/94
	89 Hasta el 12/81	135 Hasta el 09/97
		136 Desde el 09/91

Notas al pie de la página (continúa)

137 Hasta el 09/98	183 Filtro para polvos y olores	224 Desde 08/00
138 Desde el 09/91	184 El kit Ford #F65Z-18D477AA se necesita	225 Hasta 07/06
139 Taza	185 Filtro para polen	226 Desde 07/02
140 Hasta el 12/07	186 Filtro para polvo	227 Desde 11/01
141 Desde el 03/01	187 Sinel juego AIS para servicio exigente 2U2Z-9K635-AA	228 Desde 04/89
142 Desde el 10/03	188 AODE bandeja profunda	229 Hasta 06/91
143 Hasta el 09/01	189 AODE bandeja poco profunda	230 Desde 05/86
144 Desde el 09/92	190 C6 3 velocidades	231 Hasta 01/89
145 Previo al cribado	191 E40D bandeja profunda	232 Desde 11/88
146 Desde el 11/99	192 E40D bandeja poco profunda	233 Desde 09/93
147 Hasta el 12/06	193 Cartucho montado externamente	234 Desde 07/91
148 Motor	194 Sólo el filtro, Filtro con tapa ensamblada LP2017KITT	235 Desde 10/92
149 Hasta el 03/94	195 Kit, primario/secundario	236 Desde 01/93
150 Desde el 07/85	196 C6 bandeja profunda	237 Desde 09/03
151 Desde el 03/94	197 C6 bandeja poco profunda	238 Hasta 09/09
152 Desde el 10/98	198 4R100 bandeja profunda	239 2013-
153 Hasta el 02/02	199 4R100 bandeja poco profunda	240 15" de altura
154 Desde el 07/90	200 3/8" (9,5 mm)	241 17,5" de altura
155 Desde el 10/97	201 5/16" (8 mm)	242 10 micrones
156 Desde el 02/98	202 Elemento de papel con pliegues de 2" (50 mm)	243 14,25" de altura
157 Desde el 01/86	203 Después del 12/6/98	244 Secundario
158 Hasta el 06/90	204 No utilizar si se ha instalado el juego AIS para servicio exigente (2U2Z-9K635-AA)	245 98-07
159 Desde el 05/81	205 Mantenimiento	246 Entrada lado
160 Hasta el 08/90	206 Tipo taza	247 30 micrones
161 Desde el 01/82	207 Opcional sin arco	248 Entrada del extremo
162 Desde el 09/81	208 19" de altura	249 Sin producto químico
163 Hasta el 12/85	209 Puerto cuadrado del sensor	250 11,9" de altura
164 Desde el 02/96	210 Con sensor	251 82N, T
165 Hasta el 04/98	211 7" de altura	252 Flujo total
166 Desde el 02/95	212 254 mm (10") de altura	253 Montaje horizontal
167 Desde el 06/00	213 Sistema de inyección de combustible Delphi	254 Racor opcional
168 Desde el 03/04	214 Hasta 05/07	255 Contiene 3 onzas de producto químico
169 1 en el paquete	215 Desde 08/04	256 En tanque
170 2 en el paquete	216 Hasta 05/04	257 Cerca del tanque de combustible
171 Con puerto sensor	217 Desde 01/05	258 Hasta 04/00
172 Altura de 5,5" (140 mm)	218 Desde 09/95	259 Hasta 09/06
173 Servicio pesado	219 Aire acondicionado	260 Desde 01/95
174 5" de altura	220 Desde 05/99	261 Desde 07/93
175 6" de altura	221 Hasta 03/00	262 Desde 05/00
176 Tapa del extremo con la parte superior cerrada	222 Desde 11/97	263 Incluye mangueras y abrazaderas
177 Abierto en embos extremos	223 Desde 08/95	264 Sin envoltorio de espuma, Con envoltorio de espuma LAF388B
178 10,5" de altura		265 3" de altura
179 Rosca de 1 1/2" x 12		266 3,75" de diámetro exterior
180 Filtro doble		267 4,25" de diámetro exterior
181 Simple		
182 Contiene 2 onzas de producto químico		

Notas al pie de la página (continúa)

268 Versión para servicio exigente durante periodos extensos	314 Hasta 05/05	360 Hasta 09/84
269 2,5" x 3,5"	315 Desde 09/98	361 Desde 07/82
270 3,5" x 2,8"	316 Sistema de inyección de combustible Bosch	362 Desde 02/93
271 3" (75 mm) de diámetro exterior	317 Hasta 07/98	363 Desde 01/94
272 4" de diámetro exterior	318 Desde 03/96	364 Desde 01/92 - hasta 07/92
273 Rosca de 95mm x 2	319 Desde 01/69	365 Desde 01/92
274 Rosca de 1 3/4"	320 Hasta 12/88	366 Desde 12/92
275 Primario	321 Hasta 05/92	367 Desde 08/84
276 Rosca de M36 x 15-5	322 Desde 10/83	368 Desde 10/84
277 Rosca de 92mm x 2	323 Hasta 11/86	369 Hasta 07/92
278 2,8" de altura	324 Desde 05/90	370 Desde 05/75
279 3,8" de diámetro exterior	325 Desde 12/82	371 Hasta 12/84
280 Interior opcional	326 Hasta 12/87	372 Hasta 12/82
281 2007-09	327 Desde 05/87	373 Hasta 08/94
282 Desde 01/02	328 Hasta 02/90	374 Desde 05/82
283 Desde 05/02	329 Hasta 01/97	375 Hasta 10/90
284 Hasta 03/07	330 Desde 02/90	376 Hasta 01/87
285 Desde 09/88	331 Desde 06/86	377 Hasta 03/91
286 Hasta 07/93	332 Hasta 09/89	378 Hasta 07/85
287 4L80-E	333 Hasta 08/88	379 Desde 11/74
288 Desde 02/85	334 Desde 02/89	380 Desde 03/87
289 Hasta 06/89	335 Desde 02/90 - hasta 12/90	381 Desde 12/87
290 Hasta 08/99	336 Desde 02/90 - hasta 12/90	382 Hasta 10/89
291 Versión para servicio exigente durante periodos extensos	337 Desde 09/90	383 Desde 05/74
292 Hasta 12/02	338 Hasta 11/92	384 Hasta 12/80
293 Desde 07/99	339 Desde 05/83	385 Desde 01/80
294 Hasta 09/03	340 Hasta 06/96	386 Desde 10/80
295 Hasta 04/01	341 Desde 06/83	387 Hasta 07/89
296 Desde 02/92	342 Desde 08/80	388 Desde 09/84
297 Hasta 05/01	343 Hasta 12/83	389 Desde 11/80
298 Desde 07/00	344 Desde 07/88	390 Desde 02/91
299 Desde 01/01	345 Desde 04/83	391 Desde 09/89
300 Desde 04/92	346 Hasta 11/87	392 Desde 09/73
301 Hasta 06/02	347 Desde 10/81	393 Hasta 08/82
302 Desde 01/98	348 Hasta 10/97	394 Hasta 08/96
303 Hasta 11/04	349 Hasta 03/04	395 Desde 12/94
304 Desde 04/93	350 Tapa extrema metálica	396 Desde 12/88
305 Desde 04/93	351 Desde 11/75	397 Desde 05/92
306 Desde 01/00	352 Hasta 02/91	398 Desde 08/92
307 Desde 07/84	353 Transmisión diestra	399 Desde 12/90
308 Desde 06/89	354 Desde 04/84	400 Desde 06/95
309 Desde 10/88	355 Desde 06/87	401 Desde 01/96 - hasta 09/96
310 Rosca de 27mm	356 Desde 06/84	402 Desde 05/89
311 2,73" de altura	357 Hasta 02/93	403 Desde 08/73
312 Sistema AD-IS	358 Desde 03/92	404 Hasta 09/83
313 Rosca de 2 1/4"	359 Desde 09/75	405 Desde 12/91
		406 Desde 08/83

Notas al pie de la página (continúa)

407 Desde 10/76	453 Desde 10/93	499 10,3" de altura
408 Desde 08/75	454 Desde 02/86 - hasta 09/86	500 Desde 10/91
409 Desde 12/81	455 Caja Purflux	501 Hasta 07/04
410 Desde 03/84	456 Aire estándar	502 Desde 06/97
411 Desde 11/92	457 Sin sensor	503 Hasta 09/86
412 Desde 06/76	458 4,1" de altura	504 Hasta 06/84
413 Hasta 06/87	459 Desde 02/00	505 Desde 10/86
414 Desde 02/83	460 Desde 06/95	506 Desde 09/80
415 Hasta 09/85	461 Desde 05/97	507 Desde 08/89
416 Desde 04/76	462 Desde 06/99	508 Hasta 11/90
417 Desde 04/85	463 Hasta 08/05	509 Hasta 02/01
418 Desde 12/79	464 Desde 12/1998	510 Hasta 11/01
419 Desde 09/82	465 Hasta 05/08	511 Dirección ZF8099 opcional
420 Desde 10/85	466 Desde 01/83	512 Hasta 07/95
421 Hasta 10/82	467 Hasta 09/90	513 Hasta 05/94
422 Desde 06/92	468 Hasta 01/92	514 Hasta 05/00
423 Desde 03/91	469 Rosca de 3/4" x 16	515 Hasta 06/93
424 Desde 02/80	470 Hasta 09/92	516 Hasta 01/96
425 Desde 12/93	471 Desde 10/82	517 Hasta 07/86
426 Desde 10/90	472 Hasta 10/98	518 Hasta 05/96
427 Hasta 11/91	473 Caja de engranajes B9 + B18	519 Desde 05/84
428 Desde 05/92 - hasta 07/92	474 Inyección Sigma	520 Con Mann Hummel caja
429 Desde 01/96	475 Desde 05/88	521 Con caja Donaldson
430 Hasta 05/06	476 Hasta 10/91	522 Desde 01/77
431 Hasta 12/95	477 Desde 04/91	523 Desde 01/99
432 Desde 10/89	478 Desde 02/88	524 Hasta 03/89
433 Desde 04/86	479 Versión vida extendida	525 Hasta 07/97
434 Hasta 04/89	480 Hasta 05/91	526 Hasta 01/90
435 Desde 11/82	481 Hasta 08/86	527 Desde 10/87
436 Hasta 12/94	482 Hasta 02/85	528 Sistema de combustible CAV
437 Desde 06/94 - hasta 12/94	483 Hasta 03/84	529 Hasta 03/98
438 Desde 04/77	484 Desde 05/85	530 Hasta 06/80
439 Hasta 03/93	485 Desde 11/83	531 Filtro tipo caja solamente
440 Desde 01/84	486 Rosca de M20 x 15	532 Hasta 03/01
441 Desde 09/96	487 Hasta 04/93	533 Hasta 12/97
442 Desde 01/85	488 Hasta 05/90	534 Desde 03/80
443 Sistema de doble filtro	489 Hasta 01/86	535 Hasta 07/83
444 Hasta 12/03	490 Desde 06/80	536 Desde 05/78
445 16,3" de altura	491 Desde 07/81	537 Desde 01/76
446 10,29" de altura	492 Desde 11/89	538 Desde 08/71
447 Hasta 12/04	493 Hasta 12/96	539 Desde 10/96
448 Desde 10/02	494 Contiene 4 onzas de producto químico	540 Hasta 10/04
449 Desde 07/98	495 Hasta 03/96	541 Desde 03/99
450 Filtro para partículas	496 Hasta 02/00	542 Desde 02/01
451 Sin conexión para sensor de agua	497 Hasta 10/96	543 Desde 10/05
452 Hasta 11/93	498 214 mm de altura	544 Hasta 09/07
		545 Retardante

Notas al pie de la página (continúa)

546 Desde 09/04	591 6" de diámetro exterior	636 3/4" x 16 rosca montada a distancia
547 Hasta 12/05	592 Tapas de extremo de plástico	637 Montado directo
548 Desde 08/96	593 2,65" de altura	638 Circuito principal
549 Hasta 06/00	594 3,11" de altura	639 Montaje remoto del circuito principal
550 Hasta 02/04	595 Con drenaje	640 Montado remotamente limpieza
551 Hasta 10/00	596 Rosca de 13/16"-18	641 Circuito de refrigerante remoto
552 Eje trasero	597 Versión corta	642 Excepto para servicio pesado
553 Requiere un tazón de sedimentación	598 2,67" de diámetro exterior	643 Rosca de 1 1/2" x 12
554 Autorecirculación	599 Alta capacidad	644 Contiene 6 onzas de producto químico
555 Vida útil prolongada con productos químicos de liberación controlada	600 10,8" de altura	645 Cambio de marcha neumático
556 Hasta 08/87	601 7,3" de altura	646 Excepto para servicio pesado
557 Hasta 11/89	602 4,4" de altura	647 Gas natural
558 Climas fríos	603 Respiradero tanque	648 Con opción Davco
559 I-SHIFT	604 2,92" de altura	649 Rosca de 1/2",puerto del sensor
560 Desde 10/79	605 2,55" de altura	650 Serie transmisión automática y serie transmisión manual 53" bandeja profunda
561 Hasta 10/85	606 6" x 3"	651 Transmisión automática y transmisión manual auxiliar sellado
562 Desde 06/78	607 Retorno	652 Serie transmisión automática con 3,8" bandeja
563 Desde 03/71	608 Rosca de 1 3/8" x 12	653 9,3" de altura
564 Hasta 09/72	609 Rosca de 1 1/2" x 16	654 5R110W
565 Desde 11/78	610 Bomba de carga	655 5R110W 5 velocidades en bandeja
566 Desde 08/77	611 Sello axial	656 AODE 4 velocidades
567 Hasta 06/85	612 1,4" de diámetro exterior	657 Roscas en ambos extremos
568 Hasta 05/88	613 2" (50 mm) Diámetro exterior	658 Roscas en un extremo
569 Hasta 10/84	614 Doble	659 3,8" bandeja profunda
570 Desde 08/91	615 2013 en adelante	660 5,3" bandeja profunda
571 Hasta 02/86	616 25" de diámetro exterior	661 -2014
572 Desde 08/78	617 3,12" de diámetro exterior	662 2014-
573 Desde 08/93	618 7" x 2 1/4"	663 Rosca de 1 1/8"
574 Caja de engranajes	619 Interio, si lo tuviera	664 Rosca de 1"
575 Desde 11/91	620 3/4" rosca hidrostática	665 Rosca de 1" x 14
576 Hasta 09/00	621 1" rosca hidrostática	666 Rosca de 20 mm
577 Desde 11/93	622 Motor Kohler con inyección de combustible	667 534564 Caja
578 Hasta 12/99	623 7,38" de altura	668 Serie FA240PL
579 Hasta 10/94	624 2,65" de diámetro exterior	669 Serie FL230PL
580 Desde 08/98	625 Filtro estándar	670 Serie servicio pesado FA240PLHD
581 Hasta 01/02	626 Eficiencia estándar	671 Interenfriador
582 Powertronic	627 5 onzas de producto químico	672 Montado bajo el capó
583 Desde 09/94	628 Versión alta de LFF8020	673 Sin drenaje
584 Hasta 04/85	629 Limpieza del circuito principal	674 Con tapa extrema plástica
585 Desde 08/84 - hasta 09/84	630 Servicio al circuito principal	675 Sin toma de fuerza
586 Desde 08/84 - hasta 09/84	631 Servicio	
587 Sellado	632 Limpieza	
588 7" x 2,92"	633 1 1/2" x 16 rosca montada a distancia	
589 7" x 2,55"	634 1 1/8" x 16 rosca montada a distancia	
590 Hidrostático	635 Circuito de refrigerante	

Notas al pie de la página (continúa)

676 Con toma de fuerza	721 -2013	766 Flujo de adentro hacia fuera
677 Rosca de 3/4"	722 Kit, contiene 3 elementos	767 20" de altura
678 Sin puerto sensor	723 13,9" de altura	768 26" de altura
679 Eje	724 Diferencial	769 11,5" de diámetro exterior
680 Rosca de 20 mm	725 Compartimiento de coche cama	770 13" x 2,75"
681 Derivación	726 400	771 13" x 3"
682 2 micrones	727 Aire del interior de la cabina	772 2012 -
683 Estilo equipo original	728 1995 en adelante	773 Bandeja de poca profundidad sin empaquetadura
684 Cambio rápido con tapa ensamblada	729 11,8" de altura	774 Sin tapa
685 Servicio pesado	730 -2004	775 Algunos modelos interior
686 Servicio estándar	731 11,8" de altura	776 Bandeja poco profunda después 2010
687 Actualización	732 23" de altura	777 6,8" de altura
688 Con Motor Cummins NHK235, NHK310	733 29" de altura	778 Sin separador
689 Sin arco	734 Lado del pasajero del compartimiento de coche cama	779 3,75" de diámetro exterior
690 1993 en adelante	735 Si es necesario diferencial	780 4,25" de diámetro exterior
691 1993 en adelante	736 2004 en adelante	781 Compresor
692 -1993	737 Hasta 1/04	782 System Saver 1200
693 2,3" x 3,9"	738 Hasta 2004	783 Lado de presión
694 3,1" x 4,1"	739 1/04 en adelante	784 2010 en adelante
695 Sistema de calefacción Webasto	740 Hasta el 1/04	785 2010 emisiones
696 18,5" de altura	741 Versión de vida útil prolongada [L3578FXL], Versión de alta eficiencia [L5467F]	786 11,9" de altura
697 16,5 de altura	742 15,2" de altura	787 9" de altura
698 Con tapa extrema metálica	743 Reemplaza FT1013	788 Antes emisiones 2010
699 Carga inicial	744 Filtro tipo caja	789 - 2010 emisiones
700 2da etapa	745 Separador de agua cartucho	790 No instalado en fábrica
701 Tapas plásticas	746 Forma cónica	791 Rosca de M95 x 2
702 Rosca de 1 5/8"	747 Caja desechable	792 Sin aleta
703 Con panel para servicio pesado	748 Davco opcional	793 Sistema AD-SP
704 1991-95	749 12/95 en adelante	794 50 micrones
705 1973-75	750 Desde 12/95	795 15 1/4" de altura
706 1982-95	751 -1996	796 Rosca de 11/16" x 16
707 1974-95	752 1996-	797 Rosca de 1" x 14
708 1988-95	753 Hasta el 12/95	798 21,5" de altura
709 10,4" de diámetro exterior	754 1/04 en adelante	799 Davco
710 8,67" de diámetro exterior	755 Desde 1/2004	800 2" o 7" filtro de sumidero
711 Versión de lata corta	756 2007 en adelante	801 No instalado en fábrica
712 Algunos modelos	757 2008 en adelante	802 2013 en adelante
713 1995-	758 1998 en adelante	803 Sin turbo
714 -1995	759 Desde 2002	804 2002-2009
715 Bosch	760 RSC	805 25 micrones
716 2012 en adelante	761 8,7" de altura	806 Necesita desenganche
717 4" filtro de sumidero capacidad estándar	762 Caja Donaldson	807 3 onzas de producto químico
718 2012 en adelante	763 Con drenaje	808 2010-
719 Versión de equipo original	764 Sin drenaje	809 Con flujo inverso
720 Versión económica	765 Rosca de 1 1/8" x 16 Thread	810 Rosca de M92 x 256H
		811 7 micrones

Notas al pie de la página (continúa)

812 2010 en adelante (corto)	855 Para uso con caja Mack número 2MD4140	899 01-09
813 Filtro para polvo	856 Derivación antes de 11/11/03	900 04-09
814 Power Core	857 Derivación after después del 11/11/03	901 99-07
815 2006 y años anteriores	858 Tanque de hidráulico	902 99-03
816 2007 en adelante	859 Prelimpiador	903 08-09
817 Antes emisiones 2010	860 Serie de prelimpiador para el sitio de construcción	904 Intervalos de mantenimiento extendido - Corto
818 Flujo de adentro hacia fuera	861 Medios de fieltro	905 Intervalos de mantenimiento extendido - Largo
819 -2007	862 Medios de papel	906 Rosca de 24 mm
820 23 1/2" de altura	863 272C tamaño	907 Caja de plástico
821 25" de altura	864 Rosca de 11/16" x 16	908 Caja de metal
822 25,4" de altura	865 Rosca de M36 x 20	909 Davco 482 opcional
823 15 1/2" de altura	866 13,5" de altura	910 Ventilador de hidrostático
824 Municipal	867 22,8" de altura	911 5" de altura
825 Solo municipal	868 21,2" de altura	912 Rosca de 1"
826 Exportación	869 23,6" de altura	913 VT/VTO caja de engranajes
827 Roadsweeper	870 4,65" de diámetro exterior	914 Davco 25 micrones
828 -04	871 5,35" de diámetro exterior	915 Sistema AD-IS, AD-SP
829 Hasta-04	872 Estándar reemplazado	916 9,4" de altura
830 04-	873 9,1" de ancho	917 6,17" de altura
831 Excepto 2MD515M caja	874 8,12" de ancho	918 2007 emisiones
832 2004 en adelante	875 22,5" de altura	919 Traviesa
833 Usado en Mack 2MD515M caja	876 10,5" de altura	920 11,4 X 4,7
834 En vigencia a partir del 10/28/02	877 10-10	921 12,7 X 9,3
835 Sin extremo cerrado empotrado	878 Sin productos químicos	922 Davco opcional
836 - 11/11/03	879 13,54" de largo	923 Estilo taza
837 11/11/03 -	880 13,06" de diámetro exterior	924 Con sistema AD-SP
838 Montado remotamente	881 10,13" de largo	925 Versión larga, Versión corta [LFF1001]
839 4,13" de altura	882 11,53" de diámetro exterior	926 2013 -
840 Excepto en Mack 2MD515M caja	883 1755	927 En línea
841 -11/11/03	884 Sensor de forma ovalada	928 Dos filtros por caja
842 11/11/03-	885 Con tanque plástico	929 También está disponible en embalaje a granel
843 10/22/07 en adelante	886 OptiDrive II	930 Embalada a granel
844 4,2" de diámetro exterior	887 468 mm de altura	931 23 1/2 pulgadas de altura, exterior
845 Eaton/Fuller	888 14,9" de altura	932 25 1/2 pulgadas de altura, exterior
846 Contiene 3 onzas de producto químico	889 17" de altura	933 9,6" desvío
847 Con caja 2MD515M	890 18,2" de altura	934 HD
848 20 1/2" de altura	891 Tiene conectado un adaptador de filtro roscado	935 Requiere el uso de una junta Case A21473 no suministrada
849 Tipo sin arco	892 Caja Mann and Hummel	936 1970 en adelante
850 Flujo total	893 Entornos con mucho polvo	937 Producción antigua
851 Derivación Spinner	894 11" de diámetro exterior	938 Producción más reciente
852 - 1977	895 13,5" de diámetro exterior	939 Modelos posteriores
853 1977 -	896 Ventilador mecánica	940 1964-69
854 Para uso en caja de material compuesto Mack número 485GB4360M	897 Eje trasero opcional	
	898 Filtro de cabina de aire fresco	

Notas al pie de la página (continúa)

941 1959-69	981 Rosca de 1 1/8" x 16	1025 Con inyección de conducto común (common rail)
942 Usado con LMB6926 juego de conversión	982 Desde 1958	1026 11/11/03 en adelante
943 Base de conversión giratoria	983 Principios de 1963	1027 Desde 11/11/03
944 Rosca de 1" x 14	984 1959 en adelante	1028 Desde 1966
945 Rosca de 7/8"	985 1960 en adelante	1029 Con bomba PSJ o PSM
946 3126E	986 Construido por Romeo	1030 78 en adelante
947 Motor 02Z	987 Construido por Basildon	1031 Antes del 77
948 Versión de diámetro pequeño	988 69 en adelante	1032 4/78 en adelante
949 Filtro sin envoltorio de espuma; para el manto de espuma de reemplazo, utilice [LAF15F]	989 Antes 69	1033 Antes del 3/78
950 Manta para hollín	990 Usar si se ha instalado el juego giratorio	1034 10/88c
951 Ensamblada	991 Servicio mediano	1035 Antes del 9/88
952 Conjunto de generador	992 Excepto 73-75 carburador de cuerpo cuádruple	1036 7/82 en adelante
953 Precarga	993 9/86 en adelante	1037 Antes del 6/82
954 10,5" de diámetro exterior	994 Desde 9/86	1038 Si el espacio lo permite, utilice el largo [PH1218]
955 Purolator P800 caja	995 2004 en adelante	1039 Desde 1968
956 Derivación Purolator P900 caja	996 1999 en adelante	1040 73 en adelante
957 Caja Purolator P700	997 Desde 1999	1041 62 en adelante
958 Rosca de 13/16"	998 Servicio normales	1042 Antes del 73
959 En modelos que utilizan un soporte de base triangular, asegurarse de que los pernos de montaje no entren en contacto con el filtro	999 0946 litre (1 cuarto)	1043 1973 en adelante
960 Antes de 2015	1000 Estilo fabricante de equipo original Conjunto de filtro y tapa [L3546FC]	1044 Desde 1973
961 Rosca de M85	1001 1" de largo	1045 1962 en adelante
962 Rosca de M72	1002 2,02" de altura	1046 1960 en adelante
963 Versión larga [LFF1001]	1003 2,73" de altura	1047 2/83 en adelante
964 Con caja Fram	1004 Aplicación para los autobuses	1048 9/1965 en adelante
965 Papel con pliegues	1005 1994 en adelante	1049 Desde 1967
966 Longitud estándar, puede usarse el filtro [LFP815FN] si el espacio así lo permite	1006 1994 en adelante	1050 1967 en adelante
967 Cartucho 5,86" de altura	1007 Instalada por el distribuidor	1051 1974 en adelante
968 Cartucho 9" de altura	1008 1967-80	1052 5/1974 en adelante
969 Tipo calcetín	1009 63 en adelante	1053 Desde 10/1969
970 3 3/4" de altura	1010 Antes del 63	1054 10/1969-4/1974
971 7,8" de altura	1011 1963 en adelante	1055 Desde 5/1974
972 1951 en adelante	1012 Desde 1963	1056 Desde 4/1974
973 1957 en adelante	1013 Flujo inverso	1057 5/1979 en adelante
974 Desde 1951	1014 Kit, filtros cartucho y sellado	1058 10/1968 en adelante
975 Desde 1994	1015 1959 en adelante	1059 Desde 10/1968
976 Motor de Detroit Diesel que utiliza base Cummins	1016 1953 en adelante	1060 Desde 2003
977 Desde 1993	1017 Desde 1953	1061 Con puerto sensor
978 Filtro en derivación	1018 1947 en adelante	1062 15,5" de largo
979 Filtro en derivación opcional	1019 7/62 en adelante	1063 11,8" de altura
980 3,7" de diámetro exterior	1020 Antes del 7/62	1064 4" de altura
	1021 1965 en adelante	1065 4,87" de altura
	1022 Julio de 1962 en adelante	1066 Rosca de 7/8" x 16
	1023 A fines de 1969 en adelante	1067 4,2" de altura
	1024 1975 en adelante	1068 Recientes
		1069 81 en adelante
		1070 1981 en adelante

Notas al pie de la página (continúa)

1071 A fines de 1962	1114 Flujo estándar	1158 Sin freno ABS
1072 1985 en adelante	1115 Flujo alta	1159 CVT
1073 Fines de 1962 en adelante	1116 Bomba de carga con base de aluminio	1160 Excepto CVT
1074 Filtro de alto rendimiento	1117 Rosca de 1 1/2" x 16	1161 Bomba de hidráulico excepto CVT
1075 Bomba de refrigeración planetaria	1118 Con empaquetaduras Case A-57858	1162 Bomba Vane
1076 Drenaje Case	1119 Línea Succión	1163 Ejes
1077 Tanque de hidráulico	1120 Entrada	1164 Debajo la batería
1078 Drenaje	1121 Versión de servicio extendido/severo de LAF6453	1165 Megaflujo
1079 Respiradero	1122 Adaptador de 7/8"	1166 Rosca de 9/16"-18, puerto del sensor
1080 Respiradero de hidráulico	1123 Adaptador de 1"	1167 Cabina estándar
1081 Bomba mano derecho	1124 Requiere 2 filtros	1168 Eficiencia ultra alta
1082 Estándar	1125 VGT	1169 Cabina de recirculación
1083 Servicio exigente	1126 Desde 02/05	1170 Con transmisión en las cuatro ruedas
1084 Transmisión de potencia	1127 Hasta 01/08	1171 Principal
1085 Lanzadera mecánica	1128 Posterior	1172 Para fluidos ignífuga
1086 Detección de carga	1129 Externo	1173 Martillo
1087 Flujo doble Dyna Shift	1130 Tracción en 2 ruedas	1174 Bomba vertical
1088 Línea presión	1131 4,77" de diámetro exterior	1175 Bomba horizontal
1089 Detección de carga diestra	1132 4" de diámetro exterior	1176 Sellado, tanque de hidráulico
1090 Bomba RH	1133 Bomba de transferencia	1177 Piloto, Alta eficiencia ?
1091 Centrífugo	1134 8/06 en adelante	1178 11,6" de altura
1092 Si no hay restricción de espacio	1135 2011 en adelante	1179 Conexión de martillo
1093 Con limpiador de aire United	1136 Delantero	1180 Piloto, eficiencia ultra alta
1094 Para filtros para Motores, consultar la sección de Motores	1137 Piloto	1181 Alta exterior 14,39"
1095 Si hay restricción de espacio	1138 10	1182 16,64" de altura
1096 Plástico transparente	1139 Arranque fríos opcional	1183 7" de altura
1097 Diferencial mano derecho	1140 1960 en adelante	1184 105" de altura
1098 Retorno diferencial	1141 En tanque	1185 Piloto de rosca de 2"
1099 Convertidor de torque	1142 13" de diámetro exterior	1186 Algunos modelos exterior
1100 Embrague	1143 14" de altura	1187 Interio si usar con LAF4501
1101 Empaquetadura Allis-Chalmers 926821	1144 Toma de fuerza	1188 Interio si usar con LAF4503
1102 Empaquetadura Allis-Chalmers 70666244	1145 Desde 03/03	1189 Drenaje de Case alta eficiencia
1103 Unidos	1146 Bloqueo diferencial	1190 Piloto alta eficiencia
1104 14,38" de altura	1147 Con prelimpiador	1191 Eficiencia ultra alta
1105 13,4" de altura	1148 Alta/baja	1192 Calentador
1106 9" de altura	1149 Sin cabina	1193 Guinche
1107 Derivación parcial	1150 Sin cabina	1194 Powertrain
1108 1966 en adelante	1151 Con transmisión de potencia	1195 Guinche attaché
1109 Con línea de combustible de 1/4"	1152 Bomba furgoneta hidráulico con CVT	1196 Retorno del implemento
1110 Tanque	1153 Bomba del pistón	1197 Retorno alta eficiencia
1111 6,5" de altura	1154 Bomba	1198 Medios de vidrio
1112 Gran producción	1155 Cabina de perfil alto	1199 Control
1113 Elevador	1156 Abierto central	1200 Motor de arranque
	1157 24 x 24	1201 Calentador de la cabina
		1202 Exterior

Notas al pie de la página (continúa)

1203 Transmisión	1245 Retención con gancho	1286 Empaquetadura Fiat-Allis 70666244
1204 5,13" de diámetro exterior	1246 Seco simple	1287 10" (254 mm) de diámetro exterior
1205 Freno mecánico	1247 Cambio rápido	1288 4,6" de diámetro exterior
1206 Cat 8M7830 Gskt	1248 16,4" de diámetro exterior	1289 Algunos modelos utilizan (2) filtros
1207 Drenaje alta eficiencia	1249 12,5" de diámetro exterior	1290 12/88 en adelante
1208 5" de diámetro exterior	1250 Montada en la parte superior	1291 Hasta 08/81
1209 Caterpillar 4K1557 empaquetaduras	1251 Ignífuga	1292 Desde 08/81
1210 Caterpillar 2K8257 empaquetaduras	1252 Transmisión del rotor	1293 Desde 10/78
1211 Freno	1253 Rociador hidráulico de asfalto conectado	1294 Hasta 07/81
1212 Transmisión	1254 Propano	1295 Bomba del elevador
1213 Ventilador	1255 Con embrague de aceite	1296 Con bomba auxiliar
1214 Rosca de 1 3/8"	1256 Componente hidráulico instalado en terreno	1297 10/85
1215 Caterpillar 3J1991 empaquetaduras	1257 Diésel	1298 Cubierta del elevador
1216 Cabina ensamblada	1258 Algunos V30C	1299 Bomba montado en motor
1217 Excepto motor de S/N 580-UP	1259 12,63" de altura	1300 Desde 03/60
1218 Enfriador de aceite	1260 14,25" de altura	1301 Sin prelimpiador
1219 Eje opcional	1261 Embrague húmedo	1302 2,51" de altura
1220 Implemento	1262 Transmisión del cabezal	1303 3,35" de altura
1221 Motor simple	1263 Y empaquetadura 3967	1304 Sólo E
1222 Motor simple	1264 Caja 1103 Fram	1305 Inclinación lateral
1223 Con Caterpillar 3J1991 empaquetaduras	1265 Con enfriador de aceite	1306 4,5" de diámetro exterior
1224 Con Caterpillar 5K1770 empaquetaduras	1266 Sin enfriador de aceite	1307 2,62" (67 mm) de diámetro exterior
1225 Con Caterpillar 5F3144 empaquetaduras	1267 Automotriz	1308 Excepto motores de Chevrolet
1226 Aire acondicionado conectado a la cabina	1268 Bomba del propulsión	1309 18,3" de altura
1227 Simple ensamblada	1269 Cuando el espacio es limitado, puede usarse [PH253]	1310 Carrier
1228 4,75" de altura	1270 Rosca de 13/8 x12"	1311 Grúa
1229 Piloto y bomba	1271 Rosca de 1" x 12	1312 Sistema aire simple
1230 Cinta transportadora	1272 Rosca de 1 1/2" x 16	1313 Exterior sello radial
1231 Montaje inferior	1273 Rosca de 1 3/8" x 16	1314 Depósito de combustible
1232 Delantero de cabina	1274 Aro tórico Dresser 3042934-R1	1315 Panel
1233 En el tanque	1275 Aro tórico 2 Dresser 3042934-R1	1316 5 1/4" de altura
1234 En el tanque alta eficiencia	1276 Aro tórico 3 Dresser 252556-R1	1317 Control del cubo
1235 Con pernos	1277 Aro tórico 4 Dresser 3042934-R1	1318 Sólo C350B-D
1236 Sin pernos	1278 Aro tórico 3 Dresser 3042934-R1	1319 Sistemas Pall
1237 Engranaje biselado	1279 Lubricante compresor	1320 Serie Fram A240
1238 3,1" de diámetro exterior	1280 Recolector de polvo	1321 Sólo 225
1239 Todo	1281 23,5" de largo	1322 14.9" cartucho alto
1240 Añadir empaquetadura G42-AF	1282 8" cartucho principal	1323 Compresor secundario
1241 Seco	1283 Juego	1324 Compresor y motor
1242 14,5" D.E. de la brida	1284 Respiradero para cárter	1325 6,75" de altura
1243 Altitud ensamblada	1285 Empaquetadura Fiat-Allis 70926821	1326 6 7/8" de altura
1244 Retención con barra		1327 Al convertirse mediante el kit IH 538837-R91
		1328 Auxiliar

Notas al pie de la página (continúa)

1329 IH 279781-R1 se requiere empaquetadura	1370 4,81" D.I.	1415 Despeje estándar
1330 Chupón	1371 Tracción en la rueda delantera	1416 Motor Continental
1331 Exterior con tapa extrema metálica	1372 Eje delantero	1417 Mano izquierda
1332 Junta tórica 3042934-R1 para International Harvester	1373 Vida extendida exterior	1418 Centrífuga diestra
1333 Desde 03/59	1374 Serie T	1419 Lanzadera mecánica de embrague húmedo
1334 Transmisión por engranajes	1375 Estándar exterior	1420 Mano derecho
1335 Motor C291	1376 Exterior 6090HDW11	1421 Perkins
1336 Motor C301	1377 Eje limpieza	1422 Delantero/Posterior
1337 Caja Coopers	1378 Cambio de marcha manual	1423 Transmisión Hydra-Power
1338 Transmisión con rueda dentada	1379 Drenaje de sello motor	1424 Clark
1339 Filtro de vida útil estándar	1380 Caja de engranajes	1425 2 7/8" de diámetro exterior
1340 12 micrones	1381 Cabina de calentador	1426 Caja Donaldson
1341 8" (203 mm) de diámetro exterior	1382 Sin ProDrive	1427 Hasta 11/97
1342 7,3" (185 mm) de diámetro exterior	1383 Múltiple Draper	1428 Motor con 2 válvulas con control electrónico
1343 Presión	1384 En el múltiple de distribución	1429 15 micrones
1344 Fabricado en EE UU	1385 Caja Airmaze	1430 3,75" de diámetro exterior
1345 Con sensor	1386 con motor de nivel 3	1431 Retorno Cessna
1346 2/09-	1387 Retorno parcial	1432 Bomba de carga Vickers
1347 Reductor a velocidad ultralenta	1388 Balancín	1433 Bomba de carga Cessna
1348 Construido por Mannheim	1389 Acondicionador del aire de la cabina	1434 Desde 10/00
1349 Antes del 2012	1390 5 micrones	1435 Hasta 03/03
1350 2/08-	1391 Transmisión del ventilador del enfriador de aceite	1436 6/07-
1351 Interior	1392 EE. UU.	1437 6,45" de diámetro exterior
1352 Inversor	1393 Cabina	1438 5,4" de diámetro exterior
1353 Redondo	1394 9,2" de altura	1439 1/99 - 1/02
1354 Con Motor Fin LPG	1395 Amplificador de embrague	1440 12" x 12"
1355 S/O en tanque	1396 3,2" de altura	1441 Múltiple de transmisión CVT
1356 Sistema hidráulico	1397 3,7" de altura	1442 Bomba furgoneta
1357 Con transmisión mecánica	1398 Si es necesario,	1443 8x8 transmisión de potencia
1358 Transmisión Power Quad	1399 Con caja de metal	1444 Transmisión del carrete
1359 Excepto transmisión variable infinita	1400 Con caja de plástico	1445 Modelo Rice
1360 Sistema de nivelación	1401 Caja Racor opcional	1446 16" x 16"
1361 Nivelación del terreno	1402 Iniciales	1447 8" x 2" y 16" x 4"
1362 Retorno de la transmisión en la rueda delantera, camioneta	1403 Códigos de Motor BEU o BJC	1448 Fondo del tanque
1363 Retorno de tracción delantera	1404 Códigos de Motor CBJB, BMF	1449 Hasta 01/06
1364 Caja de la bomba	1405 5,47" de altura	1450 Reverse-O-Trac
1365 Con cabina	1406 6,41" de altura	1451 5,75" de altura
1366 7,7" de altura	1407 Flujo total utilisar con filtro en derivación	1452 8,25" de altura
1367 Servicio exigente optionnel	1408 Con fitro de aceite simple	1453 Hasta 8/81
1368 Caja elevadora	1409 Baja presión	1454 5,1" de altura
1369 4,7" (119 mm) de diámetro exterior	1410 Rosca de 1 1/2"	1455 Caja de transferencia
	1411 Cabezal	1456 Toma de fuerza delantera
	1412 Césped	1457 Compresor parcial
	1413 Orchard	1458 6,75" (171,45 mm) de altura
	1414 Sólo Vineyard	1459 Sumidero
		1460 Deluxe

Notas al pie de la página (continúa)

1461 Farr	1506 Juego de filtro de aire interior y exterior	1547 2" de altura
1462 HI-FLOW	1507 "3,2"" alto"	1548 5,75 de altura
1463 Con United 250C3,-S	1508 Fuller 0,946 litre (1 cuarto)	1549 1948-53
1464 Tanque de compensación	1509 Fuller 1,892 litre (2 cuartos)	1550 Elemento de 2" de altura
1465 Bomba Cutter	1510 Enfriador auxiliar de aceite	1551 1 de altura
1466 Ventilación hidráulica	1511 Con filtro AC-Delco SC-353	1552 Filtro con tazón
1467 Caja Racor 1000H	1512 Fluido	1553 Giratorio
1468 Ventilador de enfriamiento	1513 Excepto emisiones 2017	1554 Contiene 3 onzas de producto químico
1469 Emisiones baja	1514 "11,9"" altura"	1555 Estándar reemplazado
1470 Panel de ventilación	1515 "3,75"" D.E.	1556 10 micrones
1471 Succión	1516 25 Micras"	1557 El filtro incluye un tazón
1472 Sin con transmisión en las cuatro ruedas	1517 "4,2"" D.E.	1558 Vida útil prolongada de 10 micras
1473 alternateur	1518 Vida útil prolongada"	1559 Mantenimiento 1 onza de producto químico
1474 Eje de transmisión	1519 "13,9"" altura"	
1475 Recirculación	1520 "2"" o 7"" sumidero de alta capacidad"	
1476 Enfriador de freno	1521 "2"" o 7"" sumidero de capacidad estándar"	
1477 Racor opcional	1522 "4"" sumidero"	
1478 Retorno de hidráulico	1523 "Sistema AD-IS, AD-SP"	
1479 Bomba de hidráulico	1524 "9/16"" rosca del puerto sensor"	
1480 2,27" x 1,14"	1525 "6,17"" alto"	
1481 2,72" x 1,38"	1526 Separador F/W	
1482 3,5" x 1,4"	1527 "1/2"" rosca del puerto sensor"	
1483 3,5" x 2"	1528 Filtro de vida útil estándar	
1484 5,50 x4,5	1529 "Versión larga, versión corta [LFF1001]."	
1485 8,25 x3,87	1530 "1 1/2""-12 rosca"	
1486 Y empaquetadura Hough	1531 1 1/2"-12 rosca	
1487 Transmisión de transferencia	1532 2 1/4-12 rosca	
1488 Vickers	1533 "2 1/4"" rosca"	
1489 Filtro de retorno	1534 "1 1/2"" rosca"	
1490 4200	1535 "1 1/8"" rosca"	
1491 4200B (Freno)	1536 "1 1/8"" rosca	
1492 4200B	1537 Vida útil prolongada con tecnología de liberación prolongada"	
1493 TD100G	1538 -4	
1494 4,25" de altura	1539 Excepto motores de emisión 2017	
1495 Reemplaza a FT1015	1540 -1977	
1496 Alternativo	1541 Estándar reemplazado	
1497 401	1542 2,72" de altura	
1498 Desde 1960	1543 Incluye tazón	
1499 "3/4"" rosca"	1544 4,12" de altura	
1500 1955 en adelante	1545 Tiene un puerto sensor de 9/16-18	
1501 Hasta 1955	1546 En la bandeja	
1502 Elemento de 6" de altura		
1503 Juego de filtro de aire interior/ exterior		
1504 "Cuando el espacio es limitado, puede usarse [PH253]."		
1505 Funk		

Notes en bas de page (suite)

1 Intérieur	44 À partir du 02/02	90 À partir du 11/81
2 Extérieur	45 Jusqu'au 06/06	91 Jusqu'au 11/88
3 Durée de vie prolongée avec technologie de libération lente	46 À partir du 04/96	92 Jusqu'au 07/90
4 Produit chimique d'entretien 1 oz	47 Jusqu'au 01/07	93 À partir du 06/74
5 Carter profond	48 Jusqu'au 05/98	94 Jusqu'au 12/89
6 Carter peu profond	49 À partir du 03/00	95 À partir du 05/80
7 8 po hauteur	50 À partir du 04/98	96 Jusqu'au 12/90
8 4,5 po hauteur	51 À partir du 04/00	97 À partir du 01/74
9 3,5 po hauteur	52 À partir du 02/87	98 À partir du 03/88
10 Sans enveloppe	53 Jusqu'au 09/93	99 Jusqu'au 12/01
11 Servodirection	54 À partir du 12/86	100 À partir du 01/87
12 En option	55 Jusqu'au 04/90	101 À partir du 09/02
13 Monté sur le cadre optionnel	56 À partir du 05/91	102 8,31 po hauteur
14 Vie prolongée	57 Partiel	103 Jusqu'au 03/06
15 Standard	58 À partir du 11/95	104 À partir du 01/97
16 Interne	59 À partir du 03/93	105 6À partir du 02/82
17 Version longue	60 À partir du 05/96	106 Jusqu'au 05/87
18 Courte	61 À partir du 03/98	107 À partir du 07/75
19 Longue	62 À partir du 07/92	108 Eco-Finer
20 Haute efficacité	63 Filetage de 9/16, port pour capteur	109 Jusqu'au 06/83
21 Monté sur le châssis	64 À partir du 03/95	110 À partir du 04/73
22 2 po ou 7 po filtre de carter d'huile grande capacité	65 Dérivation	111 Jusqu'au 07/77
23 2 po ou 7 po filtre de carter d'huile capacité standard	66 Longue durée	112 À partir du 08/82
24 4 po filtre de carter d'huile	67 À partir du 09/87	113 Jusqu'au 02/89
25 Montage sur moteur	68 Jusqu'au 05/97	114 À partir du 09/63
26 9,8 po hauteur	69 À partir du 08/90	115 Jusqu'au 08/65
27 7,5 po hauteur	70 À partir du 09/99	116 À partir du 03/86
28 Contient 1 oz de produit chimique	71 Jusqu'au 10/02	117 À partir du 11/85
29 Filetage de 1 1/8 po	72 À partir du 03/97	118 Jusqu'au 12/86
30 Filetage de 1 po x 12	73 À partir du 05/94	119 À partir du 01/91
31 Grand	74 Jusqu'au 10/99	120 Jusqu'au 02/89
32 Monté à distance	75 À partir du 01/88	121 À partir du 07/87
33 Monté sur le châssis	76 Jusqu'au 02/95	122 À partir du 03/89
34 Montage vertical	77 À partir du 01/70	123 Jusqu'au 08/95
35 Jusqu'au 10/88	78 Jusqu'au 08/91	124 À partir du 08/85
36 Jusqu'au 05/89	79 À partir du 02/82	125 Jusqu'au 09/95
37 Jusqu'au 07/87	80 Jusqu'au 12/91	126 À partir du 08/87
38 À partir du 09/00	81 À partir du 01/90	127 Jusqu'au 01/95
39 Jusqu'au 03/02	82 Jusqu'au 12/93	128 À partir du 07/88
40 À partir du 02/94	83 Jusqu'au 10/93	129 Jusqu'au 09/96
41 Cartouche	84 Jusqu'au 10/92	130 À partir du 09/83
42 À partir du 08/94	85 À partir du 06/85	131 À partir du 09/85
43 Jusqu'au 12/00	86 Jusqu'au 09/91	132 Jusqu'au 09/94
	87 Jusqu'au 10/92	133 À partir du 01/89
	88 À partir du 01/75	134 À partir du 07/94
	89 Jusqu'au 12/81	135 Jusqu'au 09/97
		136 À partir du 09/91

Notes en bas de page (suite)

137	Jusqu'au 09/98	183	Filtre antipoussière et anti-odeur	225	Jusqu'à 07/06
138	À partir du 09/91	184	L'ensemble Ford no F65Z-18D477AA requis	226	À partir du 07/02
139	Cuvette	185	Filtre à pollen	227	À partir du 11/01
140	Jusqu'au 12/07	186	Filtre antipoussière	228	À partir du 04/89
141	À partir du 03/01	187	Sans kit AIS pour service intensif 2U2Z-9K635-AA	229	Jusqu'à 06/91
142	À partir du 10/03	188	AODE carter profond	230	À partir du 05/86
143	Jusqu'au 09/01	189	AODE carter peu profond	231	Jusqu'à 01/89
144	À partir du 09/92	190	C6 3 vitesses	232	À partir du 11/88
145	Pré-filtrer	191	E40D carter profond	233	À partir du 09/93
146	À partir du 11/99	192	E40D carter peu profond	234	À partir du 07/91
147	Jusqu'au 12/06	193	Cartouche externe	235	À partir du 10/92
148	Moteur	194	Filtre seulement, filtre avec capuchon attaché LP2017KITT	236	À partir du 01/93
149	Jusqu'au 03/94	195	Ensemble, primaire/secondaire	237	À partir du 09/03
150	À partir du 07/85	196	C6 carter profond	238	Jusqu'à 09/09
151	À partir du 03/94	197	C6 carter peu profond	239	2013-
152	À partir du 10/98	198	4R100 carter profond	240	15 po hauteur
153	Jusqu'au 02/02	199	4R100 carter peu profond	241	17,5 po hauteur
154	À partir du 07/90	200	9,5 mm (3/8 po)	242	10 microns
155	À partir du 10/97	201	8 mm (5/16 po)	243	14,25 po hauteur
156	À partir du 02/98	202	Élément filtrant de 50 mm (2 po) en papier plissé	244	Secondaire
157	À partir du 01/86	203	Après 6/12/98	245	98-07
158	Jusqu'au 06/90	204	Ne pas utiliser si le kit AIS pour service intensif (2U2Z-9K635-AA) a été installé	246	Entrée côté
159	À partir du 05/81	205	Entretien	247	30 microns
160	Jusqu'au 08/90	206	Type cuvette	248	Admission d'extrémité
161	À partir du 01/82	207	Option sans étrier	249	Pas chimique
162	À partir du 09/81	208	19 po hauteur	250	11,9 po hauteur
163	Jusqu'au 12/85	209	Port de capteur carré	251	82N, T
164	À partir du 02/96	210	Avec sonde	252	Passage intégral
165	Jusqu'au 04/98	211	7 po hauteur	253	Monté horizontalement
166	À partir du 02/95	212	254 mm (10 po) hauteur	254	Racor optionnel
167	À partir du 06/00	213	Système injection de carburant Delphi	255	Contient 3 oz de produit chimique
168	À partir du 03/04	214	Jusqu'à 05/07	256	Au réservoir
169	1 par emballage	215	À partir du 08/04	257	Près du réservoir de carburant
170	2 par emballage	216	Jusqu'à 05/04	258	Jusqu'à 04/00
171	Avec orifice pour sonde	217	À partir du 01/05	259	Jusqu'au 09/06
172	Hauteur : 140 mm (5,5 po)	218	À partir du 09/95	260	À partir du 01/95
173	Conditions de service extrêmes	219	Filtre de AC	261	À partir du 07/93
174	5 po hauteur	220	À partir du 05/99	262	À partir du 05/00
175	6 po hauteur	221	Jusqu'à 03/00	263	Tuyaux et les colliers ont besoin inclus
176	Capuchon pour l'extrémité supérieure	222	À partir du 11/97	264	Sans enveloppe en mousse, Avec enveloppe en mousse LAF388B
177	Ouvert aux deux extrémités	223	À partir du 08/95	265	3 po hauteur
178	10,5 po hauteur	224	À partir du 08/00	266	3,75 po diamètre extérieur
179	Filetage de 1 1/2 po x 12			267	4,25 po diamètre extérieur
180	Filtre double				
181	Seule				
182	Contient 2 oz de produit chimique				

Notes en bas de page (suite)

268	Version pour utilisation intensive de longue durée	314	Jusqu'à 05/05	360	Jusqu'à 09/84
269	2,5 po x 3,5 po	315	À partir du 09/98	361	À partir du 07/82
270	3,5 po x 2,8 po	316	Système injection de carburant Bosch	362	À partir du 02/93
271	Diamètre extérieur 75 mm (3 po)	317	Jusqu'à 07/98	363	À partir du 01/94
272	4 po diamètre extérieur	318	À partir du 03/96	364	À partir du 01/92 - jusqu'à 07/92
273	Filetage de 95mm x 2	319	À partir du 01/69	365	À partir du 01/92
274	Filetage de 1 3/4 po	320	Jusqu'à 12/88	366	À partir du 12/92
275	Primaire	321	Jusqu'à 05/92	367	À partir du 08/84
276	Filetage M36 x 15-5	322	À partir du 10/83	368	À partir du 10/84
277	Filetage de 92mm x 2	323	Jusqu'à 11/86	369	Jusqu'à 07/92
278	2,8 po hauteur	324	À partir du 05/90	370	À partir du 05/75
279	3,8 po diamètre extérieur	325	À partir du 12/82	371	Jusqu'à 12/84
280	Intérieur optionnel	326	Jusqu'à 12/87	372	Jusqu'à 12/82
281	2007-09	327	À partir du 05/87	373	Jusqu'à 08/94
282	À partir du 01/02	328	Jusqu'à 02/90	374	À partir du 05/82
283	À partir du 05/02	329	Jusqu'à 01/97	375	Jusqu'à 10/90
284	Jusqu'à 3/07	330	À partir du 02/90	376	Jusqu'à 01/87
285	À partir du 09/88	331	À partir du 06/86	377	Jusqu'à 03/91
286	Jusqu'à 07/93	332	Jusqu'à 09/89	378	Jusqu'à 07/85
287	4L80-E	333	Jusqu'à 08/88	379	À partir du 11/74
288	À partir du 02/85	334	À partir du 02/89	380	À partir du 03/87
289	Jusqu'à 06/89	335	À partir du 02/90 - jusqu'à 12/90	381	À partir du 12/87
290	Jusqu'à 08/99	336	À partir du 02/90 - jusqu'à 12/90	382	Jusqu'à 10/89
291	Version pour utilisation intensive de longue durée	337	À partir du 09/90	383	À partir du 05/74
292	Jusqu'à 12/02	338	Jusqu'à 11/92	384	Jusqu'à 12/80
293	À partir du 07/99	339	À partir du 05/83	385	À partir du 01/80
294	Jusqu'à 09/03	340	Jusqu'à 06/96	386	À partir du 10/80
295	Jusqu'à 04/01	341	À partir du 06/83	387	Jusqu'à 07/89
296	À partir du 02/92	342	À partir du 08/80	388	À partir du 09/84
297	Jusqu'à 05/01	343	Jusqu'à 12/83	389	À partir du 11/80
298	À partir du 07/00	344	À partir du 07/88	390	À partir du 02/91
299	À partir du 01/01	345	À partir du 04/83	391	À partir du 09/89
300	À partir du 04/92	346	Jusqu'à 11/87	392	À partir du 09/73
301	Jusqu'à 06/02	347	À partir du 10/81	393	Jusqu'à 08/82
302	À partir du 01/98	348	Jusqu'à 10/97	394	Jusqu'à 08/96
303	Jusqu'à 11/04	349	Jusqu'à 03/04	395	À partir du 12/94
304	À partir du 04/93	350	Capuchon métallique	396	À partir du 12/88
305	À partir du 04/93	351	À partir du 11/75	397	À partir du 05/92
306	À partir du 01/00	352	Jusqu'à 02/91	398	À partir du 08/92
307	À partir du 07/84	353	Conduite à droite	399	À partir du 12/90
308	À partir du 06/89	354	À partir du 04/84	400	À partir du 06/95
309	À partir du 10/88	355	À partir du 06/87	401	À partir du 01/96 - jusqu'à 09/96
310	Filetage de 27mm	356	À partir du 06/84	402	À partir du 05/89
311	2,73 po hauteur	357	Jusqu'à 02/93	403	À partir du 08/73
312	Système AD-IS	358	À partir du 03/92	404	Jusqu'à 09/83
313	Filetage de 2 1/4 po	359	À partir du 09/75	405	À partir du 12/91
				406	À partir du 08/83

Notes en bas de page (suite)

407	À partir du 10/76	453	À partir du 10/93	499	10,3 po hauteur
408	À partir du 08/75	454	À partir du 02/86 - jusqu'à 09/86	500	À partir du 10/91
409	À partir du 12/81	455	Boîtier Purflux	501	Jusqu'à 07/04
410	À partir du 03/84	456	Air Standard	502	À partir du 06/97
411	À partir du 11/92	457	Sans sonde	503	Jusqu'à 09/86
412	À partir du 06/76	458	4,1 po hauteur	504	Jusqu'à 06/84
413	Jusqu'à 06/87	459	À partir du 02/00	505	À partir du 10/86
414	À partir du 02/83	460	À partir du 06/95	506	À partir du 09/80
415	Jusqu'à 09/85	461	À partir du 05/97	507	À partir du 08/89
416	À partir du 04/76	462	À partir du 06/99	508	Jusqu'à 11/90
417	À partir du 04/85	463	Jusqu'à 08/05	509	Jusqu'à 02/01
418	À partir du 12/79	464	À partir du 12/1998	510	Jusqu'à 11/01
419	À partir du 09/82	465	Jusqu'à 05/08	511	Direction ZF8099 optionnel
420	À partir du 10/85	466	À partir du 01/83	512	Jusqu'à 07/95
421	Jusqu'à 10/82	467	Jusqu'à 09/90	513	Jusqu'à 05/94
422	À partir du 06/92	468	Jusqu'au 01/92	514	Jusqu'à 05/00
423	À partir du 03/91	469	Filetage de 3/4 po x 16	515	Jusqu'à 06/93
424	À partir du 02/80	470	Jusqu'à 09/92	516	Jusqu'à 01/96
425	À partir du 12/93	471	À partir du 10/82	517	Jusqu'à 07/86
426	À partir du 10/90	472	Jusqu'à 10/98	518	Jusqu'à 05/96
427	Jusqu'à 11/91	473	Boîte de vitesses B9 + B18	519	À partir du 05/84
428	À partir du 05/92 - jusqu'à 07/92	474	Injection Sigma	520	Avec boîtier Mann Hummel
429	À partir du 01/96	475	À partir du 05/88	521	Avec boîtier Donaldson
430	Jusqu'à 05/06	476	Jusqu'à 10/91	522	À partir du 01/77
431	Jusqu'à 12/95	477	À partir du 04/91	523	À partir du 01/99
432	À partir du 10/89	478	À partir du 02/88	524	Jusqu'à 03/89
433	À partir du 04/86	479	Version grande durée	525	Jusqu'à 07/97
434	Jusqu'à 04/89	480	Jusqu'à 05/91	526	Jusqu'au 01/90
435	À partir du 11/82	481	Jusqu'à 08/86	527	À partir du 10/87
436	Jusqu'à 12/94	482	Jusqu'à 02/85	528	Système d'alimentation CAV
437	À partir du 06/94 - jusqu'à 12/94	483	Jusqu'à 03/84	529	Jusqu'à 03/98
438	À partir du 04/77	484	À partir du 05/85	530	Jusqu'à 06/80
439	Jusqu'à 03/93	485	À partir du 11/83	531	Filtre-boîte seulement
440	À partir du 01/84	486	Filetage M20 x 15	532	Jusqu'à 03/01
441	À partir du 09/96	487	Jusqu'à 04/93	533	Jusqu'à 12/97
442	À partir du 01/85	488	Jusqu'à 05/90	534	À partir du 03/80
443	Système à doubles filtres	489	Jusqu'à 01/86	535	Jusqu'à 07/83
444	Jusqu'à 12/03	490	À partir du 06/80	536	À partir du 05/78
445	16,3 po de hauteur	491	À partir du 07/81	537	À partir du 01/76
446	10,29 po de hauteur	492	À partir du 11/89	538	À partir du 08/71
447	Jusqu'à 12/04	493	Jusqu'à 12/96	539	À partir du 10/96
448	À partir du 10/02	494	Contient 4 oz de produit chimique	540	Jusqu'à 10/04
449	À partir du 07/98	495	Jusqu'à 03/96	541	À partir du 03/99
450	Filtre à particules	496	Jusqu'à 02/00	542	À partir de 2/01
451	Sans raccordement pour capteur d'eau	497	Jusqu'à 10/96	543	À partir du 10/05
452	Jusqu'à 11/93	498	214 mm hauteur	544	Jusqu'à 09/07
				545	Ralentisseur

Notes en bas de page (suite)

546 À partir du 09/04	591 6 po diamètre extérieur	636 Montée à distance Filetage 3/4 po x 16
547 Jusqu'à 12/05	592 Embouts en plastique	637 Monté directe
548 À partir du 08/96	593 2,65 po hauteur	638 Circuit principal
549 Jusqu'à 06/00	594 3,11 po hauteur	639 Montage à distance du circuit principal
550 Jusqu'à 02/04	595 Avec évacuation	640 Monté à distance nettoyage
551 Jusqu'à 10/00	596 Filetage 13/16-18	641 Télécommande à distance du circuit de refroidisseur
552 Essieu arrière	597 Version courte	642 Sauf conditions de service extrêmes
553 Exige une cuvette de sédimentation	598 2,67 po diamètre extérieur	643 Filetage de 1 1/2 po x 12
554 Recirculation automatique	599 Haute capacité	644 Contient 6 oz de produit chimique
555 Durée de vie prolongée avec produit chimique à libération contrôlée	600 10,8 po hauteur	645 Changement de vitesse pneumatique
556 Jusqu'à 08/87	601 7,3 po hauteur	646 Sauf conditions de service extrêmes
557 Jusqu'à 11/89	602 4,4 po hauteur	647 Gaz naturel
558 Climats froids	603 Reniflard de réservoir	648 Avec option Davco
559 I-SHIFT	604 2,92 po hauteur	649 Filetage de 1/2 po, port pour capteur
560 À partir du 10/79	605 2,55 po hauteur	650 Série Transmission automatique et série transmission manuelle 53 po carter profond
561 Jusqu'à 10/85	606 6 po x 3 po	651 Transmission automatique et transmission manuelle auxiliaire vissable
562 À partir du 06/78	607 Retour	652 Série Transmission automatique avec 3,8 po carter
563 À partir du 03/71	608 Filetage de 1 3/8 po x 12	653 9,3 po hauteur
564 Jusqu'à 09/72	609 Filetage de 1 1/2 po x 16	654 5R110W
565 À partir du 11/78	610 Pompe de charge	655 5R110W 5 vitesses en carter
566 À partir du 08/77	611 Joint axial	656 AODE 4 vitesses
567 Jusqu'à 06/85	612 1,4 po diamètre extérieur	657 Filetage aux deux extrémités
568 Jusqu'à 05/88	613 50 mm (2 po) Diamètre extérieur	658 Filetage à une extrémité
569 Jusqu'à 10/84	614 Double	659 3,8 po carter profond
570 À partir du 08/91	615 À partir de 2013	660 5,3 po carter profond
571 Jusqu'à 02/86	616 Diamètre extérieur de 25 po	661 -2014
572 À partir du 08/78	617 3,12 po diamètre extérieur	662 2014-
573 À partir du 08/93	618 7 po x 2 1/4 po	663 Filetage de 1 1/8 po
574 Boîte de vitesses	619 Intérieur, si le véhicule en est équipé	664 Filetage de 1 po
575 À partir du 11/91	620 Hydrostatique Filetage 3/4 po	665 Filetage de 1 po x 12
576 Jusqu'à 09/00	621 Hydrostatique Filetage 1 po	666 Filetage de 20 mm
577 À partir du 11/93	622 Moteur à injection Kohler	667 534564 Boîtier
578 Jusqu'à 12/99	623 7,38 po hauteur	668 Série FA240PL
579 Jusqu'à 10/94	624 2,65 po diamètre extérieur	669 Série FL230PL
580 À partir du 08/98	625 Filtre standard	670 Série conditions de service extrêmes FA240PLHD
581 Jusqu'à 01/02	626 Efficacité standard	671 Refroidisseur intermédiaire
582 Powertronic	627 5 oz de produit chimique	672 Mounted sous le capot
583 À partir du 09/94	628 Version grande du LFF8020	
584 Jusqu'à 04/85	629 Nettoyage du circuit principal	
585 À partir du 08/84 - jusqu'à 09/84	630 Entretien du circuit principal	
586 À partir du 08/84 - jusqu'à 09/84	631 Service	
587 Vissé	632 Nettoyage	
588 7 x 2,92 po	633 Montée à distance Filetage 1 1/2 po x 16	
589 7 x 2,55 po	634 Montée à distance Filetage 1 1/8 x 16	
590 Hydrostatique	635 Circuit de refroidisseur	

Notes en bas de page (suite)

673	Sans évacuation	717	4 po filtre de carter d'huile capacité standard	761	8,7 po hauteur
674	Avec bouchon plastique	718	À partir de 2012	762	Boîtier Donaldson
675	Sans prise de force	719		763	Avec évacuation
676	Avec prise de force	720	Version Promotion	764	Sans évacuation
677	Filetage de 3/4 po	721	-2013	765	Filetage de 1 1/8 po x 16
678	Sans orifice pour sonde	722	Kit, contient 3 éléments	766	Écoulement centrifuge
679	Essieu	723	13,9 po hauteur	767	20 po hauteur
680	Filetage 20 mm	724	Différentiel	768	26 po hauteur
681	Shunt	725	Compartiment couchette	769	11,5 po diamètre extérieur
682	2 microns	726	400	770	13 po x 2,75 po
683	Style du filtre d'origine	727	Air cabine intérieur	771	13 po x 3 po
684	Changement rapide avec capuchon attaché	728	À partir de 1995	772	2012 -
685	Conditions de service extrêmes	729	11,8 po hauteur	773	Carter peu profond sans joint
686	Service standard	730	-2004	774	Sans capuchon
687	Amélioration	731	11,8 po hauteur	775	Quelques modèles intérieur
688	Avec Moteur Cummins NHK235, NHK310	732	23 po hauteur	776	Carter peu profond après 2010
689	Sans étrier	733	29 po hauteur	777	6,8 po hauteur
690	À partir de 1993	734	Côté passager du compartiment couchette	778	Sans séparateur
691	À partir de 1993	735	Différentiel au besoin	779	3,75 po diamètre extérieur
692	-1993	736	À partir de 2004	780	4,25 po diamètre extérieur
693	2,3 po x 3,9 po	737	Jusqu'à 1/04	781	Compresseur
694	3,1 po x 4,1 po	738	Jusqu'à 2004	782	System Saver 1200
695	Système de chauffage Webasto	739	A partir de 1/04	783	Côté pression
696	18,5 po hauteur	740	Jusqu'au 1/04	784	À partir de 2010
697	16,5 po hauteur	741	Version longue durée [L3578FXL], version haute efficacité [L5467F]	785	2010 émissions
698	Avec bouchon métallique	742	15,2 po hauteur	786	11,9 po hauteur
699	Charge initiale	743	Remplace FT1013	787	9 po hauteur
700	2e étage	744	Filtre-boîte	788	Avant émissions 2010
701	Bouchon plastique	745	Séparateur d'eau cartouche	789	- 2010 émissions
702	Filetage de 1 5/8 po	746	En forme de cône	790	Non installé en usine
703	Avec panneau pour conditions de service extrêmes	747	Boîtier jetable	791	Filetage M95 x 2
704	1991-95	748	Davco optionnel	792	Sans aileron
705	1973-75	749	À partir de 12/95	793	Système AD-SP
706	1982-95	750	À partir du 12/95	794	50 microns
707	1974-95	751	-1996	795	15 1/4 po hauteur
708	1988-95	752	1996-	796	Filetage de 11/16 po x 16
709	10,4 po diamètre extérieur	753	Jusqu'au 12/95	797	Filetage de 1 po x 14
710	8,67 po diamètre extérieur	754	A partir de 1/04	798	21,5 po hauteur
711	Version à petite cannette	755	À partir du 1/2004	799	Davco
712	Quelques modèles	756	À partir de 2007	800	2 po ou 7 po filtre de carter d'huile
713	1995-	757	À partir de 2008	801	Non installé en usine
714	-1995	758	À partir de 1998	802	À partir de 2013
715	Bosch	759	À partir du 2002	803	Sans turbo
716	À partir de 2012	760	RSC	804	2002-2009
				805	25 microns
				806	Doit être libéré

Notes en bas de page (suite)

807 3 oz de produit chimique	853 1977 -	897 Essieu arrière optionnel
808 2010-	854 Pour utilisation dans le boîtier en matériau composite Mack 485GB4360M	898 Filtre de cabine air à frais
809 Avec flux inversé		899 01-09
810 Filetage M92 x 256H	855 À utiliser avec le logement Mack 2MD4140	900 04-09
811 7 microns	856 Dérivation avant le 11/11/03	901 99-07
812 À partir de 2010 (court)	857 Dérivation après le 11/11/03	902 99-03
813 Filtre antipoussière	858 Réservoir de hydraulique	903 08-09
814 Power Core	859 Préfiltre	904 Intervalles d'entretien prolongés Court
815 Modèles 2006 et ultérieurs	860 Série Chantier pré-séparateur	905 Intervalles d'entretien prolongés Long
816 À partir de 2007	861 Feutre	906 Filetage de 24 mm
817 Avant émissions 2010	862 Élément filtrant en papier	907 Boîtier plastique
818 Écoulement centrifuge	863 272C dimension	908 Boîtier métallique
819 -2007	864 Filetage de 11/16 po x 16	909 Davco 482 optionnel
820 23 1/2 po hauteur	865 Filetage M36 x 20	910 Ventilateur de hydrostatique
821 25 po hauteur	866 13,5 po hauteur	911 5 po hauteur
822 25,4 po hauteur	867 22,8 po hauteur	912 Filetage de 1 po
823 15 1/2 po hauteur	868 21,2 po hauteur	913 VT/VTO boîte de vitesses
824 Municipal	869 23,6 po hauteur	914 Davco 25 microns
825 Municipal uniquement	870 4,65 po diamètre extérieur	915 Système AD-IS, AD-SP
826 Exporter	871 5,35 po diamètre extérieur	916 9,4 po hauteur
827 Roadsweeper	872 Standard remplacé	917 6,17 po hauteur
828 -04	873 9,1 po largeur	918 2007 émissions
829 Jusqu'à-04	874 8,12 po largeur	919 Traverse
830 04-	875 22,50 po hauteur	920 11,4 X 4,7
831 Sauf 2MD515M boîtier	876 10,5 po hauteur	921 12,7 X 9,3 po
832 À partir de 2004	877 10-10	922 Davco optionnel
833 Utilisé en Mack 2MD515M boîtier	878 Sans produit chimique	923 Style cuvette
834 A compter du 10/28/02	879 13,54 po longueur	924 Avec système AD-SP
835 Sans embout fermé encastrable	880 13,06 po diamètre extérieur	925 Version longue, Version courte [LFF1001]
836 - 11/11/03	881 Longueur : 10,13 po	926 2013 -
837 11/11/03 -	882 11,53 po diamètre extérieur	927 En ligne
838 Monté à distance	883 1755	928 Deux filtres par boîte
839 4,13 po hauteur	884 Capteur ovale	929 Également disponible en version emballage vrac
840 Sauf en Mack 2MD515M boîtier	885 Avec réservoir en plastique	930 Emballage vrac
841 -11/11/03	886 OptiDrive II	931 60 cm (23 1/2 po) Hauteur, extérieur
842 11/11/03-	887 468 mm hauteur	932 65 cm (25 1/2 po) Hauteur, extérieur
843 A partir du 22/10/07	888 14,9 po hauteur	933 Dérivation 24 cm (9,6 po)
844 4,2 po diamètre extérieur	889 17 po hauteur	934 HD
845 Eaton/Fuller	890 18,2 po hauteur	935 Exige l'emploi du joint Case A21473 non fourni
846 Contient 3 oz produit chimique	891 Un adaptateur de filtre fileté est joint	936 À partir de 1970
847 Avec boîtier 2MD515M	892 Boîtier Mann and Hummel	937 Production initiale
848 20 1/2 po hauteur	893 Milieux poussiéreux	938 Production récente
849 Type sans étrier	894 11 po diamètre extérieur	
850 Passage intégral	895 13,5 po diamètre extérieur	
851 Filtre de dérivation Spinner	896 Ventilateur mécanique	
852 - 1977		

Notes en bas de page (suite)

939	Modèles de fin d'année	976	Moteur diesel Detroit utilisant un socle Cummins	1018	À partir de 1947
940	1964-69	977	À partir du 1993	1019	À partir de 7/62
941	1959-69	978	Filtre de dérivation	1020	Avant le 7/62
942	Utilisé avec LMB6926 kit de conversion	979	Filtre de dérivation optionnel	1021	À partir de 1965
943	Socle de conversion à changement rapide	980	3,7 po diamètre extérieur	1022	À partir de 7/62
944	Filetage de 1 po x 14	981	Filetage de 1 1/8 po x 16	1023	À partir du la fin 1969
945	Filetage de 7/8 po	982	À partir du 1958	1024	À partir de 1975
946	3126E	983	Début 1963	1025	Avec un système d'injection à rampe commune
947	Moteur 02Z	984	À partir de 1959	1026	À partir du 11/11/03
948	Version à petit diamètre	985	À partir de 1960	1027	À partir du 11/11/03
949	"Filtre sans enveloppe en mousse Pour le remplacement de la couverture en mousse, utiliser [LAF15F]"	986	Fabrication Romeo	1028	À partir du 1966
950	Voile à suie	987	Fabrication Basildon	1029	Avec pompe PSJ ou PSM
951	Attaché	988	À partir de 69	1030	À partir de 78
952	Jeu de générateur	989	Avant le 69	1031	Avant le 77
953	Pré-charge	990	Utiliser si le nécessaire de filtre vissable a été installé	1032	À partir de 4/78
954	10,5 po diamètre extérieur	991	Usage moyen	1033	Avant le 3/78
955	Purolator P800 boîtier	992	Sauf 73-75 carburateur quadruple corps	1034	10/88c
956	Dérivation Purolator P900 boîtier	993	À partir de 9/86	1035	Avant le 9/88
957	Boîtier de Purolator P700	994	À partir du 9/86	1036	À partir de 7/82
958	Filetage de 13/16 po	995	À partir de 2004	1037	Avant le 6/82
959	Sur les modèles utilisant un support à base triangulaire, s'assurer que les boulons de montage n'entrent pas en contact avec le filtre	996	À partir de 1999	1038	S'il y a suffisamment d'espace, utiliser version longue [PH1218]
960	Avant le 2015	997	À partir du 1999	1039	À partir du 1968
961	Filetage M85	998	Service normales	1040	À partir de 73
962	Filetage M72	999	0946 litre (1 quart)	1041	À partir de 62
963	Version longue [LFF1001]	1000	Style équipement d'origine Ensemble filtre et capuchon [L3546FC]	1042	Avant le 73
964	Avec boîtier Fram	1001	Longueur : 1 po	1043	À partir de 1973
965	Papier plissé	1002	2,02 po hauteur	1044	À partir du 1973
966	Longueur normale, [LFP815FN] peut être utilisé si l'espace le permet	1003	2,73 po hauteur	1045	À partir de 1962
967	Cartouche 5,86 po hauteur	1004	Les applications sur les autobus	1046	À partir de 1960
968	Cartouche 9 po hauteur	1005	À partir de 1994	1047	À partir du 2/83
969	Type chaussette	1006	À partir de 1994	1048	À partir de 9/1965
970	3,75 po hauteur	1007	Installation par le concessionnaire	1049	À partir du 1967
971	7,8 po hauteur	1008	1967-80	1050	À partir de 1967
972	À partir de 1951	1009	À partir du 63	1051	À partir de 1974
973	À partir de 1957	1010	Avant le 63	1052	À partir de 5/1974
974	À partir du 1951	1011	À partir de 1963	1053	À partir du 10/1969
975	À partir du 1994	1012	À partir du 1963	1054	10/1969-4/1974
		1013	Inversion de débit	1055	À partir du 5/1974
		1014	Ensemble, filtres cartouche et vissé	1056	À partir du 4/1974
		1015	À partir de 1959	1057	À partir de 5/1979
		1016	À partir de 1953	1058	À partir de 10/1968
		1017	À partir du 1953	1059	À partir du 10/1968
				1060	À partir du 2003
				1061	Avec orifice pour sonde
				1062	Longueur : 15,5 po
				1063	11,8 po hauteur

Notes en bas de page (suite)

1064 4 po hauteur	1109 Avec conduite de carburant 1/4 po	1152 Pompe fourgonnette hydraulique avec CVT
1065 4,87 po hauteur	1110 Réservoir	1153 Pompe à piston
1066 Filetage de 7/8 po x 16	1111 6,5 po hauteur	1154 Pompe
1067 4,2 po hauteur	1112 Puissance élevée	1155 Habitacle haut profil
1068 Fin de l'année	1113 Levées	1156 Ouvert central
1069 À partir de 81	1114 Flux standard	1157 24 x 24
1070 À partir de 1981	1115 Flux haute	1158 Sans frein ABS
1071 La fin 1962	1116 Pompe de charge avec socle en aluminium	1159 CVT
1072 À partir de 1985	1117 Filetage de 1 1/2 po x 16	1160 Sauf CVT
1073 À partir de la fin 1962	1118 Avec joint Case A-57858	1161 Pompe de hydraulique sauf CVT
1074 Filtre haute performance	1119 Aspiration ligne	1162 Pompe Vane
1075 Pompe de refroidissement planétaire	1120 Entrée	1163 Essieux
1076 Évacuation Case	1121 Version service prolongé/intense de LAF6453	1164 Sous le batterie
1077 Réservoir de hydraulic	1122 Adaptateur de 7/8 po	1165 Débit énorme
1078 Évacuation	1123 Adaptateur de 1 po	1166 Filetage de 9/16"-18, port pour capteur
1079 Reniflard	1124 Nécessite 2 filtres	1167 Cabine standard
1080 Reniflard de hydraulique	1125 VGT	1168 Ultra haute efficacité
1081 Pompe côté droit	1126 À partir du 02/05	1169 Cabine à recirculation
1082 Standard	1127 Jusqu'à 01/08	1170 Avec traction intégrale
1083 Utilisation intensive	1128 Arrière	1171 Principal
1084 Changement de vitesses sous charge	1129 Externe	1172 Pour fluides ignifugée
1085 Inverseur de marche	1130 2 roues motrices	1173 Marteau
1086 Détection de charge	1131 4,77 po diamètre extérieur	1174 Pompe vertical
1087 Débit combiné Dyna Shift	1132 4 po diamètre extérieur	1175 Pompe horizontale
1088 Ligne pression	1133 Pompe de transfert	1176 Vissé, réservoir de hydraulic
1089 Détection de charge à droite	1134 À partir de 8/06	1177 Pilote, Haute efficacité ??
1090 Pompe RH	1135 À partir de 2011	1178 11,6 po hauteur
1091 Centrifuge	1136 Avant	1179 Garniture de marteau
1092 Si l'espace le permet	1137 Pilote	1180 Pilote, rendement énergétique ultra élevé
1093 Avec un purificateur d'air United	1138 10	1181 Hauteur extérieur 14,39 po
1094 Pour les filtres à moteur, voir la section moteurs	1139 Démarrage froids optionnel	1182 16,64 po hauteur
1095 Si l'espace est restreint	1140 À partir de 1960	1183 7 po hauteur
1096 Plastique transparent	1141 Au réservoir	1184 105 po hauteur
1097 Différentiel côté droit	1142 13 po diamètre extérieur	1185 Pilote de filetage de 2 po
1098 Retour différentiel	1143 14 po hauteur	1186 Quelques modèles extérieur
1099 Convertisseur de couple	1144 Prise de force	1187 Intérieur si utilisé avec LAF4501
1100 Embrayage	1145 À partir du 03/03	1188 Intérieur si utilisé avec LAF4503
1101 Joint Allis-Chalmers 926821	1146 Verrouillage du différentiel	1189 Évacuation de Case haute efficacité
1102 Joint Allis-Chalmers 70666244	1147 Avec préfiltre	1190 Pilote haute efficacité
1103 Unis	1148 Haute/basse	1191 Rendement énergétique ultra élevé
1104 14,38 po hauteur	1149 Sans cabine	1192 Chauffeur
1105 13,4 po hauteur	1150 Sans cabine	1193 Treuil
1106 9 po hauteur	1151 Avec changement de vitesses sous charge	1194 Powertrain
1107 Dérivation partiel		
1108 À partir de 1966		

Notes en bas de page (suite)

1195 Treuil attaché	1241 Sec	1282 Cartouche principale 20 cm (8 po)
1196 Mettre en œuvre le retour	1242 Bride Diamètre extérieur 37 cm (14,5 po)	1283 Ensemble
1197 Retour haute efficacité	1243 Altimétrique attaché	1284 Reniflard de carter
1198 Élément filtrant en verre	1244 Retenu par une barre	1285 Joint Fiat-Allis 70926821
1199 Commande	1245 Retenu par une pince	1286 Joint Fiat-Allis 70666244
1200 Moteur de démarrage	1246 Sec seule	1287 Diamètre extérieur 254 mm (10 po)
1201 Chauffage d'habitacle	1247 Changement rapide	1288 4,6 po diamètre extérieur
1202 Extérieur	1248 16,4 po diamètre extérieur	1289 Certains modèles utilisent (2) filtres
1203 Transmission	1249 12,5 po diamètre extérieur	1290 À partir de 12/88
1204 5,13 po diamètre extérieur	1250 Monté au-dessus	1291 Jusqu'à 08/81
1205 Servofrein	1251 Ignifugée	1292 À partir du 08/81
1206 Cat 8M7830 Gskt	1252 Transmission du rotor	1293 À partir du 10/78
1207 Évacuation haute efficacité	1253 Vaporisateur d'asphalte hydraulique fixé	1294 Jusqu'à 07/81
1208 5 po diamètre extérieur	1254 Propane	1295 Pompe de reprise
1209 Caterpillar 4K1557 joints	1255 Avec embrayage à huile	1296 Avec pompe auxiliaire
1210 Caterpillar 2K8257 joints	1256 Hydraulique installé sur chantier	1297 10/85
1211 Frein	1257 Diesel	1298 Couvercle rabattable
1212 Entraînement	1258 Certains V30C	1299 Pompe monté sur moteur
1213 Ventilateur	1259 12,63 po hauteur	1300 À partir du 03/60
1214 Filetage de 1 3/8 po\	1260 14,25 po hauteur	1301 Sans préfiltre
1215 Caterpillar 3J1991 joints	1261 Embrayage en bain d'huile	1302 2,51 po hauteur
1216 Cabine attaché	1262 Entraînement Header	1303 3,35 po hauteur
1217 Sauf moteur de S/N 580-UP	1263 Et joint 3967	1304 E seulement
1218 Refroidisseur d'huile	1264 Boîtier 1103 Fram	1305 Inclinaison latérale
1219 Essieu optionnel	1265 Avec refroidisseur d'huile	1306 4,5 po diamètre extérieur
1220 Mettre en œuvre	1266 Sans refroidisseur d'huile	1307 Diamètre extérieur 67 mm (2,62 po)
1221 Moteur seule	1267 Automobiles	1308 Sauf moteurs de Chevrolet
1222 Moteur seule	1268 Pompe à propulsion	1309 18,3 po hauteur
1223 Avec Caterpillar 3J1991 joints	1269 Lorsqu'il y a peu de place, on peut utiliser le [PH253]	1310 Carrier
1224 Avec Caterpillar 5K1770 joints	1270 Filetage 13/8 x12" po	1311 Grue
1225 Avec Caterpillar 5F3144 joints	1271 Filetage de 1 po x 12	1312 Système air seule
1226 Climatisation d'habitacle fixée	1272 Filetage de 1 1/2 po x 16	1313 Extérieur joint radial
1227 Seule attaché	1273 Filetage de 1 3/8 po x 16	1314 Réservoir
1228 4,75 po hauteur	1274 Joint torique Dresser 3042934-R1	1315 Panneau
1229 Pilote et pompe	1275 Joint torique 2 Dresser 3042934-R1	1316 5 1/4 po hauteur
1230 Tapis	1276 Joint torique 3 Dresser 252556-R1	1317 Commande de godet
1231 Monté au-dessou	1277 Joint torique 4 Dresser 3042934-R1	1318 C350B-D seulement
1232 Avant de cabine	1278 Joint torique 3 Dresser 3042934-R1	1319 Systèmes Pall
1233 Dans le réservoir	1279 Graissage compresseur	1320 Série Fram A240
1234 Dans le réservoir haute efficacité	1280 Collecteur de poussière	1321 225 seulement
1235 Avec boulons	1281 Longueur : 23,5 po	1322 Cartouche haute 38 cm (14,9 po)
1236 Sans Boulons		1323 Compresseur secondaire
1237 Engrenage conique		1324 Compresseur et moteur
1238 3,1 po diamètre extérieur		
1239 Tous		
1240 Ajouter joint G42-AF		

Notes en bas de page (suite)

1325 6,75 po hauteur	1367 Option utilisation intensive	1411 Header
1326 6 7/8 po hauteur	1368 Dispositif élévateur	1412 Turf
1327 Lorsqu'il est converti en utilisant l'ensemble IH 538837-R91	1369 Diamètre extérieur 119 mm (4,7 po)	1413 Orchard
1328 Auxiliair	1370 Diamètre intérieur 12 cm (4,81 po)	1414 Vineyard seulement
1329 IH 279781-R1 Joint nécessaire	1371 Traction avant	1415 Dégagement standard
1330 Filtre	1372 Essieu avant	1416 Moteur Continental
1331 Extérieur avec capuchon métallique	1373 Vie prolongée extérieur	1417 Montant de porte
1332 Joint torique 3042934-R1 International Harvester	1374 Série T	1418 Centrifuge droit
1333 À partir du 03/59	1375 Standard extérieur	1419 Inverseur de marche d'embrayage en bain d'huile
1334 Transmission par engrenages	1376 Extérieur 6090HDW11	1420 Côté droit
1335 Moteur C291	1377 Essieu nettoyage	1421 Perkins
1336 Moteur C301	1378 Passage de vitesse manuel	1422 Avant/Arrière
1337 Boîtier Coopers	1379 Évacuation du joint moteur	1423 Transmission Hydra-Power
1338 Entraînement pignon à chaîne	1380 Carter engrenage	1424 Clark
1339 Filtre à durée de vie standard	1381 Cabine à chauffeur	1425 2 7/8 po diamètre extérieur
1340 12 microns	1382 Sans ProDrive	1426 Boîtier Donaldson
1341 Diamètre extérieur 203 mm (8 po)	1383 Collecteur Draper	1427 Jusqu'à 11/97
1342 Diamètre extérieur 185 mm (7,3 po)	1384 Au le collecteur de distribution	1428 Moteur avec 2 soupapes avec commande électrique
1343 Pression	1385 Boîtier Airmaze	1429 15 microns
1344 Fabriqué aux E-U	1386 Avec moteur de niveau 3	1430 3,75 po diamètre extérieur
1345 Avec capteur	1387 Retour partiel	1431 Retour Cessna
1346 2/09-	1388 Culbuteur	1432 Pompe de charge Vickers
1347 Chariot de visite	1389 Climatiseur d'habitable	1433 Pompe de charge Cessna
1348 Fabrication Mannheim	1390 5 microns	1434 À partir du 10/00
1349 Avant le 2012	1391 Entraînement de ventilateur de refroidisseur d'huile	1435 Jusqu'à 03/03
1350 2/08-	1392 E.-U.	1436 6/07-
1351 Intérieur	1393 Cabine	1437 6,45 po diamètre extérieur
1352 Inverseur	1394 9,2 po hauteur	1438 5,4 po diamètre extérieur
1353 Rond	1395 Servo-embrayage	1439 1/99 - 1/02
1354 Avec Moteur Fin LPG	1396 3,2 po hauteur	1440 12 po x 12 po
1355 S/O au réservoir	1397 3,7 po hauteur	1441 Collecteur du transmissions CVT
1356 Système de hydraulique	1398 Au besoin	1442 Pompe fourgonnette
1357 Avec transmission mécanique	1399 Avec boîtier métallique	1443 8x8 changement de vitesses sous charge
1358 Power Quad	1400 Avec boîtier en plastique	1444 Entraînement du rabatteur
1359 Sauf la transmission à variation continue	1401 Boîtier Racor optionnel	1445 Modèle Rice
1360 Système de réglage de niveau	1402 Anciens	1446 16 po x 16 po
1361 Terrain plat	1403 Codes du moteur BEU ou BJC	1447 8 po x 2 po avec 16 po x 4 po
1362 Retour de traction sur les roues avant, camionnette	1404 Codes du moteur CBJB, BMF	1448 Fond du réservoir
1363 Retour FWD	1405 5,47 po hauteur	1449 Jusqu'à 01/06
1364 Pompe Case	1406 6,41 po hauteur	1450 Reverse-O-Trac
1365 Avec habitacle	1407 Passage intégral utiliser avec filtre de dérivation	1451 5,75 po hauteur
1366 7,7 po hauteur	1408 Avec filtre d'huile soule	1452 8,25 po hauteur
	1409 Basse pression	1453 Jusqu'à 8/81
	1410 Filetage de 1 1/2 po	1454 5,1 po hauteur

Notes en bas de page (suite)

1455 Boîte de transfert	1501 Jusqu'à 1955	1541 Standard remplacé
1456 Prise de force avant	1502 Élément de 6 po de hauteur	1542 2,72 po hauteur
1457 Compresseur partiel	1503 Kit de filtre à air intérieur extérieur	1543 Bol compris
1458 Hauteur : 171,45 mm (6,75 po)	1504 « Si on manque de place, on peut utiliser le [PH253] »	1544 4,12 po hauteur
1459 Carter d'huile	1505 Funk	1545 Doté d'un port de capteur filetage 9/16 - 18
1460 Deluxe	1506 Kit de filtre à air intérieur et extérieur	1546 Dans le carter
1461 Farr	1507 Hauteur 8 cm (3,2 po)	1547 2 po hauteur
1462 HI-FLOW	1508 Fuller 0,946 litre (1 quart)	1548 5,75 po hauteur
1463 Avec United 250C3,-S	1509 Fuller 1,892 litre (2 quarts)	1549 1948-53
1464 Réservoir tampon	1510 Refroidisseur d'huile aux.	1550 Élément de 2 po de hauteur
1465 Pompe Cutter	1511 Avec filtre AC-Delco SC-353	1551 1 po hauteur
1466 Évent hydraulique	1512 Liquide	1552 Filtre avec bol
1467 Boîtier Racor 1000H	1513 Sauf émissions 2017	1553 À chargement rapide à chargement rapide
1468 Ventilateur de refroidissement	1514 Hauteur 30 cm (11,9 po)	1554 Contient 3 oz de produit chimique
1469 Émissions basse	1515 Diamètre extérieur 9,5 cm (3,75 po)	1555 Standard remplacé
1470 Panneau d'évent	1516 25 Microns	1556 10 microns
1471 Aspiration	1517 Diamètre extérieur 10,6 cm (4,2 po)	1557 Filtre avec bol compris
1472 Sans avec traction intégrale	1518 Vie prolongée	1558 Durée de vie prolongée 10 Microns
1473 Alternateur	1519 Hauteur 30 cm (13,9 po)	1559 Produit chimique d'entretien 1 oz
1474 Essieu moteur	1520 Carter d'huile haute capacité 5 cm (2 po) ou 18 cm (7 po)	
1475 Recyclage	1521 Carter d'huile capacité normale 5 cm (2 po) ou 18 cm (7 po)	
1476 Refroidisseur de frein	1522 Carter d'huile 10 cm (4 po)	
1477 Racor optionnel	1523 Système AD-IS, AD-SP	
1478 Retour de hydraulique	1524 Port de capteur filetage 9/16 po	
1479 Pompe de hydraulique	1525 Hauteur 16 cm (6,17 po)	
1480 2,27 po x 1,14 po	1526 Séparateur F/W	
1481 2,72 po x 1,38 po	1527 Port de capteur filetage 1/2 po	
1482 3,5 po x 1,4 po	1528 Filtre à durée de vie standard	
1483 3,5 po x 2 po	1529 Longue version, courte version [LFF1001]	
1484 5,50 x4,5	1530 Filetage 1 1/2 po-12	
1485 8,25 x3,87	1531 Filetage 1 1/2 po-12	
1486 Et joint Hough	1532 Filetage 2 1/4 -12	
1487 Entraînement de la boîte de transfert	1533 Filetage 2 1/4 po	
1488 Vickers	1534 Filetage 1 1/2 po	
1489 Filtre de retour	1535 Filetage 1 1/8 po	
1490 4200	1536 Filetage 1 1/8 po	
1491 4200B (Frein)	1537 Durée de vie prolongée avec technologie chrono-régulée	
1492 4200B	1538 -4	
1493 TD100G	1539 Sauf les moteurs à émissions 2017	
1494 4,25 po hauteur	1540 -1977	
1495 Remplace FT1015		
1496 Alternatif		
1497 401		
1498 À partir du 1960		
1499 Filetage 3/4 po		
1500 À partir de 1955		

Product Identification / Identificación de productos / Identification produit

PREFIXES

English	Español	Français
AAdapter Kits.....	Kit adaptador	Jeu adapterr
AFAir Filter.....	Filtro de aire.....	Filtre à air
CAFCabin Air Filter.....	Filtro de aire de cabina.....	Filtre d'air d'habitacle
FF.....Spin-on Fuel Filter	Filtro de combustible roscado	Filtre à carburant vissée
FP.....Spin-on Lube / Fuel Filter	Filtro de aceite / combustible roscado	Filtre à huile / à carburant vissée
GGasoline Filter.....	Filtro de gasolina.....	Filtre à essence
L.....Cartridge Fuel Filter.....	Cartucho fi trante de combustible.....	Filtre à carburant élément
LAFAir Filter.....	Filtro de aire.....	Filtre à air
LFF.....Spin-on Fuel Filter	Filtro de combustible roscado	Filtre à carburant vissée
LFHHydraulic Filter	Filtro hidráulico	Filtre hydraulique
LFP.....Spin-on Lube / Fuel Filter	Filtro de aceite / combustible roscado	Filtre à huile / à carburant vissée
LFW.....Spin-on Coolant Filter	Filtro de refrigeración roscado.....	Filtre eau de refroidissem vissée
LHHydraulic Filter	Filtro hidráulico	Filtre hydraulique
LK.....Maintenance Kit.....	Kit de mantenimiento	Jeu de maintenance
LM.....Cartridge Lube Filter.....	Cartucho fi trante de aceite	Filtre à huile élément
LP.....Cartridge Lube Filter.....	Cartucho fi trante de aceite	Filtre à huile élément
LW.....Cartridge Coolant Filter.....	Cartucho filtrante de refrigeración.....	Filtre eau de refroidissem élément
P.....Cartridge Lube Filter.....	Cartucho fi trante de aceite	Filtre à huile élément
PBSpin-on Lube Filter	Filtro de aceiteroscado	Filtre à huile vissée
PCPCV Valve	Valvula PVC	Soupape en PVC
PHSpin-on Lube Filter	Filtro de aceite roscado.....	Filtre à huile vissée

SUFFIXES

English	Español	Français
CCummins Maintenance Kit.....	Kit de mantenimiento Cummins.....	Jeu de maintenance Cummins
CACaterpillar Maintenance Kit.....	Kit de mantenimiento Caterpillar	Jeu de maintenance Caterpillar
CRCarrier Transcold Maintenance Kit ...	Kit de mantenimiento Carrier transcold	Jeu de maintenance Carrier transcold
CTThermos 750/500 By-Pass.....	Derivación Thermos 750/500.....	Thermos 750/500 en dérivation
DFuel Filter Includes Drain Plug.....	Filtro de combustible con purgador	Filtre à carburant avec séparateur eau
DDetroit Diesel Maintenance Kit.....	Kit de mantenimiento Detroit Diesel	Jeu de maintenance Detroit Diesel
F.....Fuel Filter	Filtro de combustible.....	Filtre à carburant
F.....Ford Maintenance Kit.....	Kit de mantenimiento Ford	Jeu de maintenance Ford
FP.....Fire Proof.....	Despida la prueba	Vider la preuve
GGlass Media.....	Material sintético	Matériale synthétique
HDHeavy Duty.....	“Industrial, Maquinaria Pesada”	Exécution renforcée (industriel)
HDFAir Filter Pre-Cleaner	Pre-Filtro de aire	Pré-filtre à air
I.....IHC Maintenance Kit.....	Kit de mantenimiento IHC.....	Jeu de maintenance IHC
M.....Mack Maintenance Kit.....	Kit de mantenimiento Mack.....	Jeu de maintenance Mack
MAMack Air Filter Maintenance Kit	Kit de mantenimiento filtros de aire Mack	Jeu de maintenance filtre à air Mack
MP.....Mack Maintenance Kit.....	Kit de Mantenimiento Mack.....	Jeu de maintenance Mack
MXMAir filter, extended/severe service.....	Filtro de aire, versión para servicio exigente durante períodos extensos	Filtre à air, version pour utilisation intensive de longue durée
NNissan Maintenance Kit.....	Kit de mantenimiento Nissan.....	Jeu de maintenance Nissan
SSpinner II Maint. Kit	Kit de mantenimiento Spinner II.....	Jeu de maintenance Spinner II
SCShort Can	Tipo corto	Exécution courte
T.....Thermo King Maint. Kit.....	Kit de mantenimiento Thermo King	Jeu de maintenance Thermo King
TRTTime Release Technology	La tecnología de liberación de tiempo.....	La technologie de libération de temps
V.....Viton Gasket	Junta de culata de Viton.....	Viton joint
XL.....Extended Life	Vida extendida	Vie prolongée

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ACEMCO POWER SYSTEMS (AUXILIARY POWER UNIT)			ADVANCE MIXER (CONCRETE MIXER)			ALLIANCE (AUXILIARY POWER UNIT)		
<i>Models (w/Isuzu 3CA1-A Engine)</i>			<i>Concrete Mixers w/Cummins N-14 Diesel (cont'd)</i>			<i>N83 UP600 w/Kubota Engine</i>		
P822686	Air	LAF8388 ²	W/S	Fuel	LFF8000 ⁶²⁸	ABPN83328802	Fuel	L550F
	Fuel	L3541F	W/S		LFF8020	ALLISON (TRANSMISSION)		
	Oil	PH400 ^{32, 275} PH8A ^{32, 1496}		Oil	LFP3000 LFP3000XL ¹⁴	<i>1000, 2000, 2100, 2200, 2500 Series</i>		
ADVANCE MIXER (CONCRETE MIXER)			<i>Concrete Mixers w/Detroit Diesel 50-Series Engine</i>			29539579 Trans LFH8737		
<i>Concrete Mixers w/Caterpillar 3176 Engine</i>			Pri. Fuel LFP815FN			29537965		
	Air	LAF9472	Sec.		LFP816FN	<i>3000, 3200 Series</i>		
	Coolant	LFW4074 ⁶²⁷		Oil	LFP2160 LFP2160TRT ³ LFP2160XL ¹⁴	29540496 Trans LH4582G ²⁴		
Pri.	Fuel	L3531F LFF2749 ²⁰				29526899 Trans LH4589G ²³		
Sec.		LFF5823B ⁶²⁶				29540493 Trans LH4591G ²²		
1R0716	Oil	LFP4005 ⁶²⁶ LFP4005TRT ³ LFP4005XL ¹⁴	<i>Concrete Mixers w/Detroit Diesel 60 Series Engine</i>			<i>4000, 4500, 4700, 4800 Series</i>		
By-Pass		LFP777B	Pri. Air LAF9396			29540496 Trans LH4582G ²⁴		
<i>Concrete Mixers w/Caterpillar 3306B Engine</i>			Sec. Fuel LFP815FN			29526899 Trans LH4589G ²³		
	Air	LAF9472	Sec. Oil LFP2160			29540493 Trans LH4591G ²²		
	Coolant	LFW4744 ⁴	Pri. Air LAF9396			<i>5000, 6000, 8000, 9000 Series</i>		
Sec.	Fuel	LFP440F	Sec. Fuel LFP815FN			29540496 Trans LH4260 ⁶²⁹		
	Oil	LFP3191 LFP3191XL ¹⁴	Sec. Oil LFP816FN			23018851 Trans LH4261 ⁶³⁰		
<i>Concrete Mixers w/Caterpillar C-10 Diesel</i>			Concrete Mixers w/Detroit Diesel 6V-71T Engine			23018853 Trans LH4262 ⁶³²		
	Air	LAF9396	Pri. Air LAF9396			23018852 Trans LH4263 ⁶³¹		
	Coolant	LFW4744 ⁴	Pri. Fuel LFP815FN			<i>600 Series</i>		
Pri.	Fuel	L3531F	Sec. Fuel LFP816FN			6834831 Trans T153		
1R0716	Oil	LFP4005 ⁶²⁶ LFP4005TRT ³ LFP4005XL ¹⁴	Sec. Oil LFP911			<i>Allison World Transmissions</i>		
<i>Concrete Mixers w/Caterpillar C-12 Diesel</i>			Concrete Mixers w/Detroit Diesel 6V-92T Engine			29540496 Trans LH4582G ²⁴		
	Air	LAF9396	Pri. Air LAF9396			29526899 Trans LH4589G ²³		
	Coolant	LFW4744 ⁴	Sec. Air LAF9396			29540493 Trans LH4591G ²²		
Pri.	Fuel	L3531F LFF2749 ²⁰	Pri. Fuel LFP815FN			<i>AT-540, AT-542, AT-543, AT-545</i>		
1R0716	Oil	LFP4005 ⁶²⁶ LFP4005TRT ³ LFP4005XL ¹⁴	Sec. Fuel LFP816FN			690348 Trans HP1 ⁶³⁶		
<i>Concrete Mixers w/Caterpillar C-10 Diesel</i>			Mixer w/Caterpillar 3306C Engine			25011099 LFP5570 ⁶³⁴		
	Air	LAF9396	P129472 Air LAF9472			23042062 LFP8316G ⁶³³		
	Coolant	LFW4744 ⁴	9N-3366 Coolant LFW4074 ⁶²⁷			5574540 LP132 ³²		
Pri.	Fuel	L3531F LFF2749 ²⁰	1R-0739 (1R-0711); Sec. Fuel LFP440F			6837428 P141 ⁶³⁵		
1R0716	Oil	LFP4005 ⁶²⁶ LFP4005TRT ³ LFP4005XL ¹⁴	1R-0739 Oil LFP3191			T112 ⁶		
<i>Concrete Mixers w/Caterpillar C-12 Diesel</i>			1R-0739 Oil LFP3191TRT ³ LFP3191XL ¹⁴			T153 ⁵		
	Air	LAF9396	A0223 Trans LFH4223			<i>B300, B400, B500 Series</i>		
	Coolant	LFW4744 ⁴	Trans LFH4223XL ¹⁴			29540496 Trans LH4582G ²⁴		
Pri.	Fuel	L3531F LFF2749 ²⁰	Mixer w/Cummins L10 Engine			29526899 Trans LH4589G ²³		
1R0716	Oil	LFP4005 ⁶²⁶ LFP4005TRT ³ LFP4005XL ¹⁴	P129472 Air LAF9472			29540493 Trans LH4591G ²²		
<i>Concrete Mixers w/Cummins ISM Diesel Engine</i>			A4744 Coolant LFW4071 ²⁸			<i>CLBT-750</i>		
	Air	LAF9396	A0105 Fuel LFF5			23040988 Trans LH5018		
	Coolant	LFW4071 ²⁸	A1670 Oil LFP670			LP132		
(3406889); W/S	Fuel	LFF1003 ²⁰⁹	(A0777); By-Pass Oil LFP670XL ¹⁴			LP151		
3800394		LFF1022	By-Pass Oil LFP777B			<i>CRT-3321-1, CRT-3321-3, CRT-3331-1,</i>		
	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	A0223 Trans LFH4223			<i>CLT-3360-7, CLT-3440-7, CLT-3460-7,</i>		
<i>Concrete Mixers w/Cummins LTA-10 Engine</i>			Mixer w/Cummins M11 Engine			<i>CRT-3331-3, CLT-3340-7, CRT</i>		
	Air	LAF9472	P129472 Air LAF9472			23040988 Trans LH5018		
	Coolant	LFW4071 ²⁸	A4744 Coolant LFW4071 ²⁸			LP132 ³²		
W/S	Fuel	LFF8000 ⁶²⁸	(FS-1212); W/S Fuel LFF8020			<i>CRT-5530, CRT-5630</i>		
W/S		LFF8020	LF-3000 Oil LFP3000			5576200 Trans LP151		
	Oil	LFP3000 LFP3000XL ¹⁴	A0223 Trans LFH4223			<i>CRT-5631, CLBT-5660, CLBT-5860, CLBT-5960,</i>		
<i>Concrete Mixers w/Cummins N-14 Diesel</i>			Mixer w/Cummins M11 Engine			<i>CLBT-6060</i>		
	Air	LAF9472	P129472 Air LAF9472			Trans LP132 ³²		
	Coolant	LFW4071 ²⁸	A4744 Coolant LFW4071 ²⁸			LP151 ⁶³⁷		
	Fuel	LFF8000 ⁶²⁸	(FS-1212); W/S Fuel LFF8020			<i>EV-40/50</i>		
	Oil	LFP3000 LFP3000XL ¹⁴	LF-3000 Oil LFP3000			(29539579); Allison Trans LFH8737		
<i>Concrete Mixers w/Cummins N-14 Diesel</i>			A0223 Trans LFH4223			1000/2000		
	Air	LAF9472	LFH4223XL ¹⁴			29537965 T951 ⁶		
	Coolant	LFW4071 ²⁸						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 5-Deep Pan 6-Shallow Pan 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 32-Remote mounted 209-Square sensor port 250-11.9" Hgt. 275-Primary 626-Standard efficiency 627-5 oz. of chemical 628-Tall version of LFF8020 629-Main Circuit Clean Up 630-Main Circuit Service 631-Service 632-Clean Up 633-1 1/2" x 16 Thread Remote Mounted 634-1 1/8 x 16 Threaded Remote Mounted 635-Cooler Circuit 636-3/4" x 16 Thread Remote Mounted 637-Direct Mounted 870-4.65" O.D. 1496-Alternate

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ALLISON (TRANSMISSION)			AMERICAN LAFRANCE (TRUCK HEAVY DUTY)			AMERICAN LAFRANCE (TRUCK HEAVY DUTY)		
<i>HD-4060, HD-4560</i>			B			<i>Metropolitan (w/Cummins ISC Engine)</i>		
29526898	Trans	LH4582G ²⁴		Oil	LP816	(3355903); W/S	Fuel	LFF1000
29526899		LH4589G ²³				(3355903); W/S		LFF8020
		LH4591G ²²				3401544	Oil	LFP3000XL ¹⁴
<i>HT-70</i>			C					
	Trans	LP132 ³²		Oil	P71			
<i>HT-700 Series</i>			D			<i>Metropolitan (w/Cummins ISL Diesel Engine)</i>		
690348	Trans	HP1 ³²	291E1758	Oil	P71	(3355903); W/S	Fuel	LFF1000
		LH4223 ⁶³⁸				(3355903); W/S		LFF8020
		LH4223XL ^{14, 638}	291E1758	Oil	P71	3401544	Oil	LFP3000XL ¹⁴
		LH4260 ⁶²⁹	303E1500	Fuel	L43F	<i>Models with American LaFrance 020-900008 Hsg.</i>		
25012761		LH4261 ⁶³⁰	<i>Eagle ALF 134 (w/Caterpillar C-12 Engine)</i>				Air	LAF9297
25012763		LH4262 ⁶⁴⁰	(1R-0712); Sec.	Fuel	LFF5823B	<i>Models with Donaldson P119297</i>		
25012762		LH4263 ⁶³⁹	1R-0716	Oil	LFP4005		Air	LAF9297
250127464		LH5018	1R1808		LFP4005RN ⁵⁹⁹	N		
23040988		LP151 ⁶³⁸	1R1808		LFP4005XL ¹⁴	801E1266	Oil	P71
25011193			(1W-8845); By-Pass		LFP777B	V		
<i>MD-3060P, MD-3560P, MD-3070PT</i>			29526898	Trans	LH4582G ²⁴		Oil	P71
29526899	Trans	LH4589G ²³	29526899		LH4591G ²²	AUTOCAR (TRUCK HEAVY DUTY)		
29526899		LH4591G ²²	<i>Eagle ALF 134 (w/Cummins ISC Engine)</i>			<i>65T (w/White 390A Engine)</i>		
<i>MT-30, MT-31, MT-40, MT-41, MT-42</i>			3800394	Fuel	LFF1022		Air	LAF4285
H30142	Trans	LH4210	3401544	Oil	LFP3000XL ¹⁴			LAF8479
5578261		LP2315	29526898	Trans	LH4582G ²⁴	<i>65T (w/White 490A Engine)</i>		
<i>MT-643, MT-644, MT-647, MT-650, MT-653, MT-654</i>			29526899		LH4591G ²²		Air	LAF4285
	Trans	HP1 ⁶⁴¹	<i>Eagle ALF 134 (w/Cummins ISM Engine)</i>					LAF8479
25011099		LFP5570 ³²	(3406889); W/S	Fuel	LFF1003 ²⁰⁹	<i>ACL64 (w/Caterpillar 3176 Engine)</i>		
(25012522); Paper Media		LH4924	FS1022		LFF1022	Pri.	Fuel	L3531F
23040988		LH5018	LF9001	Oil	LFP9001 ²⁵⁰	Sec.		LFP440F
		LP132	LF9001		LFP9001XL ^{14, 250}	1R0716	Oil	LFP4005
29538489		T153 ¹⁶	29526898	Trans	LH4582G ²⁴	<i>ACL64 (w/Caterpillar 3306 Engine)</i>		
<i>MTB-640, MTB-643, MTB-644, MTB-647, MTB-650, MTB-653</i>			29526899		LH4591G ²²	(1R0740); Pri.	Fuel	L3531F
690348	Trans	HP1 ³²	<i>Eagle ALF 134 (w/Detroit Diesel 60 Series Engine)</i>			(6N7617); W/S		LFF1131
25011099		LFP5570 ³²	(23518481); Pri.	Fuel	LFP815FN	8N0205		LFF1201
23042062		LFP8316G ⁶³³	(23518482); Sec.		LFP816FN	(1R0740); Sec.		LFP440F
25010495		LFP911	23518480	Oil	LFP2160	1R0739	Oil	LFP3191 ²⁹
		LFP911XL ¹⁴	23518480		LFP2160TRT ³	1R0716		LFP4005 ⁶⁴³
(29538489); Exc. 7.14 in. oil pan		LP132 ⁴¹	23518480		LFP2160XL ¹⁴	5S0484		LP161
		T153 ¹⁵⁴⁶	29526898	Trans	LH4582G ²⁴	<i>ACL64 (w/Caterpillar 3406 Engine)</i>		
<i>TT, TRT-1-2-4000</i>			29526899		LH4591G ²²	22005-5039	Air	LAF1095
23040988	Trans	LH5018	F, G				Fuel	LFF2749 ²⁰
		LP151		Oil	P71	1R0716	Oil	LFP4005
<i>V730</i>			<i>Fire Truck (w/General Motors 6V-53 Engine)</i>					LFP4005TRT ³
Allison	Trans	LH4223 ⁶³⁸		Air	LAF2183A			LFP4005XL ¹⁴
		LH4223XL ^{14, 638}	Sec.	Fuel	261F	<i>ACL64 (w/Cummins ISM Engine)</i>		
		LFP911 ⁶³⁵	(5573482); Pri.		L274F	AF25139M	Air	LAF1849 ²
		LFP911XL ^{14, 635}	(5574961); Pri.		L274F1			LAF1849MXM ^{2, 268}
		LH5018	By-Pass	Oil	P2	AF25345		LAF1956 ¹
<i>VT730</i>					P71	WF2076	Coolant	LFW4075 ⁶⁴⁴
690348	Trans	HP1 ³²		Oil	P71	(FS1000); W/S	Fuel	LFF1000
23040988		LH5018		Air	LAF121	LF9009	Oil	LFP3000
		LP151	K, L, M					LFP3000XL ¹⁴
			801E1266	Oil	P71	38708-5002	Power Steering	LP5005 ⁴⁵⁸
<i>VT730</i>			<i>Metropolitan (w/Caterpillar 3126B Engine)</i>				Trans	LH4582G ²⁴
690348	Trans	HP1 ³²	(1R-0751); Sec.	Fuel	LFF4783	29540494		LH4589G ²³
23040988		LH5018	1R-0739	Oil	LFP3191	29540493		LH4591G ²²
		LP151	1R-0739		LFP3191XL ¹⁴	(29545776); Allison 3000/4000		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 16-Internal 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 29-1 1/8" Thread 32-Remote mounted 41-Cartridge 209-Square sensor port 250-11.9" Hgt. 268-Extended/Severe service 458-4.1" Hgt. 599-High capacity 629-Main Circuit Clean Up 630-Main Circuit Service 633-1 1/2" x 16 Thread Remote Mounted 635-Cooler Circuit 638-Main Circuit 639-Main Circuit Remote Mount 640-Remote Mounted Clean up 641-Cooler Circuit Remote 643-1 1/2" Thread 644-Contains 6 oz. of chemical 1546-In Pan

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
AUTOCAR (TRUCK HEAVY DUTY)			AUTOCAR (TRUCK HEAVY DUTY)			AUTOCAR (TRUCK HEAVY DUTY)		
<i>ACL64 (w/Cummins L10 Engine)</i>			<i>ACT42 XSPOTTER (w/Cummins ISB 6.7L Engine)</i>			<i>DS (w/Cummins N14 Engine) (cont'd)</i>		
22005-5039	Air	LAF1095 ¹	<i>(cont'd)</i>			(3308638); W/S	Fuel	LFF8020
WF2071	Coolant	LFW4071 ²⁸	(29545776); Allison	Trans	LH4591G ²²	LF9009	Oil	LFP3000 ³¹³
WF2076		LFW4075 ⁶⁴⁴	3000/4000			LF670		LFP670 ⁶⁴³
FF105	Fuel	LFF5	<i>ACT42 XSPOTTER (w/Cummins QSB6.7L Engine)</i>			(3304232); By-Pass		LFP777B
(FF105); Pri.		LFF5D	P527484	Air	LAF1878 ²	<i>Models (w/Le-Roi TH-540 Engine)</i>		
(FS1212); W/S		LFF8020	(FS19764); 2014-	Fuel	L9763FXL ¹⁴	(2LB-0611); S/N 570-	Oil	LP161
LF9009	Oil	LFP3000	4989106		LFF5421 ⁶⁶¹	(2LA-0611); -S/N 569		LP165
		LFP3000XL ¹⁴	3937736	Oil	LFP3970	<i>Models (w/White Gasoline Engine)</i>		
38708-5002	Power Steering	LP5005 ⁴⁵⁸	(29545776); Allison	Trans	LH4591G ²²	(879639); 6-185A eng.	Air	AF5HD
		LH4582G ²⁴	3000/4000			(216762); By-Pass	Oil	P4
29540494	Trans	LH4589G ²³	<i>ACX Xpeditor (w/Cummins ISL Engine)</i>			<i>Models with Allison Torqmatic tran.</i>		
29540493		LH4591G ²²	FF5636	Fuel	LFF5488	690348	Oil	HP1 ³²
(29545776); Allison			LF9009	Oil	LFP3000	AT 540	Trans	LP132 ³²
3000/4000			LF9009		LFP3000XL ¹⁴	<i>Models with Fuller R96 tran.</i>		
<i>ACL64 (w/Cummins M11 Engine)</i>			29540494	Trans	LH4582G ²⁴		Breather	LAF200 ^{645, 646}
22005-5039	Air	LAF1095 ¹	29540493		LH4589G ²³	<i>WX64 (w/Cummins ISC Engine)</i>		
AF25139M		LAF1849 ²	(29545776); Allison		LH4591G ²²	LF9009	Oil	LFP3000
		LAF1849MXM ^{2, 268}	3000/4000					LFP3000XL ¹⁴
AF25345		LAF1956 ¹	<i>ACX Xpeditor (w/Cummins ISL9 Engine)</i>			29540494	Trans	LH4582G ²⁴
WF2076	Coolant	LFW4075 ⁶⁴⁴	AF25139M	Air	LAF1849 ²	29540493		LH4589G ²³
(FS1000); W/S	Fuel	LFF1000	(4940647); Sec.		LAF1849MXM ^{2, 268}	(29545776); Allison		LH4591G ²²
LF9009	Oil	LFP3000	LF9009	Fuel	LAF1956 ¹	3000/4000		
		LFP3000XL ¹⁴	38708-5002	Oil	LFF5488	<i>WX64 (w/Cummins ISL Engine)</i>		
38708-5002	Power Steering	LP5005 ⁴⁵⁸	LF9009	Power Steering	LFP3000XL ¹⁴	LF9009	Oil	LFP3000
		LH4582G ²⁴	38708-5002		LP5005 ⁴⁵⁸			LFP3000XL ¹⁴
29540494	Trans	LH4589G ²³	29540494	Power Steering		29540494	Trans	LH4582G ²⁴
29540493		LH4591G ²²	29540493	Trans	LH4582G ²⁴	29540493		LH4589G ²³
(29545776); Allison			(29545776); Allison		LH4589G ²³	(29545776); Allison		LH4591G ²²
3000/4000			3000/4000		LH4591G ²²	3000/4000		
<i>ACL64 (w/Cummins N14 Engine)</i>			<i>ACX Xpeditor (w/Cummins ISM Engine)</i>			<i>WX64 (w/Cummins ISM Engine)</i>		
AF25139M	Air	LAF1849 ²	AF25139M	Air	LAF1849 ²	3098689	Coolant	LFW4685 ²⁴⁹
		LAF1849MXM ^{2, 268}			LAF1849MXM ^{2, 268}	3098689		LFW4685XL ^{14, 249}
AF25345		LAF1956 ¹	AF25345		LAF1956 ¹	3098688	Fuel	LFW6500 ⁵⁵⁵
WF2076	Coolant	LFW4075 ⁶⁴⁴	P181057		LAF6127 ²	(FS1003); W/S		LFF1003 ²⁰⁹
(FS1000); W/S	Fuel	LFF1000	(FS1000); W/S	Fuel	LFF1000	FS1022		LFF1022
LF9009	Oil	LFP3000	LF9001	Oil	LFP9001 ²⁵⁰	LF9001	Oil	LFP9001 ²⁵⁰
		LFP3000XL ¹⁴	LF9001		LFP9001TRT ³	LF9001		LFP9001XL ^{14, 250}
38708-5002	Power Steering	LP5005 ⁴⁵⁸	38708-5002	Power Steering	LFP9001XL ^{14, 250}	29540494	Trans	LH4582G ²⁴
		LH4582G ²⁴	LF9001		LP5005 ⁴⁵⁸	29540493		LH4589G ²³
29540494	Trans	LH4589G ²³	38708-5002	Power Steering		(29545776); Allison		LH4591G ²²
29540493		LH4591G ²²	29540494	Trans	LH4582G ²⁴	3000/4000		
(29545776); Allison			29540493		LH4589G ²³	<i>WXR XPEDITOR (w/Cummins ISM Engine)</i>		
3000/4000			(29545776); Allison		LH4591G ²²	3098689	Coolant	LFW4685 ²⁴⁹
<i>ACL64 (w/Detroit Diesel 60 Series Engine)</i>			<i>DK (w/Cummins N14 Engine)</i>			3098689		LFW4685XL ^{14, 249}
(23530706); Pri.	Fuel	LFP815FN	3315116	Coolant	LFW4071 ²⁸	3098688	Fuel	LFW6500 ⁵⁵⁵
(23530707); Sec.		LFP816FN	154789	Fuel	LFF5	(FS1003); W/S		LFF1003 ²⁰⁹
	Oil	LFP2160	(3308638); W/S		LFF8020	FS1022		LFF1022
		LFP2160TRT ³	LF9009	Oil	LFP3000 ³¹³	LF9001	Oil	LFP9001 ²⁵⁰
<i>ACL64 (w/Volvo VE-D12 Engine)</i>			LF670		LFP670 ⁶⁴³	LF9001		LFP9001XL ^{14, 250}
8193841	Fuel	LFF5874	(3304232); By-Pass		LFP777B	29540494	Trans	LH4582G ²⁴
4787362	Oil	LFP3191	<i>DS (w/Cummins N14 Engine)</i>			29540493		LH4589G ²³
(4775565); By-Pass		LFP8642	3315116	Coolant	LFW4071 ²⁸	(29545776); Allison		LH4591G ²²
<i>ACT42 XSPOTTER (w/Cummins ISB 6.7L Engine)</i>			154789	Fuel	LFF5	3000/4000		
(FF5632); -2014; Sec.	Fuel	LFF5632	<i>WXR42 (w/Cummins ISL-G Natural Gas Engine)</i>			P181057	Air	LAF6127 ²
LF3970	Oil	LFP3970						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 32-Remote mounted 209-Square sensor port 249-No chemical 250-11.9" Hgt. 268-Extended/Severe service 313-2 1/4" Thread 458-4.1" Hgt. 555-Extended Life w/ controlled release chemical 643-1 1/2" Thread 644-Contains 6 oz. of chemical 645-Air Shift 646-Exc. heavy duty service. 661--2014

A

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
AUTOCAR (TRUCK HEAVY DUTY)			BERING (TRUCK HEAVY DUTY)			BLUE BIRD (BUS HEAVY DUTY)		
<i>WXR42 (w/Cummins ISL-G Natural Gas Engine)</i>			<i>HD120 (w/Cummins ISB5.9L Engine)</i>			<i>All American (w/Caterpillar C7 Engine) (cont'd)</i>		
<i>(cont'd)</i>			(31950-61000); W/S	Fuel	L1261F L5021F	1R0739	Oil	LFP3191 LFP3191TRT ³ LFP3236 LFP3236TRT ³
NG5900	Fuel	LFF5080 ⁶⁴⁷	W/S			1R1807		
LF9009	Oil	LFP3000 LFP3000XL ¹⁴	<i>HD160 (w/Cummins ISC Engine)</i>					
29540494	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²	<i>LD Series (w/Detroit Diesel 638 Engine)</i>			Allison 1000/2000 (29540496); Allison 3000/4000 (29540493); Allison 3000/4000 (29545776); Allison 3000/4000 (29537965); Allison 1000/2000	Trans	LFH8737 LH4582G ²⁴ LH4589G ²³ LH4591G ²² T951 ⁶
29540493			45310-071A	Fuel	FP587F			
(29545776); Allison			41150-066A	Oil	LFP2292			
3000/4000			BLACK ROCK (AUXILIARY POWER UNIT)					
<i>WXR64 (w/Cummins ISC Engine)</i>			<i>Black Rock (w/Kubota D722 Engine)</i>			<i>All American (w/Cummins 6.7L Engine)</i>		
LF9009	Oil	LFP3000 LFP3000XL ¹⁴	109-0006	Air	LAF8388 ²	1967744	Air	LAF2551
29540494	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²	1523143560	Fuel	L550F	(FS1065); W/S	Fuel	LFF1065 ²¹⁰ LFF3292 ⁶³ LFF5632 LFF5849U ⁶⁴⁹ LFF8038 ⁶³ LFF8064 LFF8957 ¹³⁹
29540493			7000015241	Oil	PH2903	R90T (FF5632); Sec. S3225P R90P (R90P); W/S (R90T); W/S		
(29545776); Allison			<i>Black Rock (w/Kubota Z482 Engine)</i>			LF3970	Oil	LFP3970
3000/4000			109-0006	Air	LAF8388 ²	Allison 1000/2000 (29537965); Allison 1000/2000	Trans	LFH8737 T951 ⁶
<i>XPEDITOR (w/Cummins ISL Engine)</i>			1523143560	Fuel	L550F	<i>All American (w/Cummins ISB 5.9L Engine)</i>		
(FS1003); W/S	Fuel	LFF1003 ²⁰⁹ LFF5488	7000015241	Oil	PH2903	1967744	Air	LAF2551
(4940647); Sec.			<i>Black Rock (w/Yanmar 2TNV70 Engine)</i>			(FS1065); W/S	Fuel	LFF1065 ²¹⁰ LFF3292 ⁶³ LFF5632 LFF5849U ⁶⁴⁹ LFF8038 ⁶³ LFF8064 LFF8957 ¹³⁹
LF9009	Oil	LFP3000XL ¹⁴	109-0006	Air	LAF8388 ²	R90T (FF5632); Sec. S3225P R90P (R90P); W/S (R90T); W/S		
87972A	Power Steering	LP5005 ⁴⁵⁸	11981055650	Fuel	L4103F	LF3970	Oil	LFP3970
29540494	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²	11930535150	Oil	PH2876	Allison 1000/2000 (29537965); Allison 1000/2000	Trans	LFH8737 T951 ⁶
29540493			<i>Black Rock (w/Yanmar 3TNV70 Engine)</i>			<i>All American (w/Cummins ISC Engine)</i>		
(29545776); Allison			109-0006	Air	LAF8388 ²	1967744	Air	LAF2551
3000/4000			11981055650	Fuel	L4103F	(FS1065); W/S	Fuel	LFF1065 ²¹⁰ LFF3292 ⁶³ LFF5632 LFF5849U ⁶⁴⁹ LFF8038 ⁶³ LFF8064 LFF8957 ¹³⁹
<i>XPEDITOR (w/Cummins ISL-G Engine)</i>			11930535150	Oil	PH2876	R90T (FF5632); Sec. S3225P R90P (R90P); W/S (R90T); W/S		
P181057	Air	LAF6127 ²	BLUE BIRD (BUS HEAVY DUTY)			LF3970	Oil	LFP3970
NG5900	Fuel	LFF5080 ⁶⁴⁷	<i>All American (w/Caterpillar 3126 Diesel)</i>			Allison 1000/2000 (29537965); Allison 1000/2000	Trans	LFH8737 T951 ⁶
LF9009	Oil	LFP3000 LFP3000XL ¹⁴	1967744	Air	LAF2551	<i>All American (w/Cummins ISB 5.9L Engine)</i>		
29540494	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²	1R0751	Fuel	LFF4783 ²⁶⁶ LFF4783RD LFF5766 LFF5849 LFF5849U ⁶⁴⁹ LFF8038 ⁶³ LFF8957 ¹³⁹	1967744	Air	LAF2551
29540493			1R0751			(FS1065); W/S	Fuel	LFF1065 ²¹⁰ LFF3292 ⁶³ LFF5632 LFF5849U ⁶⁴⁹ LFF8038 ⁶³ LFF8064 LFF8957 ¹³⁹
(29545776); Allison			W/S			R90T (FF5632); Sec. S3225P R90P (R90P); W/S (R90T); W/S		
3000/4000			(S3225P); W/S			LF3970	Oil	LFP3970
<i>XPEDITOR (w/Cummins ISX11.9 Engine)</i>			S3225P			Allison 1000/2000 (29537965); Allison 1000/2000	Trans	LFH8737 T951 ⁶
WF2127	Coolant	LFW2127 ^{14, 249}	R90P			<i>All American (w/Cummins ISC Engine)</i>		
FS19763	Fuel	L9763FXL ^{14, 648} LFF6776	(R90T); W/S			1967744	Air	LAF2551
(FF5776); Sec.			1R0739	Oil	LFP3191 LFP3191TRT ³ LFP3236 LFP3236TRT ³	WF2071	Coolant	LFW4071 ²⁸ LFW4685 ²⁴⁹
FF5776	Oil	LFP9001 ²⁵⁰ LFP9001XL ^{14, 250}	1R1807			WF2077		
FF5776			Allison 1000/2000 (29540496); Allison 3000/4000 (29545776); Allison 3000/4000 (29537965); Allison 1000/2000	Trans	LH4582G ²⁴ LH4591G ²² T951 ⁶	(FS1003); W/S (4940647); Sec. (R90P); W/S S3225P (R90T); W/S	Fuel	LFF1003 ²⁰⁹ LFF5488 LFF5766 LFF5849U ⁶⁴⁹ LFF8957
29540494	Trans	LH4582G ²⁴ LH4591G ²²	<i>All American (w/Caterpillar C7 Engine)</i>			LF9009	Oil	LFP3000XL ¹⁴
Allison 3000/4000			1967744	Air	LAF2551	29538489 (29540494); Allison 3000 (29540493); Allison 3000 (29545776); Allison 3000 29540976	Trans	LFP8316G ⁶⁵¹ LH4582G ²⁴ LH4589G ²³ LH4591G ²² T112 ⁶⁵²
BENDIX-WESTINGHOUSE (AIR BRAKE SYSTEM)			1R0751	Fuel	LFF4783 ²⁶⁶ LFF4783RD LFF5766 LFF5849 LFF5849U ⁶⁴⁹ LFF8038 ⁶³ LFF8957 ¹³⁹ LFP8654 ³¹²	<i>All American (w/Cummins ISC Engine)</i>		
<i>Some models</i>			1R0751			1967744	Air	LAF2551
100783	Air	LAF122 LAF292	(R90P); W/S (S3225P); W/S S3225P R90P (R90T); W/S			WF2071	Coolant	LFW4071 ²⁸ LFW4685 ²⁴⁹
243009			Brake Dryer	Miscellaneous	LFP8654 ³¹²	WF2077		
BERING (CONCRETE MIXER)			<i>HDMX Concrete Mixer w/Caterpillar C-12 Engine</i>			<i>All American (w/Cummins ISC Engine)</i>		
26300-63000	Oil	LFP4005 LFP4005TRT ³ LFP777B	1967744	Air	LAF2551	(FS1003); W/S (4940647); Sec. (R90P); W/S S3225P (R90T); W/S	Fuel	LFF1003 ²⁰⁹ LFF5488 LFF5766 LFF5849U ⁶⁴⁹ LFF8957
26300-63000			1R0751	Fuel	LFF4783 ²⁶⁶ LFF4783RD LFF5766 LFF5849 LFF5849U ⁶⁴⁹ LFF8038 ⁶³ LFF8957 ¹³⁹ LFP8654 ³¹²	LF9009	Oil	LFP3000XL ¹⁴
(26310-63000); By-Pass			(R90P); W/S (S3225P); W/S S3225P R90P (R90T); W/S			29538489 (29540494); Allison 3000 (29540493); Allison 3000 (29545776); Allison 3000 29540976	Trans	LFP8316G ⁶⁵¹ LH4582G ²⁴ LH4589G ²³ LH4591G ²² T112 ⁶⁵²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 63-9/16" Thread Sensor Port 139-Bowl 209-Square sensor port 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 266-3.75" O.D. 312-AD-IS System 458-4.1" Hgt. 647-Natural Gas 648-w/ Davco option 649-1/2" Thread Sensor Port 651-AT and MT spin-on Auxiliary 652-AT Series w/ 3.8" pan

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BLUE BIRD (BUS HEAVY DUTY)			BLUE BIRD (BUS HEAVY DUTY)			BLUE BIRD (BUS HEAVY DUTY)		
<i>All American (w/Cummins ISC Engine) (cont'd)</i>			<i>TC2000 (w/Cummins ISB5.9L Engine)</i>			<i>XCEL102 (w/Cummins ISC Engine) (cont'd)</i>		
(29538489); Allison	Trans	T153 ⁶⁵⁰	4298501	Air	LAF2523	(3959612); Sec.	Fuel	LFF5488
<i>All American (w/John Deere 6081 CNG Engine)</i>			3800394	Fuel	LFF1022 ^{210, 653}	LF3000	Oil	LFP3000
1967744	Air	LAF2551	4309159		LFF8727	LF9009		LFP3000XL ¹⁴
Brake Dryer	Miscellaneous	LFP8654 ³¹²	LF3970	Oil	LFP3970	Allison 1000/2000	Trans	LFH8737
	Oil	LP5979	29510922	Trans	LFP8316G ⁶⁵¹	(29537965); Allison		T951 ⁶
		PH720	29540976		T112 ⁶⁵⁹	1000/2000		
Allison 1000/2000	Trans	LFH8737	29538489		T153 ⁶⁶⁰	<i>XPRESS 4000/4500 Coach (w/Caterpillar C-13 Engine)</i>		
(29540496); Allison		LH4582G ²⁴	<i>Ultra LF Transit (w/Cummins ISB Engine)</i>			1R-0749	Fuel	LFF2749 ²⁰
3000/4000			4941252	Fuel	L9800F ⁴¹	1R-1712	Oil	LFP4005 ⁶²⁶
29540493		LH4589G ²³	(R90T); W/S		LFF8957	<i>XPRESS 4000/4500 Coach (w/Detroit 60-Series Engine)</i>		
(29545776); Allison		LH4591G ²²	LF3970	Oil	LFP3970	(25014274); Pri.	Fuel	LFP815FN
3000/4000			<i>Vision (w/Caterpillar C7 Engine)</i>			(25014342); Sec.		LFP816FN
(29537965); Allison		T951 ⁶	0087782	Air	LAF8430	23527033	Oil	LFP2160
1000/2000			1R0751	Fuel	LFF4783	BLUE BIRD (MOTOR HOME)		
<i>Microbus (w/Ford 6.0L Turbo Diesel Engine)</i>			1R0751		LFF4783RD	<i>M380 Motor Home (w/Cummins ISL Diesel Engine)</i>		
P614542	Air	LAF1869	1R1807	Oil	LFP3236	3800394	Fuel	LFF1022 ^{210, 653}
	Fuel	L4604F ¹⁹⁵	Allison 1000/2000	Trans	LFP3236TRT ³	LF3000	Oil	LFP3000
	Oil	LP2017	(29537965); Allison		LFH8737	LF9009		LFP3000XL ¹⁴
	Trans	LH1145 ⁴¹	1000/2000		T951 ⁶	BOARDMAN (CONCRETE MIXER)		
		T646 ⁶⁵⁶	<i>Vision (w/Cummins 6.7L Engine)</i>			<i>905LD</i>		
		T866 ⁶⁵⁵	0087782	Air	LAF8430	K-23018	Hydraulic	LFP449
<i>Microbus (w/GM 4.8L Engine)</i>			(FS1065); Sec.	Fuel	LFF1065 ⁶⁶²	CAPACITY (TRUCK HEAVY DUTY)		
PF46	Oil	PH44	R90T		LFF3292 ⁶³	<i>TJ Series, Trailer Jockey (w/Caterpillar Engine)</i>		
A2032C	Air	LAF2032	(FF5632); Sec.		LFF5632 ⁶⁶¹	N.F.P. S-28	Hydraulic	LFP1652
	Fuel	G481 ⁶⁵⁷	S3225P		LFF5849U ⁶⁴⁹	<i>TJ Series, Trailer Jockey (w/Cummins Engine)</i>		
		G578 ⁶⁵⁸	R90P		LFF8038 ⁶³	N.F.P. S-28	Hydraulic	LFP1652
Allison 1000/2000	Trans	LFH8737	(R90P); W/S		LFF8064	<i>TJ Series, Trailer Jockey (w/Detroit Diesel Engine)</i>		
(29537965); Allison		T951 ⁶	(R90T); W/S		LFF8957 ¹³⁹	N.F.P. S-28	Hydraulic	LFP1652
1000/2000			LF3970	Oil	LFP3970	<i>TJ Series, Trailer Jockey (w/Detroit Diesel Engine)</i>		
<i>Microbus (w/GM 6.0L Engine)</i>			Allison 1000/2000	Trans	LFH8737	N.F.P. S-28	Hydraulic	LFP1652
PF46	Oil	PH44	(29537965); Allison		T951 ⁶	<i>TJ5000 (w/Maxxforce 7 Engine)</i>		
A2032C	Air	LAF2032	1000/2000			1876533C93	Fuel	L8874FK ¹⁹⁵
	Fuel	G481 ⁶⁵⁷	<i>Vision (w/Cummins ISB 5.9L Engine)</i>			1840752C91	Oil	LP2017
		G578 ⁶⁵⁸	4941252	Fuel	L9800F ⁴¹	29540494	Trans	LH4582G ²⁴
	Trans	LFH8737	FS1003		LFF1003 ^{587, 665}	29540493		LH4589G ²³
(29537965); Allison		T951 ⁶	FS19519		LFF9519 ^{587, 666}	29545776		LH4591G ²²
1000/2000			LF3970	Oil	LFP3970 ⁶⁶³	<i>TJ5000 (w/QSB6.7L Engine)</i>		
<i>Microbus (w/GM 6.6L Turbo Diesel Engine)</i>			LF3349		LFP780 ⁶⁶⁴	114880-003	Air	LAF1934
A2032C	Air	LAF2032	<i>Vision (w/GM 8.1L LPG Engine)</i>			114500-003		LAF2521 ⁶⁷²
TP1298B	Fuel	LFF6012	0087782	Air	LAF8430	(3973233); W/S	Fuel	LFF9732 ²⁴⁴
	Oil	LFP2999	PF454	Oil	PH454	AE25	Hydraulic	LFH4209
	Trans	LFH8737	Allison 1000/2000	Trans	LFH8737	LF3970	Oil	LFP3970
(29537965); Allison		T951 ⁶	(29537965); Allison		T951 ⁶	<i>TJ6500 (w/Cummins 6B5.9L Engine)</i>		
1000/2000			1000/2000			(3903410); Pri.	Fuel	LFF3417
<i>Models with Farr Disposable Air</i>			<i>Wonderlodge M380 (w/Cummins ISL Engine)</i>			(3903640); Sec.		LFF3521
62891-002	Air	LAF1848	(4940647); Sec.	Fuel	LFF5488		Oil	LFP780 ¹⁵⁴¹
119862-003		LAF2551	W/S		LFF9013			LFP780XL ¹⁴
117122-000		LAF8764	LF3000	Oil	LFP3000	<i>TJ6500, TJ7000 (w/Cummins ISB6.7L Engine)</i>		
<i>TC2000 (w/6BT5.9 Cummins Engine)</i>			LF9009		LFP3000XL ¹⁴	(FS1065); W/S	Fuel	LFF1065 ²¹⁰
4298501	Air	LAF2523	29540496	Trans	LH4582G ²⁴	(FF5632); Sec.		LFF5632
(3925274); Pri.	Fuel	LFF3417	29540493		LH4589G ²³	AE25	Hydraulic	LFH4209
(3903640); Sec.		LFF3521	29545776		LH4591G ²²	LF3970	Oil	LFP3970
(3903202); W/S		LFF8062	<i>XCEL102 (w/Cummins ISC Engine)</i>			29540496	Trans	LH4582G ²⁴
LF3349	Oil	LFP780	1967744	Air	LAF2551	29540493		LH4589G ²³
29510922	Trans	LFP8316G ⁶⁵¹	3800394	Fuel	LFF1022 ^{210, 653}			
29540976		T112 ⁶⁵⁹						
29538489		T153 ⁶⁶⁰						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

3-Extended Life w/ Time Release Technology 6-Shallow Pan 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 41-Cartridge 63-9/16" Thread Sensor Port 139-Bowl 195-Kit, Primary/Secondary 210-w/ Sensor 244-Secondary 312-AD-IS System 587-Spin-on 626-Standard efficiency 649-1/2" Thread Sensor Port 650-AT and MT Series 5.3" Deep Pan 651-AT and MT spin-on Auxiliary 653-9.3" Hgt. 655-5R110W 5 Speed in Pan 656-AODE 4 speed 657-Threaded both ends 658-Threaded one end 659-3.8" Deep Pan 660-5.3" Deep Pan 661-2014 662-2014- 663-1 1/8 Inch Thread 664-1 Inch Thread 665-1x14 threads 666-20mm threads 672-Mounted Under Hood 1541-Standard replacemnt

B

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CAPACITY (TRUCK HEAVY DUTY)			CARRIER-TRANSICOLD (REFRIGERATION UNIT)			CARRIER-TRANSICOLD (REFRIGERATION UNIT)		
<i>TJ6500, TJ7000 (w/Cummins ISB6.7L Engine)</i>			<i>1003, 2005A-3, 6000A-3, 6007A-3, NDB-40 Eagle, UDE, UDG-AL, UDG-BL (w/Mercedes-Benz OM-636 diesel Engine) (cont'd)</i>			<i>Eagle Plus (w/Carrier CT4-114 Engine) (cont'd)</i>		
29545776	Trans	LH4591G ²²	(30-00301); Pri.	Fuel	LFP3301F	(30.00304); By-Pass	Oil	LFP3404A
<i>TJ7500 (w/Cummins 6B5.9L Engine)</i>			(30-00302); Sec.	Fuel	LFP440F	30.00323		PH299
(3903410); Pri.	Fuel	LFF3417	(30-00304); By-Pass	Oil	LFP3404A	<i>Eagle Plus, Thunderbird, Thunderbird 500 (w/Perkins 4-108 Diesel Engine)</i>		
(3903640); Sec.	Oil	LFF3521	30-00303		LFP3712	(30.00301); Pri.	Fuel	LFP3301F
<i>TJ9000 (w/Cummins ISB6.7L Engine)</i>			<i>2005A, 6007A (w/Mercedes-Benz OM-636 Engine)</i>			(30.00302); Sec.	Fuel	LFP440F
(3903410); Pri.	Fuel	LFF3417	30-00291	Air	LAF121	30.00320	Oil	LFP2292
3903640		LFF3521	(30-00301); Pri.	Fuel	LFP3301F	(30.00304); By-Pass		LFP3404A
(3973233); W/S		LFF9732	(30-00302); Sec.		LFP440F	30.00323		PH299
LF3970	Oil	LFP3970	(30-00304); By-Pass	Oil	LFP3404A	<i>Extra (w/CT4-114 Engine)</i>		
29540496	Trans	LH4582G ²⁴	(30-00087); By-Pass		P71	30-01077-01	Air	LAF3346
29540493		LH4589G ²³	<i>2100A</i>			30-01090	Fuel	LFF1224
29545776		LH4591G ²²	300109004	Fuel	LFF1223	300109005		LFF1225
<i>TJ9000 (w/ISL-G CNG Engine)</i>			300046300	Oil	LFP780XL ¹⁴	(30-00304); By-Pass	Oil	LFP3404A
	Fuel	LFF5080 ⁶⁴⁷	<i>230, 230B, 231, 234, 250, 250C, 260, 400C-1, 640, 650 (w/Perkins 4/99 Engine)</i>			30-00323		PH299
LF3000	Oil	LFP3000		Air	LAF744	<i>Extra XT (w/CT4-114TV Engine)</i>		
LF9009		LFP3000XL ¹⁴	(29-11705-62); Pri.	Fuel	L23F	30-00426-27	Air	LAF5325 ²
CARRIER-TRANSICOLD (AUXILIARY POWER UNIT)			(31938); Sec.		L50F	30-00426-20		LAF8195 ²
<i>Comfort Pro PC5009 (w/Kubota Z482 Engine)</i>			30.21026	Oil	LP70V	30-01090	Fuel	LFF1224
3072411K	Air	LAF8388 ²	(30.00087); By-Pass		P71	300109005		LFF1225
3081410K	Fuel	FP590F	<i>230B (w/Perkins 4.99 Engine) S/N 13834</i>			(30-00304); By-Pass	Oil	LFP3404A
3018601K		G2978 ²⁷⁵	Pri.	Fuel	L23F	30-00450-00		PH299
		L550F	2911705-80		L4115F	<i>Genesis R90 (w/CT3-69 Engine)</i>		
9695202K	Oil	PH2876		Oil	LP8172	30-60049-20	Air	LAF8388 ²
<i>Comfort Pro PC6000, PC6002, PC6003 (w/Kubota Engine)</i>			By-Pass		P71	(30-00302-00); Sec.	Fuel	LFP440F
3072411K	Air	LAF8388 ²	<i>250CM (w/Mercedes-Benz OM636 Engine)</i>			30-00323-00	Oil	PH299
9610124K	Fuel	FP591F	(30.00134-01); Sec.	Fuel	262F	<i>Genesis TM900, TM1000 (w/CT4-134TV Engine)</i>		
3018601K		G2978 ²⁷⁵	(30.00133-01); Pri.		L274F	30-01077-01	Air	LAF1829
		L550F	(29.50120-01);	Oil	P71	30.01090.00	Fuel	LFF1224
9610133K	Oil	LFP2294	By-Pass		P92	30.00323.00	Oil	LFP2292
<i>PC6012 (w/Kubota Z482 14h.p Engine)</i>			30.00172-01		P92	(30.00304.00);		LFP3404A
(96-101-24K); Pri.	Fuel	FP591F	<i>270 (w/Hercules 1XB Engine)</i>			By-Pass		PH299
(96-101-24K); Sec.		LFF3553	(66595B); By-Pass	Oil	L24A	30-00450-00		
96-101-23K	Oil	LFP2294	(47247BS); By-Pass		P7FF	<i>Golden Eagle (w/Mercedes-Benz OM636 Engine)</i>		
CARRIER-TRANSICOLD (REFRIGERATION UNIT)			<i>6008A (w/Kohler Engine)</i>			30.00138	Air	AF5HD ⁶⁷⁴
<i>1003, 2005A, 6000A, 6000A-2, 6004A-1, 6004A-2, 6007A-2, Eagle Spacesaver, NDB-40 Eagle, NDE-40 Gold</i>			25-32004	Air	AF213	30.00291		LAF121 ⁶⁷⁴
30-00316	Air	LAFP4	620			30.00092	Fuel	L43F
Pri.	Fuel	LFF3417	(29-11705-62); Sec.	Fuel	L23F	(30.00301); Pri.		LFP3301F
(30-00301); Pri.		LFP3301F	111836	Oil	PH253 ¹⁴⁹⁶	(30.00302); Sec.		LFP440F
(30-00302); Sec.		LFP440F			PH2835 ²⁷⁵	(30.00304); By-Pass	Oil	LFP3404A
30-00320	Oil	LFP2292	<i>640M (w/Mercedes-Benz Engine)</i>			30.00087		P71
(30-00304); By-Pass		LFP3404A	(29.50110-09); Pri.	Fuel	L61F	<i>Hawk-TGB14, -18, Hawk-TGS14, -18 (w/Gasoline Engine)</i>		
30-00303		LFP3712	(29.50110-09); Sec.		L61F	25-32004	Air	AF213
30-00323		PH299	30.00172-01	Oil	P92	<i>Kingbird (w/TDS295N4 Engine)</i>		
<i>1003, 2005A-3, 6000A-3, 6007A-3, NDB-40 Eagle, UDE, UDG-AL, UDG-BL (w/Mercedes-Benz OM-636 diesel Engine)</i>			<i>Deltek Hybrid</i>			941172	Oil	LFP2294
30-00316	Air	LAFP4	300043023	Air	LAF8694	<i>Metrobird (w/Carrier CT1-19 Engine)</i>		
			300109004	Fuel	LFF1223	(30.00302); Sec.	Fuel	LFP440F
			300109005		LFF1225 ⁶⁷³	<i>NDB405, NDS405 Eagle Plus (w/CT4-114 Engine)</i>		
			300046300	Oil	LFP780XL ¹⁴	(30.00301); Pri.	Fuel	LFP3301F
			<i>Eagle Plus (w/Carrier CT4-114 Engine)</i>			(30.00302); Sec.		LFP440F
			30.00138	Air	AF5HD ⁶⁷⁴	Oil		LFP2292
			(30.00301); Pri.	Fuel	LFP3301F	(30.00304); By-Pass		LFP3404A
			(30.00302); Sec.		LFP440F	<i>Optima (w/CT4-91 Engine)</i>		
						30-01077-01	Air	LAF3346

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 275-Primary 647-Natural Gas 673-w/out Drain 674-With Plastic End Cap 1496-Alternate 1541-Standard replacemnt

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CARRIER-TRANSICOLD (REFRIGERATION UNIT)			CARRIER-TRANSICOLD (REFRIGERATION UNIT)			CARRIER-TRANSICOLD (REFRIGERATION UNIT)		
<i>Optima (w/CT4-91 Engine) (cont'd)</i>			<i>Supra 922, 944 (w/CT3-69 Engine) (cont'd)</i>			<i>X2 1800 (w/CT4-114TV Engine)</i>		
300109004 (30-01079); W/S W/S (30-00304); By-Pass	Fuel Oil	LFF1223 LFF8063 LFF8063U ¹⁷¹ LFP3404A	30-00323 <i>Thunderbird (w/CT4-114 Engine)</i> P181050 (30.00301); Pri. (30.00302); Sec. (30.00304); By-Pass 30.00323	Oil Air Fuel Oil	PH299 LAF1275 ² LFP3301F LFP440F LFP3404A PH299	300047120 300047120 (300110625); Davco opt. 300109005 300046300	Air Fuel Fuel Oil	LAF4348 LAF4712 L9730F LFF1225 LFP780XL ¹⁴
<i>Phoenix (w/CT4-134 Engine)</i>			<i>Thunderbird (w/NDF425, NDJ425 Engine)</i>			<i>X2 2100, X2 2100A, X2 2100R</i>		
P181050 (30.00301); Pri. (30.00302); Sec. (30.00304); By-Pass 30.00323	Air Fuel Oil	LAF1275 ² LFP3301F LFP440F LFP3404A PH299	30.00138 6641-2155 30.00092 (30.00301); Pri. (30.00302); Sec. 30.00320 (30.00304); By-Pass 300032300	Air Fuel Fuel Oil	AF5HD ⁶⁷⁴ LAF1275 ² L43F LFP3301F LFP440F LFP2292 LFP3404A PH299	300047120 300047120 (300110625); Davco opt. 300109005 300046300	Air Fuel Fuel Oil	LAF4348 LAF4712 L9730F LFF1225 LFP780XL ¹⁴
<i>Phoenix Ultra, Ultra XL (w/Carrier CT4-134 Engine)</i>			<i>TM900, TM1000</i>			<i>X2 2500A, X2 2500R (w/CT4-134DI Engine)</i>		
30-01077-01 300109004 30-101090 (30-01079); W/S W/S (30-00304); By-Pass 30-00323	Air Fuel Fuel Oil	LAF3346 LFF1223 LFF1224 LFF8063 LFF8063U ¹⁷¹ LFP3404A PH299	30-00430-27 30-01090-05 30-00450-00	Air Fuel Oil	LAF5325 ² LFF1225 PH299	300047120 300047120 (300110625); Davco opt. 300109004 300109005 300046300	Air Fuel Fuel Oil	LAF4348 LAF4712 L9730F LFF1223 LFF1225 LFP780XL ¹⁴
<i>Solara (w/CT2-29TV Tri Vector Engine)</i>			<i>Ultima 53 (w/CT4-134DI Engine)</i>			CATERPILLAR (TRANSMISSION)		
30.01090.01 941172	Fuel Oil	LFF1224 PH2835	30-00430-22 30-01090-01 (30-00304-00); By-Pass 30-00323-00	Air Fuel Oil	LAF8694 LFF1224 LFP3404A PH299	<i>CX28</i> 1022828 1022828 1261815	Hydraulic	LFH4473 ⁶⁷⁵ LFH8705 ³² LFP2546 ⁶⁷⁶
<i>Sunbird (w/CT2-35 Engine)</i>			<i>Ultima XTC (w/CT4-134DI Engine)</i>			<i>CX31 and CX35</i>		
(30.00302); Sec.	Fuel	LFP440F	30-00426-71 30-00426-20 30-01090-05 30-00450-00	Air Fuel Fuel Oil	LAF5325 ² LAF8195 ² LFF1225 ¹⁸¹ PH299	1261817	Hydraulic	LFH8705
<i>Supra 422 (w/CT2-29 Engine)</i>			<i>Ultra XL, Ultra XT, XTC (w/CT4-134DI Engine)</i>			CATERPILLAR (TRUCK HEAVY DUTY)		
30-01090 (300107901); W/S 941172	Fuel Oil	LFF1224 LFF8063U ¹⁷¹ PH2835	30-00426-71 30-00426-20 30-01090-05 30-00450-00	Air Fuel Fuel Oil	LAF5325 ² LAF8195 ² LFF1225 ¹⁸¹ PH299	<i>CT660 (w/CT11 Engine)</i> 3903433 9Y1022 3762578 3700572 3809364	Air Coolant Fuel Fuel Oil	LAF5789 LFW4685 ²⁴⁹ L7694F L9763FXL ¹⁴ LP7498 LP7498XL ¹⁴
<i>Supra 550 (w/CT2-29 Engine)</i>			<i>Vectra 1800 MT</i>			<i>CT660 (w/CT13 Engine)</i>		
30-60049-20 30-01090-05 (30-00304-00); By-Pass 941177	Air Fuel Oil	LAF8388 ² LFF1225 ¹⁸¹ LFP3404A PH2835	300047120 300047120 300109004 300109005 300046300	Air Fuel Fuel Oil	LAF4348 LAF4712 LFF1223 LFF1225 LFP780XL ¹⁴	3809364	Oil	LP7498 LP7498XL ¹⁴
<i>Supra 622, 722 (w/CT3-44 Engine)</i>			<i>Vector 6500, 6600MT (w/CT4-134DI Engine)</i>			<i>CT660 (w/CT15 Engine)</i>		
306004920 30-01090 941172	Air Fuel Oil	LAF8388 ² LFF1224 PH2835	300047120 300047120 300109004 300109005 300046300	Air Fuel Fuel Oil	LAF4348 LAF4712 LFF1223 LFF1225 LFP780XL ¹⁴	3903433 FS19765 1R0716	Air Fuel Oil	LAF5789 L9765FXL ¹⁴ LFF2749 ²⁵ LFP4005 LFP4005XL ¹⁴
<i>Supra 644, 744 (w/CT3-44TV Engine)</i>			<i>Vectra 6500 Hybrid</i>			<i>CT680 w/CT13 Engine</i>		
306004920 (300107901); W/S (300030200); Sec. (300030400); By-Pass 941172 300032300	Air Fuel Oil	LAF8388 ² LFF8063U ¹⁷¹ LFP440F LFP3404A PH2835 PH299	300047120 300047120 300109004 300109005 300046300	Air Fuel Fuel Oil	LAF4348 LAF4712 LFF1223 LFF1225 LFP780XL ¹⁴	3903433 9Y1022 3762578 3700572 3809364	Air Coolant Fuel Fuel Oil	LAF5789 LFW4685 ²⁴⁹ L7694F L9763FXL ¹⁴ LP7498
<i>Supra 650, 750, 850 (w/CT3-44 Engine)</i>			<i>Supra 922, 944 (w/CT3-69 Engine)</i>					
30-60049-20 30-01090-05 (30-00304-00); By-Pass 941177	Air Fuel Oil	LAF8388 ² LFF1225 ¹⁸¹ LFP3404A PH2835	306004920 (300107901); W/S (30-00302); Sec.	Air Fuel	LAF8388 ^{2, 57} LFF8063U ¹⁷¹ LFP440F			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 14-Extended Life 25-Engine mounted 32-Remote mounted 57-Partial 171-With Sensor Port 181-Single 249-No chemical 674-With Plastic End Cap 675-Without PTO 676-With PTO

C

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (TRUCK HEAVY DUTY)			CHEVROLET (BUS HEAVY DUTY)			CHEVROLET (BUS HEAVY DUTY)		
<i>CT680 w/CT13 Engine (cont'd)</i>			<i>All buses (w/Detroit Diesel 6-71 Engine)</i>			<i>B7 School Bus Chassis (w/Caterpillar 3116 Engine)</i>		
	Oil	LP7498XL ¹⁴	8994238	Air	LAF7797 ²	15696245	Air	LAF1878 ²
<i>CT681 w/CT13 Engine</i>			(5997769); Some Models	Hydraulic	LFH4206	12544543	Fuel	LAF3585 ¹
3903433	Air	LAF5789	<i>All buses (w/Detroit Diesel 8-71 Engine)</i>			(S3212); Opt. Frame Mtd.		LFF9012
9Y1022	Coolant	LFW4685 ²⁴⁹	8994238	Air	LAF7797 ²	TP936		LFP936F
3762578	Fuel	L7694F	(5997769); Some Models	Hydraulic	LFH4206	1R0739	Oil	LFP3191 ¹⁵
3700572		L9763FXL ¹⁴	<i>All buses (w/Detroit Diesel 8V-71 Engine)</i>			1R0739		LFP3191TRT ³
3809364	Oil	LP7498 LP7498XL ¹⁴	8994238	Air	LAF7797 ²	1R0739		LFP3191XL ¹⁴
CCS (CAB COMFORT SYSTEM) (AUXILIARY POWER UNIT)			(5997769); Some Models	Hydraulic	LFH4206	(29537268); Allison 1000/2000	Trans	LFH8737
<i>Llgtning (w/Kubota 482 Engine)</i>			<i>B6, B7 School Bus Chassis (w/Cat. 3208T Engine)</i>			25011122		LFP5570 ¹²
P822682	Air	LAF8388 ²	15506047	Air	LAF6860	(29537965); Allison 1000/2000		T951 ⁶
15231-43560	Fuel	L550F	<i>B6P School Bus Chassis (w/350 Gas Engine)</i>			<i>B7 School Bus Chassis (w/Caterpillar 3126 Engine)</i>		
1063696	Oil	PH400 ⁶⁷⁷	6422556	Air	AF222 ¹⁰	<i>B7 School Bus Chassis (w/Caterpillar 3126 Engine)</i>		
CENTRAMATIC (AUXILIARY POWER UNIT)			6423239	Fuel	LAF22	15696245	Air	LAF1878 ²
<i>Centramatic (w/Kubota 13.9 h.p. Engine)</i>			5650030		G471 ¹⁵⁴⁷ G6 ⁹	12544543	Fuel	LAF3585 ¹
15231-43560	Fuel	L550F	6438384	Oil	PH1218 ⁸ PH832 ⁷	(S3212); Opt. Frame Mtd.		LFF9012
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	25010754			TP936		LFP936F
CHALLENGE (CONCRETE MIXER)			25011122	Trans	LFP5570	1R0739	Oil	LFP3191 ¹⁵
<i>Concrete Mixers</i>			Allison 540		T112 ⁶	1R0739		LFP3191TRT ³
1571988	Oil	LP712	Allison 540		T153 ⁵			LFP3191XL ¹⁴
CHAMPION (BUS HEAVY DUTY)			<i>B6P School Bus Chassis (w/366 Gas Engine)</i>			(29537268); Allison 1000/2000	Trans	LFH8737
<i>Champion (w/Cummins ISB 5.9 Engine)</i>			6422556	Air	AF222 ¹⁰	1000/2000		LFP5570 ¹²
11481007	Air	LAF22026	6423239	Fuel	LAF22	25011122		T951 ⁶
(FS19596); W/S	Fuel	LFF1003 ²⁰⁹	5650030		G471 ¹⁵⁴⁷ G6 ⁹	(29537965); Allison 1000/2000		
LF3970	Oil	LFP3970	6438384	Oil	PH1218 ⁸ PH832 ⁷	<i>B7 School Bus Chassis (w/GM 6.5L Diesel Engine)</i>		
Allison 1000/2000	Trans	LFH8737	25010754			15696245	Air	LAF1878 ²
(29537965); Allison 1000/2000		T951 ⁶	25011122	Trans	LFP5570	12544543	Fuel	LAF3585 ¹
<i>CTS CX380 (w/Cummins ISB 6.7L Engine)</i>			Allison 540		T112 ⁶	TP1263	Fuel	L8684F
(S3226T); W/S	Fuel	LFF5851 ⁵⁵³	Allison 540		T153 ⁵	(S3212); Opt. Frame Mtd.		LFF9012
(S3226T); W/S		LFF5851U ⁶⁷⁸	6422556	Air	AF222 ¹⁰	TP936		LFP936F
87904M	Power Steering	LFH4984	6423239	Fuel	LAF22	PF1218	Oil	PH1218
	Trans	LFH8737	5650030		G471 ¹⁵⁴⁷ G6 ⁹	25011122	Trans	LFP5570
<i>CTS Front engine (w/Cummins ISB6.7 Engine)</i>			6438384	Oil	PH1218 ⁸ PH832 ⁷	<i>B7 School Bus Chassis (w/GM V8 6.0L 366 FI Engine)</i>		
(S3226T); W/S	Fuel	LFF5851 ⁵⁵³	25010754			6484235	Air	AF348
(S3226T); W/S		LFF5851U ⁶⁷⁸	25011122	Trans	LFP5570	25055052	Fuel	G481
3937736	Oil	LFP3970	Allison 540		T112 ⁶	PF1218	Oil	PH1218 ⁸
87904M	Power Steering	LFH4984	Allison 540		T153 ⁵	25011122	Trans	LFP5570 ¹²
	Trans	LFH8737	<i>B6P School Bus Chassis (w/Detroit Diesel 8.2L Engine)</i>			Allison 540		T112 ¹⁶
<i>CTS Rear Engine (w/Cummins ISB6.7 Engine)</i>			15586689	Air	LAF558	<i>B7 School Bus Chassis (w/GM V8 7.0L 427 FI Engine)</i>		
(S3226T); W/S	Fuel	LFF5851 ⁵⁵³	(2081109); W/S		LFF2040 ¹³	6484235	Air	AF348
(S3226T); W/S		LFF5851U ⁶⁷⁸	W/S		LFF8010 ¹²	25055052	Fuel	G481
3937736	Oil	LFP3970	(15618921); W/S		LFF902 ¹²	PF1218	Oil	PH1218 ⁸
87904M	Power Steering	LFH4984	(25010959); Sec. (25011011); Pri.		LFP928F LFP936F	25011122	Trans	LFP5570 ¹²
Allison 2200	Trans	LFH8737	15514175	Hydraulic	LFP3791 ¹¹	Allison 540		T112 ¹⁶
Allison 3000		LH4591G ²²	6438384	Oil	PH1218	<i>B7 School Bus Chassis (w/GM V8 7.4L Gas Engine)</i>		
<i>Cut-Away Chassis (w/Ford 7.3L Turbo Diesel)</i>			(25011122); Oil Cooler	Trans	LFP5570	A1301C	Air	AF1301
F5UZ-9601-A	Air	AF1618				6484235		AF348

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 5-Deep Pan 6-Shallow Pan 7-8" Tall 8-4.5" Tall 9-3.5" Tall 10-Without Wrap 11-Power Steering 12-Optional 13-Optional Frame Mounted 14-Extended Life 15-Standard 16-Internal 22-2" or 7" Sump High Capacity 209-Square sensor port 249-No chemical 275-Primary 553-Requires sediment bowl 677-3/4" thread 678-w/o Sensor Port 1496-Alternate 1547-2 inch Tall

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CHEVROLET (BUS HEAVY DUTY)			CHEVROLET (MEDIUM DUTY TRUCK)			CHEVROLET (MEDIUM DUTY TRUCK)		
<i>B7 School Bus Chassis (w/GM V8 7.4L Gas Engine) (cont'd)</i>			<i>C50, C60 (w/GM V8 5.7L 350 Gas Engine) (cont'd)</i>			<i>C6500, C7500, C8500 Kodiak (w/Caterpillar C7 Engine) (cont'd)</i>		
GF481	Fuel	G481	6422556	Air	AF222	1R0739	Oil	LFP3191TRT ³ LFP3191XL ¹⁴
PF1218	Oil	PH1218 ¹⁷	GF470	Fuel	G470	88892858	Power Steering	LH8504
PF454		PH454 ¹⁸	GF471		G471 ¹⁵⁴⁷	(29540496); Allison	Trans	LH4582G ²⁴
(29537268); Allison	Trans	LFH8737	GF481		G481	3000/3500		LH4589G ²³
1000/2000			GF157		G6 ⁹	29545776		LH4591G ²²
(25011122); Allison		LFP5570	25010754	Oil	PH832 ¹⁹	A2031C	Air	LAF2031 ²
540			<i>C60, C70 (w/GM 6.0L 366 CID Gas Engine)</i>			<i>C6500, C7500, C8500 Kodiak (w/Duramax 7.8L Diesel Engine)</i>		
Allison 540		T112 ¹⁶	6484235	Air	AF348	A3101C	Air	LAF6101 ²
(29537965); Allison		T951 ⁶	25055052	Fuel	G481	(29537268); Allison	Trans	LFH8737
1000/2000			25010754	Oil	PH832	2000 Series		T951 ⁶
<i>B7 School Bus Chassis (w/GM V8 8.1L Gas Engine)</i>			<i>C60, C70 Kodiak (w/GM V8 6.0L 366 FI Engine)</i>			<i>C6500, C7500 Kodiak (w/7.4L Gas Engine)</i>		
A1301C	Air	AF1301	6484235	Air	AF348	A1301C	Air	AF1301
6484235		AF348	25055052	Fuel	G481	GF481	Fuel	G481
GF481	Fuel	G481	25010754	Oil	PH832	PF1218	Oil	PH1218 ¹⁷
PF1218	Oil	PH1218 ¹⁷	<i>C60, C70 Kodiak (w/GM V8 7.0L 427 FI Engine)</i>			PF454	Oil	PH454 ¹⁸
PF454		PH454 ¹⁸	6484235	Air	AF348	<i>C6500, C7500 Kodiak (w/V8 8.1L Gas Engine)</i>		
(29537268); Allison	Trans	LFH8737	25055052	Fuel	G481	88892858	Power Steering	LH8504
1000/2000			25010754	Oil	PH832	(29540496); Allison	Trans	LH4582G ²⁴
(25011122); Allison		LFP5570	<i>C60, C70 Kodiak (w/GM V8 7.0L 427 FI Engine)</i>			3000/3500		LH4589G ²³
540			6484235	Air	AF348	(29540493); Allison		LH4591G ²²
Allison 540		T112 ¹⁶	25055052	Fuel	G481	2000 Series		
(29537965); Allison		T951 ⁶	25010754	Oil	PH832	94392474	Fuel	LFF3415 LFF8010 LFF902
1000/2000			<i>C6500, C7500 Kodiak (w/V8 8.1L Gas Engine)</i>			W/S		LFP6007
CHEVROLET (MEDIUM DUTY TRUCK)			88892858	Power Steering	LH8504	97600764	Oil	LH8504
<i>C4500, C5500 Kodiak (w/Duramax 6.6L Diesel Engine)</i>			<i>C6500, C7500, C8500 Kodiak (w/Caterpillar 3116 Engine)</i>			88892858	Power Steering	LH8504
88937527	Air	LAF2032	A1169C	Air	LAF1878 ²	(29540496); Allison	Trans	LH4582G ²⁴
A3102C		LAF6102 ²	12544543		LAF3585 ¹	3000/3500		LH4589G ²³
TP1298B	Fuel	LFF6012	6I-4783	Fuel	LFF4783 ²⁰	(29540493); Allison		LH4591G ²²
97214983	Oil	LFP2999	W/S		LFF8010	29545776	Air	LAF2031 ²
88892858	Power Steering	LH8504	(15618921); W/S		LFF902	(8942444560); W/S	Fuel	FP941F
(29537268); Allison	Trans	LFH8737	(1P2299); Sec.		LFP440F	(29537268); Allison	Trans	LFH8737
1000/2000			(25014274); Pri.		LFP815FN ²¹	1000/2000		T951 ⁶
(29537965); Allison		T951 ⁶	1R-0739	Oil	LFP3191 ¹⁵	(29537965); Allison		
1000/2000			1R-0739		LFP3191TRT ³	1000/2000		
<i>C4500, C5500 Kodiak (w/V8 8.1L Engine)</i>			<i>C6500, C7500, C8500 Kodiak (w/Caterpillar 3126 Engine)</i>			<i>C6500, C7500, C8500 Kodiak (w/V8 8.1L Gas Engine)</i>		
88937527	Air	LAF2032	A1169C	Air	LAF1878 ²	88937525	Air	LAF2031 ²
25324052	Oil	PH454	12544543		LAF3585 ¹	PF454	Oil	PH454
(29537268); Allison	Trans	LFH8737	6I-4783	Fuel	LFF4783 ²⁰	88892858	Power Steering	LH8504
(29537965); Allison		T951 ⁶	W/S		LFF8010	(29537268); Allison	Trans	LFH8737
1000/2000			(15618921); W/S		LFF902	1000/2000		T951 ⁶
(29537965); Allison	Power Steering	LH8504	(1P2299); Sec.		LFP440F	(29537965); Allison		
1000/2000			(25014274); Pri.		LFP815FN ²¹	GF626	Fuel	G481
88892858		G481	1R-0739	Oil	LFP3191 ¹⁵	<i>P30 (w/Cummins 3.9L Engine)</i>		
GF626	Fuel	G481	1R-0739		LFP3191TRT ³	W/S	Fuel	LAF210
<i>C50, C60 (w/GM 6 cyl. 292 Gas Engine)</i>			<i>C6500, C7500, C8500 Kodiak (w/Caterpillar C7 Engine)</i>			W/S	Oil	LFP3900
5648003	Air	AF115	<i>C6500, C7500, C8500 Kodiak (w/Caterpillar C7 Engine)</i>			<i>P6 Forward Chassis (w/6.0L Gas Engine)</i>		
GF470	Fuel	G470	A1169C	Air	LAF1878 ²	6484235	Air	AF348
GF471		G471 ¹⁵⁴⁷	12544543		LAF3585 ¹	GF470	Fuel	G470
GF157		G6 ⁹	6I-4783	Fuel	LFF4783 ²⁰	GF471		G471 ¹⁵⁴⁷
25010754	Oil	PH1218 ¹⁸	W/S		LFF8010	25055052		G481
25010754		PH832 ¹⁹	(15618921); W/S		LFF902	GF157		G6 ⁹
<i>C50, C60 (w/GM V8 5.7L 350 Gas Engine)</i>			(1P2299); Sec.		LFP440F	25010754	Oil	PH832
6438384	Oil	PH1218 ¹⁸	(25014274); Pri.		LFP815FN ²¹			
			1R0739	Oil	LFP3191 ¹⁵			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 9-3.5" Tall 14-Extended Life 15-Standard 16-Internal 17-Long version 18-Short 19-Long 20-High efficiency 21-Frame mounted 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 25-Engine mounted 1547-2 inch Tall

C

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CHEVROLET (MEDIUM DUTY TRUCK)			CHEVROLET (MEDIUM DUTY TRUCK)			CHEVROLET (MEDIUM DUTY TRUCK)		
<i>P6 Forward Chassis (w/7.0L Gas Engine)</i>			<i>T6500, T7500, T8500 (w/Caterpillar 3126 Engine)</i>			<i>W3500, W4500, W5500, W5500HD (w/Isuzu 4HK1 5.2L Engine)</i>		
6484235	Air	AF348	<i>(cont'd)</i>			8944302500	Air	LAF1947
GF470	Fuel	G470	(25011122); Allison 540	Trans	LFP5570	8943692990	Fuel	FP941F ³³
GF471		G471 ¹⁵⁴⁷	(29540496); Allison 3000/3500		LH4582G ²⁴	8971482700	Oil	LFP5964
25055052		G481	(29540493); Allison 3000/3500		LH4589G ²³	<i>W4 Forward (w/4BD1T 3.9L Engine)</i>		
GF157		G6 ⁹	29545776		LH4591G ²²	94156052	Air	LAF1800 ³⁴
25010754	Oil	PH832	Allison 540		T112 ¹⁶	(94430250); Hrzn. Mtd.		LAF1947
<i>P6 Forward Chassis (w/Caterpillar 3116 Engine)</i>			(29537965); Allison 1000/2000		T951 ⁶	<i>W4 Forward (w/4BD2T 3.9L Engine)</i>		
15696245	Air	LAF1878 ²	<i>T6500, T7500, T8500 (w/Duramax 7.8L Engine)</i>			94156052	Air	LAF1800 ³⁴
(12542374); Opt. Frame Mtd. (1P-2299); Sec.	Fuel	LFF9012	P134353	Air	LAF1834 ²	(94430250); Hrzn. Mtd.		LAF1947
1R-0739	Oil	LFP3191	P134354		LAF1835 ¹	94156052	Air	LAF1800 ³⁴
1R-0739		LFP3191TRT ³	P538456		LAF3890 ¹	(94430250); Hrzn. Mtd.		LAF1947
<i>P6 Forward Chassis (w/Detroit Diesel Engine)</i>			P533930		LAF3930 ²	94414796	Fuel	FP588F
(15585490); 8.2N, T	Air	LAF558	(8942444560); W/S	Fuel	FP941F	97049282	Oil	LFP734
(25010959); Sec.	Fuel	LFP928F	94392474		LFF3415 ¹⁸	<i>W4 Forward (w/5.7L Gas Engine)</i>		
(25011011); Pri.		LFP936F	94392472		LFF8739 ¹⁹	6484235	Air	AF348
6438384	Oil	PH1218	94392475	Oil	LFP6007	94430250		LAF1947
<i>T6500, T7500, T8500 (w/Caterpillar 3116 Engine)</i>			88892858	Power Steering	LH8504	25055129	Fuel	G481
P134353	Air	LAF1834 ²	(29537268); Allison 2000 Series	Trans	LFH8737	25160561	Oil	PH1218
P134354		LAF1835 ¹	(29540496); Allison 3000/3500		LH4582G ²⁴	8678757	Trans	T216
P538456		LAF3890 ¹	(29540493); Allison 3000/3500		LH4589G ²³	<i>W5 Forward (w/Isuzu Diesel Engine)</i>		
P533930		LAF3930 ²	29545776		LH4591G ²²	94058235	Air	LAF1834 ²
W/S	Fuel	LFF8010	(29537965); Allison 2000 Series		T951 ⁶	94037809		LAF7315 ¹
(15618921); W/S		LFF902				94058234		LAF9000 ²
(1P-2299); Sec.		LFP440F				94051085	Fuel	LFF3415
(25014274); Pri.		LFP815FN ²¹				(94054123); By-Pass	Oil	LFP2262
1R-0739	Oil	LFP3191 ¹⁵				94037791		LFP6007
1R-0739		LFP3191TRT ³	<i>W3500, W4500 (w/5.7L Gas Engine)</i>			<i>W6 FORWARD (w/Isuzu 6BD1T Engine)</i>		
		LFP3191XL ¹⁴	6484235	Air	AF348 ²⁵	(692887); By-Pass	Oil	1041
(29537268); Allison 1000/2000	Trans	LFH8737	94430250		LAF1947 ³²	94037809	Air	LAF7315 ¹
(25011122); Allison 540		LFP5570	25055129	Fuel	G481	94058234		LAF9000 ²
(29540496); Allison 3000/3500		LH4582G ²⁴	25160561	Oil	PH1218	94051085	Fuel	LFF3415
(29540493); Allison 3000/3500		LH4589G ²³	(24208847); 4L80-E	Trans	T709	(94054123); By-Pass	Oil	LFP2262
29545776		LH4591G ²²	<i>W3500, W4500 (w/6.0L Gas Engine)</i>			94037791		LFP6007
Allison 540		T112 ¹⁶	97062294	Air	LAF5633	<i>W7 FORWARD (w/Isuzu 6BD1T Engine)</i>		
(29537965); Allison 1000/2000		T951 ⁶	(24208847); 4L80-E	Trans	PH48	(692887); By-Pass	Oil	1041
<i>T6500, T7500, T8500 (w/Caterpillar 3126 Engine)</i>			94430250	Air	LAF1947	94037809	Air	LAF7315 ^{1,35}
P134353	Air	LAF1834 ²	25055129	Fuel	LFF3415	94037809	Air	LAF7315 ¹
P134354		LAF1835 ¹	(24208847); 4L80-E	Trans	T709	(94038680); By-Pass	Oil	1041 ³⁷
P538456		LAF3890 ¹	97062294	Oil	PH48	(94038680); By-Pass	Oil	1041
P533930		LAF3930 ²	(24208847); 4L80-E	Trans	T709	94051085	Fuel	LFF3415
61-4783	Fuel	LFF4783 ²⁰	94430250	Air	LAF1947	94037791	Oil	LFP6007
W/S		LFF8010	25055129	Fuel	G481	<i>W7T Forward (w/Isuzu Diesel Engine)</i>		
(15618921); W/S		LFF902	Oil	PH44		(94058235); w/6SA1-T eng.	Air	LAF1834 ²
(25014274); Pri.		LFP815FN ²¹	<i>W3500, W4500, W5500, W5500HD (w/4HK1-TC Engine)</i>			(94056207); w/6SA1-T eng.; By-Pass	Oil	LFP777B
1R-0739	Oil	LFP3191 ¹⁵	8944302500	Air	LAF1947	(94058235); w/all engs.	Air	LAF1834 ^{2,36}
1R-0739		LFP3191TRT ³	11132400791	Fuel	LFF3415	(94058235); w/all engs.	Air	LAF1834 ²
		LFP3191XL ¹⁴	8971482700	Oil	LFP5964	(94048864); w/all engs.	Air	LAF1835 ^{1,35}
(29537268); Allison 1000/2000	Trans	LFH8737	98182282	Trans	HP1	(94048864); w/all engs.	Air	LAF1835 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 9-3.5" Tall 14-Extended Life 15-Standard 16-Internal 18-Short 19-Long 20-High efficiency 21-Frame mounted 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 25-Engine mounted 32-Remote mounted 33-Frame mtd. 34-Vertical mounted 35-To 10/88 36-To 05/89 37-To 07/87 1547-2 inch Tall

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CHEVROLET (MEDIUM DUTY TRUCK)			CHEVROLET (TRUCK HEAVY DUTY)			CHEVROLET (TRUCK HEAVY DUTY)		
<i>W7T Forward (w/Isuzu Diesel Engine) (cont'd)</i>			<i>Bruin (cont'd)</i>			<i>C70 (w/Cummins VT225 Engine) (cont'd)</i>		
(94058235); w/all engs.	Air	LAF1834 ^{2, 35}	2052116	Air	LAF8955	By-Pass	Oil	LFP777XL ¹⁴
(84047764); w/all engs.		LAF1835 ^{1, 35}	2014558		LAF9396	158139		LP566 ²⁶
			6439692	Coolant	LFW4744 ⁴	173174		LP613 ²⁷
			(25010778); Sec.	Fuel	LFP816FN	<i>C70 (w/Deutz BF6L913 Engine)</i>		
(94058235); w/all engs.	Air	LAF1834 ²	15514175	Hydraulic	LFP3791	2063585	Air	LAF942
(84047764); w/all engs.		LAF1835 ¹	6438261	Oil	PH454	1160243	Fuel	FP586F
			<i>Bruin (w/Detroit Diesel 6V-92T Engine)</i>			(2133558); Pri.		FP587F
By-Pass	Oil	LFP777XL ¹⁴		Air	LAF9396	1174421	Oil	LFP2222 ³⁰
<i>WT5500 (w/6HK1-TC Engine)</i>				Fuel	L540F	1173765		LFP8590 ²⁹
94048864	Air	LAF1835 ¹			L552F	<i>C70 (w/GM 7.0L 427 CID Gas Engine)</i>		
1132401940	Fuel	L9890F	(25014274); Pri.		LFP815FN	6484235	Air	AF348
94392474		LFF3415	Sec.		LFP816FN	GF470	Fuel	G470
CHEVROLET (TRUCK HEAVY DUTY)				Oil	LFP911	GF471		G471 ¹⁵⁴⁷
<i>3500HD (w/Isuzu 4JJ1 Engine)</i>					LP132	25055052		G481
	Oil	LP5905			PH454 ⁶⁷⁹	25010754	Oil	PH832
<i>Astro</i>				Power Steering	LFP3791	<i>Models with B-W or Midland air compressor</i>		
2017021	Air	LAF1591	<i>Bruin (w/Detroit Diesel 8V-71N Engine)</i>			8875051	Air	LAF122
2067009		LAF1815	5182041	Fuel	L274F ¹⁵⁴⁸	<i>Models with Fuller R46, R96 tran.</i>		
		LAF4351	5575032		L552F ¹⁴⁵²	A-1781	Breather	LAF200 ⁶⁴⁵
2090765		LAF8047			L624F ^{275, 1063}	<i>Models with Spicer 8125 transmission</i>		
2014558		LAF9396		Pri.	LFP815FN	PF-200L	Breather	LAF200 ⁶⁴⁵
2009540		LAF9472		Sec.	LFP816FN	<i>T Series (w/GM V8 6.0L 366 Gas Engine)</i>		
P181097		LAF9532	5574980	Oil	L541F ⁷⁶¹	A348C	Air	AF348
6439692	Coolant	LFW4744 ⁴			LFP911 ⁵⁸⁷	GF481	Fuel	G481
6438261	Oil	PH454			LP132 ⁴¹	PF1218	Oil	PH1218 ¹⁸
<i>Bison</i>			<i>C60, C70, C80 (w/Caterpillar 3208 Engine)</i>			PF932		PH832 ³¹
25041712	Air	LAF1591	15586689	Air	LAF558	CITROEN (TRANSPORTER)		
717702		LAF4490	(5M7650); Pri.	Fuel	L3531F	<i>Jumper I Relay (w/2.8 HDi Engine)</i>		
8994232		LAF6127	(8N9803); W/S		LFF1131	1109Y8	Oil	LFP2241 ³⁹
717714		LAF6442	(1R0750); Sec.		LFF3347 ²⁰	1109Y8	Oil	LFP2241
15506047		LAF6860	W/S		LFF8030 ¹²	1109Y8	Oil	LFP2241 ³⁸
15586697		LAF6918			LFF9003 ¹²	<i>Jumper I Relay (w/D8C XUD9UTF 1.9L Turbo Diesel Engine)</i>		
		LAF6918D	(1R0711); Sec.		LFP440F	(95608917);	Fuel	L296F ^{39, 41}
25040009		LAF8955	1R0713	Oil	LFP5570 ¹⁸	CAV/Delphi Inj.		
2014558		LAF9396	1R0714		LFP6007 ¹⁹	System		
6439692	Coolant	LFW4744 ⁴	<i>C60, C70, C80 (w/Detroit Diesel 8.2L Engine)</i>			110939	Oil	PH2903 ³⁹
15514175	Oil	LFP3791	15586689	Air	LAF558	(95608917);	Fuel	L296F ⁴¹
6438261		PH454	(2081109); W/S	Fuel	LFF2040 ¹³	CAV/Delphi Inj.		
<i>Bison (w/Detroit Diesel 6-71 Engine)</i>			W/S		LFF8010 ¹²	System		
	Air	LAF9396	(15618921); W/S		LFF902 ¹²	110939	Oil	PH2903
<i>Bison (w/Detroit Diesel 6V-53T Diesel Engine)</i>			(25010959); Sec.		LFP928F	(95608917);	Fuel	L296F ^{40, 41}
	Air	LAF9396	(25011011); Pri.		LFP936F	CAV/Delphi Inj.		
Sec.	Fuel	LFP928F	15514175	Hydraulic	LFP3791 ¹¹	System		
		LFP936F	6438384	Oil	PH1218	110939	Oil	PH2903 ⁴⁰
	Oil	LFP911	(25011122); Oil Cooler	Trans	LFP5570	<i>Jumper I Relay (w/D9B XUD9 1.9 Diesel Engine)</i>		
		PH454 ⁶⁷⁹	<i>C70 (w/Cummins VT225 Engine)</i>				Air	AF5790 ³⁹
<i>Bruin</i>			2063585	Air	LAF942	(95608917);	Fuel	L296F ^{39, 41}
6422556	Air	AF222	3315116	Coolant	LFW4071 ²⁸	CAV/Delphi Inj.		
2060895		LAF1591	154709	Fuel	LFF5	System		
6423239		LAF22	(3308638); W/S		LFF8020	(190661); Bosch Inj.		LFF3504 ³⁹
2099027		LAF2550	W/S		LFF90011	110939	Oil	PH2903 ³⁹
2053591		LAF512	299670	Oil	LFP670		Air	AF5790
15527863		LAF5842			LFP670XL ¹⁴	(95608917);	Fuel	L296F ⁴¹
700016		LAF6632	3313281		LFP734	CAV/Delphi Inj.		
2009007		LAF6860	(313283); By-Pass		LFP777B	System		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 11-Power Steering 12-Optional 13-Optional Frame Mounted 14-Extended Life 18-Short 19-Long 20-High efficiency 26-9.8" Tall 27-7.5" Tall 28-Contains 1 oz. of chemical 29-1 1/8" Thread 30-1" x 12 Thread 31-Tall 35-To 10/88 38-From 09/00 39-To 03/02 40-From 02/94 41-Cartridge 275-Primary 587-Spin-on 645-Air Shift 679-Axle 761-8.7" Tall 1063-8" Hgt. 1452-8.25" Tall 1547-2 inch Tall 1548-5.75" Tall

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CITROEN (TRANSPORTER)			CITROEN (TRANSPORTER)			COMFORT GUARD (AUXILIARY POWER UNIT)		
<i>Jumper I Relay (w/D9B XUD9 1.9 Diesel Engine) (cont'd)</i>			<i>Jumper I Relay (w/T9A DJ5 2.5 D Engine) (cont'd)</i>			<i>Comfort Guard (w/Kubota Z482 Engine)</i>		
(190661); Bosch Inj.	Fuel	LFF3504	95608917	Fuel	L296F ^{41, 42}	30-60049-20	Air	LAF8388 ²
110939	Oil	PH2903	<i>Jumper I Relay (w/THX, THZ DJ5TED 2.5 TDI Engine)</i>			96-101-24K	Fuel	FP591F ³¹
	Air	AF5790 ⁴⁰		Air	AF5790	1492794		G5/16 ²⁶³
(95608917); CAV/Delphi Inj. System (190661); Bosch Inj.	Fuel	L296F ^{40, 41}	(95608917); CAV/Delphi Inj. System	Fuel	L296F ⁴¹	(1492106); W/S		LFF8255 ¹⁸
110939	Oil	PH2903 ⁴⁰	Bosch Inj. System		LFF3504	1855471	Oil	LFP2294 ⁶⁶
<i>Jumper I Relay (w/DHX 1.9L Turbo Diesel Engine)</i>			<i>Jumper II (w/DW10TD 2.0 HDi Engine)</i>			COMFORT MASTER (AUXILIARY POWER UNIT)		
(95608917); CAV/Delphi Inj. System	Fuel	L296F ^{39, 41}	W716/1	Oil	PH2903 ⁴⁵	<i>w/ Isuzu Diesel Engine</i>		
110939	Oil	PH2903 ³⁹	W716/1	Oil	PH2903		Fuel	L4103F
(95608917); CAV/Delphi Inj. System	Fuel	L296F ⁴¹	W716/1	Oil	PH2903 ⁴⁴		Oil	PH253 ^{677, 1496}
110939	Oil	PH2903	<i>Jumper II (w/DW12TED 2.2 HDi Engine)</i>					PH2835 ^{275, 1499}
(95608917); CAV/Delphi Inj. System	Fuel	L296F ^{40, 41}	W716/1	Oil	PH2903 ⁴⁵			PH2876 ⁶⁸⁰
110939	Oil	PH2903 ⁴⁰	W716/1	Oil	PH2903	CRANE CARRIER COMPANY (TRUCK HEAVY DUTY)		
<i>Jumper I Relay (w/DW10TD 2.0 HDi Engine)</i>			W716/1	Oil	PH2903 ⁴⁴	<i>LET2 (w/Cummins ISM Engine)</i>		
110939	Oil	PH2903 ³⁹	<i>Jumper II (w/XU10J2 2.0i Engine)</i>			LF9001	Oil	LFP9001 ²⁵⁰
(95608917); CAV/Delphi Inj. System	Fuel	L296F ⁴¹	W716/1	Oil	PH2903 ⁴⁵			LFP9001TRT ³
110939	Oil	PH2903	W716/1	Oil	PH2903 ⁴⁴	LF9001		LFP9001XL ^{14, 250}
(95608917); CAV/Delphi Inj. System	Fuel	L296F ^{40, 41}	<i>Jumper I Dispatch I (w/220 A2.000 1.6 Engine)</i>			29540494	Trans	LH4582G ²⁴
110939	Oil	PH2903 ⁴⁰	1109K9	Oil	PH2903 ⁴⁷	29540493		LH4589G ²³
<i>Jumper I Relay (w/DW10TD 2.0 HDi Engine)</i>			1109K9	Oil	PH2903	DANA SPICER (TRANSMISSION)		
110939	Oil	PH2903	<i>Jumper I Dispatch I (w/D8B XUD9TF 1.9 TD Engine)</i>			<i>Air Shift</i>		
110939	Oil	PH2903 ⁴⁰	1109K9	Oil	PH2903 ⁴⁷		Breather	LAF200 ⁶⁴⁵
(95608917); CAV/Delphi Inj. System	Fuel	L296F ^{39, 41}	1109K9	Oil	PH2903	<i>C58122 Tran.</i>		
110939	Oil	PH2903 ³⁹	1109K9	Oil	PH2903 ⁴⁶		Oil	LP2279
(95608917); CAV/Delphi Inj. System	Fuel	L296F ⁴¹	<i>Jumper I Dispatch I (w/D9B XUD9A 1.9 D Engine)</i>			<i>C58122 Transmission</i>		
110939	Oil	PH2903 ³⁹	1109K9	Oil	PH2903 ⁴⁸		Oil	LP2279
(95608917); CAV/Delphi Inj. System	Fuel	L296F ⁴¹	1109K9	Oil	PH2903	<i>SK-12763</i>		
110939	Oil	PH2903	1109K9	Oil	PH2903 ⁴⁶		Trans	P2
(95608917); CAV/Delphi Inj. System	Fuel	L296F ^{40, 41}	<i>Jumpy I Dispatch I (w/DHX XUD9TF 1.9 TD Engine)</i>			<i>SK-12763 Transmission</i>		
110939	Oil	PH2903 ⁴⁰	1109K9	Oil	PH2903 ⁴⁷		Oil	P2
(95608917); CAV/Delphi Inj. System	Fuel	L296F ⁴¹	1109K9	Oil	PH2903	<i>Spicer 8125-12 speed, 8312-5</i>		
110939	Oil	PH2903 ⁴⁰	1109K9	Oil	PH2903 ⁴⁶		Breather	LAF200 ⁶⁴⁵
<i>Jumper I Relay (w/T8A DJ5T 2.5 TD Engine)</i>			<i>Jumpy I Dispatch I (w/DW10 A/CTED 2.0 HDi Engine)</i>				Oil	P92
	Air	AF5790 ⁴³		Oil	PH2903 ⁴⁷	<i>Spicer 8125-12 speed, 8312-5 speed</i>		
(95608917); CAV/Delphi Inj. System	Fuel	L296F ^{41, 43}		Oil	PH2903		Breather	LAF200 ⁶⁴⁵
	Air	AF5790		Oil	PH2903 ⁴⁹	410365	Trans	P92
(95608917); CAV/Delphi Inj. System	Fuel	L296F ⁴¹	<i>Jumpy I Dispatch I (w/DW10BTD RHX 2.0 HDi Engine)</i>			DIAMOND PLUS (AUXILIARY POWER UNIT)		
110939	Oil	PH2903 ⁴⁰		Oil	PH2903 ⁴⁷	<i>Diamond Plus (w/Isuzu 14 h.p. Diesel Engine)</i>		
(95608917); CAV/Delphi Inj. System	Fuel	L296F ^{41, 42}		Oil	PH2903	109-0007	Fuel	L4103F
110939	Oil	PH2903		Oil	PH2903 ⁴⁹	DIAMOND REO (TRUCK HEAVY DUTY)		
(95608917); CAV/Delphi Inj. System	Fuel	L296F ^{41, 42}	<i>Jumpy I Dispatch I (w/DW8 WJZ 1.9 D Engine)</i>			<i>Air filters on optional engines</i>		
110939	Oil	PH2903 ⁴⁰	1109K9	Oil	PH2903 ⁴⁷	2270-H2	Air	LAF230 ⁶⁴²
(95608917); CAV/Delphi Inj. System	Fuel	L296F ^{41, 42}	1109K9	Oil	PH2903	<i>Models with Continental Engine</i>		
110939	Oil	PH2903	1109K9	Oil	PH2903 ⁵⁰	(1391-A6); 660, 720, 723 Series only	Oil	P71
<i>Jumper I Relay (w/T9A DJ5 2.5 D Engine)</i>			<i>Jumpy I Dispatch I (w/RFN EW10J4 2.0 Engine)</i>			P-2355	Air	LAF122
1444EY	Air	AF5790 ³⁹	1109K9	Oil	PH2903 ⁴⁷	<i>Models with Cummins 350 Engine</i>		
95608917	Fuel	L296F ^{39, 41}	<i>Jumpy I Dispatch I (w/DW8 WJZ 1.9 D Engine)</i>			70120N	Air	LAF7092
1444EY	Air	AF5790	1109K9	Oil	PH2903	<i>Models with Fram PCV</i>		
95608917	Fuel	L296F ⁴¹	<i>Jumpy I Dispatch I (w/DW10BTD RHX 2.0 HDi Engine)</i>			P-2678	Breather	LAF1671
1444EY	Air	AF5790 ⁴²	1109K9	Oil	PH2903 ⁵¹			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 18-Short 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 31-Tall 39-To 03/02 40-From 02/94 41-Cartridge 42-From 08/94 43-To 12/00 44-From 02/02 45-To 06/06 46-From 04/96 47-To 01/07 48-To 05/98 49-From 03/00 50-From 04/98 51-From 04/00 66-Long Life 250-11.9" Hgt. 263-Hoses and clamps included 275-Primary 642-Exc. heavy duty service 645-Air Shift 677-3/4" thread 680-20mm thread 1496-Alternate 1499-3/4" Thread"

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DIAMOND REO (TRUCK HEAVY DUTY)			DODGE (TRUCK HEAVY DUTY)			ELDORADO (BUS HEAVY DUTY)		
<i>Models with Fuller Tran.</i>			400, 500, S550, 600, 700, 800, C850, 900, 1000 Series (w/V8-360 Engine) (cont'd)			Cut-Away Chassis (w/Ford 6.0L Turbo Diesel Engine) (cont'd)		
	Breather	LAF200 ⁶⁴⁵		Oil	PH8A ¹⁴⁹⁶		Oil	LP2017
<i>Models with P/S</i>			DYNASYS (AUXILIARY POWER UNIT)			Cut-Away Chassis (w/Ford 7.3L Turbo Diesel Engine)		
10298-K1	Power Steering	LP487 ²⁷⁸	<i>Models with Yanmar 2TNV70 Engine</i>			F5UZ-9601-A	Air	AF1618
1481-K1		P2	109-0006	Air	LAF8388 ²	W/S	Fuel	L4595F
DODGE (TRUCK HEAVY DUTY)			11981055650	Fuel	L4103F		Oil	LFP2286
400, 500, S550, 600 Series (w/6 cyl. 251 Engine)			11930535150	Oil	PH2876	Cut-Away Chassis (w/Ford V10-6.8L Gas Engine)		
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	SL (w/Caterpillar 0.5i Engine)				Air	AF1615
2129023	Oil	P76	R12S (R12S); W/S	Fuel	LFF8676 ⁶⁸² LFF8678 ²⁴²		Oil	PH48 ²⁷⁵ PH820 ¹⁴⁹⁶
1193505	Oil	P90	2667143	Oil	PH2840	Cut-Away Chassis (w/Ford V8-5.4L Engine)		
2525254	Fuel	G5/16 ²⁶³ G6	E ZON (AUXILIARY POWER UNIT)				Air	AF1615
2240546			<i>Model I (w/Caterpillar 3011C Engine)</i>				Oil	PH48 ²⁷⁵ PH820 ¹⁴⁹⁶
1610435 (1821552); Opt.	Oil	LP38 ¹² P7FF	P822686	Air	LAF8388 ²	Cut-Away Chassis (w/General Motors V8-6.6L Duramax Diesel Engine)		
400, 500, S550, 600 Series (w/6 cyl. 265 Engine)				Oil	PH2835	TP1298B	Fuel	LFF6012
1821552	Oil	P7FF ⁶⁸¹ P90 ⁶⁵	<i>Model I (w/Perkins 403C-11 Engine)</i>				Oil	LFP2999
1193505			P822686	Air	LAF8388 ²	Cut-Away Chassis (w/General Motors V8-8.1L Engine)		
400, 500, S550, 600 Series (w/V8-273A Engine)			<i>Model II (w/Caterpillar 0.5 Engine)</i>				Air	AF1518 ⁶⁸⁵ AF1519 ⁶⁸⁶ LAF2032 ²
1739547	Air	AF4	P822686	Air	LAF8388 ² LAF8597	4500/5500 Series chassis	Oil	PH454
2525254	Fuel	G5/16 ²⁶³ G6	C1140	Oil	PH2835	Transit RE (w/Cummins ISC Diesel)		
2240546			<i>Model II (w/Perkins 402C-05 Engine)</i>				Fuel	LFF1022
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	P822686	Air	LAF8388 ² LAF8597		Oil	LFP3000 ¹⁵ LFP3000XL ¹⁴
1851658			C1140	Oil	PH2835	EMERGENCY ONE INC (TRUCK HEAVY DUTY)		
1851658			ECOWIND POWER (AUXILIARY POWER UNIT)			Cyclone II (w/Detroit Diesel 60 Series Engine)		
400, 500, S550, 600 Series (w/V8-314 Engine)			UT ECO 702 (APU) (w/Lombardini LDW702 Engine)			P116918	Air	LAF6918
1821552	Oil	P7FF ⁶⁸¹ P90 ⁶⁵	1052175136	Fuel	FP585F PH3942	P554071 (6438839); Pri. Sec.	Coolant	LFW4071 ^{28, 205} LFP815FN LFP816FN
1193505			ELDORADO (BUS HEAVY DUTY)				Oil	LFP2160 LFP2160TRT ³ LFP2160XL ¹⁴
400, 500, S550, 600 Series (w/V8-361 Engine)			<i>Commercial (w/Cummins ISB Diesel Engine)</i>			29540494	Trans	LH4582G ²⁴ LH4591G ²²
(2128752); By-Pass	Oil	P4 P92		Fuel	FP585F PH3942	<i>Commercial (w/Cummins ISC CNG Engine)</i>		
2129109				Oil	LFP3000XL ¹⁴	<i>Commercial (w/Cummins ISC Diesel Engine)</i>		
400, 500, S550, 600 Series (w/V8-400 Engine)			ELDORADO (BUS HEAVY DUTY)				Fuel	LFF1022
	Fuel	G5/16 ²⁶³ PH253 ^{18, 1496} PH400 ^{19, 275} PH8A ^{19, 1496}	<i>Commercial (w/Cummins ISC Diesel Engine)</i>				Oil	LFP3000XL ¹⁴
	Oil			Fuel	L9800F ⁴¹ LFP3970	<i>Conventional (w/Caterpillar 3126B Engine)</i>		
400, 500, S550, 600, 700, 800, C850, 900, 1000 Series (w/V8-318A Engine)				Oil	LFF5080 ⁶⁴⁷ LFP3000XL ¹⁴		Fuel	LFF4783
1739547	Air	AF4		Fuel	LFF1022		Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3191XL ¹⁴
	Air	LAF8786	<i>Commercial (w/Cummins ISC Diesel Engine)</i>				Oil	LFP3000XL ¹⁴
2203311	Air	AF14		Fuel	LFF1022	<i>Conventional (w/VT-365 Engine)</i>		
	Fuel	G5/16 ²⁶³ G6		Oil	LFP3000XL ¹⁴		Fuel	L4596F ⁶⁸⁴ L5788F
2129023	Oil	P76 ¹² P7FF ⁶⁸¹ PH253 ^{18, 1496} PH400 ^{19, 275} PH8A ^{19, 1496}		Oil	LP2017	<i>Conventional (w/VT-365 Engine)</i>		
1821552				Fuel	L4596F ⁶⁸⁴ L5788F	<i>Conventional (w/VT-365 Engine)</i>		
400, 500, S550, 600, 700, 800, C850, 900, 1000 Series (w/V8-360 Engine)				Oil	LP2017	<i>Conventional (w/VT-365 Engine)</i>		
3614353	Air	AF409		Fuel	L4606F ¹⁹⁵	<i>Conventional (w/VT-365 Engine)</i>		
	Fuel	G5/16 ²⁶³	Cut-Away Chassis (w/Ford 6.0L Turbo Diesel Engine)			<i>Hurricane (w/Detroit Diesel 60 Series Engine)</i>		
	Oil	PH253 ^{18, 1496} PH400 ²⁷⁵		Fuel	L4606F ¹⁹⁵	P116918	Air	LAF6918
				Fuel	L4606F ¹⁹⁵	P554071 (23518481); Pri. Sec.	Coolant	LFW4071 ^{28, 205} LFP815FN LFP816FN
				Fuel	L4606F ¹⁹⁵		Oil	LFP2160 LFP2160TRT ³

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 15-Standard 18-Short 19-Long 22-2" or 7" Sump High Capacity 24-4" Sump 28-Contains 1 oz. of chemical 41-Cartridge 65-By-Pass 195-Kit, Primary/Secondary 205-Maintenance 242-10 Micron 263-Hoses and clamps included 275-Primary 278-2.8" Hgt. 645-Air Shift 647-Natural Gas 681-Shunt 682-2 micron 684-Quick Change with attached Cap 685-Heavy duty service 686-Standard service 1496-Alternate

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
EMERGENCY ONE INC (TRUCK HEAVY DUTY)			FORD (BUS HEAVY DUTY)			FORD (MEDIUM DUTY TRUCK)		
<i>Hurricane (w/Detroit Diesel 60 Series Engine) (cont'd)</i>			<i>B600, B700 School Bus (w/Detroit Diesel 8.2L Engine) (cont'd)</i>			<i>C600, C700, C800 (w/Ford 429 Gas Engine)</i>		
	Oil	LFP2160XL ¹⁴	15514175	Hydraulic	LFP3791 ¹¹	FA-1040	Air	LAF586 ¹⁷²
29540494	Trans	LH4582G ²⁴ LH4591G ²²	15586689	Oil	PH1218	FA-566A	Fuel	LAF6510 ¹⁷⁸
FLXIBLE (BUS HEAVY DUTY)			<i>(25011122); Oil Cooler</i>			FG-788		
<i>218GM-1</i>			<i>B600, B700 School Bus (w/Ford 370 Gas Engine)</i>			FG-21		
Sec.	Fuel	262F L274F L274F1 L540F	FA-1040	Air	LAF586 ¹⁵	FG-872		LFF3806 ¹⁷⁰
(5573482); Pri.			FA-587		LAF965 ¹⁷³	E6HZ-9365-C		LFF4806 ¹⁶⁹
(5574961); Pri.			FG-788	Fuel	G22	FL-299	Oil	PH299 ¹⁹
Sec.			FG-21		G6 ⁹	FL-1A		PH400 ^{18, 275}
<i>218JB-1</i>			FG-872		G6367	FL-1A		PH8A ^{18, 1496}
Sec.	Fuel	L93FP	FL-299	Oil	PH299 ¹⁹	FL-1A		PH8A ^{18, 1496}
<i>228JT-1</i>			FL-1A		PH400 ^{18, 275}			PH8A ^{18, 1496}
(S-3062-A); Sec.	Fuel	262F L93FP	FL-1A		PH8A ^{18, 1496}			
(BM-35761); -S/N								
10208; Sec.			<i>B600, B700 School Bus (w/Ford 429 Gas Engine)</i>			<i>C7000, C8000 (w/Caterpillar 3208 Engine)</i>		
<i>Models w/Detroit Diesel Series 50 Engine</i>			FA-1040	Air	LAF586 ¹⁵	FA-560	Air	LAF506 ¹⁷⁶
70472N	Air	LAF7472	FA-587		LAF965 ¹⁷³	FA-715	Fuel	LAF558 ¹⁷⁷
(23512317); W/S	Fuel	LFF8010	FG-788	Fuel	G22	(9M2341); Pri.		L3531F
(23518481); Pri.		LFP815FN	FG-21		G6 ⁹	(6N7617); W/S		LFF1131
(23518482); Sec.		LFP816FN	FG-872		G6367	(1R0750); Sec.		LFF3347 ²⁰
23518480	Oil	LFP2160	FL-299	Oil	PH299 ¹⁹	W/S		LFF8030 ¹²
<i>Models with Allison tran.</i>			FL-1A		PH400 ^{18, 275}	(1R0740); Sec.		LFF9003 ¹²
25-964-2	Oil	HP1	FL-1A		PH8A ^{18, 1496}	(1R0713); Turbo	Oil	LFP5570
<i>Some Models</i>						(1R0714); w/o Turbo		LFP6007
25-587158	Hydraulic	LFH4206	<i>B600-750 (w/Gas Engine)</i>			1R0734		LFP791 ³⁰
FLYING J (BUS HEAVY DUTY)			(FA-717); All Gas	Air	LAF586	<i>CF6000, CF7000 (w/Ford 6.6L Diesel Engine)</i>		
<i>CCS (Cab Comfort System) (w/Kubota Z482 Engine)</i>			(FA-587); All Gas		LAF965	E6HZ-9601-A	Air	LAF5516
P822686	Air	LAF8388 ²	FORD (MEDIUM DUTY TRUCK)			W/S	Fuel	LFF1223
15231-43560	Fuel	L550F	<i>C600, C700, C800 (w/Caterpillar 3208 Engine)</i>			E6HZ-9365-A		LFF3806 ¹⁷⁰
1063696	Oil	PH400 ⁶⁷⁷	FA-560	Air	LAF506 ¹⁷⁶	W/S		LFF4806 ¹⁶⁹
FORD (BUS HEAVY DUTY)			FA-715		LAF558 ¹⁷⁷	(E7HZ-9N184-A); W/S		LFF8061
<i>B600, B700 School Bus (w/6.6L Diesel Engine)</i>			(9M2341); Pri.	Fuel	L3531F	W/S		LFF8061U ¹⁷¹
FA-1078	Air	LAF1809	(6N7617); W/S		LFF1131	(F1HZ-9365-A); W/S		LFF8063
E7HZ-9365-A	Fuel	LFF1223	(1R0750); Sec.		LFF3347 ²⁰	W/S		LFF8063U ¹⁷¹
(E7HZ-9N184-A); W/S		LFF4806 ¹⁶⁹	W/S		LFF8030 ¹²			
W/S		LFF8061	(1R0740); Sec.		LFP440F	F0HZ-6714-B	Oil	LFP781
(F1GZ-9365-A); W/S		LFF8061U ¹⁷¹	(1R0713); Turbo	Oil	LFP5570	F0HZ-3C602-A	Power Steering	LH4741
W/S		LFF8063	(1R0714); w/o Turbo		LFP6007	<i>CF6000, CF7000 (w/Ford FD1060 5.9L Engine)</i>		
W/S		LFF8063U ¹⁷¹	1R0734		LFP791 ³⁰	F3HZ-9601-B	Air	LAF1878 ²
F0HZ-6714-B	Oil	LFP781	<i>C600, C700, C800 (w/Detroit Diesel 8.2L Engine)</i>			(F3HZ-6731-A); W/S	Fuel	LFF8062
<i>B600, B700 School Bus (w/Detroit Diesel 8.2L Engine)</i>			(FA-715); Turbo	Air	LAF558	F3HZ-6731-A	Oil	LFP780 ¹⁵
FA-714		LAF558 ²⁷	FA-714		LAF558 ²⁷	<i>CF6000, CF7000, CF8000 (w/Ford FD1460 8.3L Engine)</i>		
FA-718		LAF965 ¹⁷²	FA-718		LAF965 ¹⁷²	F3HZ-9601-B	Air	LAF1878 ²
(2081109); W/S	Fuel	LFF2040 ¹³	(FD-260); Pri.	Fuel	LFF937	3315116	Coolant	LFW4071 ²⁸
W/S		LFF8010 ¹²	(25010959); Sec.		LFP928F	3925274	Fuel	LFF3417 ¹⁸⁰
(25010959); Pri.		LFF90012	23518668	Oil	PH1218	3903640		LFF3521 ^{180, 181}
(15618921); W/S		LFF902 ¹²	<i>C600, C700, C800 (w/Ford 370 Gas Engine)</i>			(3903202); W/S		LFF8062 ¹²
(FD-260); Pri.		LFF937	FA-1040	Air	LAF586 ¹⁷²	LF3000	Oil	LFP3000 ¹⁵
(25011011); Sec.		LFP928F	FA-566A		LAF6510 ¹⁷⁸	LF9009		LFP3000XL ¹⁴
			FG-788	Fuel	G22	3313281		LFP734 ¹⁷⁹
			FG-21		G6 ⁹	<i>CF8000 (w/Ford 7.8L Diesel Engine)</i>		
			FG-872		G6367	E7HZ-8A424-A	Coolant	LFW4072 ¹⁸²
			E6HZ-9365-C		LFF3806 ¹⁷⁰	E7HZ-9365-A	Fuel	LFF1223
			FL-299	Oil	LFF4806 ¹⁶⁹			LFF3806 ¹⁷⁰
			FL-1A		LFF8061 ¹⁷¹	(E7HZ-9N184-A); W/S		LFF4806 ¹⁶⁹
			FL-1A		LFF9012	W/S		LFF8061
					LFF902 ¹²			LFF8061U ¹⁷¹
					LFF937			
					LFP928F			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 9-3.5" Tall 11-Power Steering 12-Optional 13-Optional Frame Mounted 14-Extended Life 15-Standard 18-Short 19-Long 20-High efficiency 22-"
or 7" Sump High Capacity 24-4" Sump 27-7.5" Tall 28-Contains 1 oz. of chemical 30-1" x 12 Thread 169-1 Per Package 170-2 Per Package 171-With Sensor
Port 172-5.5" Tall 173-Heavy Duty 176-Closed Top End Cap 177-Open Both Ends 178-10.5" Tall 179-1 1/2 x 12 Thread 180-Dual Filter 181-Single
182-Contains 2 oz. of chemical 275-Primary 677-3/4" thread 1496-Alternate

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (MEDIUM DUTY TRUCK)			FORD (MEDIUM DUTY TRUCK)			FORD (MEDIUM DUTY TRUCK)		
<i>CF8000 (w/Ford 7.8L Diesel Engine) (cont'd)</i>			<i>F450, F550 (w/V10 6.8L Engine) (cont'd)</i>			<i>F650, F750 (w/Caterpillar C7 Engine) (cont'd)</i>		
(F1HZ-9365-A); W/S	Fuel	LFF8063		Trans	T643 ¹⁹²	1R-0739	Oil	LFP3191TRT ³ LFP3191XL ¹⁴
W/S		LFF8063U ¹⁷¹	<i>F600, F700 (w/6.1L Gas Engine)</i>			(29537268); Allison	Trans	LFH8737
F0HZ-6714-B	Oil	LFP781		Fuel	LFF4806 ¹⁶⁹	1000/2000		LH4582G ²⁴
F0HZ-3C602-A	Power Steering	LH4741	FL-299	Oil	PH299 ¹⁹	(29540496); Allison		LH4589G ²³
<i>F/ FT600, F/ FT700, F/ FT800 (w/Ford 6.1L 370 Gas Engine)</i>			FL-1A		PH400 ^{18, 275}	3000/3500		LH4591G ²² T951 ⁶
			FL-1A		PH8A ^{18, 1496}	(29540493); Allison		
	Fuel	LFF4806 ¹⁶⁹	<i>F600, F700 (w/7.0L Gas Engine)</i>			3000/3500		
FL-299	Oil	PH299 ¹⁹		Fuel	LFF4806 ¹⁶⁹	29545776		
FL-1A		PH400 ^{18, 275}	FL-299	Oil	PH299 ¹⁹	(29537965); Allison		
FL-1A		PH8A ^{18, 1496}	FL-1A		PH400 ^{18, 275}	1000/2000		
			FL-1A		PH8A ^{18, 1496}	<i>F650, F750 (w/Cummins ISB5.9L Engine)</i>		
<i>F/ FT600, F/ FT700, F/ FT800 (w/Ford 7.0L 429 Gas Engine)</i>			<i>F600, F700, F800 (w/FD1060, 5.9L Cummins Diesel Engine)</i>			P532966	Air	LAF4498 ^{2, 208}
	Fuel	LFF4806 ¹⁶⁹	F3HZ-9601-D	Air	LAF1878 ²	WF2071	Coolant	LFW4071 ^{28, 205}
FL-299	Oil	PH299 ¹⁹	F3HZ-9R500-A		LAF3585 ¹	(FD-4597); Pri.	Fuel	L4597F ²⁰⁶
FL-1A		PH400 ^{18, 275}	WF2071	Coolant	LFW4071 ^{28, 205}	(3942470); W/S		L9800F ⁴¹
FL-1A		PH8A ^{18, 1496}	W/S	Fuel	LFF8062	(FS19596); W/S		LFF1003 ²⁰⁹
<i>F450 Superduty (w/7.5L V8 Gas Engine)</i>			F3HZ-6731-A	Oil	LFP780	(4942533); W/S		LFF9519
FA1046	Air	AF1046	<i>F650 (w/Ford 6.7L Turbo Diesel Engine)</i>			3937736	Oil	LFP3970
FL1A	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Air	LAF6902	(29539579); Allison	Trans	LFH8737
FL1A				Breather	LAF6907	1000/2000		T951 ⁶
	Trans	T115 ¹⁹⁰ T626 ¹⁸⁹ T638 ¹⁹¹ T643 ¹⁹² T646 ¹⁸⁸	BC3Z-9N184-B	Fuel	L4615F ¹⁹⁵	(29537965); Allison		
			BC3Z-9N184-B	Oil	LFP2051	1000/2000		
<i>F450, F550 (w/6.0L Turbo Diesel Engine)</i>			<i>F650, F750 (w/7.3L International Diesel Engine)</i>			<i>F650, F750 (w/Cummins ISB6.7L Engine)</i>		
FA1746	Air	LAF1646	P532966	Air	LAF4498 ^{2, 208}	FA1889	Air	LAF6889
FD4604	Fuel	L4604F ¹⁹⁵	(FD-4596); W/S	Fuel	L4596F	WF2071	Coolant	LFW4071 ^{28, 205}
FL2016	Oil	LP2017 ¹⁹⁴	(FD-4597); Pri.		L4597F ²⁰⁶	(FS1065); W/S	Fuel	LFF1065 ²¹⁰
	Trans	LH1145 ¹⁹³ T865 ¹⁶	FD-4596		L5788F	(FF5632); Sec.		LFF5632
FT144			FD-4597		LFF5089 ²⁰⁷	3937736	Oil	LFP3970
<i>F450, F550 (w/7.3L Turbo Diesel Engine)</i>			FL-1995	Oil	LFP2286 ¹⁵ LFP2286XL ¹⁴	4C4Z3C602AA	Power Steering	LFH4984
(FD4596); W/S	Fuel	L4596F	FL162	Trans	LFP1652	(29539579); Allison	Trans	LFH8737
	Trans	T638 ¹⁹¹ T643 ¹⁹²	29540976		T112 ⁶	2000 Series		T951 ⁶
FL1995	Oil	LFP2286	29538489		T153 ⁵	(29537965); Allison		
	Trans	T115 ¹⁹⁷ T124 ¹⁹⁶	<i>F650, F750 (w/Caterpillar 3126B Engine)</i>			<i>F650, F750 (w/Ford 6.7L Turbo Diesel Engine)</i>		
FA1617	Air	LAF1617	P532966	Air	LAF4498 ^{2, 208}	BC3Z-9601-A	Air	LAF6902
	Oil	LFP2286XL ¹⁴	(FD-4597); Pri.	Fuel	L4597F ²⁰⁶	BC3Z-9601-D	Breather	LAF6907
	Air	AF322	1R0751		LFF4783	BC3Z-9N184-B	Fuel	L4615F ¹⁹⁵
FD4596	Fuel	LFF5824B	FD-4597		LFF5089 ²⁰⁷	BC3Z-6731-A	Oil	LFP2051
FL784	Oil	LFP784	1R-0739	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3191XL ¹⁴	<i>F650, F750 (w/V10 6.8L Engine)</i>		
<i>F450, F550 (w/V10 6.8L Engine)</i>			1R-0739	Trans	LFH8737	FL820S	Oil	PH48 ²⁷⁵ PH820 ¹⁴⁹⁶
FA1782	Air	AF2782	(29537268); Allison		LH4582G ²⁴	FL820S		AF2782
FG1083	Fuel	G1010 ²⁰⁰	1000/2000		LH4589G ²³	FA1782	Air	LFH4984
FG872		G6367 ²⁰¹	(29540496); Allison		LH4591G ²²	4C4Z3C602AA	Power Steering	
	Trans	T638 ¹⁹⁸ T643 ¹⁹⁹	(29540493); Allison		T951 ⁶	<i>F650, F750 (w/VT365 6.0L Turbo Diesel Engine)</i>		
FL820S	Oil	PH48 ²⁷⁵ PH820 ¹⁴⁹⁶	3000/3500			FA1753	Air	LAF2753
FA1634	Air	AF1615	(29545776)			WF2071	Coolant	LFW4071 ^{28, 205}
FA1047	Breather	AF26	(29537965); Allison			FL2016	Oil	LP2017 ¹⁹⁴
FG872	Fuel	G6367	1000/2000			(29539579); Allison	Trans	LFH8737
	Trans	T638 ¹⁹¹	<i>F650, F750 (w/Caterpillar C7 Engine)</i>			(29537965); Allison		T951 ⁶
			(YC3Z-9365-AC); Pri.	Fuel	L4597F ²⁰⁶	1000/2000		
			1R0751		LFF4783	(29537965); Allison		
			FD-4597		LFF5089 ²⁰⁷	1000/2000		
			1R-0739	Oil	LFP3191 ¹⁵	(FD4596); W/S	Fuel	L4596F
			<i>F7000, F8000 (w/Caterpillar 3208 Engine)</i>			<i>F7000, F8000 (w/Caterpillar 3208 Engine)</i>		
						(E0HZ-9601-B); Turbo	Air	LAF558

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 5-Deep Pan 6-Shallow Pan 14-Extended Life 15-Standard 16-Internal 18-Short 19-Long 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 41-Cartridge 169-1 Per Package 171-With Sensor Port 188-AODE Deep Pan 189-AODE Shallow Pan 190-C6 3 Speed 191-E40D Deep Pan 192-E40D Shallow Pan 193-External Mounted 194-Filter only, filter with attached cap LP2017KITT 195-Kit, Primary/Secondary 196-C6 Deep Pan 197-C6 Shallow Pan 198-4R100 Deep Pan 199-4R100 Shallow Pan 200-3/8" 201-5/16" 205-Maintenance 206-Bowl type 207-Optional Bowless 208-19" Hgt. 209-Square sensor port 210-w/ Sensor 275-Primary 1496-Alternate

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (MEDIUM DUTY TRUCK)			FORD (TRUCK HEAVY DUTY)			FORD (TRUCK HEAVY DUTY)		
<i>F7000, F8000 (w/Caterpillar 3208 Engine) (cont'd)</i>			<i>Aeromax 9500 (w/Caterpillar 3406E Engine) (cont'd)</i>			<i>CL, CLT900 (w/Detroit Diesel Engine) (cont'd)</i>		
(FA-748); w/o Turbo	Air	LAF6860	(1R0712); Sec.	Fuel	LFF5823B	(FA-666); 71, 71TA, 92, 92TA Don. Hsg.	Air	LAF9396
(9M2341); Pri.	Fuel	L3531F	1R0716	Oil	LFP4005 ¹⁵⁴¹	<i>CL9000 (w/Cummins N14 Engine)</i>		
(6N7617); W/S		LFF1131			LFP4005TRT ³	WF2071	Coolant	LFW4071 ²⁸
(1R0750); Sec.		LFF3347 ²⁰			LFP4005XL ¹⁴	(154789); Pri.	Fuel	LFF5D
W/S		LFF8030 ¹²	<i>Aeromax 9500 (w/Cummins M11 Engine)</i>			(FS1212); W/S		LFF8020
		LFF9003 ¹²	FA-1077	Air	LAF1849 ²	LF3000	Oil	LFP3000 ³¹³
(1R0740); Sec.		LFP440F	(FS1212); W/S	Fuel	LFF8020	LF670		LFP670 ⁶⁴³
(1R0713); Turbo	Oil	LFP5570	LF3000	Oil	LFP3000	<i>CLT9000 (w/Cummins N14 Engine)</i>		
(1R0714); w/o Turbo		LFP6007	LF9009		LFP3000XL ¹⁴		Air	LAF519 ⁷⁰³
1R0734		LFP791 ³⁰	<i>Aeromax AT9513 (w/Detroit Diesel 60 Series Engine)</i>				Coolant	LFW4071 ²⁸
<i>LCF45 & LCF55 (w/4.5L Turbo Diesel)</i>			<i>WF2071</i>			154789	Fuel	LFF5
6E7Z-9601-AA	Air	LAF6922 ²	(23518481); Pri.	Fuel	LFP815FN	(3308638); W/S		LFF8020
6E7Z-9155-BA	Fuel	L4604F ¹⁹⁵	(23518482); Sec.		LFP816FN	LF3000	Oil	LFP3000
6E7Z-6731-D	Oil	L2029		Oil	LFP2160 ⁷⁰²	(3304232); By-Pass		LFP670
FT145	Trans	LH1145 ¹⁹³			LFP2160TRT ³	<i>F/ FT600-900 (w/6.6L Diesel Engine)</i>		
3C3Z-7A098-AA		T865 ¹⁶	23530407		LFP2160XL ¹⁴	FA-1056	Air	LAF1809
<i>P600 (Parcel Delivery)</i>			<i>B7000 School Bus (w/Caterpillar 3208 Engine)</i>			E7HZ-8A424-A	Coolant	LFW4072 ¹⁸²
(FL1A); P600 w/300 gas eng.	Oil	PH8A ¹⁴⁹⁶	FA-560	Air	LAF506 ¹⁷⁶		Fuel	LFF1223
(FA-52); P600 w/300 gas eng.	Air	AF52	FA-715		LAF558 ¹⁷⁷	E7HZ-9365-A		LFF3806 ¹⁷⁰
FORD (TRUCK HEAVY DUTY)			FA-748		LAF6860 ¹⁷⁸	W/S		LFF4806 ¹⁶⁹
<i>Aero Max 106 (w/Cummins ISM Engine)</i>			(9M2341); Pri.	Fuel	L3531F	(F1HZ-9365-A); W/S		LFF8061U ¹⁷¹
WF2071	Coolant	LFW4071 ²⁸	(6N7617); W/S		LFF1131	W/S		LFF8063
W/S	Fuel	LFF8020	(1R0750); Sec.		LFF3347 ²⁰	F0HZ-6714-B	Oil	LFP781
LF3000	Oil	LFP3000 ¹⁵⁴¹	W/S		LFF8030 ¹²		Power Steering	LH4741
LF9009		LFP3000XL ¹⁴			LFF9003 ¹²	<i>F/ FT600-900 (w/7.8L Diesel Engine)</i>		
<i>Aero Max 113 (w/Caterpillar 3176 Engine)</i>			(1R0740); Sec.		LFP440F	FA-1056	Air	LAF1809
	Fuel	LFF5823B	1R0713	Oil	LFP5570 ¹⁷⁴	E7HZ-8A424-A	Coolant	LFW4072 ¹⁸²
1R0716		LFP4005	1R0714		LFP6007 ¹⁷⁵		Fuel	LFF1223
<i>Aero Max 113 (w/Caterpillar C10 Engine)</i>			<i>CL, CLT900 (w/Caterpillar Diesel Engine)</i>			E7HZ-9365-A		LFF3806 ¹⁷⁰
1R0749	Fuel	LFF2749 ²⁰	(FA-666); 3406	Air	LAF9396	W/S		LFF4806 ¹⁶⁹
W/S		LFF8011	(FA-670); 3406 w/Farr frame mtd.	Air	LAF320	(F1HZ-9365-A); W/S		LFF8061U ¹⁷¹
1R0716	Oil	LFP4005	(C8HZ-9601-A); 3208N	Air	LAF506	W/S		LFF8063
		LFP4005TRT ³	(FA-665); 3406	Air	LAF9472	F0HZ-6714-B	Oil	LFF8063U ¹⁷¹
		LFP4005XL ¹⁴	<i>CL, CLT900 (w/Cummins Diesel Engine)</i>				Power Steering	LH4741
<i>Aero Max 113 (w/Cummins N14 Engine)</i>			(FA-670); Cummins w/Farr frame mtd.	Air	LAF320	F0HZ-3C602-A	Power Steering	LH4741
W/S	Fuel	LFF8020	(FA-667); Cummins w/Farr eng. mtd.		LAF519		Power Steering	LH4741
LF3000	Oil	LFP3000 ¹⁵⁴¹	(FA-666); Cummins 855		LAF9396	F0HZ-3C602-A	Power Steering	LH4741
LF9009		LFP3000XL ¹⁴	(FA-666); Cummins KT, KTA	Air	LAF9396	<i>F/ FT600-900 (w/Caterpillar 3208 Engine)</i>		
<i>Aero Max 122 (w/Caterpillar 3406E Engine)</i>			(FA-665); Cummins 855 w/Don. Hsg. eng. mtd.		LAF9472		Power Steering	LH4741
1R0749	Fuel	LFF2749 ²⁰	(FA-666); Cummins 855 w/Don. Hsg. eng. mtd.	Air	LAF9396	(9M2341); Pri.	Fuel	L3531F
1R0716	Oil	LFP4005	(FA-667); Cummins 855 w/Don. Hsg. eng. mtd.	Air	LAF9472	(6N7617); W/S		LFF1131
		LFP4005TRT ³	<i>CL, CLT900 (w/Detroit Diesel Engine)</i>			(1R0750); Sec.		LFF3347 ²⁰
		LFP4005XL ¹⁴	(FA-665); 6V92, T eng.	Air	LAF9472	W/S		LFF8030 ¹²
<i>Aero Max 122 (w/Caterpillar C12 Engine)</i>			(FA-670); 71A Series	Air	LAF320	(1R0740); Sec.		LFF9003 ¹²
F6HZ-9601-AB	Air	LAF3930 ²	(FA-669); 71, 92 eng. Farr Hsg. frame mtd.		LAF519D	(1R0713); Turbo	Oil	LFP440F
1R0749	Fuel	LFF2749 ²⁰				(1R0714); w/o Turbo		LFP5570
Sec.		LFF5823B						LFP6007
1R0716	Oil	LFP4005						
		LFP4005TRT ³						
		LFP4005XL ¹⁴						
<i>Aeromax 9500 (w/Caterpillar 3406E Engine)</i>								
(1R0749); Sec.	Fuel	LFF2749 ²⁰						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 16-Internal 20-High efficiency 28-Contains 1 oz. of chemical 30-1" x 12 Thread 169-1 Per Package 170-2 Per Package 171-With Sensor Port 174-5" Hgt. 175-6" Tall 176-Closed Top End Cap 177-Open Both Ends 178-10.5" Tall 179-1 1/2 x 12 Thread 182-Contains 2 oz. of chemical 193-External Mounted 195-Kit, Primary/Secondary 313-2 1/4" Thread 643-1 1/2" Thread 702-1 5/8" Thread 703-with HD panel 1496-Alternate 1541-Standard replacement

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (TRUCK HEAVY DUTY)			FORD (TRUCK HEAVY DUTY)			FORD (TRUCK HEAVY DUTY)		
<i>F/ FT600-900 (w/Caterpillar 3208 Engine) (cont'd)</i>			<i>L, LN, LNT, LT, LTS Series (w/Detroit Diesel Engine)</i>			<i>L/LN8000,LT8000 (w/Ford FD1460 Engine) (cont'd)</i>		
1R0734	Oil	LFP791 ³⁰	(F1HZ-9601-B); w/60 Series	Air	LAF1849 ²	D5HZ-9601-D	Air	LAF6300 ²
F0HZ-3C602-A	Power Steering	LH4741	w/60 Series		LAF1849MXM	(F3HZ-9365-E); W/S	Fuel	LFF8062
	Power Steering	LH4741	(FA-733); w/8V92	Air	LAF2831	LF3000	Oil	LFP3000 ¹⁵
F0HZ-3C602-A	Power Steering	LH4741	(FA-607); w/6V92	Air	LAF6662	LF9009		LFP3000XL ¹⁴
	Power Steering	LH4741	(FA-609); w/8V71N	Air	LAF6299	F3HZ-9601-B	Air	LAF1878 ²
	Power Steering	LH4741	(FA-610); w/6-71		LAF6300	F3HZ-9601-A	Air	LAF1878 ²
	Power Steering	LH4741	(FA-607); w/8V71T		LAF6662	<i>L9000 (w/Caterpillar 3406 Engine)</i>		
<i>F/ FT600-900 (w/Detroit Diesel 8.2L Engine)</i>			(FA-608); w/8V71T	Air	LAF8959	F1HZ-9601-B	Air	LAF1849 ²
(FA-714); w/o Turbo	Air	LAF558 ²⁷	(FA-573); w/6-71, 8V71	Air	LAF3730	FA-733		LAF2831
(FA-715); Turbo		LAF558	<i>L, LN, LNT, LT, LTS Series (w/Gas Engine)</i>			FA-734		LAF8727
FA-718		LAF965 ¹⁷²	(FA-630); w/475, 477, 534	Air	LAF4445			LAF9396
(2081109); W/S	Fuel	LFF2040 ¹³	(FA-587); w/475, 477, 534		LAF965	FA-665		LAF9472
(15618921); W/S		LFF8010	(FA-717); w/330, 361, 389	Air	LAF586	WF2071	Coolant	LFW4071 ²⁸
(25010959); Pri.		LFF90012	(FA-575); w/475, 477, 534	Air	LAF1265	WF2073		LFW4073 ²⁵⁵
(2081109); W/S		LFF902	(FA-630); w/330, 361, 389	Air	LAF4445	Pri.	Fuel	L3531F
(FD-260); Pri.		LFF937	(FA-630); w/330, 361, 389	Air	LAF4445	1R0749		LFF2749 ²⁰
15586689	Oil	PH1218	(FA-575); w/475, 477, 534	Air	LAF1265	1R0716	Oil	LFP4005
	Trans	LFP5570	(FA-630); w/330, 361, 389	Air	LAF4445			LFP4005TRT ³
<i>F800 (w/Cummins 5.9L ISB Engine)</i>			(FA-575); w/361, 389, 391	Air	LAF1265			LFP4005XL ¹⁴
(3942470); W/S	Fuel	L1261F ⁴¹	<i>L, LN600, L, LN700, L, LN800 (w/Ford 370 Gas Engine)</i>			<i>LA9000 (w/Caterpillar 3406 Engine)</i>		
(3954891); W/S		LFF1003 ²⁰⁹	FA-717	Air	LAF586 ¹⁵	F1HZ-9601-B	Air	LAF1849 ²
3937736	Oil	LFP3970 ²⁹	FA-1041		LAF588 ²¹¹	FA-86		LAF1858
F3HZ-6731-A		LFP780	FA-718		LAF965 ¹⁷³	FA-733		LAF2831
		LFP780XL ¹⁴	FG-788	Fuel	G22	FA-734		LAF8727
<i>F800 (w/FD1460, 8.3L Diesel Engine)</i>			FG-21		G6 ⁹	P129396		LAF9396
F3HZ-9601-B	Air	LAF1878 ²	FG-872		G6367	FA-665		LAF9472
F3HZ-9R500-A		LAF3585 ¹	FL-299	Oil	PH299 ¹⁹	WF2071	Coolant	LFW4071 ²⁸
W/S	Fuel	LFF8062	FL-1A		PH400 ^{18, 275}	WF2073		LFW4073 ²⁵⁵
LF3000	Oil	LFP3000	FL-1A		PH8A ^{18, 1496}	(9M2341); Pri.	Fuel	L3531F
<i>L, LN, LNT, LT, LTL, LTS Series (w/Caterpillar Diesel Engine)</i>			<i>L, LN600, L, LN700, L, LN800 (w/Ford 429 Gas Engine)</i>			1R0749		LFF2749 ²⁰
(F1HZ-9601-B); 1991-95	Air	LAF1849 ²	FA-717	Air	LAF586 ¹⁵	1R0716	Oil	LFP4005
		LAF1849MXM ⁷⁰⁴	FA-1041		LAF588 ²¹¹			LFP4005TRT ³
(FA-86); w/3406		LAF1858 ⁷⁰⁷	FA-718		LAF965 ¹⁷³			LFP4005XL ¹⁴
(FA-733); 1992-95		LAF2831	FG-788	Fuel	G22	<i>LA9000 (w/Detroit Diesel 60 Series Engine)</i>		
FA-1063		LAF2926 ⁷⁰⁸	FG-21		G6 ⁹	FA-734	Air	LAF8727
(FA-573); -S/N W00, 001		LAF3730 ⁷⁰⁵	FG-872		G6367	WF2071	Coolant	LFW4071 ²⁸
F6HZ-9601-CA		LAF5871 ²	FL-299	Oil	PH299 ¹⁹	(23518481); Pri.	Fuel	LFP815FN
F6HZ-9602-AA		LAF5872 ¹	FL-1A		PH400 ^{18, 275}	(23518482); Sec.		LFP816FN
(FA-610); S/N W00, 001-		LAF6300	FL-1A		PH8A ^{18, 1496}		Oil	LFP2160 ⁷⁰²
(FA-734); w/3406		LAF8727 ⁷⁰⁶	<i>L/LN8000,LT8000 (w/Cummins 8.3L Engine)</i>			By-Pass		LFP2160TRT ^{3, 702}
<i>L, LN, LNT, LT, LTL, LTS Series (w/Cummins Diesel Engine)</i>			<i>L/LN8000,LT8000 (w/Cummins 8.3L Engine)</i>			23530407		LFP2160XL ^{14, 702}
F1HZ-9601-B	Air	LAF1849 ²	F3HZ-9601-A	Air	LAF1878 ²			LFP777B
		LAF1849MXM	F3HZ-9R500-A		LAF3585 ¹			LFP911 ⁶⁴³
(FA-733); w/L-10, 855 eng.	Air	LAF2831	D5HZ-9601-D	Fuel	LAF6300 ²			LFP911XL ^{14, 643}
(FA-734); w/855 eng.	Air	LAF8727	(F3HZ-9365-E); W/S		LFF8062	<i>LL9000 (w/Caterpillar 3406 Engine)</i>		
FA-610	Air	LAF6300	LF3000	Oil	LFP3000 ¹⁵	FA-1077	Air	LAF1849 ²
(FA-86); w/855 eng.	Air	LAF1858	LF9009		LFP3000XL ¹⁴	FA-733		LAF2831
(FA-573); w/V, VT	Air	LAF3730	<i>L/LN8000,LT8000 (w/Ford FD1460 Engine)</i>			FA-734		LAF8727
			F3HZ-9601-A	Air	LAF1878 ²	P129396		LAF9396
			F3HZ-9R500-A	Air	LAF3585 ¹	FA-665		LAF9472

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 9-3.5" Tall 13-Optional Frame Mounted 14-Extended Life 15-Standard 18-Short 19-Long 20-High efficiency 27-7.5" Tall 28-Contains 1 oz. of chemical 29-1 1/8" Thread 30-1" x 12 Thread 41-Cartridge 172-5.5" Tall 173-Heavy Duty 209-Square sensor port 211-7" Tall 255-Contains 3 oz. of chemical 275-Primary 643-1 1/2" Thread 702-1 5/8" Thread 704-1991-95 705-1973-75 706-1982-95 707-1974-95 708-1988-95 1496-Alternate

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (TRUCK HEAVY DUTY)			FORD (TRUCK HEAVY DUTY)			FORD (TRUCK HEAVY DUTY)		
LN9000 (w/Caterpillar 3406 Engine) (cont'd)			LN7000, LN8000 (w/Ford 7.8L Diesel Engine) (cont'd)			LNT9000 (w/Cummins N14 Engine)		
	Oil	LFP4005TRT ³ LFP4005XL ¹⁴	E7HZ-9365-A	Fuel	LFF3806 ¹⁷⁰	FA-1077	Air	LAF1849 ²
LN600, LN700, LN800 (w/Detroit Diesel 8.2L Engine)			W/S		LFF8061U ¹⁷¹	FA-733		LAF2831
(FA-715); Turbo	Air	LAF558	W/S		LFF8063U ¹⁷¹	FA-734		LAF8727
FA-714		LAF558 ²⁷	F0HZ-6714-B	Oil	LFP781	P129396		LAF9396
FA-718		LAF965 ¹⁷²	F0HZ-3C602-A	Power Steering	LH4741	FA-665		LAF9472
(2081109); W/S	Fuel	LFF2040 ¹³	E6HZ-9155-E	Fuel	LFF4806 ¹⁶⁹	WF2071	Coolant	LFW4071 ²⁸
(15618921); W/S		LFF8010		Fuel	LFF4806 ¹⁶⁹	WF2073		LFW4073 ²⁵⁵
(25010959); Pri.		LFF90012	E6HZ-9155-E	Fuel	LFF4806 ¹⁶⁹	FF105	Fuel	LFF5
(2081109); W/S		LFF902		Fuel	LFF4806 ¹⁶⁹	(FF105D); Pri.		LFF5D
(FD-260); Pri.		LFF937	E6HZ-9155-E	Fuel	LFF4806 ¹⁶⁹	LF3000	Oil	LFP3000 ³¹³
(25011011); Sec.		LFP928F	LN9000 (w/Caterpillar 3406 Engine)			LF9009		LFP3000XL ^{14, 313}
15514175	Hydraulic	LFP3791 ¹¹	FA-1077	Air	LAF1849 ²	LF670		LFP670 ⁶⁴³
15586689	Oil	PH1218	FA-733		LAF2831	Louisville 9000 (w/Caterpillar 3406E Engine)		
LN7000 (w/Cummins 5.9L Engine)			FA-734		LAF8727	F6HZ-9601-CA	Air	LAF5871
F3HZ-9601-B	Air	LAF1878 ² LAF3585 ¹	P129396		LAF9396	F6HZ-9602-AA		LAF5872 ¹
(F3HZ-9365-E); W/S	Fuel	LFF8062	FA-665		LAF9472	1R0749	Fuel	LFF2749 ²⁰
F3HZ-6731-A	Oil	LFP780 ¹⁵ LFP780XL ¹⁴	WF2071	Coolant	LFW4071 ²⁸	1R0716	Oil	LFP4005
LN7000 (w/Ford FD1060 Engine)			WF2073		LFW4073 ²⁵⁵	1R1808		LFP4005RN ⁵⁹⁹
F3HZ-9601-B	Air	LAF1878 ² LAF3585 ¹	(9M2341); Pri.	Fuel	L3531F	2752604		LFP4005XL ¹⁴
(F3HZ-9365-E); W/S	Fuel	LFF8062	LN9000 (w/Cummins L10 Engine)			Louisville 9000 (w/Caterpillar C12 Engine)		
F3HZ-6731-A	Oil	LFP780 ¹⁵ LFP780XL ¹⁴	FA-734	Air	LAF8727	F1HZ-9601-B	Air	LAF1849 ²
LN7000, L/LN/LT/LTS8000 (w/Caterpillar 3208 Engine)			WF2071	Coolant	LFW4071 ²⁸			LAF1849MXM ^{2, 268}
FA-610	Air	LAF6300 ² LAF9111 ²¹²	WF2073		LFW4073 ²⁵⁵	P533890		LAF3890 ¹
FA-78		L3531F	FF105	Fuel	LFF5	FA1635		LAF3930 ²
(9M2341); Pri.	Fuel	LFF1131	(FS1212); W/S		LFF8020	F6HZ-9601-CA		LAF5871 ²
(6N7617); W/S		LFF3347 ²⁰	LF3000	Oil	LFP3000	F6HZ-9602-AA		LAF5872 ¹
(1R0750); Sec.		LFF8030 ¹²	LF670		LFP670	(1R0712); Sec.	Fuel	LFF5823B
(1752949); W/S		LFF9003 ¹²	By-Pass		LFP670XL ¹⁴ LFP777B ⁵⁸⁷	1R0716	Oil	LFP4005
1752949		LFP440F	LN9000 (w/Cummins M11 Engine)					LFP4005SC ⁷¹¹
(1R0740); Sec.		LFP5570 ¹⁷⁴	FA-734	Air	LAF8727	Louisville 9000 (w/Caterpillar C12 Engine)		
1R0713	Oil	LFP6007 ¹⁷⁵	WF2071	Coolant	LFW4071 ²⁸	F1HZ-9601-B	Air	LAF1849 ²
1R0714			(FS1000); W/S	Fuel	LFF1000	(FA-733); 1992-95		LAF2831
LN7000, LN8000 (w/Ford 6.6L Diesel Engine)			LF9009	Oil	LFP3000	FA-734		LAF8727 ¹⁷⁸
FA-715	Air	LAF558 ²⁷	LFP3000XL ¹⁴		LFP3000XL ¹⁴			LAF9396
FA610		LAF6300 ²	LNT9000 (w/Caterpillar 3176 Engine)			WF2071	Coolant	LFW4071 ²⁸
E7HZ-8A424-A	Coolant	LFW4072 ¹⁸²	FA-1077	Air	LAF1849 ²	WF2073		LFW4073 ²⁵⁵
	Fuel	LFF1223	FA-86		LAF1858	Pri.	Fuel	L3531F
E7HZ-9365-A		LFF3806 ¹⁷⁰	FA-734		LAF8727 ¹⁷⁸	(1R0750); Sec.		LFF3347 ²⁰
		LFF4806 ¹⁶⁹	P129396		LAF9396 ⁷⁰⁹	1R0740		LFP440F ¹⁵
W/S		LFF8061U ¹⁷¹	FA-665		LAF9472 ⁷¹⁰	1R0716	Oil	LFP4005
W/S		LFF8063U ¹⁷¹	LNT9000 (w/Caterpillar 3306 Engine)					LFP4005TRT ³
F0HZ-6714-B	Oil	LFP781	(9M2342); Pri.	Fuel	L3531F	LNT9000 (w/Caterpillar 3406 Engine)		
F0HZ-3C602-A	Power Steering	LH4741	(1R0740); Sec.		LFP440F	F1HZ-9601-B	Air	LAF1849 ²
LN7000, LN8000 (w/Ford 7.8L Diesel Engine)			1R0739	Oil	LFP3191	FA-733		LAF2831
FA-715	Air	LAF558 ²⁷	1R0739		LFP3191XL ¹⁴	FA-734		LAF8727
FA610		LAF6300 ²	LNT9000 (w/Caterpillar 3406 Engine)					LAF9396
E7HZ-8A424-A	Coolant	LFW4072 ¹⁸²	FA-1077	Air	LAF1849 ²	WF2071	Coolant	LFW4071 ²⁸
	Fuel	LFF1223	FA-86		LAF1858	WF2073		LFW4073 ²⁵⁵
			FA-734		LAF8727	Pri.	Fuel	L3531F
			P129396		LAF9396	1R0749		LFF2749 ²⁰
			FA-665		LAF9472	1R0716	Oil	LFP4005
			1R0712	Fuel	LFF5823B			LFP4005TRT ³
			1R0716	Oil	LFP4005			LFP4005XL ¹⁴

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 12-Optional 13-Optional Frame Mounted 14-Extended Life 15-Standard
 20-High efficiency 27-7.5" Tall 28-Contains 1 oz. of chemical 169-1 Per Package 170-2 Per Package 171-With Sensor Port 172-5.5" Tall 174-5" Hgt. 175-6"
 Tall 178-10.5" Tall 182-Contains 2 oz. of chemical 212-10" Tall 255-Contains 3 oz. of chemical 268-Extended/Severe service 313-2 1/4" Thread 587-Spin-on
 599-High capacity 643-1 1/2" Thread 709-10.4" O.D. 710-8.67" O.D. 711-Short can version

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (TRUCK HEAVY DUTY)			FORD (TRUCK HEAVY DUTY)			FREIGHTLINER (BUS HEAVY DUTY)		
<i>LT9000 (w/Cummins L10 Engine)</i>			<i>LTL9000 (w/Caterpillar 3406 Engine) (cont'd)</i>			<i>B2 Bus Chassis (w/Cummins ISB6.7L Engine)</i>		
FA-734	Air	LAF8727	1R0749	Fuel	LFF2749 ²⁰	P548070	Air	LAF3233 ²
WF2071	Coolant	LFW4071 ²⁸	(23518481); Pri.		LFP815FN ²¹	P616400		LAF3234 ¹
WF2073		LFW4073 ²⁵⁵	1R0716	Oil	LFP4005	(S3226T); W/S	Fuel	LFF5851 ²⁴²
W/S	Fuel	LFF5			LFP4005TRT ³	LF3970	Oil	LFP3970
LF3000	Oil	LFF8020	<i>LTS9000 (w/Caterpillar 3406 Engine)</i>			<i>FS-65 Conventional Bus Chassis (w/Cummins ISB Engine)</i>		
By-Pass		LFP3000	F1HZ-9601-B	Air	LAF1849 ²	114880-005	Air	LAF8751 ^{245, 246}
		LFP670	FA-733		LAF2831	2003-on; W/S	Fuel	L9800F ⁴¹
		LFP670XL ¹⁴	FA-734		LAF8727	LF3970	Oil	LFP3970
		LFP777B	FA-665		LAF9396	Allison 1000/2000	Trans	LFH8737
<i>LT9000 (w/Cummins M11 Engine)</i>					LAF9472	Allison 1000/2000		T951
FA-734	Air	LAF8727	WF2071	Coolant	LFW4071 ²⁸	<i>FS-65 Conventional Bus Chassis (w/Mercedes-Benz MBE904 Engine)</i>		
WF2071	Coolant	LFW4071 ²⁸	WF2073		LFW4073 ²⁵⁵	P532966	Air	LAF4498 ^{2, 208}
W/S	Fuel	LFF1000	Pri.	Fuel	L3531F	A9060920305	Fuel	L8701F ²⁴⁴
LF3000	Oil	LFP3000	1R0749		LFF2749 ²⁰	By-Pass	Oil	LP8213
LF9009		LFP3000XL ¹⁴	(23518481); Pri.		LFP815FN ²¹	00018016090		LP8700 ¹⁷⁵
<i>LTA9000 (w/Caterpillar 3176 Engine)</i>			1R0716	Oil	LFP4005	0001801709		LP8741 ¹⁰²
FA-733	Air	LAF2831			LFP4005RN ⁵⁹⁹	(29540493); Allison	Trans	LH4589G ²³
Sec.	Oil	LFF5823B	<i>LTS9000 (w/Cummins N14 Engine)</i>			3000		LH4591G ²²
1R0716		LFP4005	F1HZ-9601-B	Air	LAF1849 ⁷¹²	(29545776); Allison		LH4582G ²⁴
		LFP4005XL ¹⁴	WF2071	Coolant	LFW4071 ²⁸	3000/3500		LH4582G ²⁴
<i>LTA9000 (w/Caterpillar 3406 Engine)</i>			(3329289); W/S	Fuel	LFF1000 ⁷¹³	(29540496); Allison	Trans	LH4582G ²⁴
F1HZ-9601-B	Air	LAF1849 ²	W/S		LFF8020 ⁷¹⁴	3000		LH4582G ²⁴
FA-733		LAF2831	LF3000	Oil	LFP3000	(29540496); Allison	Trans	LH4582G ²⁴
FA-734		LAF8727	LF9009		LFP3000XL ¹⁴	3000/3500		LH4582G ²⁴
		LAF9396	(17237); Optional	Trans	HP1	(29540496); Allison	Trans	LH4582G ²⁴
		LAF9472	Eaton 3.7" O.D.			3000		
FA-665		LAF9472	<i>Models with Bendix-Westinghouse comp.</i>			<i>FS-65 Conventional Bus Chassis (w/Mercedes-Benz MBE906 Engine)</i>		
WF2071	Coolant	LFW4071 ²⁸	100783	Air	LAF122	P532966	Air	LAF4498 ^{2, 208}
WF2073		LFW4073 ²⁵⁵	243009		LAF292	A9060920305	Fuel	L8701F ²⁴⁴
Pri.	Fuel	L3531F	<i>Models with P/S filter</i>			By-Pass	Oil	LP8213
1R0749		LFF2749 ²⁰	(AE33542A);	Hydraulic	LFH1700	00018016090		LP8700 ¹⁷⁵
1R0716	Oil	LFP4005	w/Garrison 32446			0001801709		LP8741 ¹⁰²
		LFP4005TRT ³	AE33538A	Power	LP1653	(29540493); Allison	Trans	LH4589G ²³
		LFP4005XL ¹⁴	<i>V8 Gas Engine</i>			3000		LH4591G ²²
<i>LTA9000 (w/Detroit Diesel 60 Series Engine)</i>				Oil	P4 ¹⁸	(29545776); Allison		LH4582G ²⁴
FA-734	Air	LAF8727			P49 ¹⁹	3000/3500		LH4582G ²⁴
WF2051	Coolant	LFW4744 ⁴			P71 ¹⁵⁴⁹	(29540496); Allison	Trans	LH4582G ²⁴
(23518481); Pri.	Fuel	LFP815FN			PH299 ¹⁹	3000		LH4582G ²⁴
(23518482); Sec.		LFP816FN			PH400 ^{18, 275}	(29540496); Allison	Trans	LH4582G ²⁴
	Oil	LFP2160 ⁷⁰²			PH8A ^{18, 1496}	3000/3500		
By-Pass		LFP2160XL ^{14, 702}	<i>W, WT900</i>			<i>FS-65 Conventional Bus Chassis (w/Mercedes-Benz MBE926 Engine)</i>		
23530407		LFP777B	FA-572	Air	LAF241HD	P548070	Air	LAF3233 ²
		LFP911 ¹⁷⁹	FA-89		LAF6632	P616400		LAF3234 ¹
		LFP911XL ^{14, 643}	FA-90		LAF6632MXM ²⁶⁸	(A0000902751); W/S	Fuel	L5092F
<i>LTA9000 w/Cummins N14 Engine)</i>					LAF6769	A9060920305		L8701F ²⁴⁴
F1HZ-9601-B	Air	LAF1849 ⁷¹²	FREIGHTLINER (AUXILIARY POWER UNIT)			0001801709	Oil	LP8741 ¹⁰²
W/S	Fuel	LFF8020	<i>Rest Smart (w/Thermo King 2.70m Engine)</i>			(29540496); Allison	Trans	LH4582G ²⁴
LF3000	Oil	LFP3000	119059	Air	LAF8388 ²	(29540493); Allison		LH4589G ²³
LF9009		LFP3000XL ¹⁴	(116182); 3 inch O.D.	Oil	PH2808	(29545776); Allison		LH4591G ²²
<i>LTL9000 (w/Caterpillar 3406 Engine)</i>						3000/3500		
FA-734	Air	LAF8727						
		LAF9396						
FA-665		LAF9472						
WF2071	Coolant	LFW4071 ²⁸						
WF2073		LFW4073 ²⁵⁵						
Pri.	Fuel	L3531F						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 14-Extended Life 18-Short 19-Long 20-High efficiency
 21-Frame mounted 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 41-Cartridge 102-8.31"
 Tall 175-6" Tall 179-1 1/2 x 12 Thread 208-19" Hgt. 242-10 Micron 244-Secondary 245-98-07 246-Side inlet 255-Contains 3 oz. of chemical
 268-Extended/Severe service 275-Primary 599-High capacity 643-1 1/2" Thread 702-1 5/8" Thread 712-Some models 713-1995- 714--1995 1496-Alternate
 1549-1948-53

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (BUS HEAVY DUTY)			FREIGHTLINER (MEDIUM DUTY TRUCK)			FREIGHTLINER (MEDIUM DUTY TRUCK)		
<i>FS65 School Bus (w/Caterpillar 3116, 3126 eng.)</i>			<i>FC70, FC80 (Cargo LCF) (w/Cummins ISB 5.9L Engine) (cont'd)</i>			<i>FL50, FL60, FL70, FL80 (w/Cummins ISB 5.9L Engine) (cont'd)</i>		
1R0751	Fuel	LFF4783		Air	LAF1878	P526678	Air	LAF4497 ^{2, 240}
	Oil	LFP3191TRT ³		Air	LAF1878	P532966		LAF4498 ^{2, 208}
(6883044); Allison 540	Trans	T153	P527484			P529548		LAF9548 ^{1, 243}
Allison 1000/2000	Trans	T951	Allison 1000, 2000	Trans	LFH8737	(FS1003); W/S	Fuel	LFF1003 ²⁰⁹
	Oil	LFP3191XL ¹⁴	<i>FC80 Street Sweeper (w/ISB eng.) (2004-)</i>			(S3226T); W/S		LFF5851 ²⁴²
Allison 1000/2000	Trans	LFH8737	(FS1003); W/S	Fuel	LFF1003 ²⁰⁹	(FS19519); W/S		LFF9519
1R0739	Oil	LFP3191	LF3970	Oil	LFP3970			
(6837428); Allison 540	Trans	T112	<i>FL50, FL60, FL70 (w/Cummins B 5.9L eng.)</i>			LF3970	Oil	LFP3970
<i>FS65 School Bus (w/Caterpillar C7 eng.)</i>			P533781	Air	LAF3781 ^{1, 241}	Allison 1000/2000	Trans	LFH8737
1R0751	Fuel	LFF4783	P526678		LAF4497 ^{2, 240}	(29540496); Allison		LH4582G ²⁴
1R0751	Oil	LFF4783RD	P532966		LAF4498 ^{2, 208}	3000/3500		
1R0739		LFP3191	(3925274); Pri.	Fuel	LFF3417	(29540493); Allison		LH4589G ²³
		LFP3191TRT ³	(3903640); Sec.		LFF3521	3000/3500		
		LFP3191XL ¹⁴		Oil	LFP780	(29545776); Allison		LH4591G ²²
Allison 1000/2000	Trans	LFH8737	<i>FL50, FL60, FL70, FL80 (w/Caterpillar 3126 Engine)</i>			Allison 1000/2000		T951
(29540496); Allison		LH4582G ²⁴	(29540493); Allison	Trans	LH4589G ²³	2003-on; W/S	Fuel	L9800F ⁴¹
3000/3500			3000/3500			W/S	Fuel	L9800F ⁴¹
(29540493); Allison		LH4589G ²³	(29545776); Allison	Trans	LH4591G ²²		Air	LAF1878
3000/3500			3000/3500			2003-on; W/S	Fuel	L9800F ⁴¹
(29545776); Allison		LH4591G ²²	P533781	Air	LAF3781 ^{1, 241}	P527484	Air	LAF1878
3000/3500			P532966		LAF4498 ^{2, 208}	W/S	Fuel	L9800F ⁴¹
Allison 1000/2000	Trans	T951	1R0751	Fuel	LFF4783	<i>FL50, FL60, FL70, FL80 (w/Cummins ISC Engine)</i>		
			1R0739	Oil	LFP3191	(29540493); Allison	Trans	LH4589G ²³
			Allison 1000/2000	Trans	LFH8737	3000/4000		
			(29540496); Allison		LH4582G ²⁴	(29545776); Allison	Trans	LH4591G ²²
			3000/3500			3000/3500		
			Allison 1000/2000		T951	P533781	Air	LAF3781 ^{1, 241}
			(29540493); Allison	Trans	LH4589G ²³	WF2071	Coolant	LFW4071 ²⁸
			3000/4000			FS1022	Fuel	LFF1022
			(29540493); Allison	Trans	LH4589G ²³	LF3000	Oil	LFP3000
			3000/3500			LF9009		LFP3000XL ¹⁴
			(29540493); Allison	Trans	LH4589G ²³	S1414	Power Steering	LH4741 ¹⁵⁴⁴
			3000/4000			(29540496); Allison	Trans	LH4582G ²⁴
			(29545776); Allison	Trans	LH4591G ²²	3000/3500		
			3000/4000			(29540493); Allison	Trans	LH4589G ²³
			<i>FL50, FL60, FL70, FL80 (w/Caterpillar C7 Engine)</i>			3000/3500		
			P532966	Air	LAF4498 ^{2, 208}	(29540493); Allison	Trans	LH4589G ²³
			1R0751	Fuel	LFF4783	3000/4000		
			1R0739	Oil	LFP3191	29545776	Trans	LH4591G ²²
					LFP3191TRT ³	(29540493); Allison	Trans	LH4589G ²³
					LFP3191XL ¹⁴	3000/3500		
			Allison 2000/2500	Trans	LFH8737	(29545776); Allison		LH4591G ²²
			(29540496); Allison		LH4582G ²⁴	3000/3500		
			3000/3500			<i>FL50, FL60, FL70, FL80 (w/Mercedes-Benz MBE904 Engine)</i>		
			(29540493); Allison		LH4589G ²³	(29540493); Allison	Trans	LH4589G ²³
			3000/3500			(29545776); Allison	Trans	LH4591G ²²
			(29545776); Allison		LH4591G ²²	3000/3500		
			3000/3500		T951	P532966	Air	LAF4498 ^{2, 208}
			Allison 1000/2000			A9060920305	Fuel	L8701F ²⁴⁴
			<i>FL50, FL60, FL70, FL80 (w/Cummins ISB 5.9L Engine)</i>			00018016090	Oil	LP8700 ¹⁷⁵
			P527484	Air	LAF1878	000 180 1709		LP8741 ¹⁰²
			P533781	Air	LAF3781 ^{1, 241}	Allison 1000/2000	Trans	LFH8737

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 41-Cartridge 102-8.31" Tall 175-6" Tall 208-19" Hgt. 209-Square sensor port 210-w/ Sensor 240-15" Hgt. 241-17.5" Hgt. 242-10 Micron 243-14.25" Hgt. 244-Secondary 1544-4.12" Height

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (MEDIUM DUTY TRUCK)			FREIGHTLINER (MEDIUM DUTY TRUCK)			FREIGHTLINER (MEDIUM DUTY TRUCK)		
<i>FL50, FL60, FL70, FL80 (w/Mercedes-Benz MBE904 Engine) (cont'd)</i>			<i>M2 (w/Cummins ISC eng.)</i>			<i>M2 w/Mercedes-Benz MBE904 Engine</i>		
(29540496); Allison 3000/3500 Allison 1000/2000	Trans	LH4582G ²⁴	P548070	Air	LAF3233 ²	P548070	Air	LAF3233 ²
(29540493); Allison 3000/3500	Trans	LH4589G ²³	P616400 (P607965); Outer 36000006	Cabin Air	LAF3234 ¹ LAF6265	P616400 36000006	Cabin Air	LAF3234 ¹ CAF24016 CAF24016XL ¹⁸³
(29540493); Allison 3000/4000	Trans	LH4589G ²³	WF2071	Coolant	CAF24016 CAF24016XL ¹⁸³	A9060920305	Fuel	L8701F ²⁴⁴ LFF5849U ⁶⁴⁹ LFF5850 ²⁴⁷
(29545776); Allison 3000/3500/Allison 3000/3500	Trans	LH4591G ²²	FS1022 (FS1065); W/S R90T (FF5636); Sec. (S3226T); W/S (R90T); Optional Racor	Fuel	LFF1022 LFF1065 ⁷⁵⁶ LFF3292 ⁶³ LFF5488 LFF5851U ⁶⁷⁸ LFF8957	(S3226P); W/S 00018016090 000 180 1709 Allison 1000/2000 (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 (29545776); Allison 3000/4000 Allison 1000/2000 shallow pan	Oil Trans	LP8700 ¹⁷⁵ LP8741 ¹⁰² LFH8737 LH4582G ²⁴ LH4589G ²³ LH4591G ²² T951
(29540493); Allison 3000/3500	Trans	LH4589G ²³	(5008414); Brake Dryer	Miscellaneous	LFP8654			
(29540493); Allison 3000/4000	Trans	LH4589G ²³	LF9009 (3280V8394); Axle Axle (17237); Eaton 3.7" O.D.	Oil Trans	LFP3000XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ HP1			
<i>FL50, FL60, FL70, FL80 (w/Mercedes-Benz MBE906 Engine)</i>			<i>M2 w/Mercedes-Benz MBE900 Engine</i>			<i>M2 w/Mercedes-Benz MBE906 Engine</i>		
P532966	Air	LAF4498 ^{2, 208}	Allison 1000/2000 (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 (29545776); Allison 3000/3500 Allison 1000/2000 shallow pan	Fuel	LFF5850 ²⁴⁷	P548070 P616400 36000006	Air Cabin Air	LAF3233 ² LAF3234 ¹ CAF24016 CAF24016XL ¹⁸³
A9060920305	Fuel	L8701F ²⁴⁴				A9060920305	Fuel	L8701F ²⁴⁴ LFF5849U ⁶⁴⁹ LFF5850 ²⁴⁷
00018016090	Oil	LP8700 ¹⁷⁵				(S3226P); W/S 00018016090 000 180 1709 Allison 1000/2000 (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 Allison 1000/2000 shallow pan	Oil Trans	LP8700 ¹⁷⁵ LP8741 ¹⁰² LFH8737 LH4582G ²⁴ LH4589G ²³ LH4591G ²² T951
000 180 1709	Oil	LP8741 ¹⁰²						
Allison 2000/2500 (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 (29545776); Allison 3000/3500 Allison 1000/2000	Trans	LFH8737 LH4582G ²⁴ LH4589G ²³ LH4591G ²² T951						
<i>FL70 (w/Cummins 8.3L eng.)</i>			<i>M2 (w/Mercedes-Benz MBE926 Engine)</i>			<i>M2 w/Mercedes-Benz MBE926 Engine</i>		
P533781	Air	LAF3781 ^{1, 241}	(5008414); Brake Dryer (3280V8394); Axle Axle By-Pass 000 180 1709 (17237); Eaton 3.7" O.D.	Air	LAF3233 ² LAF3234 ¹ CAF24016 CAF24016XL ¹⁸³	P548070 P616400 36000006	Air Cabin Air	LAF3233 ² LAF3234 ¹ CAF24016 CAF24016XL ¹⁸³
P526678		LAF4497 ^{2, 240}				A9060920305	Fuel	L8701F ²⁴⁴ LFF5849U ⁶⁴⁹ LFP8654
P532966		LAF4498 ^{2, 208}				(S3226P); W/S 00018016090 000 180 1709 Allison 1000/2000 (29540496); Allison 3000/3500 (29545776); Allison 3000/3500 Allison 1000/2000 shallow pan	Oil Trans	LP8700 ¹⁷⁵ LP8741 ¹⁰² LFH8737 LH4582G ²⁴ LH4589G ²³ LH4591G ²² T951
P529548		LAF9548 ^{1, 243}						
WF2071	Coolant	LFW4071 ²⁸						
(3925274); Pri. (3903640); Sec. 3313281	Fuel	LFF3417 LFF3521						
<i>M2 (w/Cat. C7 eng.)</i>								
P548070	Air	LAF3233 ²						
P616400		LAF3234 ¹						
36000006	Cabin Air	CAF24016 CAF24016XL ¹⁸³						
WF2071	Coolant	LFW4071 ²⁸						
(3903640); Sec. 1R0751 (R90P); W/S 1R0739	Fuel	LFF3521 LFF4783 LFF8064						
	Oil	LFP3191 ⁷⁵⁵ LFP3191TRT ^{3, 755} LFP3191XL ^{14, 755}						
Allison 1000/2000 Allison 1000/2000	Trans	LFH8737 T951						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 63-9/16" Thread Sensor Port 102-8.31" Tall 175-6" Tall 183-Dust and odor filter 208-19" Hgt. 240-15" Hgt. 241-17.5" Hgt. 243-14.25" Hgt. 244-Secondary 247-30 Micron 249-No chemical 275-Primary 649-1/2" Thread Sensor Port 678-w/o Sensor Port 755-From 1/2004 756-2007 On 1496-Alternate

F

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (MEDIUM DUTY TRUCK)			FREIGHTLINER (MEDIUM DUTY TRUCK)			FREIGHTLINER (MEDIUM DUTY TRUCK)		
<i>M2 w/Mercedes-Benz MBE926 Engine (cont'd)</i>			<i>M2e Hybrid (w/Cummins ISB 5.9L Engine) (cont'd)</i>			<i>MT45 (w/Cummins ISB5.9L Engine) (cont'd)</i>		
(29540493); Allison 3000/3500 (29545776); Allison 3000/3500 Allison 1000/2000 shallow pan	Trans	LH4589G ²³ LH4591G ²² T951	Allison 2000/2500 (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 (29545776); Allison 3000/3500	Trans	LFH8737 LH4582G ²⁴ LH4589G ²³ LH4591G ²² T951	Allison 1000/2000 shallow pan 2003-on; W/S W/S 2003-on; W/S F/W Separator; 98-02 W/S	Trans Fuel Fuel Fuel Fuel Fuel	T951 L9800F ⁴¹ L9800F ⁴¹ L9800F ⁴¹ L1261F L9800F ⁴¹
<i>M2, M2e (w/Cummins ISB6.7L engine)</i>			<i>MB60, MB70, MB80 (w/Caterpillar 3126B engine)</i>			<i>MT45 (w/Cummins ISBE eng.)</i>		
P548070 P616400 36000006	Air Cabin Air	LAF3233 ² LAF3234 ¹ CAF24016 CAF24016XL ¹⁸³	P526678 P529548 W/S 1R0739	Air Fuel Fuel	LAF4497 ^{2, 240} LAF9548 ^{1, 243} LFF8030 LFP3191 LFP3191XL ¹⁴	(FF5632); Sec. LF3970 Allison 1000, 2000 Allison 1000/2000	Fuel Oil Trans	LFF5632 LFP3970 LFH8737 T951
(FS19624); Davco opt. (FS1065); W/S (R90T); Optional Racor (FF5632); Sec. (R90T); Optional Racor	Fuel	L5467FNXL ¹⁴ LFF1065 ²¹⁰ LFF3292 ⁶³ LFF5632 LFF8957	<i>MB60, MB70, MB80 (w/Mercedes OM366LA eng.)</i>			<i>MT45 (w/Mercedes MBE904 eng.)</i>		
(5008414); Brake Dryer (3280V8394); Axle	Miscellaneous	LFP8654 PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	P526678 P529548	Air	LAF4497 ^{2, 240} LAF9548 ^{1, 243}	Allison 1000, 2000 Allison 1000/2000	Fuel	L5467FNXL ¹⁴ L8701F ²⁴⁴
LF3970 87904M	Oil Power Steering	LFP3970 LH4101 ³¹¹	<i>MT35 (w/Cummins B3.9L eng.)</i>			<i>MT45 (w/Mercedes MBE904 eng.)</i>		
(17237); Eaton 3.7" O.D. Allison 2000/2500 (29540496); Allison 3000/3500 (29540493); Allison 3000/4000 (29545776); Allison 3000/3500 Allison 1000/2000 (Shallow Pan)	Trans	HP1 LFH8737 LH4582G ⁷¹⁷ LH4589G ²³ LH4591G ²² T951	(3925274); Pri. (3903640); Sec. (FS1251); W/S	Fuel	LFF3417 LFF3521 LFF8062	T1808D Allison 1000/2000 Allison 1000/2000	Power Steering Trans	LFH4984 LFH8737 T951
<i>M2e Hybrid (w/Cummins ISB 5.9L Engine)</i>			<i>MT35 (w/Cummins ISB 5.9L Engine)</i>			<i>MT45, MT55 (w/ GM 6.0L gas eng.)</i>		
P548070 P616400 36000006	Air Cabin Air	LAF3233 ² LAF3234 ¹ CAF24016 CAF24016XL ¹⁸³	Allison 1000, 2000 (6837428); Allison 540 Shallow pan (6883044); Allison 540 Allison 100/2000 Series Shallow pan	Trans	LFH8737 T112 T153 ⁵ T951	PF48 Allison 1000, 2000 Allison 1000/2000	Oil Trans	PH48 LFH8737 T951
(FS19624); Davco opt. (FS1065); W/S R90T (FF5632); Sec. (R90T); Optional Racor (5008414); Brake Dryer (3280V8394); Axle	Fuel	L5467FNXL ¹⁴ LFF1065 ²¹⁰ LFF3292 ⁶³ LFF5632 LFF8957	<i>MT35 Chassis (w/Cummins ISB4 eng.)</i>			<i>MT45, MT55 (w/Cummins ISB6.7 Engine)</i>		
LF3970 87904M	Oil Power Steering	LFP3970 LH4101 ³¹¹	(FS19730); Davco opt. (3925274); Pri. (3903640); Sec. (FS1251); W/S	Fuel	L9730F LFF3417 LFF3521 LFF8062	P155842 LF3970 Allison 1000, 2000 Allison 1000/2000 Series shallow pan	Air Oil Trans	LAF5864 LFP3970 LFH8737 T951
(17237); Eaton 3.7" O.D.	Trans	HP1	Allison 1000, 2000 (6837428); Allison 540 Shallow pan (6883044); Allison 540 Allison 100/2000 Series Shallow pan	Trans	LFH8737 T112 T153 ⁵ T951	<i>MT45, MT55 (w/Cummins ISB5.9 Engine)</i>		
<i>M2e Hybrid (w/Cummins ISB 5.9L Engine)</i>			<i>MT35 Chassis (w/Cummins ISB4 eng.)</i>			<i>MT55 (w/Cummins ISB5.9L eng.)</i>		
P548070 P616400 36000006	Air Cabin Air	LAF3233 ² LAF3234 ¹ CAF24016 CAF24016XL ¹⁸³	Allison 1000, 2000 (6837428); Allison 540 Shallow pan (6883044); Allison 540 Allison 100/2000 Series Shallow pan	Trans	LFH8737 T112 T153 ⁵ T951	2003-on; W/S 114880-003 114810007 114500-003 114880-005	Fuel Air Fuel	L9800F ⁴¹ LAF1934 ^{245, 246} LAF22026 ^{245, 248} LAF2521 ^{245, 248} LAF8751 ^{245, 246}
(FS19624); Davco opt. (FS1065); W/S R90T (FF5632); Sec. (R90T); Optional Racor (5008414); Brake Dryer (3280V8394); Axle	Fuel	L5467FNXL ¹⁴ LFF1065 ²¹⁰ LFF3292 ⁶³ LFF5632 LFF8957	<i>MT45 (w/Cummins ISB5.9L Engine)</i>			<i>MT55 (w/Cummins ISB5.9L eng.)</i>		
LF3970 87904M	Oil Power Steering	LFP3970 LH4101 ³¹¹	114880-005	Air	LAF8751 ^{245, 246} LFF5485	(FS1003); W/S (FS19519); W/S LF3970 Allison 1000/2000 Allison 1000/2000 shallow pan	Fuel Air Fuel	LFF1003 ³² LFF9519 LFP3970 LFH8737 T951
(17237); Eaton 3.7" O.D.	Trans	HP1	LF6015 Allison 1000/2000 Allison 1000/2000	Oil Trans	LFP6015 LFH8737 T951	W/S 2003-on; W/S F/W Separator; 98-02 W/S	Fuel Fuel Fuel	L9800F ⁴¹ L9800F ⁴¹ L1261F L9800F ⁴¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 5-Deep Pan 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 32-Remote mounted
41-Cartridge 63-9/16" Thread Sensor Port 175-6" Tall 183-Dust and odor filter 210-w/ Sensor 240-15" Hgt. 243-14.25" Hgt. 244-Secondary 245-98-07
246-Side inlet 248-End inlet 275-Primary 311-2.73" Hgt. 717-4" Sump Standard Capacity 1496-Alternate

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (MEDIUM DUTY TRUCK)			FREIGHTLINER (TRUCK HEAVY DUTY)			FREIGHTLINER (TRUCK HEAVY DUTY)		
<i>MT55 (w/Cummins ISB5.9L eng.) (cont'd)</i>			<i>108SD (w/ Cummins ISC 8.3L eng.)</i>			<i>114SD (w/Cummins ISC 8.3L Engine) (cont'd)</i>		
114880-003	Air	LAF1934 ^{245, 246}	36000006	Cabin Air	CAF24016 ⁷¹⁶	T1808D	Power Steering	LFH4984
114810007		LAF22026 ^{245, 248}	FF5636	Fuel	LFF5488 ⁷¹⁶	(29540496); Allison 3000/3500	Trans	LH4582G ²⁴
114500-003		LAF2521 ^{245, 248}	(R90T); Optional Racor		LFF8957 ⁷¹⁶	(29540493); Allison 3000/3500		LH4589G ²³
114880-005		LAF8751 ^{245, 246}	LF9009	Oil	LFP3000XL ^{14, 718}	(29545776); Allison 3000/3500		LH4591G ²²
F/W Separator; 98-02 (FS1003); W/S (FF5632); Sec. (FS19519); 1998 On; W/S	Fuel	L1261F LFF1003 ⁷⁵⁸ LFF5632 ⁷⁵⁷ LFF9519	T1808D	Power Steering	LFH4984 ⁷¹⁶	(4304827); Eaton/Fuller 3" O.D.		PH2835
LF3970	Oil	LFP3970 ^{757, 758}	(29540496); Allison 3000/3500	Trans	LH4582G ^{716, 717}			
1998 On; Allison 1000/2000	Trans	LFH8737	(29540493); Allison 3000/3500		LH4589G ^{23, 716}			
2008 On; Allison 1000, 2000		LFH8737	(29545776); Allison 3000/3500		LH4591G ^{22, 716}			
Allison 1000/2000		T951 ⁷⁵⁷ T951 ⁷⁵⁸	(4304827); Eaton/Fuller 3" O.D.		PH2835 ⁷¹⁶			
<i>MT55 (w/Mercedes MBE904 eng.)</i>			<i>108SD (w/Cummins ISL9 Engine)</i>			<i>114SD (w/Cummins ISL 9.0L Engine)</i>		
114810007	Air	LAF22026 ^{245, 248}	36000006	Cabin Air	CAF24016	Flame Retardant P616400	Air	LAF3233FR
114880-005		LAF8751 ^{245, 246}	(FS19624); Davco (R90T); W/S	Fuel	L5467FNXL ¹⁴	(P607965); Outer		LAF3234 ¹
(FS19624); Davco opt. A9060920305	Fuel	L5467FNXL ¹⁴ L8701F ²⁴⁴	LF9009	Oil	LFP3000XL ¹⁴	36000006	Cabin Air	CAF24016
00018016090	Oil	LP8700 ¹⁷⁵	T1808D	Power Steering	LFH4984	(FF5636); Sec. (R90T); Optional Racor	Fuel	LFF5488 LFF8957
T1808D	Power Steering	LFH4984	(17237); Eaton 3.7" O.D.	Trans	HP1	LF9009	Oil	LFP3000XL ¹⁴
Allison 1000/2000	Trans	LFH8737	(29540496); Allison (29540493); Allison 3000/4000		LH4582G ²⁴ LH4589G ²³	T1808D	Power Steering	LFH4984
Allison 1000/2000		T951	(29545776); Allison 3000/4000		LH4591G ²²	(17237); Eaton 3.7" O.D.	Trans	HP1
<i>Step Vans (w/Cummins 5.9L Turbo Diesel eng.)</i>			<i>114SD (w/ Detroit Diesel DD13 eng.)</i>			<i>114SD (w/Cummins ISL NG engine)</i>		
114880-005	Air	LAF8751 ⁷⁵⁹	Flame Retardant P619498	Air	LAF3233FR ⁷¹⁶ LAF9498 ⁷¹⁶	Flame Retardant P616400	Air	LAF3233FR
FREIGHTLINER (MOTORHOME CHASSIS)			36000006	Cabin Air	CAF24016 ⁷¹⁶	(P607965); Outer		LAF3234 ¹
<i>V LINE (w/Cummins ISM Engine)</i>			A0000904251	Fuel	L5091F ^{721, 722}	36000006	Cabin Air	CAF24016
WF2071	Coolant	LFW4071 ²⁸	W/S		LFF5766 ⁷¹⁶		Fuel	LFF5080 ⁶⁴⁷
WF2077		LFW4685 ²⁴⁹ LFW4685XL ^{14, 249}	R90P (R90P); W/S		LFF8038 ⁷¹⁶ LFF8064 ⁷¹⁶	(LF9009); Eaton 4 inch OD	Oil	LFP3000XL ¹⁴
(FS1000); W/S (FS1212); W/S	Fuel	LFF1000 LFF8020	A4721800309	Oil	LP5090 ^{716, 719} LP5090A ^{716, 720}	T1808D	Power Steering	LFH4984
LF9080	Oil	LFP9001 ²⁵⁰	T1808D	Power Steering	LFH4984 ⁷¹⁶	(17237); Eaton 3.7" O.D.	Trans	HP1
LF14000NN		LFP9001XL ^{14, 250}	(17237); Eaton 3.7" O.D.		HP1 ⁷¹⁶	(29540496); Allison (29540493); Allison 3000/4000		LH4582G ²⁴ LH4589G ²³
87904M	Power Steering	LH4101 ³¹¹	(29545776); Allison 3000/3500		LH4582G ^{24, 716} LH4589G ^{23, 716}	(29545776); Allison 3000/4000		LH4591G ²²
(29540496); Allison 3000/3500	Trans	LH4582G ²⁴	(4304827); Eaton/Fuller 3" O.D.		LH4591G ^{22, 716}	4304827		PH2835
(29545776); Allison 3000/4000		LH4591G ²²	<i>114SD (w/Cummins ISC 8.3L Engine)</i>			<i>114SD (w/Cummins ISL9 eng.)</i>		
FREIGHTLINER (TRUCK HEAVY DUTY)			<i>108SD (w/ Cummins ISB 6.7L eng.)</i>			<i>114SD (w/Cummins ISL9 eng.)</i>		
<i>108SD (w/ Cummins ISB 6.7L eng.)</i>			<i>114SD (w/Cummins ISC 8.3L Engine)</i>			<i>114SD (w/Cummins ISL9 eng.)</i>		
36000006	Cabin Air	CAF24016 ⁷¹⁶	36000006	Cabin Air	CAF24016	Flame Retardant P616400	Air	LAF3233FR ⁷¹⁶
(FS1065); W/S (FF5632); Sec.	Fuel	LFF1065 ⁷¹⁶ LFF5632 ⁷¹⁶	(FF5636); Sec. (R90T); Optional Racor	Fuel	LFF5488 LFF8957	(P607965); Outer		LAF3234 ^{1, 716} LAF6265 ⁷¹⁶
LF3970	Oil	LFP3970 ⁷¹⁶	LF9009	Oil	LFP3000XL ¹⁴	36000006	Cabin Air	CAF24016 ⁷¹⁶
T1808D	Power Steering	LFH4984 ⁷¹⁶	<i>114SD (w/Cummins ISC 8.3L Engine)</i>			(FS1065); W/S	Fuel	LFF1065 ⁷¹⁶ LFF5488 ⁷¹⁶
2012 On; Allison 1000, 2000	Trans	LFH8737	<i>108SD (w/ Cummins ISB 6.7L eng.)</i>			FF5636		LFF5488 ⁷¹⁶
<i>108SD (w/ Cummins ISB 6.7L eng.)</i>			<i>114SD (w/Cummins ISC 8.3L Engine)</i>			LF9009	Oil	LFP3000XL ^{14, 718}

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 175-6" Tall
 244-Secondary 245-98-07 246-Side inlet 248-End inlet 249-No chemical 250-11.9" Hgt. 311-2.73" Hgt. 647-Natural Gas 716-2012 On 717-4" Sump
 Standard Capacity 718-2012-on 719-OEM Version 720-Value Version 721--2013 722-Kit, contains 3-elements 757-2008 On 758-1998 On 759-From 2002

F

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (TRUCK HEAVY DUTY)			FREIGHTLINER (TRUCK HEAVY DUTY)			FREIGHTLINER (TRUCK HEAVY DUTY)		
<i>112SD (w/Cummins ISL9 eng.) (cont'd)</i>			<i>Argosy (w/Caterpillar C10 Engine)</i>			<i>Argosy (w/Caterpillar C15 Engine) (cont'd)</i>		
T1808D	Power Steering	LH4984 ⁷¹⁶	AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸	(1R0712); Sec. (FS1212); W/S	Fuel	LFF5823B LFF8020
(17237); Eaton 3.7" O.D. 29540496 (29540493); Allison 3000/4000 (29545776); Allison 3000/4000 (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 ⁷¹⁶ LH4582G ^{24, 716} LH4589G ^{23, 716} LH4591G ^{22, 716} PH2835 ⁷¹⁶	22-44665-000 WF2077 (382114); Davco opt. (FS19624); Davco opt. 1R0749 (1R0712); Sec. (FS1212); W/S (5008414); Brake Dryer	Cabin Air Coolant Fuel Fuel Miscellaneous	CAF24004 LFW4685 ²⁴⁹ L5467F ²⁴² L5467FNXL ¹⁴ LFF2749 ²⁰ LFF5823B LFF8020 LFP8654	(5008414); Brake Dryer 1R0716 1R1808	Miscellaneous Oil	LFP8654 LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B LH4101 ³¹¹ LP5005 ⁴⁵⁸
<i>122SD (w/Cummins ISX15 Engine)</i>			<i>Argosy (w/Caterpillar C12 Engine)</i>			<i>Argosy (w/Caterpillar C16 Engine)</i>		
36000006	Cabin Air	CAF24016 CAF24016XL ¹⁸³	AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸	(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Fuel	LFF5823B LFF8020
FS19763 (36867010); Sec.	Fuel	L9763FXL ¹⁴ LFF6776	22-44665-000 WF2077 (382114); Davco opt. (FS19624); Davco opt. 1R0749 (1R0712); Sec. (FS1212); W/S (5008414); Brake Dryer	Cabin Air Coolant Fuel Fuel Miscellaneous	CAF24004 LFW4685 ²⁴⁹ L5467F ²⁴² L5467FNXL ¹⁴ LFF2749 ²⁰ LFF5823B LFF8020	(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Fuel	LFP8654 LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B
LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	1R0716 1R1808	Power Steering	LH4101 ³¹¹ LP5005 ⁴⁵⁸	(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Miscellaneous	LFP8654
LF14000NN (29540496); Allison 3000/3500 (29540493); Allison 3000/4000	Trans	LH4582G ²⁴ LH4589G ²³	<i>Argosy (w/Caterpillar C15 Engine)</i>			<i>Argosy (w/Cummins ISM Engine)</i>		
<i>122SD (w/Detroit Diesel DD13, DD15, DD16 Engine)</i>			<i>Argosy (w/Caterpillar C15 Engine)</i>			<i>Argosy (w/Cummins ISM Engine)</i>		
A0000904251	Fuel	L5091F ^{721, 722} L5104F ²³⁹	AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸	(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Fuel	LFF5823B LFF8020
A4721800651	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰	22-44665-000 WF2077 (382114); Davco opt. (FS19624); Davco opt. 1R0749 (1R0712); Sec. (FS1212); W/S (5008414); Brake Dryer	Cabin Air Coolant Fuel Fuel Miscellaneous	CAF24004 LFW4685 ²⁴⁹ L5467F ²⁴² L5467FNXL ¹⁴ LFF2749 ²⁰ LFF5823B LFF8020	(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Miscellaneous	LFP8654
A4721800309	Trans	PH2835	1R0716 1R1808	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B	(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B
<i>Argosy (w/Caterpillar 3126B eng.)</i>			<i>Argosy (w/Caterpillar C15 Engine)</i>			<i>Argosy (w/Cummins ISM Engine)</i>		
(FS1000); W/S 1R0751 W/S 1R0739	Fuel	LFF1000 LFF4783 LFF8030	AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸	(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Fuel	LFF1003 ²⁰⁹ LFF5851 ²⁴² LFF8020
<i>Argosy (w/Caterpillar 3406 eng.)</i>			<i>Argosy (w/Caterpillar C15 Engine)</i>			<i>Argosy (w/Cummins ISM Engine)</i>		
(9M-2342); Pri. (FS1000); W/S 1R0749 (1R0712); Sec. (5008414); Brake Dryer	Fuel	L3531F LFF1000 LFF2749 ²⁰ LFF5823B LFP8654	22-44665-000 WF2077 (382114); Davco opt. (FS19624); Davco opt. 1R0749	Cabin Air Coolant Fuel Fuel	CAF24004 LFW4685 ²⁴⁹ L5467F ²⁴² L5467FNXL ¹⁴ LFF2749 ²⁰	(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Miscellaneous	LFP8654
1R0716 1R1808	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B	<i>Argosy (w/Cummins ISM Engine)</i>			<i>Argosy (w/Cummins ISM Engine)</i>		
<i>Argosy (w/Caterpillar 3406 eng.)</i>			<i>Argosy (w/Cummins ISM Engine)</i>			<i>Argosy (w/Cummins ISM Engine)</i>		
By-Pass 87904M	Power Steering	LH4101 ³¹¹ LP5005 ⁴⁵⁸	AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸	(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Power Steering	LH4101 ³¹¹ LP5005 ⁴⁵⁸
(17237); Eaton 3.7" O.D.	Trans	HP1	22-44665-000 WF2077 (382114); Davco opt. (FS19624); Davco opt. 1R0749	Cabin Air Coolant Fuel	CAF24004 LFW4685 ²⁴⁹ L5467F ²⁴² L5467FNXL ¹⁴ LFF2749 ²⁰	(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723} LFP9001 ²⁵⁰

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity
24-4" Sump 28-Contains 1 oz. of chemical 183-Dust and odor filter 209-Square sensor port 239-2013- 242-10 Micron 249-No chemical 250-11.9" Hgt.
268-Extended/Severe service 311-2.73" Hgt. 458-4.1" Hgt. 599-High capacity 716-2012 On 719-OEM Version 720-Value Version 721--2013 722-Kit,
contains 3-elements 723-13.9" Hgt. 805-25 micron

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (TRUCK HEAVY DUTY)								
<i>Argosy (w/Cummins ISM Engine) (cont'd)</i>			<i>Cascadia (w/Caterpillar C15 eng.) (cont'd)</i>			<i>Cascadia (w/Detroit Diesel 60 Series engine) (cont'd)</i>		
LF14000NN	Oil	LFP9001TRT ³ LFP9001XL ^{14, 250}	BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³	(23533726); 2004-on; Sec.	Cabin Air	CAF24003XL ¹⁸³
87904M	Power Steering	LH4101 ³¹¹ LP5005 ⁴⁵⁸	(FS1000); W/S 1R0749 (5008414); Brake Dryer	Fuel	LFF1000 LFF2749 ²⁰ LFP8654	2004-on; Sec. 23518480	Fuel	LFF6816 LFF6816XL ¹⁴
(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	1R1808 (3280V8394); Axle Axle T1808D	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ LFH4984	T1808D (4304827); Eaton/Fuller 3" O.D.	Power Steering	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴ LFH4984
<i>Argosy (w/Cummins ISX Engine)</i>			<i>Cascadia (w/Cummins ISX eng.)</i>			<i>Cascadia (w/Detroit Diesel DD13 eng.)</i>		
AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸	P610260	Air	LAF6260	P610260	Air	LAF6260
EAF5069	Coolant	LFW2127 ^{14, 249}	BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³	BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³
WF2127	Fuel	L3578FN ⁸⁰⁵ LFF1007 ²¹⁰	WF2127	Coolant	LFW2127 ^{14, 249}		Coolant	LW4076XL ¹⁴
(380087); Davco opt. (FS1007); W/S (5008414); Brake Dryer	Miscellaneous	LFP8654	(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Fuel	LFF2201		Fuel	L5091F ^{721, 722} L5104F ²³⁹
LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	T1808D	Power Steering	LFH4984	A0000904251 A4720900651 (5008414); Brake Dryer	Miscellaneous	LFP8654
LF14000NN	Power Steering	LH4101 ³¹¹ LP5005 ⁴⁵⁸	WF2127	Miscellaneous	LFP8654	A4721800309	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250} PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	T1808D	Power Steering	LFH4984
<i>Argosy (w/Cummins Signature 600 Engine)</i>			<i>Cascadia (w/Cummins ISX12 G engine)</i>			<i>Cascadia (w/Detroit Diesel DD15 Engine)</i>		
AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸	P610260	Air	LAF6260	P610260	Air	LAF6260
EAF5069	Coolant	LFW2127 ^{14, 249}	BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³	BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³
WF2127	Fuel	L3578FN ⁷⁴¹ LFF1007 ²¹⁰	WF2127	Coolant	LFW2127 ^{14, 249}		Coolant	LW4076XL ¹⁴
(380087); Davco opt. (FS1007); W/S (5008414); Brake Dryer	Miscellaneous	LFP8654	(5008414); Brake Dryer	Fuel	LFF5080 ⁶⁴⁷	A0000904251 A4720900651 (5008414); Brake Dryer	Miscellaneous	LFP8654
LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	LF9080	Miscellaneous	LFP8654	A4721800309	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
LF14000NN	Power Steering	LH4101 ³¹¹ LP5005 ⁴⁵⁸	LF14000NN (3280V8394); Axle Axle T1808D	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250} PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	T1808D	Power Steering	LFH4984
(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	LF14000NN (3280V8394); Axle Axle T1808D	Power Steering	LFH4984	(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835
<i>Argosy (w/Detroit Diesel 60 Series Engine)</i>			<i>Cascadia (w/Detroit Diesel 60 Series engine)</i>			<i>Cascadia (w/Mercedes MB4000 eng.)</i>		
(23518481); Pri. (23518482); Sec.	Fuel	LFP815FN LFP816FN	BOA91559	Cabin Air	CAF24003	P610260	Air	LAF6260
23518480	Oil	LFP2160 ¹⁵⁴¹ LFP2160XL ¹⁴	(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³
87904M	Power Steering	LH4101 ³¹¹				WF2077	Coolant	LFW4685 ²⁴⁹ L8994F
<i>Cascadia (w/Caterpillar C15 eng.)</i>			<i>Cascadia (w/Detroit Diesel 60 Series engine)</i>			<i>Cascadia (w/Detroit Diesel 60 Series engine)</i>		
P610260	Air	LAF6260	BOA91559	Cabin Air	CAF24003	5410900151	Fuel	L8994F
						A0001802909	Oil	LP5048

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 183-Dust and odor filter 210-w/ Sensor 239-2013- 249-No chemical 250-11.9" Hgt. 268-Extended/Severe service 275-Primary 311-2.73" Hgt. 458-4.1" Hgt. 599-High capacity 647-Natural Gas 719-OEM Version 720-Value Version 721--2013 722-Kit, contains 3-elements 741-Extended life version [L3578FXL], High Efficiency version [L5467F]. 805-25 micron 1496-Alternate 1541-Standard replacement

F

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
FREIGHTLINER (TRUCK HEAVY DUTY)			FREIGHTLINER (TRUCK HEAVY DUTY)			FREIGHTLINER (TRUCK HEAVY DUTY)			
<i>Cascadia (w/Mercedes MB4000 eng.) (cont'd)</i>			<i>Century C120 (w/Caterpillar C15 Engine) (cont'd)</i>			<i>Century Class S/T (w/Caterpillar 3406E Engine) (cont'd)</i>			
(3280V8394); Axle	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(3280V8394); Axle	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	91595	Cabin Air	CAF24011 CAF24011XL ¹⁸³	
T1808D	Power Steering	LFH4984	87904M	Power Steering	LH4101 ³¹¹	(FS19624); Davco opt.	Fuel	L5467FNXL ¹⁴ LFF1000 ¹³ LFF2749 ²¹ LFF8030	
(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	(17237); Eaton 3.7" O.D.	Trans	HP1	(FS1000); W/S (1R0749); Opt. W/S	Miscellaneous	LFP8654	
<i>Cascadia (w/Mercedes-Benz MBE4000)</i>			<i>Century C120 (w/Cummins ISX Engine)</i>			<i>Century Class S/T (w/Caterpillar C11 Engine)</i>			
P610260	Air	LAF6260	AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸ LAF1956 ¹	22-44665-000	Cabin Air	CAF24004 CAF24004XL ¹⁸³	
BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³	EAF5069			AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸ LAF1956 ¹	
WF2077	Coolant	LFW4685 ²⁴⁹	P527683			P527683			
5410900151	Fuel	L8994F	91595	Cabin Air	CAF24011 CAF24011XL ¹⁸³	8031900159	Cabin Air	CAF24010 ⁷²⁵ CAF24010XL ¹⁸³ CAF24011 CAF24011XL ¹⁸³	
A0001802909	Oil	LP5048 ⁷²⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(382114); Davco opt.	Fuel	L5467F ²⁴² L5467FNXL ¹⁴ LFF1000 LFF1007 ²¹⁰ LFP8654	91595	(FS19624); Davco opt.	Fuel	L5467FNXL ¹⁴ LFF1000 LFF2749 ²⁰ LFF8030
(3280V8394); Axle			(FS19624); Davco opt. (FS1000); W/S (FS1007); W/S (5008414); Brake			Dryer			
T1808D	Power Steering	LFH4984	Dryer			LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250} PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	
(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835 ¹²	LF14000NN			(3280V8394); Axle			
<i>Century C112 (w/Caterpillar C10 Engine)</i>			(17237); Eaton 3.7" O.D.	Trans	HP1				
AF25139M	Air	LAF1849 ² LAF1956 ¹	(4304827); Eaton/Fuller 3" O.D.		PH2835	<i>Century Class S/T (w/Caterpillar C12 Engine)</i>			
P527683						22-44665-000	Cabin Air	CAF24004 CAF24004XL ¹⁸³	
(9M-2342); Pri.	Fuel	L3531F LFF2749 ²⁰	<i>Century C120 (w/Cummins M11 Engine)</i>			AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸ LAF1956 ¹	
1R0749			AF25139M	Air	LAF1849 ² LAF1849MXM	EAF5069			
1R-0716	Oil	LFP4005	382114	Fuel	L5467F ²⁴² LFF1000	P527683			
<i>Century C112 (w/Detroit Diesel 55 Series Engine)</i>			(FS1000); W/S			8031900159	Cabin Air	CAF24010 ⁷²⁵ CAF24010XL ¹⁸³ CAF24011 CAF24011XL ¹⁸³	
AF25139M	Air	LAF1849 ² LAF1956 ¹	LF3000	Oil	LFP3000 LFP3000XL ¹⁴	91595	(FS19624); Davco opt.	Fuel	L5467FNXL ¹⁴ LFF1000 LFF2749 ²⁰ LFF8030
P527683			LF9009			(FS1000); W/S (1R0749) W/S	Miscellaneous	LFP8654	
(23518482); Sec.	Fuel	LFP816FN	<i>Century C120 (w/Cummins N14 Engine)</i>			(5008414); Brake			
23550401	Oil	LFP912	AF25139M	Air	LAF1849 ² LAF1849MXM	Dryer			
<i>Century C120 (w/Caterpillar C10 Engine)</i>			P527683			(3280V8394); Axle			
AF25139M	Air	LAF1849 ² LAF1956 ¹	(FS1000); W/S	Fuel	LFF1000 LFF5 LFF8020	1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B	
P527683			(FF105); Pri. (FS1212); W/S			1R1808			
(9M-2342); Pri.	Fuel	L3531F LFF2749 ²⁰	By-Pass	Oil	LFP777B	<i>Century Class S/T (w/Caterpillar C12 Engine)</i>			
1R0749			<i>Century C120 (w/Cummins Signature 600 Engine)</i>			22-44665-000	Cabin Air	CAF24004 CAF24004XL ¹⁸³	
1R0716	Oil	LFP4005	AF25139M	Air	LAF1849 ² LAF1956 ¹	AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸ LAF1956 ¹	
<i>Century C120 (w/Caterpillar C15 Engine)</i>			P527683			EAF5069			
AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸ LAF1956 ¹	(FS1000); W/S	Fuel	LFF1000 LFF5 LFF8020	P527683			
EAF5069			(FF105); Pri. (FS1212); W/S			8031900159	Cabin Air	CAF24010 ⁷²⁵ CAF24010XL ¹⁸³ CAF24011	
P527683			By-Pass	Oil	LFP777B	91595			
8031900159	Cabin Air	CAF24010 ⁷²⁵ CAF24010XL ¹⁸³ CAF24011 CAF24011XL ¹⁸³	<i>Century C120 (w/Cummins Signature 600 Engine)</i>			<i>Century Class S/T (w/Caterpillar C12 Engine)</i>			
91595			AF25139M	Air	LAF1849 ² LAF1956 ¹	22-44665-000	Cabin Air	CAF24004 CAF24004XL ¹⁸³	
WF2077	Coolant	LFW4685 ²⁴⁹	P527683			AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸ LAF1956 ¹	
(FS19624); Davco opt.	Fuel	L5467FNXL ¹⁴ LFF1000 LFF2749 ²⁰ LFF8030	(FS1007); W/S	Fuel	LFF1007 ²¹⁰	EAF5069			
(FS1000); W/S			LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	P527683			
1R0749			<i>Century Class S/T (w/Caterpillar 3406E Engine)</i>			8031900159	Cabin Air	CAF24010 ⁷²⁵ CAF24010XL ¹⁸³ CAF24011	
W/S			AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸ LAF1956 ¹	91595			
(5008414); Brake	Miscellaneous	LFP8654	EAF5069			<i>Century Class S/T (w/Caterpillar C12 Engine)</i>			
Dryer			P527683			22-44665-000	Cabin Air	CAF24004 CAF24004XL ¹⁸³	
1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B	8031900159	Cabin Air	CAF24010 ⁷²⁵ CAF24010XL ¹⁸³ CAF24011	AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸ LAF1956 ¹	
1R1808			<i>Century Class S/T (w/Caterpillar 3406E Engine)</i>			EAF5069			
By-Pass			AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸ LAF1956 ¹	P527683			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 13-Optional Frame Mounted 14-Extended Life 20-High efficiency 21-Frame mounted 183-Dust and odor filter 210-w/ Sensor 242-10 Micron 249-No chemical 250-11.9" Hgt. 268-Extended/Severe service 275-Primary 311-2.73" Hgt. 599-High capacity 724-Differential 725-Sleep Compartment 1496-Alternate

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (TRUCK HEAVY DUTY)			FREIGHTLINER (TRUCK HEAVY DUTY)			FREIGHTLINER (TRUCK HEAVY DUTY)		
<i>Century Class S/T (w/Caterpillar C12 Engine)</i>			<i>Century Class S/T (w/Caterpillar C15 Engine)</i>			<i>Century Class S/T (w/Cummins ISM Engine)</i>		
<i>(cont'd)</i>			<i>(cont'd)</i>			<i>(cont'd)</i>		
	Cabin Air	CAF24011XL ¹⁸³	(FS19624); Davco opt.	Fuel	L5467FNXL ¹⁴	91595	Cabin Air	CAF24011
(FS19624); Davco opt.	Fuel	L5467FNXL ¹⁴	(FS1000); W/S		LFF1000 ¹³	(382114); Davco opt.	Fuel	CAF24011XL ¹⁸³
(FS1000); W/S		LFF1000	1R0749		LFF2749 ²⁰	(FS19624); Davco opt.		L5467F ²⁴²
1R0749		LFF2749 ²⁰	W/S		LFF8030	(FS1000); W/S		L5467FNXL ¹⁴
W/S		LFF8030	(5008414); Brake	Miscellaneous	LFP8654	(FS1007); W/S		LFF1000
(5008414); Brake	Miscellaneous	LFP8654	Dryer			(5008414); Brake	Miscellaneous	LFF1007 ²¹⁰
Dryer			1R0716	Oil	LFP4005	Dryer		LFP8654
(3280V8394); Axle		PH253 ¹⁴⁹⁶	1R1808		LFP4005RN ⁵⁹⁹	LF9080	Oil	LFP9001 ²⁵⁰
Axle		PH2835 ²⁷⁵			LFP4005TRT ³			LFP9001TRT ³
1R0716	Oil	LFP4005	By-Pass		LFP4005XL ¹⁴	LF14000NN		LFP9001XL ^{14, 250}
1R1808		LFP4005RN ⁵⁹⁹	(3280V8394); Axle		LFP777B	(3280V8394); Axle		PH253 ¹⁴⁹⁶
		LFP4005TRT ³	Axle		PH253 ¹⁴⁹⁶	Axle		PH2835 ²⁷⁵
		LFP4005XL ¹⁴	87904M	Power Steering	LH4101 ³¹¹	(17237); Eaton 3.7" O.D.	Trans	HP1
By-Pass		LFP777B				O.D.		PH2835
(17237); Eaton 3.7" O.D.	Trans	HP1	(17237); Eaton 3.7" O.D.	Trans	HP1	(4304827); Eaton/Fuller 3" O.D.		
O.D.		PH2835	(4304827); Eaton/Fuller 3" O.D.		PH2835			
(4304827); Eaton/Fuller 3" O.D.						<i>Century Class S/T (w/Cummins ISX Engine)</i>		
						AF25139M	Air	LAF1849 ²
<i>Century Class S/T (w/Caterpillar C13 Engine)</i>			<i>Century Class S/T (w/Caterpillar C16 Engine)</i>			EAF5069		LAF1849MXM ²⁶⁸
AF25139M	Air	LAF1849 ²	AF25139M	Air	LAF1849 ²	P527683		LAF1956 ¹
EAF5069		LAF1849MXM ²⁶⁸	EAF5069		LAF1849MXM ²⁶⁸	91595	Cabin Air	CAF24011
P527683		LAF1956 ¹	P527683		LAF1956 ¹			CAF24011XL ¹⁸³
8031900159	Cabin Air	CAF24010 ⁷²⁵	8031900159	Cabin Air	CAF24010 ⁷²⁵	(382114); Davco opt.	Fuel	L5467F ²⁴²
		CAF24010XL ^{183 725}			CAF24010XL ^{183 725}	(FS19624); Davco opt.		L5467FNXL ¹⁴
91595		CAF24011	91595		CAF24011	(FS1000); W/S		LFF1000
		CAF24011XL ¹⁸³			CAF24011XL ¹⁸³	(FS1007); W/S		LFF1007 ²¹⁰
WF2077	Coolant	LFW4685 ²⁴⁹	WF2077	Coolant	LFW4685 ²⁴⁹	(5008414); Brake	Miscellaneous	LFP8654
(FS19624); Davco opt.	Fuel	L5467FNXL ¹⁴	(FS19624); Davco opt.	Fuel	L5467FNXL ¹⁴	Dryer		
(FS1000); W/S		LFF1000 ¹³	(FS1000); W/S		LFF1000	LF9080	Oil	LFP9001 ²⁵⁰
1R0749		LFF2749 ²⁰	1R0749		LFF2749 ²⁰			LFP9001TRT ³
W/S		LFF8030	W/S		LFF8030	LF14000NN		LFP9001XL ^{14, 250}
(5008414); Brake	Miscellaneous	LFP8654	(5008414); Brake	Miscellaneous	LFP8654	(3280V8394); Axle		PH253 ¹⁴⁹⁶
Dryer		PH253 ¹⁴⁹⁶	Dryer			Axle		PH2835 ²⁷⁵
(3280V8394); Axle		PH2835 ²⁷⁵	1R0716	Oil	LFP4005	(17237); Eaton 3.7" O.D.	Trans	HP1
Axle			1R1808		LFP4005RN ⁵⁹⁹	O.D.		PH2835
1R0716	Oil	LFP4005			LFP4005TRT ³	(4304827); Eaton/Fuller 3" O.D.		
1R1808		LFP4005RN ⁵⁹⁹	By-Pass		LFP4005XL ¹⁴			
		LFP4005TRT ³	(3280V8394); Axle		LFP777B	<i>Century Class S/T (w/Cummins N14 PLUS Engine)</i>		
		LFP4005XL ¹⁴	Axle		LFP777B	AF25139M	Air	LAF1849 ²
By-Pass		LFP777B	87904M	Power Steering	LH4101 ³¹¹	EAF5069		LAF1849MXM ²⁶⁸
87904M	Power Steering	LH4101 ³¹¹				22-44665-000	Cabin Air	CAF24004 ^{727, 728}
(17237); Eaton 3.7" O.D.	Trans	HP1	(17237); Eaton 3.7" O.D.	Trans	HP1	(FS1000); W/S	Fuel	LFF1000
O.D.		PH2835	(4304827); Eaton/Fuller 3" O.D.		PH2835	LF3000	Oil	LFP3000
(4304827); Eaton/Fuller 3" O.D.						LF9009		LFP3000XL ¹⁴
						(3280V8394); Axle		PH253 ¹⁴⁹⁶
<i>Century Class S/T (w/Caterpillar C15 Engine)</i>			<i>Century Class S/T (w/Cummins ISM Engine)</i>			Axle		PH2835 ²⁷⁵
AF25139M	Air	LAF1849 ²	22-44665-000	Cabin Air	CAF24004	87904M	Power Steering	LH4101 ³¹¹
EAF5069		LAF1849MXM ²⁶⁸			CAF24004XL ¹⁸³			
P527683		LAF1956 ¹	AF25139M	Air	LAF1849 ²	(17237); Eaton 3.7" O.D.	Trans	HP1
8031900159	Cabin Air	CAF24010 ⁷²⁵	EAF5069		LAF1849MXM ²⁶⁸	O.D.		
		CAF24010XL ^{183 725}	P527683		LAF1956 ¹	<i>Century Class S/T (w/Cummins Signature 600 Engine)</i>		
91595		CAF24011	8031900159	Cabin Air	CAF24010 ⁷²⁵	AF25139M	Air	LAF1849 ²
		CAF24011XL ¹⁸³			CAF24010XL ^{183 725}	P527683		LAF1956 ¹
WF2077	Coolant	LFW4685 ²⁴⁹						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 13-Optional Frame Mounted 14-Extended Life 20-High efficiency 183-Dust and odor filter 210-w/ Sensor 242-10 Micron 249-No chemical 250-11.9" Hgt. 268-Extended/Severe service 275-Primary 311-2.73" Hgt. 599-High capacity 725-Sleep Compartment 727-Inside cabin air 728-1995 - up 1496-Alternate

F

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (TRUCK HEAVY DUTY)			FREIGHTLINER (TRUCK HEAVY DUTY)			FREIGHTLINER (TRUCK HEAVY DUTY)		
<i>Century Class S/T (w/Cummins Signature 600 Engine) (cont'd)</i>			<i>Century Class S/T (w/Detroit Diesel DD13 Engine) (cont'd)</i>			<i>Century Class S/T (w/Mercedes-Benz MBE4000 Engine) (cont'd)</i>		
(FS1007); W/S	Fuel	LFF1007 ²¹⁰	Axle	Oil	PH2835 ²⁷⁵	(29540496); Allison	Trans	LH4582G ²⁴
LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ^{3, 729} LFP9001XL ^{14, 250} PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	T1808D	Power Steering	LFH4984	3000/3500		LH4591G ²²
LF14000NN (3280V8394); Axle Axle			(17237); Eaton 3.7" O.D.	Trans	HP1	(29545776); Allison		PH2835
			29540496			3000/4000		
			(29545776); Allison			(4304827);		
			3000/4000			Eaton/Fuller 3" O.D.		
			(4304827);					
			Eaton/Fuller 3" O.D.					
<i>Century Class S/T (w/Detroit Diesel 60 Series Engine)</i>			<i>Century Class S/T (w/Detroit Diesel DD15 Engine)</i>			<i>Century CST120 (w/Caterpillar C12 Engine)</i>		
(23533726); 2004-on; Sec.	Fuel	LFF6816	AF25139M	Air	LAF1849 ²	22-44665-000	Cabin Air	CAF24004 CAF24004XL ¹⁸³
22-44665-000	Cabin Air	CAF24004 CAF24004XL ¹⁸³	EAF5069		LAF1849MXM ²⁶⁸	AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸ LAF1956 ¹
AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸	8031900159	Cabin Air	CAF24010 ⁷²⁵ CAF24010XL ^{183 725} CAF24011 CAF24011XL ¹⁸³	EAF5069		LAF1956 ¹
EAF5069			91595			P527683		LAF1956 ¹
8031900159	Cabin Air	CAF24010 ⁷²⁵ CAF24010XL ^{183 725} CAF24011 CAF24011XL ¹⁸³	A0000904251	Fuel	L5091F ^{721, 722}	8031900159	Cabin Air	CAF24010 ⁷²⁵ CAF24010XL ^{183 725} CAF24011 CAF24011XL ¹⁸³
91595			(5008414); Brake Dryer	Miscellaneous	LFP8654	91595		CAF24010 ⁷²⁵ CAF24010XL ^{183 725} CAF24011 CAF24011XL ¹⁸³
WF2077	Coolant	LFW4685 ²⁴⁹ LFW6500 ⁵⁵⁵	A4721800309	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	91595		CAF24010 ⁷²⁵ CAF24010XL ^{183 725} CAF24011 CAF24011XL ¹⁸³
(FS19624); Davco opt.	Fuel	L5467FNXL ¹⁴ L9763FXL ¹⁴ LFF5850 ²⁴⁷ LFF5851U ⁶⁷⁸ LFF6816XL ¹⁴ LFP815FN LFP816FN ⁷³⁰	(3280V8394); Axle Axle	Power Steering	LFH4984	(FS19624); Davco opt.	Fuel	L5467FNXL ¹⁴ LFF1000 LFF2749 ²⁰ LFF8030
FS19763			T1808D	Trans	HP1	(FS1000); W/S		LFF2749 ²⁰ LFF8030
(S3226P); W/S			(17237); Eaton 3.7" O.D.			1R0749		LFF8030
(S3226T); W/S			(29540496); Allison			W/S		LFF8030
2004-on; Sec.			(29540493); Allison			(5008414); Brake Dryer	Miscellaneous	LFP8654
(23518481); Pri.			3000/3500			1R0716		LFP4005
(23518482); Sec.			(29545776); Allison			1R1808		LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B
(5008414); Brake Dryer	Miscellaneous	LFP8654	3000/4000					PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
23518480	Oil	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	Eaton/Fuller 3" O.D.			(17237); Eaton 3.7" O.D.	Trans	HP1
(3280V8394); Axle Axle						(4304827);		PH2835
87904M	Power Steering	LH4101 ³¹¹				Eaton/Fuller 3" O.D.		PH2835
(17237); Eaton 3.7" O.D.	Trans	HP1	<i>Century Class S/T (w/Mercedes-Benz MBE4000 Engine)</i>			<i>Century CST120 (w/Cummins ISM Engine)</i>		
(4304827);		PH2835	AF25139M	Air	LAF1849 ²	22-44665-000	Cabin Air	CAF24004 CAF24004XL ¹⁸³
Eaton/Fuller 3" O.D.			EAF5069		LAF1849MXM ²⁶⁸	AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸ LAF1956 ¹
			22-44665-000	Cabin Air	CAF24004 ^{727, 728} CAF24010 ⁷²⁵ CAF24010XL ^{183 725} CAF24011 CAF24011XL ¹⁸³	EAF5069		LAF1956 ¹
			8031900159			P527683		LAF1956 ¹
			91595			8031900159	Cabin Air	CAF24010 ⁷²⁵ CAF24010XL ^{183 725} CAF24011 CAF24011XL ¹⁸³
			5410900151	Fuel	L8994F	91595		CAF24010 ⁷²⁵ CAF24010XL ^{183 725} CAF24011 CAF24011XL ¹⁸³
			(5008414); Brake Dryer	Miscellaneous	LFP8654			CAF24010 ⁷²⁵ CAF24010XL ^{183 725} CAF24011 CAF24011XL ¹⁸³
			A0001802909	Oil	LP5048 PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(382114); Davco opt.	Fuel	L5467F ²⁴² L5467FNXL ¹⁴ LFF1000 LFF1007 ²¹⁰
			(3280V8394); Axle Axle			(FS19624); Davco opt.		L5467FNXL ¹⁴ LFF1000 LFF1007 ²¹⁰
			T1808D	Power Steering	LFH4984	(FS1000); W/S		L5467FNXL ¹⁴ LFF1000 LFF1007 ²¹⁰
			(17237); Eaton 3.7" O.D.	Trans	HP1	(FS1007); W/S		L5467FNXL ¹⁴ LFF1000 LFF1007 ²¹⁰
						(5008414); Brake Dryer	Miscellaneous	LFP8654
						LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250} PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
						LF14000NN (3280V8394); Axle Axle		LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250} PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 183-Dust and odor filter 210-w/ Sensor 239-2013- 242-10 Micron 247-30 Micron 249-No chemical 250-11.9" Hgt. 268-Extended/Severe service 275-Primary 311-2.73" Hgt. 555-Extended Life w/ controlled release chemical 599-High capacity 678-w/o Sensor Port 719-OEM Version 720-Value Version 721-2013 722-Kit, contains 3-elements 725-Sleep Compartment 727-Inside cabin air 728-1995 - up 729-11.8" Hgt. 730-2004 1496-Alternate 1541-Standard replacement

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (TRUCK HEAVY DUTY)								
<i>Century CST120 (w/Cummins ISM Engine) (cont'd)</i>			<i>Century CST120 (w/Detroit Diesel 60 Series Engine) (cont'd)</i>			<i>Classic, Classic XL (w/Caterpillar C16 Engine) (cont'd)</i>		
(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	1R0716 1R1808	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
<i>Century CST120 (w/Cummins ISX Engine)</i>			<i>Classic, Classic XL (w/Caterpillar 3406 Engine)</i>			<i>Classic, Classic XL (w/Cummins ISM Engine)</i>		
AF25139M EAF5069 P527683 91595	Air	LAF1849 ² LAF1849MXM ²⁶⁸ LAF1956 ¹	1R0749 (5008414); Brake Dryer (3280V8394); Axle Axle	Fuel Miscellaneous	LFF2749 ²⁰ LFP8654	87904M	Power Steering	LH4101 ³¹¹
(382114); Davco opt. (FS19624); Davco opt. (FS1000); W/S (FS1007); W/S (5008414); Brake Dryer (3280V8394); Axle Axle LF9080	Cabin Air	CAF24011 CAF24011XL ¹⁸³	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	(17237); Eaton 3.7" O.D.	Trans	HP1
AF25139M EAF5069 P527683 91595	Fuel	L5467F ²⁴² L5467FNXL ¹⁴ LFF1000 LFF1007 ²¹⁰	87904M 83213D (4304827); Eaton/Fuller 3" O.D.	Power Steering	LH4101 ³¹¹ LP487 ¹⁵⁴²	<i>Classic, Classic XL (w/Cummins N14 PLUS Engine)</i>		
LF9080	Miscellaneous	LFP8654 PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>Classic, Classic XL (w/Caterpillar C12 Engine)</i>			(FS1000); W/S	Fuel	LFF1000
LF14000NN (17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	1R0749 1R0716	Trans	PH2835	LF3000 LF9009	Oil	LFP3000 LFP3000XL ¹⁴
<i>Century CST120 (w/Detroit Diesel 60 Series Engine)</i>			<i>Classic, Classic XL (w/Caterpillar C15 Engine)</i>			<i>Classic, Classic XL (w/Cummins Signature 600 Engine)</i>		
(23533726); 2004-on; Sec.	Fuel	LFF6816	P534816	Air	LAF4816 ² LAF4816MXM ² LAF6681 LAF8172	(FS1007); W/S	Fuel	LFF1007 ²¹⁰
22-44665-000	Cabin Air	CAF24004 CAF24004XL ¹⁸³	P537355 VF120W 1R0749 (S3226P); W/S (FS1212); W/S	Fuel	LFF2749 ²⁰ LFF5850 ²⁴⁷ LFF8020	LF9070	Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723} LFP9001 ²⁵⁰ LFP9001TRT ^{3, 729} LFP9001XL ^{14, 250}
AF25139M EAF5069 8031900159 91595	Air	LAF1849 ² LAF1849MXM ²⁶⁸	1R0749 (5008414); Brake Dryer (3280V8394); Axle Axle	Miscellaneous	LFP8654 PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	LF14000NN	Oil	LFP9001XL ^{14, 250}
8031900159	Cabin Air	CAF24010 ⁷²⁵ CAF24010XL ^{183, 725}	1R0716 1R1808	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	<i>Classic, Classic XL (w/Detroit Diesel 60 Series Engine)</i>		
91595	Cabin Air	CAF24011 CAF24011XL ¹⁸³	87904M	Power Steering	LH4101 ³¹¹	P522293 (AF25139M); XL model EAF5069 P141317 P534816	Air	LAF1770 ⁷³³ LAF1849 ² LAF1849MXM ²⁶⁸ LAF1899 ⁷³² LAF4816 ² LAF4816MXM ²
WF2077	Coolant	LFW4685 ²⁴⁹ LFW6500 ⁵⁵⁵	(17237); Eaton 3.7" O.D.	Trans	HP1	(382114); Davco opt. (FS19624); Davco opt. (23533726); 2004-on; Sec. 2004-on; Sec. (23518481); Pri. (23518482); Sec. (5008414); Brake Dryer (3280V8394); Axle Axle	Fuel	L5467F ²⁴² L5467FNXL ¹⁴ LFF6816 LFF6816XL ¹⁴ LFF8010 LFF8064 LFF906 LFP815FN ⁴⁴⁴ LFP816FN ⁷³⁰
(FS19624); Davco opt. FS19763 (S3226P); W/S (S3226T); W/S 2004-on; Sec. (23518481); Pri. (23518482); Sec. (5008414); Brake Dryer (3280V8394); Axle Axle 23518480	Fuel	L5467FNXL ¹⁴ L9763FXL ¹⁴ LFF5850 ²⁴⁷ LFF5851U ⁶⁷⁸ LFF6816XL ¹⁴ LFP815FN LFP816FN ⁷³⁰	<i>Classic, Classic XL (w/Caterpillar C16 Engine)</i>			P534816	Air	LAF4816 ² LAF4816MXM ² LAF6681 LAF8172
87904M	Power Steering	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴	P537355 VF120W 1R0749 (S3226P); W/S (FS1212); W/S (5008414); Brake Dryer (3280V8394); Axle Axle	Fuel Miscellaneous	LFF2749 ²⁰ LFF5850 ²⁴⁷ LFF8020 LFP8654 PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	23518480	Miscellaneous	LFP8654 PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
	Oil	LH4101 ³¹¹				23518480	Oil	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 183-Dust and odor filter 210-w/ Sensor 242-10 Micron 247-30 Micron 249-No chemical 250-11.9" Hgt. 268-Extended/Severe service 275-Primary 311-2.73" Hgt. 444-To 12/03 458-4.1" Hgt. 555-Extended Life w/ controlled release chemical 599-High capacity 678-w/o Sensor Port 723-13.9" Hgt. 725-Sleep Compartment 729-11.8" Hgt. 730--2004 731-11.8" Height 732-23" Tall 733-29" Tall 1496-Alternate 1541-Standard replacemnt 1542-2.72 Inch Tall

F

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (TRUCK HEAVY DUTY)			FREIGHTLINER (TRUCK HEAVY DUTY)			FREIGHTLINER (TRUCK HEAVY DUTY)		
<i>Classic, Classic XL (w/Detroit Diesel 60 Series Engine) (cont'd)</i>			<i>Columbia (w/Caterpillar C12 Engine) (cont'd)</i>			<i>Columbia (w/Cummins ISX Engine) (cont'd)</i>		
87904M	Power Steering	LH4101 ³¹¹	(17237); Eaton 3.7" O.D.	Trans	HP1	(382114); Davco opt. (FS19624); Davco opt. (FS1007); W/S	Fuel	L5467F ²⁴² L5467FNXL ¹⁴ LFF1007 ²¹⁰
83213D		LP487 ¹⁵⁴²	<i>Columbia (w/Caterpillar C13 Engine)</i>			(5008414); Brake Dryer (3280V8394); Axle	Miscellaneous	LFP8654 ³¹²
(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	BOA91559	Air	LAF1849 ² LAF1849MXM ²⁶⁸	LF9070	Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723} LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
<i>Classic, Classic XL (w/Mercedes-Benz MBE4000 Engine)</i>			BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³	LF9080		PH253 ^{735, 1496} PH2835 ^{275, 735}
P522293 P534816	Air	LAF1770 LAF4816 ² LAF4816MXM ²	1R0749	Fuel	LFF2749 ²⁰ LFF5851 ²⁴²	LF14000NN		
(FS19624); Davco opt. 5410900151	Fuel	L5467FNXL ¹⁴ L8994F	(S3226T); W/S (5008414); Brake Dryer	Miscellaneous	LFP8654	T1808D	Power Steering	LFH4984
(5008414); Brake Dryer	Miscellaneous	LFP8654	1R0739	Oil	LFP3191 LFP3191XL ¹⁴ LFP4005TRT ³	(17237); Eaton 3.7" O.D.	Trans	HP1
A0001802909 (3280V8394); Axle	Oil	LP5048 PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	87904M		LH4101 ³¹¹	<i>Columbia (w/Cummins N14 Engine)</i>		
87904M	Power Steering	LH4101 ³¹¹	(17237); Eaton 3.7" O.D.	Trans	HP1	AF25139M	Air	LAF1849 ²
(17237); Eaton 3.7" O.D.	Trans	HP1	<i>Columbia (w/Caterpillar C15 Engine)</i>			91595	Cabin Air	CAF24011
<i>Columbia (w/Caterpillar C11 Engine)</i>			BOA91559	Air	LAF1849 ² LAF1849MXM ²⁶⁸	WF2077	Coolant	LFW4685 ²⁴⁹
91595	Cabin Air	CAF24011	BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³	(382114); Davco opt. (FS19624); Davco opt. (FS1000); W/S	Fuel	L5467F ²⁴² L5467FNXL ¹⁴ LFF1000
WF2077	Coolant	LFW4685 ²⁴⁹	(FS1000); W/S	Fuel	LFF1000 LFF2749 ²⁰ LFF8021	LF3000	Oil	LFP3000 LFP3000XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
(FS19624); Davco opt. 1R0749	Fuel	L5467FNXL ¹⁴ LFF2749 ²⁰	1R0749 (ABPN12232FRT02); W/S		LFP8654	LF9009 (3280V8394); Axle		
(5008414); Brake Dryer	Miscellaneous	LFP8654	(5008414); Brake Dryer	Miscellaneous	LFP8654	87904M	Power Steering	LH4101 ³¹¹
2P4005	Oil	LFP4005 LFP4005XL ¹⁴	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	(17237); Eaton 3.7" O.D.	Trans	HP1
1R-1808			T1808D	Power Steering	LFH4984	<i>Columbia (w/Detroit Diesel 60 Series Engine)</i>		
T1808D	Power Steering	LFH4984	87904M		LH4101 ³¹¹	BOA91559	Air	LAF1849 ² LAF1849MXM ²⁶⁸
87904M		LH4101 ³¹¹	(17237); Eaton 3.7" O.D.	Trans	HP1	BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³
<i>Columbia (w/Caterpillar C12 Engine)</i>			<i>Columbia (w/Cummins ISM Engine)</i>			WF2077	Coolant	LFW4685 ²⁴⁹
AF25139M	Air	LAF1849 ² LAF1849MXM ²⁶⁸	BOA91559	Air	LAF1849 ² LAF1849MXM ²⁶⁸	(382114); Davco opt. (FS19624); Davco opt. (23533726); 2004-on; Sec.	Fuel	L5467F ²⁴² L5467FNXL ¹⁴ LFF6816
EAF5069		LAF1956 ¹	EAF5069		LAF1849MXM ²⁶⁸	2004-on; Sec. (23535985); W/S (23518481); Pri. (23518482); Sec.		LFF6816XL ¹⁴ LFF8010 LFP815FN ⁴⁴⁴ LFP816FN ⁷³⁰
P527683			BOA91559	Cabin Air	CAF24003 ⁷³⁴ CAF24003XL ^{183, 734}	(5008414); Brake Dryer	Miscellaneous	LFP8654
BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³	LF9070	Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723} LFP9001 ²⁵⁰ LFP9001XL ^{14, 250}	23518480	Oil	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴
WF2077	Coolant	LFW4685 ²⁴⁹	LF9080		LH4101 ³¹¹	T1808D	Power Steering	LFH4984
1R0749 (S3226T); W/S (5008414); Brake Dryer	Fuel	LFF2749 ²⁰ LFF5851 ²⁴²	LF14000NN			87904M		LH4101 ³¹¹
(5008414); Brake Dryer	Miscellaneous	LFP8654	87904M	Power Steering		(17237); Eaton 3.7" O.D.	Trans	HP1
1R0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	<i>Columbia (w/Cummins ISX Engine)</i>			<i>Columbia (w/Cummins ISX Engine)</i>		
T1808D	Power Steering	LFH4984	AF25139M	Air	LAF1849 ² LAF1849MXM	(17237); Eaton 3.7" O.D.	Trans	HP1
87904M		LH4101 ³¹¹	EAF5069		LAF1849MXM	<i>Columbia (w/Cummins ISX Engine)</i>		
			WF2127	Coolant	LFW2127 ^{14, 249}	<i>Columbia (w/Cummins ISX Engine)</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 183-Dust and odor filter 210-w/ Sensor 242-10 Micron
 249-No chemical 250-11.9" Hgt. 268-Extended/Severe service 275-Primary 311-2.73" Hgt. 312-AD-IS System 444-To 12/03 723-13.9" Hgt. 730-2004
 734-Passenger Side Of Sleeper Compartment 735-Differential if required 1496-Alternate 1541-Standard replacemnt 1542-2.72 Inch Tall

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (TRUCK HEAVY DUTY)			FREIGHTLINER (TRUCK HEAVY DUTY)			FREIGHTLINER (TRUCK HEAVY DUTY)		
<i>Columbia (w/Detroit Diesel DD15 Engine)</i>			<i>Condor (Refuse Truck) (w/Caterpillar 3406 Engine)</i>			<i>Condor (Refuse Truck) (w/Caterpillar C13)</i>		
AF25139M	Air	LAF1849 ²	<i>(cont'd)</i>			P527682	Air	LAF1849 ²
EAF5069		LAF1849MXM ²⁶⁸	1R0716	Oil	LFP4005	P527683		LAF1956 ¹
BOA91559	Cabin Air	CAF24003	1R-0716		LFP4005XL ¹⁴	1R0749	Fuel	LFF2749 ²⁰
		CAF24003XL ¹⁸³	LF637	Power Steering	LP5005 ⁴⁵⁸	(ABPN12232FRT02); W/S		LFF8021
A0000904251	Fuel	L5091F ^{721, 722}	<i>Condor (Refuse Truck) (w/Caterpillar C10 Engine)</i>			1R0716	Oil	LFP4005 ⁷⁴⁰
(5008414); Brake Dryer	Miscellaneous	LFP8654	P116918	Air	LAF6918	1R1808		LFP4005RN ^{599, 739}
(3280V8394); Axle Axle		PH253 ¹⁴⁹⁶	(1R0712); Sec.	Fuel	LFF5823B			LFP4005TRT ³
A4721800309	Oil	PH2835 ²⁷⁵	1R0716	Oil	LFP4005	(3280V8394); Axle Axle		LFP4005XL ¹⁴
		LP5090 ⁷¹⁹			LFP4005TRT ³	83284D	Power Steering	PH253 ¹⁴⁹⁶
		LP5090A ⁷²⁰			LFP4005XL ¹⁴			PH2835 ²⁷⁵
T1808D	Power Steering	LFP8654	By-Pass		LFP777B			LH5961 ²⁷²
87904M		LH4101 ³¹¹	<i>Condor (Refuse Truck) (w/Caterpillar C11 Engine)</i>			(17237); Eaton 3.7" O.D.	Trans	HP1
			P527682	Air	LAF1849 ²	29540496		LH4582G ²⁴
(17237); Eaton 3.7" O.D.	Trans	HP1	P527683		LAF1956 ¹	(29540493); Allison 3000/4000		LH4589G ²³
(4304827); Eaton/Fuller 3" O.D.		PH2835	1R0749	Fuel	LFF2749 ²⁰	(29545776); Allison 3000/4000		LH4591G ²²
<i>Columbia (w/Mercedes-Benz MBE4000 Engine)</i>			(ABPN12232FRT02); W/S		LFF8021			
AF25139M	Air	LAF1849 ²	1R0716	Oil	LFP4005 ⁷⁴⁰			
EAF5069		LAF1849MXM ²⁶⁸	1R1808		LFP4005RN ^{599, 739}			
BOA91559	Cabin Air	CAF24003	(3280V8394); Axle Axle		LFP4005TRT ³	<i>Condor (Refuse Truck) (w/Caterpillar C7 Engine)</i>		
		CAF24003XL ¹⁸³			LFP4005XL ¹⁴	P527682	Air	LAF1849 ²
WF2077	Coolant	LFW4685 ²⁴⁹	83284D	Power Steering	PH253 ¹⁴⁹⁶	P527683		LAF1956 ¹
(382114); Davco opt. (FS19624); Davco opt. (5410900151); EGR (5410900151); Non EGR (S3226T); W/S (5008414); Brake Dryer	Fuel	L5467F ²⁴²			PH2835 ²⁷⁵	1R0751	Fuel	LFF4783
		L5467FNXL ¹⁴	(17237); Eaton 3.7" O.D.	Trans	LH5961 ²⁷²	(ABPN12232FRT02); W/S		LFF8021
		L8994F	(29540496); Allison 3000/3500			1R0739	Oil	LFP3191 ⁷³⁷
		L8994F	(29540493); Allison 3000/3500		HP1			LFP3191TRT ^{3, 738}
		LFF5851 ²⁴²	(29545776); Allison 3000/3500		LH4582G ²⁴			LFP3236 ⁷³⁹
A0001802909	Oil	LFP8654			LH4589G ²³	(3280V8394); Axle Axle	Power Steering	LFP3236TRT ³
T1808D	Power Steering	LFP8654			LH4591G ²²			PH253 ¹⁴⁹⁶
87904M		LH4101 ³¹¹	<i>Condor (Refuse Truck) (w/Caterpillar C12 Engine)</i>					PH2835 ²⁷⁵
			P527682	Air	LAF1849 ²	29540496	Trans	LH4582G ²⁴
<i>Columbia (w/Mercedes-Benz MBE460 Engine)</i>			P527683		LAF1956 ¹	(29540493); Allison 3000/4000		LH4589G ²³
BOA91559	Air	LAF1849 ²	1R0749	Fuel	LFF2749 ²⁰	(29545776); Allison 3000/4000		LH4591G ²²
BOA91559	Cabin Air	CAF24003	(ABPN12232FRT02); W/S		LFF8021			
WF2077	Coolant	LFW4685 ²⁴⁹	1R0716	Oil	LFP4005 ⁷⁴⁰	<i>Condor (Refuse Truck) (w/Caterpillar C9 Engine)</i>		
5410900151	Fuel	L8994F	1R1808		LFP4005RN ^{599, 739}	P527682	Air	LAF1849 ²
A0001802909	Oil	LP5048	(3280V8394); Axle Axle		LFP4005TRT ³	EAF5069		LAF1849MXM ²⁶⁸
T1808D	Power Steering	LFP8654	83284D	Power Steering	LFP4005XL ¹⁴	P527683		LAF1956 ¹
<i>Condor (Refuse Truck) (w/Caterpillar 3126B Engine)</i>					PH253 ¹⁴⁹⁶	1R0751	Fuel	LFF4783
P116918	Air	LAF6918			PH2835 ²⁷⁵	(R120S); Pri.		LFF8707 ²⁰⁶
1R0751	Fuel	LFF4783	(17237); Eaton 3.7" O.D.	Trans	LH5961 ²⁷²	1R0716	Oil	LFP4005 ⁷⁴⁰
1R0739	Oil	LFP3191 ⁷³⁷	29540496			1R1808		LFP4005RN ^{599, 739}
		LFP3191TRT ^{3, 738}	(29540493); Allison 3000/4000		HP1			LFP4005TRT ³
		LFP3191XL ^{14, 736}	(29545776); Allison 3000/4000		LH4582G ²⁴	(3280V8394); Axle Axle		LFP4005XL ¹⁴
<i>Condor (Refuse Truck) (w/Caterpillar 3406 Engine)</i>					LH4589G ²³	83284D	Power Steering	PH253 ¹⁴⁹⁶
(9M-2342); Pri. (380087); Davco opt.	Fuel	L3531F			LH4591G ²²			PH2835 ²⁷⁵
		L3578FN ⁸⁰⁵				(17237); Eaton 3.7" O.D.	Trans	HP1
						29540496		LH4582G ²⁴

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 183-Dust and odor filter 206-Bowl type 242-10 Micron 249-No chemical 268-Extended/Severe service 272-4" OD 275-Primary 311-2.73" Hgt. 458-4.1" Hgt. 599-High capacity 719-OEM Version 720-Value Version 721--2013 722-Kit, contains 3-elements 736-2004-on 737-To 1/04 738-To 2004 739-1/04 on 740-Up to 1/04 805-25 micron 1496-Alternate

F

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (TRUCK HEAVY DUTY)								
<i>Condor (Refuse Truck) (w/Caterpillar C9 Engine) (cont'd)</i>			<i>Coronado (w/Caterpillar C15 Engine) (cont'd)</i>			<i>Coronado (w/Cummins ISX Engine) (cont'd)</i>		
(29540493); Allison 3000/4000 (29545776); Allison 3000/4000	Trans	LH4589G ²³ LH4591G ²²	1R1808 (3280V8394); Axle Axle	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(3280V8394); Axle	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
<i>Condor (Refuse Truck) (w/Cummins ISC Engine)</i>			<i>Coronado (w/Caterpillar C16 Engine)</i>			<i>Coronado (w/Detroit Diesel DD13 Engine)</i>		
P527682 P527683	Air	LAF1849 ² LAF1956 ¹	T1808D 87904M	Power Steering	LFH4984 LH4101 ³¹¹	T1808D (17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Power Steering Trans	LFH4984 HP1 PH2835
FS1022 (FF5636); Sec.	Fuel	LFF1022 LFF5488	(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	<i>Coronado (w/Detroit Diesel DD15 Engine)</i>		
LF3000 LF9009 (3280V8394); Axle Axle	Oil	LFP3000 LFP3000XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	P527682 EAF5069 BOA91559	Air	LAF1849 ² LAF1849MXM ²⁶⁸	A4720900651 BOA91559	Fuel Cabin Air	L5104F ²³⁹ CAF24003 CAF24003XL ¹⁸³ CAF24021
83284D	Power Steering	LH5961 ²⁷²	WF2071 WF2077	Cabin Air	CAF24003 CAF24003XL ¹⁸³		Coolant	LW4076XL ¹⁴
29540496 (29540493); Allison 3000/4000 (29545776); Allison 3000/4000	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²	380087 (FS19624); Davco opt. (FS1000); W/S 1R0749 W/S	Fuel	L3578FN ⁷⁴¹ L5467FNXL ¹⁴ LFF1000 LFF2749 ²⁰ LFF8000 ⁶²⁸	A0000904251 W/S A4721800309	Fuel Oil	L5091F ^{721, 722} L9915F LP5090 ⁷¹⁹ LP5090A ⁷²⁰ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
<i>Condor (Refuse Truck) (w/Cummins ISL Engine)</i>			<i>Coronado (w/Cummins ISX Engine)</i>			<i>Coronado (w/Detroit Diesel DD16 Engine)</i>		
P527682 P527683 (FS1000); W/S (FS1242); W/S	Air Fuel	LAF1849 ² LAF1956 ¹ LFF1000 LFF90013 ¹⁵⁴³	1R0716 1R1808	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³ CAF24021
LF3000 LF9009 (3280V8394); Axle Axle	Oil	LFP3000 LFP3000XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(3280V8394); Axle Axle			A0000904251 W/S A4721800309	Fuel Oil	L5091F ^{721, 722} L9915F LP5090 ⁷¹⁹ LP5090A ⁷²⁰ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
83284D	Power Steering	LH5961 ²⁷²	T1808D 87904M	Power Steering	LFH4984 LH4101 ³¹¹	(3280V8394); Axle Axle T1808D	Power Steering	LFH4984
29540496 (29540493); Allison 3000/4000 (29545776); Allison 3000/4000	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²	(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835
<i>Condor (Refuse Truck) (w/Cummins ISM Engine)</i>			<i>Coronado (w/Cummins ISX Engine)</i>			<i>Coronado (w/Detroit Diesel DD13 Engine)</i>		
(FS1003); W/S	Fuel	LFF1003 ²⁰⁹	P527682 EAF5069 P527683	Air	LAF1849 ² LAF1849MXM ²⁶⁸ LAF1956 ¹	BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³ CAF24021
LF9080 LF14000NN	Oil	LFP9001 ²⁵⁰ LFP9001XL ^{14, 250}	BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³		Coolant	LW4076XL ¹⁴
<i>Coronado (w/Caterpillar C15 Engine)</i>			<i>Coronado (w/Cummins ISX Engine)</i>			<i>Coronado (w/Detroit Diesel DD16 Engine)</i>		
P527682 EAF5069 BOA91559	Air	LAF1849 ² LAF1849MXM ²⁶⁸	WF2126 WF2127	Coolant	LFW2126 ²⁵⁵ LFW2127 ^{14, 249}	A0000904251 W/S A4721800309	Fuel Oil	L5091F ⁷²² L9915F LP5090 ⁷¹⁹ LP5090A ⁷²⁰ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
WF2071 WF2077	Coolant	LFW4071 ²⁸ LFW4685 ²⁴⁹ LFW6500 ⁵⁵⁵	(382114); Davco opt. (FS19624); Davco opt. (FS1000); W/S (FS1007); W/S (5008414); Brake Dryer	Fuel	L5467F ²⁴² L5467FNXL ¹⁴ LFF1000 LFF1007 ²¹⁰	(3280V8394); Axle Axle T1808D	Power Steering	LFH4984
380087 (FS19624); Davco opt. (FS1000); W/S 1R0749 W/S (5008414); Brake Dryer	Fuel	L3578FN ⁷⁴¹ L5467FNXL ¹⁴ LFF1000 LFF2749 ²⁰ LFF8000 ⁶²⁸	LF9070	Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723} LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835
1R0716	Oil	LFP4005	LF9080 LF14000NN			<i>Coronado CC132 (w/Detroit Diesel 60 Series Engine)</i>		
						P527682	Air	LAF1849 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 183-Dust and odor filter 209-Square sensor port 210-w/ Sensor 239-2013- 242-10 Micron 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 272-4" OD 275-Primary 311-2.73" Hgt. 555-Extended Life w/ controlled release chemical 599-High capacity 628-Tall version of LFF8020 719-OEM Version 720-Value Version 721--2013 722-Kit, contains 3-elements 723-13.9" Hgt. 741-Extended life version [L3578FXL], High Efficiency version [L5467F]. 1496-Alternate 1543-includes bowl

On-Highway Applications



F

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (TRUCK HEAVY DUTY)			FREIGHTLINER (TRUCK HEAVY DUTY)			FREIGHTLINER (TRUCK HEAVY DUTY)		
<i>Coronado CC132 (w/Detroit Diesel 60 Series Engine) (cont'd)</i>			<i>Coronado SD (w/Detroit Diesel DD13 Engine) (cont'd)</i>			<i>FL112 (w/Caterpillar C12 Engine)</i>		
EAF5069	Air	LAF1849MXM ²⁶⁸	T1808D	Power Steering	LFH4984	P527682	Air	LAF1849 ⁷⁴²
BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³	(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	P153551		LAF3551
WF2077	Coolant	LFW4685 ²⁴⁹ LFW6500 ⁵⁵⁵	<i>Coronado SD (w/Detroit Diesel DD15 Engine)</i>			WF2077	Coolant	LFW4685 ²⁴⁹ LFW6500 ⁵⁵⁵
(382114); Davco opt. (FS19624); Davco opt. (ABPN122R50422); W/S (23533726); 2004-on; Sec. 2004-on; Sec. (23535985); W/S (23518482); Sec. 23518480	Fuel	L5467F ²⁴² L5467FNXL ¹⁴ LFF5406 LFF6816 LFF6816XL ¹⁴ LFF8010 LFP816FN ⁷³⁰	BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³ CAF24021	(FS19624); Davco opt. 1R0749 1R0751 (S3226P); W/S (5008414); Brake Dryer	Fuel	L5467FNXL ¹⁴ LFF2749 ²⁰ LFF4783 LFF5850 ²⁵⁴ LFP8654
	Oil	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴	A0000904251 W/S A4721800309	Fuel	L5091F ^{721, 722} L9915F LP5090 ⁷¹⁹ LP5090A ⁷²⁰ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	1R0716 1R1808	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
<i>Coronado SD (w/Cummins ISX 15.0L Engine)</i>			(3280V8394); Axle Axle	Power Steering	LFH4984	87904M	Power Steering	LH4101 ³¹¹
P527682	Air	LAF1849 ²	T1808D	Power Steering	LFH4984	(17237); Eaton 3.7" O.D.	Trans	HP1
EAF5069		LAF1849MXM ²⁶⁸	(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	<i>FL112 (w/Cummins ISM Engine)</i>		
P527683		LAF1956 ¹	<i>Coronado SD (w/Detroit Diesel DD16 Engine)</i>			P527682	Air	LAF1849 ²
BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³	BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³ CAF24021	P532966		LAF4498 ^{2, 208}
WF2126	Coolant	LFW2126 ²⁵⁵		Coolant	LW4076XL ¹⁴	WF2071	Coolant	LFW4071 ²⁸
WF2127		LFW2127 ^{14, 249}	A0000904251 W/S	Fuel	L5091F ^{721, 722} L9915F	WF2077		LFW4685 ²⁴⁹
(382114); Davco opt. (FS19624); Davco opt. (FS1000); W/S (FS1007); W/S (5008414); Brake Dryer	Fuel	L5467F ²⁴² L5467FNXL ¹⁴ LFF1000 LFF1007 ²¹⁰	A4721800309	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(FS1000); W/S (S3226T); W/S (FS1212); W/S	Fuel	LFF1000 LFF5851U ⁶⁷⁸ LFF8020
LF9070	Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723} LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250} PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(3280V8394); Axle Axle	Power Steering	LFH4984	LF9080	Oil	LFP9001 ²⁵⁰ LFP9001XL ^{14, 250}
LF9080			T1808D	Power Steering	LFH4984	87904M	Power Steering	LH4101 ³¹¹
LF14000NN (3280V8394); Axle Axle	Miscellaneous	LFP8654	(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	(29540496); Allison 3000/3500 (29545776); Allison 3000/4000	Trans	LH4582G ²⁴ LH4591G ²²
T1808D	Power Steering	LFH4984	<i>FL (w/Detroit Diesel eng.)</i>			<i>FL112 (w/Cummins L10 Engine)</i>		
(17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	P526678 P529548	Air	LAF4497 ^{2, 240} LAF9548 ^{1, 243}	P153551 P129396	Air	LAF3551 LAF9396
<i>Coronado SD (w/Detroit Diesel DD13 Engine)</i>			<i>FL112 (w/Caterpillar C10 Engine)</i>			Pri.		LFF5 LFF5D
BOA91559	Cabin Air	CAF24003 CAF24003XL ¹⁸³ CAF24021	P527682 P153551	Air	LAF1849 ⁷⁴² LAF3551	LF3000 LF670	Oil	LFP3000 LFP670 LFP670XL ¹⁴
	Coolant	LW4076XL ¹⁴	WF2077	Coolant	LFW4685 ²⁴⁹ LFW6500 ⁵⁵⁵	83213D	Power Steering	LP487 ¹⁵⁴²
A0000904251 W/S	Fuel	L5091F ^{721, 722} L9915F	(FS19624); Davco opt. 1R0749 1R0751 (S3226P); W/S	Fuel	L5467FNXL ¹⁴ LFF2749 ²⁰ LFF4783 LFF5850 ²⁵⁴	(17237); Eaton 3.7" O.D.	Trans	HP1
A4721800309	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(5008414); Brake Dryer	Miscellaneous	LFP8654	<i>FL112 (w/Cummins M11 Engine)</i>		
(3280V8394); Axle Axle	Power Steering	LH4101 ³¹¹	1R0716 1R1808	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	P150695	Air	LAF695
	Trans	HP1	87904M	Power Steering	LH4101 ³¹¹	WF2071	Coolant	LFW4071 ²⁸
			(17237); Eaton 3.7" O.D.			(FS1000); W/S	Fuel	LFF1000
						LF3000 LF9009 (3280V8394); Axle Axle	Oil	LFP3000 LFP3000XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
						83213D	Power Steering	LP487 ¹⁵⁴²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 24-4" Sump 28-Contains 1 oz. of chemical 183-Dust and odor filter 208-19" Hgt. 210-w/ Sensor 240-15" Hgt. 242-10 Micron 243-14.25" Hgt. 249-No chemical 250-11.9" Hgt. 254-Optional Racor 255-Contains 3 oz. of chemical 268-Extended/Severe service 275-Primary 311-2.73" Hgt. 555-Extended Life w/ controlled release chemical 599-High capacity 678-w/o Sensor Port 719-OEM Version 720-Value Version 721-2013 722-Kit, contains 3-elements 723-13.9" Hgt. 730-2004 742-15.2" Tall 1496-Alternate 1541-Standard replacemnt 1542-2.72 Inch Tall

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (TRUCK HEAVY DUTY) FREIGHTLINER (TRUCK HEAVY DUTY) FREIGHTLINER (TRUCK HEAVY DUTY)								
FL112 (w/Cummins M11 Engine) (cont'd)			FLA (w/Caterpillar 3406 Engine)			FLA (w/Detroit Diesel 60 Series Engine) (cont'd)		
(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	P153551	Air	LAF3551	(3280V8394); Axle	Miscellaneous	PH253 ¹⁴⁹⁶
FL112 (w/Detroit Diesel 55 Series Engine)			P118047		LAF8047	Axle		PH2835 ²⁷⁵
P527682	Air	LAF1849 ²	P129396		LAF9396	23518480	Oil	LFP2160 ¹⁵⁴¹
(S3226P); W/S	Fuel	LFF5850 ²⁵⁴	WF2077	Coolant	LFW4685 ²⁴⁹			LFP2160TRT ³
(23518481); Pri.		LFP815FN	1R0749	Oil	LFF2749 ²⁰			LFP2160XL ¹⁴
(23518482); Sec.		LFP816FN	(1R0712); Sec.		LFF5823B	23530407		LFP911
23550401	Oil	LFP912	1R0716		LFP4005	83213D	Power Steering	LP487 ¹⁵⁴²
(3280V8394); Axle		PH253 ¹⁴⁹⁶	1R1808		LFP4005RN ⁵⁹⁹	(17237); Eaton 3.7" O.D.	Trans	HP1
Axle		PH2835 ²⁷⁵	(17237); "Eaton 3.7" O.D."	Trans	LFP4005XL ¹⁴			
83213D	Power Steering	LP487 ¹⁵⁴²	(17237); Eaton 3.7" O.D.		PH400 ²⁷⁵	FLA, FLB, FLC (w/ Detroit Diesel 6V71, 8V71, 8V92 engs.)		
(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835			PH8A ¹⁴⁹⁶	P153551	Air	LAF3551
FL112 (w/Mercedes-Benz MBE4000 Engine)			FLA (w/Cummins L10 Engine)					LAF3551MXM ²⁶⁸
P527682	Air	LAF1849 ²	P153551	Air	LAF3551		Fuel	262F
5410900151	Fuel	L8994F	P155842		LAF3551MXM ²⁶⁸			L552F
(ABPN122R50418); W/S		LFF5849	P118047		LAF5842	(23518481); Pri.		L624FP
		LFF5849U ⁶⁴⁹	P129396		LAF8047	(23518482); Sec.		LFP815FN
(5008414); Brake Dryer	Miscellaneous	LFP8654	FF105	Fuel	LAF9396	23530407	Oil	LFP816FN
A0001802909	Oil	LP5048	(FS1212); W/S		LFF5			LFP911
T1808D	Power Steering	LFH4984	LF3000	Oil	LFF8020	FLB (w/Caterpillar 3406 Engine)		
(17237); Eaton 3.7" O.D.	Trans	HP1	LF670		LFP3000	P153551	Air	LAF3551
(29540496); Allison 3000/3500		LH4582G ²⁴	By-Pass		LFP670	P118047		LAF8047
(29540493); Allison 3000/4000		LH4589G ²³	(3280V8394); Axle		LFP777B	P129396		LAF9396
(29545776); Allison 3000/4000		LH4591G ²²				WF2077	Coolant	LFW4685 ²⁴⁹
FL50, FL60 (w/Dodge V10 eng.)			FLA (w/Cummins N14 Engine)			1R0749	Oil	LFF2749 ²⁰
(3280V8394); Axle	Oil	PH253 ¹⁴⁹⁶	P153551	Air	LAF3551	(1R0712); Sec.		LFF5823B
Axle		PH2835 ²⁷⁵	P150695		LAF3551MXM ²⁶⁸	1R0716		LFP4005
FLA (w/Caterpillar 3176 Engine)			(FS1000); W/S	Fuel	LAF695	1R1808		LFP4005RN ⁵⁹⁹
P153551	Air	LAF3551	FF105		LFF1000			LFP4005XL ¹⁴
(FS1000); W/S	Fuel	LFF1000 ¹³	(FS1212); W/S		LFF5	(17237); Optional Eaton/Fuller	Trans	HP1
1R0750		LFF3347	LF3000	Oil	LFF8020	FLB (w/Cummins M11 Engine)		
Sec.		LFP440F	LF670		LFP3000 ³¹³	P531026	Air	LAF2536 ²
1R0716	Oil	LFP4005	By-Pass		LFP670 ⁶⁴³	WF2071	Coolant	LFW4071 ²⁸
1R1808		LFP4005RN ⁵⁹⁹	(3280V8394); Axle		LFP777B	WF2077		LFW4685 ²⁴⁹
		LFP4005XL ¹⁴			PH253 ¹⁴⁹⁶	(FS1000); W/S	Fuel	LFF1000
By-Pass		LFP777B	(17237); Eaton 3.7" O.D.	Trans	PH2835 ²⁷⁵	(FS1212); W/S		LFF8020
FLA (w/Caterpillar 3306 Engine)			FLA (w/Cummins NTC855 Engine)			(FS1242); W/S		LFF90013 ¹⁵⁴³
P153551	Air	LAF3551	P153551	Air	LAF3551	LF3000	Oil	LFP3000
P118047		LAF8047	P150695		LAF3551MXM ²⁶⁸	LF9009		LFP3000XL ¹⁴
(9M-2342); Pri.	Fuel	L3531F	FF105	Fuel	LAF695	(3280V8394); Axle		PH253 ¹⁴⁹⁶
(FS1000); W/S		LFF1000 ¹³	(FS1212); W/S		LFF5	Axle		PH2835 ²⁷⁵
1R0750		LFF3347	LF3000	Oil	LFF8020	83213M	Power Steering	LP5005 ⁴⁵⁸
Sec.		LFP440F	LF670		LFP3000	(17237); Eaton 3.7" O.D.	Trans	HP1
1R0716	Oil	LFP4005	By-Pass		LFP670	FLB (w/Cummins N14 Engine)		
1R1808		LFP4005RN ⁵⁹⁹	(3280V8394); Axle		LFP777B	P531026	Air	LAF2536 ²
		LFP4005XL ¹⁴				P153551		LAF3551
By-Pass		LFP777B				P155842		LAF3551MXM ²⁶⁸
FLA (w/Detroit Diesel 60 Series Engine)			FLA (w/Detroit Diesel 60 Series Engine)			P118047		LAF5842
P531026	Air	LAF2536 ²	P531026	Air	LAF2536 ²	P129396		LAF8047
EAF5106		LAF2536MXM ²⁶⁸	EAF5106		LAF2536MXM ²⁶⁸	FF105	Fuel	LFF5
WF2071	Coolant	LFW4071 ²⁸	WF2071	Coolant	LFW4685 ²⁴⁹	(FS1212); W/S		LFF8020
WF2077		LFW4685 ²⁴⁹	(380087); Davco opt.	Fuel	LFW6500 ⁵⁵⁵	LF3000	Oil	LFP3000
		LFW6500 ⁵⁵⁵	(23518481); Pri.		L3578FN ⁸⁰⁵			
			(23518482); Sec.		LFP815FN			
					LFP816FN			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 13-Optional Frame Mounted 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 249-No chemical 254-Optional Racor 268-Extended/Severe service 275-Primary 313-2 1/4" Thread 458-4.1" Hgt. 555-Extended Life w/ controlled release chemical 599-High capacity 643-1 1/2" Thread 649-1/2" Thread Sensor Port 805-25 micron 1496-Alternate 1541-Standard replacement 1542-2.72 Inch Tall 1543-includes bowl

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (TRUCK HEAVY DUTY)								
<i>FLB (w/Cummins N14 Engine) (cont'd)</i>			<i>FLC (w/Cat. 3306 eng.) (cont'd)</i>			<i>FLC (w/Cummins NTC Series Engine) (cont'd)</i>		
LF670	Oil	LFP670		Oil	LFP4005XL ¹⁴		Air	LAF3551MXM ²⁶⁸
By-Pass		LFP777B	83284D	Power Steering	LH5961 ²⁷²	P150695		LAF695
(17237); Eaton 3.7" O.D.	Trans	HP1			LP5005 ⁴⁵⁸	FF105	Fuel	LFF5
<i>FLB (w/Detroit 60 Series Engine)</i>					HP1	(FS1212); W/S		LFF8020
P531026	Air	LAF2536 ²	(17237); Eaton 3.7" O.D.	Trans	HP1	LF3000	Oil	LFP3000
EAF5106		LAF2536MXM ²⁶⁸	<i>FLC (w/Caterpillar 3406 Engine)</i>			LF670		LFP670
WF2071	Coolant	LFW4071 ²⁸	P141317	Air	LAF1899	By-Pass		LFP777B
WF2077		LFW4685 ²⁴⁹	P153551		LAF3551	<i>FLC (w/Detroit Diesel 60 series engs.)</i>		
		LFW6500 ⁵⁵⁵			LAF3551MXM ²⁶⁸	EAF5069	Air	LAF1849MXM
(380087); Davco opt. (23518481); Pri. (23518482); Sec. 23518480	Fuel	L3578FN ⁸⁰⁵	WF2077	Coolant	LFW4685 ²⁴⁹	P153551		LAF3551MXM ²⁶⁸
		LFP815FN	(382114); Davco opt. (FS1000); W/S 1R0749	Fuel	L5467F ²⁴²	WF2071	Coolant	LFW4071 ²⁸
		LFP816FN	(1R0712); Sec. (FS1212); W/S 1R0716		LFF1000	WF2077		LFW4685 ²⁴⁹
(3280V8394); Axle Axle 83213D	Oil	LFP2160 ¹⁵⁴¹	(FS1000); W/S 1R0749		LFF2749 ²⁰	(380087); Davco opt. (FS19624); Davco opt. (23518481); Pri. (23518482); Sec. (5008414); Brake	Fuel	L3578FN ⁸⁰⁵
		LFP2160TRT ³	(FS1212); W/S 1R0716	Oil	LFF8020	Dryer		L5467FNXL ¹⁴
		LFP2160XL ¹⁴	1R1808		LFP4005	23518480	Miscellaneous	LFP815FN
(3280V8394); Axle Axle 83213D	Power Steering	PH253 ¹⁴⁹⁶			LFP4005RN ⁵⁹⁹			LFP816FN
		PH2835 ²⁷⁵			LFP4005TRT ³			LFP8654
(17237); Eaton 3.7" O.D.	Trans	LP487 ¹⁵⁴²	87904M	Power Steering	LFP4005XL ¹⁴	(5008414); Brake	Oil	LFP2160 ¹⁵⁴¹
<i>FLC (w/Cat. 3176 eng.)</i>					LH4101 ³¹¹	Dryer		LFP2160TRT ³
P153551	Air	LAF3551	(17237); Eaton 3.7" O.D.	Trans	HP1	23518480		LFP2160XL ¹⁴
P181041		LAF3551MXM ²⁶⁸				(3280V8394); Axle Axle 87904M	Power Steering	PH253 ¹⁴⁹⁶
		LAF9086						PH2835 ²⁷⁵
		LAF9086MXM				83213D		LH4101 ³¹¹
WF2073	Coolant	LFW4073 ²⁵⁵	<i>FLC (w/Cummins L10 Engine)</i>					LP487 ¹⁵⁴²
(9M-2342); Pri. (FS1000); W/S 1R0750	Fuel	L3531F	P153551	Air	LAF3551	(17237); Eaton 3.7" O.D.	Trans	HP1
(FS1212); W/S Sec. 1R0716		LFF1000	P155842		LAF3551MXM ²⁶⁸	<i>FLC (w/Mercedes-Benz MBE4000 Engine)</i>		
(FS1212); W/S Sec. 1R0716		LFF3347	P118047		LAF5842	P616400	Air	LAF3234 ¹
		LFF8020	P129396		LAF8047	(P607965); Outer		LAF6265
		LFP440F	FF105	Fuel	LAF9396	36000006	Cabin Air	CAF24016
	Oil	LFP4005	(FS1212); W/S LF3000		LFF5	5410900151	Fuel	L8994F
		LFP4005RN ⁵⁹⁹	LF670	Oil	LFF8020	(ABPN122R50418); W/S		LFF5849
		LFP4005TRT ³	By-Pass		LFP3000			LFF5849U ⁶⁴⁹
		LFP4005XL ¹⁴	<i>FLC (w/Cummins N-14 Engine)</i>					LFF8654
83284D	Power Steering	LH5961 ²⁷²	P527682	Air	LAF1849 ²	(5008414); Brake	Miscellaneous	LFP8654
		LP5005 ⁴⁵⁸	P153551		LAF3551	Dryer		LFP8654
(17237); Eaton 3.7" O.D.	Trans	HP1	22-44665-000	Cabin Air	LAF3551MXM ²⁶⁸	A0001802909	Oil	LP5048
<i>FLC (w/Cat. 3306 eng.)</i>					CAF24004	T1808D	Power Steering	LFH4984
P153551	Air	LAF3551	(FS1000); W/S FF105	Coolant	LFW6500 ⁵⁵⁵	(17237); Eaton 3.7" O.D.	Trans	HP1
P181041		LAF3551MXM ²⁶⁸	(FS1212); W/S LF3000			O.D.		LH4582G ²⁴
		LAF9086	LF9009	Oil	LFF1000	29540496		LH4589G ²³
		LAF9086MXM	LF670		LFF5	(29540493); Allison 3000/4000		LH4591G ²²
WF2077	Coolant	LFW4685 ²⁴⁹	By-Pass		LFF8020	(29545776); Allison 3000/3500		
(9M-2342); Pri. (2568753); W/S FS1201	Fuel	L3531F	83213D	Power Steering	LFP3000 ³¹³	<i>FLC112 (w/Caterpillar C12 Engine)</i>		
(2568753); W/S FS1201		LFF1131			LFP3000XL ^{14, 313}	EAF5069	Air	LAF1849MXM ²⁶⁸
(2568753); W/S FS1201		LFF1201			LFP670 ⁶⁴³	WF2071	Coolant	LFW4071 ²⁸
(2568753); W/S FS1201		LFF3347			LFP777B	1R0749	Fuel	LFF2749 ²⁰
(2568753); W/S FS1201		LFP440F			LP487 ¹⁵⁴²	(5008414); Brake	Miscellaneous	LFP8654
	Oil	LFP4005	<i>FLC (w/Cummins NTC Series Engine)</i>			Dryer		
		LFP4005RN ⁵⁹⁹	P153551	Air	LAF3551	1R0716	Oil	LFP4005
		LFP4005TRT ³						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 242-10 Micron 249-No chemical 255-Contains 3 oz. of chemical 268-Extended/Severe service 272-4" OD 275-Primary 311-2.73" Hgt. 313-2 1/4" Thread 458-4.1" Hgt. 555-Extended Life w/ controlled release chemical 599-High capacity 643-1 1/2" Thread 649-1/2" Thread Sensor Port 805-25 micron 1496-Alternate 1541-Standard replacemnt 1542-2.72 Inch Tall

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (TRUCK HEAVY DUTY) FREIGHTLINER (TRUCK HEAVY DUTY) FREIGHTLINER (TRUCK HEAVY DUTY)								
<i>FLC112 (w/Caterpillar C12 Engine) (cont'd)</i>			<i>FLD (w/Cat. C16 eng.)</i>			<i>FLD (w/Caterpillar 3406E Engine) (cont'd)</i>		
1R1808 (3280V8394); Axle Axle 87904M 83213D	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ LH4101 ³¹¹ LP487 ¹⁵⁴²	P153551 P537355 WF2077 (FS1000); W/S 1R0749 bowll (ABPN122R50418); W/S (FS1212); W/S Pri. (5008414); Brake Dryer 1R0716 1R1808 (3280V8394); Axle Axle 87904M (17237); Eaton 3.7" O.D.	Air Coolant Fuel Oil Power Steering Trans	LAF3551 LAF3551MXM ²⁶⁸ LAF6681 LFW4685 ²⁴⁹ LFF1000 LFF2749 ²⁰ LFF3579U ⁶⁸⁹ LFF5849 LFF8020 LFF8707U ⁶⁸⁹ LFP8654 LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ LH4101 ³¹¹ HP1	P534816 WF2075 (9M-2342); Pri. (FS1000); W/S 1R0749 (1R0712); Sec. (5008414); Brake Dryer 1R0716 1R1808 83213D (17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Air Coolant Fuel Oil Power Steering Trans	LAF4816 ² LAF4816MXM ² LFW4075 ⁶⁴⁴ L3531F LFF1000 LFF2749 ²⁰ LFF5823B LFP8654 LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ LP487 ¹⁵⁴² LP5005 ⁴⁵⁸ HP1 PH2835
<i>FLC112 (w/Cummins M11 eng.)</i>			<i>FLD (w/Caterpillar 3176 Engine)</i>			<i>FLD (w/Caterpillar C10 Engine)</i>		
P153551 P154575 P150695 WF2071 (382114); Davco opt. (FS19624); Davco opt. (FS1000); W/S R90P (R90P); W/S LF3000 LF9009 (3280V8394); Axle Axle 83213D (4304827); Eaton/Fuller 3" O.D.	Air Coolant Fuel Oil Power Steering Trans	LAF3551 LAF4575 LAF695 LFW4071 ²⁸ L5467F ²⁴² L5467FNXL ¹⁴ LFF1000 LFF8038 ¹⁵⁴⁵ LFF8064 LFP3000 LFP3000XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ LP487 ¹⁵⁴² PH2835	P153551 P154575 WF2075 (9M-2342); Pri. (1R0712); Sec. (FS1212); W/S 1R0716 1R1808 83213D (17237); Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Air Coolant Fuel Oil Power Steering Trans	LAF3551 LAF4575 LAF695 LFW4075 ⁶⁴⁴ LFW6500 ⁵⁵⁵ L3531F LFF5823B LFF8020 LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ LP487 ¹⁵⁴² LP5005 ⁴⁵⁸ HP1 PH2835	P522293 P537355 WF2077 (9M-2342); Pri. 1R0749 W/S (1R0712); Sec. (5008414); Brake Dryer 1R0716 1R1808 By-Pass 87904M (17237); Eaton 3.7" O.D.	Air Coolant Fuel Oil Power Steering Trans	LAF1770 LAF6681 LFW4685 ²⁴⁹ LFW6500 ⁵⁵⁵ L3531F LFF2749 ²⁰ LFF3579U ⁶⁸⁹ LFF4783 LFF5823B LFP8654 LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B LH4101 ³¹¹ HP1
<i>FLC112 (w/Cummins M-11 Engine)</i>			<i>FLD (w/Caterpillar 3306 Engine)</i>			<i>FLD (w/Caterpillar C11 Engine)</i>		
P153551 P154575 P150695 WF2071 (382114); Davco opt. (FS19624); Davco opt. (FS1000); W/S R90P (R90P); W/S LF3000 LF9009 (3280V8394); Axle Axle 83213D (4304827); Eaton/Fuller 3" O.D.	Air Coolant Fuel Oil Power Steering Trans	LAF3551 LAF4575 LAF695 LFW4071 ²⁸ L5467F ²⁴² L5467FNXL ¹⁴ LFF1000 LFF8038 ¹⁵⁴⁵ LFF8064 LFP3000 LFP3000XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ LP487 ¹⁵⁴² PH2835	P153551 P154575 WF2075 (9M-2342); Pri. (FS1000); W/S (2568753); W/S 1R1740 1R0750 1R0739 1R0716 5S0484	Air Coolant Fuel Oil	LAF3551 LAF4575 LAF695 LFW4075 ⁶⁴⁴ LFW6500 ⁵⁵⁵ L3531F ⁴¹ LFF1000 LFF1131 ⁷⁴⁴ LFF1201 ⁷⁴⁵ LFF3347 ⁵⁸⁷ LFP3191 ²⁹ LFP4005 ⁶⁴³ LP161 ⁴¹	P153551 P522293 P537355 WF2077 (9M-2342); Pri. 1R0749	Air Fuel Coolant Fuel	LAF3551 ⁷⁴⁶ LAF8002 ⁷⁴⁷ L3531F LFF1000 LFF2749 ²⁰ LFF5823B LFP4005 LFP4005RN ⁵⁹⁹ LAF1770 LAF6681 LFW4685 ²⁴⁹ LFW6500 ⁵⁵⁵ L3531F LFF2749 ²⁰
<i>FLC112 (w/Cummins N14 eng.)</i>			<i>FLD (w/Caterpillar 3406E Engine)</i>			<i>FLD (w/Caterpillar C12 Engine)</i>		
P153551 WF2075 (FS1000); W/S (FS1212); W/S LF3000 LF9009 83213D (17237); Eaton 3.7" O.D.	Air Coolant Fuel Oil Power Steering Trans	LAF3551 LAF3551MXM ²⁶⁸ LFW4075 ⁶⁴⁴ LFF1000 LFF8020 LFP3000 LFP3000XL ¹⁴ LP487 ¹⁵⁴² HP1	P153551 (9M-2342); Pri. (FS1000); W/S (2568753); W/S 1R1740 1R0750 1R0739 1R0716 5S0484	Air Fuel Oil	LAF3551 LAF3551MXM ²⁶⁸ L3531F ⁴¹ LFF1000 LFF1131 ⁷⁴⁴ LFF1201 ⁷⁴⁵ LFF3347 ⁵⁸⁷ LFP3191 ²⁹ LFP4005 ⁶⁴³ LP161 ⁴¹	P153551 P522293 P537355 WF2077 (9M-2342); Pri. 1R0749	Air Fuel Coolant Fuel	LAF3551 ⁷⁴⁶ LAF8002 ⁷⁴⁷ L3531F LFF1000 LFF2749 ²⁰ LFF5823B LFP4005 LFP4005RN ⁵⁹⁹ LAF1770 LAF6681 LFW4685 ²⁴⁹ LFW6500 ⁵⁵⁵ L3531F LFF2749 ²⁰

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 29-1 1/8" Thread 41-Cartridge
 242-10 Micron 249-No chemical 268-Extended/Severe service 275-Primary 311-2.73" Hgt. 458-4.1" Hgt. 555-Extended Life w/ controlled release chemical
 587-Spin-on 599-High capacity 643-1 1/2" Thread 644-Contains 6 oz. of chemical 689-Bowless 744-Box type 745-Cartridge water separator 746-Conical
 shaped 747-Disposable housing 1496-Alternate 1542-2.72 Inch Tall 1545-has 9/16-18 sensor port

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (TRUCK HEAVY DUTY)								
<i>FLD (w/Caterpillar C12 Engine) (cont'd)</i>			<i>FLD (w/Caterpillar C15 Engine) (cont'd)</i>			<i>FLD (w/Cummins ISM Engine)</i>		
W/S 1R0751 (1R0712); Sec. (5008414); Brake Dryer	Fuel	LFF3579U ⁶⁸⁹ LFF4783 LFF5823B	Axle 87904M	Oil Power Steering	PH2835 ²⁷⁵ LH4101 ³¹¹	P527682 EAF5069 P153551	Air	LAF1849 ² LAF1849MXM ²⁶⁸ LAF3551 LAF3551MXM ²⁶⁸ LAF4575
1R0716 1R1808	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B	(17237); Eaton 3.7" O.D.	Trans	HP1	P154575 (380087); Davco opt. (382114); Davco opt. (FS1000); W/S (FS1003); W/S LF9080	Fuel	L3578FN ⁷⁴¹ L5467F ²⁴² LFF1000 LFF1003 ²⁰⁹
By-Pass 87904M	Power Steering	LH4101 ³¹¹	1R0749 W/S	Fuel	LFF2749 ²⁰ LFF3579U ⁶⁸⁹ LFF4783 LFF5849	LF14000NN T1808D	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
(17237); Eaton 3.7" O.D.	Trans	HP1	1R0751 (ABPN122R50418); W/S	Miscellaneous	LFF5849U ⁶⁴⁹ LFF8011 LFP8654	(17237); Eaton 3.7" O.D.	Power Steering	LFH4984 LP5005 ⁴⁵⁸
<i>FLD (w/Caterpillar C13 Engine)</i>			<i>FLD (w/Caterpillar C16 Engine)</i>			<i>FLD (w/Cummins ISX Engine)</i>		
P522293 P537355 WF2077	Air	LAF1770 LAF6681	(23516189); W/S (5008414); Brake Dryer	Miscellaneous	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ LH4101 ³¹¹	P153551 P534816	Air	LAF3551 LAF3551MXM ²⁶⁸ LAF4816 ² LAF4816MXM ² LAF6684
1R0749 W/S 1R0751 (ABPN122R50418); W/S	Fuel	LFF2749 ²⁰ LFF3579U ⁶⁸⁹ LFF4783 LFF5849 LFF5849U ⁶⁴⁹ LFF8011	1R0716 1R1808	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ LH4101 ³¹¹	WF2126 (382114); Davco opt. (FS19624); Davco opt. (FS1000); W/S (FS1007); W/S (5008414); Brake Dryer	Coolant	LFW2126 ²⁵⁵
(23516189); W/S (5008414); Brake Dryer	Miscellaneous	LFP8654	(3280V8394); Axle Axle 87904M	Power Steering	LH4101 ³¹¹	(382114); Davco opt. (FS19624); Davco opt. (FS1000); W/S (FS1007); W/S (5008414); Brake Dryer	Fuel	L5467F ²⁴² L5467FNXL ¹⁴ LFF1000 LFF1007 ²¹⁰
1R0716 1R1808	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ LH4101 ³¹¹	(17237); Eaton 3.7" O.D.	Trans	HP1	(5008414); Brake Dryer	Miscellaneous	LFP8654
(3280V8394); Axle Axle	Power Steering	LH4101 ³¹¹	<i>FLD (w/Cummins 4B Series eng.)</i>			LF9070	Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723} LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
87904M	Power Steering	LH4101 ³¹¹	P153551	Air	LAF3551 LAF8002 ⁷⁴⁷	LF9080	Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723} LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
(17237); Eaton 3.7" O.D.	Trans	HP1	(3903640); Sec. (FS1251); W/S	Fuel	LFF3521 LFF8062	LF14000NN 83213D	Power Steering	LP487 LP5005 ⁴⁵⁸
<i>FLD (w/Caterpillar C15 Engine)</i>			<i>FLD (w/Cummins ISB Engine)</i>			<i>FLD (w/Cummins ISX Engine)</i>		
P522293 P537355 WF2077	Air	LAF1770 LAF6681	(FF5632); Sec.	Fuel	LFF5632	(17237); Eaton 3.7" O.D.	Trans	HP1
1R0749 W/S 1R0751 (ABPN122R50418); W/S	Coolant	LFW4685 ²⁴⁹ LFW6500 ⁵⁵⁵	LF3970 LF6015	Oil	LFP3970 LFP6015	<i>FLD (w/Cummins L10 Engine)</i>		
(23516189); W/S (5008414); Brake Dryer	Fuel	LFF2749 ²⁰ LFF3579U ⁶⁸⁹ LFF4783 LFF5849 LFF5849U ⁶⁴⁹ LFF8011	P153551	Air	LAF3551 LAF3551MXM ²⁶⁸	P153551	Air	LAF3551 LAF8002 ⁷⁴⁷
1R0716 1R1808	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ PH253 ¹⁴⁹⁶	WF2071 WF2077	Coolant	LFW4071 ²⁸ LFW4685 ²⁴⁹ LFW6500 ⁵⁵⁵	FF105 Pri.	Fuel	L2020FN ²⁵⁴ LFF5 LFF5D LFW6500 ⁵⁵⁵
(3280V8394); Axle	Miscellaneous	LFP8654	FS1022 (FS1065); W/S (FF5636); Sec.	Fuel	LFF1022 LFF1065 ²¹⁰ LFF5488	LF3000 LF9009 LF670	Oil	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴
	Power Steering	LH4101 ³¹¹	87904M	Power Steering	LH4101 ³¹¹ LP5005 ⁴⁵⁸	By-Pass By-Pass	Power Steering	LP5005 ⁴⁵⁸
	Trans	HP1	(17237); Eaton 3.7" O.D.	Trans	HP1			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 209-Square sensor port 210-w/
 Sensor 242-10 Micron 249-No chemical 250-11.9" Hgt. 254-Optional Racor 255-Contains 3 oz. of chemical 268-Extended/Severe service 275-Primary
 311-2.73" Hgt. 458-4.1" Hgt. 555-Extended Life w/ controlled release chemical 599-High capacity 649-1/2" Thread Sensor Port 689-Bowless 723-13.9" Hgt.
 741-Extended life version [L3578FXL], High Efficiency version [L5467F]. 747-Disposable housing 1496-Alternate

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (TRUCK HEAVY DUTY) FREIGHTLINER (TRUCK HEAVY DUTY) FREIGHTLINER (TRUCK HEAVY DUTY)								
<i>FLD (w/Cummins L10 Engine) (cont'd)</i>			<i>FLD (w/Cummins Signature 600 Engine) (cont'd)</i>			<i>FLL (w/Caterpillar 3176 Engine) (cont'd)</i>		
(17237); Eaton 3.7" O.D.	Trans	HP1	LF14000NN	Oil	LFP9001XL ^{14, 250}		Oil	LFP4005TRT ³ LFP4005XL ¹⁴
<i>FLD (w/Cummins M11 Engine)</i>			83213D	Power Steering	LP487 ¹⁵⁴²	Allison 540	Trans	LFP5570
P153551	Air	LAF3551			LP5005 ⁴⁵⁸	<i>FLL (w/Caterpillar 3406 Engine)</i>		
	Fuel	L2020FN-30 ²⁵⁴ L3578FN ⁷⁴¹ L3578FN ⁸⁰⁵ LFF1000	(17237); Eaton 3.7" O.D.	Trans	HP1	P142100	Air	LAF2100
(380087); Davco opt. (FS1000); W/S			<i>FLD (w/Detroit Diesel 60 Series Engine)</i>			P118047		LAF8047
LF3000	Oil	LFP3000	EAF5069	Air	LAF1849MXM ²⁶⁸	P129396		LAF9396
LF9009		LFP3000XL ¹⁴	P153551		LAF3551	(9M-2342); Pri.	Fuel	L3531F
(3280V8394); Axle		PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	WF2071	Coolant	LAF3551MXM ²⁶⁸	1R0749		LFF2749 ²⁰
Axle		LP5005 ⁴⁵⁸	WF2077		LFW4071 ²⁸	(1R0712); Sec.		LFF5823B
	Power Steering		(380087); Davco opt. (FS19624); Davco opt. (23518481); Pri. (23518482); Sec. (5008414); Brake Dryer	Fuel	LFW4685 ²⁴⁹	1R0739	Oil	LFP3191
(17237); Eaton 3.7" O.D.	Trans	HP1	23518480	Miscellaneous	L3578FN ⁸⁰⁵ L5467FNXL ¹⁴ LFP815FN LFP816FN	1R0716		LFP3191TRT ³ LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
<i>FLD (w/Cummins N14 eng.)</i>					LFP8654	<i>FLL (w/Cummins 6C8.3 Engine)</i>		
P153551	Air	LAF3551	(5008414); Brake Dryer		LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴	P124046	Air	LAF1814
P534816		LAF4816 ² LAF4816MXM ² LAF8002 ⁷⁴⁷	23518480	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	P118047		LAF8047
(382114); Davco opt. (FS1000); W/S	Fuel	L5467F ²⁴² LFF1000 ⁷⁴⁹ LFF5D LFF8020 ⁷⁵⁰	(3280V8394); Axle		LH4101 ³¹¹	P129396		LAF9396
Pri. (FS1212); W/S (5008414); Brake Dryer	Miscellaneous	LFP8654	87904M	Power Steering	LP487 ¹⁵⁴²	(3925274); Pri. (3903640); Sec.	Fuel	LFF3417 LFF3521
LF3000	Oil	LFP3000	83213D			LF3000	Oil	LFP3000 ³¹³
LF9009		LFP3000XL ¹⁴	(17237); Eaton 3.7" O.D.	Trans	HP1	LF9009		LFP3000XL ^{14, 313}
LF670		LFP670	<i>FLD (w/Mercedes-Benz MBE4000 Engine)</i>			LF670		LFP670
By-Pass (3280V8394); Axle		LFP670XL ¹⁴	P616400	Air	LAF3234 ¹	By-Pass		LFP670XL ¹⁴ LFP777B
Axle		LFP777B	(P607965); Outer		LAF6265	<i>FLL (w/Cummins M11 Engine)</i>		
	Power Steering	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ LP5005 ⁴⁵⁸	5410900151	Fuel	L8994F LFF5849	382114	Fuel	L5467F ²⁴² LFF1000
(17237); Eaton 3.7" O.D.	Trans	HP1	(ABPN122R50418); W/S		LFF5849U ⁶⁴⁹	(FS1000); W/S	Oil	LFP3000
<i>FLD (w/Cummins Signature 600 Engine)</i>			(5008414); Brake Dryer	Miscellaneous	LFP8654	LF3000		LFP3000
P153551	Air	LAF3551	A0001802909	Oil	LP5048	LF9009		LFP3000XL ^{14, 313}
P534816		LAF3551MXM ²⁶⁸	T1808D	Power Steering	LFH4984	LF670		LFP670
		LAF4816 ² LAF4816MXM ² LAF6684	(17237); Eaton 3.7" O.D.	Trans	HP1	By-Pass		LFP670XL ¹⁴ LFP777B
WF2125	Coolant	LFW2125 ⁵⁵⁵	29540496		LH4582G ²⁴ LH4589G ²³	<i>FLL (w/Detroit Diesel 50 Series Engine)</i>		
WF2126		LFW2126 ²⁵⁵	(29540493); Allison 3000/4000		LH4591G ²²	P124046	Air	LAF1814
WF2127		LFW2127 ^{14, 249}	(29545776); Allison 3000/4000			P118047		LAF8047
(382114); Davco opt. (FS19624); Davco opt. (FS1000); W/S (FS1007); W/S (5008414); Brake Dryer	Fuel	L5467F ²⁴² L5467FNXL ¹⁴ LFF1000 LFF1007 ²¹⁰	<i>FLL (w/Caterpillar 3176 Engine)</i>			P129396		LAF9396
	Miscellaneous	LFP8654	P142100	Air	LAF2100	(23535985); W/S (23516189); W/S (23518481); Pri. (23518482); Sec. 23518480	Fuel	LFF8010 LFF8011 LFP815FN LFP816FN
LF9070	Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723}	P118047		LAF8047			LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴
LF9080		LFP9001 ²⁵⁰ LFP9001TRT ³	P129396		LAF9396	<i>FLL (w/Detroit Diesel 60 Series Engine)</i>		
			(9M-2342); Pri. 1R0750	Fuel	L3531F LFF3347	P142100	Air	LAF2100
			Sec. 1R0716	Oil	LFP440F LFP4005	P129396		LAF9396

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 210-w/ Sensor 242-10 Micron 249-No chemical 250-11.9" Hgt. 254-Optional Racor 255-Contains 3 oz. of chemical 268-Extended/Severe service 275-Primary 311-2.73" Hgt. 313-2 1/4" Thread 458-4.1" Hgt. 555-Extended Life w/ controlled release chemical 649-1/2" Thread Sensor Port 723-13.9" Hgt. 741-Extended life version [L3578FXL], High Efficiency version [L5467F]. 747-Disposable housing 749-12/95 on 750-From 12/95 751--1996 752-1996- 805-25 micron 1496-Alternate 1541-Standard replacemnt 1542-2.72 Inch Tall

On-Highway Applications



F

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (TRUCK HEAVY DUTY) FREIGHTLINER (TRUCK HEAVY DUTY) FREIGHTLINER (TRUCK HEAVY DUTY)								
<i>FLM (w/Detroit Diesel 60 Series Engine) (cont'd)</i>			<i>FLT (w/Cummins N14 Engine)</i>			<i>M2 (w/Cat. C13 eng.) (cont'd)</i>		
(23535985); W/S (23518481); Pri. (23518482); Sec.	Air	LFP2160TRT ³	P153551	Air	LAF3551	(FS1000); W/S	Fuel	LFF1000
	Fuel	LFF8010 LFP815FN LFP816FN	P534816		LAF4816 ² LAF4816MXM ² LAF8002 ⁷⁴⁷	1R0749 1R0751 (S3226T); W/S		LFF2749 ²⁰ LFF4783 LFF5851U ⁶⁷⁸ LFF8030
23518480	Miscellaneous	LFP911XL ¹⁴	(382114); Davco opt. (FS1000); W/S	Fuel	L5467F ²⁴²	W/S		LFF8038 ¹⁵⁴⁵ LFF8064
	Oil	LFP2160 ¹⁵⁴¹ LFP2160XL ¹⁴ LFP777B LFP911	Pri. (FS1212); W/S		LFF1000 ⁷⁴⁹ LFF5D LFF8020 ⁷⁵³	R90P (R90P); W/S		LFP4005 ⁷⁵⁵ LFP4005TRT ³ LFP4005XL ^{14, 754}
By-Pass 23530407			LF3000 LF9009 LF670	Oil	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ LP5005 ⁴⁵⁸	1R0716	Oil	
<i>FLM (w/Detroit Diesel 6V-92 Engine)</i>			<i>FLT (w/Cummins VT903 Engine)</i>			<i>M2 (w/Cat. C9, C11 eng.)</i>		
P142100	Air	LAF2100	Pri.	Fuel	LFF5D	WF2071	Coolant	LFW4071 ²⁸
P118047		LAF8047	(FS1212); W/S		LFF8020 ⁷⁵³	1R0749	Fuel	LFF2749 ²⁰
P129396		LAF9396	LF670	Oil	LFP670	1R0751		LFF4783
(23535985); W/S (23518481); Pri. (23518482); Sec.	Fuel	LFF8010 LFP815FN LFP816FN	By-Pass (3280V8394); Axle		LFP777B	W/S		LFF8030
By-Pass 23530407	Oil	LFP777B LFP911		Power Steering	LP5005 ⁴⁵⁸	R90P (R90P); W/S		LFF8038 ¹⁵⁴⁵ LFF8064
<i>FLT (w/Caterpillar 3306 Engine)</i>			<i>FLT (w/Detroit Diesel 60 Series Engine)</i>			<i>M2 (w/Cat. C9, C11 eng.)</i>		
(9M-2342); Pri.	Fuel	L3531F	Pri.	Fuel	LFF5D	WF2071	Coolant	LFW4071 ²⁸
1R0750		LFF3347	(FS1212); W/S		LFF8020 ⁷⁵³	1R0749	Fuel	LFF2749 ²⁰
Sec.		LFP440F	LF670	Oil	LFP670	1R0751		LFF4783
1R0716	Oil	LFP4005	By-Pass		LFP777B	W/S		LFF8030
5S0484		LP161				R90P (R90P); W/S		LFF8038 ¹⁵⁴⁵ LFF8064
<i>FLT (w/Caterpillar 3406 Engine)</i>			<i>FLT (w/Detroit Diesel 60 Series Engine)</i>			<i>M2 (w/Cat. C9, C11 eng.)</i>		
P141317	Air	LAF1899	P142100	Air	LAF2100	1R0716	Oil	LFP4005 ⁷⁵⁵
P153551		LAF3551 LAF3551MXM ²⁶⁸	P129396		LAF9396 LFP2160TRT ³			LFP4005TRT ³ LFP4005XL ^{14, 754}
WF2071	Coolant	LFW4071 ²⁸	(23535985); W/S (23518481); Pri. (23518482); Sec.	Fuel	LFF8010 LFP815FN LFP816FN	(29540496); Allison 3000/3500 (29540493); Allison 3000/3500 (29545776); Allison 3000/3500	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²
(382114); Davco opt. (FS1000); W/S	Fuel	L5467F ²⁴²		Miscellaneous	LFP911XL ¹⁴	29545776		
1R0749		LFF1000 LFF2749 ²⁰ LFF5823B LFF8020	23518480	Oil	LFP2160 ¹⁵⁴¹ LFP2160XL ¹⁴ LFP777B LFP911			
(1R0712); Sec. (FS1212); W/S			By-Pass 23530407			<i>M2 (w/Caterpillar C-13 Engine)</i>		
1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴				WF2071	Coolant	LFW4071 ²⁸
1R1808			<i>FLT (w/Detroit Diesel 6V-92 Engine)</i>			1R0749	Fuel	LFF2749 ²⁰
	Power Steering	LH4101 ³¹¹ LP5005 ⁴⁵⁸	P142100	Air	LAF2100	1R0751		LFF4783
(17237); Eaton 3.7" O.D.	Trans	HP1	P118047		LAF8047	(S3226T); W/S		LFF5851U ⁶⁷⁸ LFF8038 ¹⁵⁴⁵ LFF8064
<i>FLT (w/Cummins KT1150 Engine)</i>			P129396		LAF9396	R90P (R90P); W/S		LFP4005 ⁷⁵⁵ LFP4005TRT ³ LFP4005XL ^{14, 754}
Pri.	Fuel	LFF5D LFF8020 ⁷⁵³	(23535985); W/S (23518481); Pri. (23518482); Sec.	Fuel	LFF8010 LFP815FN LFP816FN	1R0716	Oil	LFP4005 ⁷⁵⁵ LFP4005TRT ³ LFP4005XL ^{14, 754}
LF670	Oil	LFP670 LFP777B	By-Pass 23530407		LFP777B LFP911	(29540496); Allison 3000/3500 (29540493); Allison 3000/3500 (29545776); Allison 3000/4000	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²
By-Pass			<i>M2 (w/Cat. C13 eng.)</i>			<i>M2 (w/Cummins ISL Engine)</i>		
<i>FLT (w/Cummins L10 Engine)</i>			(5008414); Brake Dryer	Miscellaneous	LFP8654	P616400	Air	LAF3234 ¹
Pri.	Fuel	LFF5D LFF8020	(3280V8394); Axle	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(P607965); Outer		LAF6265
(FS1212); W/S			Axle			36000006	Cabin Air	CAF24016
LF3000	Oil	LFP3000	Allison 1000/2000	Trans	LFH8737	36000006		CAF24016XL ¹⁸³
LF670		LFP670 LFP777B	P548070	Air	LAF3233 ² LAF3234 ¹	(FF5636); Sec. (5008414); Brake Dryer	Fuel	LFF5488
By-Pass			P616400		CAF24016 CAF24016XL ¹⁸³		Miscellaneous	LFP8654
			36000006	Cabin Air				
			WF2071	Coolant	LFW4071 ²⁸			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 183-Dust and odor filter 242-10 Micron 268-Extended/Severe service 275-Primary 311-2.73" Hgt. 458-4.1" Hgt. 599-High capacity 678-w/o Sensor Port 747-Disposable housing 749-12/95 on 753-Up to 12/95 754-1/04-on 755-From 1/2004 1496-Alternate 1541-Standard replacemnt 1545-has 9/16-18 sensor port

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FREIGHTLINER (TRUCK HEAVY DUTY)			FREIGHTLINER (TRUCK HEAVY DUTY)			FRIGIKING (REFRIGERATION UNIT)		
<i>M2 (w/Cummins ISL Engine) (cont'd)</i>			<i>M2 w/Detroit Diesel DD13 Engine) (cont'd)</i>			<i>VA3 (w/Ford 220 Diesel Engine) (cont'd)</i>		
LF9009	Oil	LFP3000XL ¹⁴	(29540496); Allison	Trans	LH4582G ²⁴	Models w/Ford 4-172 eng.	Oil	LFP2258
T1808D	Power Steering	LFH4984	(29540493); Allison		LH4589G ²³	C7TZ-6731-A		LP70V
(29526898); Allison	Trans	LH4582G ²⁴	3000/3500		LH4591G ²²	EPN-6731-B		P772
(29540493); Allison		LH4589G ²³	3000/3500		PH2835	FULLER (TRANSMISSION)		
(29545776); Allison		LH4591G ²²	3000/35000			<i>L-1520, L-1550</i>		
(29545776); Allison			3000/35000			A-1781	Breather	LAF200 ⁶⁴⁵
						A-2155	Trans	P2
<i>M2 (w/Cummins ISL G Engine)</i>			<i>M2 w/Mercedes MBE4000 eng.</i>			<i>R11, R35</i>		
P616400	Air	LAF3234 ¹	P527682	Air	LAF1849 ²	A-1781	Breather	LAF200 ⁷⁶⁰
(P607965); Outer		LAF6265	P548070		LAF3233 ²	<i>R115D, 1160, 1750</i>		
36000006	Cabin Air	CAF24016	P616400	Cabin Air	LAF3234 ¹	A-1781	Breather	LAF200 ⁶⁴⁵
		CAF24016XL ¹⁸³	36000006		CAF24016	A-2155	Trans	P2
	Fuel	LFF5080 ⁶⁴⁷	WF2077	Coolant	CAF24016XL ¹⁸³	<i>R115D, R660, R630D, R960</i>		
(5008414); Brake	Miscellaneous	LFP8654	(382114); Davco opt.	Fuel	LFW4685 ²⁴⁹	A1781	Breather	LAF200 ⁷⁶⁰
Dryer			(FS19624); Davco opt.		L5467F ²⁴²	<i>R1160, R1550, R1750</i>		
LF9009	Oil	LFP3000XL ¹⁴	(5410900151)		L5467FNXL ¹⁴	A1781	Breather	LAF200 ⁶⁴⁵
T1808D	Power Steering	LFH4984	(S3226P); W/S		L8994F	A2471	Trans	LP151
(29540496); Allison	Trans	LH4582G ²⁴	(S3226T); W/S		LFF5849U ⁶⁴⁹	A2155		P2
(29540493); Allison		LH4589G ²³	(5008414); Brake	Miscellaneous	LFF5850 ²⁴⁷	<i>R46, R63, R96</i>		
(29545776); Allison		LH4591G ²²	Dryer		LFF5851 ²⁴²	A-1781	Breather	LAF200 ⁶⁴⁵
(29545776); Allison			A0001802909	Oil	LFP8654	A-2155	Trans	P2
			(3280V8394); Axle		LP5048	<i>RA63, RA96, RA660, RA960</i>		
			Axle		PH253 ¹⁴⁹⁶	A-1781	Breather	LAF200 ⁷⁶⁰
			(17237); Eaton 3.7" O.D.	Trans	PH2835 ²⁷⁵	<i>RM1750</i>		
			(29540496); Allison		HP1	A-2471	Trans	LP151
			3000/3500		LH4582G ²⁴	<i>RT-910, RTO-915, 4A-112, 5A-1120, 5F-1220</i>		
			(29540493); Allison		LH4589G ²³	A-1781	Breather	LAF200 ⁶⁴⁵
			3000/3500		LH4591G ²²	A-2155	Trans	P2
			(29545776); Allison			<i>RTO 9530</i>		
			3000/35000			A-1781	Breather	LAF200 ⁷⁶⁰
			(29545776); Allison			<i>RTO-9513</i>		
			3000/35000			A1781	Breather	LAF200 ⁶⁴⁵
<i>M2 (w/Cummins L9 engine)</i>			<i>Sprinter (w/612LACD164 eng.)</i>			FWD (TRUCK HEAVY DUTY)		
P607965	Air	LAF3233 ²⁷⁵		Fuel	L3995F	<i>Models (w/Continental S-6820-83 Engine)</i>		
P616400		LAF3234 ²⁴⁴		Fuel	L3973F	228468	Hydraulic	LH4914
36000006	Cabin Air	CAF24016	(29540496); Allison	Air	LAF8996	<i>Models (w/Detroit Diesel Engine)</i>		
36000006		CAF24016XL ¹⁸³	3000/3500	Cabin Air	CAF7798 ¹⁸³	P119297	Air	LAF9297
(5008414); Brake	Miscellaneous	LFP8654	(29540493); Allison	Oil	P8153	<i>Models with Fuller tran.</i>		
Dryer			3000/3500		P985	A-1781	Breather	LAF200 ⁶⁴⁵
LF9009	Oil	LFP3000XL ¹⁴	(29545776); Allison			GATES (AUXILIARY POWER UNIT)		
(29526898); Allison	Trans	LH4582G ²⁴	3000/35000			<i>CabRunner (w/Yanmar Engine)</i>		
(29540493); Allison		LH4589G ²³				P822686	Air	LAF8388 ²
(29545776); Allison		LH4591G ²²				11930535151	Oil	PH2876
						GEN STAR (AUXILIARY POWER UNIT)		
						<i>Gen Star 4500 (w/Caterpillar 0.5 Engine)</i>		
						1504140	Fuel	L3541F
							Oil	LFP2253
						<i>Gen Star 6000 (w/Lombardini LDW702 Engine)</i>		
						21751640	Air	LAF8792
							Fuel	FP586F
						1072175117	Oil	PH3942
						GILLIG (BUS HEAVY DUTY)		
						<i>City Transit (w/Cummins M11 Engine)</i>		
						WF2071	Coolant	LFW4071 ²⁸

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical
 41-Cartridge 183-Dust and odor filter 239-2013- 242-10 Micron 244-Secondary 247-30 Micron 249-No chemical 275-Primary 645-Air Shift 647-Natural Gas
 649-1/2" Thread Sensor Port 719-OEM Version 720-Value Version 721--2013 722-Kit, contains 3-elements 760-RSC 1496-Alternate

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GILLIG (BUS HEAVY DUTY)			GILLIG (BUS HEAVY DUTY)			GMC (BUS HEAVY DUTY)		
<i>City Transit (w/Cummins M11 Engine) (cont'd)</i>			<i>Phantom (w/Cummins ISC Engine) (cont'd)</i>			<i>B6P School Bus Chassis (w/366 Gas Engine) (cont'd)</i>		
(FS1212); W/S	Fuel	LFF8020	LF9009	Oil	LFP3000XL ¹⁴	25010754	Oil	PH832 ⁷
LF3000	Oil	LFP3000 ¹⁵	<i>Phantom (w/Cummins ISM engine)</i>			25011122	Trans	LFP5570
LF9009		LFP3000XL ¹⁴	P151097	Air	LAF9396	Allison 540		T112 ⁶
<i>Low Floor (w/Cummins ISL Engine)</i>				Coolant	LFW4686 ²⁴⁹	Allison 540		T153 ⁵
WF2071	Coolant	LFW4071 ²⁸			LFW4686XL ^{14, 249}		Fuel	G471
(FS1003); W/S	Fuel	LFF1003 ²⁰⁹	(FS1000); W/S	Fuel	LFF1000		Fuel	G471 ¹⁵⁵⁰
(FS1065); W/S		LFF1065 ²¹⁰	(FS1003); W/S		LFF1003 ²⁰⁹	<i>B6P School Bus Chassis (w/427 Gas Engine)</i>		
(FF5636); Sec.		LFF5488	(FS1282); W/S		LFF1282	6422556	Air	AF222 ¹⁰
LF3000	Oil	LFP3000	LF9080	Oil	LFP9001 ²⁵⁰	6423239		LAF22
LF9009		LFP3000XL ¹⁴	LFF14000NN		LFP9001XL ^{14, 250}		Fuel	G471 ¹⁵⁵⁰
<i>Low Floor (w/Cummins ISM Engine)</i>			WF2122	Coolant	LFW4686XL ^{14, 249}	5650030		G6 ⁹
WF2122	Coolant	LFW4686XL ^{14, 249}	(FS1000); W/S	Fuel	LFF1000	6438384	Oil	PH1218 ⁸
(FS1000); W/S	Fuel	LFF1000	(FS1003); W/S		LFF1003 ²⁰⁹	25010754		PH832 ⁷
(FS1003); W/S		LFF1003 ²⁰⁹	(FS1282); W/S		LFF1282	25011122	Trans	LFP5570
(FS1282); W/S		LFF1282	LF9080	Oil	LFP9001 ²⁵⁰	Allison 540		T112 ⁶
LF9080	Oil	LFP9001 ²⁵⁰	LFF14000NN		LFP9001XL ^{14, 250}	Allison 540		T153 ⁵
LF9009		LFP3000XL ¹⁴						
<i>Low Floor (w/Cummins M11 Engine)</i>			<i>Phantom (w/Detroit Diesel 6V-92 Engine)</i>			<i>B6P School Bus Chassis (w/Detroit Diesel 8.2L Engine)</i>		
WF2071	Coolant	LFW4071 ²⁸	WF2071	Coolant	LFW4071 ²⁸	15586689	Air	LAF558
(FS1212); W/S	Fuel	LFF8020	(23518481); Pri.	Fuel	LFP815FN	(2081109); W/S	Fuel	LFF2040 ¹³
LF3000	Oil	LFP3000 ¹⁵	(23518482); Sec.		LFP816FN	W/S		LFF8010 ¹²
LF9009		LFP3000XL ¹⁴	25010643	Hydraulic	LFH4223	(15618921); W/S		LFF902 ¹²
<i>Low Floor (w/Detroit Diesel 50 Series Engine)</i>			HF6732		LFH5015	(25010959); Sec.		LFP928F
P129472	Air	LAF9472	25010495	Oil	LFP911	(25011011); Pri.		LFP936F
23524403	Coolant	LFW4685 ²⁴⁹	25010495		LFP911XL ¹⁴	15514175	Hydraulic	LFP3791 ¹¹
		LFW4685XL ^{14, 249}	GMC (BUS HEAVY DUTY)			6438384	Oil	PH1218
(23518481); Pri.	Fuel	LFP815FN	<i>All buses (w/Detroit Diesel 6-71 Engine)</i>			(25011122); Oil Cooler	Trans	LFP5570
(23518482); Sec.		LFP816FN	8994238	Air	LAF7797 ²	<i>B7 School Bus Chassis (w/Caterpillar 3116 Engine)</i>		
23518480	Oil	LFP2160	(5997769); Some	Hydraulic	LFH4206	15696245	Air	LAF1878 ²
		LFP2160TRT ³	Models			12544543		LAF3585 ¹
		LFP2160XL ¹⁴	<i>All buses (w/Detroit Diesel 8-71 Engine)</i>			(S3212); Opt. Frame	Fuel	LFF9012
15513845	Power Steering	LH5961	8994238	Air	LAF7797 ²	Mtd.		LFP936F
29540494	Trans	LH4582G ²⁴	(5997769); Some	Hydraulic	LFH4206	TP936		LFP3191 ¹⁵
29540493		LH4589G ²³	Models			1R0739	Oil	LFP3191TRT ³
29545776		LH4591G ²²	<i>All buses (w/Detroit Diesel 8V-71 Engine)</i>			1R0739		LFP3191XL ¹⁴
23524403	Coolant	LFW4685 ²⁴⁹	8994238	Air	LAF7797 ²	(29537268); Allison	Trans	LFH8737
(23518530); Pri.	Fuel	LFP815FN	(5997769); Some	Hydraulic	LFH4206	1000/2000		LFP5570 ¹²
(23518482); Sec.		LFP816FN	Models			25011122		T951 ⁶
23518480	Oil	LFP2160	<i>B6, B7 School Bus Chassis (w/Cat. 3208T Engine)</i>			(29537965); Allison		
15513845	Power Steering	LH5961	15506047	Air	LAF6860	1000/2000		
29540493	Trans	LH4589G ²³	<i>B6P School Bus Chassis (w/350 Gas Engine)</i>					
<i>Phantom (w/Cummins ISC Engine)</i>			6422556	Air	AF222 ¹⁰			
P151097	Air	LAF9396	6423239		LAF22			
3827423	Coolant	LFW4685 ²⁴⁹		Fuel	G471 ¹⁵⁵⁰	<i>B7 School Bus Chassis (w/Caterpillar 3126 Engine)</i>		
		LFW4685XL ^{14, 249}	5650030		G6 ⁹	15696245	Air	LAF1878 ²
3944269	Fuel	LFF1022	6438384	Oil	PH1218 ⁸	12544543		LAF3585 ¹
LF3000	Oil	LFP3000	25010754		PH832 ⁷	(S3212); Opt. Frame	Fuel	LFF9012
LF9009		LFP3000XL ¹⁴	25011122	Trans	LFP5570	Mtd.		LFP936F
P550698	Power Steering	LH5961	Allison 540		T112 ⁶	TP936		LFP3191 ¹⁵
			Allison 540		T153 ⁵	1R0739	Oil	LFP3191TRT ³
4139298038	Trans	LH8640	<i>B6P School Bus Chassis (w/366 Gas Engine)</i>			1R0739		LFP3191XL ¹⁴
3300721	Coolant	LFW4071 ²⁸		Fuel	G471 ¹⁵⁵⁰			
3800394	Fuel	LFF1022	6422556	Air	AF222 ¹⁰	(29537268); Allison	Trans	LFH8737
LF3000	Oil	LFP3000	6423239		LAF22	1000/2000		LFP5570 ¹²
			5650030	Fuel	G6 ⁹	25011122		
			6438384	Oil	PH1218 ⁸			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 5-Deep Pan 6-Shallow Pan 7-8" Tall 8-4.5" Tall 9-3.5" Tall 10-Without Wrap 11-Power Steering 12-Optional 13-Optional Frame Mounted 14-Extended Life 15-Standard 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 209-Square sensor port 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 1550-2 inch height element

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GMC (BUS HEAVY DUTY)			GMC (MEDIUM DUTY TRUCK)			GMC (MEDIUM DUTY TRUCK)		
<i>B7 School Bus Chassis (w/Caterpillar 3126 Engine) (cont'd)</i>			<i>C4500, C5500 Topkick (w/Duramax 6.6L Diesel Engine)</i>			<i>C6000, C7000 Topkick (w/General Motors V8 7.0L 427 FI Engine) (cont'd)</i>		
(29537965); Allison 1000/2000	Trans	T951 ⁶	88937527	Air	LAF2032	25055052	Fuel	G481
			A3102C		LAF6102 ²	25010754	Oil	PH832
<i>B7 School Bus Chassis (w/General Motors 6.5L diesel Engine)</i>			<i>C4500, C5500 Topkick (w/V8 8.1L Engine)</i>			<i>C6000, C7000 Topkick (w/GM V8 6.0L 366 FI Engine)</i>		
15696245	Air	LAF1878 ²	TP1298B	Fuel	LFF6012	6484235	Air	AF348
12544543		LAF3585 ¹	97214983	Oil	LFP2999	25055052	Fuel	G481
TP1263 (S3212); Opt. Frame Mtd.	Fuel	L8684F	88892858	Power Steering	LH8504	25010754	Oil	PH832
TP936		LFF9012	(29537268); Allison 1000/2000	Trans	LFH8737	<i>C6000, C7000, C8000 (w/Caterpillar 3208 Engine)</i>		
PF1218	Oil	LFP936F	(29537965); Allison 1000/2000		T951 ⁶	15586689	Air	LAF558
25011122	Trans	PH1218	<i>C4500, C5500 Topkick (w/V8 8.1L Engine)</i>			(5M7650); Pri. (8N9803); W/S (1R0750); Sec. W/S	Fuel	L3531F
<i>B7 School Bus Chassis (w/General Motors V8 6.0L 366 FI Engine)</i>			88937527	Air	LAF2032	(1R0711); Sec.		LFF1131
6484235	Air	AF348	25324052	Oil	PH454	1R0713	Oil	LFF3347 ²⁰
25055052	Fuel	G481	(29537268); Allison 1000/2000	Trans	LFH8737	1R0714		LFF8030 ¹²
PF1218	Oil	PH1218 ⁸	(29537965); Allison 1000/2000		T951 ⁶			LFF9003 ¹²
25011122	Trans	LFP5570 ¹²	88892858	Power Steering	LH8504			LFP440F
Allison 540		T112 ¹⁶	GF626	Fuel	G481	<i>C6000, C7000, C8000 (w/Detroit Diesel 8.2L Engine)</i>		
<i>B7 School Bus Chassis (w/General Motors V8 7.0L 427 FI Engine)</i>			<i>C5000, C6000 (w/General Motors 6 cyl. 292 Gas Engine)</i>			15586689	Air	LAF558
6484235	Air	AF348	GF471	Fuel	G471 ¹⁵⁵⁰	(2081109); W/S W/S	Fuel	LFF2040 ¹³
25055052	Fuel	G481	5648003	Air	AF115	(15618921); W/S (25010959); Sec. (25011011); Pri.		LFF8010 ¹²
PF1218	Oil	PH1218 ⁸	GF470	Fuel	G470 ¹⁵⁵¹	15514175	Hydraulic	LFF902 ¹²
25011122	Trans	LFP5570 ¹²	GF157	Fuel	G6 ⁹	6438384	Oil	LFP928F
Allison 540		T112 ¹⁶	25010754	Oil	PH1218 ¹⁸	(25011122); Oil Cooler	Trans	LFP936F
<i>B7 School Bus Chassis (w/General Motors V8 7.4L Gas Engine)</i>			25010754		PH832 ¹⁹			LFP3791 ¹¹
A1301C	Air	AF1301	GF471	Fuel	G471	<i>C6500, C7500 Topkick (w/7.4L Gas Engine)</i>		
6484235		AF348	GF471	Fuel	G471 ¹⁵⁵⁰	A1301C	Air	AF1301
GF481	Fuel	G481	<i>C5000, C6000 (w/General Motors V8 5.7L 350 Gas Engine)</i>			GF481	Fuel	G481
PF1218	Oil	PH1218 ¹⁷	GF471	Fuel	G471 ¹⁵⁵⁰	PF1218	Oil	PH1218 ¹⁷
PF454		PH454 ¹⁸	6422556	Air	AF222	PF454		PH454 ¹⁸
(29537268); Allison 1000/2000	Trans	LFH8737	GF470	Fuel	G470 ¹⁵⁵¹	<i>C6500, C7500 Topkick (w/V8 8.1L Gas Engine)</i>		
(25011122); Allison 540		LFP5570	GF481	Fuel	G481	A1301C	Air	AF1301
Allison 540		T112 ¹⁶	GF157	Fuel	G6 ⁹	GF481	Fuel	G481
(29537965); Allison 1000/2000		T951 ⁶	6438384	Oil	PH1218 ¹⁸	PF454	Oil	PH454 ¹⁸
<i>B7 School Bus Chassis (w/General Motors V8 8.1L Gas Engine)</i>			25010754		PH832 ¹⁹	88892858	Power Steering	LH8504
A1301C	Air	AF1301	GF471	Fuel	G471	Allison 1000/2000 (29537965); Allison 1000/2000	Trans	LFH8737
6484235		AF348	GF471	Fuel	G471 ¹⁵⁵⁰			T951 ⁶
GF481	Fuel	G481	GF471	Fuel	G471	<i>C6500, C7500, C8500 Topkick (w/Caterpillar 3116 6.6L Engine)</i>		
PF1218	Oil	PH1218 ¹⁷	<i>C6000, C7000 (w/GM 6.0L 366 CID Gas Engine)</i>			A1169C	Air	LAF1878 ²
PF454		PH454 ¹⁸	GF471	Fuel	G471 ¹⁵⁵⁰	12544543		LAF3585 ¹
(29537268); Allison 1000/2000	Trans	LFH8737	6484235	Air	AF348	61-4783	Fuel	LFF4783 ²⁰
(25011122); Allison 540		LFP5570	GF470	Fuel	G470 ¹⁵⁵¹	W/S (15618921); W/S (1P2299); Sec. (25014274); Pri.		LFF8010
Allison 540		T112 ¹⁶	25055052		G481			LFF902
(29537965); Allison 1000/2000		T951 ⁶	GF157	Fuel	G6 ⁹			LFP440F
<i>B7 School Bus Chassis (w/General Motors V8 7.0L 427 FI Engine)</i>			25010754	Oil	PH832			LFP815FN ²¹
A1301C	Air	AF1301	GF471	Fuel	G471	1R-0739	Oil	LFP3191 ¹⁵
6484235		AF348	GF471	Fuel	G471 ¹⁵⁵⁰	1R-0739		LFP3191TRT ³
GF481	Fuel	G481	GF471	Fuel	G471			LFP3191XL ¹⁴
PF1218	Oil	PH1218 ¹⁷	GF471	Fuel	G471	<i>C6000, C7000 Topkick (w/General Motors V8 7.0L 427 FI Engine)</i>		
PF454		PH454 ¹⁸	<i>C6000, C7000 Topkick (w/General Motors V8 7.0L 427 FI Engine)</i>			6484235	Air	AF348
(29537268); Allison 1000/2000	Trans	LFH8737						
(25011122); Allison 540		LFP5570						
Allison 540		T112 ¹⁶						
(29537965); Allison 1000/2000		T951 ⁶						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 8-4.5" Tall 9-3.5" Tall 11-Power Steering 12-Optional 13-Optional Frame Mounted 14-Extended Life 15-Standard 16-Internal 17-Long version 18-Short 19-Long 20-High efficiency 21-Frame mounted 1550-2 inch height element 1551-1 Inch Tall

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GMC (MEDIUM DUTY TRUCK)			GMC (MEDIUM DUTY TRUCK)			GMC (MEDIUM DUTY TRUCK)		
<i>C6500, C7500, C8500 Topkick (w/Caterpillar 3126 7.2L Engine)</i>			<i>C6500, C7500, C8500 Topkick (w/V8 8.1L Gas Engine) (cont'd)</i>			<i>T6500, T7500, T8500 (w/Caterpillar 3126 Engine) (cont'd)</i>		
A1169C 12544543	Air	LAF1878 ² LAF3585 ¹	(29537268); Allison 1000/2000	Trans	LFH8737	1R-0739	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3191XL ¹⁴
6I-4783 W/S (15618921); W/S (1P2299); Sec. (25014274); Pri.	Fuel	LFF4783 ²⁰ LFF8010 LFF902 LFP440F LFP815FN ²¹	(29537965); Allison 1000/2000		T951 ⁶	(29537268); Allison 1000/2000	Trans	LFH8737
1R-0739 1R-0739	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3191XL ¹⁴	GF626	Fuel	G481	(25011122); Allison 540		LFP5570
<i>C6500, C7500, C8500 Topkick (w/Caterpillar C7 Engine)</i>			<i>P3500 (w/Cummins 3.9L Engine)</i>			<i>(29540496); Allison 3000/3500</i>		
A3101C	Air	LAF6101 ²	W/S	Fuel	LFH8062	(29540493); Allison 3000/3500		LH4582G ²⁴
1R0751 (25014274); Pri.	Fuel	LFF4783 ²⁵ LFP815FN ²¹		Oil	LFP3900	(29540493); Allison 3000/3500		LH4589G ²³
1R0739	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3191XL ¹⁴	<i>P6 Forward Chassis (w/6.0L Gas engs.)</i>			Allison 540		LH4591G ²² T112 ¹⁶ T951 ⁶
88892858	Power Steering	LH8504		Air	AF348	(29537965); Allison 1000/2000		
(29540496); Allison 3000/3500	Trans	LH4582G ²⁴	<i>P6 Forward Chassis (w/7.0L Gas engs.)</i>			(29537965); Allison 1000/2000		
(29540493); Allison 3000/3500		LH4589G ²³		Air	AF348	<i>T6500, T7500, T8500 (w/Duramax 7.8L Engine)</i>		
29545776		LH4591G ²²		Fuel	G481	P134353	Air	LAF1834 ²
A2031C	Air	LAF2031 ²		Oil	PH832	P134354		LAF1835 ¹
<i>C6500, C7500, C8500 Topkick (w/Duramax 7.8L Diesel Engine)</i>			<i>T Series (w/General Motors V8 6.0L 366 Gas Engine)</i>			P538456		LAF3890 ¹
A3101C	Air	LAF6101 ²	A348C	Air	AF348	P533930		LAF3930 ²
(29537268); Allison 2000 Series	Trans	LFH8737	GF481	Fuel	G481	(8942444560); W/S	Fuel	FP941F
(29537965); Allison 2000 Series		T951 ⁶	PF1218	Oil	PH1218 ¹⁸	94392474		LFF3415 ¹⁸ LFF8739 ¹⁹
94392474	Fuel	LFF3415 LFF8010 LFF902	PF932		PH832 ³¹	94392472		LFP6007
W/S			<i>T6500, T7500, T8500 (w/Caterpillar 3116 Engine)</i>			94392475	Oil	LFP6007
W/S			P134353	Air	LAF1834 ²	88892858	Power Steering	LH8504
97600764	Oil	LFP6007	P134354		LAF1835 ¹	(29537268); Allison 2000 Series	Trans	LFH8737
88892858	Power Steering	LH8504	P538456		LAF3890 ¹	(29540496); Allison 3000/3500		LH4582G ²⁴
(29540496); Allison 3000/3500	Trans	LH4582G ²⁴	P533930		LAF3930 ²	(29540493); Allison 3000/3500		LH4589G ²³
(29540493); Allison 3000/3500		LH4589G ²³	W/S	Fuel	LFF8010 LFF902 LFP440F LFP815FN ²¹	29545776		LH4591G ²² T951 ⁶
29545776		LH4591G ²²	(15618921); W/S (1P-2299); Sec. (25014274); Pri.	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3191XL ¹⁴	(29537965); Allison 2000 Series		
A2031C	Air	LAF2031 ²	1R-0739			<i>W3500, W4500 (w/5.7L Gas Engine)</i>		
(8942444560); W/S	Fuel	FP941F	1R-0739	Trans	LFH8737	6484235	Air	AF348 ²⁵
(29537268); Allison 1000/2000	Trans	LFH8737	(29537268); Allison 1000/2000		LFP5570	94430250		LAF1947 ³²
(29537965); Allison 1000/2000		T951 ⁶	(25011122); Allison 540		LH4582G ²⁴	25055129	Fuel	G481
<i>C6500, C7500, C8500 Topkick (w/V8 8.1L Gas Engine)</i>			(29540496); Allison 3000/3500		LH4589G ²³	25160561	Oil	PH1218
88937525	Air	LAF2031 ²	(29540493); Allison 3000/3500		LH4591G ²²	(24208847); 4L80-E	Trans	T709
PF454	Oil	PH454	29545776		T112 ¹⁶ T951 ⁶	<i>W3500, W4500 (w/6.0L Gas Engine)</i>		
88892858	Power Steering	LH8504	Allison 540			97062294	Air	LAF5633
(15618921); W/S (25014274); Pri.			(29537965); Allison 1000/2000				Oil	PH48
<i>C6500, C7500, C8500 Topkick (w/V8 8.1L Gas Engine)</i>			<i>T6500, T7500, T8500 (w/Caterpillar 3126 Engine)</i>			(24208847); 4L80-E	Trans	T709
88937525	Air	LAF2031 ²	P134353	Air	LAF1834 ²	94430250	Air	LAF1947
PF454	Oil	PH454	P134354		LAF1835 ¹	25055129	Fuel	G481
88892858	Power Steering	LH8504	P538456		LAF3890 ¹		Oil	PH44
(15618921); W/S (25014274); Pri.			P533930		LAF3930 ²	<i>W3500, W4500, W5500 (w/Isuzu 4HE1-TC Engine)</i>		
<i>C6500, C7500, C8500 Topkick (w/V8 8.1L Gas Engine)</i>			6I-4783	Fuel	LFF4783 ²⁰	8944302500	Air	LAF1947
<i>C6500, C7500, C8500 Topkick (w/V8 8.1L Gas Engine)</i>			W/S		LFF8010	11132400791	Fuel	LFF3415
<i>C6500, C7500, C8500 Topkick (w/V8 8.1L Gas Engine)</i>			(15618921); W/S (25014274); Pri.		LFF902 LFP815FN ²¹	8971482700	Oil	LFP5964
<i>C6500, C7500, C8500 Topkick (w/V8 8.1L Gas Engine)</i>			<i>C6500, C7500, C8500 Topkick (w/V8 8.1L Gas Engine)</i>			98182282	Trans	HP1

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 14-Extended Life 15-Standard 16-Internal 18-Short 19-Long 20-High efficiency 21-Frame mounted 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 25-Engine mounted 31-Tall 32-Remote mounted

G

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GMC (MEDIUM DUTY TRUCK)			GMC (MEDIUM DUTY TRUCK)			GMC (TRUCK HEAVY DUTY)		
<i>W3500, W4500, W5500, W5500HD (w/4HK1-TC Engine)</i>			<i>W7H Forward (w/Isuzu Diesel Engine)</i>			<i>Brigadier & Bruin (w/Detroit Diesel 6V-92T Engine)</i>		
97062294	Air	LAF5633	(94058235); w/6SA1-T eng.	Air	LAF1834 ²		Air	LAF9396
98037011	Fuel	L5098F	(94056207); w/6SA1-T eng.; By-Pass	Oil	LFP777B	(25014274); Pri. (23518482); Sec.	Fuel	LFP815FN LFP816FN
8971482700	Oil	LFP5964	(94058235); w/all engs.	Air	LAF1834 ^{2,36}		Oil	LFP911 LFP911XL ¹⁴
97182282	Trans	HP1	(94058235); w/all engs.	Air	LAF1834 ²	<i>Brigadier & Bruin (w/Detroit Diesel 8V-71N Engine)</i>		
<i>W3500, W4500, W5500, W5500HD (w/Isuzu 4HK1 5.2L Engine)</i>			(94048864); w/all engs.	Air	LAF1835 ^{1,35}	(25014274); Pri. (23518482); Sec.	Fuel	LAF9396 L624F LFP815FN LFP816FN
8944302500	Air	LAF1947	(94048864); w/all engs.	Air	LAF1835 ¹		Oil	L541F LFP911 LFP911XL ¹⁴ P71
8943692990	Fuel	FP941F ³³	By-Pass	Oil	LFP777XL ¹⁴	<i>Brigadier (w/Caterpillar 3208 Engine)</i>		
8971482700	Oil	LFP5964	<i>W7M Forward (w/Isuzu Diesel Engine)</i>			(1R0711); Sec.	Fuel	LFP440F
<i>W4 Forward (w/4BD1T 3.9L Engine)</i>			94037809	Air	LAF7315 ^{1,35}	1R0713	Oil	LFP5570 ²⁹
94156052	Air	LAF1800 ³⁴	94037809	Air	LAF7315 ¹	1R0714		LFP6007 ^{602, 765}
94169778	Oil	LFP2261 ²⁵²	(94038680); By-Pass	Oil	1041 ³⁷	1R0734		LFP791 ³⁰
94169779		LFP2270 ⁶⁵	(94038680); By-Pass	Oil	1041	<i>Brigadier (w/Cummins N14 Engine)</i>		
94430250	Air	LAF1947 ³⁴	94051085	Fuel	LFF3415		Coolant	LFW4071 ²⁸ LFW4073 ²⁵⁵
94430250	Air	LAF1947 ²⁵³	94037791	Oil	LFP6007	Pri. W/S	Fuel	LFF5D LFF8020
94156052	Air	LAF1800 ²⁵³	<i>W7T Forward (w/Isuzu Diesel Engine)</i>			LF3000	Oil	LFP3000
94156052	Air	LAF1800 ³⁴	(94058235); w/6SA1-T eng.	Air	LAF1834 ²	LF9009		LFP3000XL ¹⁴
<i>W4 Forward (w/4BD2T 3.9L Engine)</i>			(94056207); w/6SA1-T eng.; By-Pass	Oil	LFP777B	LF670		LFP670 LFP670XL ¹⁴
94156052	Air	LAF1800 ³⁴	(94058235); w/all engs.	Air	LAF1834 ^{2,35}	<i>C7000 (w/Cummins VT225 Engine)</i>		
94430250		LAF1947 ²⁵³	(84047764); w/all engs.		LAF1835 ^{1,35}	2063585	Air	LAF942
94414796	Fuel	FP588F	(94058235); w/all engs.	Air	LAF1834 ²	3315116	Coolant	LFW4071 ²⁸
97049282	Oil	LFP734	(84047764); w/all engs.		LAF1835 ¹	154709	Fuel	LFF5 LFF8020 LFF90011
<i>W4 Forward (w/5.7L Gas Engine)</i>			By-Pass	Oil	LFP777XL ¹⁴	(3308638); W/S W/S		
6484235	Air	AF348	<i>WT5500 (w/6HK1-TC Engine)</i>			LF670	Oil	LFP670 LFP670XL ¹⁴
94430250		LAF1947	94048864	Air	LAF1834 ²	3313281		LFP734
25055129	Fuel	G481	94048864		LAF1835 ¹	(313283); By-Pass		LFP777B
25160561	Oil	PH1218	1132401940	Fuel	L9890F	By-Pass		LFP777XL ¹⁴
8678757	Trans	T216	94392474		LFF3415	158139		LP566 ²⁶
<i>W4 Forward (w/General Motors 5.7L Gas Engine)</i>			GMC (TRUCK HEAVY DUTY)			173174		LP613 ²⁷
	Fuel	FP588F	<i>Astro & Titan (w/Cummins N14 Engine)</i>			<i>C7000 (w/Deutz BF6L913 Engine)</i>		
	Oil	LFP734		Air	LAF1591	2063585	Air	LAF942
	Air	LAF1800 ³⁴			LAF6632	1160243	Fuel	FP586F FP587F
Hrzn. Mtd.		LAF1947		Fuel	LFF5 ⁷⁶⁴ LFF5D ⁷⁶³	(2133558); Pri.		LFP2222 ³⁰ LFP8590 ²⁹
<i>W5 Forward (w/Isuzu 4HK1-TC 5.2L Diesel Engine)</i>				Oil	LFP777XL ¹⁴	1174421	Oil	
	Air	LAF1834 ² LAF7315 ¹ LAF9000 ²			LP566 ⁴¹	1173765		
	Fuel	LFF3415	<i>Brigadier & Bruin (w/Cummins L10 Engine)</i>			<i>C7000 (w/General Motors 7.0L 427 CID Gas Engine)</i>		
By-Pass	Oil	LFP2262 LFP6007		Coolant	LFW4071 ²⁸ LFW4073 ²⁵⁵	GF470	Fuel	G470 ¹⁵⁵¹
97600764				Fuel	LFF5D LFF8020	GF471	Fuel	G471 ¹⁵⁵⁰
<i>W5 Forward (w/Isuzu Diesel Engine)</i>			LF670	Oil	LFP670 ⁵⁸⁷ LP566 ⁴¹	6484235	Air	AF348
94058235	Air	LAF1834 ²				25055052	Fuel	G481
94037809		LAF7315 ¹				GF157		G6 ⁹
94058234		LAF9000 ²				25010754	Oil	PH832
94051085	Fuel	LFF3415				GF470	Fuel	G470 ¹⁵⁵¹
(94054123); By-Pass	Oil	LFP2262 LFP6007						
94037791								
<i>W6 FORWARD (w/Isuzu 6BD1T Engine)</i>								
(692887); By-Pass	Oil	1041						
94037809	Air	LAF7315 ¹						
94058234		LAF9000 ²						
94051085	Fuel	LFF3415						
15511626	Oil	LFP6007						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 9-3.5" Tall 14-Extended Life 26-9.8" Tall 27-7.5" Tall 28-Contains 1 oz. of chemical 29-1 1/8" Thread 30-1" x 12 Thread 33-Frame mtd.

34-Vertical mounted 35-To 10/88 36-To 05/89 37-To 07/87 41-Cartridge 65-By-Pass 252-Full-flow 253-Horizontal mounted 255-Contains 3 oz. of chemical

313-2 1/4" Thread 587-Spin-on 602-4.4" O.D. 643-1 1/2" Thread 763-w/ Drain 764-w/o Drain 765-1 1/8 x 16 Thread 1550-2 inch height element 1551-1 Inch

Tall

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GMC (TRUCK HEAVY DUTY)			GMC (TRUCK HEAVY DUTY)			HINO (MEDIUM DUTY TRUCK)		
<i>C7000 (w/General Motors 7.0L 427 CID Gas Engine) (cont'd)</i>			<i>Models with General Motors V6 305A, 305B, 305C, 305E Engine (cont'd)</i>			<i>155 (w/JO5E-TP Engine)</i>		
GF470	Fuel	G470 ¹⁵⁵¹		Fuel	G6		Oil	LFP2050
GF471	Fuel	G471		Oil	LP132	<i>165, 185 (w/JO5DTA Engine)</i>		
GF471	Fuel	G471 ¹⁵⁵⁰			P166	17801-3430	Air	LAF1878 ²
GF471	Fuel	G471			PH24	38211-4	Fuel	L5467FNXL ¹⁴
<i>C7D (w/Deutz diesel Engine)</i>			<i>Models with General Motors V6 351, 351C, 351M Engine</i>			<i>165, 185 (w/JO5DTF Engine)</i>		
(2063585); w/BF6L913	Air	LAF942				17801-3440	Air	LAF1878 ²
<i>General (w/Caterpillar 3406 Engine)</i>				Air	AF31 ⁷⁶⁹	(23401-1700A); W/S	Fuel	LFF8063U ²⁵⁴
2038573	Air	LAF6918			AF32 ⁷⁷⁰	15607-2051A	Oil	LFP2050
(1R0711); Sec.	Fuel	LFP440F			LAF642 ⁷⁷¹	(29539579); Allison	Trans	LFH8737
	Miscellaneous	PH454 ⁵⁵²		Fuel	G1 ⁵³¹	1000/2000		
1R0716	Oil	LFP4005			G124	(29537965); Allison		T951 ⁶
<i>General (w/Cummins L10 Engine)</i>					G22	1000/2000		
25041712	Air	LAF1591 ^{733, 766}	<i>Models with Optional Power Steering Filter</i>			<i>195 (w/JO5E-TP Engine)</i>		
717702		LAF4490 ^{766, 767}	15514175	Hydraulic	LFP3791	15607-02051A	Oil	LFP2050
8994232		LAF6127	<i>Models with Spicer 8125 transmission</i>				Oil	LFP2050
717714		LAF6442 ^{766, 768}	PF-200L	Breather	LAF200 ⁶⁴⁵	<i>195h (w/Hino JO5E-UG Hybrid Engine)</i>		
15506047		LAF6860	<i>P6 Forward Chassis (w/Cat. 3116 eng.)</i>			15607-02051A	Oil	LFP2050
15586697		LAF6918		Air	LAF1878		Oil	LFP2050
		LAF6918D	<i>Opt. Frame Mtd. (1R0711); Sec.</i>			<i>238, 258LP (w/Hino JO8ETA Engine)</i>		
25040009		LAF8955 ^{732, 766}	1R0739	Oil	LFP3191	17801-3440	Air	LAF1878 ²
2014558		LAF9396		Fuel	LFP9012	38211-4	Fuel	L5467F L5467FNXL ¹⁴
6439692	Coolant	LFW4744 ⁴			LFP440F	(23401-1700A); W/S		LFF8063U ¹⁷¹
	Fuel	LFF5			LFP3191TRT ³	15607-2190A	Oil	LFP2190
	Miscellaneous	PH454 ⁵⁵²			LFP3191XL ¹⁴	29539579	Trans	LFH8737
15514175	Oil	LFP3791	<i>P6 Forward Chassis (w/Detroit Diesel eng.)</i>			29537965		T951 ⁶
LF670		LFP670		Air	LAF558 ²⁵¹	<i>238LP (w/JO8ETV Engine)</i>		
By-Pass		LFP777B	2017021		LFP928F	17801-3440	Air	LAF1878 ²
<i>General (w/Cummins N14 Engine)</i>			2067009		LFP936F	15607-2190	Oil	LFP2190
WF2071	Coolant	LFW4071 ²⁸			PH1218	(29539579); Allison	Trans	LFH8737
FF105	Fuel	LFF5	<i>Titan</i>			1000/2000		T951 ⁶
(FF105D); Pri.		LFF5D	700016	Air	LAF1591	(29537965); Allison		
(FS1212); W/S		LFF8020	15534438		LAF1815	1000/2000		
LF3000	Oil	LFP3000 ³¹³	2014558		LAF4351	FS196249	Fuel	L5467FNXL ¹⁴
LF670		LFP670 ⁶⁴³	2009540		LAF6632	(23401-1700); W/S	Fuel	LFF8063U ¹⁷¹
<i>General (w/Detroit Diesel 8V92 Engine)</i>			P181097		LAF6632MXM	<i>258ALP, 258LP</i>		
717702	Air	LAF4490 ⁷⁶⁷	6439692	Coolant	LAF8047	17801-3440	Air	LAF1878 ²
717714		LAF6442 ⁷⁶⁸	6438261	Oil	LAF9396	FS196249	Fuel	L5467FNXL ¹⁴
2038573		LAF6918 ⁷³²			LAF9472	15607-2190	Oil	LFP2190
(25014274); Pri.	Fuel	LFP815FN	GRUMMAN (BUS HEAVY DUTY)			(29539579); Allison	Trans	LFH8737
(23518482); Sec.		LFP816FN	<i>Flexible Intercity Bus</i>			1000/2000		T951 ⁶
	Miscellaneous	PH454 ⁵⁵²	P153962	Air	LAF1807	(29537965); Allison		
	Oil	LFP911	14-158-154		LAF3754	1000/2000		
		LP132	HINO (MEDIUM DUTY TRUCK)			<i>258LP, 258ALP (w/JO8EVC Engine)</i>		
<i>Models with B-W or Midland air compressor</i>			<i>17801-3430A</i>			17801-3440	Air	LAF1878 ²
100696A	Air	LAF122	<i>145 (w/44.7L Diesel JO5DTA Engine)</i>			FS196249	Fuel	L5467FNXL ¹⁴
<i>Models with Fuller R46, R96 tran.</i>			<i>38211-4</i>			15607-2190	Oil	LFP2190
A-1781	Breather	LAF200 ⁶⁴⁵	<i>(23401-1700A); W/S</i>			(29539579); Allison	Trans	LFH8737
<i>Models with General Motors V6 305A, 305B, 305C, 305E Engine</i>			<i>15607-2051A</i>			(29537965); Allison		T951 ⁶
	Air	AF31 ⁷⁶⁹			LFP2050	1000/2000		
		AF32 ⁷⁷⁰						
		LAF642 ⁷⁷¹						
	Fuel	G1 ⁵³¹						
		G124						
		G22						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 6-Shallow Pan 14-Extended Life 28-Contains 1 oz. of chemical 171-With Sensor Port 251-8.2N, T 254-Optional Racor 313-2 1/4" Thread 531-Filter only 552-Rear axle 643-1 1/2" Thread 645-Air Shift 732-23" Tall 733-29" Tall 766-Inside-out flow 767-20" Tall 768-26" Tall 769-11.5" O.D. 770-13" x 2.75" 771-13" x 3" 1550-2 inch height element 1551-1 Inch Tall

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HINO (MEDIUM DUTY TRUCK)			HINO (MEDIUM DUTY TRUCK)			HINO (MEDIUM DUTY TRUCK)		
<i>268, 268A (w/J08ETV Engine)</i>			<i>FA15 (w/Hino W04CTI Engine)</i>			<i>FB1817 (w/Hino J05CTB Engine) (cont'd)</i>		
17801-3440	Air	LAF1878 ²	17801-2800	Air	LAF1768 ²	(23401-1440); W/S	Fuel	LFF5766 ²⁵⁶
FS19624	Fuel	L5467FNXL ¹⁴	16304-1011	Coolant	LFW4073 ²⁵⁵	156072050	Oil	LFP2050
(23401-1700); W/S		LFF8063U ¹⁷¹	16304-1015		LFW4685 ²⁴⁹	34926-1041	Trans	LFP5570
15607-2190	Oil	LFP2190			LFW4685XL ^{14, 249}	<i>FD16, FE16 (w/Hino W06E Engine)</i>		
(29539579); Allison	Trans	LFH8737	(23401-1410); Sec.	Fuel	LFF3553	17801-2480	Air	LAF1813 ²
1000/2000			(23501-1010); Pri.		LFF5	17801-2460	Air	LAF1814 ¹
(29537965); Allison		T951 ⁶	15607-1750	Oil	LFP2535	16304-1011	Coolant	LFW4073 ²⁵⁵
1000/2000			34926-1041	Trans	LFP5570	(23401-1410); Sec.	Fuel	LFF3553
<i>268, 268A (w/J08EVC Engine)</i>			<i>FA1517 (w/Hino J05CTB Engine)</i>			(23401-1281); Pri.		
17801-3440	Air	LAF1878 ²	17801-3000A	Air	LAF5765	15607-1740	Oil	LFP734
FS196249	Fuel	L5467FNXL ¹⁴	16304-1015	Coolant	LFW4685 ²⁴⁹	34926-1041	Trans	LFP5570
15607-2190	Oil	LFP2190			LFW4685XL ^{14, 249}	<i>FD17 (w/H07CF Engine)</i>		
Allison 2200/2500	Trans	LFH8737	23401-1410	Fuel	LFF3553	17801-2480	Air	LAF1813 ²
<i>268, 308, 338 (w/J08ETA Engine)</i>			(23401-1440); W/S		LFF5766 ²⁵⁶	17801-2460		LAF1814 ¹
17801-3440	Air	LAF1878 ²	156072050	Oil	LFP2050	16304-1011	Coolant	LFW4073 ^{12, 255}
FS196249	Fuel	L5467FNXL ¹⁴	34926-1041	Trans	LFP5570	(23401-1281); Pri.	Fuel	LFF5
(23401-1700); W/S		LFF8063U ¹⁷¹	<i>FA1517 (w/Hino J05CTD Engine)</i>			(23401-1241); Sec.		LFP1101F
15607-2190	Oil	LFP2190	17801-3000A	Air	LAF5765	(15607-1471); By-Pass	Oil	LFP2262
<i>338 (w/Hino J08EVB Engine)</i>			16304-1015	Coolant	LFW4685 ²⁴⁹	15607-1740		LFP734
17801-3440	Air	LAF1878 ²			LFW4685XL ^{14, 249}	34926-1041	Trans	LFP5570
FS19624	Fuel	L5467FNXL ¹⁴	23401-1410	Fuel	LFF3553	<i>FD20 (w/H06CTI Engine)</i>		
15607-2190	Oil	LFP2190	(23401-1440); W/S		LFF5766 ²⁵⁶	17801-2810	Air	LAF1936
Allison 2500 RDS	Trans	LFH8737	156072050	Oil	LFP2050	16304-1011	Coolant	LFW4073 ²⁵⁵
(29540496); Allison		LH4582G ²⁴	34926-1041	Trans	LFP5570	(23501-1010); Pri.	Fuel	LFF5
3000			<i>FB14 (w/Hino W04CTD Engine)</i>			(23401-1400); Sec.		LFP1101F
<i>338, 338CT (w/J08ETW Engine)</i>			17801-2620	Air	LAF1946 ²	(15607-1471); By-Pass	Oil	LFP2262
17801-3440	Air	LAF1878 ²	17801-2610		LAF1957 ¹	15607-1740		LFP734
FS196249	Fuel	L5467FNXL ¹⁴	16304-1011	Coolant	LFW4073 ²⁵⁵	34926-1041	Trans	LFP5570
(23401-1700); W/S		LFF8063U ¹⁷¹	(23401-1320); Sec.	Fuel	LFF3553	<i>FD2218, FE2218 (w/H06CTN Engine)</i>		
15607-2190	Oil	LFP2190	(23401-1281); Pri.		LFF5	17801-2800	Air	LAF1768 ²
(29540496); Allison	Trans	LH4582G ²⁴	15607-1670	Oil	LFP2535	17801-2810		LAF1936 ²
3000			34926-1041	Trans	LFP5570	16304-1015	Coolant	LFW4685 ²⁴⁹
(29540493); Allison		LH4589G ²³	<i>FB15 (w/W04CTH Engine)</i>					LFW4685XL ^{14, 249}
3000		LH4591G ²²	17801-2800	Air	LAF1768 ²	(23501-1010); Pri.	Fuel	LFF5
<i>FA14 (w/Hino W04CTD Engine)</i>			16304-1011	Coolant	LFW4073 ²⁵⁵	(23401-1400); Sec.		LFP1101F
17801-2620	Air	LAF1946 ²	16304-1015		LFW4685 ²⁴⁹	(15607-1471); By-Pass	Oil	LFP2262
17801-2610		LAF1957 ¹			LFW4685XL ^{14, 249}	15607-1740		LFP734
16304-1011	Coolant	LFW4073 ²⁵⁵	(23401-1410); Sec.	Fuel	LFF3553	<i>FD2218, FE2218 (w/H06CTP Engine)</i>		
(23401-1410); Sec.	Fuel	LFF3553	(23501-1010); Pri.		LFF5	17801-2800	Air	LAF1768 ²
(23501-1010); Pri.		LFF5	15607-1750	Oil	LFP2535	17801-2810		LAF1936 ²
15607-1750	Oil	LFP2535	34926-1041	Trans	LFP5570	16304-1015	Coolant	LFW4685 ²⁴⁹
34926-1041	Trans	LFP5570	<i>FB1715 (w/Hino W04CTH Engine)</i>					LFW4685XL ^{14, 249}
<i>FA1415 (w/Hino W04CTH Engine)</i>			17801-2800	Air	LAF1768 ²	(23501-1010); Pri.	Fuel	LFF5
17801-2800	Air	LAF1768 ²	(23401-1410); Sec.	Fuel	LFF3553	(23401-1400); Sec.		LFP1101F
16304-1015	Coolant	LFW4685 ²⁴⁹	(23501-1010); Pri.		LFF5	(15607-1471); By-Pass	Oil	LFP2262
		LFW4685XL ^{14, 249}	15607-1750	Oil	LFP2535	15607-1740		LFP734
(23401-1410); Sec.	Fuel	LFF3553	<i>FB1715 (w/Hino W04CTM Engine)</i>			<i>FD2220, FD2320 (w/J08CTD Engine)</i>		
(23501-1010); Pri.		LFF5	17801-2800	Air	LAF1768 ²	17801-2810	Air	LAF1936
15607-1750	Oil	LFP2535	(23401-1410); Sec.	Fuel	LFF3553	(23401-1440); W/S	Fuel	LFF5766 ²⁵⁶
<i>FA1415 (w/Hino W04CTM Engine)</i>			(23501-1010); Pri.		LFF5	23401-1400		LFP1101F
17801-2800	Air	LAF1768 ²	15607-1750	Oil	LFP2535	156072050	Oil	LFP2050
16304-1015	Coolant	LFW4685 ²⁴⁹	<i>FB1817 (w/Hino J05CTB Engine)</i>			<i>FE16</i>		
		LFW4685XL ^{14, 249}	17801-3000A	Air	LAF5765	17801-2480	Air	LAF1813 ²
(23401-1410); Sec.	Fuel	LFF3553	16304-1015	Coolant	LFW4685 ²⁴⁹	17801-2460	Air	LAF1814 ¹
(23501-1010); Pri.		LFF5			LFW4685XL ^{14, 249}	16304-1011	Coolant	LFW4073 ²⁵⁵
15607-1750	Oil	LFP2535	23401-1410	Fuel	LFF3553	(23401-1410); Sec.	Fuel	LFF3553

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 6-Shallow Pan 12-Optional 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 171-With Sensor Port 249-No chemical 255-Contains 3 oz. of chemical 256-At Tank

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HINO (MEDIUM DUTY TRUCK)			HINO (MEDIUM DUTY TRUCK)			HINO (MEDIUM DUTY TRUCK)		
FE16 (cont'd)			FF17 (w/Hino H07CF Engine) (cont'd)			FF3020 (w/Hino J08CTP Engine) (cont'd)		
(23501-1010); Pri.	Fuel	LFF5	(23401-1241); Sec.	Fuel	LFP1101F	(23401-1440); W/S	Fuel	LFF5766 ²⁵⁶
15607-1740	Oil	LFP734	15607-1381	Oil	LFP734	23401-1400		LFP1101F
34926-1041	Trans	LFP5570	34926-1041	Trans	LFP5570	156072050	Oil	LFP2050
FE17			FF19 (w/Hino H06CTJ Engine)			FG19 (w/Hino H06CTJ Engine)		
17801-2480	Air	LAF1813 ²	17801-2480	Air	LAF1813 ²	17801-2480	Air	LAF1813 ²
17801-2460	Air	LAF1814 ¹	17801-2460		LAF1814 ¹	17801-2460		LAF1814 ¹
16304-1011	Coolant	LFW4073 ^{12, 255}	16304-1011	Coolant	LFW4073 ²⁵⁵	16304-1011	Coolant	LFW4073 ²⁵⁵
(23501-1010); Pri.	Fuel	LFF5	(23501-1010); Pri.	Fuel	LFF5	(23401-1281); Pri.	Fuel	LFF5
(23401-1241); Sec.		LFP1101F	(23401-1400); Sec.		LFP1101F	(23401-1400); Sec.		LFP1101F
15607-1740	Oil	LFP734	(15607-1471); By-Pass	Oil	LFP2262	(15607-1471); By-Pass	Oil	LFP2262
34926-1041	Trans	LFP5570	15607-1740		LFP734	15607-1381		LFP734
FE19 (w/Hino H06CTJ Engine)			FF20 (w/H06CTI Engine)			FG22		
17801-2480	Air	LAF1813 ²	17801-2800	Air	LAF1768 ²	17801-2480	Air	LAF1813 ²
17801-2460		LAF1814 ¹	17801-2810		LAF1936 ²	17801-2460		LAF1814 ¹
16304-1011	Coolant	LFW4073 ²⁵⁵	16304-1011	Coolant	LFW4073 ²⁵⁵	16304-1011	Coolant	LFW4073 ²⁵⁵
(23501-1010); Pri.	Fuel	LFF5	(23501-1010); Pri.	Fuel	LFF5	(23501-1010); Pri.	Fuel	LFF5
(23401-1400); Sec.		LFP1101F	(23401-1400); Sec.		LFP1101F	(23401-1400); Sec.		LFP1101F
(15607-1471); By-Pass	Oil	LFP2262	(15607-1471); By-Pass	Oil	LFP2262	15607-1740	Oil	LFP734
15607-1740		LFP734	15607-1740		LFP734	(15607-1760); By-Pass		LFP777B
34926-1041	Trans	LFP5570	34926-1041	Trans	LFP5570	34926-1041	Trans	LFP5570
FE19, FE20 (w/H06C Engine)			FF23 (w/H06CTI Engine)			GC17 (w/Hino H07C-F Engine)		
17801-2810	Air	LAF1936	17801-2800	Air	LAF1768 ²	17801-2480	Air	LAF1813 ²
16304-1011	Coolant	LFW4073 ²⁵⁵	17801-2810		LAF1936 ²	17801-2460		LAF1814 ¹
(23501-1010); Pri.	Fuel	LFF5	16304-1011	Coolant	LFW4073 ²⁵⁵	16304-1011	Coolant	LFW4073 ^{12, 255}
(23401-1400); Sec.		LFP1101F	(23501-1010); Pri.	Fuel	LFF5	(23501-1010); Pri.	Fuel	LFF5
(15604-1471); By-Pass	Oil	LFP2262	(23401-1400); Sec.		LFP1101F	(23401-1400); Sec.		LFP1101F
15607-1740		LFP734	(15607-1471); By-Pass	Oil	LFP2262	15607-1740	Oil	LFP734
34926-1041	Trans	LFP5570	15607-1740		LFP734	34926-1041	Trans	LFP5570
FE2618 (w/H06CTP Engine)			FF3018, FF3020 (w/H06CTN Engine)			GC20 (w/H06C-TI Engine)		
17801-2800	Air	LAF1768 ²	16304-1015	Coolant	LFW4685 ²⁴⁹	16304-1011	Coolant	LFW4073 ²⁵⁵
17801-2810		LAF1936 ²			LFW4685XL ^{14, 249}	(23501-1010); Pri.	Fuel	LFF5
23501-1010	Fuel	LFF5 ²⁵⁷	(23501-1010); Pri.	Fuel	LFF5	(23401-1400); Sec.		LFP1101F
(23401-1402); Sec.		LFP1101F	(23401-1400); Sec.		LFP1101F	(15607-1471); By-Pass	Oil	LFP2262
(15607-1860); By-Pass	Oil	LFP2262	(15607-1471); By-Pass	Oil	LFP2262	15607-1740		LFP734
15607-1740		LFP734	15607-1740		LFP734	34926-1041	Trans	LFP5570
34926-1041	Trans	LFP5570	FF3018, FF3020 (w/H06CTU Engine)			SG19 (w/H06C-TJ Engine)		
FE2618 (w/H06CTT Engine)			16304-1015	Coolant	LFW4685 ²⁴⁹	17801-2480	Air	LAF1813 ²
17801-2800	Air	LAF1768 ²			LFW4685XL ^{14, 249}	17801-2460		LAF1814 ¹
17801-2810		LAF1936 ²	(23501-1010); Pri.	Fuel	LFF5	16304-1011	Coolant	LFW4073 ²⁵⁵
23501-1010	Fuel	LFF5 ²⁵⁷	(23401-1400); Sec.		LFP1101F	(23401-1281); Pri.	Fuel	LFF5
(23401-1402); Sec.		LFP1101F	(15607-1471); By-Pass	Oil	LFP2262	(23401-1400); Sec.		LFP1101F
(15607-1860); By-Pass	Oil	LFP2262	15607-1740		LFP734	(15607-1471); By-Pass	Oil	LFP2262
15607-1740		LFP734	FF3020 (w/Hino J08CTD Engine)			15607-1381		LFP734
34926-1041	Trans	LFP5570	17801-2810	Air	LAF1936	34926-1041	Trans	LFP5570
FE2620 (w/J08CTD, TP Engine)			16304-1015	Coolant	LFW4685 ²⁴⁹	SG19, SG20, SG23 (w/H06CT Engine)		
17801-2810	Air	LAF1936			LFW4685XL ^{14, 249}	17801-2810	Air	LAF1936
16304-1015	Coolant	LFW4685 ²⁴⁹	16304-1015	Coolant	LFW4685 ²⁴⁹	16304-1011	Coolant	LFW4073 ²⁵⁵
		LFW4685XL ^{14, 249}	(23401-1440); W/S	Fuel	LFF5766 ²⁵⁶	(23501-1010); Pri.	Fuel	LFF5
(23401-1440); W/S	Fuel	LFF5766 ²⁵⁶	23401-1400		LFP1101F	(23401-1400); Sec.		LFP1101F
23401-1400		LFP1101F	156072050	Oil	LFP2050	(15607-1471); By-Pass	Oil	LFP2262
156072050	Oil	LFP2050	FF17 (w/Hino H07CF Engine)			SG22 (w/EM100 Engine)		
FF17 (w/Hino H07CF Engine)			17801-2480	Air	LAF1813 ²	17801-2480	Air	LAF1813 ²
17801-2460		LAF1814 ¹	17801-2460		LAF1814 ¹	17801-2460		LAF1814 ¹
16304-1011	Coolant	LFW4073 ²⁵⁵	16304-1015	Coolant	LFW4685 ²⁴⁹	16304-1011	Coolant	LFW4073 ²⁵⁵
(23401-1281); Pri.	Fuel	LFF5			LFW4685XL ^{14, 249}			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 14-Extended Life 249-No chemical 255-Contains 3 oz. of chemical 256-At Tank 257-Near Fuel Tank

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HINO (MEDIUM DUTY TRUCK)			HINO (MEDIUM DUTY TRUCK)			HINO (TRUCK HEAVY DUTY)		
<i>SG22 (w/EM100 Engine) (cont'd)</i>			<i>SG5523 (w/H06C-TM Engine) (cont'd)</i>			<i>FD170, FF170, GD170 (w/H07C Engine)</i>		
(23501-1010); Pri.	Fuel	LFF5	(23501-1010); Pri.	Fuel	LFF5	15607-1090	Oil	LP2256
(23401-1400); Sec.		LFP1101F	(23401-1400); Sec.		LFP1101F	23401-1030	Fuel	L3528F
15607-1740	Oil	LFP734	(15607-1471); By-Pass	Oil	LFP2262	<i>FD176 (w/EH700 Engine)</i>		
(15607-1760); By-Pass		LFP777B	15607-1740		LFP734	23401-1030	Fuel	L3528F
34926-1041	Trans	LFP5570	HINO (TRUCK HEAVY DUTY)			<i>FF175, FF177 (w/EH700 Engine)</i>		
<i>SG23 (w/H06C-T Engine)</i>			<i>11.5t Tractor series HG301, HG311 (w/EA100 Engine)</i>			23401-1030	Fuel	L3528F
17801-2480	Air	LAF1813 ²	17801-1470	Air	LAF241HD	15607-1090	Oil	LP2256
17801-2460		LAF1814 ¹	<i>11t Tractor series KG301 (w/EA100 Engine)</i>			<i>FFC1 (w/Cummins Engine)</i>		
16304-1011	Coolant	LFW4073 ²⁵⁵	17801-1470	Air	LAF241HD	17801-2480	Air	LAF1813 ²
(23501-1010); Pri.	Fuel	LFF5	<i>3t Ranger KHV17 (w/3B Engine)</i>			17801-2460	Air	LAF1814 ¹
(23401-1241); Sec.		LFP1101F	2330D-56030	Fuel	LFF4295	(3903202); W/S	Fuel	LFF8062
(15607-1471); By-Pass	Oil	LFP2262	<i>3t Ranger KHV17 (w/B Engine)</i>			3908615	Oil	LFP780
15607-1740		LFP734	2330D-56030	Fuel	LFF4295	<i>FG172LD, FG173LD, FG175LA, FG177LA (w/H07C Engine)</i>		
34926-1041	Trans	LFP5570	<i>FB110, FC110 (w/W04D Engine)</i>			17801-2200	Air	LAF8352
<i>SG3320, SG3323 (w/H06CTM Engine)</i>			23401-1132	Fuel	FP590F		Fuel	L3528F
16304-1015	Coolant	LFW4685 ²⁴⁹	<i>FC114 (w/W04D Engine)</i>					LFF5956
		LFW4685XL ^{14, 249}		Air	LAF5589	<i>FG180 (w/EL100 Engine)</i>		
(23501-1010); Pri.	Fuel	LFF5		Fuel	LP5565		Air	LAF712
(23401-1400); Sec.		LFP1101F		Oil	LFP805	23401-1030	Fuel	L3528F
(15607-1471); By-Pass	Oil	LFP2262	<i>FC160 (w/Hino W06E Engine)</i>			15607-1090	Oil	LP2256
15607-1740		LFP734	23401-1320	Fuel	LFF3553	<i>FH220 (w/EM100 Engine)</i>		
<i>SG3320, SG3323 (w/H06CTN Engine)</i>			<i>FC170, FD170, FF170, FT170 (w/H07C Engine)</i>			17801-2280	Air	LAF9000 ²
16304-1015	Coolant	LFW4685 ²⁴⁹	15607-1090	Oil	LP2256	23401-1030	Fuel	L3528F
		LFW4685XL ^{14, 249}	23401-1320	Fuel	LFF3553	15607-1090	Oil	LP2256
(23501-1010); Pri.	Fuel	LFF5	<i>FD120 (w/EC100 Engine)</i>			15607-1350	Oil	LP5036 ⁶⁵
(23401-1400); Sec.		LFP1101F	15607-1090	Oil	LP2256	<i>FH224 (w/EM100 Engine)</i>		
(15607-1471); By-Pass	Oil	LFP2262	23401-1030	Fuel	L3528F	23401-1030	Fuel	L3528F
15607-1740		LFP734	<i>FD150 (w/EH500 Engine)</i>			15607-1090	Oil	LP2256
<i>SG3320, SG3323 (w/H06CTV Engine)</i>			15607-1090	Oil	LP2256	15607-1350	Oil	LP5036 ⁶⁵
16304-1015	Coolant	LFW4685 ²⁴⁹	23401-1030	Fuel	L3528F	<i>FH270 (w/EM100 Engine)</i>		
		LFW4685XL ^{14, 249}	<i>FD150T (w/H06CT Engine)</i>				Air	LAF9086MXM ^{2, 268}
(23501-1010); Pri.	Fuel	LFF5	17801-2280	Air	LAF9000 ²	23401-1030	Fuel	L3528F
(23401-1400); Sec.		LFP1101F	23401-1030	Fuel	L3528F	15607-1341	Oil	LP5041
(15607-1471); By-Pass	Oil	LFP2262	15607-1090	Oil	LP2256	<i>FS270 (w/EK100 Engine)</i>		
15607-1740		LFP734	<i>FD160 (w/H06C Engine)</i>			17801-2020	Air	LAF9086 ²
<i>SG3320, SG3325 (w/J08CTD Engine)</i>			15607-1090	Oil	LP2256		Air	LAF9086MXM ^{2, 268}
17801-2810	Air	LAF1936	23401-1030	Fuel	L3528F	23401-1030	Fuel	L3528F
16304-1015	Coolant	LFW4685 ²⁴⁹	<i>FD160T, FG190T (w/Hino H06CT 6.5L Engine)</i>			15607-1341	Oil	LP5041
		LFW4685XL ^{14, 249}	17801-2280	Air	LAF9000 ²	<i>FS271 (w/EK100 Engine)</i>		
(23501-1010); Pri.	Fuel	LFF5	23401-1030	Fuel	L3528F		Air	LAF9086MXM ^{2, 268}
(23401-1440); W/S		LFF5766 ²⁵⁶	15607-1090	Oil	LP2256	23401-1030	Fuel	L3528F
(23401-1400); Sec.		LFP1101F	<i>FD160T, GD160T, FG190T (w/H06CT Engine)</i>			15607-1341	Oil	LP5041
156072050	Oil	LFP2050	23401-1320	Fuel	LFF3553	<i>FS330T (w/K13CT Engine)</i>		
(34926-1041); Oil Cooler	Trans	LFP5570			LFF3809	23401-1030	Fuel	L3528F
<i>SG3323 (w/H06C-TM Engine)</i>			15607-1380	Oil	LFP734	<i>FS600 (w/EF550 Engine)</i>		
17801-2800	Air	LAF1768 ²	<i>FD164LA, FD166LA, GD164LA, GD166, FT163LA (w/W06E Engine)</i>			17801-2020	Air	LAF9086 ²
17801-2810		LAF1936	17801-2200	Air	LAF8352		Air	LAF9086MXM ^{2, 268}
(23501-1010); Pri.	Fuel	LFF5		Fuel	L3528F	23401-1030	Fuel	L3528F
(23401-1400); Sec.		LFP1101F			LFF5956	15607-1350	Oil	LP5036 ⁶⁵
(15607-1471); By-Pass	Oil	LFP2262	<i>FD170, FF170 (w/EH700 Engine)</i>			15607-1341	Oil	LP5041
15607-1740		LFP734	15607-1090	Oil	LP2256	<i>FS630 (w/EF750 Engine)</i>		
<i>SG5523 (w/H06C-TM Engine)</i>			23401-1030	Fuel	L3528F		Air	LAF9086MXM ^{2, 268}
17801-2810	Air	LAF1936						
16304-1015	Coolant	LFW4685 ²⁴⁹						
		LFW4685XL ^{14, 249}						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 65-By-Pass 249-No chemical 255-Contains 3 oz. of chemical 256-At Tank 268-Extended/Severe service

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HINO (TRUCK HEAVY DUTY)			HINO (TRUCK HEAVY DUTY)			HINO (TRUCK HEAVY DUTY)		
<i>FS630 (w/EF750 Engine) (cont'd)</i>			<i>HE366 (w/EF700 Engine)</i>			<i>PRB115, URB2W (w/W04D Engine)</i>		
23401-1030	Fuel	L3528F	17801-1020	Air	LAF241HD ²	15607-1480	Oil	LFP5925
15607-1350	Oil	LP5036 ⁶⁵	23401-1030	Fuel	L3528F	<i>PRB145 (w/W04C-T Engine)</i>		
<i>FS630T (w/EF750 Engine)</i>			15607-1090	Oil	LP2256	15607-1480	Oil	LFP5925
	Air	LAF9086MXM ^{2, 268}	15607-1350		LP5036 ⁶⁵	<i>SD171 (w/EH700 Engine)</i>		
23401-1030	Fuel	L3528F	<i>HE366T (w/EF700T Engine)</i>			15607-1090	Oil	LP2256
15607-1350	Oil	LP5036 ⁶⁵	23401-1030	Fuel	L3528F	<i>SF17 (w/H07C-F Engine)</i>		
15607-1341		LP5041	<i>HE526 (w/EV700 Engine)</i>			17801-2480	Air	LAF1813 ²
<i>FY270 (w/EK100E Engine)</i>			17801-1050	Air	LAF5255 ²	17801-2460	Air	LAF1814 ¹
	Air	LAF9086MXM ^{2, 268}	23401-1030	Fuel	L3528F	16304-1011	Coolant	LFW4073 ²⁵⁵
23401-1030	Fuel	L3528F	15607-1350	Oil	LP5036 ⁶⁵	(23401-1281); Pri.	Fuel	LFF5
15607-1341	Oil	LP5041	<i>KAB115 (w/W04D Engine)</i>			(23401-1400); Sec.		LFP1101F
<i>FY275KA (w/EK100E Engine)</i>			15607-1480	Oil	LFP5925	(15607-1471); By-Pass	Oil	LFP2262
	Air	LAF9086MXM ^{2, 268}	<i>KB304 (w/EB300 Engine)</i>			15607-1381		LFP734
23401-1030	Fuel	L3528F	17801-1020	Air	LAF241HD ²	34926-1041	Trans	LFP5570
15607-1341	Oil	LP5041	<i>KB314, KB324, KB344, KB364, KB384, KB394 (w/EB300 Engine)</i>			<i>SH215 (w/EK100 Engine)</i>		
<i>FZ273AA, GN270 (w/EK100 Engine)</i>			17801-1020	Air	LAF241HD ²		Air	LAF9086MXM ^{2, 268}
	Air	LAF9086MXM ^{2, 268}	23401-1040	Fuel	L5945F	15607-1341	Oil	LP5041
(23401-1030); GN270 only	Fuel	L3528F	15607-1030	Oil	LP5901	<i>SH273 (w/EK100E Engine)</i>		
(15607-1350); FZ273AA only	Oil	LP5036 ⁶⁵	<i>KB501, KB501D (w/EK100 Engine)</i>				Air	LAF9086MXM ^{2, 268}
(15607-1341); GN270 only		LP5041	17801-1720	Air	LAF5035	15607-1341	Oil	LP5041
<i>GD160T (w/H06CT Engine)</i>			23401-1030	Fuel	L3528F	<i>SH275 (w/EK100 Engine)</i>		
	Fuel	LFF3553	15607-1090	Oil	LP2256	17801-2020	Air	LAF9086 ²
	Oil	LFP734	15607-1350		LP5036 ⁶⁵		Air	LAF9086MXM ^{2, 268}
<i>GD166 (w/Hino W06E Engine)</i>			<i>KB721, KB980 (w/EB300 Engine)</i>			15607-1341	Oil	LP5041
23401-1320	Fuel	LFF3553	17801-1020	Air	LAF241HD ²	<i>SH280, SH283 (w/EP100 Engine)</i>		
<i>GD170 (w/Hino H07C-F Engine)</i>			23401-1040	Fuel	L5945F		Air	LAF9086MXM ^{2, 268}
23401-1320	Fuel	LFF3553	15607-1030	Oil	LP5901	15607-1341	Oil	LP5041
<i>GD170T (w/EH700 Engine)</i>			<i>KJ501 (w/EH300 Engine)</i>			<i>SH350T (w/K13C Engine)</i>		
17801-1720	Air	LAF5035	17801-1720	Air	LAF5035	23401-1030	Fuel	L3528F
23401-1030	Fuel	L3528F	15607-1090	Oil	LP2256	<i>SH601 (w/EF550 Engine)</i>		
15607-1090	Oil	LP2256	<i>KK188, KK189 (w/EL100 Engine)</i>			17801-2020	Air	LAF9086 ²
15607-1350		LP5036 ⁶⁵	23401-1030	Fuel	L3528F		Air	LAF9086MXM ^{2, 268}
<i>GS221KD, GS221KM</i>			15607-1090	Oil	LP2256	15607-1350	Oil	LP5036 ⁶⁵
17801-2460	Air	LAF1814 ¹	<i>KK196T, KK198T, KK199T (w/H06CT Engine)</i>			<i>SH631, SH631T (w/EF750 Engine)</i>		
23401-1030	Fuel	L3528F	17801-2280	Air	LAF9000 ²	17801-2020	Air	LAF9086 ²
15607-1090	Oil	LP2256	23401-1030	Fuel	L3528F		Air	LAF9086MXM ^{2, 268}
			15607-1380	Oil	LFP734	(15607-1350); SH631 only	Oil	LP5036 ⁶⁵
<i>GS224</i>			15607-1090		LP2256	(15607-1341); SH631T only		LP5041
17801-2480	Air	LAF1813 ²	<i>KL300 (w/EC100 Engine)</i>			<i>SH631, SH631T (w/EF750T Engine)</i>		
17801-2460	Air	LAF1814 ¹	15607-1090	Oil	LP2256	17801-2020	Air	LAF9086 ²
23401-1030	Fuel	L3528F	<i>KL360 (w/EC100 Engine)</i>				Air	LAF9086MXM ^{2, 268}
15607-1090	Oil	LP2256	15607-1090	Oil	LP2256	(15607-1350); SH631 only	Oil	LP5036 ⁶⁵
15607-1350		LP5036 ⁶⁵	<i>KL501 (w/EH300 Engine)</i>			(15607-1341); SH631T only		LP5041
<i>HE336 (w/EK100 Engine)</i>			15607-1090	Oil	LP2256	<i>SH633 (w/EF750V8 Engine)</i>		
23401-1030	Fuel	L3528F	<i>KL505 (w/EH700 Engine)</i>				Air	LAF9086MXM ^{2, 268}
15607-1090	Oil	LP2256	15607-1090	Oil	LP2256	23401-1030	Fuel	L3528F
15607-1350		LP5036 ⁶⁵	<i>KM505 (w/W04D Engine)</i>			15607-1350	Oil	LP5036 ⁶⁵
<i>HE356 (w/EF500 Engine)</i>			23401-1132	Fuel	FP590F	<i>SH711 (w/EV700 Engine)</i>		
17801-1020	Air	LAF241HD ²	<i>KR360 (w/EH100 Engine)</i>				Air	LAF9086MXM ^{2, 268}
23401-1030	Fuel	L3528F	15607-1090	Oil	LP2256			
15607-1090	Oil	LP2256	<i>KS341, KS391 (w/EK100 Engine)</i>					
15607-1350		LP5036 ⁶⁵	23401-1030	Fuel	L3528F			
			15607-1090	Oil	LP2256			
			15607-1350		LP5036 ⁶⁵			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 65-By-Pass 255-Contains 3 oz. of chemical 268-Extended/Severe service

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HINO (TRUCK HEAVY DUTY)			IC CORPORATION (BUS HEAVY DUTY)			IC CORPORATION (BUS HEAVY DUTY)		
<i>SH711 (w/EV700 Engine) (cont'd)</i>			<i>BE Series Bus (w/MaxxForce 7 Engine)</i>			<i>CE Series Bus (w/MaxxForce DT Engine) (cont'd)</i>		
15607-1350	Oil	LP5036 ⁶⁵	3532799-C1	Air	LAF9099 ²	(1878042-C91); W/S	Fuel	L5086F
<i>UAB2W (w/W04D Engine)</i>			1899332C91	Oil	LFP6027	(1822638-C91); W/S		L9684F
15607-1480	Oil	LFP5925	1840752C91		LP2017	1842639-C91	Oil	LFP9025
<i>URB1W (w/W04CT Engine)</i>			57312		LP2017KITT			LFP9025XL ¹⁴
15607-1480	Oil	LFP5925	2503221-C1	Power Steering	LFH4984	2503221-C1	Power Steering	LFH4984
<i>ZM103D (w/EM100 Engine)</i>			29539579	Trans	LFH8737	29539579	Trans	LFH8737
17801-1020	Air	LAF241HD ²	(29537965); Allison		T951 ⁶	29540494		LH4582G ²⁴
23401-1030	Fuel	L3528F	1000/2000 series			29540493		LH4589G ²³
15607-1090	Oil	LP2256	<i>BE Series Bus (w/VT365 Engine)</i>			29545776		LH4591G ²²
15607-1350	Oil	LP5036 ⁶⁵	3532799-C1	Air	LAF9099 ²	29537965		T951 ⁷⁷³
<i>ZM302, ZM303 (w/EK100 Engine)</i>			(1825864-C92); W/S	Fuel	L4596F	<i>CE Series Bus (w/VT365 Engine)</i>		
17801-1020	Air	LAF241HD ²	1840752C91	Oil	LP2017 ⁷⁷⁴	3532799-C1	Air	LAF9099 ²
23401-1030	Fuel	L3528F	57312		LP2017KITT	3532800-C1		LAF9102 ¹
15607-1090	Oil	LP2256	2503221-C1	Power Steering	LFH4984	(1825864-C92); W/S	Fuel	L4596F
15607-1350	Oil	LP5036 ⁶⁵	29539579	Trans	LFH8737	1840752C91	Oil	LP2017 ⁷⁷⁴
<i>ZM302, ZM303 (w/EM100 Engine)</i>			29537965		T951 ⁷⁷³	57312		LP2017KITT
17801-1020	Air	LAF241HD ²	<i>CE Series Bus (MaxxForce 7 Engine)</i>			2503221-C1	Power Steering	LFH4984
23401-1030	Fuel	L3528F	3532799-C1	Air	LAF9099 ²	29539579	Trans	LFH8737
15607-1090	Oil	LP2256	3532800-C1		LAF9102 ¹	29540494		LH4582G ²⁴
15607-1350	Oil	LP5036 ⁶⁵	1840752C91	Oil	LP2017 ⁷⁷⁴	29540493		LH4589G ²³
<i>ZM312, ZM342 (w/EK100 Engine)</i>			57312		LP2017KITT	29545776		LH4591G ²²
23401-1030	Fuel	L3528F	2503221-C1	Power Steering	LFH4984	29537965		T951 ⁷⁷³
15607-1090	Oil	LP2256	29539579	Trans	LFH8737	<i>FE300 Front Engine School Bus (w/International DT466E Engine)</i>		
15607-1350	Oil	LP5036 ⁶⁵	29540494		LH4582G ²⁴		Air	LAF7640 ⁷⁷⁵
<i>ZM500 (w/EF500 Engine)</i>			29540493		LH4589G ²³			LAF9545 ^{2, 697}
17801-1020	Air	LAF241HD ²	29545776		LH4591G ²²	1822588C1	Fuel	LFF3349
17801-1020	Air	LAF241HD ²	29537965		T951 ⁷⁷³	1820479C1		LFF3545
15607-1090	Oil	LP2256	<i>CE Series Bus (w/Cummins ISB 6.7L Engine)</i>			(1618385C91); W/S		LFF3579
15607-1350	Oil	LP5036 ⁶⁵	2602212C1	Air	LAF9104	(1693965-C91); W/S		LFF5851 ⁵⁵³
<i>ZM704, ZM705 (w/EF300 Engine)</i>			LF3970	Oil	LFP3970	1833121C1	Oil	LFP2285
17801-1020	Air	LAF241HD ²		Power Steering	LFH4984	1833121C1		LFP2285XL ¹⁴
15607-1090	Oil	LP2256	Allison 1000/2000 Series	Trans	LFH8737	<i>HC Series Bus (w/MaxxForce 7 Engine)</i>		
15607-1350	Oil	LP5036 ⁶⁵	<i>CE Series Bus (w/DTA360 Engine)</i>			(1878042-C91); W/S	Fuel	L5086F
<i>ZM705 (w/EF300 Engine)</i>			1661755-C91	Air	LAF7640 ¹	1840752C91	Oil	LP2017 ⁷⁷⁴
17801-1020	Air	LAF241HD ²	476741-C1		LAF9545 ¹⁸¹	57312		LP2017KITT
<i>ZM706 (w/EF350 Engine)</i>			WF2071	Coolant	LAF9545 ²	29539579	Trans	LFH8737
17801-1020	Air	LAF241HD ²	WF2072		LFW4071 ²⁸	29540494		LH4582G ²⁴
<i>ZM940T (w/EF700T Engine)</i>			WF2073		LFW4072 ¹⁸²	29540493		LH4589G ²³
17801-1020	Air	LAF241HD ²	WF2074		LFW4073 ²⁵⁵	29545776		LH4591G ²²
HYDRO-GEAR (AXLE)			WF2075		LFW4074 ⁶²⁷	29537965		T951 ⁷⁷⁶
210-3010L	Oil	PH2835	(1822588-C1); S/N -72706	Fuel	LFW4075 ⁶⁴⁴	<i>HC Series Bus (w/MaxxForce DT Engine)</i>		
210-3021L	Oil	PH2835	S/N 72707-; Pri.		LFF3349 ⁷⁶⁴	3532799-C1	Air	LAF9099 ²
IC CORPORATION (BUS HEAVY DUTY)			1811953-C1	Oil	LFF5D	(1878042-C91); W/S	Fuel	L5086F
<i>AE Series (w/International Maxforce 7 Engine)</i>			29510922	Trans	LFP2244	(1822638-C91); W/S		L9684F
2602212C1	Air	LAF9104 ²	29540976		PH675	1842639-C91	Oil	LFP9025
1884207C92	Fuel	L7662FK ⁷⁷²	29538489		LFP8316G	2503221-C1	Power Steering	LFP9025XL ¹⁴
1899332C91	Oil	LFP6027	<i>CE Series Bus (w/MaxxForce DT Engine)</i>			29539579	Trans	LFH8737
1840752C91		LP2017	3532799-C1	Air	LAF9099 ²	29540494		LH4582G ²⁴
		LP2017KITT	3532800-C1		LAF9102 ¹	29540493		LH4589G ²³
2503221-C1	Power Steering	LFH4984				29545776		LH4591G ²²
29539579	Trans	LFH8737				29537965		T951 ⁷⁷⁶
(29537965); Allison 1000/2000 series		T951 ⁶						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 6-Shallow Pan 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 65-By-Pass 181-Single 182-Contains 2 oz. of chemical 255-Contains 3 oz. of chemical 553-Requires sediment bowl 627-5 oz. of chemical 644-Contains 6 oz. of chemical 659-3.8" Deep Pan 660-5.3" Deep Pan 697-16.5" Tall 764-w/o Drain 772-2012 - 773-Shallow Pan Without Gasket 774-Without Cap 775-Some models Inner 776-Shallow Pan before 2010

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
IC CORPORATION (BUS HEAVY DUTY)			INTERNATIONAL (MEDIUM DUTY TRUCK)			INTERNATIONAL (MEDIUM DUTY TRUCK)		
<i>RE (cab over bus) (w/MaxxForce DT Engine)</i>			<i>1452FC (w/International 7.3L Engine) (cont'd)</i>			<i>1652 (w/7.3L Engine) (cont'd)</i>		
476741-C1	Air	LAF9545 ²	(1804459-C1); Exc. U-hauls	Fuel	LFF5824U ¹⁷¹ LFP811F	279294-C92	Power Steering	LP487
(1878042-C91); W/S	Fuel	L5086F L9684F	1804442-C1	Oil	LFP784	<i>1652SC (Chassis Model) (w/VT365 Engine)</i>		
(1822638-C91); W/S	Oil	LFP9025 LFP9025XL ¹⁴	279294-C92	Power Steering	LP487	1691027C1	Air	LAF1878 ²
1842639-C91			<i>1600 (w/DT360 Engine)</i>			(1843162C91); W/S	Fuel	L4596F L4604F ¹⁹⁵
2503221-C1	Power Steering	LFH4984	482644-C1	Air	LAF7640 ¹ LAF9545 ²	FD4606	Oil	LP2017
1691121C1		LH8504	(476741-C1); w/Dual Ele.		LAF9545 ²	1840752C91	Trans	LHF8737 ⁵⁸⁷
29540494	Trans	LH4582G ²⁴	(476741-C1); w/Single Ele.			(29537268); Allison 1000/2000		T951 ⁶
29540493		LH4589G ²³	(548348-C1); W/S	Fuel	LFF1131 LFF4293 LFF5D LFP925F	(29537965); Allison 1000/2000		
29545776		LH4591G ²²	(1809789-C1); Sec. (FF105D); S/N 72707-; Davco opt.			<i>1652SC (w/6.9L Turbo Diesel Engine)</i>		
<i>RE Rear Engine Commercial Bus (w/International DT466E Engine)</i>			1811953-C1	Oil	LFP2244 ²⁶⁷	588213C1	Air	LAF588
476741C1	Air	LAF9545 ²	279294-C92	Power Steering	LP487	1804459C1	Fuel	LFP811F
1809789C1	Fuel	LFF3349 LFF3579	<i>1610, 1710, 1810 Cargostar Series (w/International MV404 Engine)</i>			1804442C1	Oil	LFP784
(1677004C91); W/S	Oil	LFP2285	446661-C2	Air	LAF388 ²⁶⁴	<i>1652SC (w/DT360 Engine)</i>		
1819452C1	Power Steering	LFH4984 LH8504	531546-R91	Fuel	G5/16 ²⁶³ G6 LFP880	1691027-C1	Air	LAF1878 ²
29540494	Trans	LH4582G ²⁴		Oil		(1809789-C1); Sec. (548348-C1); W/S (1677004-C91); W/S W/S	Fuel	FP603 LFF1131 ¹² LFF3579 ¹² LFF3579U ¹² LFF5D
29540493		LH4589G ²³				Davco opt.	Oil	LFP2244
IDLE SOLUTIONS (AUXILIARY POWER UNIT)						1811953-C1	Power Steering	LP487
<i>Idle Solutions (w/Perkins 403C-11 Engine)</i>						279294-C92		
P822686	Air	LAF8388 ²	<i>1610, 1710, 1810 Cargostar Series (w/International MV446 Engine)</i>			<i>1700 Loadstar, 1724S Series (w/International MV404 Engine)</i>		
26561117	Fuel	L296F ⁴¹	446661-C2	Air	LAF388 ²⁶⁴	446661-C2	Air	LAF388 ^{12, 264}
140517050	Oil	PH2835	531546-R91	Fuel	G5/16 ²⁶³ G6 LFP880	531546-R91	Fuel	G5/16 ²⁶³ G6
IDLEBUSTER (AUXILIARY POWER UNIT)						427207-C1	Oil	LFP880
<i>Idlebuster (w/Kubota Z482 Engine)</i>						<i>1700 Loadstar, 1724S Series (w/International V345 Engine)</i>		
K1211-82320	Air	LAF8388 ²	<i>1610, 1710, 1810 Cargostar Series (w/International V345 Engine)</i>			446661-C2	Air	LAF388 ^{12, 264}
R12S	Fuel	LFF8676 ⁶⁸²	446661-C2	Air	LAF388 ²⁶⁴		Fuel	G5/16 ²⁶³
70000-15241	Oil	PH2903 ⁶⁸⁰	531546-R91	Fuel	G5/16 ²⁶³ G6 LFP880	531546-R91		G6
70000-32431		PH400 ⁶⁷⁷		Oil		427207-C1	Oil	LFP880
INTERNATIONAL (AUXILIARY POWER UNIT)						<i>1750 Loadstar Series (w/International V345 Engine)</i>		
<i>Fleetrite (w/ Cat. C 0.5 eng.)</i>						446661-C2	Air	LAF388 ^{12, 264}
	Breather	LAF8597	<i>1610, 1710, 1810 Cargostar Series (w/International V392 Engine)</i>				Fuel	G5/16 ²⁶³
	Fuel	L3541F	446661-C2	Air	LAF388 ²⁶⁴		Oil	LFP880 ¹⁹
	Oil	PH2840	531546-R91	Fuel	G5/16 ²⁶³ G6 LFP880			PH400 ^{18, 275} PH8A ^{18, 1496}
<i>Maxxpower</i>						<i>1750 Loadstar Series (w/International 404 Gas Engine)</i>		
	Air	LAF8388	<i>1652 (w/7.3L Engine)</i>			446661-C2	Air	LAF388 ^{12, 264}
	Fuel	L550F	588213-C1	Air	LAF588		Fuel	G5/16 ²⁶³
	Oil	PH2808	(1822631-C91); W/S (548348-C1); W/S (1677004-C91); W/S W/S	Fuel	L4595F LFF1131 ¹² LFF3579 ¹² LFF3579U ¹² LFF5824B LFF5824U ¹⁷¹		Oil	LFP880 ¹⁹
INTERNATIONAL (MEDIUM DUTY TRUCK)			1813104-C91			<i>1750 Loadstar Series (w/International DT466 Engine)</i>		
<i>1452FC (w/International 7.3L Engine)</i>						478974-C1	Air	LAF942
588213-C1	Air	LAF588	1804442-C1	Oil	LFP784	Pri.	Fuel	FP251F
(548348-C1); W/S	Fuel	LFF1131 LFF5824B	1695528C1	Power Steering	LH7528	Sec.	Oil	FP603 LFP6241
(1813104-C91); U-hauls								LFP6241
						<i>1750 Loadstar Series (w/International DV550B Engine)</i>		
						(303642-C91); S/N 36674-	Air	LAF642
						S/N 7164-; Pri.	Fuel	FP251F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 6-Shallow Pan 12-Optional 14-Extended Life 18-Short 19-Long 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 41-Cartridge 171-With Sensor Port 195-Kit, Primary/Secondary 263-Hoses and clamps included 264-w/o foam wrap, w/foam wrap LAF388B 267-4.25" O.D. 275-Primary 587-Spin-on 677-3/4" thread 680-20mm thread 682-2 micron 1496-Alternate

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (MEDIUM DUTY TRUCK)			INTERNATIONAL (MEDIUM DUTY TRUCK)			INTERNATIONAL (MEDIUM DUTY TRUCK)		
<i>1750 Loadstar Series (w/International DV550B Engine) (cont'd)</i>			<i>3000, 3400, 3800 Series Buses (w/T444E 7.3L Engine) (cont'd)</i>			<i>3600, 3700, 3800, 3900 Series (w/International DT466 Engine) (cont'd)</i>		
S/N 5118-7163; Sec.	Fuel	L664F	1695528C91	Power Steering	LH7528	482644-C1	Air	LAF7640 ¹
S/N 7164-; Sec.		LFF4293				476741-C1		LAF9545 ²
427207-C2	Oil	LFP880	<i>3200 Bus Chassis (w/DT466 Engine)</i>			(1677004-C91); W/S	Fuel	LFF3579
<i>1750 Loadstar Series (w/International DV550BTC Engine)</i>			(29539579); Allison	Trans	LFH8737 ⁵⁸⁷	W/S		LFF3579U
(303642-C91); S/N	Air	LAF642	1000/2000			1691121-C1	Power Steering	LH8504
36674-			3532799C1	Air	LAF9099 ²	(625627-C1); Pri.	Fuel	FP251F
S/N 7164-; Pri.			3532800C1		LAF9102 ¹	(1809789-C1); Sec.		FP603
S/N 5118-7163; Sec.	Fuel	FP251F	1822588C1	Fuel	LFF3349	(625625-C1); Pri.		FP625
S/N 7164-; Sec.		L664F	1833121C1	Oil	LFP2285	1811953-C1	Oil	LFP2244 ²⁶⁷
427207-C2	Oil	LFF4293			LFP2285XL ¹⁴	279294-C92	Power Steering	LP487 ²⁷⁰
		LFP880	1691121C1	Power Steering	LH8504	1653998-C91		LP8278 ²⁶⁹
<i>1753 (w/7.3L Diesel Engine)</i>			29540494	Trans	LH4582G ²⁴	<i>3600, 3700, 3800, 3900 Series (w/International DT466E Engine)</i>		
513288c1	Air	LAF588	29540493		LH4589G ²³	482644-C1	Air	LAF7640 ¹
	Fuel	LFF5824B			LH4591G ²²	476741-C1		LAF9545 ²
		LFF5824U ¹⁷¹	29537965		T951 ⁶	1822588-C1	Fuel	LFF3349
	Oil	LFP784	29539579	Trans	LFH8737	1819452-C1	Oil	LFP2285
475606c2	Trans	LH4924	(29539579); Allison	Trans	LFH8737 ⁵⁸⁷	1691121-C1	Power Steering	LH8504
29540976		T112	1000/2000			<i>3600, 3700, 3800, 3900 Series (w/International DTA360 Engine)</i>		
		T153	<i>3200, 3800 (w/VT365 engine)</i>			1691027-C1	Air	LAF1878 ²
<i>1824 S Series (w/MV404 Engine)</i>			3532799C1	Air	LAF9099 ²	482644-C1		LAF7640 ¹
446661-C2	Air	LAF388 ^{12, 264}	3532800C1		LAF9102 ¹	1685556-C1		LAF959 ¹²
	Fuel	G5/16 ²⁶³	2506656C1	Cabin Air	CAF24005	(1809789-C1); Sec.	Fuel	FP603
	Oil	LFP880 ²¹¹	2506656C1		CAF24005XL ¹⁸³	W/S		LFF1131
<i>1824 S Series (w/MV446 Engine)</i>			(1825864C92); W/S	Fuel	L4596F	(1677004-C91); W/S		LFF3579
446661-C2	Air	LAF388 ^{12, 264}	1840752C91	Oil	LP2017	W/S		LFF3579U
	Fuel	G5/16 ²⁶³	(29539579); Allison	Trans	LFH8737 ⁵⁸⁷	(1808623-C1); Pri.		LFF8349
	Oil	LFP880 ²¹¹	1000/2000			1811953-C1	Oil	LFP2244 ²⁶⁷
<i>1850, 1854 S series (w/DT466 Engine)</i>			(29526898); Allison		LH4582G ²⁴	1681202-C91	Power Steering	LH4741 ²⁷²
476741-C1	Air	LAF7640 ¹	3000/3500		LH4589G ²³	1695528C1		LH7528
	Coolant	LFW4071 ^{28, 205}	(29526899); Allison		LH4591G ²²	1691121-C1		LH8504
	Fuel	FP251F	3000/3500		T951 ⁶	279294-C92		LP487 ²⁷⁰
		FP625				1653998-C91		LP8278 ²⁶⁹
1808896c1	Oil	LFP6241	(29537965); Allison			<i>3600, SC, 3700, 3800, 3900, FC (w/International DT360 Engine)</i>		
	Power Steering	LH4741	1000/2000			1811953-C1	Oil	LFP2244
<i>1853 (w/DTA360 Engine)</i>			<i>3600, 3700, 3800 (w/7.3L Engine)</i>			1691027-C1	Air	LAF1878 ²
476741-C1	Air	LAF7640 ¹	588213-C1	Air	LAF588 ²¹¹	482644-C1		LAF7640 ¹
		LAF9545 ²	482644-C1		LAF7640 ¹	(476741-C1); w/Dual Ele.		LAF9545 ²
FS1206	Fuel	L2020FN ²⁵⁴	(548348-C1); W/S	Fuel	LFF1131 ¹²	1695528C1		LH7528
702255c1		LFP255F	(1677004-C91); W/S		LFF3579 ¹²	1691121-C1		LH8504
1808896c1	Oil	LFP6241	W/S		LFF3579U ¹²	279294-C92		LP487 ²⁷⁰
	Power Steering	LH4741	1804459-C1		LFP811F	1653998-C91		LP8278 ²⁶⁹
<i>3000, 3400, 3800 Series Buses (w/T444E 7.3L Engine)</i>			1804442-C1	Oil	LFP784	<i>3600, SC, 3700, 3800, 3900, FC (w/International DT360 Engine)</i>		
1691027-C1	Air	LAF1878 ²	<i>3600, 3700, 3800, 3900 Series (w/International DT466 Engine)</i>			1811953-C1	Oil	LFP2244
482644-C1		LAF7640 ¹	1685556-C1	Air	LAF959 ¹²	1691027-C1	Air	LAF1878 ²
476741-C1		LAF9545 ²	1822313-C1	Coolant	LFW4744 ⁴	482644-C1		LAF7640 ¹
WF2071	Coolant	LFW4071 ^{28, 205}	1822588-C1	Fuel	LFF3349 ²⁶⁷	1685556-C1		LAF959 ¹²
1814562-C1	Oil	LFP2286	1820479-C1		LFF3545 ²⁷¹	(1809789-C1); Sec.	Fuel	FP603
		LFP2286XL ¹⁴	1819452-C1	Oil	LFP2285	W/S		LFF1131
1691121-C1	Power Steering	LH8504	1631027-C1	Air	LAF1878 ²	(1677004-C91); W/S		LFF3579
						W/S		LFF3579U

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 6-Shallow Pan 12-Optional 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 171-With Sensor Port 183-Dust and odor filter 205-Maintenance 211-7" Tall 254-Optional Racor 263-Hoses and clamps included 264-w/o foam wrap, w/foam wrap LAF388B 267-4.25" O.D. 269-2.5" x 3.5" 270-3.5" x 2.8" 271-3" O.D. 272-4" OD 587-Spin-on

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (MEDIUM DUTY TRUCK)			INTERNATIONAL (MEDIUM DUTY TRUCK)			INTERNATIONAL (MEDIUM DUTY TRUCK)		
<i>3600, SC, 3700, 3800, 3900, FC (w/International DT360 Engine) (cont'd)</i>			<i>4100 Durastar, 4300 Durastar (w/MaxxForce 7 Engine)</i>			<i>4300 Durastar (w/MaxxForce DT Engine) (cont'd)</i>		
(1808623-C1); Pri.	Fuel	LFF8349	3532799C1	Air	LAF9099	3532799C1	Air	LAF9099
1681202-C91	Power Steering	LH4741 ²⁷²	2506656C1	Cabin Air	CAF24005	2506656C1	Cabin Air	CAF24005
1695528C1		LH7528	2506656C1		CAF24005XL ¹⁸³	1842639C91	Oil	LFP9025 ²⁷³
1691121-C1		LH8504	1876533C93	Fuel	L8874FK ¹⁹⁵	1842639C91		LFP9025XL ¹⁴
279294-C92		LP487 ²⁷⁰	1899332C91	Oil	LFP6027	(29539579); Allison	Trans	LFH8737 ⁵⁸⁷
1653998-C91		LP8278 ²⁶⁹	1840752C91		LP2017	1000/2000		T951 ⁶
1811953-C1	Oil	LFP2244 ²⁶⁷	2503221C1	Power Steering	LFH4984	(29537965); Allison	1000/2000	
<i>3600, SC, 3700, 3800, 3900, FC (w/International DT408 Engine)</i>			<i>4100, 4200, 4200LP (w/VT365 Engine)</i>			<i>4300 Durastar Hybrid (w/DT466 Engine)</i>		
1691027-C1	Air	LAF1878 ²	3532799C1	Air	LAF9099 ²	3532799C1		LAF9099
482644-C1		LAF7640 ¹	3532800C1		LAF9102 ¹	2506656C1	Cabin Air	CAF24005
476741-C1		LAF9545 ²	2506656C1	Cabin Air	CAF24005	2506656C1		CAF24005XL ¹⁸³
1685556-C1		LAF959 ¹²	2506656C1		CAF24005XL ¹⁸³	(1878042C91); W/S	Fuel	L5086F
1822313-C1	Coolant	LFW4744 ⁴	(1825864C92); W/S	Fuel	L4596F	1842639C91	Oil	LFP9025
(1809789-C1); Pri.	Fuel	FP603	1840752C91	Oil	LP2017	2503221C1	Power Steering	LFH4984
1822588-C1		LFF3349 ²⁶⁷	(29539579); Allison	Trans	LFH8737 ⁵⁸⁷	(29539579); Allison	Trans	LFH8737 ⁵⁸⁷
1820479-C1		LFF3545 ²⁷¹	1000/2000		T951 ⁶	1000/2000		T951 ⁶
(1677004-C91); W/S		LFF3579	(29537965); Allison			1000/2000		
W/S		LFF3579U	1000/2000					
Davco opt.		LFF5	<i>4300 (w/DT466E Engine)</i>			<i>4300 Durastar, 4400 Durastar (w/MaxxForce 7 Engine)</i>		
1819452-C1	Oil	LFP2285	2005895C1	Air	LAF1953 ²	2602212C1	Air	LAF9104 ²⁷⁵
		LFP2285XL ¹⁴	482644C1		LAF1953MXM ²⁶⁸	1884207C92	Fuel	L7662FK
11691121-C1	Power Steering	LH8504	476741C1		LAF7640 ¹	1899332C91	Oil	LFP6027
<i>3600, SC, 3700, 3800, 3900, FC (w/International DT466 Engine)</i>			1822313C1	Coolant	LAF9545 ²	1840752C91		LP2017
1685556-C1	Air	LAF959 ¹²	1822588C1	Fuel	LFF3349	(29539579); Allison	Trans	LFH8737 ⁵⁸⁷
1822313-C1	Coolant	LFW4744 ⁴	1819452C1	Oil	LFP2285	1000/2000		T951 ⁶
1822588-C1	Fuel	LFF3349 ²⁶⁷			LFP2285XL ¹⁴	(29537965); Allison	1000/2000	
1820479-C1		LFF3545 ²⁷¹	<i>4300 Durastar (w/Cummins ISB6.7L Engine)</i>			<i>4300, 4400 (w/DT466E Engine)</i>		
1819452-C1	Oil	LFP2285	2602212C1	Air	LAF9104	3532799C1	Air	LAF9099 ²
		LFP2285XL ¹⁴	3839141C1	Cabin Air	CAF24015	3532800C1		LAF9102 ¹
1631027-C1	Air	LAF1878 ²	3839141C1		CAF24015XL ¹⁸³	2506656C1	Cabin Air	CAF24005
482644-C1		LAF7640 ¹		Oil	LFP3970	2506656C1		CAF24005XL ¹⁸³
476741-C1		LAF9545 ²	2503221-C1	Power Steering	LFH4984	1822313C1	Coolant	LFW4744 ⁴
(1677004-C91); W/S	Fuel	LFF3579	(29539579); Allison	Trans	LFH8737 ⁵⁸⁷	(1842638C91); W/S	Fuel	L9684F
W/S		LFF3579U	1000/2000					LFF3349
1691121-C1	Power Steering	LH8504	<i>4300 Durastar (w/MaxxForce DT Engine)</i>			1819452C1	Oil	LFP2285 ²⁷⁶
(625627-C1); Pri.	Fuel	FP251F	2602212C1	Air	LAF9104 ²⁷⁵			LFP2285XL ¹⁴
(1809789-C1); Sec.		FP603	(29537965); Allison	Trans	T951 ⁶	1842639C91		LFP9025 ²⁷³
(625625-C1); Pri.		FP625	2000 Series			1842655C91		LFP9035 ²⁷⁷
279294-C92	Power Steering	LP487 ²⁷⁰	(1878042C91); W/S	Fuel	L5086F	1842825C91		LP4083 ⁶⁵
1653998-C91		LP8278 ²⁶⁹	2503221C1	Power Steering	LFH4984	(29539579); Allison	Trans	LFH8737 ⁵⁸⁷
1811953-C1	Oil	LFP2244 ²⁶⁷	1889124C91	Oil	LFP6035	1000/2000		LH4582G ²⁴
1811953-C1	Oil	LFP2244	(29539579); Allison	Trans	LFH8737	(29526898); Allison		LH4589G ²³
			1000/2000			3000/3500		LH4591G ²²
			1889124c91	Oil	LFP6035	(29526899); Allison		T951 ⁶
			(29539579); Allison	Trans	LFH8737 ¹⁵⁵³	3000/3500		
			1000/2000			(29537965); Allison		
			1889124C91	Oil	LFP6035 ²⁷⁴	1000/2000		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 6-Shallow Pan 12-Optional 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 65-By-Pass 183-Dust and odor filter 195-Kit, Primary/Secondary 267-4.25" O.D. 268-Extended/Severe service 269-2.5" x 3.5" 270-3.5" x 2.8" 271-3" O.D. 272-4" OD 273-95mm x 2 Thread 274-1 3/4" thread 275-Primary 276-M36 x 1.5-5 Thread 277-92mm x 2 Thread 587-Spin-on 1553-Spin-onSpin-on

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (MEDIUM DUTY TRUCK)			INTERNATIONAL (MEDIUM DUTY TRUCK)			INTERNATIONAL (MEDIUM DUTY TRUCK)		
<i>4400 (w/DT466HT Engine)</i>			<i>4400 Durastar (w/MaxxForce DT Engine) (cont'd)</i>			<i>M1600 (w/International 7.3L Engine)</i>		
3532799C1	Air	LAF9099 ²	2503221C1	Power Steering	LFH4984	588213-C1	Air	LAF588
3532800C1		LAF9102 ¹	(29539579); Allison	Trans	LFH8737 ⁵⁸⁷	482644-C1		LAF7640 ¹
(1842638C91); W/S	Fuel	L9684F	1000/2000		T951 ⁶	(47641-C1); w/DT 360 eng.		LAF9545 ²
1842639C91	Oil	LFP9025	(29537965); Allison			<i>M1600 (w/International DT360 Engine)</i>		
29540494	Trans	LH4582G ²⁴	1000/2000			588213-C1	Air	LAF588
29540493		LH4589G ²³	<i>4600, 4700, 4800 (w/T444E 7.3L Engine)</i>			482644-C1		LAF7640 ¹
		LH4591G ²²	(1825864-C92); W/S	Fuel	L4596F	(47641-C1); w/DT 360 eng.		LAF9545 ²
<i>4400 (w/DT570 Engine)</i>			1695528C1	Power Steering	LH7528	<i>S1654, S1753 (w/7.3L Turbo Diesel Engine)</i>		
3532799C1	Air	LAF9099 ²					Air	LAF588
3532800C1		LAF9102 ¹	1691027-C1	Air	LAF1878 ²		Fuel	LFF5824U ¹⁷¹
2506656C1	Cabin Air	CAF24005	476741-C1		LAF9545 ²		Oil	LFP784
2506656C1		CAF24005XL ¹⁸³	1822627-C1	Coolant	LFW4071 ^{18, 28}	<i>S1654, S1753, S1853, G1954 (w/6.9L Turbo Diesel Engine)</i>		
	Coolant	LFW4071 ^{18, 28}	1822313-C91		LFW4744 ¹⁹	5832130001	Air	LAF588
1822313-C1		LFW4744 ¹⁹	(1822631-C91); W/S	Fuel	L4595F	W/S	Fuel	LFP255F
(1842638C91); W/S	Fuel	L9684F	1814562-C1	Oil	LFP2286	Sec.	Oil	LFP811F
1842639C91	Oil	LFP9025 ²⁷³			LFP2286XL ¹⁴			LFP784
1842543C1		LFP9035 ²⁷⁷	1691121-C1	Power Steering	LH8504	<i>S1654, S1754, S1853, S1854, S1924, S1925 (w/International DT466 Engine)</i>		
29540494	Trans	LH4582G ²⁴	482644-C1	Air	LAF7640 ¹	530778-C1	Air	LAF1931 ¹
29526899		LH4589G ²³	588213-C1	Air	LAF588 ²¹¹	482644-C1		LAF7640 ¹
		LH4591G ²²	(476741-C1); w/Dual Ele.		LAF9545 ²	478974-C1		LAF942 ²
<i>4400 Durastar (w/International N9 Engine)</i>			(548348-C1); W/S	Fuel	LFF1131 ¹²	476741-C1		LAF9545 ²
2602212C1	Air	LAF9104	(1677004-C91); W/S		LFF3579 ¹²		Coolant	LFW4071 ^{28, 205}
3839141C1	Cabin Air	CAF24015	W/S		LFF3579U ¹²	Pri.	Fuel	FP251F
		CAF24015XL ¹⁸³	(1813104-C91); U-hauls		LFF5824B	Sec.		FP603
(1878042C91); W/S	Fuel	L5086F	(1804459-C1); Exc. U-hauls		LFF5824U ¹⁷¹	Pri.		FP625
(5008414); Brake	Miscellaneous	LFP8654	1804442-C1	Oil	LFP811F	Pri.	Oil	LFP3692F
Dryer			279294-C92	Power Steering	LP487 ²⁷⁸	1811953-C1		LFP2244 ²⁶⁷
1884508C2	Oil	LFP6035	<i>City Star CF500, CF600 (w/IHC-Navistar MaxxForce 5 Engine)</i>			1808896-C1		LFP6241 ²⁶⁶
2503221C1	Power Steering	LFH4984	3587702C1	Air	LAF6922 ²	<i>S1754, S1853 (w/DTA360 Engine)</i>		
29526898	Trans	LH4582G ²⁴	1847170C93	Fuel	L4604F ¹⁹⁵	1809789C1	Fuel	LFF3349
		LH4591G ²²	1847174C91	Oil	LP2029	1811953C1	Oil	LFP2244
<i>4400 Durastar (w/MaxxForce 9 Engine)</i>			FT145	Trans	LH1145 ¹⁹³	<i>S1853, S1854, S2200, S2300 (w/International 9.0L Engine)</i>		
3532799C1	Air	LAF9099 ²	3C3Z-7A098-AA		T865 ¹⁶	478974-C1	Air	LAF942
3532800C1		LAF9102 ¹	<i>City Star CF500, CF600 (w/IHC-Navistar VT275 4.5L Engine)</i>			Sec.	Fuel	FP603
2506656C1	Cabin Air	CAF24005	3587702C1	Air	LAF6922 ²	Pri.		FP625
2506656C1		CAF24005XL ¹⁸³	2506656C1	Cabin Air	CAF24005		Oil	LFP880
1878042C91; W/S	Fuel	L5086F	1847170C92	Fuel	L4604F ¹⁹⁵	<i>TerraStar (w/MaxxForce 7 6.4L Engine)</i>		
(R950011); Brake	Miscellaneous	LFP8654	1847174C91	Oil	LP2029	2602212C1	Air	LAF9104 ²⁷⁵
Dryer			FT145	Trans	LH1145 ¹⁹³	1884207C92	Fuel	L7662FK
1842639C91	Oil	LFP9025	3C3Z-7A098-AA		T865 ¹⁶	1899332C91	Oil	LFP6027
1842639C91		LFP9025XL ¹⁴	<i>HV507 (w/Cummins ISB6.7 engine)</i>			1840752C91		LP2017
2503221C1	Power Steering	LFH4984	FT145	Trans	LH1145 ¹⁹³	(29539579); Allison	Trans	LFH8737 ⁵⁸⁷
29526898	Trans	LH4582G ²⁴	3C3Z-7A098-AA		T865 ¹⁶	1000/2000		T951 ⁶
29526899		LH4589G ²³	<i>M1400 (w/International 7.3L Engine)</i>			(29537965); Allison		
		LH4591G ²²	588213-C1	Air	LAF588	1000/2000		
<i>4400 Durastar (w/MaxxForce DT Engine)</i>				Oil	LFP2286			
3532799C1	Air	LAF9099						
2506656C1	Cabin Air	CAF24005						
2506656C1		CAF24005XL ¹⁸³						
(1878042C91); W/S	Fuel	L5086F						
1889124c91	Oil	LFP6035 ²⁷⁴						
1842639C91		LFP9025 ²⁷³						
1842639C91		LFP9025XL ¹⁴						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 6-Shallow Pan 12-Optional 14-Extended Life 16-Internal 18-Short 19-Long 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 171-With Sensor Port 183-Dust and odor filter 193-External Mounted 195-Kit, Primary/Secondary 205-Maintenance 211-7" Tall 266-3.75" O.D. 267-4.25" O.D. 273-95mm x 2 Thread 274-1 3/4" thread 275-Primary 277-92mm x 2 Thread 278-2.8" Hgt. 587-Spin-on

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>1850 Loadstar Series (w/Detroit Diesel 6V-53N Engine)</i>			<i>1954, 1955 S Series (w/MV404 Engine) (cont'd)</i>			<i>2050 Series Fleetstar (w/International DV550B Engine)</i>		
	Air	LAF4323		Fuel	G5/16 ²⁶³			
Sec.	Fuel	261F L274F		Oil	LFP880 ²¹¹	433127-C91	Air	LAF1128
	Oil	LP132 ⁶⁵ P71	<i>1954, 1955 S Series (w/MV466 Engine)</i>			303642-C91		LAF642
			446661-C2	Air	LAF388 ^{12, 264}	Pri.	Fuel	FP251F
				Fuel	G5/16 ²⁶³	S/N 5118-7163; Sec.		L664F
				Oil	LFP880 ²¹¹	Sec.		LFF4293
							Oil	LFP880
<i>1850 Series Cargostar, Loadstar (w/Caterpillar 3208 Engine)</i>			<i>2000 Series</i>			<i>2070 Series Fleetstar (w/Cummins Engine)</i>		
470289-C1	Air	LAF6860	588213-C1	Air	LAF588 LAF9544	420051-C1	Air	LAF8047
<i>1850 Series Loadstar (w/International DV550B Engine)</i>			(476743-C1); w/Cat. 3176 eng. w/Single Ele.				Fuel	LFF5
(303642-C91); S/N 36674-	Air	LAF642	(476743-C1); w/Cummins 855 eng. w/Dual Ele.		LAF9544 ²	By-Pass	Oil	LFP670 LFP777B LP566
S/N 7164-; Pri.	Fuel	FP251F L664F LFF4293	(476743-C1); w/Cummins 855 eng. w/Single Ele.		LAF9544			
S/N 5118-7163; Sec.			(476741-C1); w/Cat. 3176 eng. w/Dual Ele.		LAF9545 ²	<i>2125, 2155 S Series (w/DTI466 Engine)</i>		
S/N 7164-; Sec.	Oil	LFP880				476741-C1	Air	LAF9545 ²
<i>1850, 1950 Cargostar Series (w/International 9.0L Engine)</i>			<i>2000 Series Fleetstar (w/Cummins Engine)</i>			Pri.	Fuel	FP251F FP603
(303642-C91); S/N 36674-478974-C1	Air	LAF642 ²⁶⁵ LAF942 ²	250552-C92	Air	LAF241HD	Sec.		
Sec.	Fuel	FP603 FP625 LFF4293	<i>2000 Series Fleetstar (w/Detroit Diesel 6-71 Engine)</i>			1811953-C1	Oil	LFP2244
Pri.				Air	LAF241HD ⁶¹¹ LAF320	1808896-C1		LFP6241
S/N 7164-; Sec.	Oil	LFP880	6483682	Oil	LP132	<i>2125, 2155 S Series (w/International DT466 Engine)</i>		
<i>1910 Series Cargostar (w/International VS401 Engine)</i>			<i>2000 Series Fleetstar (w/Detroit Diesel 6V-71N Engine)</i>			476741-C1	Air	LAF9545 ²
150868-R91	Air	LAF41		Air	LAF241HD ⁶¹¹ LAF320	Pri.	Fuel	FP251F FP603
<i>1910 Series Cargostar (w/International VS478 Engine)</i>			6483682	Oil	LP132	Sec.		
150868-R91	Air	LAF41	<i>2000 Series Fleetstar (w/Detroit Diesel 8V-71N Engine)</i>			1811953-C1	Oil	LFP2244
<i>1910 Series Cargostar (w/International VS546 Engine)</i>			304766-C91	Air	LAF5255	1808896-C1		LFP6241
150868-R91	Air	LAF41	Sec.	Fuel	262F L552F	<i>2125, 2155 S Series (w/International DTA466 Engine)</i>		
<i>1924, 1925 S Series (w/MV404 Engine)</i>			Pri.	Oil	LP132	476741-C1	Air	LAF9545 ²
446661-C2	Air	LAF388 ^{12, 264}	<i>2010 Series Fleetstar (w/IHC RD450 Engine)</i>			Pri.	Fuel	FP251F FP603
	Fuel	G5/16 ²⁶³	204514-R91	Air	LAF1961 ¹²	Sec.		
	Oil	LFP880		Fuel	G5/16 ²⁶³	1811953-C1	Oil	LFP2244 ²⁶⁷
<i>1924, 1925 S Series (w/MV446 Engine)</i>				Oil	P3	1808896-C1		LFP6241
446661-C2	Air	LAF388 ^{12, 264}	<i>2010 Series Fleetstar (w/IHC RD501 Engine)</i>			<i>2275 (w/Cummins N14 Engine)</i>		
	Fuel	G5/16 ²⁶³	204514-R91	Air	LAF1961 ¹²	476743-C1	Air	LAF9544
	Oil	LFP880		Fuel	G5/16 ²⁶³	476741-C1		LAF9545 ²
<i>1925 S Series (w/DT466 Engine)</i>				Oil	P3	(FS1212); W/S	Fuel	LFF8020
476741-C1	Air	LAF9545 ²	<i>2050 Series Fleetstar (w/International DT466 Engine)</i>			W/S		LFF90013 ¹⁵⁵²
Pri.	Fuel	FP251F FP603	Sec.	Fuel	FP603 LFP3692F ⁷⁷⁷	W/S		LFF9013 ²⁰⁶
Sec.			Pri.				Oil	LFP3000
1811953-C1	Oil	LFP2244 ²⁶⁷	1811953-C1	Oil	LFP2244 ²⁶⁷	<i>Optional Eaton/Fuller Trans</i>		
1808896-C1		LFP6241	1808896-C1		LFP6241			HP1
<i>1950 Series Cargostar (w/International VS401 Engine)</i>			279294-C91	Power Steering	LP487	<i>2275, 2375, 2574, 2575, 2674 Series (w/Detroit Diesel Engine)</i>		
150868-R91	Air	LAF41				476743-C1	Air	LAF9544
<i>1954, 1955 S Series (w/MV404 Engine)</i>						476741-C1		LAF9545 ²
446661-C2	Air	LAF388 ^{12, 264}				Pri.	Fuel	LFP815FN
						Sec.		LFP816FN
							Oil	LFP911
						<i>2275, 2375, 2574, 2575, 2674, 2675 Series (w/Cummins L10 Engine)</i>		
						476743-C1	Air	LAF9544
						476741-C1		LAF9545 ²
							Coolant	LFW4071 ²⁸
							Fuel	LFF5

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 12-Optional 14-Extended Life 28-Contains 1 oz. of chemical 65-By-Pass 206-Bowl type 211-7" Tall 263-Hoses and clamps included 264-w/o foam wrap, w/foam wrap LAF388B 265-3" Tall 267-4.25" O.D. 611-Axial Seal 777-6.8" Tall 1552-Filter with bowl

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>2275, 2375, 2574, 2575, 2674, 2675 Series (w/Cummins L10 Engine) (cont'd)</i>			<i>2574 (w/Cummins L10 Engine) (cont'd)</i>			<i>2674 (w/Caterpillar C10 Engine) (cont'd)</i>		
By-Pass	Oil	LFP3000 ³¹³ LFP3000XL ^{14, 313} LFP670 ⁶⁴³ LFP670XL ^{14, 643} LFP777B LP566	By-Pass 1691121C1 279294C92	Oil Power Steering	LFP670 LFP670XL ¹⁴ LFP777B LH8504 LP487	1685159C91); W/S 1R0716 1R1808 29540496 29540493	Fuel Oil Trans	LFF3579U LFP4005 LFP4005RN ⁵⁹⁹ LFP4005XL ¹⁴ LH4582G ²⁴ LH4589G ²³
<i>2375 (w/Cummins L10 Engine)</i>			<i>2574 (w/Cummins M11 Engine)</i>			<i>2674 (w/Cummins L10 Engine)</i>		
476743-C1 476741-C1	Air	LAF9544 LAF9545 ²	1674319C2 476743-C1	Air	LAF2526 LAF9544	1674319C2 470186C91	Air	LAF2526 LAF9544
	Coolant	LFW4071 ²⁸		Coolant	LFW4071 ²⁸ LFW4073 ²⁵⁵ LFW4075 ⁶⁴⁴	(1677004C91); W/S (154789); Pri. 3318853 3318853	Coolant	LFW4074 ⁶²⁷
	Fuel	LFF5	(FS1212); W/S	Fuel	LFF8020		Fuel	LFF3579 LFF5D
By-Pass	Oil	LFP3000 LFP670 LFP777B		Oil	LFP3000 LFP3000XL ¹⁴		Oil	LFP3000 ³¹³ LFP3000XL ^{14, 313} LFP670 ⁶⁴³ LFP670XL ^{14, 643} LFP777B
<i>2554, 2654 (w/International DT466E Engine)</i>			<i>2574 (w/Cummins N14 Engine)</i>			<i>2674 (w/Cummins M11 Engine)</i>		
2005895C1 1665598-C1 1665599-C1 476741-C1	Air	LAF1953 ² LAF1953MXM ²⁶⁸ LAF6769 ² LAF6769MXM ²⁶⁸ LAF9373 ¹ LAF9545 ²	476743-C1 476741-C1 (FS1212); W/S W/S W/S LF3000 LF9009	Air Fuel Oil	LAF9544 LAF9545 ² LFF8020 LFF90013 ¹⁵⁵² LFF9013 ²⁰⁶ LFP3000 LFP3000XL ¹⁴	By-Pass 1691121C1 279294C92	Power Steering	LH8504 LP487
1822313C1 Pri. Sec. 1822588-C1 1811953-C1 1819452-C1 1808896-C1	Coolant	LFW4071 ^{18, 28} LFW4744 ¹⁹	Optional Eaton/Fuller	Trans	HP1			
<i>2554, 2654 (w/International DTA466 Engine)</i>			<i>2574, 2674 w/Caterpillar 3176 Engine)</i>			<i>2674 (w/Cummins N14 Engine)</i>		
2005895C1 1665598-C1 1665599-C1 476741-C1	Air	LAF1953 ² LAF1953MXM ²⁶⁸ LAF6769 ² LAF6769MXM ²⁶⁸ LAF9373 ¹ LAF9545 ²	1674319C2 1674319C2 1R0749 (107796); Brake Dryer 1R0716 (17237); Optional Eaton 3.7" O.D.	Air Fuel Miscellaneous Oil Trans	LAF2526 LAF9544 LFF2749 ²⁰ LFP8654 LFP4005 HP1			
1822313C1 Pri. Sec. 1822588-C1 1811953-C1 1819452-C1 1808896-C1	Coolant	LFW4071 ^{18, 28} LFW4744 ¹⁹	<i>2574, 2674 (w/Cummins ISM Engine)</i>			<i>2674 (w/Cummins N14 Engine)</i>		
	Fuel	FP251F FP603 LFF3349 ²⁰	1661755C91 WF2071 WF2074 WF2077 NF2088	Air Coolant	LAF9545 ² LFW4071 ²⁸ LFW4074 ⁶²⁷ LFW4685 ²⁴⁹ LFW6500 ⁵⁵⁵	476743-C1 476741-C1 (FS1212); W/S W/S W/S	Fuel	LAF9544 LAF9545 ² LFF8020 LFF90013 ¹⁵⁵² LFF9013 ²⁰⁶
1811953-C1 1819452-C1 1808896-C1	Oil	LFP2244 ²⁶⁷ LFP2285 LFP2285XL ¹⁴ LFP6241 ²⁶⁶	(FS1029); Davco opt. (R950011); Brake Dryer LF9001	Fuel Miscellaneous Oil	L5467F LFP8654 LFP9001 ^{15, 250} LFP9001TRT ³ LFP9001XL ^{14, 15, 250}	Optional Eaton/Fuller Optional Eaton/Fuller	Trans	HP1 HP1
<i>2574 (w/Cummins L10 Engine)</i>			<i>2674 (w/Caterpillar C10 Engine)</i>			<i>400 Transtar Series (w/Detroit Diesel 6-71 Engine)</i>		
1674319C2 470186C91	Air	LAF2526 LAF9544	1674320C2 (1685159C91); W/S	Air Fuel	LAF9544 LFF3579	Optional Eaton/Fuller	Trans	HP1
	Coolant	LFW4074 ⁶²⁷				476743-C1 476741-C1 1822588C1 1819452-C1	Air Fuel Oil	LAF9544 ² LAF9545 ² LFF3349 LFP2285 LFP2285XL ¹⁴
(1677004C91); W/S (154789); Pri. 3318853 LF9009	Fuel	LFF3579 LFF5D	Optional Eaton 3.7" O.D.	Trans	HP1	8873271 Hsg. 6483682	Air	LAF241HD LAF320
	Oil	LFP3000 LFP3000XL ¹⁴	<i>2674 (w/Caterpillar C10 Engine)</i>			<i>400 Transtar Series (w/Detroit Diesel 6V-71 Engine)</i>		
			1674320C2 (1685159C91); W/S	Air Fuel	LAF9544 LFF3579	8873271 Hsg.	Air	LAF241HD

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 15-Standard 18-Short 19-Long 20-High efficiency 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 206-Bowl type 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 266-3.75" O.D. 267-4.25" O.D. 268-Extended/Severe service 313-2 1/4" Thread 555-Extended Life w/ controlled release chemical 599-High capacity 627-5 oz. of chemical 643-1 1/2" Thread 644-Contains 6 oz. of chemical 1552-Filter with bowl

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
400 Transtar Series (w/Detroit Diesel 6V-71 Engine) (cont'd)			4070 Series Transtar II (w/International V800 Engine) (cont'd)			4700, 4700LP, 4900 (w/DT530 Engine) (cont'd)		
6483682	Air	LAF320		Coolant	LFW4071 ²⁸	WF2071	Coolant	LFW4071 ²⁸
400 Transtar Series (w/Detroit Diesel 8V-71 Engine)			Pri.	Fuel	FP251F ⁷⁷⁸	1822588C1	Fuel	LFF3349
281667-C91	Air	LAF712	Sec.		FP603 ⁷⁸⁰		Oil	LFP2285
4000 Series (w/Detroit Diesel 6-71 Engine)			Sec.		LFF4293 ⁷⁷⁹	1681202C91	Power Steering	LH4741 ²⁷²
6483682	Air	LAF320	W/S		LFP255F	HF6162		LH8504
4000 Series (w/Detroit Diesel 6V-71N Engine)				Oil	LFP4005SC ⁷¹¹		Trans	LH4582G ²⁴
6483682	Air	LAF320	4270, 4300, 4370 Series (w/Cummins Engine)			(29540496); Allison 3000		LH4589G ²³
4000 Series (w/Detroit Diesel 8V-71N Engine)			425534-C1	Air	LAF8039	Allison 3000		LH4591G ²²
304766-C91	Air	LAF5255	420051-C1		LAF8047	Allison 540		T153
4000 Series (w/International DV462 Engine)			4300 only	Power Steering	LP487	4700, 4800, 4900 (w/DT360 Engine)		
S/N 7164-; Pri.	Fuel	FP251F	4270, 4370 Series (w/Detroit Diesel 6V-92 Series Engine)			482644-C1	Air	LAF7640 ¹
S/N 7164-; Sec.		FP603	420051-C1	Air	LAF8047	(476741-C1); w/Dual Ele.		LAF9545 ²
S/N 5118-7163; Sec.		L664F	4270, 4370 Series (w/Detroit Diesel 8V-71 Series Engine)			(548348-C1); W/S	Fuel	LFF1131 ¹²
427207-C2	Oil	LFP880	420051-C1	Air	LAF8047	1809789-C1		LFF3349
4000 Series (w/International DV550 Engine)			4270, 4370 Series (w/Detroit Diesel 8V-71 Series Engine)			(1677004-C91); W/S		LFF3579 ¹²
S/N 7164-; Pri.	Fuel	FP251F	420051-C1	Air	LAF8047	W/S		LFF3579U ¹²
S/N 7164-; Sec.		FP603	4270, 4370 Series (w/Detroit Diesel 8V-92 Series Engine)			(FF105D); S/N 7207-; Davco opt.		LFF5D
S/N 5118-7163; Sec.		L664F	420051-C1	Air	LAF8047	1684202-C91	Power Steering	LH4741
427207-C2	Oil	LFP880	4270, 4370 Series Transtar (w/Caterpillar 3406 Engine)			279294-C92		LP487 ²⁷⁸
405 Series (w/International V401 Engine)			420051-C1	Air	LAF8047			
204514-R91	Air	LAF1961	4270, 4370 Series (w/Detroit Diesel 8V-92 Series Engine)			1811953-C1	Oil	LFP2244
150868-R91		LAF41	420051-C1	Air	LAF8047	1811953-C1	Oil	LFP2244 ²⁶⁷
405 Series (w/International V461 Engine)			4270, 4370 Series (w/Detroit Diesel 8V-71 Series Engine)			4700, 4800, 4900 (w/DT466 Engine)		
204514-R91	Air	LAF1961	420051-C1	Air	LAF8047	482644-C1	Air	LAF7640 ¹
150868-R91		LAF41	(9M2341); Pri.	Fuel	L3531F	(476741-C1); w/Dual Ele.		LAF9545 ²
405 Series (w/International V549 Engine)			(1R0712); Sec.		LFF5823B			
204514-R91	Air	LAF1961	1R0716	Oil	LFP4005	1822313C1	Coolant	LFW4744 ⁴
150868-R91		LAF41	4700 (w/International DT466 Engine)			625627-C1	Fuel	FP251F ²⁷⁹
4070 Series Transtar II (w/Caterpillar 3406 Engine)			3532799C1	Air	LAF9099 ²	672603-C3		FP603 ¹⁹
420051-C1	Air	LAF8047	3532800C1		LAF9102 ¹	625625-C1		FP625 ²⁷⁹
	Coolant	LFW4071 ²⁸	498144C1	Cabin Air	CAF24008	1809789-C1		LFF3349 ¹⁸
Sec.	Fuel	LFF5823B	498144C1		CAF24008XL ¹⁸³	(1677004-C91); W/S		LFF3579
1R0716	Oil	LFP4005	1822313C1	Coolant	LFW4744 ⁴	W/S		LFF3579U
		LFP4005TRT ³	(1842638C91); W/S	Fuel	L9684F	Davco opt.		LFF5D
		LFP4005XL ¹⁴			LFF3349	1811953-C1	Oil	LFP2244 ³⁰
4070 Series Transtar II (w/Cummins Engine)			1819452C1	Oil	LFP2285 ²⁷⁶	1819452C1		LFP2285 ²⁷⁶
420051-C1	Air	LAF190	1842639C91		LFP2285XL ¹⁴	1681202-C91	Power Steering	LH4741 ²⁷²
	Coolant	LAF8047	1842655C91		LFP9025 ²⁷³	279294-C92		LP487 ²⁷⁰
Pri.	Fuel	LFF202 ³¹	1842825C91		LFP9035 ²⁷⁷	4700, 4800, 4900 (w/DTA360 Engine)		
		LFF5 ¹⁸	(29539579); Allison 1000/2000	Trans	LP4083 ⁶⁵	482644-C1	Air	LAF7640 ¹
Turbo	Oil	LFP152499B	(29526898); Allison 3000/3500		LHF8737 ⁵⁸⁷	(476741-C1); w/Dual Ele.		LAF9545 ²
		LFP670	(29526899); Allison 3000/3500		LH4582G ²⁴	(548348-C1); W/S	Fuel	LFF1131 ¹²
		LP566	(29526899); Allison 3000/3500		LH4589G ²³	1809789-C1		LFF3349
4070 Series Transtar II (w/Detroit Diesel Engine)			(29537965); Allison 1000/2000		LH4591G ²²	(1677004-C91); W/S		LFF3579 ¹²
420051-C1	Air	LAF8047			T951 ⁶	W/S		LFF3579U ¹²
Pri.	Fuel	LFP815FN	4700, 4700LP, 4900 (w/DT530 Engine)			(FF105D); S/N 7207-; Davco opt.		LFF5D
Sec.		LFP816FN	482644C1	Air	LAF7640 ¹			
	Oil	LFP911	476741C1		LAF9545 ²			
		LP132						
4070 Series Transtar II (w/International V800 Engine)								
420051-C1	Air	LAF8047						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 6-Shallow Pan 12-Optional 14-Extended Life 18-Short 19-Long 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 30-1" x 12 Thread 31-Tall 65-By-Pass 183-Dust and odor filter 267-4.25" O.D. 270-3.5" x 2.8" 272-4" OD 273-95mm x 2 Thread 276-M36 x 1.5-5 Thread 277-92mm x 2 Thread 278-2.8" Hgt. 279-3.8" O.D. 587-Spin-on 711-Short can version 778-w/o Separator 779-3.75" OD 780-4.25" OD

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>4700, 4800, 4900 (w/DTA360 Engine) (cont'd)</i>			<i>5000 Paystar (w/Cummins M11 Engine) (cont'd)</i>			<i>5050, 5070 (w/DT466 Engine) (cont'd)</i>		
1811953-C1	Oil	LFP2244	(FS1212); W/S	Fuel	LFF8020	(434365-C1); w/Fram	Air	LAF562
1684202-C91	Power Steering	LH4741	LF3000	Oil	LFP3000	15 Hsg. 493972-C91		LAF562
279294-C92		LP487 ²⁷⁸	LF3000		LFP3000XL ¹⁴	(530561-C1); w/Fram		LAF562
<i>4700, 4800, 4900 (w/DTA466 Engine)</i>			<i>5000 Paystar (w/Cummins L10 Engine)</i>			(15 Hsg. 493973-C91 Pri.		
482644-C1	Air	LAF7640 ¹	530562-C1	Air	LAF5562 ²⁴⁴	(501275-C1); w/Don.		LAF8047
(476741-C1); w/Dual Ele.		LAF9545 ²	434365-C1		LAF562 ²⁷⁵	Hsg. 493971-C91,		LAF928
1822313C1	Coolant	LFW4744 ⁴	1685307-C1		LAF8047 ¹⁸¹	500375-C91		LAF928
625627-C1	Fuel	FP251F ²⁷⁹	WF2071	Coolant	LFW4071 ²⁸	(472098-C1); w/Fram		LAF928
672603-C3		FP603 ¹⁹	(FS1212); W/S	Fuel	LFF8020	15 Hsg. 433997-C95,		LAF9545 ²
625625-C1		FP625 ²⁷⁹	LF3000	Oil	LFP3000	439849-C94		LAF9545 ²
1809789-C1		LFF3349 ¹⁸	LF9009		LFP3000XL ¹⁴	(476741-C1); w/Fram		LAF9545 ²
(1677004-C91); W/S		LFF3579	279294C92	Power Steering	LP487	12 Hsg. 470185-C92		LAF9545 ²
W/S		LFF3579U	<i>5050 (w/DV550V Engine)</i>			Sec.	Fuel	FP603
Davco opt.		LFF5D		Air	LAF642	Pri.		LFP3692F
1811953-C1	Oil	LFP2244 ³⁰	Pri.	Fuel	FP251F	1811953C1	Oil	LFP2244 ⁷⁸¹
1819452C1		LFP2285 ²⁷⁶	Sec.		L664F	1808896c1		LFP6241 ⁷⁸¹
1681202-C91	Power Steering	LH4741 ²⁷²	Sec.		LFF4293	279294-C92	Power Steering	LP487
279294-C92		LP487 ²⁷⁰	427207C2	Oil	LFP880	<i>5070 (w/Detroit Diesel 6V-71 Engine)</i>		
<i>4700, 4900 (w/DT408 Engine)</i>			<i>5050, 5070 (w/Cummins Engine)</i>			<i>5070 (w/Detroit Diesel 6V-71 Engine)</i>		
482644-C1	Air	LAF7640 ¹	(494730-C91); w/Fram	Air	LAF1837	1674319C2	Air	LAF2526 ¹
476741-C1		LAF9545 ²	15 Hsg. 493974-C91		LAF2079	530562-C1		LAF5562 ¹
1809789-C1	Fuel	LFF3349	(P181055); w/Don.		LAF431	434365-C1		LAF562 ²
(1677004-C91); W/S		LFF3579 ¹²	Hsg. 493828-C91,		LAF5562 ¹	472098-C1		LAF928
W/S		LFF3579U ¹²	494693-C91		LAF562	1685307-C1		LAF9544 ²
1819452-C1	Oil	LFP2285 ¹⁵	(472099-C1); w/Fram		LAF562 ²	Pri.	Fuel	LFP815FN
		LFP2285XL ¹⁴	15 Hsg. 433998-C94		LAF8047	Sec.		LFP816FN
1681202-C91	Power Steering	LH4741	530560-C1		LAF928		Oil	LP132
			(434365-C1); w/Fram		LAF9545 ²	279294-C92	Power Steering	LP487
<i>4900 (w/Detroit Diesel Sereis 60 Engine)</i>			(494730-C91); w/Fram			<i>5070 (w/Detroit Diesel 8V-71 Engine)</i>		
Pri.	Fuel	LFP815FN	15 Hsg. 493972-C91			1674319C2	Air	LAF2526 ¹
	Oil	LFP2160 ¹⁵⁴¹	(530561-C1); w/Fram			530562-C1		LAF5562 ¹
		LFP2160TRT ³	15 Hsg. 493973-C91			434365-C1		LAF562 ²
		LFP2160XL ¹⁴	Pri.			472098-C1		LAF928
1681202-C91	Power Steering	LH4741	(501275-C1); w/Don.			1685307-C1		LAF9544 ²
			Hsg. 493971-C91,			Pri.	Fuel	LFP815FN
<i>5000 Paystar (w/Cummins ISM Engine)</i>			500375-C91			Sec.		LFP816FN
3560734C1	Air	LAF1849 ²	(472098-C1); w/Fram				Oil	LP132
3520401C1		LAF1956 ¹	15 Hsg. 433997-C95,			279294-C92	Power Steering	LP487
530560C2		LAF5562	439849-C94			<i>5070 (w/International 530 Engine)</i>		
530561C1		LAF562	(476741-C1); w/Fram			1674319C2	Air	LAF2526 ¹
WF2071	Coolant	LFW4071 ²⁸	12 Hsg. 470185-C92			530562-C1		LAF5562 ¹
LF9001	Oil	LFP9001 ²⁵⁰				434365-C1		LAF562 ²
LF9001		LFP9001XL ^{14, 250}	<i>5050, 5070 (w/DT466 Engine)</i>			1685307-C1		LAF9544 ²
2503221-C1	Power Steering	LFH4984	(494730-C91); w/Fram	Air	LAF1837	1809789-C1	Fuel	LFF3349
			15 Hsg. 493974-C91		LAF2079	1819452-C1	Oil	LFP2285
2503221C1		LP487	(P181055); w/Don.		LAF431			LFP2285XL ¹⁴
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	Hsg. 493828-C91,		LAF5562 ¹	<i>5370 Cargostar (w/DT466 Engine)</i>		
			494693-C91			(625627-C1); Pri.	Fuel	FP251F
<i>5000 Paystar (w/Cummins M11 Engine)</i>			(472099-C1); w/Fram			(672603-C3); Sec.		FP603
	Air	LAF928	15 Hsg. 433998-C94			1811953-C1	Oil	LFP2244
			530560-C1			1808896-C1		LFP6241

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 15-Standard 18-Short 19-Long
 28-Contains 1 oz. of chemical 30-1" x 12 Thread 181-Single 205-Maintenance 244-Secondary 250-11.9" Hgt. 270-3.5" x 2.8" 272-4" OD 275-Primary
 276-M36 x 1.5-5 Thread 278-2.8" Hgt. 279-3.8" O.D. 781-Compressor 1541-Standard replacemnt

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>5500 PayStar (w/International MaxxForce 11 Engine)</i>			<i>5500i PayStar, 5600i PayStar (w/Cummins ISL Engine) (cont'd)</i>			<i>5500i, 5600i (w/Caterpillar C12 Engine) (cont'd)</i>		
2596171C91	Oil	LP7329XL ¹⁴	2503221C1	Power Steering	LFH4984	(FS1212); W/S	Fuel	LFF8020
3560734C1	Air	LAF1849 ² LAF1849MXM ^{2, 268}	17237	Trans	HP1 ¹² PH2835	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ PH253 ^{735, 1496} PH2835 ^{275, 735}
(2588149C1); Davco opt. Davco opt. 3004474C91 3004473C91	Fuel	L5467F L5467FNXL ¹⁴ L6161F ¹⁴⁵ L7694F	<i>5500i PayStar, 5600i PayStar (w/Cummins ISM Engine)</i>			3280V8394		
(17237); Optional Eaton 3.7" O.D. 29540494 29540493	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835	3560734C1	Air	LAF1849 ² LAF1849MXM ^{2, 268}	2503221C1	Power Steering	LFH4984
(4304827); Eaton/Fuller 3" O.D.			WF2071	Coolant	LFW4071 ^{28, 205}	17237	Trans	HP1 ¹²
<i>5500i PayStar, 5600i PayStar (w/Caterpillar C13 Engine)</i>			(FS1000); W/S	Fuel	LFF1000	<i>5500i, 5600i (w/DT570 Engine)</i>		
3560734C1	Air	LAF1849 ² LAF1956 ¹		Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723} LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	3560734C1	Air	LAF1849 ²
3520401C1	Fuel	LFF2749 ²⁰	(17237); Optional Eaton 3.7" O.D. 29540494 29540493	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	1822588C1	Fuel	LFF3349
1R0749	Fuel	LFF2749 ²⁰	<i>5500i PayStar, 5600i PayStar (w/Cummins ISX Engine)</i>			1819452C1	Oil	LFP2285 ²⁷⁶ LFP9025 ²⁷³
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	3560734C1	Air	LAF1146 LAF1849MXM ^{2, 268}	1842639C91		LFP9025XL ¹⁴ PH253 ^{735, 1496} PH2835 ^{275, 735}
(17237); Optional Eaton 3.7" O.D. (29540494); Allison (29540493); Allison	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	WF2126	Coolant	LFW2126 ²⁵⁵	3280V8394		LFH4984
<i>5500i PayStar, 5600i PayStar (w/Caterpillar C15 Engine)</i>			FF2200	Fuel	LFF2201 ⁷⁸³	<i>5500i, 5600i (w/Cummins M11 Engine)</i>		
3560734C1	Air	LAF1849 ² LAF1956 ¹	LF9001	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	3560734C1	Air	LAF1849 ² LAF1849MXM ^{2, 268}
3520401C1	Fuel	LFF2749 ²⁰	LF9001			3520401C1	Fuel	LFF3349
1R0749	Fuel	LFF2749 ²⁰	(17237); Optional Eaton 3.7" O.D. 29540494 29540493	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	1822588C1	Oil	LFP2285 PH253 ^{735, 1496} PH2835 ^{275, 735}
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	<i>5500i, 5600i (w/Caterpillar C10 Engine)</i>			2503221C1	Power Steering	LFH4984
(17237); Optional Eaton 3.7" O.D. (29540494); Allison (29540493); Allison	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	3560734C1	Air	LAF1849 ² LAF1956 ¹	17237	Trans	HP1 ¹²
<i>5500i PayStar, 5600i PayStar (w/Cummins ISL Engine)</i>			3520401C1	Fuel	LFF202 LFF2749 ²⁰ LFF8020	<i>5600 PayStar (w/IHC-Navistar MaxxForce 11 10.5L Engine)</i>		
3560734C1	Air	LAF1849 ² LAF1849MXM ^{2, 268}	(3563465C1); Pri. 1R0749 (FS1212); W/S 1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ PH253 ^{735, 1496} PH2835 ^{275, 735}	FS1029W 3004473C91 3007498C94 (2606467C91); By-Pass	Fuel	L5467F L7694F LP7498XL ¹⁴ LP8213
3520401C1	Fuel	LAF1956 ¹	<i>5500i, 5600i (w/Caterpillar C12 Engine)</i>			<i>5600 Series (w/Caterpillar 3406E Engine)</i>		
(FS1003); W/S (FS1065); W/S Sec. (950011); Brake Dryer	Miscellaneous	LFP8654 ⁷⁸² LFP3000 LFP3000XL ¹⁴	3560734C1	Air	LAF1849 ² LAF1956 ¹	3540117-C1	Air	LAF1849 ²
	Oil	LFP3000 LFP3000XL ¹⁴	3520401C1	Fuel	LFF202 LFF2749 ²⁰	1R-0749	Fuel	LFF2749 ²⁰
			(3563465C1); Pri. 1R0749			1R1808	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005XL ¹⁴
			3280V8394			1R1808		LFH4984
			2503221C1	Power Steering	LFH4984	1R-0716		LFH4984
			17237	Trans	HP1 ¹²	2503221C1	Power Steering	LFH4984
			<i>5500i, 5600i (w/Caterpillar C12 Engine)</i>			<i>5600 Series (w/Cummins N14 Engine)</i>		
			3560734C1	Air	LAF1849 ² LAF1956 ¹	3560734C1	Air	LAF1849 ²
			3520401C1	Fuel	LFF202 LFF2749 ²⁰	(FS1000); W/S 154789	Fuel	LFF1000 LFF5
			(3563465C1); Pri. 1R0749			3318853 (3304232); By-Pass 2503221C1	Oil	LFP3000XL ¹⁴ LFP777B
							Power Steering	LFH4984

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 145-Pre-Screen 205-Maintenance 209-Square sensor port 210-w/ Sensor 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 273-95mm x 2 Thread 275-Primary 276-M36 x 1.5-5 Thread 599-High capacity 723-13.9" Hgt. 735-Differential if required 782-System Saver 1200 783-Pressure side 1496-Alternate

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>5600 Series (w/Cummins N14 Engine) (cont'd)</i>			<i>5900 PayStar (w/International MaxxForce 13 Engine) (cont'd)</i>			<i>5900i PayStar (w/Caterpillar C13 Engine) (cont'd)</i>		
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	9N3368	Coolant	LFW4744 ⁴
<i>5870 (COF5870)</i>			<i>5900 Paystar (w/International N13 Engine)</i>			1R0749	Fuel	LFF2749 ²⁰
290309-C91 (434365-C1); w/Fram Hsg. (420051-C1); w/Don. Hsg. 448926-C91 (587426-C1); w/Don. Hsg. 540793-C91	Air	LAF292 LAF562 LAF8047 LAF9396		Air	LAF9540 ²	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
538654-C91	Hydraulic	LFH4636 ¹¹	Davco opt. Davco opt.	Fuel	L5467F L5467FNXL ¹⁴ L6161F ¹⁴⁵ L7694F LP7498XL ¹⁴	(17237); Optional Eaton 3.7" O.D. 29540494 29540493	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835
279294-C92	Power Steering	LP487	Brake Dryer	Miscellaneous	LFP8654	Eaton/Fuller 3" O.D.		
<i>5900 PayStar (w/International MaxxForce 11 Engine)</i>			2503221-C1	Power Steering	LFH4984	<i>5900i PayStar (w/Caterpillar C15 Engine)</i>		
2596171C91	Oil	LP7329XL ¹⁴	Optional Eaton 3.7" O.D. 29540496	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835	3507421C1	Air	LAF9540
3507421C1	Air	LAF9540 ²	<i>5900i (w/Caterpillar 3406 Engine)</i>			9N3368	Coolant	LFW4744 ⁴
1699956C1 (2588149C1); Davco opt. Davco opt. 3004474C91 3004473C91 (R950011); Brake Dryer	Cabin Air Fuel	CAF24013 L5467F L5467FNXL ¹⁴ L6161F ¹⁴⁵ L7694F LFP8654	3560734C1	Air	LAF1849 ²	1R0749	Fuel	LFF2749 ²⁰
	Miscellaneous	LFP8654	(FS1212); W/S 2P4005	Fuel	LFF8020	(FS1212); W/S 2P4005	Oil	LFP4005 LFP4005XL ¹⁴
	Oil	LP7498XL ^{14, 784}	2503221C1	Power Steering	LFH4984	2503221C1	Power Steering	LFH4984
2503221C1	Power Steering	LFH4984	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	<i>5900i PayStar (w/Cummins ISM Engine)</i>		
(17237); Optional Eaton 3.7" O.D. 29540494 29540493	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835	<i>5900i (w/Caterpillar C10 Engine)</i>			3507421C1	Air	LAF9540
(4304827); Eaton/Fuller 3" O.D.			3560734C1	Air	LAF1849 ²		Cabin Air	CAF24013
<i>5900 PayStar (w/International MaxxForce 13 Engine)</i>			1R0749 (FS1212); W/S 2P4005	Fuel	LFF2749 ²⁰ LFF8020	WF2071	Coolant	LFW4071 ^{28, 205}
2596171C91	Oil	LP7329XL ¹⁴	2503221C1	Power Steering	LFH4984	(FS1000); W/S LF9001	Fuel	LFF1000
3507421C1	Air	LAF9540 ²	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	LF9001	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
1699956C1 (2588149C1); Davco opt. Davco opt. 3004474C91 3004473C91 (R950011); Brake Dryer	Cabin Air Fuel	CAF24013 L5467F L5467FNXL ¹⁴ L6161F ¹⁴⁵ L7694F LFP8654	<i>5900i (w/Caterpillar C12 Engine)</i>			LF9001	Trans	HP1 ¹² LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835
	Miscellaneous	LFP8654	3560734C1	Air	LAF1849 ²	17237 29540494 29540493		
	Oil	LP7498XL ^{14, 784}	1R0749 (FS1212); W/S 2P4005	Fuel	LFF2749 ²⁰ LFF8020	Eaton/Fuller 3" O.D.		
2503221C1	Power Steering	LFH4984	2503221C1	Power Steering	LFH4984	<i>5900i PayStar (w/Cummins ISX Engine)</i>		
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	3507421C1	Air	LAF9540
<i>5900 PayStar (w/International MaxxForce 13 Engine)</i>			<i>5900i (w/Caterpillar C13 Engine)</i>				Cabin Air	CAF24013
2596171C91	Oil	LP7329XL ¹⁴	3560734C1	Air	LAF1849 ²		Coolant	LFW2127 ^{14, 249}
3507421C1	Air	LAF9540 ²	1R0749 (FS1212); W/S 2P4005	Fuel	LFF2749 ²⁰ LFF8020	W/S W/S	Fuel	L9729F ⁷⁸⁹ L9729FXL ^{14, 785} L9763FXL ^{14, 785} LFF2201 ^{783, 788} LFF2203 ⁷⁸⁸ LFF5686 ⁷⁸⁶ LFF6776 ⁷⁸⁷
1699956C1 (2588149C1); Davco opt. Davco opt. 3004474C91 3004473C91 (R950011); Brake Dryer	Cabin Air Fuel	CAF24013 L5467F L5467FNXL ¹⁴ L6161F ¹⁴⁵ L7694F LFP8654	2503221C1	Power Steering	LFH4984	FF2200 Sec. 2010-on; Sec. 2010-on; Sec. LF9001	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
	Oil	LP7498XL ^{14, 784}	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	LF9001	Power Steering	LFH4984
2503221C1	Power Steering	LFH4984	<i>5900i (w/Cummins N14 Engine)</i>			(17237); Optional Eaton 3.7" O.D.	Trans	HP1
(17237); Optional Eaton 3.7" O.D. 29540494 29540493	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	(FS1000); W/S LF3000	Fuel Oil	LFF1000 LFP3000 LFP3000XL ¹⁴	<i>5900i PayStar (w/Caterpillar C13 Engine)</i>		
<i>5900 PayStar (w/International MaxxForce 13 Engine)</i>			3507421C1	Air	LAF9540			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 11-Power Steering 12-Optional 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 145-Pre-Screen 205-Maintenance 249-No chemical 250-11.9" Hgt. 599-High capacity 783-Pressure side 784-2010-on 785-2010 emissions 786-11.9" Tall 787-9" Tall 788-Before 2010 Emissions 789-- 2010 emissions

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>5900i PayStar (w/Cummins ISX Engine) (cont'd)</i>			<i>7100 (w/DTA466 Engine) (cont'd)</i>			<i>7300 WorkStar. 7400 WorkStar (w/IHC-Navistar DT466 Engine) (cont'd)</i>		
29540494	Trans	LH4582G ²⁴	1811953C1	Oil	LFP2244	3532800C1	Air	LAF9102 ¹
29540493		LH4589G ²³	279294-C92	Power Steering	LP487	2506656C1	Cabin Air	CAF24005
Eaton/Fuller 3" O.D.		LH4591G ²²	482644-C1	Air	LAF7640 ¹	2506656C1	(1842638C91); W/S	Fuel
<i>5900i PayStar (w/International MaxxForce 15 Engine)</i>			476741-C1	Coolant	LAF9545 ²	1842639C91	Oil	L9684F
3507421C1	Air	LAF9540 ²			LFW4071 ²⁸	(29539579); Allison 1000/2000	Trans	LFP9025
1699956C1	Cabin Air	CAF24013			LFW4073 ²⁵⁵	(29526898); Allison 3000/3500		LFH8737 ⁵⁸⁷
FS19765	Fuel	L9765FXL ¹⁴	Sec.	Fuel	FP603	(29526899); Allison 3000/3500		LH4582G ²⁴
3014300C1		LFF2749 ²⁰	Pri.		FP625	(29526899); Allison 3000/3500		LH4589G ²³
3007329C1	Oil	LFP4005RN ⁵⁹⁹	Sec.	(1677004-C91); W/S	LFF3349	(29526899); Allison 3000/3500		LH4591G ²²
2503221C1	Power Steering	LFH4984	Opt.	W/S	LFF3579	(29537965); Allison 1000/2000		T951 ⁶
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	W/S		LFF5D ²¹			
29540494		LH4582G ²⁴	W/S	1811953C1	LFF8061 ²⁰⁶			
29540493		LH4589G ²³	W/S		LFF8061U ¹⁷¹			
(4304827); Eaton/Fuller 3" O.D.		LH4591G ²²			LH8504			
		PH2835						
<i>6-220, 240 Series</i>			<i>7300 Workstar (w/International N9 Engine)</i>			<i>7400 (w/DT530 Engine)</i>		
Gas	Fuel	G5/16 ^{263, 790}		Air	LAF9099	1833121-C1	Oil	LFP2285
(70690-H); By-Pass	Oil	L24A			LAF9102 ¹	(1842816C2); By-Pass		LFP2285XL ¹⁴
236649-R91		P128		Cabin Air	CAF24015XL ¹⁸³			LFP7314
214731-R91		P138	W/S	Fuel	L5086F			
<i>7000, 7100 (w/International DT466 Engine)</i>				Oil	LFP6035	3532799C1	Air	LAF9099 ²
482644-C1	Air	LAF7640			L9765FXL ¹⁴	3532800C1		LAF9102 ¹
476741-C1		LAF9545 ²		Power Steering	LH4984	2506656C1	Cabin Air	CAF24005
(1677004-C91); W/S	Fuel	LFF3579	2503221-C1			2506656C1	(1842638C91); W/S	CAF24005XL ¹⁸³
W/S		LFF3579U				1842639C91	Fuel	L9684F
1811953C1	Oil	LFP2244	<i>7300 Workstar w/Cummins ISB6.7L engine</i>			1842639C91	Oil	LFP9025 ²⁷³
279294-C92	Power Steering	LP487		Air	LAF9099 ²⁷⁵	1842639C91		LFP9025XL ¹⁴
482644-C1	Air	LAF7640 ¹			LAF9102 ²⁴⁴	1842543C1	Trans	LFP9035 ²⁷⁷
476741-C1		LAF9545 ²	2503221-C1	Oil	LFP3970	17237		HP1 ¹²
	Coolant	LFW4071 ²⁸		Power Steering	LH4984	29526898		LH4582G ²⁴
		LFW4073 ²⁵⁵	29540494	Trans	LH4582G ²⁴	29526899		LH4589G ²³
Sec.	Fuel	FP603			LH4591G ²²	<i>7400 (w/DT570 Engine)</i>		
Pri.		FP625	<i>7300 Workstar, 7400 Workstar, 7500 Workstar (w/MaxxForce DT Engine)</i>			3532799C1	Air	LAF9099 ²
Sec.		LFF3349	3532799C1	Air	LAF9099 ²	3532800C1		LAF9102 ¹
(1677004-C91); W/S		LFF3579	3532800C1		LAF9102 ¹	2506656C1	Cabin Air	CAF24005
W/S		LFF3579U	2506656C1	Cabin Air	CAF24005	2506656C1	(1842638C91); W/S	CAF24005XL ¹⁸³
Opt.		LFF5D ²¹	2506656C1		CAF24005XL ¹⁸³	2506656C1	Fuel	L9684F
W/S		LFF8061 ²⁰⁶	(1878042C91); W/S	Fuel	L5086F	1842639C91	Miscellaneous	LFP8654
W/S		LFF8061U ¹⁷¹	18845108C1	Oil	LFP6035 ²⁷⁴	1842543C1	Oil	LFP9025 ²⁷³
1811953C1	Oil	LFP2244	18845108C1		LFP9025 ⁷⁹¹	17237	Trans	HP1 ¹²
	Power Steering	LH4741 ¹²	2503221C1	Power Steering	LH4984	29526899		LH4589G ²³
		LH8504				29540496	Trans	LH4591G ²²
<i>7100 (w/DTA466 Engine)</i>			29540494	Trans	LH4582G ²⁴	29540496	Trans	LH4582G ²⁴
482644-C1	Air	LAF7640	29540493		LH4589G ²³	WF2071	Coolant	LFW4071 ²⁸
476741-C1		LAF9545 ²			LH4591G ²²	1842639C91	Oil	LFP9025XL ¹⁴
(1677004-C91); W/S	Fuel	LFF3579	<i>7300 WorkStar. 7400 WorkStar (w/IHC-Navistar DT466 Engine)</i>			29526898	Trans	LH4582G ²⁴
W/S		LFF3579U	3532799-C1	Air	LAF9099 ²	<i>7400 Workstar w/N10 engine</i>		
						3532799C1	Air	LAF9099
						3532800C1		LAF9102 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 6-Shallow Pan 12-Optional 14-Extended Life 20-High efficiency 21-Frame mounted 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 171-With Sensor Port 183-Dust and odor filter 206-Bowl type 244-Secondary 255-Contains 3 oz. of chemical 263-Hoses and clamps included 273-95mm x 2 Thread 274-1 3/4" thread 275-Primary 277-92mm x 2 Thread 587-Spin-on 599-High capacity 790-Not factory installed 791-M95 x 2 Thread

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>7400 Workstar w/N10 engine (cont'd)</i>			<i>7500 (w/HT570 Engine)</i>			<i>7600 (w/Caterpillar C12 Engine) (cont'd)</i>		
3839141C1	Cabin Air	CAF24015 CAF24015XL ¹⁸³	3532799C1	Air	LAF9099	17237	Trans	HP1 ¹²
(1878042C91); W/S	Fuel	L5086F	2506656C1	Cabin Air	CAF24005 CAF24005XL ¹⁸³	29540494		LH4582G ²⁴
(5008414); Brake	Miscellaneous	LFP8654	2506656C1			29540493		LH4589G ²³
Dryer			WF2071	Coolant	LFW4071 ²⁸			LH4591G ²²
1884508C2	Oil	LFP6035	(1842638C91); W/S	Fuel	L9684F	<i>7600 WorkStar (w/Caterpillar C11 Engine)</i>		
<i>7400 Workstar, 7500 WorkStar (w/IHC-Navistar MaxxForce 10 Engine)</i>			1842639C91	Oil	LFP9025 ²⁷³	3551814-C1	Air	LAF6663 ²
3532799C1	Air	LAF9099 ²	1842639C91		LFP9025XL ¹⁴	3551815-C1		LAF6664 ¹
3532800C1		LAF9102 ¹	1842543C1		LFP9035 ²⁷⁷	2506656C1	Cabin Air	CAF24005
2506656C1	Cabin Air	CAF24005 CAF24005XL ¹⁸³	29540494	Trans	LH4582G ²⁴	2506656C1		CAF24005XL ¹⁸³
2506656C1			29540493		LH4589G ²³	1R0749	Fuel	LFF2749 ²⁰
1878042C91; W/S	Fuel	L5086F	<i>7500 Workstar (w/International N10 Engine)</i>			1R1808	Oil	LFP4005RN ⁵⁹⁹
Brake Dryer	Miscellaneous	LFP8654	3532799C1	Air	LAF9099			LFP4005TRT ³
1842639C91	Oil	LFP9025 ²⁷³	3532800C1		LAF9102 ¹			LFP4005XL ¹⁴
1842639C91		LFP9025XL ¹⁴	3839141C1	Cabin Air	CAF24015 CAF24015XL ¹⁸³	2503221C1	Power Steering	LFH4984
1842543C1		LFP9035 ²⁷⁷	(1878042C91); W/S	Fuel	L5086F	17237	Trans	HP1 ¹²
(2606467C91); By-Pass		LP7485	(5008414); Brake	Miscellaneous	LFP8654	29540494		LH4582G ²⁴
2503221C1	Power Steering	LFH4984	Dryer			29540493		LH4589G ²³
29526898	Trans	LH4582G ²⁴	1884508C2	Oil	LFP6035			LH4591G ²²
29526899		LH4589G ²³ LH4591G ²²	2503221C1	Power Steering	LFH4984	<i>7600 WorkStar (w/Caterpillar C13 Engine)</i>		
<i>7400 Workstar, 7500 WorkStar (w/IHC-Navistar MaxxForce 9 Engine)</i>			<i>7500, 7600 (w/Cummins ISM Engine)</i>			3551814-C1	Air	LAF6663 ²
3532799C1	Air	LAF9099 ²	3551814-C1	Air	LAF6663 ²	3551815-C1		LAF6664 ¹
3532800C1		LAF9102 ¹	3551815-C1		LAF6664 ¹	2506656C1	Cabin Air	CAF24005
2506656C1	Cabin Air	CAF24005 CAF24005XL ¹⁸³	2506656C1	Cabin Air	CAF24005	2506656C1		CAF24005XL ¹⁸³
2506656C1			WF2122	Coolant	LFW4686XL ^{14, 249}	1R0749	Fuel	LFF2749 ²⁰
1878042C91; W/S	Fuel	L5086F	(FS1000); W/S	Fuel	LFF1000	1R1808	Oil	LFP4005RN ⁵⁹⁹
Brake Dryer	Miscellaneous	LFP8654	3101869	Oil	LFP9001 ²⁵⁰			LFP4005TRT ³
1842639C91	Oil	LFP9025 ²⁷³			LFP9001TRT ³	2503221C1	Power Steering	LFH4984
1842639C91		LFP9025XL ¹⁴	17237	Trans	LFP9001XL ^{14, 250}	(17237); Optional	Trans	HP1
1842543C1		LFP9035 ²⁷⁷	29540494			Eaton 3.7" O.D.		
(2606467C91); By-Pass		LP7485	29540493			29540494		LH4582G ²⁴
2503221C1	Power Steering	LFH4984	<i>7600 (w/Caterpillar C10 Engine)</i>			29540493		LH4589G ²³
29526898	Trans	LH4582G ²⁴	3551814-C1	Air	LAF6663 ^{2, 792}			LH4591G ²²
29526899		LH4589G ²³ LH4591G ²²	3551815-C1		LAF6664 ¹	<i>7600 WorkStar (w/Cummins ISM Engine)</i>		
<i>7500 (w/HT530 Engine)</i>			1R0749	Fuel	LFF2749 ²⁰	3551814-C1	Air	LAF6663 ²
3532799C1	Air	LAF9099	1R0716	Oil	LFP4005	3551815-C1		LAF6664 ¹
2506656C1	Cabin Air	CAF24005 CAF24005XL ¹⁸³	By-Pass		LFP4005TRT ³	2506656C1	Cabin Air	CAF24005
2506656C1			17237	Trans	LFP777B	(FS1000); W/S	Fuel	LFF1000
WF2071	Coolant	LFW4071 ²⁸	29540494			(109994); Brake Dryer	Miscellaneous	LFP8654 ⁷⁹³
(1842638C91); W/S	Fuel	L9684F	29540493			(R950011); Brake Dryer		LFP8654 ⁷⁸²
Brake Dryer	Miscellaneous	LFP8654	<i>7600 (w/Caterpillar C12 Engine)</i>			3101869	Oil	LFP9001 ²⁵⁰
1842639C91	Oil	LFP9025 ²⁷³	3551814-C1	Air	LAF6663 ^{2, 792}			LFP9001TRT ³
1842639C91		LFP9025XL ¹⁴	3551815-C1		LAF6664 ¹	3101869		LFP9001XL ^{14, 250}
1842543C1		LFP9035 ²⁷⁷	1R0749	Fuel	LFF2749 ²⁰	3280V8394		PH253 ^{735, 1496}
29540494	Trans	LH4582G ²⁴	1R0716	Oil	LFP4005			PH2835 ^{275, 735}
29540493		LH4589G ²³ LH4591G ²²	By-Pass		LFP4005TRT ³	2503221-C1	Power Steering	LFH4984
					LFP4005XL ¹⁴	17237	Trans	HP1 ¹²
					LFP777B	29540494		LH4582G ²⁴
						29540493		LH4589G ²³
								LH4591G ²²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 183-Dust and odor filter 249-No chemical 250-11.9" Hgt. 273-95mm x 2 Thread 275-Primary 277-92mm x 2 Thread 599-High capacity 735-Differential if required 782-System Saver 1200 792-Without Fin 793-AD-SP System 1496-Alternate

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>7600 WorkStar (w/International Maxforce DT Engine)</i>			<i>7600 Workstar (w/International N13 engine)</i>			<i>7700 WorkStar (w/Cummins ISM Engine) (cont'd)</i>		
3532799C1	Air	LAF9099 ²	3551814C1	Air	LAF6663	LF9001	Oil	LFP9001TRT ³
3532800C1		LAF9102 ¹	3551815C1		LAF6664 ¹	17237	Trans	LFP9001XL ^{14, 250}
3548705C1	Cabin Air	CAF24005		Cabin Air	CAF24015XL ¹⁸³	29540494		HP1 ¹²
(1878042C91); W/S	Fuel	L5086F	3004474C92	Fuel	L6161F ¹⁴⁵	<i>7700 WorkStar (w/International MaxxForce 13 Engine)</i>		
(1822638C91); W/S		L9684F	(2611236C1); W/S		L7694F	2596171C91	Oil	LP7329XL ¹⁴
(R950011); Brake Dryer	Miscellaneous	LFP8654	3007498C94	Oil	L9765FXL ^{14, 648}	3551814C1	Air	LAF6663 ²
1842639C91	Oil	LFP9025	2503221C1	Power Steering	LFF7660	3551815C1		LAF6664 ¹
2503221C1	Power Steering	LFH4984	Optional Eaton 3.7" O.D.	Trans	LP7498XL ¹⁴	3548705C1	Cabin Air	CAF24005
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	29540496		LFH4984	(2588149C1); Davco opt.	Fuel	L5467F
29540494		LH4582G ²⁴	Eaton/Fuller 3" O.D.		HP1	3004474C91		L5467FNXL ¹⁴
(4304827); Eaton/Fuller 3" O.D.		LH4591G ²²	<i>7700 WorkStar (w/Caterpillar C11 Engine)</i>			(3004473C91); Sec.		L6161F ¹⁴⁵
		PH2835	3551814C1	Air	LAF6663 ²	(R950011); Brake Dryer	Miscellaneous	LFP8654
<i>7600 WorkStar (w/International MaxxForce 11 Engine)</i>			3551815C1		LAF6664 ¹	2503221C1	Power Steering	LFH4984
2596171C91	Oil	LP7329XL ¹⁴	2506656C1	Cabin Air	CAF24005	(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835
3551814C1	Air	LAF6663 ²	(3563465C1); Pri. 1R0749	Fuel	LFF202	<i>8100 (w/Caterpillar C10 Engine)</i>		
3551815C1		LAF6664 ¹	1R1808	Oil	LFF2749 ²⁰	482644-C1	Air	LAF7640 ¹
3548705C1	Cabin Air	CAF24005	(17237); Optional Eaton 3.7" O.D.	Trans	LFP4005RN ⁵⁹⁹	476741-C1		LAF9545 ²
(2588149C1); Davco opt.	Fuel	L5467F	29540494		LFP4005TRT ³	W/S	Fuel	LFF2749 ²⁰
3004474C91		L5467FNXL ¹⁴	29540493		LFP4005XL ¹⁴	1R0716	Oil	LFF8011
(3004473C91); Sec.		L6161F ¹⁴⁵	<i>7700 WorkStar (w/Caterpillar C13 Engine)</i>					LFP4005
(R950011); Brake Dryer	Miscellaneous	L7694F	3551814C1	Air	LAF6663 ²	By-Pass		LFP4005TRT ³
(R950011); Brake Dryer		LFP8654	3551815C1		LAF6664 ¹	<i>8100 (w/Cummins N14 Engine)</i>		
2503221C1	Power Steering	LFH4984	2506656C1	Cabin Air	CAF24005	(1674319C2); Inner	Air	LAF2526
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(FF202); Pri. 1R0749	Fuel	LFF202	(476743-C1); Outer	Coolant	LAF9544
(4304827); Eaton/Fuller 3" O.D.		PH2835	(R950011); Brake Dryer	Miscellaneous	LFF2749 ²⁰	Pri.	Fuel	LFF5D
			1R1808	Oil	LFP8654		Oil	LFP3000
<i>7600 WorkStar (w/International MaxxForce 13 Engine)</i>			1R1808		LFP4005RN ⁵⁹⁹		Power Steering	LFP3000XL ¹⁴
	Oil	LP7498XL ¹⁴	(17237); Optional Eaton 3.7" O.D.	Trans	LFP4005TRT ³	2 25/32 inch tall		LH8504 ⁶⁹³
2596171C91	Oil	LP7329XL ¹⁴	29540494		LFP4005XL ¹⁴	<i>8100 (w/International DT530 Engine)</i>		
3551814C1	Air	LAF6663 ²	29540493		HP1	476741C1	Air	LAF9545 ²
3551815C1		LAF6664 ¹	<i>7700 WorkStar (w/Cummins ISM Engine)</i>			1822313C1	Coolant	LFW4744 ⁴
3548705C1	Cabin Air	CAF24005	3551814C1	Air	LAF6663 ²	1809789C1	Fuel	LFF3349
(2588149C1); Davco opt.	Fuel	L5467F	3551815C1		LAF6664 ¹	1819452C1	Oil	LFP2285
3004474C91		L5467FNXL ¹⁴	2506656C1	Cabin Air	CAF24005	<i>8100, 8200, 8300 (w/Cummins ISM Engine)</i>		
(3004473C91); Sec.		L6161F ¹⁴⁵	2588149C1	Fuel	L5467F	1661755C91	Air	LAF9545 ²
(R950011); Brake Dryer	Miscellaneous	L7694F	(FS1000); W/S		L5467FNXL ¹⁴	WF2071	Coolant	LFW4071 ²⁸
(R950011); Brake Dryer		LFP8654	(R950011); Brake Dryer	Miscellaneous	LFF1000	WF2074		LFW4074 ⁶²⁷
2503221C1	Power Steering	LFH4984	LF9001	Oil	LFP8654	WF2077		LFW4685 ²⁴⁹
(17237); Optional Eaton 3.7" O.D.	Trans	HP1			LFP9001 ²⁵⁰	NF2088		LFW6500 ⁵⁵⁵
(4304827); Eaton/Fuller 3" O.D.		PH2835				(FS1029); Davco opt.	Fuel	L5467F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 145-Pre-Screen 183-Dust and odor filter 249-No chemical 250-11.9" Hgt. 555-Extended Life w/ controlled release chemical 599-High capacity 627-5 oz. of chemical 648-w/ Davco option 693-2.3" x 3.9"

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>8100, 8200, 8300 (w/Cummins ISM Engine) (cont'd)</i>			<i>8100,8200,8300 (w/Caterpillar 3176 Engine) (cont'd)</i>			<i>8200, 8300 (w/Cummins N14 Engine) (cont'd)</i>		
(R950011); Brake Dryer	Miscellaneous	LFP8654		Coolant	LFW4071 ²⁸ LFW4685 ²⁴⁹	2.72 tall	Power Steering	LH8504 ⁶⁹³ LP487
LF9001	Oil	LFP9001 ^{15, 250} LFP9001TRT ³ LFP9001XL ^{14, 15, 250}	Sec. (FS1212); W/S 1R0716	Fuel	LFF5823B LFF8020	<i>8200, 8300 (w/Detroit Diesel 60 Series Engine)</i>		
LF9001				Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B	1674319C2	Air	LAF2526 ²⁸⁰ LAF9544 ²
Optional Eaton 3.7" O.D.	Trans	HP1	By-Pass		LP487	(FS1212); W/S	Fuel	LFF8020 ¹²
<i>8100, 8200, 8300 (w/Cummins M11 Engine)</i>			<i>8200 (w/Detroit Diesel 60 Series Engine)</i>			279294C92	Power Steering	LP487 ²⁷⁸
1674319C2	Air	LAF2526 ¹ LAF9544 ² LAF9545 ¹⁸¹	1674319C2	Air	LAF2526 ¹ LAF9544 ² LAF9545 ¹⁸¹	1822627C1	Coolant	LFW4071 ²⁸
1674320C2			1674320C2			(23530706); Pri.	Fuel	LFP815FN LFP816FN
1661755C91			1661755C91			(23530707); Sec.		LFP2160 ¹⁵⁴¹
WF2071	Coolant	LFW4071 ²⁸ LFW4074 ⁶²⁷ LFW4685 ²⁴⁹ LFW6500 ⁵⁵⁵	WF2071	Coolant	LFW4071 ²⁸ LFW4074 ⁶²⁷ LFW4685 ²⁴⁹ LFW6500 ⁵⁵⁵	1691121C1	Power Steering	LH8504 ⁶⁹³
WF2074			WF2074			<i>8500 TransStar (w/MaxxForce 10 Engine)</i>		
WF2077			WF2077			3551814C1	Air	LAF6663 ² LAF6664 ¹ LAF9099 ¹⁸¹
NF2088			NF2088			3551815C1		LAF6664 ¹ LAF9099 ¹⁸¹
(FS1000); W/S	Fuel	LFF1000 LFF5D ⁷⁶³ LFF8010	Pri.	Fuel	LFP815FN	3532799C1		CAF24005 CAF24005XL ¹⁸³
(FS19513); W/S				Oil	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	2506656C1	Cabin Air	CAF24005 CAF24005XL ¹⁸³
	Oil	LFP3000 ¹⁵ LFP3000XL ¹⁴	(LF689); Rear Axle Rear Axle		LH8504 ⁶⁹³ LP487 ²⁷⁸	2506656C1		L9684F LFP8654
1691121C1	Power Steering	LH8504 ⁶⁹³ LP487 ²⁷⁸	1691121C1	Power Steering		(1842638C91); W/S	Fuel	LFP8654
279294C92			279294C92			(R950011); Brake Dryer	Miscellaneous	LFP8654
Optional Eaton 3.7" O.D.	Trans	HP1				1842639C91	Oil	LFP9025
<i>8100, 8200, 8300 (w/International DT466 Engine)</i>			<i>8200, 8300 (w/Caterpillar 3406E Engine)</i>			(17237); Optional Eaton 3.7" O.D.	Trans	HP1
1665598-C1	Air	LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹	1674319C2	Air	LAF2526 ¹ LAF9544 ²	<i>8500 TranStar (w/HT530 Engine)</i>		
1665599-C1			1674320C2				Oil	LP7329XL ¹⁴
WF2077	Coolant	LFW4685 ²⁴⁹ LFW4744 ⁴	WF2071	Coolant	LFW4071 ²⁸ LFW4074 ⁶²⁷ LFW4685 ²⁴⁹ LFW6500 ⁵⁵⁵	3551815C1	Air	LAF6663 ² LAF6664 ¹ CAF24005
1822313C1			WF2074				Cabin Air	CAF24005
1822588C1	Fuel	LFF3349	WF2077				Fuel	L5467F L5467FNXL ¹⁴ L6161F ¹⁴⁵ L7694F
1819452C1	Oil	LFP2285	NF2088			Sec.		LFP8654
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	1R0749	Fuel	LFF2749 ²⁰ LFF5823B LFF8020	Brake Dryer	Miscellaneous	LFP8654
<i>8100,8200, 8300 (w/Cummins L10 Engine)</i>			(1R0712); Sec. (FS1212); W/S			2503221C1	Power Steering	LFH4984
1674319C2	Air	LAF2526 ¹ LAF7640 ¹ LAF9544 ² LAF9545 ²	1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	Optional Eaton 3.7" O.D.	Trans	HP1
1674320-C3			1R1808			<i>8500 TranStar (w/HT570 Engine)</i>		
476741-C1	Coolant	LFW4073 ²⁵⁵	2752604				Oil	LP7329XL ¹⁴
	Fuel	LFF5 LFF8020	1691121C1	Power Steering	LH8504 ⁶⁹³ LP487 ²⁷⁸	3551814C1	Air	LAF6663 ² LAF6664 ¹ LAF9099 ¹⁸¹
(FS1212); W/S			279294C92			3551815C1		LAF6664 ¹ LAF9099 ¹⁸¹
	Oil	LFP3000 ³¹³ LFP670 ⁶⁴³	<i>8200, 8300 (w/Cummins N14 Engine)</i>			3532799C1	Cabin Air	CAF24005
279294-C92	Power Steering	LP487	(1674319C2); Inner (476743-C1); Outer	Air	LAF2526 LAF9544	2506656C1	Fuel	L5467F L5467FNXL ¹⁴ L6161F ¹⁴⁵ L7694F L9684F
(17237); Optional Eaton 3.7" O.D.	Trans	HP1		Coolant	LFW4071 ²⁸ LFW4074 ⁶²⁷	Sec. (1842638C91); W/S		LFP8654
<i>8100,8200,8300 (w/Caterpillar 3176 Engine)</i>			Pri.	Fuel	LFF5D	(R950011); Brake Dryer	Miscellaneous	LFP8654
482644-C1	Air	LAF7640 ¹ LAF9545 ²		Oil	LFP3000 LFP3000XL ¹⁴	1842639C91	Oil	LFP9025 ²⁷³
476741-C1								

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 15-Standard 20-High efficiency
 28-Contains 1 oz. of chemical 145-Pre-Screen 181-Single 183-Dust and odor filter 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical
 268-Extended/Severe service 273-95mm x 2 Thread 275-Primary 278-2.8" Hgt. 280-Optional Inner 313-2 1/4" Thread 555-Extended Life w/ controlled release
 chemical 599-High capacity 627-5 oz. of chemical 643-1 1/2" Thread 693-2.3" x 3.9" 763-w/ Drain 1496-Alternate 1541-Standard replacement

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>8500 TranStar (w/HT570 Engine) (cont'd)</i>			<i>8600 (w/Caterpillar C10 Engine) (cont'd)</i>			<i>8600 (w/Cummins ISM Engine) (cont'd)</i>		
1842639C91	Oil	LFP9025XL ^{14, 273}	29540493	Trans	LH4589G ²³	3551815-C1	Air	LAF6664 ¹
1842543C1		LFP9035 ²⁷⁷			LH4591G ²²	2506656C1	Cabin Air	CAF24005
1842825C91		LP4083 ⁶⁵	<i>8600 (w/Caterpillar C11 Engine)</i>				Coolant	LFW2126 ²⁵⁵
2503221-C1	Power Steering	LFH4984	3551814-C1	Air	LAF6663			LFW4071 ^{28, 205}
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	3551815-C1		LAF6664 ¹	WF2122		LFW4686XL ^{14, 249}
<i>8500 TranStar, 8600 Transtar (w/MaxxForce 11 Engine)</i>			2506656C1	Cabin Air	CAF24005	382113	Fuel	L5467F
3551814C1	Air	LAF6663			LFW4071 ^{28, 205}	W/S		L5467FNXL ¹⁴
3551815C1		LAF6664 ¹	382113	Fuel	LFW4073 ²⁵⁵	W/S		L9729F
2506656C1	Cabin Air	CAF24005	W/S		L5467F	(FS1000); W/S		L9729FXL ¹⁴
2588149C1	Fuel	L5467F	W/S		L5467FNXL ¹⁴	(FS1022); Sec.		L9729FXL ¹⁴
3004474C91		L5467FNXL ¹⁴	(FS19683); W/S		L6161F ¹⁴⁵	LF9001	Oil	LFF1000
(3004473C91); Sec. (R950011); Brake Dryer	Miscellaneous	L7694F			L7694F	LF9001		LFF1022
2596171C91	Oil	LP7329XL ^{14, 281}	17237	Trans	LFP4005TRT ³	17237	Trans	LFP9001 ²⁵⁰
2596171C91		LP7498XL ^{14, 784}	29540494		HP1 ¹²	29540494		LFP9001TRT ³
2503221C1	Power Steering	LFH4984	29540493		LH4582G ²⁴	29540493		LFP9001XL ^{14, 250}
(17237); Optional Eaton 3.7" O.D.	Trans	HP1			LH4589G ²³			LFP9001XL ^{14, 250}
<i>8500 TranStar, 8600 Transtar (w/MaxxForce 13 Engine)</i>					LH4591G ²²	<i>8600 (w/Cummins ISX Engine)</i>		
3551814C1	Air	LAF6663 ²	<i>8600 (w/Caterpillar C12 Engine)</i>			3551814C1	Air	LAF6663
3551815C1		LAF6664 ¹	3551814-C1	Air	LAF6663	3551815C1		LAF6664 ¹
2506656C1	Cabin Air	CAF24005	3551815-C1		LAF6664 ¹	2506656C1	Cabin Air	CAF24005
2588149C1	Fuel	L5467F	2506656C1	Cabin Air	CAF24005	FF2200	Fuel	LFF2201 ⁷⁸³
3004474C91		L5467FNXL ¹⁴			LFW4071 ^{28, 205}	LF9001	Oil	LFP9001 ²⁵⁰
(3004473C91); Sec. (65624); Brake Dryer	Miscellaneous	L7694F	382113	Fuel	LFW4073 ²⁵⁵	LF9001		LFP9001TRT ³
2596171C91	Oil	LP7329XL ^{14, 281}	W/S		L5467F	LF9001		LFP9001XL ^{14, 250}
2596171C91		LP7498XL ^{14, 784}	W/S		L5467FNXL ¹⁴	17237	Trans	HP1 ¹²
2503221C1	Power Steering	LFH4984	(FS19683); W/S		L9729F	29540494		LH4582G ²⁴
(17237); Optional Eaton 3.7" O.D.	Trans	HP1			L9729FXL ¹⁴	29540493		LH4589G ²³
<i>8600 (w/Caterpillar C10 Engine)</i>					LFF2749 ²⁰			LH4591G ²²
3551814-C1	Air	LAF6663			LFF8030	<i>8600 TranStar (w/Cummins ISM Engine)</i>		
3551815-C1		LAF6664 ¹	382113	Fuel	LFP4005TRT ³	3551814-C1	Air	LAF6663
2506656C1	Cabin Air	CAF24005	W/S		HP1 ¹²	3551815-C1		LAF6664 ¹
	Coolant	LFW4071 ^{28, 205}	(FS19683); W/S		LH4582G ²⁴	2506656C1	Cabin Air	CAF24005
		LFW4073 ²⁵⁵			LH4589G ²³		Coolant	LFW2126 ²⁵⁵
382113	Fuel	L5467F			LH4591G ²²			LFW4071 ^{28, 205}
W/S		L5467FNXL ¹⁴	<i>8600 (w/Caterpillar C13 Engine)</i>					LFW4686XL ^{14, 249}
W/S		L9729F	3551814-C1	Air	LAF6663	WF2122		L5467F
(FS19683); W/S		L9729FXL ¹⁴	3551815-C1		LAF6664 ¹	382113	Fuel	L5467FNXL ¹⁴
	Oil	LFP4005TRT ³	2506656C1	Cabin Air	CAF24005	W/S		L9729F
17237	Trans	HP1 ¹²			LFW4071 ^{28, 205}	W/S		L9729FXL ¹⁴
29540494		LH4582G ²⁴	382113	Fuel	LFW4073 ²⁵⁵	(FS1000); W/S		LFF1000
29540493		LH4589G ²³	W/S		L5467F	(FS1022); Sec.		LFF1022
		LH4591G ²²	W/S		L5467FNXL ¹⁴	LF9001	Oil	LFP9001 ²⁵⁰
			(FS19683); W/S		L9729F	LF9001		LFP9001TRT ³
					L9729FXL ^{14, 794}	LF9001		LFP9001XL ^{14, 250}
					LFF2749 ²⁰	17237	Trans	HP1 ¹²
					LFF8030	29540494		LH4582G ²⁴
					LFP4005TRT ³	29540493		LH4589G ²³
					HP1 ¹²			LH4591G ²²
					LH4582G ²⁴	<i>8600 Transtar (w/International N13 Engine)</i>		
					LH4589G ²³	3551814C1	Air	LAF6663
					LH4591G ²²	3839141C1	Cabin Air	CAF24015
						3839141C1		CAF24015XL ¹⁸³
						3004473C91	Fuel	L7694F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 65-By-Pass 145-Pre-Screen 183-Dust and odor filter 205-Maintenance 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 273-95mm x 2 Thread 277-92mm x 2 Thread 281-2007-09 783-Pressure side 784-2010-on 794-50 Micron

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>8600 Transtar (w/International N13 Engine) (cont'd)</i>			<i>9100i (w/Cummins ISM Engine) (cont'd)</i>			<i>9100i (w/Detroit Diesel 60 Series Engine) (cont'd)</i>		
(2611236C1); W/S	Fuel	LFF7660	LF9080	Oil	LFP9001 ²⁵⁰	2503221C1	Power Steering	LFH4984
(5008414); Brake Dryer	Miscellaneous	LFP8654	LF9080		LFP9001XL ^{14, 250}	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
3007498C94	Oil	LP7498XL ¹⁴	1698964C91	Power Steering	LH4101 ³¹¹			
2503221C1	Power Steering	LFH4984	(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	<i>9200 (w/Caterpillar 3176 Engine)</i>		
29540494	Trans	LH4582G ²⁴	<i>9100i (w/Cummins M11 Engine)</i>			Pri.	Fuel	L3531F
29545776		LH4591G ²²	2005895-C1	Air	LAF1953 ²	Sec.		LFF2749 ²⁰
<i>9100i (w/Caterpillar C10 Engine)</i>			2003338C92		LAF1953MXM ^{2, 268}	1R0716	Oil	LFP4005
AF25139M	Air	LAF1849 ^{2, 742}	(FS1000); W/S	Fuel	LAF5720 ¹			LFP4005RN ⁵⁹⁹
2005895C1		LAF1849MXM ^{2, 268}	(FS1212); W/S	Oil	LFF1000			LFP4005XL ¹⁴
2022289C1		LAF1953 ^{2, 795}			LFF8020	<i>9200 (w/Caterpillar 3406E Engine)</i>		
		LAF1953MXM ^{2, 268}	2503221C1	Power Steering	LFP3000	2005895-C1	Air	LAF1953 ²
	Coolant	LAF5720 ¹			LFP3000XL ¹⁴	2022289-C1		LAF1953MXM ^{2, 268}
(2588149C1); Davco opt. Sec. W/S	Fuel	LFW4071 ^{28, 205}	17237	Trans	LFH4984	3507421C1		LAF5720 ¹
1R0716	Oil	L5467F	<i>9100i (w/Cummins N14 Engine)</i>			Pri.	Fuel	LAF9540 ²
		LFF5823B	AF25139M	Air	HP1 ¹²	1R0749		L3531F
		LFF8011	WF2071	Coolant	LAF1849 ²	1R0716	Oil	LFF2749 ²⁰
By-Pass (17237); Optional Eaton 3.7" O.D.	Trans	LFP4005	(FS1029W); Davco Hsg. Davco hsg. (FS1000); W/S	Fuel	LAF1849MXM ^{2, 268}			LFP4005
		LFP4005TRT ³	(5008415); Brake Dryer	Miscellaneous	L5467F	By-Pass		LFP4005TRT ³
		LFP4005XL ¹⁴	LF3000	Oil	L5467FNXL ¹⁴	279294-C92	Power Steering	LFP4005XL ¹⁴
		LFP777B	2503221-C1	Power Steering	LFF1000 ³²	598698-C1		LFP777B ¹²
		HP1	1698964-C91		LFP8654 ⁷⁹³	(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1
<i>9100i (w/Caterpillar C12 Engine)</i>								PH2835
AF25139M	Air	LAF1849 ^{2, 742}	(17237); Optional Eaton 3.7" O.D.	Trans	LFP3000	<i>9200 (w/Cummins L10 Engine)</i>		
2005895C1		LAF1849MXM ^{2, 268}			LFP3000XL ¹⁴		Air	LAF1953 ¹
2022289C1		LAF1953 ^{2, 795}			LFH4984		Coolant	LAF5720 ¹
	Coolant	LAF1953MXM ^{2, 268}			LH4101 ³¹¹	(FS1212); W/S	Fuel	LFW4071 ^{28, 205}
		LAF5720 ¹					Oil	LFF5
(2588149C1); Davco opt. Sec. W/S	Fuel	LFW4071 ^{28, 205}						LFF8020
1R0716	Oil	L5467F					Oil	LFP3000 ³¹³
		LFF5823B						LFP670 ⁶⁴³
		LFF8011					Oil	LFP7000 ³¹³
By-Pass (17237); Optional Eaton 3.7" O.D.	Trans	LFP4005					Oil	LFP670 ⁶⁴³
		LFP4005TRT ³					Oil	LFP670 ⁶⁴³
		LFP4005XL ¹⁴					Oil	LFP670 ⁶⁴³
		LFP777B					Oil	LFP670 ⁶⁴³
		HP1					Oil	LFP670 ⁶⁴³
<i>9100i (w/Cummins ISM Engine)</i>			<i>9100i (w/Detroit Diesel 60 Series Engine)</i>					
3520400C1	Air	LAF1849 ²	3516347-C91	Air	LAF1849 ²			
1694039C1		LAF1849MXM	2005895-C1		LAF1849MXM ^{2, 268}			
498144C1	Cabin Air	LAF1953	(23530706); Pri. Sec.	Fuel	LAF1953 ²			
WF2122	Coolant	CAF24008			LAF1953MXM ^{2, 268}			
(FS1000); W/S	Fuel	LFW4686XL ^{14, 249}			LAF1953MXM ^{2, 268}			
	Miscellaneous	LFF1000			LFP815FN			
		PH253 ^{735, 1496}			LFP816FN			
		PH2835 ^{275, 735}			LFP2160 ¹⁵⁴¹			
(17237); Optional Eaton 3.7" O.D.	Oil	HP1			LFP2160TRT ³			
					LFP2160XL ¹⁴			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 24-4" Sump
 28-Contains 1 oz. of chemical 32-Remote mounted 205-Maintenance 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical
 268-Extended/Severe service 275-Primary 311-2.73" Hgt. 313-2 1/4" Thread 458-4.1" Hgt. 599-High capacity 643-1 1/2" Thread 723-13.9" Hgt.
 735-Differential if required 742-15.2" Tall 793-AD-SP System 795-15 1/4" Tall 1496-Alternate 1541-Standard replacement

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>9200i, Eagle (w/Caterpillar C10 Engine)</i>			<i>9200i, Eagle (w/Caterpillar C15 Engine) (cont'd)</i>			<i>9200i, Eagle (w/Detroit Diesel 60 Series Engine) (cont'd)</i>		
3560734C1	Air	LAF1849 ^{2, 181} LAF1849MXM ^{2, 181, 291}	By-Pass	Oil	LFP4005XL ¹⁴ LFP777B		Air	LAF1849MXM ^{2, 268} LAF1953 ²
	Coolant	LFW4071 ²⁸ LFW4072 ¹⁸²	2503221-C1	Power Steering	LFH4984	2005895-C1	Coolant	LFW4071 ²⁸
9N3718			<i>9200i, Eagle (w/Cummins ISM Engine)</i>			(2503565C1); Davco opt.	Fuel	L3578FN
Davco opt. (FS19729); W/S	Fuel	L3578FN L9729F L9729FXL ¹⁴ LFF2749 ²⁰	3560734-C1	Air	LAF1849 ^{2, 181} LAF1849MXM ^{2, 181, 291}	Pri.		LFP815FN LFP816FN
1R0749				Coolant	LFW4071 ^{28, 205}	Sec.		LFP8654 ⁷⁹³
	Oil	LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B	W/S	Fuel	L9729F L9729FXL ¹⁴ LFF1022 LFF2201 ⁷⁸³	(5008415); Brake Dryer	Miscellaneous	
By-Pass			W/S (FS1022); Sec.		LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}		Oil	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴
2503221-C1	Power Steering	LFH4984		Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	2503221-C1	Power Steering	LFH4984
<i>9200i, Eagle (w/Caterpillar C12 Engine)</i>			2503221-C1	Power Steering	LFH4984	1698964-C91		LH4101 ³¹¹
3560734C1	Air	LAF1849 ^{2, 181} LAF1849MXM ^{2, 181, 291}	<i>9200i, Eagle (w/Cummins ISX Engine)</i>			17237	Trans	HP1 ¹²
	Coolant	LFW4071 ²⁸ LFW4072 ¹⁸²	3560734-C1	Air	LAF1849 ² LAF1849MXM ^{2, 268}	<i>9300 (w/Caterpillar 3176 Engine)</i>		
9N3718				Coolant	LFW2126 ²⁵⁵ LFW2127 ^{14, 249} LFW4686XL ^{14, 796}	Pri.	Fuel	L3531F LFF2749 ²⁰ LFF5823B
Davco opt. (FS19729); W/S	Fuel	L3578FN L9729F L9729FXL ¹⁴ LFF2749 ²⁰	WF2122			(1R0712); Sec.		LFP4005 LFP4005RN ⁵⁹⁹ LFP4005XL ¹⁴
1R0749			W/S	Fuel	L9729F L9729FXL ¹⁴ LFF1007 ²¹⁰ LFF2201 ⁷⁸³ LFF2203 ⁷⁸³	1R0716	Oil	LFP4005
	Oil	LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B	W/S (FS1007); W/S		LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	1R1808		LFP4005RN ⁵⁹⁹ LFP4005XL ¹⁴
By-Pass			FF2200			<i>9300 (w/Caterpillar 3406E Engine)</i>		
2503221-C1	Power Steering	LFH4984	FF2203		LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	2005895-C1	Air	LAF1953 ² LAF1953MXM ^{2, 268}
<i>9200i, Eagle (w/Caterpillar C13 Engine)</i>				Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	2022289-C1		LAF5720 ¹
3560734C1	Air	LAF1849 ^{2, 181} LAF1849MXM ^{2, 181, 291}	2503221-C1	Power Steering	LFH4984	Pri.	Fuel	L3531F LFF2749 ²⁰
	Coolant	LFW4071 ²⁸ LFW4072 ¹⁸²	<i>9200i, Eagle (w/Cummins N14 Engine)</i>			1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B ¹²
9N3718			AF25139M	Air	LAF1849 ² LAF1849MXM ^{2, 268}	By-Pass		LP487
Davco opt. (FS19729); W/S	Fuel	L3578FN L9729F L9729FXL ¹⁴ LFF2749 ²⁰	WF2071	Coolant	LFW4071 ²⁸	279294-C92	Power Steering	
1R0749			(FS1029W); Davco Hsg.	Fuel	L5467F	598698-C1		LP5005 ⁴⁵⁸
	Oil	LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B	Davco hsg. (5008415); Brake Dryer		L5467FNXL ¹⁴ LFF1000 ³² LFP8654 ⁷⁹³	(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835
By-Pass				Miscellaneous		<i>9300 (w/Cummins L10 Engine)</i>		
2503221-C1	Power Steering	LFH4984	LF3000	Oil	LFP3000 LFP3000XL ¹⁴	2005895-C1	Air	LAF1953 ² LAF1953MXM ² LAF2079
<i>9200i, Eagle (w/Caterpillar C15 Engine)</i>			2503221-C1	Power Steering	LFH4984	(P181055); w/Air Filter Hsg. 557099-C91		LAF5720 ¹ LAF8047
3560734C1	Air	LAF1849 ^{2, 181} LAF1849MXM ^{2, 181, 291}	1698964-C91			2022289-C1 (420051-C1); w/Air Filter Hsg. 598031-C92	Fuel	LFF5D
	Coolant	LFW4071 ²⁸ LFW4072 ¹⁸²	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	Pri.	Miscellaneous	LFP8654
9N3718			<i>9200i, Eagle (w/Detroit Diesel 60 Series Engine)</i>			(R950011); Brake Dryer		
Davco opt. (FS19729); W/S	Fuel	L3578FN L9729F L9729FXL ¹⁴ LFF2749 ²⁰	P542345	Air	LAF1849 ²			
1R0749								
	Oil	LFP4005TRT ³						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 32-Remote mounted 181-Single 182-Contains 2 oz. of chemical 205-Maintenance 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 291-Extended/Severe service. 311-2.73" Hgt. 458-4.1" Hgt. 599-High capacity 783-Pressure side 793-AD-SP System 796-11/16" x 16 thread 1541-Standard replacement

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>9300 (w/Cummins L10 Engine) (cont'd)</i>			<i>9370 Series (w/Detroit Diesel Engine)</i>			<i>9400 (w/Cummins Signature 600 Engine) (cont'd)</i>		
	Oil	LFP3000	420051-C1	Air	LAF8047	3406809	Oil	LFP9001TRT ³ LFP9001XL ^{14, 250}
279294-C92	Power Steering	LP487 ²⁷⁸	(23530706); Pri. Sec.	Fuel	LFP815FN LFP816FN	<i>9400,9400i (w/Caterpillar C12 Engine)</i>		
598698-C1		LP5005 ⁴⁵⁸		Oil	LFP911 LP132	3520400-C1	Air	LAF1849 ^{2, 181} LAF1849MXM ^{2, 181, 291}
<i>9300 (w/Cummins M11 Engine)</i>			<i>9400 (w/Caterpillar C3406B Engine)</i>			2005895-C1		LAF1953 ² LAF1953MXM ^{2, 268}
	Air	LAF1953 ² LAF5720 ¹	2005895-C1	Air	LAF1953 ² LAF1953MXM ^{2, 268} LAF2079	2022289-C1		LAF1953 ² LAF1953MXM ^{2, 268}
(FS1212); W/S	Fuel	LFF8020	(P181055); w/Air Filter Hsg. 1666513-C92		LAF5720 ¹ LAF8047	3507421-C1		LAF5720 ¹ LAF9540 ¹⁹³
	Oil	LFP3000 LFP3000XL ¹⁴	2022289-C1				Coolant	LFW4071 ²⁸
	Power Steering	LH4101 ³¹¹ LP487 LP5005 ⁴⁵⁸	(2022289C1); w/Air Filter Hsg. 1620544-C91, 1666512-C92			1R0749	Fuel	LFF2749 ²⁰ LFF8020
			(1R0712); Sec. (FS19513); W/S	Fuel	LFF5823B LFF8010	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
<i>9300 (w/Cummins N14 Engine)</i>			1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	2503221C1	Power Steering	LFH4984
2005895-C1	Air	LAF1953 ² LAF1953MXM ² LAF2079	279294-C92	Power Steering	LP487	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
(P181055); w/Air Filter Hsg. 557099-C91		LAF5720 ¹ LAF8047	598698-C1		LP5005 ⁴⁵⁸	<i>9400,9400i (w/Caterpillar C13 Engine)</i>		
2022289-C1						3520400-C1	Air	LAF1849 ^{2, 181} LAF1849MXM ^{2, 181, 291}
(420051-C1); w/Air Filter Hsg. 598031-C92			<i>9400 (w/Cummins L10 Engine)</i>			2005895-C1		LAF1953 ² LAF1953MXM ^{2, 268}
Pri. (R950011); Brake Dryer	Fuel	LFF5D	WF2071	Coolant	LFW4071 ²⁸	2022289-C1		LAF5720 ¹ LAF9540 ¹⁹³
	Miscellaneous	LFP8654	154709	Fuel	LFF5 LFF5D LFF8020	3507421-C1		LFW4071 ²⁸
	Oil	LFP3000	(154789); Pri. (FS1212); W/S				Coolant	LFW4071 ²⁸
279294-C92	Power Steering	LP487 ²⁷⁸	3825970	Oil	LFP3000 ³¹³ LFP3000XL ^{14, 313} LFP670 ⁶⁴³ LFP670XL ^{14, 643} LFP777B LFP777XL ¹⁴	1R0749	Fuel	LFF2749 ²⁰ LFF8020
598698-C1		LP5005 ⁴⁵⁸	3313279			(FS1212); W/S	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
<i>9300 (w/Detroit Diesel 60 series Engine)</i>			(3313283); By-Pass (3313283); By-Pass			1R1808		LFH4984
2005895-C1	Air	LAF1953 ² LAF1953MXM ^{2, 268}	<i>9400 (w/Cummins M11 Engine)</i>			2503221-C1	Power Steering	HP1
2022289-C1		LAF5720 ¹		Air	LAF1953 ² LAF5720 ¹	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
	Coolant	LFW4071 ²⁸	(FS1212); W/S	Fuel	LFF8020	<i>9400,9400i (w/Caterpillar C15 Engine)</i>		
Pri. Sec. (R950011); Brake Dryer	Fuel	LFP815FN LFP816FN		Oil	LFP3000 LFP3000XL ¹⁴	3520400-C1	Air	LAF1849 ^{2, 181} LAF1849MXM ^{2, 181, 291}
	Miscellaneous	LFP8654		Power Steering	LH4101 ³¹¹ LP487 LP5005 ⁴⁵⁸	2005895-C1		LAF1953 ² LAF1953MXM ^{2, 268}
	Oil	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴				2022289-C1		LAF5720 ¹ LAF9540 ¹⁹³
279294-C92	Power Steering	LP487	<i>9400 (w/Cummins Signature 600 Engine)</i>			3507421-C1		LFW4071 ²⁸
598698-C1		LP5005 ⁴⁵⁸		Air	LAF1953 ² LAF5720 ¹	1R0749	Fuel	LFF2749 ²⁰ LFF8020
<i>9370 Series (w/Cummins Engine)</i>			Davco opt. (FS1007); W/S	Fuel	L3578FN LFF1007 ²¹⁰	(FS1212); W/S	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
420051-C51	Air	LAF8047	3406810	Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723} LFP9001 ²⁵⁰	1R0716		LFH4984
	Coolant	LFW4071 ²⁸	3406810			1R1808		
	Fuel	LFF5	3406809			2503221C1	Power Steering	
	Oil	LFP670						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 181-Single 193-External Mounted 210-w/ Sensor 250-11.9" Hgt. 268-Extended/Severe service 278-2.8" Hgt. 291-Extended/Severe service. 311-2.73" Hgt. 313-2 1/4" Thread 458-4.1" Hgt. 643-1 1/2" Thread 723-13.9" Hgt. 1541-Standard replacemnt

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>9400,9400i (w/Caterpillar C15 Engine) (cont'd)</i>			<i>9400i (w/Cummins ISM Engine) (cont'd)</i>			<i>9600, 9700 (w/Cummins L10 Engine) (cont'd)</i>		
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	3406809	Oil	LFP9001XL ^{14, 250}	279294-C92	Power Steering	LP487
<i>9400,9400i (w/Detroit Diesel 60 Series Engine)</i>			2503221C1	Power Steering	LFH4984	598698-C1		LP5005 ⁴⁵⁸
3520400C1	Air	LAF1849 ²	<i>9400i (w/Cummins N14 Plus Engine)</i>			<i>9600, 9700 (w/Cummins M11 Engine)</i>		
2005895-C1		LAF1953 ²	3520400-C1	Air	LAF1849 ²	(574845-C1); w/Filter Hsg. 506995-C92	Air	LAF1339
2022289-C1		LAF1953MXM ^{2, 268}	2005895-C1		LAF1849MXM ^{2, 268}	(1651566-C1); w/Filter Hsg. 1651007-C91		LAF1802
1699956C1	Cabin Air	LAF5720 ¹			LAF1953 ²	(574844-C1); w/Filter Hsg. 503632-C92		LAF1899
Davco opt. Pri.	Fuel	CAF24013	3507421-C1		LAF1953MXM ^{2, 268}	(594240-C1); w/Filter Hsg. 548417-C91		LAF2100
		L3578FN	Davco opt. (FS1000); W/S (FS1212); W/S	Fuel	LAF9540 ¹⁹³	(P150694); w/Filter Hsg. 594562-C91, 573138-C91, 1610465-C93		LAF694
	Oil	LFP815FN	3825970		L3578FN	(587426-C1); w/Filter Hsg. 503635-C91, 503636-C91, 503652-C91, 507383-C1, 507384-C1		LAF9396
2503221C1	Power Steering	LFP2160 ¹⁵⁴¹			LFF1000	(587425-C1); w/Filter Hsg. 503634-C92, 503651-C91, 506996-C93, 543141-C91, 547425-C91, 547426-C91		LAF9472
1698694C1		LFP2160TRT ³	2503221C1	Power Steering	LFF8020	(FS1000); W/S (FS1212); W/S	Fuel	LFF1000
279294-C92		LFP2160XL ¹⁴	1698694C1		LFP3000	3825970	Oil	LFP3000
598698-C1		LFH4984	279294-C92		LFP3000XL ¹⁴	279294-C92	Power Steering	LFP3000XL ¹⁴
(17237); Optional Eaton 3.7" O.D.	Trans	LH4101 ³¹¹	598698-C1		LFH4984	598698-C1		LP487 ²⁷⁸
<i>9400i (Cummins ISX Engine)</i>					LH4101 ³¹¹			LP5005 ⁴⁵⁸
3520400-C1	Air	LP487	(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	LP487			
		LP5005 ⁴⁵⁸			LP5005 ⁴⁵⁸	<i>9600, 9700 (w/Cummins L10 Engine)</i>		
<i>9400i (Cummins ISX Engine)</i>					PH2835	(574845-C1); w/Filter Hsg. 506995-C92		LAF1339
3520400-C1	Air	HP1			PH2835	(1651566-C1); w/Filter Hsg. 1651007-C91		LAF1802
		LAF1849 ²				(574844-C1); w/Filter Hsg. 503632-C92		LAF1899
		LAF1849MXM ^{2, 268}				(594240-C1); w/Filter Hsg. 548417-C91		LAF2100
		LAF9540 ¹⁹³				(P150694); w/Filter Hsg. 594562-C91, 573138-C91, 1610465-C93		LAF694
3507421-C1	Cabin Air	CAF24013				(587426-C1); w/Filter Hsg. 503635-C91, 503636-C91, 503652-C91, 507383-C1, 507384-C1		LAF9396
1699956C1	Coolant	LFW2126 ²⁵⁵				(587425-C1); w/Filter Hsg. 503634-C92, 503651-C91, 506996-C93, 543141-C91, 547425-C91, 547426-C91		LAF9472
		LFW2127 ^{14, 249}				(FS1000); W/S (FS1212); W/S	Fuel	LFF1000
Davco opt. (FS1007); W/S	Fuel	L3578FN				3825970	Oil	LFP3000
		LFF1007 ²¹⁰				279294-C92	Power Steering	LFP3000XL ¹⁴
		LFF2201 ⁷⁸³				598698-C1		LP487 ²⁷⁸
Pri.		LFF2203						LP5005 ⁴⁵⁸
3406810	Oil	LFP9000 ⁷²³				<i>9600, 9700 (w/Cummins N14 Engine)</i>		
3406810		LFP9000XL ^{14, 723}				1698941C1	Air	LAF694 ²
3406809		LFP9001 ²⁵⁰					Coolant	LFW4071 ^{28, 205}
		LFP9001TRT ³					Fuel	LFF5
3406809		LFP9001XL ^{14, 250}				(FS1212); W/S		LFF8020
2503221C1	Power Steering	LFH4984				LF9009	Oil	LFP3000
<i>9400i (w/Cummins ISM Engine)</i>						279294-C92	Power Steering	LFP670
3520400-C1	Air	LAF1849 ²						LP487
		LAF1849MXM ^{2, 268}				(17237); Optional Eaton 3.7" O.D.	Trans	HP1
		LAF9540 ¹⁹³				<i>9600, 9700 (w/Detroit Diesel 60 Series Engine)</i>		
	Coolant	LFW4071 ²⁸				2005895-C1	Air	LAF1953 ²
W/S	Fuel	L9729F						LAF1953MXM ^{2, 268}
W/S (FS1003); W/S		L9729FXL ¹⁴						LAF5720 ¹
Pri.		LFF1003 ²⁰⁹						LFW4071 ²⁸
		LFF202				(1613245C2); W/S	Fuel	LFF8270 ⁶⁴⁸
3406810	Oil	LFP9000 ⁷²³				Pri.		LFP815FN
3406810		LFP9000XL ^{14, 723}						
3406809		LFP9001 ²⁵⁰						
		LFP9001TRT ³						
			3825970	Fuel	LFF5			
			By-Pass	Oil	LFP3000			
					LFP670			
					LFP777B			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 28-Contains 1 oz. of chemical 193-External Mounted 205-Maintenance 209-Square sensor port 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 278-2.8" Hgt. 311-2.73" Hgt. 458-4.1" Hgt. 648-w/ Davco option 723-13.9" Hgt. 783-Pressure side 1541-Standard replacemnt

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>9600, 9700 (w/Detroit Diesel 60 Series Engine) (cont'd)</i>			<i>9670 Series (w/Cummins NTC350 Engine) (cont'd)</i>			<i>9800 (w/Cummins M11 Engine)</i>		
Sec.	Fuel	LFP816FN		Fuel	LFF5	1698941C1	Air	LAF2536 ²
	Oil	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴	By-Pass	Oil	LFP670 LFP777B LP566	1698941C1		LAF2536MXM ²⁶⁸
279294-C92	Power Steering	LP487	<i>9670 Series (w/Cummins NTC400 Engine)</i>			Davco opt. (FS1212); W/S W/S	Fuel	L3578FN LFF8020 ⁷⁹⁷ LFF8270 ³²
<i>9600,9670,9700 (w/Caterpillar 3406 Engine)</i>			574845-C1	Air	LAF1339	LF3000	Oil	LFP3000
ARA81846	Air	LAF694	587425-C1		LAF8044	LF9009		LFP3000XL ¹⁴
587426C1		LAF9396	587426-C1		LAF9396	279294C91	Power Steering	LP487
(1R0712); Sec. (FS1212); W/S	Fuel	LFF5823B LFF8020		Coolant	LFW4071 ²⁸		Trans	HP1
1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	By-Pass	Fuel	LFF5	(17237); Optional Eaton 3.7" O.D.		
279294-C92	Power Steering	LP487		Oil	LFP670 LFP777B	<i>9800 (w/Cummins N14 Engine)</i>		
<i>9670 Series (w/Cummins Formula 270 Engine)</i>			<i>9670 Series (w/Cummins NTCC400 Engine)</i>			1698941C1	Air	LAF2536 ²
587426-C1	Air	LAF9396	574845-C1	Air	LAF1339		Coolant	LFW4071 ^{28, 205}
	Coolant	LFW4071 ²⁸	587425-C1		LAF8044	(FS1000); W/S	Fuel	LFF1000
	Fuel	LFF5	587426-C1		LAF9396	LF9009	Oil	LFP3000
By-Pass	Oil	LFP670 LFP777B LP566		Coolant	LFW4071 ²⁸	279294-C92	Power Steering	LP487
<i>9670 Series (w/Cummins Formula 290 Engine)</i>				Fuel	LFF5	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
587426-C1	Air	LAF9396	By-Pass	Oil	LFP670 LFP777B	<i>9800 (w/Detroit Diesel 60 Series Engine)</i>		
	Coolant	LFW4071 ²⁸			LFP911	2005895-C1	Air	LAF1953 ² LAF1953MXM ^{2, 268}
	Fuel	LFF5	<i>9670 Series (w/Detroit Diesel 6V-92 Engine)</i>			(P181055); w/Air Filter Hsg. 1666513-C92		LAF2079
By-Pass	Oil	LFP670 LFP777B LP566	587426-C1	Air	LAF9396	2022289-C1 (2022289C1); w/Air Filter Hsg. 1620544-C91, 1666512-C92		LAF5720 ¹ LAF8047
<i>9670 Series (w/Cummins Formula 300 Engine)</i>				Fuel	LFP815FN LFP816FN	3507421-C1		LAF9540 ¹⁹³
587426-C1	Air	LAF9396	<i>9670 Series (w/Detroit Diesel 8V-92 Engine)</i>			Davco opt. (320120); W/S	Fuel	L3578FN LFF8270 ⁶⁴⁸ LFP815FN
	Coolant	LFW4071 ²⁸	587426-C1	Air	LAF9396	Pri.	Oil	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴
	Fuel	LFF5		Fuel	LFP815FN LFP816FN		Power Steering	LP487
By-Pass	Oil	LFP670 LFP777B LP566		Oil	LFP911		Trans	HP1
<i>9670 Series (w/Cummins Formula 350 Engine)</i>			<i>9700 (w/Cummins M11 Engine)</i>			(17237); Optional Eaton 3.7" O.D.		
587426-C1	Air	LAF9396	AF1742M	Air	LAF1339	<i>9900i (w/Caterpillar 3406 Engine)</i>		
	Coolant	LFW4071 ²⁸	1651566C1		LAF1802	3520400C1	Air	LAF1849 ² LAF9540 ¹⁹³
	Fuel	LFF5	AF1968M		LAF3551	3507421-C1	Fuel	LFF2749 ²⁰ LFF8020 ²¹
By-Pass	Oil	LFP670 LFP777B LP566	(FS1212); W/S (1613245C2); W/S	Fuel	LFF5D ⁷⁹⁷ LFF8020 ⁶⁴⁸ LFF8270 ³² LFP816FN	(FS1212); W/S (R950011); Brake Dryer	Miscellaneous	LFP8654
<i>9670 Series (w/Cummins Formula 350 Engine)</i>			Sec.			1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ PH253 ¹⁴⁹⁶
587426-C1	Air	LAF9396	LF3000	Oil	LFP3000	(1665311C1); Rear Axle		PH2835 ²⁷⁵
	Coolant	LFW4071 ²⁸	LF9009		LFP3000XL ¹⁴	Rear Axle		LPH4984
	Fuel	LFF5	279294C91	Power Steering	LP487	2503221C1	Power Steering	
By-Pass	Oil	LFP670 LFP777B LP566	(17237); Optional Eaton 3.7" O.D.	Trans	HP1			
<i>9670 Series (w/Cummins NTC300 Engine)</i>			<i>9700 (w/Cummins N14 Engine)</i>					
587426-C1	Air	LAF9396	AF1846	Air	LAF694 ²			
	Coolant	LFW4071 ²⁸		Coolant	LFW4071 ^{28, 205}			
	Fuel	LFF5	(FS1000); W/S	Fuel	LFF1000			
By-Pass	Oil	LFP670 LFP777B LP566	LF3000	Oil	LFP3000 ³¹³			
<i>9670 Series (w/Cummins NTC350 Engine)</i>			LF670SC		LFP670 ⁶⁴³			
587426-C1	Air	LAF9396	By-Pass		LFP777B			
	Coolant	LFW4071 ²⁸	279294-C92	Power Steering	LP487			
	Fuel	LFF5	(17237); Optional Eaton 3.7" O.D.	Trans	HP1			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 21-Frame mounted 28-Contains 1 oz. of chemical

32-Remote mounted 193-External Mounted 205-Maintenance 268-Extended/Severe service 275-Primary 313-2 1/4" Thread 643-1 1/2" Thread 648-w/ Davco option 797-1" x 14 thread 1496-Alternate 1541-Standard replacement

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>9900i (w/Caterpillar 3406 Engine) (cont'd)</i>			<i>9900i, 9900ix (w/Detroit Diesel 60 Series Engine) (cont'd)</i>			<i>9900ix (w/Caterpillar C16 Engine) (cont'd)</i>		
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(R950011); Brake Dryer	Miscellaneous	LFP8654	17237	Trans	HP1 ¹²
<i>9900i (w/Cummins ISM Engine)</i>			<i>9900i, ix, Eagle (w/Caterpillar C12 Engine)</i>			<i>9900ix (w/Cummins ISX Engine)</i>		
3520400-C1	Air	LAF1849 ² LAF1849MXM ^{2, 268}	3560734C1	Air	LAF1849 ²	3507421C1	Air	LAF9540
3507421-C1		LAF9540 ¹⁹³	3520401C1		LAF1956 ¹		Coolant	LFW2126 ²⁵⁵ LFW2127 ^{14, 249}
	Coolant	LFW4071 ^{28, 205}	3507421C1		LAF9540 ²⁷⁵		Fuel	L3578FN L9729F L9729FXL ¹⁴ LFF2201 ⁷⁸³ LFF2203
W/S	Fuel	L9729F	3300721	Coolant	LFW4071 ²⁸ LFW4744 ⁴	W/S		
W/S		L9729FXL ¹⁴	299084			W/S		
(FS1003); W/S		LFF1003 ²⁰⁹	(2586814C1); W/S	Fuel	L9729F	Pri.		
Pri.		LFF202	1R-0749		LFF2749 ²⁰		Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
3406810	Oil	LFP9000 ⁷²³	(1R-0712); Sec.		LFF5823B ⁶²⁶			
3406810		LFP9000XL ^{14, 723}	1R-0716	Oil	LFP4005 ⁶²⁶			
3406809		LFP9001 ²⁵⁰	1R-1808		LFP4005RN ⁵⁹⁹			
		LFP9001TRT ³	(1W-8845); By-Pass		LFP777B			
3406809		LFP9001XL ^{14, 250}	2503221C1	Power Steering	LFH4984			
<i>9900i (w/Cummins ISX Engine)</i>			<i>9900ix (w/Caterpillar 3406E Engine)</i>			<i>CO1710A, CO1710B Cargostar (w/International MV404 Engine)</i>		
3507421-C1	Air	LAF9540 ¹⁹³	3507421-C1	Air	LAF9540 ¹⁹³	446661-C2	Air	LAF388 ^{12, 264}
1699956C1	Cabin Air	CAF24013		Fuel	LFF2749 ²⁰		Fuel	G6
	Coolant	LFW2126 ²⁵⁵ LFW2127 ^{14, 249}	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴		Oil	LFP880 ²¹¹
W/S	Fuel	L9729F	<i>9900ix (w/Caterpillar C15 Engine)</i>			<i>CO1710A, CO1710B Cargostar (w/International V345 Engine)</i>		
W/S		L9729FXL ¹⁴	3507421C1	Air	LAF9540	446661-C2	Air	LAF388 ^{12, 264}
Pri.		LFF2201 ⁷⁸³ LFF2203		Coolant	LFW4071 ^{28, 205}	531546-R91	Fuel	G6
	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}					Oil	LFP880
<i>9900i, 9900ix (w/Cummins N14 Engine)</i>			<i>9900ix (w/Caterpillar C16 Engine)</i>			<i>CO1710A, CO1710B Cargostar (w/International V392 Engine)</i>		
1698941C1	Air	LAF2536 ²	3507421C1	Air	LAF9540	446661-C2	Air	LAF388 ^{12, 264}
3507421C1		LAF9540		Coolant	LFW4071 ^{28, 205}	531546-R91	Fuel	G6
	Coolant	LFW4071 ²⁸					Oil	LFP880
(FS1000); W/S	Fuel	LFF1000				<i>CXT 7300 (w/DT466 Engine)</i>		
LF9009	Oil	LFP3000				3532799C1	Air	LAF9099 ²
2503221C1	Power Steering	LFH4984				3532800C1		LAF9102 ¹
279294-C92		LP487				2506656C1	Cabin Air	CAF24005
(17237); Optional Eaton 3.7" O.D.	Trans	HP1					Coolant	LFW4685XL ^{14, 249}
<i>9900i, 9900ix (w/Cummins Signature 600 Engine)</i>							Oil	LFP2285XL ¹⁴
	Coolant	LFW2126 ²⁵⁵ LFW2127 ^{14, 249}				<i>F4370 Transtar (w/Cummins N14 Engine)</i>		
(FS1007); W/S	Fuel	LFF1007 ²¹⁰				420051C1	Air	LAF8039 ⁷⁹⁸ LAF8047 ⁶⁹⁶
	Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723} LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}				WF2071	Coolant	LFW4071 ²⁸
<i>9900i, 9900ix (w/Detroit Diesel 60 Series Engine)</i>						154709	Fuel	LFF5 LFF8020
3520400-C1	Air	LAF1849 ²				(FS1212); W/S		LFP3000 ³¹³ LFP670 ⁶⁴³
3507421-C1		LAF9540 ¹⁹³				LF670		LP487
Davco opt. (320120); W/S	Fuel	L3578FN LFF8270 ⁶⁴⁸ LFP815FN					Power Steering	
Pri.						<i>F5070 Paystar Series (w/Caterpillar 3406 Engine)</i>		
						1685307-C1	Air	LAF8047
						1822627C1	Coolant	LFW4071 ²⁸
						Pri.	Fuel	L3531F LFF2749 ²⁰
						3280V8394	Miscellaneous	PH253 ^{735, 1496} PH2835 ^{275, 735}
						1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 193-External Mounted 205-Maintenance 209-Square sensor port 210-w/ Sensor 211-7" Tall 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 264-w/o foam wrap, w/foam wrap LAF388B 268-Extended/Severe service 275-Primary 313-2 1/4" Thread 599-High capacity 626-Standard efficiency 643-1 1/2" Thread 648-w/ Davco option 696-18.5" Tall 723-13.9" Hgt. 735-Differential if required 741-Extended life version [L3578FXL], High Efficiency version [L5467F]. 783-Pressure side 798-21.5" Tall 1496-Alternate 1541-Standard replacement

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>F5070 Paystar Series (w/Caterpillar 3406 Engine) (cont'd)</i>			<i>HX515 (w/International N13 Engine) (cont'd)</i>			<i>LFE700, LFE900 (w/Nissan NE6T Engine) (cont'd)</i>		
279294C92	Power Steering	LP487	1699956C1	Cabin Air	CAF24013	16546-Z9007	Air	LAF9000 ^{2, 801}
(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	3004473C91	Fuel	L7694F	2191-595-000	Coolant	LFW4072 ¹⁸²
<i>F5070 Paystar Series (w/Caterpillar C10 or C12 Engine)</i>			<i>HX520 (w/Cummins ISX Engine)</i>			<i>Loadstar (w/Cummins ISL-G Engine)</i>		
Pri.	Fuel	L3531F LFF2749 ²⁰	2503221C1	Hydraulic	LFH4984	NG5900	Fuel	LFF5080 ⁶⁴⁷
1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	(5008414); Brake Dryer	Miscellaneous	LFP8654		Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
<i>F5070 Paystar Series (w/Cummins L10 Engine)</i>			<i>HX615 (w/International N13 Engine)</i>			<i>Loadstar (w/Maxforce 10 Engine)</i>		
	Coolant	LFW4071 ²⁸ LFW4073 ²⁵⁵	3507421C1	Air	LAF9540	29540494	Trans	LH4582G ²⁴
Pri.	Fuel	LFF5 LFF8000 ⁶²⁸ LFF8020	WF2126	Coolant	LFW2126 ²⁵⁵	29540493	Trans	LH4589G ²³ LH4591G ²²
W/S (FS1212); W/S			WF2127	Coolant	LFW2127 ^{14, 249}	<i>Loadstar (w/Maxforce 11 Engine)</i>		
By-Pass	Oil	LFP3000 LFP3000XL ¹⁴ LFP777B	FS19763	Fuel	L9763FXL ⁷⁹⁹	<i>Loadstar (w/Maxforce 13 Engine)</i>		
	Power Steering	LP487	FF5776	Fuel	LFF6776	3007543c92	Oil	LP7498
<i>F5070 Paystar Series (w/Cummins M11 Engine)</i>			LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	3007543C94	Oil	LP7498XL ¹⁴
(FS1000); W/S	Fuel	LFF1000	<i>HX620 (w/Cummins ISX Engine)</i>			29540494	Trans	LH4582G ²⁴
	Oil	LFP3000 LFP3000XL ¹⁴	3507421C1	Air	LAF9540	29540493	Trans	LH4589G ²³ LH4591G ²²
	Power Steering	LP487	1699956C1	Cabin Air	CAF24013	<i>LoneStar (w/Caterpillar C15 15.2L Engine)</i>		
<i>F5070 Paystar Series (w/Cummins N14 Engine)</i>			3004473C91	Fuel	L7694F L9765FXL ⁷⁹⁹ LFF7660	FS19763	Fuel	L9763FXL ^{14, 648}
(FS1000); W/S (FS1212); W/S			(FS19765); W/S (2611236C1); W/S			1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
By-Pass	Oil	LFP3000 LFP3000XL ¹⁴ LFP777B	2503221C1	Hydraulic	LFH4984	<i>LoneStar (w/Cummins ISX 15.0L Engine)</i>		
	Power Steering	LP487 ²⁷⁸	(5008414); Brake Dryer	Miscellaneous	LFP8654	(FS19729); W/S	Fuel	L9729F
<i>F5070 Paystar Series (w/Detroit Diesel 8V-92 Engine)</i>			3007543C94	Oil	LP7498XL ¹⁴	W/S		L9729FXL ¹⁴
(23530706); Pri. (23530645); Sec.	Fuel	LFP815FN LFP816FN	2503221C1	Trans	LFH4984	FF2201	Oil	LFF2201 ⁷⁸³
	Oil	LP132	29540494		LH4582G ²⁴	LF9001	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
	Power Steering	LP487	29540493		LH4591G ⁸⁰⁰	LF9001	Oil	LFP9001TRT ³ LFP9001XL ^{14, 250}
<i>HV513 (w/Cummins L9 engine)</i>			Eaton/Fuller 3" O.D.		PH2835	Eaton/Fuller 3" O.D.	Trans	PH2835
LF9009	Oil	LFP3000XL	<i>HX620 (w/Cummins ISX Engine)</i>			<i>LoneStar (w/IHC-Navistar MaxxForce 13 12.4L Engine)</i>		
<i>HV607 (w/Cummins L9 engine)</i>			3507421C1	Air	LAF9540	2596171C91	Oil	LP7329XL ¹⁴
LF9009	Oil	LFP3000XL	1699956C1	Cabin Air	CAF24013	2506656C1	Cabin Air	CAF24005
<i>HV613 (International A26 engine)</i>			WF2126	Coolant	LFW2126 ²⁵⁵	3004474C91	Fuel	L6161F ¹⁴⁵
	Oil	LP7498XL	WF2127	Coolant	LFW2127 ^{14, 249}	(3004473C91); Sec.		L7694F
<i>HX515 (w/International N13 Engine)</i>			FS19763	Fuel	L9763FXL ⁷⁹⁹	2503221C1	Power Steering	LFH4984
3551814C1	Air	LAF6663	FF5776	Fuel	LFF6776	(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835
			LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	<i>LT625 (w/Cummins X15 engine)</i>		
<i>LFE700, LFE900 (w/Nissan NE6 Engine)</i>			LF14000NN (4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	(FS19729); W/S	Fuel	L9763FXL
16546-Z9006	Air	LAF7315 ^{1, 801}	<i>LFE700, LFE900 (w/Nissan NE6T Engine)</i>			<i>LFE700, LFE900 (w/Nissan NE6T Engine)</i>		
16546-Z9007	Air	LAF9000 ^{2, 801}	16546-Z9006	Air	LAF7315 ^{1, 801}	<i>LFE700, LFE900 (w/Nissan NE6T Engine)</i>		
2191-595-000	Coolant	LFW4072 ¹⁸²	<i>LFE700, LFE900 (w/Nissan NE6T Engine)</i>			<i>LFE700, LFE900 (w/Nissan NE6T Engine)</i>		
1644-499-425	Fuel	LFF5	<i>LFE700, LFE900 (w/Nissan NE6T Engine)</i>			<i>LFE700, LFE900 (w/Nissan NE6T Engine)</i>		
<i>LFE700, LFE900 (w/Nissan NE6T Engine)</i>			<i>LFE700, LFE900 (w/Nissan NE6T Engine)</i>			<i>LFE700, LFE900 (w/Nissan NE6T Engine)</i>		
<i>LFE700, LFE900 (w/Nissan NE6T Engine)</i>			<i>LFE700, LFE900 (w/Nissan NE6T Engine)</i>			<i>LFE700, LFE900 (w/Nissan NE6T Engine)</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 145-Pre-Screen 182-Contains 2 oz. of chemical 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 278-2.8" Hgt. 599-High capacity 628-Tall version of LFF8020 647-Natural Gas 648-w/ Davco option 783-Pressure side 799-Davco 800-2" or 7" Sump 801-Not factory installed. 1552-Filter with bowl

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>LT625 (w/Cummins X15 engine) (cont'd)</i>			<i>Models with Vickers hydr. filter</i>			<i>ProStar (w/Caterpillar C15 Engine) (cont'd)</i>		
LF9001	Oil	LFP9001 ²⁵⁰	381660-R91	Hydraulic	LH4914	3839141C1	Cabin Air	CAF24005XL ¹⁸³
		LFP9001TRT ³	381264-R91		P137			Coolant
LF14000NN		LFP9001XL ^{14, 250}	279294-C92	Power Steering	LP487			LFW4685 ²⁴⁹
Eaton/Fuller 3" O.D.	Trans	PH2835						LFW4685XL ^{14, 249}
<i>LT625 (w/International A26 engine)</i>			<i>MV Series w/Cummine ISB6.7L engine)</i>			<i>ProStar (w/Caterpillar C15 Engine) (cont'd)</i>		
2517615C91	Fuel	L7694F		Oil	LFP3970	Davco opt.	Fuel	L5467F
2517615C91	Oil	LP7498XL				Davco opt.		L5467FNXL ¹⁴
<i>M6123 (w/International RD372 Engine)</i>			<i>MV Series w/Cummins L9 engine)</i>					
204514-R91	Air	LAF1961	LF9009	Oil	LFP3000XL	(2586814C1); W/S		L6161F ¹⁴⁵
180237-R91		LAF1973						
By-Pass	Oil	L24A P137	(1825864C92); W/S	Fuel	L4596F	W/S		L9729F
<i>M6123 (w/International RD406 Engine)</i>			1840752C91	Oil	LP2017			L9729FXL ¹⁴
204514-R91	Air	LAF1961	(29539579); Allison	Trans	LPH8737 ⁵⁸⁷	(FF202); Pri.		L9763FXL ¹⁴
180237-R91		LAF1973	1000/2000			W/S		LFF202 ¹⁹³
By-Pass	Oil	L24A P137	(29540494); Allison		LH4582G ²⁴	(5008414); Brake	Miscellaneous	LFF7660
<i>M6123 (w/International RD450 Engine)</i>			(29540493); Allison		LH4589G ²³	Dryer		LFP4005
204514-R91	Air	LAF1961	(29540493); Allison		LH4591G ²²	1R0716	Oil	LFP4005TRT ³
180237-R91		LAF1973	3000/3500		T951 ⁶	By-Pass		LFP4005XL ¹⁴
By-Pass	Oil	L24A P137	3000/3500			2503221C1	Power Steering	LP7485
<i>M6123 (w/International RD501 Engine)</i>			<i>ProStar (w/Caterpillar C13 Engine)</i>					
204514-R91	Air	LAF1961	3560734C1	Oil	LP7329XL ¹⁴	(17237); Optional	Trans	HP1
180237-R91		LAF1973		Air	LAF1849 ²	Eaton 3.7" O.D.		PH2835
By-Pass	Oil	L24A P137			LAF1849MXM ^{2, 268}	(4304827);		
<i>Models (Nissan 6-33 Engine)</i>			3551814C1		LAF1956 ¹	Eaton/Fuller 3" O.D.		
369500-C1	Air	AF133	3551815C1		LAF6663 ²	<i>ProStar (w/Cummins ISM Engine)</i>		
(625626-C1); Pri.	Fuel	FP625	3839141C1	Cabin Air	LAF6664 ¹	3551814C1	Air	LAF6663 ²
<i>Models (w/BD264 Engine)</i>					CAF24015XL ¹⁸³	3551815C1		LAF6664 ¹
	Air	AF8331					Cabin Air	CAF24015XL ¹⁸³
<i>Models (w/Fuller R46 Transmission)</i>							Coolant	LFW4685 ²⁴⁹
8548	Breather	LAF200						LFW4685XL ^{14, 249}
A-1781		LAF200 ⁶⁴⁵						
<i>Models (w/Fuller R96 Transmission)</i>								
8548	Breather	LAF200						
A-1781		LAF200 ⁶⁴⁵						
<i>Models with P/S filter</i>								
267841-C91	Hydraulic	LPH1700 ¹¹						
475606-C2		LH4924 ¹¹						
2503221C1	Power Steering	LPH4984						
995285-C1		LFP152499B						
1681202-C91		LH4741						
H601/4		LH8504						
169743-R91		LP176						
279294-C91		LP487						
1653998-C1		LP8278						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 11-Power Steering 12-Optional
 Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 145-Pre-Screen 183-Dust and odor filter
 250-11.9" Hgt. 268-Extended/Severe service 312-AD-IS System 587-Spin-on 599-High capacity 645-Air Shift

14-Extended Life 20-High efficiency 22-2" or 7"
 193-External Mounted 249-No chemical

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)			INTERNATIONAL (TRUCK HEAVY DUTY)		
<i>ProStar (w/Cummins ISM Engine) (cont'd)</i>			<i>ProStar, ProStar + (w/MaxxForce 11 Engine) (cont'd)</i>			<i>ProStar, ProStar + (w/MaxxForce 15 Engine) (cont'd)</i>		
LF9001	Oil	LFP9001XL ^{14, 250}						
2503221C1	Power Steering	LFH4984	(CS41008); By-Pass	Oil	LFP4005XL ¹⁴ LP8213 ¹²	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	2503221C1	Power Steering	LFH4984	(4304827); Eaton/Fuller 3" O.D.		PH2835
<i>ProStar (w/Cummins ISX Engine)</i>			<i>ProStar, ProStar + (w/MaxxForce 13 Engine)</i>			<i>ProStar, ProStar+ (w/Cummins ISX15 Engine)</i>		
3551814C1	Air	LAF6663 ² LAF6664 ¹	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	3551814C1	Air	LAF6663 ^{2, 615} LAF6664 ^{1, 615}
3551815C1	Cabin Air	CAF24015XL ¹⁸³	(4304827); Eaton/Fuller 3" O.D.		PH2835	3551815C1		
	Coolant	LFW2126 ²⁵⁵ LFW2127 ^{14, 249}	2596171C91	Oil	LP7329XL ^{14, 281}	3839141C1	Cabin Air	CAF24015XL ^{183, 615}
	Fuel	LFF2201 ⁷⁸⁸ LFF2203 ⁷⁸⁸	2596171C91	Oil	LP7329XL ¹⁴ LP7498XL ¹⁴	WF2126	Coolant	LFW2126 ^{255, 615} LFW2127 ^{14, 249}
	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	3551814C1	Air	LAF6663 ² LAF6664 ¹	(FF5686); 2013-on; Sec.	Fuel	LFF5686 ¹⁹
2503221C1	Power Steering	LFH4984	3551815C1	Air	LAF6663 ² LAF6664 ¹	(FF5776); 2013-on; Sec.		LFF6776 ¹⁸
Eaton/Fuller 3" O.D.	Trans	PH2835	WF2077	Coolant	LFW4685 ²⁴⁹	3101869	Oil	LFP9001 ^{250, 615} LFP9001TRT ^{3, 802} LFP9001XL ^{14, 250, 615}
<i>Prostar (w/International N13 Engine)</i>			(2588149C1); Davco opt.	Fuel	LK373I L5467F	3101869		
3551814C1	Air	LAF6663	Davco opt.		L5467FNXL ¹⁴ L6161F ¹⁴⁵ L7694F L9763FXL ¹⁴ LFF7660	2503221C1	Power Steering	LFH4984 ⁶¹⁵
3839141C1	Cabin Air	CAF24015	3004474C92		L6161F ¹⁴⁵ L7694F L9763FXL ¹⁴ LFF7660	(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835
	Fleet Maintenance	LK373I	3004473C91		L7694F LFF7660	<i>RH Series (w/International A26 engine)</i>		
3004473C91 (2611236C1); W/S (5008414); Brake Dryer	Fuel	L7694F LFF7660	FS19764		L7694F LFF7660	3551814C1	Air	LAF6663
	Miscellaneous	LFP8654	(2611236c1); W/S (5008414); Brake Dryer (2606467c91); By-Pass	Miscellaneous	LFP8654	(FS19765); W/S	Fuel	L7694F L9765FXL ⁷⁹⁹
3007498C94	Oil	LP7498XL ¹⁴	2503221C1	Oil	LP7485	3007543C94	Oil	LP7498XL ¹⁴
2503221C1	Power Steering	LFH4984		Power Steering	LFH4984	2503221C1	Trans	LFH4984
(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	<i>RXT (w/DT570 Engine)</i>			3532799C1	Air	LAF9099
<i>ProStar, ProStar + (w/MaxxForce 11 Engine)</i>			(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(1842638C92); W/S	Fuel	LP984F
2596171C91	Oil	LP7329XL ¹⁴	(4304827); Eaton/Fuller 3" O.D.		PH2835	1842639C91	Oil	LFP9025
3560734C1	Air	LAF1849 ² LAF1849MXM ^{2, 268} LAF1956 ¹ LAF6663 ² LAF6664 ¹	<i>ProStar, ProStar + (w/MaxxForce 15 Engine)</i>			29540494	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²
			3551814C1	Air	LAF6663 ² LAF6664 ¹	29540493		
3551814C1			3551815C1	Air	LAF6663 ² LAF6664 ¹	<i>S2125, S2155, S2375, S2524 (w/International DT466 Engine)</i>		
3551815C1			3839141C1	Cabin Air	CAF24015XL ¹⁸³	530778-C1	Air	LAF1931 ¹ LAF7640 ¹ LAF942 ² LAF9545 ²
3839141C1	Cabin Air	CAF24015XL ¹⁸³	WF2077	Coolant	LFW4685 ²⁴⁹ LFW4685XL ^{14, 249}	482644-C1		
	Fleet Maintenance	LK373I	(2588149C1); Davco opt.	Fuel	L5467F	478974-C1		
(300447391); W/S 2588149C1 3004474C92 (3004473C91); Sec. W/S W/S Pri. (2611236c1); W/S (5008414); Brake Dryer	Fuel	L5467FNXL ¹⁴ L5467FNXL ¹⁴ L6161F ¹⁴⁵ L7694F L9729F L9729FXL ¹⁴ LFF202 ¹⁹³ LFF7660	Davco opt. 3004474C92 FS19764 3014300c1 (2611236c1); W/S Brake Dryer	Miscellaneous	L5467FNXL ¹⁴ L6161F ¹⁴⁵ L9763FXL ¹⁴ LFF2749 ²⁰ LFF7660	476741-C1	Coolant	LAF9071 ^{28, 205}
1R0716	Oil	LFP4005 LFP4005TRT ³	3014491c91	Oil	LFP8654 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ LP7485	Pri. Sec. Pri. Pri.	Fuel	FP251F FP603 FP625 LFP3692F
			(2606467c91); By-Pass			1811953-C1	Oil	LFP2244 ²⁶⁷
			2503221C1	Power Steering	LFH4984	1808896-C1		LFP6241 ²⁶⁶
<i>S2200 (w/Cummins N14 Engine)</i>								
						476743-C1	Air	LAF9544 LAF9545 ²
						476741-C1		
						(FS1212); W/S W/S	Fuel	LFF8020 LFF90013 ¹⁵⁵²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 18-Short 19-Long 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 145-Pre-Screen 183-Dust and odor filter 193-External Mounted 205-Maintenance 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 266-3.75" O.D. 267-4.25" O.D. 268-Extended/Severe service 281-2007-09 599-High capacity 615-2013 up 788-Before 2010 Emissions 799-Davco 802-2013-up 1552-Filter with bowl

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL (TRUCK HEAVY DUTY)			ISUZU (MEDIUM DUTY TRUCK)			ISUZU (MEDIUM DUTY TRUCK)		
<i>S2200 (w/Cummins N14 Engine) (cont'd)</i>			<i>EVR (w/Isuzu 6BG1T Engine)</i>			<i>FSR, FTR, FVR (w/6BG1 Engine) (cont'd)</i>		
W/S	Fuel	LFF9013 ²⁰⁶	1142151510	Air	LAF1835 ¹	1142151720	Air	LAF9000 ²
	Oil	LFP3000	1142151110		LAF7315 ¹	1132400740	Fuel	LFF3415
		LFP3000XL ¹⁴	1142151720		LAF9000 ²	(1878103340);	Oil	1041
Optional Eaton/Fuller	Trans	HP1	1132400740	Fuel	LFF3415	By-Pass		
<i>Transtar (w/Cummins ISL G Engine)</i>			(1132400890);	Oil	LFP2262	(1132400890);		LFP2262
	Fuel	LFF5080 ⁶⁴⁷	By-Pass			By-Pass		
	Oil	LFP9001 ²⁵⁰	1132004870		LFP6007	1132004870		LFP6007
		LFP9001XL ^{14, 250}	(1132400670);	By-Pass	LFP777B ¹²			
<i>Transtar (w/International N13 Engine)</i>			By-Pass			<i>FTR (w/4HK1-TC engine)</i>		
3551814C1	Air	LAF6663		Air	LAF7315 ¹	8980714210	Air	LAF5761
3551815C1		LAF6664 ¹			LAF9000 ²	(94369299); W/S	Fuel	FP941F ³³
3839141C1	Cabin Air	CAF24015		Fuel	LFF3415	97148270	Oil	LFP5964 ¹⁵
		CAF24015XL ¹⁸³	By-Pass	Oil	LFP2262	29537268	Trans	LFH8737 ⁵⁸⁷
3004474C91	Fuel	L6161F ¹⁴⁵	By-Pass		LFP6007	<i>FVR (w/Isuzu 6SA1 Engine)</i>		
3004473C91		L7694F			LFP777B ¹²	1142151810	Air	LAF1834 ²
FS19765	Oil	L9765FXL ^{14, 648}	<i>FRR, FSR, FTR, FVR (w/6HE1TC 7.8L Engine)</i>			1142151510		LAF1835 ¹
		LP7498XL ¹⁴	1142151810	Air	LAF1834 ²	1132400740	Fuel	LFF3415
2503221C1	Power Steering	LFH4984	1142151510		LAF1835 ¹	(1132400670);	Oil	LFP777B
(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1	1132400740	Fuel	LFF3415	By-Pass		
		PH2835	(1132400892);	Oil	LFP2262	<i>FXR (w/6HK1TC Engine)</i>		
			By-Pass		LFP6007	98037011	Fuel	L5098F
			<i>FRR, FSR, FTR, FVR (w/6HK1TC 7.8L Engine)</i>			94037791	Oil	LFP6007
			8980370110	Fuel	L5098F	29540494	Trans	LH4582G ²⁴
			(29539579); Allison 1000/2000	Trans	LFH8737	29540493		LH4589G ²³
			(29537965); Allison 1000/2000		T951 ⁶	29545776		LH4591G ²²
			1132004870	Oil	LFP6007	<i>HTR, HVR, HXR (w/6HK1TC Engine)</i>		
			P538456	Air	LAF3890 ¹	A3101C	Air	LAF6101 ²
			P533930		LAF3930 ²	88892858	Power Steering	LH8504
			(29540496); Allison 3000/3500	Trans	LH4582G ²⁴	(8942444560); W/S	Fuel	FP941F
			(29540493); Allison 3000/3500		LH4589G ²³	94392474		LFF3415
			29545776		LH4591G ²²	W/S		LFF8010
			1142151810	Air	LAF1834 ²	W/S		LFF902
			1142151510		LAF1835 ¹	97600764	Oil	LFP6007
			(8942444560); W/S	Fuel	FP941F	(29537268); Allison 1000/2000	Trans	LFH8737
			8943924740		LFF3415 ¹⁸	(29540496); Allison 3000/3500		LH4582G ²⁴
			94392472		LFF8739 ¹⁹	(29540493); Allison 3000/3500		LH4589G ²³
			<i>FSR, FTR, FVR (w/6BD1 Engine)</i>			29545776		LH4591G ²²
			1142151810	Air	LAF1834 ²	(29537965); Allison 1000/2000		T951 ⁶
			1142151510		LAF1835 ¹	A2031C	Air	LAF2031 ²
			1142151110		LAF7315 ¹	<i>NPR (w/4BD1T Engine)</i>		
			1142151720		LAF9000 ²	8941560520	Air	LAF1800 ³⁴
			1132400740	Fuel	LFF3415	8944302500		LAF1947 ²⁵³
			(1878103340);	Oil	1041	8944147961	Fuel	FP588F
			By-Pass (1132400890);			8941697782	Oil	LFP2261
			By-Pass		LFP2262	8941697792		LFP2270 ⁶⁵
			1132004870		LFP6007	<i>NPR (w/4BD2T Engine)</i>		
			<i>FSR, FTR, FVR (w/6BG1 Engine)</i>			8941560520	Air	LAF1800 ³⁴
			1142151810	Air	LAF1834 ²	8944302500		LAF1947 ²⁵³
			1142151510		LAF1835 ¹	8944147961	Fuel	FP588F
			1142151110		LAF7315 ¹	8970967770	Oil	LFP734
			<i>FSR, FTR, FVR (w/6BG1 Engine)</i>			<i>NPR (w/4JJ1TC 3.0L Engine)</i>		
			1142151810	Air	LAF1834 ²	8980188580	Oil	LP5905
			1142151510		LAF1835 ¹	97062294	Air	LAF5633
			1142151110		LAF7315 ¹			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 6-Shallow Pan 12-Optional 14-Extended Life 15-Standard 18-Short 19-Long 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 33-Frame mtd. 34-Vertical mounted 41-Cartridge 65-By-Pass 145-Pre-Screen 183-Dust and odor filter 206-Bowl type 250-11.9" Hgt. 253-Horizontal mounted 263-Hoses and clamps included 587-Spin-on 647-Natural Gas 648-w/ Davco option

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ISUZU (MEDIUM DUTY TRUCK)			ISUZU (TRUCK HEAVY DUTY)			ISUZU (TRUCK HEAVY DUTY)		
<i>NPR (w/6.0L gas Engine)</i>			<i>10t Truck Series SHM (w/6RA1 (T) Engine)</i>			<i>8.5t Tractor Series VTR, VVR (w/12PA1 Engine)</i>		
4 SPD.	Trans	T709	1142150140	Air	LAF1275 ²	1142150140	Air	LAF1275 ²
97062294	Air	LAF5633	<i>11t Truck Series TM (w/E110 Engine)</i>			<i>8.5t Tractor Series VTR, VVR (w/12PB1 Engine)</i>		
89017524	Oil	PH48	9142151321	Air	LAF234HD ²	1142150140	Air	LAF1275 ²
4L80-E	Trans	T709	<i>11t Truck Series TMK (w/E120 Engine)</i>			<i>8.5t Tractor Series VVR (w/8MA1 Engine)</i>		
2-90646-910-0	Air	LAF1947	9142151840	Air	LAF8668	1142150200	Air	LAF241HD
8250550520	Fuel	G481	<i>12t Tractor Series TMK (w/E120 Engine)</i>			<i>8t Truck Series TD (w/6QA1 Engine)</i>		
8250106330	Oil	PH44	9142151840	Air	LAF8668	9142151840	Air	LAF8668
<i>NPR HD (w/Isuzu 4HK1TC 5.2L Engine)</i>			<i>12t Tractor Series VVZ (w/12PB1 Engine)</i>			<i>8t Truck Series TD (w/DH100 Engine)</i>		
94430250	Air	LAF1947	1142150140	Air	LAF1275 ²	9142151840	Air	LAF8668
97062294	Air	LAF5633	<i>12t Tractor Series VWZ (w/8MA1 Engine)</i>			<i>CXG, CXH (w/12PC1 Engine)</i>		
(94369299); W/S	Fuel	FP941F ³³	1142150200	Air	LAF241HD	1142151160	Air	LAF1465 ²
98037011	Fuel	L5098F	<i>15t Tractor Series SVZ (w/12PB1 Engine)</i>			1142151180	Air	LAF5884 ¹
97148270	Oil	LFP5964	1142150140	Air	LAF1275 ²	1878102070	Fuel	L5947F
97182282	Trans	HP1 ³²	<i>4.5t Forward Tractor Series FX-I, TR (w/6BB1 Engine)</i>			<i>CXG, CXH (w/6SQ1 Engine)</i>		
<i>NPR, NQR (w/Isuzu 4HE1TC 4.8L Engine)</i>			1142151830	Air	LAF6032 ²	1142151160	Air	LAF1465 ²
8944302500	Air	LAF1947	<i>4.5t Forward Tractor Series FX-I, TR (w/D500 Engine)</i>			1142151180	Air	LAF5884 ¹
(1132400791); Sec.	Fuel	LFF3415	<i>4.5t Forward Tractor Series FX-I, TR (w/D500 Engine)</i>			1878102070	Fuel	L5947F
8971482700	Oil	LFP5964	1142151830	Air	LAF6032 ²	<i>CXG, CXK, CXM (w/8PC1T Engine)</i>		
97182282	Trans	HP1	1142151830	Air	LAF6032 ²	1142151160	Air	LAF1465 ²
<i>NPR, NQR, NRR (w/Isuzu 4HK1 5.2L Engine)</i>			<i>4t Forward Series FX-I, FX-II (w/6BB1 Engine)</i>			1142151180	Air	LAF5884 ¹
97062294	Air	LAF5633	1142151830	Air	LAF6032 ²	1878102070	Fuel	L5947F
98037011	Fuel	L5098F	<i>4t Forward Series FX-I, FX-II (w/6BD1 Engine)</i>			<i>CXG, CXZ (w/12PC1 Engine)</i>		
97182282	Trans	HP1 ³²	1142151830	Air	LAF6032 ²	1142151160	Air	LAF1465
97148270	Oil	LFP5964	<i>4t Forward Series FX-I, FX-II (w/6BF1 Engine)</i>			1142151180	Air	LAF5884
94430250	Air	LAF1947	1142151830	Air	LAF6032 ²	1878102070	Fuel	L5947F
(94369299); W/S	Fuel	FP941F ³³	<i>4t Forward Series FX-I, TR (w/6BB1 Engine)</i>			<i>CXK, CXM (w/6RA1 Engine)</i>		
97182282	Trans	HP1	1142151830	Air	LAF6032 ²	1142151160	Air	LAF1465
<i>NPR-EFI (w/GM 5.7L gas Engine)</i>			<i>4t Forward Series FX-I, TR (w/D500 Engine)</i>			1142151180	Air	LAF5884
	Trans	T709 ²⁸⁷	1142151830	Air	LAF6032 ²	1878102070	Fuel	L5947F
8250551290	Fuel	G481	<i>5t Forward (w/6BB1 Engine)</i>			<i>CXK, CXM, CXZ (w/12PC1 Engine)</i>		
8064383840	Oil	PH1218	1142151830	Air	LAF6032 ²	1142151180	Air	LAF5884 ¹
8086787570	Trans	T216 ²⁸⁷	<i>5t Forward (w/6BD1 Engine)</i>			<i>CXK, CXM, CXZ (w/6SQ1 Engine)</i>		
<i>NPR-XD (w/GM 6.0L Gas Engine)</i>			1142151830	Air	LAF6032 ²	1142151160	Air	LAF1465 ²
97062294	Air	LAF5633	<i>5t Forward (w/6BF1 Engine)</i>			1142151180	Air	LAF5884 ¹
89017524	Oil	PH48	1142151830	Air	LAF6032 ²	1878102070	Fuel	L5947F
<i>NPR-XD (w/Isuzu 4HK1-TC Engine)</i>			<i>6t Forward (w/6BB1 Engine)</i>			<i>CXZ, CXH, CXG (w/6RB1 Engine)</i>		
94430250	Air	LAF1947	1142151830	Air	LAF6032 ²	1142151160	Air	LAF1465
97062294	Air	LAF5633	<i>6t Forward (w/6BD1 Engine)</i>			1142151180	Air	LAF5884
(94369299); W/S	Fuel	FP941F ³³	1142151830	Air	LAF6032 ²	1878102070	Fuel	L5947F
98037011	Fuel	L5098F	<i>6t Forward (w/6BF1 Engine)</i>			<i>ELF (w/C220 Engine)</i>		
97148270	Oil	LFP5964	1142151830	Air	LAF6032 ²	5878100090	Fuel	L5839F
97182282	Trans	HP1	<i>6t Truck Series SFR (w/DA640 Engine)</i>			<i>ELF (w/G201 Engine)</i>		
<i>NPS (w/Isuzu 4BD1T 3.8L Engine)</i>			9142151321	Air	LAF234HD ²	5878100090	Fuel	L5839F
8944147961	Fuel	FP588F	<i>6t Truck Series TWD (w/DA120 Engine)</i>			<i>ELF (w/GL201 Engine)</i>		
8941697782	Oil	LFP2261	9142151321	Air	LAF234HD ²	5878100090	Fuel	L5839F
8941697792	Fuel	LFP2270 ⁶⁵	<i>6t Truck Series TWD (w/DA240 Engine)</i>			<i>ELF 200 (w/3.0L 4JJ1TC Engine)</i>		
<i>NRR (w/6BG1T Engine)</i>			9142151321	Air	LAF234HD ²	8970622940	Air	LAF5633
1142151720	Air	LAF9000 ²	<i>6t Truck Series TXD (w/DA640 Engine)</i>			<i>ELF 250 (w/4BA1 2.8L Engine)</i>		
1142151110	Air	LAF7315 ¹	9142151321	Air	LAF234HD ²	8941042730	Air	LAF5572
1132400740	Fuel	LFF3415	<i>7t Forward (w/6BF1 Engine)</i>			(8914673980); W/S	Fuel	FP941F
(1132400890); By-Pass	Oil	LFP2262	1142151830	Air	LAF6032 ²	8944309830	Oil	PH2863B
1132004870	Fuel	LFP6007	<i>7t Truck Series SKS (w/8PA1 Engine)</i>			<i>ELF 250 (w/4BC2 3.3L NKR Engine)</i>		
<i>Reach w/Isuzu 4JJ1-TC eng</i>			9142151931	Air	LAF712	8941017690	Air	LAF5887
	Oil	LP5905	<i>8.5t Tractor Series TV (w/V170 Engine)</i>			8941517440	Fuel	LFF4295
			9142151341	Air	LAF241HD	<i>ELF 250 (w/4BE1 3.6L Engine)</i>		
						8941042730	Air	LAF5572

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 32-Remote mounted 33-Frame mtd. 65-By-Pass 287-4L80-E

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ISUZU (TRUCK HEAVY DUTY)			ISUZU (TRUCK HEAVY DUTY)			KENWORTH (MEDIUM DUTY TRUCK)		
<i>ELF 250 (w/4BE1 3.6L Engine) (cont'd)</i>			<i>U-CXM18 (w/6RB1T Engine)</i>			<i>K300 (w/Cummins 8.3L Engine) (cont'd)</i>		
(8943329550); W/S	Fuel	FP941F	1142151160	Air	LAF1465	Pri.	Fuel	LFF3417
8941517440		LFF4295	1878102070	Fuel	L5947F	<i>K300 (w/Cummins ISB 5.9L Engine)</i>		
<i>ELF 250 (w/4BG1 4.3L Engine)</i>			<i>WFR 2.2L 4x4 (w/4FD1 Diesel Engine)</i>			P527484		
8941042730	Air	LAF5572	(8942480700); W/S	Fuel	FP941F	W/S	Fuel	LAF1878²
<i>ELF 250 (w/4HF1T 4.8L Engine)</i>			(8944195320); W/S		LFF5950	(FS19519); W/S		L9800F⁴¹
8941517440	Fuel	LFF4295	8942019422	Oil	PH2801			LFF9519
8970967770	Oil	LFP5964	8942172720		PH2863B		Oil	LFP3970
<i>ELF 250 (w/G201 2.0L Engine)</i>			KALMAR (TRUCK HEAVY DUTY)			<i>T170 (w/Paccar PX6 6.7L Engine)</i>		
8942060070	Air	AF109	<i>4x2 (w/Cummins ISB6.7L Engine)</i>			P527484	Air	LAF1878²
<i>ELF 300 (w/3.0L 4JJ1TC Engine)</i>			(FS19732); W/S			(FS1000); W/S	Fuel	LFF1000¹³
8970622940	Air	LAF5633		Fuel	LFF9732	(FS1065); W/S		LFF1065²¹⁰
<i>ELF 350 (w/4BB1 3.6L Engine)</i>				Hydraulic	LFP1652	(FF5632); Sec.		LFF5632
5142150230	Fuel	LFF4295		Oil	LFP3970	LF3970	Oil	LFP3970
<i>ELF 450 (w/4BG1 4.3L Engine)</i>			<i>Ottawa T2 (w/Cummins ISB6.7L Engine)</i>			87904M	Power Steering	LH4101³¹¹
	Air	LAF5887²⁸⁶		Oil	LFP3970	(29539579); Allison	Trans	LFH8737⁵⁸⁷
	Air	LAF5887	29540496	Trans	LH4582G²⁴	1000/2000		
	Air	LAF5887²⁸⁵			LH4591G²²	(29537965); Allison		T951⁶
<i>FTS (w/6BG1 Engine)</i>			<i>TRX182 (w/Volvo Engine)</i>			<i>T170 (w/Paccar PX7 engine)</i>		
1142151450	Air	LAF7315¹	3825133	Fuel	FP586F		Oil	LFP3970
1142151530		LAF9000²	9239763127		LFF5874	(29539579); Allison	Trans	LFH8737⁵⁸⁷
9885111911	Fuel	L3528F	3831236	Oil	LFP2222	1000/2000		
1878100751	Oil	LP2256	KENWORTH (MEDIUM DUTY TRUCK)			<i>T270 Hybrid, T370 Hybrid (w/Paccar PX6 6.7L Engine)</i>		
<i>KS22 1985</i>			<i>K220 Midranger (w/Cummins 6CT 8.3L Engine)</i>			P527484		
5878100500	Fuel	L3575F	P129545	Air	LAF9545²	(FS1065); W/S	Air	LAF1878²
9885111940	Oil	LP2263	(3925274); Pri.	Fuel	LFF3417	(FS1065); W/S	Fuel	LFF1065²¹⁰
<i>KS32 (w/Isuzu 4BC2 Engine)</i>			Sec.		LFF3521	(FF5632); Sec.		LFF5632
8941017690	Air	LAF5887	LF3000	Oil	LFP3000	LF3970	Oil	LFP3970
8941434790	Fuel	LFF4295	(29540494); Allison	Trans	LH4582G²⁴	(29537268); Allison	Trans	LFH8737⁵⁸⁷
9885111940	Oil	LP2263	3000/3500		LH4589G²³	1000/2000		T951⁶
<i>KT26 (w/Isuzu 4BC2 Engine)</i>			(29540493); Allison		LH4591G²²	(29537965); Allison		
5142150380	Air	LAF5887	3000/3500			1000/2000		
5132400230	Fuel	LFF4295	29545776			<i>T270, T370 (w/Paccar PX6 6.7L Engine)</i>		
9885111940	Oil	LP2263	1668000PAC	Air	LAF5428	P527484	Air	LAF1878²
<i>K-TXD23.60 (w/DA640 Engine)</i>			1399760PAC	Fuel	LFF5485	(FS1000); W/S	Fuel	LFF1000¹³
9885132641	Oil	LP5907	LF3970	Oil	LFP3970²⁹	(FS1065); W/S		LFF1065²¹⁰
9885111911	Fuel	L3528F	1399494PAC		LFP6015³¹⁰	(FF5632); Sec.		LFF5632
<i>MIDI (w/2.2L Diesel Engine)</i>			<i>K270, K370 (w/Paccar PX7 engine)</i>			LF3970	Oil	LFP3970
(8944195320); W/S	Fuel	LFF5950		Oil	LFP3970	87904M	Power Steering	LH4101³¹¹
8944128150	Oil	PH2808	29539579	Trans	LFH8737	(17237); Optional	Trans	HP1
<i>P-CXG23 (w/6SD1 Engine)</i>			<i>K270, K370 (w/Paccar PX6 Engine)</i>			Eaton 3.7" O.D.		LFH8737⁵⁸⁷
1142151160	Air	LAF1465	(FS1065); W/S	Fuel	LFF1065²¹⁰	(29539579); Allison		
1878102070	Fuel	L5947F	(FF5632); Sec.		LFF5632²⁵	1000/2000		
<i>TLD56 (w/Isuzu 4BC2 Engine)</i>			LF3970	Oil	LFP3970	(29540494); Allison		LH4582G²⁴
5142150380	Air	LAF5887	(29539579); Allison	Trans	LFH8737⁵⁸⁷	3000/3500		LH4589G²³
8941434790	Fuel	LFF4295	1000/2000			(29540493); Allison		
<i>U0CXG CXM23, U-CXK CXH23, U-CXG CXM23 (w/6SD1T Engine)</i>			(29537965); Allison		T951⁶	3000/3500		LH4591G²²
1142151160	Air	LAF1465	1000/2000			29545776		T951⁶
1878102070	Fuel	L5947F	<i>K300 (w/Cummins 8.3L Engine)</i>			(29537965); Allison		
<i>U-CXM, CXZ72 (w/12PD1 Engine)</i>			Pri.	Fuel	LFF3417	1000/2000		
1142151160	Air	LAF1465	P527484	Air	LAF1878	<i>T270, T370 (w/Paccar PX8 Engine)</i>		
1878102070	Fuel	L5947F	Sec.	Fuel	LFF3521	P527484	Air	LAF1878²
<i>U-CXM, CXZ72 (w/360PS Engine)</i>			LF3000	Oil	LFP3000¹⁵	(FS19596); W/S	Fuel	LFF1003²⁰⁹
1142151160	Air	LAF1465	LF9009		LFP3000XL¹⁴	FF5488		LFF5488²⁵
1878102070	Fuel	L5947F		Trans	LFP734¹⁷⁹	(5008414); Brake	Miscellaneous	LFP8654³¹²
			(3925274); Pri.	Fuel	LFF3417	Dryer		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 6-Shallow Pan 13-Optional Frame Mounted 14-Extended Life 15-Standard 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 25-Engine mounted 29-1 1/8" Thread 41-Cartridge 179-1 1/2 x 12 Thread 209-Square sensor port 210-w/ Sensor 285-From 09/88 286-To 07/93 310-27mm Thread 311-2.73" Hgt. 312-AD-IS System 587-Spin-on

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KENWORTH (MEDIUM DUTY TRUCK)			KENWORTH (MEDIUM DUTY TRUCK)			KENWORTH (MEDIUM DUTY TRUCK)		
<i>T270, T370 (w/Paccar PX8 Engine) (cont'd)</i>			<i>T300 (w/Cummins B 5.9L Engine) (cont'd)</i>			<i>T300 (w/Paccar PX8 Engine) (cont'd)</i>		
LF3000	Oil	LFP3000		Air	LAF3585 ¹	LF9009	Oil	LFP3000XL ¹⁴
LF9009		LFP3000XL ¹⁴	Pri.	Fuel	LFF3417	87904M	Power Steering	LH4101 ³¹¹
87904M	Power Steering	LH4101 ³¹¹	Sec.		LFF3521			
(17237); Optional Eaton 3.7" O.D.	Trans	HP1		Oil	LFP780 ¹⁵	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
(29539579); Allison 1000/2000		LH4582G ²⁴	T300 (w/Cummins ISB Engine)			(29539579); Allison 1000/2000		LH4582G ²⁴
(29540494); Allison 3000/3500		LH4589G ²³	P527484	Air	LAF1878 ²	(29540494); Allison 3000/3500		LH4589G ²³
(29540493); Allison 3000/3500		LH4591G ²²	(FF5421); Pri.	Fuel	LFF5421	(29540493); Allison 3000/3500		LH4591G ²²
29545776		T951 ⁶	(FS19732); W/S	Fuel	LFF9732	29545776		T951 ⁶
(29537965); Allison 1000/2000			LF3970	Oil	LFP3970	(29537965); Allison 1000/2000		
			(29539579); Allison 1000/2000	Trans	LH4591G ²²			
			(29537965); Allison 1000/2000		T951 ⁶			
						T370 (w/Paccar PX9 Engine)		
						P527484	Air	LAF1878
						(FS1003); W/S	Fuel	LFF1003 ²¹
						(5008414); Brake Dryer	Miscellaneous	LFP8654
						LF9009	Oil	LFP3000XL ¹⁴
						87904M	Power Steering	LH4101 ³¹¹
						(29539579); Allison 2000 Series	Trans	LH4591G ²²
T270, T370 (w/Paccar PX7 engine)			T300 (w/Cummins ISC Engine)			KENWORTH (TRUCK HEAVY DUTY)		
P527484	Air	LAF1878	P527484	Air	LAF1878 ²	13-210, 22-210 Midranger (w/Cummins 6CT8.3 Engine)		
(FS1065); W/S	Fuel	LFF1065 ²¹⁰	WF2071	Coolant	LFW4071 ^{28, 205}	<i>13-210, 22-210 Midranger (w/Cummins 6CT8.3 Engine)</i>		
(5008414); Brake Dryer	Miscellaneous	LFP8654	(FS1003); W/S	Fuel	LFF1003 ²⁰	P129545	Air	LAF9545 ²
LF3970	Oil	LFP3970	FS1022	Fuel	LFF1022	WF2071	Coolant	LFW4071 ^{28, 205}
87904M	Power Steering	LH4101 ³¹¹	FF5488	Fuel	LFF5488 ²⁵	(3925274); Pri.	Fuel	LFF3417
Allison 2000 Series	Trans	LH4591G ²²	LF3000	Oil	LFP3000 ¹⁵	(3903640); Sec.	Fuel	LFF3521
			LF9009	Oil	LFP3000XL ¹⁴	LF3000	Oil	LFP3000
			(29540494); Allison 3000/3500	Trans	LH4582G ²⁴	548		
			(29540493); Allison 3000/3500		LH4589G ²³	P182000	Air	LAF241HD
			29545776		LH4591G ²²	P182032		LAF262HD
						P182037		LAF760A
						P182039		LAF9155 ²
						P114931		LAF9155MXM ²
								LAF9159 ¹
						900		
						P181001	Air	LAF5255
						953, 993		
						P182000	Air	LAF241HD
						P182032		LAF262HD
						P182037		LAF760A
						P182039		LAF9155 ²
						P114931		LAF9155MXM ²
								LAF9159 ¹
						Brute (w/Detroit Diesel Engine)		
						P182000	Air	LAF241HD
						P182032		LAF262HD
						P182037		LAF760A
						P182039		LAF9155 ²
						P114931		LAF9155MXM ²
								LAF9159 ¹
						C500 (w/Caterpillar 3406 Engine)		
						P116918	Air	LAF6918

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 12-Optional 13-Optional Frame Mounted 14-Extended Life 15-Standard
 20-High efficiency 21-Frame mounted 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 25-Engine mounted 28-Contains 1 oz.
 of chemical 179-1 1/2 x 12 Thread 205-Maintenance 209-Square sensor port 210-w/ Sensor 255-Contains 3 oz. of chemical 311-2.73" Hgt. 313-2 1/4"
 Thread 587-Spin-on 723-13.9" Hgt.

On-Highway Applications



K

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)		
<i>C500 (w/Caterpillar 3406 Engine) (cont'd)</i>			<i>C500 (w/Caterpillar C15 Engine) (cont'd)</i>			<i>C500 (w/Cummins ISX Engine) (cont'd)</i>		
P117797	Air	LAF7797 ²	P181003	Air	LAF8955	WF2126	Coolant	LFW2126 ²⁵⁵
P181003		LAF8955	WF2071	Coolant	LFW4071 ^{28, 205}	WF2127		LFW2127 ^{14, 249}
WF2071	Coolant	LFW4071 ^{28, 205}	9N3367		LFW4073 ^{205, 255}	(FS1000); W/S	Fuel	LFF1000 ¹³
1R0716	Oil	LFP4005	(FS19729); W/S	Fuel	L9729F	FF2200		LFF2201 ⁷⁸³
		LFP4005TRT ³	W/S		L9729FXL ¹⁴	(FF2203); Pri.		LFF2203
		LFP4005XL ¹⁴	(FS1000); W/S		LFF1000			LFF5
<i>C500 (w/Caterpillar C11 Engine)</i>			1R0749		LFF2749 ²⁰	(FF5686); 2010-on;		LFF5686
P181037	Air	LAF262HD ¹⁵	1R0716	Oil	LFP4005	Sec.		LFF6776 ⁷⁸⁷
P549644		LAF5873			LFP4005TRT ³	(FF5776); 2010-on;		
P181008		LAF6918			LFP4005XL ¹⁴	Sec.		
P181007		LAF7797 ²		Power	LP5005 ⁴⁵⁸	(5008414); Brake	Miscellaneous	LFP8654
P181003		LAF8955		Steering		Dryer		
WF2071	Coolant	LFW4071 ^{28, 205}	(17237); Optional	Trans	HP1	LF9000	Oil	LFP9000 ⁷²³
9N3367		LFW4073 ^{205, 255}	Eaton 3.7" O.D.			LF9000		LFP9000XL ^{14, 723}
(FS19729); W/S	Fuel	L9729F	(1907008); Allison		LH5018	LF9001		LFP9001 ²⁵⁰
W/S		L9729FXL ¹⁴	(4304827);		LP164	LF14000NN		LFP9001TRT ³
(FS1000); W/S		LFF1000	Eaton/Fuller 3" O.D.		PH2835	87904M	Power	LFP9001XL ^{14, 250}
1R0749		LFF2749 ²⁰	<i>C500 (w/Cummins ISM Engine)</i>				Steering	LH4101 ³¹¹
1R0716	Oil	LFP4005	255963	Air	LAF190	83804E		LP5005 ⁴⁵⁸
		LFP4005TRT ³	P181009		LAF6880	(17237); Optional	Trans	HP1
		LFP4005XL ¹⁴	P181008		LAF6918	Eaton 3.7" O.D.		PH2835
	Power	LP5005 ⁴⁵⁸	P181007		LAF7797 ²	(4304827);		
(17237); Optional	Steering		P181003		LAF8955	Eaton/Fuller 3" O.D.		
Eaton 3.7" O.D.		HP1	(256837); w/o Turbo	Breather	LAF65	<i>C500 (w/Detroit Diesel 60 series)</i>		
(1907008); Allison		LH5018	WF2071	Coolant	LFW4071 ^{28, 205}	KM852M	Air	LAF6918
(4304827);		LP164		Fuel	LFF5	9N-3368	Coolant	LFW4071 ^{28, 205}
Eaton/Fuller 3" O.D.		PH2835	(5008414); Brake	Miscellaneous	LFP8654	Pri.	Fuel	LFP815FN
<i>C500 (w/Caterpillar C13 Engine)</i>			Dryer			(5008414); Brake	Miscellaneous	LFP8654
P181037	Air	LAF262HD ¹⁵	LF3000	Oil	LFP3000	Dryer		
P549644		LAF5873		Power	LP5005 ⁴⁵⁸	23527033	Oil	LFP2160 ¹⁵⁴¹
P181008		LAF6918	(17237); Optional	Steering				LFP2160TRT ³
P181007		LAF7797 ²	Eaton 3.7" O.D.	Trans	HP1	(17237); Optional	Trans	LFP2160XL ¹⁴
P181003		LAF8955	<i>C500 (w/Cummins N14 Engine)</i>			Eaton 3.7" O.D.		HP1
WF2071	Coolant	LFW4071 ^{28, 205}	P181009	Air	LAF65 ⁸⁰³	<i>C500 (w/Detroit Diesel 6V-92 Engine)</i>		
9N3367		LFW4073 ^{205, 255}	P181008		LAF6880	P181008	Air	LAF6918
(FS19729); W/S	Fuel	L9729F ¹⁵	P181007		LAF6918	P181007		LAF7797 ²
W/S		L9729FXL ¹⁴	P181003		LAF7797 ²	Pri.	Fuel	LFP815FN
(FS1000); W/S		LFF1000	Turbo	Breather	LAF8955	Sec.		LFP816FN
1R0749		LFF2749 ²⁰	WF2071	Coolant	LAF190		Oil	LFP911
1R0716	Oil	LFP4005		Oil	LFW4071 ²⁸			LP132 ⁴¹
		LFP4005TRT ³			LFP670 ¹⁵	<i>C500 (w/Detroit Diesel 8V-92TA Engine)</i>		
		LFP4005XL ¹⁴	By-Pass		LFP670XL ¹⁴	P181008	Air	LAF6918
	Power	LP5005 ⁴⁵⁸	<i>C500 (w/Cummins NTC350 Engine)</i>			P181007		LAF7797 ²
(17237); Optional	Steering		WF2071	Coolant	LFW4071 ^{28, 205}	Pri.	Fuel	LFP815FN
Eaton 3.7" O.D.		HP1	Pri.	Fuel	LFF5	Sec.		LFP816FN
(1907008); Allison		LH5018	(FS1212); W/S		LFF8020		Oil	LFP911
(4304827);		LP164	LF3000	Oil	LFP3000			LP132 ⁴¹
Eaton/Fuller 3" O.D.		PH2835	<i>C500 (w/Cummins ISX Engine)</i>			<i>C500, C550 (w/Caterpillar 3406 Engine)</i>		
<i>C500 (w/Caterpillar C15 Engine)</i>			P534816	Air	LAF4816 ²	P181008	Air	LAF6918
P181037	Air	LAF262HD	P534816		LAF4816MXM ²	P181007		LAF7797 ²
P549644		LAF5873	P181009		LAF6880 ⁶¹¹	P181003		LAF8955
P181008		LAF6918	P181007		LAF7797 ⁶¹¹	WF2071	Coolant	LFW4071 ^{28, 205}
P181007		LAF7797 ²	P181003		LAF8955 ⁶¹¹	(FS1000); W/S	Fuel	LFF1000 ¹³
			WF2125	Coolant	LFW2125 ⁵⁵⁵	(1R0712); Sec.		LFF5823B

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 13-Optional Frame Mounted 14-Extended Life 15-Standard 20-High efficiency 28-Contains 1 oz. of chemical 41-Cartridge 205-Maintenance 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 311-2.73" Hgt. 458-4.1" Hgt. 555-Extended Life w/ controlled release chemical 611-Axial Seal 723-13.9" Hgt. 783-Pressure side 787-9" Tall 803-Without Turbo 1541-Standard replacemnt

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)		
<i>C500, C550 (w/Caterpillar 3406 Engine) (cont'd)</i>			<i>C550 (w/Cummins N14 Engine) (cont'd)</i>			<i>K100, K100E (w/Caterpillar 3306 Engine)</i>		
W/S	Fuel	LFF8030	83804E	Power Steering	LP5005 ⁴⁵⁸	P181000	Air	LAF241HD
1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	P181008		LAF6918
	Power Steering	LP5005 ⁴⁵⁸				P150694		LAF694
(17237); Optional Eaton 3.7" O.D.	Trans	HP1				71338-002		LAF8002
						P181003		LAF8955
						1R0739	Fuel	LFP3191
						Sec.		LFP440F
<i>C520</i>			<i>K100 (w/Allis-Chalmers 21000 Engine)</i>			<i>K100, K100E (w/Caterpillar 3406 Engine)</i>		
P182000	Air	LAF241HD	P117331	Air	LAF241HD	P181001	Air	LAF5255
P182032		LAF262HD	P116918		LAF6918	P181009		LAF6880
P182037		LAF760A	<i>K100 (w/Allis-Chalmers 25000 Engine)</i>			P181008		LAF6918
P182039		LAF9155 ²	P117331	Air	LAF241HD	P150694		LAF694
		LAF9155MXM ²	P116918		LAF6918	P181007		LAF7797 ²
P114931		LAF9159 ¹	<i>K100 (w/Caterpillar 1673C Engine)</i>			71338-002		LAF8002
			P117331	Air	LAF241HD	1R0716	Oil	LFP4005
					LAF292			LFP4005TRT ³
					LAF7797 ²			LFP4005XL ¹⁴
<i>C550 (w/Caterpillar C15 Engine)</i>			<i>K100 (w/Caterpillar 1674 Engine)</i>				Power Steering	LP5005 ⁴⁵⁸
1R0749	Fuel	LFF2749 ²⁰	P117331	Air	LAF241HD			
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005XL ¹⁴			LAF292			
			P117797		LAF7797 ²			
<i>C550 (w/Cummins ISX Engine)</i>			<i>K100 (w/Caterpillar 1693T Engine)</i>			<i>K100, K100E (w/Caterpillar 3408 Engine)</i>		
WF2126	Coolant	LFW2126 ¹⁵⁵⁴ LFW2127 ²⁴⁹		Air	LAF292	P181001	Air	LAF5255
	Fuel	L3578FN ⁸⁰⁵ L3578FXL ⁸⁰⁵ L5467F ²⁴² L5467FNXL ²⁴² L9729FXL ⁷⁹⁴ LFF2203 ⁸⁰⁴ LFW2125 ⁸⁰⁶	P117332		LAF5255	P181009		LAF6880
			P116918		LAF6918	P181007		LAF6918
			<i>K100 (w/Caterpillar 1693TA Engine)</i>			P150694		LAF694
			P117332	Air	LAF5255	P181007		LAF7797 ²
			P116918		LAF6918	71338-002		LAF8002
WF2125	Oil	LFF2201 ⁸⁰⁴ LFP9001 ²⁵⁰ LFP9001XL ^{14, 250}	Sec.		364F	1R0716	Oil	LFP4005
			1R0716	Oil	LFP4005			LFP4005TRT ³
					LP163		Power Steering	LFP4005XL ¹⁴
LF14000NN			<i>K100 (w/Cummins 350 Engine)</i>					LP5005 ⁴⁵⁸
			<i>K100 (w/Caterpillar 1693T Engine)</i>			<i>K100, K100E (w/Cummins N14 Engine)</i>		
			P181066	Air	LAF1868 ²	255963	Air	LAF190
<i>C550 (w/Cummins ISX15 engine)</i>			<i>K100 (w/Detroit Diesel 12V-71 Engine)</i>			P117331		LAF241HD
WF2126	Coolant	LFW2126 ⁸⁰⁷ LFW2127 ²⁴⁹	P117331	Air	LAF241HD	P181011		LAF3785
	Fuel	L5467F ²⁴² L5467FNXL ²⁴² L9763FXL ²⁴² LFF6776 ⁸⁰⁸ LFW2125 ⁸⁰⁶	P150694		LAF694	P117332		LAF5255
			P117797		LAF7797 ²	P181009		LAF6880
			71338-002		LAF8002	P116918		LAF6918
			P129396		LAF9396	P150694		LAF694
	Oil	LFF5686 ⁸⁰⁸ LFP9001 LFP9001TRT LFP9001XL ¹⁴	Pri.	Fuel	LFP815FN	P117797		LAF7797 ²
			By-Pass	Oil	LFP777B	71338-002		LAF8002
					LP132 ⁴¹	(256837); w/o Turbo	Breather	LAF65
					LP5005 ⁴⁵⁸		Fuel	LFF5
LF14000NN				Power Steering	LP5005 ⁴⁵⁸		Oil	LFP670
<i>C550 (w/Cummins N14 Engine)</i>			<i>K100 (w/Detroit Diesel 60 Series Engine)</i>			By-Pass		LFP777B
P537791	Air	LAF3551 LAF3551MXM ²⁶⁸	P150694	Air	LAF694	<i>K100, K100E (w/Detroit Diesel 6-71 Engine)</i>		
WF2071	Coolant	LFW4071 ^{28, 205}	W/S	Fuel	LFF8020	P117331	Air	LAF241HD
WF2122		LFW4686XL ^{14, 249}	Sec.		LFP816FN	P181011		LAF3785
(FS1000); W/S	Fuel	LFF1000	(23518672); By-Pass		LFP2160 ¹⁵⁴¹	P117332		LAF5255
154789		LFF5			LFP777B	P181009		LAF6880
(5008414); Brake Dryer	Miscellaneous	LFP8654		Power Steering	LP5005 ⁴⁵⁸	P116918		LAF6918
LF3000	Oil	LFP3000 LFP670 LFP777B ¹²	<i>K100 (w/Detroit Diesel 6-71 Engine)</i>			P150694		LAF694
			P181066	Air	LAF1868 ²	P117797		LAF7797 ²
			<i>K100 (w/Detroit Diesel 6V-92TTA Engine)</i>			71338-002		LAF8002
By-Pass			P181066	Air	LAF1868 ²	P181003		LAF8955
						P129396		LAF9396

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 41-Cartridge
 205-Maintenance 242-10 Micron 249-No chemical 250-11.9" Hgt. 268-Extended/Severe service 458-4.1" Hgt. 599-High capacity 794-50 Micron
 804-2002-2009 805-25 micron 806-Need Release 807-3 ounce chemical 808-2010- 1541-Standard replacemnt 1554-Containd 3 ounces of chemical

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)		
<i>K100, K100E (w/Detroit Diesel 6-71 Engine)</i>			<i>K100E (w/Detroit Diesel Series 60 Engine) (cont'd)</i>			<i>KW810</i>		
<i>(cont'd)</i>				Oil	LFP2160XL ¹⁴	P182037	Air	LAF760A
Pri.	Fuel	LFP815FN		Power	LP5005 ⁴⁵⁸	<i>KW811</i>		
Sec.		LFP816FN		Steering		P181032	Air	LAF262HD
	Oil	LFP911 LP132 ⁴¹	<i>K121, K122, K123, K124, K125 (w/Cummins NTC230 Engine)</i>			<i>L700 (w/Caterpillar 3306 Engine)</i>		
<i>K100, K100E (w/Detroit Diesel 6V-92 Engine)</i>			P181001	Air	LAF5255	W/S	Fuel	LFF1131
P117331	Air	LAF241HD	255963	Breather	LAF190	Sec.		LFP440F
P181011		LAF3785	(256837); w/o Turbo		LAF65	1R0739	Oil	LFP3191
P117332		LAF5255	<i>K125 (w/Detroit Diesel 6V-92T Engine)</i>			<i>L700, T800 (w/Cummins Engine)</i>		
P181009		LAF6880	P181001	Air	LAF5255	P182046	Air	LAF6769
P116918		LAF6918	<i>K130, K150 Midranger (w/Cummins 6CT 8.3L Engine)</i>				Fuel	LAF6769MXM ²⁶⁸
P150694		LAF694	P129545	Air	LAF9545 ²		Oil	LFF5
P117797		LAF7797 ²	(3925274); Pri.	Fuel	LFF3417	By-Pass		LFP670
71338-002		LAF8002	Sec.		LFF3521	<i>LW923, LW924 (w/Cummins Engine)</i>		
P181003		LAF8955	LF3000	Oil	LFP3000	255963	Air	LAF190
P129396		LAF9396	<i>K184</i>			(256837); w/o Turbo	Breather	LAF65
Pri.	Fuel	LFP815FN	P182000	Air	LAF241HD		Fuel	LFF5
Sec.		LFP816FN	P182032		LAF262HD		Oil	LFP670
	Oil	LFP911 LP132 ⁴¹	P182037		LAF760A			LP566
			P182039		LAF9155 ²	<i>PD221, PD223, PD225 (w/Cummins Engine)</i>		
<i>K100, K100E (w/Detroit Diesel 8V-71 Engine)</i>			P114931		LAF9155MXM ²	255963	Air	LAF190
P117331	Air	LAF241HD	<i>K330, K333 (w/Cummins Engine)</i>			(256837); w/o Turbo	Breather	LAF65
P181011		LAF3785	(3903640); Sec.	Fuel	LFF3521		Fuel	LFF5
P117332		LAF5255	(3903202); W/S		LFF8062		Oil	LFP670
P181009		LAF6880			LFF8065 ⁸⁰⁹			LP566
P116918		LAF6918	3908615	Oil	LFP780	<i>T2000 (w/Caterpillar 3406E Engine)</i>		
P150694		LAF694		Power	LH8504	P536142	Air	LAF3930 ²
P117797		LAF7797 ²		Steering		P542101		LAF5873 ²
71338-002		LAF8002	25011159	Trans	LFP5570	525507BSM	Cabin Air	CAF24007
P181003		LAF8955	29538489		T153	525507		CAF24007XL ¹⁸³
P129396		LAF9396	<i>KW117 (w/Cummins 350 Engine)</i>			WF2071	Coolant	LFW4071 ^{28, 205}
Pri.	Fuel	LFP815FN	P181066	Air	LAF1868 ²	(FS1000); W/S	Fuel	LFF1000
Sec.		LFP816FN	<i>KW117 (w/Detroit Diesel 6V-92TTA Engine)</i>			1R0749		LFF2749 ²⁰
	Oil	LFP911 LP132 ⁴¹	P181066	Air	LAF1868 ²	(5008414); Brake	Miscellaneous	LFP8654
<i>K100, K100E (w/Detroit Diesel 8V-92 Engine)</i>			<i>KW331</i>			Dryer		
P117331	Air	LAF241HD	<i>P181000</i>			1R0716	Oil	LFP4005
P181011		LAF3785	P181000	Air	LAF241HD			LFP4005TRT ³
P117332		LAF5255	<i>KW332</i>					LFP4005XL ¹⁴
P181009		LAF6880	P181001	Air	LAF5255	(17237); Optional	Trans	HP1
P116918		LAF6918	<i>KW45 (Mexico) (w/Paccar 4 cyl. Diesel Engine)</i>			Eaton 3.7" O.D.		
P150694		LAF694	1668000	Air	LAF5428	<i>T2000 (w/Caterpillar C11 Engine)</i>		
P117797		LAF7797 ²	1399760	Fuel	LFF5485	P536142	Air	LAF3930 ²
71338-002		LAF8002	1399494	Oil	LFP6015	P542101		LAF5873 ¹⁸¹
P181003		LAF8955	<i>KW548 (w/Cummins KT450 Engine)</i>			525507BSM	Cabin Air	CAF24007
P129396		LAF9396	P181039	Air	LAF9155 ²	525507		CAF24007XL ¹⁸³
Pri.	Fuel	LFP815FN	P114931		LAF9155MXM ²	3315116	Coolant	LFW4071 ^{28, 205}
Sec.		LFP816FN	<i>KW55 (Mexico) (w/Paccar 6 cyl. Diesel Engine)</i>			3098689		LFW4686XL ^{14, 249}
	Oil	LFP911 LP132 ⁴¹	1399760	Fuel	LFF5485	(FS1000); W/S	Fuel	LFF1000 ²¹
<i>K100E (w/Detroit Diesel Series 60 Engine)</i>			1399494	Oil	LFP6015	1R0749		LFF2749 ²⁰
P150694	Air	LAF694	<i>KW808</i>			(1R0712); Sec.		LFF5823B
Pri.	Fuel	LFP815FN	P181036	Air	LAF290A	(5008414); Brake	Miscellaneous	LFP8654
Sec.		LFP816FN	<i>KW809</i>			Dryer		
23527033	Oil	LFP2160 ¹⁵⁴¹ LFP2160TRT ³	P181031	Air	LAF263HD	1R0716	Oil	LFP4005
						1R1808		LFP4005RN ⁵⁹⁹
								LFP4005TRT ³

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 21-Frame mounted 28-Contains 1 oz. of chemical
 41-Cartridge 181-Single 183-Dust and odor filter 205-Maintenance 249-No chemical 268-Extended/Severe service 458-4.1" Hgt. 599-High capacity
 809-With Reverse FLOW 1541-Standard replacemnt

K

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)		
<i>T2000 (w/Caterpillar C11 Engine) (cont'd)</i>			<i>T2000 (w/Caterpillar C15 Engine) (cont'd)</i>			<i>T2000 (w/Cummins ISX Engine) (cont'd)</i>		
(1W8845); By-Pass	Oil	LFP4005XL ¹⁴ LFP777B	(1R0712); Sec. (5008414); Brake	Fuel Miscellaneous	LFF5823B LFP8654	87904M	Power Steering	LH4101 ³¹¹
87904M	Power Steering	LH4101 ³¹¹	Dryer			(17237); Optional Eaton 3.7" O.D.	Trans	HP1
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	1R0716 1R1808	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B	Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.		PH2835
<i>T2000 (w/Caterpillar C12 Engine)</i>			<i>T2000 (w/Cummins ISL Engine)</i>			<i>T2000 (w/Cummins M11 Engine)</i>		
P536142	Air	LAF3930 ² LAF5873 ¹⁸¹	(1W8845); By-Pass			WF2071	Coolant	LFW4071 ^{28, 205}
P542101			87904M	Power Steering	LH4101 ³¹¹	(3329289); W/S	Fuel	LFF1000
525507BSM	Cabin Air	CAF24007 CAF24007XL ¹⁸³	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	LF3000	Oil	LFP3000
525507			<i>T2000 (w/Cummins ISM Engine)</i>			<i>T2000 (w/Cummins N14 Engine)</i>		
3315116	Coolant	LFW4071 ^{28, 205} LFW4686XL ^{14, 249}	EAF5107	Air	LAF5873	P536142	Air	LAF3930 ² LAF5873 ¹⁸¹
3098689			525507BSM	Cabin Air	CAF24007 CAF24007XL ¹⁸³	P542101		
(FS1000); W/S	Fuel	LFF1000 ²¹ LFF2749 ²⁰ LFF5823B	525507			525507BSM	Cabin Air	CAF24007 CAF24007XL ¹⁸³
1R0749			WF2071	Coolant	LFW4071 ^{28, 205}	525507		
(1R0712); Sec.	Miscellaneous	LFP8654	(FS1065); W/S (FF5636); Sec.	Fuel	LFF1065 ²¹⁰ LFF5488	299080	Coolant	LFW4744 ⁴
(5008414); Brake			(5008414); Brake	Miscellaneous	LFP8654	(FS1000); W/S (4085912); Pri.	Fuel	LFF1000 LFF5D
Dryer			Dryer			LF3000	Oil	LFP3000
1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B	LF3000	Oil	LFP3000	LF9009		LFP3000XL ¹⁴ LFP670
1R1808			LF9009		LFP3000XL ¹⁴	299670		LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴
(1W8845); By-Pass	Power Steering	LH4101 ³¹¹	87904M	Power Steering	LH4101 ³¹¹	(3304232); By-Pass By-Pass		
87904M			(17237); Optional Eaton 3.7" O.D.	Trans	HP1	<i>T2000 (w/Detroit 60 Series Engine)</i>		
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	<i>T2000 (w/Cummins ISM Engine)</i>			<i>T2000 (w/Cummins ISM Engine)</i>		
<i>T2000 (w/Caterpillar C13 Engine)</i>			EAF5107	Air	LAF5873	P536142	Air	LAF3930 ² LAF5873 ²
P536142	Air	LAF3930 ² LAF5873 ¹⁸¹	525507BSM	Cabin Air	CAF24007 CAF24007XL ¹⁸³	525507BSM	Cabin Air	CAF24007 CAF24007XL ¹⁸³
P542101			525507			525507BSM		
525507BSM	Cabin Air	CAF24007 CAF24007XL ¹⁸³	WF2071	Coolant	LFW4071 ^{28, 205}	(FF5369); Davco opt. (FS1000); W/S	Fuel	L3578FN ⁸⁰⁵ LFF1000 ¹³ LFP815FN LFP816FN
525507			(FS1000); W/S	Fuel	LFF1000	Pri.		
3315116	Coolant	LFW4071 ^{28, 205} LFW4686XL ^{14, 249}	(5008414); Brake	Miscellaneous	LFP8654	Sec.		
3098689			Dryer			Brake Dryer	Miscellaneous	LFP8654 ⁷⁹³
(FS1000); W/S	Fuel	LFF1000 ²¹ LFF2749 ²⁰ LFF5823B	LF9001	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	23527033	Oil	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴
1R0749			LF14000NN					
(1R0712); Sec.	Miscellaneous	LFP8654	87904M	Power Steering	LH4101 ³¹¹		Power Steering	LP5005 ⁴⁵⁸
(5008414); Brake			(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
Dryer			<i>T2000 (w/Cummins ISX Engine)</i>			<i>T400 (w/Caterpillar 3306 Engine)</i>		
1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B	EAF5107	Air	LAF5873	(1R0740); Sec.	Fuel	LFP440F
1R1808			525507BSM	Cabin Air	CAF24007 CAF24007XL ¹⁸³	1R0739	Oil	LFP3191
(1W8845); By-Pass	Power Steering	LH4101 ³¹¹	525507			<i>T400 (w/Cummins 6C 8.3L Engine)</i>		
87904M			WF2127	Coolant	LFW2127 ^{14, 249}	P153551	Air	LAF3551 LAF3551MXM ²⁶⁸
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(FS1007); W/S	Fuel	LFF1007 ²¹⁰ LFF2201 ⁷⁸³ LFF2203	P154575		LAF4575 LAF6880
<i>T2000 (w/Caterpillar C15 Engine)</i>			FF2200			P181009		
P536142	Air	LAF3930 ² LAF5873 ¹⁸¹	(FF2203); Pri. (5008414); Brake	Miscellaneous	LFP8654	(P181008); Pri.	Fuel	LFF3417 LFF3521
P542101			Dryer			Sec.		
525507BSM	Cabin Air	CAF24007 CAF24007XL ¹⁸³	LF9000	Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723} LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	LF3000	Oil	LFP3000
525507			LF9000				Power Steering	LP5005 ⁴⁵⁸
3315116	Coolant	LFW4071 ^{28, 205} LFW4686XL ^{14, 249}	LF9001			(17237); Optional Eaton 3.7" O.D.	Trans	HP1
3098689			LF14000NN			<i>T2000 (w/Cummins ISM Engine)</i>		
(FS1000); W/S	Fuel	LFF1000 ²¹ LFF2749 ²⁰	<i>T2000 (w/Cummins ISM Engine)</i>			<i>T2000 (w/Cummins ISM Engine)</i>		
1R0749			EAF5107	Air	LAF5873	<i>T2000 (w/Cummins ISM Engine)</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 13-Optional Frame Mounted 14-Extended Life 20-High efficiency
 21-Frame mounted 28-Contains 1 oz. of chemical 181-Single 183-Dust and odor filter 205-Maintenance 210-w/ Sensor 249-No chemical 250-11.9" Hgt.
 268-Extended/Severe service 311-2.73" Hgt. 458-4.1" Hgt. 599-High capacity 723-13.9" Hgt. 783-Pressure side 793-AD-SP System 805-25 micron
 1541-Standard replacement

On-Highway Applications



K

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)		
<i>T400 (w/Cummins M11 Engine)</i>			<i>T440 (w/Cummins ISLNG Engine) (cont'd)</i>			<i>T450A (w/Caterpillar 3176 Engine) (cont'd)</i>		
P153551	Air	LAF3551	29545776	Trans	LH4591G ²²	P154575	Air	LAF3551MXM ²⁶⁸
W/S	Fuel	LFF8020	<i>T440 (w/Paccar PX9 Engine)</i>			(1R0712); Sec.	Fuel	LFF5823B
LF3000	Oil	LFP3000	(FS1003); W/S	Fuel	LFF1003 ²¹	(FS1212); W/S	Miscellaneous	LFF8020
	Power Steering	LP5005 ⁴⁵⁸	(5008414); Brake Dryer	Miscellaneous	LFP8654	(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	LF9009	Oil	LFP3000XL ¹⁴	1R0716	Oil	LFP4005
<i>T400A (w/Caterpillar 3176 Engine)</i>			87904M	Power Steering	LH4101 ³¹¹		Trans	LFP4005TRT ³
P153551	Air	LAF3551	(29539579); Allison 2000 Series	Trans	LFH8737 ⁵⁸⁷	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
		LAF3551MXM ²⁶⁸	(29540494); Allison 3000		LH4582G ²⁴			LFP4005XL ¹⁴
1R0749	Fuel	LFF2749 ²⁰	(29545776); Allison 3000		LH4591G ²²	<i>T460 Mexico (w/Cummins ISL Engine)</i>		
1R0716	Oil	LFP4005				P153551	Air	LAF3551
		LFP4005TRT ³	<i>T440 (w/PX8 Engine)</i>			Wf2075	Coolant	LFW4075 ⁶⁴⁴
		LFP4005XL ¹⁴	(FS19596); W/S	Fuel	LFF1003 ²⁰⁹	(FS1000); W/S	Fuel	LFF1000
	Power Steering	LP5005 ⁴⁵⁸	FF5488	Miscellaneous	LFF5488 ²⁵	LF9009	Oil	LFP3000XL ^{14, 313}
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(5008414); Brake Dryer	Miscellaneous	LFP8654	LF9001		LFP9001 ^{250, 810}
<i>T400A (w/Cummins L10 Engine)</i>			LF3000	Oil	LFP3000	LF14000NN		LFP9001TRT ³
P153551	Air	LAF3551	LF9009	Oil	LFP3000XL ¹⁴			LFP9001XL ^{14, 250, 810}
		LAF3551MXM ²⁶⁸	87904M	Power Steering	LH4101 ³¹¹	87904M	Power Steering	LH4101 ³¹¹
3316053	Coolant	LFW4074 ⁶²⁷	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	29526898	Trans	LH4582G ²⁴
(FS1212); W/S	Fuel	LFF8020	(29540494); Allison 3000/3500		LH4582G ²⁴	29526899		LH4589G ²³
3313279	Oil	LFP670	(29540493); Allison 3000/3500		LH4589G ²³	29545776		LH4591G ²²
By-Pass	Power Steering	LP5005 ⁴⁵⁸	29545776		LH4591G ²²	<i>T470 (w/Cummins ISL Engine)</i>		
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(FS19596); W/S	Fuel	LFF1003 ²⁰⁹	P611696	Air	LAF6116 ²
<i>T440 (w/Cummins ISL G Engine)</i>			(FF5636); Sec.	Miscellaneous	LFF5488	(FS1003); W/S	Fuel	LFF1003 ²⁰⁹
NG5900	Fuel	LFF5080 ⁶⁴⁷	(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²	(FF5636); Sec.	Fuel	LFF5488
(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²	LF9009	Oil	LFP3000XL ¹⁴	LF9009	Oil	LFP3000XL ¹⁴
LF9009	Oil	LFP3000XL ¹⁴	87904M	Power Steering	LH4101 ³¹¹	87904M	Power Steering	LH4101 ³¹¹
87904M	Power Steering	LH4101 ³¹¹	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(29540494); Allison 3000		LH4582G ²⁴	(29540494); Allison 3000/3500		LH4582G ²⁴
(29540494); Allison 3000		LH4582G ²⁴	29526898	Trans	LH4582G ²⁴	(29540493); Allison 3000/3500		LH4589G ²³
29526898		LH4589G ²³	29526899		LH4589G ²³	29545776		LH4591G ²²
29526899		LH4591G ²²	29545776		LH4591G ²²	<i>T470 (w/Paccar PX8 Engine)</i>		
(29545776); Allison 3000		LH4591G ²²	<i>T450 (w/Cummins L10 Engine)</i>			(FS1003); W/S	Fuel	LFF1003 ²⁰⁹
29545776		LH4591G ²²	P537791	Air	LAF3551	(FF5636); Sec.	Fuel	LFF5488
<i>T440 (w/Cummins ISLNG Engine)</i>			(FS1212); W/S	Fuel	LFF5	(FS1212); W/S	Fuel	LFF8020 ³²
(FS1003); W/S	Fuel	LFF1003 ²⁰⁹	LF3000	Oil	LFP3000 ³¹³	(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²
(FF5636); Sec.	Miscellaneous	LFF5488	By-Pass	Miscellaneous	LFP670 ⁶⁴³	LF9009	Oil	LFP3000XL ¹⁴
(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²	<i>T450 (w/Cummins M11 Engine)</i>			87904M	Power Steering	LH4101 ³¹¹
LF9009	Oil	LFP3000XL ¹⁴	P153551	Air	LAF3551	29526898	Trans	LH4582G ²⁴
87904M	Power Steering	LH4101 ³¹¹	WF2071	Coolant	LFW4071 ^{28, 205}	29526899		LH4589G ²³
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(FS1000); W/S	Fuel	LFF1000	29545776		LH4591G ²²
(29540494); Allison 3000		LH4582G ²⁴	(FS1212); W/S	Fuel	LFF8020	<i>T470 (w/Paccar PX9 Engine)</i>		
29526898		LH4589G ²³	(5008414); Brake Dryer	Miscellaneous	LFP8654 ⁷⁹³	(FS1003); W/S	Fuel	LFF1003 ²¹
29526899		LH4591G ²²	LF3000	Oil	LFP3000	(5008414); Brake Dryer	Miscellaneous	LFP8654
		LH4591G ²²	<i>T450A (w/Caterpillar 3176 Engine)</i>			LF9009	Oil	LFP3000XL ¹⁴
		LH4591G ²²	P153551	Air	LAF3551			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 21-Frame mounted 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 25-Engine mounted 28-Contains 1 oz. of chemical 32-Remote mounted 205-Maintenance 209-Square sensor port 250-11.9" Hgt. 268-Extended/Severe service 311-2.73" Hgt. 312-AD-IS System 313-2 1/4" Thread 458-4.1" Hgt. 587-Spin-on 627-5 oz. of chemical 643-1 1/2" Thread 644-Contains 6 oz. of chemical 647-Natural Gas 793-AD-SP System 810-M92 x 2.56H Thread

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)			
<i>T470 (w/Paccar PX9 Engine) (cont'd)</i>			<i>T600 (w/Cummins ISM Engine) (cont'd)</i>			<i>T600 (w/Cummins Signature 600 Engine) (cont'd)</i>			
87904M	Power Steering	LH4101 ³¹¹	(3406889); W/S	Fuel	LFF1003 ²⁰⁹ LFF1022	(5008414); Brake Dryer	Miscellaneous	LFP8654	
(29539579); Allison 2000 Series (29540494); Allison 3000 (29545776); Allison 3000	Trans	LH4101 ³¹¹ LFH8737 ⁵⁸⁷ LH4582G ²⁴ LH4591G ²²	3406810 3406810 3406809 LF14000NN	Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723} LFP9001 ²⁵⁰ LFP9001XL ^{14, 250}	3101869 3101869 3101869 3101869	Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723} LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	
<i>T470 w/Cummins ISLG Engine)</i>			<i>T600 (w/Cummins ISX Engine)</i>			<i>T600 Aero Cab (w/Caterpillar C13 Engine)</i>			
P611698	Air	LAF6116 ²	P527484	Air	LAF1878 ²	87904M	Power Steering	LH4101 ³¹¹	
NG5900	Fuel	LFF5080 ⁶⁴⁷	WF2126	Coolant	LFW2126 ²⁵⁵	(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	
(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²	WF2127	(FS19729); W/S (FS1007); W/S FF2200 (FF2203); Pri.	LFW2127 ^{14, 249} L9729F ⁶⁴⁸ LFF1007 ²¹⁰ LFF2201 ⁷⁸³ LFF2203	<i>T600 Aero Cab (w/Caterpillar C13 Engine)</i>			
LF9009	Oil	LFP3000XL ¹⁴	(5008414); Brake Dryer	Miscellaneous	LFP8654	P153551	Air	LAF3551 LAF3551MXM ²⁶⁸ LAF4575	
87904M	Power Steering	LH4101 ³¹¹	LF9000 LF9000 LF9001	Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723} LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	P154575 9N3368	Fuel	LFF1000 ¹² LFF2749 ²⁰	
29526898 29526899 29545776	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²	LF14000NN 87904M	Power Steering	LH4101 ³¹¹	(FS1000); W/S 1R0749 1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	
<i>T600 (w/Caterpillar 3406E Engine)</i>			<i>T600 (w/Cummins M11 Engine)</i>			<i>T600, T600A (w/Caterpillar 3406E Engine)</i>			
P153551	Air	LAF3551 LAF3551MXM ²⁶⁸ LAF6880	(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	P153551	Air	LAF3551 LAF3551MXM ²⁶⁸	
P181009	Coolant	LFW4071 ^{28, 205} LFW4686XL ^{14, 249}	<i>T600 (w/Cummins M14 Engine)</i>			WF2071	Coolant	LFW4071 ^{28, 205}	
WF2071	Fuel	LFF1000 ³² LFF2749 ²⁰	P537791	Air	LAF3551 LAF4575	(FS1000); W/S 1R0749	Fuel	LFF1000 ¹³ LFF2749 ²⁰	
(FS1000); W/S 1R0749	Miscellaneous	LFP8654 ³¹²	P154575	Coolant	LFW4071 ^{28, 205}	(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²	
(5008414); Brake Dryer	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	WF2071	Fuel	LFF1000 LFF8020	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	
1R0716	Power Steering	LP5005 ⁴⁵⁸	(FS1000); W/S (FS1212); W/S	Fuel	LFF1000 LFF8020	<i>T600, T600A (w/Detroit Diesel Series 60 Engine)</i>			
<i>T600 (w/Caterpillar C10 Engine)</i>			LF3000	Oil	LFP3000	<i>T600, T600A (w/Detroit Diesel Series 60 Engine)</i>			
P153551	Air	LAF3551 LAF3551MXM ²⁶⁸	LF9009	Power Steering	LP5005 ⁴⁵⁸	P153551	Air	LAF3551 LAF3551MXM ²⁶⁸	
<i>T600 (w/Caterpillar C12 Engine)</i>			83804E	Power Steering	LP5005 ⁴⁵⁸	P154575 KW852M	Fuel	LFF5850 LFF5850U ⁶⁸⁹ LFF8020	
P153551	Air	LAF3551 LAF3551MXM ²⁶⁸ LAF4575	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	WF2071	Coolant	LFW4071 ^{28, 205}	
P154575	Coolant	LFW4071 ^{28, 205}	<i>T600 (w/Cummins N14 Engine)</i>			(R3226P); W/S (R3226P); W/S (FS1212); W/S	Fuel	LFF5850 LFF5850U ⁶⁸⁹ LFF8020	
WF2071	Fuel	LFF1000 ¹² LFF2749 ²⁰	P153551	Air	LAF3551 LAF3551MXM ²⁶⁸ LAF4575 LAF6918 ¹²	(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²	
(FS1000); W/S 1R0749	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	P154575 KW852M	Coolant	LFW4071 ^{28, 205}	23527033	Oil	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴	
1R0716	Trans	HP1	WF2071	Fuel	LFF8020	<i>T600, T600B (w/Caterpillar C15 Engine)</i>			
(17237); Optional Eaton 3.7" O.D.	<i>T600 (w/Cummins ISM Engine)</i>			LF3000	Power Steering	LP5005 ⁴⁵⁸	P153551	Air	LAF3551 LAF3551MXM ²⁶⁸ LAF4575
<i>T600 (w/Cummins ISM Engine)</i>			<i>T600 (w/Cummins Signature 600 Engine)</i>			<i>T600, T600B (w/Caterpillar C15 Engine)</i>			
P153551	Air	LAF3551 LAF3551MXM ²⁶⁸ LAF4575	P527484	Air	LAF1878 ²	P153551	Air	LAF3551 LAF3551MXM ²⁶⁸ LAF4575	
P154575	Coolant	LFW4071 ^{28, 205} LFW4685 ²⁴⁹ LFW4685XL ^{14, 249} LFW6500 ⁵⁵⁵	P153551 P154575	Coolant	LFW2125 ⁵⁵⁵ LFW2127 ^{14, 249}	P154575 9N3368	Coolant	LFW4071 ^{28, 205}	
WF2071	Fuel	LFF1000 ¹² LFF2749 ²⁰	WF2125 WF2127	(3331096); W/S	LFF1007 ²¹⁰	(FS1000); W/S 1R0749	Fuel	LFF1000 ¹² LFF2749 ²⁰	

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 13-Optional Frame Mounted 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 32-Remote mounted 205-Maintenance 209-Square sensor port 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 311-2.73" Hgt. 312-AD-IS System 458-4.1" Hgt. 555-Extended Life w/ controlled release chemical 587-Spin-on 647-Natural Gas 648-w/ Davco option 689-Bowless 723-13.9" Hgt. 783-Pressure side 1541-Standard replacement

On-Highway Applications



K

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)		
<i>T600, T600B (w/Caterpillar C15 Engine) (cont'd)</i>			<i>T660 (w/Caterpillar C15 Engine)</i>			<i>T660 (w/Cummins ISX Engine) (cont'd)</i>		
1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	P611696	Air	LAF6116 ²	W/S	Fuel	L9729FXL ^{12, 14} L9763FXL ^{14, 648}
1R1808	Trans	HP1	(FF5369); Davco opt.	Fuel	L3578FN ⁸⁰⁵	FF2200		LFF2201 ^{783, 788}
(17237); Optional Eaton 3.7" O.D.			(FS1000); W/S (1R0749); Sec. 1R0749 (1335673); Pri. Pri. (5008414); Brake Dryer	Miscellaneous	LFF1000 LFF2749 ²⁰ LFF2749 ²⁰ LFF8707 LFF8707U ⁶⁸⁹	(FF2203); Pri. (FF5686); 2010-on; Sec. (FF5776); 2010-on; Sec. (5008414); Brake Dryer		LFF2203 ⁷⁸⁸ LFF5686 ¹⁹ LFF6776 ¹⁸
<i>T600A (w/Caterpillar 3176 Engine)</i>			<i>T660 (w/Cummins ISL Engine)</i>			<i>T660 (w/Cummins ISX12 G Engine)</i>		
P153551	Air	LAF3551	P616056	Air	LAF6116 ²	WF2126	Coolant	LFW2126 ²⁵⁵
P154575	Fuel	L3531F LFF2749 ²⁰ LFF5823B	WF2071	Coolant	LFW4071 ^{28, 205}	WF2127		LFW2127 ^{14, 249}
(9M2342); Pri. 1R0749 (1R0712); Sec.			(5008414); Brake Dryer	(FS1065); W/S (FF5636); Sec. (5008414); Brake Dryer	Fuel	LFF1065 ²¹⁰ LFF5488	NG5900	Fuel
1R0716	Oil	LFP4005	LF3000	Oil	LFP3000	LF9080	Oil	LFP9001 ²⁵⁰
1R1808	Oil	LFP4005RN ⁵⁹⁹	LF9009		LFP3000XL ¹⁴	LF14000NN		LFP9001TRT ³
1R0716			LFP4005XL ¹⁴	87904M	Power Steering	LH4101 ³¹¹	87904M	Power Steering
<i>T600A, T600B (w/Cummins N14 Engine)</i>			<i>T660 (w/Cummins ISM Engine)</i>			<i>T660 (w/Paccar MX Series Engine)</i>		
P153551	Air	LAF3551 LAF3551MXM LAF4575	WF2071	Coolant	LFW4071 ^{28, 205}	P611696	Air	LAF6116 ²
P154575	Fuel	LFF8020	(FS1000); W/S (4304827); Eaton/Fuller 3" O.D.	Fuel	LFF1000	1649751	Coolant	LFW4686XL ^{14, 249}
(FS1212); W/S				(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Miscellaneous	LFP8654	1655115	Fuel
LF3000	Oil	LFP3000	LF3000	Oil	LFP3000	Brake Dryer	Miscellaneous	LFP8654
LF670	Oil	LFP670	LF9009		LFP3000XL ¹⁴	1643070	Oil	LP6043
By-Pass			LFP777B	87904M	Power Steering	LH4101 ³¹¹	(1643072); By-Pass	
<i>T660 (w/Caterpillar C11 Engine)</i>			<i>T660 (w/Cummins ISX Engine)</i>			<i>T660 (w/Paccar MX-13 Engine)</i>		
P611696	Air	LAF6116 ²	P611696	Air	LAF6116 ²	1852006	Fuel	L5109F
(FF5369); Davco opt. (FS1000); W/S 1R0749 (5008414); Brake Dryer	Fuel	L3578FN ⁸⁰⁵ LFF1000 LFF2749 ²⁰ LFP8654 ³¹²	WF2071	Coolant	LFW4071 ^{28, 205}	(5008414); Brake Dryer	Miscellaneous	LFP8654
1R1808	Oil	LFP4005RN ^{19, 599} LFP4005SC ⁷¹¹ LFP4005TRT ³ LFP4005XL ¹⁴	(FS1000); W/S (FF5636); Sec. (5008414); Brake Dryer	Fuel	LFF1000	1643070	Oil	LP6043
2492347				(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Miscellaneous	LFP8654	(1643072); By-Pass	LP8213
87904M	Power Steering	LH4101 ³¹¹	LF9001	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	(17237); Optional Eaton 3.7" O.D.	Power Steering	LH4101 ³¹¹
(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	LF14000NN		LFP9001XL ^{14, 250}	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
<i>T660 (w/Caterpillar C13 Engine)</i>			<i>T660 (w/Cummins ISM Engine)</i>			<i>T660 (w/Paccar MX-13 Engine)</i>		
P611696	Air	LAF6116 ²	WF2071	Coolant	LFW4071 ^{28, 205}	P611696	Air	LAF6116 ²
(FF5369); Davco opt. (FS1000); W/S 1R0749 (5008414); Brake Dryer	Fuel	L3578FN ⁸⁰⁵ LFF1000 LFF2749 ²⁰ LFP8654 ³¹²	(FS1000); W/S (5008414); Brake Dryer	Fuel	LFF1000	1843659	Coolant	LFW4686XL ^{14, 249}
1R1808	Oil	LFP4005RN ^{19, 599} LFP4005SC ⁷¹¹ LFP4005TRT ³ LFP4005XL ¹⁴	LF9001	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	K371009	Fuel	L5109F
2492347				(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Power Steering	LH4101 ³¹¹	1852006	Fuel
87904M	Power Steering	LH4101 ³¹¹	LF14000NN		LFP9001XL ^{14, 250}	(5008414); Brake Dryer	Miscellaneous	LFP8654
(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	87904M	Power Steering	LH4101 ³¹¹	1643070	Oil	LP6043
<i>T660 (w/Caterpillar C15 Engine)</i>			<i>T660 (w/Cummins ISX Engine)</i>			<i>T660 (w/Paccar MX-13 Engine)</i>		
P611696	Air	LAF6116 ²	P611696	Air	LAF6116 ²	87904M	Power Steering	LH4101 ³¹¹
(FF5369); Davco opt. (FS1000); W/S 1R0749 (5008414); Brake Dryer	Fuel	L3578FN ⁸⁰⁵ LFF1000 LFF2749 ²⁰ LFP8654 ³¹²	WF2126	Coolant	LFW2126 ²⁵⁵	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
1R1808	Oil	LFP4005RN ^{19, 599} LFP4005SC ⁷¹¹ LFP4005TRT ³ LFP4005XL ¹⁴	WF2127		LFW2127 ^{14, 249}	(17237); Optional Eaton 3.7" O.D.	Power Steering	LH4101 ³¹¹
2492347				(FS19624); Davco 382 (FS19727); Davco opt. (FS19729); W/S	Fuel	L5467F ⁸¹¹ L5467FNXL ¹⁴ L9729F ⁶⁴⁸	(17237); Optional Eaton 3.7" O.D.	Trans
87904M	Power Steering	LH4101 ³¹¹	LF9001	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	87904M	Power Steering	LH4101 ³¹¹
(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	LF14000NN		LFP9001XL ^{14, 250}	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
<i>T660 (w/Caterpillar C15 Engine)</i>			<i>T660 (w/Cummins ISX Engine)</i>			<i>T680 (w/Cummins ISX 12G Engine)</i>		
P611696	Air	LAF6116 ²	P611696	Air	LAF6116 ²	P621725	Air	LAF6725 ²
(FF5369); Davco opt. (FS1000); W/S 1R0749 (5008414); Brake Dryer	Fuel	L3578FN ⁸⁰⁵ LFF1000 LFF2749 ²⁰ LFP8654 ³¹²	WF2126	Coolant	LFW2126 ²⁵⁵	WF2126	Coolant	LFW2126 ²⁵⁵
1R1808	Oil	LFP4005RN ^{19, 599} LFP4005SC ⁷¹¹ LFP4005TRT ³ LFP4005XL ¹⁴	WF2127		LFW2127 ^{14, 249}	(17237); Optional Eaton 3.7" O.D.	Power Steering	LH4101 ³¹¹
2492347				(FS19624); Davco 382 (FS19727); Davco opt. (FS19729); W/S	Fuel	L5467F ⁸¹¹ L5467FNXL ¹⁴ L9729F ⁶⁴⁸	(17237); Optional Eaton 3.7" O.D.	Trans
87904M	Power Steering	LH4101 ³¹¹	LF9001	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	87904M	Power Steering	LH4101 ³¹¹
(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	LF14000NN		LFP9001XL ^{14, 250}	(17237); Optional Eaton 3.7" O.D.	Trans	HP1

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 18-Short 19-Long 20-High efficiency 28-Contains 1 oz. of chemical
 205-Maintenance 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 311-2.73" Hgt. 312-AD-IS System 599-High capacity
 647-Natural Gas 648-w/ Davco option 689-Bowless 711-Short can version 783-Pressure side 788-Before 2010 Emissions 805-25 micron 811-7 micron

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)		
<i>T680 (w/Cummins ISX 12G Engine) (cont'd)</i>			<i>T680 w/Cummins ISX15 Engine (cont'd)</i>			<i>T800 (w/Caterpillar 3176 Engine) (cont'd)</i>		
WF2127	Coolant	LFW2127 ^{14, 249}		Power Steering	LH4101 ³¹¹	83213H	Power Steering	LP487
	Fuel	LFF5080 ^{647, 812}		Trans	PH2835	(17237); Optional Eaton 3.7 O.D.	Trans	PH400 ²⁷⁵
Brake Dryer	Miscellaneous	LFP8654 ³¹²	Eaton/Fuller 3" O.D.			(17237); Optional Eaton 3.7 O.D.		PH8A ¹⁴⁹⁶
	Oil	LFP9001 ²⁵⁰	<i>T700 (w/Cummins ISX Engine)</i>					
		LFP9001TRT ³	P542101	Air	LAF5873			
LF14000NN		LFP9001XL ^{14, 250}	525507BSM	Cabin Air	CAF24007			
	Power Steering	LH4101 ³¹¹	WF2126	Coolant	LFW2126 ²⁵⁵	<i>T800 (w/Caterpillar 3306 Engine)</i>		
	Trans	HP1	WF2127		LFW2127 ^{14, 249}	(8N-9803); W/S	Fuel	LFF1131
(17237); Optional Eaton 3.7" O.D. Eaton/Fuller 3" O.D.		PH2835	FF5686 (FF5776); Sec.	Fuel	L9763FXL ¹⁴	W/S		LFF1131
					LFF5686	(1R-0740); Sec.		LFP440F
					LFF6776	Sec.		LFP440F
					LFP9001 ²⁵⁰	1R0739	Oil	LFP3191 ¹⁵
<i>T680 (w/Cummins ISX Engine)</i>			LF14000NN	Power Steering	LFP9001TRT ³	1R1807		LFP3191XL ¹⁴
P621725	Air	LAF6725 ²		Trans	LFP9001XL ^{14, 250}	<i>T800 (w/Caterpillar 3406B Engine)</i>		
WF2126	Coolant	LFW2126 ²⁵⁵	(29540496); Allison 3000/4000	Power Steering	LH4101 ³¹¹	P153551	Air	LAF3551
WF2127		LFW2127 ^{14, 249}	(29545776); Allison 3000/4000	Trans	LH4582G ²⁴	P154575		LAF3551MXM ²⁶⁸
(FS19729); W/S W/S	Fuel	L9729F ⁶⁴⁸	Eaton/Fuller 3" O.D.		LH4591G ²²	1R0749 (1R0712); Sec.	Fuel	LAF4575
(FF5686); 2010-on; Sec.		L9729FXL ^{12, 14}			PH2835	1R0716	Oil	LAF6128 ²
(FF5776); 2010-on; Sec.		L9763FXL ^{14, 648}	<i>T700 (w/Paccar MX Series Engine)</i>					LFF2749 ²⁰
		LFF5686 ¹⁹	EAF5107	Air	LAF5873	(1R0712); Sec.		LFF5823B
		LFF6776 ¹⁸	525507BSM	Cabin Air	CAF24007			LFP4005
Brake Dryer	Miscellaneous	LFP8654 ³¹²	1843659	Coolant	LFW4686XL ^{14, 249}			LFP4005TRT ³
	Oil	LFP9001 ²⁵⁰	(K371005); W/S	Fuel	L5094F	<i>T800 (w/Caterpillar C10 Engine)</i>		
LF14000NN		LFP9001TRT ³	1655115		LFF6289	P153551	Air	LAF3551
	Power Steering	LFP9001XL ^{14, 250}	1643070	Oil	LP6043	P154575		LAF3551MXM ²⁶⁸
	Trans	HP1	(1643072); By-Pass		LP8213	WF2071	Coolant	LAF4575
(17237); Optional Eaton 3.7" O.D. Eaton/Fuller 3" O.D.		PH2835	87904M	Power Steering	LH4101 ³¹¹	(FS1000); W/S		LAF6128 ²
			(17237); Optional Eaton 3.7" O.D.	Trans	HP1	1R0749 (1R0712); Sec.	Fuel	LFW4071 ^{28, 205}
			<i>T700 (w/Paccar MX-13 Engine)</i>			1R0716	Oil	LFF1000 ¹³
<i>T680 (w/Paccar MX engine)</i>			EAF5107	Air	LAF5873	1R0749 (1R0712); Sec.		LFF2749 ²⁰
P621725	Air	LAF6725	525507BSM	Cabin Air	CAF24007	1R0716		LFF5823B
	Cabin Air	CAF1815P ¹⁸⁶	K371009	Fuel	L5109F	1R1808		LFP4005
1843659	Coolant	LFW4686XL ^{14, 249}	1852006		L7663F			LFP4005RN ⁵⁹⁹
(K371004); W/S	Fuel	L5094F	1655115PE		LFF6289	(17237); Optional Eaton 3.7" O.D.	Trans	LFP4005TRT ³
		LFF6289 ⁷²¹	1948921PE	Oil	LP6043			LFP4005XL ¹⁴
	Oil	LP6043	(1872106PE); By-Pass		LP8213	<i>T800 (w/Caterpillar C11 Engine)</i>		
By-Pass		LP8213	87904M	Power Steering	LH4101 ³¹¹	P153551	Air	LAF3551
<i>T680 (w/Paccar MX-13 Engine)</i>			(17237); Optional Eaton 3.7" O.D.	Trans	HP1	P154575		LAF3551MXM ²⁶⁸
P621725	Air	LAF6725	<i>T800 (w/Caterpillar 3176 Engine)</i>			1R0749 (1R0712); Sec.	Fuel	LAF6128 ²
X1987001	Cabin Air	CAF1815P ^{186, 813}	P153551	Air	LAF3551	1R0716 (1R0712); Sec.		LFF2749 ²⁰
1852006	Coolant	LFW4686XL ^{14, 249}	P537791		LAF3551	(5008414); Brake Dryer	Miscellaneous	LFF5823B
K371009	Fuel	L5109F			LAF3551MXM ²⁶⁸	1R0716	Oil	LFP4005
1852006		L7663F			LAF6128 ²	1R1808		LFP4005RN ⁵⁹⁹
1643070PE (1922496); By-Pass	Oil	LP6043	1R0749 (1R0712); Sec.	Fuel	LFF2749 ²⁰			LFP4005TRT ³
		LP8213	(1R-0749); Sec.		LFF5823B			LFP4005XL ¹⁴
<i>T680 w/Cummins ISX15 Engine</i>			1R0716	Oil	LFP4005			LP5005 ⁴⁵⁸
P621725	Air	LAF6725			LFP4005TRT ³			
WF2126	Coolant	LFW2126 ²⁵⁵			LFP4005XL ¹⁴			
WF2127		LFW2127 ^{14, 249}						
FS19764 (FF5776); Sec.	Fuel	L9763FXL ¹⁴						
LF14000NN	Oil	LFP9001 ²⁵⁰						
LF14000NN		LFP9001TRT ³						
LF14000NN		LFP9001XL ^{14, 250}						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 13-Optional Frame Mounted 14-Extended Life 15-Standard 18-Short 19-Long 20-High efficiency 22-2" or 7" Sump High Capacity 24-4" Sump 28-Contains 1 oz. of chemical 186-Dust filter 205-Maintenance 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 275-Primary 311-2.73" Hgt. 312-AD-IS System 458-4.1" Hgt. 599-High capacity 647-Natural Gas 648-w/ Davco option 721--2013 812-2010 on (Short) 813-Dust 1496-Alternate

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)		
<i>T800 (w/Caterpillar C12 Engine)</i>			<i>T800 (w/Cummins ISM Engine) (cont'd)</i>			<i>T800 (w/Cummins N14 Engine)</i>		
P153551	Air	LAF3551 LAF3551MXM ²⁶⁸	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	P534925	Air	LAF3302 ²
P154575		LAF4575 LAF6128 ²	29540496 29526899 29545776		LH4582G ²⁴ LH4589G ²³ LH4591G ²²	WF2071	Coolant	LFW4071 ^{28, 205}
WF2071	Coolant	LFW4071 ^{28, 205}	29545776		PH2835	Pri.	Fuel	LFF5D
(FS1000); W/S	Fuel	LFF1000 ¹³	(4304827); Eaton/Fuller 3" O.D.			W/S		LFF8000 ⁶²⁸
1R0749		LFF2749 ²⁰				LF3000	Oil	LFP3000
(1R0712); Sec.		LFF5823B				LF9009		LFP3000XL ¹⁴
1R0716	Oil	LFP4005	<i>T800 (w/Cummins ISX 11.9 Engine)</i>			By-Pass		LFP670
1R1808		LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	P534816	Air	LAF4816 ² LAF4816MXM ² LAF6116 ²	By-Pass	Power Steering	LFP777B LFP777XL ¹⁴
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	P611696					LP5005 ⁴⁵⁸
<i>T800 (w/Cummins ISL Engine)</i>			WF2126	Coolant	LFW2126 ²⁵⁵ LFW2127 ^{14, 249}	<i>T800 (w/Cummins NTC Series Engine)</i>		
P534816	Air	LAF4816 ² LAF4816MXM ² LAF6116 ⁸¹⁴	WF2127		L5094F LFF6776		Air	LAF3551
P534816			(K371004); W/S (FF5776); Sec.	Fuel	LFP8654 ³¹²	W/S	Fuel	LFF1000
P534816			(5008414); Brake Dryer	Miscellaneous		W/S		LFF8020
WF2071	Coolant	LFW4071 ^{28, 205}	LF14000NN	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	LF3000	Oil	LFP3000
(FS1065); W/S (FF5636); Sec.	Fuel	LFF1065 ²¹⁰ LFF5488			LH4101 ³¹¹	83804E	Power Steering	LP5005 ⁴⁵⁸
(5008414); Brake Dryer	Miscellaneous	LFP8654	(17237); Optional Eaton 3.7" O.D.	Power Steering	HP1	<i>T800 (w/Cummins Signature 600 Engine)</i>		
LF3000	Oil	LFP3000 LFP3000XL ¹⁴	29540496 29526899 29545776	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²	P614556	Air	LAF4556 ²
87904M	Power Steering	LH4101 ³¹¹	<i>T800 (w/Cummins ISX12G Engine)</i>			P614556		LAF4556MXM
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	WF2126	Coolant	LFW2126 ²⁵⁵ LFW2127 ^{14, 249}	WF2125	Coolant	LFW2125 ⁵⁵⁵
29540496		LH4582G ²⁴	WF2127		LFW2126 ²⁵⁵ LFW2127 ^{14, 249}	WF2126		LFW2126 ²⁵⁵
29526899		LH4589G ²³	NG5900	Fuel	LFF5080 ⁶⁴⁷	WF2127		LFW2127 ^{14, 249}
29545776		LH4591G ²²	LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	FS19728 (3331096); W/S (5008414); Brake Dryer	Fuel	L3578FXL ^{14, 748} LFF1007 ⁸¹⁷
<i>T800 (w/Cummins ISLG Engine)</i>			LF14000NN		LH4101 ³¹¹	87904M	Miscellaneous	LFP8654
NG5900	Fuel	LFF5080 ⁶⁴⁷	87904M	Power Steering	HP1	LF9070	Oil	LFP9000 ⁷²³
LF9009	Oil	LFP3000XL ¹⁴	(17237); Optional Eaton 3.7" O.D.	Trans	LH4101 ³¹¹	LF9070		LFP9000XL ^{14, 723}
29540494	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²	<i>T800 (w/Cummins L10 Engine)</i>			LF9080		LFP9001 ²⁵⁰
29540493			KW852M	Air	LAF6918 LAF7797 ²	LF14000NN		LFP9001TRT ³
29545776			KW853M		LFW4071 ^{28, 205}	87904M	Power Steering	LFP9001XL ^{14, 250}
<i>T800 (w/Cummins ISM Engine)</i>			3315116	Coolant	LFW4071 ^{28, 205}	83804E		LP5005 ⁸¹⁵
P153551	Air	LAF3551 ²⁶⁸ LAF3551MXM ²⁶⁸	Pri.	Fuel	LFF5 LFF5D LFF8000 ⁶²⁸	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
P153551		LAF6116 ² LAF6128 ²	W/S		LFP670 LFP777B LFP777XL ¹⁴	29540494		LH4582G ²⁴
P611696			By-Pass	Oil		29540493		LH4589G ²³
WF2071	Coolant	LFW4071 ^{28, 205}	By-Pass			29545776		LH4591G ²²
(FS1029W); Davco 382	Fuel	L5467F ⁸¹¹				(4304827); Eaton/Fuller 3" O.D.		PH2835
(FS19727); Davco opt. (FS1000); W/S		L5467FNXL ¹⁴ LFF1000 ³²	<i>T800 (w/Cummins M11 Engine)</i>			<i>T800 (w/Cummins Westport HD GX Engine)</i>		
FS1022		LFF1022	P153551	Air	LAF3551 LAF3551MXM ²⁶⁸ LAF4575 LAF6128 ²	P611696	Air	LAF6116 ²
(S3226T); W/S (5008414); Brake Dryer	Miscellaneous	LFF5851 ⁵⁵³ LFP8654 ³¹²	P154575			WF2127	Coolant	LFW2127 ^{14, 249}
LF9001	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	WF2071	Coolant	LFW4071 ^{28, 205}	(5008414); Brake Dryer	Miscellaneous	LFP8654
LF14000NN			W/S	Fuel	LFF8000 ⁶²⁸	LF9080	Oil	LFP9001 ²⁵⁰
87904M	Power Steering	LH4101 ³¹¹	LF3000	Oil	LFP3000 LFP3000XL ¹⁴	LF14000NN		LFP9001XL ^{14, 250}
			LF9009			87904M	Power Steering	LH4101 ³¹¹
						29540494	Trans	LH4582G ²⁴
						29545776		LH4591G ²²
						(4304827); Eaton/Fuller 3" O.D.		PH2835

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 13-Optional Frame Mounted 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 32-Remote mounted 205-Maintenance 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 311-2.73" Hgt. 312-AD-IS System 458-4.1" Hgt. 553-Requires sediment bowl 555-Extended Life w/ controlled release chemical 599-High capacity 628-Tall version of LFF8020 647-Natural Gas 723-13.9" Hgt. 748-Optional Davco 811-7 micron 814-Power Core 815-2006 and older 816-2007-on 817-before 2010 Emmission

K

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)		
<i>T800 (w/Detroit Diesel 60 Series Engine)</i>			<i>T800, T800B (w/Caterpillar C13 Engine) (cont'd)</i>			<i>T800, T800B (w/Cummins ISX Engine) (cont'd)</i>		
P153551	Air	LAF3551 LAF3551MXM ²⁶⁸	83804E	Power Steering	LP5005 ⁴⁵⁸	(FF5776); 2010-on; Sec.	Fuel	LFF6776 ¹⁸
P154575 KW852M		LAF4575 LAF6918 ¹²	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(5008414); Brake Dryer	Miscellaneous	LFP8654
WF2071	Coolant	LFW4071 ^{28, 205}	29540494		LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835		Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
W/S	Fuel	LFF8011	29540493			LF14000NN		
(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²	29545776 (4304827); Eaton/Fuller 3" O.D.			87904M	Power Steering	LH4101 ⁸¹⁶
23527033	Oil	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴	<i>T800, T800B (w/Caterpillar C15 Engine)</i>			83804E		LP5005 ⁸¹⁵
83804E	Power Steering	LP5005 ⁴⁵⁸	P537791	Air	LAF2069 ⁸¹⁸ LAF3551 ⁸¹⁹ LAF3551MXM ²⁶⁸ LAF4575 ⁸¹⁹ LAF4816 ⁸²⁰ LAF4816MXM ⁸²⁰ LAF6128 ²	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
<i>T800 (w/Paccar MX Series Engine)</i>			P154575			29540496		LH4582G ²⁴
P614986	Air	LAF6986 ²	P534816			29540493		LH4589G ²³
P614986		LAF6986MXM	P534816			29545776		LH4591G ²²
1649751	Coolant	LFW4686XL ^{14, 249}	WF2071	Coolant	LFW4071 ^{28, 205} LFW4686XL ^{14, 249}	Eaton/Fuller 3" O.D.		PH2835
(FS19727); Davco opt. (5008414); Brake Dryer	Fuel	L5467FNXL ¹⁴		Fuel	L3578FN ⁸⁰⁵ LFF1000 ¹³ LFF2749 ²⁰			
1643070	Oil	LP6043	(FF5369); Davco opt. (FS1000); W/S 1R0749	Brake Dryer	LFP8654 ³¹²			
87904M	Power Steering	LH4101 ³¹¹	2492347	Oil	LFP4005SC ⁷¹¹ LFP4005TRT ³			
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	87904M	Power Steering	LH4101 ³¹¹			
<i>T800 (w/Paccar MX-13 Engine)</i>			<i>T800, T800B (w/Cummins ISL Engine)</i>			<i>T880 (w/Cummins ISX15 Engine)</i>		
P611696	Air	LAF6116 ²	P611696	Air	LAF6116 ²	P614556	Air	LAF4556 ²
P614986		LAF6986 ²	FF2200	Fuel	LFF2201 ⁷⁸³	P614556	Cabin Air	CAF1815P ¹⁸⁶
P614986		LAF6986MXM	LF9001	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	WF2126	Coolant	LFW2126 ²⁵⁵
1843659	Coolant	LFW4686XL ^{14, 249}	LF14000NN			WF2127		LFW2127 ^{14, 249}
K371009	Fuel	L5109F L7663F	87904M	Power Steering	LH4101 ³¹¹	(K371004); W/S	Fuel	L5094F L9763FXL ^{14, 648}
(5008414); Brake Dryer	Miscellaneous	LFP8654	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(FF5776); Sec. Brake Dryer	Miscellaneous	LFP8654
1643070PE	Oil	LP6043	29540494			LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
(1872106PE); By-Pass		LP8213	29540493			LF14000NN	Power Steering	LH4101 ³¹¹
87904M	Power Steering	LH4101 ³¹¹	29545776 (4304827); Eaton/Fuller 3" O.D.			29540496	Trans	LH4582G ²⁴
<i>T800, T800B (w/Caterpillar C13 Engine)</i>			<i>T800, T800B (w/Cummins ISX Engine)</i>			<i>T880 (w/Paccar MX13 Engine)</i>		
P537791	Air	LAF2069 ⁸¹⁸ LAF3551 ⁸¹⁹ LAF3551MXM ²⁶⁸ LAF4575 ⁸¹⁹ LAF4816 ⁸²⁰ LAF4816MXM ⁸²⁰ LAF6128 ²	P611696	Air	LAF6116 ²	P621725	Air	LAF6275
P154575			FF2200	Fuel	LFF2201 ⁷⁸³		Cabin Air	CAF1815P ¹⁸⁶
P534816			LF9001	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	K371009	Fuel	L5109F L7663F L9763FXL ^{14, 648}
P534816			LF14000NN			FS19764		
WF2071	Coolant	LFW4071 ^{28, 205} LFW4686XL ^{14, 249}	87904M	Power Steering	LH4101 ³¹¹	1643070PE (1872106PE); By-Pass	Oil	LP6043 LP8213
(FF5369); Davco opt. (FS1000); W/S 1R0749	Fuel	L3578FN ⁸⁰⁵ LFF1000 ¹³ LFF2749 ²⁰	<i>T800, T800B (w/Cummins ISX Engine)</i>				Power Steering	LH4101 ³¹¹
Brake Dryer	Miscellaneous	LFP8654 ³¹²	P614556	Air	LAF4556 ²	<i>W900 (w/Caterpillar 1693TA Engine)</i>		
2492347	Oil	LFP4005SC ⁷¹¹ LFP4005TRT ³	P614556		LAF4556MXM	P117331	Air	LAF241HD
87904M	Power Steering	LH4101 ³¹¹	WF2126	Coolant	LFW2126 ²⁵⁵ LFW2127 ^{14, 249}	P117332		LAF5255
<i>T800, T800B (w/Caterpillar C13 Engine)</i>			WF2127			P116918		LAF6918
P537791	Air	LAF2069 ⁸¹⁸ LAF3551 ⁸¹⁹ LAF3551MXM ²⁶⁸ LAF4575 ⁸¹⁹ LAF4816 ⁸²⁰ LAF4816MXM ⁸²⁰ LAF6128 ²	(FF5369); Davco opt. (K371004); W/S	Fuel	L3578FN L5094F L9763FXL ^{14, 648} LFF2201 ⁷⁸⁸ LFF2203 ⁷⁸⁸ LFF5686 ¹⁹	P117797	Fuel	LAF7797 ²
P154575			FS19764			(1R-0711); Sec. (1R-0711); Sec.		364F
P534816			FF2200			(1R-0711); Sec.		LFP440F
WF2071	Coolant	LFW4071 ^{28, 205} LFW4686XL ^{14, 249}	FF2201			1R-0716	Oil	LFP4005
(FF5369); Davco opt. (FS1000); W/S 1R0749	Fuel	L3578FN ⁸⁰⁵ LFF1000 ¹³ LFF2749 ²⁰	(FF5686); 2010-on; Sec.			1R-0716		LP163
Brake Dryer	Miscellaneous	LFP8654 ³¹²	<i>T800, T800B (w/Cummins ISX Engine)</i>			<i>W900 (w/Caterpillar C10 Engine)</i>		
2492347	Oil	LFP4005SC ⁷¹¹ LFP4005TRT ³	P614556	Air	LAF4556 ²	P153551	Air	LAF3551
87904M	Power Steering	LH4101 ³¹¹	P614556		LAF4556MXM	P154575		LAF4575

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 13-Optional Frame Mounted 14-Extended Life 18-Short 19-Long 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 186-Dust filter 205-Maintenance 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 311-2.73" Hgt. 312-AD-IS System 458-4.1" Hgt. 648-w/ Davco option 711-Short can version 783-Pressure side 788-Before 2010 Emissions 805-25 micron 815-2006 and older 816-2007 -on 818-Inside Out Flow 819-2007 820-23 1/2" Hgt. 1541-Standard replacemnt

On-Highway Applications



K

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)		
<i>W900 (w/Caterpillar C10 Engine) (cont'd)</i>			<i>W900 (w/Cummins ISL Engine) (cont'd)</i>			<i>W900 (w/Detroit Diesel 60 Series Engine) (cont'd)</i>		
(9M2342); Pri. 1R0749	Fuel	L3531F LFF2749 ²⁰ LFF5823B	(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	(FF5369); Davco opt. 23527033	Fuel Oil	L3578FN ⁸⁰⁵ LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴
1R0716 1R1808 1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005XL ¹⁴	<i>W900 (w/Cummins ISM Engine)</i>			(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835
<i>W900 (w/Caterpillar C11 Engine)</i>			P537791	Air	LAF3551 LAF3551MXM ²⁶⁸ LAF4816 ² LAF4816MXM ²	<i>W900 (w/Detroit Diesel 6-71 Series Engine)</i>		
P153551 P154575	Air	LAF3551 LAF4575	P534816 P534816	Fuel	L5467F ⁸¹¹ L5467FNXL ¹⁴ LFF1000 LFP8654 ³¹²	P117331 P117332 P116918 P117797 P181003	Air	LAF241HD LAF5255 LAF6918 LAF7797 ² LAF8955
(9M2342); Pri. 1R0749 (1R0712); Sec.	Fuel	L3531F LFF2749 ²⁰ LFF5823B	(FS1029W); Davco 382 (FS19727); Davco opt. (FS1000); W/S	Miscellaneous	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	Pri. Sec.	Fuel	LFP815FN LFP816FN
1R0716 1R1808 1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005XL ¹⁴	(5008414); Brake Dryer	Oil	LF9001		Oil	LFP911 LP132 ⁴¹
<i>W900 (w/Caterpillar C13 Engine)</i>			LF14000NN 87904M	Power Steering	LH4101 ³¹¹ LP5005 ⁴⁵⁸	<i>W900 (w/Detroit Diesel 6V-53 Series Engine)</i>		
P534925 P534816 P534816	Air	LAF3302 ² LAF4816 ² LAF4816MXM ²	83804E	Trans	HP1 PH2835	P117331 P117332 P116918 P117797 P181003	Air	LAF241HD LAF5255 LAF6918 LAF7797 ² LAF8955
(380087); Davco opt. (2568753); W/S 1R0749	Fuel	L3578FN LFF1000 ³² LFF2749 ²⁰	(17237); Optional Eaton 3.7" O.D. (4307827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	Pri. Sec.	Fuel	LFP815FN LFP816FN
(5008414); Brake Dryer	Miscellaneous	LFP8654	<i>W900 (w/Cummins ISX G Engine)</i>			<i>W900 (w/Detroit Diesel 6V-71 Series Engine)</i>		
1R1808 2492347 1R0716 (4304827); Eaton/Fuller 3" O.D.	Oil	LFP4005RN ⁵⁹⁹ LFP4005SC ⁷¹¹ LFP4005XL ¹⁴	WF2126 WF2127 NG5900 LF9080	Coolant	LFW2126 ²⁵⁵ LFW2127 ^{14, 249} LFF5080 ⁶⁴⁷ LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	P117331 P117332 P116918 P117797 P181003	Air	LAF241HD LAF5255 LAF6918 LAF7797 ² LAF8955
87904M	Power Steering	LH4101 ³¹¹ LP5005 ⁴⁵⁸	LF14000NN 87904M	Power Steering	LH4101 ³¹¹	Pri. Sec.	Fuel	LFP815FN LFP816FN
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	<i>W900 (w/Detroit Diesel 6V-92 Series Engine)</i>		
<i>W900 (w/Cummins Engine)</i>			<i>W900 (w/Cummins N14 Engine)</i>			<i>W900 (w/Detroit Diesel 6V-71 Series Engine)</i>		
255963 P117431 P117331 P117332 P181008 P117797 P181003	Air	LAF190 LAF237 ² LAF241HD LAF5255 LAF6918 LAF7797 ² LAF8955	KW852M P521598 WF2071 Pri. (FS1212); W/S LF3000	Air Coolant Fuel Oil	LAF1769 ⁸²¹ LAF6918 ⁷³² LFW4071 ^{28, 205} LFF5D LFF8020 LFP3000 LFP670 LFP777B	P117331 P117332 P116918 P117797 P181003	Air	LAF241HD LAF5255 LAF6918 LAF7797 ² LAF8955
(256837); w/o Turbo	Breather	LAF65	By-Pass			Pri. Sec.	Fuel	LFP815FN LFP816FN
<i>W900 (w/Cummins Formula 10-240 Engine)</i>			<i>W900 (w/Detroit Diesel 12V-71 Engine)</i>			<i>W900 (w/Detroit Diesel 8V-71 Series Engine)</i>		
WF2071 (154709); Pri.	Coolant Fuel	LFW4071 ^{28, 205} LFF5	P117331 P117797	Air	LAF241HD LAF7797 ²	P117331 P117332 P116918 P117797 P181003	Air	LAF241HD LAF5255 LAF6918 LAF7797 ² LAF8955
LF3000 (3304232); By-Pass	Oil	LFP3000 LFP777B	Pri. Sec.	Fuel	LFP815FN LFP816FN	Pri. Sec.	Fuel	LFP815FN LFP816FN
<i>W900 (w/Cummins ISL Engine)</i>			<i>W900 (w/Detroit Diesel 60 Series Engine)</i>			<i>W900 (w/Detroit Diesel 8V-71 Series Engine)</i>		
P534816 P534816	Air	LAF4816 ² LAF4816MXM ²	P534925 P116918 WF2071	Air Coolant	LAF3302 ² LAF6918 LFW4071 ^{28, 205}	P117331 P117332 P116918 P117797 P181003	Air	LAF241HD LAF5255 LAF6918 LAF7797 ² LAF8955
(FS1065); W/S (FF5636); Sec.	Fuel	LFF1065 ²¹⁰ LFF5488	<i>W900 (w/Detroit Diesel 60 Series Engine)</i>			<i>W900 (w/Detroit Diesel 8V-71 Series Engine)</i>		
Brake Dryer	Miscellaneous	LFP8654 ³¹²	P534925 P116918 WF2071	Air Coolant	LAF3302 ² LAF6918 LFW4071 ^{28, 205}	Pri. Sec.	Fuel	LFP815FN LFP816FN
LF9009	Oil	LFP3000XL ¹⁴	<i>W900 (w/Detroit Diesel 60 Series Engine)</i>			<i>W900 (w/Detroit Diesel 8V-71 Series Engine)</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 32-Remote mounted 41-Cartridge
 205-Maintenance 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 311-2.73" Hgt. 312-AD-IS
 System 458-4.1" Hgt. 599-High capacity 647-Natural Gas 711-Short can version 732-23" Tall 805-25 micron 811-7 micron 821-25" Tall 1541-Standard
 replacemnt

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)		
<i>W900 (w/Detroit Diesel 8V-71 Series Engine)</i>			<i>W900, W900B (w/Caterpillar 3406 Engine) (cont'd)</i>			<i>W900, W900L (w/Caterpillar C16 Engine) (cont'd)</i>		
<i>(cont'd)</i>			(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
	Oil	LFP911 LP132 ⁴¹	<i>W900, W900B (w/Caterpillar 3408 Engine)</i>			<i>W900, W900L (w/Cummins ISX Engine)</i>		
<i>W900 (w/Detroit Diesel 8V-92 Series Engine)</i>			P181000	Air	LAF241HD	P534925	Air	LAF3302 ^{2, 822}
P117331	Air	LAF241HD	P534925		LAF3302 ²	P614556		LAF4556 ²
P117332		LAF5255	P181001		LAF5255	P614556		LAF4556MXM
P116918		LAF6918	P542101		LAF5873 ¹⁹³	P534816		LAF4816 ²
P117797		LAF7797 ²	P181008		LAF6918	P534816		LAF4816MXM ²
P181003		LAF8955	P181007		LAF7797 ²	WF2125	Coolant	LFW2125 ⁵⁵⁵
Pri.	Fuel	LFP815FN	P181003		LAF8955	WF2126		LFW2126 ²⁵⁵
Sec.		LFP816FN	(1R0712); Sec.	Fuel	LFF5823B	WF2127		LFW2127 ^{14, 249}
	Oil	LFP911 LP132 ⁴¹	1R0716	Oil	LFP4005 LFP4005TRT ³	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸
<i>W900 (w/Paccar MX Engine)</i>			(17237); Optional Eaton 3.7" O.D.	Trans	HP1	W/S		L9729FXL ^{12, 14}
P534925	Air	LAF3302 ²	<i>W900, W900L (w/Caterpillar C15 Engine)</i>			(FS1040); W/S		LFF1007 ²¹⁰
1649751	Coolant	LFW4686XL ^{14, 249}	P534925	Air	LAF3302 ^{2, 822}	FF2200		LFF2201 ⁷⁸³
1655115	Fuel	LFF6289	P153551		LAF3551	(FF2203); Pri.		LFF2203
(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²	P153551		LAF3551MXM ²⁶⁸	(FF5686); Sec.		LFF5686 ¹⁹
1643070	Oil	LP6043	P154575		LAF4575	(FF5776); Sec.		LFF6776 ¹⁸
87904M	Power Steering	LH4101 ³¹¹	P542101		LAF5873 ⁸²³	(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²
(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835		Coolant	LFW4686 ²⁴⁹ LFW4686XL ^{14, 249}	LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
<i>W900 (w/Paccar MX-13 Engine)</i>			(FS19624); Davco 382 (FS19727); Davco opt. (FS1000); W/S 1R0749	Fuel	L5467F ⁸¹¹ L5467FNXL ¹⁴ LFF1000 ¹² LFF2749 ²⁰	LF14000NN		
P614986	Air	LAF6986 ²	(5008414); Brake Dryer	Miscellaneous	LFP8654	87904M	Power Steering	LH4101 ³¹¹
P614986		LAF6986MXM	1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
1843659	Coolant	LFW4686XL ^{14, 249}	1R1808			<i>W900, W900S (w/Cummins ISLG Engine)</i>		
K371009	Fuel	L5109F	87904M	Power Steering	LH4101 ³¹¹	P611696	Air	LAF6116 ²
(5008414); Brake Dryer	Miscellaneous	LFP8654	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	NG5900	Fuel	LFF5080 ⁶⁴⁷
(17237); Optional Eaton 3.7" O.D.	Oil	HP1 LP6043	<i>W900, W900L (w/Caterpillar C16 Engine)</i>			(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²
1643070PE		LH4101 ³¹¹	P534925	Air	LAF3302 ^{2, 822}	LF9009	Oil	LFP3000XL ¹⁴
87904M	Power Steering	LH4101 ³¹¹	P153551		LAF3551	87904M	Power Steering	LH4101 ³¹¹
(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	P154575		LAF4575	29540494	Trans	LH4582G ²⁴
<i>W900, W900B (w/Caterpillar 3306 Engine)</i>			P542101		LAF5873 ⁸²³	29545779		LH4582G ²⁴
P181000	Air	LAF241HD		Coolant	LFW4686 ²⁴⁹ LFW4686XL ^{14, 249}	29540493		LH4589G ²³
P181007		LAF7797 ²	(FS19624); Davco 382 (FS19727); Davco opt. (FS1000); W/S 1R0749	Fuel	L5467F ⁸¹¹ L5467FNXL ¹⁴ LFF1000 ¹² LFF2749 ²⁰	29545776		LH4591G ²²
P181003		LAF8955	(5008414); Brake Dryer	Miscellaneous	LFP8654	<i>W900B (w/Caterpillar C12 Engine)</i>		
Sec.	Fuel	LFP440F	1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	P153551	Air	LAF3551
1R0739	Oil	LFP3191 LFP3191TRT ³	1R1808			P154575		LAF4575
<i>W900, W900B (w/Caterpillar 3406 Engine)</i>			87904M	Power Steering	LH4101 ³¹¹	(9M2342); Pri.	Fuel	L3531F
P181000	Air	LAF241HD	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	1R0749		LF2749 ²⁰
P534925		LAF3302 ²	<i>W900, W900L (w/Caterpillar C16 Engine)</i>			(1R0712); Sec.		LFF5823B
P181001		LAF5255	P534925	Air	LAF3302 ^{2, 822}	1R0716	Oil	LFP4005
P542101		LAF5873 ¹⁹³	P153551		LAF3551	1R1808		LFP4005RN ⁵⁹⁹
P181008		LAF6918	P154575		LAF4575	1R0716		LFP4005XL ¹⁴
P181007		LAF7797 ²	P542101		LAF5873 ⁸²³	<i>W900B (w/Cummins L10 Engine)</i>		
P181003		LAF8955		Coolant	LFW4686 ²⁴⁹ LFW4686XL ^{14, 249}	WF2071	Coolant	LFW4071 ^{28, 205}
(1R0712); Sec.	Fuel	LFF5823B	(FS19624); Davco 382 (FS19727); Davco opt. (FS1000); W/S 1R0749	Fuel	L5467F ⁸¹¹ L5467FNXL ¹⁴ LFF1000 ¹² LFF2749 ²⁰		Fuel	LFF5
	Oil	LFP4005TRT ³	(5008414); Brake Dryer	Miscellaneous	LFP8654	(FS1212); W/S		LFF8020
<i>W900, W900B (w/Caterpillar 3406 Engine)</i>			1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	LF3000	Oil	LFP3000 LFP670 LFP777B
P181000	Air	LAF241HD	1R1808			By-Pass		
P534925		LAF3302 ²	87904M	Power Steering	LH4101 ³¹¹	<i>W900B (w/Detroit Diesel Series 60 Engine)</i>		
P181001		LAF5255	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(FF5369); Davco opt.	Fuel	L3578FN ⁸⁰⁵
P542101		LAF5873 ¹⁹³	<i>W900, W900L (w/Caterpillar C16 Engine)</i>					
P181008		LAF6918	P534925	Air	LAF3302 ^{2, 822}			
P181007		LAF7797 ²	P153551		LAF3551			
P181003		LAF8955	P154575		LAF4575			
(1R0712); Sec.	Fuel	LFF5823B	P542101		LAF5873 ⁸²³			
	Oil	LFP4005TRT ³		Coolant	LFW4686 ²⁴⁹ LFW4686XL ^{14, 249}			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 18-Short 19-Long 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 41-Cartridge 193-External Mounted 205-Maintenance 210-w/ Sensor 249-Non chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 311-2.73" Hgt. 312-AD-IS System 555-Extended Life w/ controlled release chemical 599-High capacity 647-Natural Gas 648-w/ Davco option 783-Pressure side 805-25 micron 811-7 micron 822-25.4" Tall 823-15 1/2" Tall

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KENWORTH (TRUCK HEAVY DUTY)			KENWORTH (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)		
<i>W900B (w/Detroit Diesel Series 60 Engine)</i>			<i>W900L (w/Cummins N14 Engine) (cont'd)</i>			<i>ANTHEM (w/Mack MP8 engine)</i>		
<i>(cont'd)</i>			LF3000			57MD320M		
Pri.	Fuel	LFP815FN		Oil	LFP3000		Air	LAF5114MXM ^{14, 847}
Sec.		LFP816FN ⁷³⁰			LFP670		Coolant	LFW5141XL
23527033	Oil	LFP2160 ¹⁵⁴¹	By-Pass		LFP777B	20539275	Oil	LFP3236
		LFP2160XL ¹⁴	<i>W900S (w/Caterpillar C13 Engine)</i>					LFP3236TRT
		LFP911	P153551	Air	LAF3551			LFP8642
		LFP911XL ¹⁴	P534816		LAF3551MXM ²⁶⁸	349619	Power Steering	LH8504
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	P534816		LAF4816 ²	<i>B & C Series (w/EN291 Engine)</i>		
			(FS1000); W/S	Fuel	LAF4816MXM ²	2-MD-396		
<i>W900L (w/Caterpillar 3406E Engine)</i>			1R0749		LFF1000 ¹³	237GB13		
P542101	Air	LAF5873 ¹⁹³	1R0716		LFP2749 ²⁵	236GB33		
1R0749	Fuel	LFF2749 ²⁰	1R1808		LFP4005 ⁶²⁶	<i>B & C Series (w/EN331 Engine)</i>		
1R0716	Oil	LFP4005			LFP4005RN ⁵⁹⁹	2-MD-396		
		LFP4005TRT ³			LFP4005TRT ³	237GB13		
		LFP4005XL ¹⁴	870678A	Power Steering	LFP4005XL ¹⁴	236GB33		
<i>W900L (w/Caterpillar C12 Engine)</i>					LH9394	<i>CH Series (w/Mack E7-300 E Tech Engine)</i>		
P534925	Air	LAF3302 ²	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	57-MD-48M		
P153551		LAF3551	<i>W900S (w/Paccar PX9 Engine)</i>			25MF435B		
P154575		LAF4575	LF9009	Oil	LFP3000XL ¹⁴	(483GB433B); W/S		
P542101	Coolant	LFW4686XL ^{14, 249}	<i>W921, W922, W923, W924, W925 (w/Cummins Engine)</i>			(483GB444); Pri.		
(FS1000); W/S	Fuel	LFF1000	W921, W922, W923, W924, W925			(483GB440); Sec.		
1R0749		LFF2749 ²⁰	255963	Air	LAF190	485GB3191C		
(1R0712); Sec.		LFF5823B	P182000		LAF241HD	485GB3191C		
(5008414); Brake	Miscellaneous	LFP8654	P181001		LAF5255 ²	57GC2187		
Dryer			(256837); w/o Turbo	Breather	LAF65	25013612		
1R0716	Oil	LFP4005	Pri.	Fuel	LFF202 ³¹	<i>CH Series (w/Mack E7-350 Engine)</i>		
1R1808		LFP4005RN ⁵⁹⁹			LFP1101F ¹⁸	57-MD-48M		
1R0716		LFP4005XL ¹⁴	Turbo	Oil	LFP152499B			
87904M	Power Steering	LH4101 ³¹¹			LFP670			
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	KOOL-GEN (AUXILIARY POWER UNIT)					
<i>W900L (w/Caterpillar C13 Engine)</i>			<i>KG1000 (w/Yanmar 2TNV70 Engine)</i>					
P534925	Air	LAF3302 ²	11965512560			57-MD-48M		
WF2071	Coolant	LFW4071 ^{28, 205}	11981055650			Coolant		
(FS1000); W/S	Fuel	LFF1000	11930531151			LAF8691 ⁸³¹		
1R0749		LFF2749 ²⁰				LFW4860 ²⁸		
1R-0759		LFF4783				Fuel		
(5008414); Brake	Miscellaneous	LFP8654				LFF8040		
Dryer						LFP219F		
1R0716	Oil	LFP4005				LFP431F		
1R1808		LFP4005RN ⁵⁹⁹				LFP3191		
1R0716		LFP4005XL ¹⁴				LFP3191TRT ³		
87904M	Power Steering	LH4101 ³¹¹				LFP3191XL ¹⁴		
(17237); Optional Eaton 3.7" O.D.	Trans	HP1				LP2273		
<i>W900L (w/Cummins M11 Engine)</i>						LFH4223		
P542101	Air	LAF5873 ¹⁹³				<i>CH Series (w/Mack E7-427 Engine)</i>		
(FS1212); W/S	Fuel	LFF8020				57-MD-48M		
LF3000	Oil	LFP3000				Air		
<i>W900L (w/Cummins N14 Engine)</i>						Coolant		
VF160R	Air	LAF2608				LFW4860 ²⁸		
P542101		LAF5873 ¹⁹³				Fuel		
Pri.	Fuel	LFF5D				LFF8040		
(FS1212); W/S		LFF8020				LFP219F		
						LFP431F		
						LFP3191		
						LFP3191TRT ³		
						LFP3191XL ¹⁴		
						LP2273		
						LP487		
						LH4582G ²⁴		
						LH4591G ²²		
						PH2835		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 13-Optional Frame Mounted 14-Extended Life 18-Short 20-High efficiency 22-2" or 7" Sump High Capacity 24-4" Sump 25-Engine mounted 28-Contains 1 oz. of chemical 31-Tall 193-External Mounted 205-Maintenance 249-No chemical 268-Extended/Severe service 311-2.73" Hgt. 599-High capacity 626-Standard efficiency 730-2004 831-Except 2MD515M Housing 847-with 2MD515M Housing 1541-Standard replacemnt

K

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)		
<i>CH, CHN Series (w/AC Asert Engine)</i>			<i>CH600 Series (w/Mack EM6 Engine) (cont'd)</i>			<i>CH613 (w/Mack E7 E Tech Engine) (cont'd)</i>		
57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}	Sec. 485GB3191C	Fuel	LFP431F	(382114); Opt. (483GB470M); Pri. (483GB472M); W/S 485GB3191C	Fuel	L5467F LFF4470 LFF8472 ¹²
57-MD-48M		LAF8691 ⁸³¹		Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴		Oil	LFP3191 ⁷³⁸ LFP3191TRT ^{3, 29, 832}
25MF435B	Coolant	LFW4860 ²⁸ LFW4860XL ^{14, 249} LFW6502 ⁵⁵⁵	57GC2187	Trans	LP2273 LFH4223			LFP3191XL ^{14, 738} LFP3236TRT ^{3, 832}
(483GB476M); Sec. (483GB477M); Sec. (483GB470M); Pri. 485GB3191C 485-GB-3236	Fuel	LFF3476 ⁷⁶⁴ LFF3477 ⁷⁶³ LFF4470	<i>CH600 Series (w/Mack EM7 Engine)</i>			<i>CL Series (w/E7 330 E Tech Engine)</i>		
20539275	Oil	LFP3191 ¹⁵³⁸ LFP3191TRT ^{3, 829} LFP3191XL ¹⁴ LFP3236 ¹⁵³⁸ LFP3236TRT ³ LP3985 ⁸⁵⁷	57-MD-48M	Air	LAF8691 ⁸³¹	57-MD-42M	Air	LAF695
57GC2231 (583984365A); 3.5 inch O.D. (17237); Optional Eaton 3.7" O.D.	Power Steering	LP487		Coolant	LFW4860 ²⁸ LFW4860XL ^{14, 249} LFW6502 ⁵⁵⁵	25MF435B	Coolant	LFW4860 ²⁸
	Trans	HP1	(483GB433B); W/S (483GB441); Pri. (483GB444); Pri. (483GB440); Sec. 485GB3191C	Fuel	LFF8040 LFP218F LFP219F LFP431F	(483GB470M); Pri. (483GB471M); Sec. 485GB3191C 485GB3191C	Fuel	LFF4470 LFF4471
			485GB3191C	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	57GC2134A 25013612	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP2232
			57GC2187	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP2273		Trans	LFH4223
			Allison	Trans	LFH4223 ⁶³⁸	<i>CL613 (w/Mack E9 Engine)</i>		
<i>CH600 Series (w/Mack E6 Engine)</i>			<i>CH612 (w/Mack E7 E Tech Engine)</i>			<i>CL613 (w/Mack E9 Engine)</i>		
57-MD-48M	Air	LAF8691 ⁸³¹	57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}	57MD42M	Air	LAF695
	Coolant	LFW4860 ²⁸ LFW4860XL ^{14, 249} LFW6502 ⁵⁵⁵	57-MD-48M		LAF8691 ⁸³¹	25MF436B	Coolant	LFW4422 ⁴⁹⁴
(483GB433B); W/S (483GB441); Pri. (483GB444); Pri. (483GB440); Sec. 485GB3191C	Fuel	LFF8040 LFP218F LFP219F LFP431F	25MF435B	Coolant	LFW4860 ²⁸	(483GB433B); W/S (483GB444); Pri. (483GB440); Sec. 485GB3191C 485GB3219D	Fuel	LFF8040 ¹² LFP219F LFP431F
57GC2187	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP2273	(382114); Opt. (483GB470M); Pri. (483GB472M); W/S 485GB3191C	Fuel	L5467F LFF4470 LFF8472 ¹²		Oil	LFP3191 LP2232
Allison	Trans	LFH4223 ⁶³⁸		Oil	LFP3191 ⁷³⁸ LFP3191TRT ^{3, 29, 832} LFP3191XL ^{14, 738} LFP3236TRT ^{3, 832}	<i>CL700 (w/Cummins Signature 600 Engine)</i>		
<i>CH600 Series (w/Mack E7 Engine)</i>			<i>CH612 (w/Mack EM7 E Tech Engine)</i>			<i>CL700 (w/Cummins Signature 600 Engine)</i>		
57-MD-48M	Air	LAF8691 ⁸³¹	57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}	57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}
	Coolant	LFW4860 ²⁸ LFW4860XL ^{14, 249} LFW6502 ⁵⁵⁵	25MF435B	Coolant	LFW4860 ²⁸	57MD42M	Coolant	LFW2125 ⁵⁵⁵ LFW2127 ^{14, 249}
(483GB433B); W/S (483GB441); Pri. (483GB444); Pri. (483GB440); Sec. 485GB3191C	Fuel	LFF8040 LFP218F LFP219F LFP431F	301SD19C (483GB470M); Pri. (483GB471M); Sec. 485GB3191C	Fuel	L3578FN LFF4470 LFF4471	(3331096); W/S 3406809 3406809 5839 870678A	Fuel	LFF1007 ²¹⁰ LFP9001 ²⁵⁰ LFP9001XL ^{14, 250} LH9394 ⁸³⁹
57GC2187	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP2273	(583984365A); 3.5 inch O.D. (17237); Optional Eaton 3.7" O.D.	Power Steering	LP487	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
Allison	Trans	LFH4223 ⁶³⁸		Trans	HP1	<i>CL700 Series (w/Cummins ISX Engine)</i>		
<i>CH600 Series (w/Mack EM6 Engine)</i>			<i>CH613 (w/Mack E7 E Tech Engine)</i>			<i>CL700 Series (w/Cummins ISX Engine)</i>		
57-MD-48M	Air	LAF8691 ⁸³¹	57MD320M	Air	LAF5114MXM ^{2, 14, 686, 833, 834}	57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}
	Coolant	LFW4860 ²⁸ LFW4860XL ^{14, 249} LFW6502 ⁵⁵⁵	57-MD-48M		LAF8691 ⁸³¹	57MD42M 57-MD-48M	Coolant	LFW2126 ²⁵⁵ LFW2127 ^{14, 249}
(483GB433B); W/S (483GB441); Pri. (483GB444); Pri.	Fuel	LFF8040 LFP218F LFP219F		Coolant	LFW4860 ²⁸		Fuel	L3578FN L3578FXL ¹⁴ LFF2201
485GB3191C	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP2273		Oil	LFP3191 LFP3191XL ¹⁴	Brake Dryer	Miscellaneous	LFP8654
57GC2187	Power Steering	LP487		Power Steering	LP487		Oil	LFP9001 ²⁵⁰ LFP9001TRT ³
Allison	Trans	LFH4223 ⁶³⁸		Trans	HP1			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 28-Contains 1 oz. of chemical 29-1 1/8" Thread 210-w/ Sensor 249-No
 chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 494-Contains 4 oz. of chemical 555-Extended Life w/ controlled release chemical 638-Main Circuit
 686-Standard service 720-Value Version 738-To 2004 763-w/ Drain 764-w/o Drain 829-To-04 831-Except 2MD515M Housing 832-2004-up 833-Used in
 Mack 2MD515M housing 834-effective 10/28/02 839-4.13" Hgt. 847-with 2MD515M Housing 857-By-Pass after 11/11/03 1538--4

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)		
<i>CL700 Series (w/Cummins ISX Engine) (cont'd)</i>			<i>CL713 (w/Mack E9 Engine) (cont'd)</i>			<i>CS Series (cont'd)</i>		
	Oil	LFP9001XL ^{14, 250}	(483GB433B); W/S	Fuel	LFF8040 ¹²		Trans	LFP219F
5839 870678A	Power Steering	LH9394 ⁸³⁹	(483GB444); Pri.		LFP219F	25-MF-435	Coolant	LFW4860 ²⁸
583984148A		LP5005 ⁴⁵⁸	(483GB440); Sec.		LFP431F	25MF435B	Coolant	LFW4860 ²⁸
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	485GB3191C	Oil	LFP3191	25-MF-435	Coolant	LFW4860 ²⁸
			485GB3219D		LP2232	25MF435B	Coolant	LFW4860 ²⁸
<i>CL713 (w/Mack E7 350 E Tech Engine)</i>			<i>CL-MODELS (w/Caterpillar 3406C Engine)</i>			25-MF-435		
57MD42M	Air	LAF695 ⁶²⁵	57MD42M	Air	LAF695	(483GB219); Pri.	Fuel	LFP219F
57-MD-48M		LAF8691 ^{2, 835}	57-MD-48M		LAF8691	25MF435B	Coolant	LFW4860 ²⁸
	Coolant	LFW4860 ²⁸	25MF214	Coolant	LFW4744 ⁴	25-MF-435	Coolant	LFW4860 ²⁸
(483GB470M); Pri.	Fuel	LFF4470 ⁸³²	1R0749	Fuel	LFP2749 ²⁰	(483GB444); Pri.	Fuel	LFP219F
(483GB471M); Sec.		LFF4471	1R0716	Oil	LFP4005	<i>CT713 (w/Mack ASET AMI Engine)</i>		
(483GB441); Sec.		LFP218F	1R1808		LFP4005RN ⁵⁹⁹	57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}
483GB219		LFP219F ⁸³²	5839 870678A	Power Steering	LFP4005XL ¹⁴	57-MD-48M		LAF8691 ⁸³¹
485GB3191C	Oil	LFP3191 ⁸³²	17237	Trans	LH9394 ⁸³⁹	25MF435B	Coolant	LFW4860 ²⁸
LFP3191XL ^{14, 736}		LP2232	<i>CL-MODELS (w/Mack E7 E-Tech Engine)</i>			301SD19C	Fuel	L3578FN
485GB3219D		LP2273	57MD42M	Air	LAF695 ⁶²⁵	(483GB470M); Pri.		LFF3476
57GC2187		LP3964 ⁸⁵⁶	57-MD-48M		LAF8691 ^{2, 835}	(483GB471M); Sec.		LFF4470
57GC2206		LP3985 ⁸⁵⁷	25MF435B	Coolant	LFW4860 ²⁸	Brake Dryer	Miscellaneous	LFP8654
57GC2231		HP1	(483GB470M); Pri.	Fuel	LFF4470 ⁸³²	20539275	Oil	LFP3191XL ¹⁴
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(483GB471M); Sec.		LFF4471	57GC2206		LFP3236
<i>CL713 (w/Mack E7 427 E Tech Engine)</i>			(483GB441); Sec.		LFP218F	57GC2231		LFP3236TRT ³
25MF435B	Coolant	LFW4860 ²⁸	483GB219		LFP219F ⁸³²	5839 870678A	Power Steering	LH9394 ⁸³⁹
(301SD19C); Opt.	Fuel	L3578FN	485GB3191C	Oil	LFP3191 ⁸³²	(17237); Eaton/Fuller (29540496); Allison 3000/4000	Trans	HP1
(483GB470M); Pri.		LFF4470	485GB3219D		LFP3191XL ^{14, 736}	29540493		LH4582G ²⁴
(483GB471M); Sec.		LFF4471	57GC2187		LP2232	(29545776); Allison 3000/4000		LH4589G ²³
(483GB472M); W/S		LFF8472 ¹²	57GC2206		LP2273			LH4591G ²²
485GB3191B	Oil	LFP3191 ⁷³⁸	57GC2231		LP3964	<i>CTP713, CTP713B (w/MP7 Engine)</i>		
485GB3219D		LP2232	(17237); Optional Eaton 3.7" O.D.	Trans	LP3985	57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}
57GC2187		LP2273	<i>CM400 (w/E5 Engine)</i>			57-MD-48M		LAF8691 ⁸³¹
57GC2231		LP3985	2191P138427	Air	LAF3705	20539991	Coolant	LFW5141 ²⁸
<i>CL713 (w/Mack E7 E Tech Engine)</i>			57-MD-27		LAF959	(301SD19C); Davco (382114); Davco (382114); Davco (20539578); W/S (20539582); Sec.	Fuel	L3578FN ^{741, 838}
57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}	(483GB441); Sec.	Coolant	LFW4860 ²⁰⁵	20539275	Oil	LFP3236
57-MD-48M		LAF8691 ⁸³¹	(483GB444); Pri.	Fuel	LFP218F	20552379		LFP3236TRT ³
(301SD19C); Davco opt.	Fuel	L3578FN	485GB3191C	Oil	LFP219F	(17237); Optional Eaton 3.7" O.D. (29539579); Allison 1000/2000 (29540494); Allison 3000/3500	Trans	HP1
(483GB470M); Pri.		LFF4470	<i>CM400 Baby (w/Cummins 6CTA8.3L Engine)</i>					LH4582G ²⁴
(483GB471M); Sec.		LFF4471	(57-MD-45M); w/Cummins 8.3L eng.; 400 Baby 8	Air	LAF1892			
(483GB472M); W/S		LFF8472		Coolant	LFW4071 ^{28, 205}			
	Oil	LFP3191TRT ³	Pri.	Fuel	LFF3417			
20539275		LFP3191XL ¹⁴	Sec.	Fuel	LFF3521			
		LFP3236		Oil	LFP734			
		LFP3236TRT ³	<i>CS Series</i>					
485GB3219D		LP2232	(483GB444); Pri.	Fuel	LFP219F			
57GC2187		LP2273	(FA1519); 387mm	Air	LAF1716 ²			
583984148A	Power Steering	LP5005 ⁴⁵⁸	2191P138427		LAF3705 ³⁵⁰			
(17237); Optional Eaton/Fuller	Trans	HP1	57-MD-27		LAF959			
		LFW4860 ²⁸	(483GB441); Sec.	Fuel	LFP218F			
<i>CL713 (w/Mack E9 Engine)</i>			485GB3191C	Oil	LFP3191			
57MD42M	Air	LAF695			LFP3191TRT ³			
25MF436B	Coolant	LFW4422 ⁴⁹⁴			LFP3191XL ¹⁴			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 32-Remote mounted 65-By-Pass 205-Maintenance 249-No chemical 250-11.9" Hgt. 350-Metal End Cap 458-4.1" Hgt. 494-Contains 4 oz. of chemical 599-High capacity 625-Standard filter 686-Standard service 720-Value Version 736-2004-on 738-To 2004 741-Extended life version [L3578FXL], High Efficiency version [L5467F]. 831-Except 2MD515M Housing 832-2004-up 833-Used in Mack 2MD515M housing 834-effective 10/28/02 835-Without recessed closed end 838-Remoted Mounted 839-4.13" Hgt. 847-with 2MD515M Housing 856-By-Pass before 11/11/03 857-By-Pass after 11/11/03 1539-Except 2017 emission engines

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)		
<i>CTP713, CTP713B (w/MP7 Engine) (cont'd)</i>			<i>CV713 (w/Mack AMI Aset Engine)</i>			<i>CX612 (w/Mack E7 E-Tech Engine) (cont'd)</i>		
(29540493); Allison 3000/3500	Trans	LH4589G ²³	57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}	(483GB471M); Sec.	Fuel	LFF4471
(29545776); Allison 3000/4000		LH4591G ²²				17237	Oil	HP1
<i>CV513 (w/Mack AMI 300 Aset Engine)</i>						20539275		LFP3236 LFP3236TRT ³
57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}	57-MD-48M		LAF8691 ^{2, 834, 840}	57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}
			25MF435B	Coolant	LFW4860 ²⁸			
57-MD-48M		LAF8691 ^{2, 834, 840}	301SD19C	Fuel	L3578FN	57-MD-48M		LAF8691 ⁸³¹
	Coolant	LFW4860 ²⁸	(483GB476M); Sec.		LFF3476	(483GB476M); Sec.	Fuel	LFF3476
301SD19C	Fuel	L3578FN	(483GB470M); Pri.		LFF4470	(483GB470M); Pri.		LFF4470
(483GB476M); Sec.		LFF3476	(483GB471M); Sec.		LFF4471	(483GB471M); Sec.		LFF4471
(483GB470M); Pri.		LFF4470	(483GB472M); W/S		LFF8472	(483GB472M); W/S		LFF8472
(483GB471M); Sec.	Oil	LFP3191XL ¹⁴	Brake Dryer	Miscellaneous	LFP8654	Brake Dryer	Miscellaneous	LFP8654
		LFP3236					Oil	LFP3191XL ¹⁴
20539275		LFP3236TRT ³				20539275		LFP3236
	Power Steering	LH4101 ³¹¹	5839 870678A		LH9394 ⁸³⁹	57GC2206		LFP3236TRT ³
		LH9394 ⁸³⁹	583984148A		LP5005 ⁴⁵⁸	20552379		LP3964 ⁸⁵⁶
5839 870678A		LP5005 ⁴⁵⁸	(29540496); Allison 3000/4000	Trans	LH4582G ²⁴	(583984365A); 3.5 inch O.D.	Power Steering	LP487
583984148A		LH4591G ²²	(29545776); Allison 3000/4000		LH4591G ²²	583984148A		LP5005 ⁴⁵⁸
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	<i>CX612 (w/Mack AC Aset Engine)</i>			(17237); Optional Eaton 3.7" O.D.	Trans	HP1
(29540496); Allison 3000/4000		LH4582G ²⁴	57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}	<i>CXN602 (w/Mack AC 310 Aset Engine)</i>		
(29545776); Allison 3000/4000		LH4591G ²²				57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}
<i>CV712 (w/Mack AMI Aset Engine)</i>								
57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}	57-MD-48M		LAF8691 ⁸³¹			
			(483GB476M); Sec.	Fuel	LFF3476			
57-MD-48M		LAF8691 ^{2, 834, 840}	(483GB470M); Pri.		LFF4470	(483GB470M); Pri.	Fuel	LFF4470
	Coolant	LFW4860 ²⁸	(483GB471M); Sec.		LFF4471	(483GB471M); Sec.		LFF4471
301SD19C	Fuel	L3578FN	(483GB472M); W/S		LFF8472	(483GB472M); W/S		LFF8472
(483GB476M); Sec.		LFF3476	Brake Dryer	Miscellaneous	LFP8654	Brake Dryer	Miscellaneous	LFP8654
(483GB470M); Pri.		LFF4470					Oil	HP1
(483GB471M); Sec.	Oil	LFP3191XL ¹⁴				17237		HP1
		LFP3236	20539275		LFP3236	20539275		LFP3236
20539275		LFP3236TRT ³	57GC2206		LFP3236TRT ³	57GC2206		LFP3236TRT ³
	Power Steering	HP1	20552379		LP3964 ⁸⁵⁶	20552379		LP3964
		LH4101 ³¹¹	(583984365A); 3.5 inch O.D.	Power Steering	LP487	(583984365A); 3.5 inch O.D.	Power Steering	LP487
5839 870678A		LH9394 ⁸³⁹	583984148A		LP5005 ⁴⁵⁸			
583984148A		LP5005 ⁴⁵⁸	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	<i>CXN602 (w/Mack AC 330 Aset Engine)</i>		
(29540496); Allison 3000/4000	Trans	LH4582G ²⁴	<i>CX612 (w/Mack E7 E-Tech Engine)</i>			57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}
(29545776); Allison 3000/4000		LH4591G ²²	57MD320M	Air	LAF5114MXM ^{14, 686, 720, 833, 834, 847}			
						(483GB470M); Pri.	Fuel	LFF4470
			25MF435B	Coolant	LFW4860 ²⁸	(483GB471M); Sec.		LFF4471
			(483GB476M); Sec.	Fuel	LFF3476	(483GB472M); W/S		LFF8472
						17237	Oil	HP1
						20539275		LFP3236
								LFP3236TRT ³

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump
 28-Contains 1 oz. of chemical 249-No chemical 311-2.73" Hgt. 458-4.1" Hgt. 686-Standard service 720-Value Version 831-Except 2MD515M Housing
 833-Used in Mack 2MD515M housing 834-effective 10/28/02 839-4.13" Hgt. 840-Except in Mack 2MD515M housing 842-11/11/03- 847-with 2MD515M Housing
 856-By-Pass before 11/11/03 857-By-Pass after 11/11/03

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)		
<i>CXN602 (w/Mack AC 330 Aset Engine) (cont'd)</i>			<i>CXN602 (w/Mack AC Aset Engine) (cont'd)</i>			<i>CXN612 (w/Mack AMI Aset Engine)</i>		
57GC2206	Oil	LP3964	(483GB472M); W/S	Fuel	LFF8472	57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}
20552379		LP3985	Brake Dryer	Miscellaneous	LFP8654			
(583984365A); 3.5 inch O.D.	Power Steering	LP487	20539275	Oil	LFP3191XL ¹⁴			
<i>CXN602 (w/Mack AC 350 Aset Engine)</i>					LFP3236	57-MD-48M		LAF8691 ⁸³¹
57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}	57GC2206		LFP3236TRT ³	(483GB470M); Pri.	Fuel	LFF4470
			20552379		LP3964 ⁸⁵⁶	(483GB471M); Sec.		LFF4471
			(583984365A); 3.5 inch O.D.	Power Steering	LP3985 ⁸⁵⁷	(483GB472M); W/S		LFF8472
	Coolant	LFW4860 ²⁸	583984148A		LP5005 ⁴⁵⁸		Oil	LFP3191XL ¹⁴
483GB477M	Fuel	LFF3477 ⁷⁶³	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	20539275		LFP3236
(483GB471M); Sec.		LFF4470	<i>CXN603 (w/Mack AC Aset Engine)</i>			57GC2206		LFP3236TRT ³
(483GB472M); W/S		LFF4471	57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}	20552379		LP3964 ⁸⁵⁶
17237	Oil	LFF8472			LAF8691 ⁸³¹	(583984365A); 3.5 inch O.D.	Power Steering	LP3985 ⁸⁵⁷
20539275		HP1	57-MD-48M			583984148A		LP487
		LFP3236	(483GB470M); Pri.	Fuel	LFF4470	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
		LFP3236TRT ³	(483GB471M); Sec.		LFF4471	<i>CXN613 (w/Mack AC Aset Engine)</i>		
		LP3964 ⁸⁵⁶	(483GB472M); W/S		LFF8472	57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}
		LP3985	Brake Dryer	Miscellaneous	LFP8654			
(583984365A); 3.5 inch O.D.	Power Steering	LP487		Oil	LFP3191XL ¹⁴	57-MD-48M		LAF8691 ⁸³¹
<i>CXN602 (w/Mack AC 350 Engine)</i>			20539275		LFP3236	(483GB470M); Pri.	Fuel	LFF4470
57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}	57GC2206		LFP3236TRT ³	(483GB471M); Sec.		LFF4471
			20552379		LP3964 ⁸⁵⁶	(483GB472M); W/S	Oil	LFP3191XL ¹⁴
			(583984365A); 3.5 inch O.D.	Power Steering	LP3985 ⁸⁵⁷			LFP3236
			583984148A		LP5005 ⁴⁵⁸	20539275		LFP3236TRT ³
			(17237); Optional Eaton 3.7" O.D.	Trans	HP1	57GC2206		LP3964 ⁸⁵⁶
<i>CXN602 (w/Mack AC 400 Aset Engine)</i>			<i>CXN612 (w/Mack AC Aset Engine)</i>			20552379		LP3985 ⁸⁵⁷
57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}	57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}	(583984365A); 3.5 inch O.D.	Power Steering	LP487
					LAF8691 ⁸³¹	583984148A		LP5005 ⁴⁵⁸
			57-MD-48M			(17237); Optional Eaton 3.7" O.D.	Trans	HP1
483GB477M	Fuel	LFF3477 ⁷⁶³	(483GB470M); Pri.	Fuel	LFF4470	<i>CXN613 (w/Mack AMI Aset Engine)</i>		
(483GB471M); Sec.		LFF4470	(483GB471M); Sec.		LFF4471	57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}
(483GB472M); W/S		LFF4471	(483GB472M); W/S		LFF8472			
17237	Oil	LFF8472	20539275		LFP3191XL ¹⁴	57-MD-48M		LAF8691 ⁸³¹
20539275		HP1	57GC2206		LFP3236	(483GB470M); Pri.	Fuel	LFF4470
		LFP3236	20552379		LFP3236TRT ³	(483GB471M); Sec.		LFF4471
		LFP3236TRT ³	(583984365A); 3.5 inch O.D.	Power Steering	LP3964 ⁸⁵⁶	(483GB472M); W/S	Oil	LFP3191XL ¹⁴
		LP3964 ⁸⁵⁶	583984148A		LP3985 ⁸⁵⁷			LFP3236
		LP3985 ⁸⁵⁷	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	20539275		LFP3236TRT ³
(583984365A); 3.5 inch O.D.	Power Steering	LP487	<i>CXN602 (w/Mack AC Aset Engine)</i>			57GC2206		LP3964 ⁸⁵⁶
<i>CXN602 (w/Mack AC Aset Engine)</i>			57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}	20552379		LP3985 ⁸⁵⁷
57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}			LAF8691 ⁸³¹	(483GB470M); Pri.	Fuel	LFF4470
			57-MD-48M			(483GB471M); Sec.		LFF4471
			(483GB472M); W/S			(483GB472M); W/S	Oil	LFF8472
			20539275					LFP3191XL ¹⁴
			57GC2206			20539275		LFP3236
			20552379			57GC2206		LFP3236TRT ³
			(583984365A); 3.5 inch O.D.	Power Steering		20552379		LP3964 ⁸⁵⁶
			583984148A					LP3985 ⁸⁵⁷
			(17237); Optional Eaton 3.7" O.D.	Trans				

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 28-Contains 1 oz. of chemical 458-4.1" Hgt. 686-Standard service 720-Value Version
 763-w Drain 831-Except 2MD515M Housing 833-Used in Mack 2MD515M housing 834-effective 10/28/02 847-with 2MD515M Housing 856-By-Pass before
 11/11/03 857-By-Pass after 11/11/03

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)		
<i>CXN613 (w/Mack AMI Aset Engine) (cont'd)</i>			<i>CXU613 Pinnacle (w/MP8 Engine)</i>			<i>DM607, DM611, DM612 (w/ETAZ673A Engine)</i>		
(583984365A); 3.5 inch O.D. 583984148A	Power Steering	LP487 LP5005 ⁴⁵⁸	57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}	57MD21A 57MD31A 57MD26 57MD24 (483GB219); Pri.	Air	LAF7752 ¹ LAF7757 ² LAF7797 ² LAF8955 LFP219F
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	57-MD-48M		LAF8691 ⁸³¹	485GB3191C 5001846642	Fuel	LFP219F LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
<i>CXP612 (w/Mack MP7 Engine)</i>			<i>20539991</i>			<i>DM685, DM686 (w/Mack Engine)</i>		
57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}	20575545	Coolant	LFW5141 ²⁸ LFW5141XL ^{14, 249} LFW6501 ⁵⁵⁵		Coolant	LFW4860 ²⁸
57-MD-48M		LAF8691 ⁸³¹	(301SD19C); Davco opt. FS19763 (20863191); W/S (20972295); Sec.	Fuel	L3578FN ²⁶⁶ L9763FXL ^{14, 648} LFF3358 ⁸⁴³ LFF8059 ¹⁵³⁹	483GB219	Fuel	LFP219F
(301SD19C); Davco 380 W/S (20539582); Sec.	Coolant	LFW5141 ²⁸	Brake Dryer	Miscellaneous	LFP8654	2MD455-AP2 2-MD-491 57-MD-33	Air	LAF1246 ² LAF6860 LAF6918 LAF6918D LAF7752 ¹ LAF7757 ² LAF7797 ² LAF8955 LAF9909
20539275	Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LP3985 ⁶⁵	20539275 (20843764); By-Pass	Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LFP8642	57MD21A 57MD31A 57MD26 57-MD-24 57-MD-32 485GB3191C	Oil	LFP3191 LFP3191TRT ³
20552379	Power Steering	LH4101 ³¹¹	(17237); Optional Eaton 3.7" O.D. (29540494); Allison 3000/4000 (29540493); Allison (29545776); Allison 3000/4000 (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835	<i>DM690 (w/Aset Engine)</i>		
<i>CXU613 Pinnacle (w/MP7 Engine)</i>			<i>D20, D30 (w/EN291 Engine)</i>			<i>DM690 (w/EM7 E Tech Engine)</i>		
57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}	2-MD-396	Air	LAF241HD	57MD317	Air	LAF4618
57-MD-48M		LAF8691 ⁸³¹	237GB13	Fuel	L91F	25MF314	Coolant	LFW4860 ²⁸ LFW4860XL ^{14, 249}
20539991	Coolant	LFW5141 ²⁸ LFW5141XL ^{14, 249} LFW6501 ⁵⁵⁵	236GB33	Oil	LP32	(483GB477M); Opt. (483GB470M); Pri. (483GB471M); Sec. (483GB472M); W/S	Fuel	LFF3477 ⁷⁶³ LFF4470 LFF4471 LFF8472 ¹²
20575545		LFW6501 ⁵⁵⁵	<i>DM600S/SX, DM600X, DM6006S (w/Mack EM6 Engine)</i>			20539275	Oil	LFP3236 LFP3236TRT ³
(301SD19C); Davco opt. FS19763	Fuel	L3578FN ²⁶⁶ L9763FXL ^{14, 648, 844} LFF3358 ⁸⁴³ LFF8059 ¹⁵³⁹	<i>D20, D30 (w/EN331 Engine)</i>			583984148A	Power Steering	LP5005 ⁴⁵⁸
(20863191); W/S (20972295); Sec.		LFF3358 ⁸⁴³ LFF8059 ¹⁵³⁹	2-MD-396	Air	LAF241HD	(29540496); Allison 3000/4000 29540493 (29545776); Allison 3000/4000 (3076240022); Opt. (3076240022); Opt.	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH400 ^{275, 845} PH8A ^{845, 1496}
Brake Dryer	Miscellaneous	LFP8654	237GB13	Fuel	L91F	<i>DM690 (w/EM7 E Tech Engine)</i>		
20539275	Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LFP8642	236GB33	Oil	LP32	57MD317	Air	LAF4618
(20843764); By-Pass 583987904M	Power Steering	LH4101 ³¹¹	<i>DM607, DM611, DM612 (w/END673E Engine)</i>			25MF314	Coolant	LFW4860 ²⁸ LFW4860XL ^{14, 249}
(17237); Optional Eaton 3.7" O.D. (29540494); Allison 3000/4000 (29540493); Allison (29545776); Allison 3000/4000 (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835	57GC2134A			(483GB477M); Opt. (483GB470M); Pri. (483GB471M); Sec. (483GB472M); W/S	Fuel	LFF3477 ⁷⁶³ LFF4470 LFF4471 LFF8472 ¹²
			57MD21A	Air	LAF7752 ¹	20539275	Oil	LFP3236 LFP3236TRT ³
			57MD31A		LAF7757 ²	583984148A	Power Steering	LP5005 ⁴⁵⁸
			57MD26		LAF7797 ²	(29540496); Allison 3000/4000	Trans	LH4582G ²⁴
			57MD24		LAF8955	29540493		LH4589G ²³
			(483GB219); Pri.	Fuel	LFP219F			
			485GB3191C	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴			
			5001846642					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 65-By-Pass 249-No chemical 266-3.75" O.D. 275-Primary 311-2.73" Hgt. 458-4.1" Hgt. 494-Contains 4 oz. of chemical 555-Extended Life w/ controlled release chemical 648-w/ Davco option 686-Standard service 720-Value Version 763-w/ Drain 831-Except 2MD515M Housing 833-Used in Mack 2MD515M housing 834-effective 10/28/02 843-10/22/07-on 844-4.2" O.D. 845-Eaton/Fuller 847-with 2MD515M Housing 1496-Alternate 1539-Except 2017 emission engines

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)		
<i>DM690 (w/EM7 E Tech Engine) (cont'd)</i>			<i>F Series (cont'd)</i>			<i>FS Series (cont'd)</i>		
(29545776); Allison 3000/4000 (3076240022); Opt. (3076240022); Opt.	Trans	LH4591G ²² PH400 ^{275, 845} PH8A ^{845, 1496}	57MD31A 57MD26 485GB3191C	Air Oil	LAF7757 LAF7797 ² LFP3191 ¹⁵ LFP3191TRT ³		Air	LAF3551MXM ²⁶⁸
<i>DM800 (w/EM6 or EM7 Engine)</i>			<i>F700 (w/Cummins Engine)</i>			<i>Granite CV513 (w/Cummins ISL Engine)</i>		
57-MD-35 25MF435 25MF435 (483GB433B); W/S W/S (483GB441); Sec. 483GB219 (483GB440); Sec. 485GB3191C	Air Coolant Coolant Fuel Fuel Oil	LAF6880 LFW4422 ⁴⁹⁴ LFW4860 ²⁸ LFF8040 LFF9005 LFP218F LFP219F LFP431F LFP3191		Coolant Fuel Fuel Oil	LFW4071 ²⁸ LFF5 LFF5D LFF8020 LFP670	(R950011); Brake Dryer 3318853 5839870678A (17237); Optional Eaton 3.7" O.D.	Miscellaneous Oil Power Steering Trans	LFP8654 LFP3000 LFP3000XL ¹⁴ LH9394 ⁸³⁹ HP1
<i>DM811, DM812 (w/ET673 Engine)</i>			<i>FL700 (w/Cummins Engine)</i>			<i>Granite Series (w/Aset Engine)</i>		
(483GB441); Sec. 25MF435B 57MD21A 57MD31A 57MD26 (483GB219); Pri. 485GB3191C	Coolant Coolant Coolant Air Air Fuel Oil	LFW4860 ²⁸ LFP218F LFW4860 ²⁸ LFW4860 ²⁸ LAF7752 ¹ LAF7757 ² LAF7797 ² LFP219F LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	P153551	Air	LAF3551 LAF3551MXM ²⁶⁸	57MD320M 57-MD-48M 25MP435B (483GB476M); Sec. (483GB477M); Opt. (483GB470M); Pri. (483GB471M); Sec. 485GB3191C 485GB3232	Air Coolant Fuel Oil	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847} LAF8691 ⁸³¹ LFW4860 ²⁸ LFF3476 LFF3477 ⁷⁶³ LFF4470 LFF4471 LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
<i>DM811, DM812 (w/ETAZ673 Engine)</i>			<i>Freedom (w/E3-210 Engine)</i>			<i>Freedom L (w/Renault E3 Engine)</i>		
(483GB441); Sec. 57MD21A 57MD31A 57MD26 (483GB219); Pri. 485GB3191C	Coolant Fuel Air Air Fuel Oil	LFW4860 ²⁸ LFP218F LAF7752 ¹ LAF7757 ² LAF7797 ² LFP219F LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	5000133551 (483GB441); Sec. (483GB219); Pri. 485GB3191C 485GB3191B	Coolant Fuel Oil	LFW4860 ²⁸ LFW4860XL ^{14, 249} LFP218F LFP219F LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
<i>DM895, DM897 (w/ENDT865 Engine)</i>			<i>Freedom M, MV (w/Renault E3 Engine)</i>			<i>Granite Series (w/Cummins ISC Engine)</i>		
57MD33 (483GB441); Sec. 483GB219 485GB3191C	Air Coolant Fuel Fuel Oil	LAF6918 LFW4860 ²⁸ LFP218F LFP219F LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	5000133551 (483GB441); Sec. (483GB219); Pri. 485GB3191C 485GB3191B	Coolant Fuel Oil	LFW4860 ²⁸ LFW4860XL ^{14, 249} LFP218F LFP219F LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
<i>DMM600 S/EX-Series (w/Mack AMI300 Engine)</i>			<i>Freedom XL, XXL (w/Renault E3 Engine)</i>			<i>Granite Series (w/Cummins ISL Engine)</i>		
(483GB470M); Pri. (483GB471M); Sec. (483GB472M); W/S 20539275 (57GC2231); S/N 3V0313-up, 11/11/03	Fuel Fuel Oil	LFF4470 LFF4471 LFF8472 LFP3236 LP3985 ⁸⁵⁷	5000133551 (483GB441); Sec. (483GB219); Pri. 485GB3191C 485GB3191B	Coolant Fuel Oil	LFW4860 ²⁸ LFW4860XL ^{14, 249} LFP218F LFP219F LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
<i>F Series</i>			<i>FS Series</i>			<i>Granite Series (w/Cummins ISL Engine)</i>		
57-MD-33 (57MD21A); Dual Filter Hsg.	Air	LAF6918 LAF6918D LAF7752	P153551	Air	LAF3551	57-MD-48M (483GB476M); Sec. (483GB477M); Opt. (483GB470M); Pri. (483GB471M); Sec. 485GB3191C	Air Coolant Fuel Oil	LAF8691 ⁸³¹ LFW4860 ²⁸ LFF3476 LFF3477 ⁷⁶³ LFF4470 LFF4471 LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
<i>FS Series</i>			<i>FS Series</i>			<i>Granite Series (w/Cummins ISL Engine)</i>		
						(17237); Optional Eaton 3.7" O.D.	Trans	HP1

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 15-Standard 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 249-No chemical 268-Extended/Severe service 275-Primary 494-Contains 4 oz. of chemical 686-Standard service 720-Value Version 763-w/ Drain 831-Except 2MD515M Housing 833-Used in Mack 2MD515M housing 834-effective 10/28/02 839-4.13" Hgt. 845-Eaton/Fuller 847-with 2MD515M Housing 857-By-Pass after 11/11/03 1496-Alternate

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)		
<i>Granite Series (w/Cummins ISL Engine) (cont'd)</i>			<i>Granite Series (w/Mack MP7)</i>			<i>GU713 Granite (w/MP8 Engine)</i>		
(29540496); Allison 3000/4000 29540493 (29545776); Allison 3000/4000	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²	57-MD-48M (301SD19C); Opt. W/S (20539582); Sec. 485GB3191C	Air Fuel Oil	LAF8691 ⁸³¹ L3578FN LFF3358 LFF8059 ¹⁵³⁹ LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP2273	57MD320M	Air	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847}
<i>Granite Series (w/Cummins ISL9 Engine)</i>			<i>GU712 Granite (w/Mack MP7 Engine)</i>			<i>GU713 Granite (w/MP8 Engine)</i>		
57-MD-48M FS19764 (4934879); W/S (4940647); Sec. 3318853	Air Fuel Oil	LAF8691 ⁸³¹ L9763FXL ^{14, 648} LFF1065 ²¹⁰ LFF5488 LFP3000 LFP3000XL ¹⁴ PH2835	57GC2187 (17237); Eaton/Fuller 57MD320M 57-MD-48M 20458769 (20539578); W/S (20539582); Sec. 20539275 (20843764); By-Pass (17237); Optional Eaton 3.7" O.D. (29540494); Allison 3000/4000 (29540493); Allison (29545776); Allison 3000/4000 (4304837); Eaton/Fuller 3" O.D.	Trans Coolant Fuel Oil Trans	HP1 LAF5114MXM ^{14, 686, 720, 847} LAF8691 ⁸³¹ LFW5875 ⁸⁴⁶ LFF3358 LFF8059 ¹⁵³⁹ LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LFP8642 HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835	57MD320M 57MD42M 57MD320 57-MD-48M 20539991 (21017305); W/S (20972295); Sec. Brake Dryer 20539275 (20843764); By-Pass (17237); Optional Eaton 3.7" O.D. (29540494); Allison 3000/4000 (29540493); Allison (29545776); Allison 3000/4000 (4304837); Eaton/Fuller 3" O.D.	Air Coolant Fuel Miscellaneous Oil Trans	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847} LAF8691 ⁸³¹ LAF8690 ¹ LAF8691 ⁸³¹ LFF3358 LFF8059 ¹⁵³⁹ LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LFP8642 HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835
<i>Granite Series (w/Mack AMI300 Engine)</i>			<i>GU713 Granite (w/MP7 Engine)</i>			<i>GU714 (w/Mack MP7 Engine)</i>		
57MD320M 57-MD-48M 25MF435 (483GB476M); Sec. 483GB477M (483GB470M); Pri. (483GB471M); Sec. (483GB472M); W/S 20539275 57GC2206 57GC2231 583987904M 583984148A (29540494); Allison 3000/4000 (29545776); Allison 3000/4000	Air Coolant Fuel Oil Power Steering Trans	LAF5114MXM ^{2, 14, 686, 720, 833, 834, 847} LAF8691 ⁸³¹ LFW4860 ²⁸ LFF3476 LFF3477 ⁷⁶³ LFF4470 LFF4471 LFF8472 LFP3236 LFP3236TRT ³ LP3964 ⁸⁵⁶ LP3985 ⁸⁵⁷ LH4101 ³¹¹ LP5005 ⁴⁵⁸ LH4582G ²⁴ LH4591G ²²	57MD320M 57MD42M 57MD320 57-MD-48M 20539991 (21017305); W/S (20972295); Sec. Brake Dryer 20539275 (20843764); By-Pass (17237); Optional Eaton 3.7" O.D. (29540494); Allison 3000/4000 (29540493); Allison (29545776); Allison 3000/4000 (4304837); Eaton/Fuller 3" O.D.	Air Coolant Fuel Oil Trans Miscellaneous Oil Trans	LAF5114MXM ^{14, 686, 720, 847} LAF695 ¹⁵ LAF8690 ¹ LAF8691 ⁸³¹ LFW5141 ²⁸ LFF3358 LFF8059 ¹⁵³⁹ LFP8654 LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LFP8642 HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835	57MD320M 57-MD-48M W/S (20539582); Sec. Brake Dryer 20539275 By-Pass (17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/4000 Allison (29545776); Allison 3000/4000 Eaton/Fuller 3" O.D.	Air Coolant Fuel Miscellaneous Oil Trans	LAF5114MXM ^{14, 686, 720, 847} LAF8691 ⁸³¹ LFW5141 ²⁸ LFF3358 LFF8059 ¹⁵³⁹ LFP8654 LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LFP8642 HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835
<i>Granite Series (w/Mack E7 E Tech Engine)</i>			<i>GU713 Granite (w/MP7 Engine)</i>			<i>GU812 (w/Mack MP7 Engine)</i>		
57-MD-48M (301SD19C); Opt. FS19763 W/S (483GB470M); Pri. (483GB471M); Sec. Sec. 485GB3191C 485GB3232 57-GC-2187 (17237); Eaton/Fuller (4304827); Eaton/Fuller 3" O.D.	Air Fuel Oil Trans	LAF8691 ⁸³¹ L3578FN L9763FXL ^{14, 648} LFF1065 ²¹⁰ LFF4470 LFF4471 LFF5488 LFP3000 LFP3000XL ¹⁴ LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP2273 HP1 PH2835	57MD320M 57MD42M 57MD320 57-MD-48M 20539991 (21017305); W/S (20972295); Sec. Brake Dryer 20539275 (20843764); By-Pass (17237); Optional Eaton 3.7" O.D. (29540494); Allison 3000/4000 (29540493); Allison (29545776); Allison 3000/4000 (4304837); Eaton/Fuller 3" O.D.	Air Coolant Fuel Miscellaneous Oil Trans	LAF5114MXM ^{14, 686, 720, 847} LAF695 ¹⁵ LAF8690 ¹ LAF8691 ⁸³¹ LFW5141 ²⁸ LFF3358 LFF8059 ¹⁵³⁹ LFP8654 LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LFP8642 HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835	57MD320M 57-MD-48M 20539991 (301SD19C); Davco opt. (21017305); W/S	Air Coolant Fuel	LAF5114MXM ^{14, 686, 720, 847} LAF8691 ⁸³¹ LFW5141 ²⁸ LFW5141XL ^{14, 249} LFW6501 ⁵⁵⁵ L3578FN LFF3358

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 15-Standard 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 210-w/ Sensor 249-No chemical 311-2.73" Hgt. 458-4.1" Hgt. 555-Extended Life w/ controlled release chemical 648-w/ Davco option 686-Standard service 720-Value Version 763-w/ Drain 831-Except 2MD515M Housing 833-Used in Mack 2MD515M housing 834-effective 10/28/02 846-Contains 3 oz. chemical 847-with 2MD515M Housing 856-By-Pass before 11/11/03 857-By-Pass after 11/11/03 1539-Except 2017 emission engines

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)		
<i>GU812 (w/Mack MP7 Engine) (cont'd)</i>			<i>GU813 , GU814 (Granite) (w/MP7 Engine) (cont'd)</i>			<i>HMM Series (cont'd)</i>		
(20539582); Sec.	Fuel	LFF8059 ¹⁵³⁹	(301SD19C); Davco opt.	Fuel	L3578FN	57MD31A	Air	LAF7757
(R950011); Brake Dryer	Miscellaneous	LFP8654	(21017305); W/S (20972295); Sec.	Miscellaneous	LFF3358 LFF8059 ¹⁵³⁹ LFP8654	57MD26 57-MD-24 57-MD-32		LAF7797 ² LAF8955 LAF9909
20539275	Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LFP8642 LP3985 ⁶⁵	(R950011); Brake Dryer	Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LFP8642 LP3985 ⁶⁵	(483GB219); Pri. 485GB3191C	Fuel	LFP219F
(20843764); By-Pass 236GB42M			20539275			20539275	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3236 LFP3236TRT ³
5839 870678A	Power Steering	LH9394 ⁸³⁹	(20843764); By-Pass 236GB42M	Power Steering	LH9394 ⁸³⁹	<i>LE Series (w/EM7275 E Tech Engine)</i>		
(17237); Optional Eaton 3.7" O.D.	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835	5839 870678A	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835	57MD24	Air	LAF8955
(29540494); Allison 3000/4000			(17237); Optional Eaton 3.7" O.D.			25MF435	Coolant	LFW4860 ²⁸
(29540493); Allison (29545776); Allison 3000/4000			(29540494); Allison 3000/4000			(483GB219); Pri.	Fuel	LFP219F
(4304837); Eaton/Fuller 3" O.D.			(29540493); Allison (29545776); Allison 3000/4000			485GB3191C	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP2232
<i>GU812 (w/Mack MP8 Engine)</i>			<i>GU813 , GU814 (Granite) (w/MP8 Engine)</i>			<i>LE600 (w/Mack AI Aset Engine)</i>		
57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}	57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}		Air	LAF1787 ⁸⁴⁸ LAF6918 ⁷³²
57-MD-48M		LAF8691 ⁸³¹	57-MD-48M		LAF8691 ⁸³¹	(382114); Davco opt.	Fuel	L5467F LFF4470 LFF4471 LFF8472 ¹²
20539991	Coolant	LFW5141 ²⁸ LFW5141XL ^{14, 249} LFW6501 ⁵⁵⁵	20539991	Coolant	LFW5141 ²⁸ LFW5141XL ^{14, 249} LFW6501 ⁵⁵⁵	(483GB470M); Pri. (483GB471M); Sec. (483GB472M); W/S	Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LP3985 ⁸⁵⁷
(301SD19C); Davco opt.	Fuel	L3578FN LFF3358 LFF8059 ¹⁵³⁹ LFP8654	(301SD19C); Davco opt.	Fuel	L3578FN LFF3358 LFF8059 ¹⁵³⁹ LFP8654	20539275	Power Steering	LP5005 ⁴⁵⁸
(21017305); W/S (20972295); Sec.	Miscellaneous		(21017305); W/S (20972295); Sec.	Miscellaneous		236GB42M	Trans	LH4582G ²⁴ LH4591G ²²
(R950011); Brake Dryer	Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LFP8642 LP3985 ⁶⁵	(R950011); Brake Dryer	Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LFP8642 LP3985 ⁶⁵	583984148A		
20539275			20539275			(29540496); Allison 3000/4000		
(20843764); By-Pass 236GB42M	Power Steering	LH9394 ⁸³⁹	(20843764); By-Pass 236GB42M	Power Steering	LH9394 ⁸³⁹	(29545776); Allison 3000/4000		
5839 870678A	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835	5839 870678A	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835	<i>LE600 (w/Mack AMI Aset Engine)</i>		
(17237); Optional Eaton 3.7" O.D.			(17237); Optional Eaton 3.7" O.D.				Air	LAF1787 ⁸⁴⁸ LAF6918 ⁷³²
(29540494); Allison 3000/4000			(29540494); Allison 3000/4000			(382114); Davco opt.	Coolant	LFW4860 ²⁸
(29540493); Allison (29545776); Allison 3000/4000			(29540493); Allison (29545776); Allison 3000/4000			(483GB470M); Pri. (483GB471M); Sec.	Fuel	L5467F LFF4470 LFF4471
(4304837); Eaton/Fuller 3" O.D.			(29540493); Allison (29545776); Allison 3000/4000			20539275	Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LP3985 ⁸⁵⁷
<i>GU813 , GU814 (Granite) (w/MP7 Engine)</i>			<i>HMM Series</i>			<i>LE600 (w/Mack E7 E Tech Engine)</i>		
57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}	2MD455-AP2	Air	LAF1246 ²		Air	LAF6918
57-MD-48M		LAF8691 ⁸³¹	57-MD-33		LAF6918 LAF6918D LAF7752	(483GB470M); Pri. (483GB471M); Sec. (483GB472M); W/S	Coolant	LFW4860 ²⁸
20539991	Coolant	LFW5141 ²⁸ LFW5141XL ^{14, 249} LFW6501 ⁵⁵⁵	(57MD21A); Dual Filter Hsg.			485GB3191C	Fuel	LFF4470 LFF4471 LFF8472 ¹² LFP3191

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 15-Standard 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 65-By-Pass 249-No chemical 458-4.1" Hgt. 555-Extended Life w/ controlled release chemical 686-Standard service 720-Value Version 732-23" Tall 831-Except 2MD515M Housing 839-4.13" Hgt. 847-with 2MD515M Housing 848-20 1/2" Height 857-By-Pass after 11/11/03 1539-Except 2017 emission engines

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)		
<i>LE600 (w/Mack E7 E Tech Engine) (cont'd)</i>			<i>MH602, MH603 (w/Mack E6 Engine) (cont'd)</i>			<i>MR600-S/P Series (w/Mack E7 E Tech Engine) (cont'd)</i>		
57GC2134A	Oil	LFP3191TRT ³ LFP3191XL ¹⁴ LP2232 LP2273	57GC2134A	Oil	LFP3191XL ¹⁴ LP2232	(483GB471M); Sec.	Fuel	LFF4471 LFF4472
57GC2187			<i>MH602, MH603 (w/Mack EM6 Engine)</i>			485GB3191C	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP2232 LP2273
583984148A	Power Steering	LP5005 ⁴⁵⁸	57MD44M	Air	LAF4738			
(29540496); Allison 3000/4000				Coolant	LFW4422 ⁴⁹⁴			
29540493	Trans	LH4582G ²⁴	(483GB219); Pri. Sec.	Fuel	LFP219F LFP431F	57GC2134A		
(29545776); Allison 3000/4000			485GB3191C	Oil	LFP3191 ⁸⁵⁰ LP2232 ⁸⁵¹	57GC2187		
<i>MB Series</i>			<i>Midliner (w/Renault Engine)</i>			<i>MR688P (w/Mack AI Aset Engine)</i>		
2MD455-AP2	Air	LAF1246 ² LAF6860 LAF6918 LAF6918D LAF7752	(FA1519); 387mm	Air	LAF1716 ² LAF3705 LAF959			
2-MD-491			2191P138427			57MD26		
57-MD-33			57-MD-27				Coolant	LFW4860 ²⁸
(57MD21A); Dual Filter Hsg.			(483GB441); Sec.	Fuel	LFP218F LFP219F	(483GB477M); Opt.	Fuel	LFF3477 ⁷⁶³ LFF4470 LFF4471
57MD31A		LAF7757	(483GB219); Pri.	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	(483GB470M); Pri.		
57MD26		LAF7797 ²	485GB3191C			(483GB471M); Sec.		
57-MD-24		LAF8955	485-GB-3191			485GB3191C	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³
57-MD-32		LAF9909	<i>MR Series (w/EM6 Engine)</i>			20539275		
(483GB219); Pri.	Fuel	LFP219F	2-MD-37M	Air	LAF2438	Allison EVS	Trans	LFH8737 LH4582G ²⁴ LH4589G ²³ LH4591G ²²
485GB3191C	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3236 LFP3236TRT ³	57-MD-311		LAF6918	(29540496); Allison 4000/4500		
20539275			2MD4131P		LAF6918D	(29540493); Allison 4000/4500		
<i>MC Series</i>			57MD21A		LAF7752 ¹ LAF7757 ² LAF7797 ²	(29545776); Allison 3000/4000		
2-MD-1130-P4	Air	LAF2438 LAF6918 LAF6918D LAF7752	57MD31A		LFP218F	<i>MR688P (w/Mack AMI Aset Engine)</i>		
57-MD-311			57MD26		LFP219F LFP431F		Air	LAF1787 ² LAF1787 LAF6918 LAF7797 ²
(57MD21A); Dual Filter Hsg.			(483GB441); 1977; Sec.	Fuel	LFP218F	57MD26		
57MD31A		LAF7757	(483GB219); Pri.		LFP219F LFP431F		Coolant	LFW4860 ²⁸
57MD26		LAF7797 ²	(483GB440); 1977; Sec.			(483GB477M); Opt.	Fuel	LFF3477 ⁷⁶³ LFF4470 LFF4471
(483GB219); Pri.	Fuel	LFP219F	485GB3191C	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3191XL ¹⁴ LFP3236	485GB3191C	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³
485GB3191C	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3236 LFP3236TRT ³	20539275			20539275		
20539275			<i>MR600 Series (w/Mack EM7 Engine)</i>			Allison EVS	Trans	LFH8737 LH4582G ²⁴ LH4589G ²³ LH4591G ²²
<i>MH602, MH603 (w/E9 440 Engine)</i>			(57MD21A); Dual Filter Hsg.	Air	LAF2438 LAF6918 LAF6918D LAF7752	(29540496); Allison 4000/4500		
57-MD-44M	Air	LAF4738 LAF9237	57MD31A		LAF7757	(29545776); Allison 3000/4000		
57-MD-37M			57MD26		LAF7797 ²	<i>MR688P, MR688S (w/A1 Diesel Engine)</i>		
(483GB219); Pri.	Fuel	LFP219F	25MF436	Coolant	LFW4422 ⁴⁹⁴	57MD47	Air	LAF1787 ²
485GB3191C	Oil	LFP3191 LFP3191TRT ³	(483GB433B); W/S	Fuel	LFF8040	57MD33		LAF6918
20539275			(483GB441); Pri.		LFP218F LFP219F LFP431F	57MD26		LAF7797 ²
<i>MH602, MH603 (w/Mack E6 Engine)</i>			(483GB219); Pri. Sec.			25MF435B	Coolant	LFW4860 ²⁸
57MD44M	Air	LAF4738	(483GB440); 1977; Sec.			(483GB477M); Opt.	Fuel	LFF3477 ⁷⁶³ LFF4470
25MF422	Coolant	LFW4422 ⁴⁹⁴	485GB3191C	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3191XL ¹⁴	(483GB470M); Pri.		
25MF314			20539275					
(483GB433B); W/S W/S	Fuel	LFF8040 ⁸⁴⁹ LFF9005 LFP218F LFP219F LFP431F	57GC2134A			<i>MR600-S/P Series (w/Mack E7 E Tech Engine)</i>		
(483GB441); Sec.			<i>MR600-S/P Series (w/Mack E7 E Tech Engine)</i>			57MD47	Air	LAF1787 ²
483GB219				Air	LAF1787	57MD33		LAF6918
(483GB431); Sec.			25MF435B	Coolant	LFW4860 ²⁸	57MD26		LAF7797 ²
485GB3191C	Oil	LFP3191 LFP3191TRT ³	(483GB470M); Pri.	Fuel	LFF4470	(483GB477M); Opt.	Fuel	LFF3477 ⁷⁶³ LFF4470

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 15-Standard 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 458-4.1" Hgt. 494-Contains 4 oz. of chemical 763-w/ Drain 849-Bowless type 850-Full Flow 851-Spinner by-pass

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)		
<i>MR688P, MR688S (w/A1 Diesel Engine) (cont'd)</i>			<i>MRU602 (w/Mack MP8 Engine)</i>			<i>Pinnacle CXP613, Pinnacle CXU603 (w/Mack MP7 Engine) (cont'd)</i>		
(483GB471M); Sec.	Fuel	LFF4471		Air	LAF6918		Oil	LFP3191XL ¹⁴
485GB3191C	Oil	LFP3191	57MD21A		LAF6918D	20539275		LFP3236
485GB3236		LFP3191TRT ³	57MD31A		LAF7752			LFP3236TRT ³
		LFP3191XL ¹⁴	57MD26		LAF7757	236GB42M		LP3985 ⁶⁵
20539275		LFP3236		Coolant	LAF7797 ²	583987904M	Power Steering	LH4101 ³¹¹
		LFP3236TRT ³			LFW5141 ²⁸			
(29539579); Allison EVS	Trans	LFH8737			LFW5141XL ^{14, 249}			
(29540494); Allison 4000/4500		LH4582G ²⁴		Power Steering	LFW6501 ⁵⁵⁵			
(29540493); Allison 4000/4500		LH4589G ²³	(17237); Optional Eaton 3.7" O.D.	Trans	LH4101 ³¹¹	<i>Pinnacle CXP613, Pinnacle CXU603 (w/Mack MP8 Engine)</i>		
(29545776); Allison 3000/4000		LH4591G ²²			HP1	57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}
<i>MR688P, MR688S (w/AMI Engine)</i>			<i>MS Series</i>			57-MD-48M		LAF8691 ⁸³¹
57MD47	Air	LAF1787 ²	2191P138427	Air	LAF3705 ³⁵⁰	20539991	Coolant	LFW5141 ²⁸
57MD33		LAF6918	P776745		LAF8496 ²	21937298		LFW5141XL ^{14, 249}
57MD26		LAF7797 ²	57-MD-27		LAF959			LFW6501 ⁵⁵⁵
25MF435B	Coolant	LFW4860 ²⁸	(483GB441); Sec.	Fuel	LFP218F	(301SD19C); Davco 380	Fuel	L3578FN
(483GB477M); Opt.	Fuel	LFF3477 ⁷⁶³	(483GB219); Pri.		LFP219F	(20539578); W/S		LFF3358 ¹²
(483GB470M); Pri.		LFF4470	485GB3191C	Oil	LFP3191	(20539582); Sec.		LFF8059 ¹⁵³⁹
(483GB471M); Sec.		LFF4471			LFP3191TRT ³			LFP3191XL ¹⁴
485GB3191C	Oil	LFP3191	Oil Cooler	Trans	LFP5570	20539275	Oil	LFP3236
485GB3236		LFP3191TRT ³	25-MF-435	Coolant	LFW4860 ²⁸			LFP3236TRT ³
		LFP3191XL ¹⁴	25MF435B	Coolant	LFW4860 ²⁸	236GB42M		LP3985 ⁶⁵
20539275		LFP3236		Coolant	LFW4860 ²⁸	583987904M	Power Steering	LH4101 ³¹¹
		LFP3236TRT ³		Coolant	LFW4860 ²⁸			
(29539579); Allison EVS	Trans	LFH8737	25-MF-435	Coolant	LFW4860 ²⁸	<i>Pinnacle CXU603, Pinnacle CHU603 (w/Mack MP7 Engine)</i>		
(29540494); Allison 4000/4500		LH4582G ²⁴	25MF435B	Coolant	LFW4860 ²⁸	57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}
(29540493); Allison 4000/4500		LH4589G ²³	25-MF-435	Coolant	LFW4860 ²⁸	57-MD-48M		LAF8691 ⁸³¹
(29545776); Allison 3000/4000		LH4591G ²²	<i>Pinnacle CXP613, Pinnacle CXU603 (w/Cummins ISX12G Engine)</i>			20539991	Coolant	LFW5141 ²⁸
<i>MR688P, MR688S (w/Aset Engine)</i>			57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}	21937298		LFW5141XL ^{14, 249}
57MD47	Air	LAF1787 ²	57-MD-48M		LAF8691 ⁸³¹	(301SD19C); Davco 380	Fuel	L3578FN
57MD33		LAF6918	WF2126	Coolant	LFW2126 ²⁵⁵	(20539578); W/S		LFF3358 ¹²
57MD26		LAF7797 ²	NG5900	Fuel	LFW2127 ^{14, 249}	(20539582); Sec.		LFF8059 ¹⁵³⁹
25MF435B	Coolant	LFW4860 ²⁸	LF9080	Oil	LFF5080 ⁶⁴⁷			LFP3191XL ¹⁴
(483GB477M); Opt.	Fuel	LFF3477 ⁷⁶³			LFP9001 ²⁵⁰	20539275	Oil	LFP3236
(483GB470M); Pri.		LFF4470	LF9080		LFP9001TRT ³			LFP3236TRT ³
(483GB471M); Sec.		LFF4471			LFP9001XL ^{14, 250}	236GB42M		LP3985 ⁶⁵
485GB3191C	Oil	LFP3191	583987904M	Power Steering	LH4101 ³¹¹	583987904M	Power Steering	LH4101 ³¹¹
485GB3236		LFP3191TRT ³	<i>Pinnacle CXP613, Pinnacle CXU603 (w/Mack MP7 Engine)</i>					
		LFP3191XL ¹⁴	57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}	<i>Pinnacle CXU603, Pinnacle CHU603 (w/Mack MP8 Engine)</i>		
20539275		LFP3236			LAF8691 ⁸³¹	57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}
		LFP3236TRT ³	57-MD-48M		LFW5141 ²⁸	57-MD-48M		LAF8691 ⁸³¹
(29539579); Allison EVS	Trans	LFH8737	20539991	Coolant	LFW5141XL ^{14, 249}	20539991	Coolant	LFW5141 ²⁸
(29540494); Allison 4000/4500		LH4582G ²⁴	21937298		LFW6501 ⁵⁵⁵	21937298		LFW5141XL ^{14, 249}
(29540493); Allison 4000/4500		LH4589G ²³	(301SD19C); Davco 380	Fuel	L3578FN			LFW6501 ⁵⁵⁵
(29545776); Allison 3000/4000		LH4591G ²²	(20539578); W/S		LFF3358 ¹²	(301SD19C); Davco 380	Fuel	L3578FN
			(20539582); Sec.		LFF8059 ¹⁵³⁹	(20539578); W/S		LFF3358 ¹²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 65-By-Pass 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 311-2.73" Hgt. 350-Metal End Cap 555-Extended Life w/ controlled release chemical 647-Natural Gas 686-Standard service 720-Value Version 763-w/ Drain 831-Except 2MD515M Housing 847-with 2MD515M Housing 1539-Except 2017 emission engines

M

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)		
<i>Pinnacle CXU603, Pinnacle CHU603 (w/Mack MP8 Engine) (cont'd)</i>			<i>R Series (w/Detroit 8V-82 Engine)</i>			<i>RB600-SERIES (w/Mack E7 E-Tech Engine)</i>		
(20539582); Sec.	Fuel	LFF8059 ¹⁵³⁹	(5574508); Sec.	Fuel	L540F	P534816	Air	LAF4816 ⁸⁵⁵
20539275	Oil	LFP3191XL ¹⁴	(5575032); Pri.		L552F	25MF435B	Coolant	LFW4860 ²⁸
236GB42M		LFP3236	W/S		LFF8010 ¹²	(483GB470M); Pri.	Fuel	LFF4470
583987904M	Power Steering	LFP3236TRT ³	W/S		LFF9002 ¹²	(483GB471M); Sec.	Fuel	LFF4471
		LP3985 ⁶⁵	(25014274); Pri.		LFP815FN	485GB3191C	Oil	LFP3191
		LH4101 ³¹¹	(6438840); Sec.		LFP816FN	57GC2134A		LFP3191XL ¹⁴
			25010495	Oil	LFP911	57GC2187		LP2232
			5573014		LFP911XL ¹⁴			LP2273 ⁸⁵⁴
					LP132			
<i>R Series (w/Cummins Engine)</i>			<i>R Series (w/ENDT865 Engine)</i>			<i>RB688SX (w/Mack AI Aset Engine)</i>		
2MD455-AP2	Air	LAF1246 ²	2MD455-AP2	Air	LAF1246 ²	57MD317	Air	LAF4618
2-MD-491		LAF6860	2-MD-491		LAF6860		Coolant	LFW4860 ²⁸
57-MD-33		LAF6918	57-MD-33		LAF6918	(483GB477M); Opt.	Fuel	LFF3477 ⁷⁶³
2MD-3141		LAF6918D	(57MD21A); Dual Filter Hsg.		LAF6918D	(483GB470M); Pri.	Fuel	LFF4470
(57MD21A); Dual Filter Hsg.		LAF7752	57-MD-31		LAF7752	(483GB471M); Sec.	Fuel	LFF4471
57-MD-31		LAF7757	57MD26		LAF7757	20539275	Oil	LFP3191XL ¹⁴
57MD26		LAF7797 ²	57MD26		LAF7797 ²	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
57-MD-25P2		LAF8494	57-MD-25P2		LAF8494	(29540496); Allison 4000/4500		LH4582G ²⁴
57-MD-24		LAF8955	(483GB441); Sec.		LAF8494MXM ²⁶⁸	(29540493); Allison 4000/4500		LH4589G ²³
57-MD-32		LAF9909	(483GB219); Pri.		LAF8955	(29545776); Allison 3000/4000		LH4591G ²²
	Coolant	LFW4860 ²⁸	485GB3191C	Oil	LAF9909			
Pri.	Fuel	LFF202	57-MD-24		LAF8955			
Pri.	Fuel	LFF5D	57-MD-32		LAF9909			
	Oil	LFP670		Coolant	LFW4422 ¹⁵⁴⁰			
	Oil	LP566		Coolant	LFW4860 ²⁸			
<i>R Series (w/Detroit 6-71 Engine)</i>				Fuel	LFP218F			
(5574508); Sec.	Fuel	L540F	(483GB219); Pri.		LFP219F			
(5575032); Pri.	Fuel	L552F	485GB3191C	Oil	LFP3191			
W/S	Fuel	LFF8010 ¹²			LFP3191XL ¹⁴			
W/S	Fuel	LFF9002 ¹²	<i>R Series (w/ENDT866 Engine)</i>			<i>RB688SX (w/Mack AMI Aset Engine)</i>		
(25014274); Pri.	Fuel	LFP815FN	2MD455-AP2	Air	LAF1246 ²	57MD317	Air	LAF4618
(6438840); Sec.	Fuel	LFP816FN	2-MD-491		LAF6860		Coolant	LFW4860 ²⁸
25010495	Oil	LFP911	57-MD-33		LAF6918	(483GB477M); Opt.	Fuel	LFF3477 ⁷⁶³
5573014	Oil	LFP911XL ¹⁴	(57MD21A); Dual Filter Hsg.		LAF6918D	(483GB470M); Pri.	Fuel	LFF4470
	Oil	LP132	57-MD-31		LAF7752	(483GB471M); Sec.	Fuel	LFF4471
<i>R Series (w/Detroit 6-92 Engine)</i>			57MD26		LAF7757	20539275	Oil	LFP3191XL ¹⁴
(5574508); Sec.	Fuel	L540F	57MD26		LAF7797 ²	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
(5575032); Pri.	Fuel	L552F	57-MD-25P2		LAF8494	(29540496); Allison 4000/4500		LH4582G ²⁴
W/S	Fuel	LFF8010 ¹²			LAF8494MXM ²⁶⁸	(29540493); Allison 4000/4500		LH4589G ²³
W/S	Fuel	LFF9002 ¹²			LAF8955	(29545776); Allison 3000/4000		LH4591G ²²
(25014274); Pri.	Fuel	LFP815FN			LAF9909			
(6438840); Sec.	Fuel	LFP816FN		Coolant	LFW4422 ¹⁵⁴⁰			
25010495	Oil	LFP911		Coolant	LFW4860 ¹⁵⁴⁰			
5573014	Oil	LFP911XL ¹⁴	(483GB441); Sec.	Fuel	LFP218F	<i>RB688SX, RB690S (w/AI Engine)</i>		
	Oil	LP132	(483GB219); Pri.		LFP219F	57MD317	Air	LAF4618
<i>R Series (w/Detroit 8V-71 Engine)</i>			485GB3191C	Oil	LFP3191	25MF435B	Coolant	LFW4860 ²⁸
(5574508); Sec.	Fuel	L540F			LFP3191XL ¹⁴	(483GB477M); Opt.	Fuel	LFF3477 ⁷⁶³
(5575032); Pri.	Fuel	L552F	<i>R600ST (w/Mack EM6 Engine)</i>			(483GB470M); Pri.	Fuel	LFF4470
W/S	Fuel	LFF8010 ¹²		Coolant	LFW4422 ¹⁵⁴⁰	(483GB471M); Sec.	Fuel	LFF4471
W/S	Fuel	LFF9002 ¹²		Coolant	LFW4860 ¹⁵⁴⁰	20539275	Oil	LFP3191XL ¹⁴
(25014274); Pri.	Fuel	LFP815FN	(483GB441); Sec.	Fuel	LFP218F	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
(6438840); Sec.	Fuel	LFP816FN	483GB219		LFP219F	(29540494); Allison 4000/4500		LH4582G ²⁴
25010495	Oil	LFP911	Sec.		LFP431F			
5573014	Oil	LFP911XL ¹⁴	485GB3191C	Oil	LFP3191			
	Oil	LP132			LFP3191XL ¹⁴			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity
 24-4" Sump 28-Contains 1 oz. of chemical 65-By-Pass 268-Extended/Severe service 311-2.73" Hgt. 763-w/ Drain 854-For use in Mack number 485GB4360M
 composite material housing 855-For use with Mack number 2MD4140 housing 1539-Except 2017 emission engines 1540--1977

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)		
<i>RB688SX, RB690S (w/Al Engine) (cont'd)</i>			<i>RD 600 & 800 Series (w/AMI 300 Engine) (cont'd)</i>			<i>RD688S (w/Mack E7 E Tech Engine) (cont'd)</i>		
(29540493); Allison 4000/4500 (29545776); Allison 3000/4000	Trans	LH4589G ²³ LH4591G ²²	(29540496); Allison 3000/4000 29540493 (29545776); Allison 3000/4000	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²	(301SD19C); Davco opt. (483GB470M); Pri. (483GB471M); Sec.	Fuel	L3578FN LFF4470 LFF4471 LFP3191XL ¹⁴ LFP3236TRT ³
<i>RB688SX, RB690S (w/AMI Engine)</i>			<i>RD600 Series (w/Mack E6 Engine)</i>			axle axle		
57MD317	Air	LAF4618		Coolant	LFW4422 ¹⁵⁴⁰ LFW4860 ¹⁵⁴⁰	57GC2134A 57GC2187 57-GC-2231	Miscellaneous	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
25MF435B (483GB477M); Opt. (483GB470M); Pri. (483GB471M); Sec.	Coolant	LFW4860 ²⁸	(483GB433B); W/S (483GB441); Sec. (483GB219); Pri. Sec. 485GB3191C	Fuel	LFF8040 LFP218F LFP219F LFP431F	(583984365A); 3.5 inch O.D. (583984148A); 5 inch O.D	Oil	LP2232 LP2273 LP3985 ⁸⁵⁷
20539275	Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³		Oil	LFP3191 LFP3191XL ¹⁴	(583984365A); 3.5 inch O.D. (29540496); Allison 3000/4000 (29545776); Allison 3000/4000	Power Steering	LP487 LP5005 ⁴⁵⁸
(17237); Optional Eaton 3.7" O.D. (29540494); Allison 4000/4500 (29540493); Allison 4000/4500 (29545776); Allison 3000/4000	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	<i>RD600 Series (w/Mack EM6 Engine)</i>			<i>RD690S (w/Mack EM7 E Tech Engine)</i>		
<i>RB688SX, RB690S (w/Aset Engine)</i>			<i>RD600-Series (w/Mack E7 E Tech Engine)</i>			P534816		
57MD317	Air	LAF4618		Coolant	LFW4422 ¹⁵⁴⁰ LFW4860 ¹⁵⁴⁰	(29540496); Allison 3000/4000 (29545776); Allison 3000/4000	Trans	LH4582G ²⁴ LH4591G ²²
25MF435B (483GB477M); Opt. (483GB470M); Pri. (483GB471M); Sec.	Coolant	LFW4860 ²⁸	(483GB433B); W/S (483GB441); Sec. (483GB219); Pri. Sec. 485GB3191C	Fuel	LFF8040 LFP218F LFP219F LFP431F	<i>RD690S (w/Mack EM7 E Tech Engine)</i>		
20539275	Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³		Oil	LFP3191 LFP3191XL ¹⁴	P534816		
(17237); Optional Eaton 3.7" O.D. (29540494); Allison 4000/4500 (29540493); Allison 4000/4500 (29545776); Allison 3000/4000	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	<i>RD600-Series (w/Mack E7 E Tech Engine)</i>			axle axle		
<i>RD 600 & 800 Series (w/Al 350 Engine)</i>			<i>RD600-Series (w/Mack E7 E Tech Engine)</i>			(301SD19C); Davco opt. (483GB470M); Pri. (483GB471M); Sec.		
(483GB470M); Pri. (483GB471M); Sec.	Fuel	LFF4470 LFF4471	P534816	Air	LAF4816 ² LAF4816MXM ² LAF6243	(483GB470M); Pri. (483GB471M); Sec.	Fuel	L3578FN LFF4470 LFF4471 LFP3191XL ¹⁴ LFP3236TRT ³
485GB3191C 485-GB-3236	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP3985 ⁸⁵⁷		Coolant	LFW4860 ²⁸ LFW4860XL ^{14, 249} LFW6502 ⁵⁵⁵	axle axle	Miscellaneous	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
57-GC-2231			(301SD19C); Davco opt. (483GB470M); Pri. (483GB471M); Sec.	Fuel	L3578FN LFF4470 LFF4471 LFP3191XL ¹⁴ LFP3236TRT ³	20539275 57GC2134A 57GC2187 57-GC-2231	Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LP2232 LP2273 LP3985 ⁸⁵⁷
<i>RD 600 & 800 Series (w/AMI 300 Engine)</i>			<i>RD600-Series (w/Mack E7 E Tech Engine)</i>			axle axle		
P534816	Air	LAF4816 ² LAF4816MXM ²		Miscellaneous	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(583984365A); 3.5 inch O.D. (583984148A); 5 inch O.D	Power Steering	LP487 LP5005 ⁴⁵⁸
(483GB470M); Pri. (483GB471M); Sec. (483GB472M); W/S 485GB3191C 485-GB-3236	Fuel	LFF4470 LFF4471 LFF8472		Oil	LP2232 LP2273 LP3985 ⁸⁵⁷	(29540496); Allison 3000/4000 (29545776); Allison 3000/4000	Trans	LH4582G ²⁴ LH4591G ²²
57GC2206 57-GC-2231	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP3964 ⁸⁵⁶ LP3985 ⁸⁵⁷	<i>RD688S (w/Mack E7 E Tech Engine)</i>			<i>RD694 (w/E5 Engine)</i>		
<i>RD 600 & 800 Series (w/AMI 300 Engine)</i>			<i>RD688S (w/Mack E7 E Tech Engine)</i>			485-GB-4355		
P534816	Air	LAF4816 ² LAF4816MXM ²	(29540496); Allison 3000/4000 (29545776); Allison 3000/4000	Trans	LH4582G ²⁴ LH4591G ²²	<i>RD700 (w/Cummins Engine)</i>		
(483GB470M); Pri. (483GB471M); Sec. (483GB472M); W/S 485GB3191C 485-GB-3236	Fuel	LFF4470 LFF4471 LFF8472		Air	LAF4816 ^{2, 855} LAF4816MXM ^{2, 855} LAF6243	Coolant		
57GC2206 57-GC-2231	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP3964 ⁸⁵⁶ LP3985 ⁸⁵⁷	<i>RD688S (w/Mack E7 E Tech Engine)</i>			Pri. Pri. W/S		
<i>RD 600 & 800 Series (w/AMI 300 Engine)</i>			<i>RD688S (w/Mack E7 E Tech Engine)</i>			Oil		
P534816	Air	LAF4816 ^{2, 855} LAF4816MXM ^{2, 855} LAF6243		Coolant	LFW4860 ²⁸ LFW4860XL ^{14, 249} LFW6502 ⁵⁵⁵	LFP4005SC ⁷¹¹		
57GC2206 57-GC-2231	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP3964 ⁸⁵⁶ LP3985 ⁸⁵⁷	<i>RD688S (w/Mack E7 E Tech Engine)</i>			<i>RD795, RD797 (w/ENDT866 Engine)</i>		
<i>RD 600 & 800 Series (w/AMI 300 Engine)</i>			<i>RD688S (w/Mack E7 E Tech Engine)</i>			57-MD-33		
P534816	Air	LAF4816 ^{2, 855} LAF4816MXM ^{2, 855} LAF6243		Coolant	LFW4860 ²⁸ LFW4860XL ^{14, 249} LFW6502 ⁵⁵⁵	57MD26		
57GC2206 57-GC-2231	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP3964 ⁸⁵⁶ LP3985 ⁸⁵⁷	<i>RD688S (w/Mack E7 E Tech Engine)</i>			(483GB219); Pri.		
<i>RD 600 & 800 Series (w/AMI 300 Engine)</i>			<i>RD688S (w/Mack E7 E Tech Engine)</i>			Fuel		
P534816	Air	LAF4816 ^{2, 855} LAF4816MXM ^{2, 855} LAF6243		Coolant	LFW4860 ²⁸ LFW4860XL ^{14, 249} LFW6502 ⁵⁵⁵	LFF5 LFF5D LFF8020		
57GC2206 57-GC-2231	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP3964 ⁸⁵⁶ LP3985 ⁸⁵⁷	<i>RD688S (w/Mack E7 E Tech Engine)</i>			LFP670		
<i>RD 600 & 800 Series (w/AMI 300 Engine)</i>			<i>RD688S (w/Mack E7 E Tech Engine)</i>			57-MD-33		
P534816	Air	LAF4816 ^{2, 855} LAF4816MXM ^{2, 855} LAF6243		Coolant	LFW4860 ²⁸ LFW4860XL ^{14, 249} LFW6502 ⁵⁵⁵	57MD26		
57GC2206 57-GC-2231	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP3964 ⁸⁵⁶ LP3985 ⁸⁵⁷	<i>RD688S (w/Mack E7 E Tech Engine)</i>			(483GB219); Pri.		
<i>RD 600 & 800 Series (w/AMI 300 Engine)</i>			<i>RD688S (w/Mack E7 E Tech Engine)</i>			Fuel		
P534816	Air	LAF4816 ^{2, 855} LAF4816MXM ^{2, 855} LAF6243		Coolant	LFW4860 ²⁸ LFW4860XL ^{14, 249} LFW6502 ⁵⁵⁵	LFP219F		
57GC2206 57-GC-2231	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP3964 ⁸⁵⁶ LP3985 ⁸⁵⁷	<i>RD688S (w/Mack E7 E Tech Engine)</i>					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump
 28-Contains 1 oz. of chemical 249-No chemical 275-Primary 458-4.1" Hgt. 555-Extended Life w/ controlled release chemical 711-Short can version 763-w/
 Drain 855-For use with Mack number 2MD4140 housing 856-By-Pass before 11/11/03 857-By-Pass after 11/11/03 1496-Alternate 1540-1977

M

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)		
<i>RD795, RD797 (w/ENDT866 Engine) (cont'd)</i>			<i>RW600, RW700 Series (w/Mack Engine) (cont'd)</i>			<i>TerraPro LEU603 (w/MP7 Engine) (cont'd)</i>		
485GB3191C	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3236 LFP3236TRT ³	(483GB219); Pri. Sec. 485GB3191C	Coolant Fuel Oil	LFW4422 ⁴⁹⁴ LFP219F LFP431F LFP3191 LFP3191TRT ³ LP2232	583987904M	Power Steering	LH4101 ³¹¹
20539275						(29539579); EVS series (29540494); Allison 3000/4000 29540493 (29545776); Allison 3000/4000	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²
RL Series			RW700 (w/Mack E9 Engine)			TerraPro LEU603 (w/MP8 Engine)		
P153551	Air	LAF3551 LAF3551MXM ²⁶⁸	57GC2134A	Coolant	LFW4860 ²⁸ LFW4860XL ^{14, 249} LFW6502 ⁵⁵⁵	57MD33	Air	LAF6918
485GB3191C	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3236 LFP3236TRT ³	25MF435B	Coolant	LFP218F LFP219F	20539991	Coolant	LFW5141 ²⁸
20539275			(483GB441); Sec. (483GB219); Pri. 485GB3191C	Fuel Oil	LFP219F LFP3191 ¹⁵ LFP3191XL ¹⁴	(301SD19C); Davco 380 (20539578); W/S (20539582); Sec. (R950011); Brake Dryer	Fuel	L3578FN
RM Series			RW700 Series (w/Mack E6 Engine)			TerraPro LEU603 (w/MP7 Engine)		
2MD455-AP2 57-MD-33	Air	LAF1246 ² LAF6918 LAF6918D LAF7752	57-MD-44M 57-MD-42M	Air	LAF4738 LAF695	57MD33	Air	LAF6918
(57MD21A); Dual Filter Hsg. 57-MD-31A 57MD26 57-MD-24 57-MD-32		LAF7757 LAF7797 ² LAF8955 LAF9909	(483GB219); Pri. Sec. 485GB3191C	Coolant Fuel Oil	LFW4422 ⁴⁹⁴ LFP219F LFP431F LFP3191 LFP3191TRT ³ LP2232	20539275	Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LP3985 ⁶⁵
RS600, RS700 Series (w/Mack E6 Engine)			TerraPro LEU602 (w/Mack MP7 Engine)			TerraPro MRU602/603/613 (w/MP7 Engine)		
	Coolant	LFW4422 ⁴⁹⁴ LFW4860 ²⁸ LFW4860XL ^{14, 249} LFW6502 ⁵⁵⁵	57GC2134A	Air	LAF6918	583987904M	Power Steering	LH4101 ³¹¹
(483GB433B); W/S (483GB219); Pri. Sec.	Fuel	LFF8040 LFP219F LFP431F	(301SD19C); Davco 380 W/S (20539582); Sec. Brake Dryer	Coolant Fuel Miscellaneous Oil	LFW5141 ²⁸ L3578FN LFF3358 ¹² LFF8059 ¹⁵³⁹ LFP8654	(29539579); EVS series (29540494); Allison 3000/4000 29540493 (29545776); Allison 3000/4000	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²
485GB3191C	Oil	LFP3191 LFP3191TRT ³ LP2232	20539275		LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LP3985 ⁶⁵	57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}
57GC2134A			57-GC-2231	Power Steering	LH4101 ³¹¹	57-MD-48M		LAF8691 ⁸³¹
RS700 (w/Cummins Engine)			RW600 (w/Mack E7 Engine)			TerraPro LEU603 (w/MP7 Engine)		
	Coolant	LFW4071 ²⁸	EVS series (29540496); Allison 3000/4000 29540493 (29545776); Allison 3000/4000	Trans	LFP8654	20539991	Coolant	LFW5141 ²⁸
Sec.	Fuel	LFF5823B			LFP8654	21937298		LFW5141XL ^{14, 249} LFW6501 ⁵⁵⁵
1R0716	Oil	LFP4005 LFP4005XL ¹⁴	TerraPro LEU603 (w/MP7 Engine)			(301SD19C); Davco 380 (20539578); W/S (20539582); Sec. (R950011); Brake Dryer	Fuel	L3578FN
RW600 (w/Mack E7 Engine)			TerraPro LEU603 (w/MP7 Engine)			TerraPro LEU603 (w/MP7 Engine)		
57-MD-44M 57-MD-42M	Air	LAF4738 LAF695	57MD33	Air	LAF6918	20539275	Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LP3985 ⁶⁵
	Coolant	LFW4422 ⁴⁹⁴	20539991	Coolant	LFW5141 ²⁸	236GB42M		LH4101 ³¹¹
(483GB219); Pri. Sec.	Fuel	LFP219F LFP431F	(301SD19C); Davco 380 (20539578); W/S (20539582); Sec. (R950011); Brake Dryer	Fuel Miscellaneous Oil	L3578FN LFF3358 ¹² LFF8059 ¹⁵³⁹ LFP8654	583987904M	Power Steering	LH4101 ³¹¹
485GB3191C	Oil	LFP3191 LFP3191TRT ³ LP2232	20539275		LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LP3985 ⁶⁵	(29539579); EVS series (29540494); Allison 3000/4000 29540493 (29545776); Allison 3000/4000	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²
RW600 (w/Mack E9 Engine)			RW600, RW700 Series (w/Mack Engine)			TerraPro LEU603 (w/MP7 Engine)		
25MF435B	Coolant	LFW4860 ²⁸ LFW4860XL ^{14, 249}	57-MD-44M 57-MD-42M	Air	LAF4738 LAF695	20552379		LH4589G ²³ LH4591G ²²
(483GB441); Sec. 483GB219	Fuel	LFP218F LFP219F						
485GB3191C	Oil	LFP3191 LFP3191XL ¹⁴						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 15-Standard 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard
 Capacity 24-4" Sump 28-Contains 1 oz. of chemical 65-By-Pass 249-No chemical 268-Extended/Severe service 311-2.73" Hgt. 494-Contains 4 oz. of
 chemical 555-Extended Life w/ controlled release chemical 686-Standard service 720-Value Version 831-Except 2MD515M Housing 847-with 2MD515M
 Housing 1539-Except 2017 emission engines

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)			MACK (TRUCK HEAVY DUTY)		
<i>TerraPro MRU602/603/613 (w/MP8 Engine)</i>			<i>U Series (cont'd)</i>			<i>Vision CX,CXN Series (w/E 7 E Tech Engine)</i>		
57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}	2MD3141B (57MD21A); Dual Filter Hsg.	Air	LAF6918D LAF7752	(483GB472M); W/S	Fuel	LFF8472
57-MD-48M		LAF8691 ⁸³¹	57MD31A		LAF7757	485GB3191C	Oil	LFP3191
20539991	Coolant	LFW5141 ²⁸	57MD26		LAF7797 ²	485-GB-3191B		LFP3191TRT ³
21937298		LFW5141XL ^{14, 249}	57-MD-24		LAF8955			LFP3191XL ¹⁴
		LFW6501 ⁵⁵⁵	57-MD-32		LAF9909	57GC2134A		LP2232
(301SD19C); Davco 380	Fuel	L3578FN	(483GB219); Pri.	Fuel	LFP219F	57GC2187		LP2273
(20539578); W/S		LFF3358 ¹²	485GB3191C	Oil	LFP3191 ¹⁵	<i>Vision CX-Series (w/Mack AC 310 Aset Engine)</i>		
(20539582); Sec.		LFF8059 ¹⁵³⁹	20539275		LFP3191TRT ³	57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}
(R950011); Brake Dryer	Miscellaneous	LFP8654			LFP3236	57-MD-48M		LAF8691 ⁸³¹
					LFP3236TRT ³	25MF435B	Coolant	LFW4860 ²⁸
20539275	Oil	LFP3191XL ¹⁴	<i>Vision CX,CXN Series (w/Aset AC Engine)</i>			(301SD19C); Davco 380	Fuel	L3578FN
		LFP3236	57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}	(483GB470M); Pri.		LFF4470
		LFP3236TRT ³	57-MD-48M		LAF8691 ⁸³¹	(483GB471M); Sec.		LFF4471
236GB42M		LP3985 ⁶⁵	25-MF-435B	Coolant	LFW4860 ²⁸	(483GB472M); W/S		LFF8472
583987904M	Power Steering	LH4101 ³¹¹	(483GB476M); Sec.	Fuel	LFF3476 ⁷⁶⁴	485GB3191C	Oil	LFP3191
(29539579); EVS series	Trans	LFH8737	(483GB477M); Sec.		LFF3477 ⁷⁶³			LFP3191TRT ³
(29540494); Allison 3000/4000		LH4582G ²⁴	(483GB470M); Pri.	Miscellaneous	LFP8654	57GC2134A		LFP3191XL ¹⁴
29540493		LH4589G ²³	(R950011); Brake Dryer			57GC2187		LP2232
(29545776); Allison 3000/4000		LH4591G ²²	20539275	Oil	LFP3191XL ¹⁴	(583984365A); 3.5 inch O.D.	Power Steering	LP487
					LFP3236	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
			57-GC-2231		LFP3236TRT ³	<i>Vision CX-Series (w/Mack AC 330 Aset Engine)</i>		
<i>TerraPro MRU613 (w/Cummins ISLG Engine)</i>			(583984365A); 3.5 inch O.D.	Power Steering	LP487	57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}
21328870	Air	LAF8669	<i>Vision CX,CXN Series (w/Aset AMI Engine)</i>			57-MD-48M		LAF8691 ⁸³¹
	Breather	LFH4909WA ⁸⁵⁸	57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}		Coolant	LFW4860 ²⁸
NG5900	Fuel	LFF5080 ⁶⁴⁷	57-MD-48M		LAF8691 ⁸³¹	(301SD19C); Davco 380	Fuel	L3578FN
LF9009	Oil	LFP3000XL ¹⁴	25-MF-435B	Coolant	LFW4860 ²⁸	(483GB470M); Pri.		LFF4470
5839870678A	Power Steering	LH9394 ⁸³⁹	(483GB476M); Sec.	Fuel	LFF3476 ⁷⁶⁴	(483GB471M); Sec.		LFF4471
(29540494); Allison 3000/4000	Trans	LH4582G ²⁴	(483GB477M); Sec.		LFF3477 ⁷⁶³	(483GB472M); W/S		LFF8472
29540493		LH4589G ²³	(483GB470M); Pri.	Miscellaneous	LFP8654	485GB3191C	Oil	LFP3191
(29545776); Allison 3000/4000		LH4591G ²²	(R950011); Brake Dryer					LFP3191TRT ³
			20539275	Oil	LFP3191XL ¹⁴	57GC2134A		LFP3191XL ¹⁴
<i>Titan (w/Mack MP10 Engine)</i>					LFP3236	57GC2187		LP2232
20575545	Coolant	LFW5141XL ^{14, 249}	57-GC-2231	Power Steering	LP487	(583984365A); 3.5 inch O.D.	Power Steering	LP487
FS19765		LFW6501 ⁵⁵⁵	(583984365A); 3.5 inch O.D.			(17237); Optional Eaton 3.7" O.D.	Trans	HP1
301SD19C	Fuel	L3578FN	<i>Vision CX,CXN Series (w/E 7 E Tech Engine)</i>			<i>Vision CX-Series (w/Mack E7 E Tech Engine)</i>		
FS19765		L9765FXL ¹⁴	57MD320M	Air	LAF5114MXM ^{14, 686, 720, 847}	57-MD-48M	Air	LAF8691 ⁸³¹
(21017305); W/S		LFF3358	57-MD-42M		LAF695		Coolant	LFW4860 ²⁸
(20972295); Sec.		LFF8059 ¹⁵³⁹	57-MD-46M		LAF8691 ⁸³¹	(483GB470M); Pri.	Fuel	LFF4470
20539275	Oil	LFP3236	25MF435B	Coolant	LFW4860 ²⁸	(483GB471M); Sec.		LFF4471
(20843764); By-Pass (4304827); Eaton/Fuller 3" O.D.		LFP8642	(301SD19C); Davco 380	Fuel	L3578FN	(483GB472M); W/S		LFF8472
870678A	Power Steering	PH2835	(483GB470M); Pri.				Oil	LFP3191XL ¹⁴
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(483GB471M); Sec.					LFP3236TRT ³
<i>U Series</i>								
2MD455-AP2	Air	LAF1246 ²						
2-M-491		LAF6860						
57-MD-33		LAF6918						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 15-Standard 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 65-By-Pass 249-No chemical 311-2.73" Hgt. 555-Extended Life w/ controlled release chemical 647-Natural Gas 686-Standard service 720-Value Version 763-w/ Drain 764-w/o Drain 831-Except 2MD515M Housing 839-4.13" Hgt. 847-with 2MD515M Housing 857-By-Pass after 11/11/03 858-Hydraulic Tank 1539-Except 2017 emission engines

M

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MCNEILUS (CONCRETE MIXER)			MITSUBISHI FUSO (MEDIUM DUTY TRUCK)			MITSUBISHI FUSO (MEDIUM DUTY TRUCK)		
<i>Bridgmaster</i>			<i>FE439 (w/Mitsubishi 4D34 Engine) (cont'd)</i>			<i>FK415 (cont'd)</i>		
	Hydraulic	LFH8399	ME015254	Fuel	LFF3886	ME130968	Oil	LFP2440
MIXERS			ME215002	Oil	LFP3307	<i>FK455</i>		
	Hydraulic	LFP449	<i>FE444 (w/Mitsubishi 4D31T Engine)</i>			ME033603	Air	LAF1768 ²
<i>PK6950 Gear Box</i>			ME033717	Air	LAF1947	ME015254	Fuel	LFF3886
	Hydraulic	LFH8399	ME016872	Fuel	LFF3527	ME130968	Oil	LFP2440
MIDLAND ROSS (TRUCK HEAVY DUTY)			ME014833	Oil	LFP2255	<i>FK617 (w/Mitsubishi 6D16T Engine)</i>		
<i>Some models</i>			ME014838		LFP5010	ME073821	Air	LAF5783
100696A	Air	LAF122	<i>FE449 (w/Mitsubishi 4D34 Engine)</i>			ME056670	Fuel	LFF5127
100696E		LAF2549	ME033717	Air	LAF1947	ME130968	Oil	LFP2440
MILLER ELECTRIC (AUXILIARY POWER UNIT)			ME015254	Fuel	LFF3886	<i>FM Series</i>		
<i>EnPak w/Kubota Engine</i>			ME215002	Oil	LFP3307	ME035394	Fuel	LFF8288
HH160-32093	Oil	PH2808 ⁶¹⁷	<i>FE639 (w/Mitsubishi 4D34T Engine)</i>			ME034878	Oil	LFP6007
HH150-32430		PH2876 ⁶²⁴	ME017246	Air	LAF4179	(ME034879); By-Pass		LFP777B
MITSUBISHI FUSO (MEDIUM DUTY TRUCK)			ME015254	Fuel	LFF3886	By-Pass		LFP777XL ¹⁴
			ME215002	Oil	LFP3307	<i>FM260 (w/Mitsubishi 6M60 Engine)</i>		
<i>FE120 (w/Mitsubishi 4M50 Engine)</i>			<i>FE649 (w/Mitsubishi 4D34T Engine)</i>			ME073821	Air	LAF5783
ME017246	Air	LAF4179	ME017246	Air	LAF4179	ME301897	Fuel	L8893F
ME222135	Fuel	L5085F	ME015254	Fuel	LFF3886	ME130968	Oil	LFP2440
ME088532	Oil	LFP8752	ME215002	Oil	LFP3307	(29537268); Allison	Trans	LFH8737
<i>FE125 (w/Mitsubishi 4M50 Engine)</i>			<i>FG434 (w/Mitsubishi 4D31 Engine)</i>			1000/2000 Series		
ME017246	Air	LAF4179	ME033717	Air	LAF1947	(29537965); Allison		T951 ⁶
ME222135	Fuel	L5085F	ME016872	Fuel	LFF3527	1000/2200 Series		
ME088532	Oil	LFP8752	ME014833	Oil	LFP2255	<i>FM330 (w/Mitsubishi 6M60 Engine)</i>		
<i>FE125, FE160 Canter (w/4P10 3.0L Engine)</i>			ME014838		LFP5010	ME073821	Air	LAF5783
QC000001	Oil	LP5730	<i>FH211</i>			ME301897	Fuel	L8893F
<i>FE130 (w/V8 6.0L gas engine)</i>			ME033603	Air	LAF1768 ²	ME130968	Oil	LFP2440
ME088532	Oil	PH48	ME056670	Fuel	LFF5127	29540494	Trans	LH4582G ²⁴
<i>FE140 (w/Mitsubishi 4M50 Engine)</i>			ME215002	Oil	LFP3307	29540493		LH4589G ²³
ME017246	Air	LAF4179	<i>FH211 (w/Mitsubishi 6D34-0AT2 Engine)</i>					LH4591G ²²
ME222135	Fuel	L5085F	ME033603	Air	LAF1768 ²	<i>FM555</i>		
ME088532	Oil	LFP8752	ME056670	Fuel	LFF5127	ME033603	Air	LAF1768 ²
<i>FE145 (w/Mitsubishi 4M50 Engine)</i>			ME215002	Oil	LFP3307	ME015254	Fuel	LFF3886 ¹⁸
ME017246	Air	LAF4179	<i>FH211 (w/Mitsubishi 6D34-1AT2 Engine)</i>			ME035394		LFF8288 ¹⁹
ME222135	Fuel	L5085F	ME033603	Air	LAF1768 ²	ME130968	Oil	LFP2440
ME088532	Oil	LFP8752	ME056670	Fuel	LFF5127	<i>FM557</i>		
<i>FE160 (w/V8 6.0L gas engine)</i>			ME215002	Oil	LFP3307	ME056670	Fuel	LFF5127
ME088532	Oil	PH48	<i>FK200 (w/Mitsubishi 6M60 Engine)</i>			ME130968	Oil	LFP2440
<i>FE180 (w/Mitsubishi 4M50 Engine)</i>			ME073821	Air	LAF5783	<i>FM617 (w/Mitsubishi 6D16-3AT3 Engine)</i>		
ME017246	Air	LAF4179	ME301897	Fuel	L8893F	ME073821	Air	LAF5783
ME222135	Fuel	L5085F	ME130968	Oil	LFP2440	ME056670	Fuel	LFF5127
ME088532	Oil	LFP8752	(29537268); Allison	Trans	LFFH8737 ⁵⁸⁷	ME130968	Oil	LFP2440
<i>FE180 (w/V8 6.0L gas engine)</i>			1000/2000 Series			MITSUBISHI FUSO (TRUCK HEAVY DUTY)		
ME088532	Oil	PH48	(29537965); Allison		T951 ⁶	<i>FG639 (w/Mitsubishi 4D34T Engine)</i>		
<i>FE180 Canter (w/4P10 3.0L Engine)</i>			1000/2200 Series			ME017246	Air	LAF4179
QC000001	Oil	LP5730	<i>FK260 (w/Mitsubishi 6M60 Engine)</i>			ME017254	Fuel	LFF3886
<i>FE434 (w/Mitsubishi 4D31 Engine)</i>			ME073821	Air	LAF5783	ME215002	Oil	LFP3307
ME033717	Air	LAF1947	ME301897	Fuel	L8893F	<i>FH100 (w/Mitsubishi 6D31 Engine)</i>		
ME016872	Fuel	LFF3527	ME130968	Oil	LFP2440	ME033717	Air	LAF1947
ME014833	Oil	LFP2255	(29537268); Allison	Trans	LFFH8737 ⁵⁸⁷	ME056670	Fuel	LFF5127
ME014838		LFP5010	1000/2000 Series			ME215002	Oil	LFP3307
<i>FE439 (w/Mitsubishi 4D34 Engine)</i>			(29537965); Allison		T951 ⁶	<i>FH100 (w/Mitsubishi 6D31T Engine)</i>		
ME033717	Air	LAF1947	1000/2200 Series			ME033717	Air	LAF1947
			<i>FK415</i>			ME015254	Fuel	LFF3886
			ME033603	Air	LAF1768 ²	ME014838	Oil	LFP5010
			ME015254	Fuel	LFF3886			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 6-Shallow Pan 14-Extended Life 18-Short 19-Long 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 587-Spin-on 617-3.12" O.D. 624-2.65" O.D.

On-Highway Applications



M

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MITSUBISHI FUSO (TRUCK HEAVY DUTY)			MOTOR COACH INDUSTRIES (BUS HEAVY DUTY)			MOTOR COACH INDUSTRIES (BUS HEAVY DUTY)		
<i>FH100 (w/Mitsubishi 6D31T Engine) (cont'd)</i>			<i>102DL3, 500 Series (w/Detroit Diesel 60 Series Engine) (cont'd)</i>			<i>D4505 (w/Caterpillar C13 Engine)</i>		
ME088519	Oil	LFP6007	29540493	Trans	LH4589G ²³	23521528	Fuel	L3578FN
MOTOR COACH INDUSTRIES (BUS HEAVY DUTY)			<i>Commuter Coach (w/Detroit Diesel 60 Series Engine)</i>			1R-0749		LFF2749 ²⁰
<i>102A3, 300 Series (w/Detroit Diesel 6V-92T Engine)</i>			23524403	Coolant	LFW4685 ²⁴⁹	1R-0716	Oil	LFP4005 ⁶²⁶
T121009	Air	LAF1839	(25014274); Pri.	Fuel	LFP815FN	2752604		LFP4005TRT ³
T061012	Coolant	LFW4071 ^{28, 205}	(25014342); Sec.		LFP816FN	2752604		LFP4005XL ¹⁴
(T121019); Pri.	Fuel	LFP815FN	25014505	Oil	LFP2160	29526899	Trans	LH4582G ²⁴
(T121018); Sec.		LFP816FN	23523701		LFP2160TRT ³	<i>D4505 (w/Detroit Diesel 60 Series Engine)</i>		
T081073	Oil	LFP911	<i>Courier 100V (w/International Gas Engine)</i>			23524403	Coolant	LFW4685 ²⁴⁹
T081074		LFP911XL ¹⁴	By-Pass	Oil	1041 ⁸⁶³	23521528	Fuel	L3578FN
T171059	Power Steering	LP487	By-Pass		L24A	(23512317); W/S		LFF8010
T171011	Trans	LFH4223	<i>Courier 200A (w/Continental R6572 Engine)</i>			(23518481); Pri.		LFP815FN
<i>102C3 (w/Detroit Diesel 8V92 Engine)</i>			Oil		PH2819	(23518482); Sec.		LFP816FN
T121009	Air	LAF1839	<i>D4000 (w/Caterpillar C12 Engine)</i>			23523701	Oil	LFP2160
T061012	Coolant	LFW4071 ^{28, 205}	T121009	Air	LAF1839	23523701		LFP2160XL ¹⁴
(T121019); Pri.	Fuel	LFP815FN	PF7620	Fuel	L3578FN	29526899	Trans	LH4582G ²⁴
(T121018); Sec.		LFP816FN	1R0749); Sec.		LFF2749 ²⁰	<i>E4500 (w/Caterpillar C13 Engine)</i>		
T081073	Oil	LFP911	1R0716	Oil	LFP4005	23521528	Fuel	L3578FN
T081074		LFP911XL ¹⁴			LFP4005TRT ³	1R-0749		LFF2749 ²⁰
T171059	Power Steering	LP487			LFP4005XL ¹⁴	1R-0716	Oil	LFP4005 ⁶²⁶
T171011	Trans	LFH4223	1R0749		LFP4005XL ¹⁴	2752604		LFP4005TRT ³
<i>102C3, 400 Series (w/Detroit Diesel 6V-92T Engine)</i>			29540493	Trans	LH4589G ²³	2752604		LFP4005XL ¹⁴
T121009	Air	LAF1839	<i>D4005 (w/Caterpillar C13 Engine)</i>			29526899	Trans	LH4582G ²⁴
T061012	Coolant	LFW4071 ^{28, 205}	PF7620	Fuel	L3578FN	<i>E4500 (w/Detroit Diesel 60 Series Engine)</i>		
(T121019); Pri.	Fuel	LFP815FN	1R-0749		LFF2749 ²⁰	23524403	Coolant	LFW4685 ²⁴⁹
(T121018); Sec.		LFP816FN	1R-1712	Oil	LFP4005 ⁶²⁶	23521528	Fuel	L3578FN
T081073	Oil	LFP911	1R-1712		LFP4005TRT ³	(23512317); W/S		LFF8010
T081074		LFP911XL ¹⁴	1R-1712		LFP4005XL ¹⁴	(23518481); Pri.		LFP815FN
T171059	Power Steering	LP487	29526899	Trans	LH4582G ²⁴	(23518482); Sec.		LFP816FN
T171011	Trans	LFH4223	<i>D4005 (w/Detroit Diesel 60 Series Engine)</i>			23523701	Oil	LFP2160
<i>102DL3 (w/Caterpillar C13 Engine)</i>			23524403	Coolant	LFW4685 ²⁴⁹	23523701		LFP2160XL ¹⁴
T121009	Air	LAF1839	23521528	Fuel	L3578FN	29526899	Trans	LH4582G ²⁴
1R0716	Oil	LFP4005	(23512317); W/S		LFF8010	<i>G4500 (w/Detroit Diesel 60 Series Engine)</i>		
2492347		LFP4005SC ⁷¹¹	(23518481); Pri.		LFP815FN	23524403	Coolant	LFW4685 ²⁴⁹
1R0716		LFP4005TRT ³	(23518482); Sec.		LFP816FN	23521528	Fuel	L3578FN
2752604		LFP4005XL ¹⁴	23523701	Oil	LFP2160	(23512317); W/S		LFF8010
T171059	Power Steering	LP487	23523701		LFP2160XL ¹⁴	(23518481); Pri.		LFP815FN
29540493	Trans	LH4589G ²³	29526899	Trans	LH4582G ²⁴	(23518482); Sec.		LFP816FN
<i>102DL3, 500 Series (w/Detroit Diesel 60 Series Engine)</i>			<i>D4005 w/Cummins ISX12 Engine</i>			23523701	Oil	LFP2160
T121009	Air	LAF1839	FS19763	Coolant	LFW2127 ^{14, 249}	23523701		LFP2160XL ¹⁴
T061013	Coolant	LFW4071 ^{28, 205}	(2864993); Sec.	Fuel	L9763FXL ¹⁴	29526899	Trans	LH4582G ²⁴
(23512317); W/S	Fuel	LFF8010	3101869		LFF6776	29526899		LH4591G ²²
(T121018); Sec.		LFP816FN	3101869	Oil	LFP9001 ²⁵⁰	<i>J4500 (w/Caterpillar C12 Engine)</i>		
25014505	Oil	LFP2160	29526898		LFP9001XL ^{14, 250}	PF7620	Fuel	L3578FN
		LFP2160TRT ³	29526899	Trans	LH4582G ²⁴	1R-0749		LFF2749 ²⁰
		LFP2160XL ¹⁴	<i>D4500 (w/Caterpillar C12 Engine)</i>			1R-0716	Oil	LFP4005 ⁶²⁶
T171059	Power Steering	LP487	PF7620	Fuel	L3578FN	2752604		LFP4005TRT ³
			1R-0749		LFF2749 ²⁰	2752604		LFP4005XL ¹⁴
			1R-0716	Oil	LFP4005 ⁶²⁶	29526898	Trans	LH4582G ²⁴
			2752604		LFP4005TRT ³	29526899		LH4591G ²²
			2752604		LFP4005XL ¹⁴	<i>J4500 (w/Caterpillar C13 Engine)</i>		
			29526899	Trans	LH4582G ²⁴	(PF7620); Davco opt.	Fuel	L3578FN
						1R-0749		LFF2749 ²⁰
						1R-0716	Oil	LFP4005 ⁶²⁶
						2752604		LFP4005TRT ³
						2752604		LFP4005XL ¹⁴
						29526898	Trans	LH4582G ²⁴

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 205-Maintenance 249-No chemical 250-11.9" Hgt. 626-Standard efficiency 711-Short can version 863-272C size

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MOTOR COACH INDUSTRIES (BUS HEAVY DUTY)			NABI (BUS HEAVY DUTY)			NEOPLAN BUS (BUS HEAVY DUTY)		
<i>J4500 (w/Caterpillar C13 Engine) (cont'd)</i>			<i>40LF Transit (w/Cummins ISLNG Engine) (cont'd)</i>			<i>AN460, AN460LF Articulated Transit (w/Cummins ISL Diesel Engine) (cont'd)</i>		
29526899	Trans	LH4591G ²²	29540496	Trans	LH4582G ²⁴ LH4591G ²²	3318853	Oil	LFP3000
<i>J4500 (w/Cummins ISM Engine)</i>			NEOPLAN BUS (BUS HEAVY DUTY)			<i>AN460, AN460LF Articulated Transit (w/Cummins ISL Engine)</i>		
3098689	Coolant	LFW4685 ²⁴⁹	<i>AN440LF Transliner (w/Caterpillar C9 Engine)</i>			<i>AN460, AN460LF Articulated Transit (w/Cummins ISL Engine)</i>		
(3800394); W/S	Fuel	LFF1003 ²⁰⁹	(1R0751); Sec.	Fuel	LFF4783	(3959612); Sec.	Fuel	LFF5488
3406889		LFF1022	(1335673); Pri.		LFF8707	(3355903); W/S		LFF9013
(3843447); W/S		LFF1282	1R0716	Oil	LFP4005	3318853	Oil	LFP3000
3101869	Oil	LFP9001 ²⁵⁰	1R1808		LFP4005RN ⁵⁹⁹	3401544		LFP3000XL ¹⁴
3101869		LFP9001XL ^{14, 250}				<i>AN460, AN460LF Articulated Transit (w/Cummins ISLG Engine)</i>		
<i>J4500 (w/Cummins ISX 12 Engine)</i>								
	Coolant	LFW2127 ^{14, 249}	<i>AN440LF Transliner (w/Cummins ISL Diesel Engine)</i>					
FS19763	Fuel	L9763FXL ¹⁴	(FS5636); Sec.	Fuel	LFF5488		Fuel	LFF5080 ⁶⁴⁷
(2864993); Sec.		LFF6776	(3355903); W/S		LFF9013	3318853	Oil	LFP3000
3101869	Oil	LFP9001 ²⁵⁰	3318853	Oil	LFP3000	3401544		LFP3000XL ¹⁴
3101869		LFP9001XL ^{14, 250}	3401544		LFP3000XL ¹⁴	<i>AN460, AN460LF Articulated Transit (w/Detroit Diesel 50 Series Engine)</i>		
29526898	Trans	LH4582G ²⁴	<i>AN440LF Transliner (w/Detroit Diesel 50 Series Engine)</i>			<i>AN460, AN460LF Articulated Transit (w/Detroit Diesel 50 Series Engine)</i>		
29526899		LH4591G ²²	(23512317); W/S	Fuel	LFF8010	(23512317); W/S	Fuel	LFF8010
<i>J4500 (w/Detroit Diesel 60 Series Engine)</i>			(25014274); Pri.		LFP815FN	(25014274); Pri.		LFP815FN
23524403	Coolant	LFW4685 ²⁴⁹	(25014342); Sec.		LFP816FN	(25014342); Sec.		LFP816FN
23521528	Fuel	L3578FN	25014505	Oil	LFP2160	23523701	Oil	LFP2160
(23533726); 2004-on; Sec.		LFF6816	<i>AN440LF Transliner (w/Detroit Diesel 60 Series Engine)</i>			<i>NEW FLYER (BUS HEAVY DUTY)</i>		
(23533726); 2004-on; Sec.		LFF6816XL ¹⁴	(23512317); W/S	Fuel	LFP2160	<i>D40FLR (w/Cummins ISL engine)</i>		
(23512317); W/S		LFF8010	(25014274); Pri.		LFP2160TRT ³	<i>(FS1065); W/S</i>		
(23518481); Pri.		LFP815FN ⁷³⁸	(25014342); Sec.		LFP2160XL ¹⁴	<i>(FS1065); W/S</i>		
(23518482); Sec.		LFP816FN ⁷³⁰	25014505	Oil	LFP2160TRT ³	<i>Sec.</i>		
23518480	Oil	LFP2160	23523701		LFP2160XL ¹⁴	<i>LF9009</i>		
23518480		LFP2160TRT ³	<i>AN440LF Transliner (w/Detroit Diesel 60 Series Engine)</i>			<i>Xcelsior w/Cummins ISL Engine</i>		
23518480		LFP2160XL ¹⁴	23521528	Fuel	L3578FN	<i>(FS1065); W/S</i>		
29526898	Trans	LH4582G ²⁴	(23512317); W/S		LFF8010	<i>Sec.</i>		
29540493		LH4589G ²³	(25014274); Pri.		LFP815FN	<i>LF9009</i>		
29526899		LH4591G ²²	(25014342); Sec.		LFP816FN	<i>29540496</i>		
<i>J4500 (w/Detroit Diesel DD13 engine)</i>			25014505	Oil	LFP2160	<i>29545776</i>		
	Coolant	LW4076XL	23523701		LFP2160TRT ³	<i>Xcelsior w/Cummins ISB6.7 Engine</i>		
A4720900651	Fuel	L5104F	<i>AN460, AN460LF Articulated Transit (w/Caterpillar C9 Engine)</i>			<i>LF3970</i>		
23518480	Oil	LP5090 ⁷¹⁹	(1R0751); Sec.	Fuel	LFF4783	<i>Xcelsior w/Cummins ISL G Engine</i>		
23518480		LP5090A ⁷²⁰	(1335673); Pri.		LFF8707	<i>(FS1065); W/S</i>		
<i>J4505 w/Cummins ISX12 Engine</i>			1R0716	Oil	LFP4005	<i>Sec.</i>		
	Coolant	LFW2127 ^{14, 249}	1R1808		LFP4005RN ⁵⁹⁹	<i>LF9009</i>		
FS19763	Fuel	L9763FXL ¹⁴	<i>AN460, AN460LF Articulated Transit (w/Cummins ISL CNG Engine)</i>			<i>29540496</i>		
(2864993); Sec.		LFF6776	(3959612); Sec.	Fuel	LFF5488	<i>29545776</i>		
3101869	Oil	LFP9001 ²⁵⁰	(3355903); W/S		LFF9013	<i>NOVABUS (BUS HEAVY DUTY)</i>		
3101869		LFP9001XL ^{14, 250}	3318853	Oil	LFP3000	<i>LFS Series w/Cummins ISB6.7 Engine</i>		
29526898	Trans	LH4582G ²⁴	3401544		LFP3000XL ¹⁴	<i>LFS Series w/Cummins ISL-G Engine</i>		
29526899		LH4591G ²²	<i>AN460, AN460LF Articulated Transit (w/Cummins ISL Diesel Engine)</i>			<i>3606712</i>		
<i>MC-8 (w/Detroit Diesel 8V71 Engine)</i>						<i>LF9009</i>		
(23512317); W/S	Fuel	LFF8010	(1R0751); Sec.	Fuel	LFF4783	<i>(29540496); Allison</i>		
(25014274); Pri.		LFP815FN	(1335673); Pri.		LFF8707	<i>Allison</i>		
(25014342); Sec.		LFP816FN	1R0716	Oil	LFP4005	<i>LFS Shuttle, Suburban (w/Cummins ISL Diesel Engine)</i>		
	Oil	LFP911	1R1808		LFP4005RN ⁵⁹⁹	(4940647); Sec.	Fuel	LFF5488
T17-1011	Trans	LFH4223				LF9009	Oil	LFP3000XL ¹⁴
NABI (BUS HEAVY DUTY)								
<i>40LF Transit (w/Cummins ISLNG Engine)</i>								
	Air	LAF9544						
3606712	Fuel	LFF5080 ⁶⁴⁷						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 3-Extended Life w/ Time Release Technology 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 209-Square sensor port 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 599-High capacity 647-Natural Gas 719-OEM Version 720-Value Version 730-2004 738-To 2004

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NOVABUS (BUS HEAVY DUTY)			OTTAWA (TRUCK HEAVY DUTY)			OTTAWA (TRUCK HEAVY DUTY)		
<i>LFS Shuttle, Suburban (w/Cummins ISL Diesel Engine) (cont'd)</i>			<i>Commando CYT30 (w/Cummins 6BT5.9 Engine) (cont'd)</i>			<i>YT60 (w/Cummins 6BTA5.9 Engine) (cont'd)</i>		
(29540496); Allison	Trans	LH4582G ²⁴	W/S	Fuel	LFF8062		Oil	LFP780
Allison		LH4591G ²²		Oil	LFP780		Air	LAF1934
ORION (BUS HEAVY DUTY)			<i>Commando CYT30 (w/Cummins 6BTA5.9 Engine)</i>			<i>YTC30 (w/Cummins ISB Engine)</i>		
<i>V Urban 40 w/Cummins M11 Engine</i>			P527484	Air	LAF1878 ²	90020293		LAF1934
(FS1000); W/S	Fuel	LFF1000	400292-000		LAF22010	AH1193		LAF2521
(3308638); W/S		LFF8020	W/S	Fuel	LFF8062	(FF5632); Sec.	Fuel	LFF5632
LF3000	Oil	LFP3000		Oil	LFP780	LF3970	Oil	LFP3970
LF9009		LFP3000XL ¹⁴			LFP780XL ¹⁴	29510922	Trans	LFP8316G
<i>VII Urban 40 w/Cummins ISL-G Engine</i>			<i>CYT30 (w/Cummins ISB Diesel Engine)</i>			29538489		
NG5900	Fuel	LFF5080 ⁶⁴⁷	P527484	Air	LAF1878 ²	PARKS INDUSTRIES LLC (AUXILIARY POWER UNIT)		
LF9009	Oil	LFP3000XL ¹⁴	400292-000		LAF22010 ⁷⁴⁷	<i>HP2000 (w/Perkins 2 cyl.Engine)</i>		
OSHKOSH (TRUCK HEAVY DUTY)			W/S	Fuel	LFF8062		Air	LAF8388
<i>S Series (w/Cummins L10 Engine)</i>				Oil	LFP780		Fuel	L3541F
	Coolant	LFW4071 ²⁸			LFP780XL ¹⁴		Oil	PH2835 ²⁷¹
	Fuel	LFF5	<i>Models with Caterpillar 3208 eng.</i>			PH2840 ⁵⁹⁸		
		LFF8020	7N-1225	Air	LAF1801	PATRIOT (AUXILIARY POWER UNIT)		
W/S	Oil	LFP3000 ³¹³	<i>Models with Gresen hydr. system</i>			<i>Models (w/Yanmar 2TNV70 Engine)</i>		
		LFP670 ⁶⁴³	1553	Hydraulic	LFH4209	10450055710	Fuel	L3541F
		LFP777B	<i>Models with Panel Air Filter</i>			11930535150	Oil	PH2876
By-Pass			9910-5821	Air	LAF512	PDM INDUSTRIES (AUXILIARY POWER UNIT)		
OTTAWA (TRUCK HEAVY DUTY)			<i>YT30 (w/Cummins 6BT5.9 Engine)</i>			<i>HP15 (w/2 cyl. Perkins Engine)</i>		
<i>4x2 (w/Cummins ISB.6.7L Engine)</i>			114880-003	Air	LAF1934	P822686	Air	LAF8388 ^{2, 601}
W/S	Fuel	LFF9732 ²⁵	W/S	Fuel	LFF8062	130366040	Fuel	L3541F
		LFF9737U		Hydraulic	LFP1652	130366050		L549F ⁹
	Hydraulic	LFP1652		Oil	LFP780	140516990	Oil	PH2840
	Oil	LFP3970	<i>YT30 (w/Cummins 6BTA5.9 Engine)</i>			PETERBILT (MEDIUM DUTY TRUCK)		
(29540494); Allison	Trans	LH4582G ²⁴	114880-003	Air	LAF1934	<i>200 Midranger (w/Cummins 6CT8.3 Engine)</i>		
3000		LH4591G ²²	W/S	Fuel	LFF8062	P527484	Air	LAF1878 ²
(29540493); Allison				Hydraulic	LFP1652	P129545		LAF9545 ⁴⁵⁶
3000				Oil	LFP780	(3925274); Pri.	Fuel	LFF3417
<i>4x2 (w/Cummins ISL G Engine)</i>			<i>YT30 (w/Cummins ISB Diesel Engine)</i>			Sec.		LFF3521
WF2126	Coolant	LFW2126 ^{255, 865}	114880-003	Air	LAF1934	LF3000	Oil	LFP3000
3315116		LFW4071 ^{28, 864}	W/S	Fuel	LFF8062	<i>200 Midranger (w/Cummins B 5.9L Engine)</i>		
NG5900	Fuel	LFF5080 ⁶⁴⁷		Hydraulic	LFP1652	(3925274); Pri.	Fuel	LFF3417
LF9009	Oil	LFP3000XL ^{14, 313}		Oil	LFP780	Sec.		LFF3521
LF9009		LFP9001 ^{250, 810}	<i>YT50 (w/Cummins 6BT5.9 Engine)</i>			(FS1251); W/S		LFF8062
LF9080		LFP9001TRT ³	114880-003	Air	LAF1934		Oil	LFP780 ¹⁵
		LFP9001XL ^{14, 250, 810}	W/S	Fuel	LFF8062			LFP780XL ¹⁴
LF14000NN				Hydraulic	LFP1652	<i>200 Midranger (w/Cummins ISB 5.9L Engine)</i>		
<i>4x2 (w/Ford 6.8L V10 Engine)</i>				Oil	LFP780	W/S	Fuel	L1261F
	Hydraulic	LFP1652	<i>YT50 (w/Cummins 6BTA5.9 Engine)</i>			(FS9519); W/S		LFF9519
FL820S	Oil	PH48 ²⁷⁵	114880-003	Air	LAF1934	LF3970	Oil	LFP3970
FL820S		PH820 ¹⁴⁹⁶	W/S	Fuel	LFF8062	<i>210 (w/Cummins ISB 6.7L Engine)</i>		
<i>6x4 (w/Cummins ISB.6.7L Engine)</i>				Hydraulic	LFP1652	(FS1065); W/S	Fuel	LFF1065 ²¹⁰
W/S	Fuel	LFF9732	<i>YT60 (w/Cummins 6BT5.9 Engine)</i>			(FF5632); Sec.		LFF5632
W/S		LFF9737U	114880-003	Air	LAF1934	LF3970	Oil	LFP3970
	Hydraulic	LFP1652	W/S	Fuel	LFF8062	7632141102	Power Steering	LH8504
	Oil	LFP3970		Oil	LFP780	(29539579); Allison	Trans	LFH8737 ⁵⁸⁷
(29540494); Allison	Trans	LH4582G ²⁴	<i>YT60 (w/Cummins 6BTA5.9 Engine)</i>			1000/2000		LH4582G ²⁴
3000		LH4591G ²²	114880-003	Air	LAF1934	(29540494); Allison		LH4589G ²³
(29540493); Allison			W/S	Fuel	LFF8062	3000/3500		
3000				Hydraulic	LFP1652	(29540493); Allison		
<i>Commando CYT30 (w/Cummins 6BT5.9 Engine)</i>						3000/3500		
P527484	Air	LAF1878 ²						
400292-000		LAF22010						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 9-3.5" Tall 14-Extended Life 15-Standard 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard
 Capacity 24-4" Sump 25-Engine mounted 28-Contains 1 oz. of chemical 210-w/ Sensor 250-11.9" Hgt. 255-Contains 3 oz. of chemical 271-3" O.D.
 275-Primary 313-2 1/4" Thread 456-Standard Air 587-Spin-on 598-2.67" O.D. 601-7.3" Tall 643-1 1/2" Thread 647-Natural Gas 747-Disposable housing
 810-M92 x 2.56H Thread 864-11/16 x 16 Thread 865-M36 x 2.0 Thread 1496-Alternate

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (MEDIUM DUTY TRUCK)			PETERBILT (MEDIUM DUTY TRUCK)			PETERBILT (MEDIUM DUTY TRUCK)		
<i>210 (W/Cummins ISB 6.7L Engine) (cont'd)</i>			<i>224 Midranger (w/Cummins 6CT 8.3L Engine)</i>			<i>320 (w/Caterpillar 3126B Engine) (cont'd)</i>		
29545776 (29537965); Allison 1000/2000	Trans	LH4591G ²² T951 ⁶	(3925274); Pri. Sec. (FS1251); W/S	Fuel	LFF3417 LFF3521 LFF8062 ¹²	29540494 29540493 29545776	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²
<i>210 (W/Paccar PX6 6.7L Engine)</i>			<i>224 Midranger (w/Cummins 6CT8.3 Engine)</i>			<i>320 (w/Caterpillar 3306C Engine)</i>		
(FS1065); W/S (FF5632); Sec. LF3970	Fuel	LFF1065 ²¹⁰ LFF5632	P527484 P129545	Air	LAF1878 ² LAF9545 ⁴⁵⁶	WF2073	Air Coolant	LAF241HD LFW4073 ²⁵⁵ LFW4075 ⁶⁴⁴
7632141102	Oil	LFP3970	(3925274); Pri. Sec.	Fuel	LFF3417 LFF3521	(1P2299); Sec. (5008414); Brake Dryer	Fuel Miscellaneous	LFP440F LFP8654
(29539579); Allison 1000/2000	Power Steering	LH8504	LF3000	Oil	LFP3000	1R0739 1R1807 87972A	Oil Power Steering	LFP3191 LFP3191XL ¹⁴ LP5005 ⁴⁵⁸
(29540494); Allison 3000/3500 (29540493); Allison 3000/3500 29545776 (29537965); Allison 1000/2000	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²² T951 ⁶	<i>227 Midranger (w/Cummins 6CT8.3 Engine)</i>			<i>320 (w/Caterpillar C10 Engine)</i>		
<i>220 (W/Cummins ISB 6.7L Engine)</i>			<i>265 Midranger (w/Cummins 6CT 8.3L Engine)</i>			<i>320 (w/Caterpillar C11 Engine)</i>		
1668000	Air	LAF5428	(3925274); Pri. Sec. (FS1251); W/S	Fuel	LFF3417 LFF3521 LFF8062 ¹²	P182000 P182099 (FS19729); W/S W/S 1R0749 1R0716	Air Fuel Oil	LAF241HD LAF8047 L9729F ⁶⁴⁸ L9729FXL ¹⁴ LFF2749 ²⁰ LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B ¹²
WF2055	Coolant	LFW2055	<i>265 Midranger (W/Cummins 8.3L Engine)</i>			<i>320 (w/Caterpillar C13 Engine)</i>		
(FS1065); W/S 1399760 (FF5632); Sec. LF3970	Fuel	LFF1065 ²¹⁰ LFF5485 ⁴⁵⁷ LFF5632	P527484 P129545	Air	LAF1878 ² LAF9545 ⁴⁵⁶	87972A 29540494 29540493 29545776	Power Steering Trans	LP5005 ⁴⁵⁸ LH4582G ²⁴ LH4589G ²³ LH4591G ²²
7632141102	Oil	LFP3970	(3925274); Pri. Sec.	Fuel	LFF3417 LFF3521	<i>320 (w/Caterpillar C13 Engine)</i>		
(29539579); Allison 1000/2000 (29540494); Allison 3000/3500 (29540493); Allison 3000/3500 29545776 (29537965); Allison 1000/2000	Power Steering	LH8504	LF3000	Oil	LFP3000	1R0749 1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B ¹²
<i>220 (W/Paccar PX6 6.7L Engine)</i>			<i>270 (W/Cummins ISB Engine)</i>			<i>320 (w/Caterpillar C13 Engine)</i>		
(FS1065); W/S (FF5632); Sec. LF3970	Fuel	LFF1065 ²¹⁰ LFF5632	ACHD040 W/S (FS9519); W/S LF3970	Air Fuel Oil	LAF8746 L1261F LFF9519 LFP3970	P182000 P182099 (FS19729); W/S W/S 1R0749 1R0716	Air Fuel Oil	LAF241HD LAF8047 L9729F ⁶⁴⁸ L9729FXL ¹⁴ LFF2749 ²⁰ LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B ¹²
7632141102	Oil	LFP3970	7632141102	Power Steering	LH8504	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B ¹²
(29539579); Allison 1000/2000 (29540494); Allison 3000/3500 (29540493); Allison 3000/3500 29545776 (29537965); Allison 1000/2000	Trans	LH8504	<i>270 Midranger (w/Cummins 6CT8.3 Engine)</i>			<i>320 (w/Caterpillar C13 Engine)</i>		
<i>220 (W/Paccar PX7 Engine)</i>			<i>320 (w/Caterpillar 3126B Engine)</i>			<i>320 (w/Caterpillar C13 Engine)</i>		
(29539579); Allison 1000/2000 (29540494); Allison 3000/3500 (29540493); Allison 3000/3500 29545776 (29537965); Allison 1000/2000	Power Steering	LH8504	P527484 P129545	Air	LAF1878 ² LAF9545 ⁴⁵⁶	87972A 29540494 29540493 29545776	Power Steering Trans	LP5005 ⁴⁵⁸ LH4582G ²⁴ LH4589G ²³ LH4591G ²²
7632141102	Trans	LH8504	(3925274); Pri. Sec.	Fuel	LFF3417 LFF3521	<i>320 (w/Caterpillar C13 Engine)</i>		
(29539579); Allison 1000/2000	Trans	LH8504	LF3000	Oil	LFP3000	P181057 (FS19729); W/S (FS1000); W/S 1R0749 1R0716	Air Fuel Oil	LAF6127 ² L9729F ⁶⁴⁸ LFF1000 ¹³ LFF2749 ²⁰ LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
<i>220 (W/Paccar PX7 Engine)</i>			<i>320 (w/Caterpillar 3126B Engine)</i>			<i>320 (w/Caterpillar C13 Engine)</i>		
LF3970	Oil	LFP3970	P182099 (9M2341); Pri. 1R0751 WF2071	Fuel	L3531F ⁴¹ LFF4783 LFW4071 ²⁸	1R0749 1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
7632141102	Power Steering	LH8504	1R0739 1R1807	Oil	LFP3191 LFP3191XL ¹⁴	<i>320 (w/Caterpillar C13 Engine)</i>		
(29539579); Allison 1000/2000	Trans	LH8504	87972A	Power Steering	LP5005 ⁴⁵⁸	<i>320 (w/Caterpillar C13 Engine)</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 12-Optional 13-Optional Frame Mounted 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 41-Cartridge 210-w/ Sensor 255-Contains 3 oz. of chemical 456-Standard Air 457-Without Sensor 458-4.1" Hgt. 587-Spin-on 644-Contains 6 oz. of chemical 648-w/ Davco option

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (MEDIUM DUTY TRUCK)			PETERBILT (MEDIUM DUTY TRUCK)			PETERBILT (MEDIUM DUTY TRUCK)		
320 (w/Caterpillar C13 Engine) (cont'd)			320 (w/Cummins ISL9 Engine) (cont'd)			320 (w/Paccar PX8 Engine)		
(1W8845); By-Pass	Oil	LFP777B ¹²	LF9009	Oil	LFP3000XL ¹⁴	P181057	Air	LAF6127
87972A	Power Steering	LP5005 ⁴⁵⁸	29540493	Trans	LH4589G ²³	P158050	(FS1065); W/S	LAF9085 ¹
29540494	Trans	LH4582G ²⁴	29545776		LH4591G ²²	(FF5488); Sec.	Fuel	LFF1065 ²¹⁰
29540493		LH4589G ²³	320 (w/Cummins ISM Engine)			LF9009	Oil	LFP3000XL ¹⁴
29545776		LH4591G ²²	P116446	Air	LAF1765 ¹	87972A	Power Steering	LP5005 ⁴⁵⁸
320 (w/Caterpillar C7 Engine)			P181057		LAF6127 ²	29540494	Trans	LH4582G ²⁴
P182099	Air	LAF241HD	P182049		LAF6453 ²	29540493		LH4589G ²³
1R0751	Fuel	LAF8047	P158050		LAF9085 ¹	29545776		LH4591G ²²
1R0751		LFF4783	WF2071	Coolant	LFW4071 ^{28, 205}	320 (w/Paccar PX9 Engine)		
1R0739	Oil	LFF4783RD	(FS19727); Davco opt.	Fuel	L5467FNXL ¹⁴	P181057	Air	LAF6127
1R1807		LFP3191	(FS1000); W/S	Miscellaneous	LFF1000	P158050	(FS1065); W/S	LAF9085 ¹
87972A	Power Steering	LFP3191TRT ³	(5008414); Brake Dryer		LFP8654	(FS1065); W/S	Fuel	LFF1065 ²¹⁰
29540494	Trans	LFP3191XL ¹⁴	LF9080	Oil	LFP9001 ²⁵⁰	LF9009	Oil	LFP3000XL ¹⁴
29540493		LP5005 ⁴⁵⁸	LF14000NN		LFP9001TRT ³	87972A	Power Steering	LP5005 ⁴⁵⁸
29545776		LH4582G ²⁴	87972A	Power Steering	LFP9001XL ^{14, 250}	29540494	Trans	LH4582G ²⁴
320 (w/Cummins ISC Engine)			29510922	Trans	LFP8316G	29540493		LH4589G ²³
P182099	Air	LAF241HD	29540494		LH4582G ²⁴	29545776		LH4591G ²²
(FF5488); Sec.	Fuel	LAF8047	29540493		LH4589G ²³	320HE Hybrid (w/Cummins ISM Engine)		
LF9009	Oil	LFF5488	29545776		LH4591G ²²	WF2071	Coolant	LFW4071 ²⁸
87972A	Power Steering	LFP3000XL ¹⁴	(29538489); Allison 500/600		T153 ⁵	(5008414); Brake Dryer	Miscellaneous	LFP8654
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	320 (w/Cummins ISX12 Engine)			LF9080	Oil	LFP9001 ^{15, 250}
29540494		LH4582G ²⁴	(P181057); Outer	Air	LAF6127	LF14000NN		LFP9001TRT ³
29540493		LH4589G ²³	P158050		LAF9085 ¹			LFP9001XL ^{14, 15, 250}
29545776		LH4591G ²²	WF2126	Coolant	LFW2126 ²⁵⁵	87904M	Power Steering	LH4101 ³¹¹
320 (w/Cummins ISL Engine)			WF2127		LFW2127 ^{14, 249}	29510922	Trans	LFP8316G
P182099	Air	LAF241HD	(FF5776); Sec.	Fuel	L9763FXL ¹⁴	(29540494); Allison 3000/3500		LH4582G ²⁴
(FS19729); W/S	Fuel	LAF8047	LF9080	Oil	LFP9001 ²⁵⁰	(29540493); Allison 3000/3500		LH4589G ²³
W/S		L9729F ⁶⁴⁸	LF14000NN		LFP9001TRT ³	29545776		LH4591G ²²
FS1022		L9729FXL ¹⁴	320 (w/Cummins ISX12 G Engine)			(29538489); Allison 500/600		T153 ⁵
LF3000	Oil	LFF1022	(P181057); Outer	Air	LAF6127	325 (w/Cummins ISB 6.7L Engine)		
LF9009		LFP3000	P158050		LAF9085 ¹	LF3970	Air	LAF1878 ²
29540494	Trans	LFP3000XL ¹⁴	WF2126	Coolant	LFW2126 ²⁵⁵	5X010007	Cabin Air	CAF24012
29540493		LH4582G ²⁴	WF2127		LFW2127 ^{14, 249}	(FS1000); W/S	Fuel	LFF1000 ¹³
29545776		LH4589G ²³	NG5900	Fuel	LFF5080 ⁶⁴⁷	(FF5632); Sec.		LFF5632
320 (w/Cummins ISL G Engine)			LF9080	Oil	LFP9001 ²⁵⁰	LF3970	Oil	LFP3970
NG5900	Fuel	LFF5080 ⁶⁴⁷	LF14000NN		LFP9001TRT ³	(29539579); Allison 1000/2000	Trans	LHF8737 ⁵⁸⁷
LF9009	Oil	LFP3000XL ¹⁴	320 (w/Cummins LTA10 Engine)			(29537965); Allison 1000/2000		T951 ⁶
87972A	Power Steering	LP5005 ⁴⁵⁸	(FS1212); W/S	Air	LAF241HD	(FS1065); W/S	Fuel	LFF1065 ²¹⁰
29540496	Trans	LH4582G ²⁴	17237	Miscellaneous	LFF8020	(FS1065); W/S	Fuel	LFF1065 ²¹⁰
29540493		LH4589G ²³	(5008414); Brake Dryer		HP1	325 (w/Paccar PX6 6.7L Engine)		
29545776		LH4591G ²²	LF9009	Oil	LFP8654	LF3970	Air	LAF1878 ²
320 (w/Cummins ISL9 Engine)			WF2071		LFP3000XL ¹⁴	5X010007	Cabin Air	CAF24012
P182099	Air	LAF8047	WF2073		LFW4071 ²⁸	(FS1000); W/S	Fuel	LFF1000 ¹³
(FS19729); W/S	Fuel	L9729F ⁶⁴⁸	87972A	Power Steering	LFW4073 ²⁵⁵	(FS1065); W/S		LFF1065 ²¹⁰
W/S		L9729FXL ¹⁴	29540494	Trans	LP5005 ⁴⁵⁸	(FF5632); Sec.	Oil	LFP3970
(FS1065); W/S		LFF1065 ²¹⁰	29540493		LH4582G ²⁴	LF3970		LFP3970
(FF5488); Sec.		LFF5488	29545776		LH4589G ²³			
					LH4591G ²²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 5-Deep Pan 6-Shallow Pan 12-Optional Frame Mounted 14-Extended Life

15-Standard 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 205-Maintenance 210-w/ Sensor

249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 311-2.73" Hgt. 458-4.1" Hgt. 587-Spin-on 647-Natural Gas 648-w/ Davco option

P

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (MEDIUM DUTY TRUCK)			PETERBILT (MEDIUM DUTY TRUCK)			PETERBILT (MEDIUM DUTY TRUCK)		
325 (w/Paccar PX6 6.7L Engine) (cont'd)			330 (w/Caterpillar 3126 Engine) (cont'd)			330 (w/Cummins ISC Engine)		
(29539579); Allison 1000/2000	Trans	LFH8737 ⁵⁸⁷	29540493	Trans	LH4589G ²³	P527484	Air	LAF1878 ²
(29537965); Allison 1000/2000		T951 ⁶	29545776		LH4591G ²²	5X010007	Cabin Air	CAF24012
			(9M2341); 04-07; Pri.	Fuel	L3531F ⁴¹	FS1022	Fuel	LFF1022
			330 (w/Caterpillar 3126B Engine)			(1752949); W/S		LFF8030 ²⁰
325 (w/Paccar PX7 Engine)				Air	LAF1878 ²	LF3000	Oil	LFP3000 ¹⁵
LF3970	Air	LAF1878 ²	5X010007	Cabin Air	CAF24012	LF9009		LFP3000XL ¹⁴
5X010007	Cabin Air	CAF24012	(FS1003); W/S	Fuel	LFF1003 ¹³	29540494	Trans	LH4582G ²⁴
(FS1000); W/S	Fuel	LFF1000 ¹³	FS1022		LFF1022 ¹³	29540493		LH4589G ²³
(FS1065); W/S		LFF1065 ²¹⁰	1R0751		LFF4783 ²⁵	29545776		LH4591G ²²
(FF5632); Sec.		LFF5632	1R0739	Oil	LFP3191 ¹⁵	330 (w/Paccar PX6 6.7L Engine)		
LF3970	Oil	LFP3970			LFP3191TRT ³	P527484	Air	LAF1878 ²
(29537965); Allison 1000/2000	Trans	T951 ⁶	1R1807		LFP3191XL ¹⁴	5X010007	Cabin Air	CAF24012
			87904M	Power Steering	LH4101 ³¹¹	(FS1003); W/S	Fuel	LFF1003 ²⁰
330 (w/Caterpillar 3116 Engine)						(FS1065); W/S		LFF1065 ²¹⁰
P182000	Air	LAF241HD	29540494	Trans	LH4582G ²⁴	(FF5632); Sec.		LFF5632
P182099		LAF8047	29540493		LH4589G ²³	(5008414); Brake Dryer	Miscellaneous	LFP8654
	Coolant	LFW4071 ^{28, 205}	29545776		LH4591G ²²	LF3970	Oil	LFP3970
(9M2341); Pri.	Fuel	L3531F ⁴¹	330 (w/Caterpillar C7 Engine)			87904M	Power Steering	LH4101 ³¹¹
1R0739	Oil	LFP3191		Air	LAF1878 ²			
87972A	Power Steering	LP5005 ⁴⁵⁸	5X010007	Cabin Air	CAF24012	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
(29540494); Allison 3000/3500	Trans	LH4582G ²⁴	(FS1003); W/S	Fuel	LFF1003 ¹³	(29540494); Allison 3000/3500		LH4582G ²⁴
(29540493); Allison 3000/3500		LH4589G ²³	FS1022		LFF1022 ¹³	(29540493); Allison 3000/3500		LH4589G ²³
P527484	Air	LAF1878 ²	1R0751		LFF4783 ²⁵	29545776		LH4591G ²²
5X010007	Cabin Air	CAF24012	1R0739	Oil	LFP3191 ¹⁵	330 (w/Paccar PX7 Engine)		
1R0751	Fuel	LFF4783			LFP3191TRT ³	P527484	Air	LAF1878 ²
1R0739	Oil	LFP3191 ¹⁵	29540494	Trans	LFP3191XL ¹⁴	5S013817	Cabin Air	CAF24024
1R0739		LFP3191TRT ³	29540493		LH4589G ²³	(FS1065); W/S	Fuel	LFF1065 ²¹⁰
1R1807		LFP3191XL ¹⁴	29545776		LH4591G ²²	(5008414); Brake Dryer	Miscellaneous	LFP8654
87904M	Power Steering	LH4101 ³¹¹	330 (w/Cummins 6CT8.3 Engine)			LF3970	Oil	LFP3970
			P527484	Air	LAF1878 ²	87904M	Power Steering	LH4101 ³¹¹
29540494	Trans	LH4582G ²⁴	(3925274); Pri. Sec.	Fuel	LFF3417	(29539579); Allison 2000 Series (29540494); Allison 3000/3500	Trans	LFH8737 ⁵⁸⁷
29540493		LH4589G ²³	LF3000	Oil	LFF3521	29545776		LH4582G ²⁴
29545776		LH4591G ²²			LFP3000 ³¹³	330 (w/Cummins ISB 5.9L Engine)		
330 (w/Caterpillar 3126 Engine)					LFP734 ¹⁷⁹	P527484	Air	LAF1878 ²
P182000	Air	LAF241HD	330 (w/Cummins ISB 6.7L Engine)			LF3970	Oil	LFP3970
P182099		LAF8047	1R0739	Oil	LFP3191 ¹⁵			
	Coolant	LFW4071 ^{28, 205}		Air	LAF1878 ²	330 (w/Paccar PX8 Engine)		
(9M2341); Pri.	Fuel	L3531F ⁴¹	5X010007	Cabin Air	CAF24012		Air	LAF1878 ²
1R0739	Oil	LFP3191	(FS1003); W/S	Fuel	LFF1003 ¹³	5X010007	Cabin Air	CAF24012
87972A	Power Steering	LP5005 ⁴⁵⁸	FS1022		LFF1022 ¹³	(FS1003); W/S	Fuel	LFF1003 ¹³
(29540494); Allison 3000/3500	Trans	LH4582G ²⁴	1R0751		LFF4783 ²⁵	FS1022		LFF1022 ¹³
(29540493); Allison 3000/3500		LH4589G ²³			LFP3191TRT ³	1R0751		LFF4783 ²⁵
P527484	Air	LAF1878 ²	1R1807	Oil	LFP3191XL ¹⁴	1R0739	Oil	LFP3191 ¹⁵
5X010007	Cabin Air	CAF24012	87904M	Power Steering	LH4101 ³¹¹	1R1807		LFP3191TRT ³
1R0751	Fuel	LFF4783				87904M	Power Steering	LFP3191XL ¹⁴
1R0739	Oil	LFP3191 ¹⁵	29540494	Trans	LH4582G ²⁴			
1R0739		LFP3191TRT ³	29540493		LH4589G ²³	29540494	Trans	LH4582G ²⁴
1R1807		LFP3191XL ¹⁴	29545776		LH4591G ²²	29540493		LH4589G ²³
87904M	Power Steering	LH4101 ³¹¹			LFP3191 ¹⁵	29545776		LH4591G ²²
29540494	Trans	LH4582G ²⁴	1R0739	Oil	LFP3191 ¹⁵	330 HE (w/Cummins ISB 6.7L Engine)		
						P527484	Air	LAF1878 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 13-Optional Frame Mounted 14-Extended Life 15-Standard 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 25-Engine mounted 28-Contains 1 oz. of chemical 41-Cartridge 179-1 1/2 x 12 Thread 205-Maintenance 210-w/ Sensor 311-2.73" Hgt. 313-2 1/4" Thread 458-4.1" Hgt. 587-Spin-on

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (MEDIUM DUTY TRUCK)			PETERBILT (MEDIUM DUTY TRUCK)			PETERBILT (MEDIUM DUTY TRUCK)		
330 HE (w/Cummins ISB 6.7L Engine) (cont'd)			335 (w/Caterpillar C7 Engine) (cont'd)			335 (w/Paccar PX6 6.7L Engine) (cont'd)		
5X010007	Cabin Air	CAF24012	(29537965); Allison 1000/2000	Trans	T951⁶	(5008414); Brake Dryer	Miscellaneous	LFP8654
(FS1003); W/S (FS1065); W/S (FF5632); Sec. (5008414); Brake Dryer	Fuel	LFF1003²⁰ LFF1065²¹⁰ LFF5632	335 (w/Cummins ISB 6.7L Engine)			LF3970	Oil	LFP3970
LF3970	Oil	LFP3970	P527484	Air	LAF1878²	87904M	Power Steering	LH4101³¹¹
87904M	Power Steering	LH4101³¹¹	5X010007	Cabin Air	CAF24012	(17237); Optional Eaton 3.7" O.D. (29540494); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1
(17237); Optional Eaton 3.7" O.D. (29540494); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1	LF3970	Oil	LFP3970	(29540494); Allison 3000/3500 (29540493); Allison 3000/3500 29545776		LH4582G²⁴
		LH4582G²⁴	87904M	Power Steering	LH4101³¹¹			LH4589G²³
		LH4589G²³	335 (w/Cummins ISC Engine)					LH4591G²²
		LH4591G²²	P527484	Air	LAF1878²	335 (w/Paccar PX8 Engine)		
		LH4591G²²	5X010007	Cabin Air	CAF24012	P527484	Air	LAF1878²
		LH4591G²²	WF2071	Coolant	LFW4071²⁸	5X010007	Cabin Air	CAF24012
		LH4591G²²	(FS1003); W/S (FS1022 (FF5488); Sec. (5008414); Brake Dryer	Fuel	LFF1003²⁰⁹ LFF1022 LFF5488	(FS1000); W/S (FS1003); W/S (FF5488); Sec.	Fuel	LFF1000 LFF1003²⁰⁹ LFF5488
		LH4591G²²	LF9009	Oil	LFP3000XL¹⁴	LF3000	Oil	LFP3000
		LH4591G²²	87904M	Power Steering	LH4101³¹¹	LF9009	Oil	LFP3000XL¹⁴
		LH4591G²²	(29539579); Allison 1000/2000 (29540494); Allison 3000/3500 (29540493); Allison 3000/3500 29545776 (29537965); Allison 1000/2000	Trans	LHF8737⁵⁸⁷ LH4582G²⁴ LH4589G²³ LH4591G²² T951⁶	87904M	Power Steering	LH4101³¹¹
		LH4591G²²	LF3000	Oil	LFP3000¹⁵	(17237); Optional Eaton 3.7" O.D. 29540494 (29540493); Allison 3000/3500 29545776	Trans	HP1
		LH4591G²²	335 (w/Cummins ISM Engine)			(17237); Optional Eaton 3.7" O.D. 29545776		LH4582G²⁴ LH4589G²³ LH4591G²²
		LH4591G²²	P527484	Air	LAF1878²	335 HE (w/Paccar PX6 6.7L Engine)		
		LH4591G²²	WF2071	Coolant	LFW4071²⁸	P527484	Air	LAF1878²
		LH4591G²²	FS1022 (FF5488); Sec.	Fuel	LFF1022²¹⁰ LFF5488	5X010007	Cabin Air	CAF24012
		LH4591G²²	LF3000	Oil	LFP3000	(FS1003); W/S (FS1065); W/S (FF5632); Sec. (5008414); Brake Dryer	Miscellaneous	LFP8654
		LH4591G²²	LF9009	Oil	LFP3000XL¹⁴	LF3970	Oil	LFP3970
		LH4591G²²	87904M	Power Steering	LH4101³¹¹	87904M	Power Steering	LH4101³¹¹
		LH4591G²²	(29539579); Allison 1000/2000 (29540494); Allison 3000/3500 (29540493); Allison 3000/3500 29545776 (29537965); Allison 1000/2000	Trans	LHF8737⁵⁸⁷ LH4582G²⁴ LH4589G²³ LH4591G²² T951⁶	(17237); Optional Eaton 3.7" O.D. 29545776	Trans	HP1
		LH4591G²²	335 (w/Paccar PX6 6.7L Engine)			(29540494); Allison 3000/3500 (29540493); Allison 3000/3500	Trans	LH4582G²⁴ LH4589G²³
		LH4591G²²	P527484	Air	LAF1878²	337 (w/Paccar PX6 6.7L Engine)		
		LH4591G²²	WF2071	Coolant	LFW4071²⁸	P527484	Air	LAF1878²
		LH4591G²²	FS1022 (FF5488); Sec.	Fuel	LFF1022²¹⁰ LFF5488	Cabin Air	CAF24024	CAF24024
		LH4591G²²	LF3000	Oil	LFP3000	(FF5632); Sec. (5008414); Brake Dryer	Fuel	LFF5632
		LH4591G²²	LF9009	Oil	LFP3000XL¹⁴		Miscellaneous	LFP8654
		LH4591G²²	87904M	Power Steering	LH4101³¹¹	LF3970	Oil	LFP3970
		LH4591G²²	(29539579); Allison 1000/2000 (29540494); Allison 3000/3500 (29540493); Allison 3000/3500 29545776 (29537965); Allison 1000/2000	Trans	LHF8737⁵⁸⁷ LH4582G²⁴ LH4589G²³ LH4591G²² T951⁶	29540494 (29540493); Allison 3000/3500 29545776	Trans	LH4582G²⁴ LH4589G²³ LH4591G²²
		LH4591G²²	335 (w/Paccar PX6 6.7L Engine)			337 (w/Paccar PX6 6.7L Engine)		
		LH4591G²²	P527484	Air	LAF1878²	P527484	Air	LAF1878²
		LH4591G²²	5X010007	Cabin Air	CAF24012	Cabin Air	CAF24024	CAF24024
		LH4591G²²	(FS1003); W/S (FS1065); W/S (FF5632); Sec.	Fuel	LFF1003²⁰ LFF1065²¹⁰ LFF5632	(FF5632); Sec. (5008414); Brake Dryer	Fuel	LFF5632
		LH4591G²²					Miscellaneous	LFP8654
		LH4591G²²				LF3970	Oil	LFP3970
		LH4591G²²				29540494 (29540493); Allison 3000/3500 29545776	Trans	LH4582G²⁴ LH4589G²³ LH4591G²²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 6-Shallow Pan 14-Extended Life 15-Standard 20-High efficiency
 21-Frame mounted 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 209-Square sensor port
 210-w/ Sensor 311-2.73" Hgt. 587-Spin-on

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (MEDIUM DUTY TRUCK)			PETERBILT (MEDIUM DUTY TRUCK)			PETERBILT (MEDIUM DUTY TRUCK)		
337 (w/Paccar PX7 Engine)			340 (w/Cummins ISB 6.7L Engine)			340 (w/Paccar PX8 Engine) (cont'd)		
P527484	Air	LAF1878 ²	P527484	Air	LAF1878 ²	(17237); Optional	Trans	HP1
(FS1003); W/S	Fuel	LFF1003 ¹³	5X010007	Cabin Air	CAF24012	Eaton 3.7" O.D.		
(FS1065); W/S		LFF1065 ¹³	(FS1000); W/S	Fuel	LFF1000	29540494		LH4582G ²⁴
(5008414); Brake	Miscellaneous	LFP8654	(FS1003); W/S		LFF1003 ²⁰⁹	(29540493); Allison		LH4589G ²³
Dryer			(FF5488); Sec.		LFF5488	3000/3500		LH4591G ²²
LF3970	Oil	LFP3970	LF3000	Oil	LFP3000	29545776	Fuel	L9763FXL ^{14, 648}
29540494	Trans	LH4582G ²⁴	LF9009		LFP3000XL ¹⁴			
29545776		LH4591G ²²	87904M	Power Steering	LH4101 ³¹¹	348 (w/Caterpillar 3306 Engine)		
337 (w/Paccar PX8 Engine)			340 (w/Cummins ISC Engine)			348 (w/Paccar PX6 6.7L Engine)		
P527484	Air	LAF1878 ²	(17237); Optional	Trans	HP1	P181007	Air	LAF334 ⁸⁶⁶
	Cabin Air	CAF24024	Eaton 3.7" O.D.			(FS1212); W/S	Fuel	LAF7797 ⁸⁶⁷
(FS1003); W/S	Fuel	LFF1003 ²⁰⁹	29540494		LH4582G ²⁴	(1P2299); Sec.		LFF8020
(4940647); Sec.		LFF5488	(29540493); Allison		LH4589G ²³	(5008414); Brake	Miscellaneous	LFP440F
(5008414); Brake	Miscellaneous	LFP8654	3000/3500		LH4591G ²²	Dryer		LFP8654 ⁷⁹³
Dryer			29545776			1R0739	Oil	LFP3191
LF3000	Oil	LFP3000	340 (w/Cummins ISC Engine)			348 (w/Paccar PX6 6.7L Engine)		
LF9009		LFP3000XL ¹⁴	P527484	Air	LAF1878 ²	P527484	Air	LAF1878 ²
29540494	Trans	LH4582G ²⁴	5X010007	Cabin Air	CAF24012	(FF5632); Sec.	Fuel	LFF5632
29540493		LH4589G ²³	(FS1000); W/S	Fuel	LFF1000	(5008414); Brake	Miscellaneous	LFP8654
29545776		LH4591G ²²	(FS1003); W/S		LFF1003 ²⁰⁹	Dryer		
(17237); Opt.		PH400 ^{275, 845}	(FF5488); Sec.	Oil	LFF5488	LF3970	Oil	LFP3970
(17237); Opt.		PH8A ^{845, 1496}	LF3000		LFP3000	29540494	Trans	LH4582G ²⁴
337 (w/Paccar PX9 Engine)			LF9009		LFP3000XL ¹⁴	29540493		LH4589G ²³
	Air	LAF1878 ²	87904M	Power Steering	LH4101 ³¹¹	29545776		LH4591G ²²
	Cabin Air	CAF24024	340 (w/Paccar PX6 6.7L Engine)			348 (w/Paccar PX7 Engine)		
(FS1003); W/S	Fuel	LFF1003 ¹³	(17237); Optional	Trans	HP1	P527484	Air	LAF1878 ²
(5008414); Brake	Miscellaneous	LFP8654	Eaton 3.7" O.D.			P527484	Cabin Air	CAF24024 ²
Dryer			29540494		LH4582G ²⁴	(5008414); Brake	Miscellaneous	LFP8654
LF9009	Oil	LFP3000XL ¹⁴	(29540493); Allison		LH4589G ²³	Dryer		
29540496	Trans	LH4582G ²⁴	3000/3500		LH4591G ²²	LF3970	Oil	LFP3970
29545776		LH4591G ²²	29545776			29540494	Trans	LH4582G ²⁴
340 (w/Caterpillar C7 Engine)			340 (w/Paccar PX6 6.7L Engine)			348 (w/Paccar PX8 Engine)		
311550	Air	LAF1878 ²	P527484	Air	LAF1878 ²	P527484	Air	LAF1878 ²
5X010007	Cabin Air	CAF24012	5X010007	Cabin Air	CAF24012	(4940647); Sec.	Fuel	LFF5488
9N3368	Coolant	LFW4744 ⁴	(FS1000); W/S	Fuel	LFF1000	(5008414); Brake	Miscellaneous	LFP8654
1R0751	Fuel	LFF4783	(FS1003); W/S		LFF1003 ²⁰⁹	Dryer		
(FF105); Opt.		LFF5 ²¹	(FF5488); Sec.	Oil	LFF5488	LF3000	Oil	LFP3000
(175-2949); W/S		LFF8030	LF3000		LFP3000	87904M	Power Steering	LH4101 ³¹¹
(5008414); Brake	Miscellaneous	LFP8654	LF9009		LFP3000XL ¹⁴	(17237); Optional	Trans	HP1
Dryer			87904M	Power Steering	LH4101 ³¹¹	Eaton 3.7" O.D.		
1R0739	Oil	LFP3191	(17237); Optional	Trans	HP1	29540494		LH4582G ²⁴
1R0739		LFP3191TRT ³	Eaton 3.7" O.D.			29540493		LH4589G ²³
1R1807		LFP3191XL ¹⁴	29540494		LH4582G ²⁴	29545776		LH4591G ²²
1R1807		LFP3236	(29540493); Allison		LH4589G ²³	348 (w/Paccar PX9 Engine)		
		LFP3236TRT ³	3000/3500		LH4591G ²²		Air	LAF1878 ²
87904M	Power Steering	LH4101 ³¹¹	29545776				Cabin Air	CAF24024 ²
(29539579); Allison	Trans	LFH8737 ⁵⁸⁷	340 (w/Paccar PX8 Engine)				Fuel	LFF1003 ¹³
1000/2000			P527484	Air	LAF1878 ²	(FS1003); W/S		LFP8654
(29540494); Allison		LH4582G ²⁴	5X010007	Cabin Air	CAF24012	Brake Dryer	Miscellaneous	
3000/3500			(FS1000); W/S	Fuel	LFF1000	LF3000	Oil	LFP3000 ¹⁵
(29540493); Allison		LH4589G ²³	(FS1003); W/S		LFF1003 ²⁰⁹	LF9009		LFP3000XL ¹⁴
3000/3500			(FF5488); Sec.	Oil	LFF5488	87904M	Power Steering	LH4101 ³¹¹
29545776		LH4591G ²²	LF3000		LFP3000	(17237); Optional	Trans	HP1
(29537965); Allison		T951 ⁶	LF9009		LFP3000XL ¹⁴	Eaton 3.7" O.D.		
1000/2000			87904M	Power Steering	LH4101 ³¹¹	29540496		LH4582G ²⁴

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 6-Shallow Pan 13-Optional Frame Mounted 14-Extended Life
 15-Standard 21-Frame mounted 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 209-Square sensor port 275-Primary
 311-2.73" Hgt. 587-Spin-on 648-w/ Davco option 793-AD-SP System 845-Eaton/Fuller 866-13.5" Tall 867-22.8" Tall 1496-Alternate

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (MEDIUM DUTY TRUCK)			PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)		
<i>348 (w/Paccar PX9 Engine) (cont'd)</i>			<i>352 (w/Detroit Diesel 60 Series Engine) (cont'd)</i>			<i>357 (w/Caterpillar 3306 Engine) (cont'd)</i>		
29545776	Trans	LH4591G ²²	(25014274); Pri.	Fuel	LFP815FN	(4304827);	Trans	PH2835
PETERBILT (TRUCK HEAVY DUTY)			23518671	Oil	LFP911	Eaton/Fuller 3" O.D.		
<i>349 (w/Caterpillar 3306 Engine)</i>					LFP911XL ¹⁴	<i>357 (w/Caterpillar 3406E Engine)</i>		
P181007	Air	LAF7797 ²	87972A	Power Steering	LP5005 ⁴⁵⁸	P522293	Air	LAF1770
WF2071	Coolant	LFW4071 ^{28, 205}				P534816		LAF4816 ²
(1R0750); Sec.	Fuel	LFF3347 ²⁰	17237	Trans	HP1 ¹²	P534816		LAF4816MXM ²
FF105		LFF5 ³²	<i>353 (w/Caterpillar 3306 Engine)</i>			P150694		LAF694
(1P2299); Sec.		LFP440F	<i>353 (w/Caterpillar 3306 Engine)</i>			WF2071	Coolant	LFW4071 ^{28, 205}
1R0739	Oil	LFP3191	P181007	Air	LAF7797 ²	1R0749	Fuel	LFF2749 ²⁰
1R0739		LFP3191TRT ³	WF2071	Coolant	LFW4071 ^{28, 205}	FF105		LFF5 ³²
87972A	Power Steering	LP5005 ⁴⁵⁸	(1R0750); Sec.	Fuel	LFF3347 ²⁰	1R0716	Oil	LFP4005
			FF105		LFF5 ³²			LFP4005TRT ³
(25010975); Allison	Trans	LFH4223	(1P2299); Sec.		LFP440F			LFP4005XL ¹⁴
(4304827);		PH2835	1R0739	Oil	LFP3191	87972A	Power Steering	LP5005 ⁴⁵⁸
Eaton/Fuller 3" O.D.			1R0739		LFP3191TRT ³			
<i>349 (w/Cummins L10 Engine)</i>			87972A	Power Steering	LP5005 ⁴⁵⁸	(25010975); Allison	Trans	LFH4223
P521598	Air	LAF1769 ⁸²¹				(4304827);		PH2835
P181008		LAF6918 ⁶¹¹	(25010975); Allison	Trans	LFH4223	Eaton/Fuller 3" O.D.		
	Coolant	LFW4071 ²⁸	(4304827);		PH2835	<i>357 (w/Caterpillar C10 Engine)</i>		
			Eaton/Fuller 3" O.D.				Air	LAF1770 ¹⁵
2020TM	Fuel	L2020FN ²⁵⁴	<i>353 (w/Cummins N14 Engine)</i>			P534816		LAF4816 ²
FF105		LFF5		Coolant	LFW4071 ²⁸	P534816		LAF4816MXM ²
(FS1212); W/S		LFF8020			LFW4075 ⁶⁴⁴	5X010007	Cabin Air	CAF24012
(5008414); Brake	Miscellaneous	LFP8654	FF105	Fuel	LFF5	WF2127	Coolant	LFW2127 ^{14, 249}
Dryer			(FS1212); W/S		LFF8020			LFW4071 ²⁸
LF3000	Oil	LFP3000	LF3000	Oil	LFP3000	1R0749	Fuel	LFF2749 ²⁰
LF9009		LFP3000XL ¹⁴	LF9009		LFP3000XL ¹⁴	(1R0712); Sec.		LFF5823B
87972A	Power Steering	LP5005 ⁴⁵⁸	By-Pass		LFP777B	(5008414); Brake	Miscellaneous	LFP8654 ⁷⁹³
			87972A	Power Steering	LP5005 ⁴⁵⁸	Dryer		
(17237); Optional	Trans	HP1				1R0716	Oil	LFP4005
Eaton 3.7" O.D.			(17237); Optional	Trans	HP1	1R1808		LFP4005RN ⁵⁹⁹
<i>349 (w/Cummins N14 Engine)</i>			Eaton 3.7" O.D.					LFP4005TRT ³
	Coolant	LFW4071 ²⁸	<i>357 (w/Caterpillar 3176 Engine)</i>					LFP4005XL ¹⁴
		LFW4075 ⁶⁴⁴	P522293	Air	LAF1770	87904M	Power Steering	LH4101 ³¹¹
FF105	Fuel	LFF5	WF2071	Coolant	LFW4071 ²⁸	<i>357 (w/Caterpillar C11 Engine)</i>		
(FS1212); W/S		LFF8020	1R0749	Fuel	LFF2749 ²⁰	P534096	Air	LAF2536 ²
LF3000	Oil	LFP3000	FF105		LFF5 ³²	EAF5106		LAF2536MXM ^{2, 268}
LF9009		LFP3000XL ¹⁴	1R0716	Oil	LFP4005	P534816		LAF4816 ²
By-Pass		LFP777B			LFP4005TRT ³	P534816		LAF4816MXM ²
87972A	Power Steering	LP5005 ⁴⁵⁸			LFP4005XL ¹⁴	WF2127	Coolant	LFW2127 ^{14, 249}
			83213H	Power Steering	LP487 ²⁷⁸	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸
(17237); Optional	Trans	HP1				1R0749		LFF2749 ²⁰
Eaton 3.7" O.D.			(17237); Optional	Trans	HP1	(5008414); Brake	Miscellaneous	LFP8654
<i>349 (w/Detroit Diesel 60 Series Engine)</i>			Eaton 3.7" O.D.			Dryer		
P181008	Air	LAF6918	<i>357 (w/Caterpillar 3306 Engine)</i>			1R1808	Oil	LFP4005RN ⁵⁹⁹
WF2075	Coolant	LFW4075 ⁶⁴⁴	P181007	Air	LAF7797 ²			LFP4005TRT ³
(FS1212); W/S			WF2071	Coolant	LFW4071 ^{28, 205}			LFP4005XL ¹⁴
(25014274); Pri.			(1R0750); Sec.	Fuel	LFF3347 ²⁰	87904M	Power Steering	LH4101 ³¹¹
23518671	Oil	LFP911	FF105		LFF5 ³²			
		LFP911XL ¹⁴	(1P2299); Sec.		LFP440F	(17237); Optional	Trans	HP1
		LP132 ⁴¹	1R0739	Oil	LFP3191	Eaton 3.7" O.D.		
87972A	Power Steering	LP5005 ⁴⁵⁸	1R0739		LFP3191TRT ³	<i>357 (w/Caterpillar C12 Engine)</i>		
			87972A	Power Steering	LP5005 ⁴⁵⁸		Air	LAF1770 ¹⁵
17237	Trans	HP1				P534816		LAF4816 ²
<i>352 (w/Detroit Diesel 60 Series Engine)</i>			(25010975); Allison	Trans	LFH4223	P534816		LAF4816MXM ²
P181008	Air	LAF6918						
WF2075	Coolant	LFW4075 ⁶⁴⁴						
(FS1212); W/S	Fuel	LFF8020						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 15-Standard 20-High efficiency 22-2" or 7" Sump High Capacity
 28-Contains 1 oz. of chemical 32-Remote mounted 41-Cartridge 205-Maintenance 249-No chemical 254-Optional Racor 268-Extended/Severe service
 278-2.8" Hgt. 311-2.73" Hgt. 458-4.1" Hgt. 599-High capacity 611-Axial Seal 644-Contains 6 oz. of chemical 648-w/ Davco option 793-AD-SP System
 821-25" Tall

P

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)		
<i>357 (w/Caterpillar C12 Engine) (cont'd)</i>			<i>357 (w/Caterpillar C16 Engine) (cont'd)</i>			<i>357 (w/Cummins ISL Diesel Engine)</i>		
5X010007	Cabin Air	CAF24012	1R0749	Fuel	LFF2749 ²⁰	P534096	Air	LAF2536 ²
WF2127	Coolant	LFW2127 ^{14, 249}	(FS1212); W/S		LFF8020 ¹³	EAF5106		LAF2536MXM ^{2, 268}
		LFW4071 ²⁸	(5008414); Brake	Miscellaneous	LFP8654	5X010007	Cabin Air	CAF24012
1R0749	Fuel	LFF2749 ²⁰	Dryer				Coolant	LFW4071 ^{28, 205}
(1R0712); Sec.		LFF5823B	1R0716	Oil	LFP4005	(FS1003); W/S		LFW4071 ^{28, 205}
(5008414); Brake	Miscellaneous	LFP8654 ⁷⁹³	1R1808		LFP4005RN ⁵⁹⁹	(4940647); Sec.	Fuel	LFF1003 ²⁰⁹
Dryer					LFP4005TRT ³	(5008414); Brake	Miscellaneous	LFP8654
1R0716	Oil	LFP4005	By-Pass		LFP4005XL ¹⁴	Dryer		LFP3000
1R1808		LFP4005RN ⁵⁹⁹	87904M	Power Steering	LFP777B	LF3000	Oil	LFP3000XL ¹⁴
		LFP4005TRT ³	(17237); Optional	Trans	LH4101 ³¹¹	LF9009		LH4101 ³¹¹
		LFP4005XL ¹⁴	Eaton 3.7" O.D.		HP1	87904M	Power Steering	HP1
87904M	Power Steering	LH4101 ³¹¹				(17237); Optional	Trans	HP1
						Eaton 3.7" O.D.		
<i>357 (w/Caterpillar C13 Engine)</i>			<i>357 (w/Caterpillar C9 Engine)</i>			<i>357 (w/Cummins ISM Engine)</i>		
P534096	Air	LAF2536 ²	P534096	Air	LAF2536 ²	P534096	Air	LAF2536 ²
EAF5106		LAF2536MXM ^{2, 268}	EAF5106		LAF2536MXM ^{2, 268}	EAF5106		LAF2536MXM ^{2, 268}
P534816		LAF4816 ²	5X010007	Cabin Air	CAF24012	5X010007	Cabin Air	CAF24012
P534816		LAF4816MXM ²		Coolant	LFW4071 ²⁸		Coolant	LFW4071 ^{28, 205}
WF2127	Coolant	LFW2127 ^{14, 249}	1R0751	Fuel	LFF4783	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸
(FS19729); W/S			1R0751		LFF4783RD	(FS1003); W/S		LFF1003 ²⁰⁹
W/S			FF105		LFF5 ³²	FS1022		LFF1022
1R0749			1R0716	Oil	LFP4005	(5008414); Brake	Miscellaneous	LFP8654
(5008414); Brake	Miscellaneous	LFP8654			LFP4005TRT ³	Dryer		LFP9001 ²⁵⁰
Dryer			87904M	Power Steering	LFP4005XL ¹⁴	LF9080	Oil	LFP9001TRT ³
1R1808	Oil	LFP4005RN ⁵⁹⁹			LH4101 ³¹¹	LF14000NN		LFP9001XL ^{14, 250}
		LFP4005TRT ³	<i>357 (w/Cummins 6CT8.3 Engine)</i>			87904M	Power Steering	LH4101 ³¹¹
		LFP4005XL ¹⁴	P542753	Air	LAF9500 ⁸⁶⁸	(17237); Optional	Trans	HP1
87904M	Power Steering	LH4101 ³¹¹	5X010007	Cabin Air	CAF24012	Eaton 3.7" O.D.		
(17237); Optional	Trans	HP1		Coolant	LFW4071 ²⁸			
Eaton 3.7" O.D.			(3925274); Pri.	Fuel	LFF3417	<i>357 (w/Cummins ISX Engine)</i>		
					LFF3521	P542753	Air	LAF9500
<i>357 (w/Caterpillar C15 Engine)</i>			(5008414); Brake	Miscellaneous	LFP8654	WF2126	Coolant	LFW2126 ²⁵⁵
P534816	Air	LAF4816 ²	Dryer			WF2127		LFW2127 ^{14, 249}
P534816		LAF4816MXM ²		Oil	LFP734	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸
5X010007	Cabin Air	CAF24012	87972A	Power Steering	LP5005 ⁴⁵⁸	W/S		L9729FXL ¹⁴
	Coolant	LFW4071 ²⁸	(17237); Optional	Trans	HP1	(FS1007); W/S		LFF1007 ²¹⁰
(FS19729); W/S			Eaton 3.7" O.D.			FF2200		LFF2201 ⁷⁸³
1R0749			<i>357 (w/Cummins ISC Engine)</i>			(FF5776); Sec.		LFF6776
(FS1212); W/S			P534096	Air	LAF2536 ^{2, 869}	(5008414); Brake	Miscellaneous	LFP8654
(5008414); Brake	Miscellaneous	LFP8654	EAF5106		LAF2536MXM ^{2, 268, 869}	Dryer		
Dryer			P542753		LAF9500 ⁸⁶⁸	LF9070	Oil	LFP9000 ⁷²³
1R0716	Oil	LFP4005	5X010007	Cabin Air	CAF24012	LF9080		LFP9000XL ^{14, 723}
1R1808		LFP4005RN ⁵⁹⁹		Coolant	LFW4071 ^{28, 205}	LF14000NN		LFP9001 ²⁵⁰
		LFP4005TRT ³	(FS1003); W/S	Fuel	LFF1003 ²⁰⁹	87904M	Power Steering	LH4101 ³¹¹
By-Pass		LFP4005XL ¹⁴	(4940647); Sec.		LFF5488			
87904M	Power Steering	LFP777B	(5008414); Brake	Miscellaneous	LFP8654	<i>357 (w/Cummins L10 Engine)</i>		
(17237); Optional	Trans	HP1	Dryer			P521598	Air	LAF1769 ⁸²¹
Eaton 3.7" O.D.			LF3000	Oil	LFP3000	P181008		LAF6918 ⁶¹¹
<i>357 (w/Caterpillar C16 Engine)</i>			LF9009		LFP3000XL ¹⁴	5X010190	Cabin Air	CAF24006
P534816	Air	LAF4816 ²	87904M	Power Steering	LH4101 ³¹¹		Coolant	LFW4071 ²⁸
P534816		LAF4816MXM ²	(17237); Optional	Trans	HP1	2020TM	Fuel	L2020FN ²⁵⁴
5X010007	Cabin Air	CAF24012	Eaton 3.7" O.D.			FF105		LFF5
WF2127	Coolant	LFW2127 ^{14, 249}						
(FS19729); W/S	Fuel	L9729F ⁶⁴⁸						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 13-Optional Frame Mounted 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 32-Remote mounted 205-Maintenance 209-Square sensor port 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 254-Optional Racor 255-Contains 3 oz. of chemical 268-Extended/Severe service 311-2.73" Hgt. 458-4.1" Hgt. 599-High capacity 611-Axial Seal 648-w/ Davco option 723-13.9" Hgt. 783-Pressure side 793-AD-SP System 821-25" Tall 868-21.2" Tall 869-23.6" Tall

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)		
357 (w/Cummins L10 Engine) (cont'd)			359 (w/Cat. 3406 Engine) (cont'd)			362 (w/Cat. 3406 Engine) (cont'd)		
(FS1212); W/S	Fuel	LFF8020	87972A	Power Steering	LP5005 ⁴⁵⁸	(25010975); Allison	Trans	LFH4223
(5008414); Brake Dryer	Miscellaneous	LFP8654	(25010975); Allison	Trans	LFH4223	(4304827); Eaton/Fuller 3" O.D.		PH2835
LF3000	Oil	LFP3000	(4304827); Eaton/Fuller 3" O.D.		PH2835	362 (w/Caterpillar 3406E Engine)		
87972A	Power Steering	LP5005 ⁴⁵⁸	359 (w/Caterpillar 3406E Engine)			P181008	Air	LAF6918
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	P181008	Air	LAF6918		Coolant	LFW4071 ²⁸
357 (w/Cummins M11 Engine)					LFW4075 ⁶⁴⁴			LFW4075 ⁶⁴⁴
P521598	Air	LAF1769 ⁸²¹	1R0749	Fuel	LFF2749 ²⁰	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸
P181008		LAF6918 ⁶¹¹	FF105		LFF5 ³²	1R0749		LFF2749 ²⁰
5X010190	Cabin Air	CAF24006	1R0716	Oil	LFP4005	(FF105); Frame mtd.		LFF5
	Coolant	LFW4071 ²⁸			LFP4005TRT ³	1R0716		LFP4005
2020TM	Fuel	L2020FN ²⁵⁴			LFP4005XL ¹⁴			LFP4005TRT ³
FF105		LFF5	87972A	Power Steering	LP5005 ⁴⁵⁸	87972A	Power Steering	LP5005 ⁴⁵⁸
(FS1212); W/S	Miscellaneous	LFP8654	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
(5008414); Brake Dryer		LFP8654	(25010975); Allison		LFH4223	362 (w/Caterpillar 3408 Engine)		
LF3000	Oil	LFP3000	359 (w/Caterpillar 3408 Engine)			P181008	Air	LAF6918
87972A	Power Steering	LP5005 ⁴⁵⁸	P181008	Air	LAF6918	9N3368	Coolant	LFW4744 ⁴
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	9N3368	Coolant	LFW4744 ⁴	(9M2341); Pri.	Fuel	L3531F ⁴¹
357 (w/Cummins N14 PLUS Engine)			(9M2341); Pri.	Fuel	L3531F ⁴¹	(1R0712); Sec.		LFF5823B
P181008	Air	LAF6918	(1R0712); Sec.		LFF5823B	(FS1212); W/S		LFF8020
	Coolant	LFW4075 ⁶⁴⁴	(FS1212); W/S		LFF8020	1R0716	Oil	LFP4005 ⁸⁷¹
FF105	Fuel	LFF5	1R0716	Oil	LFP4005 ⁸⁷¹			LFP4005XL ¹⁴
(FS1212); W/S		LFP8020			LFP4005XL ¹⁴	87972A	Power Steering	LP5005 ⁴⁵⁸
LF3000	Oil	LFP3000	87972A	Power Steering	LP5005 ⁴⁵⁸	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
By-Pass		LFP777B	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	362 (w/Caterpillar C10 Engine)		
87972A	Power Steering	LP5005 ⁴⁵⁸	359 (w/Cummins N14 Engine)			P150695	Air	LAF695
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	P181008	Air	LAF6918	WF2127	Coolant	LFW2127 ^{14, 249}
357 (w/Detroit Diesel 60 Series Engine)					LFW4075 ⁶⁴⁴	1R0749	Fuel	LFF2749 ²⁰
P181008	Air	LAF6918	FF105	Fuel	LFF5	W/S		LFF8011
WF2075	Coolant	LFW4075 ⁶⁴⁴	(FS1212); W/S		LFF8020	1R0716	Oil	LFP4005
(FS1212); W/S	Fuel	LFF8020	LF3000	Oil	LFP3000			LFP4005TRT ³
(25014274); Pri.		LFP815FN	LF9009		LFP3000XL ¹⁴	By-Pass		LFP4005XL ¹⁴
23518671	Oil	LFP911	By-Pass		LFP777B	By-Pass		LFP777B
		LFP911XL ¹⁴	87972A	Power Steering	LP5005 ⁴⁵⁸	87904M	Power Steering	LH4101 ³¹¹
		LP132 ⁴¹	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	87972A		LP5005 ⁴⁵⁸
87972A	Power Steering	LP5005 ⁴⁵⁸	362 (w/Cat. 3406 Engine)			(17237); Optional Eaton 3.7" O.D.	Trans	HP1
17237	Trans	HP1	P522293	Air	LAF1770	362 (w/Caterpillar C11 Engine)		
359 (w/Cat. 3406 Engine)			P534816		LAF4816 ²			LAF1770
P522293	Air	LAF1770	P534816		LAF4816MXM ²	WF2127	Coolant	LFW2127 ^{14, 249}
P534816		LAF4816 ²	P534816		LAF694	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸
P534816		LAF4816MXM ²	P150694	Coolant	LFW4071 ^{28, 205}	W/S		L9729FXL ¹⁴
P150694		LAF694	WF2071	Fuel	LFF2749 ²⁰	1R0749		LFF2749 ²⁰
WF2071	Coolant	LFW4071 ^{28, 205}	FF105		LFF5 ³²	1R0716	Oil	LFP4005
1R0749	Fuel	LFF2749 ²⁰	1R0716	Oil	LFP4005			LFP4005TRT ³
FF105		LFF5 ³²			LFP4005TRT ³			LFP4005XL ¹⁴
1R0716	Oil	LFP4005	87972A	Power Steering	LP5005 ⁴⁵⁸	362 (w/Caterpillar C12 Engine)		
		LFP4005TRT ³			LP5005 ⁴⁵⁸	P153551	Air	LAF3551
		LFP4005XL ¹⁴						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 32-Remote mounted 41-Cartridge 205-Maintenance 249-No chemical 254-Optional Racor 311-2.73" Hgt. 458-4.1" Hgt. 611-Axial Seal 644-Contains 6 oz. of chemical 648-w/ Davco option 821-25" Tall 870-4.65" O.D. 871-5.35" O.D.

P

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)		
<i>362 (w/Caterpillar C12 Engine) (cont'd)</i>			<i>362 (w/Detroit Diesel 60 Series Engine)</i>			<i>365 (w/Caterpillar C9 Engine) (cont'd)</i>		
1R0749	Fuel	LFF2749 ²⁰ LFF8011	P522293	Air	LAF1770 LAF3302 ²	(5008414); Brake	Miscellaneous	LFP8654
87904M	Hydraulic	LH4101 ³¹¹ LP5005 ¹¹	P534816		LAF4816 ²	Dryer		
(87972A); 5 inch O.D.			P534816		LAF4816MXM ²	2492347	Oil	LFP4005SC ⁷¹¹
1R0716	Oil	LFP4005 ⁸⁷² LFP4005TRT ³ LFP4005XL ¹⁴	P150695		LAF695	87904M	Power Steering	LH4101 ³¹¹
By-Pass		LFP777B		Coolant	LFW4071 ^{28, 205}	(17237); Optional	Trans	HP1
By-Pass		LFP777XL ¹⁴	W/S	Fuel	LFF8011	Eaton 3.7" O.D.		
87904M	Power Steering	LH4101 ³¹¹ LP5005 ⁴⁵⁸	(FS1212); W/S		LFF8020	29540494		LH4582G ²⁴
			(25014274); Pri.		LFP815FN	29540493		LH4589G ²³
			(R950011); Brake	Miscellaneous	LFP8654 ³¹²	29545776		LH4591G ²²
			Dryer			365 (w/Cummins ISX12 Engine)		
			23523701	Oil	LFP2160TRT ³ LFP2160XL ¹⁴		Air	LAF1770
			By-Pass		LFP777B	5X010007	Cabin Air	CAF24012 ⁸⁷⁴
			87904M	Power Steering	LH4101 ³¹¹	5S013817		CAF24024 ⁸⁷³
			(17237); Optional	Trans	HP1	(FS1065); W/S	Fuel	LFF1065 ²¹⁰
			Eaton 3.7" O.D.			(5008414); Brake	Miscellaneous	LFP8654
362 (w/Caterpillar C13 Engine)			365 (w/Caterpillar C13 Engine)			365 (w/Cummins ISX12 Engine)		
	Air	LAF1770	P522293	Air	LAF1770	Dryer		
WF2127	Coolant	LFW2127 ^{14, 249}	5X010007	Cabin Air	CAF24012	LF9080	Oil	LFP9001 ²⁵⁰
(FS19729); W/S	Fuel	L9729F ⁶⁴⁸ L9729FXL ¹⁴	(FS1000); W/S		LFW4685 ²⁴⁹	87904M	Power Steering	LFP9001TRT ³
W/S		LFF2749 ²⁰	1R0749	Fuel	LFF1000	(17237); Optional	Trans	LFP9001XL ^{14, 250}
1R0749	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	(5008414); Brake		LFF2749 ²⁰	Eaton 3.7" O.D.		
1R0716			Dryer	Miscellaneous	LFP8654	29540496		LH4582G ²⁴
			Eaton/Fuller 3" O.D.		PH2835	29545776		LH4591G ²²
			2492347	Oil	LFP4005SC ⁷¹¹	365 (w/Cummins ISL Diesel Engine)		
			87904M	Power Steering	LH4101 ³¹¹	P522293	Air	LAF1770 ²
			(17237); Optional	Trans	HP1	5X010007	Cabin Air	CAF24012
			Eaton 3.7" O.D.			5S013817		CAF24024 ⁸⁷³
			29540494		LH4582G ²⁴	WF2071	Coolant	LFW4071 ^{28, 205}
			29540493		LH4589G ²³	(FS1003); W/S	Fuel	LFF1003 ²⁰⁹
			29545776		LH4591G ²²	(FS1065); W/S		LFF1065 ²¹⁰
						(5008414); Brake	Miscellaneous	LFP8654
						Dryer		
						LF3000	Oil	LFP3000
						LF9009		LFP3000XL ¹⁴
						87904M	Power Steering	LH4101 ³¹¹
						(17237); Optional	Trans	HP1
						Eaton 3.7" O.D.		
						25940494		LH4582G ²⁴
						29540493		LH4589G ²³
						29545776		LH4591G ²²
						365 (w/Cummins ISLNG Engine)		
						P522293	Air	LAF1770 ²
						5X010007	Cabin Air	CAF24012 ⁸⁷⁴
						5S013817		CAF24024 ⁸⁷³
						NG5900	Fuel	LFF5080 ⁶⁴⁷
						(5008414); Brake	Miscellaneous	LFP8654
						Dryer		
						LF9009	Oil	LFP3000XL ¹⁴
						87904M	Power Steering	LFH4984
						29540494	Trans	LH4582G ²⁴
						29540493		LH4589G ²³
						29545776		LH4591G ²²
						365 (w/Caterpillar C9 Engine)		
						P522293	Air	LAF1770
						5X010007	Cabin Air	CAF24012
						(FS1000); W/S	Fuel	LFF1000
						1R0749		LFF2749 ²⁰
						W/S		LFF8030

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 205-Maintenance 209-Square sensor port 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 311-2.73" Hgt. 312-AD-IS System 458-4.1" Hgt. 644-Contains 6 oz. of chemical 647-Natural Gas 648-w/ Davco option 711-Short can version 872-standard replacement 873-9.1" Wide 874-8.12" Wide

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)		
<i>365 (w/Cummins ISM Engine)</i>			<i>365 (w/Paccar MX Series Eng) (cont'd)</i>			<i>367 (w/Cummins ISM Diesel Engine) (cont'd)</i>		
P522293	Air	LAF1770		Fuel	L7663F	(FS1000); W/S	Fuel	LFF1000
(FS1000); W/S	Fuel	LFF1000	1655115	(5008414); Brake	Miscellaneous	LFF6289	(5008414); Brake	Miscellaneous
(5008414); Brake	Miscellaneous	LFP8654	Dryer	Dryer		LFP8654	Dryer	
Dryer			1643070	(1643072); By-Pass		LP6043	LP9001	Oil
LF9080	Oil	LFP9001 ²⁵⁰				LP8213	LF14000NN	
		LFP9001TRT ³	87904M			LH4101 ³¹¹	87904M	Power Steering
LF14000NN		LFP9001XL ^{14, 250}		(17237); Optional		HP1	(17237); Optional	Trans
87904M	Power Steering	LH4101 ³¹¹		Eaton 3.7" O.D.		LH4582G ²⁴	Eaton 3.7" O.D.	
(17237); Optional	Trans	HP1		29540494		LH4589G ²³	(29540494); Allison	
Eaton 3.7" O.D.				29540493		LH4591G ²²	3000/3500	
29540494		LH4582G ²⁴		29545776			(29540493); Allison	
29540493		LH4589G ²³		<i>367 (w/Caterpillar C13 Engine)</i>			3000/3500	
29545776		LH4591G ²²		P534925	Air	LAF3302 ²	29545776	
<i>365 (w/Cummins ISX Engine)</i>				P153551		LAF3551	<i>367 (w/Cummins ISX 11.9 Engine)</i>	
P522293	Air	LAF1770		5X010007	Cabin Air	CAF24012	P544243	Air
5X010007	Cabin Air	CAF24012		(FS1000); W/S	Fuel	LFF1000	WF2126	Coolant
WF2126	Coolant	LFW2126 ²⁵⁵		1R0749	Miscellaneous	LFF2749 ²⁰	WF2127	Coolant
WF2127		LFW2127 ^{14, 249}		(5008414); Brake	Miscellaneous	LFP8654		Fuel
(FS19729); W/S	Fuel	L9729F ⁶⁴⁸		Dryer			(FF5776); Sec.	
W/S		L9729FXL ^{12, 14}		1R1808	Oil	LFP4005RN ⁵⁹⁹	(5008414); Brake	Miscellaneous
(FS1007); W/S		LFF1007 ²¹⁰				LFP4005TRT ³	Dryer	
FF2200		LFF2201 ⁷⁸³		87904M	Power Steering	LFP4005XL ¹⁴	LF9080	Oil
(FF2203); Pri.	Miscellaneous	LFP8654				LH4101 ³¹¹	LF9001	
(5008414); Brake				(17237); Optional	Trans	HP1	LF14000NN	
Dryer				Eaton 3.7" O.D.		LH4582G ²⁴	(29540496); Allison	Trans
LF9080	Oil	LFP9001 ²⁵⁰		(29540494); Allison		LH4589G ²³	3000/3500	
		LFP9001TRT ³		(29540493); Allison		LH4591G ²²	29545776	
LF14000NN		LFP9001XL ^{14, 250}		29545776			<i>367 (w/Cummins ISX Engine)</i>	
87904M	Power Steering	LH4101 ³¹¹		<i>367 (w/Caterpillar C15 Engine)</i>			P153551	Air
(17237); Optional	Trans	HP1		P534925	Air	LAF3302 ²	EAF5053	
Eaton 3.7" O.D.				P153551		LAF3551	P534816	
(29540496); Allison		LH4582G ²⁴		5X010007	Cabin Air	CAF24012	P534816	
3000/3500		LH4589G ²³		(FS1000); W/S	Fuel	LFF1000	5X010007	Cabin Air
(29540493); Allison		LH4591G ²²		1R0749	Miscellaneous	LFF2749 ²⁰	5S013817	
3000/3500				(5008414); Brake	Miscellaneous	LFP8654	WF2126	Coolant
29545776				Dryer			WF2127	Coolant
<i>365 (w/Cummins ISX12 G Engine)</i>				1R1808	Oil	LFP4005RN ⁵⁹⁹	(FS19729); W/S	Fuel
	Air	LAF1770				LFP4005TRT ³	W/S	
5X010007	Cabin Air	CAF24012 ⁸⁷⁴		87904M	Power Steering	LFP4005XL ¹⁴	FS19763	
5S013817		CAF24024 ⁸⁷³				LH4101 ³¹¹	(FS1007); W/S	
NG5900	Fuel	LFF5080 ⁶⁴⁷		(17237); Optional	Trans	HP1	FF2200	
(5008414); Brake	Miscellaneous	LFP8654		Eaton 3.7" O.D.		LH4582G ²⁴	(FF2203); Pri.	
Dryer				(29540494); Allison		LH4589G ²³	(5008414); Brake	Miscellaneous
LF9080	Oil	LFP9001 ²⁵⁰		(29540493); Allison		LH4591G ²²	Dryer	
		LFP9001TRT ³		29545776			LF9080	Oil
LF14000NN		LFP9001XL ^{14, 250}		<i>367 (w/Cummins ISM Diesel Engine)</i>			LF14000NN	
87904M	Power Steering	LFH4984		P153551	Air	LAF3551	87904M	Power Steering
29540496	Trans	LH4582G ²⁴		EAF5053		LAF3551MXM ²⁶⁸	(17237); Optional	Trans
29545776		LH4591G ²²		5X010007	Cabin Air	CAF24012	Eaton 3.7" O.D.	
<i>365 (w/Paccar MX Series Eng)</i>							(29540496); Allison	
P522293	Air	LAF1770 ²		<i>367 (w/Cummins ISM Diesel Engine)</i>			3000/3500	
	Cabin Air	CAF24024		P153551	Air	LAF3551	(29540493); Allison	
1843659	Coolant	LFW4686XL ^{14, 249}		EAF5053		LAF3551MXM ²⁶⁸	3000/3500	
(FS19624); Davco opt.	Fuel	L5467FNXL ¹⁴		5X010007	Cabin Air	CAF24012	(29540493); Allison	

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 311-2.73" Hgt. 599-High capacity 647-Natural Gas 648-w/ Davco option 783-Pressure side 873-9.1" Wide 874-8.12" Wide

P

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)		
<i>367 (w/Cummins ISX Engine) (cont'd)</i>			<i>367 (w/Paccar MX Series Eng) (cont'd)</i>			<i>372 (w/Detroit Diesel 60 Series Engine) (cont'd)</i>		
29545776	Trans	LH4591G ²²	(5008414); Brake Dryer	Miscellaneous	LFP8654	23523701	Oil	LFP2160XL ¹⁴ LFP777B
<i>367 (w/Cummins ISX12 Engine)</i>			1643070	Oil	LP6043 LP8213	By-Pass		
P544243	Air	LAF6243	(1643072); By-Pass			87904M	Power Steering	LH4101 ³¹¹
WF2126	Coolant	LFW2126 ²⁵⁵	87904M	Power Steering	LH4101 ³¹¹	(17237); Optional	Trans	HP1
WF2127		LFW2127 ^{14, 249}				Eaton 3.7" O.D.		
	Fuel	L9763FXL ^{14, 648}	(17237); Optional	Trans	HP1	<i>375 (w/Caterpillar 3176 Engine)</i>		
(FF5776); Sec.		LFF6776	Eaton 3.7" O.D.			P522293	Air	LAF1770
(5008414); Brake Dryer	Miscellaneous	LFP8654	<i>372 (w/Caterpillar 3406E Engine)</i>			(9M2341); Pri.	Fuel	L3531F ⁴¹ LFF5823B LFF5D ³²
LF9080	Oil	LFP9001 ²⁵⁰	P522293	Air	LAF1770	(1R0712); Sec.		
LF9001		LFP9001TRT ³	VF160R		LAF2608	FF105D		
LF14000NN		LFP9001XL ^{14, 250}	P150694		LAF694	1R0716	Oil	LFP4005 LFP4005XL ¹⁴ LFP777B
(29540496); Allison	Trans	LH4582G ²⁴		Coolant	LFW4071 ²⁸	By-Pass		
3000/3500		LH4591G ²²	1R0749	Fuel	LFF2749 ²⁰	83213H	Power Steering	LP487 ²⁷⁸
29545776			W/S		LFF8011	(17237); Optional	Trans	HP1
<i>367 (w/Cummins ISX15 Engine)</i>			83213H	Power Steering	LFP4005TRT ³	Eaton 3.7" O.D.		
P614986	Air	LAF6986 ²	<i>372 (w/Caterpillar C15 Engine)</i>			<i>375 (w/Caterpillar 3306 Engine)</i>		
P614986		LAF6986MXM	P522293	Air	LAF1770 ⁷³³	P181007	Air	LAF334 ⁸⁶⁶ LAF797 ⁸⁶⁷
5S013817	Cabin Air	CAF24024	P154575		LAF4575 ⁸⁷⁵		Cabin Air	CAF24012
WF2126	Coolant	LFW2126 ²⁵⁵	(FF105); Opt.	Fuel	LFF5 ²¹	W/S		
WF2127		LFW2127 ^{14, 249}	(FS1212); W/S		LFF8020	1R0750	Fuel	LFF1131 ⁷⁴⁴ LFF3347 LFP440F
FS19763	Fuel	L9763FXL ^{14, 648}	LF3000	Oil	LFP3000 ³¹³	(1P2299); Sec.		
(FF5776); Sec.		LFF6776	LF670		LFP670 ⁶⁴³	(5008414); Brake Dryer	Miscellaneous	LFP8654
(5008414); Brake Dryer	Miscellaneous	LFP8654	By-Pass		LFP777B	1R0739	Oil	LFP3191
LF9080	Oil	LFP9001 ²⁵⁰	87904M	Power Steering	LH4101 ³¹¹	1R1807		LFP3191XL ¹⁴
		LFP9001TRT ³			LP487 ²⁷⁸	(17237); Optional	Trans	HP1
LF14000NN		LFP9001XL ^{14, 250}	83213H			Eaton 3.7" O.D.		
(29540496); Allison	Trans	LH4582G ²⁴	<i>372 (w/Cummins N14 Engine)</i>			<i>375 (w/Cummins L10 Engine)</i>		
3000/3500		LH4591G ²²	P522293	Air	LAF1770 ⁷³³	P181009	Air	LAF6880
29545776			P154575		LAF4575 ⁸⁷⁵	P129396		LAF9396
<i>367 (w/Cummins Westport HD GX Engine)</i>			WF2055	Coolant	LFW2055	(FS1000); W/S	Fuel	LFF1000 ¹³ LFF5 ²¹ LFF8000 ⁶²⁸ LFF8020
P542753	Air	LAF9500	(FS1000); W/S			(FF105); Opt.		
5X01007	Cabin Air	CAF24012	(FS1212); W/S			W/S		
WF2126	Coolant	LFW2126 ²⁵⁵	LF3000	Oil	LFP3000 ³¹³	(FS1212); W/S		
WF2127		LFW2127 ^{14, 249}	LF670		LFP670 ⁶⁴³	17237	Oil	HP1
NG5900	Fuel	LFF5080 ⁶⁴⁷	By-Pass		LFP777B	LF3000		LFP3000
(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²	87904M	Power Steering	LH4101 ³¹¹	LF9009		LFP3000XL ¹⁴
LF9080	Oil	LFP9001 ²⁵⁰			LP487 ²⁷⁸	87972A	Power Steering	LP5005 ⁴⁵⁸
		LFP9001TRT ³	83213H			<i>375 (w/Cummins M11 Engine)</i>		
LF14000NN		LFP9001XL ^{14, 250}	<i>372 (w/Detroit Diesel 60 Series Engine)</i>			P521598	Air	LAF1769 ⁸²¹
87904M	Power Steering	LH4101 ³¹¹	P522293	Air	LAF1770	P181009		LAF6880 ⁸⁷⁶
(17237); Optional	Trans	HP1	P534925		LAF3302 ²	P181008		LAF6918 ⁷³²
Eaton 3.7" O.D.			P534816		LAF4816 ²	5X010190	Cabin Air	CAF24006
29540494		LH4582G ²⁴	P534816		LAF4816MXM ²		Coolant	LFW4071 ²⁸
29540493		LH4589G ²³	P150695		LAF695	2020TM	Fuel	L2020FN ²⁵⁴
29545776		LH4591G ²²		Coolant	LFW4071 ^{28, 205}	FF105		LFF5
<i>367 (w/Paccar MX Series Eng)</i>			W/S	Fuel	LFF8011	(FS1212); W/S		LFF8020
P534816	Air	LAF4816 ²	(FS1212); W/S		LFF8020	(5008414); Brake Dryer	Miscellaneous	LFP8654
P534816		LAF4816MXM ²	(25014274); Pri.		LFP815FN	LF3000	Oil	LFP3000
1843659	Coolant	LFW4686XL ^{14, 249}	(R950011); Brake Dryer	Miscellaneous	LFP8654 ³¹²	87972A	Power Steering	LP5005 ⁴⁵⁸
(FS19624); Davco opt.	Fuel	L5467FNXL ¹⁴			LFP2160TRT ³			
1655115		L7663F LFF6289						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 13-Optional Frame Mounted 14-Extended Life 20-High efficiency 21-Frame mounted 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 32-Remote mounted 41-Cartridge 205-Maintenance 249-No chemical 250-11.9" Hgt. 254-Optional Racor 255-Contains 3 oz. of chemical 278-2.8" Hgt. 311-2.73" Hgt. 312-AD-IS System 313-2 1/4" Thread 458-4.1" Hgt. 628-Tall version of LFF8020 643-1 1/2" Thread 647-Natural Gas 648-w/ Davco option 732-23" Tall 733-29" Tall 744-Box type 821-25" Tall 866-13.5" Tall 867-22.8" Tall 875-22.5" Tall 876-10.5" Height

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)		
375 (w/Cummins M11 Engine) (cont'd)			377 (w/Caterpillar 3306 Engine) (cont'd)			377 (w/Caterpillar C15 Engine) (cont'd)		
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(R950011); Brake Dryer	Miscellaneous	LFP8654 ³¹²	(R950011); Brake Dryer	Miscellaneous	LFP8654 ³¹²
376 (w/Caterpillar 3176 Engine)			1R0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
(9M2341); Pri.	Coolant	LFW4071 ²⁸	1R1807		LH4101 ³¹¹	Extended life with time release technology		
1R0749	Fuel	L3531F ⁴¹ LFF2749 ²⁰ LFF5823B	87904M	Power Steering	HP1	87904M	Power Steering	LH4101 ³¹¹
(1R0712); Sec.			(17237); Optional Eaton 3.7" O.D.	Trans		(17237); Optional Eaton 3.7" O.D.	Trans	HP1
1R0739	Oil	LFP3191 LFP3191XL ¹⁴	377 (w/Caterpillar 3406E Engine)			377 (w/Cummins M11 Engine)		
1R1807			P522293	Air	LAF1770 LAF2608 LAF694	P522293	Cabin Air	CAF1770 ¹⁸⁶
376 (w/Caterpillar 3306 Engine)			VF160R		LFW4071 ²⁸		Coolant	LFW4071 ²⁸
P181007	Air	LAF334 ² LAF7797 ²	P150694	Coolant	LFW4071 ²⁸	2020TM	Fuel	L2020FN ²⁵⁴
	Coolant	LFW4071 ²⁸			LFF2749 ²⁰ LFF8011	FF105		LFF5 LFF8020
(1P2299); Sec.	Fuel	LFP440F	1R0749	Fuel	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	(FS1212); W/S		LFP8654
1R0739	Oil	LFP3191 LFP3191XL ¹⁴	W/S		LP487 ²⁷⁸	(R950011); Brake Dryer	Miscellaneous	LFP3000
1R1807			1R0716	Oil		LF3000	Oil	LFP3000
376 (w/Caterpillar 3406E Engine)			1R1808			87972A	Power Steering	LP5005 ⁴⁵⁸
P150694	Air	LAF694 LAF9396	83213H	Power Steering		(17237); Optional Eaton 3.7" O.D.	Trans	HP1
P129396	Coolant	LFW4072 ¹⁸²	377 (w/Caterpillar C10 Engine)			377 (w/Cummins N14 Engine)		
1R0749	Fuel	LFF2749 ²⁰ LFF5823B	P534096	Air	LAF2536 ²	P522293	Air	LAF1770 ⁷³³
(1R0712); Sec.			WF2071	Coolant	LFW4071 ²⁸	P154575		LAF4575 ⁸⁷⁵
1R0716	Oil	LFP4005	1R0749	Fuel	LFF2749 ²⁰ LFF5 ³²	FF105	Fuel	LFF5 LFF8020 ¹³
376 (w/Cummins 6CT8.3 Diesel Engine)			FF105	Miscellaneous	LFP8654 ⁷⁹³	(FS1212); W/S		LFP8654 ⁷⁹³
(3925274); Pri.	Fuel	LFF3417 LFF3521	(5008414); Brake Dryer			(R950011); Brake Dryer	Miscellaneous	LFP8654 ⁷⁹³
	Oil	LFP734	1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	LF3000	Oil	LFP3000 ³¹³
377 (w/Caterpillar 3176 Engine)			1R1808			LF670		LFP670 ⁶⁴³
P522293	Air	LAF1770	87904M	Power Steering	LH4101 ³¹¹	By-Pass		LFP777B
	Coolant	LFW4071 ^{28, 205} LFW6500 ⁵⁵⁵	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	87904M	Power Steering	LH4101 ³¹¹
WF2121			377 (w/Caterpillar C12 Engine)			83213H		LP487 ²⁷⁸
1R0749	Fuel	LFF2749 ²⁵ LFF3347	P534096	Air	LAF2536 ²	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
1R0750			WF2071	Coolant	LFW4071 ²⁸	377 (w/Detroit Diesel 60 Series Engine)		
(R950011); Brake Dryer	Miscellaneous	LFP8654 ³¹²	1R0749	Fuel	LFF2749 ²⁵ LFF5 ³²	P522293	Air	LAF1770
1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	FF105	Miscellaneous	LFP8654 ⁷⁹³	P534925		LAF3302 ²
1R1808			(5008414); Brake Dryer			P534816		LAF4816 ²
2752604			1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	P534816		LAF4816MXM ²
(1W8845); By-Pass			1R1808			P150695		LAF695
87904M	Power Steering	LH4101 ³¹¹	87904M	Power Steering	LH4101 ³¹¹		Coolant	LFW4071 ^{28, 205}
7632141102		LH8504	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(380087); Davco opt.	Fuel	L3578FN ⁸⁰⁵
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	377 (w/Caterpillar C15 Engine)			W/S		LFF8011
377 (w/Caterpillar 3306 Engine)			87904M	Power Steering	LH4101 ³¹¹	(FS1212); W/S (25014274); Pri.		LFF8020 LFP815FN
	Air	LAF334 ⁸⁶⁶ LAF334MXM ^{268, 866} LAF7797 ⁸⁶⁷	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(R950011); Brake Dryer	Miscellaneous	LFP8654 ³¹²
P181007	Cabin Air	CAF24012	377 (w/Caterpillar C15 Engine)			25014505	Oil	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴ LFP777B LFP911
	Coolant	LFW4071 ^{28, 205}	P534096	Air	LAF2536 ² LAF2536MXM ^{2, 268}	23523701		
W/S	Fuel	LFF1131 ⁷⁴⁴ LFF3347 ²⁰	EAF5106		CAF24012 ²⁰⁵	By-Pass		
(1R0750); Sec.				Cabin Air		23518671		
			(1R0749); Pri.	Fuel	LFF2749			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 13-Optional Frame Mounted 14-Extended Life 20-High efficiency 25-Engine mounted 28-Contains 1 oz. of chemical 32-Remote mounted 41-Cartridge 182-Contains 2 oz. of chemical 186-Dust filter 205-Maintenance 254-Optional Racor 268-Extended/Severe service 278-2.8" Hgt. 311-2.73" Hgt. 312-AD-IS System 313-2 1/4" Thread 458-4.1" Hgt. 555-Extended Life w/ controlled release chemical 599-High capacity 643-1 1/2" Thread 733-29" Tall 744-Box type 793-AD-SP System 805-25 micron 866-13.5" Tall 867-22.8" Tall 875-22.5" Tall 1541-Standard replacement

P

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)		
<i>377 (w/Detroit Diesel 60 Series Engine) (cont'd)</i>			<i>378 (w/Caterpillar C11 Engine) (cont'd)</i>			<i>378 (w/Caterpillar C16 Engine) (cont'd)</i>		
87904M	Power Steering	LH4101 ³¹¹	1R0716	Oil	LFP4005	1R1808	Oil	LFP4005XL ¹⁴
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	1R1808		LFP4005TRT ³	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
<i>378 (w/Caterpillar 3176 Engine)</i>			<i>378 (w/Caterpillar C12 Engine)</i>			<i>378 (w/Cummins ISM Engine)</i>		
P521598	Air	LAF1769 ⁸²¹	87904M	Power Steering	LH4101 ³¹¹	P522293	Air	LAF1770
P181008	Coolant	LAF6918	29540496	Trans	LH4582G ²⁴	WF2071	Coolant	LFW4071 ²⁸
		LFW4071 ²⁸	29545776		LH4591G ²²	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸
(1R0712); Sec.	Fuel	LFF5823B	<i>378 (w/Caterpillar C13 Engine)</i>			W/S		L9729FXL ^{12, 14}
1R0716	Oil	LFP4005	P534816	Air	LAF1770	FS1022		LFF1022
		LFP4005TRT ³	P534816		LAF4816 ²	LF9070	Oil	LFP9000 ¹⁴
1R1808		LFP4005XL ¹⁴	P542753		LAF9500	3401544		LFP9000XL ¹⁴
87904M	Power Steering	LH4101 ³¹¹		Coolant	LFW4071 ²⁸	LF9080		LFP9001
83213H		LP487 ²⁷⁸	(9M2341); Pri.	Fuel	L3531F ⁴¹	LF14000NN		LFP9001XL ¹⁴
<i>378 (w/Caterpillar 3306 Engine)</i>			1R0749		LFF2749 ²⁰	87904M	Power Steering	LH4101 ³¹¹
P129472	Air	LAF9472	FF105		LFF5 ³²	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
WF2073	Coolant	LFW4073 ²⁵⁵	<i>378 (w/Caterpillar C15 Engine)</i>			<i>378 (w/Cummins ISX Engine)</i>		
		LFW4075 ⁶⁴⁴	P534816	Air	LAF4816 ²	P534816	Air	LAF4816 ²
1R0750	Fuel	LFF3347	P534816		LAF4816MXM ²	P534816		LAF4816MXM ²
FF105D		LFF5D ²¹	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸		Cabin Air	CAF24012
1R0739	Oil	LFP3191	W/S		L9729FXL ¹⁴	WF2126	Coolant	LFW2126 ²⁵⁵
83213H	Power Steering	LP487 ²⁷⁸	1R0749		LFF2749 ²⁰	WF2127		LFW2127 ^{14, 249}
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	1R0716	Oil	LFP4005 ⁶²⁶	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸
<i>378 (w/Caterpillar 3406 Engine)</i>			1R1808		LFP4005TRT ³	W/S		L9729FXL ¹⁴
P521598	Air	LAF1769 ⁸²¹			LFP4005XL ¹⁴	(FS1007); W/S		LFF1007 ²¹⁰
P522293		LAF1770	87904M	Power Steering	LH4101 ³¹¹	(FF2200); Sec.		LFF2201
P181000		LAF241HD	29540496	Trans	LH4582G ²⁴	(FF2203); Pri.		LFF2203
P181009		LAF6880	29545776		LH4591G ²²	LF9070	Oil	LFP9000 ⁷²³
P181008		LAF6918	<i>378 (w/Caterpillar C16 Engine)</i>			LF9070		LFP9000XL ^{14, 723}
P181007		LAF7797 ²	P534816	Air	LAF4816 ²	LF9080		LFP9001 ²⁵⁰
<i>378 (w/Caterpillar C10 Engine)</i>			P534816		LAF4816MXM ²	LF14000NN		LFP9001TRT ³
P534816	Air	LAF1770	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸	(17237); Optional Eaton 3.7" O.D.	Power Steering	HP1
P534816		LAF4816 ²	W/S		L9729FXL ¹⁴	87904M		LH4101 ³¹¹
P542753		LAF4816MXM ²	1R0749		LFF2749 ²⁰	<i>378 (w/Cummins L10 Engine)</i>		
	Coolant	LAF9500	1R0716	Oil	LFP4005	WF2074	Coolant	LFW4074 ⁶²⁷
(9M2341); Pri.	Fuel	LFW4071 ²⁸	1R1808		LFP4005TRT ³	(FF105D); Pri.	Fuel	LFF5D
1R0749		L3531F ⁴¹			LFP4005XL ¹⁴	LF3000	Oil	LFP3000 ³¹³
FF105		LFF2749 ²⁰	87904M	Power Steering	LFW4071 ²⁸	LF670		LFP670 ⁶⁴³
(1R0712); Sec.		LFF5 ³²			LH4101 ³¹¹	(1W8845); By-Pass		LFP777B
(FS1212); W/S		LFF5823B	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	<i>378 (w/Cummins M11 Engine)</i>		
1R0716	Oil	LFF8020 ³²	29540496		LH4582G ²⁴	P522293	Air	LAF1770
		LFP4005	29545776		LH4591G ²²	P181007		LAF7797 ²
1R1808		LFP4005TRT ³	<i>378 (w/Caterpillar C11 Engine)</i>			WF2071	Coolant	LFW4071 ²⁸
		LFP4005XL ¹⁴	P534816	Air	LAF4816 ²	(FS1000); W/S	Fuel	LFF1000
<i>378 (w/Caterpillar C11 Engine)</i>			P534816		LAF4816MXM ²	LF3000	Oil	LFP3000
P534816	Air	LAF4816 ²	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸	LF9009		LFP3000XL ¹⁴
P534816		LAF4816MXM ²	W/S		L9729FXL ¹⁴	87904M	Power Steering	LH4101 ³¹¹
WF2127	Coolant	LFW2127 ^{14, 249}	1R0749		LFF2749 ²⁰	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
(FS19729); W/S	Fuel	L9729F ⁶⁴⁸	1R0716	Oil	LFP4005	<i>378 (w/Caterpillar C16 Engine)</i>		
W/S		L9729FXL ¹⁴			LFP4005TRT ³	P534816	Air	LAF4816 ²
1R0749		LFF2749 ²⁰			LFP4005XL ¹⁴	P534816		LAF4816MXM ²
W/S		LFF8011			LFW4071 ²⁸	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸
					LH4101 ³¹¹	W/S		L9729FXL ¹⁴
					HP1	1R0749		LFF2749 ²⁰
					LH4582G ²⁴	1R0716	Oil	LFP4005
					LH4591G ²²			LFP4005TRT ³

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 21-Frame mounted 22-2" or 7" Sump High Capacity 24-4" Sump 28-Contains 1 oz. of chemical 32-Remote mounted 41-Cartridge 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 278-2.8" Hgt. 311-2.73" Hgt. 313-2 1/4" Thread 626-Standard efficiency 627-5 oz. of chemical 643-1 1/2" Thread 644-Contains 6 oz. of chemical 648-w/ Davco option 723-13.9" Hgt. 821-25" Tall

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)		
<i>378 (w/Cummins N14 Engine)</i>			<i>379 (w/Caterpillar 3306 Engine) (cont'd)</i>			<i>379 (w/Caterpillar C10 Engine) (cont'd)</i>		
P522293	Air	LAF1770	W/S	Fuel	LFF1131 ⁷⁴⁴	(17237); Optional	Trans	HP1
3305371	Coolant	LFW4071 ²⁸	1R0750		LFF3347	Eaton 3.7" O.D.		
WF2073		LFW4073 ²⁵⁵	(FS1212); W/S		LFF8020	<i>379 (w/Caterpillar C11 Engine)</i>		
(FS1000); W/S	Fuel	LFF1000	(1P2299); Sec.	Miscellaneous	LFP440F	P534816	Air	LAF4816 ²
FF105		LFF5	(5008414); Brake		LFP8654	P534816		LAF4816MXM ²
(FS1212); W/S		LFF8020	Dryer			5X010007	Cabin Air	CAF24012
(5008414); Brake	Miscellaneous	LFP8654 ⁷⁹³	1R0739	Oil	LFP3191 ¹⁵	9N3368	Coolant	LFW4744 ⁴
Dryer			1R1807		LFP3191XL ¹⁴	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸
LF3000	Oil	LFP3000	(1W8845); By-Pass	Power Steering	LFP777B	W/S		L9729FXL ^{12, 14}
LF9009		LFP3000XL ¹⁴			LH4101 ³¹¹	1R0749		LFF2749 ²⁰
LF670		LFP670	(17237); Optional	Trans	HP1	1R1808	Oil	LFP4005RN ⁵⁹⁹
By-Pass		LFP777B	Eaton 3.7" O.D.					LFP4005TRT ³
87904M	Power Steering	LH4101 ³¹¹	<i>379 (w/Caterpillar 3406E Engine)</i>			<i>379 (w/Caterpillar C12 Engine)</i>		
87972A		LP5005 ⁴⁵⁸	P521598	Air	LAF1769 ⁶¹¹	P534925	Air	LAF3302 ²
<i>378 (w/Detroit Diesel 60 Series Engine)</i>			P534925		LAF3302 ²	5X010007	Cabin Air	CAF24012
P534816	Air	LAF4816 ²	P534816		LAF4816 ²	WF2071	Coolant	LFW4071 ²⁸
P534816		LAF4816MXM ²	P534816		LAF4816MXM ²	(9M2341); Pri.	Fuel	L3531F ⁴¹
P181008		LAF6918	5X010007	Cabin Air	CAF24012	311169		LFF1201
	Cabin Air	LFW4071 ²⁸	WF2071	Coolant	LFW4071 ²⁸	1R0749		LFF2749 ²⁰
		LFW4075 ⁶⁴⁴	(380087); Davco opt.	Fuel	L3578FN ⁸⁰⁵	(1R0712); Sec.		LFF5823B
WF2127	Coolant	LFW2127 ^{14, 249}	1R0749		LFF2749 ²⁰	(1335673); Pri.		LFF8707
			FF105		LFF5 ³²	(5008414); Brake	Miscellaneous	LFP8654
(23533726); 2004-on; Sec.	Fuel	L3578FXL ¹⁴	(FS1212); W/S		LFF8020	Dryer		
12/03-on; Sec.		LFF6816	W/S		LFF8030 ¹²	1R0716	Oil	LFP4005
(25014274); Pri.		LFF6816XL ¹⁴	(5008414); Brake	Miscellaneous	LFP8654	1R1808		LFP4005RN ⁵⁹⁹
(23518482); Sec.		LFP815FN	Dryer					LFP4005TRT ³
(5008414); Brake	Miscellaneous	LFP816FN ⁷³⁰	1R0716	Oil	LFP4005	(1W8845); By-Pass		LFP4005XL ¹⁴
Dryer		LFP8654 ⁷⁹³	1R1808		LFP4005RN ⁵⁹⁹	By-Pass		LFP777B
25014505	Oil	LFP2160 ¹⁵⁴¹	(1W8845); By-Pass		LFP4005TRT ³	87904M	Power Steering	LFP777XL ¹⁴
		LFP2160TRT ³	By-Pass		LFP4005XL ¹⁴			
23523701		LFP2160XL ¹⁴	87904M	Power Steering	LFP777B	(17237); Optional	Trans	HP1
By-Pass		LFP777B			LFP777XL ¹⁴	Eaton 3.7" O.D.		
By-Pass		LFP777XL ¹⁴	(17237); Optional	Trans	HP1	<i>379 (w/Caterpillar C13 Engine)</i>		
87904M	Power Steering	LH4101 ³¹¹	Eaton 3.7" O.D.			P534816	Air	LAF4816 ²
83213H		LP487 ²⁷⁸				P534816		LAF4816MXM ²
<i>379 (w/Caterpillar 3176 Engine)</i>			<i>379 (w/Caterpillar C10 Engine)</i>			<i>379 (w/Caterpillar C15 Engine)</i>		
P521598	Air	LAF1769 ⁸²¹	P534925	Air	LAF3302 ²	5X010007	Cabin Air	CAF24012
P181008		LAF6918	5X010007	Cabin Air	CAF24012	9N3368	Coolant	LFW4744 ⁴
	Coolant	LFW4071 ²⁸	WF2071	Coolant	LFW4071 ²⁸	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸
		LFW4075 ⁶⁴⁴	(9M2341); Pri.	Fuel	L3531F ⁴¹	W/S		L9729FXL ^{12, 14}
(1R0712); Sec.	Fuel	LFF5823B	311169		LFF1201	1R0749		LFF2749 ²⁰
1R0716	Oil	LFP4005	1R0749		LFF2749 ²⁰	1R1808	Oil	LFP4005RN ⁵⁹⁹
		LFP4005TRT ³	(1R0712); Sec.		LFF5823B			LFP4005TRT ³
1R1808		LFP4005XL ¹⁴	(1335673); Pri.		LFF8707			LFP4005XL ¹⁴
87904M	Power Steering	LH4101 ³¹¹	(5008414); Brake	Miscellaneous	LFP8654	<i>379 (w/Caterpillar C15 Engine)</i>		
			Dryer			VF160R	Air	LAF2608
83213H		LP487 ²⁷⁸	1R0716	Oil	LFP4005	P534925		LAF3302 ²
<i>379 (w/Caterpillar 3306 Engine)</i>			1R1808		LFP4005RN ⁵⁹⁹	5X010007	Cabin Air	CAF24012
P181007	Air	LAF334 ²	(1W8845); By-Pass		LFP4005TRT ³	WF2071	Coolant	LFW4071 ²⁸
WF2071	Coolant	LAF7797 ²	By-Pass		LFP4005XL ¹⁴	(380087); Davco opt.	Fuel	L3578FN ⁸⁰⁵
		LFW4071 ²⁸	87904M	Power Steering	LFP777B	(FS19729); W/S		L9729F ⁶⁴⁸
					LFP777XL ¹⁴	W/S		L9729FXL ^{12, 14}
					LH4101 ³¹¹	1R0749		LFF2749 ²⁰
						FF105		LFF5
						(FS1212); W/S		LFF8020

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 15-Standard 20-High efficiency
 28-Contains 1 oz. of chemical 32-Remote mounted 41-Cartridge 249-No chemical 255-Contains 3 oz. of chemical 278-2.8" Hgt. 311-2.73" Hgt. 458-4.1" Hgt.
 599-High capacity 611-Axial Seal 644-Contains 6 oz. of chemical 648-w/ Davco option 730--2004 744-Box type 793-AD-SP System 805-25 micron 821-25" Tall 1541-Standard replacemnt

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)		
<i>379 (w/Caterpillar C15 Engine) (cont'd)</i>			<i>379 (w/Cummins ISL Diesel Engine) (cont'd)</i>			<i>379 (w/Cummins N14 PLUS Engine) (cont'd)</i>		
(5008414); Brake Dryer	Miscellaneous	LFP8654	(4940647); Sec.	Fuel	LFF5488	87904M	Power Steering	LH4101 ³¹¹
1R0716	Oil	LFP4005	(5008414); Brake Dryer	Miscellaneous	LFP8654	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
1R1808		LFP4005RN ⁵⁹⁹	LF3000	Oil	LFP3000	<i>379 (w/Detroit Diesel 60 Series Engine)</i>		
(1W8845); By-Pass		LFP4005TRT ³	LF9009		LFP3000XL ¹⁴	P522293	Air	LAF1770
By-Pass		LFP4005XL ¹⁴	87904M	Power Steering	LH4101 ³¹¹	P534925		LAF3302 ²
87904M	Power Steering	LFP777B	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	P534816		LAF4816 ²
		LFP777XL ¹⁴	<i>379 (w/Cummins ISM Engine)</i>			P534816		LAF4816MXM ²
		LH4101 ³¹¹	P534925	Air	LAF3302 ²	P150695	Coolant	LAF695
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	5X010007	Cabin Air	CAF24012	(380087); Davco opt.	Fuel	LFW4071 ^{28, 205}
<i>379 (w/Caterpillar C16 Engine)</i>			WF2071	Coolant	LFW4071 ²⁸	W/S		L3578FN ⁸⁰⁵
VF160R	Air	LAF2608	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸	(FS1212); W/S		LFF8011
P534925		LAF3302 ²	W/S		L9729FXL ^{12, 14}	(25014274); Pri.		LFF8020
5X010007	Cabin Air	CAF24012	FS1022		LFF1022 ²¹⁰	(R950011); Brake	Miscellaneous	LFP815FN
WF2071	Coolant	LFW4071 ²⁸	(5008414); Brake Dryer	Miscellaneous	LFP8654	Dryer		LFP8654 ³¹²
(380087); Davco opt. (FS19729); W/S	Fuel	L3578FN ⁸⁰⁵	LF9070	Oil	LFP9000 ⁷²³	25014505	Oil	LFP2160 ¹⁵⁴¹
W/S		L9729F ⁶⁴⁸	LF9000		LFP9000XL ^{14, 723}	23523701		LFP2160TRT ³
1R0749		L9729FXL ^{12, 14}	87904M	Power Steering	LH4101 ³¹¹	By-Pass		LFP2160XL ¹⁴
FF105		LFF2749 ²⁰	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	23518671		LFP777B
(FS1212); W/S		LFF5	<i>379 (w/Cummins ISX Engine)</i>			87904M	Power Steering	LFP911
(5008414); Brake Dryer	Miscellaneous	LFP8654	P534925	Air	LAF3302 ²	(17237); Optional Eaton 3.7" O.D.	Trans	LH4101 ³¹¹
1R0716	Oil	LFP4005	5X010007	Cabin Air	CAF24012	<i>382 (w/Cummins ISL 8.8L Engine)</i>		
1R1808		LFP4005RN ⁵⁹⁹	WF2125	Coolant	LFW2125 ⁵⁵⁵	P527484	Air	LAF1878 ²
(1W8845); By-Pass		LFP4005TRT ³	WF2127		LFW2127 ^{14, 249}	(FS1003); W/S	Fuel	LFF1003 ²¹
By-Pass		LFP4005XL ¹⁴	WF2121		LFW6500 ⁵⁵⁵	(FS1065); W/S		LFF1065 ²¹⁰
87904M	Power Steering	LFP777B	(FS1007); W/S	Fuel	LFF1007 ²¹⁰	(4940647); Sec.		LFF5488
		LFP777XL ¹⁴	FS1022		LFF1022 ²¹⁰	LF9009	Oil	LFP3000XL ¹⁴
		LH4101 ³¹¹	FF2200		LFF2201 ⁷⁸³	29540494	Trans	LH4582G ²⁴
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(FF2203); Pri. (5008414); Brake Dryer	Miscellaneous	LFP8654	29540493		LH4589G ²³
<i>379 (w/Cummins ISC Engine)</i>			LF9070	Oil	LFP9000 ⁷²³	29545776		LH4591G ²²
P534925	Air	LAF3302 ²	LF9000		LFP9000XL ^{14, 723}	<i>382 (w/Cummins ISL G Engine)</i>		
5X010007	Cabin Air	CAF24012	LF9080		LFP9001 ²⁵⁰	P527484	Air	LAF1878 ²
WF2071	Coolant	LFW4071 ²⁸	LF14000NN		LFP9001TRT ³	NG5900	Fuel	LFF5080 ⁶⁴⁷
(FS19729); W/S	Fuel	L9729F ⁶⁴⁸	87904M	Power Steering	LFP9001XL ^{14, 250}	LF9009	Oil	LFP3000XL ¹⁴
W/S		L9729FXL ^{12, 14}	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	29540494	Trans	LH4582G ²⁴
FS1022		LFF1022 ²¹⁰	<i>379 (w/Cummins M11 Engine)</i>			29540493		LH4589G ²³
(5008414); Brake Dryer	Miscellaneous	LFP8654	P181007	Air	LAF7797 ²	29545776		LH4591G ²²
LF3000	Oil	LFP3000	(FS1000); W/S	Fuel	LFF1000	<i>382 (w/Cummins ISL9 Engine)</i>		
LF9009		LFP3000XL ¹⁴	LF3000	Oil	LFP3000	P527484	Air	LAF1878 ²
87904M	Power Steering	LH4101 ³¹¹	<i>379 (w/Cummins N14 PLUS Engine)</i>			(FS1003); W/S	Fuel	LFF1003 ²¹
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	P534925	Air	LAF3302 ²	(FS1065); W/S		LFF1065 ²¹⁰
<i>379 (w/Cummins ISL Diesel Engine)</i>			P181008		LAF6918	(4940647); Sec.		LFF5488
P534925	Air	LAF3302 ²		Coolant	LFW4075 ⁶⁴⁴	LF9009	Oil	LFP3000XL ¹⁴
5X010007	Cabin Air	CAF24012	FF105	Fuel	LFF5	29540494	Trans	LH4582G ²⁴
WF2071	Coolant	LFW4071 ²⁸	(FS1212); W/S		LFF8020	29540493		LH4589G ²³
(FS19729); W/S	Fuel	L9729F ⁶⁴⁸	LF3000	Oil	LFP3000	29545776		LH4591G ²²
W/S		L9729FXL ^{12, 14}	By-Pass		LFP777B	<i>384 (w/Caterpillar C13 Engine)</i>		
FS1022		LFF1022 ²¹⁰				P534096	Air	LAF2536 ²
<i>379 (w/Cummins ISL Diesel Engine)</i>						EAF5106		LAF2536MXM ^{2, 268}
P534925	Air	LAF3302 ²				5X010007	Cabin Air	CAF24012
5X010007	Cabin Air	CAF24012				(FS1000); W/S	Fuel	LFF1000 ²¹
WF2071	Coolant	LFW4071 ²⁸						
(FS19729); W/S	Fuel	L9729F ⁶⁴⁸						
W/S		L9729FXL ^{12, 14}						
FS1022		LFF1022 ²¹⁰						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 21-Frame mounted 22-2" or 7" Sump High Capacity
 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 205-Maintenance 210-w/ Sensor 249-No chemical 250-11.9" Hgt.
 268-Extended/Severe service 311-2.73" Hgt. 312-AD-IS System 555-Extended Life w/ controlled release chemical 599-High capacity 644-Contains 6 oz. of
 chemical 647-Natural Gas 648-w/ Davco option 723-13.9" Hgt. 783-Pressure side 805-25 micron 1541-Standard replacemnt

On-Highway Applications



P

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)		
384 (w/Caterpillar C13 Engine) (cont'd)			384 (w/Cummins ISX Engine) (cont'd)			385 (w/Caterpillar 3306 Engine) (cont'd)		
1R0749	Fuel	LFF2749 ²⁰	(FF5776); Sec.	Fuel	LFF6776	(17237); Optional	Trans	HP1
(5008414); Brake	Miscellaneous	LFP8654	LF9080	Oil	LFP9001 ²⁵⁰	Eaton 3.7" O.D.		PH2835
Dryer					LFP9001TRT ³	(4304827);		
1R1808	Oil	LFP4005RN ^{19, 599}	LF14000NN		LFP9001XL ^{14, 250}	Eaton/Fuller 3" O.D.		
2492347		LFP4005SC ⁷¹¹	384 (w/Paccar MX Series Eng)			385 (w/Caterpillar C10 Engine)		
		LFP4005TRT ³	P534096	Air	LAF2536 ²	P534096	Air	LAF2536 ²
		LFP4005XL ¹⁴	EAF5106		LAF2536MXM ^{2, 268}	EAF5106		LAF2536MXM ^{2, 268}
87904M	Power Steering	LH4101 ³¹¹	5X010007	Cabin Air	CAF24012	WF2071	Coolant	LFW4071 ^{28, 205}
(17237); Optional			1843659	Coolant	LFW4686XL ^{14, 249}	(FF105); Opt.	Fuel	LFF5 ²¹
Eaton 3.7" O.D.	Trans	HP1	(382114); Davco opt.	Fuel	L5467F ²⁴²	(1R0712); Sec.		LFF5823B
					L5467FNXL ¹⁴	(FS1212); W/S		LFF8020
384 (w/Caterpillar C9 Engine)			1655115		LFF6289	(5008414); Brake	Miscellaneous	LFP8654
P534096	Air	LAF2536 ²	1643070	Oil	LP6043	Dryer		
EAF5106		LAF2536MXM ^{2, 268}	(1643072); By-Pass		LP8213	1R0716	Oil	LFP4005
5X010007	Cabin Air	CAF24012	(17237); Optional	Trans	HP1	By-Pass		LFP4005TRT ³
(FS1000); W/S	Fuel	LFF1000 ²¹	Eaton 3.7" O.D.		PH2835	87904M	Power Steering	LFP4005XL ¹⁴
1R0751		LFF4783	(4304827);					LFP777B
(5008414); Brake	Miscellaneous	LFP8654	Eaton/Fuller 3" O.D.	384 (w/Paccar MX-13 Engine)				
Dryer				P534096	Air	LAF2536 ²	385 (w/Caterpillar C11 Engine)	
1R1808	Oil	LFP4005RN ^{19, 599}	EAF5106		LAF2536MXM ^{2, 268}	P534096	Air	LAF2536 ²
2492347		LFP4005SC ⁷¹¹	5X010007	Cabin Air	CAF24012	EAF5106		LAF2536MXM ^{2, 268}
		LFP4005TRT ³	1843659	Coolant	LFW4686XL ^{14, 249}	5X010007	Cabin Air	CAF24012
		LFP4005XL ¹⁴	Davco opt.	Fuel	L5467FNXL ¹⁴		Coolant	LFW4071 ²⁸
87904M	Power Steering	LH4101 ³¹¹	1852006		L7663F	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸
(17237); Optional			1643070	Oil	LP6043	(FS1000); W/S		LFF1000 ²¹
Eaton 3.7" O.D.	Trans	HP1	(1643072); By-Pass		LP8213	1R0749		LFF2749 ²⁵
			(17237); Optional	Trans	HP1	(5008414); Brake	Miscellaneous	LFP8654
384 (w/Cummins ISL G Engine)			Eaton 3.7" O.D.		PH2835	Dryer		
P534096	Air	LAF2536 ²	(4304827);			1R0716	Oil	LFP4005 ⁶²⁶
EAF5106		LAF2536MXM ^{2, 268}	Eaton/Fuller 3" O.D.	385 (w/Caterpillar 3176B Engine)				LFP4005TRT ³
NG5900	Fuel	LFF5080 ⁶⁴⁷		P534096	Air	LAF2536 ²	(17237); Optional	LFP4005XL ¹⁴
LF9009	Oil	LFP3000XL ¹⁴		EAF5106		LAF2536MXM ^{2, 268}	Eaton 3.7" O.D.	HP1
29540494	Trans	LH4582G ²⁴	(9M2341); Pri.		L3531F ⁴¹	29540494		LH4582G ²⁴
29540493		LH4589G ²³	(1R0712); Sec.	Fuel	LFF5823B	29540493		LH4589G ²³
29545776		LH4591G ²²	1R0716	Oil	LFP4005 ⁶²⁶	29545776		LH4591G ²²
384 (w/Cummins ISM Engine)					LFP4005XL ¹⁴	385 (w/Caterpillar C12 Engine)		
P534096	Air	LAF2536 ²	87904M	Power Steering	LH4101 ³¹¹	P534096	Air	LAF2536 ²
EAF5106		LAF2536MXM ^{2, 268}	(17237); Optional		HP1	EAF5106		LAF2536MXM ^{2, 268}
5S010007	Cabin Air	CAF24012	Eaton 3.7" O.D.	Trans	PH2835	5X010007	Cabin Air	CAF24012
WF2127	Coolant	LFW2127 ^{14, 249}	(4304827);				Coolant	LFW4071 ²⁸
(FS1000); W/S	Fuel	LFF1000	Eaton/Fuller 3" O.D.			(FS19729); W/S	Fuel	L9729F ⁶⁴⁸
(5008414); Brake	Miscellaneous	LFP8654				(FS1000); W/S		LFF1000 ²¹
Dryer						1R0749		LFF2749 ²⁵
LF9080	Oil	LFP9001 ²⁵⁰	385 (w/Caterpillar 3306 Engine)			(5008414); Brake	Miscellaneous	LFP8654
		LFP9001TRT ³	P534096	Air	LAF2536 ²	Dryer		
		LFP9001XL ^{14, 250}	EAF5106		LAF2536MXM ^{2, 268}	1R0716	Oil	LFP4005
LF14000NN			5X000190	Cabin Air	CAF24006			LFP4005TRT ³
87904M	Power Steering	LH4101 ³¹¹	1R0750	Fuel	LFF3347			LFP4005XL ¹⁴
(17237); Optional			(FF105); Frame mtd.		LFF5	(17237); Optional	Trans	HP1
Eaton 3.7" O.D.	Trans	HP1	1R0739	Oil	LFP3191	Eaton 3.7" O.D.		
			1R1807		LFP3191XL ¹⁴	29540494		LH4582G ²⁴
384 (w/Cummins ISX Engine)			87904M	Power Steering	LH4101 ³¹¹	29540493		LH4589G ²³
P534096	Air	LAF2536 ²				29545776		LH4591G ²²
EAF5106		LAF2536MXM ^{2, 268}	385 (w/Caterpillar C12 Engine)					
5S010007	Cabin Air	CAF24012	P534096	Air	LAF2536 ²	P534096	Air	LAF2536 ²
WF2126	Coolant	LFW2126 ²⁵⁵	EAF5106		LAF2536MXM ^{2, 268}	EAF5106		LAF2536MXM ^{2, 268}

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 19-Long 20-High efficiency 21-Frame mounted 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 25-Engine mounted 28-Contains 1 oz. of chemical 41-Cartridge 205-Maintenance 242-10 Micron 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 311-2.73" Hgt. 599-High capacity 626-Standard efficiency 647-Natural Gas 648-w/ Davco option 711-Short can version

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)		
<i>385 (w/Caterpillar C13 Engine)</i>			<i>385 (w/Cummins ISM Engine) (cont'd)</i>			<i>385 (w/Cummins M11 Engine)</i>		
P534096	Air	LAF2536 ²	EAF5106	Air	LAF2536MXM ^{2, 268}	P534096	Air	LAF2536 ²
EAF5106		LAF2536MXM ^{2, 268}	5X010007	Cabin Air	CAF24012	EAF5106		LAF2536MXM ^{2, 268}
5X010007	Cabin Air	CAF24012	WF2127	Coolant	LFW2127 ^{14, 249}		Coolant	LFW4071 ²⁸
	Coolant	LFW4071 ²⁸	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸	(FS1000); W/S	Fuel	LFF1000
(FS19729); W/S	Fuel	L9729F ⁶⁴⁸	(382115); W/S		L9729FXL ¹⁴	(5008414); Brake	Miscellaneous	LFF8654
(FS1000); W/S		LFF1000 ²¹	(FS1000); W/S		LFF1000 ²¹	Dryer		
1R0749		LFF2749 ²⁵	FS1022		LFF1022	LF3000	Oil	LFP3000 ¹⁵
(5008414); Brake	Miscellaneous	LFP8654	LF9070	Oil	LFP9000 ⁷²³	LF9009		LFP3000XL ¹⁴
Dryer			LF9080		LFP9000XL ^{14, 723}	87904M	Power Steering	LH4101 ³¹¹
1R0716	Oil	LFP4005	LF14000NN		LFP9001 ²⁵⁰		Trans	HP1
		LFP4005TRT ³	87904M	Power Steering	LFP9001TRT ³	(17237); Optional		
		LFP4005XL ¹⁴	(17237); Optional		LFP9001XL ^{14, 250}	Eaton 3.7" O.D.		
(17237); Optional	Trans	HP1	29540494	Trans	LH4101 ³¹¹	<i>386 (w/Caterpillar C13 Engine)</i>		
Eaton 3.7" O.D.			29540493		HP1	P534096	Air	LAF2536 ²
29540494		LH4582G ²⁴	29545776		LH4582G ²⁴	EAF5106		LAF2536MXM ^{2, 268}
29540493		LH4589G ²³	(4304827);		LH4589G ²³	5X010007	Cabin Air	CAF24012
29545776		LH4591G ²²	Eaton/Fuller 3" O.D.		LH4591G ²²	(FS1000); W/S	Fuel	LFF1000 ²¹
<i>385 (w/Caterpillar C15 Engine)</i>			<i>385 (w/Cummins ISX 15.0L Engine)</i>			1R0749		LFF2749 ²⁵
P534096	Air	LAF2536 ²	P534096	Air	LAF2536 ²	(FF105); Frame mtd.		LFF5
EAF5106		LAF2536MXM ^{2, 268}	EAF5106		LAF2536MXM ^{2, 268}	1R0716	Oil	LFP4005
5X010007	Cabin Air	CAF24012	5X010007	Cabin Air	CAF24012			LFP4005TRT ³
	Coolant	LFW4071 ²⁸	WF2126	Coolant	LFW2126 ²⁵⁵			LFP4005XL ¹⁴
(FS19729); W/S	Fuel	L9729F ⁶⁴⁸	WF2127		LFW2127 ^{14, 249}	87904M	Power Steering	LH4101 ³¹¹
(FS1000); W/S		LFF1000 ²¹	(FS19729); W/S	Fuel	L9729F ⁶⁴⁸	<i>386 (w/Caterpillar C15 Engine)</i>		
1R0749		LFF2749 ²⁵	(FS1007); W/S		LFF1007 ²¹⁰	P534096	Air	LAF2536 ²
(5008414); Brake	Miscellaneous	LFP8654	FF2200		LFF2201 ⁷⁸³	EAF5106		LAF2536MXM ^{2, 268}
Dryer			(FF2203); Pri.		LFF2203	5X010007	Cabin Air	CAF24012
1R0716	Oil	LFP4005	LF9070	Oil	LFP9000 ⁷²³	(FS1000); W/S	Fuel	LFF1000 ²¹
		LFP4005TRT ³	LF9080		LFP9000XL ^{14, 723}	1R0749		LFF2749 ²⁵
		LFP4005XL ¹⁴	LF14000NN		LFP9001 ²⁵⁰	(FF105); Frame mtd.		LFF5
(17237); Optional	Trans	HP1	87904M	Power Steering	LFP9001TRT ³	1R0716	Oil	LFP4005
Eaton 3.7" O.D.			(17237); Optional		LFP9001XL ^{14, 250}			LFP4005TRT ³
29540494		LH4582G ²⁴	Eaton 3.7" O.D.	Trans	LH4101 ³¹¹			LFP4005XL ¹⁴
29540493		LH4589G ²³	(4304827);		PH2835	87904M	Power Steering	LH4101 ³¹¹
29545776		LH4591G ²²	Eaton/Fuller 3" O.D.			<i>386 (w/Cummins ISM Engine)</i>		
<i>385 (w/Cummins ISL Diesel Engine)</i>			<i>385 (w/Cummins L10 Engine)</i>			P534096	Air	LAF2536 ²
P534096	Air	LAF2536 ²	P534096	Air	LAF2536 ²	EAF5106		LAF2536MXM ^{2, 268}
EAF5106		LAF2536MXM ^{2, 268}	EAF5106		LAF2536MXM ^{2, 268}	WF2126	Coolant	LFW2126 ²⁵⁵
5X010007	Cabin Air	CAF24012	5X000190	Cabin Air	CAF24006	(FF5776); Sec.	Fuel	LFF6776
	Coolant	LFW4071 ²⁸	WF2073	Coolant	LFW4073 ²⁵⁵	LF9080	Oil	LFP9001 ²⁵⁰
(FS19729); W/S	Fuel	L9729F ⁶⁴⁸	(FS1000); W/S	Fuel	LFF1000	LF14000NN		LFP9001TRT ³
(382115); W/S		L9729FXL ¹⁴	LF3000	Oil	LFP3000 ¹⁵			LFP9001XL ^{14, 250}
FS1022		LFF1022	LF9009		LFP3000XL ¹⁴	<i>386 (w/Cummins ISX 11.9 Engine)</i>		
(FF5488); Sec.		LFF5488	87904M	Power Steering	LH4101 ³¹¹	P534096	Air	LAF2536 ²
LF3000	Oil	LFP3000	(17237); Optional		HP1	EAF5106		LAF2536MXM ^{2, 268}
LF9009		LFP3000XL ¹⁴	Eaton 3.7" O.D.	Trans	PH2835	WF2126	Coolant	LFW2126 ²⁵⁵
87904M	Power Steering	LH4101 ³¹¹	(4304827);			Fuel	L9763FXL ¹⁴	
(17237); Optional			Eaton/Fuller 3" O.D.			(FF5776); Sec.		LFF6776
Eaton 3.7" O.D.	Trans	HP1				LF9080	Oil	LFP9001 ²⁵⁰
29540496		LH4582G ²⁴	<i>385 (w/Cummins ISM Engine)</i>					LFP9001TRT ³
29545776		LH4591G ²²	P534096	Air	LAF2536 ²	LF14000NN		LFP9001XL ^{14, 250}
(4304827);		PH2835	EAF5106		LAF2536MXM ^{2, 268}	<i>386 (w/Cummins ISX Engine)</i>		
Eaton/Fuller 3" O.D.			5X000190	Cabin Air	CAF24006	P534096	Air	LAF2536 ²
<i>385 (w/Cummins ISM Engine)</i>			WF2073	Coolant	LFW4073 ²⁵⁵	EAF5106		LAF2536MXM ^{2, 268}
P534096	Air	LAF2536 ²	(FS1000); W/S	Fuel	LFF1000	WF2126	Coolant	LFW2126 ²⁵⁵

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 15-Standard 21-Frame mounted 22-2" or 7" Sump High Capacity 23-2" or 7" Sump
 Standard Capacity 24-4" Sump 25-Engine mounted 28-Contains 1 oz. of chemical 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of
 chemical 268-Extended/Severe service 311-2.73" Hgt. 648-w/ Davco option 723-13.9" Hgt. 783-Pressure side

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)		
<i>386 (w/Cummins ISX Engine) (cont'd)</i>			<i>387 (w/Caterpillar 3406E Engine) (cont'd)</i>			<i>387 (w/Caterpillar C12 Engine) (cont'd)</i>		
EA5106	Air	LAF2536MXM ^{2, 268}	5X010007	Cabin Air	CAF24012	P534816	Air	LAF4816 ²
	Cabin Air	CAF24024 ⁸⁷⁷		Coolant	LFW4071 ²⁸	P534816		LAF4816MXM ²
WF2126	Coolant	LFW2126 ²⁵⁵	(382114); Davco opt.	Fuel	L5467F ²⁴²	P542101		LAF5873
WF2127		LFW2127 ^{14, 249}	Davco opt.		L5467FNXL ¹⁴	5X010007	Cabin Air	CAF24012
(FS19729); W/S	Fuel	L9729F ⁶⁴⁸	(FS19729); W/S		L9729F ⁶⁴⁸		Coolant	LFW4071 ²⁸
W/S		L9729FXL ¹⁴	(FS1000); W/S		L9729FXL ^{12, 14}	(382114); Davco opt.	Fuel	L5467F ²⁴²
(FF2200); Sec.		LFF2201	1R0749		LFF1000	Davco opt.		L5467FNXL ¹⁴
(FF2203); Sec.		LFF2203	(FS1212); Sec.		LFF2749 ²⁰	(FS19729); W/S		L9729F ⁶⁴⁸
(FF5686); Sec.		LFF5686	(FS1212); W/S		LFF5823B	W/S		L9729FXL ^{12, 14}
(FF5776); Sec.		LFF6776	(5008414); Brake	Miscellaneous	LFF8020	(FS1000); W/S		LFF1000
LF9080	Oil	LFP9001 ²⁵⁰	Dryer		LFP8654	1R0749		LFF2749 ²⁰
		LFP9001TRT ³	1R0716	Oil	LFP4005 ⁶²⁶	(1R0712); Sec.		LFF5823B
LF14000NN		LFP9001XL ^{14, 250}	1R1808		LFP4005RN ⁵⁹⁹	(FS1212); W/S		LFF8020
87904M	Power Steering	LH4101 ³¹¹	2492347		LFP4005SC ⁷¹¹	(5008414); Brake	Miscellaneous	LFP8654
	Trans	LFP8654	By-Pass		LFP4005TRT ³	Dryer		
(5008414); Air Brake		PH2835	By-Pass		LFP4005XL ¹⁴	1R0716	Oil	LFP4005
Dryer			87904M	Power Steering	LFP777B	1R1808		LFP4005RN ⁵⁹⁹
Eaton/Fuller 3" O.D.					LFP777XL ¹⁴	2492347		LFP4005SC ⁷¹¹
<i>386 (w/Cummins Westport LNG NAT GAS Engine)</i>			<i>387 (w/Caterpillar C10 Engine)</i>			<i>387 (w/Caterpillar C13 Engine)</i>		
P534096	Air	LAF2536 ²	P534096	Air	LAF2536 ²	P534096	Air	LAF2536 ²
EA5106		LAF2536MXM ^{2, 268}	P534816		LAF4816 ²	P534816		LAF4816MXM ²
5X010007	Cabin Air	CAF24012	P542101	Cabin Air	CAF24012	P542101	Cabin Air	CAF24012
WF2126	Coolant	LFW2126 ²⁵⁵	5X010007	Coolant	LFW4071 ²⁸	5X010007	Coolant	LFW4071 ²⁸
WF2127		LFW2127 ^{14, 249}	(382114); Davco opt.	Fuel	L5467F ²⁴²	(382114); Davco opt.	Fuel	L5467F ²⁴²
NG5900	Fuel	LFF5080 ⁶⁴⁷	Davco opt.		L5467FNXL ¹⁴	Davco opt.		L5467FNXL ¹⁴
(5008414); Brake	Miscellaneous	LFP8654 ³¹²	(FS19729); W/S		L9729F ⁶⁴⁸	(FS19729); W/S		L9729F ⁶⁴⁸
Dryer			W/S		L9729FXL ^{12, 14}	W/S		L9729FXL ^{12, 14}
LF9080	Oil	LFP9001 ²⁵⁰	(FS1000); W/S		LFF1000	(FS1000); W/S		LFF1000
		LFP9001TRT ³	1R0749		LFF2749 ²⁰	1R0749		LFF2749 ²⁰
LF14000NN		LFP9001XL ^{14, 250}	(FS1212); W/S		LFF5823B	(1R0712); Sec.		LFF5823B
87904M	Power Steering	LH4101 ³¹¹	(5008414); Brake	Miscellaneous	LFF8020	(FS1212); W/S		LFF8020
			Dryer		LFP8654	(5008414); Brake	Miscellaneous	LFP8654
(17237); Optional	Trans	HP1	1R0716	Oil	LFP4005	Dryer		
Eaton 3.7" O.D.			1R1808		LFP4005RN ⁵⁹⁹	1R0716	Oil	LFP4005 ⁶²⁶
29540494		LH4582G ²⁴	2492347		LFP4005SC ⁷¹¹	1R1808		LFP4005RN ⁵⁹⁹
29540493		LH4589G ²³	By-Pass		LFP4005TRT ³	2492347		LFP4005SC ⁷¹¹
29545776		LH4591G ²²	By-Pass		LFP4005XL ¹⁴	By-Pass		LFP4005SC ⁷¹¹
<i>386 (w/Paccar MX Series Engine)</i>			<i>387 (w/Caterpillar 3406E Engine)</i>			<i>387 (w/Caterpillar C12 Engine)</i>		
P534096	Air	LAF2536 ²	P534096	Air	LAF2536 ²	P534096	Air	LAF2536 ²
EA5106		LAF2536MXM ^{2, 268}	P534816		LAF4816 ²	P534816		LAF4816MXM ²
5X010007	Cabin Air	CAF24012	P542101	Cabin Air	CAF24012	P542101	Cabin Air	CAF24012
1843659	Coolant	LFW4686XL ^{14, 249}	5X010007	Coolant	LFW4071 ²⁸	5X010007	Coolant	LFW4071 ²⁸
(382114); Davco opt.	Fuel	L5467F ²⁴²	(382114); Davco opt.	Fuel	L5467F ²⁴²	(382114); Davco opt.	Fuel	L5467F ²⁴²
		L5467FNXL ¹⁴	Davco opt.		L5467FNXL ¹⁴	Davco opt.		L5467FNXL ¹⁴
1655115		LFF6289	(FS19729); W/S		L9729F ⁶⁴⁸	(FS19729); W/S		L9729F ⁶⁴⁸
1643070	Oil	LP6043	W/S		L9729FXL ^{12, 14}	W/S		L9729FXL ^{12, 14}
(1643072); By-Pass		LP8213	(FS1000); W/S		LFF1000	(FS1000); W/S		LFF1000
(17237); Optional	Trans	HP1	1R0749		LFF2749 ²⁰	1R0749		LFF2749 ²⁰
Eaton 3.7" O.D.			(FS1212); W/S		LFF5823B	(1R0712); Sec.		LFF5823B
(4304827);		PH2835	(5008414); Brake	Miscellaneous	LFF8020	(FS1212); W/S		LFF8020
Eaton/Fuller 3" O.D.			Dryer		LFP8654	(5008414); Brake	Miscellaneous	LFP8654
<i>387 (w/Caterpillar 3406E Engine)</i>			<i>387 (w/Caterpillar C12 Engine)</i>			<i>387 (w/Caterpillar C13 Engine)</i>		
P534096	Air	LAF2536 ²	P534096	Air	LAF2536 ²	P534096	Air	LAF2536 ²
P534816		LAF4816 ²	P534816		LAF4816 ²	P534816		LAF4816MXM ²
P534816		LAF4816MXM ²	P542101	Cabin Air	CAF24012	P542101	Cabin Air	CAF24012
P542101		LAF5873	5X010007	Coolant	LFW4071 ²⁸	5X010007	Coolant	LFW4071 ²⁸
			(382114); Davco opt.	Fuel	L5467F ²⁴²	(382114); Davco opt.	Fuel	L5467F ²⁴²
			Davco opt.		L5467FNXL ¹⁴	Davco opt.		L5467FNXL ¹⁴
			(FS19729); W/S		L9729F ⁶⁴⁸	(FS19729); W/S		L9729F ⁶⁴⁸
			W/S		L9729FXL ^{12, 14}	W/S		L9729FXL ^{12, 14}
			(FS1000); W/S		LFF1000	(FS1000); W/S		LFF1000
			1R0749		LFF2749 ²⁰	1R0749		LFF2749 ²⁰
			(FS1212); W/S		LFF5823B	(1R0712); Sec.		LFF5823B
			(5008414); Brake	Miscellaneous	LFF8020	(FS1212); W/S		LFF8020
			Dryer		LFP8654	(5008414); Brake	Miscellaneous	LFP8654
			1R0716	Oil	LFP4005	Dryer		
			1R1808		LFP4005RN ⁵⁹⁹	1R0716	Oil	LFP4005 ⁶²⁶
			2492347		LFP4005SC ⁷¹¹	1R1808		LFP4005RN ⁵⁹⁹
			By-Pass		LFP4005TRT ³	2492347		LFP4005SC ⁷¹¹
			By-Pass		LFP4005XL ¹⁴	By-Pass		LFP4005SC ⁷¹¹
			87904M	Power Steering	LFP777B	By-Pass		LFP4005SC ⁷¹¹
					LFP777XL ¹⁴	By-Pass		LFP4005TRT ³
			(17237); Optional	Trans	LH4101 ³¹¹	87904M	Power Steering	LFP4005XL ¹⁴
			Eaton 3.7" O.D.		HP1	(17237); Optional	Trans	LFP777B
			(4304827);		PH2835	Eaton 3.7" O.D.		LFP777XL ¹⁴
			Eaton/Fuller 3" O.D.					HP1

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 242-10 Micron 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 311-2.73" Hgt. 312-AD-IS System 599-High capacity 626-Standard efficiency 647-Natural Gas 648-w/ Davco option 711-Short can version 877-10-10

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)		
<i>387 (w/Caterpillar C13 Engine) (cont'd)</i>			<i>387 (w/Cummins ISX Engine) (cont'd)</i>			<i>388 (w/Caterpillar C15 Engine) (cont'd)</i>		
(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	FF2200 (FF2203); Pri.	Fuel	LFF2201 ⁷⁸³ LFF2203	5X010007	Cabin Air	CAF24012
<i>387 (w/Caterpillar C15 Engine)</i>			(5008414); Brake	Miscellaneous	LFP8654	(FS19624); Davco opt.	Fuel	L5467FNXL ¹⁴
P534096	Air	LAF2536 ²	Dryer			(FS1000); W/S		LFF1000
P534816		LAF4816 ²	LF9070	Oil	LFP9000 ⁷²³	1R0749		LFF2749 ²⁰
P534816		LAF4816MXM ²	LF9000		LFP9000XL ^{14, 723}	FF105		LFF5
P542101		LAF5873	LF9080		LFP9001 ²⁵⁰	(5008414); Brake	Miscellaneous	LFP8654
5X010007	Cabin Air	CAF24012			LFP9001TRT ³	Dryer		
	Coolant	LFW4071 ²⁸	LF14000NN		LFP9001XL ^{14, 250}	1R1808	Oil	LFP4005RN ⁵⁹⁹
(382114); Davco opt.	Fuel	L5467F ²⁴²	87904M	Power Steering	LH4101 ³¹¹			LFP4005TRT ³
Davco opt.		L5467FNXL ¹⁴	(17237); Optional	Trans	HP1	(1W8845); By-Pass		LFP4005XL ¹⁴
(FS19729); W/S		L9729F ⁶⁴⁸	Eaton 3.7" O.D.		PH2835	By-Pass		LFP777B ¹⁵
W/S		L9729FXL ^{12, 14}	(4304827);			87904M	Power Steering	LH4101 ³¹¹
(FS1000); W/S		LFF1000	Eaton/Fuller 3" O.D.				Trans	HP1
1R0749		LFF2749 ²⁰				(17237); Optional		PH2835
(1R0712); Sec.		LFF5823B	<i>387 (w/Paccar MX Series Engine)</i>			Eaton 3.7" O.D.		
(FS1212); W/S		LFF8020	P542101	Air	LAF5873	(4304827);		
(5008414); Brake	Miscellaneous	LFP8654		Coolant	LFW4686XL ^{14, 249}	Eaton/Fuller 3" O.D.		
Dryer			1R0749	Fuel	L9765FXL ¹⁴			
1R0716	Oil	LFP4005 ⁶²⁶	1655115		LFF6289	<i>388 (w/Cummins ISM Engine)</i>		
1R1808		LFP4005RN ⁵⁹⁹	(5008414); Brake	Miscellaneous	LFP8654 ³¹²	P534925	Air	LAF3302 ^{2, 822}
2492347		LFP4005SC ⁷¹¹	Dryer			P534816		LAF4816 ⁸²⁰
By-Pass		LFP4005TRT ³	1643070	Oil	LP6043	P534816		LAF4816MXM ⁸²⁰
By-Pass		LFP4005XL ¹⁴	(1643072); By-Pass		LP8213	5X000190	Cabin Air	CAF24006
87904M	Power Steering	LFP777B	87904M	Power Steering	LH4101 ³¹¹	(FS1000); W/S	Fuel	LFF1000
		LFP777XL ¹⁴	(17237); Optional	Trans	HP1	1655115		LFF6289
(17237); Optional	Trans	HP1	Eaton 3.7" O.D.		PH2835	(5008414); Brake	Miscellaneous	LFP8654
Eaton 3.7" O.D.		PH2835	(4304827);			Dryer		
(4304827);			Eaton/Fuller 3" O.D.			LF9080	Oil	LFP9001 ²⁵⁰
Eaton/Fuller 3" O.D.								LFP9001TRT ³
<i>387 (w/Cummins ISM Engine)</i>			<i>388 (w/Caterpillar C13 Engine)</i>			LF14000NN		LFP9001XL ^{14, 250}
P534925	Air	LAF3302 ^{2, 822}	P534925	Air	LAF3302 ^{2, 822}	87904M	Power Steering	LH4101 ³¹¹
P534816		LAF4816 ⁸²⁰	P534816		LAF4816 ⁸²⁰	(17237); Optional	Trans	HP1
P534816		LAF4816MXM ⁸²⁰	5X010007	Cabin Air	CAF24012	Eaton 3.7" O.D.		
5X010007	Coolant	LFW4071 ²⁸		Coolant	LFW4071 ²⁸	(4304827);		PH2835
(FS19729); W/S	Fuel	L9729F ⁶⁴⁸	(FS19624); Davco opt.	Fuel	L5467FNXL ¹⁴	Eaton/Fuller 3" O.D.		
W/S		L9729FXL ¹⁴	(FS1000); W/S		LFF1000	<i>388 (w/Cummins ISX 11.9 engine)</i>		
FS1022		LFF1022 ²¹⁰	1R0749		LFF2749 ²⁰	P614986	Air	LAF6986 ^{2, 880}
(5008414); Brake	Miscellaneous	LFP8654	FF105		LFF5	P614986		LAF6986MXM ⁸⁸⁰
Dryer			(5008414); Brake	Miscellaneous	LFP8654		Cabin Air	CAF24024 ⁸⁷⁹
LF9070	Oil	LFP9000 ⁷²³	Dryer			WF2126	Coolant	LFW2126 ²⁵⁵
LF9000		LFP9000XL ^{14, 723}	1R1808	Oil	LFP4005RN ⁵⁹⁹	WF2127		LFW2127 ⁸⁷⁸
87904M	Power Steering	LH4101 ³¹¹	(1W8845); By-Pass		LFP4005TRT ³	(FS19729); W/S	Fuel	L9763FXL ⁷⁹⁹
(17237); Optional	Trans	HP1	By-Pass		LFP777B	(FF5776); 2010-on;		LFF6776
Eaton 3.7" O.D.			87904M	Power Steering	LFP777XL ¹⁴	Sec.		
<i>387 (w/Cummins ISX Engine)</i>					LH4101 ³¹¹	LF9080	Oil	LFP9001 ²⁵⁰
P534096	Air	LAF2536 ²	(17237); Optional	Trans	HP1	LF14000NN		LFP9001TRT ³
EAF5106		LAF2536MXM ²⁶⁸	Eaton 3.7" O.D.		PH2835	<i>388 (w/Cummins ISX Engine)</i>		
P542101		LAF5873	(4304827);			P614556	Air	LAF4556 ^{2, 880}
WF2125	Coolant	LFW2125 ⁵⁵⁵	Eaton/Fuller 3" O.D.			P614556		LAF4556MXM ⁸⁸⁰
WF2126		LFW2126 ²⁵⁵				P534816		LAF4816 ⁸⁸²
WF2127		LFW2127 ^{14, 249}	<i>388 (w/Caterpillar C15 Engine)</i>			P534816		LAF4816MXM ⁸⁸²
(FS19729); W/S	Fuel	L9729F ⁶⁴⁸	P534925	Air	LAF3302 ^{2, 822}	P614986		LAF6986 ^{2, 880}
W/S		L9729FXL ¹⁴	P534816		LAF4816 ⁸²⁰	P614986		LAF6986MXM ⁸⁸⁰
(FS1007); W/S		LFF1007 ²¹⁰	P534816		LAF4816MXM ⁸²⁰	5X000190	Cabin Air	CAF24006 ⁸⁸¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 15-Standard 20-High efficiency 28-Contains 1 oz. of chemical 210-w/
 Sensor 242-10 Micron 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 311-2.73" Hgt. 312-AD-IS System
 555-Extended Life w/ controlled release chemical 599-High capacity 626-Standard efficiency 648-w/ Davco option 711-Short can version 723-13.9" Hgt.
 783-Pressure side 799-Davco 820-23 1/2" Hgt. 822-25.4" Tall 878-Contains no chemical 879-13.54" Length 880-13.06" O.D. 881-10.13" Long 882-11.53"
 O.D.

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)		
<i>388 (w/Cummins ISX Engine) (cont'd)</i>			<i>388 (w/Westport GX Engine) (cont'd)</i>			<i>389 (w/Cummins ISX Engine) (cont'd)</i>		
	Cabin Air	CAF24024 ⁸⁷⁹	(5008414); Brake Dryer	Miscellaneous	LFP8654	87904M	Power Steering	LH4101 ³¹¹
WF2126	Coolant	LFW2126 ²⁵⁵	LF9080	Oil	LFP9001 ²⁵⁰	Eaton/Fuller 3" O.D.	Trans	PH2835
WF2127		LFW2127 ^{14, 249}	LF14000NN		LFP9001XL ^{14, 250}	<i>389 (w/Paccar MX Series Engine)</i>		
(FS19729); W/S	Fuel	L9729F ⁶⁴⁸	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	P534925	Air	LAF3302 ²
W/S		L9729FXL ¹⁴	(4304827); Eaton/Fuller 3" O.D.		PH2835		Cabin Air	CAF24024
FF2200		LFF2201 ^{783, 788}				1843659	Coolant	LFW4686XL ^{14, 249}
(FF2203); Pri. (FF5776); 2010-on; Sec.		LFF2203				1655115	Fuel	L7663F
		LFF6776				1655115	Fuel	LFF6289
(5008414); Brake Dryer	Miscellaneous	LFP8654	<i>389 (w/Caterpillar C15 Engine)</i>			(5008414); Brake Dryer	Miscellaneous	LFP8654
LF9080	Oil	LFP9001 ²⁵⁰	P534925	Air	LAF3302 ²	1643070	Oil	LP6043
		LFP9001TRT ³	5X010007	Cabin Air	CAF24012	(1643072); By-Pass		LP8213
LF14000NN		LFP9001XL ^{14, 250}	(FS1000); W/S	Fuel	LFF1000 ¹³	87904M	Power Steering	LH4101 ³¹¹
87904M	Power Steering	LH4101 ³¹¹	1R0749		LFF2749 ²⁰	(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835
(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1	(5008414); Brake Dryer	Miscellaneous	LFP8654	<i>389 (w/Paccar MX-13 engine)</i>		
		PH2835	1R1808	Oil	LFP4005RN ⁵⁹⁹	P534925	Air	LAF3302 ²
					LFP4005TRT ³		Cabin Air	CAF24024
			87904M	Power Steering	LFP4005XL ¹⁴	K371009		L5109F
			(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1	1843659	Coolant	LFW4686XL ^{14, 249}
					PH2835	1655115	Fuel	L7663F
						(5008414); Brake Dryer	Miscellaneous	LFP8654
			<i>389 (w/Caterpillar C16 Engine)</i>			1643070	Oil	LP6043
			P534925	Air	LAF3302 ²	(1643072); By-Pass		LP8213
			5X010007	Cabin Air	CAF24012	87904M	Trans	LH4101 ³¹¹
			(FS1000); W/S	Fuel	LFF1000 ¹³	(4304827); Eaton/Fuller 3" O.D.		PH2835
			1R0749		LFF2749 ²⁰			
			(5008414); Brake Dryer	Miscellaneous	LFP8654	<i>567 (w/Cummins ISX engine)</i>		
			1R1808	Oil	LFP4005RN ⁵⁹⁹	P542101	Air	LAF5873
					LFP4005TRT ³	(FF5686); Sec.	Fuel	LFF5686
			87904M	Power Steering	LFP4005XL ¹⁴	(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²
			(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1	LF9080	Oil	LFP9001 ²⁵⁰
					PH2835			LFP9001TRT ³
						LF14000NN		LFP9001XL ^{14, 250}
						87904M	Power Steering	LH4101 ³¹¹
						Eaton/Fuller 3" O.D.	Trans	PH2835
			<i>389 (w/Cummins ISX Engine)</i>			<i>567 (w/Cummins ISX12 Engine)</i>		
			P534925	Air	LAF3302 ²	(5008414); Air Brake Dryer	Air	LFP8654
			P614556		LAF4556 ²	FS19764	Fuel	L9763FXL ^{14, 648}
			P614556		LAF4556MXM	(FF5776); Sec.		LFF6776
				Cabin Air	CAF24012	LF9080	Oil	LFP9001 ²⁵⁰
			WF2127	Coolant	LFW2127 ^{14, 249}	LF9080		LFP9001TRT ³
			(FF2200); Sec. (FF2203); Pri. (FF5686); 2010-on; Sec. (FF5776); 2010-on; Sec.	Fuel	LFF2201 ⁷⁸⁸	LF14000NN		LFP9001XL ^{14, 250}
					LFF2203 ⁷⁸⁸	87904M	Power Steering	LH4101 ³¹¹
					LFF5686	<i>567 (w/Paccar MX13 Engine)</i>		
					LFF6776	P542101	Air	LAF5873
			LF9080	Oil	LFP9001 ²⁵⁰	1843659	Coolant	LFW4686XL ^{14, 249}
					LFP9001TRT ³	FS19765	Fuel	L9765FXL ¹⁴
			LF14000NN		LFP9001XL ^{14, 250}	1655115		LFF6289
			87904M	Power Steering	LFH4984			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 13-Optional Frame Mounted 14-Extended Life 20-High efficiency 249-No chemical 250-11.9" Hgt.
255-Contains 3 oz. of chemical 311-2.73" Hgt. 312-AD-IS System 599-High capacity 647-Natural Gas 648-w/ Davco option 783-Pressure side 788-Before
2010 Emissions 879-13.54" Length 880-13.06" O.D. 882-11.53" O.D. 883-1755

P

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PETERBILT (TRUCK HEAVY DUTY)			PETERBILT (TRUCK HEAVY DUTY)			PIERCE MFG. INC. (TRUCK HEAVY DUTY)		
<i>567 (w/Paccar MX13 Engine) (cont'd)</i>			<i>587 (w/Cummins ISX 15.0L Engine) (cont'd)</i>			<i>Enclosed Cab (w/Detroit Diesel 60 Series Engine)</i>		
(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²	87904M	Power Steering	LH4101 ³¹¹	2004-on; Sec.	Fuel	LFF6816
1643070 (1643072); By-Pass	Oil	LP6043 LP8213	(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	2004-on; Sec.		LFF6816XL ¹⁴
87904M	Power Steering	LH4101 ³¹¹	<i>587 (w/Paccar MX Engine)</i>			Sec.		LFP815FN ⁷³⁸ LFP816FN ⁷³⁰
(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	P542101	Air	LAF5873		Oil	LFP2160 ⁷⁰²
<i>567 (w/Paccar PX9 Engine)</i>			1843659	Coolant	LFW4686XL ^{14, 249}			LFP2160XL ^{14, 702}
	Cabin Air	CAF24024	FS19765	Fuel	L9765FXL ^{14, 648}			LFP911 ¹⁷⁹
LF9009	Oil	LFP3000XL ¹⁴	1655115		LFF6289			LFP911XL ^{14, 643}
87904M	Power Steering	LH4101 ³¹¹	(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²	29540496	Trans	LH4582G ²⁴ LH4591G ²²
<i>579 (w/Cummins ISX15 engine)</i>			1643070 (1643072); By-Pass	Oil	LP6043 LP8213	<i>Enclosed Cab (w/Detroit Diesel 8V-92 Engine)</i>		
P621725	Air	LAF6725	87904M	Power Steering	LH4101 ³¹¹	Pri.	Fuel	LFP815FN LFP816FN
WF2127	Coolant	LFW2127 ^{14, 249}	(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	Sec.		
(FF5776); Sec.	Fuel	LFF6776	<i>587 (w/Paccar MX-13 Engine)</i>			25010495	Oil	LFP911 ¹⁵ LFP911XL ¹⁴ LP132
LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	P542101	Air	LAF5873	<i>Quantum (w/Detroit Diesel 60 Series Engine)</i>		
LF14000NN				Coolant	LFW4686XL ^{14, 249}	2004-on; Sec.	Fuel	LFF6816 LFF6816XL ¹⁴
87904M	Power Steering	LH4101 ³¹¹		Fuel	L7663F L9765FXL ¹⁴	Sec.		
Eaton/Fuller 3" O.D.	Trans	PH2835	(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²		Oil	LFP2160 LFP2160TRT ³ LFP2160XL ¹⁴
<i>579 (w/Paccar MX Engine)</i>			1643070 (1643072); By-Pass	Oil	LP6043 LP8213	<i>Quantum (w/Detroit Diesel DD13 Engine)</i>		
P621725	Air	LAF6725	87904M	Power Steering	LH4101 ³¹¹		Coolant	LW4076XL ¹⁴
	Coolant	LFW4686XL ^{14, 249}	Eaton/Fuller 3" O.D.	Trans	PH2835	A4720900651 W/S	Fuel	L5091F ^{721, 722} L5104F ²³⁹ L9915F ⁶⁴⁸
	Fuel	L9765FXL ¹⁴ LFF6289	PIERCE MFG. INC. (TRUCK HEAVY DUTY)			A4721800109	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰
1655115 (5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²	<i>Arrow XT (w/Detroit Diesel DD13 Engine)</i>			A4721800109	Trans	LH4582G ²⁴ LH4591G ²²
1643070 (1643072); By-Pass	Oil	LP6043 LP8213				<i>Custom (w/Detroit Diesel DD13 Engine)</i>		
87904M	Power Steering	LH4101 ³¹¹		Coolant	LW4076XL ¹⁴	<i>Velocity (w/Cummins ISM Engine)</i>		
Eaton/Fuller 3" O.D.	Trans	PH2835	A4720900651 W/S	Fuel	L5091F ^{721, 722} L5104F ²³⁹ L9915F ⁶⁴⁸		Coolant	LFW4071 ²⁸ LFW4685 ²⁴⁹ LFW6500 ⁵⁵⁵
<i>579 (w/Paccar MX-13 engine)</i>			A4721800109	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰	W/S	Fuel	LFF1003 ²⁰⁹ LFF1022 ⁸⁸⁴
P542101	Air	LAF5873	29540496	Trans	LH4582G ²⁴ LH4591G ²²	LF9070	Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723} LFP9001 ²⁵⁰ LFP9001XL ^{14, 250}
	Cabin Air	CAF1815P ¹⁸⁶	<i>Dash (w/Detroit Diesel 60 Series Engine)</i>			LF9070		
	Coolant	LFW4686XL ^{14, 249}	2004-on; Sec.	Fuel	LFF6816 LFF6816XL ¹⁴	LF9080		
	Fuel	L7663F L9765FXL ^{14, 648}	Sec.			LF9080		
(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²		Oil	LFP2160 LFP2160TRT ³ LFP2160XL ¹⁴	<i>Velocity (w/Detroit 60 Seies Engine)</i>		
1643070 (1643072); By-Pass	Oil	LP6043 LP8213	A4720900651 W/S			2004-on; Sec.	Fuel	LFF6816 LFF6816XL ¹⁴
87904M	Power Steering	LH4101 ³¹¹	A4721800109	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰	Sec.		
Eaton/Fuller 3" O.D.	Trans	PH2835	A4721800109	Trans	LH4582G ²⁴ LH4591G ²²		Oil	LFP2160 LFP2160TRT ³ LFP2160XL ¹⁴
<i>587 (w/Cummins ISX 15.0L Engine)</i>			29540496	Trans		<i>Velocity (w/Detroit Diesel DD13 Engine)</i>		
P542101	Air	LAF5873	<i>Dash (w/Detroit Diesel 60 Series Engine)</i>				Coolant	LW4076XL ¹⁴
(FF5686); Sec.	Fuel	LFF5686	2004-on; Sec.	Fuel	LFF6816 LFF6816XL ¹⁴		Fuel	L5091F ^{721, 722} L5104F ²³⁹ L9915F ⁶⁴⁸
(FF5776); Sec.		LFF6776	Sec.			A4720900651 W/S		
(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²		Oil	LFP2160 LFP2160TRT ³ LFP2160XL ¹⁴	A4721800109	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰
LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}				A4721800109	Trans	LH4582G ²⁴
LF14000NN						29540496		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 3-Extended Life w/ Time Release Technology 14-Extended Life 15-Standard 22-2" or 7" Sump High Capacity 24-4" Sump 28-Contains 1 oz. of chemical 179-1
 1/2 x 12 Thread 186-Dust filter 209-Square sensor port 239-2013- 249-No chemical 250-11.9" Hgt. 311-2.73" Hgt. 312-AD-IS System 555-Extended Life w/
 controlled release chemical 643-1 1/2" Thread 648-w/ Davco option 702-1 5/8" Thread 719-OEM Version 720-Value Version 721--2013 722-Kit, contains
 3-elements 723-13.9" Hgt. 730--2004 738-To 2004 884-Oval shaped sensor

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PIERCE MFG. INC. (TRUCK HEAVY DUTY)			PREVOST (BUS HEAVY DUTY)			PREVOST (BUS HEAVY DUTY)		
<i>Velocity (w/Detroit Diesel DD13 Engine) (cont'd)</i>			<i>LE Mirage (w/Detroit Diesel 60 Series Engine) (cont'd)</i>			<i>XL-Series (W/Detroit Diesel 60 Series Engine) (cont'd)</i>		
29545776	Trans	LH4591G ²²	(25014274); Pri.	Fuel	LFP815FN	25014505	Oil	LFP2160 ¹⁵⁴¹
PONY PACK (AUXILIARY POWER UNIT)			(25014342); Sec.		LFP816FN			LFP2160TRT ³
<i>Pony Pack (w/Kubota Z482E Engine)</i>			25014505	Oil	LFP2160 ¹⁵⁴¹	23523701		LFP2160XL ¹⁴
15231-43560	Fuel	L550F	23523701		LFP2160XL ¹⁴	PREVOST (MOTOR HOME)		
70000-15241	Oil	PH2808	(29540496); Allison	Trans	LH4582G ²⁴	<i>H-Series Recreational Vehicle (W/Detroit Diesel 60 Series Engine)</i>		
15853-32430		PH2876	3000/4000		LH4591G ²²	(23521528); Davco opt.	Fuel	L3578FN ⁸⁰⁵
POWER CUBE (BY TRIDAKO) (AUXILIARY POWER UNIT)			(29545776); Allison			(23512317); W/S (25014274); Pri.		LFF8010
<i>HC5100 (w/Caterpillar 0.5 Engine)</i>			3000/4000			(25014342); Sec.		LFP815FN
P822686	Air	LAF8388 ²	<i>X3-45 w/Detroit Diesel 60 Series Engine</i>			25014505	Oil	LFP2160 ¹⁵⁴¹
R12S (R12T); W/S	Fuel	LFF8676 ⁶⁸²	70337N	Air	LAF1839	23523701		LFP2160TRT ³
		LFF8678 ²⁴²	(23521528); Davco opt.	Fuel	L3578FN ⁸⁰⁵	83804E	Power Steering	LFP2160XL ¹⁴
	Oil	PH2835	(23533726); 2004-on; Sec.		LFF6816			LFP2160XL ¹⁴
<i>HC5128-IV (w/Caterpillar Engine)</i>			(23530645); Sec.		LFF6816XL ¹⁴	PROHEAT (AUXILIARY POWER UNIT)		
P822686	Air	LAF8388 ²	(23512317); W/S		LFF8010	<i>GEN4 (w/Kubota Z482B Engine)</i>		
	Oil	PH2835	W/S		LFF902 ⁹²³	P822686	Air	LAF8388 ²
<i>HC6000 (w/Kubota Z602 Engine)</i>			(25014274); Pri.		LFP815FN	(15221-43081); Pri.	Fuel	FP590F
P822686	Air	LAF8388 ²	(25014342); Sec.		LFP816FN	WK31/4		G2978 ²⁷⁵
70000-15241	Oil	PH2903	25014505	Oil	LFP2160 ¹⁵⁴¹	70000-15241	Oil	PH2903
POWERPAC (POWERTECH) (AUXILIARY POWER UNIT)					LFP2160TRT ³	<i>I.C.E. GEN3 (w/Kubota Z482B Engine)</i>		
<i>PowerPac (Powertech) (w/Cat. CO.5 Engine)</i>					LFP2160XL ¹⁴	WK31/4	Fuel	G2978 ²⁷⁵
04FA2SE1	Air	LAF8388 ²	23523701	Power Steering	LP5005 ⁴⁵⁸	(15231-43560); Pri.		L550F
(R12T); W/S	Fuel	LFF8678	83804E	Trans	LH4582G ²⁴	(70000-32050); (Canada)	Oil	PH2808
1504140	Oil	LFP2253			LH4591G ²²	(70000-15241); (USA)		PH2903
2201523		PH2835	<i>X3-45 w/Volvo D13 Engine</i>			PROMAX (AUXILIARY POWER UNIT)		
<i>PowerPac (Powertech) (w/Kubota 2-482 Engine)</i>			70337N	Air	LAF1839	<i>ProMax APU (w/3TNV70 Engine)</i>		
(R12T); W/S	Fuel	LFF8678	20458771	Coolant	LFW5142XL ^{14, 249}		Fuel	L4103F
70000-32091	Oil	PH253 ¹⁴⁹⁶	Davco opt.	Fuel	L5467F ¹⁵⁵⁶		Oil	PH2808
		PH2835 ²⁷⁵	(20879806); W/S		LFF3358	REXWORKS (CONCRETE MIXER)		
PREVOST (BUS HEAVY DUTY)			(23512317); W/S		LFF8010	<i>590, 730E</i>		
<i>H-Series Coach Bus (W/Detroit Diesel 60 Series Engine)</i>			(20405160); Sec.		LFF8059		Hydraulic	LFH4915
(23521528); Davco opt.	Fuel	L3578FN ⁸⁰⁵	21707132	Oil	LFP3191 ¹⁵⁵⁵	<i>750E, 770E</i>		
(23512317); W/S		LFF8010			LFP3191TRT ³		Hydraulic	PH725
(25014274); Pri.		LFP815FN	83804E	Power Steering	LFP3191XL ¹⁴	<i>770E</i>		
(25014342); Sec.		LFP816FN			LP5005 ⁴⁵⁸	298-231-53	Oil	PH725
25014505	Oil	LFP2160 ¹⁵⁴¹	<i>XLII-Series (W/Detroit Diesel 60 Series Engine)</i>			RIG MASTER (AUXILIARY POWER UNIT)		
		LFP2160TRT ³	(23521528); Davco opt.	Fuel	L3578FN ⁸⁰⁵	<i>MTST4-LG200 (w/Caterpillar or Perkins Engine)</i>		
		LFP2160XL ¹⁴	(23512317); W/S		LFF8010	RP3-002	Air	LAF5810
23523701	Trans	LH4582G ²⁴	(25014274); Pri.		LFP815FN	P822686		LAF8388 ²
(29540496); Allison		LH4591G ²²	(25014342); Sec.		LFP816FN	130366040	Fuel	L3541F
3000/4000			25014505	Oil	LFP2160 ¹⁵⁴¹	140516250	Oil	PH2840
(29545776); Allison					LFP2160TRT ³	<i>RMP104 (w/Perkins 402-05 Engine)</i>		
3000/4000			23523701		LFP2160XL ¹⁴	C1140	Air	LAF8597
<i>LE Mirage (w/Detroit Diesel 60 Series Engine)</i>						130366040	Fuel	L3541F
(23521528); Davco opt.	Fuel	L3578FN ⁸⁰⁵	<i>XL-Series (W/Detroit Diesel 60 Series Engine)</i>			140516250	Oil	PH2840
opt.		LFF6816	(23521528); Davco opt.	Fuel	L3578FN ⁸⁰⁵	<i>RMP10-40 (w/Perkins 402-05 Engine)</i>		
(23533726); 2004-on; Sec.		LFF6816XL ¹⁴	(23512317); W/S		LFF8010	RP3-002	Air	LAF5810
Sec.		LFF8010	(25014274); Pri.		LFP815FN	130366040	Fuel	L3541F
(23512317); W/S			(25014342); Sec.		LFP816FN	140516250	Oil	PH2840

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 22-2" or 7" Sump High Capacity 24-4" Sump 242-10 Micron 249-No chemical 275-Primary 458-4.1" Hgt. 682-2 micron 805-25 micron 923-Bowl style 1496-Alternate 1541-Standard replacemnt 1555-Standard Replacemnt 1556-10 Miron

P

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
RIG MASTER (AUXILIARY POWER UNIT)			SPARTAN CHASSIS INC. (FIRE TRUCK)			SPARTAN CHASSIS INC. (MOTOR HOME)		
<i>RMP110 (w/Perkins 402-05 Engine)</i>			<i>Gladiator (w/Caterpillar C11 Engine)</i>			<i>Mountain Master (w/Cummins N14 Engine)</i>		
RP3-002	Air	LAF5810	1R0749	Fuel	LFF2749 ⁷³⁸	62891-001	Air	LAF1828
130366040	Fuel	L3541F	1R0716	Oil	LFP4005	(154789); Pri.	Fuel	LFF5D
140516250	Oil	PH2840	1R1808		LFP4005RN ⁵⁹⁹	LF3000	Oil	LFP3000
<i>RMP14-6 (w/Perkins 402-05 Engine)</i>			29540494	Trans	LH4582G ²⁴	LF9009		LFP3000XL ¹⁴
C1140	Air	LAF8597	29540493		LH4589G ²³	29540494	Trans	LH4582G ²⁴
130366040	Fuel	L3541F	29545776		LH4591G ²²	29540493		LH4589G ²³
140516250	Oil	PH2840	<i>Gladiator (w/Detroit Diesel 60 Series Engine)</i>			29545776		LH4591G ²²
<i>RMP14-6 (w/Perkins 5H3XL Engine)</i>			(23533726); 2004-on; Sec.	Fuel	LFF6816	<i>Mountain Master GT (w/Cummins ISL Engine)</i>		
P822686	Air	LAF8388 ²	(23530645); 2004-on; Sec.		LFF6816XL ¹⁴	62891-001	Air	LAF1828
C1140		LAF8597	(23518481); Pri.		LFP815FN ⁷³⁸	(FS1003); W/S	Fuel	LFF1003 ²⁰⁹
P822686	Fuel	L3541F	(23518482); Sec.		LFP816FN ⁷³⁰	FS1022		LFF1022
140516250	Oil	PH2840 ⁵⁹⁸		Oil	LFP2160	(FF5488); Sec.		LFF5488
<i>RMPLG-10 (w/Perkins 402-05 Engine)</i>				Trans	LH4582G ²⁴	LF3000	Oil	LFP3000
C1140	Air	LAF8597	29540494		LH4589G ²³	LF9009		LFP3000XL ¹⁴
130366040	Fuel	L3541F	29540493		LH4591G ²²	87904M	Power Steering	LH4101 ³¹¹
140516250	Oil	PH2840	29545776			83804E		LP5005 ⁴⁵⁸
<i>RMPT4-6 (w/Perkins 402-05 Engine)</i>			SPARTAN CHASSIS INC. (MOTOR HOME)			29540494	Trans	LH4582G ²⁴
C1140	Air	LAF8597	<i>Alpine (w/Cummins M11 Engine)</i>			29540493		LH4589G ²³
130366040	Fuel	L3541F	62891-003	Air	LAF1844 ⁸⁹⁵	29545776		LH4591G ²²
140516250	Oil	PH2840	62891-002		LAF1848 ⁸⁹⁴	<i>Mountain Master ME (w/Cummins ISC Engine)</i>		
ROCKWELL (AXLE)			(FS1000); W/S	Fuel	LFF1000	62891-001	Air	LAF1828
<i>SQHP</i>			(FS1212); W/S		LFF8020	FS1022	Fuel	LFF1022
3280V8394	Oil	PH454	LF3000	Oil	LFP3000	LF3000	Oil	LFP3000
SAVAGE (CONCRETE MIXER)			LF9009		LFP3000XL ¹⁴	LF9009		LFP3000XL ¹⁴
<i>Dynamix Series w/Cummins L10 Engine</i>			83804E	Power Steering	LP5005 ⁴⁵⁸	87904M	Power Steering	LH4101 ³¹¹
	Air	LAF6453	29540494	Trans	LH4582G ²⁴	29540494	Trans	LH4582G ²⁴
	Coolant	LFW4071 ²⁸	29540493		LH4589G ²³	29540493		LH4589G ²³
(FF105); Pri.	Fuel	LFF5	29545776		LH4591G ²²	29545776		LH4591G ²²
	Hydraulic	LFP449	<i>Mountain Master (w/Cummins ISC Engine)</i>			SPARTAN CHASSIS INC. (MOTORHOME CHASSIS)		
LF3000	Oil	LFP3000	62891-001	Air	LAF1828	<i>K2 (w/Caterpillar 3126 Engine)</i>		
LF670		LFP3000XL ¹⁴	FS1022	Fuel	LFF1022	62891-003	Air	LAF1844 ⁸⁹⁵
By-Pass		LFP670XL ¹⁴	LF3000	Oil	LFP3000	62891-002		LAF1848 ⁸⁹⁶
By-Pass		LFP777B	LF9009		LFP3000XL ¹⁴	1R0751	Fuel	LFF4783
		LFP777XL ¹⁴	87904M	Power Steering	LH4101 ³¹¹	1R0739	Oil	LFP3191
SETRA (BUS HEAVY DUTY)			29540494	Trans	LH4582G ²⁴	1R-1807		LFP3191XL ¹⁴
<i>S407 (w/Mercedes OM471 engine)</i>			29540493		LH4589G ²³	87904M	Power Steering	LH4101 ³¹¹
	Coolant	LW4076XL ¹⁴	29545776		LH4591G ²²	83804E		LP5005 ⁴⁵⁸
	Fuel	L5091F ^{721, 722}	<i>Mountain Master (w/Cummins ISL Engine)</i>			<i>K2 (w/Caterpillar C7 Engine)</i>		
A4720900651		L5104F ⁹²⁶	62891-001	Air	LAF1828	62891-002	Air	LAF1848 ⁸⁹⁶
W/S		L9915F	(FS1003); W/S	Fuel	LFF1003 ²⁰⁹	1R0751	Fuel	LFF4783
	Hydraulic	LH8504	FS1022		LFF1022	614783		LFF4783RD ⁸⁹⁶
	Oil	LP5090 ⁷¹⁹	(FF5488); Sec.		LFF5488	1R0739	Oil	LFP3191 ⁸⁹⁶
		LP5090A ⁷²⁰	LF3000	Oil	LFP3000	<i>K2 (w/Cummins ISM Engine)</i>		
<i>S417 w/Mercedes OM471 engine)</i>			LF9009		LFP3000XL ¹⁴	62891-003	Air	LAF1844
	Coolant	LW4076XL ¹⁴	87904M	Power Steering	LH4101 ³¹¹	62891-002		LAF1848 ⁸⁹⁶
	Fuel	L5091F ^{721, 722}	83804E		LP5005 ⁴⁵⁸	(FS1000); W/S	Fuel	LFF1000 ²¹
A4720900651		L5104F ⁹²⁶	29540494	Trans	LH4582G ²⁴	(FS1003); W/S		LFF1003 ²⁰⁹
W/S		L9915F	29540493		LH4589G ²³	FS1022		LFF1022 ⁸⁸⁴
	Hydraulic	LH8504	29545776		LH4591G ²²	LF9070	Oil	LFP9000 ⁷²³
	Oil	LP5090 ⁷¹⁹						
		LP5090A ⁷²⁰						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 14-Extended Life 21-Frame mounted 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical
 209-Square sensor port 268-Extended/Severe service 311-2.73" Hgt. 458-4.1" Hgt. 598-2.67" O.D. 599-High capacity 719-OEM Version 720-Value Version
 721-2013 722-Kit, contains 3-elements 723-13.9" Hgt. 730-2004 738-To 2004 884-Oval shaped sensor 894-11" O.D. 895-13.5" O.D. 896-Mechanical Fan
 926-2013 -

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
SPARTAN CHASSIS INC. (MOTORHOME CHASSIS)			SPARTAN CHASSIS INC. (MOTORHOME CHASSIS)			STERLING (MEDIUM DUTY TRUCK)		
<i>K2 (w/Cummins ISM Engine) (cont'd)</i>			<i>NVS (w/Cummins ISB Engine) (cont'd)</i>			<i>Acterra (w/Cummins 5.9L ISB Engine) (cont'd)</i>		
LF9000	Oil	LFP9000XL ^{14, 723}	3942365	Oil	LFP3970	P527682	Air	LAF1849 ²
LF9080		LFP9001 ²⁵⁰	87904M	Power Steering	LH4101 ³¹¹	EAF5069		LAF1849MXM ²⁶⁸
		LFP9001TRT ³				F6HZ19N619AA	Cabin Air	CAF24014XL ¹⁸³
LF14000NN		LFP9001XL ^{14, 250}	83804E		LP5005 ⁴⁵⁸	(FS19855); W/S	Fuel	L9800F ⁴¹
83804E	Power Steering	LP5005 ⁴⁵⁸				P550428	Oil	LFP3970
			(29539579); Allison	Trans	LFH8737 ⁵⁸⁷	(29537268); Allison	Trans	LFH8737 ⁵⁸⁷
29540494	Trans	LH4582G ²⁴	1000/2000			1000/2000		T951 ⁶
29540493		LH4589G ²³	(29537965); Allison		T951 ⁶	1000/2000		
29545776		LH4591G ²²	1000/2000			VMLT1808D	Power Steering	LFH4984
<i>K2 (w/Cummins ISX Engine)</i>			<i>NVS GT (w/Cummins ISC Engine)</i>			<i>Acterra (w/Cummins 6.7L ISB Engine)</i>		
FS19764 (FF5776); Sec.	Fuel	L9763FXL ¹⁴	FS1022	Fuel	LFF1022 ^{210, 653}	F6HZ19N619AA	Cabin Air	CAF24014XL ¹⁸³
LF9080	Oil	LFP9001 ²⁵⁰	LF3000	Oil	LFP3000	(N122BR90FRT10); Sec.	Fuel	LFF5632
		LFP9001TRT ³	LF9009		LFP3000XL ¹⁴	(S3226T); W/S		LFF5851 ⁵⁵³
LF14000NN		LFP9001XL ^{14, 250}	87904M	Power Steering	LH4101 ³¹¹	P550428	Oil	LFP3970
83804E	Power Steering	LP5005 ⁴⁵⁸	29540494	Trans	LH4582G ²⁴	(3280V5040); Meritor		PH454 ⁵⁵²
			29540493		LH4589G ²³	VMLT1808D	Power Steering	LFH4984
29540494	Trans	LH4582G ²⁴	<i>NVS ME (w/Cummins ISC Engine)</i>			(29537268); Allison	Trans	LFH8737 ⁵⁸⁷
29540493		LH4589G ²³	FS1022	Fuel	LFF1022 ^{210, 653}	1000/2000		T951 ⁶
29545776		LH4591G ²²	LF3000	Oil	LFP3000	(29537965); Allison		
<i>K2 (w/Cummins M11 Engine)</i>			LF9009		LFP3000XL ¹⁴	1000/2000		
62891-003	Air	LAF1844 ⁸⁹⁵	87904M	Power Steering	LH4101 ³¹¹	P527484	Air	LAF1878 ²
62891-002		LAF1848 ⁸⁹⁴	29540494	Trans	LH4582G ²⁴	F6HZ19N619AA	Cabin Air	CAF24014
(FS1000); W/S	Fuel	LFF1000	29540493		LH4589G ²³	9060920205	Fuel	L8701F ^{108, 244}
(FS1212); W/S		LFF8020	STARCLASS (AUXILIARY POWER UNIT)			9041800009	Oil	LP8700 ¹⁷⁵
LF3000	Oil	LFP3000						LP8741 ¹⁰²
LF9009		LFP3000XL ¹⁴	<i>Gen Star 4500 (w/Caterpillar 0.5 Engine)</i>			W/S	Fuel	LFF5850
83804E	Power Steering	LP5005 ⁴⁵⁸	P822686	Air	LAF8388 ²	(ABP/N122-S3226FL02	Fuel	LFF5850
				Fuel	L3541F	W/S		
29540494	Trans	LH4582G ²⁴	1504140	Oil	LFP2253	87904M	Power Steering	LFH4984
29540493		LH4589G ²³	<i>Gen Star 6000 (w/Lombardini LDW702 Engine)</i>			W/S	Fuel	LFF5850
29545776		LH4591G ²²	21751640	Air	LAF8792	VMLT1808D	Power Steering	LFH4984
<i>K2 (w/Caterpillar C13 Engine)</i>				Fuel	FP586F		Fuel	L8701F ^{108, 244}
1R0749	Fuel	LFF2749 ²⁰	1072175117	Oil	PH3942	<i>Acterra 5500 (w/Caterpillar 3126B Engine)</i>		
1R0716	Oil	LFP4005	STARK (AUXILIARY POWER UNIT)			F6HZ19N619AA	Cabin Air	CAF24014
1R0716		LFP4005TRT ³				F6HZ19N619AA		CAF24014XL ¹⁸³
1R0716		LFP4005XL ¹⁴	<i>HP2000 (w/Perkins 2 cyl. Engine)</i>			1R0751	Fuel	LFF4783
83804E	Power Steering	LP5005 ⁴⁵⁸		Air	LAF8388 ²	1R0739	Oil	LFP3191 ¹⁵
			130366040	Fuel	L3541F	1R0739		LFP3191TRT ³
29540494	Trans	LH4582G ²⁴	140516250	Oil	PH2840	1R1807		LFP3191XL ¹⁴
29540493		LH4589G ²³	STERLING (MEDIUM DUTY TRUCK)			(17237); Optional	Trans	HP1
29545776		LH4591G ²²				Eaton 3.7" O.D.		LFH8737 ⁵⁸⁷
<i>K3 (w/Cummins ISX Engine)</i>			<i>360 (w/Mitsubishi 4.9L Engine)</i>			(29537268); Allison		
FS19764 (FF5776); Sec.	Fuel	L9763FXL ¹⁴	ME017233	Air	LAF4179	1000/2000		LH4582G ²⁴
LF9080	Oil	LFP9001 ²⁵⁰	ME222135	Fuel	L5085F	(29540496); Allison		LH4589G ²³
		LFP9001TRT ³	ME088532	Oil	LFP8752	3000/3500		LH4591G ²²
LF14000NN		LFP9001XL ^{14, 250}	<i>Acterra (w/Cummins 5.9L ISB Engine)</i>			3000/3500		T951 ⁶
83804E	Power Steering	LP5005 ⁴⁵⁸	87904M	Power Steering	LFH4984	29545776		
			P527484	Air	LAF1878 ²	(29537965); Allison		
29540494	Trans	LH4582G ²⁴	F6HZ19N619AA	Cabin Air	CAF24014	1000/2000		
29540493		LH4589G ²³	9060920205	Fuel	L8701F ^{108, 244}	P527484	Air	LAF1878 ²
29545776		LH4591G ²²	W/S		LFF5850			
<i>NVS (w/Cummins ISB Engine)</i>			9041800009	Oil	LP8700 ¹⁷⁵			
62891-001	Air	LAF1828			LP8741 ¹⁰²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 14-Extended Life 15-Standard 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 41-Cartridge 102-8.31" Tall 108-Eco-Finer 175-6" Tall 183-Dust and odor filter 210-w/ Sensor 244-Secondary 250-11.9" Hgt. 268-Extended/Severe service 311-2.73" Hgt. 458-4.1" Hgt. 552-Rear axle 553-Requires sediment bowl 587-Spin-on 653-9.3" Hgt. 723-13.9" Hgt. 894-11" O.D. 895-13.5" O.D.

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
STERLING (MEDIUM DUTY TRUCK)			STERLING (MEDIUM DUTY TRUCK)			STERLING (MEDIUM DUTY TRUCK)		
<i>Acterra 5500 (w/Caterpillar 3126B Engine) (cont'd)</i>			<i>Acterra 5500 (w/Cummins ISC Engine) (cont'd)</i>			<i>Acterra 5500 (w/Mercedes Benz MBE906 Engine) (cont'd)</i>		
P185067	Air	LAF1878 ²	(29540493); Allison 3000/3500	Trans	LH4589G ²³	87904M	Power Steering	LFH4984
<i>Acterra 5500 (w/Caterpillar C7 Engine)</i>			29545776		LH4591G ²²	<i>Acterra 6500 (w/Caterpillar 3126B Engine)</i>		
F6HZ19N619AA	Cabin Air	CAF24014	(29537965); Allison 1000/2000		T951 ⁶	P185067	Air	LAF1878 ²
F6HZ19N619AA		CAF24014XL ¹⁸³	<i>Acterra 5500 (w/Mercedes Benz MBE900 Diesel Engine)</i>			F6HZ19N619AA	Cabin Air	CAF24014
1R0751	Fuel	LFF4783	VMLT1808D	Power Steering	LFH4984	F6HZ19N619AA		CAF24014XL ¹⁸³
1R0739	Oil	LFP3191 ¹⁵	P527484	Air	LAF1878 ²	1R0751	Fuel	LFF4783
1R0739		LFP3191TRT ³	F6HZ19N619AA	Cabin Air	CAF24014	1R0739	Oil	LFP3191 ¹⁵
1R1807		LFP3191XL ¹⁴	9060920205	Fuel	L8701F ^{108, 244}	1R1807		LFP3191TRT ³
(17237); Optional Eaton 3.7" O.D. (29537268); Allison 1000/2000 (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776 (29537965); Allison 1000/2000	Trans	HP1	(ABP/N122-S3226FL02 W/S		LFF5850	(17237); Optional Eaton 3.7" O.D. (29537268); Allison 1000/2000 (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776 (29537965); Allison 1000/2000	Trans	HP1
		LFH8737 ⁵⁸⁷	9041800009	Oil	LP8700 ¹⁷⁵			LFH8737 ⁵⁸⁷
		LH4582G ²⁴	9061800009		LP8741 ¹⁰²			LH4582G ²⁴
		LH4589G ²³	87904M	Power Steering	LFH4984			LH4589G ²³
		LH4591G ²²	<i>Acterra 5500 (w/Mercedes Benz MBE900 Engine)</i>					LH4591G ²²
		T951 ⁶	P527484	Air	LAF1878 ²			T951 ⁶
P527484	Air	LAF1878 ²	F6HZ19N619AA	Cabin Air	CAF24014	<i>Acterra 6500 (w/Caterpillar C7 Engine)</i>		
P185067	Air	LAF1878 ²	9060920205	Fuel	L8701F ^{108, 244}	P185067	Air	LAF1878 ²
P527484	Air	LAF1878 ²	(ABP/N122-S3226FL02 W/S		LFF5850	F6HZ19N619AA	Cabin Air	CAF24014
<i>Acterra 5500 (w/Cummins ISB Engine)</i>			VMLT1808D	Power Steering	LFH4984	F6HZ19N619AA		CAF24014XL ¹⁸³
87904M	Power Steering	LFH4984	<i>Acterra 5500 (w/Mercedes Benz MBE904 Engine)</i>			1R0751	Fuel	LFF4783
P527484	Air	LAF1878 ²	P527484	Air	LAF1878 ²	1R0739	Oil	LFP3191 ¹⁵
F6HZ19N619AA	Cabin Air	CAF24014	F6HZ19N619AA	Cabin Air	CAF24014	1R0739		LFP3191TRT ³
9060920205	Fuel	L8701F ^{108, 244}	9060920205	Fuel	L8701F ^{108, 244}	1R1807		LFP3191XL ¹⁴
(ABP/N122-S3226FL02 W/S		LFF5850	(ABP/N122-S3226FL02 W/S		LFF5850	(17237); Optional Eaton 3.7" O.D. (29537268); Allison 1000/2000 (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776 (29537965); Allison 1000/2000	Trans	HP1
9041800009	Oil	LP8700 ¹⁷⁵	9041800009	Oil	LP8700 ¹⁷⁵			LFH8737 ⁵⁸⁷
9061800009		LP8741 ¹⁰²	9061800009		LP8741 ¹⁰²			LH4582G ²⁴
VMLT1808D	Power Steering	LFH4984	VMLT1808D	Power Steering	LFH4984			LH4589G ²³
	Cabin Air	CAF24014XL ¹⁸³ ₈₉₉	<i>Acterra 5500 (w/Mercedes Benz MBE906 Engine)</i>					LH4591G ²²
01-07; W/S R90T (3959612); Sec. LF3000	Fuel	L9800F ⁴¹	P527484	Air	LAF1878 ²			T951 ⁶
(29537268); 01-09; Allison 1000/2000 Allison 1000/2000		LFF3292 ^{63, 899}	F6HZ19N619AA	Cabin Air	CAF24014	<i>Acterra 6500 (w/Cummins ISB Engine)</i>		
		LFF5488 ⁸⁹⁹	9060920205	Fuel	L8701F ^{108, 244}	VMLT1808D	Power Steering	LFH4984
		LFP3000 ^{15, 899}	(ABP/N122-S3226FL02 W/S		LFF5850	P527484	Air	LAF1878 ²
	Trans	LFH8737 ⁵⁸⁷	9041800009	Oil	LP8700 ¹⁷⁵	F6HZ19N619AA	Cabin Air	CAF24014
		T951 ^{6, 899}	9061800009		LP8741 ¹⁰²	9060920205	Fuel	L8701F ^{108, 244}
<i>Acterra 5500 (w/Cummins ISC Engine)</i>			VMLT1808D	Power Steering	LFH4984	(ABP/N122-S3226FL02 W/S		LFF5850
P527484	Air	LAF1878 ²	87904M	Power Steering	LFH4984	9041800009	Oil	LP8700 ¹⁷⁵
F6HZ19N619AA	Cabin Air	CAF24014	VMLT1808D	Power Steering	LFH4984	9061800009		LP8741 ¹⁰²
F6HZ19N619AA		CAF24014XL ¹⁸³	<i>Acterra 5500 (w/Mercedes Benz MBE906 Engine)</i>			87904M	Power Steering	LFH4984
R90T (3959612); Sec. LF3000	Fuel	LFF3292 ⁶³	VMLT1808D	Power Steering	LFH4984	VMLT1808D	Power Steering	LFH4984
LF9009	Oil	LFP3000 ¹⁵	P527484	Air	LAF1878 ²	P527484	Air	LAF1878 ²
(17237); Optional Eaton 3.7" O.D. (29537268); Allison 1000/2000 (29540496); Allison 3000/3500	Trans	LFP3000XL ¹⁴	F6HZ19N619AA	Cabin Air	CAF24014	F6HZ19N619AA	Cabin Air	CAF24014
		HP1	9060920205	Fuel	L8701F ^{108, 244}	9060920205	Fuel	L8701F ^{108, 244}
		LFH8737 ⁵⁸⁷	(ABP/N122-S3226FL02 W/S		LFF5850	(ABP/N122-S3226FL02 W/S		LFF5850
		LH4582G ²⁴	9041800009	Oil	LP8700 ¹⁷⁵	9041800009	Oil	LP8700 ¹⁷⁵
			9061800009		LP8741 ¹⁰²	9061800009		LP8741 ¹⁰²
			87904M	Power Steering	LFH4984	87904M	Power Steering	LFH4984
			VMLT1808D	Power Steering	LFH4984	VMLT1808D	Power Steering	LFH4984
			<i>Acterra 5500 (w/Mercedes Benz MBE906 Engine)</i>			<i>Acterra 6500 (w/Cummins ISC Engine)</i>		
			VMLT1808D	Power Steering	LFH4984	P527484	Air	LAF1878 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 14-Extended Life 15-Standard 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 41-Cartridge 63-9/16" Thread Sensor Port 102-8.31" Tall 108-Eco-Finer 175-6" Tall 183-Dust and odor filter 244-Secondary 587-Spin-on 899-01-09

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
STERLING (MEDIUM DUTY TRUCK)			STERLING (MEDIUM DUTY TRUCK)			STERLING (MEDIUM DUTY TRUCK)		
<i>Acterra 6500 (w/Cummins ISC Engine) (cont'd)</i>			<i>Acterra 6500 (w/Mercedes Benz MBE906 Engine) (cont'd)</i>			<i>Acterra 7500 (w/Caterpillar C7 Engine) (cont'd)</i>		
F6HZ19N619AA	Cabin Air	CAF24014	(ABP/N122-S3226FL02	Fuel	LFF5850	(29537268); Allison	Trans	LFH8737 ⁵⁸⁷
F6HZ19N619AA		CAF24014XL ¹⁸³	W/S			(29540496); Allison		LH4582G ²⁴
R90T	Fuel	LFF3292 ⁶³	9041800009	Oil	LP8700 ¹⁷⁵	3000/3500		LH4589G ²³
(3959612); Sec.		LFF5488	9061800009		LP8741 ¹⁰²	(29540493); Allison		LH4591G ²²
LF3000	Oil	LFP3000 ¹⁵	VMLT1808D	Power Steering	LFH4984	3000/3500		T951 ⁶
LF9009		LFP3000XL ¹⁴				29545776		
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	<i>Acterra 7500 (w/Caterpillar 3126B Diesel Engine)</i>			(29537965); Allison		
(29537268); Allison 1000/2000		LFH8737 ⁵⁸⁷	P185067	Air	LAF1878 ²	1000/2000		
(29540496); Allison 3000/3500		LH4582G ²⁴	F6HZ19N619AA	Cabin Air	CAF24014	<i>Acterra 7500 (w/Cummins ISB Engine)</i>		
(29540493); Allison 3000/3500		LH4589G ²³	F6HZ19N619AA		CAF24014XL ¹⁸³	VMLT1808D	Power Steering	LFH4984
29545776		LH4591G ²²	1R0751	Fuel	LFF4783	P527484	Air	LAF1878 ²
(29537965); Allison 1000/2000		T951 ⁶	1R0739	Oil	LFP3191 ¹⁵	F6HZ19N619AA	Cabin Air	CAF24014
			1R0739		LFP3191TRT ³	9060920205	Fuel	L8701F ^{108, 244}
			1R1807		LFP3191XL ¹⁴	(ABP/N122-S3226FL02		LFF5850
			(17237); Optional Eaton 3.7" O.D.	Trans	HP1	W/S		
			(29537268); Allison 1000/2000		LFH8737 ⁵⁸⁷	9041800009	Oil	LP8700 ¹⁷⁵
			(29540496); Allison 3000/3500		LH4582G ²⁴	9061800009		LP8741 ¹⁰²
			(29540493); Allison 3000/3500		LH4589G ²³	87904M	Power Steering	LFH4984
			29545776		LH4591G ²²	VMLT1808D	Power Steering	LFH4984
			(29537965); Allison 1000/2000		T951 ⁶	87904M	Power Steering	LFH4984
						VMLT1808D	Power Steering	LFH4984
			P527484	Air	LAF1878 ²	<i>Acterra 7500 (w/Cummins ISC Engine)</i>		
<i>Acterra 6500 (w/Mercedes Benz MBE900 Diesel Engine)</i>			<i>Acterra 7500 (w/Caterpillar 3126B Engine)</i>			<i>Acterra 7500 (w/Cummins ISC Engine)</i>		
P527484	Air	LAF1878 ²	P185067	Air	LAF1878 ²	P527484	Air	LAF1878 ²
F6HZ19N619AA	Cabin Air	CAF24014	F6HZ19N619AA	Cabin Air	CAF24014	F6HZ19N619AA	Cabin Air	CAF24014
9060920205	Fuel	L8701F ^{108, 244}	F6HZ19N619AA		CAF24014XL ¹⁸³	F6HZ19N619AA		CAF24014XL ¹⁸³
(ABP/N122-S3226FL02		LFF5850	1R0751	Fuel	LFF4783	R90T	Fuel	LFF3292 ⁶³
W/S			1R0739	Oil	LFP3191 ¹⁵	(3959612); Sec.		LFF5488
9041800009	Oil	LP8700 ¹⁷⁵	1R0739		LFP3191TRT ³	LF3000	Oil	LFP3000 ¹⁵
9061800009		LP8741 ¹⁰²	1R1807		LFP3191XL ¹⁴	LF9009		LFP3000XL ¹⁴
VMLT1808D	Power Steering	LFH4984	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
<i>Acterra 6500 (w/Mercedes Benz MBE904 Engine)</i>			(29537268); Allison 1000/2000		LFH8737 ⁵⁸⁷	(29537268); Allison 1000/2000		LFH8737 ⁵⁸⁷
P527484	Air	LAF1878 ²	(29540496); Allison 3000/3500		LH4582G ²⁴	(29540496); Allison 3000/3500		LH4582G ²⁴
F6HZ19N619AA	Cabin Air	CAF24014	(29540493); Allison 3000/3500		LH4589G ²³	(29540493); Allison 3000/3500		LH4589G ²³
9060920205	Fuel	L8701F ^{108, 244}	29545776		LH4591G ²²	29545776		LH4591G ²²
(ABP/N122-S3226FL02		LFF5850	(29537965); Allison 1000/2000		T951 ⁶	(29537965); Allison 1000/2000		T951 ⁶
W/S								
9041800009	Oil	LP8700 ¹⁷⁵	<i>Acterra 7500 (w/Caterpillar C7 Engine)</i>			<i>Acterra 7500 (w/Mercedes Benz MBE900 Diesel Engine)</i>		
9061800009		LP8741 ¹⁰²	P185067	Air	LAF1878 ²	87904M	Power Steering	LFH4984
87904M	Power Steering	LFH4984	F6HZ19N619AA	Cabin Air	CAF24014	P527484	Air	LAF1878 ²
VMLT1808D	Power Steering	LFH4984	F6HZ19N619AA		CAF24014XL ¹⁸³	F6HZ19N619AA	Cabin Air	CAF24014
<i>Acterra 6500 (w/Mercedes Benz MBE906 Engine)</i>			1R0751	Fuel	LFF4783	9060920205	Fuel	L8701F ^{108, 244}
87904M	Power Steering	LFH4984	1R0739	Oil	LFP3191 ¹⁵	(ABP/N122-S3226FL02		LFF5850
P527484	Air	LAF1878 ²	1R0739		LFP3191TRT ³	W/S		
F6HZ19N619AA	Cabin Air	CAF24014	1R1807		LFP3191XL ¹⁴	9041800009	Oil	LP8700 ¹⁷⁵
9060920205	Fuel	L8701F ^{108, 244}	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	9061800009		LP8741 ¹⁰²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 14-Extended Life 15-Standard 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 63-9/16" Thread Sensor Port 102-8.31" Tall 108-Eco-Finer 175-6" Tall 183-Dust and odor filter 244-Secondary 587-Spin-on

S

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
STERLING (MEDIUM DUTY TRUCK)			STERLING (MEDIUM DUTY TRUCK)			STERLING (MEDIUM DUTY TRUCK)		
Acterra 7500 (w/Mercedes Benz MBE900 Diesel Engine) (cont'd)			L7500 (w/Caterpillar 3126B Engine) (cont'd)			L7500 (w/Mercedes Benz MBE906 Engine) (cont'd)		
VMLT1808D	Power Steering	LFH4984	(29537965); Allison 1000/2000	Trans	T951 ⁶	9501551	Fuel	L8701F ²⁴⁴
87904M			L7500 (w/Caterpillar C7 Engine)			L7501 (w/Caterpillar 3126 Engine)		
P527484	Power Steering	LFH4984	P527484	Air	LAF1878 ²	P533930	Air	LAF3930 ²
F6HZ19N619AA	Cabin Air	CAF24014	1R0751	Fuel	LFF4783	P532966		LAF4498 ^{2, 208}
9060920205 (ABP/N122-S3226FL02 W/S)	Fuel	L8701F ^{108, 244} LFF5850	1R0739	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3191XL ¹⁴	1R0751	Fuel	LFF4783
9041800009	Oil	LP8700 ¹⁷⁵ LP8741 ¹⁰²		Cabin Air	CAF24014 ⁹⁰⁰ CAF24020 ⁵⁵⁴	1R0739	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3191XL ¹⁴
87904M	Power Steering	LFH4984	L7500 (w/Caterpillar C9 Engine)			(29537268); Allison 1000/2000	Trans	LFH8737 ⁵⁸⁷
VMLT1808D	Power Steering	LFH4984	P527484	Air	LAF1878 ²	(29537965); Allison 1000/2000	Trans	T951 ⁶
87904M	Power Steering	LFH4984	1R0751	Fuel	LFF4783	LT7500 (w/Caterpillar 3126 Engine)		
			1R0739	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3191XL ¹⁴	P533930	Air	LAF3930 ²
						P532966		LAF4498 ^{2, 208}
			F6HZ-19N619BA	Cabin Air	CAF24014 ⁹⁰⁰ CAF24020 ⁵⁵⁴	1R0751	Fuel	LFF4783
Acterra 7500 (w/Mercedes Benz MBE904 Engine)			L7500 (w/Cummins ISB Engine)			1R0739	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3191XL ¹⁴
87904M	Power Steering	LFH4984	W/S	Fuel	L1261F LFF9519	(29537268); Allison 1000/2000	Trans	LFH8737 ⁵⁸⁷
P527484	Air	LAF1878 ²	W/S		LFP3970	(29537965); Allison 1000/2000	Trans	T951 ⁶
F6HZ19N619AA	Cabin Air	CAF24014	3937736	Oil	LFP3970	LT7500 (w/Caterpillar 3126B Engine)		
9060920205 (ABP/N122-S3226FL02 W/S)	Fuel	L8701F ^{108, 244} LFF5850	(29537268); Allison 1000/2000	Trans	LFH8737 ⁵⁸⁷	P533930	Air	LAF3930 ²
9041800009	Oil	LP8700 ¹⁷⁵ LP8741 ¹⁰²	(29537965); Allison 1000/2000	Trans	T951 ⁶	P532966		LAF4498 ^{2, 208}
9061800009	Oil	LP8700 ¹⁷⁵ LP8741 ¹⁰²	L7500 (w/Cummins ISC Engine)			1R0751	Fuel	LFF4783
VMLT1808D	Power Steering	LFH4984	P527682	Air	LAF1849 ²	1R0739	Oil	LFP3191 ¹⁵
87904M	Power Steering	LFH4984	F6HZ-9N619AA	Cabin Air	CAF24014	1R0739	Oil	LFP3191TRT ³ LFP3191XL ¹⁴
VMLT1808D	Power Steering	LFH4984	FS1022	Fuel	LFF1022	(29537268); Allison 1000/2000	Trans	LFH8737 ⁵⁸⁷
			LF3000	Oil	LFP3000 ¹⁵ LFP3000XL ¹⁴	(29537965); Allison 1000/2000	Trans	T951 ⁶
			LF9009	Oil	LFP3000XL ¹⁴	LT7500 (w/Caterpillar C7 Engine)		
			F6HZ-19N619BA	Cabin Air	CAF24020 ⁵⁵⁴	P527484	Air	LAF1878 ²
Acterra 7500 (w/Mercedes Benz MBE4000 Engine)			L7500 (w/Mercedes Benz MBE900 Engine)			1R0751	Fuel	LFF4783
87904M	Power Steering	LFH4984	87904M	Power Steering	LH4101 ³¹¹	1R0739	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3191XL ¹⁴
VMLT1808D	Power Steering	LFH4984	L7500 (w/Mercedes Benz MBE906 Engine)					
			P527484	Air	LAF1878 ²	LT7500 (w/Caterpillar C9 Engine)		
			F6HZ19N619AA	Cabin Air	CAF24014	P527484	Air	LAF1878 ²
			9060920205 (ABP/N122-S3226FL02 W/S)	Fuel	L8701F ^{108, 244} LFF5850	1R0751	Fuel	LFF4783
			9041800009	Oil	LP8700 ¹⁷⁵ LP8741 ¹⁰²	1R0739	Oil	LFP3191 ¹⁵
			9061800009	Oil	LP8700 ¹⁷⁵ LP8741 ¹⁰²			LFP3191TRT ³ LFP3191XL ¹⁴
			87904M	Power Steering	LFH4984	(R950011); Brake Dryer	Miscellaneous	LFP8654
L7500 (w/Caterpillar 3126B Engine)			L7500 (w/Mercedes Benz MBE906 Engine)			LT7500 (w/Cummins ISB Engine)		
P533930	Air	LAF3930 ²	By-Pass 1801709	Oil	LP8213 ¹² LP8741 ¹⁰²	W/S	Fuel	L1261F LFF9519
P532966		LAF4498 ^{2, 208}	87904M	Power Steering	LH4101 ³¹¹	W/S		LFF9519
1R0751	Fuel	LFF4783				3937736	Oil	LFP3970
1R0739	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3191XL ¹⁴				(29537268); Allison 1000/2000	Trans	LFH8737 ⁵⁸⁷
1R0739	Oil	LFP3191 ¹⁵ LFP3191TRT ³ LFP3191XL ¹⁴	(29537268); Allison 1000/2000	Trans	LFH8737 ⁵⁸⁷	(29537965); Allison 1000/2000	Trans	LFH8737 ⁵⁸⁷
(29537268); Allison 1000/2000	Trans	LFH8737 ⁵⁸⁷	(29537965); Allison 1000/2000	Trans	T951 ⁶	(29537965); Allison 1000/2000	Trans	T951 ⁶
			9501551	Fuel	L8701F ²⁴⁴	LT7500 (w/Cummins ISC Engine)		
			9060920205	Fuel	L8701F ²⁴⁴	P527682	Air	LAF1849 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 12-Optional 14-Extended Life 15-Standard 102-8.31" Tall 108-Eco-Finer 175-6" Tall 208-19" Hgt. 244-Secondary 268-Extended/Severe service 311-2.73" Hgt. 554-Recirculation 587-Spin-on 900-04-09

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
STERLING (MEDIUM DUTY TRUCK)			STERLING (TRUCK HEAVY DUTY)			STERLING (TRUCK HEAVY DUTY)		
<i>LT7500 (w/Cummins ISC Engine) (cont'd)</i>			<i>A/AT9500, L/LT9500 (w/Caterpillar 3406 Engine) (cont'd)</i>			<i>A9500, AT9500 (w/Caterpillar C11, C13, C15 Engine) (cont'd)</i>		
F6HZ-9N619AA	Cabin Air	CAF24014		Oil	LFP4005XL ¹⁴	87904M	Power Steering	LH4101 ³¹¹
FS1022	Fuel	LFF1022				(17237); Eaton/Fuller	Trans	HP1
LF3000	Oil	LFP3000 ¹⁵	<i>A/AT9500, L/LT9500 (w/Caterpillar C10 Engine)</i>			<i>A9500, AT9500 (w/Mercedes MBE4000 Engine)</i>		
LF9009		LFP3000XL ¹⁴	F6HZ-19N619AA	Cabin Air	CAF24014	P527682	Air	LAF1849 ²
<i>LT7500 (w/Mercedes Benz MBE906 Engine)</i>			1R0749		L3531F ⁴¹	EAF5069		LAF1849MXM ^{2, 268}
P527682	Air	LAF1849 ²	(1R0712); Sec.		LFF2749 ²⁰	P604430		LAF4360
EAF5069		LAF1849MXM ²⁶⁸	(1752949); W/S		LFF5823B	F6HZ-19N619AA	Cabin Air	CAF24014 ⁸⁹⁸
P533930		LAF3930 ²	1R0716	Oil	LFP4005	F6HZ-19N619BA		CAF24020 ⁵⁵⁴
F6HZ-19N619AA	Cabin Air	CAF24014			LFP4005XL ¹⁴	(382114); Davco	Fuel	L5467F
F6HZ-19N619BA		CAF24020 ⁵⁵⁴	By-Pass		LFP777B	Davco		L5467FNXL ¹⁴
9501551	Fuel	L8701F ²⁴⁴	<i>A/AT9500, L/LT9500 (w/Detroit Diesel 60 Series Engine)</i>			5410900151		L8994F
(R950011); Brake Dryer	Miscellaneous	LFP8654	P527682	Air	LAF1849 ²	(R950011); Brake Dryer	Miscellaneous	LFP8654
By-Pass	Oil	LP8213 ¹²	EAF5069		LAF1849MXM ^{2, 268}		Oil	LP5048
1801709		LP8741 ¹⁰²	P527683		LAF1956 ¹	(3280-V-3040); Meritor		PH454 ⁵⁵²
87904M	Power Steering	LH4101 ³¹¹		Cabin Air	CAF24014 ⁸⁹⁸	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
(29537268); Allison 1000/2000	Trans	LFH8737 ⁵⁸⁷	23507189	Coolant	LFW4074 ⁶²⁷	<i>Acterra 8500 (w/Caterpillar 3126B Diesel Engine)</i>		
(29537965); Allison 1000/2000		T951 ⁶	(23512317); W/S	Fuel	LFF8010	P185067	Air	LAF1878 ²
<i>LT7501 (w/Caterpillar 3126 Engine)</i>			(23518481); Pri.		LFP815FN	F6HZ19N619AA	Cabin Air	CAF24014
W/S	Fuel	L1261F	(23518482); Sec.		LFP816FN	F6HZ19N619AA		CAF24014XL ¹⁸³
W/S		LFF9519		Miscellaneous	PH454 ⁸⁹⁷	1R0751	Fuel	LFF4783
3937736	Oil	LFP3970	23530573	Oil	LFP2160	1R0739	Oil	LFP3191 ¹⁵
(29537268); Allison 1000/2000	Trans	LFH8737 ⁵⁸⁷			LFP2160TRT ³	1R0739		LFP3191TRT ³
(29537965); Allison 1000/2000		T951 ⁶	87904M	Power Steering	LFP2160XL ¹⁴	1R1807	Trans	LFP3191XL ¹⁴
<i>LT7501 (w/Cummins ISB Engine)</i>					LFH4984	(17237); Optional Eaton 3.7" O.D.		HP1
W/S	Fuel	L1261F	87904M		LH4101 ³¹¹	(29537268); Allison 1000/2000		LFH8737 ⁵⁸⁷
W/S		LFF9519	Optional Eaton 3.7" O.D.	Trans	HP1	(29540496); Allison 3000/3500		LH4582G ²⁴
3937736	Oil	LFP3970	Eaton/Fuller 3" O.D.		PH2835	(29540493); Allison 3000/3500		LH4589G ²³
(29537268); Allison 1000/2000	Trans	LFH8737 ⁵⁸⁷	<i>A9500 (w/Detroit Diesel DD13 Engine)</i>			(29540493); Allison 3000/3500		LH4591G ²²
(29537965); Allison 1000/2000		T951 ⁶	A4722020255	Coolant	LW4076XL ¹⁴	29545776		T951 ⁶
<i>LT9511, LT9513 (w/Cummins M11 Engine)</i>			A0000903451	Fuel	L5091F ^{721, 722}	(29537965); Allison 1000/2000		
P527682	Air	LAF1849 ²	A4720900451		L5104F ²³⁹	<i>Acterra 8500 (w/Caterpillar 3126B Engine)</i>		
P527683		LAF1956 ¹	(A0000903561); W/S		L9915F ⁶⁴⁸	P185067	Air	LAF1878 ²
(FS1000); W/S	Fuel	LFF1000	A4721800109	Oil	LP5090 ⁷¹⁹	F6HZ19N619AA	Cabin Air	CAF24014
LF3000	Oil	LFP3000 ³¹³	A4721800109		LP5090A ⁷²⁰	F6HZ19N619AA		CAF24014XL ¹⁸³
LF9009		LFP3000XL ¹⁴	<i>A9500 (w/Caterpillar C11, C13, C15 Engine)</i>			1R0751	Fuel	LFF4783
<i>M6500, M7500, M8500 (w/Caterpillar 3126 Engine)</i>			P527682	Air	LAF1849 ²	1R0739	Oil	LFP3191 ¹⁵
1R0751	Fuel	LFF4783	EAF5069		LAF1849MXM ^{2, 268}	1R0739		LFP3191TRT ³
1R0739	Oil	LFP3191 ¹⁵	P533930		LAF3930 ²	1R1807	Trans	LFP3191XL ¹⁴
1R0739		LFP3191TRT ³	9Y1022	Coolant	LFW4685 ²⁴⁹	(17237); Optional Eaton 3.7" O.D.		HP1
1R1807		LFP3191XL ¹⁴	(382114); Davco	Fuel	L5467F	(29537268); Allison 1000/2000		LFH8737 ⁵⁸⁷
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	Davco		L5467FNXL ¹⁴	(29540496); Allison 3000/3500		LH4582G ²⁴
29510922		LFP8316G	1R0751		LFF4783	(29540493); Allison 3000/3500		LH4589G ²³
Allison 500/600		T153 ⁵	(ABP/N122-S3226FL02; W/S		LFF5850 ³²	29545776		LH4591G ²²
STERLING (TRUCK HEAVY DUTY)			(1752949); W/S		LFF8030	(29537965); Allison 1000/2000		T951 ⁶
<i>A/AT9500, L/LT9500 (w/Caterpillar 3406 Engine)</i>			1R0716	Oil	LFP4005	<i>Acterra 8500 (w/Caterpillar 3126B Engine)</i>		
1R0749	Fuel	LFF2749 ²⁰			LFP4005TRT ³	P185067	Air	LAF1878 ²
1R0716	Oil	LFP4005	(3280V5040); Meritor		LFP4005XL ¹⁴	F6HZ19N619AA	Cabin Air	CAF24014
		LFP4005TRT ³			PH454 ⁵⁵²	F6HZ19N619AA		CAF24014XL ¹⁸³

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 5-Deep Pan 6-Shallow Pan 12-Optional 14-Extended Life 15-Standard 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 32-Remote mounted 41-Cartridge 102-8.31" Tall 183-Dust and odor filter 239-2013- 244-Secondary 249-No chemical 268-Extended/Severe service 311-2.73" Hgt. 313-2 1/4" Thread 552-Rear axle 554-Recirculation 587-Spin-on 627-5 oz. of chemical 648-w/ Davco option 719-OEM Version 720-Value Version 721--2013 722-Kit, contains 3-elements 897-Optional rear axle 898-Cabin fresh air filter

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
STERLING (TRUCK HEAVY DUTY)			STERLING (TRUCK HEAVY DUTY)			STERLING (TRUCK HEAVY DUTY)		
<i>Acterra 8500 (w/Caterpillar C7 Engine)</i>			<i>Acterra 8500 (w/Mercedes Benz MBE904 Engine)</i>			<i>ALine (w/Caterpillar C15 Engine) (cont'd)</i>		
P185067	Air	LAF1878 ²	87904M	Power Steering	LFH4984	P533814	Air	LAF3814 ²
F6HZ19N619AA	Cabin Air	CAF24014				F6HZ-19N619AA	Cabin Air	CAF24014
F6HZ19N619AA		CAF24014XL ¹⁸³				F6HZ-19N619BA		CAF24020 ⁵⁵⁴
1R0751	Fuel	LFF4783	<i>Acterra 8500 (w/Mercedes Benz MBE906 Engine)</i>			WF2077	Coolant	LFW4685 ²⁴⁹
1R0739	Oil	LFP3191 ¹⁵	P527484	Air	LAF1878 ²	(382114); Davco	Fuel	L5467F
1R0739		LFP3191TRT ³	F6HZ19N619AA	Cabin Air	CAF24014	Davco		L5467FNXL ¹⁴
1R1807		LFP3191XL ¹⁴	9060920205	Fuel	L8701F ^{108, 244}	1R0751		LFF4783
(17237); Optional Eaton 3.7" O.D. (29537268); Allison 1000/2000 (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776 (29537965); Allison 1000/2000	Trans	HP1	(ABP/N122-S3226FL02 W/S		LFF5850	(ABP/N122-S3226FL02 W/S		LFF5850
		LFH8737 ⁵⁸⁷	9041800009	Oil	LP8700 ¹⁷⁵	(1752949); W/S		LFF8030
		LH4582G ²⁴	9061800009		LP8741 ¹⁰²	(17237); Optional Eaton 3.7" O.D.	Oil	HP1
		LH4589G ²³	87904M	Power Steering	LFH4984	1R0716		LFP4005
		LH4591G ²²	<i>ALine (w/Caterpillar C11 Engine)</i>			(3280V5040); Meritor		LFP4005TRT ³
		T951 ⁶	P533814	Air	LAF3814 ²			LFP4005XL ¹⁴
			P533930		LAF3930 ²			PH454 ⁵⁵²
			F6HZ-19N619AA	Cabin Air	CAF24014	87904M	Power Steering	LH4101 ³¹¹
			F6HZ-19N619BA		CAF24020 ⁵⁵⁴	<i>ALine (w/Caterpillar C9 Engine)</i>		
			WF2077	Coolant	LFW4685 ²⁴⁹	P533814	Air	LAF3814 ²
<i>Acterra 8500 (w/Cummins ISB Engine)</i>			(382114); Davco	Fuel	L5467F	P533930		LAF3930 ²
P527484	Air	LAF1878 ²	Davco		L5467FNXL ¹⁴	F6HZ-19N619AA	Cabin Air	CAF24014
F6HZ19N619AA	Cabin Air	CAF24014	1R0751		LFF4783	F6HZ-19N619BA		CAF24020 ⁵⁵⁴
9060920205	Fuel	L8701F ^{108, 244}	(ABP/N122-S3226FL02 W/S		LFF5850	WF2077	Coolant	LFW4685 ²⁴⁹
(ABP/N122-S3226FL02 W/S		LFF5850	(1752949); W/S		LFF8030	(382114); Davco	Fuel	L5467F
9041800009	Oil	LP8700 ¹⁷⁵	(17237); Optional Eaton 3.7" O.D.	Oil	HP1	Davco		L5467FNXL ¹⁴
9061800009		LP8741 ¹⁰²	1R0716		LFP4005	1R0751		LFF4783
87904M	Power Steering	LFH4984	(3280V5040); Meritor		LFP4005TRT ³	(ABP/N122-S3226FL02 W/S		LFF5850
			87904M	Power Steering	LH4101 ³¹¹	(1752949); W/S		LFF8030
			<i>ALine (w/Caterpillar C13 Engine)</i>			(17237); Optional Eaton 3.7" O.D.	Oil	HP1
			P533814	Air	LAF3814 ²	1R0716		LFP4005
			P533930		LAF3930 ²	(3280V5040); Meritor		LFP4005TRT ³
			F6HZ-19N619AA	Cabin Air	CAF24014			LFP4005XL ¹⁴
			F6HZ-19N619BA		CAF24020 ⁵⁵⁴			PH454 ⁵⁵²
			WF2077	Coolant	LFW4685 ²⁴⁹	87904M	Power Steering	LH4101 ³¹¹
			(382114); Davco	Fuel	L5467F	<i>ALine (w/Detroit Diesel 60 Series Engine)</i>		
			Davco		L5467FNXL ¹⁴	P527682	Air	LAF1849 ²
			1R0751		LFF4783	EAF5069		LAF1849MXM ²⁶⁸
			(ABP/N122-S3226FL02 W/S		LFF5850	P533814		LAF3814 ²
			(1752949); W/S		LFF8030	F6HZ-19N619AA	Cabin Air	CAF24014
			(17237); Optional Eaton 3.7" O.D.	Oil	HP1	F6HZ-19N619BA		CAF24020 ⁵⁵⁴
			1R0716		LFP4005	(23518481); Pri.	Fuel	LFP815FN
			(3280V5040); Meritor		LFP4005TRT ³	23530573	Oil	LFP2160
			87904M	Power Steering	LH4101 ³¹¹			LFP2160TRT ³
			<i>ALine (w/Caterpillar C15 Engine)</i>			(3280V5040); Meritor		LFP2160XL ¹⁴
			P527682	Air	LAF1849 ²	87904M	Power Steering	PH454 ⁵⁵²
			EAF5069		LAF1849MXM ²⁶⁸	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
			P527683		LAF1956 ¹	<i>ALine (w/Mercedes Benz MBE4000 Engine)</i>		
						P533814	Air	LAF3814 ²
						F6HZ-19N619AA	Cabin Air	CAF24014
						F6HZ-19N619BA		CAF24020 ⁵⁵⁴

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 14-Extended Life 15-Standard 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 102-8.31" Tall 108-Eco-Finer 175-6" Tall 183-Dust and odor filter 244-Secondary 249-No chemical 268-Extended/Severe service 311-2.73" Hgt. 552-Rear axle 554-Recirculation 587-Spin-on

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
STERLING (TRUCK HEAVY DUTY)			STERLING (TRUCK HEAVY DUTY)			STERLING (TRUCK HEAVY DUTY)			
<i>ALine (w/Mercedes Benz MBE4000 Engine)</i>			<i>AT9513 (w/Detroit 60 Series Engine) (cont'd)</i>			<i>Condor (w/Caterpillar C10 Engine)</i>			
<i>(cont'd)</i>			Optional Eaton 3.7" O.D.			1R0749 Fuel LFF2749 ²⁰			
NF2088	Coolant	LFW6500 ⁵⁵⁵	Eaton/Fuller 3" O.D.			1R0716 Oil LFP4005			
(382114); Davco	Fuel	L5467F	<i>AT9522 (w/Caterpillar 3406E Engine)</i>			<i>Condor (w/Caterpillar C11, C12, C13 Engine)</i>			
Davco		L5467FNXL ¹⁴	1R0749 Fuel LFF2749 ²⁰			1R0751 Fuel LFF4783			
5410900151		L8994F	1R0716 Oil LFP4005			(S3226P); W/S LFF5850			
(3280-V-5040); Meritor	Hydraulic	PH454 ⁵⁵²	LFP4005TRT ³			(S3226P); W/S LFF5850U ⁶⁸⁹			
	Oil	LP5048	LFP4005XL ¹⁴			1R0716 Oil LFP4005 ⁶²⁶			
87904M	Power Steering	LH4101 ³¹¹	<i>AT9522 (w/Caterpillar C12 Engine)</i>			LFP4005TRT ³			
	Trans	HP1	P533930 Air LAF3930 ²			LFP4005XL ¹⁴			
(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.		PH2835	1R0749 Fuel LFF2749 ²⁰			<i>Condor (w/Caterpillar C7 Engine)</i>			
<i>AT9513 (w/Caterpillar 3406E Engine)</i>			1R0716 Oil LFP4005			(FD4597); Pri. Fuel L4597F ²⁰⁶			
1R0749 Fuel LFF2749 ²⁰	<i>AT9522 (w/Cummins M11 Engine)</i>			1R0716 Oil LFP4005			1R0751 Fuel LFF4783		
1R0716 Oil LFP4005	F6HZ-9601-CA Air LAF5871 ²			1R0739 Oil LFP3191 ¹⁵			LFP3191TRT ³		
		LFP4005TRT ³	F6HZ-9602-AA LAF5872 ¹			LFP3191XL ¹⁴			
		LFP4005XL ¹⁴	(FS1000); W/S Fuel LFF1000			<i>Condor (w/Caterpillar C9 Engine)</i>			
<i>AT9513 (w/Caterpillar C12 Engine)</i>			LF3000 Oil LFP3000 ³¹³			(FD4597); Pri. Fuel L4597F ²⁰⁶			
P533930 Air LAF3930	<i>AT9522 (w/Cummins N14 Engine)</i>			LF9009 Oil LFP3000XL ¹⁴			1R0751 Fuel LFF4783		
F6HZ-19N619AA Cabin Air CAF24014	F6HZ-9601-CA Air LAF5871 ²			LF9009 Oil LFP3000XL ¹⁴			1R0739 Oil LFP3191 ¹⁵		
	Coolant	LFW4744 ⁴	F6HZ-9602-AA LAF5872 ¹			LFP3191TRT ³			
	Fuel	LFF2749 ²⁰	(FS1000); W/S Fuel LFF1000			LFP3191XL ¹⁴			
1R0749 Oil LFP4005	F6HZ-9601-CA Air LAF5871 ²			<i>Condor (w/Cummins ISC Engine)</i>			FS1022 Fuel LFF1022		
1R0716 Oil LFP4005TRT ³	F6HZ-9602-AA LAF5872 ¹			LF3000 Oil LFP3000 ¹⁵			LF3000 Oil LFP3000XL ¹⁴		
		LFP4005XL ¹⁴	(154789); Pri. Fuel LFF5D			LF9009 Oil LFP3000XL ¹⁴			
<i>AT9513 (w/Cummins M11 Engine)</i>			LF3000 Oil LFP3000 ³¹³			<i>Condor (w/Cummins ISL Engine)</i>			
P527682 Air LAF1849 ²	<i>AT9522 (w/Detroit Diesel 60 Series Engine)</i>			LF9009 Oil LFP3000XL ¹⁴			FS1022 Fuel LFF1022		
P527683 LAF1956 ¹	P527682 Air LAF1849 ²			LF670 LFP670 ⁶⁴³			(3355903); W/S Fuel LFF90013 ¹⁵⁵⁷		
(FS1000); W/S Fuel LFF1000	EAF5069 LAF1849MXM ^{2, 268}			By-Pass LFP670XL ¹⁴			LF3000 Oil LFP3000 ¹⁵		
LF3000 Oil LFP3000 ³¹³	P527683 LAF1956 ¹			LFP777B			LF9009 Oil LFP3000XL ¹⁴		
LF9009 LFP3000XL ¹⁴	23507189 (23512317); W/S Fuel LFF8010			<i>AT9513 (w/Detroit Diesel DD15 Engine)</i>			LF9009 Oil LFP3000XL ¹⁴		
<i>AT9513 (w/Cummins N14 Engine)</i>			23518481); Pri. Fuel LFP815FN			P527682 Air LAF1849 ²			
F6HZ-9601-CA Air LAF5871 ²	23518482); Sec. Fuel LFP816FN			EAF5069 LAF1849MXM ^{2, 268}			Coolant LW4076XL ¹⁴		
F6HZ-9602-AA LAF5872 ¹	Miscellaneous PH454 ⁸⁹⁷			23530573 Oil LFP2160			A0000903451 Fuel L5091F ⁷²²		
(FS1000); W/S Fuel LFF1000	23530573 Oil LFP2160TRT ³			4C4Z3C602AA Power Steering LFH4984 ⁵⁸⁷			(R950011); Brake Miscellane LFP8654		
(154789); Pri. Fuel LFF5D	LFP2160XL ¹⁴			87904M LH4101 ³¹¹			Dryer		
LF3000 Oil LFP3000 ³¹³	Optional Eaton 3.7" O.D. HP1			Optional Eaton 3.7" O.D. HP1			A4721800109 Oil LP5090 ⁷¹⁹		
LF9009 LFP3000XL ¹⁴	Eaton/Fuller 3" O.D. PH2835			Optional Eaton 3.7" O.D. HP1			A4721800109 Oil LP5090A ⁷²⁰		
LF670 LFP670XL ¹⁴	<i>Condor (w/Caterpillar 3126B Engine)</i>			Eaton/Fuller 3" O.D. PH2835			PH454 ⁶⁷⁹		
By-Pass LFP777B	Sec. Fuel LFF4783			Eaton/Fuller 3" O.D. PH2835			87904M Power Steering LFH4984		
<i>AT9513 (w/Detroit 60 Series Engine)</i>			1R0739 Oil LFP3191			29540496 Trans LH4582G ²⁴			
P527682 Air LAF1849 ²	LFP3191XL ¹⁴			4C4Z3C602AA Power Steering LFH4984 ⁵⁸⁷			29545776 Trans LH4591G ²²		
EAF5069 LAF1849MXM ²	<i>Condor (w/Caterpillar 3126B Engine)</i>			87904M LH4101 ³¹¹			L8500 (w/Caterpillar 3126B Engine)		
P527683 LAF1956 ¹	P527682 Air LAF1849 ²			Optional Eaton 3.7" O.D. HP1			P527682 Air LAF1849 ²		
F6HZ-19N619BA Cabin Air CAF24014 ⁸⁹⁸	EAF5069 LAF1849MXM ^{2, 268}			Eaton/Fuller 3" O.D. PH2835			EAF5069 LAF1849MXM ^{2, 268}		
23507189 Coolant LFW4074 ⁶²⁷	P533930 LAF3930 ²			Eaton/Fuller 3" O.D. PH2835			P533930 LAF3930 ²		
(23512317); W/S Fuel LFF8010	F6HZ-19N619AA Cabin Air CAF24014			Eaton/Fuller 3" O.D. PH2835			F6HZ-19N619AA Cabin Air CAF24014		
(23518482); Sec. Fuel LFP816FN	F6HZ-19N619BA CAF24020 ⁵⁵⁴			Eaton/Fuller 3" O.D. PH2835			F6HZ-19N619BA CAF24020 ⁵⁵⁴		
Miscellaneous PH454 ⁸⁹⁷	23507189 Coolant LFW4074 ⁶²⁷			Eaton/Fuller 3" O.D. PH2835			(ABPN122R50404); Fuel LFF3579 ²⁰⁶		
23530573 Oil LFP2160	(23512317); W/S Fuel LFF8010			Eaton/Fuller 3" O.D. PH2835			W/S LFF3579U ⁶⁸⁹		
		LFP2160TRT ³	Eaton/Fuller 3" O.D. PH2835			W/S LFF4783			
		LFP2160XL ¹⁴	Eaton/Fuller 3" O.D. PH2835			1R0751 LFP4005			
87904M Power Steering LFH4984	Miscellaneous PH454 ⁸⁹⁷			Eaton/Fuller 3" O.D. PH2835			1R0716 Oil LFP4005TRT ³		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 14-Extended Life 15-Standard 20-High efficiency 22-2" or 7" Sump High Capacity 24-4" Sump 206-Bowl type 268-Extended/Severe service 311-2.73" Hgt. 313-2 1/4" Thread 552-Rear axle 554-Recirculation 555-Extended Life w/ controlled release chemical 587-Spin-on 626-Standard efficiency 627-5 oz. of chemical 643-1 1/2" Thread 679-Axle 689-Bowless 719-OEM Version 720-Value Version 722-Kit, contains 3-elements 897-Optional rear axle 898-Cabin fresh air filter 1557-Filter includes bowl

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
STERLING (TRUCK HEAVY DUTY)			STERLING (TRUCK HEAVY DUTY)			STERLING (TRUCK HEAVY DUTY)		
<i>L8500 (w/Caterpillar 3126B Engine) (cont'd)</i>			<i>L8500 (w/Cummins ISC Engine) (cont'd)</i>			<i>L9500 (w/Caterpillar C11 Engine) (cont'd)</i>		
	Oil	LFP4005XL ¹⁴	WF2071	Coolant	LFW4071 ²⁸	1R0716	Oil	LFP4005
87904M	Power Steering	LH4101 ³¹¹	R90T (3959612); Sec. (R90T); W/S	Fuel	LFF3292 ⁶³ LFF5488 LFF8957 ²⁰⁶	(3280V5040); Meritor		LFP4005TRT ³ LFP4005XL ¹⁴ PH454 ⁵⁵²
(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	LF3000 LF9009 (3280V5040); Meritor (17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Oil	LFP3000 LFP3000XL ¹⁴ PH454 ⁵⁵²	87904M	Power Steering	LH4101 ³¹¹
<i>L8500 (w/Caterpillar C7 Diesel)</i>			<i>L8500 (w/Cummins ISL Diesel Engine)</i>			<i>L9500 (w/Caterpillar C12 Engine)</i>		
P527682 EAF5069	Air	LAF1849 ² LAF1849MXM ^{2, 268}	P533930	Air	LAF3930 ²	P533930	Air	LAF3930 ²
P533930	Cabin Air	CAF24014 CAF24020 ⁵⁵⁴	WF2071	Coolant	LFW4071 ²⁸	1R0749	Fuel	LFF2749 ²⁰
F6HZ-19N619AA F6HZ-19N619BA (ABPN122R50404); W/S W/S 1R0751 1R0716	Fuel	LFF3579 ²⁰⁶ LFF3579U ⁶⁸⁹ LFF4783	R90T (3959612); Sec. (R90T); W/S	Fuel	LFF3292 ⁶³ LFF5488 LFF8957 ²⁰⁶	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
87904M	Power Steering	LH4101 ³¹¹	LF3000 LF9009 (3280V5040); Meritor (17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Oil	LFP3000 LFP3000XL ¹⁴ PH454 ⁵⁵²	(17237); Eaton/Fuller	Trans	HP1
(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	<i>L8500 (w/Mercedes Benz MBE906 Engine)</i>			<i>L9500 (w/Caterpillar C13 Engine)</i>		
<i>L8500 (w/Caterpillar C9 Engine)</i>			P533930	Air	LAF3930 ²	P527682 EAF5069	Air	LAF1849 ² LAF1849MXM ^{2, 268}
P527682 EAF5069	Air	LAF1849 ² LAF1849MXM ^{2, 268}	WF2071	Coolant	LFW4071 ²⁸	P533930	Coolant	LAF3930 ²
P533930	Cabin Air	CAF24014 CAF24020 ⁵⁵⁴	R90T (3959612); Sec. (R90T); W/S	Fuel	LFF3292 ⁶³ LFF5488 LFF8957 ²⁰⁶	WF2077	Coolant	LFW4685 ²⁴⁹
F6HZ-19N619AA F6HZ-19N619BA (ABPN122R50404); W/S W/S 1R0751 1R0716	Fuel	LFF3579 ²⁰⁶ LFF3579U ⁶⁸⁹ LFF4783	LF3000 LF9009 (3280V5040); Meritor (17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Oil	LFP3000 LFP3000XL ¹⁴ PH454 ⁵⁵²	(382114); Davco	Fuel	L5467F L5467FNXL ¹⁴ LFF4783 LFF5850
87904M	Power Steering	LH4101 ³¹¹	(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	Davco 1R0751 (ABP/N122-S3226FL02 W/S (1752949); W/S 1R0716	Oil	LFF8030 LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ PH454 ⁵⁵²
(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	<i>L9500 (w/Caterpillar C11 Engine)</i>			<i>L9500 (w/Caterpillar C15 Engine)</i>		
<i>L8500 (w/Cummins ISC Engine)</i>			P533930	Air	LAF3930 ²	(17237); Eaton/Fuller	Trans	HP1
P533930	Air	LAF3930 ²	WF2071	Coolant	LFW4071 ²⁸	<i>L9500 (w/Caterpillar C9 Engine)</i>		
F6HZ-19N619AA F6HZ-19N619BA (ABPN122R50404); W/S W/S 1R0751 1R0716	Fuel	LFF3579 ²⁰⁶ LFF3579U ⁶⁸⁹ LFF4783	R90T (3959612); Sec. (R90T); W/S	Fuel	LFF3292 ⁶³ LFF5488 LFF8957 ²⁰⁶	P527682 EAF5069	Air	LAF1849 ² LAF1849MXM ^{2, 268}
87904M	Power Steering	LH4101 ³¹¹	LF3000 LF9009 (3280V5040); Meritor (17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Oil	LFP3000 LFP3000XL ¹⁴ PH454 ⁵⁵²	P533930	Coolant	LAF3930 ²
(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	WF2077	Coolant	LFW4685 ²⁴⁹
<i>L8500 (w/Cummins ISC Engine)</i>			P527682 EAF5069	Air	LAF1849 ² LAF1849MXM ^{2, 268}	(382114); Davco	Fuel	L5467F L5467FNXL ¹⁴ LFF4783 LFF5850
P533930	Air	LAF3930 ²	P533930	Coolant	LAF3930 ²	Davco 1R0751 (ABP/N122-S3226FL02 W/S (1752949); W/S 1R0716	Oil	LFF8030 LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ PH454 ⁵⁵²
<i>L8500 (w/Cummins ISC Engine)</i>			WF2077	Coolant	LFW4685 ²⁴⁹	(3280V5040); Meritor	Power Steering	LH4101 ³¹¹
P533930	Air	LAF3930 ²	R90T (3959612); Sec. (R90T); W/S	Fuel	LFF3292 ⁶³ LFF5488 LFF8957 ²⁰⁶	87904M	Power Steering	LH4101 ³¹¹
<i>L8500 (w/Cummins ISC Engine)</i>			(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	(17237); Eaton/Fuller	Trans	HP1
P533930	Air	LAF3930 ²	(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	<i>L9500 (w/Caterpillar C9 Engine)</i>		
<i>L8500 (w/Cummins ISC Engine)</i>			P527682 EAF5069	Air	LAF1849 ² LAF1849MXM ^{2, 268}	P527682 EAF5069	Air	LAF1849 ² LAF1849MXM ^{2, 268}
P533930	Air	LAF3930 ²	P533930	Coolant	LAF3930 ²	P533930	Coolant	LAF3930 ²
<i>L8500 (w/Cummins ISC Engine)</i>			WF2077	Coolant	LFW4685 ²⁴⁹	WF2077	Coolant	LFW4685 ²⁴⁹
P533930	Air	LAF3930 ²	R90T (3959612); Sec. (R90T); W/S	Fuel	LFF3292 ⁶³ LFF5488 LFF8957 ²⁰⁶	(382114); Davco	Fuel	L5467F
<i>L8500 (w/Cummins ISC Engine)</i>			(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	<i>L9500 (w/Caterpillar C9 Engine)</i>		
P533930	Air	LAF3930 ²	(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	P527682 EAF5069	Air	LAF1849 ² LAF1849MXM ^{2, 268}
<i>L8500 (w/Cummins ISC Engine)</i>			(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	P533930	Coolant	LAF3930 ²
P533930	Air	LAF3930 ²	(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	WF2077	Coolant	LFW4685 ²⁴⁹
<i>L8500 (w/Cummins ISC Engine)</i>			(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	(382114); Davco	Fuel	L5467F
P533930	Air	LAF3930 ²	(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	<i>L9500 (w/Caterpillar C9 Engine)</i>		
<i>L8500 (w/Cummins ISC Engine)</i>			(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	P527682 EAF5069	Air	LAF1849 ² LAF1849MXM ^{2, 268}
P533930	Air	LAF3930 ²	(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	P533930	Coolant	LAF3930 ²
<i>L8500 (w/Cummins ISC Engine)</i>			(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	WF2077	Coolant	LFW4685 ²⁴⁹
P533930	Air	LAF3930 ²	(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	(382114); Davco	Fuel	L5467F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity

24-4" Sump 28-Contains 1 oz. of chemical 63-9/16" Thread Sensor Port 206-Bowl type 249-No chemical 268-Extended/Severe service 311-2.73" Hgt.

552-Rear axle 554-Recirculation 689-Bowless

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
STERLING (TRUCK HEAVY DUTY)			STERLING (TRUCK HEAVY DUTY)			STERLING (TRUCK HEAVY DUTY)		
L9500 (w/Caterpillar C9 Engine) (cont'd)			L9500 (w/Mercedes Benz MBE900 Engine) (cont'd)			LT8500 (w/Caterpillar C9 Engine)		
Davco 1R0751 (ABPN122-S3226FL02 W/S (1752949); W/S 1R0716	Fuel	L5467FNXL ¹⁴ LFF4783 LFF5850 LFF8030	(3280-V-3040); Meritor (17237); Optional Eaton 3.7" O.D.	Oil Trans	LP5048 PH454 ⁵⁵² HP1	P527682 EAF5069 P533930 F6HZ-19N619AA F6HZ-19N619BA (ABPN122R50404); W/S W/S 1R0751 1R0716	Air	LAF1849 ² LAF1849MXM ^{2, 268} LAF3930 ² CAF24014 CAF24020 ⁵⁵⁴ LFF3579 ²⁰⁶ LFF3579U ⁶⁸⁹ LFF4783
(3280V5040); Meritor 87904M	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ PH454 ⁵⁵²	LT7500 (w/Mercedes Benz MBE4000 Engine)			(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Fuel	LFF3579 ²⁰⁶ LFF3579U ⁶⁸⁹ LFF4783
(17237); Eaton/Fuller	Power Steering	LH4101 ³¹¹	LT7500 (w/Mercedes Benz MBE900 Engine)			LT8500 (w/Caterpillar 3126B Engine)		
	Trans	HP1	87904M	Power Steering	LH4101 ³¹¹	87904M	Power Steering	LH4101 ³¹¹
L9500 (w/Cummins ISC Engine)			P527682			LT8500 (w/Cummins ISC Engine)		
P533930	Air	LAF3930 ²	P527682	Air	LAF1849 ² LAF1849MXM ^{2, 268}	P533930	Air	LAF3930 ²
1R0749	Fuel	LFF2749 ²⁰	EAF5069			F6HZ-19N619AA	Cabin Air	CAF24014
1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	P533930		LAF3930 ²	F6HZ-19N619BA	Cabin Air	CAF24020 ⁵⁵⁴
L9500 (w/Detroit 60 Series Engine)			(ABPN122R50404); W/S W/S 1R0751 1R0716	Fuel	LFF3579 ²⁰⁶ LFF3579U ⁶⁸⁹ LFF4783	(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Fuel	LFF3579 ²⁰⁶ LFF3579U ⁶⁸⁹ LFF4783
P533814	Air	LAF3814 ²	87904M	Power Steering	LH4101 ³¹¹	LT8500 (w/Cummins ISC Engine)		
F6HZ-19N619AA	Cabin Air	CAF24014 ⁸⁹⁸ CAF24020 ⁵⁵⁴	(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	P533930	Air	LAF3930 ²
F6HZ-19N619BA	Cabin Air	CAF24020 ⁵⁵⁴	(29540496); Allison 3000/3500 29545776			WF2071	Coolant	LFW4071 ²⁸
(23518481); Pri. (R950011); Brake Dryer	Fuel	LFP815FN LFP8654				R90T (3959612); Sec. (R90T); W/S	Fuel	LFF3292 ⁶³ LFF5488 LFF8957 ²⁰⁶
23530573	Oil	LFP2160 LFP2160TRT ³ LFP2160XL ¹⁴ PH454 ⁵⁵²				LF9009 (3280V5040); Meritor	Oil	LFP3000XL ¹⁴ PH454 ⁵⁵²
(3280-V-3040); Meritor 87904M	Power Steering	LH4101 ³¹¹				(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	LT8500 (w/Caterpillar C7 Diesel)			LF3000	Oil	LFP3000
L9500 (w/MBE4000 Engine)			P527682			LF3000	Oil	LFP3000
P527682	Air	LAF1849 ² LAF3814 ²	P527682	Air	LAF1849 ² LAF1849MXM ^{2, 268}	LT8500 (w/Cummins ISL Diesel Engine)		
P533814	Cabin Air	CAF24014 ⁸⁹⁸ CAF24020 ⁵⁵⁴	EAF5069		LAF3930 ²	P533930	Air	LAF3930 ²
F6HZ-19N619AA	Cabin Air	CAF24014 ⁸⁹⁸ CAF24020 ⁵⁵⁴	P533930	Cabin Air	CAF24014 CAF24020 ⁵⁵⁴	WF2071	Coolant	LFW4071 ²⁸
F6HZ-19N619BA	Cabin Air	CAF24020 ⁵⁵⁴	F6HZ-19N619AA	Cabin Air	CAF24014 CAF24020 ⁵⁵⁴	R90T (3959612); Sec. (R90T); W/S	Fuel	LFF3292 ⁶³ LFF5488 LFF8957 ²⁰⁶
(382114); Davco Davco 5410900151 (R950011); Brake Dryer	Fuel	L5467F L5467FNXL ¹⁴ L8994F	F6HZ-19N619BA	Cabin Air	CAF24014 CAF24020 ⁵⁵⁴	LF9009 (3280V5040); Meritor	Oil	LFP3000XL ¹⁴ PH454 ⁵⁵²
(R950011); Brake Dryer	Miscellaneous	LFP8654	(ABPN122R50404); W/S W/S 1R0751 1R0716	Fuel	LFF3579 ²⁰⁶ LFF3579U ⁶⁸⁹ LFF4783	(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²
(3280-V-3040); Meritor (17237); Optional Eaton 3.7" O.D.	Oil	LP5048 PH454 ⁵⁵²	87904M	Power Steering	LH4101 ³¹¹	LF3000	Oil	LFP3000
	Trans	HP1	(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²	(FS1022); Sec.	Fuel	LFF1022 ⁹⁰³
L9500 (w/Mercedes Benz MBE900 Engine)			P527682			LT8500 (w/Cummins ISL Diesel Engine)		
P527682	Air	LAF1849 ² LAF3814 ²	P527682	Air	LAF1849 ² LAF1849MXM ^{2, 268}	P533930	Air	LAF3930 ²
P533814	Cabin Air	CAF24014 ⁸⁹⁸ CAF24020 ⁵⁵⁴	EAF5069		LAF3930 ²	WF2071	Coolant	LFW4071 ²⁸
F6HZ-19N619AA	Cabin Air	CAF24014 ⁸⁹⁸ CAF24020 ⁵⁵⁴	P533930	Cabin Air	CAF24014 CAF24020 ⁵⁵⁴	R90T (3959612); Sec. (R90T); W/S	Fuel	LFF3292 ⁶³ LFF5488 LFF8957 ²⁰⁶
F6HZ-19N619BA	Cabin Air	CAF24020 ⁵⁵⁴	F6HZ-19N619AA	Cabin Air	CAF24014 CAF24020 ⁵⁵⁴	LF9009 (3280V5040); Meritor	Oil	LFP3000XL ¹⁴ PH454 ⁵⁵²
(382114); Davco Davco 5410900151 (R950011); Brake Dryer	Fuel	L5467F L5467FNXL ¹⁴ L8994F	F6HZ-19N619BA	Cabin Air	CAF24014 CAF24020 ⁵⁵⁴	(17237); Optional Eaton 3.7" O.D. (29540496); Allison 3000/3500 (29540493); Allison 3000/3500 29545776	Trans	HP1 LH4582G ²⁴ LH4589G ²³ LH4591G ²²
(R950011); Brake Dryer	Miscellaneous	LFP8654	(ABPN122R50404); W/S W/S 1R0751 1R0716	Fuel	LFF3579 ²⁰⁶ LFF3579U ⁶⁸⁹ LFF4783	LF3000	Oil	LFP3000
(3280-V-3040); Meritor (17237); Optional Eaton 3.7" O.D.	Oil	LP5048 PH454 ⁵⁵²	87904M	Power Steering	LH4101 ³¹¹	(FS1022); Sec.	Fuel	LFF1022 ⁹⁰³

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 63-9/16" Thread Sensor Port 206-Bowl type 268-Extended/Severe service 311-2.73" Hgt. 552-Rear axle 554-Recirculation 689-Bowless 898-Cabin fresh air filter 903-08-09

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
STERLING (TRUCK HEAVY DUTY)			STERLING (TRUCK HEAVY DUTY)			STERLING (TRUCK HEAVY DUTY)		
<i>LT9500 (w/Caterpillar C11 Engine)</i>			<i>LT9500 (w/Caterpillar C15 Engine) (cont'd)</i>			<i>LT9500 (w/Detroit 60 Series Engine) (cont'd)</i>		
P527682	Air	LAF1849 ²	(3280V5040); Meritor	Oil	PH454 ⁵⁵²	2004-on; Sec.	Fuel	LFF6816
EAF5069		LAF1849MXM ^{2, 268}	87904M	Power Steering	LH4101 ³¹¹	2003-on; Sec.		LFF6816XL ¹⁴
P533930		LAF3930 ²	(17237); Eaton/Fuller	Trans	HP1	(23518481); Pri.		LFP815FN
WF2077	Coolant	LFW4685 ²⁴⁹				(23518482); Sec.		LFP816FN ⁷³⁰
(382114); Davco	Fuel	L5467F	<i>LT9500 (w/Caterpillar C9 Engine)</i>			(R950011); Brake	Miscellane	LFP8654
Davco		L5467FNXL ¹⁴	P527682	Air	LAF1849 ²	Dryer		LFP2160
1R0751		LFF4783	EAF5069		LAF1849MXM ^{2, 268}	23530573	Oil	LFP2160TRT ³
(ABP/N122-S3226FL02		LFF5850	P533930		LAF3930 ²	(3280-V-3040); Meritor		LFP2160XL ¹⁴
W/S		LFF8030	WF2077	Coolant	LFW4685 ²⁴⁹			PH454 ⁵⁵²
(1752949); W/S		LFP4005	(382114); Davco	Fuel	L5467F	87904M	Power Steering	LH4101 ³¹¹
1R0716	Oil	LFP4005TRT ³	Davco		L5467FNXL ¹⁴	(17237); Optional	Trans	HP1
		LFP4005XL ¹⁴	1R0751		LFF4783	Eaton 3.7" O.D.		
(3280V5040); Meritor		PH454 ⁵⁵²	(ABP/N122-S3226FL02		LFF5850			
87904M	Power Steering	LH4101 ³¹¹	W/S		LFF8030	<i>LT9500 (w/MBE4000 Engine)</i>		
(17237); Eaton/Fuller	Trans	HP1	1R0716	Oil	LFP4005	P527682	Air	LAF1849 ²
<i>LT9500 (w/Caterpillar C12 Engine)</i>					LFP4005TRT ³	EAF5069		LAF1849MXM ^{2, 268}
P533930	Air	LAF3930	(3280V5040); Meritor		LFP4005XL ¹⁴	F6HZ-19N619AA	Cabin Air	CAF24014 ⁸⁹⁸
1R0749	Fuel	LFF2749 ²⁰	87904M	Power Steering	PH454 ⁵⁵²	F6HZ-19N619BA		CAF24020 ⁵⁵⁴
1R0716	Oil	LFP4005	(17237); Eaton/Fuller	Trans	HP1	(382114); Davco	Fuel	L5467F
		LFP4005TRT ³				Davco		L5467FNXL ¹⁴
		LFP4005XL ¹⁴	<i>LT9500 (w/Cummins ISC Engine)</i>			5410900151	Miscellane	L8994F
<i>LT9500 (w/Caterpillar C13 Engine)</i>			P527682	Air	LAF1849 ²	(R950011); Brake		LFP8654
P527682	Air	LAF1849 ²	EAF5069		LAF1849MXM	Dryer	Oil	LP5048
EAF5069		LAF1849MXM ^{2, 268}	F6HZ-19N619AA	Cabin Air	CAF24014 ⁸⁹⁸	(3280-V-3040); Meritor		PH454 ⁵⁵²
P533930		LAF3930 ²	F6HZ-19N619BA		CAF24020 ⁵⁵⁴	(17237); Optional	Trans	HP1
WF2077	Coolant	LFW4685 ²⁴⁹	WF2071	Coolant	LFW4071 ²⁸	Eaton 3.7" O.D.		
(382114); Davco	Fuel	L5467F	(FS1000); W/S	Fuel	LFF1000	<i>LT9501 (w/Caterpillar C10 Engine)</i>		
Davco		L5467FNXL ¹⁴	(R950011); Brake	Miscellane	LFP8654		Air	LAF3814
1R0751		LFF4783	Dryer		PH454	WF2077	Coolant	LAF5871
(ABP/N122-S3226FL02		LFF5850	(3280V5040); Rear Axle			1R0749	Fuel	LFW4685 ²⁴⁹
W/S		LFF8030	LF3000	Oil	LFP3000	1R0716	Oil	LFP4005
(1752949); W/S		LFP4005	LF9009		LFP3000XL ¹⁴			LFP4005TRT ³
1R0716	Oil	LFP4005TRT ³	(17237); Optional	Trans	HP1			LFP4005XL ¹⁴
		LFP4005XL ¹⁴	Eaton 3.7" O.D.			<i>LT9511 (w/Caterpillar 3306 Engine)</i>		
(3280V5040); Meritor		PH454 ⁵⁵²	<i>LT9500 (w/Cummins ISM Engine)</i>			W/S	Fuel	L3531F ⁴¹
87904M	Power Steering	LH4101 ³¹¹	P527682	Air	LAF1849 ²	(1P2299); Sec.		LFF1131 ⁷⁴⁴
(17237); Eaton/Fuller	Trans	HP1	EAF5069		LAF1849MXM	1R0739	Oil	LFP440F
<i>LT9500 (w/Caterpillar C15 Engine)</i>			F6HZ-19N619AA	Cabin Air	CAF24014 ⁸⁹⁸	1R0716		LFP3191
P527682	Air	LAF1849 ²	F6HZ-19N619BA		CAF24020 ⁵⁵⁴			LFP4005 ⁶⁴³
EAF5069		LAF1849MXM ^{2, 268}	WF2071	Coolant	LFW4071 ²⁸	<i>LT9511 (w/Caterpillar C10 Engine)</i>		
P533930		LAF3930 ²	(FS1000); W/S	Fuel	LFF1000	WF2077	Coolant	LFW4685 ²⁴⁹
WF2077	Coolant	LFW4685 ²⁴⁹	(R950011); Brake	Miscellane	LFP8654	1R0749	Fuel	LFF2749 ²⁰
(382114); Davco	Fuel	L5467F	Dryer		PH454	1R0716	Oil	LFP4005
Davco		L5467FNXL ¹⁴	(3280V5040); Rear Axle					LFP4005TRT ³
1R0751		LFF4783	LF9080	Oil	LFP9001 ²⁵⁰			LFP4005XL ¹⁴
(ABP/N122-S3226FL02		LFF5850	LF9080		LFP9001TRT ³	<i>LT9512, LT9513 (w/Caterpillar C12 Engine)</i>		
W/S		LFF8030	LF14000NN		LFP9001XL ^{14, 250}	P533930	Air	LAF3930 ²
(1752949); W/S		LFP4005	(17237); Optional	Trans	HP1	1R0749	Fuel	LFF2749 ²⁰
1R0716	Oil	LFP4005TRT ³	Eaton 3.7" O.D.			1R0716	Oil	LFP4005
		LFP4005XL ¹⁴	<i>LT9500 (w/Detroit 60 Series Engine)</i>					LFP4005TRT ³
			P533814	Air	LAF3814 ²			LFP4005XL ¹⁴
			F6HZ-19N619AA	Cabin Air	CAF24014 ⁸⁹⁸			
			F6HZ-19N619BA		CAF24020 ⁵⁵⁴			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 41-Cartridge 249-No chemical 250-11.9" Hgt. 268-Extended/Severe service 311-2.73" Hgt. 552-Rear axle 554-Recirculation 643-1 1/2" Thread 730--2004 744-Box type 898-Cabin fresh air filter

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
STERLING (TRUCK HEAVY DUTY)			STERLING (TRUCK HEAVY DUTY)			THERMO KING (REFRIGERATION UNIT)		
<i>LT9513 (w/Cummins N14 Engine)</i>			<i>SilverStar (w/Cummins Signature 600 Engine)</i>			<i>CGSM18, CGSM19, CGSM29, CGSM31 (cont'd)</i>		
F6HZ-9601-CA	Air	LAF5871 ²	(cont'd)			11-3712	Oil	LFP3712
F6HZ-9602-AA		LAF5872 ¹	LF9070	Oil	LFP9000 ⁷²³	11-2093		P92
(FS1000); W/S	Fuel	LFF1000	LF9000		LFP9000XL ^{14, 723}	CGSM43		
(154789); Pri.		LFF5D	<i>SilverStar (w/Detroit Diesel 60 Series Engine)</i>			(11-3692); Pri.	Fuel	LFP3692F
LF3000	Oil	LFP3000 ³¹³	F6HZ-9601-CA	Air	LAF5871 ²	(11-3693); Sec.		LFP3693F
LF9009		LFP3000XL ¹⁴	F6HZ-9602-AA		LAF5872 ¹	11-3712	Oil	LFP3712
LF670		LFP670 ⁶⁴³	(23518481); Pri.	Fuel	LFP815FN	Crown 500 (w/C201 Engine)		
		LFP670XL ¹⁴	23530573	Oil	LFP2160	(11-3068); Sec.	Fuel	262F
By-Pass		LFP777B			LFP2160TRT ³	(11-5704); Pri.		FP251F
<i>SC7000 (w/Cummins ISB 5.9L Engine)</i>			<i>SilverStar (w/MercedesBenz MBE4000)</i>			(11-2230); Pri.		L274F
(3942470); W/S	Fuel	L1261F	F6HZ-9601-CA	Air	LAF5871 ²	Sec.		L540F
3937736	Oil	LFP3970	F6HZ-9602-AA		LAF5872 ¹	(11-3692); Pri.		LFP3692F
F3HZ-9601B	Air	LAF1878 ²	(23518481); Pri.	Fuel	LFP815FN	(11-3693); Sec.		LFP3693F
P527484	Air	LAF1878 ²	23530573	Oil	LFP2160	(11-5705); Sec.		LFP925F
F3HZ-9601B	Air	LAF1878 ²			LFP2160TRT ³	(11-3712); w/Std.	Oil	LFP3712
W/S	Fuel	L5021F			LFP2160XL ¹⁴	Spin-on		LFP3746
<i>SC8000 (w/Cummins ISB 5.9L Engine)</i>			<i>ST9500 (w/Detroit 60 Series Engine)</i>			(11-5703); By-Pass		LFP3871
F3HZ-9601B	Air	LAF1878 ²	P527682	Air	LAF1849 ²	(11-5702); w/EMI		
(3942470); W/S	Fuel	L1261F	NF2088	Coolant	LFW6500 ⁵⁵⁵	Spin-on		P71
W/S		L5021F	(23518481); Pri.	Fuel	LFP815FN	(11-2685); By-Pass		P92
3937736	Oil	LFP3970	(23518482); Sec.		LFP816FN	(11-2903); w/Cart.		
<i>SilverStar (w/Caterpillar C15 Engine)</i>			23530573	Oil	LFP2160	Filters		
F6HZ-9601-CA	Air	LAF5871 ²	SUBARU (TRUCK HEAVY DUTY)			Crown 500 (w/OM636 Engine)		
F6HZ-9602-AA		LAF5872 ¹	<i>Sambar (w/EN07 660cc Engine)</i>			(11-3068); Sec.	Fuel	262F
1R0749	Fuel	LFF2749 ²⁰	42072-KA020	Fuel	G242	(11-5704); Pri.		FP251F
1R0716	Oil	LFP4005	15208-KA010	Oil	PH2876	(11-2230); Pri.		L274F
		LFP4005TRT ³	T.L. SMITH (CONCRETE MIXER)			Sec.		L540F
		LFP4005XL ¹⁴	<i>11 Yard Mixer</i>			(11-3692); Pri.		LFP3692F
<i>SilverStar (w/Caterpillar C16 Engine)</i>			CD Max (w/TK2.49 Engine)			(11-3693); Sec.		LFP3693F
F6HZ-9601-CA	Air	LAF5871 ²	11-7234	Air	LAF7234	(11-5705); Sec.		LFP925F
F6HZ-9602-AA		LAF5872 ¹	(11-9098); Sec.	Fuel	LFP3693F	(11-3712); w/Std.	Oil	LFP3712
1R0749	Fuel	LFF2749 ²⁰	(11-6228); By-Pass	Oil	LFP6228	Spin-on		LFP3746
1R0716	Oil	LFP4005	11-6182		PH2808	(11-5703); By-Pass		LFP3871
		LFP4005TRT ³	THERMO KING (REFRIGERATION UNIT)			(11-5702); w/EMI		
		LFP4005XL ¹⁴	<i>8 1/2 Yard Mixer</i>			Spin-on		P71
<i>SilverStar (w/Cummins ISX Engine)</i>			CGSM122, 129, CGSM142, 145, 147, CGSM150, 151, 152, 253			(11-2685); By-Pass		P92
P527682	Air	LAF1849 ²	(11-3068); Sec.	Fuel	262F	(11-2903); w/Cart.		
EAF5069		LAF1849MXM ^{2, 268}	(11-2230); Pri.		L274F	Filters		
(FS1007); W/S	Fuel	LFF1007 ²¹⁰	Sec.		L540F	FB2M5, FB2M6 (w/Mercedes-Benz OM636 Engine)		
LF9070	Oil	LFP9000 ⁷²³	11-2093	Oil	P92	(11-3068); Sec.	Fuel	262F
LF9000		LFP9000XL ^{14, 723}				(11-2230); Pri.		L274F
<i>SilverStar (w/Cummins N14 Plus Engine)</i>			CGSM16, CGSM22, CGS1250			Sec.		L540F
P527682	Air	LAF1849 ²	(11-3692); Pri.	Fuel	LFP3692F	(11-2685); By-Pass	Oil	P71
EAF5069		LAF1849MXM ^{2, 268}	(11-3693); Sec.		LFP3693F	11-2093		P92
F6HZ-9601-CA		LAF5871 ²	11-3712	Oil	LFP3712	GS1250		
(FS1007); W/S	Fuel	LFF1007 ²¹⁰	11-2093		P92	(11-3068); Sec.	Fuel	262F
LF9070	Oil	LFP9000 ⁷²³				(11-2230); Pri.		L274F
LF9000		LFP9000XL ^{14, 723}	CGSM18, CGSM19, CGSM29, CGSM31			Sec.		L540F
<i>SilverStar (w/Cummins Signature 600 Engine)</i>			(11-3068); Sec.	Fuel	262F	(11-2685); By-Pass	Oil	P71
P527682	Air	LAF1849 ²	(11-2230); Pri.		L274F	11-2093		P92
EAF5069		LAF1849MXM ^{2, 268}	Sec.		L540F	HK		
P527683		LAF1956 ¹	11-2093	Oil	P92	(11-3963); Sec.	Fuel	LFP3693F
F6HZ-9601-CA		LAF5871 ²	CGSM18, CGSM19, CGSM29, CGSM31			(11-5703); By-Pass	Oil	LFP3746
F6HZ-9602-AA		LAF5872 ¹	(11-3068); Sec.	Fuel	262F	11-5522		LFP5522
(FS1007); W/S	Fuel	LFF1007 ²¹⁰	(11-2230); Pri.		L274F	11-6182		PH2808
			Sec.		L540F			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 210-w/ Sensor 268-Extended/Severe service 313-2 1/4" Thread 555-Extended Life w/ controlled release chemical 643-1 1/2" Thread 723-13.9" Hgt.

S

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
THERMO KING (REFRIGERATION UNIT)			THERMO KING (REFRIGERATION UNIT)			THERMO KING (REFRIGERATION UNIT)		
<i>HK-III (w/TK2.49 Engine)</i>			<i>MD-200MT (w/TK374 Engine)</i>			<i>RCD50 (cont'd)</i>		
(11-5948); W/S (11-9098); Sec.	Fuel	LFF90013 LFP3693F	11-9059 (11-9341); Sec.	Air Fuel	LAF8388 ² LFP3693F	(11-2230); Pri. Sec.	Fuel	L274F L540F
11-6182	Oil	PH2808	(11-9321); By-Pass	Oil	LFP6228	11-3712 11-2093	Oil	LFP3712 P92
<i>KD-II, KD-II Max (w/TK 3.66 Engine)</i>			<i>MD-200MT (w/TK37D Engine)</i>			<i>RD-I, RD-II, RD-II SR</i>		
	Air	LAF7234	11-9059	Air	LAF8388 ²	11-7234	Air	LAF7234
Sec.	Fuel	LFP3693F	(11-9341); Sec.	Fuel	LFP3693F	(11-3693); Sec.	Fuel	LFP3693F
	Oil	LFP5522	(11-9321); By-Pass	Oil	LFP6228	11-5522	Oil	LFP5522
By-Pass		LFP6228 PH2808	11-6182		PH2808	(11-6228); By-Pass 11-6182		LFP6228 PH2808
<i>KD-II, KD-II Max, KD-II SR</i>			<i>MD-300 (w/TK3.74 Engine)</i>			<i>RMN, RMS, RMU (w/C201 Engine)</i>		
11-7234	Air	LAF7234	11-9059	Air	LAF8388 ²	12-0404	Air	LAF6404 ²
(11-3693); Sec.	Fuel	LFP3693F	(11-9341); Sec.	Fuel	LFP3693F	(11-3068); Sec.	Fuel	262F
11-5522 (11-6228); By-Pass	Oil	LFP5522 LFP6228	(11-9321); By-Pass	Oil	LFP6228	(11-5704); Pri. (11-2230); Pri.		FP251F L274F L540F
11-6182		PH2808	11-6182		PH2808	Sec. (11-3692); Pri. (11-3693); Sec. (11-5705); Sec.		LFP3692F LFP3693F LFP925F
<i>King of the Road (w/Isuzu SE 2.2L Engine)</i>			<i>MD-300 (w/TK370 Engine)</i>			<i>RMN, RMS, RMU (w/OM636 Engine)</i>		
11-7400	Air	LAF1829	11-9059	Air	LAF8388 ²	12-0404	Air	LAF6404 ²
11-6285	Fuel	L6285F	(11-9341); Sec.	Fuel	LFP3693F	(11-3068); Sec.	Fuel	262F
11-7264		L7264F ⁷⁴⁴	(11-9321); By-Pass	Oil	LFP6228	(11-5704); Pri. (11-2230); Pri.		FP251F L274F L540F
11-7382	Oil	LFP2268	11-6182		PH2808	Sec. (11-3712); w/Std. Spin-on (11-5703); By-Pass (11-5702); w/EMI	Oil	LFP3712 LFP3746 LFP3871
<i>LND, LR</i>			<i>NWD (w/C201 Engine)</i>			<i>RMN, RMS, RMU (w/OM636 Engine)</i>		
P148970	Air	LAF2745A ²	12-0404	Air	LAF6404 ²	12-0404	Air	LAF6404 ²
11-5705	Fuel	LFP925F	(11-3068); Sec.	Fuel	262F	(11-3068); Sec.	Fuel	262F
(11-5703); By-Pass	Oil	LFP3746	(11-5704); Pri. (11-2230); Pri.		FP251F L274F L540F	(11-5704); Pri. (11-2230); Pri.		FP251F L274F L540F
11-5522		LFP5522 PH2808	Sec. (11-3692); Pri. (11-3693); Sec. (11-5705); Sec.		LFP3692F LFP3693F LFP925F	Sec. (11-3692); Pri. (11-3693); Sec. (11-5705); Sec.		LFP3692F LFP3693F LFP925F
<i>Magnum (w/TK486 Engine)</i>			<i>NWD (w/OM636 Engine)</i>			<i>RMN, RMS, RMU (w/OM636 Engine)</i>		
11-7400	Air	LAF1829	(11-3712); w/Std.	Oil	LFP3712	12-0404	Air	LAF6404 ²
11-6285	Fuel	L6285F	Spin-on (11-5703); By-Pass (11-5702); w/EMI		LFP3746 LFP3871	(11-3068); Sec. (11-5704); Pri. (11-2230); Pri.	Fuel	262F FP251F L274F L540F
11-7264 (11-8047); W/S		L7264F ⁷⁴⁴ LFF8762	Spin-on (11-2685); By-Pass (11-2903); w/Cart. Filters		P71 P92	Sec. (11-3692); Pri. (11-3693); Sec. (11-5705); Sec.		LFP3692F LFP3693F LFP925F
11-9342		LFF9342 ⁹⁰⁵ LFF9342SC ⁹⁰⁴				(11-5705); Sec.		LFP925F
11-7382	Oil	LFP2268	<i>NWD (w/OM636 Engine)</i>			<i>RMN, RMS, RMU (w/OM636 Engine)</i>		
<i>MD, MD-I, MD-II, MD-II MAX, MD-II SR</i>			<i>NWD (w/OM636 Engine)</i>			<i>RMN, RMS, RMU (w/OM636 Engine)</i>		
(11-3693); Sec.	Fuel	LFP3693F	12-0404	Air	LAF6404 ²	(11-3712); w/Std.	Oil	LFP3712
11-5522	Oil	LFP5522	(11-3068); Sec.	Fuel	262F	Spin-on (11-5703); By-Pass (11-5702); w/EMI		LFP3746 LFP3871
(11-6228); By-Pass		LFP6228	(11-5704); Pri. (11-2230); Pri.		FP251F L274F L540F	Spin-on (11-2685); By-Pass (11-2903); w/Cart. Filters		P71 P92
11-6182		PH2808	Sec. (11-3692); Pri. (11-3693); Sec. (11-5705); Sec.		LFP3692F LFP3693F LFP925F	(11-3692); Pri. (11-3693); Sec. (11-5705); Sec.		LFP3692F LFP3693F LFP925F
<i>MD100 (w/TK370 Engine)</i>			<i>NWD (w/OM636 Engine)</i>			<i>SB100, SB190 (w/SE 2.2 Engine)</i>		
11-9059	Air	LAF8388 ²	(11-3712); w/Std.	Oil	LFP3712	11-7400	Air	LAF1829
(11-9341); Sec.	Fuel	LFP3693F	Spin-on (11-5703); By-Pass (11-5702); w/EMI		LFP3746 LFP3871	(11-8047); W/S 11-9342	Fuel	LFF8762 LFF9342 ⁹⁰⁵ LFF9342SC ⁹⁰⁴
(11-9321); By-Pass	Oil	LFP6228	Spin-on (11-2685); By-Pass (11-2903); w/Cart. Filters		P71 P92			
11-6182		PH2808				11-7382	Oil	LFP2268
<i>MD-200 (w/TK3.74 Engine)</i>			<i>NWD (w/OM636 Engine)</i>			<i>SB110, SB110+ (w/TK486V Engine)</i>		
11-9059	Air	LAF8388 ²	(11-3068); Sec.	Fuel	262F	11-9300	Air	LAF9300
(11-9341); Sec.	Fuel	LFP3693F	(11-5704); Pri. (11-2230); Pri.		FP251F L274F L540F	11-9342	Fuel	LFF9342 ¹⁹ LFF9342SC ¹⁸
(11-9321); By-Pass	Oil	LFP6228	Sec. (11-3692); Pri. (11-3693); Sec. (11-5705); Sec.		LFP3692F LFP3693F LFP925F			
11-6182		PH2808				11-7382	Oil	LFP2268
<i>MD-200 (w/TK370 Engine)</i>			<i>RCD50</i>					
11-9059	Air	LAF8388 ²	(11-3068); Sec.	Fuel	262F			
(11-9341); Sec.	Fuel	LFP3693F						
(11-9321); By-Pass	Oil	LFP6228						
11-6182		PH2808						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 18-Short 19-Long 744-Box type 904-Extended Maintenance Intervals Short 905-Extended Maintenance Intervals Long

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
THERMO KING (REFRIGERATION UNIT)			THERMO KING (REFRIGERATION UNIT)			THERMO KING (REFRIGERATION UNIT)		
<i>SB200, SB300 (w/TK486 Engine)</i>			<i>SB-I, SB-II, SB-III (w/TK 2.2 Engine) (cont'd)</i>			<i>Sentry (w/TK 2.2 Engine) (cont'd)</i>		
11-7400	Air	LAF1829	(11-5703); By-Pass	Oil	LFP3746	(11-5705); Sec.	Fuel	LFP925F
(11-8047); W/S	Fuel	LFF8762	(11-5702); w/EMI		LFP3871	(11-3712); w/Std.	Oil	LFP3712
11-9342		LFF9342 ⁹⁰⁵	Spin-on			Spin-on		LFP3746
(119982); W/S		LFF9342SC ⁹⁰⁴	<i>SB-III, SB-III Max, SB-III SR Series (w/SE 2.2 Engine)</i>			(11-5703); By-Pass		LFP3746
11-7382	Oil	LFP9982				(11-5702); w/EMI		LFP3871
		LFP2268	11-7400	Air	LAF1829	Spin-on		
<i>SB210, SB210+ (w/TK486V Engine)</i>			11-6285	Fuel	L6285F	<i>Sentry II MAX (w/SE 2.2 Engine)</i>		
11-9300	Air	LAF9300	11-7264		L7264F ⁷⁴⁴	11-7400	Air	LAF1829
11-9342	Fuel	LFF9342 ¹⁹	11-7382	Oil	LFP2268	11-6285	Fuel	L6285F
		LFF9342SC ¹⁸	<i>SDZ</i>			11-7264		L7264F ⁷⁴⁴
11-7382	Oil	LFP2268	(11-3693); Sec.	Fuel	LFP3693F	11-7382	Oil	LFP2268
11-9182		LFP9182	11-5522	Oil	LFP5522	<i>SL100, SL200 (w/TK482 Engine)</i>		
<i>SB230 (w/Yanmar TK486 Diesel Engine)</i>			11-6182		PH2808	11-7400	Air	LAF1829
	Oil	LFP9182	<i>SDZ Max (w/TK2.49 Engine)</i>			(11-8047); W/S	Fuel	LFF8762
<i>SB310, SB310+ (w/TK486VH Engine)</i>			11-7234	Air	LAF7234	11-9342		LFF9342 ⁹⁰⁵
11-9300	Air	LAF9300	(11-9098); Sec.	Fuel	LFP3693F			LFF9342SC ⁹⁰⁴
11-9342	Fuel	LFF9342 ¹⁹	(11-6228); By-Pass	Oil	LFP6228	11-7382	Oil	LFP2268
		LFF9342SC ¹⁸	11-6182		PH2808	<i>SL300, SL400 (w/TK486 Engine)</i>		
11-7382	Oil	LFP2268	<i>Sentry (w/Isuzu C201 Engine)</i>			11-7400	Air	LAF1829
11-9182		LFP9182	(11-3068); Sec.	Fuel	262F	119300		LAF9300
<i>SB310R, SB310R+ (w/TK486V Engine)</i>			(11-5704); Pri.		FP251F	(11-8047); W/S	Fuel	LFF8762
11-9300	Air	LAF9300	(11-2230); Pri.		L274F	11-9342		LFF9342 ⁹⁰⁵
11-9342	Fuel	LFF9342 ¹⁹	Sec.		L540F			LFF9342SC ⁹⁰⁴
		LFF9342SC ¹⁸	(11-3692); Pri.		LFP3692F	(119982); W/S		LFF9982
11-7382	Oil	LFP2268	(11-3693); Sec.		LFP3693F	11-7382	Oil	LFP2268
11-9182		LFP9182	(11-5705); Sec.		LFP925F	<i>SMX 30, SMX 50 (w/SE 2.2 Engine)</i>		
<i>SB400 (w/Yanmar TK486 Diesel Engine)</i>			(11-3712); w/Std.	Oil	LFP3712	11-5692	Air	LAF2745A ²
11-9342	Fuel	LFF9342 ¹⁹	Spin-on		LFP3746	11-6285	Fuel	L6285F
		LFF9342SC ¹⁸	(11-5703); By-Pass		LFP3871	11-7264		L7264F ⁷⁴⁴
11-9182	Oil	LFP9182	(11-5702); w/EMI			11-3712	Oil	LFP3712
<i>SB-I, SB-II (w/C201 or OM636 Engine)</i>			Spin-on		P71	<i>SNWD, SUWD (w/C201 Engine)</i>		
12-0404	Air	LAF6404 ²	(11-2685); By-Pass		P92	(11-3068); Sec.	Fuel	262F
(11-3068); Sec.	Fuel	262F	(11-2093); w/Cart.			(11-5704); Pri.		FP251F
(11-5704); Pri.		FP251F	Filters			(11-2230); Pri.		L274F
(11-2230); Pri.		L274F	<i>Sentry (w/OM636 Engine)</i>			Sec.		L540F
Sec.		L540F	(11-3068); Sec.	Fuel	262F	(11-3692); Pri.		LFP3692F
(11-3692); Pri.		LFP3692F	(11-5704); Pri.		FP251F	(11-3693); Sec.		LFP3693F
(11-3693); Sec.		LFP3693F	(11-2230); Pri.		L274F	(11-5705); Sec.		LFP925F
(11-5705); Sec.		LFP925F	Sec.		L540F	(11-3712); w/Std.	Oil	LFP3712
(11-3712); w/Std.	Oil	LFP3712	(11-3692); Pri.		LFP3692F	Spin-on		
Spin-on		LFP3746	(11-3693); Sec.		LFP3693F	(11-5703); By-Pass		LFP3746
(11-5703); By-Pass		LFP3871	(11-5705); Sec.		LFP925F	(11-5702); w/EMI		LFP3871
(11-5702); w/EMI			(11-3712); w/Std.	Oil	LFP3712	Spin-on		
Spin-on			Spin-on		LFP3746	(11-2685); By-Pass		P71
(11-2685); By-Pass			(11-5703); By-Pass		LFP3871	(11-2093); w/Cart.		P92
(11-2903); w/Cart.			(11-5702); w/EMI			Filters		
Filters			Spin-on			<i>SNWD, SUWD (w/OM636 Engine)</i>		
<i>SB-I, SB-II, SB-III (w/TK 2.2 Engine)</i>			(11-2685); By-Pass		P71	(11-3068); Sec.	Fuel	262F
11-7400	Air	LAF1829	(11-2093); w/Cart.		P92	(11-5704); Pri.		FP251F
(11-5704); Pri.	Fuel	FP251F	Filters			(11-2230); Pri.		L274F
(11-3692); Pri.		LFP3692F	<i>Sentry (w/TK 2.2 Engine)</i>			Sec.		L540F
(11-3693); Sec.		LFP3693F	11-7400	Air	LAF1829	(11-3692); Pri.		LFP3692F
(11-5705); Sec.		LFP925F	(11-5704); Pri.	Fuel	FP251F	(11-3693); Sec.		LFP3693F
(11-3712); w/Std.	Oil	LFP3712	(11-3692); Pri.		LFP3692F	(11-5705); Sec.		LFP925F
Spin-on			(11-3693); Sec.		LFP3693F			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 18-Short 19-Long 744-Box type 904-Extended Maintenance Intervals Short 905-Extended Maintenance Intervals Long

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
THERMO KING (REFRIGERATION UNIT)			THERMO KING (REFRIGERATION UNIT)			THERMO KING (REFRIGERATION UNIT)		
<i>SNWD, SUWD (w/OM636 Engine) (cont'd)</i>			<i>Super III (w/SE 2.2 Engine) (cont'd)</i>			<i>TS200, TS300 (w/TK3.74 Engine) (cont'd)</i>		
(11-3712); w/Std. Spin-on	Oil	LFP3712	11-6285	Fuel	L6285F	11-6182	Oil	PH2808
(11-5703); By-Pass		LFP3746	11-7264		L7264F ⁷⁴⁴	<i>TS500, TS600 (w/TK3.96 Engine)</i>		
(11-5702); w/EMI Spin-on		LFP3871	11-7382	Oil	LFP2268	119059	Air	LAF8388 ²
(11-2685); By-Pass		P71	<i>T1000, T1000 Spectrum (w/TK376 Tier 4 Engine)</i>			(11-9341); Sec.	Fuel	LFP3693F
(11-2093); w/Cart. Filters		P92	11-9059	Air	LAF8388 ²	(11-9321); By-Pass	Oil	LFP6228
<i>Spectrum DE (w/TK486V Engine)</i>			11-6182		PH2808	<i>TWD, UWD, UWTD (w/Isuzu C201 Engine)</i>		
11-9300	Air	LAF9300	<i>T1080R, T1080 Spectrum (w/TK380 Tier 4 engine)</i>			12-0404	Air	LAF6404 ²
11-9342	Fuel	LFF9342 ¹⁹	11-9059	Air	LAF8388 ²	Sec.	Fuel	262F
		LFF9342SC ¹⁸	(11-9341); Sec.	Fuel	LFP3693F	Pri.		FP251F
11-7382	Oil	LFP2268	(11-9321); By-Pass	Oil	LFP6228	(11-2230); Pri.		L274F
<i>Spectrum SB (w/TK486V Engine)</i>			<i>T500R (w/TK370 Tier 4 Engine)</i>			Sec.		L540F
11-9300	Air	LAF9300	11-9059	Air	LAF8388 ²	(11-3692); Pri.		LFP3692F
11-9342	Fuel	LFF9342 ¹⁹	(11-9341); Sec.	Fuel	LFP3693F	(11-3693); Sec.		LFP3693F
		LFF9342SC ¹⁸	(11-9321); By-Pass	Oil	LFP6228	Sec.		LFP925F
11-7382	Oil	LFP2268	11-6182		PH2808	(11-3712); w/Std. Spin-on	Oil	LFP3712
<i>SPECTRUM SUPER II, SR (w/Yanmar DI 2.2 Engine Engine)</i>			<i>T580R (w/TK374 Tier 4 engine)</i>			By-Pass		LFP3746
11-7400	Air	LAF1829		Air	LAF8388 ²	(11-3871); w/EMI Spin-on		LFP3871
11-9342	Fuel	LFF9342 ¹⁹	Sec.	Fuel	LFP3693F	By-Pass		P71
11-9342	Fuel	LFF9342SC ¹⁸	By-Pass	Oil	LFP6228	w/Cart. Filters		P92
11-9321	Oil	LFP2268	<i>T600, T600R (w/TK370 Tier 4 Engine)</i>			<i>TWD, UWD, UWTD (w/Thermo King C201 Engine)</i>		
<i>Spectrum TS (w/TK3.95 Engine)</i>			11-9059	Air	LAF8388 ²	12-0404	Air	LAF6404 ²
11-9059	Air	LAF8388 ²	(11-9341); Sec.	Fuel	LFP3693F	(11-3068); Sec.	Fuel	262F
(11-9098); Sec.	Fuel	LFP3693F	(11-9321); By-Pass	Oil	LFP6228	(11-5704); Pri.		FP251F
(11-6228); By-Pass	Oil	LFP6228	11-6182		PH2808	(11-2230); Pri.		L274F
11-6182		PH2808	<i>T680R, T680S (w/TK374 Tier 4 engine)</i>			Sec.		L540F
<i>Spectrum TS (w/TK376 Engine)</i>				Air	LAF8388 ²	(11-3692); Pri.		LFP3692F
11-9059	Air	LAF8388 ²	Sec.	Fuel	LFP3693F	(11-3693); Sec.		LFP3693F
(11-9098); Sec.	Fuel	LFP3693F	By-Pass	Oil	LFP6228	(11-5705); Sec.		LFP925F
(11-6228); By-Pass	Oil	LFP6228	<i>T800, T800R (w/TK370 Tier 4 Engine)</i>			(11-3712); w/Std. Spin-on	Oil	LFP3712
11-6182		PH2808	11-9059	Air	LAF8388 ²	(11-5703); By-Pass		LFP3746
<i>SRL, UL</i>			(11-9341); Sec.	Fuel	LFP3693F	(11-5702); w/EMI Spin-on		LFP3871
1084A65G02	Air	AF70	(11-9321); By-Pass	Oil	LFP6228	(11-2685); By-Pass		P71
11-287	Oil	P3	11-6182		PH2808	(11-2093); w/Cart. Filters		P92
<i>SS VI (w/diesel Engine)</i>			<i>T880R, T880S (w/TK380 Tier 4 engine)</i>			<i>TWD30, 50 (w/Thermo King C201PT Engine)</i>		
(11-3854); Pri.	Fuel	LFP3692F		Air	LAF8388 ²	(11-3692); Pri.	Fuel	LFP3692F
(11-3855); Sec.		LFP925F	Sec.	Fuel	LFP3693F	(11-3693); Sec.		LFP3693F
(11-3746); By-Pass	Oil	LFP3746	By-Pass	Oil	LFP6228	(11-3746); By-Pass	Oil	LFP3746
11-3871		LFP3871	<i>TD-I, TD-II, TD-II MAX, TD-II SR</i>			11-3871		LFP3871
<i>Super II (w/TK 2.2L Engine)</i>			11-7234	Air	LAF7234	<i>UL</i>		
11-6285	Fuel	L6285F	(11-3692); Pri.	Fuel	LFP3692F	1084A65G02	Air	AF70
11-6286		L6286F ⁷⁴⁴	(11-3693); Sec.		LFP3693F	11-287	Oil	P3
(11-5703); By-Pass	Oil	LFP3746	(11-5703); By-Pass	Oil	LFP3746	<i>UT1200x (w/TK376u Engine)</i>		
11-5702		LFP3871	11-5522		LFP5522	11-9059	Air	LAF8388 ²
<i>Super II 190 (w/TK486V Engine)</i>			(11-6228); By-Pass		LFP6228	11-9342	Fuel	LFF9342 ¹⁹
11-9300	Air	LAF9300	11-6182		PH2808	11-6182	Oil	PH2808
11-9342	Fuel	LFF9342 ¹⁹	<i>TriPac (w/Yanmar TK270M Engine)</i>			<i>UTS (w/TK376 Engine)</i>		
		LFF9342SC ¹⁸	11-9952	Air	LAF8388 ²	11-9342	Fuel	LFF9342 ¹⁹
11-7382	Oil	LFP2268	11-9342	Fuel	LFF9342SC ¹⁸	(11-6228); By-Pass	Oil	LFP6228
11-9182		LFP9182		Oil	PH2867 ⁵⁹⁸	<i>TS200, TS300 (w/TK3.74 Engine)</i>		
<i>Super III (w/SE 2.2 Engine)</i>			119059	Air	LAF8388 ²	119059	Air	LAF8388 ²
11-7400	Air	LAF1829	(11-9098); Sec.	Fuel	LFP3693F	11-9342	Fuel	LFF9342SC ¹⁸
			(11-6228); By-Pass	Oil	LFP6228		Oil	LFP6228

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 18-Short 19-Long 598-2.67" O.D. 744-Box type

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
THERMO KING (REFRIGERATION UNIT)			THOMAS BUS (BUS HEAVY DUTY)			THOMAS BUS (BUS HEAVY DUTY)		
<i>UTS (w/TK376 Engine) (cont'd)</i>			<i>C2 (w/Mercedes-Benz MBE900 Engine) (cont'd)</i>			<i>C2 Conventional Buse (w/Caterpillar C7 Engine) (cont'd)</i>		
11-6182	Oil	PH2808	Davco opt.	Fuel	L5467F ²⁴² L8701F ²⁴⁴			
<i>UTS (w/TK395 Engine)</i>			By-Pass	Oil	LP8213 LP8741 ¹⁰²	Optional Eaton 3.7" O.D.	Trans	HP1
11-9342	Fuel	LFF9342 ¹⁹ LFF9342SC ¹⁸	9061800009		LFH4984	(29540496); Allison 3000/4000		LH4582G ²⁴
(11-6228); By-Pass	Oil	LFP6228	VMLT1808D	Power Steering	T951 ⁶	(29540493); Allison 3000/4000		LH4589G ²³
11-6182		PH2808		Trans		29545776		LH4591G ²²
VWD30C			<i>C2 Conventional Bus (w/Cummins ISB Engine)</i>			Eaton/Fuller 3" O.D.		
(11-3068); Sec.	Fuel	262F L274F L540F	P548070	Air	LAF3233 ² LAF3234 ¹ LAF5864 ⁷⁴⁷	Allison 1000/2000		LH4591G ²²
(11-2230); Pri. Sec.		L60F L61F	P544432		LFF5851 ²⁰⁶	29545776		PH2835
11-2065			119862001	Fuel	LFF5851U ^{12, 678}	Allison 1000/2000		T951 ⁶
(11-1690); Sec.			W/S		LFP8654 ³¹²	<i>Cut-Away Chassis (w/Ford 7.3L Turbo Diesel)</i>		
<i>Whisper SBIII SR+ (w/Yanmar 2.2L Engine)</i>			W/S			F5UZ-9601-A	Air	AF1618
11-7400	Air	LAF1829	(R950011); Brake Dryer	Miscellaneous		<i>Saf-T-Liner (w/Caterpillar C7 Engine)</i>		
(11-8047); W/S	Fuel	LFF8762 LFF9342 ⁹⁰⁵ LFF9342SC ⁹⁰⁴	LF3970	Oil	LFP3970	P548070	Air	LAF3233 ²
11-9342			Optional Eaton 3.7" O.D.			P544432		LAF3234 ¹
11-7382	Oil	LFP2268	(29540496); Allison 3000/4000	Trans	HP1	119862001		LAF5864 ⁷⁴⁷
<i>Windjammer 500 (w/C201PT Engine)</i>			(29540493); Allison 3000/4000		LH4582G ²⁴	(FS19729); W/S	Fuel	L9729F
(11-3854); Pri.	Fuel	FP251F LFP925F	29545776		LH4589G ²³	1R0751		LFF4783 ²⁶⁶ LFF4783RD
(11-3855); Sec.			Eaton/Fuller 3" O.D.		LH4591G ²²	(R950011); Brake Dryer	Miscellaneous	LFP8654 ³¹²
(11-3746); By-Pass	Oil	LFP3746 LFP3871	Allison 1000/2000		PH2835 T951 ⁶	1R0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
11-3871								
<i>XDS SR (w/TK3.95 Engine)</i>			<i>C2 Conventional Bus (w/Mercedes MBE900 Engine)</i>			Optional Eaton 3.7" O.D.		
(11-6228); By-Pass	Oil	LFP6228 ³² PH2808	P548070	Air	LAF3233 ² LAF3234 ¹ LAF5864 ⁷⁴⁷	(29540496); Allison 3000/4000	Trans	HP1
11-6182			P544432		L5467FNXL ¹⁵⁵⁸ L8701F ²⁴⁴ LFF5849U ⁶⁴⁹	(29540493); Allison 3000/4000		LH4582G ²⁴
<i>XMD (w/RDJA Engine)</i>			119862001	Fuel		(29540493); Allison 3000/4000		LH4589G ²³
(11-3692); Pri.	Fuel	LFP3692F LFP3693F	(R950011); Brake Dryer	Miscellaneous	LFP8654 ³¹²	29545776		LH4591G ²²
(11-3693); Sec.			By-Pass			Eaton/Fuller 3" O.D.		PH2835
11-4948	Oil	PH400	9061800009	Oil	LP8213 ¹² LP8741 ¹⁰²	Allison 1000/2000		T951 ⁶
<i>XNWD (w/C201 Engine)</i>			Optional Eaton 3.7" O.D.	Trans	HP1			
(11-3068); Sec.	Fuel	262F FP251F L274F L540F	(29540496); Allison 3000/4000		LH4582G ²⁴	(29540493); Allison 3000/4000		LH4589G ²³
(11-5704); Pri.		LFP3692F LFP3693F LFP925F	(29540493); Allison 3000/4000		LH4589G ²³	29545776		LH4591G ²²
(11-2230); Pri. Sec.		LFP3712	29545776		LH4591G ²²	Eaton/Fuller 3" O.D.		PH2835
(11-3692); Pri.			Eaton/Fuller 3" O.D.		PH2835 T951 ⁶	Allison 1000/2000		T951 ⁶
(11-3693); Sec.			Allison 1000/2000					
(11-5705); Sec.								
(11-3712); w/Std.	Oil	LFP3712	<i>C2 Conventional Buse (w/Caterpillar C7 Engine)</i>			<i>Saf-T-Liner (w/Cummins ISB Engine)</i>		
Spin-on			P548070	Air	LAF3233 ² LAF3234 ¹ LAF5864 ⁷⁴⁷	P548070	Air	LAF3233 ²
(11-5703); By-Pass		LFP3746 LFP3871	P544432		L9729F LFF4783 ²⁶⁶ LFF4783RD	P544432		LAF3234 ¹
(11-5702); w/EMI			119862001	Fuel		119862001		LAF5864 ⁷⁴⁷
Spin-on			(FS19729); W/S			W/S	Fuel	LFF5851 ²⁰⁶
(11-2685); By-Pass		P71 P92	1R0751			W/S		LFF5851U ^{12, 678}
(11-2903); w/Cart. Filters			(R950011); Brake Dryer	Miscellaneous	LFP8654 ³¹²	(R950011); Brake Dryer	Miscellaneous	LFP8654 ³¹²
THOMAS BUS (BUS HEAVY DUTY)			<i>C2 (w/Cummins ISB6.7 Engine)</i>			<i>Saf-T-Liner (w/Cummins ISC Engine)</i>		
<i>C2 (w/Mercedes-Benz MBE900 Engine)</i>			P548070	Air	LAF3233 ² LAF3234 ¹ LAF5864 ⁷⁴⁷	P548070	Air	LAF3233 ²
P548070	Air	LAF3233 ²	P544432		L9729F LFF4783 ²⁶⁶ LFF4783RD	P544432		LAF3234 ¹
P544432		LAF3234 ¹	119862001	Fuel		119862001		LAF5864 ⁷⁴⁷
W/S	Fuel	LFF5851 ²⁰⁶	(FS19729); W/S			29545776		LH4589G ²³
LF3970	Oil	LFP3970	1R0751			Eaton/Fuller 3" O.D.		PH2835
<i>C2 (w/Mercedes-Benz MBE900 Engine)</i>						Allison 1000/2000		T951 ⁶
P548070	Air	LAF3233 ² LAF3234 ¹	(R950011); Brake Dryer	Miscellaneous	LFP8654 ³¹²			
P544432			1R0739	Oil	LFP3191 LFP3191TRT ³	(3959612); Sec.	Fuel	LFF5488

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 12-Optional 14-Extended Life 18-Short 19-Long 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 32-Remote mounted 102-8.31" Tall 206-Bowl type 242-10 Micron 244-Secondary 266-3.75" O.D. 312-AD-IS System 649-1/2" Thread Sensor Port 678-w/o Sensor Port 747-Disposable housing 904-Extended Maintenance Intervals Short 905-Extended Maintenance Intervals Long 1558-Extended Life 10 Micron

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
THOMAS BUS (BUS HEAVY DUTY)			TRUCK GEN (AUXILIARY POWER UNIT)			UD (MEDIUM DUTY TRUCK)		
<i>Saf-T-Liner (w/Cummins ISC Engine) (cont'd)</i>			<i>UCT 2-5.5 (w/Kubota Z482 Engine) (cont'd)</i>			<i>UD1400 (w/MD175 Engine) (cont'd)</i>		
(R950011); Brake Dryer	Miscellaneous	LFP8654 ³¹²	70000-15241	Oil	PH2808	15209-Z5000	Oil	LFP5760
LF3000	Oil	LFP3000	TRUCK MATE (AUXILIARY POWER UNIT)			<i>UD1800, UD1800HD (w/GH7 7.0L Turbo Engine)</i>		
LF9009		LFP3000XL ¹⁴	<i>655-DS (w/Yanmar 3TNV Engine)</i>			D6546-NY108	Air	LAF5837 ¹⁸¹
Optional Eaton 3.7" O.D.	Trans	HP1	<i>P822686</i>			(29539579); Allison 1000/2000	Trans	LFH8737
(29540496); Allison 3000/4000		LH4582G ²⁴	<i>Oil</i>			(29537965); Allison 1000/2000		T951 ⁶
(29540493); Allison 3000/4000		LH4589G ²³	TWIN DISC (TRANSMISSION)			<i>UD1800, UD2000, UD2300, UD2600, UD2800 (w/FE6 Engine)</i>		
29545776		LH4591G ²²	<i>340L SPECIAL TORQUE</i>			16546-Z9006	Air	LAF7315 ¹
Eaton/Fuller 3" O.D.		PH2835	<i>Oil</i>			BF546-Z9007		LAF9000 ²
Allison 1000/2000		T951 ⁶	<i>512</i>			BF915-99003	Coolant	LFW4073 ²⁵⁵
<i>Saf-T-Liner (w/Mercedes-Benz MBE900 Engine)</i>			<i>Oil</i>			BF403-Z9005	Fuel	LFF5956
P548070	Air	LAF3233 ²	<i>LP161</i>			BF208-Z9007	Oil	LFP8235
P544432		LAF3234 ¹	<i>Oil</i>			<i>UD1800, UD2000, UD2300, UD2600, UD2800 (w/FE6T Engine)</i>		
119862001		LAF5864 ⁷⁴⁷	<i>LP161</i>			16546-Z9006	Air	LAF7315 ¹
	Fuel	L5467FNXL ¹⁵⁵⁸	<i>Oil</i>			BF546-Z9007		LAF9000 ²
		L8701F ²⁴⁴	<i>P92</i>			BF915-99003	Coolant	LFW4073 ²⁵⁵
		LFF5849U ⁶⁴⁹	<i>LP161</i>			BF403-Z9005	Fuel	LFF5956
(R950011); Brake Dryer	Miscellaneous	LFP8654 ³¹²	<i>Oil</i>			BF208-Z9007	Oil	LFP8235
By-Pass 9061800009	Oil	LP8213 ¹²	<i>LP132</i>			<i>UD1800, UD2000, UD2300, UD2600, UD2800, UD3000SD (w/FE6TA Engine)</i>		
Optional Eaton 3.7" O.D.	Trans	HP1	<i>Oil</i>			16546-Z9006	Air	LAF7315 ¹
(29540496); Allison 3000/4000		LH4582G ²⁴	<i>LP161</i>			BF546-Z9007		LAF9000 ²
(29540493); Allison 3000/4000		LH4589G ²³	UD (MEDIUM DUTY TRUCK)			BF915-99003	Coolant	LFW4073 ²⁵⁵
29545776		LH4591G ²²	<i>UD1100 (w/FD35T Engine)</i>			BF403-99013	Fuel	LFF5780
Eaton/Fuller 3" O.D.		PH2835	BF546-01D20	Air	LAF1800	BF201-Z9010	Oil	LFP5772
Allison 1000/2000		T951 ⁶	FL9159-9003	Coolant	LFW4073 ²⁵⁵	(BF201-Z9011); By-Pass		LFP8295
TRANE (REFRIGERATION UNIT)			BF403-Z9005	Fuel	LFF5956	<i>UD1800, UD2000, UD2300HD/LP, UD2600, UD3000 (w/FE6TA Engine)</i>		
<i>MK II (w/Kubota Engine)</i>			BF209-01D20	Hydraulic	LFH4967	BF546-Z9100	Air	LAF5770 ²
	Fuel	LFF5	31728-41X01	Trans	T654	BF403-99013	Fuel	LFF5780
<i>Voyager DNL/DNLE (w/Perkins 4.108 Engine)</i>			<i>UD1200, UD1400, UD1800CS (w/FD46TA Engine)</i>			BF201-Z9009	Oil	LFP2440
	Fuel	LFF5	BF403-99013	Air	LAF9000	<i>UD1800CS (w/MD175 Engine)</i>		
2706-0660-26	Oil	LFP3191	BF403-99013	Fuel	LFF5780	D6546-NY108	Air	LAF5837 ¹⁸¹
2706-0660-26		LFP3191TRT ³	<i>UD1300, UD1400 (w/MD175 Engine)</i>			(R90S); W/S	Fuel	LFF8063
		LFP3191XL ¹⁴	BF546-Z9007	Air	LAF9000	W/S		LFF8063U ¹⁷¹
TRUCK GEN (AUXILIARY POWER UNIT)			(R90S); W/S	Fuel	LFF8063	15209-Z5000	Oil	LFP5760
<i>Hybrid (w/Kubota EA300 Engine)</i>			W/S		LFF8063U ¹⁷¹	Allison 1000 Series (29537965); Allison 1000/2000	Trans	LFH8737
14971-11180	Air	LAF190 ⁹⁰⁷	15209-Z5000	Oil	LFP5760			T951 ⁶
15231-43560	Fuel	LAF3934 ^{2, 908}	<i>UD1300, UD1400 (w/TD42T Engine)</i>			<i>UD1800HD, UD2000, UD2300DH/LP, UD2600 (w/MD230 Engine)</i>		
R12S		L550F	BF546-01D20	Air	LAF1800	D6546-NY108	Air	LAF5837 ¹⁸¹
		LFF8676 ⁶⁸²	16403-05D00	Fuel	LFF3343	(R90S); W/S	Fuel	LFF8063
<i>UCRV 1-3.5, UCT 1-3.5 (w/Kubota EA300 Engine)</i>			BF208-05D02	Oil	LFP8452	W/S		LFF8063U ¹⁷¹
14971-11180	Air	LAF190 ⁹⁰⁷	BF209-05D60		LP5777	BF209-Z5001	Oil	LFP2190
15231-4356	Fuel	LAF3934 ^{2, 908}	31728-41X01	Trans	T654	Allison 1000/2200 Series (29537965); Allison 1000/2000	Trans	LFH8737
R12S		L550F	<i>UD1300, UD1400 (w/TD42TI Engine)</i>					T951 ⁶
		LFF8676 ⁶⁸²	BF546-01D20	Air	LAF1800	<i>UD1800HD, UD2000HD, UD2300HD/LP, UD2600, UD3000 (w/FE6TA Engine)</i>		
<i>UCT 2-5.5 (w/Kubota Z482 Engine)</i>			16403-05D00	Fuel	LFF3343	BF546-Z9100	Air	LAF5770 ²
70000-43081	Fuel	FP590F	BF208-05D02	Oil	LFP8452			
R12S		LFF8676 ⁶⁸²	BF209-05D60		LP5777			
			31728-41X01	Trans	T654			
			<i>UD1400 (w/MD175 Engine)</i>					
			BF546-Z9007	Air	LAF9000			
			(R90S); W/S	Fuel	LFF8063			
			W/S		LFF8063U ¹⁷¹			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 12-Optional 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 25-Engine mounted 102-8.31" Tall 171-With Sensor Port 181-Single 255-Contains 3 oz. of chemical 312-AD-IS System 649-1/2" Thread Sensor Port 682-2 micron 747-Disposable housing 907-Plastic Housing 908-Metal Housing 1558-Extended Life 10 Micron

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
UD (MEDIUM DUTY TRUCK)			UD (MEDIUM DUTY TRUCK)			VAN HOOL (BUS HEAVY DUTY)		
<i>UD1800HD, UD2000HD, UD2300HD/LP, UD2600, UD3000 (w/FE6TA Engine) (cont'd)</i>			<i>UD3300 (w/MD230 Engine)</i>			<i>C2045 (w/Cummins ISX 11.9 Engine) (cont'd)</i>		
BF403-99013	Fuel	LFF5780	D6546-NY108	Air	LAF5837 ¹⁸¹	FS19764	Fuel	L9763FXL ¹⁴
BF201-Z9009	Oil	LFP2440	(R90S); W/S	Fuel	LFF8063	(FF5776); Sec.		LFF6776
<i>UD2000, UD2300DH/LP (w/GH7 7.0L Turbo Engine)</i>			W/S		LFF8063U ¹⁷¹	LF9080	Oil	LFP9001 ²⁵⁰
D6546-NY108	Air	LAF5837 ¹⁸¹	BF209-Z5001	Oil	LFP2190	LF14000NN		LFP9001XL ^{14, 250}
(29539579); Allison	Trans	LFH8737	Allison 2500 Series	Trans	LFH8737	29540496	Trans	LH4582G ²⁴
1000/2000			(29537965); Allison		T951 ⁶	29545776		LH4591G ²²
(29537965); Allison			1000/2000			<i>C2045 (w/Cummins M11 Engine)</i>		
1000/2000			<i>UD550T (w/NE6 Engine)</i>			(FS1000); W/S	Fuel	LFF1000
<i>UD2600, UD2600LP (w/GH7 7.0L Turbo Engine)</i>			BF546-Z9006	Air	LAF7315 ¹	(FS1212); W/S		LFF8020
D6546-NY108	Air	LAF5837 ¹⁸¹	BF546-Z9007		LAF9000 ²	LF3000	Oil	LFP3000
(29539579); Allison	Trans	LFH8737	BF915-99003	Coolant	LFW4073 ²⁵⁵	LF9009		LFP3000XL ¹⁴
(29540496); Allison			BF403-99013	Fuel	LFF5780	29540496	Trans	LH4582G ²⁴
3000/3500		LH4582G ²⁴	BF274-99189	Oil	LFP5963	29545776		LH4591G ²²
(29540493); Allison		LH4589G ²³	<i>UD550T (w/NE6T Engine)</i>			<i>C2045 (w/Detroit Diesel 60 Series Engine)</i>		
3000/3500		LH4591G ²²	BF546-Z9006	Air	LAF7315 ¹	(23533726); 2004-on;	Fuel	LFF6816
29545776		T951 ⁶	BF546-Z9007		LAF9000 ²	Sec.		LFF6816XL ¹⁴
(29537965); Allison			BF915-99003	Coolant	LFW4073 ²⁵⁵	(23530645); 2004-on;		LFP815FN ⁷³⁸
1000/2000			BF403-99013	Fuel	LFF5780	Sec.		LFP816FN ⁷³⁰
<i>UD3000, UD3300 (w/NE6 Engine)</i>			BF274-99189	Oil	LFP5963	(23518481); Pri.		LFP2160
BF546-Z9006	Air	LAF7315 ¹	<i>UD600T (w/NE6TA Engine)</i>			(23518482); Sec.		LFP2160TRT ³
BF546-Z9007		LAF9000 ²	BD546-Z9009	Air	LAF1834 ²	23518480	Oil	LFP2160XL ¹⁴
BF915-99003	Coolant	LFW4073 ²⁵⁵	BF546-Z9008		LAF1835 ¹	29540496	Trans	LH4582G ²⁴
BF403-99013	Fuel	LFF5780	BF915-99003	Coolant	LFW4073 ²⁵⁵	29545776		LH4591G ²²
BF274-99189	Oil	LFP5963	BF403-99013	Fuel	LFF5780	<i>C2045 (w/Detroit Diesel DD13 Engine)</i>		
<i>UD3000, UD3300 (w/NE6T Engine)</i>			BF201-Z9010	Oil	LFP5772	A4722020255	Coolant	LW4076XL ¹⁴
BF546-Z9006	Air	LAF7315 ¹	(BF201-Z9011);		LFP8295	A0000904251	Fuel	L5091F ^{721, 722}
BF546-Z9007		LAF9000 ²	By-Pass			A4720900551		L5104F ²³⁹
BF915-99003	Coolant	LFW4073 ²⁵⁵	VAN HOOL (BUS HEAVY DUTY)			(A0000903651); W/S		L9915F ⁹⁰⁹
BF403-99013	Fuel	LFF5780	<i>508A (w/M.A.N. D0824 Engine)</i>			A4721800309	Oil	LP5090 ⁷¹⁹
BF274-99189	Oil	LFP5963	S/N LOH05-; 387mm	Air	LAF1716 ²	A4721800309		LP5090A ⁷²⁰
<i>UD3000HD (w/NE6TA Engine)</i>			51125030031	Fuel	FP587F	29540496	Trans	LH4582G ²⁴
BD546-Z9009	Air	LAF1834 ²	5105517160	Oil	LFP8099	29545776		LH4591G ²²
BF546-Z9008		LAF1835 ¹	<i>508A (w/M.A.N. D0824R4 Engine)</i>			<i>CX45 w/Cummins ISX12 Engine</i>		
BF915-99003	Coolant	LFW4073 ²⁵⁵	S/N LOH05-; 387mm	Air	LAF1716 ²	WF2126	Coolant	LFW2126 ²⁵⁵
BF403-99013	Fuel	LFF5780	51125030031	Fuel	FP587F	WF2127		LFW2127 ^{14, 249}
BF201-Z9010	Oil	LFP5772	5105517160	Oil	LFP8099		Fuel	L9763FXL ^{14, 648}
(BF201-Z9011);		LFP8295	<i>C2045 (w/Caterpillar C13 Engine)</i>			(FF5776); Sec.		LFF6776
By-Pass			1R0749	Fuel	LFF2749 ²⁰	LF9080	Oil	LFP9001 ²⁵⁰
<i>UD3300 (w/FE6TA Engine)</i>			1R0716	Oil	LFP4005	LF14000NN		LFP9001TRT ³
BF546-Z9009	Air	LAF1834 ²	1R1808		LFP4005RN ⁵⁹⁹			LFP9001XL ^{14, 250}
BF403-99013	Fuel	LFF5780	1R1808		LFP4005TRT ³	<i>CX45 w/Detroit Diesel DD13 Engine</i>		
BF201-Z9009	Oil	LFP2440	1R1808		LFP4005XL ¹⁴	A4722020255	Coolant	LW4076XL ¹⁴
<i>UD3300 (w/GH7 7.0L Turbo Engine)</i>			29540496	Trans	LH4582G ²⁴	A4720900451	Fuel	L5104F
D6546-NY108	Air	LAF5837 ¹⁸¹	29545776		LH4591G ²²	A4721800309	Oil	LP5090 ⁷¹⁹
(29539579); Allison	Trans	LFH8737	<i>C2045 (w/Cummins ISM Engine)</i>			A4721800309		LP5090A ⁷²⁰
1000/2000			WF2071	Coolant	LFW4071 ²⁸	<i>Models w/Donaldson Radial Seal Air Filters</i>		
(29540496); Allison		LH4582G ²⁴	3098689		LFW4685 ²⁴⁹	P778674	Air	LAF8789
3000/3500		LH4589G ²³	(FS1003); W/S	Fuel	LFF1003 ²⁰	<i>Series 750 Alizee (w/Fiat 8220.2 Engine)</i>		
(29540493); Allison		LH4591G ²²	3800394		LFF1022		Air	LAF6587
3000/3500		T951 ⁶	LF9080	Oil	LFP9001 ²⁵⁰			LAF6587MXM ²⁶⁸
29545776			LF9009		LFP9001TRT ³		Fuel	FP586F
(29537965); Allison			LF14000NN		LFP9001XL ^{14, 250}		Hydraulic	LH4224 ¹¹
1000/2000			29548988	Trans	LH4582G ²⁴		Oil	LFP2229
<i>UD3300 (w/GH7 7.0L Turbo Engine)</i>			29545776		LH4591G ²²	<i>C2045 (w/Cummins ISX 11.9 Engine)</i>		
D6546-NY108	Air	LAF5837 ¹⁸¹	<i>C2045 (w/Cummins ISX 11.9 Engine)</i>			WF2127	Coolant	LFW2127 ^{14, 249}
(29539579); Allison	Trans	LFH8737	WF2071	Coolant	LFW4071 ²⁸			
1000/2000			3098689		LFW4685 ²⁴⁹			
(29540496); Allison		LH4582G ²⁴	(FS1003); W/S	Fuel	LFF1003 ²⁰			
3000/3500		LH4589G ²³	3800394		LFF1022			
(29540493); Allison		LH4591G ²²	LF9080	Oil	LFP9001 ²⁵⁰			
3000/3500		T951 ⁶	LF9009		LFP9001TRT ³			
29545776			LF14000NN		LFP9001XL ^{14, 250}			
(29537965); Allison			29548988	Trans	LH4582G ²⁴			
1000/2000			29545776		LH4591G ²²			

Se reporter à table de matière pour les notes en bas de page en français. Utilisez le contenu para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 11-Power Steering 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 171-With Sensor Port 181-Single 239-2013- 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 599-High capacity 648-w/ Davco option 719-OEM Version 720-Value Version 721--2013 722-Kit, contains 3-elements 730--2004 738-To 2004 909-Optional Davco 482

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VAN HOOL (BUS HEAVY DUTY)			VAN HOOL (BUS HEAVY DUTY)			VAN HOOL (BUS HEAVY DUTY)		
<i>Series 760 Alizee, 815 Alizee (w/DAF DKT 1160 Engine)</i>			<i>T2145 (w/Detroit Diesel 60 Series Engine) (cont'd)</i>			<i>TX Series w/Detroit Diesel DD13 Engine</i>		
	Fuel	L61F LFF3513	23518480	Oil	LFP2160 LFP2160TRT ³ LFP2160XL ¹⁴	A4722020255	Coolant	LW4076XL ¹⁴
	Hydraulic	LFH4224 ¹¹	29548988	Trans	LH4582G ²⁴ LH4591G ²²	A4721800309	Fuel	L5104F
	Oil	LFP2222	29545776			A4721800309	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰
<i>Series 815 Alizee, Acron 760 Alizee (w/Fiat 8210.02 Engine)</i>			<i>T800 (Cummins M11 Engine)</i>			VOLVO (BUS HEAVY DUTY)		
	Fuel	LFF3502	(FS1000); W/S	Fuel	LFF1000 ¹⁵ LFF8020 ¹⁵	<i>Olympian MK2 Bus</i>		
	Hydraulic	LFH4224 ¹¹	(FS1212); W/S	Oil	LFP3000 LFP3000XL ¹⁴	20458769	Coolant	LFW5141 ²⁸
	Oil	LFP2229	LF3000	Trans	LH4582G ²⁴ LH4591G ²²	241672	Fuel	FP586F
<i>Series 818 Actromega (w/M.A.N D2566MTUH Engine)</i>			<i>T900 (w/Cummins M11 Engine)</i>				Hydraulic	LH8640
Sec. Pri.	Fuel	L3405F ¹⁰⁸ L61F LFF3507	(FS1000); W/S (FS1212); W/S	Fuel	LFF1000 ¹⁵ LFF8020 ¹⁵	21707132	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
	Hydraulic	LFH4224 ¹¹	LF3000	Oil	LFP3000 LFP3000XL ¹⁴	VOLVO (TRANSMISSION)		
	Oil	LP2235	LF9009	Trans	LH4582G ²⁴ LH4591G ²²	<i>R70, SR70 Transmission</i>		
<i>T2100 (w/Cummins ISM Engine)</i>			<i>TD824 Astromega (w/Mercedes-Benz OM422 Engine)</i>			VOLVO (TRUCK HEAVY DUTY)		
WF2071	Coolant	LFW4071 ²⁸	Sec. Pri.	Fuel	L3401F ¹⁰⁸ L60F LFF3403	<i>N10 (w/Volvo TD100A Engine)</i>		
3098689	Fuel	LFW4685 ²⁴⁹		Hydraulic	LFH4224 ¹¹	475386	Air	LAF1747 ^{2, 584} LAF1751 ⁵⁸⁴ LAF5832 ^{1, 584}
(FS1003); W/S	Fuel	LFF1003 ²⁰		Oil	LP2235	81520090		
3800394	Oil	LFP9001 ²⁵⁰				(1660903); Chassis		
LF9080	Trans	LH4582G ²⁴ LH4591G ²²				306000-	Coolant	LFW5141 ⁵⁸⁴
LF9009						(20532237); Eng.		
LF14000NN						129000-		
29548988						129000-		
29545776						Eng. 129000-		
<i>T2100 (w/Cummins M11 Engine)</i>			<i>TD824 Astromega (w/Mercedes-Benz OM422H Engine)</i>			466987	Fuel	FP585F ⁵⁸⁴
WF2071	Coolant	LFW4071 ²⁸	Sec. Pri.	Fuel	L3401F ¹⁰⁸ L60F LFF3403	(7423195); -Eng	Oil	LFP2234 ⁵⁸⁴
(FS1000); W/S	Fuel	LFF1000 LFF8020		Hydraulic	LFH4224 ¹¹	128999		LFP3191 ⁵⁸⁴
(FS1212); W/S	Oil	LFP3000 LFP3000XL ¹⁴		Oil	LP2235	(4666343); Eng.		LFP3191TRT ^{3, 584}
LF3000	Trans	LH4582G ²⁴ LH4591G ²²				129000-		LFP3191XL ^{14, 584}
LF9009						(4666343); Eng.		
29548988						129000-		
29545776						Eng. 129000-		
<i>T2100 (w/Detroit Diesel DD13 Engine)</i>			<i>TD925 (w/Cummins ISX11.9 Engine)</i>			475386	Air	LAF1747 ² LAF1751 LAF5832 ¹
A4720900651	Fuel	L5091F ^{721, 722} L5104F ²³⁹	WF2126	Coolant	LFW2126 ²⁵⁵ LFW2127 ^{14, 249}	81520090		
A4721800309	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰	WF2127	Fuel	L9763FXL ^{14, 648} LFF6776	(1660903); Chassis		
A4721800309	Trans	LH4582G ²⁴ LH4591G ²²	FF5776	Fuel	LFP9001 ²⁵⁰ LFP9001XL ^{14, 250}	306000-	Coolant	LFW5141 ²⁸
29548988			(FF5776); Sec.			(20532237); Eng.		
29545776			LF9080	Oil	LFP9001 ²⁵⁰ LFP9001XL ^{14, 250}	129000-		
<i>T2100 w/ Cummins ISX 11.9 Engine</i>			<i>TDX Series w/ Cummins ISX12 Engine</i>			129000-		
WF2126	Coolant	LFW2126 ²⁵⁵ LFW2127 ^{14, 249}	WF2126	Coolant	LFW2126 ²⁵⁵ LFW2127 ^{14, 249}	Eng. 129000-		
WF2127	Fuel	L9763FXL ^{14, 648} LFF6776	WF2127	Fuel	L9763FXL ^{14, 648} LFF6776	466987	Fuel	FP585F
(FF5776); Sec.			(FF5776); Sec.			(7423195); -Eng	Oil	LFP2234
LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	128999		LFP3191
LF14000NN			LF14000NN			(4666343); Eng.		LFP3191TRT ³
29548988	Trans	LH4582G ²⁴ LH4591G ²²	LF14000NN			129000-		LFP3191XL ¹⁴
29545776						Eng. 129000-		
<i>T2145 (w/Detroit Diesel 60 Series Engine)</i>			<i>TX Series w/Cummins ISX12 Engine</i>			466987	Fuel	FP585F
(23533726); 2004-on; Sec.	Fuel	LFF6816 LFF6816XL ¹⁴ LFF8010	WF2126	Coolant	LFW2126 ²⁵⁵ LFW2127 ^{14, 249}	(7423195); -Eng	Oil	LFP2234
(23533726); Sec.			WF2127	Fuel	L9763FXL ^{14, 648} LFF6776	128999		LFP3191
(23512317); W/S			(FF5776); Sec.			(4666343); Eng.		LFP3191TRT ³
			LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	129000-		LFP3191XL ¹⁴
			LF14000NN			Eng. 129000-		
						475386	Air	LAF1747 ^{2, 392} LAF1751 ³⁹² LAF5832 ^{1, 392}
						81520090		
						(1660903); Chassis		
						306000-	Coolant	LFW5141 ³⁹²
						(20532237); Eng.		
						129000-		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 15-Standard 20-High efficiency 22-2" or 7" Sump High Capacity 24-4" Sump 28-Contains 1 oz. of chemical 108-Eco-Finer 239-2013- 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 392-From 09/73 584-To 04/85 648-w/ Davco option 719-OEM Version 720-Value Version 721--2013 722-Kit, contains 3-elements

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)		
<i>N10 (w/Volvo TD100A Engine) (cont'd)</i>			<i>N10 (w/Volvo TD100B Engine) (cont'd)</i>			<i>N88, NB88 (w/Volvo D100B Engine)</i>		
	Coolant	LFW5141XL ^{14, 249, 392}	Eng. 129000-	Oil	LFP3191XL ^{14, 392}	475339	Air	LAF8564 ¹ LAF8570 ²
466987	Fuel	FP585F ³⁹²	<i>N10 (w/Volvo TD101G Engine)</i>			476769-5		
(7423195); -Eng	Oil	LFP2234 ³⁹²	475386	Air	LAF1747 ^{2, 586} LAF5832 ^{1, 586}	241672	Fuel	FP586F L61F
128999		LFP3191 ³⁹²	1660903			6607576		
(4666343); Eng.			20532237	Coolant	LFW5141 ⁵⁸⁶ LFW5141XL ^{14, 249, 585}	3231396	Hydraulic	LFH4224 ¹¹
129000-						423135	Oil	LFP2234
(4666343); Eng.		LFP3191TRT ^{3, 392}	466987	Fuel	FP585F ⁵⁸⁶	<i>N88, NB88 (w/Volvo TD100A Engine)</i>		
129000-		LFP3191XL ^{14, 392}	4666343	Oil	LFP3191 ⁵⁸⁶ LFP3191TRT ^{3, 586} LFP3191XL ^{14, 585}	475339	Air	LAF8564 ¹ LAF8570 ²
Eng. 129000-			4666343			476769-5		
<i>N10 (w/Volvo TD100B Engine)</i>			<i>N12 (w/Volvo TD121 Engine)</i>			241672	Fuel	FP586F L61F
475386	Air	LAF1747 ^{2, 584} LAF1751 ⁵⁸⁴ LAF5832 ^{1, 584}	475386	Air	LAF1747	6607576		
81520090			466987-5	Fuel	FP585F	3231396	Hydraulic	LFH4224 ¹¹
(1660903); Chassis			466634	Oil	LFP3191	423135	Oil	LFP2234
306000-			<i>N7 (w/Volvo TD70ES Engine)</i>			<i>N88T, NB88T (w/Volvo TD100A Engine)</i>		
(20532237); Eng.	Coolant	LFW5141 ⁵⁸⁴	475386	Air	LAF1747 ^{2, 346}	475339	Air	LAF8564 ¹ LAF8570 ²
129000-		LFW5141XL ^{14, 249, 584}	466987	Fuel	FP585F ³⁴⁶	476769-5		
			4666343	Oil	LFP3191 ³⁴⁶ LFP3191TRT ^{3, 346} LFP3191XL ^{14, 346}	241672	Fuel	FP586F L3405F ¹⁰⁸ L61F LFF3507
466987	Fuel	FP585F ⁵⁸⁴	4666343			(6607576); Sec.		
(7423195); -Eng	Oil	LFP2234 ⁵⁸⁴	475386	Air	LAF1747 ²	Pri.		
128999		LFP3191 ⁵⁸⁴	466987	Fuel	FP585F	423135	Oil	LFP2234
(4666343); Eng.			4666343	Oil	LFP3191 ³ LFP3191TRT ³ LFP3191XL ¹⁴	<i>N88T, NB88T (w/Volvo TD100B Engine)</i>		
129000-			4666343			475339	Air	LAF8564 ¹ LAF8570 ²
(4666343); Eng.		LFP3191TRT ^{3, 584}	475386	Air	LAF1747 ^{2, 572}	476769-5		
129000-		LFP3191XL ^{14, 584}	466987	Fuel	FP585F ⁵⁷²	241672	Fuel	FP586F L3405F ¹⁰⁸ L61F LFF3507
Eng. 129000-			4666343	Oil	LFP3191 ⁵⁷² LFP3191TRT ^{3, 572} LFP3191XL ^{14, 572}	(6607576); Sec.		
475386	Air	LAF1747 ² LAF1751 LAF5832 ¹	475386	Air	LAF1747 ^{2, 572}	Pri.		
81520090			466987	Fuel	FP585F ⁵⁷²	423135	Oil	LFP2234
(1660903); Chassis			4666343	Oil	LFP3191 ⁵⁷² LFP3191TRT ^{3, 572} LFP3191XL ^{14, 572}	<i>T300 (w/Volvo VED13 Engine)</i>		
306000-			4666343			20411815	Air	LAF9201 ²
(20532237); Eng.	Coolant	LFW5141 ²⁸	<i>N7 (w/Volvo TD70G Engine)</i>			20458771	Coolant	LFW5142XL ^{14, 249}
129000-		LFW5141XL ^{14, 249}	475386	Air	LAF1747 ^{2, 346}	(85105574); Davco		
			466987	Fuel	FP585F ³⁴⁶	opt.		
466987	Fuel	FP585F	4666343	Oil	LFP3191 ³⁴⁶ LFP3191TRT ^{3, 346} LFP3191XL ^{14, 346}	(20972293); Sec.		LFF8059 ¹⁵¹³
(7423195); -Eng	Oil	LFP2234	4666343			478736	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642
128999		LFP3191	4666343			478736		
(4666343); Eng.			475386	Air	LAF1747 ²	(477556); By-Pass		
129000-			466987	Fuel	FP585F	<i>T630 (w/Cummins ISX 15.0L Engine)</i>		
(4666343); Eng.		LFP3191TRT ³	4666343	Oil	LFP3191 ³ LFP3191TRT ³ LFP3191XL ¹⁴	20411815	Air	LAF9201 ²
129000-		LFP3191XL ¹⁴	4666343			WF2127	Coolant	LFW2127 ^{14, 249}
Eng. 129000-			4666343			FF2200	Fuel	LFF2201 ⁷⁸³ LFF9982
475386	Air	LAF1747 ^{2, 392} LAF1751 ³⁹² LAF5832 ^{1, 392}	475386	Air	LAF1747 ^{2, 572}	(85104856); W/S		
81520090			466987	Fuel	FP585F ⁵⁷²	LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
(1660903); Chassis			4666343	Oil	LFP3191 ⁵⁷² LFP3191TRT ^{3, 572} LFP3191XL ^{14, 572}	LFF14000NN		
306000-			4666343			<i>T670 (w/Cummins ISX 15.0L Engine)</i>		
(20532237); Eng.	Coolant	LFW5141 ³⁹²	<i>N88, NB88 (w/Volvo D100A Engine)</i>			20411815	Air	LAF9201 ²
129000-		LFW5141XL ^{14, 249, 392}	475339	Air	LAF8564 ¹ LAF8570 ²	WF2127	Coolant	LFW2127 ^{14, 249}
			476769-5			FF2200	Fuel	LFF2201 ⁷⁸³ LFF9982
466987	Fuel	FP585F ³⁹²	241672	Fuel	FP586F L61F	(85104856); W/S		
(7423195); -Eng	Oil	LFP2234 ³⁹²	6607576	Hydraulic	LFH4224 ¹¹	LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
128999		LFP3191 ³⁹²	3231396			LFF14000NN		
(4666343); Eng.			423135	Oil	LFP2234	<i>N88, NB88 (w/Volvo D100A Engine)</i>		
129000-		LFP3191TRT ^{3, 392}				475339	Air	LAF8564 ¹ LAF8570 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 28-Contains 1 oz. of chemical 108-Eco-Finer 249-No chemical 250-11.9" Hgt. 346-To 11/87 392-From 09/73 572-From 08/78 584-To 04/85 585-From 08/84-To 09/84 586-From 08/84 - To 09/84 783-Pressure side 805-25 micron 1513-Except 2017 emissions

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)		
<i>T670 (w/Volvo D13 Engine)</i>			<i>VHD Series (w/Volvo D13 Engine) (cont'd)</i>			<i>VHD200 (w/Volvo VED12 Engine) (cont'd)</i>		
20411815	Air	LAF9201 ²	(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵	(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835
20411815		LAF9202 ¹	85105574		L3578FXL ^{14, 914}	<i>VHD200 (w/Volvo VED13 Engine)</i>		
20458771	Coolant	LFW5142XL ^{14, 249}	85120233		L9765FXL ^{14, 648}	20882320	Air	LAF9201 ²
(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵	(20879806); W/S (20430751); Sec. (20377023); Brake Dryer	Miscellaneous	LFF3358 ⁹²³	20411816		LAF9202 ¹
85120233		L9765FXL ^{14, 648, 844}			LFF8059 ¹⁵¹³	20435801	Cabin Air	CAF24000
(20972293); Sec.		LFF8059 ¹⁵¹³			LFP8654 ⁷⁸²	20458769	Coolant	LFW5141XL ^{14, 249}
478736	Oil	LFP3191	21707133	Oil	LFP3191			LFW5141XL ^{14, 249}
478736		LFP3191TRT ³	21707133		LFP3191XL ¹⁴	(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵
		LFP3191XL ¹⁴	1521527	Trans	LH2512	20514654		LFF3294 ²⁰⁶
(477556); By-Pass		LFP8642	<i>VHD200 (w/Volvo VED11 Engine)</i>			(20972293); Sec. (20377023); Brake Dryer	Miscellaneous	LFP8654 ^{782, 915}
<i>TF10 (w/Volvo TD101F Engine)</i>			20882320	Air	LAF9201 ²	<i>VHD200 (w/Volvo VED13 Engine)</i>		
1660377	Air	LAF1752 ¹	20411816		LAF9202 ¹	20882320	Air	LAF9201 ²
1660376		LAF1753 ²	20435801	Cabin Air	CAF24000	20435801	Cabin Air	CAF24000
<i>TF10 (w/Volvo TD101G Engine)</i>			20458769	Coolant	LFW5141 ²⁸	20458769	Coolant	LFW5141XL ^{14, 249}
1660377	Air	LAF1752 ¹			LFW5141XL ^{14, 249}			LFW6501 ⁵⁵⁵
1660376		LAF1753 ²	(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵	4787362	Oil	LFP3191
<i>TF12 (w/Volvo TD121F Engine)</i>			20514654		LFF3294 ²⁰⁶	4787362		LFP3191TRT ³
1660377	Air	LAF1752 ¹	(20972293); Sec. (20377023); Brake Dryer	Miscellaneous	LFF8059 ¹⁵¹³	(477556-5); By-Pass (17237); Optional Eaton 3.7" O.D.	Trans	LFP3191XL ¹⁴
1660376		LAF1753 ²			LFP8654 ^{782, 915}	29540494		LFP8642
<i>TF12 (w/Volvo TD121G Engine)</i>			4787362	Oil	LFP3191	29540493		LH4582G ²⁴
1660377	Air	LAF1752 ¹	4787362		LFP3191TRT ³	29548987		LH4589G ²³
1660376		LAF1753 ²	(477556-5); By-Pass (17237); Optional Eaton 3.7" O.D.	Trans	LFP3191XL ¹⁴	(4304827); Eaton/Fuller 3" O.D.		LH4591G ²²
<i>VAH Car Hauler (w/Volvo D13 Engine)</i>			29540494		LFP8642			PH2835
20411815	Air	LAF9201 ²	29540493		HP1	<i>VHD430 (w/Volvo VED13 Engine)</i>		
20411816		LAF9202 ¹	29548987		LH4582G ²⁴	20882320	Air	LAF9201 ²
21937327	Coolant	LFW5142XL ^{14, 249}	(4304827); Eaton/Fuller 3" O.D.		LH4589G ²³	20435801	Cabin Air	CAF24000
(21879886); Sec.	Fuel	LFF8059 ¹⁵¹³			LH4591G ²²	20458769	Coolant	LFW5141 ²⁸
(20377023); Brake Dryer	Miscellaneous	LFP8654			PH2835			LFW5141XL ^{14, 249}
21707133	Oil	LFP3191						LFW6501 ⁵⁵⁵
(21707132); By-Pass		LFP8642				(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵
1521527	Trans	LH2512 ⁵⁵⁹				20514654		LFF3294 ²⁰⁶
<i>VHD (w/Cummins ISM Engine)</i>			<i>VHD200 (w/Volvo VED12 Engine)</i>			(20430751); Sec. (20377023); Brake Dryer	Miscellaneous	LFP8654
WF2071	Coolant	LFW4071 ¹⁵⁵⁹	20882320	Air	LAF9201 ²	4787362	Oil	LFP3191
3098689		LFW4685 ²⁴⁹	20411816		LAF9202 ¹	4787362		LFP3191TRT ³
		LFW4685XL ^{14, 249}	20435801	Cabin Air	CAF24000	(477556-5); By-Pass (17237); Optional Eaton 3.7" O.D.	Trans	LFP3191XL ¹⁴
3098688		LFW6500 ⁵⁵⁵	20458769	Coolant	LFW5141 ²⁸	29540494		LFP8642
(FS1003); W/S (3843447); W/S	Fuel	LFF1003 ²⁰⁹			LFW5141XL ^{14, 249}	29540493		LH4582G ²⁴
LF9070	Oil	LFP9000 ⁷²³	(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵	29548987		LH4589G ²³
3406810		LFP9000XL ^{14, 723}	20514654		LFF3294 ²⁰⁶	(4304827); Eaton/Fuller 3" O.D.		LH4591G ²²
LF9080		LFP9001 ²⁵⁰	(20972293); Sec. (20377023); Brake Dryer	Miscellaneous	LFF8059 ¹⁵¹³			PH2835
LFF14000NN		LFP9001XL ^{14, 250}			LFP8654 ^{782, 915}	<i>VHD64, VHD64BT (w/Volvo VED 12 Engine)</i>		
<i>VHD (w/Cummins M11 Engine)</i>			4787362	Oil	LFP3191	8076195	Air	LAF5722 ²
WF2071	Coolant	LFW4071 ¹⁵⁵⁹	4787362		LFP3191TRT ³	8079756		LAF5725 ¹
(FS1000); W/S (FS1212); W/S	Fuel	LFF1000	(477556-5); By-Pass (17237); Optional Eaton 3.7" O.D.	Trans	LFP3191XL ¹⁴	(20430751); Sec. (R90P); W/S	Fuel	LFF8059 ¹⁵¹³
LF3000	Oil	LFP3000			LFP8642	4787362		LFF8064 ²⁵⁴
LF9009		LFP3000XL ¹⁴				4787362	Oil	LFP3191
<i>VHD Series (w/Volvo D13 Engine)</i>								LFP3191TRT ³
20411815	Air	LAF9201 ²						LFP3191XL ¹⁴
20411816		LAF9202 ¹						
20458771	Coolant	LFW5142XL ^{14, 249}						
20458769		LFW5875 ⁸⁴⁶						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 206-Bowl type 209-Square sensor port 249-No chemical 250-11.9" Hgt. 254-Optional Racor 555-Extended Life w/ controlled release chemical 559-I-SHIFT 648-w/ Davco option 723-13.9" Hgt. 782-System Saver 1200 805-25 micron 844-4.2" O.D. 846-Contains 3 oz. chemical 914-Davco 25 Micron 915-AD-IS, AD-SP System 923-Bowl style 1513-Except 2017 emmissions 1559-Maintenance 1 ounce chemical

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)		
<i>VML630 (w/Volvo D11 Engine)</i>			<i>VN64T (w/Caterpillar 3406 Engine) (cont'd)</i>			<i>VNL SERIES (w/Cummins ISM Engine) (cont'd)</i>		
20411815	Air	LAF9201 ²		Oil	LFP4005XL ¹⁴	LFF14000NN	Oil	LFP9001XL ^{14, 250}
20411816		LAF9202 ¹	17237	Trans	HP1 ¹²	<i>VNL300 (w/Cummins ISX Engine)</i>		
20435801	Cabin Air	CAF24000	<i>VN64T (w/Cummins N14 Engine)</i>			20411815	Air	LAF9201 ²
20458771	Coolant	LFW5142XL ^{14, 249}	WF2071	Coolant	LFW4071 ¹⁵⁵⁹	20411816		LAF9202 ¹
(85105574); Davco opt. (20972293); Sec. (20377023); Brake Dryer	Fuel	L3578FN ⁸⁰⁵	(FS1000); W/S (154789); Pri.	Fuel	LFF1000	20435801	Cabin Air	CAF24000
		LFF8059 ¹⁵¹³	LF3000	Oil	LFF5D	20435801		CAF24000XL ¹⁸³
	Miscellaneous	LFP8654	LF670 (3304232); By-Pass		LFP3000	WF2126	Coolant	LFW2126 ²⁵⁵
4787362	Oil	LFP3191			LFP670	WF2127		LFW2127 ^{14, 249}
4787362		LFP3191TRT ³	17237	Trans	LFP777B	(85105574); Davco opt. (FS19727); Davco opt.	Fuel	L3578FN ⁸⁰⁵
(477556S); By-Pass		LFP3191XL ¹⁴	<i>VN670 (w/Cummins ISX 15.0L Engine)</i>			FS19729		L5467FNXL ¹⁴
		LFP8642	20411815	Air	LAF9201 ²	85120233		L9729F ⁶⁴⁸
29540494	Trans	LH4582G ²⁴	20411816		LAF9202 ¹	FF2200		L9729FXL ^{12, 14}
29540493		LH4589G ²³	20435801	Cabin Air	CAF24000	(FF5686); 2010-on; Sec.		LFF2201 ^{783, 918}
29548987		LH4591G ²²	20435801		CAF24000XL ¹⁸³			LFF5686
4304827		PH2835	WF2127	Coolant	LFW2127 ^{14, 249}	(85104856); W/S (20377023); Brake Dryer	Miscellaneous	LFF9982
17237		PH400 ²⁷⁵	FS19729	Fuel	L9729F ⁶⁴⁸			LFP8654 ⁹¹⁵
17237		PH8A ¹⁴⁹⁶	85120233		L9729FXL ^{12, 14}	LF9080	Oil	LFP9001 ²⁵⁰
			FF2200		LFF2201 ⁷⁸³	LFF14000NN		LFP9001TRT ³
			(20377023); Brake Dryer	Miscellaneous	LFP8654			LFP9001XL ^{14, 250}
<i>VN42T (w/Cummins M11 Engine)</i>			LF9080	Oil	LFP9001 ²⁵⁰	<i>VNL300 (w/Cummins ISX12 G Engine)</i>		
WF2071	Coolant	LFW4071 ¹⁵⁵⁹	LFF14000NN (17237); Optional Eaton 3.7" O.D.	Trans	LFP9001TRT ³	20411815	Air	LAF9201 ²
(FS1000); W/S (FS1212); W/S	Fuel	LFF1000			LFP9001XL ^{14, 250}	20411816		LAF9202 ¹
		LFF8020			HP1	20435801	Cabin Air	CAF24000
LF3000	Oil	LFP3000	<i>VN780 (w/Cummins ISX 15.0L Engine)</i>			20435801		CAF24000XL ¹⁸³
LF9009		LFP3000XL ¹⁴	8076195	Air	LAF5722	NG5900	Fuel	LFF5080 ⁶⁴⁷
<i>VN42T (w/Cummins N14 Engine)</i>			20411815		LAF9201 ²	LF9080	Oil	LFP9001 ²⁵⁰
WF2071	Coolant	LFW4071 ¹⁵⁵⁹	20411816		LAF9202 ¹	LFF14000NN		LFP9001XL ^{14, 250}
(FS1000); W/S (154789); Pri.	Fuel	LFF1000	20435801	Cabin Air	CAF24000	<i>VNL300 (w/Volvo VED12 Engine)</i>		
		LFF5D	20435801		CAF24000XL ¹⁸³	8193841	Fuel	LFF5874
LF3000	Oil	LFP3000	WF2127	Coolant	LFW2127 ^{14, 249}	R90P		LFF8038 ⁶³
LF670 (3304232); By-Pass		LFP670	(FS1040); W/S	Fuel	LFF1007 ²¹⁰	21707133	Oil	LFP3191
		LFP777B	FF2200		LFF2201 ⁷⁸³	(21707132); By-Pass		LFP3191TRT ³
17237	Trans	HP1 ¹²	LF9080	Oil	LFP9001 ²⁵⁰	1521527	Trans	LFP3191XL ¹⁴
<i>VN630, VN670 (w/Volvo VED12 Engine)</i>			LFF14000NN		LFP9001TRT ³			LFP8642
20411815	Air	LAF9201 ²	<i>VN780 (w/Volvo VED12 Engine)</i>			<i>VNL300 (w/Volvo VED16 Engine)</i>		
20411816		LAF9202 ¹	20411815	Air	LAF9201 ²	20411815	Air	LAF9201 ²
20435801	Cabin Air	CAF24000	20411816		LAF9202 ¹	20411816		LAF9202 ¹
20458771	Coolant	LFW5142XL ^{14, 249}	20435801	Cabin Air	CAF24000	20435801	Cabin Air	CAF24000
FS19729	Fuel	L9729F ⁶⁴⁸	20435801		CAF24000XL ¹⁸³	20435801		CAF24000XL ¹⁸³
85120233		L9729FXL ^{12, 14}	8193841	Fuel	LFF5874	(85105574); Davco 382	Fuel	L3578FN ⁸⁰⁵
W/S (8193841); Sec. R90P (20430751); Sec. (20377023); Brake Dryer	Miscellaneous	LFF5766	R90P		LFF8038 ⁶³	(20430751); Sec.		LFF8059 ¹⁵¹³
		LFF5874	21707132	Oil	LFP3191	478736	Oil	LFP3191
		LFF8038 ⁶³	(21707132); By-Pass		LFP3191TRT ³	478736		LFP3191TRT ³
		LFF8059 ¹⁵¹³			LFP3191XL ¹⁴			LFP3191XL ¹⁴
		LFP8654	<i>VNL SERIES (w/Cummins ISM Engine)</i>			(477556); By-Pass		LFP8642
4787362	Oil	LFP3191	WF2071	Coolant	LFW4071 ¹⁵⁵⁹	1521527	Trans	LH2512 ⁵⁵⁹
4787362		LFP3191TRT ³	3098689		LFW4685 ²⁴⁹	<i>VNL420 (w/Volvo VED12 Engine)</i>		
(477556S); By-Pass		LFP3191XL ¹⁴	3098688		LFW6500 ⁵⁵⁵	8076195	Air	LAF5722 ²
		LFP8642	(FS1003); W/S (3843447); W/S	Fuel	LFF1003 ²⁰⁹	8079756		LAF5725 ¹
17237	Trans	HP1 ¹²	LF9080	Oil	LFF1282 ⁹¹⁷	20435801	Cabin Air	CAF24000
<i>VN64T (w/Caterpillar 3406 Engine)</i>					LFP9001 ²⁵⁰	20435801		CAF24000XL ¹⁸³
WF2071	Coolant	LFW4071 ¹⁵⁵⁹				20458769	Coolant	LFW5141 ²⁸
1R0749 (1R0712); Sec.	Fuel	LFF2749 ²⁰						
		LFF5823B						
1R0716	Oil	LFP4005						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 63-9/16" Thread Sensor Port 183-Dust and odor filter 209-Square sensor port 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 275-Primary 555-Extended Life w/ controlled release chemical 559-I-SHIFT 647-Natural Gas 648-w/ Davco option 783-Pressure side 805-25 micron 915-AD-IS, AD-SP System 917-6.17" Tall 918-2007 Emissions 1496-Alternate 1513-Except 2017 emissions 1559-Maintenance 1 ounce chemical

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)		
<i>VNL420 (w/Volvo VED12 Engine) (cont'd)</i>			<i>VNL430 (w/Volvo D16 Engine) (cont'd)</i>			<i>VNL630 (w/Cummins ISX 15.0L Engine) (cont'd)</i>		
Long (20458771); Short 20458769 (85105574); Davco opt. (8193841); Sec. (20430751); Sec. (20377023); Brake Dryer 478736 478736 (477556); By-Pass (17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Coolant	LFW5141XL ^{14, 249} LFW5142XL ^{14, 249} LFW5875 ⁸⁴⁶	20411816 20435801 20435801	Air Cabin Air	LAF9202 ¹ CAF24000 CAF24000XL ¹⁸³	FF2200 (85104856); W/S (20377023); Brake Dryer LF9080 LFF14000NN (17237); Optional Eaton 3.7" O.D.	Fuel Miscellaneous Oil Trans	LFF2201 ⁷⁸³ LFF9982 LFP8654 LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250} HP1
8076195 8079756 20435801 20435801 WF2127 85120233 FF2200 (85104856); W/S LF9080 LFF14000NN (17237); Optional Eaton 3.7" O.D. 1521527	Air	LAF5722 ² LAF5725 ¹	8076195 8079756 20435801 20435801 20458769 (8193841); Sec. (20430751); Sec. 21707132	Air Cabin Air Coolant Fuel Oil	LAF5722 ² LAF5725 ¹ CAF24000 CAF24000XL ¹⁸³ LFW5875 ⁸⁴⁶ LFF5874 LFF8059 ¹⁵¹³ LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	20411815 20411816 20435801 20435801 20458771 20458769 (85105574); Davco opt. 20514654 8193841 (20972293); Sec. (20377023); Brake Dryer 4787362 4787362 (477556S); By-Pass (4304827); Eaton/Fuller 3" O.D. 17237 17237	Fuel Miscellaneous Oil Trans	L3578FN ⁸⁰⁵ LFF3294 ²⁰⁶ LFF5874 LFF8059 ¹⁵¹³ LFP8654 LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642 PH2835 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>VNL430 (w/Cummins ISX 15.0L Engine)</i>			<i>VNL430 (w/Volvo VED12 Engine)</i>			<i>VNL630 (w/Volvo D12 Engine)</i>		
20882320 20411816 20435801 20435801 20458771 3945411 FS19728 FS19727 (20879806); W/S W/S R90P (20972293); Sec. 478736 478736 (477556); By-Pass (17237); Optional Eaton 3.7" O.D. 1521527 (4304827); Eaton/Fuller 3" O.D.	Air	LAF9201 ² LAF9202 ¹	20411815 20411816 3948712 3948712 20435801 (85105574); Davco opt. 8193841 R90P 4666343 (477556); By-Pass	Air Cabin Air Cabin Air Fuel Oil	LAF9201 ² LAF9202 ¹ CAF24001 ⁹¹⁹ CAF24001XL ¹⁸³ CAF24002XL ¹⁸³ L3578FN ⁸⁰⁵ LFF5874 LFF8038 ⁶³ LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	20411815 20411816 20435801 20435801 20458771 20458769 (85105574); Davco opt. 20514654 8193841 (20972293); Sec. (20377023); Brake Dryer 4787362 4787362 (477556S); By-Pass (4304827); Eaton/Fuller 3" O.D. 17237 17237	Air Cabin Air Coolant Fuel Miscellaneous Oil Trans	LAF9201 ² LAF9202 ¹ CAF24000 CAF24000XL ¹⁸³ LFW5142XL ^{14, 249} LFW5875 ⁸⁴⁶ L3578FN ⁸⁰⁵ LFF3294 ²⁰⁶ LFF5874 LFF8059 ¹⁵¹³ LFP8654 LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642 PH2835 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>VNL430 (w/Volvo D11 or D13 Engine)</i>			<i>VNL610 (w/Volvo VED12 Engine)</i>			<i>VNL630 (w/Volvo D16 Engine)</i>		
20411815	Air	LAF9201 ²	20411815 20411816 20435801 20435801 WF2126 WF2127 (85105574); Davco opt.	Air Cabin Air Coolant Fuel	LAF9201 ² LAF9202 ¹ CAF24000 CAF24000XL ¹⁸³ LFW2126 ²⁵⁵ LFW2127 ^{14, 249} L3578FN ⁸⁰⁵	20411815 20411816 20435801 20435801	Air Cabin Air	LAF9201 ² LAF9202 ¹ CAF24000
<i>VNL430 (w/Volvo D16 Engine)</i>			<i>VNL630 (w/Cummins ISX 15.0L Engine)</i>			<i>VNL630 (w/Volvo VED12 Engine)</i>		
20411815	Air	LAF9201 ²	20411815 20411816 20435801 20435801 WF2126 WF2127 (85105574); Davco opt.	Air Cabin Air Coolant Fuel	LAF9201 ² LAF9202 ¹ CAF24000 CAF24000XL ¹⁸³ LFW2126 ²⁵⁵ LFW2127 ^{14, 249} L3578FN ⁸⁰⁵	20411815 20411816 20435801	Air Cabin Air	LAF9201 ² LAF9202 ¹ CAF24000

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 63-9/16" Thread Sensor Port 183-Dust and odor filter 206-Bowl type 242-10 Micron 249-No chemical 250-11.9" Hgt. 254-Optional Racor 255-Contains 3 oz. of chemical 275-Primary 559-I-SHIFT 648-w/ Davco option 783-Pressure side 805-25 micron 846-Contains 3 oz. chemical 914-Davco 25 Micron 919-Sleeper 923-Bowl style 1496-Alternate 1513-Except 2017 emissions

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)		
<i>VNL630 (w/Volvo VED12 Engine) (cont'd)</i>			<i>VNL64T (w/Volvo VED12 Engine) (cont'd)</i>			<i>VNL670 (w/Volvo D13 Engine) (cont'd)</i>		
20435801	Cabin Air	CAF24000XL ¹⁸³	466634	Oil	LFP3191	(20972293); Sec.	Fuel	LFF8059 ¹⁵¹³
(8193841); Sec.	Fuel	LFF5874	466634		LFP3191TRT ³	478736	Oil	LFP3191
R90P		LFF8038 ⁶³			LFP3191XL ¹⁴	478736		LFP3191TRT ³
(20430751); Sec.		LFF8059 ¹⁵¹³	<i>VNL660 (w/Cummins ISX 15.0L Engine)</i>			(477556); By-Pass		LFP3191XL ¹⁴
4666343	Oil	LFP3191	8076195	Air	LAF5722 ²	(17237); Optional	Trans	LFP8642
		LFP3191TRT ³	8079756		LAF5725 ¹	Eaton 3.7" O.D.		HP1
		LFP3191XL ¹⁴	20435801	Cabin Air	CAF24000	1521527		LH2512 ⁵⁵⁹
(477556); By-Pass		LFP8642	WF2126	Coolant	LFW2126 ²⁵⁵	(4304827);		PH2835
			(FS1040); W/S	Fuel	LFF1007 ²¹⁰	Eaton/Fuller 3" O.D.		
<i>VNL64T (w/Cummins ISX 15.0L Engine)</i>			FF2200		LFF2201 ⁷⁸³			
20411815	Air	LAF9201 ²	LF9080	Oil	LFP9001 ²⁵⁰	<i>VNL670 (w/Volvo VE12 Engine)</i>		
20411816		LAF9202 ¹			LFP9001TRT ³	20882320	Air	LAF9201
20435801	Cabin Air	CAF24000	LFF14000NN		LFP9001XL ^{14, 250}	20411816		LAF9202 ¹
20435801		CAF24000XL ¹⁸³	(17237); Optional	Trans	HP1	20435801	Cabin Air	CAF24000
WF2126	Coolant	LFW2126 ²⁵⁵	Eaton 3.7" O.D.		LH2512 ⁵⁵⁹	20435801		CAF24000XL ¹⁸³
(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵	1521527			20458771	Coolant	CAF24000XL ¹⁸³
FS19729		L9729F ⁶⁴⁸	<i>VNL660 (w/Cummins N14 Engine)</i>			3945411		LFWS142XL ^{14, 249}
85120233		L9729FXL ¹⁴	WF2071	Coolant	LFW4071 ¹⁵⁵⁹	(20879806); W/S	Fuel	LFW5875 ⁸⁴⁶
FF2200		LFF2201 ⁷⁸³	(FS1000); W/S	Fuel	LFF1000	(20972293); Sec.		LFF3358 ⁹²³
LF9080	Oil	LFP9001 ²⁵⁰	LF3000	Oil	LFP3000	478736	Oil	LFF8059 ¹⁵¹³
		LFP9001TRT ³	(17237); Optional	Trans	HP1	478736		LFP3191
LFF14000NN		LFP9001XL ^{14, 250}	Eaton 3.7" O.D.					LFP3191TRT ³
<i>VNL64T (w/Cummins M11 Engine)</i>			<i>VNL670 (w/Cummins ISX Engine)</i>			(477556); By-Pass		LFP3191XL ¹⁴
	Coolant	LFW4075 ⁶⁴⁴	20411815	Air	LAF9201 ²	(17237); Optional	Trans	LFP8642
(FS1000); W/S	Fuel	LFF1000	20411816		LAF9202 ¹	Eaton 3.7" O.D.		HP1
LF3000	Oil	LFP3000	20435801	Cabin Air	CAF24000	1521527		LH2512 ⁵⁵⁹
LF9009		LFP3000XL ¹⁴	20435801		CAF24000XL ¹⁸³	(4304827);		PH2835
(17237); Optional	Trans	HP1	WF2126	Coolant	LFW2126 ²⁵⁵	Eaton/Fuller 3" O.D.		
Eaton 3.7" O.D.			WF2127		LFW2127 ^{14, 249}	<i>VNL670 (w/Volvo VED16 Engine)</i>		
<i>VNL64T (w/Detroit Diesel 60 Series Engine)</i>			(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵	20882320	Air	LAF9201 ²
(23530706); Pri.	Fuel	LFP815FN	(FS19727); Davco opt.		L5467FNXL ¹⁴	20411816		LAF9202 ¹
(23530707); Sec.		LFP816FN	FS19729		L9729F ⁶⁴⁸	20435801	Cabin Air	CAF24000
(3304232); By-Pass	Oil	LFP777B ¹²	85120233		L9729FXL ^{12, 14}	20435801		CAF24000XL ¹⁸³
23530407		LFP911	FF2200		LFF2201 ^{783, 918}	20458771	Coolant	LFWS142XL ^{14, 249}
(17237); Optional	Trans	HP1	(FF5686); 2010-on;		LFF5686	3945411		LFW5875 ⁸⁴⁶
Eaton 3.7" O.D.			Sec.		LFF9982	FS19728	Fuel	L3578FXL ^{14, 914}
<i>VNL64T (w/Volvo D13 Engine)</i>			(85104856); W/S		LFP8654 ⁹¹⁵	FS19727		L5467F ²⁴²
20882320	Air	LAF9201 ²	(20377023); Brake	Miscellaneous		(20879806); W/S		L5467FNXL ¹⁴
20411816		LAF9202 ¹	Dryer		LFP9001 ²⁵⁰	W/S		LFF3358 ⁹²³
20435801	Cabin Air	CAF24000	LF9080	Oil	LFP9001TRT ³	R90P		LFF5766
21388479	Coolant	LFWS142XL ^{14, 249}			LFP9001XL ^{14, 250}	(20972293); Sec.		LFF8038 ⁶³
(20879806); W/S	Fuel	LFF3358 ⁹²³	LFF14000NN		LH2512 ⁵⁵⁹	478736	Oil	LFF8059 ¹⁵¹³
(20972293); Sec.		LFF8059 ¹⁵¹³	1521527	Trans		478736		LFP3191
478736	Oil	LFP3191	<i>VNL670 (w/Volvo D13 Engine)</i>			(477556); By-Pass		LFP3191TRT ³
478736		LFP3191TRT ³	20882320	Air	LAF9201 ²	(17237); Optional	Trans	LFP3191XL ¹⁴
		LFP3191XL ¹⁴	20411816		LAF9202 ¹	Eaton 3.7" O.D.		LFP8642
(477556); By-Pass		LFP8642	20435801	Cabin Air	CAF24000	1521527		LH2512 ⁵⁵⁹
<i>VNL64T (w/Volvo VED12 Engine)</i>			20435801		CAF24000XL ¹⁸³	(4304827);		PH2835
20411815	Air	LAF9201 ²	3945411	Coolant	LFWS142XL ^{14, 249}	Eaton/Fuller 3" O.D.		
20411816		LAF9202 ¹	FS19728	Fuel	LFW5875 ⁸⁴⁶	<i>VNL730 (w/Volvo VED12 Engine)</i>		
20435801	Cabin Air	CAF24000			L3578FXL ^{14, 914}	20411815	Air	LAF9201 ²
21937327	Coolant	LFWS142XL ^{14, 249}	FS19727		L5467F ²⁴²	20411816		LAF9202 ¹
(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵	(20879806); W/S		L5467FNXL ¹⁴	3948712	Cabin Air	CAF24001 ⁹¹⁹
(20430751); Sec.		LFF8059 ¹⁵¹³	W/S		LFF3358 ⁹²³	3948712		CAF24001XL ^{183, 919}
(20377023); Brake	Miscellaneous	LFP8654	R90P		LFF5766			
Dryer					LFF8038 ⁶³			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 63-9/16" Thread Sensor Port 183-Dust and odor filter 210-w/Sensor 242-10 Micron 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 559-I-SHIFT 644-Contains 6 oz. of chemical 648-w/ Davco option 783-Pressure side 805-25 micron 846-Contains 3 oz. chemical 914-Davco 25 Micron 915-AD-IS, AD-SP System 918-2007 Emissions 919-Sleeper 923-Bowl style 1513-Except 2017 emmissions 1559-Maintenance 1 ounce chemical

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)		
<i>VNL730 (w/Volvo VED12 Engine) (cont'd)</i>			<i>VNL730 (w/Volvo VED16 Engine) (cont'd)</i>			<i>VNL770 (w/Volvo VED12 Engine) (cont'd)</i>		
20435801	Cabin Air	CAF24002 ⁹²⁰	(477556); By-Pass	Oil	LFP8642	478736	Oil	LFP3191
20435801		CAF24002XL ¹⁸³	(17237); Optional	Trans	HP1			LFP3191TRT ³
20458771	Coolant	LFW5142XL ^{14, 249}	Eaton 3.7" O.D.					LFP3191XL ¹⁴
(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵	1521527		LH2512 ⁵⁵⁹	(477556); By-Pass		LFP8642
(20972293); Sec.		LFF8059 ¹⁵¹³	(4304827);		PH2835	1521527	Trans	LH2512 ⁵⁵⁹
(20377023); Brake Dryer	Miscellaneous	LFP8654	Eaton/Fuller 3" O.D.			<i>VNL780 (w/Cummins ISX 15.0L Engine)</i>		
4787362	Oil	LFP3191	<i>VNL730, VNL780 (w/Cummins ISX 15.0L Engine)</i>			20882320	Air	LAF9201 ²
4787362		LFP3191TRT ³	20882320	Air	LAF9201 ²	20411816		LAF9202 ¹
		LFP3191XL ¹⁴	20411816		LAF9202 ¹	20435801	Cabin Air	CAF24000
(477556S); By-Pass		LFP8642	20435801	Cabin Air	CAF24000	20435801		CAF24000XL ¹⁸³
(17237); Optional	Trans	HP1	20435801		CAF24000XL ¹⁸³	WF2126	Coolant	LFW2126 ²⁵⁵
Eaton 3.7" O.D.		LH2512 ⁵⁵⁹	WF2126	Coolant	LFW2126 ²⁵⁵	WF2127		LFW2127 ^{14, 249}
1521527		PH2835	WF2127		LFW2127 ^{14, 249}	(FS19727); Davco	Fuel	L5467FNXL ¹⁴
(4304827);			(FF5686); Sec.	Fuel	LFF5686	FF2200		LFF2201 ⁷⁸³
Eaton/Fuller 3" O.D.			LF9080	Oil	LFP9001 ²⁵⁰	(85104856); W/S		LFF9982
			LFF14000NN		LFP9001TRT ³	(20377023); Brake Dryer	Miscellaneous	LFP8654
			(17237); Optional	Trans	LFP9001XL ^{14, 250}	LF9080	Oil	LFP9001 ²⁵⁰
<i>VNL730 (w/Volvo VED13 Engine)</i>			Eaton 3.7" O.D.		HP1	LFF14000NN		LFP9001TRT ³
20411815	Air	LAF9201 ²	1521527		LH2512 ⁵⁵⁹	LFF14000NN		LFP9001XL ^{14, 250}
20411816		LAF9202 ¹	(4304827);		PH2835	(17237); Optional	Trans	HP1
3948712	Cabin Air	CAF24001 ⁹¹⁹	Eaton/Fuller 3" O.D.			Eaton 3.7" O.D.		LH2512 ⁵⁵⁹
3948712		CAF24001XL ^{183, 919}				1521527		PH2835
20435801		CAF24002 ⁹²⁰	<i>VNL770 (w/Volvo D13 Engine)</i>			(4304827);		
20435801		CAF24002XL ¹⁸³	20411815	Air	LAF9201 ²	Eaton/Fuller 3" O.D.		
20458771	Coolant	LFW5142XL ^{14, 249}	20411816		LAF9202 ¹			
(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵	3948712	Cabin Air	CAF24001 ⁹¹⁹	<i>VNL780 (w/Volvo VED12 Engine)</i>		
(20972293); Sec.		LFF8059 ¹⁵¹³	3948712		CAF24001XL ^{183, 919}	20411815	Air	LAF9201 ²
(20377023); Brake Dryer	Miscellaneous	LFP8654	20435801		CAF24002 ⁹²⁰	20411816		LAF9202 ¹
4787362	Oil	LFP3191	20435801		CAF24002XL ¹⁸³	20435801	Cabin Air	CAF24000
4787362		LFP3191TRT ³	20458771	Coolant	LFW5142XL ^{14, 249}	20435801		CAF24000XL ¹⁸³
		LFP3191XL ¹⁴	(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵	20458771	Coolant	LFW5142XL ^{14, 249}
(477556S); By-Pass		LFP8642	(20972293); Sec.		LFF8059 ¹⁵¹³	(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵
(17237); Optional	Trans	HP1	(20377023); Brake Dryer	Miscellaneous	LFP8654	R90P		LFF5849U ⁶⁴⁹
Eaton 3.7" O.D.		LH2512 ⁵⁵⁹	4787362	Oil	LFP3191	(8193841); Sec.		LFF5874
1521527		PH2835	4787362		LFP3191TRT ³	R90P		LFF8038 ⁶³
(4304827);			(477556S); By-Pass		LFP3191XL ¹⁴	(20377023); Brake Dryer	Miscellaneous	LFP8654
Eaton/Fuller 3" O.D.			(17237); Optional	Trans	LFP8642	478736	Oil	LFP3191
			Eaton 3.7" O.D.		HP1	478736		LFP3191TRT ³
<i>VNL730 (w/Volvo VED16 Engine)</i>						(477556); By-Pass		LFP3191XL ¹⁴
20882320	Air	LAF9201 ²	<i>VNL770 (w/Volvo VED12 Engine)</i>			(17237); Optional	Trans	HP1
20411816		LAF9202 ¹	8076195	Air	LAF5722 ²	Eaton 3.7" O.D.		LH2512 ⁵⁵⁹
20435801	Cabin Air	CAF24000	8079756		LAF5725 ¹	1521527		PH2835
20435801		CAF24000XL ¹⁸³	3948712	Cabin Air	CAF24001 ⁹¹⁹	(4304827);		
20458771	Coolant	LFW5142XL ^{14, 249}	3948712		CAF24001XL ^{183, 919}	Eaton/Fuller 3" O.D.		
3945411		LFW5875 ⁸⁴⁶	20435801		CAF24002 ⁹²⁰			
FS19728	Fuel	L3578FXL ^{14, 914}	20435801		CAF24002XL ¹⁸³	20435801	Cabin Air	CAF24000
		L5467F ²⁴²	3969696	Coolant	LFW5141XL ^{14, 249}	20435801		CAF24000XL ¹⁸³
FS19727		L5467FNXL ¹⁴	20458771		LFW5142XL ^{14, 249}	20458771	Coolant	LFW5142XL ^{14, 249}
(20879806); W/S		LFF3358 ⁹²³	(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵	3945411		LFW5875 ⁸⁴⁶
W/S		LFF5766	8193841		LFF5874	(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵
R90P		LFF8038 ⁶³				20514654		LFF3294 ²⁰⁶
(20972293); Sec.		LFF8059 ¹⁵¹³						
478736	Oil	LFP3191						
478736		LFP3191TRT ³						
		LFP3191XL ¹⁴						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 63-9/16" Thread Sensor Port 183-Dust and odor filter 206-Bowl type 242-10 Micron 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 559-I-SHIFT 649-1/2" Thread Sensor Port 783-Pressure side 805-25 micron 846-Contains 3 oz. chemical 914-Davco 25 Micron 919-Sleeper 920-11.4 X 4.7 923-Bowl style 1513-Except 2017 emmissions

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)		
<i>VNL780 (w/Volvo VED13 Engine) (cont'd)</i>			<i>VNM (w/Volvo D13 engine)</i>			<i>VNM200 (w/Volvo D12 Engine) (cont'd)</i>		
(20430751); Sec.	Fuel	LFF8059 ¹⁵¹³	20411815	Air	LAF9201 ²	4787362	Oil	LFP3191
(20377023); Brake Dryer	Miscellaneous	LFP8654	20435801	Cabin Air	CAF24000	4787362		LFP3191TRT ³
478736	Oil	LFP3191	20458771	Coolant	LFW5142XL ^{14, 249}	(477556S); By-Pass		LFP3191XL ¹⁴
478736		LFP3191TRT ³	21937327		LFW5142XL			LFP8642
(477556); By-Pass		LFP3191XL ¹⁴	85120233	Fuel	L9765FXL ⁹²²	1521527	Trans	LH2512 ⁵⁵⁹
(17237); Optional Eaton 3.7" O.D.	Trans	LFP8642	349619	Hydraulic	LH8504 ¹¹	29540494		LH4582G ²⁴
1521527		HP1	21707133	Oil	LFP3191 ¹⁵²⁸	29540493		LH4589G ²³
(4304827); Eaton/Fuller 3" O.D.		LH2512 ⁵⁵⁹	21707133		LFP3191TRT ³	29548987		LH4591G ²²
		PH2835			LFP3191XL ¹⁴	(4304827); Eaton/Fuller 3" O.D.		PH2835
					LFP8642			
<i>VNL780 (w/Volvo VED16 Engine)</i>			<i>VNM Series (w/Cummins ISM Engine)</i>			<i>VNM200 (w/Volvo D13 Engine)</i>		
20411815	Air	LAF9201 ²	8076195	Air	LAF5722 ²	20411815	Air	LAF9201 ²
20411816		LAF9202 ¹	20435801	Cabin Air	CAF24002 ⁹²⁰	20411816		LAF9202 ¹
20435801	Cabin Air	CAF24000		Coolant	LFW4686XL ^{14, 249}	20435801	Cabin Air	CAF24000
20435801		CAF24000XL ¹⁸³	LF9080	Oil	LFP9001 ²⁵⁰	20435801		CAF24000XL ¹⁸³
20458771	Coolant	LFW5142XL ^{14, 249}	LFF14000NN		LFP9001TRT ³	20458771	Coolant	LFW5142XL ^{14, 249}
3945411		LFW5875 ⁸⁴⁶	(17237); Optional Eaton 3.7" O.D.	Trans	LFP9001XL ^{14, 250}	(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵
(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵			HP1	20514654		LFF3294 ²⁰⁶
20514654		LFF3294 ²⁰⁶	<i>VNM200 (w/Volvo D11 Engine)</i>			W/S		LFF5766
(20430751); Sec.	Miscellaneous	LFP8654	20411815	Air	LAF9201 ²	R90P		LFF5849U ⁶⁴⁹
(20377023); Brake Dryer		LFP8654	20411816		LAF9202 ¹	R90P		LFF8038 ⁶³
478736	Oil	LFP3191	20435801	Cabin Air	CAF24000	(20972293); Sec. (R90P); W/S		LFF8059 ¹⁵¹³
478736		LFP3191TRT ³	20435801		CAF24000XL ¹⁸³	4787362	Oil	LFP3191
(477556); By-Pass		LFP3191XL ¹⁴	20458771	Coolant	LFW5142XL ^{14, 249}	4787362		LFP3191TRT ³
(17237); Optional Eaton 3.7" O.D.	Trans	LFP8642	(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵	(477556S); By-Pass		LFP3191XL ¹⁴
1521527		HP1	20514654		LFF3294 ²⁰⁶			LFP8642
(4304827); Eaton/Fuller 3" O.D.		LH2512 ⁵⁵⁹	W/S		LFF5766	1521527	Trans	LH2512 ⁵⁵⁹
		PH2835	R90P		LFF5849U ⁶⁴⁹	29540494		LH4582G ²⁴
			R90P		LFF8038 ⁶³	29540493		LH4589G ²³
			(20972293); Sec. (R90P); W/S		LFF8059 ¹⁵¹³	29548987		LH4591G ²²
			4787362	Oil	LFP3191	(4304827); Eaton/Fuller 3" O.D.		PH2835
			4787362		LFP3191TRT ³			
			(477556S); By-Pass		LFP3191XL ¹⁴	<i>VNM420 (w/Volvo VED12 Engine)</i>		
					LFP8642	8076195	Air	LAF5722 ²
					LH2512 ⁵⁵⁹	8079756		LAF5725 ¹
					LH4582G ²⁴	20435801	Cabin Air	CAF24000
					LH4589G ²³	20435801		CAF24000XL ¹⁸³
					LH4591G ²²	20458769	Coolant	LFW5141XL ²⁸
					PH2835	Long (20458771); Short		LFW5141XL ^{14, 249}
						20458769		LFW5142XL ^{14, 249}
						(85105574); Davco opt.	Fuel	LFW5875 ⁸⁴⁶
						(8193841); Sec. (20430751); Sec.		L3578FN ⁸⁰⁵
						(20377023); Brake Dryer	Miscellaneous	LFF5874
						478736		LFF8059 ¹⁵¹³
						478736	Oil	LFP8654
						(477556); By-Pass		LFP3191
						(17237); Optional Eaton 3.7" O.D.	Trans	LFP3191TRT ³
						1521527		LFP3191XL ¹⁴
								LFP8642
								HP1
								LH2512 ⁵⁵⁹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 63-9/16" Thread Sensor Port 183-Dust and odor filter 206-Bowl type 249-No chemical 250-11.9" Hgt. 559-I-SHIFT 649-1/2" Thread Sensor Port 805-25 micron 846-Contains 3 oz. chemical 872-standard replacement 920-11.4 X 4.7 921-12.7 X 9.3 922-Davco optional 1513-Except 2017 emissions 1528-Standard Life filter

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)		
<i>VNM420 (w/Volvo VED12 Engine) (cont'd)</i>			<i>VNM630 (w/Cummins ISX 15.0L Engine) (cont'd)</i>			<i>VNM630 (w/Volvo D12 Engine) (cont'd)</i>		
(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	20435801	Cabin Air	CAF24000XL ¹⁸³	29548987	Trans	LH4591G ²²
			WF2126	Coolant	LFW2126 ²⁵⁵	(4304827); Eaton/Fuller 3" O.D.		PH2835
<i>VNM430 (w/Cummins ISX 15.0L Engine)</i>			<i>VNM630 (w/Volvo D16 Engine)</i>			<i>VNM630 (w/Volvo D16 Engine)</i>		
20411815	Air	LAF9201 ²	(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵	20411815	Air	LAF9201 ²
20411816		LAF9202 ¹	FF2200		LFF2201 ⁷⁸³	20411816		LAF9202 ¹
20435801	Cabin Air	CAF24000	(85104856); W/S		LFF9982	20435801	Cabin Air	CAF24000
20435801		CAF24000XL ¹⁸³	(20377023); Brake Dryer	Miscellaneous	LFP8654	20435801		CAF24000XL ¹⁸³
WF2126	Coolant	LFW2126 ²⁵⁵	LF9080	Oil	LFP9001 ²⁵⁰	20458771	Coolant	LFW5142XL ^{14, 249}
WF2127		LFW2127 ^{14, 249}	LFF14000NN		LFP9001TRT ³	20458769		LFW5875 ⁸⁴⁶
(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵	1521527	Trans	LFP9001XL ^{14, 250}	(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵
FF2200		LFF2201 ⁷⁸³	(4304827); Eaton/Fuller 3" O.D.		LH2512 ⁵⁵⁹	20514654		LFF3294 ²⁰⁶
(85104856); W/S		LFF9982			PH2835	8193841		LFF5874
(20377023); Brake Dryer	Miscellaneous	LFP8654	<i>VNM630 (w/Volvo D11 Engine)</i>			(20972293); Sec.		LFF8059 ¹⁵¹³
LF9080	Oil	LFP9001 ²⁵⁰	20411815	Air	LAF9201 ²	(20377023); Brake Dryer	Miscellaneous	LFP8654
		LFP9001TRT ³	20411816		LAF9202 ¹	4787362	Oil	LFP3191
LFF14000NN		LFP9001XL ^{14, 250}	20435801	Cabin Air	CAF24000	4787362		LFP3191TRT ³
	Trans	LH2512 ⁵⁵⁹	20435801		CAF24000XL ¹⁸³	(477556S); By-Pass		LFP3191XL ¹⁴
(4304827); Eaton/Fuller 3" O.D.		PH2835	20458771	Coolant	LFW5142XL ^{14, 249}			LFP8642
<i>VNM430 (w/Volvo VED11 Engine)</i>			(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵	1521527	Trans	LH2512 ⁵⁵⁹
20411815	Air	LAF9201 ²	(20972293); Sec.		LFF8059 ¹⁵¹³	29540494		LH4582G ²⁴
20435801	Cabin Air	CAF24000	(20377023); Brake Dryer	Miscellaneous	LFP8654	29540493		LH4589G ²³
20435801		CAF24000XL ¹⁸³	4787362	Oil	LFP3191	29548987		LH4591G ²²
20458771	Coolant	LFW5142XL ^{14, 249}	4787362		LFP3191TRT ³	(4304827); Eaton/Fuller 3" O.D.		PH2835
(8193841); Sec. (20430751); Sec. (20377023); Brake Dryer	Fuel	LFF5874	(477556S); By-Pass		LFP3191XL ¹⁴			
		LFF8059 ¹⁵¹³	1521527	Trans	LH2512 ⁵⁵⁹	<i>VNM630 (w/Volvo VED12 Engine)</i>		
	Miscellaneous	LFP8654	29540494		LH4582G ²⁴	20411815	Air	LAF9201 ²
21707132	Oil	LFP3191	29540493		LH4589G ²³	20435801	Cabin Air	CAF24000
		LFP3191TRT ³	29548987		LH4591G ²²	20435801		CAF24000XL ¹⁸³
(477556); By-Pass (17237); Optional Eaton 3.7" O.D. 1521527	Trans	HP1	(4304827); Eaton/Fuller 3" O.D.		PH2835	20458771	Coolant	LFW5142XL ^{14, 249}
		LH2512 ⁵⁵⁹	<i>VNM630 (w/Volvo D12 Engine)</i>			(20430751); Sec.	Fuel	LFF8059 ¹⁵¹³
<i>VNM430 (w/Volvo VED12 Engine)</i>			20411815	Air	LAF9201 ²	21707132	Oil	LFP3191
20411815	Air	LAF9201 ²	20411816		LAF9202 ¹	(477556); By-Pass		LFP3191TRT ³
20435801	Cabin Air	CAF24000	20435801	Cabin Air	CAF24000	1521527	Trans	LH2512 ⁵⁵⁹
20435801		CAF24000XL ¹⁸³	20435801		CAF24000XL ¹⁸³	(4304827); Eaton/Fuller 3" O.D.		PH2835
20458771	Coolant	LFW5142XL ^{14, 249}	20458771	Coolant	LFW5142XL ^{14, 249}	<i>VNX Series (w/Volvo D16 engine)</i>		
(8193841); Sec. (20430751); Sec. (20377023); Brake Dryer	Fuel	LFF5874	20458769		LFW5875 ⁸⁴⁶	20411815	Air	LAF9201 ²
		LFF8059 ¹⁵¹³	(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵	20411816		LAF9202 ¹
(20377023); Brake Dryer	Miscellaneous	LFP8654	20514654		LFF3294 ²⁰⁶	20435801	Cabin Air	CAF24000
21707132	Oil	LFP3191	8193841		LFF5874	20435801		CAF24000XL ¹⁸³
		LFP3191TRT ³	(20972293); Sec. (20377023); Brake Dryer	Miscellaneous	LFF8059 ¹⁵¹³	(20879806); W/S (20972293); Sec.	Fuel	LFF3358 ⁹²³
(477556); By-Pass (17237); Optional Eaton 3.7" O.D. 1521527	Trans	HP1	4787362	Oil	LFP8654	20458769		LFF8059 ¹⁵¹³
		LH2512 ⁵⁵⁹	4787362		LFP3191	21707133	Oil	LFW5875 ⁸⁴⁶
<i>VNM630 (w/Cummins ISX 15.0L Engine)</i>			(477556S); By-Pass		LFP3191TRT ³	(477556); By-Pass (17237); Optional Eaton 3.7" O.D.	Trans	LFP3191XL ¹⁴
20411815	Air	LAF9201 ²	1521527	Trans	LFP3191XL ¹⁴			LFP8642
20411816		LAF9202 ¹	29540494		LFP8642	1521527		LH2512 ⁵⁵⁹
20435801	Cabin Air	CAF24000	29540493		LH4582G ²⁴	(4304827); Eaton/Fuller 3" O.D.		PH2835
		CAF24000XL ¹⁸³	29540493		LH4589G ²³			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4"
 Sump 183-Dust and odor filter 206-Bowl type 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 559-I-SHIFT 783-Pressure side 805-25
 micron 846-Contains 3 oz. chemical 923-Bowl style 1513-Except 2017 emissions 1528-Standard Life filter

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)		
<i>VT800, VT830, VT880 (w/Cummins ISX 15.0L Engine)</i>			<i>WAH64 (w/Cummins M11 Engine) (cont'd)</i>			<i>WG42 (w/Cummins N14 Engine) (cont'd)</i>		
20411815	Air	LAF9201 ²	W/S (20377023); Brake Dryer	Fuel	LFF9001 ¹⁵⁵⁷	P527683	Air	LAF1956 ¹
20411816		LAF9202 ¹		Miscellaneous	LFP8654 ⁹²⁴	WF2071	Coolant	LFW4071 ¹⁵⁵⁹
20435801	Cabin Air	CAF24000	LF3000	Oil	LFP3000 ¹⁵²⁸	(154789); Pri. (FS1212); W/S	Fuel	LFF5D ⁹²⁵
20435801		CAF24000XL ¹⁸³	LF9009		LFP3000XL ¹⁴	LF3000	Oil	LFP3000 ³¹³
WF2126	Coolant	LFW2126 ²⁵⁵	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	LF9009		LFP3000XL ¹⁴
WF2127		LFW2127 ^{14, 249}				LF670		LFP670 ⁶⁴³
(85105574); Davco opt.	Fuel	L3578FN ⁸⁰⁵	<i>WCA64T (w/Caterpillar 3406 Engine)</i>			(17237); Optional Eaton 3.7" O.D.	Trans	HP1
FF2200		LFF2201 ⁷⁸³	1R0749	Fuel	LFF2749 ²⁰	<i>WG64 (w/Caterpillar 3306 Engine)</i>		
(85104856); W/S		LFF9982	1R0716	Oil	LFP4005 ¹⁵²⁸	V1117576	Air	LAF1849 ²
(20377023); Brake Dryer	Miscellaneous	LFP8654	1R1808		LFP4005RN ⁵⁹⁹	P527683		LAF1956 ¹
			1R1808		LFP4005XL ¹⁴	WF2071	Coolant	LFW4071 ¹⁵⁵⁹
LF9080	Oil	LFP9001 ²⁵⁰	<i>WCA64T (w/Cummins N14 Engine)</i>			(FS1000); W/S	Fuel	LFF1000
		LFP9001TRT ³	WF2071	Coolant	LFW4071 ¹⁵⁵⁹	(3843447); W/S		LFF1282
LFF14000NN		LFP9001XL ^{14, 250}	(FS1000); W/S (154789); Pri.	Fuel	LFF1000	W/S		LFF8000 ⁶²⁸
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	(LF3000); 2	Oil	LFP3000 ¹⁵³²	(1752949); W/S (1R1740); Sec.		LFP8030
1521527		LH2512 ⁵⁵⁹	LF670 (3304232); By-Pass		LFP670 ¹⁵³¹	(20377023); Brake Dryer	Miscellaneous	LFP440F
					LFP777B			LFP8654
<i>VT800, VT830, VT880 (w/Volvo D16 Engine)</i>			<i>WCA64T (w/Detroit Diesel 60 Series Engine)</i>			<i>WG64 (w/Cummins ISM 10.8L Engine)</i>		
20411815	Air	LAF9201 ²	(23530706); Pri.	Fuel	LFP815FN	1R0739	Oil	LFP3191 ²⁹
20411816		LAF9202 ¹	(23530707); Sec.		LFP816FN			LFP3191TRT ^{3, 29}
20435801	Cabin Air	CAF24000		Oil	LFP2160 ⁸⁷²	1R0716		LFP4005 ⁶⁴³
20435801		CAF24000XL ¹⁸³	<i>WCA64T (w/Volvo VED12 Engine)</i>			1R1808		LFP4005RN ⁵⁹⁹
(20430751); Sec.	Fuel	LFF8059 ¹⁵¹³	20458771	Coolant	LFW5141XL ^{14, 249}			LFP4005TRT ³
478736	Oil	LFP3191 ¹⁵²⁸	8193841	Fuel	LFF5874			LFP4005XL ¹⁴
478736		LFP3191TRT ³	478736	Oil	LFP3191 ¹⁵²⁸	(17237); Optional Eaton 3.7" O.D.	Trans	HP1
		LFP3191XL ¹⁴	478736		LFP3191TRT ³	29540494		LH4582G ²⁴
(477556); By-Pass		LFP8642	(477556); By-Pass		LFP8642	29540496		LH4582G ²⁴
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	<i>WG42 (w/Cummins ISM 10.8L Engine)</i>			29540493		LH4589G ²³
1521527		LH2512 ⁵⁵⁹	220053202	Air	LAF4365	29548987		LH4591G ²²
(4304827); Eaton/Fuller 3" O.D.		PH2835	WF2071	Coolant	LFW4071 ¹⁵⁵⁹	<i>WG64 (w/Cummins ISM 10.8L Engine)</i>		
<i>VT800, VT830, VT880 (w/Volvo D16E Engine)</i>			(FS1003); W/S	Fuel	LFF1003 ²⁰⁹	WF2071	Coolant	LFW4071 ¹⁵⁵⁹
20411815	Air	LAF9201 ²	3800394		LFF1022	3098689		LFW4685 ²⁴⁹
20411816		LAF9202 ¹	(3843447); W/S		LFF1282			LFW4685XL ^{14, 249}
20435801	Cabin Air	CAF24000	(20377023); Brake Dryer	Miscellaneous	LFP8654	3098688	Fuel	LFW6500 ⁵⁵⁵
20435801		CAF24000XL ¹⁸³	LF9070	Oil	LFP9000 ⁷²³	(FS1003); W/S		LFF1003 ²⁰⁹
(20430751); Sec.	Fuel	LFF8059 ¹⁵¹³	3406810		LFP9000XL ^{14, 723}	3800394		LFF1022
478736	Oil	LFP3191 ¹⁵²⁸	LF9080		LFP9001 ²⁵⁰	(3843447); W/S		LFF1282
478736		LFP3191TRT ³			LFP9001TRT ³	(20377023); Brake Dryer	Miscellaneous	LFP8654
		LFP3191XL ¹⁴	LFF14000NN		LFP9001XL ^{14, 250}	LF9070	Oil	LFP9000 ⁷²³
(477556); By-Pass		LFP8642	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	3406810		LFP9000XL ^{14, 723}
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	<i>WG42 (w/Cummins M11 Engine)</i>			LF9080		LFP9001 ²⁵⁰
1521527		LH2512 ⁵⁵⁹	WF2071	Coolant	LFW4071 ¹⁵⁵⁹	LFF14000NN		LFP9001TRT ³
(4304827); Eaton/Fuller 3" O.D.		PH2835	3318201		LFW4072 ¹⁸²	(17237); Optional Eaton 3.7" O.D.	Trans	LFP9001XL ^{14, 250}
<i>WAH64 (w/Cummins M11 Engine)</i>			(FS1000); W/S	Fuel	LFF1000 ⁹²⁵	<i>WG64 (w/Cummins L10 Engine)</i>		
V1117576	Air	LAF1849 ²	(FS1212); W/S		LFF8020	V1117576	Air	LAF1849 ²
V1117576		LAF1849MXM ^{2, 268}	W/S		LFF90011 ¹⁵⁵⁷	P527683		LAF1956 ¹
WF2071	Coolant	LFW4071 ¹⁵⁵⁹	LF3000	Oil	LFP3000	WF2071	Coolant	LFW4071 ¹⁵⁵⁹
3318201		LFW4072 ¹⁸²	LF9009		LFP3000XL ¹⁴	(154789); Pri. (FS1212); W/S	Fuel	LFF5D ⁹²⁵
(FS1000); W/S	Fuel	LFF1000 ⁹²⁵	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	LF3000	Oil	LFP3000 ³¹³
(FS1212); W/S		LFF8020	<i>WG42 (w/Cummins N14 Engine)</i>			LF9009		LFP3000XL ¹⁴
			V1117576	Air	LAF1849 ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 29-1 1/8" Thread 182-Contains 2 oz. of chemical 183-Dust and odor filter 209-Square sensor port 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 313-2 1/4" Thread 555-Extended Life w/ controlled release chemical 559-I-SHIFT 599-High capacity 628-Tall version of LFF8020 643-1 1/2" Thread 723-13.9" Hgt. 783-Pressure side 805-25 micron 872-standard replacement 924-with AD-SP system 925-Long version, short version [LFF1001]. 1513-Except 2017 emissions 1528-Standard Life filter 1531-1 1/2"-12 Thd. 1532-2 1/4"-12 Thd. 1557-Filter includes bowl 1559-Maintenance 1 ounce chemical

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO (TRUCK HEAVY DUTY)			VOLVO (TRUCK HEAVY DUTY)			WALTER (TRUCK HEAVY DUTY)		
<i>WG64 (w/Cummins L10 Engine) (cont'd)</i>			<i>WX64 (w/Cummins ISM Engine) (cont'd)</i>			<i>ZOQ (w/Cummins V555 Engine) (cont'd)</i>		
LF670 (17237); Optional Eaton 3.7" O.D.	Oil Trans	LFP670 ⁶⁴³ HP1	LFF14000NN 29540494 29548987	Oil Trans	LFP9001XL ^{14, 250} LH4582G ²⁴ LH4591G ²²		Oil	LFP670XL ¹⁴ LP566
<i>WG64 (w/Cummins M11 Engine)</i>			<i>WX64 (w/Cummins L10 Engine)</i>			WESTERN STAR (TRUCK HEAVY DUTY)		
WF2071 3318201 (FS1000); W/S (FS1212); W/S W/S	Coolant Fuel	LFW4071 ¹⁵⁵⁹ LFW4072 ¹⁸² LFF1000 ⁹²⁵ LFF8020 LFF90011 ¹⁵⁵⁷	22005002 154789 LF3000 LF670 (3304232); By-Pass	Air Fuel Oil	LAF928 LFF5 LFP3000 ¹⁹ LFP670 LFP777B	<i>4700 (w/Cummins ISC Engine)</i>		
LF3000 LF9009 (17237); Optional Eaton 3.7" O.D.	Oil Trans	LFP3000 LFP3000XL ¹⁴ HP1	HF6243 (29510918); Allison	Trans	LFW4223 LH5018	P616400 P619498 (FF5488); Sec. (5008414); Brake Dryer	Air Fuel Miscellane	LAF3234 ¹ LAF9498 ²⁷⁵ LFF5488 LFP8654 ³¹²
<i>WG64 (w/Cummins N14 Engine)</i>			<i>WX64, WXR64 (w/Volvo VED7 Engine)</i>			LF9009 (3280V8394); Rear Axle		
V1117576 P527683	Air	LAF1849 ² LAF1956 ¹	P184108 20458769 466987 466634 466634	Air Coolant Fuel Oil	LAF4365 LFW5875 ⁸⁴⁶ FP585F LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	Rear Axle 84148A	Power Steering	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ LP5005 ⁴⁵⁸
WF2071 (154789); Pri. (FS1212); W/S	Coolant Fuel	LFW4071 ¹⁵⁵⁹ LFF5D ⁹²⁵ LFF8020	(477556); By-Pass		LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642		Trans	HP1
LF3000 LF9009 LF670	Oil	LFP3000 ³¹³ LFP3000XL ¹⁴ LFP670 ⁶⁴³	29540494 29548987	Trans	LH4582G ²⁴ LH4591G ²²	(17237); Optional Eaton 3.7" O.D. 29540494 29540493 29545776 (4304827); Eaton/Fuller 3" O.D.		LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835
(17237); Optional Eaton 3.7" O.D.	Trans	HP1	<i>WXL64 (w/Cummins M11 Engine)</i>			<i>4700 (w/Cummins ISL Diesel Engine)</i>		
<i>WG64 (w/Volvo VED12 Engine)</i>			<i>XPEDITOR (w/Cummins ISM Engine)</i>			P616400 P619498 (FF5488); Sec. (5008414); Brake Dryer		
	Air	LAF4365	V1117576 V1117576	Fuel	LFF1000 LFF8020	LF9009 Rear Axle Rear Axle	Air Fuel Miscellane	LAF3234 ¹ LAF9498 ²⁷⁵ LFF5488 LFP8654 ³¹²
20458769 21707132	Coolant Oil	LFW5141 ²⁸ LFW5141XL ^{14, 249} LFW5875 ⁸⁴⁶ LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	AF25345	Fuel	LFP3000 LFP3000XL ¹⁴		Oil	LFP3000XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ LP5005 ⁴⁵⁸
(477556); By-Pass 17237	Trans	HP1	<i>WALTER (TRUCK HEAVY DUTY)</i>			LF9009 Rear Axle Rear Axle		
<i>WG64 (w/Volvo VED7 Engine)</i>			<i>FYM-CL (w/Waukesha 135GZB Engine)</i>			<i>4700 (w/Detroit Diesel DD13 Engine)</i>		
P184108 (3825133); Sec. (2010SM); W/S	Air Fuel	LAF4365 FP586F L2021F ¹²	LFF14000NN 29540494 29540493 29548987	Oil Trans	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250} LH4582G ²⁴ LH4589G ²³ LH4591G ²²	(17237); Optional Eaton 3.7" O.D. 29540496 29540493 29545776 Eaton/Fuller 3" O.D.	Trans	HP1
466634 466634	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	<i>NDV, QDU (w/GMC 8V-71 Engine)</i>			P616400 P619498 A4720900651 (5008414); Brake Dryer		
(477556); By-Pass	Trans	HP1	<i>WALTER (TRUCK HEAVY DUTY)</i>			Rear Axle Rear Axle		
<i>WX42 (w/Cummins L10 Engine)</i>			<i>ZOQ (w/Cummins V555 Engine)</i>			LP5090 ⁷¹⁹ LP5090A ⁷²⁰ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ LP5005 ⁴⁵⁸		
22005002 154789 LF3000 LF670 (3304232); By-Pass	Air Fuel Oil	LAF928 LFF5 LFP3000 ¹⁹ LFP670 LFP777B	(5574961); Pri. (5574508); Sec. (5574980); Pri. (5575032); Pri. (6436719); Sec.	Fuel	L274F1 L540F L541F L552F L624F LFP815FN LFP816FN		Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ LP5005 ⁴⁵⁸
HF6243 (29510918); Allison	Trans	LFH4223 LH5018	Pri. Sec.		LP132 LP151 P71		Power Steering	
<i>WX64 (w/Cummins ISM Engine)</i>			<i>ZOQ (w/Cummins V555 Engine)</i>			(17237); Optional Eaton 3.7" O.D. 29540496 29540493		
220055038 (FS1003); W/S	Air Fuel	LAF4365 LFF1003 ²⁰⁹ LFF1022	By-Pass		LFW4071 ²⁸ LFF5 LFP670		Trans	HP1
3800394 (20377023); Brake Dryer	Miscellane	LFP8654	<i>ZOQ (w/Cummins V555 Engine)</i>			LH4582G ²⁴ LH4589G ²³		
LF9080	Oil	LFP9001 ²⁵⁰	<i>ZOQ (w/Cummins V555 Engine)</i>					
	Oil	LFP9001 ²⁵⁰	<i>ZOQ (w/Cummins V555 Engine)</i>					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 19-Long 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 182-Contains 2 oz. of chemical 209-Square sensor port 249-No chemical 250-11.9" Hgt. 268-Extended/Severe service 275-Primary 312-AD-IS System 313-2 1/4" Thread 458-4.1" Hgt. 643-1 1/2" Thread 719-OEM Version 720-Value Version 846-Contains 3 oz. chemical 925-Long version, short version [LFF1001]. 1496-Alternate 1557-Filter includes bowl 1559-Maintenance 1 ounce chemical

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
WESTERN STAR (TRUCK HEAVY DUTY)			WESTERN STAR (TRUCK HEAVY DUTY)			WESTERN STAR (TRUCK HEAVY DUTY)		
<i>4700 (w/Detroit Diesel DD13 Engine) (cont'd)</i>			<i>4800TS (w/Detroit Diesel DD15 Engine) (cont'd)</i>			<i>4900 Series (w/Caterpillar C13 Engine) (cont'd)</i>		
29545776 Eaton/Fuller 3" O.D.	Trans	LH4591G ²² PH2835	(4304827); Eaton/Fuller 3" O.D.	Trans	PH2835	1R-1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
<i>4800 (w/Detroit Diesel 60 Series engine)</i>			<i>4864 (w/Caterpillar 3306 Engine)</i>			<i>4900 Series (w/Caterpillar C15 Engine)</i>		
P534816	Air	LAF4816 ² LAF4816MXM ² LAF8494 LAF8494MXM ²⁶⁸	(1R0740); Pri. (1R0740); Sec. 1R0739 1R0716	Fuel	L3531F LFP440F	84148A	Power Steering	LP5005 ⁴⁵⁸
P181016				Oil	LFP3191 ²⁹ LFP4005 ⁶⁴³ LP161 ⁴¹	29540496 29545776	Trans	LH4582G ²⁴ LH4591G ²²
	Coolant	LFW4685 ²⁴⁹				<i>4900 Series (w/Caterpillar C15 Engine)</i>		
Davco opt. Davco (23533726); 2004-on; Sec. 2004-on; Sec. (23512317); W/S Pri. (23518482); Sec. 23530573	Fuel	L5467F ⁸⁰⁵ L5467FNXL ¹⁴ LFF6816 LFF6816XL ¹⁴ LFF8010 LFP815FN ⁷³⁸ LFP816FN ⁷³⁰	<i>4864 (w/Cummins N14 Engine)</i>			P534816 P534816 P181016	Air	LAF4816 ² LAF4816MXM ² LAF8494 LAF8494MXM ²⁶⁸
			FF105 (154789); Pri. (FS1212); W/S LF3000 LF670	Fuel	LFF5 LFF5D LFF8020	RD384160 RD384160	Cabin Air	CAF24017 CAF24017XL ¹⁸³
	Oil	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴	<i>4864FX (w/Caterpillar 3406E Engine)</i>			NF-2088 (FS19624); Davco opt. Davco 1R-0749 (R90T); Optional Frame Mounted (R90T); W/S 1R-1808	Fuel	L5467F ⁸⁰⁵ L5467FNXL ¹⁴ LFF2749 ²⁰ LFF3292 ⁶³ LFF8957 ¹³⁹
29540496 29545776 Eaton/Fuller 3" O.D.	Trans	LH4582G ²⁴ LH4591G ²² PH2835	P181016 1R0749 1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	1R-1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
<i>4800TS (w/Detroit Diesel DD13 Engine)</i>			(3280V8394); Rear Axle Rear Axle 84148A	Power Steering	LP5005 ⁴⁵⁸	<i>4900 Series (w/Cummins ISX Engine)</i>		
P153551	Air	LAF3551	<i>4900 Series (w/Caterpillar C11 Engine)</i>			84148A	Power Steering	LP5005 ⁴⁵⁸
A4722020255	Coolant	LW4076XL ¹⁴	(1R0712); Sec. 1R0716	Fuel	LFF5823B LFP4005 LFP4005XL ¹⁴	<i>4900 Series (w/Cummins ISX Engine)</i>		
A0000904251	Fuel	L5091F ^{721, 722} L5104F ²³⁹	<i>4900 Series (w/Caterpillar C12 Engine)</i>			P534925 P534816 P534816	Air	LAF3302 ² LAF4816 ² LAF4816MXM ²
A4720900651	Miscellaneous	LFP8654 ³¹²	P153551	Air	LAF3551	RD384160 RD384160	Cabin Air	CAF24017 CAF24017XL ¹⁸³
4721800109 4721800109 (3280V8394); Rear Axle Rear Axle 84148A	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(1R0712); Sec. (RAI32FRT02); W/S 1R0716	Fuel	LFF5823B LFF8021	3680315 3680315 3680434	Coolant	LFW2125 ⁵⁵⁵ LFW2126 ²⁵⁵ LFW2127 ^{14, 249}
(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	<i>4900 Series (w/Caterpillar C13 Engine)</i>			FF2200 (FF2203); Pri. (5008414); Brake Dryer LF9080	Fuel	LFF2201 ⁷⁸³ LFF2203 LFP8654 ³¹²
<i>4800TS (w/Detroit Diesel DD15 Engine)</i>			<i>4900 Series (w/Caterpillar C13 Engine)</i>			LF14000NN (3280V8394); Rear Axle Rear Axle 84148A	Power Steering	LP5005 ⁴⁵⁸
P153551	Air	LAF3551	P534816	Air	LAF4816 ² LAF4816MXM ² LAF8494 LAF8494MXM ²⁶⁸	<i>4900 Series (w/Cummins ISX15 Engine)</i>		
A4722020255	Coolant	LW4076XL ¹⁴	P181016			P534925 P534816 P534816	Air	LAF3302 ² LAF4816 ² LAF4816MXM ²
A0000904251	Fuel	L5091F ^{721, 722} L5104F ²³⁹	RD384160 RD384160	Cabin Air	CAF24017 CAF24017XL ¹⁸³	RD384160	Cabin Air	CAF24017
A4720900651	Miscellaneous	LFP8654 ³¹²	NF-2088	Coolant	LFW6500 ⁵⁵⁵	84148A	Power Steering	LP5005 ⁴⁵⁸
4721800109 4721800109 (3280V8394); Rear Axle Rear Axle 84148A	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ LP5005 ⁴⁵⁸	Davco opt. Davco 1R-0749 (R90T); Optional Frame Mounted (R90T); W/S 1R0716	Fuel	L5467F ⁸⁰⁵ L5467FNXL ¹⁴ LFF2749 ²⁰ LFF3292 ⁶³ LFF8957 ¹³⁹ LFP4005	(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835
(17237); Optional Eaton 3.7" O.D.	Trans	HP1						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 24-4" Sump 29-1 1/8" Thread 41-Cartridge 63-9/16" Thread Sensor Port 139-Bowl 183-Dust and odor filter 239-2013- 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 275-Primary 312-AD-IS System 313-2 1/4" Thread 458-4.1" Hgt. 555-Extended Life w/ controlled release chemical 599-High capacity 643-1 1/2" Thread 719-OEM Version 720-Value Version 721--2013 722-Kit, contains 3-elements 730--2004 738-To 2004 783-Pressure side 805-25 micron 1496-Alternate 1541-Standard replacemnt

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
WESTERN STAR (TRUCK HEAVY DUTY)			WESTERN STAR (TRUCK HEAVY DUTY)			WESTERN STAR (TRUCK HEAVY DUTY)		
<i>4900 Series (w/Cummins ISX15 Engine) (cont'd)</i>			<i>4900 Series (w/Detroit Diesel DD13 Engine) (cont'd)</i>			<i>4900 Series (w/Detroit Diesel DD16 Engine) (cont'd)</i>		
RD384160	Cabin Air	CAF24017XL ¹⁸³		Power Steering	LP5005 ⁴⁵⁸	(29545776); Allison	Trans	LH4591G ²²
3680434	Coolant	LFW2127 ^{14, 249}		Trans	HP1	3000/3500		PH2835
FS19764	Fuel	L9763FXL ^{14, 648}	(17237); Optional			Eaton/Fuller 3" O.D.		
3685306		LFF5686	Eaton 3.7" O.D.		LH4582G ²⁴			
(FF5776); Sec.		LFF6776	(29540496); Allison					
(5008414); Brake	Miscellaneous	LFP8654 ³¹²	3000/3500		LH4591G ²²			
Dryer			(29545776); Allison		PH2835			
LF9080	Oil	LFP9001 ²⁵⁰	3000/3500					
		LFP9001TRT ³	Eaton/Fuller 3" O.D.					
LF14000NN		LFP9001XL ^{14, 250}						
(3280V8394); Rear		PH253 ¹⁴⁹⁶	<i>4900 Series (w/Detroit Diesel DD15 Engine)</i>					
Axle			P534925	Air	LAF3302 ²			
Rear Axle		PH2835 ²⁷⁵	P534816		LAF4816 ²			
84148A	Power Steering	LP5005 ⁴⁵⁸	P534816		LAF4816MXM ²			
			RD384160	Cabin Air	CAF24017			
(17237); Optional			RD384160		CAF24017XL ¹⁸³			
Eaton 3.7" O.D.	Trans	HP1	A4722020255	Coolant	LW4076XL ¹⁴			
(4304827);		PH2835	A0000904251	Fuel	L5091F ^{721, 722}			
Eaton/Fuller 3" O.D.			A4720900651		L5104F ⁹²⁶			
			(5008414); Brake	Miscellaneous	LFP8654			
			Dryer					
<i>4900 Series (w/Detroit 60 Series Engine)</i>			4721800109	Oil	LP5090 ⁷¹⁹	<i>4964 Series (w/Caterpillar 3406E Engine)</i>		
P534925	Air	LAF3302 ²	4721800109		LP5090A ⁷²⁰	P155842	Air	LAF5842
P534816		LAF4816 ²	(3280V8394); Rear		PH253 ¹⁴⁹⁶	P181016		LAF8494
P534816		LAF4816MXM ²	Axle		PH2835 ²⁷⁵			LAF8494MXM ²⁶⁸
P181016		LAF8494	Rear Axle		LP5005 ⁴⁵⁸			
		LAF8494MXM ²⁶⁸	84148A	Power Steering				
RD384160	Cabin Air	CAF24017			HP1	(FS1000); W/S	Fuel	LFF1000 ¹³
RD384160		CAF24017XL ¹⁸³			LH4582G ²⁴	1R0749		LFF2749 ²⁰
WF2077	Coolant	LFW4685 ²⁴⁹			LH4591G ²²	1R0716	Oil	LFP4005
(FS19624); Davco opt.	Fuel	L5467F ⁸⁰⁵	(17237); Optional		PH2835			LFP4005TRT ³
Davco		L5467FNXL ¹⁴	Eaton 3.7" O.D.					LFP4005XL ¹⁴
(23533726); 2004-on;		LFF6816	(29540494); Allison					PH253 ¹⁴⁹⁶
Sec.		LFF6816XL ¹⁴	3000/3500					
2004-on; Sec.		LFF8010	(29545776); Allison					
(23512317); W/S		LFP815FN ⁷³⁸	3000/3500					
Pri.		LFP816FN ⁷³⁰	Eaton/Fuller 3" O.D.					
(23518482); Sec.								
4304827	Hydraulic	PH2835	<i>4900 Series (w/Detroit Diesel DD16 Engine)</i>					
23530573	Oil	LFP2160 ¹⁵⁴¹	P534925	Air	LAF3302 ⁹³²	(FS1000); W/S	Fuel	LFF1000
		LFP2160TRT ³	P534816		LAF4816 ⁹³¹	(154789); Pri.		LFF5D
		LFP2160XL ¹⁴			LAF4816MXM ⁹³²	(5008414); Brake	Miscellaneous	LFP8654 ³¹²
			RD384160	Cabin Air	CAF24017	Dryer		
					CAF24017XL ¹⁸³	LF3000	Oil	LFP3000 ³¹³
<i>4900 Series (w/Detroit Diesel DD13 Engine)</i>					LW4076XL ¹⁴	LF670		LFP670 ⁶⁴³
P534925	Air	LAF3302 ²			L5091F ^{721, 722}	By-Pass		LFP777B
P534816		LAF4816 ²	A0000904251	Fuel	L5104F ⁹²⁶	Rear Axle		PH253 ¹⁴⁹⁶
		LAF4816MXM ²	A4720900651		LFP8654 ³¹²	Rear Axle		PH2835 ²⁷⁵
RD384160	Cabin Air	CAF24017	(5008414); Brake	Miscellaneous				LP5005 ⁴⁵⁸
		CAF24017XL ¹⁸³	Dryer					
A4722020255	Coolant	LW4076XL ¹⁴			LP5090 ⁷¹⁹	(17237); Optional	Trans	HP1
A0000904251	Fuel	L5091F ^{721, 722}			LP5090A ⁷²⁰	Eaton 3.7" O.D.		
A4720900651		L5104F ⁹²⁶			PH253 ¹⁴⁹⁶	<i>4964 Series (w/Detroit Diesel DD15 Engine)</i>		
(5008414); Brake	Miscellaneous	LFP8654 ³¹²	Rear Axle		PH2835 ²⁷⁵	P534925	Air	LAF3302 ²
Dryer			Rear Axle		LP5005 ⁴⁵⁸	P534816		LAF4816 ²
					HP1	P534816		LAF4816MXM ²
			(17237); Optional		LH4582G ²⁴	RD384160	Cabin Air	CAF24017
			Eaton 3.7" O.D.			A4722020255		LW4076XL ¹⁴
			(29540496); Allison			A0000904251	Fuel	L5091F ^{721, 722}
			3000/3500			A4720900651		L5104F ²³⁹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 13-Optional Frame Mounted 14-Extended Life 20-High efficiency 21-Frame mounted 22-2" or 7" Sump High Capacity 24-4" Sump 183-Dust and odor filter 239-2013- 249-No chemical 250-11.9" Hgt. 268-Extended/Severe service 275-Primary 312-AD-IS System 313-2 1/4" Thread 458-4.1" Hgt. 643-1 1/2" Thread 648-w/ Davco option 719-OEM Version 720-Value Version 721--2013 722-Kit, contains 3-elements 730--2004 738-To 2004 805-25 micron 926-2013 - 931-23 1/2 Inch Tall, Outer 932-25 1/2 Inch Tall, Outer 1496-Alternate 1541-Standard replacemnt

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
WESTERN STAR (TRUCK HEAVY DUTY)			WESTERN STAR (TRUCK HEAVY DUTY)			WESTERN STAR (TRUCK HEAVY DUTY)		
<i>4964 Series (w/Detroit Diesel DD15 Engine) (cont'd)</i>			<i>5964 (w/Cummins N14 Engine) (cont'd)</i>			<i>6900XD (w/Caterpillar C16 Engine) (cont'd)</i>		
(5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²	(17237); Optional Eaton 3.7" O.D.	Power Steering	LP5005 ⁴⁵⁸	1R-0749 (S3226P); W/S (R90P); W/S (5008414); Brake Dryer	Fuel	LFF2749 ²⁰ LFF5850 LFF8064
4721800109 4721800109 (3280V8394); Rear Axle	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰ PH253 ¹⁴⁹⁶	<i>5964 Series (w/Caterpillar 3406E Engine)</i>			LFP8654 ³¹²		
Rear Axle 84148A	Power Steering	PH2835 ²⁷⁵ LP5005 ⁴⁵⁸	P153551	Air	LAF3551 LAF3551MXM ²⁶⁸	LFP4005TRT ³ LFP4005XL ¹⁴		
(17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	1R0749 1R0716	Fuel Oil	LFF2749 ²⁰ LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	LFP5005 ⁴⁵⁸		
<i>4964 Series (w/Mercedes MBE4000 Engine)</i>			<i>5964 Series (w/Detroit Diesel 60 Series Engine)</i>			<i>6900XD (w/Detroit Diesel 60 Series Engine)</i>		
P526947	Air	LAF1849 ² LAF1849MXM ^{2, 268}	P153551	Air	LAF3551 LAF3551MXM ²⁶⁸	29540494 29540493 29545776 Eaton/Fuller 3" O.D.		
5410900051	Fuel	L8994F	WF2077	Coolant	LFW4685 ²⁴⁹	LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835		
0001802109 (3280V8394); Rear Axle	Oil	LP5048 PH253 ¹⁴⁹⁶	(FS19624); Davco opt. Davco (23533726); 2004-on; Sec. 2004-on; Sec. (23512317); W/S Pri. (23518482); Sec. 23530573	Fuel	L5467F ⁸⁰⁵ L5467FNXL ¹⁴ LFF6816 LFF6816XL ¹⁴ LFF8010 LFP815FN ⁷³⁸ LFP816FN ⁷³⁰	6900XD (w/Detroit Diesel 60 Series Engine)		
Rear Axle (17237); Optional Eaton 3.7" O.D. (4304827); Eaton/Fuller 3" O.D.	Trans	HP1 PH2835	84148A	Power Steering	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴	P181016		
<i>5700XE (w/Detroit DD13 Engine)</i>			4304827	Trans	PH2835	LAF8494 ² LAF8494MXM ^{2, 268}		
	Coolant	LW4076XL ¹⁴	84148A	Power Steering	LP5005 ⁴⁵⁸	LFF8494 ² LFF8494MXM ^{2, 268}		
A4720900651	Fuel	L5104F	4304827	Trans	PH2835	LFF6816XL ¹⁴ LFF90013 LFF9013		
	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰	<i>6900XD (w/Caterpillar C15 Engine)</i>			LFP8654		
<i>5700XE (w/Detroit DD15 or DD16 Engine)</i>			P181016	Air	LAF8494 ² LAF8494MXM ^{2, 268}	LFP2160 ¹⁵⁴¹ LFP2160TRT ³ LFP2160XL ¹⁴ PH253 ¹⁴⁹⁶		
	Coolant	LW4076XL ¹⁴	1R-0749 (S3226P); W/S (R90P); W/S (5008414); Brake Dryer	Fuel	LFF2749 ²⁰ LFF5850 LFF8064	(3280V8394); Rear Axle		
A4720900651	Fuel	L5104F	<i>6900XD (w/Caterpillar C16 Engine)</i>			Rear Axle 84148A		
	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰	P181016	Air	LAF8494 ² LAF8494MXM ^{2, 268}	LFP5005 ⁴⁵⁸		
<i>5842, 5864 Series (w/Caterpillar C12 Engine)</i>			1R-0749 (S3226P); W/S (R90P); W/S (5008414); Brake Dryer	Miscellaneous	LFP8654 ³¹²	(17237); Optional Eaton 3.7" O.D.		
P153551	Air	LAF3551 LAF3551MXM ²⁶⁸ LAF6128	<i>6900XD (w/Detroit Diesel DD16 Engine)</i>			29540494 29540493 29545776 Eaton/Fuller 3" O.D.		
1R-0749	Fuel	LFF2749 ²⁰	P181016	Air	LAF8494 ² LAF8494MXM ²⁶⁸	LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835		
1R0716	Oil	LFP4005 LFP4005XL ¹⁴	<i>6900XD (w/Detroit Diesel DD16 Engine)</i>			PH2835 ²⁷⁵		
87972A	Power Steering	LP5005 ⁴⁵⁸	(3280V8394); Rear Axle	Oil	LFP4005TRT ³ LFP4005XL ¹⁴ PH253 ¹⁴⁹⁶	LFP5005 ⁴⁵⁸		
<i>5964 (w/Cummins N14 Engine)</i>			84148A	Power Steering	LP5005 ⁴⁵⁸	LFP5005 ⁴⁵⁸		
(FS1000); W/S (154789); Pri. (5008414); Brake Dryer	Fuel	LFF1000 LFF5D	(17237); Optional Eaton 3.7" O.D.	Trans	HP1	LH4582G ²⁴ LH4589G ²³ LH4591G ²² PH2835		
LF3000 LF670	Oil	LFP3000 ³¹³ LFP670 ⁶⁴³ LFP777B PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	29540494 29540493 29545776 Eaton/Fuller 3" O.D.	Miscellaneous	LFP8654 ³¹²	LFP5090 ⁷¹⁹ LP5090A ⁷²⁰ PH253 ¹⁴⁹⁶		
By-Pass Rear Axle Rear Axle			<i>6900XD (w/Caterpillar C16 Engine)</i>			PH2835 ²⁷⁵		
			P181016	Air	LAF8494 ² LAF8494MXM ^{2, 268}	LFP5005 ⁴⁵⁸		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 249-No chemical 268-Extended/Severe service 275-Primary 312-AD-IS System 313-2 1/4" Thread 458-4.1" Hgt. 643-1 1/2" Thread 719-OEM Version 720-Value Version 722-Kit, contains 3-elements 730-2004 738-To 2004 805-25 micron 1496-Alternate 1541-Standard replacement

W

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
WESTERN STAR (TRUCK HEAVY DUTY)			WHITE (TRUCK HEAVY DUTY)			WHITE (TRUCK HEAVY DUTY)		
<i>Road Commander 2 (w/Detroit Diesel DD16 Engine) (cont'd)</i>			<i>Road Commander 2 (w/Caterpillar 3406 Engine) (cont'd)</i>			<i>WG (w/Volvo VED7 Engine)</i>		
6900XD (w/Detroit Diesel DD16 Engine) (cont'd)	Trans	PH2835	22005-5015	Air	LAF9396	22008-3202	Air	LAF4365
(4304827); Eaton/Fuller 3" O.D.			<i>Road Commander 2 (w/Detroit Diesel Engine)</i>			466987	Fuel	FP586F
<i>6942, 6964 (w/Caterpillar C15 Engine)</i>			02-7092086	Air	LAF2079	466634	Oil	LFP3191
P155842	Air	LAF5842	22005-0008		LAF8044	466634		LFP3191TRT ³
P181016		LAF8494	22005-0002		LAF928	(477556); By-Pass		
		LAF8494MXM ²⁶⁸	22005-5015		LAF9396	<i>WG42 (w/Cummins L10 Engine)</i>		
1R-0749	Fuel	LFF2749 ²⁰	<i>Road Xpeditor (w/Caterpillar 3208 Engine)</i>			V1117576	Air	LAF1849 ²
1R0716	Oil	LFP4005	02-7092086	Air	LAF2079	LAF1956 ¹		
1R1808		LFP4005RN ⁵⁹⁹	22005-0002		LAF928	W/S	Fuel	LFF1000
		LFP4005TRT ³	(1R0740); Sec.	Fuel	LFP440F			LFF5
		LFP4005XL ¹⁴		Oil	LFP5570 ²⁹	W/S		LFF8000 ⁶²⁸
					LFP791 ³⁰	W/S		LFF8020
WHITE (TRUCK HEAVY DUTY)			<i>Road Xpeditor (w/Cummins M11 Engine)</i>				Oil	LFP3000 ³¹³
<i>6-110A thru 6-185A Engine</i>			02-7092086	Air	LAF2079			LFP3000XL ^{14, 313}
216762	Oil	P4	22005-0008		LAF8044			LFP670 ⁶⁴³
<i>8-207, 8-235A, 8-250</i>			22005-0002		LAF928			LFP670XL ^{14, 643}
	Oil	P4		Coolant	LFW4071 ²⁸	<i>WG42 (w/Detroit Diesel 60 Series Engine)</i>		
<i>Models with Fram CA2PL1 PCV</i>			W/S	Fuel	LFF1000	V1117576	Air	LAF1849 ²
2214-A6	Breather	LAF1671	W/S		LFF8020			LAF1956 ¹
<i>Models with Fuller R96 tran.</i>				Oil	LFP3000	Pri.	Fuel	LFP815FN
870672	Breather	LAF200 ⁶⁴⁵			LFP3000XL ¹⁴	Sec.		LFP816FN
<i>Models with Perkins 6-354 Diesel Engine</i>			<i>Road Xpeditor 2 (w/Caterpillar 3306 Engine)</i>				Oil	LFP2160
(5573482); Pri.	Fuel	L274F	02-7092086	Air	LAF2079			LFP2160XL ¹⁴
(5574961); Pri.		L274F1	22005-0002		LAF928	By-Pass		LFP777B
(867014); Sec.		L296F ⁴¹	<i>Road Xpeditor 2 (w/Detroit Diesel Engine)</i>			By-Pass		LFP777XL ¹⁴
866155	Oil	P72	02-7092086	Air	LAF2079			LFP911
<i>Road Boss (w/Caterpillar 3208 Engine)</i>			22005-0008		LAF8044			LFP911XL ¹⁴
22005-0002	Air	LAF928	22005-0002		LAF928	<i>WG64 (w/Caterpillar 3306 Engine)</i>		
<i>Road Boss (w/Cummins Engine)</i>			<i>Some models</i>			(1R1740); Sec.	Fuel	LFP440F
22005-0013	Air	LAF1813 ²	3101874	Power Steering	LP487	1R0739	Oil	LFP3191 ²⁹
02-7092086		LAF2079	3105264A		LP5005 ⁴⁵⁸	1R0716		LFP4005 ⁶⁴³
22005-0002		LAF928	<i>WCA42T (w/Cummins N14 Engine)</i>			<i>WG64 (w/Cummins N14 Engine)</i>		
<i>Road Boss (w/Detroit Diesel Engine)</i>			Pri.	Fuel	LFF5	P527682	Air	LAF1849 ²
02-7092086	Air	LAF2079	LF3000		LFF5D	466634-3		LAF1956 ¹
22005-0009		LAF4331	LF670	Oil	LFP3000 ³¹³	WF2071	Coolant	LFW4071 ²⁸
22005-0002		LAF928	LF670		LFP670 ⁶⁴³	(154789); Sec.	Fuel	LFF5
<i>Road Boss 2 (w/Caterpillar 3306 Engine)</i>			(3304232); By-Pass		LFP670XL ^{14, 643}	466634-3	Oil	LFP3000
22005-0002	Air	LAF928	(3304232); By-Pass		LFP777B	LF3000		LFP670
<i>Road Boss 2 (w/Caterpillar 3406 Engine)</i>					LFP777XL ¹⁴	LF670		LFP670XL ¹⁴
02-7092086	Air	LAF2079				(3313283); By-Pass		LFP777B
22005-0002		LAF928	<i>WCA64T (w/Cummins M11 Engine)</i>			<i>WG64 (w/Detroit Diesel 60 Series Engine)</i>		
<i>Road Commander (w/Caterpillar 3208 Engine)</i>			WF2071	Coolant	LFW4071 ²⁸	V1117576	Air	LAF1849 ²
22005-0002	Air	LAF2079	(FS1000); W/S	Fuel	LFF1000			LAF1956 ¹
		LAF928	(FS1212); W/S		LFF8020	Pri.	Fuel	LFP815FN
		LAF9396	LF3000	Oil	LFP3000 ³¹³	Sec.		LFP816FN
<i>Road Commander (w/Cummins Engine)</i>			<i>WCM64T (w/Cummins N14)</i>				Oil	LFP2160
02-7092086	Air	LAF2079	Pri.	Fuel	LFF5			LFP2160XL ¹⁴
22005-0002		LAF928	LF3000		LFF5D	By-Pass		LFP777B
22005-5015		LAF9396	LF670	Oil	LFP3000 ³¹³	By-Pass		LFP777XL ¹⁴
<i>Road Commander 2 (w/Caterpillar 3306 Engine)</i>			(3304232); By-Pass		LFP670 ⁶⁴³			LFP911
02-7092086	Air	LAF2079			LFP670XL ^{14, 643}	<i>WG64 (w/Volvo VED7 Engine)</i>		
22005-0002		LAF928			LFP777B	466634-3	Air	LAF1849 ²
		LAF9396			LFP777XL ¹⁴	466634-3		LAF1956 ¹
<i>Road Commander 2 (w/Caterpillar 3406 Engine)</i>			(3304232); By-Pass			(243004); Sec.	Fuel	FP585F
02-7092086	Air	LAF2079	(3304232); By-Pass					
22005-0002		LAF928						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 29-1 1/8" Thread 30-1" x 12 Thread 41-Cartridge 268-Extended/Severe service 313-2 1/4" Thread 458-4.1" Hgt. 599-High capacity 628-Tall version of LFF8020 643-1 1/2" Thread 645-Air Shift

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
WHITE (TRUCK HEAVY DUTY)			WHITEGMC (TRUCK HEAVY DUTY)			WHITEGMC (TRUCK HEAVY DUTY)		
<i>WG64 (w/Volvo VED7 Engine) (cont'd)</i>			<i>WCA64T (w/Detroit Diesel 60 Series Engine) (cont'd)</i>			<i>WIA64T w/Cummins M11 Engine</i>		
466634-3 (477556); By-Pass	Oil	LFP3191 LFP8642	Sec.	Fuel	LFP816FN	V1117576	Air	LAF1849 ² LAF1936 ¹
<i>WG64T (w/Cummins M11 Engine)</i>			<i>WG (w/Volvo VE12-360E Engine)</i>			<i>WX64 (w/Cummins L10 Engine)</i>		
V1117576	Air	LAF1849 ² LAF1936 ¹	V1117576	Air	LAF1849 ² LAF1849MXM LAF1956 ¹	W/S	Fuel	LFF8020
W/S	Fuel	LFF8020	Sec.	Fuel	FP585F	LF3000	Oil	LFP3000
	Oil	LFP3000 LFP3000XL ¹⁴	By-Pass	Oil	LFP3191 LFP3191XL ¹⁴ LFP8642	LF9009		LFP3000XL ¹⁴
<i>WGT (w/Volvo VE12-360E Engine)</i>			<i>WG (w/Volvo VED7 Engine)</i>			<i>WIA64T (w/Cummins L10 Engine)</i>		
V1117576	Air	LAF1849 ² LAF1849MXM ^{2, 268}		Air	LAF4365	FF105	Fuel	LFF5 LFF8020
V466987	Fuel	FP586F	Sec.	Fuel	FP585F	W/S		LFP3000 ³¹³ LFP3000XL ^{14, 313} LFP670 ⁶⁴³ LFP670XL ^{14, 643} LFP777B LFP777XL ¹⁴
V466634	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642 ¹²		Oil	LFP3191	LF3000		
V466634				Oil	LFP3191	LF9009		
(V471392); By-Pass			<i>WG42T (w/Cummins M11 Engine)</i>			LF670		
<i>WIA (w/Volvo VED12 Engine)</i>			<i>WG42T (w/Cummins M11 Engine)</i>			By-Pass		
22008-3202	Air	LAF4365	V1117576	Air	LAF1849 ² LAF1936 ¹	By-Pass		
466634	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	W/S	Fuel	LFF8020	By-Pass		
466634			LF3000	Oil	LFP3000	By-Pass		
(477556); By-Pass			LF9009		LFP3000XL ¹⁴	WILLIS (AUXILIARY POWER UNIT)		
<i>WIATES (w/Caterpillar 3406B Engine)</i>			<i>WG64T (w/Caterpillar 3176 Engine)</i>			<i>Willis (w/Kubota D722 18.8 h.p. Engine)</i>		
22005-3201	Air	LAF1095	(1R0712); Sec.	Fuel	LFF5823B LFP440F	2SE1	Air	LAF8388 ²
Pri.	Fuel	L3531F	(1R0740); Sec.			(33168); Sec.	Fuel	L8683F
Sec.		LFF5823B	1R0716	Oil	LFP4005 ⁶²⁶ LFP4005XL ¹⁴ LFP777B ¹⁵	70000-15241	Oil	PH2903
1R0716	Oil	LFP4005	1R0716	By-Pass	LFP777B ¹⁵	WINNEBAGO (MOTOR HOME)		
WHITEGMC (TRUCK HEAVY DUTY)			<i>WIA (w/Detroit 60 Series Engine)</i>			<i>Adventurer (w/Ford V10-6.8L Gas Engine)</i>		
<i>WAH42 (w/Detroit Diesel 60 Series Engine)</i>			<i>WIA (w/Volvo VED12 Engine)</i>			<i>Adventurer (w/General Motors 7.4L Gas Engine)</i>		
Pri.	Fuel	LFP815FN		Oil	LFP3191 LFP3191XL ¹⁴	F6ZZ-9601-A	Air	AF1615
Sec.		LFP816FN	Pri.	Fuel	LFP815FN		Fuel	G6367
	Oil	LFP2160	Sec.		LFP816FN		Oil	PH48 ²⁷⁵ PH820 ¹⁴⁹⁶
<i>WAI64T (w/Caterpillar 3176 Engine)</i>			<i>WIA64T (w/Caterpillar 3406 Engine)</i>			2 Wheel drive	Trans	T643 ¹⁹⁹
(1R0712); Sec.	Fuel	LFF5823B LFP440F	22005-5039	Air	LAF1095	<i>Adventurer (w/General Motors 7.4L Gas Engine)</i>		
(1R0740); Sec.			(9M2342); Pri.	Fuel	L3531F		Fuel	G580 ⁹²⁷
1R0716	Oil	LFP4005 ⁶²⁶ LFP4005XL ¹⁴ LFP777B ¹⁵	(1R0712); Sec.		LFF5823B		Oil	PH454
1R0716			1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005XL ¹⁴	<i>Brave (w/General Motors 7.4L Gas Engine)</i>		
(1W8845); By-Pass			1R1808			25121801	Fuel	G580 ⁹²⁷
<i>WCA42T (w/Detroit Diesel 60 Series Engine)</i>			1R0716			25324052	Oil	PH454
Pri.	Fuel	LFP815FN	<i>WIA64T (w/Cummins N14 Engine)</i>			<i>Chieftain (w/Cummins ISB Diesel Engine)</i>		
Sec.		LFP816FN	22005-5039	Air	LAF1095	W/S	Fuel	L9800F ⁴¹
	Oil	LFP2160	FF105	Fuel	LFF5 LFF8020		Oil	LFP3970
<i>WCA64T (w/Caterpillar 3176 Engine)</i>			W/S			<i>Chieftain (w/Ford V10-6.8L Gas Engine)</i>		
(1R0712); Sec.	Fuel	LFF5823B LFP440F	LF3000	Oil	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFW4071 ²⁸	<i>Journey (w/Cummins ISB Diesel Engine)</i>		
(1R0740); Sec.			LF9009			W/S	Fuel	L9800F ⁴¹
1R0716	Oil	LFP4005 ⁶²⁶ LFP4005XL ¹⁴ LFP777B ¹⁵	LF670				Oil	LFP3970
1R0716			<i>WIA64T (w/Detroit Diesel 60 Series Engine)</i>			<i>Lesharo (w/Renault 4 2.0L Diesel Engine)</i>		
(1W8845); By-Pass			Pri.	Fuel	LFP815FN LFP816FN	7700700092	Fuel	FP587F
<i>WCA64T (w/Cummins L10 Engine)</i>			Sec.		LFP2160 LFP2160TRT ³ LFP2160XL ¹⁴	7701349452	Oil	PH2801
(154789); Pri.	Fuel	LFF5D ⁷⁶³ LFP3000 ³¹³ LFP670 ⁶⁴³ LFP777B		Oil		<i>Minnie (w/Ford 7.3L Turbo Diesel Engine)</i>		
LF3000	Oil		<i>WIA64T (w/Detroit Diesel 60 Series Engine)</i>			F5UZ-9601-A	Air	AF1618
LF670			Pri.	Fuel	LFP815FN LFP816FN	(F81Z-9N184-AA); W/S	Fuel	L4596F
(3304232); By-Pass			Sec.		LFP2160 LFP2160TRT ³ LFP2160XL ¹⁴	F4TZ-6731-A	Oil	LFP2286
<i>WCA64T (w/Detroit Diesel 60 Series Engine)</i>				Oil		2 Wheel drive	Trans	T643 ¹⁹⁹
Pri.	Fuel	LFP815FN	<i>WIA64T (w/Detroit Diesel 60 Series Engine)</i>			<i>Minnie (w/Ford V10 6.8L Gas Engine)</i>		
			Pri.	Fuel	LFP815FN LFP816FN	F6ZZ-9601-A	Air	AF1615
			Sec.		LFP2160 LFP2160TRT ³ LFP2160XL ¹⁴		Fuel	G6367

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 15-Standard 28-Contains 1 oz. of chemical 41-Cartridge

199-4R100 Shallow Pan 268-Extended/Severe service 275-Primary 313-2 1/4" Thread 599-High capacity 626-Standard efficiency 643-1 1/2" Thread 763-w/

Drain 927-In-line 1496-Alternate

W

On-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
WINNEBAGO (MOTOR HOME)			WORKHORSE (MEDIUM DUTY TRUCK)					
<i>Minnie (w/Ford V10 6.8L Gas Engine) (cont'd)</i>			<i>W42 (w/GM V8-4.8L Engine)</i>					
	Oil	PH48 ²⁷⁵ PH820 ¹⁴⁹⁶	W0010883	Kit	WHG481FK			
				Oil	PH44			
2 Wheel drive	Trans	T643 ¹⁹⁹	Allison 1000/2000	Trans	LFH8737 ⁵⁸⁷ T951 ⁶			
<i>Minnie (w/General Motors 7.4L Gas Engine)</i>			<i>W42 (w/International 4.5L Diesel Engine)</i>					
25042562	Air	AF917	FD4604F	Fuel	L4604F ¹⁹⁵			
25121801	Fuel	G580 ⁹²⁷	6E7Z-6731-D	Oil	LP2029			
25324052	Oil	PH454	Allison 1000/2000	Trans	LFH8737 ⁵⁸⁷ T951 ⁶			
4L60-E	Trans	T619 ⁶	(29537965); Allison					
4L80-E; 4 Speed		T709	1000/2000					
4L60-E		T715A ⁵						
<i>Minnie Winnie (w/Ford 7.3L Turbo Diesel Engine)</i>			<i>W42 (w/V8 6.0L Gas Engine)</i>					
F5UZ-9601-A	Air	AF1618	W0010883	Kit	WHG481FK			
(F81Z-9N184-AA); W/S	Fuel	L4596F	PF46	Oil	PH44			
F4TZ-6731-A	Oil	LFP2286	Allison 1000/2000	Trans	LFH8737 ⁵⁸⁷ T951 ⁶			
2 Wheel drive	Trans	T643 ¹⁹⁹	(29537965); Allison					
			1000/2000					
<i>Minnie Winnie (w/Ford V10 6.8L Gas Engine)</i>			<i>W62 (w/8.1L Gas Engine)</i>					
F6ZZ-9601-A	Air	AF1615	A1236C	Air	AF1236			
	Fuel	G6367	W0010883	Kit	WHG481FK			
	Oil	PH48 ²⁷⁵ PH820 ¹⁴⁹⁶	PF454	Oil	PH454			
			Allison 1000/2000	Trans	LFH8737 T951 ⁶			
2 Wheel drive	Trans	T643 ¹⁹⁹	Allison 1000/2000					
WORKHORSE (MEDIUM DUTY TRUCK)			<i>W62 Chassis (w/IHC-Navistar MaxxForce 5 Engine)</i>					
<i>L18 Chassis (w/V8 8.1L F/inj. (G) Engine)</i>			1847170C93					
W8800481	Air	AF1236	6E7Z-6731-D	Oil	LP2029			
	Fuel	G481	Allison 1000/2000	Trans	LFH8737 T951 ⁶			
25324052	Oil	PH454	Allison 1000/2000					
<i>L19 Chassis (w/V8 7.4L F/inj. (N) Engine)</i>			ZF (TRANSMISSION)					
W8800481	Air	AF1236	<i>IRM301 (-1, A-1, PL-1)</i>					
6484235		AF697	9999-000-172	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵			
W8800482	Fuel	G481	<i>IRM320 (A, PL), IRM-350 (A, PL)</i>					
W8800474	Oil	PH1218	9999-000-173	Oil	LFP2238			
<i>L29 Chassis (w/V8-7.4L F/inj. (J) Engine)</i>			<i>IRM400</i>					
W8800481	Air	AF1236	9999-000-171	Oil	LFP880			
6484235		AF697						
W8800482	Fuel	G481						
W8800474	Oil	PH1218						
<i>L31 Chassis (w/V8-5.7L F/inj. (R) Engine)</i>								
W8800481	Air	AF1236						
W8800482	Fuel	G481						
W8800466	Oil	PH51A						
<i>L35 Chassis (w/V6-4.3L F/inj. (W) Engine)</i>								
W8800481	Air	AF1236						
W8800482	Fuel	G481						
W8800466	Oil	PH51A						
<i>L57 Chassis (w/V8-6.5L Diesel (Y) Engine)</i>								
W8800481	Air	AF1236						
W8800476		AF697						
12554082	Fuel	L8684F						
W8800474	Oil	PH1218						
<i>L65 Chassis (w/V8 6.5L Diesel (F) Engine)</i>								
W8800481	Air	AF1236						
W8800476		AF697						
12554082	Fuel	L8684F						
W8800474	Oil	PH1218						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

5-Deep Pan 6-Shallow Pan 195-Kit, Primary/Secondary 199-4R100 Shallow Pan 275-Primary 587-Spin-on 927-In-line 1496-Alternate

Radial Seal Air Filter Design

For many years, air filters shared a common design philosophy. Whether for automotive or heavy duty applications, cartridge air filter elements sealed by compressing sealing gaskets on one or both ends of the filter element. This filter element design relied on “axial” loading to establish proper seal compression and maintain alignment within the housing. Squeezing a marshmallow between the palms of your hands would duplicate the type of force applied to an axial sealing air filter within its housing. Radial sealing air filters are typically designed with one (1) open end cap and one (1) closed end cap. The seal in the air filter housing (mounting tube) is created on the inside diameter (ID) of the open end cap for the primary element or the outside diameter (OD) of the secondary (inner) air filter element. A primary element seals against the outside of the mounting tube while a secondary element (if present) seals against the inside of the mounting tube. This “radial” sealing mechanism duplicates the type of forces created when a plastic lid is stretched onto a coffee can (outer element) or a stopper is placed in a bottle (secondary element). By the nature of their design, radial sealing elements are self centering and self aligning. Radial sealing air filter systems offer several advantages, but because of their unique design, they also have some special service tips and procedures, which should be followed.

Standard replacement “axial” sealing air filter elements and “radial” sealing air filter elements are designed to fit and function very differently. “Radial” sealing elements **cannot** be used in conjunction with conventional “axial” sealing elements.

1. Radial sealing elements **cannot** be fitted into a housing unless it is equipped with the proper mounting tube.
2. Care should be taken when mixing different brands of radial sealing elements as there may be design differences between manufacturers, which may not make all elements interchangeable.
3. The cover of the air cleaner housing must be reinstalled after the filter element is serviced. The cover plays no part in sealing the element to the housing, but does prevent the element from moving from its mounting tube.
4. Do not use the cover to force the air filter element onto the mounting tube. The elements should be fully inserted onto the tube before the housing cover replaced.
5. Follow manufacturers special instructions if there are any for the application of a lubricant for the element seal.

REMOVAL AND INSTALLATION INSTRUCTIONS FOR RADIAL SEAL AIR FILTERS

Removal:

1. Remove housing lid.
2. Grasp used filter with two hands.
3. Unseat and pull filter from housing with a twisting motion.

Installation:

1. Install inner filter first (if equipped) then outer. Apply firm pressure using a rocking motion on the outer rim of each filter until it seats in the housing.
2. Install the housing cover and tighten cover bolts.

Diseño de Filtros de Aire con Sello Radial

Durante muchos años, los filtros de aire compartieron una filosofía de diseño común. Ya sea para aplicaciones automotrices o de uso industrial. Los electos del cartucho de filtro de aire sellado mediante juntas de sellado de compresión en uno o dos de los extremos del elemento de filtrado. Este diseño de elemento de filtrado se basó en cargas “axiales” para establecer una compresión de sello apropiada y mantener alineamiento dentro de la carcasa. El apretar un malvavisco entre las palmas de sus manos duplicaría el tipo de fuerza aplicada a un filtro de aire con sello axial dentro de su carcasa. Los filtros de aire con sello radial están típicamente diseñados con una (1) tapa de extremo cerrada. El sello en la carcasa del filtro de aire (tubo para montaje) es creado en el diámetro interno (DI) de la tapa de extremo abierta para el elemento primario o el diámetro externo (DE) del elemento (interno) secundario del filtro de aire. Un elemento primario sella en contra del exterior del tubo para montaje mientras un elemento secundario (de estar presente) sella contra el interior del tubo para montaje. Este mecanismo de sellado “radial” duplica el tipo de fuerzas creadas cuando una tapa de plástico se extiende en una lata de café (elemento externo) o un tapón se coloca en una botella (elemento secundario). Por la naturaleza de su diseño, los elementos del sello radial se centran y alinean por sí mismos. Los sistemas de filtros de aire con sello radial ofrecen muchas ventajas, pero debido a su diseño único, también tienen algunos pronósticos y procedimientos que deben ser seguidos.

Los elementos estándar de reemplazo de filtros de aire con sello “axial” y elementos de filtros de aire con sello “radial” están diseñados para adecuarse y funcionar de maneras distintas. Los elementos de sellos “radiales” **no pueden** ser utilizados en conjunto con elementos de sellos “axiales” convencionales.

1. Los elementos de sello radial **no pueden** ser adecuados a una carcasa a menos que se encuentre equipada con el tubo para montaje adecuado.
2. Debe tenerse cuidado cuando se mezclen distintas marcas de elementos de sellado radial externos e internos ya que puede haber diferencias de diseños ente fabricantes que pueden causar que no todos los elementos sean intercambiables.
3. La cubierta de la carcasa del filtro de aire debe ser reinstalada después de que darle servicio al elemento de filtrado. La cubierta no tiene ninguna función en el sellado del elemento en la carcasa, pero previene que el elemento se mueva de su tubo para montaje.
4. No utilice la cubierta para forzar el elemento del filtro de aire en un tubo para montaje. El elemento debe estar completamente insertado en el tubo antes de que se reemplace la cubierta.
5. Siga las instrucciones especiales del fabricante de haberlas para la aplicación de un lubricante para sello del elemento.

INSTRUCCIONES DE DESMONTAJE E INSTALACIÓN PARA FILTROS DE AIRE DE SELLO RADIAL

Desmontaje:

1. Desmonte la tapa de la caja.
2. Sujete el filtro usado con ambas manos.
3. Libere y retire el filtro de la caja mediante un movimiento de torsión.

Instalación:

1. Instale primero el filtro interno (si lo tuviera) y luego el externo. Aplique una presión firme utilizando un movimiento basculante en el borde externo de cada filtro hasta que pueda insertarse en el interior de la caja.
2. Instale la cubierta de la caja y apriete los pernos de la misma.

Filtre À Air À Joint Radial

Depuis de nombreuses années la conception des filtres à air fait intervenir des principes de conception communs. Qu'il s'agisse d'un filtre à air pour automobile ou équipement "service rigoureux", la cartouche de filtration est constituée d'un élément scellé entre deux joints comprimés aux extrémités. Dans ce cas l'étanchéité adéquate est obtenue grâce à un chargement axial qui comprime les joints et maintient l'alignement de l'élément de filtration dans le logement du filtre à air. Ce qui se passe est similaire à ce qu'on observe si on comprime une guimauve entre les paumes des mains. Un nouveau type de filtre à air a été élaboré durant les dernières années; il est maintenant utilisé sur de plus en plus d'automobiles et d'équipements pour service rigoureux. À la différence des modèles antérieurs, le nouveau système met en oeuvre un scellement radial des éléments de filtration sur un tube de montage fixé à demeure dans le logement du filtre à air. Un filtre à air à scellement radial comporte un embout ouvert et un embout fermé. Le scellement dans le logement du filtre à air (tube de montage) est réalisé sur le diamètre interne de l'embout ouvert de l'élément primaire, ou le diamètre externe de l'élément de filtration secondaire (interne). L'élément primaire est scellé contre la face externe du tube de montage, tandis que l'élément secondaire (s'il y en a un) assure l'étanchéité contre la face interne du tube de montage. Les forces mises en jeu dans ce mécanisme de scellement radial sont similaires à celles qui sont créées lorsqu'on étire un couvercle de plastique pour le placer sur une tasse à café (élément externe), ou lorsqu'on place un bouchon dans une bouteille (élément secondaire). De par sa nature, un élément à scellement radial est auto-centré et auto-aligné. Un filtre à air à scellement radial offre plusieurs avantages, mais du fait de sa conception particulière on doit respecter certaines procédures d'entretien spéciales.

Les éléments de filtration de remplacement à scellement axial (standard) et à scellement radial sont conçus différemment, et leur fonctionnement est très différent. On **ne doit jamais** utiliser indifféremment des éléments de filtration à scellement radial et éléments conventionnels à scellement axial.

1. Un élément de filtration à scellement radial **ne peut** être installé dans un logement de filtre qui n'est pas doté du tube de montage approprié.
2. On doit être prudent si on souhaite utiliser indifféremment divers types d'éléments de filtration à scellement radial, car il peut y avoir des différences de conception d'un fabricant à un autre - qui font que tous les éléments ne sont pas interchangeables.
3. On doit réinstaller le couvercle du logement de filtre après le remplacement de l'élément de filtration. Le couvercle ne joue aucun rôle dans l'étanchéité au contact de l'élément de filtration, mais il empêche l'élément de se déplacer et de se séparer du tube de montage.
4. Ne pas utiliser les crochets du couvercle du logement de filtre pour forcer l'élément de filtration à s'enfiler sur le tube de montage. Il faut que l'élément de filtration soit complètement inséré sur le tube avant la mise en place du couvercle du logement de filtre.
5. Appliquer les instructions spéciales du fabricant (s'il y en a) pour l'application d'un lubrifiant sur le joint. Généralement, si c'est nécessaire pour l'installation, on utilise un lubrifiant sec comme du talc ou un lubrifiant aux silicones.

INSTRUCTIONS POUR LA DÉPOSE ET L'INSTALLATION DES FILTRES À AIR À JOINT RADIAL

Dépose :

1. Déposer le couvercle du boîtier.
2. Saisir le filtre usagé des deux mains.
3. Débloquer et retirer le filtre du boîtier en le faisant tourner.

Installation :

1. Installer le filtre intérieur en premier (le cas échéant) puis le filtre extérieur. Appuyer fermement en exerçant un mouvement en va-et-vient sur le rebord extérieur de chaque filtre jusqu'à ce qu'il soit bien assis dans le boîtier.
2. Installer le couvercle du boîtier et serrer les boulons du couvercle.

Loss of Oil Pump Prime

Immediately after an oil change one of the most confusing issues to face the typical do-it-yourselfer or professional mechanic is failure to get oil pressure back into the operating range.

Although not a common occurrence, it is very possible that the oil pump may lose its prime during the oil change.

When the used motor oil is drained from the engine the oil may also drain from the oil pump pickup tube and possibly from the oil pump itself. When new motor oil is installed the pump's pickup tube inlet again becomes submerged trapping air in the tube on the suction side of the oil pump. The trapped air will cause cavitation of the pump and prevent it from producing oil flow and subsequent oil pressure.

Many installers tend to blame this on the oil filter and assume that the filter is blocking the flow of oil. Since the filter is now suspect the installer will install a second filter. Sometimes this solves the problem because the trapped air was released when the first filter was removed. Of course, the installer's suspicion that the oil filter was at fault has increased.

The point being made is the oil filter was not the problem and in most cases there is a simple solution.

If after the oil and filter change, the red light or low oil pressure remains for ten seconds, shut the engine off, remove the oil filter and, using an oil squirt can with 30 weight motor oil, squirt oil several times into the oil filter base outlet on the engine. (This will be the opening beside the threaded stud; it will not do any good to squirt oil into the threaded stud.) Next, fill the filter with new motor oil and reinstall. Start the engine and check for oil pressure. In most cases the problem will be solved. DO NOT allow the engine to run for more than ten seconds without oil pressure. Use a watch to time the ten seconds and be sure of the elapsed time. In some instances the full ten seconds is needed for the pump to recover oil flow. If this fails, again remove the filter and crank the engine until oil spills from the engine base.

DO NOT crank the oil level and restart the engine. Oil pressure should now be back to normal.

Note: Sometimes this problem can be avoided by limiting the time the oil is drained.

Perdida de empuje de la bomba de aceite

Uno de los hechos más confusos que debe enfrentar todo aficionado a la mecánica o mecánico profesional, es la dificultad para conseguir que la presión de aceite vuelva a sus valores normales de operación inmediatamente después de un cambio de aceite.

Aunque esto no es muy común, es posible que la bomba de aceite pierda su empuje durante el cambio de aceite.

Cuando se drena el aceite usado del motor, puede también drenarse aceite del tubo de recolección de la bomba de aceite, y posiblemente de la bomba de aceite misma. Cuando se instala el nuevo aceite de motor, la entrada del tubo de recolección de la bomba queda nuevamente sumergida, quedando así aire atrapado en el tubo en el lado de succión de la bomba de aceite. El aire atrapado causará cavitación en la bomba, e impedirá que la misma produzca la circulación, y la presión, de aceite.

Muchos instaladores tienden a culpar de esto al filtro de aceite, suponiendo que es el filtro el que bloquea la circulación de aceite. Dado que ahora el filtro está bajo sospecha, el instalador colocará un segundo filtro. En algunas ocasiones esto resuelve el problema, debido a que el aire atrapado fue liberado al quitar el primer filtro. Por supuesto, la sospecha del instalador de que el filtro de aceite tenía una falla parece confirmarse.

Es importante tener en cuenta que el filtro de aceite no era el problema, y que en la mayoría de los casos hay una solución simple.

Si luego del cambio de aceite y filtro la luz roja de baja presión de aceite permanece encendida por diez segundos, apague el motor, quite el filtro de aceite y, usando una jeringa de aceite cargada con aceite de motor grado 30, haga chorrear aceite varias veces dentro del orificio de salida de la base del filtro de aceite, situado en el motor. (Debe ser en la abertura que está junto al perno roscado; no es conveniente echar aceite en la rosca misma). Luego, llene el filtro con nuevo aceite de motor, y reinstálelo. Arranque el motor y verifique la presión de aceite. En la mayoría de los casos el problema habrá quedado resuelto. NO permita que el motor funcione por más de diez segundos sin presión de aceite. Use un cronómetro para controlar los diez segundos, asegurándose exactamente del tiempo transcurrido. En algunos casos se necesitan los diez segundos completos para que la bomba haga reanudar la circulación de aceite. Si esto fallara, quite nuevamente el filtro y arranque el motor hasta que el aceite se derrame de la base del motor. NO haga durar esta maniobra más de diez segundos por vez. Cuando el aceite se haya derramado, reinstale el filtro de aceite, corrija el nivel de aceite y vuelva a arrancar el motor. La presión de aceite debe haber vuelto ahora a su valor normal.

Nota: A veces puede evitarse este problema limitando el tiempo de drenaje del aceite.

Perte d'amorçage de pompe à huile

Immédiatement après un remplacement d'huile, un des problèmes les plus troublants à affronter pour le mécanicien bricoleur ou professionnel est l'impossibilité de ramener la pression d'huile dans sa plage normale de fonctionnement.

Bien que cela ne soit pas systématique, il est fort possible que la pompe à huile se désamorçe pendant la vidange de l'huile.

Quand l'huile moteur usagée est vidangée du moteur, il se peut qu'elle se vidange aussi du tube plongeur de la pompe à huile, et éventuellement de la pompe elle-même. Quand une nouvelle huile moteur est versée, le tube plongeur devient submergé et de l'air est emprisonné dans le tube du côté de l'aspiration de la pompe à huile. Cet air prisonnier va créer une cavitation dans la pompe et l'empêcher de débiter l'huile, d'où une montée en pression insuffisante.

Beaucoup d'installateurs ont tendance à blâmer pour cela le filtre à huile, en pensant que c'est lui qui bloque le débit d'huile. Comme le filtre est suspecté, l'installateur va le remplacer par un second filtre. Parfois cela solutionne le problème parce que cela peut relâcher de l'air prisonnier en démontant le premier filtre. Et bien sûr la suspicion de l'installateur que le problème venait du filtre s'en trouve renforcée.

Ce qu'il faut bien retenir est que le filtre à huile n'est généralement pas la cause du problème et qu'il y a une solution simple pour l'éliminer.

Si après un remplacement d'huile et de filtre, le voyant rouge de pression d'huile basse reste allumé dix secondes après le démarrage moteur, coupez-le, enlevez le filtre à huile, et en utilisant une burette avec de l'huile moteur indice 30, envoyez plusieurs fois de l'huile dans l'orifice de base de filtre à huile du moteur (visez l'ouverture à côté du goujon fileté, il ne sert à rien de mettre de l'huile dans le goujon). Ensuite, remplissez le filtre avec de l'huile moteur et remettez-le en place. Démarrez le moteur et surveillez la pression d'huile. Dans la plupart des cas, le problème aura été solutionné. NE LAISSEZ PAS le moteur tourner plus de dix secondes avec une pression d'huile insuffisante. Utilisez votre montre pour chronométrer avec certitude le temps écoulé après le démarrage. Dans certains cas, il faut ce délai au complet pour que la pompe reprenne son débit normal. Si cela a échoué, enlevez de nouveau le filtre et lancez le moteur jusqu'à ce que de l'huile coule de sa base. NE faites PAS tourner le moteur plus de dix secondes à la fois. Quand l'huile se déverse, remettez le filtre, refaites le niveau d'huile et redémarrez le moteur. La pression d'huile doit être redevenue normale.

Remarque : Parfois, le problème peut être évité en limitant le temps de vidange de l'huile.

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
AFRON (ORCHARD MACHINERY)			AG-CHEM (APPLICATOR & SPRAYER)			AG-CHEM (APPLICATOR & SPRAYER)		
<i>HAS950 w/Lombardini 3LDW1003 Engine</i>			<i>1254 Ro-Gator w/Cummins ISB5.9 Engine</i>			<i>1603 Terra-Gator w/Caterpillar 3208 Engine (cont'd)</i>		
28302175045	Fuel	LFF4806 ¹⁶⁹	P181043	Air	LAF1810 ²	702463	Air	LAF9373 ¹
1052175136	Oil	PH3942	P124860		LAF1854 ¹			
<i>SA650 w/Lombardini LDW702 Engine</i>			<i>1264C, 1274C w/Caterpillar C9 Engine</i>			<i>1603 Terra-Gator w/Cummins V-903 Engine</i>		
1052175136	Oil	PH3942	516180	Fuel	L3523F	702455	Air	LAF6769 ²
AG-CHEM (APPLICATOR & SPRAYER)			<i>(FS19519); W/S</i>			<i>LAF6769MXM^{2, 268}</i>		
<i>004 Terra-Gator w/Cummins 6CTA8.3 Engine</i>			<i>609934</i>			<i>702463</i>		
702455	Air	LAF6769 ²	715586	Hydraulic	LFH4990 ⁶⁰⁷			LAF9373 ¹
		LAF6769MXM ^{2, 268}	3937736	Oil	LFH5876 ¹⁰⁷⁶			
702463		LAF9373 ¹			LFP3970			
<i>1004 Ag-Gator w/Cummins V378 Engine</i>			<i>1286C w/Caterpillar C9 Tier 3 Engine</i>			<i>1603 Terra-Gator w/Cummins VT555 Engine</i>		
(703500); S/N	Air	LAF1870	P777858	Air	LAF8150 ²	703500	Air	LAF1870
1002267-		LAF8668	P777869		LAF8693 ¹	702463		LAF9373 ¹
701165	Hydraulic	LFP1652	BE10-18	Breather	LFH5809 ¹⁰⁷⁷	700266	Hydraulic	LFP1652
<i>1004 Ag-Gator w/Cummins V504 Engine</i>			<i>1R0751</i>			<i>1603 w/Caterpillar 3208 Engine</i>		
703500	Air	LAF1870	1R0751	Fuel	LFF4783	703500	Air	LAF1870
702455		LAF6769 ²	1R0751		LFF4783RD	(702455); S/N		LAF6769 ²
		LAF6769MXM ^{2, 268}	(1335673); Pri.		LFF8707	1256677-		LAF6769MXM ^{2, 268}
702463	Hydraulic	LFP1652	715586	Hydraulic	LFH5876	S/N 1256677-		LAF6769MXM ^{2, 268}
		LFP1652	1R0716	Oil	LFP4005	702463		LAF9373 ¹
<i>1064 w/Caterpillar 3126B Engine</i>			<i>1R1808</i>			<i>700266</i>		
P537876	Air	LAF8669 ²			LFP4005RN ⁵⁹⁹	700266	Hydraulic	LFP1652
P537877		LAF8670 ¹	<i>1286C w/Caterpillar C9 Tier 3 Engine</i>			<i>1604 Terra-Truck w/Caterpillar 3208 Engine</i>		
1R0751	Fuel	LFF4783	142-1340	Air	LAF4638 ²	705085	Air	LAF7640 ¹
(133-5673); Pri.		LFF8707	142-1403		LAF8693 ¹	705086		LAF9545 ²
715586	Hydraulic	LFH5876	<i>(AG524540); In-Line</i>			700266	Hydraulic	LFP1652
	Oil	LFP3191	<i>(1R-0751); Sec.</i>			<i>1663 Terra-Gator w/Caterpillar 3208 Engine</i>		
		LFP3191TRT ³	<i>(1R-0771); Pri.</i>			702455	Air	LAF6769 ²
1R1807		LFP3191XL ¹⁴	<i>512558D1</i>			702463		LAF6769MXM ^{2, 268}
<i>1074, 1074SS, 1084, 1084SS w/Caterpillar C7 Tier 3 Engine</i>			<i>AG133231</i>			<i>1664 Terra-Gator w/Caterpillar 3208 Engine</i>		
122230	Air	LAF8150 ²	AG121778	Hydraulic	LFH4990 ⁶¹⁰	703500	Air	LAF1870
122231	Fuel	LAF8693 ¹	AG715586		LFH5809 ¹⁰⁷⁹	702455		LAF6769 ²
(121852); Pri.		LFF4783	1R-0716	Oil	LFH5876 ⁶⁰⁷	(702463); S/N		LAF6769MXM ^{2, 268}
(1R0771); Pri.		LFF6771 ¹⁷¹	1R-1808		LFP4005	1256677-		LAF9373 ¹
715586	Hydraulic	LFH5876 ¹⁰⁷⁶	1R-1808		LFP4005TRT ³			
121853	Oil	LFP3236	<i>1386 w/Caterpillar C9 Engine</i>			<i>1664 Terra-Gator w/Cummins VT555 Engine</i>		
		LFP3236TRT ³	122230	Air	LAF8150 ²	702455	Air	LAF6769 ²
<i>1184/1184H w/Caterpillar C7 Tier 3 Engine</i>			122231		LAF8693 ¹	702463		LAF6769MXM ^{2, 268}
AG122230	Air	LAF8150 ²	715586	Hydraulic	LFH5876 ¹⁰⁷⁶		Hydraulic	LFP1652
AG122231		LAF8693 ¹	504594D1	Oil	LFP4005RN ⁵⁹⁹		Trans	LP151
	Breather	LFH5809 ¹⁰⁷⁷	<i>1386 w/Caterpillar C9 Tier 3 Engine</i>					T153
AG121852	Fuel	LFF4783	AG122230	Air	LAF8150 ²	<i>1703 w/Cummins 6CTA8.3 Engine</i>		
(1R0771); Pri.		LFF6771 ¹⁷¹	AG122231		LAF8693 ¹	702455	Air	LAF6769 ²
AG121853	Oil	LFP3191	AG121852	Fuel	LFF4783	702463		LAF6769MXM ^{2, 268}
AG121853		LFP3191TRT ³	(1R0771); Pri.		LFF6771 ¹⁷¹	700266	Hydraulic	LFP1652
		LFP3191XL ¹⁴	504594D1	Oil	LFP4005RN ⁵⁹⁹	<i>1803 Terra-Gator w/Caterpillar 3208 Engine</i>		
<i>1253 Sprayer w/International DV550 Engine</i>			<i>1554 w/Caterpillar 3208 Engine</i>			<i>1803, 1804 Terra-Gator w/Cummins 6CTA8.3 Engine</i>		
(625627C1); Pri.	Fuel	FP251F	707804	Air	LAF6300 ²	703500	Air	LAF1870
427207C1	Oil	LFP2234	<i>1603 Spreader w/Cummins VT-555 Engine</i>			(702455); S/N		LAF6769 ²
<i>1253 Terra-Gator w/Caterpillar 3208 Engine</i>			<i>P117437</i>			1256677-		LAF6769MXM ^{2, 268}
P110556	Air	LAF6587 ²		Air	LAF6769 ²	S/N 1256677-		LAF9373 ¹
		LAF6587MXM ^{2, 268}	<i>1603 Terra-Gator w/Caterpillar 3208 Engine</i>			702463		LAF6769MXM ^{2, 268}
P110557		LAF6834 ¹	702455	Air	LAF6769 ²	700266	Hydraulic	LFP1652
					LAF6769MXM ^{2, 268}	<i>1803, 1804 Terra-Gator w/Cummins 6CTA8.3 Engine</i>		
					LAF6769MXM ^{2, 268}	702455	Air	LAF6769 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 169-1 Per Package 171-With Sensor Port 268-Extended/Severe service 599-High capacity 607-Return 610-Charge Pump 1076-Case Drain 1077-Hyd. Tank 1078-Drain 1079-Breather

A

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
AG-CHEM (APPLICATOR & SPRAYER)			AG-CHEM (APPLICATOR & SPRAYER)			AG-CHEM (APPLICATOR & SPRAYER)		
<i>1803, 1804 Terra-Gator w/Cummins 6CTA8.3 Engine (cont'd)</i>			<i>2500 Series w/Ford 391 gas Engine</i>			<i>3004 Go-Gator w/Cummins V555 Engine (cont'd)</i>		
	Air	LAF6769MXM ^{2, 268}		Air	LAF237 ²		Air	LAF6769MXM ^{2, 268}
702463		LAF9373 ¹		Fuel	G6	702463		LAF9373 ¹
516180 (709936); Pri. (709935); Sec.	Fuel	L3523F LFF3417 LFF3521		Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	700266	Hydraulic	LFP1652
700266	Hydraulic	LFP1652	<i>2500 w/Cummins V504 Engine</i>			<i>3104 Terra-Gator w/John Deere 6081 Engine</i>		
711049	Oil	LFP3000	703500	Air	LAF1870 LAF237 ²	P181043	Air	LAF1810 ²
30098		LFP734		Hydraulic	LFP1652 ¹¹ LFP449 LP50910	P124860		LAF1854 ¹
711135	Trans	T153	<i>2500 w/Ford V8 534 gas Engine</i>			702455		LAF6769 ²
<i>1844 Ro-Gator w/John Deere 6081H Engine</i>								LAF6769MXM ^{2, 268}
702455	Air	LAF6769 ² LAF6769MXM ^{2, 268}	<i>2500 w/Cummins VT555 Engine</i>					LAF9373 ¹
		LAF9373 ¹		Air	LAF241HD			LFF1129
702463	Fuel	L3524F LFF1129		Coolant	LFW4071 ²⁸	<i>3244 Terra Gator w/Caterpillar C-11 11.1L Engine</i>		
700266	Hydraulic	LFP1652		Hydraulic	LFP1652 ¹¹ LFP449	6i0273	Air	LAF4273 ²
716976	Oil	PH720	<i>2500 w/Cummins VT555 Engine</i>			6i0274		LAF4274 ¹
<i>1844 Terra-Gator w/Caterpillar 3208 Engine</i>						(1R0762); Sec. (1R0771); Pri.	Fuel	LFF5804 LFF6771 ¹⁷¹
703500	Air	LAF1870	Gas	Fuel	LAF237 ² G1/4	504594D1	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
702455		LAF6769 ² LAF6769MXM ^{2, 268}		Oil	LFP2258 P114	<i>3500 w/Cummins VT555 Engine</i>		
		LAF9373 ¹	<i>2505 Spreader w/Cummins L10 Engine</i>			703500	Air	LAF1870 LAF241HD
702463		LAF9373 ¹	P124866	Air	LAF1840 ¹ LAF1845 ²		Coolant	LFW4071 ²⁸
700266	Hydraulic	LFP1652	P124867		LAF1870		Hydraulic	LFP1652 ¹¹ LFP449
<i>1844 Terra-Gator w/Cummins 8.3L Engine</i>			700266	Hydraulic	LFP1652	<i>4500 w/Cummins 903 Engine</i>		
702455	Air	LAF6769 ² LAF6769MXM ^{2, 268}	<i>2505 Spreader w/Cummins V903 Engine</i>			703500	Air	LAF1870 LAF6632 ² LAF6632MXM ^{2, 268} LAF6834 ¹
		LAF9373 ¹	P124866	Air	LAF1840 ¹ LAF1845 ²		Coolant	LFW4071 ²⁸
702463		LAF9373 ¹	P124867	Hydraulic	LP468		Hydraulic	LFP1652 ¹¹ LFP449
700266	Hydraulic	LFP1652	<i>2600 w/Cummins VT555 Engine</i>			<i>4500 w/Cummins VT555 Engine</i>		
Automatic	Trans	LP151 T153		Air	LAF241HD	026815	Air	LAF241HD
<i>1903 w/Cummins LTA10A Engine</i>			700266	Hydraulic	LFP1652 ¹¹	700266	Hydraulic	LFP1652 ¹¹
700274	Air	LAF1840 ¹ LAF1845 ²	<i>2600, 2700 w/Detroit 8.2L Engine</i>			<i>4500 w/Cummins VT555C Engine</i>		
700282		LAF1845 ²	026815	Air	LAF241HD	702455	Air	LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹
700266	Hydraulic	LFP1652	700266	Hydraulic	LFP1652 ¹¹	702463		LAF9373 ¹
<i>2000 w/Cummins V504C Engine</i>			<i>2700 w/Cummins VT555 Engine</i>			<i>544 Ro-Gator w/Cummins 3.9L</i>		
703500	Air	LAF1870 LAF237 ²	-S/N 61514 (702455); S/N 61514- S/N 61514-	Air	LAF241HD ¹⁸¹ LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹	609986	Air	LAF1544 ²
	Coolant	LFW4073 ²⁵⁵	(702463); S/N 61514-			610139		LAF7315 ¹
<i>2004 Ag-Gator w/V378 Engine</i>						610138		LAF9000 ²
(701165); -S/N 1002267	Air	LAF8668	<i>2800 w/Cummins 6CTA8.3 Engine</i>			609987	Fuel	L3523F LFF3417 LFF3521
<i>2004 w/Cummins 6BTA5.9 Engine</i>				Air	LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹	(709936); Pri. 709935		LFF3521
702455	Air	LAF6769 ² LAF6769MXM ^{2, 268}	<i>3004 Gator-Gator w/Cummins V-903 Engine</i>			714122	Hydraulic	LFH22028 ⁶¹⁰
		LAF9373 ¹	P117437	Air	LAF6769 ² LAF6769MXM ^{2, 268}	609934		LFH4990 ⁶⁰⁷
702463		LAF9373 ¹	P119373		LAF9373 ¹	700266		LFP1652
700266	Hydraulic	LFP1652	<i>3004 Go-Gator w/Cummins V504 Engine</i>			608990	Oil	LFP780
	Trans	LP151 T153	702455	Air	LAF6769 ² LAF6769MXM ^{2, 268}	<i>554 Ro-Gator w/Cummins 6BT5.9L Engine</i>		
<i>2244 Terra-Gator w/Sisu 8.4CTA Engine</i>			702463		LAF9373 ¹	609986	Air	LAF1544 ²
6i0273	Air	LAF4273 ² LAF4274 ¹	<i>3004 Go-Gator w/Cummins V555 Engine</i>					
6i0274		L3880F	702455	Air	LAF6769 ²			
(V836867595); Sec. AG610114	Fuel	LFH8263						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 28-Contains 1 oz. of chemical 171-With Sensor Port
181-Single 255-Contains 3 oz. of chemical 268-Extended/Severe service 275-Primary 599-High capacity 607-Return 610-Charge Pump 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
AG-CHEM (APPLICATOR & SPRAYER)			AG-CHEM (APPLICATOR & SPRAYER)			AG-CHEM (APPLICATOR & SPRAYER)		
<i>554 Ro-Gator w/Cummins 6BT5.9L Engine (cont'd)</i>			<i>8203, 8204 w/Caterpillar C9 Tier 3 Engine (cont'd)</i>			<i>874 w/Caterpillar Engine (cont'd)</i>		
610139	Air	LAF7315 ¹	(1R0751); Sec.	Fuel	LFF4783	1R1807	Oil	LFP3191XL ¹⁴
610138		LAF9000 ²	(1R0771); Pri.		LFF6771 ¹⁷¹	AG121853		LFP3236
609987		LAF9410 ¹	718573	Hydraulic	LFH8217			LFP3236TRT ³
(709936); Pri.	Fuel	L3523F	1R1808	Oil	LFP4005RN ⁵⁹⁹	<i>874SS w/Caterpillar C7 Tier 3 Engine 2007-2</i>		
709935		LFF3417			LFP4005TRT ³	122230	Air	LAF8150 ²
		LFF3521			LFP4005XL ¹⁴	122231		LAF8693 ¹
714122	Hydraulic	LFH22028 ⁶¹⁰	610114	Trans	LFH8263	(121852); Pri.	Fuel	LFF4783
609934		LFH4990 ⁶⁰⁷	<i>8244 w/Caterpillar C9 Tier 3 Engine</i>			(1R0771); Pri.		LFF6771 ¹⁷¹
700266		LFP1652	(1R0771); Pri.	Fuel	LFF6771 ¹⁷¹	715586	Hydraulic	LFH5876 ¹⁰⁷⁶
608990	Oil	LFP780	AG122230	Air	LAF8150 ²	121853	Oil	LFP3236
<i>6103, 6104 Terra-Gator w/John Deere 6081 Engine</i>			AG122231		LAF8693 ¹			LFP3236TRT ³
P181043	Air	LAF1810 ²	(AG524540); In-Line	Fuel	L7693F	<i>9103, 9105 Terra-Gator w/Caterpillar 3176C Engine</i>		
P124860		LAF1854 ¹	(1R0751); Sec.		LFF4783		Air	LAF1840 ¹
	Oil	PH720	718573	Hydraulic	LFH8217			LAF1845 ²
<i>6203 w/Caterpillar C9.3 ACERT 9.3L Turbo Engine</i>			1R1808	Oil	LFP4005RN ⁵⁹⁹		Fuel	LFF2749 ²⁰
AG122230	Air	LAF8150 ²			LFP4005TRT ³	Pri.		LFF8707
AG122231		LAF8693 ¹	610114	Trans	LFP4005XL ¹⁴		Hydraulic	LFP1652 ¹¹
(AG524540); In-Line	Fuel	L7693F	(1R-0771); Pri.	Fuel	LFF6771 ¹⁷¹	1R0716	Oil	LFP4005
(1R0751); Sec.		LFF4783	<i>8303 w/Sisu 8.4L Tier3 Engine</i>					LFP4005TRT ³
(1335673); Pri.		LFF8707	AG122230	Air	LAF8150 ²			LFP4005XL ¹⁴
718573	Hydraulic	LFH8217	AG122231		LAF8693 ¹	<i>9203, 9205 w/Caterpillar C13 Engine</i>		
1R0716	Oil	LFP4005	(V836867595); Sec.	Fuel	L3880F	504421D1	Air	LAF6998 ²
		LFP4005TRT ³	<i>844, 854 Ro-Gator w/5.9L Engine</i>			504422D1		LAF6999 ¹
		LFP4005XL ¹⁴	609375	Air	LAF6587 ²	(1R0749); Sec.	Fuel	LFF2749
AG610114	Trans	LFH8263			LAF6587MXM ^{2, 268}	(1R0762); Sec.		LFF5804
<i>6303 w/Sisu 8.4L Tier3 Engine</i>			609374		LAF6834 ¹	718573	Hydraulic	LFH8217
AG122230	Air	LAF8150 ²			LAF8669 ²	1R1808	Oil	LFP4005RN ⁵⁹⁹
AG122231		LAF8693 ¹			LAF8670 ¹			LFP4005TRT ³
(V836867595); Sec.	Fuel	L3880F			L3523F			LFP4005XL ¹⁴
<i>663, 664 Ro-Gators w/Cummins 6BTA5.9 Engine</i>			(709936); Pri.		LFF3417	<i>984/984H Ro Gator w/Caterpillar C7 Tier 3 Engine</i>		
609375	Air	LAF6587 ²	709935		LFF3521	AG122230	Air	LAF8150 ²
609374		LAF6834 ¹	714122	Hydraulic	LFH22028 ⁶¹⁰	AG122231		LAF8693 ¹
	Fuel	L3523F	609934		LFH4990 ⁶⁰⁷		Breather	LFH5809 ¹⁰⁷⁷
(709936); Pri.		LFF3417	710202		LFH5876 ¹⁰⁷⁶	AG121852	Fuel	LFF4783
(709935); Sec.		LFF3521	609666		LFH8740G	(1R0771); Pri.		LFF6771 ¹⁷¹
609666	Hydraulic	LFH8740G	700266		LFP1652	AG121853	Oil	LFP3191
700266		LFP1652	608990	Oil	LFP780	AG121853		LFP3191TRT ³
608990	Oil	LFP780			LFP780XL ¹⁴			LFP3191XL ¹⁴
<i>804 Ag-Gator w/Ford V8-330HD Engine</i>						1R1807		LFP3236
(D3FZ-9155-A); Gas	Fuel	G5/16 ²⁶³	<i>864 w/Caterpillar 3126B Engine</i>					LFP3236TRT ³
C1AZ-6731-A	Oil	PH400 ²⁷⁵	P537876	Air	LAF8669 ²	<i>RG1100, RG1300 (w/Agcopower 8.4L Engine)</i>		
C1AZ-6731-A		PH8A ¹⁴⁹⁶	P537877		LAF8670 ¹	715586	Hydraulic	LFH5876
<i>8103, 8104 Terra-Gator w/John Deere 6081H Engine</i>			1R0751	Fuel	LFF4783	V836862582	Oil	LFP3354
P181043	Air	LAF1810 ²	(133-5673); Pri.		LFF8707	<i>RG900 (w/Agcopower 8.4L Engine)</i>		
P124860		LAF1854 ¹	715586	Hydraulic	LFH5876	715586	Hydraulic	LFH5876
Pri.	Fuel	L8138F		Oil	LFP3191	V836862582	Oil	LFP3354
(RE531703); Pri.		LFF1129	1R1807		LFP3191TRT ³	<i>TG7300 w/Agco Power 8.4 CTA 4i engine</i>		
(RE533688); Sec.		LFF6753			LFP3191XL ¹⁴		Air	LAF8150
	Oil	PH720	<i>874 w/Caterpillar Engine</i>					LAF8693 ¹
<i>8203, 8204 w/Caterpillar C9 Tier 3 Engine</i>			P537876	Air	LAF8669 ²		Fuel	L3880F
122230	Air	LAF8150 ²	P537877		LAF8670 ¹	<i>TG8300 w/Agco Power 8.4 CTA 4i engine</i>		
122231		LAF8693 ¹	AG121778	Breather	LFH5809 ¹⁰⁷⁷		Air	LAF8150
(AG524540); In-Line	Fuel	L7693F	1R0751	Fuel	LFF4783			LAF8693 ¹
			(133-5673); Pri.		LFF8707		Fuel	L3880F
			AG133231	Hydraulic	LFH4990 ⁶¹⁰			
			715586		LFH5876 ⁶⁰⁷			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 20-High efficiency 171-With Sensor Port 263-Hoses and clamps included 268-Extended/Severe service 275-Primary 599-High capacity 607-Return 610-Charge Pump 1076-Case Drain 1077-Hyd. Tank 1496-Alternate

A

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
AG-CHEM (APPLICATOR & SPRAYER)			AGCO (TRACTOR)			AGCO (TRACTOR)		
<i>TG8400 Agco Power 84 CTA 4i engine</i>			<i>9435, 9455 w/Series 40 Engine (cont'd)</i>			<i>9815</i>		
	Air	LAF8150 LAF8693 ¹	(72513286); S/N 936301-up	Oil	LFP3000XL ¹⁴	(72509129); To S/N 992000	Hydraulic	LH4985
	Fuel	L3880F	<i>9635, 9655, 9675, 9695 w/Series 40 Engine</i>			72516519	Oil	LFP2285
<i>TG9300 w/Caterpillar C13 Engine</i>			(1809789C1); Sec. (74394407); Pri.	Fuel	FP603 LFP3692F	30-3506819	Trans	LFH4990
	Air	LAF6998 LAF6999 ¹ LAF8150 LAF8693 ¹	30-3506819 (72162684); To S/N 932301	Hydraulic	LFH4990 LH4985	<i>DT160, DT180</i>		
	Fuel	LFF2749 ²⁰ LFF5804 LFH8217	(72513286); S/N 932301-up	Oil	LFP3000XL ¹⁴	5016603M1 5016604M1	Air	LAF1819 ² LAF1922 ¹
Sec.						(72501531); Pri. (72501530); Sec.	Fuel	LFF3417 LFF3521
1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	<i>9735 w/Cummins Engine</i>			3902287M1	Hydraulic	LH4594 ¹⁰⁸¹
			3902783M1	Air	LAF4601 ² LAF4602 ¹	72513286	Oil	LFP2265
			3902782M1			<i>DT180A</i>		
			(72501531); Pri.	Fuel	LFF3417	4278631M1 4270018M1	Air	LAF1819 ² LAF1922 ¹
			3902287M1	Hydraulic	LH4594	(836866575); Pri.	Fuel	L4109F
			72501532	Oil	LFP780	V836662111	Oil	LFP8501
AGCO (SWATHERS & WINDROWERS)			<i>9745 w/Cummins Engine</i>			<i>DT200A</i>		
<i>9330 Windrower w/Cummins B3.3T Diesel Engine</i>			<i>9745 w/Cummins Engine</i>			<i>DT200A</i>		
700716411	Air	LAF9542 ² LAF9543 ¹	3902783M1 3902782M1	Air	LAF4601 ² LAF4602 ¹	4278631M1 4270018M1	Air	LAF1819 ² LAF1922 ¹
700722667	Fuel	L3523F	(72501531); Pri.	Fuel	LFF3417	(836866575); Pri.	Fuel	L4109F
700721747	Hydraulic	LFP2546 ⁶¹⁰ PH725	3902287M1	Hydraulic	LH4594	V836662111	Oil	LFP8501
7738743			72501532	Oil	LFP780	<i>DT220, DT225</i>		
7825516	Oil	PH253 ^{1080, 1496} PH2835 ^{275, 1080} PH2835	<i>9755 w/Cummins Engine</i>			<i>DT220A</i>		
7738743			5016604M1	Air	LAF1780 ¹ LAF1811 ²	5016603M1	Air	LAF1819 ² LAF1922 ¹
<i>9340 Windrower</i>			5016603M1			303448177	Coolant	LFW4071 ^{28, 205} LFW4074 ⁶²⁷
700716411	Air	LAF9542 ² LAF9543 ¹	(72501530); Sec. (72501531); Pri.	Fuel	FP586F LFF3417	72509505		
700716412			3902287-M1	Hydraulic	LH4266	(72501531); Pri. (72501530); Sec.	Fuel	LFF3417 LFF3521
(700722667); In-Line (3991498); Cummins QSB 4.5L Eng.; W/S	Fuel	L3523F LFF9616 ²¹⁰	72513286 72513286	Oil	LFP3000 LFP3000XL ¹⁴	3902287M1 3919562	Hydraulic	LH4594 ¹⁰⁸¹ LFP2265
700721747	Hydraulic	LFP2546 ⁶¹⁰ PH725	<i>9765 w/Cummins Engine</i>			<i>DT220A</i>		
7738743			5016604M1	Air	LAF1780 ¹ LAF1811 ²	4278631M1 4270018M1	Air	LAF1819 ² LAF1922 ¹
7825516	Oil	PH253 ^{1080, 1496} PH2835 ^{275, 1080} PH2835	5016603M1			(836866575); Pri.	Fuel	L4109F
87415600			(72501530); Sec. (72501531); Pri.	Fuel	FP586F LFF3417	V836859108	Oil	LFP3354
			3902287-M1	Hydraulic	LH4266	<i>DT240A</i>		
			72513286	Oil	LFP3000 LFP3000XL ¹⁴	4278631M1 4270018M1	Air	LAF1819 ² LAF1922 ¹
			72513286			(836866575); Pri.	Fuel	L4109F
			<i>9775 w/Cummins Engine</i>			V836859108	Oil	LFP3354
			5016604M1	Air	LAF1780 ¹ LAF1811 ²	<i>GT45 w/3.0L Engine</i>		
			5016603M1			72270891	Hydraulic	LFH8207
			(72501530); Sec. (72501531); Pri.	Fuel	FP586F LFF3417	<i>GT45A w/3.0L Engine</i>		
			3902287-M1	Hydraulic	LH4266	72217092	Oil	LFP2258
			72513286	Oil	LFP3000 LFP3000XL ¹⁴	<i>GT55 w/3.0L Engine</i>		
			72513286			72270878	Air	LAF8583 ²
			<i>9785 w/Cummins Engine</i>			72217092	Oil	LFP2258
			5016604M1	Air	LAF1780 ¹ LAF1811 ²	<i>GT55A w/3.0L Engine</i>		
			5016603M1			72270878	Air	LAF8583 ²
			(72501530); Sec. (72501531); Pri.	Fuel	FP586F LFF3417	72217092	Oil	LFP2258
			3902287-M1	Hydraulic	LH4266	<i>GT65 w/4.0L Engine</i>		
			72513286	Oil	LFP3000 LFP3000XL ¹⁴	72270878	Air	LAF8583 ²
			72513286			72217092	Oil	LFP2258
			<i>9435, 9455 w/Series 40 Engine</i>			<i>GT65A w/4.0L Engine</i>		
72509523	Coolant	LFW4744 ⁴				72270878	Air	LAF8583 ²
(74394407); Pri.	Fuel	LFP3692F				72217092	Oil	LFP2258
3902287-M1	Hydraulic	LH4266				<i>GT65A w/4.0L Engine</i>		
(72516519); To S/N 936301	Oil	LFP2285				72270878	Air	LAF8583 ²
						72217092	Oil	LFP2258

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 41-Cartridge 205-Maintenance 210-w/ Sensor 255-Contains 3 oz. of chemical 275-Primary 610-Charge Pump 627-5 oz. of chemical 1080-Hyd. Breather 1081-Right Hand Pump 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
AGCO (TRACTOR)			AGCO (TRACTOR)			AGCO (TRACTOR)		
<i>GT75 w/4.0L Engine</i>			<i>LT95A w/Sisu 4.4L Engine (cont'd)</i>			<i>RT140A, RT155A</i>		
72270878	Air	LAF8583 ²	To S/N T036017; Load Sensing R.H.	Hydraulic	LH4166	3782386-M1	Air	LAF4501 ²
<i>GT75A w/4.0L Engine</i>			V836662580	Oil	LFP8501	3782387-M1		LAF4502 ¹
72270878	Air	LAF8583 ²	(4305928M91); Power Shuttle	Power Steering	LH4254	V836662580	Oil	LFP8501
<i>LT70, LT85 w/Cummins B3.9T Engine</i>			(3792287M1); Power Shuttle	Trans	LH11015V ²⁷⁵	3792287-M1	Power Steering	LH4594
3901477M1	Air	LAF2342 ^{2, 1083}	<i>RT100, RT120</i>			<i>RT165A</i>		
3901478M1		LAF2343 ^{1, 1083}	4271467M1	Air	LAF8149 ²	4286473M1	Air	LAF6889
3901476M1		LAF9100 ^{1, 15}	72517839	Fuel	FP587F	(V836667595); Sec.	Fuel	L3880F
3901475M1		LAF9101 ^{2, 1082}	3789819M1		L3523F	3618662M2	Hydraulic	LH4166 ¹⁰⁹¹
72501530	Fuel	LFF3521	3902287M1	Hydraulic	LH4594 ¹⁰⁸⁸	V836662580	Oil	LFP8501
(72515734); W/S		LFF8062		Oil	LFP6015	<i>RT95, RT105</i>		
3902287M1	Hydraulic	LH4594 ¹⁰⁸¹	3615949M2	Trans	LH4254 ¹⁰⁸⁷	(3901477M1); RT105	Air	LAF2342 ²
(72515699); Std. Thd.	Oil	LFP3900	<i>RT100A, RT120A</i>			(3901478M1); RT105		LAF2343 ¹
(72516587); Metric Thd.		LFP6015	4271467-M1	Air	LAF8149 ²	(3901476M1); RT95		LAF9100 ¹
<i>LT75 w/Sisu 4.4L Turbo Engine</i>			(836866575); Pri.	Fuel	L4109F	(3901475M1); RT95		LAF9101 ²
3901476-M1	Air	LAF9100 ¹	(3618662M1); Load Sensing R.H.	Hydraulic	LH4166 ¹⁰⁸⁹	(72501531); Pri.	Fuel	LFF3417
3901475-M1		LAF9101 ²	V836667235	Oil	LFP8501	(72501530); Sec.	Fuel	LFF3521
V836662580	Oil	LFP8501	<i>RT105 w/Cummins Engine</i>			3902287M1	Hydraulic	LH4594 ¹⁰⁸¹
3792287M1	Trans	LH4594 ¹⁰⁸⁴	3901477M1	Air	LAF2342 ²	3937345	Oil	LFP780
<i>LT75, LT90 w/Cummins QSB 4.5L Engine</i>			3901478M1		LAF2343 ¹	3792287M1	Trans	LH4594
3901476M1	Air	LAF9100 ¹	(72501531); Pri.	Fuel	LFF3417	<i>ST22A</i>		
3901475M1		LAF9101 ²	(72501530); Sec.		LFF3521	72201898	Fuel	L3541F
72517839	Fuel	FP587F	3792287M1	Hydraulic	LH4594 ¹⁰⁹⁰		Oil	LFP8176
72517840	Oil	LFP6023	3937345	Oil	LFP780XL ¹⁴	<i>ST24A</i>		
3792287M1	Trans	LH4594	3792287M1	Trans	LH4594	3608255M1	Fuel	L3541F
<i>LT75A w/Sisu 4.4L Turbo Engine</i>			<i>RT115 w/Cummins B5.9T Engine</i>			72201898	Oil	LFP8176
4270035M1	Air	LAF9543 ¹	3901477M1	Air	LAF2342 ²	<i>ST25</i>		
4270035M1		LAF9547 ²	3901478M1		LAF2343 ¹	3608255-M1	Fuel	L3541F
(836866575); Pri.	Fuel	L4109F	(72501531); Pri.	Fuel	LFF3417	3710280-M2	Oil	LFP8176
To S/N T036017; Load Sensing R.H.	Hydraulic	LH4166	(72501530); Sec.		LFF3521	<i>ST28A, ST33A</i>		
V836662580	Oil	LFP8501	3792287M1	Hydraulic	LH4594 ¹⁰⁹⁰	3608255M1	Fuel	L3541F
(4305928M91); Power Shuttle	Power Steering	LH4254	3937345	Oil	LFP780XL ¹⁴	72201898	Oil	LFP8176
(3792287M1); Power Shuttle	Trans	LH11015V ²⁷⁵	3792287M1	Trans	LH4594	<i>ST30</i>		
3792287M1		LH4594 ¹⁰⁸⁴	<i>RT130, RT145</i>			3608255-M1	Fuel	L3541F
<i>LT85A w/Sisu 4.4L Engine</i>			3902783M1	Air	LAF4601 ²	3703386M1	Hydraulic	LFH4926
4270036M1	Air	LAF9543 ¹	3902782M1		LAF4602 ¹	3710280-M2	Oil	LFP8176
4270035M1		LAF9547 ²	303448177	Coolant	LFW4071 ^{28, 205}	<i>ST32</i>		
(V836867595); Sec.	Fuel	L3880F	72509505		LFW4074 ⁹⁵³	3608255M1	Fuel	L3541F
(836866575); Pri.	Fuel	L4109F	(72501531); Pri.	Fuel	LFF3417	72201898	Oil	LFP8176
V836662580	Oil	LFP8501	(72501530); Sec.		LFF3521	<i>ST34A</i>		
<i>LT90A w/Sisu 4.4L Turbo Engine</i>			3618662M1	Hydraulic	LH4166	3608255M1	Fuel	L3541F
4270036M1	Air	LAF9543 ¹	3902287M1		LH4594 ¹⁰⁸¹	72201898	Oil	LFP8176
4270035M1		LAF9547 ²	72501532	Oil	LFP780	<i>ST35</i>		
(V836862602); Sec.	Fuel	L8680F	<i>RT135, RT150</i>			3703703-M91	Air	LAF6008 ²
(3618662M2); To S/N T036017	Hydraulic	LH4166 ¹⁰⁸⁶	3782387M1	Air	LAF4501 ²	3702815-M1	Fuel	L549F
4305928M91		LH4254	(3782386M1); Pri.	Fuel	FP587F	3703386M1	Hydraulic	LFH4926
V836662580	Oil	LFP8501	3618662M1	Hydraulic	LH4166 ⁷⁸³	3710280-M2	Oil	LFP8176
3792287M1	Trans	LH11015V ¹⁰⁸⁵	3615949M2		LH4254	<i>ST35X</i>		
<i>LT95A w/Sisu 4.4L Engine</i>				Oil	LFP6015	3703703-M91	Air	LAF6008 ²
4270035M1	Air	LAF9543 ¹	3792287M1	Trans	LH4594	3702815-M1	Fuel	L549F
4270035M1		LAF9547 ²				3703386M1	Hydraulic	LFH4926
(836866575); Pri.	Fuel	L4109F				3710280-M2	Oil	LFP8176

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 15-Standard 28-Contains 1 oz. of chemical 205-Maintenance 275-Primary 783-Pressure side 953-Pre-Charge
 1081-Right Hand Pump 1082-Std. 1083-Severe Service 1084-Power Shift 1085-Power Shuttle 1086-Load Sensing 1087-Dyna Shift Twin Flow
 1088-Pressure Line 1089-Right Hand Load Sensing 1090-RH Pump 1091-Centrifugal

A

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
AGCO (TRACTOR)			AGCO ALLIS (TRACTOR)			AGCO ALLIS (TRACTOR)		
<i>ST35X (cont'd)</i>			7600, 7630			9635, 9655, 9675, 9695 w/Detroit Diesel 40 Series Engine (cont'd)		
3710280-M2	Oil	LFP8176	72257757	Air	LAF9410 ¹	1819452C1	Oil	LFP2285
<i>ST40</i>			72257868	Fuel	LFF3501			LFP2285XL ¹⁴
3703703M91	Air	LAF6008 ²	72216906	Oil	LFP2238	30-3506819	Trans	LFH4990
3702815-M1	Fuel	L549F	7650			9670, 9690 w/Deutz Engine		
3703386M1	Hydraulic	LFH4926	72257757	Air	LAF9410 ¹	1174423	Fuel	FP586F
72201898	Oil	LFP8176	72257868	Fuel	LFF3501	74394407		LFP255F
3757038-M2		PH2814	8610			72509129	Hydraulic	LH4985
<i>ST40X</i>				Air	LAF8583 ²	1174420	Oil	LFP8590
3703703M91	Air	LAF6008 ²	72257757		LAF9410 ¹	303506819	Trans	LFH4990
3702815-M1	Fuel	L549F	72257868	Fuel	LFF3501	9735, 9745 w/Cummins Engine		
3703386M1	Hydraulic	LFH4926	8630			3902782M1	Air	LAF4602 ¹
72201898	Oil	LFP8176	72257868	Fuel	LFF3501	(72501531); Sec.	Fuel	LFF3417
3757038-M2		PH2814	8745, 8765 w/Cummins B3.9T Engine			(72501530); Sec.		LFF3521
<i>ST41A</i>			3901477M1	Air	LAF2342 ^{2, 19}	3902287M1	Hydraulic	LH4594
3608255M1	Fuel	L3541F	3901478M1		LAF2343 ^{1, 19}	72501532	Oil	LFP780
3757038M2	Oil	PH2814	3901476M1		LAF9100 ^{1, 18}			LFP780XL ¹⁴
<i>ST45</i>			3901475M1		LAF9101 ^{2, 18}	9735, 9745 w/Valmet Engine		
3703703M91	Air	LAF6008 ²	(72515734); W/S	Fuel	LFF8062	3902783M1	Air	LAF4601 ²
3702815-M1	Fuel	L549F	72515699	Oil	LFP3900	3902782M1		LAF4602 ¹
3703386M1	Hydraulic	LFH4926	8745, 8765 w/Valmet Engine			1896287M91	Fuel	LFF3501
72201898	Oil	LFP8176	3901476M1	Air	LAF9100 ^{1, 15}	3902287M1	Hydraulic	LH4594
3757038-M2		PH2814	3901475M1		LAF9101 ^{2, 15}	V836647133	Oil	LFP8501
<i>ST47A, ST52A</i>			72270887	Fuel	LFF3501	9755, 9765 w/Navistar Engine		
3702815M1	Fuel	L549F	V836647133	Oil	LFP8501	5016603M1	Air	LAF1819 ²
3757038M2	Oil	PH2814	8775, 8785 w/Cummins Engine			5016604M1		LAF1922 ¹
<i>ST55 w/Iseki Engine</i>			3901476M1	Air	LAF9100 ¹	72514135	Coolant	LFW4074 ⁶²⁷
3702815M1	Fuel	L549F	3901475M1		LAF9101 ²	72509522	Fuel	LFF3349
3757038M2	Oil	PH2814	(72501531); Sec.	Fuel	LFF3417	3902287M1	Hydraulic	LH4594
<i>ST60</i>			(72501530); Sec.		LFF3521	72513286	Oil	LFP2265
3702815M1	Fuel	L549F	3902287M1	Hydraulic	LH4594 ¹⁰⁸¹	9755, 9765, 9775, 9785 w/Cummins Engine		
3757038M2	Oil	PH2814	3937345	Oil	LFP780		Air	LAF1922 ¹
<i>ST60A</i>					LFP780XL ¹⁴			LAF2543 ²
3702815M1	Fuel	L549F	8775, 8785 w/Valmet Engine			(72501531); Sec.	Fuel	LFF3417
3757038M2	Oil	PH2835	3901476	Air	LAF9100 ¹	(72501530); Sec.		LFF3521
AGCO ALLIS (TRACTOR)			3901475		LAF9101 ²		Hydraulic	LH4266 ¹⁰⁸⁹
<i>4650, 4660</i>			72270887	Fuel	LFF3501	72513286	Oil	LFP2265
70251397	Fuel	L296F ⁴¹	B836647133	Oil	LFP8501	9775 w/Navistar Engine		
	Hydraulic	LFH8207 ¹¹	9435, 9455 w/Series 40 Engine			5016603M1	Air	LAF1819 ²
10A14373	Oil	LFP2258	(74036711); Sec.	Fuel	FP603	5016604M1		LAF1922 ¹
<i>5650, 5660</i>			74394407		LFP255F	72514135	Coolant	LFW4074 ⁶²⁷
	Hydraulic	LFH8207	3902287M1	Hydraulic	LH4594	72509522	Fuel	LFF3349
72217092	Oil	LFP2258	1819452C1	Oil	LFP2285	3902287M1	Hydraulic	LH4594
<i>5670 w/Diesel Engine</i>					LFP2285XL ¹⁴	72513286	Oil	LFP2265
70251397	Fuel	L296F ⁴¹	9630, 9650 w/Deutz Engine			9785 w/Navistar Engine		
10A14373	Oil	LFP2258	72162545	Air	LAF1846 ²	5016603M1	Air	LAF1819 ²
<i>5680</i>			72163296		LAF503 ¹	5016604M1		LAF1922 ¹
72257757	Air	LAF9410 ¹	1174423	Fuel	FP586F	72514135	Coolant	LFW4074 ⁶²⁷
70251397	Fuel	L296F ⁴¹	74394407		LFP255F	72509522	Fuel	LFF3349
10A14373	Oil	LFP2258	1174420	Oil	LFP8590	3902287M1	Hydraulic	LH4594
<i>6670, 6680</i>			303506819	Trans	LFH4990	72513286	Oil	LFP2265
72257801	Air	LAF9410 ¹	9635, 9655, 9675, 9695 w/Detroit Diesel 40 Series Engine			9815 w/Navistar Engine		
70251397	Fuel	L296F ⁴¹	(74036711); Sec.	Fuel	FP603	(74036711); Sec.	Fuel	FP603
10A14373	Oil	LFP2258	74394407		LFP255F	74394407		LFP255F
<i>6690</i>			72509129	Hydraulic	LH4985	(72509129); -992001	Hydraulic	LH4985
72257757	Air	LAF9410 ¹	72513286	Oil	LFP2265	1819452C1	Oil	LFP2285
70251397	Fuel	L296F ⁴¹						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 14-Extended Life 15-Standard 18-Short 19-Long 41-Cartridge 627-5 oz. of chemical 1081-Right Hand Pump 1089-Right Hand Load Sensing

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
AGCO ALLIS (TRACTOR)			AGRIFULL (TRACTOR)			AGRIFULL (TRACTOR)		
8815 w/Navistar Engine (cont'd)			1115 Pinto			75 Griso (cont'd)		
	Oil	LFP2285XL ¹⁴		Air	LAF1722 ²		Air	LAF1735 ¹
303506819	Trans	LFH4990			LAF1723 ¹		Fuel	L296F ⁴¹
AGCOSTAR (TRACTOR)				Fuel	L8269F		Oil	LFP8507
8360 Agcostar w/Cummins N14 Engine				Oil	LFP8507	80 Tornado		
3633059M1	Air	LAF4306 ²	140, 140DT w/8065.25 Engine				Air	LAF1722 ²
536836M1		LAF8303		Air	LAF6587 ²			LAF1723 ¹
1076751M1	Coolant	LFW4073 ²⁵⁵			LAF8674 ¹		Fuel	L8269F
(72515622); W/S	Fuel	LFF1000		Fuel	L296F ⁴¹		Oil	LFP8507
(74394407); Pri.		LFF3417	345 Jolly			80-105		
P165876	Hydraulic	LFH5876		Air	LAF1734 ²		Fuel	L8269F
72501533	Oil	LFP3000			LAF1735 ¹		Oil	LFP8507
		LFP3000XL ¹⁴		Fuel	L296F ⁴¹	80-50 w/Iveco 8035 Engine		
				Oil	LFP8507		Air	LAF1734 ²
8425 Agcostar w/Cummins N14 Engine							Fuel	L296F ⁴¹
(3633059M1); -S/N	Air	LAF4306 ²	345 Vigneto				Air	LAF1734 ²
100200		LAF8303		Air	LAF1734 ²		Oil	LFP2230
536836M1		LAF9155 ²		Fuel	L296F ⁴¹	80-60 w/1053SU Engine		
(72527840); S/N		LAF9155MXM ^{2, 268}		Oil	LFP8507		Air	LAF1741 ²
100200-		LAF9159 ¹	345DT				Fuel	L296F ⁴¹
S/N 100200-				Air	LAF1734 ²		Oil	LFP8507
(72527839); S/N					LAF1735 ¹	80-60DT w/1053SU Engine		
100200-	Coolant	LFW4073 ²⁵⁵		Fuel	L296F ⁴¹		Air	LAF1741 ²
1076751M1	Fuel	LFF1000		Oil	LFP8507		Fuel	L296F ⁴¹
(72515622); W/S		LFF3417	475				Oil	LFP8507
(74394407); Pri.	Hydraulic	LFH5876		Air	LAF1734 ²	80-65 w/1053SU Engine		
P165876	Oil	LFP3000			LAF1735 ¹		Air	LAF1741 ²
		LFP3000XL ¹⁴		Fuel	L296F ⁴¹		Fuel	L296F ⁴¹
				Oil	LFP8507		Oil	LFP8507
8425 Agcostar w/Detroit Diesel Engine			485 w/Turbo Engine			80-70 w/Iveco 8035 Engine		
(3633059M1); -S/N	Air	LAF4306 ²		Air	LAF1722 ²		Air	LAF1734 ²
100200		LAF8303			LAF1723 ¹		Fuel	LAF1735 ¹
536836M1		LAF9155 ²		Fuel	L296F ⁴¹		Oil	L296F ⁴¹
(72527840); S/N		LAF9155MXM ^{2, 268}		Oil	LFP8507	1909101	Oil	LFP2230
100200-		LAF9159 ¹	495 w/VM 1054SUT Engine			80-75/DT w/1050SU-NS Engine		
S/N 100200-				Air	LAF1722 ²		Air	LAF1741 ²
(72527839); S/N					LAF1723 ¹		Fuel	L8269F
100200-	Coolant	LFW4744 ⁴		Fuel	L296F ⁴¹	8076, 8076DT w/M.W.M. D227-4 Engine		
74029089	Fuel	LFF3417		Oil	LFP8507		Fuel	L296F ⁴¹
(74394407); Pri.		LFP816FN	50 Jolly				Oil	LFP2538
(72526444); Sec.	Hydraulic	LFH5876		Air	LAF1734 ²	80-85/DT w/1050SU Engine		
P165876	Oil	LFP2160			LAF1735 ¹		Air	LAF1741 ²
72526443		LFP2160TRT ³		Fuel	L296F ⁴¹		Fuel	L8269F
		LFP2160XL ¹⁴	1909101	Oil	LFP2230		Oil	LFP8507
AGRIFULL (TRACTOR)			60 Derby			80-95/DT w/Turbo Engine		
100, 100DT w/8065.06 Engine				Air	LAF1734 ²		Fuel	L8269F
	Fuel	LFF3504			LAF1735 ¹		Oil	LFP8507
	Oil	LFP2238		Fuel	L296F ⁴¹	90, 90DT w/8055.05 Engine		
105 Rodeo				Oil	LFP8507		Fuel	LFF3504
	Air	LAF1722 ²	70DT				Oil	LFP2238
		LAF1723 ¹		Air	LAF1734 ²	90DT Rodeo		
	Fuel	L8269F			LAF1735 ¹		Air	LAF1722 ²
	Oil	LFP8507		Fuel	L296F ⁴¹		Fuel	LAF1723 ¹
110, 110DT w/8065.25 Engine				Oil	LFP8507		Fuel	L8269F
	Fuel	LFF3504	75 Griso				Oil	LFP8507
	Oil	LFP2238		Air	LAF1734 ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 14-Extended Life 41-Cartridge 255-Contains 3 oz. of chemical 268-Extended/Severe service

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
AGRIFULL (TRACTOR)			AGRIFULL (TRACTOR)			AHLMANN (CONSTRUCTION EQUIPMENT)			
95 Rodeo			A80			A110 Loader w/Deutz F6L514 Engine (cont'd)			
	Air	LAF1722 ² LAF1723 ¹		Fuel	L296F ⁴¹		Fuel	L3405F ¹⁰⁸	
	Fuel	L8269F		Hydraulic	LFP6007	(Q1H4115); Sec.		L61F LFF3507	
	Oil	LFP8507		Oil	LFP2292	87511382178	Trans	LFH4224	
A100			A90			A45, A45L, A III Z Loader w/Deutz F3L514 Engine			
	Fuel	FP587F		Fuel	FP587F	(Q1H4115); Sec.	Fuel	L3405F ¹⁰⁸	
	Hydraulic	LFP6007		Hydraulic	LFP6007	87511382178	Hydraulic	L61F LFF3507	
	Oil	LFP2238		Oil	LFP2238	A50, A60, VZD Loader			
A100S			A90S			(Q1H4115); Sec.	Fuel	L3405F ¹⁰⁸	
	Fuel	FP587F		Fuel	FP587F	87511382178	Hydraulic	LFH4224 ¹¹	
	Hydraulic	LFP6007		Hydraulic	LFP6007	A68 Loader w/Mercedes OM314 Engine			
	Oil	LFP2238		Oil	LFP2238	(Q1H4115); Sec.	Fuel	L3405F ¹⁰⁸	
A110S			C345C			87511382178	Hydraulic	LFH4224 ¹¹	
	Fuel	FP587F		Air	LAF1734 ² LAF1735 ¹	A69 Loader w/Deutz F4L912 Engine			
	Hydraulic	LFP6007		Fuel	L296F ⁴¹	(Q1H4115); Sec.	Fuel	L3405F ¹⁰⁸	
	Oil	LFP2238		Oil	LFP8507	87511382178	Hydraulic	L61F LFF3507	
A140			C345CS			0001845825	Oil	LP2211 ⁶⁵	
	Air	LAF22086 ¹ LAF2547 ²		Air	LAF1734 ² LAF1735 ¹	A69 Loader w/Deutz F4L912 Engine			
	Fuel	L296F ⁴¹		Fuel	L296F ⁴¹	(Q1H4117	Fuel	FP586F	
	Hydraulic	LFP6007		Oil	LFP8507	87511382178	Hydraulic	LFH4224 ¹¹	
	Oil	LFP2241		C350C			A1H4123	Oil	PH2819
A35			C355C			AF10 Loader w/Deutz F4L912 Engine			
	Fuel	FP586F		Air	LAF1734 ² LAF1735 ¹	Q1H4117	Fuel	FP586F	
A45			C355C			87511382178	Hydraulic	LFH4224 ¹¹	
	Fuel	FP587F		Fuel	L296F ⁴¹	A1H4123	Oil	PH2819	
	Hydraulic	LFP6007		Oil	LFP8507	AF16 Loader w/Deutz F6L912 Engine			
	Oil	LFP2292		Air	LAF1734 ² LAF1735 ¹	Q1H4117	Fuel	FP586F	
A50			C60L			W/S	Fuel	LFF8062	
	Fuel	FP587F		Fuel	L296F ⁴¹	87511382178	Hydraulic	LFH4224 ¹¹	
	Hydraulic	LFP6007		Oil	LFP8507	A1H4123	Oil	PH2819	
	Oil	LFP2292		C60N w/Iveco 8035 Engine			AF18		
A55			C60N w/Iveco 8035 Engine			211340	Oil	LP2214	
	Fuel	FP587F		Air	LAF1734 ² LAF1735 ¹	AF60 Loader w/Deutz F3L1011 Engine			
	Hydraulic	LFP6007		Fuel	L296F ⁴¹		Air	LAF8749 ²	
	Oil	LFP2292		Oil	LFP2292		Fuel	LFF3518	
A55L			C70L w/Iveco 8035 Engine				Oil	PH2816	
	Fuel	FP587F		Air	LAF1734 ² LAF1735 ¹	AF69 w/Deutz F4L912 Engine			
	Hydraulic	LFP6007		Fuel	L296F ⁴¹	Q1H4117	Fuel	FP586F	
	Oil	LFP2292		Oil	LFP2292	87511382178	Hydraulic	LFH4224 ¹¹	
A60L			C70N w/Iveco 8035 Engine			A1H4123	Oil	PH2819	
	Fuel	FP587F		Air	LAF1734 ² LAF1735 ¹	AF9 Loader w/Deutz F4L912 Engine			
	Hydraulic	LFP6007		Fuel	L296F ⁴¹	Q1H4117	Fuel	FP586F	
	Oil	LFP2292		Oil	LFP2292	87511382178	Hydraulic	LFH4224 ¹¹	
A65			C70N w/Iveco 8035 Engine			A1H4123	Oil	PH2819	
	Fuel	L296F ⁴¹		Air	LAF1734 ² LAF1735 ¹	AK15 Dumper w/Deutz F6L413FW Engine			
	Hydraulic	LFP6007		Fuel	L296F ⁴¹	Q1H4117	Fuel	FP586F	
	Oil	LFP2292		Oil	LFP2292	A15H4123	Oil	LFP2222	
A65L			AHLMANN (CONSTRUCTION EQUIPMENT)			AK8 Dumper w/Deutz F4L912 Engine			
	Fuel	L296F ⁴¹	AHLMANN (CONSTRUCTION EQUIPMENT)			Q1H4117	Fuel	FP586F	
	Hydraulic	LFP6007				A110 Loader w/Deutz F6L514 Engine			A1H4123
	Oil	LFP2292	A110 Loader w/Deutz F6L514 Engine			AL6B Loader w/Deutz F2L511 Engine			
A70/L			A110 Loader w/Deutz F6L514 Engine				Fuel	LFF3518	
	Fuel	L296F ⁴¹		Air	LAF1712 ² LAF1714 ²				
	Hydraulic	LFP6007							
	Oil	LFP2292							

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 11-Power Steering 41-Cartridge 65-By-Pass 108-Eco-Finer

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
AHLMANN (CONSTRUCTION EQUIPMENT)			AHLMANN (CONSTRUCTION EQUIPMENT)			AIRMAN (AIR COMPRESSOR)		
<i>AL6B Loader w/Deutz F2L511 Engine (cont'd)</i>			<i>AS12D Loader w/Deutz F6L913 Engine (cont'd)</i>			<i>PDS1855 w/Isuzu C240 Engine</i>		
	Oil	PH561	A15H4123	Oil	LFP2222		Fuel	LFF4295
<i>AL7 Loader w/Perkins 3.1524 Engine</i>			<i>AS12E Loader w/Deutz F6L912 Engine</i>				Oil	LP2277
	Fuel	L296F ⁴¹	Q1H4117	Fuel	FP586F			PH253 ¹⁴⁹⁶
	Oil	LFP2292	A15H4123	Oil	LFP2222			PH2835 ²⁷⁵
<i>AL7C Loader w/Perkins 3.1524 Engine</i>			<i>AS45, AS50 Loader w/Deutz F3L1011 Engine</i>			<i>PDS265S w/Isuzu 4BD1 Engine</i>		
	Fuel	L296F ⁴¹	1319142	Air	LAF8749 ²		Air	LAF1246 ²
	Oil	LFP2292	1180869		LAF8750 ¹		Fuel	L3575F
<i>AL7G Loader w/Perkins 3.1524 Engine</i>				Fuel	LFF3518	<i>PDS390S w/Mitsubishi 4D31T Engine</i>		
	Fuel	L296F ⁴¹		Oil	PH2816		Air	LAF8668 ²
	Oil	LFP2292	<i>AS7 Loader w/Deutz F4L912 Engine</i>				Fuel	LFF5127
<i>AL8 Loader w/Deutz F3L912 Engine</i>			Q1H4117	Fuel	FP586F	<i>PDS750S w/Hino EM100 Engine</i>		
Q1H4117	Fuel	FP586F	W/S		LFF8062		Air	LAF6587 ²
A1H4123	Oil	PH2819	A1H4123	Oil	PH2819			LAF6587MXM ^{2, 268}
<i>AL8 Loader w/Perkins 3.1524 Engine</i>			<i>AS7C Loader w/Deutz F4L913 Engine</i>					LAF6769 ^{2, 781}
	Fuel	L296F ⁴¹	Q1H4117	Fuel	FP586F			LAF6769MXM ^{2, 291}
	Oil	LFP2292	W/S		LFF8062			LAF6834 ¹
<i>AL8C Loader w/Deutz F3L912 Engine</i>			A1H4123	Oil	PH2819			LAF9373 ^{1, 781}
Q1H4117	Fuel	FP586F	<i>AS7C Loader w/Perkins 3.1524 Engine</i>			<i>PDS90S w/Yanmar 3T75H Engine</i>		
A1H4123	Oil	PH2819		Fuel	L296F ⁴¹		Air	LAF1275 ²
<i>AL8C Loader w/Perkins 3.1524 Engine</i>				Oil	PH299			LAF9085 ^{1, 781}
	Fuel	L296F ⁴¹	<i>AS7CS Loader w/Deutz F4L913 Engine</i>					LAF9086 ^{2, 781}
	Oil	LFP2292	Q1H4117	Fuel	FP586F			LAF9086MXM ^{2, 291}
<i>AL8CS Loader w/Deutz F3L912 Engine</i>			W/S		LFF8062			LAF9086MXM ^{2, 291}
Q1H4117	Fuel	FP586F	A1H4123	Oil	PH2819			LFF522
A1H4123	Oil	PH2819	<i>AS90 w/Deutz BF4L1011 Engine</i>			<i>SAS15P w/380V electric motor</i>		
<i>AL8CS Loader w/Perkins 3.1524 Engine</i>				Air	LAF4544 ²		Air	LAF1275 ²
	Fuel	L296F ⁴¹			LAF4545 ¹			LAF9085 ¹
	Oil	LFP2292	2666800	Fuel	LFF3518			LAF9086 ^{2, 57}
<i>AL8S Loader w/Deutz F3L912 Engine</i>			29148058	Oil	PH2816			LAF9086MXM ^{2, 57, 291}
Q1H4117	Fuel	FP586F	<i>AVZD Loader</i>			<i>SDG35S w/Isuzu 4BG1 Engine</i>		
A1H4123	Oil	PH2819	(Q1H4115); Sec.	Fuel	L61F	(8-94414-796-1); Sec. Fuel LFF3553		
<i>ARMD395 Compressor</i>			87511382178	Trans	LFH4224	<i>SDG60S w/Isuzu 4BGIT 4.3L Turbo</i>		
	Oil	P52	<i>AZ45 w/F3L1011F Engine</i>			(8-94414-796-1); Sec. Fuel LFF3553		
<i>ARS12B Loader w/Deutz BF6L913 Engine</i>				Fuel	LFF4806 ¹⁶⁹	AIRMAN (EXCAVATOR)		
Q1H4117	Fuel	FP586F		Oil	PH2816	<i>AX15-2, AX17-2, AX16-2, AX22-2, AX30-2, AX35-2, AX40U-2 w/Kubota D1105 Engine</i>		
	Oil	LFP8590	<i>H7C Loader w/Volvo Engine</i>				Fuel	FP590F
<i>AS10 Loader w/Deutz BF4L913 Engine</i>				Air	LAF3701			G1 ⁵³¹
Q1H4117	Fuel	FP586F	Q1H4117	Fuel	FP586F	4180416	Hydraulic	LH8544 ¹⁰⁷⁷
A15H4123	Oil	LFP2222		Oil	LFP2234		Oil	PH2808
<i>AS10S Loader w/Deutz BF4L913 Engine</i>			AHLMANN (LOADER)			<i>AX30-2, AX35-2 w/Kubota V1505 Engine</i>		
Q1H4117	Fuel	FP586F	<i>AS150 w/Deutz BF4M2012 Engine</i>				Fuel	FP590F
A15H4123	Oil	LFP2222	4415901	Air	LAF2342 ²			G1 ⁵³¹
<i>AS12 Loader w/Deutz F6L912 Engine</i>			2161582	Fuel	FP586F	<i>AX40-2 w/Kubota V2203 Engine</i>		
Q1H4117	Fuel	FP586F	1174418	Oil	PH2819		Fuel	FP590F
W/S		LFF8062	AIRCO (WELDER)					G1 ⁵³¹
A15H4123	Oil	LFP2222	300			4180416	Hydraulic	LH8544 ¹⁰⁷⁷
<i>AS12 Loader w/Ford Engine</i>				Air	LAF222 ⁶²⁵		Oil	PH2808
	Fuel	L296F ⁴¹		Fuel	L296F ⁴¹	<i>AX45-2 w/Kubota V2203 Engine</i>		
	Oil	P72		Oil	P72		Fuel	FP590F
A1H4123		PH2819	AIRMAN (AIR COMPRESSOR)					G1 ⁵³¹
<i>AS12D Loader w/Deutz BF6L913 Engine</i>			<i>PDS125S w/Isuzu 3KR1 Engine</i>			4180416	Hydraulic	LH8544 ¹⁰⁷⁷
Q1H4117	Fuel	FP586F		Oil	PH2808		Oil	PH2808
	Oil	LFP8590	<i>PDS130S w/Isuzu 3KR1 1.4L Diesel Engine</i>			<i>AX45-2 w/Kubota V2203 Engine</i>		
<i>AS12D Loader w/Deutz F6L913 Engine</i>			(8-94414-796-1); Sec.	Fuel	LFF3553		Fuel	FP590F
Q1H4117	Fuel	FP586F						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 41-Cartridge 57-Partial 169-1 Per Package 268-Extended/Severe service 275-Primary 291-Extended/Severe service. 531-Filter only
 625-Standard filter 781-Compressor 1077-Hyd. Tank 1496-Alternate

A

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
AIRMAN (EXCAVATOR)			ALASKA DIESEL (GENERATOR MARINE)			ALASKA DIESEL (GENERATOR MARINE)		
<i>AX45-2 w/Kubota V2203 Engine (cont'd)</i>			<i>M4045</i>			<i>M643</i>		
	Fuel	G1 ⁵³¹						
4180416	Hydraulic	LH8544 ¹⁰⁷⁷	2452259	Fuel	LFF1129	(2452020); S/N 4430-	Fuel	FP588F
	Oil	PH2808	2400000	Oil	FP20	2402001	Oil	PH2840
<i>AX45CGL-2 w/Kubota V2203 Engine</i>			<i>M40C</i>			<i>M6466</i>		
(6667352); Sec.	Fuel	LFF4806 ¹⁶⁹	2420001	Air	LAF8487	2452259	Fuel	LFF1129
17321-32430	Oil	PH2904 ²⁷⁵	2452259	Fuel	LFF1129	2401000	Oil	PH725
AKSA (GENERATOR)			2400000			<i>M65C</i>		
<i>AC2060 w/Cummins QSK60 60L V16 Diesel Engine</i>			<i>M4219</i>			(24-51005); W/S		
(3089916); W/S	Fuel	LFF1021	2452259	Fuel	LFF1129	24-00000	Oil	FP20
4016657	Oil	LFP9024	2400000	Oil	FP20	<i>M673</i>		
ALASKA DIESEL (GENERATOR MARINE)			<i>M4239</i>			(2452020); S/N 4430-		
<i>M16C</i>			2452259			2402001		
2428401	Air	LAF5796	2400000	Oil	FP20	Fuel		
(2452020); S/N 4430-	Fuel	FP588F	<i>M4276</i>			Oil		
2405401	Oil	PH400 ²⁷⁵	2452259			Fuel		
2405401		PH8A ¹⁴⁹⁶	2400000			Oil		
<i>M20C</i>			2400000			Oil		
2420001	Air	LAF8487	<i>M55C</i>			(2452020); S/N 4430-		
(2452020); S/N 4430-	Fuel	FP588F	(24-51005); W/S			Fuel		
2405401	Oil	PH400 ²⁷⁵	24-00000			Oil		
2405401		PH8A ¹⁴⁹⁶	<i>M6068</i>			2402001		
<i>M20CL</i>			2452259			Fuel		
2428401	Air	LAF5796	2400000			Oil		
(2452020); S/N 4430-	Fuel	FP588F	<i>M6076</i>			2452259		
2405401	Oil	PH400 ²⁷⁵	2452259			Fuel		
2405401		PH8A ¹⁴⁹⁶	RE57394			Oil		
<i>M20CR</i>			<i>M60C</i>			<i>M80C</i>		
2428401	Air	LAF5796	2452259			2452259		
(2452020); S/N 4430-	Fuel	FP588F	(24-51005); W/S			Fuel		
2405401	Oil	PH400 ²⁷⁵	24-00000			Oil		
2405401		PH8A ¹⁴⁹⁶	<i>M6108</i>			2400000		
<i>M30C</i>			2414802			Fuel		
2420001	Air	LAF8487	(2454808); W/S			LFF4294		
(2452020); S/N 4430-	Fuel	FP588F	2405701			Oil		
2405401	Oil	PH400 ²⁷⁵	<i>M6125QA</i>			<i>M843</i>		
2405401		PH8A ¹⁴⁹⁶	2414802			(2452020); S/N 4430-		
<i>M32C</i>			(2454808); W/S			Fuel		
2420001	Air	LAF8487	2404801			Oil		
(2452020); S/N 4430-	Fuel	FP588F	<i>M6125T</i>			<i>M843J</i>		
2405401	Oil	PH400 ²⁷⁵	2414802			(2452020); S/N 4430-		
2405401		PH8A ¹⁴⁹⁶	(2454808); W/S			Fuel		
<i>M33C</i>			2404801			Oil		
2420001	Air	LAF8487	<i>M6140A</i>			<i>M843N</i>		
(2452020); S/N 4430-	Fuel	FP588F	2415001			(2452020); S/N 4430-		
2405401	Oil	PH400 ²⁷⁵	(2455001); Pri.			Fuel		
2405401		PH8A ¹⁴⁹⁶	2404801			Oil		
<i>M36C</i>			<i>M6170A</i>			<i>M844</i>		
2420001	Air	LAF8487	6004111160			(2452020); S/N 4430-		
2452259	Fuel	LFF1129	(2454808); W/S			Fuel		
2400000	Oil	FP20	2404801			Oil		
<i>M4039D</i>			<i>M6414</i>			<i>M844L</i>		
2452259	Fuel	LFF1129	2452259			(2452020); S/N 4430-		
2400000	Oil	FP20	2400000			Fuel		
			2400000			Oil		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

14-Extended Life 169-1 Per Package 255-Contains 3 oz. of chemical 275-Primary 531-Filter only 627-5 oz. of chemical 1077-Hyd. Tank 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ALASKA DIESEL (GENERATOR MARINE)			ALASKA DIESEL (GENERATOR)			ALASKA DIESEL (GENERATOR)		
<i>M964 (cont'd)</i>			<i>L6108A (cont'd)</i>			<i>L8955A (cont'd)</i>		
2405401	Oil	PH8A ¹⁴⁹⁶	(2454808); W/S	Fuel	LFF4294	AR43261	Oil	PH725
<i>M984K</i>			2405701	Oil	LFP5120B	<i>L964</i>		
2452020	Fuel	FP588F	<i>L6125A</i>			(2452020); S/N 4430-	Fuel	FP588F
2405401	Oil	PH400 ²⁷⁵	2424802	Air	LAF942	2405401	Oil	PH400 ²⁷⁵
2405401		PH8A ¹⁴⁹⁶	2414802	Coolant	LFW4074 ⁶²⁷	2405401		PH8A ¹⁴⁹⁶
<i>MP40C</i>			(2454808); W/S	Fuel	LFF4294	<i>L984D</i>		
2420001	Air	LAF8487	2404801	Oil	LFP670	(2452020); S/N 4430-	Fuel	FP588F
(24-51005); W/S	Fuel	LFF8215			LFP670XL ¹⁴	2405401	Oil	PH400 ²⁷⁵
24-51005	Oil	LFP5757	<i>L6125T</i>			2405401		PH8A ¹⁴⁹⁶
<i>MP55C</i>			2424802	Air	LAF942	<i>NL4039D, NL4039DT</i>		
(2451005); W/S	Fuel	LFF8215	2414802	Coolant	LFW4074 ⁶²⁷		Air	LAF8487
2401002	Oil	LFP5757	(2454808); W/S	Fuel	LFF4294		Fuel	LFF1129
<i>MP60C2</i>			2404801	Oil	LFP670		Oil	FP20
2420001	Air	LAF8487			LFP670XL ¹⁴	<i>NL4045</i>		
(24-51005); W/S	Fuel	LFF8215	<i>L6140A</i>				Fuel	LFF1129
24-51005	Oil	LFP5757	2415001	Coolant	LFW2055		Oil	FP20
<i>MP65C</i>			(2455001); Pri.	Fuel	LFF202	<i>NL498K</i>		
(2451005); W/S	Fuel	LFF8215	2404801	Oil	LFP670		Oil	PH2808
2401002	Oil	LFP5757			LFP670XL ¹⁴	<i>NL6068</i>		
<i>MP80C</i>			<i>L6170A</i>				Fuel	LFF1129
(2451005); W/S	Fuel	LFF8215	2415001	Coolant	LFW2055		Oil	FP20
2401002	Oil	LFP5757	(2455001); Pri.	Fuel	LFF202	<i>NL6125A</i>		
<i>MP99C</i>			2404801	Oil	LFP670		Air	LAF6769
(2451005); W/S	Fuel	LFF8215			LFP670XL ¹⁴			LAF6769MXM
2401002	Oil	LFP5757	<i>L6414A</i>					LAF9373
ALASKA DIESEL (GENERATOR)			2452259	Fuel	LFF1129		Coolant	LFW4074 ⁶²⁷
<i>L4039D</i>			2400000	Oil	FP20	W/S	Fuel	LFF4294
2452259	Fuel	LFF1129	<i>L6414D</i>				Oil	LFP670
2400000	Oil	FP20	2452259	Fuel	LFF1129		LFP670XL ¹⁴	
<i>L4045</i>			2400000	Oil	FP20	<i>NL854A, NL854B</i>		
2452259	Fuel	LFF1129	<i>L6414T</i>			S/N 4430 On	Fuel	FP588F
2400000	Oil	FP20	2452259	Fuel	LFF1129		LFF1129	
<i>L4219D</i>			2400000	Oil	FP20		Oil	PH561
2452259	Fuel	LFF1129	<i>L6466</i>			<i>NL892</i>		
2400000	Oil	FP20	2452259	Fuel	LFF1129		Oil	PH561
<i>L4239</i>			2401000	Oil	PH725	ALL AMERICAN (PRESSURE WASHER)		
2452259	Fuel	LFF1129	<i>L802</i>			<i>Premier Series w/B&S Vanguard 16 hp V-Twin Engine</i>		
2400000	Oil	FP20	24-52259	Fuel	LFF1129		Oil	PH3656
<i>L4239T</i>			140516030	Oil	PH2865	<i>Premier Series w/B&S Vanguard 18 hp V-Twin Engine</i>		
2452259	Fuel	LFF1129	<i>L844</i>				Oil	PH3656
2400000	Oil	FP20	2452020	Fuel	FP588F	ALL TRACK INDUSTRIES (FARM EQUIPMENT)		
<i>L4276</i>			2403100	Oil	PH253 ¹⁴⁹⁶	<i>AT300 Dumper</i>		
2452259	Fuel	LFF1129			PH2835 ²⁷⁵	Kubota V2203 Engine;	Fuel	LFF4806 ¹⁶⁹
2400000	Oil	FP20	<i>L844L</i>			Sec.		
<i>L4276T</i>			2452020	Fuel	FP588F	Kubota V2203 Engine	Oil	PH2904 ²⁷⁵
2452259	Fuel	LFF1129	2403100	Oil	PH253 ¹⁴⁹⁶	ALLIANZ (SWEEPER INDUSTRIAL)		
2400000	Oil	FP20			PH2835 ²⁷⁵	<i>MS350 w/John Deere 5030 3.0L Engine</i>		
<i>L6068</i>			<i>L854A</i>			(RE508202); Sec.	Fuel	L8569F
2452259	Fuel	LFF1129	2452259	Fuel	LFF1129	RE518977	Oil	LFP8340
2400000	Oil	FP20	2402202	Oil	PH561	<i>MT350 w/John Deere 5030 3.0L Engine</i>		
<i>L6076</i>			<i>L854B</i>			(RE508202); Sec.	Fuel	L8569F
2452259	Fuel	LFF1129	(2452020); S/N 4430-	Fuel	FP588F			
RE57394	Oil	PH720	2402202	Oil	PH561			
<i>L6108A</i>			<i>L8955A</i>					
2414802	Coolant	LFW4074 ⁶²⁷	AR87112	Coolant	LFW4074 ⁶²⁷			
			AR50041	Fuel	P1130			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 14-Extended Life 169-1 Per Package 275-Primary 627-5 oz. of chemical 1496-Alternate

A

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ALLIANZ (SWEEPER INDUSTRIAL)			ALLIS-CHALMERS (BACKHOE LOADER)			ALLIS-CHALMERS (CRAWLER TRACTOR)		
<i>MT350 w/John Deere 5030 3.0L Engine (cont'd)</i>			<i>715, 715D w/Perkins 4-236 Engine</i>			<i>21B</i>		
RE518977	Oil	LFP8340	1167808-3	Air	LAF222 ²	70659387	Air	LAF6632 ²
ALLIS-CHALMERS (BACKHOE LOADER)			0251397-6	Fuel	L296F ⁴¹	LAF6632MXM ^{2, 268}		
<i>540 w/172 Diesel Engine</i>			0237000-5	Oil	PH400 ²⁷⁵	LAF6641 ¹		
70239518	Air	LAF1275 ²	0237000-5		PH8A ¹⁴⁹⁶	70197588		
14413	Fuel	L296F ⁴¹	4511629-0	Trans	PH400 ²⁷⁵	(74056632); Sec.		
3293	Hydraulic	LP50910	4511629-0		PH8A ¹⁴⁹⁶	(74028945); Sec.		
C9NN6714A	Oil	LFP2258	<i>816, 816B w/Perkins 4.248 Engine</i>			(74055565); Pri.		
<i>540 w/172 Gas</i>				Air	LAF1246 ²	70631828		
3293	Hydraulic	LP50910	0251397-6	Fuel	L296F ⁴¹	70694662		
C9NN-6714-A	Oil	LFP2258	1007060-1	Hydraulic	LP50910	74395889		
4372517		P2	0251381-0	Oil	PH400 ²⁷⁵	70665859		
<i>540 w/Ford 172 Diesel Engine</i>					PH4403	6407803		
14413	Fuel	L296F ⁴¹	0251381-0		PH8A ¹⁴⁹⁶	<i>21C w/21000 MK II Engine</i>		
3293	Hydraulic	LP50910		Trans	HP1	70671838		
C9NN-6714-A	Oil	LFP2258	4511629		PH400 ²⁷⁵	70671838		
4372517		P2	4511629		PH8A ¹⁴⁹⁶	70671839		
<i>540 w/Ford 172 Gas Engine</i>			<i>840, 840B w/Al-Chalmers 2800 Engine</i>			74393504		
3293	Hydraulic	LP50910	74059292	Air	LAF1246 ²	04734562		
C9NN-6714-A	Oil	LFP2258	W/S	Fuel	LFF1131	(74394335); Sec.		
4372517		P2	74024232		P1130	04788503		
<i>555 w/21000 Engine</i>			71004922	Hydraulic	LH4918	70664000		
	Air	LAF263	1004193	Oil	LP32	74395889		
Sec.	Fuel	262F	74035556		PH52	70669434		
3010360	Hydraulic	LP32	<i>918 w/2800 Engine</i>			<i>7G-B w/3500 Engine</i>		
	Oil	LP132		Air	LAF222 ²	70684732		
Turbo		P2	Sec.	Fuel	FP230F	70662608		
<i>615 w/A-1 Diesel Engine</i>			1007060	Hydraulic	LP50910	74029089		
237935	Air	LAF131			PH24	(74028945); Sec.		
Sec.	Fuel	FP230F		Oil	LFP3411	70631828		
	Oil	LFP3411	<i>940 w/2900 Engine</i>			(74027979); -S/N		
	Power Steering	PH400 ⁷²⁶	1007973	Air	LAF1544 ²	3D18869		
		PH8A ¹⁴⁹⁷	74024232	Fuel	P1130	70665859		
<i>615 w/Gasoline Engine</i>			74023548	Oil	PH52	(74035556); S/N		
239518	Air	LAF1246 ²	ALLIS-CHALMERS (COTTON PICKER)			3D18869-3		
237000	Oil	PH400 ²⁷⁵	<i>616, 622 w/Diesel Engine</i>			70679513		
237000		PH8A ¹⁴⁹⁶	Pri.	Fuel	L3564F	<i>H-3 w/D-160 Engine</i>		
<i>640 w/A-1 Diesel Engine</i>				Oil	LFP3411			
	Air	LAF222 ²			P92	Fuel L296F ⁴¹		
	Fuel	L296F ⁴¹	<i>616, 622 w/Gasoline Engine</i>			Oil P772		
1014120	Oil	PH4408		Oil	PH400 ²⁷⁵	<i>H-3 w/G-149 Engine</i>		
<i>650 w/2200 Engine</i>					PH8A ¹⁴⁹⁶	247060		
	Air	LAF131	707			Hydraulic PH24		
	Fuel	FP230F	4027979	Oil	LFP3411	By-Pass Oil PB50		
	Hydraulic	LFH4210	760XTB			<i>H-4 w/G-2200 Engine</i>		
4027979	Oil	LFP3411	4027979	Oil	LFP3411	246085		
		PH24 ¹⁰⁹²	801, 802			Hydraulic LFH4210		
<i>653</i>			4027979	Oil	LFP3411	Oil LFP3411		
0237395	Air	LAF131	860			<i>HD-11, HD-11AG, HD-11B, HD-11BD, HD-11E, HD-11EP, HD-11G w/10000, 11000 or HD-516 Engine</i>		
(4025230); Sec.	Fuel	FP230F	1004652	Air	LAF1246 ²	(0684733); Direct Drive		
246085	Hydraulic	LFH4210	4024232-3	Fuel	P1130	Air LAF6587 ²		
4027979	Oil	LFP3411		Hydraulic	PH24	Direct Drive LAF6587MXM ^{2, 268}		
<i>715</i>			4035556	Oil	PH52	(0684734); P/Shft. P145700		
(4035556); S/N 13062-	Oil	PH52	880			LAF6769		
			74009078-2	Air	LAF1246 ²	LAF6769MXM ²⁶⁸		
				Hydraulic	LH4264	LAF6769MXM ^{2, 268}		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 11-Power Steering 41-Cartridge 255-Contains 3 oz. of chemical 268-Extended/Severe service 275-Primary
726-400 1092-If space is not restricted 1496-Alternate 1497-401

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
ALLIS-CHALMERS (CRAWLER TRACTOR)			ALLIS-CHALMERS (CRAWLER TRACTOR)			ALLIS-CHALMERS (CRAWLER TRACTOR)			
<i>HD-11, HD-11AG, HD-11B, HD-11BD, HD-11E, HD-11EP, HD-11G w/10000, 11000 or HD-516 Engine (cont'd)</i>			<i>HD-16, HD-16 Series B, HD-16D, HD-16DC, HD-16DP, HD-16G w/HD-844 or 16000 Engine (cont'd)</i>			<i>HD-3 w/D-175 Engine (cont'd)</i>			
662609 (622893); S/N 7376-10000; HD-11, HD-11G (w/11000 eng.) 662477	Air	LAF6834 ¹ LAF8514	P109200 (662477); -S/N 64A09572 74059979	Air	LAF9200 ² LAF9373 ¹	By-Pass		Oil	PB50
Sec. S/N 12201-; Sec.	Fuel	LAF9373 ¹ 261F FP230F	74059979; Sec. (4025230); Sec. (74055565); Pri. (4027979); S/N 5550- 74027979	Coolant	LFW4071 ²⁸ 262F FP230F L3568F	<i>HD-4 w/D-2200 Engine</i>			
70669434 (3010360); HD-11G 4511629 4511629	Hydraulic	LH4265 LP32 PH400 ^{275, 1099} PH8A ^{1099, 1496}	70625780 70631828 4395889	Fuel	LFP3411 ¹⁰⁹⁹ LFP3411 ¹⁰⁹⁹ LP2279 LP2296 ¹¹	246085	Hydraulic	LFH4210	
S/N 4331- (4395889); -S/N 4330 70665859	Oil	LP112 LP132 LP8719 P2 PH400 ^{275, 1100} PH8A ^{1100, 1496}	70647256 6407803 (4372517); -S/N 5901 (623049); S/N 11001-	Trans	LH8461 P2 P92	Oil			LFP3411
Turbo 4511629 4511629			<i>HD-19 w/Detroit Diesel 6-71 Engine</i>			<i>HD-41 w/Allis-Chalmers 21000 Engine</i>			
6407803	Trans	LH8461 P2	(59898); Sec.	Fuel	262F	Sec.	Fuel	262F	
4372517				Oil	LP132	Sec.	Hydraulic	LH4265 ¹¹ LP151 ¹¹⁰¹ LP712	
<i>HD-12G, HD-12G Series B, HD-12GS w/11000 Engine</i>			<i>HD-20 w/Detroit Diesel 6-71 or 6-110 Engine</i>			<i>HD-41 w/Cummins V-12 Engine</i>			
0684734	Air	LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹	Sec.	Fuel	262F	667685	Air	LAF9085 ¹ LAF9086 ² LAF9086MXM ^{2, 268}	
662477	Fuel	261F FP230F L274F L274F1		Hydraulic	LP32	674967			
Sec. Sec. (5573482); Pri. (5574961); Pri.			<i>HD-21</i>			<i>HD-41B w/Cummins V-12 Engine</i>			
	Hydraulic	LP2296 ¹¹	70625780	Air	LAF268 LAF320	6903304	Air	LAF1767 ¹ LAF1812 ²	
4395889	Oil	LP132 P2	73010360	Fuel	262F L3568F	690305			
Turbo			70647256	Hydraulic	LFP3411 ¹⁰⁹⁹ LP2279 LP2296 ¹¹ LP32	<i>HD-5, HD-5G w/Detroit Diesel Engine</i>			
<i>HD-14, HD-14C w/Detroit Diesel 6-71 Engine</i>			6407803	Oil	LP132 LP8719	<i>HD-6, HD-6A, HD-6B, HD-6E, HD-6EP, HD-6G w/6000 Engine</i>			
(59898); Sec.	Fuel	262F	6407803	Trans	LH8461	0235449-6 684732-1 (0662608-9); S/N 21212-)(inc. 21146, 21155, 21168, 21179, 21190, 2120; Turbo (4056633); Sec. (5573482); S/N 13222-; Pri. (5574961); Pri.	Air	LAF702 LAF8668 ² LAF8674 ¹	
	Oil	LP132	<i>HD-21P w/19000 Engine</i>			3010360	Hydraulic	LP32	
<i>HD-15 w/Detroit Diesel 6-71 Engine</i>			<i>HD-22 Series B w/21000 Engine</i>			<i>HD-6, HD-6A, HD-6B, HD-6E, HD-6EP, HD-6G w/HD-334 Engine</i>			
(59898); Sec.	Fuel	262F	0659387-5	Air	LAF320 262F L3568F LP132	(0623049-4); HD-6G (0623049-4); -S/N 16007; HD-6EP	Trans	P92 P92	
73101360	Hydraulic	LP32	Sec. (74055565); Pri.	Fuel	262F L3568F	<i>HD-6, HD-6A, HD-6B, HD-6E, HD-6EP, HD-6G w/HD-334 Engine</i>			
	Oil	LP132		Oil	LP132	(4055563); Pri. (631828); HD-6EP, HD-6G HD-6EP -S/N 13321 -S/N 16006	Fuel	L274F LP2296 LP712	
<i>HD-16, HD-16 Series B, HD-16D, HD-16DC, HD-16DP, HD-16G w/HD-844 or 16000 Engine</i>			<i>HD-3 w/D-175 Engine</i>			<i>HD-7G Series B w/3500 Engine</i>			
634446	Air	LAF24 LAF5518 ² LAF5518MXM ² LAF5526 ¹ LAF6587 ² LAF6587MXM ^{2, 268} LAF6769 ² LAF6769MXM ^{2, 268} LAF6834 ¹ LAF8513 ¹	0197588 (4056632-5); Sec. Sec. 4395889	Air	LAF6632 ² LAF6632MXM ^{2, 268} LAF6641 ¹ 262F L540F LP2296 ¹¹ LP132	0684732-1 0662608-9 (4028945); Sec. S/N 34U29387-	Air	LAF4195 LAF8668 ² LAF8674 ¹ FP230F LH22116 LP2296 ¹¹	
6718381			Sec.	Hydraulic	LP2296 ¹¹	<i>HD-7G Series B w/3500 Engine</i>			
6718381				Air	LAF863	<i>HD-7G Series B w/3500 Engine</i>			
6718399				Fuel	G22077 L3564F	<i>HD-7G Series B w/3500 Engine</i>			
(0684733); S/N 2032- S/N 2032-				Hydraulic	PH24	<i>HD-7G Series B w/3500 Engine</i>			
(0684734); -S/N 24L09572 -S/N 24L09572						<i>HD-7G Series B w/3500 Engine</i>			
0662609						<i>HD-7G Series B w/3500 Engine</i>			
P109206						<i>HD-7G Series B w/3500 Engine</i>			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 11-Power Steering 28-Contains 1 oz. of chemical 268-Extended/Severe service 275-Primary Chalmers 926821 Gasket 1496-Alternate

1099-Torque Converter 1100-Clutch 1101-Allis

A

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ALLIS-CHALMERS (CRAWLER TRACTOR)			ALLIS-CHALMERS (GRADER)			ALLIS-CHALMERS (GRADER)		
<i>HD-7G Series B w/3500 Engine (cont'd)</i>			<i>100-C w/11000 MKII Engine</i>			<i>DD w/D-230 or D-262 Engine</i>		
-S/N 34U29387	Hydraulic	LP712	0684733	Air	LAF6587 ² LAF6587MXM ^{2, 268}	639050	Air	LAF222 ²
(4027979); S/N 3D-18869- (4023548); -S/N 3D-18869	Oil	LFP3411	0662609 (4028945); Sec.	Fuel	LAF6834 ¹ FP230F	Sec. S/N 1924-; Pri.	Fuel	261F L3564F
0679513-2	Trans	LP712 ¹¹⁰²	4395889	Oil	LP132		Oil	LFP3411 P92
<i>HD-7G w/7000 Series Engine</i>			<i>145 w/G-226 Engine</i>			<i>M-100, M-100 Series B w/10000 or 11000 Engine</i>		
	Air	LAF4134 ¹¹⁰³	243163	Air	LAF222 ⁶²⁵	-S/N 1888 (0684733); S/N 6755001-; M-100 S/N 6755001-; M-100	Air	LAF1984 ² LAF22081 ² LAF6587 ²
Sec. (5573482); S/N 23003-; Pri. (5574961); Pri.	Fuel	261F L274F	4056633	Fuel	261F ²⁴⁴ L274F	0662609 (684732-1); S/N 1888-662608	Fuel	LAF6834 ¹ LAF8668 ² LAF8674 ¹
3010360	Hydraulic	LP32	4055563	Oil	LP2323	Sec. S/N 1209-; Sec. (5573482); Pri. (5574961); Pri.	Fuel	261F FP230F L274F L274F1
4349986	Oil	LP2323	4349986	Oil	LP2323	4395889	Oil	LP132
	Trans	LP2296 P92	<i>145, 145T w/AD344, 6000 or 7000 Engine</i>			Series B	Trans	P2
623049				Air	LAF8514	<i>M-65 w/D-226 Engine</i>		
<i>HD-9, HD-9G, HD-10 w/Detroit Diesel 4-71 Engine</i>			(4056633); Sec. (5573482); Pri. (5574961); Pri.	Fuel	261F L274F L274F1	70243163	Air	LAF222 ²
(3010360); HD-9, HD-9G	Hydraulic	LP32	(4348261); -S/N 386; 145	Oil	LP112	4511629	Hydraulic	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
ALLIS-CHALMERS (GENERATOR)			0079170	Power Steering	LP176	4027979-6	Oil	LFP3411
<i>DES-125, DES-135 w/11000 Engine, DES-175 w/17000 Engine</i>			4372517	Trans	P2	<i>M-65 w/D-262 Engine</i>		
<i>DES-200, DES-220, DES-250, DES-275 w/21000, 25000 Engine</i>			<i>145T w/G-226 Engine</i>			0243163-3	Air	LAF222 ²
P101240	Air	LAF230	243163	Air	LAF222 ⁶²⁵	Pri.	Fuel	L3564F
4052520		LAF24	4056633	Fuel	261F ²⁴⁴ L274F	4511629	Hydraulic	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
437069		LAF24	4055563	Fuel	L274F	4511629	Hydraulic	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
185824		FP230F	4349986	Oil	LP2323	4027979-6	Oil	LFP3411
4393504-8	Coolant	LFW4744 ⁴	<i>150-C, 200-C w/11000 MKII Engine</i>			<i>M-65 w/G-226 Engine</i>		
(4056632); Sec. (4028945); Sec. (4394407); Sec.	Fuel	262F FP230F FP251F L540F	684733	Air	LAF6587 ² LAF6587MXM ^{2, 268} LAF6834 ¹	0423163	Air	LAF222 ²
4395889	Oil	LP132	662609 (4028945); Sec.	Fuel	FP230F	4511629	Hydraulic	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
Turbo		P2	4395889	Oil	LP132	4511629	Hydraulic	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>DES-30, DES-35 w/D-262 Engine</i>			<i>45 w/ADS-516 or 10,000 Engine</i>			237000	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
P19174	Air	LAF75		Air	LAF8514	0237000	Oil	PH8A ¹⁴⁹⁶
(402894-6); Sec. Pri.	Fuel	FP230F L3564F	4395889	Oil	LP132	<i>M-70 w/7000 Engine</i>		
<i>DES-45, DES-60, DES-90, DES-100 w/2800, 2900, 3500 Engine</i>			<i>65B</i>				Air	LAF1984 ²
Sec. 4024232	Fuel	FP230F P1130		Fuel	L296F ⁴¹	Sec. (5573482); Pri. (5574961); Pri.	Fuel	261F L274F L274F1
	Oil	LFP3411		Hydraulic	LFP3411		Trans	P2
<i>DES-500 w/61000 Engine</i>				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>Models, 200-C w/11000 MKII Engine</i>		
Pri.	Fuel	L3568F	<i>AD, AD-3, AD-4</i>			0684733	Air	LAF6587 ² LAF6587MXM ^{2, 268}
	Oil	LP132	S/N 3239-; Sec.	Fuel	261F	0662609 (4028945); Sec.	Fuel	LAF6834 ¹ FP230F
<i>DES-550 w/65000 Engine</i>			<i>AD-30, AD-40</i>			4395889	Oil	LP132
Pri.	Fuel	L3568F	Sec.	Fuel	261F	ALLIS-CHALMERS (LIFT TRUCK)		
	Oil	LP132	S/N 836-; Sec.	Fuel	261F 261F L3577F ²⁴⁴	<i>500, 600 w/Diesel Engine</i>		
<i>DES-550 w/65000 Engine</i>			<i>BD-3</i>			237395 (4025230); Sec.	Air	LAF131
Pri.	Fuel	L3568F	S/N 836	Fuel	L3577F ²⁴⁴	4513411	Fuel	FP230F
	Oil	LP132	<i>D, W Speed Patrol w/G226 Engine</i>				Oil	LFP3411
	Oil	LP132	0243163	Air	LAF222 ²			
			S/N 20389- S/N 20389-	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 41-Cartridge 244-Secondary 268-Extended/Severe service 275-Primary 625-Standard filter 1102-Allis Chalmers 70666244 Gasket 1103-United 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ALLIS-CHALMERS (LIFT TRUCK)			ALLIS-CHALMERS (LIFT TRUCK)			ALLIS-CHALMERS (LIFT TRUCK)		
<i>500, 600 w/Gas Engine</i>			<i>ACP225 w/A-C 2900 diesel Engine (cont'd)</i>			<i>FSL70-24, F80-24, FL80-24, FP80-24, FPL80-24, FS80-24, FSL80-24, F100-24, FL100-24, F120-24, FL120-</i>		
239518	Air	LAF1275 ²	4906096	Hydraulic	LH4264			
237000-5	Oil	PH400 ²⁷⁵	4023548-3	Oil	PH52			
237000-5		PH8A ¹⁴⁹⁶	<i>ACP225 w/Ford 300 gas Engine</i>				Air	AF102
<i>510</i>			4909733	Air	LAF1246 ²		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
239518	Air	LAF1275 ²	C1AZ-6731-A	Oil	PH400 ²⁷⁵			
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	C1AZ-6731-A		PH8A ¹⁴⁹⁶			
			4855745	Trans	HP1			<i>FT20-24, FTL20-24, FPT20-24, FTPL20-24, FT25-24, FTL25-24, FTB30-15, FTBL30-15, FTB30-24, FTBL30-24</i>
<i>705, 706 Series C w/A-1 Diesel Engine</i>			<i>ACP40, ACP50 w/Continental Gas or LPG Engine</i>					
1167808-3	Air	LAF222 ²	4906096-5	Hydraulic	LH4264	By-Pass	Oil	P3 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
7111/296	Fuel	L296F ⁴¹	(4512207-4); By-Pass	Oil	PB50			
<i>706 w/Perkins Engine</i>			4511629-0	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶			<i>FT30-15, FT30-24, FT40-18, FT40-24, FT50-24, FT60-24, FT70-24, FT80-24, FT100-24</i>
234774	Hydraulic	PH24	4511629-0				Oil	P4
<i>ACC100, ACC120 w/A-C 262 Diesel Engine</i>			<i>ACP40, ACP50 w/Perkins 4-203 Diesel Engine</i>					
(4028945-6); Sec.	Fuel	FP230F	0251397-6	Fuel	L296F ⁴¹			
4027979-5	Oil	LFP3411	4906096-5	Hydraulic	LH4264			<i>FT60-24, FTL60-24, FTP60-24, FTPL60-24, FT70-24, FTL70-24, FTD75-24C, FT80-24, FTL80-24, FT100-24,</i>
4511629-0	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	1014120	Oil	PH4408			
4511629-0			4511629-0	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	By-Pass	Oil	P4 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>ACC100, ACC120 w/Continental Gas or LPG Engine</i>			<i>F30-24, FL30-24, F40-24, FL40-24, FP40-24, FPL40-24, FP50-24, FL50-24, FPL50-24 w/G153 eng</i>					
(4512207-4); By-Pass	Oil	PB50		Hydraulic	P2 ¹⁰⁹⁹			<i>FTD-20, FTD-30, FTD-40</i>
4511629-0	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	By-Pass	Oil	PB50	Sec.	Fuel	261F
4511629-0			F-4, FT-20				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>ACC20, ACC25, ACC30 w/Continental Gas or LPG Engine</i>			(4502499); By-Pass	Oil	P3			<i>FTD60-24, FTD70-24, FTD80-24, FTD100-24 w/6BD-230 Engine</i>
4997568-3	Air	AF102				By-Pass	Oil	P4 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
(4512207-4); By-Pass	Oil	PB50	F60-24, FL60-24, FP60-24, FPL60-24, FS60-24, FSL60-24, F70-24, FL70-24, FP70-24, FPL70-24, FS70-24					
(4511629-0); w/P/Shft.	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Air	AF102			<i>FTP30-24, FTPL30-24, FPL40-24, FTP40-24, FTPL40-24 w/4B-153 Engine</i>
(4511629-0); w/P/Shft.				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶			
<i>ACC35, ACC40, ACC45, ACC50, ACC55 w/Continental Gas or LPG Engine</i>			<i>FB20-15, FB20-24, FPB20, 15, FPB20-24</i>					
4906096-2	Hydraulic	LH4264	By-Pass	Oil	P7FF	4511629	Hydraulic	LP2296 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
(4512207-4); By-Pass	Oil	PB50	FD30-24, FD40-24, FPD40-24, FP50-24, FD50-24, FPD50-24 w/D-175 Engine			4511629		
4511629-0	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Air	AF102	By-Pass	Oil	P4 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
4511629-0				Fuel	L3564F			<i>FTPD30-24, FTPD40-24 w/4BD-153 Engine</i>
<i>ACC60, ACC70, ACC80 w/A-C 262 Diesel Engine</i>			Pri.	Fuel	L3564F	Sec.	Fuel	261F
(4028945-6); Sec.	Fuel	FP230F	By-Pass	Oil	PB50	4502495	Oil	P4
4906096-5	Hydraulic	LH4264				(4512207); By-Pass		PB50
4027979-6	Oil	LFP3411	FD60-24, FPD60-24, FSD60-24, FD70-24, FPD70-24, FSD70-24, FD80-24, FPD80-24, FSD80-24, FD100-24, FD					
4511629-0	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Air	AF102	<i>HA, HB Series</i>		
4511629-0				Fuel	L3564F	4502495	Oil	P4
<i>ACC60, ACC70, ACC80 w/Continental Gas or LPG Engine</i>			Pri.	Fuel	L3564F	<i>Models with Cessna Hydr. filter</i>		
4906096-5	Hydraulic	LH4264	4511629	Hydraulic	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Hydraulic	LP6005
4511629-0	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	4511629			<i>RT-40 w/G-149 Engine</i>		
4511629-0	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LFP3411 P92	4997568-3	Air	AF102
4511629-0			<i>FSD70-24 w/D-262 Engine</i>			4511629-0	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>ACP20, ACP25, ACP30 w/Continental Gas or LPG Engine</i>			<i>FSD80-24 w/D-262 Engine</i>			4511629-0		
4997568-3	Air	AF102		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>RTD-40 w/D-175 Engine</i>		
(4512207-4); By-Pass	Oil	PB50				4997568-3	Air	AF102
4511629-0	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>FSD70-24 w/D-262 Engine</i>			Pri.	Fuel	L3564F
4511629-0				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	(4512207-4); By-Pass	Oil	PB50
<i>ACP225 w/A-C 2900 diesel Engine</i>			<i>FSD80-24 w/D-262 Engine</i>					
4909733	Air	LAF1246 ²						
4024232-3	Fuel	P1130						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
2-Outer 41-Cartridge 275-Primary 1099-Torque Converter 1496-Alternate

A

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ALLIS-CHALMERS (LOADER)			ALLIS-CHALMERS (LOADER)			ALLIS-CHALMERS (LOADER)		
<i>615 w/Gasoline Engine</i>			<i>TL-14D, TL-14DA w/6DA-273 Engine (cont'd)</i>			<i>TL-30 w/11000 Engine (cont'd)</i>		
	Hydraulic	LFH4944	(623049); S/N 1525-	Trans	P92	(5573482); Pri.	Fuel	L274F
<i>840, 840B w/Perkins Engine</i>			(4056633); Sec.	Fuel	261F	(5574961); Pri.	Fuel	L274F1
71004652	Air	LAF1246 ²	(5573482); Pri.		L274F	4395889	Oil	LP132
70251397	Fuel	L296F ⁴¹	(5574961); Pri.		L274F1	Turbo	Trans	LP151
71004922	Hydraulic	LH4918	4371021	Hydraulic	LP151	<i>TL-40 w/21000 Engine</i>		
70237000	Oil	PH400 ²⁷⁵	4395889	Oil	LP132	0185824	Air	LAF4040
70237000		PH8A ¹⁴⁹⁶	4335348	Trans	LP151	Sec.	Fuel	262F
<i>940 w/Allis-Chalmers 2900 Diesel Engine</i>			<i>TL-16, TL-16D w/G3400 Engine</i>			Sec.	Fuel	L540F
4024232	Fuel	P1130	TL16D	Air	LAF264	4395889	Oil	LP132
1004193-7	Hydraulic	LP32	Sec.	Fuel	FP230F	Turbo	Trans	P2
4023548-3	Oil	PH52	4027979	Oil	LFP3411	<i>TL-545 Series B w/2900 MK II Engine</i>		
<i>945</i>			4513108	Power Steering	P92	684732-1	Air	LAF8668 ²
4393504-8	Coolant	LFW4744 ⁴	4335348	Trans	LP151	0662608-9	Fuel	LAF8674 ¹
(4028945-6); Sec.	Fuel	FP230F	<i>TL-16, TL-16D w/HD-344, 6000, 7000 Engine</i>			(4028945-6); Sec.	Fuel	FP230F
4395889	Oil	LP132	(4367714); -S/N 204; Sec.	Fuel	262F	666421-3	Hydraulic	LP163
<i>TL-10, TL-11, TL-12 w/G-226, G-262 Engine</i>			(5573482); S/N 205-; Pri.		L274F	4023548-3	Oil	PH52
			(5574961); Pri.		L274F1	<i>TL-545 w/G2800 Engine</i>		
<i>TL-10, TL-11, TL-12 w/W-226 Engine</i>			(4348261); -S/N 554	Oil	LP112	3046858	Air	LAF1246 ²
	Trans	LP151	(3038502); S/N 1801-; TL-16		P4	70666421	Hydraulic	LP163
<i>TL-10D, TL-12A, TL-12D w/D-262 Engine</i>			4371021	Torque Converter	LP151	4027979	Oil	LFP3411
Sec.	Fuel	G22077	<i>TL-16, TL-16D w/Herc. GO-339 or DD-339 Engine</i>			(3056509); S/N 1400-	Trans	P92
Pri.		L3564F	(4367714); Sec.	Fuel	262F	<i>TL-545, -H w/2900 Diesel Engine</i>		
S/N 21087-	Oil	LFP3411	(4028945-6); Sec.		FP230F	3045583	Air	LAF234HD ²
-S/N 21086	Trans	LP151	(18999); -S/N 205; TL-16D	Oil	LP38	S/N 2501-; Sec.	Fuel	FP230F
<i>TL-11D, TL-12D w/6DA-273 Engine</i>				Trans	LP132	70666421	Hydraulic	LP163
Sec.	Fuel	261F	<i>TL-16D w/3500 Engine</i>				Oil	LFP3411
<i>TL-14 w/17000 Engine</i>			(4056633); Sec.	Fuel	261F	-S/N 1399	Trans	LP151
Sec.			(4028945-6); Sec.		FP230F	S/N 1400-		P92
Sec.	Fuel	262F			L274F	<i>TL-605 Series B w/2900 MK II Engine</i>		
		FP230F			L274F1	684732-1	Air	LAF8668 ²
	Oil	LP132			L274F1	0662608-9	Fuel	LAF8674 ¹
<i>TL-14, TL-14A w/6000 Engine</i>			(5573482); Pri.		L274F1	(4028945-6); Sec.	Fuel	FP230F
Sec.	Fuel	261F	(5574961); Pri.		L274F1	70666421	Hydraulic	LP163
(5573482); Pri.		L274F	(5574961); Pri.		L274F1	4023548-3	Oil	PH52
(5574961); Pri.		L274F1	(4027979); S/N 1910-	Oil	LFP3411	<i>TL-645 Series B w/3500 MK II Engine</i>		
-S/N 1524	Oil	P4	4371021	Torque Converter	LP151	0660360-9	Air	LAF6587 ²
	Trans	P92	<i>TL-20D w/10000 Engine</i>					LAF6587MXM ^{2, 268}
<i>TL-14, TL-14A w/GO-262 Engine</i>			3038733	Air	LAF22081 ^{2, 1105}	0662609-7	Fuel	LAF6834 ¹
(4027979); S/N	Oil	LFP3411			LAF4445	(4028945-6); Sec.	Fuel	FP230F
121087-			<i>TL-20D w/10000 Engine</i>			40 Micron	Hydraulic	LH22116
0237000-5		PH400 ²⁷⁵	Sec.	Fuel	261F	70666421		LP163 ¹¹⁰⁶
0237000-5		PH8A ¹⁴⁹⁶	(5573482); Pri.		L274F			LP712 ²⁴²
	Torque Converter	LP151	(5574961); Pri.		L274F1	4023548-3	Oil	PH52
	Trans	P92	4395889	Hydraulic	LP151	<i>TL-645, 645</i>		
<i>TL-14A w/G262 Engine</i>			4395889	Oil	LP132	S/N 2032-	Air	LAF6587MXM ^{2, 268}
	Air	LAF1984 ^{2, 1104}				662609-7		LAF6834 ¹
235449		LAF702	<i>TL-20D w/4D1-344 Engine</i>			Sec.	Fuel	FP230F
<i>TL-14D, TL-14DA w/6DA-273 Engine</i>			-S/N 526	Oil	LP112	70666421	Hydraulic	LP163
	Air	LAF1984 ^{2, 1104}	<i>TL-20D w/HD-516 Engine</i>				Oil	LFP3411
		LAF264	(4395889); S/N 527-	Oil	LP132	-S/N 1500	Trans	LP151
235449		LAF702			LP132	S/N 1501-		P92
Sec.	Fuel	G22077	<i>TL-30 w/11000 Engine</i>			<i>TL-6D w/4DA-153 Engine</i>		
Pri.		L3564F	73040631	Air	LAF4451 ²	Sec.	Fuel	261F
	Oil	P4	Sec.	Fuel	261F		Oil	P4

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 41-Cartridge 242-10 Micron 268-Extended/Severe service 275-Primary 1104-14.38" Tall 1105-13.4" Tall 1106-9" Hgt. 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ALLIS-CHALMERS (LOADER)			ALLIS-CHALMERS (SCRAPER)			ALLIS-CHALMERS (SCRAPER)		
<i>TL-745</i>			<i>260-B, 261-B w/A-C 25000 Mark II Engine (cont'd)</i>			<i>TR-160, TS-160 w/TDS-516 or 11000 Engine (cont'd)</i>		
659533	Air	LAF6769 ² LAF6769MXM ^{2, 268}	Sec.	Fuel	L540F	Sec.	Fuel	261F
			4395889	Oil	LP132	(5573482); Pri.		L274F
662477		LAF9373 ¹	<i>460 Series C w/Detroit Diesel 12V-71 Engine</i>			(5574961); Pri.		L274F1
Sec.	Fuel	261F	0659378	Air	LAF6632 ²	4395889	Oil	LP132
Sec.		FP230F			LAF6632MXM ^{2, 268}	Turbo		P2
(5573482); Pri.		L274F	0197588		LAF6641 ¹	<i>TR-200, TS-200, TS-300, TW-300 w/Buda Engine</i>		
(5574961); Pri.		L274F1		Hydraulic	LP112 ^{57, 1094}	Sec.	Fuel	261F
	Hydraulic	LP132	0197878		LP2854	(4362332); Sec.		262F
4395889	Oil	P2		Power Steering	P92		Oil	L26 ⁶⁵
Turbo	Trans	P92	0197121	Trans	LP151	<i>TR-260, TS-260 w/16000, 19000 Engine</i>		
<i>Woodward governors-turbo Engine</i>			<i>460, 460 Series B w/25000 or 25000 MKII Engine</i>			<i>(0620717); w/o Turbo; Air LAF268</i>		
	Oil	P2	(4056632); To S/N	Fuel	262F	TS-260		LAF4040
ALLIS-CHALMERS (LOGGING EQUIPMENT)			4300; Sec.		L540F	(0185824); w/Turbo;		
<i>TP103 w/Diesel Engine</i>			Sec.	Hydraulic	LP2854	TS-260	Fuel	262F
237395	Air	LAF131	0197878		LP132	Sec.		L540F
(4025230); Sec.	Fuel	FP230F	(4395889); To S/N	Oil	LP132	Sec.	Hydraulic	LP2854
4513411	Oil	LFP3411	5000		P2	0197878	Oil	LP132
<i>TP103 w/Gas Engine</i>			4372517		LP151	4395889	Trans	P2
239518	Air	LAF1275 ²	(0197121); To S/N	Trans	LP151	(4372517); S/N 7165-;		
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	5000			TS-260		
ALLIS-CHALMERS (PUMP INDUSTRIAL)			<i>555, 562 w/twin 25000 Engines</i>			<i>TS-260E -S/N 8001</i>		
<i>2CT w/Wisconsin LO173B Engine</i>			Sec.	Fuel	262F	0185824	Air	LAF4040
	Air	LAF225	Sec.		L540F	(4056632); To Eng.	Fuel	262F
<i>3C w/Wisconsin LO173B Engine</i>			4395889	Oil	LP132	19-0869; Sec.		L540F
	Air	LAF225	Turbo		P2	Sec.	Hydraulic	LP2854 ¹⁰⁸⁴
<i>4PTD</i>				Trans	P2	(0197878); S/N 7165-	Oil	LP132
	Air	LAF1275	<i>562 Series C w/25000 or 25000 MKII Engine</i>			4395889		LP132
	Fuel	FP230F	0659387	Air	LAF6632 ²	<i>TS-360, TW-360 w/TDS-844 or 21000 Engine</i>		
<i>6PT</i>					LAF6632MXM ^{2, 268}	Sec.	Fuel	262F
	Fuel	G5/16CP ¹⁰⁹⁶	0197588		LAF6641 ¹	Sec.		L540F
<i>S8D w/Wisconsin LO173B Engine</i>			(4056632); Sec.	Fuel	262F	(4395889); S/N 2001-	Oil	LP132
	Air	LAF225	Sec.	Hydraulic	LP2854	Turbo	Trans	P2
ALLIS-CHALMERS (SCRAPER)			4395889	Oil	LP132	ALLIS-CHALMERS (TRACTOR)		
<i>260, 260E Series A w/21000 MKII Engine</i>			43725517		P2	<i>160</i>		
(0659387); S/N 8001-	Air	LAF6632 ²	0197121	Trans	LP151	243163	Air	LAF222 ²
S/N 8001-		LAF6632MXM ^{2, 268}	<i>T-260, 260E Series A w/21000 Engine</i>			70251397	Fuel	L296F ⁴¹
0197588		LAF6641 ¹	Sec.	Fuel	262F	2080205-4	Oil	P772
4393504	Coolant	LFW4744 ⁴	Sec.		L540F	S/N U66932-		PH4408
(4056632); Sec.	Fuel	262F		Hydraulic	LP2854	<i>170, 175 w/A-1 Diesel Engine</i>		
Sec.		L540F	4395889	Oil	LP132	243163	Air	LAF222 ²
0197878	Hydraulic	LP2854			LAF6641 ¹	0251397-6	Fuel	L296F ⁴¹
4395889	Oil	LP132	<i>T-460, 560, D-560 w/21000 or 25000 Engine</i>			70237000	Hydraulic	PH400 ²⁷⁵
6407803	Trans	LH8461	(0659387); 560	Air	LAF6632 ²	70237000		PH8A ¹⁴⁹⁶
<i>260-B, 261-B w/A-C 25000 Mark II Engine</i>			560		LAF6632MXM ^{2, 268}	2080205-4	Oil	P772
0659387	Air	LAF6632 ²	0197588	Fuel	LAF6641 ¹	0251381-0		PH400 ²⁷⁵
		LAF6632MXM ^{2, 268}	Sec.		262F	0251381-0		PH8A ¹⁴⁹⁶
0197588		LAF6641 ¹	Sec.	Hydraulic	LP2854	<i>170, 175 w/Gas Engine</i>		
4393504-8	Coolant	LFW4744 ⁴	197878	Oil	LP132	243163	Air	LAF222 ²
(4056632); Sec.	Fuel	262F	4395889		P2	70237000	Hydraulic	PH400 ²⁷⁵
(4028945); Sec.		FP230F	Turbo		LP151	70237000		PH8A ¹⁴⁹⁶
<i>TR-160, TS-160 w/TDS-516 or 11000 Engine</i>			0197121	Trans	P2	By-Pass	Oil	PB50
					LAF320	0251381-0		PH400 ²⁷⁵
			0632707	Air	LAF320	0251381-0		PH8A ¹⁴⁹⁶

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 41-Cartridge 57-Partial 65-By-Pass 268-Extended/Severe service 275-Primary 1084-Power Shift 1094-For engine filters - see engine section. 1096-Clear Plastic 1496-Alternate

A

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ALLIS-CHALMERS (TRACTOR)			ALLIS-CHALMERS (TRACTOR)			ALLIS-CHALMERS (TRACTOR)		
<i>180, 185</i>			<i>190XT w/D-2800 Engine (cont'd)</i>			<i>4W305</i>		
243163	Air	LAF222 ²	70253952	Hydraulic	LFH4948	70259792	Air	LAF1465 ²
w/diesel only	Fuel	FP230F	239930		PH24 ¹⁰⁹²	70259793		LAF7313 ¹
180 w/diesel only	Hydraulic	LFH4948	4027979	Oil	LFP3411			LAF8256
70239930		PH24	<i>190XT w/D-2900 Engine</i>			(74028945); Sec.	Fuel	FP230F
	Oil	LFP3411	(244728); up to S/N	Air	LAF234HD ²	74394407		LFP255F
<i>190 w/D-2800 Engine</i>			13213			70270782	Hydraulic	LFH3762
243163	Air	LAF222 ⁶²⁵	(630088); up to S/N		LAF4134 ¹⁰⁹³	74396645	Oil	LFP670
70253952	Hydraulic	LFH4948	13213					LFP670XL ¹⁴
239930		PH24 ¹⁰⁹²	4028945	Fuel	FP230F ²⁷⁵	(70276159); By-Pass		LFP777B
4027979	Oil	LFP3411	(70253952); S/N	Hydraulic	LFH4948	By-Pass		LFP777XL ¹⁴
			25519-up		PH24 ¹⁰⁹²	<i>5010, 5020 w/S-126 Engine</i>		
<i>190 w/D-2900 Engine</i>			(239930); To S/N			2097035	Air	LAF1275 ²
(244728); up to S/N	Air	LAF234HD ²	25518		LFP3411		Fuel	FP590F
13213			4027979	Oil		<i>5015</i>		
(630088); up to S/N		LAF4134 ¹⁰⁹³	<i>190XT w/G-2500 Engine</i>			72097407	Air	LAF2745A ²
13213			243163	Air	LAF222 ⁶²⁵		Fuel	FP590F
4028945	Fuel	FP230F ²⁷⁵	70253952	Hydraulic	LFH4948	72101498	Oil	PH2808
(70253952); S/N	Hydraulic	LFH4948	239930		PH24 ¹⁰⁹²	<i>5030 w/S-148 Engine</i>		
25519-up		PH24 ¹⁰⁹²	4027979	Oil	LFP3411	2098035	Air	LAF1275 ²
4027979	Oil	LFP3411	<i>190XT w/G-2800 Engine</i>				Fuel	FP590F
(239930); To S/N		PH24 ¹⁰⁹²	243163	Air	LAF222 ⁶²⁵	<i>5040, 5045 w/Fiat D115 Diesel Engine</i>		
25518			70253952	Hydraulic	LFH4948	P101275	Air	LAF1275 ²
<i>190 w/G-2500 Engine</i>			239930		PH24 ¹⁰⁹²	251397	Fuel	L296F ⁴¹
243163	Air	LAF222 ⁶²⁵	4027979	Oil	LFP3411	72093963	Oil	LFP2230
70253952	Hydraulic	LFH4948	<i>200 w/2900 Diesel Engine</i>			<i>5050 w/Perkins 3-158 Engine</i>		
239930		PH24 ¹⁰⁹²	(257824); S/N 3440-	Air	LAF1544 ²	243163	Air	LAF222 ²
4027979	Oil	LFP3411	(256568); -S/N 3019		LAF4122 ¹	70251397	Fuel	L296F ⁴¹
<i>190 w/G-2800 Engine</i>					LAF9410 ¹		Oil	LFP2292
243163	Air	LAF222 ⁶²⁵	4024232	Fuel	P1130	<i>5215, 5215 HST</i>		
70253952	Hydraulic	LFH4948		Hydraulic	LFH4948	72097407	Air	LAF2745A ²
239930		PH24 ¹⁰⁹²	70239930		PH24	72100751	Fuel	L3541F
4027979	Oil	LFP3411	(4023548-3); S/N	Oil	PH52	72101498	Oil	PH2808
<i>190, 190XT, 190XT Series III w/D-2900 Engine</i>			3019-4000			<i>5220, 5220 HST</i>		
(70246580); -S/N	Air	LAF1897	<i>210, 220</i>			72097035	Air	LAF1275 ²
69A210902; Stopler			4056630	Air	LAF234HD ²	72098616	Fuel	FP590F
Cab			Sec.	Fuel	FP230F		Oil	PH2840
(244728); -S/N 13213;		LAF234HD ²	70239930	Hydraulic	PH24	<i>5230</i>		
w/United Air Cleaner			4513411-1	Oil	LFP3411	72097035	Air	LAF1275 ²
(4028945); Sec.	Fuel	FP230F	<i>440 w/Cummins Engine</i>			72098616	Fuel	FP590F
70253952	Hydraulic	LFH4948	684733	Air	LAF6587 ²	<i>6040</i>		
70239930		PH24			LAF6587MXM ^{2, 268}	243163	Air	LAF222 ²
4027979	Oil	LFP3411	662609		LAF6834 ¹	70251397	Fuel	L296F ⁴¹
<i>190, 190XT, 190XT Series III w/Gas Engine</i>				Fuel	LFF5	2080205	Oil	P772
(70246580); -S/N	Air	LAF1897		Hydraulic	LFH4955	71014120		PH4408
69A210902; Stopler				Oil	LFP670	<i>6060, 6070, 6080 w/433T Engine</i>		
Cab					LP566		Air	LAF3711 ²
S/N 13213-		LAF4122	<i>4W220</i>					LAF6401 ¹
	Hydraulic	LFH4948	70269244	Air	LAF1882 ²	(4028945); Sec.	Fuel	FP230F
70239930		PH24	70264113		LAF1990 ¹	74394407		LFP255F
74027979	Oil	LFP3411	(74036711); Sec.	Fuel	FP603		Hydraulic	LFH8342
<i>190XT Series III w/D-2800 Engine</i>			70270782	Hydraulic	LFH3762	4027979	Oil	LFP3411
243163	Air	LAF222 ⁶²⁵	74036791	Oil	LFP3191	<i>6140 w/3 cyl. Nissan diesel</i>		
70253952	Hydraulic	LFH4948	74036791		LFP3191TRT ³		Air	LAF1734 ²
239930		PH24 ¹⁰⁹²			LFP3191XL ¹⁴	70251397	Fuel	L296F ⁴¹
4027979	Oil	LFP3411	74035556		PH52	<i>6491</i>		
<i>190XT w/D-2800 Engine</i>						266787	Air	LAF9001 ²
243163	Air	LAF222 ⁶²⁵						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 41-Cartridge 268-Extended/Severe service 275-Primary 625-Standard filter 1092-If space is not restricted 1093-With United air cleaner

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ALLIS-CHALMERS (TRACTOR)			ALLIS-CHALMERS (TRACTOR)			ALLIS-CHALMERS (TRACTOR)		
<i>6491 (cont'd)</i>			<i>7045 w/3500 Engine (cont'd)</i>			<i>8010 w/649T Engine (cont'd)</i>		
(4394407); Pri.	Fuel	LFP3692F	(74028945); Sec.	Fuel	FP230F	70269856	Trans	LH4939 ¹⁰⁸⁴
4035556	Oil	PH52 ¹⁰⁹⁵	4321716		LFF8714	<i>8030, 8050</i>		
<i>652</i>			74394407		LFP255F	70267953	Air	LAF1725 ¹
237395	Air	LAF131		Hydraulic	LFH3762 ⁶⁰⁷	(70264744); Turbo		LAF1864 ²
4025230	Fuel	FP230F ²⁷⁵		Oil	PH52	906555T1		LAF4173 ¹
246085	Hydraulic	LFH4210	70269856	Trans	LH4939 ¹⁰⁸⁴	(70264739); w/o Turbo		LAF936 ²
4513411	Oil	LFP3411	<i>7050, 7060 w/3700 Engine</i>			(70264740); w/o Turbo		LAF937 ¹
<i>7000 w/2900 Diesel Engine</i>			70579916	Air	LAF1877	(74036711); Sec.	Fuel	FP603
		LAF1544 ²	684732-1		LAF8668 ²	74394407		LFP255F
70579916		LAF1877	662608		LAF8674 ¹	74036791	Oil	LFP3191
		LAF9410 ¹	4024232	Fuel	P1130	74036791		LFP3191TRT ³
S/N 2D117922-	Fuel	LFF1129	70269922	Hydraulic	LFH3762 ¹⁰⁹⁸			LFP3191XL ¹⁴
4024232		P1130	4061710	Oil	2432 ⁹⁷⁹	74037047		PH52
4023548-3	Oil	PH52	4023548		PH52	70269856	Trans	LH4939 ¹⁰⁸⁴
<i>7000 w/6-301TB Engine</i>			<i>7060 w/Allis-Chalmers 6701 Engine</i>			<i>8070</i>		
257024	Air	LAF1544 ²	70579916	Air	LAF1877	70269244	Air	LAF1882 ²
257029		LAF9410 ¹	266786		LAF8668 ²	70264113		LAF1990 ¹
4024232	Fuel	P1130	267962		LAF8674 ¹	(70264739); w/o Turbo		LAF936 ²
	Oil	PH52 ¹⁰⁹⁵	(74028945); Sec.	Fuel	FP230F	(70264740); w/o Turbo		LAF937 ¹
<i>7010 w/A-C 6491 Engine</i>			71367687		LFF1129	(74036711); Sec.	Fuel	FP603
267953	Air	LAF1725 ¹	4321716		LFF8714	74394407		LFP255F
70579916		LAF1877	74394407		LFP255F	74036791	Oil	LFP3191
266787		LAF9001 ²	70269922	Hydraulic	LFH3762 ¹⁰⁹⁸	74036791		LFP3191TRT ³
(74028945); Sec.	Fuel	FP230F	74057968	Oil	2432 ⁹⁷⁹			LFP3191XL ¹⁴
74394407		LFP255F	74037047		PH52	74037047		PH52
	Hydraulic	LFH3762 ¹⁰⁹⁷	70269856	Trans	LH4939 ¹⁰⁸⁴	70269856	Trans	LH4939 ¹⁰⁸⁴
4023548	Oil	PH52	<i>7080 w/3750 Diesel Engine</i>			<i>8550 w/6120T Engine</i>		
70269856	Trans	LH4939 ¹⁰⁸⁴	70579916	Air	LAF1877	70259792	Air	LAF1465 ²
<i>7020 w/6491 Diesel Engine</i>			70269244		LAF1882 ²	70579916		LAF1877
267953	Air	LAF1725 ¹	70269245		LAF1990 ¹	70259793		LAF7313 ¹
70579916		LAF1877	74059979	Coolant	LFW4744 ⁴	(4028945); Sec.	Fuel	FP230F
266787		LAF9001 ²	4321716	Fuel	LFF8714	4394407		LFP255F
4024232	Fuel	P1130	74394407		LFP255F	70269922	Hydraulic	LFH3762 ¹⁰⁹⁸
	Hydraulic	LFH3762 ¹⁰⁹⁷	74024232		P1130	4396645	Oil	LFP670
4060980	Oil	2432	70269922	Hydraulic	LFH3762 ¹⁰⁹⁷			LFP670XL ¹⁴
4035556		PH52		Oil	2432	<i>D-10, D-12, D-12 Series III w/G-138 Engine</i>		
70269856	Trans	LH4939 ¹⁰⁸⁴	74035556		PH52		Hydraulic	PH400 ²⁷⁵
<i>7030 w/3500 Mark II Engine</i>			<i>7580 w/Diesel Engine</i>					PH8A ¹⁴⁹⁶
267953	Air	LAF1725 ¹	70269244	Air	LAF1882 ²	<i>D-15 IV w/G-149 Engine</i>		
70579916		LAF1877	70269245		LAF1990 ¹		Oil	PH400 ²⁷⁵
266787		LAF9001 ²		Coolant	LFW4744 ⁴			PH8A ¹⁴⁹⁶
4024232	Fuel	P1130	(74028945); Sec.	Fuel	FP230F	<i>D-15 w/D-175 Engine</i>		
	Hydraulic	LFH3762 ¹⁰⁹⁷	4321716		LFF8714	(235863); S/N 9001-	Air	LAF863
4023548	Oil	PH52	74394407		LFP255F	Sec.	Fuel	G22077
<i>7040 w/3500 Engine</i>			74024232		P1130	Pri.		L3564F
	Air	LAF1725 ¹	70269922	Hydraulic	LFH3762 ¹⁰⁹⁷		Hydraulic	PH24
70579916		LAF1877	74061710	Oil	2432	By-Pass	Oil	PB50
266787		LAF9001 ²	74037047		PH52	<i>D-15 w/G-149 Engine</i>		
4024232	Fuel	P1130	<i>8010 w/649T Engine</i>			239518	Air	LAF1275 ²
	Hydraulic	LFH3762 ¹⁰⁹⁷	267953	Air	LAF1725 ¹		Hydraulic	PH24
	Oil	PH52	(264744); Turbo		LAF1864 ²		Oil	PH400 ²⁷⁵
70269856	Trans	LH4939 ¹⁰⁸⁴	906555T1		LAF4173 ¹			PH8A ¹⁴⁹⁶
<i>7045 w/3500 Engine</i>			(266787); w/o Turbo	Fuel	LFP255F	<i>D-17 w/D-262 Engine</i>		
1181296	Air	LAF1725 ¹	(4036711); Sec.		PH52	235449	Air	LAF702
70579916		LAF1877	4394407			Sec.	Fuel	G22077
266787		LAF9001 ²		Oil		Pri.		L3564F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 14-Extended Life 275-Primary 607-Return 979-Optional By-Pass Filter 1084-Power Shift 1095-If space is restricted 1097-Right Hand Differential 1098-Return Differential 1496-Alternate

A

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ALLIS-CHALMERS (TRACTOR)			ALLIS-CHALMERS (WHEEL DOZER-COMPACTOR)			ALLMAND (EQUIPMENT)		
<i>D-17 w/D-262 Engine (cont'd)</i>			<i>D-40 w/21000 Engine</i>			<i>TLB25D Backhoe w/Kubota D1105 Engine</i>		
S/N 68628- (237000); -S/N 68627 (237000); -S/N 68627	Hydraulic	PH24 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	(4056632-5); Sec.	Fuel	262F L540F		Air	LAF1275 ²
	Oil	LFP3411 P92	Sec.				Fuel	FP590F
<i>D-17 w/Gas Engine</i>			4395889	Oil	LP132		Oil	PH2808
(237395); S/N 24001-75000	Air	LAF131	6407803	Trans	LH8461	<i>TLB325 Backhoe w/Kohler 25 hp Engine</i>		
	Hydraulic	PH24 ⁹⁵⁸ PH400 ^{275, 1496} PH8A ^{677, 1496}	ALLMAND (EQUIPMENT)			<i>TLB425 Backhoe w/Kubota D1105 Engine</i>		
237395	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>6600 Maxi-Sweep w/Cummins 4B3.9 Engine</i>				Fuel	FP590F
237395			Pri.	Fuel	LFF3417	1205001	Oil	PH2814
<i>D-19 w/G-262, G-262 LPG Engine</i>			Sec.	Oil	LFF3521		Oil	PH2808
235449	Air	LAF702		Oil	LFP3900	<i>TLB535 Backhoe w/Isuzu 3LD1 Engine</i>		
S/N 12020- -S/N 12020	Hydraulic	PH24 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>EOD30-2M, EOD30-3M, EOD30-4M, EOD30-5M w/Onan GJD Engine</i>				Fuel	FP590F
-S/N 12020	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	Pri.	Fuel	LFF3536	920788	Hydraulic	LFP2546
<i>D-19D w/D-262T Engine</i>				Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Oil	PH2808
Sec.	Fuel	G22077 L3564F	<i>LD30-3M2W, LD30-3M4W, LD30-4M2W, LD30-5M2W, LD30-4M4W, LD30-5M4W w/Lister Engine</i>				Fuel	FP590F
Pri.				Air	LAF1903		Hydraulic	LFP2546
S/N 12020- -S/N 12020	Hydraulic	PH24 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	P2470 PH2835		Oil	PH2808
-S/N 12020	Oil	LFP3411	<i>Maxi Light 1500 w/Lister TS2A Engine</i>			ALLMAND (GENERATOR)		
<i>D-21D w/3400, 3500 Engine</i>				Fuel	L3514F	<i>Maxi Generator 75 w/John Deere Engine</i>		
638414	Air	LAF1984 ² LAF234HD ²		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Fuel	P1130
244728	Fuel	FP230F	<i>Maxi Light 4 w/Lister LPA3 Engine</i>				Oil	FP20
Sec.	Hydraulic	PH24		Air	LAF1275 ²	<i>Maxi Lite w/Lister ST-1 Engine</i>		
	Oil	LFP3411		Oil	PH2835	P101275	Air	LAF1275 ²
<i>I-40, I-400</i>			<i>Maxi-Heat w/3 cyl. Lister Engine</i>				Fuel	L3514F
	Hydraulic	LHF4944	P182050	Air	LAF1275 ²		Oil	PH2835
<i>I-60D, I-600D</i>				Fuel	L3514F	<i>Maxi Lite w/Lister ST-2 Engine</i>		
	Fuel	261F L274F L274F1		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	P101275	Air	LAF1275 ²
	Hydraulic	LHF4944	<i>Maxi-Lite 695, Maxi-Lite 883XL, Maxi-Lite 895 w/Lister Petter LPW3 Engine</i>				Fuel	L296F ⁴¹
	Oil	PH24	P181020	Air	LAF8039		Oil	PH2835
<i>WD-45 w/6BD-230 Engine</i>			(751-18100); W/S	Fuel	LFF8060	AMIDA (CONCRETE BUGGY)		
Sec.	Fuel	261F L274F L274F1	75118270	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ PH3656	<i>PB16R Power Buggy w/Honda 11HP Engine</i>		
(5573482); Pri. (5574961); Pri.			<i>Nite-Lite 4B w/3 cyl. Lister Engine</i>				Hydraulic	LFP1652
			P182050	Air	LAF1275 ²	AMIDA (GENERATOR)		
ALLIS-CHALMERS (WHEEL DOZER-COMPACTOR)			75118270	Oil	PH3656	<i>25KW w/Isuzu 4JB1 2.8L Diesel Engine</i>		
<i>D-30 w/11000 Engine</i>			<i>Nite-Lite Pro w/Kubota D905E Engine</i>				Air	LAF222 ²
(4056633-1); Sec. (5573482); Pri. (5574961); Pri.	Fuel	261F L274F L274F1		Air	LAF8388 ²		Fuel	LFF4295
4371021	Hydraulic	LP151	<i>PLB20, PLB20D Loader w/Kubota D905E Engine</i>			ANTONIO CARRARO (TRACTOR)		
4395889	Oil	LP132	921999	Hydraulic	LFP1652	<i>4300 Supertigre w/Lombardini LDW1504 engine</i>		
	Trans	LP132		Oil	PH2808		Oil	PH2903
				Oil	PH2808	<i>4800 Supertigre w/VM HR394H engine</i>		
				Oil	PH2808		Fuel	L296F ⁴¹
				Oil	PH2808		Oil	PH561
				Oil	PH2808	<i>5400 TC w/VM D703 engine</i>		
				Oil	PH2808		Fuel	L296F ⁴¹
				Oil	PH2808		Oil	PH4403
				Oil	PH2808	<i>5500 Supertigre w/VM HR394H engine</i>		
				Oil	PH2808		Fuel	L296F ⁴¹
				Oil	PH2808		Oil	PH561
				Oil	PH2808	<i>7000 Tropical w/VM 1053SU Engine</i>		
				Oil	PH2808		Fuel	L296F ⁴¹
				Oil	PH2808		Oil	LFP8507
				Oil	PH2808	<i>8400 SRX/TF/TRF/TRX w/VM D703 engine</i>		
				Oil	PH2808		Fuel	L296F ⁴¹
				Oil	PH2808		Oil	PH4403
				Oil	PH2808	<i>8400HTM Supertrac w/VM 293B3 engine</i>		
				Oil	PH2808		Fuel	L296F ⁴¹
				Oil	PH2808	<i>9400 TF/TRF/TRG/TRX/TTR w/VM D704 engine</i>		
				Oil	PH2808		Fuel	L296F ⁴¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 41-Cartridge 275-Primary 677-3/4" thread 958-13/16" Thread 1496-Alternate 1499-3/4" Thread"

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ANTONIO CARRARO (TRACTOR)			APACHE (SPRAYERS)			ASV (SKID STEER LOADER)		
9400 TF/TRF/TRG/TRX/TTR w/VM D704 engine (cont'd)			AS1220 (w/Cummins QSB6.7 Engine) (cont'd)			PT30 w/Perkins 403C-15 Tier III eng. (cont'd)		
	Oil	PH561		Fuel	LFH8490		Fuel	L296F ⁴¹
			LF3970	Oil	LFP3970		Oil	PH2835
TRT4400 w/Yanmar 3TNE engine			AS500 w/John Deere engine			PT50, PT60 w/Perkins 404C-22T Diesel Turbo eng.		
	Oil	LFF8350 PH2808	201300078	Air	LAF1878 ²		Air	LAF8114 ¹
APACHE (SPRAYERS)			201300079		LAF3585 ¹			LAF8143 ²
1280 w/Cummins engine			201450290	Fuel	G3/8 L3887F		Fuel	L296F ⁴¹
P182082	Air	LAF1787 ²	(201450302); Sec.				Oil	PH2835
W/S	Fuel	LFF9519	201450300	Oil	LFP4836	PT70 w/Perkins 804C-33T Diesel Turbo eng.		
FA57-10	Hydraulic	LFH4955		Trans	LFP2303		Hydraulic	LFH4473 LFP1652
	Oil	LFP3970	AS510 w/John Deere engine			PT80 w/Perkins 804C-33T Diesel Turbo eng.		
4003483	Trans	LFH4922	201300078	Air	LAF1878 ²			LFH4473 LFP1652
780 w/John Deere Power-Tech engine			201300079		LAF3585 ¹	RC30 w/Perkins 403C-15 Diesel eng.		
	Fuel	G3/8 L8683F	201450290	Fuel	G3/8 L8557F L8563F		Air	LAF8195 ² LAF8690 ¹
(RE60021); Sec.			(RE509031); Sec. (201450301); Pri.	Oil	LFP4836			
FA57-10	Hydraulic	LFH5068-10	RE504836	Trans	PH2819	S/N 2604-2836 S/N 2836 On S/N 101-2603		
RE59754	Oil	LFP5757	300000100				Fuel	FP588F L296F ⁴¹ LFF6965
790 w/Cummins 3.9L engine			AS710 w/John Deere engine				Oil	PH2835
Pri.	Fuel	LFF3417	201300078	Air	LAF1878 ²	RC50 w/Perkins 404C-22 Diesel eng.		
Sec.		LFF3521	201300079		LAF3585 ¹		Air	LAF8114 ¹ LAF8143 ²
	Oil	LFP3900	201450290	Fuel	G3/8 L3887F L8557F		Fuel	L296F ⁴¹
890 w/John Deere engine			(201450302); Sec. (RE509031); Sec.	Oil	LFP4836		Oil	PH2835
	Air	LAF1787 ²	2017450300	Trans	PH2819	RC60 w/Perkins 404C-22T Diesel Turbo eng.		
4003483	Hydraulic	LFH4922	300000100				Air	LAF8114 ¹ LAF8143 ²
FA57-10		LFH5068-10	AS715 w/Cummins QSB6.7 engine				Fuel	L296F ⁴¹
AS1010, AS1210 w/Cummins ISB series engine			(3978040); Sec.	Fuel	LFF5421	RC80, RC100 w/Perkins 1104C-44T Diesel Turbo eng.		
201300078	Air	LAF1878 ²	(3973233); W/S		LFF9732 ²⁷⁵		Air	LAF8114 ¹ LAF8143 ²
201300079		LAF3585 ¹	3937736	Oil	LFP3970		Fuel	L296F ⁴¹
201450202	Fuel	G8219 LFF9519	AS720 w/Cummins Tier 3 Engine				Oil	PH2835
(FS19519); W/S			(3978040); Sec.	Fuel	LFF5421	RCV Posi-Track w/Perkins 1104C-44 Diesel eng.		
LF3970	Oil	LFP3970	(3973233); W/S		LFF9732 ²⁷⁵		Air	LAF4544 ² LAF4545 ¹
300100110	Trans	LFH4922 ¹²	3937736	Oil	LFP3970		Fuel	LFF6925 ⁹⁴²
AS1010, AS1210 w/Cummins QSB 6.7L Tier 3 engine			AS850 w/John Deere Engine				Hydraulic	LFH4473 LFP1652
(FS19732); W/S	Fuel	LFF9732 LFH8490	201300078	Air	LAF1878 ²		Oil	LFP2292
			201300079		LAF3585 ¹ LFH4909 ⁸⁵⁸	RCV Posi-Track w/Perkins 1104C-44 Diesel eng.		
LF3970	Oil	LFP3970	ABF310	Breather	LFH4909WA ⁸⁵⁸		Air	LAF4544 ² LAF4545 ¹
AS1020 (w/Cummins QSB6.7 Engine)			(RE509031); Sec. (201450301); Pri.	Fuel	L8557F L8563F		Fuel	LFF6925 ⁹⁴²
3978040	Fuel	LFF5421	201450300	Oil	LFP4836	SR70, SR80 w/Perkins 804C-33T Diesel Turbo eng.		
(FS19732); W/S		LFF9732 LFH8490	ASV (SKID STEER LOADER)				Hydraulic	LFH4473 LFP1652
LF3970	Oil	LFP3970	HD4500, HF4520 w/ John Deere 4045 eng.				Oil	LFP2292
AS1025 w/Cummins Interim Tier 4 Engine				Fuel	L8683F	ATLAS COPCO (AIR COMPRESSOR)		
W/S	Fuel	LFF1065 ²¹⁰		Hydraulic	LFH4473	600		
Sec.		LFF5632		Oil	LFP5757	2910-0015		
	Oil	LFP3970	PT100 w/Perkins 1104C-44T Diesel Turbo eng.			Hydraulic		
	Trans	LFH8490		Air	LAF4544 ² LAF4545 ¹	LP2219		
AS1200 w/Cummins 275 hp Tier 2 engine			Pri.	Fuel	L8679F	AT1		
P182082	Air	LAF1787 ²		Hydraulic	LFH4473 LFP1652	1030-0979		
W/S	Fuel	LFF9519		Oil	LFP2292	Air		
FA57-10	Hydraulic	LFH4955	PT30 w/Perkins 403C-15 Tier III eng.			LAF3535A ²		
	Oil	LFP3970		Air	LAF8195 ² LAF8690 ¹			
4003483	Trans	LFH4922						
AS1220 (w/Cummins QSB6.7 Engine)								
3978040	Fuel	LFF5421						
(FS19732); W/S		LFF9732						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 12-Optional 41-Cartridge 210-w/ Sensor 275-Primary 858-Hydraulic Tank 942-Used with LMB6926 conversion kit

A

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ATLAS COPCO (AIR COMPRESSOR)			ATLAS COPCO (AIR COMPRESSOR)			ATLAS COPCO (AIR COMPRESSOR)		
<i>BT, DR, DT</i>			<i>PR425DD w/Deutz F6L413 Engine. (cont'd)</i>			<i>PT1050GD w/Detroit Diesel 8V-71N Engine. (cont'd)</i>		
1619-1269	Air	LAF1766 ² LAF8578	1619-5441 (1619-2798); 387mm	Air	LAF1713 ¹ LAF1716 ²	1030-1070	Air	LAF8578 ⁶⁷⁴
1030-0882	Oil	LFP2215	(9710-1894); Pri.	Fuel	FP587F	9709-0071	Fuel	L274F
1030-0882		PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	9721-0338 2910-0015	Oil	LFP2222 ¹⁴⁸ LP2219 ⁷⁸¹	9710-0633-01 (1619-2184); Pri. Sec. (9709-0010-01); Pri. 9709-0021	Oil	L540F L552F L624FP LFP815FN LP132
<i>BT3</i>			<i>PR425VD w/Volvo P100B Engine.</i>			<i>PT1200 w/Cummins NT855, NTA855 Engine.</i>		
1030-0882	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(1619-2798); 387mm 2900-0501	Air	LAF1716 ² LAF1717 ¹	1030-1070	Air	LAF4714 LAF8578 ⁶⁷⁴
<i>BT4</i>			9721-0337	Fuel	FP586F	Sec. (9710-0377); Sec. 9709-0001-02	Fuel	L60F LFP440F LP163
1030-0882	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	9709-0007-35 2910-0015	Oil	LFP2234 ¹⁴⁸ LP2219 ⁷⁸¹	<i>PT1200, PT1200CD w/Caterpillar D336TA Engine.</i>		
<i>BT5</i>			<i>PR600 w/Cummins NHC4 NH220 Engine.</i>			1030-1070	Air	LAF4714 LAF8578 ⁶⁷⁴
1030-0882	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Air	LAF190 ⁷⁰¹	Sec. (9710-0377); Sec. 9709-0001-02	Fuel	L60F LFP440F
<i>BT6</i>			(9710-1776-0); Pri. 9710-1777	Fuel	LFF5D LP566	Oil	LP163	
1030-0882	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>PR600DD w/Deutz F10L714, F12L714 Engine.</i>			<i>PT1200GD w/Detroit Diesel 16V-71 Engine.</i>		
<i>DR4</i>			9710-0110-01	Fuel	L61F	(1619-2798); 387mm 2900-0501 (1619-2799); 495mm 1619-1879 1030-1070	Air	LAF1716 ² LAF1717 ¹ LAF1718 ² LAF712 ^{57, 1094} LAF8578 ⁶⁷⁴
	Air	LAF8578		Oil	LP2219 ⁷⁸¹ P71 ¹⁴⁸	Sec. (9710-0377); Sec. 9709-0001-02	Fuel	L60F LFP440F
1030-0882		Oil	LFP2234 PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>PR600GD w/Detroit Diesel Engine.</i>			Oil	LP2219 ⁷⁸¹
	Oil		PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Oil	LP2219 ⁷⁸¹	<i>PT1200GD w/Detroit Diesel 8V-71N Engine</i>	
<i>ER, ER-T5, ER6, ER7, ER8, ER9, ET6</i>			<i>PR60GD w/Detroit Diesel Engine.</i>			1619-1879 1030-1070	Air	LAF712 LAF8578 ⁶⁷⁴
1030-0979	Air	LAF3535A ²	Sec. 9709-0071	Fuel	261F L274F	1030-1070	Air	LAF712 LAF8578 ⁶⁷⁴
<i>H232 w/Deutz Engine.</i>			2910-0015	Hydraulic	LP2219	<i>PT900 w/Cummins NT855, NTA855 Engine.</i>		
387mm	Air	LAF1716 ²	9709-0021	Oil	LP132		Air	LAF8578 ^{781, 1094}
	Fuel	FP586F	<i>PR700, PR700DD, PR700TD w/Deutz F10L413 Engine.</i>			Oil	LP2219 ⁷⁸¹	
	Oil	LFP2222 ^{148, 781}	1619-2797	Air	LAF1714 ² LAF1715 ¹ LAF1718 ²	<i>PT900 w/Detroit Diesel 8V-71N Engine.</i>		
<i>PNS1200GD w/Detroit Diesel 16V-71 Engine</i>			(1619-2799); 495mm	Air	LAF1718 ²	1619-1879 1030-1070	Air	LAF712 LAF8578 ⁶⁷⁴
(1619-2798); 387mm 2900-0501 (1619-2799); 495mm	Air	LAF1716 ² LAF1717 ¹ LAF1718 ²	<i>PR700, PR700VD w/Volvo Penta TD100A Engine.</i>			<i>PT900, PT900CD w/Caterpillar D334 Engine.</i>		
Pri. Sec. 9709-0021 2910-0015		Fuel	L541F L624FP	(1619-2799); 495mm 1619-1296	Air	LAF1718 ² LAF265HD	1030-1070	Air
Oil	LP132 LP2219 ⁷⁸¹		9721-0337 233897	Fuel	FP586F L61F	<i>PTS1200D w/Deutz BF10L413 Engine.</i>		
<i>PR2CUD</i>			9709-0007-35	Oil	LFP2234 LFP791 LP2219 ⁷⁸¹	1030-1070 (9710-1894); Pri. 9721-0338 2910-0015	Air	LAF8578 ⁷⁸¹ FP587F LFP2222 ¹⁴⁸ LP2219 ⁷⁸¹
2910-0015	Hydraulic	LP2219	2910-0015	Hydraulic	LP2219	<i>PTS1500DD w/Deutz BF12L413 Engine</i>		
<i>PR356GD w/Detroit Diesel Engine.</i>			423125			(1619-2799); 495mm 1619-5698 (9710-1894); Pri.	Air	LAF1718 ² LAF1719 ¹
Sec. 9709-0071	Fuel	261F L274F	2910-0015			9721-0338 2910-0015	Fuel	FP587F LFP2222 ¹⁴⁸ LP2219 ⁷⁸¹
(9709-0021); -S/N F161630 9710-0098-01	Oil	LP132 P71	<i>PR7CUD, PR7RD</i>			<i>PTS900D, PTHS900D w/Deutz BF10L413 Engine.</i>		
<i>PR365 w/Cummins NHC4 NH220 Engine.</i>			2910-0015	Hydraulic	LP2219	1030-1070 (9710-1894); Pri.	Air	LAF8578 ⁷⁸¹ FP587F
	Air	LAF190 ⁷⁰¹	<i>PR84D, PR8CUD</i>			9721-0338 2910-0015	Oil	LFP2222 ¹⁴⁸ LP2219 ⁷⁸¹
	Coolant	LFW4744 ⁴	P017787 Q1H4115	Air	LAF8514 L61F	<i>Rotamic</i>		
(9710-1776); Pri. 9710-1777	Fuel	LFF5D LP566	<i>PRSS700 w/Deutz F10L413 Engine.</i>			2900-0206 1619-5699	Air	LAF1726 ² LAF1727 ¹
<i>PR365GD, PR365PD w/Detroit Diesel Engine.</i>			(Q05H117); Sec. Q1H4115	Fuel	FP587F L61F	<i>PT w/Detroit 71 Series Engine.</i>		
Sec. 9709-0071	Fuel	261F L274F	<i>PT w/Detroit 71 Series Engine.</i>			1619-1879-00 1030-1070 1619-0355	Air	LAF237 ² LAF8578 ^{781, 1094} LP2219 ⁷⁸¹
9709-0021 9710-0098-01	Oil	LP132 P71	<i>PR425DD w/Deutz F6L413 Engine.</i>			<i>PT1050GD w/Detroit Diesel 8V-71N Engine.</i>		
1619-2796		Air	LAF1712 ²	1619-1879	Air	LAF712		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 57-Partial 148-Engine 275-Primary 674-With Plastic End Cap 701-Plastic End Cap 781-Compressor 1094-For engine filters - see engine section. 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ATLAS COPCO (AIR COMPRESSOR)			ATLAS COPCO (AIR COMPRESSOR)			ATLAS COPCO (AIR COMPRESSOR)		
<i>RRH700, SS700 w/Deutz F12L413 Engine.</i>			<i>UT85 w/Ford Engine. (cont'd)</i>			<i>VT5, VT5DD, VT6 w/Deutz F6L912 Engine.</i>		
Q1H4115	Fuel	L61F	Eng.	Oil	PH8A ¹⁴⁹⁶	(9710-0406); Older Models	Fuel	FP585F
<i>ST35DD, STS35DD, ST48DD, STS48DD</i>			<i>UT85DD w/Deutz F2L812 Engine.</i>			(9710-1893); Pri.		
1619-2847	Air	LAF2052 ²	1619-1269	Air	LAF1766 ²	(9710-1894); Sec.		FP587F
Q1H4117	Fuel	FP586F	1619-1269		LAF1903	1030-0882	Oil	FP587F
1030-0882	Oil	LFP2215 ⁷⁸¹	(9710-1893); Pri.	Fuel	FP587F	1030-0882		LFP2215 ⁷⁸¹
A1H4123		PH2819	1030-0882	Oil	LFP2215 ⁷⁸¹			LFP2222 ¹⁴⁸
<i>ST71DD, STS71DD w/Deutz F6L912 Engine.</i>			9721-0338			<i>VT5, VT5DD, VT6, VT6DD w/Deutz F6L514 Engine.</i>		
(1619-2798); 387mm	Air	LAF1716 ²	<i>VD20DD</i>			(W05H4115 (R1H4115H); Opt.		
1619-5545-00		LAF1717 ¹		Oil	PH253 ¹⁴⁹⁶	1030-0882	Oil	L60F
9710-0406	Fuel	FP586F	<i>VSS335 w/Deutz Engine.</i>			1030-0882		L61F
(9710-1893); Pri.		FP587F	1619-2797	Air	LAF1714 ²	P3H4120		LFP2215 ⁷⁸¹
1030-0882	Oil	LFP2215 ⁷⁸¹			LAF1715 ¹	9710-0275-01		LP2210 ¹⁴⁸
1619-3771		LFP2222 ⁷⁸¹		Fuel	L3405F ¹⁰⁸			P4 ¹⁴⁸
9721-0338		LFP2222 ¹⁴⁸	Sec.		L61F	<i>VT6 w/Deutz Engine.</i>		
<i>ST95DD, STS95DD w/Deutz BF6L913 Engine.</i>			(9712-5040); Pri.		LFF3507	9709-0005-50	Fuel	L23F
(1619-0406); 495mm	Air	LAF1718 ²	9721-0338	Oil	LFP2222	9721-0338	Oil	L296F ⁴¹
1619-5698		LAF1719 ¹	<i>VT3 w/Deutz F3L912 Engine.</i>			9709-0032		LFP2222
Q1H4117	Fuel	FP586F	(1619-1893); Pri.	Fuel	FP587F			LP2211 ¹¹⁰⁷
(9710-1893); Pri.		FP587F	(1619-1894); Sec.		FP587F	9709-0023		LP70V
1030-0882	Oil	LFP2215 ⁷⁸¹		Oil	PH253 ^{781, 1496}	<i>X210 w/Detroit Diesel 4-71 Engine.</i>		
9736-5671		LFP8590 ¹⁴⁸			PH2819 ¹⁴⁸	9710-0633-01	Fuel	L540F
<i>UA, UR</i>					PH2835 ^{275, 781}	9709-0021	Oil	LP132
1030-1070	Air	LAF8578 ⁶⁷⁴	<i>VT3 w/Ford Engine.</i>			9710-0098-01		P71
2910-0015	Hydraulic	LP2219	1619-1269	Air	LAF1766 ²	<i>XA120, XAS120, XASS120 w/Deutz F4L912 Engine.</i>		
<i>US85 w/Deutz F3L912 Engine.</i>			1619-1269		LAF1903	(1619-2798); 387mm		
Q1H4117	Fuel	FP586F	9721-0337	Fuel	FP586F	Air		LAF1716 ²
Q1H4115		L61F	9709-0005-50		L296F ⁴¹	1619-5545-00		LAF1717 ¹
01173430	Oil	LFP2222	Eng.	Oil	P114	(1619-2678); Pri.	Fuel	FP587F
A1H4123		PH2819	Eng.		PH400 ²⁷⁵	1619-3771	Hydraulic	LFH4960 ⁷⁸¹
<i>US85, UT85 w/Deutz F2L912 Engine.</i>			Eng.		PH8A ¹⁴⁹⁶	9712-5401-03	Oil	PH2819
1619-1269	Air	LAF1903	<i>VT3DD w/Deutz F3L912 Engine.</i>			<i>XA125, XAS125 w/Deutz F4L913 Engine.</i>		
(9710-1893); Pri.	Fuel	FP587F		Fuel	FP586F		Fuel	LFF3504
(9710-1894); Sec.		FP587F	A1H4123	Oil	PH2819 ¹⁴⁸	9790-1543	Oil	PH2819
1030-0882	Oil	LFP2215 ⁷⁸¹	<i>VT3FD, VT4FD, VT5FD w/Ford 590/592 Engine.</i>			<i>XA160, XAS160, XASS160 w/Deutz F6L912 Engine.</i>		
<i>US85D w/Deutz F2L912 Engine.</i>				Fuel	L23F	(1619-2799); 495mm		
1619-1269	Air	LAF1766 ²	9709-0005-50		L296F ⁴¹	Air		LAF1718 ²
Pri.	Fuel	FP587F		Oil	LP70V	1619-5698		LAF1719 ¹
1619-3558	Oil	LFP2215	<i>VT4 w/Deutz F3L912 Engine.</i>			Q1H4117	Fuel	FP586F
<i>UT2 w/Deutz Engine.</i>			(9710-0406); Older Models	Fuel	FP585F	(9710-1894); Pri.		FP587F
1619-1269	Air	LAF1766 ²	(9710-1893); Pri.		FP587F	Q1H4115		L61F
	Fuel	FP586F	(9710-1894); Sec.		FP587F	1619-3771	Hydraulic	LFH4960 ⁷⁸¹
	Oil	PH253 ¹⁴⁹⁶		Oil	LFP2215 ⁷⁸¹	1619-3771	Oil	LFP2222
		PH2835 ²⁷⁵	1030-0882		L23F	<i>XA175, XAS175 w/Deutz F6L913 Engine.</i>		
<i>UT2 w/Ruston 2YWA Engine.</i>			1030-0882		L296F ⁴¹	(16192799); 495mm	Air	LAF1718 ²
1619-1269	Air	LAF1766 ²	1030-0882		PH2819 ¹⁴⁸	<i>XA210, XAS210 w/Deutz BF6L913 Engine.</i>		
9709-0005-50	Fuel	L296F ⁴¹			PH2835 ²⁷⁵	(1619-2798); 387mm	Air	LAF1716 ²
	Oil	P2470	<i>VT4P w/Ford 4D Engine.</i>			1619-5545-00		LAF1717 ¹
<i>UT85</i>				Oil	P772	Pri.	Fuel	FP587F
1619-1269	Air	LAF1766 ²	<i>VT5</i>			Sec.		FP587F
	Oil	P114		Fuel	L23F	1090-4687		L61F
		PH400 ²⁷⁵	9709-0005-50		L296F ⁴¹	1613-6105-00	Hydraulic	LFH4960 ⁷⁸¹
		PH8A ¹⁴⁹⁶	9721-0338	Oil	LFP2222	9736-5671-00	Oil	LFP8590 ¹⁴⁸
<i>UT85 w/Ford Engine.</i>			9709-0032		LP2211 ¹¹⁰⁷	<i>XA210DD w/Deutz BF6L913 Engine.</i>		
1619-1269	Air	LAF1903			LP70V	2900-0501	Air	LAF1717 ¹
Eng.	Oil	P114	<i>VT5</i>				Fuel	L3405F ¹⁰⁸
Eng.		PH400 ²⁷⁵						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 108-Eco-Finer 148-Engine 275-Primary 674-With Plastic End Cap 781-Compressor 1107-By-Pass Partial 1496-Alternate

A

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ATLAS COPCO (AIR COMPRESSOR)			ATLAS COPCO (AIR COMPRESSOR)			ATLAS COPCO (GENERATOR)		
<i>XAS96DD w/Deutz F3M1011 Engine. (cont'd)</i>			<i>ZT2</i>			<i>60KW w/John Deere 4039D Engine.</i>		
1181002	Air	LAF4602 ¹	2900-0206	Air	LAF1726 ²		Air	LAF323 ¹
	Fuel	FP587F	1619-5699		LAF1727 ¹			LAF8552 ²
9712-5401-02		LFF3518	ATLAS COPCO (DRILL INDUSTRIAL)			<i>D1500</i>		
	Oil	PH2816 ¹⁴⁸	<i>H325 Swellbolter</i>			9721-0337	Fuel	FP586F
<i>XAS97 Compressor w/John Deere 2.4L PowerTech Engine</i>			<i>9721-0337</i>			9721-0338	Oil	LFP2222
	Air	LAF8114 ¹	<i>9790-1543</i>			<i>QAS125 w/Komatsu S6D105 Engine.</i>		
		LAF8143 ²	<i>9790-1543</i>			3216-2772	Air	LAF8668 ²
	Fuel	G1 ⁵³¹	<i>ROC L8 w/Caterpillar 3196 Diesel Engine.</i>				Coolant	LFW4018 ¹⁸²
		L8569F	<i>3222-1881-96</i>				Fuel	LFF3809
2914505000	Hydraulic	LHF4960 ⁷⁸¹	<i>3222-1881-97</i>			6136515120	Oil	LFP5120B
RE519626	Oil	LFP8340 ¹⁴⁸	<i>(3222-3094-21); Sec.</i>			<i>QAS150 w/Komatsu SA6D110 Engine.</i>		
<i>XATS1050 CD7 w/Caterpillar Engine</i>			<i>(3222-3094-22); Pri.</i>				Air	LAF1755 ²
	Air	LAF6998 ²	<i>3222-3179-48</i>					LAF1759 ¹
		LAF6999 ¹	<i>3222-3179-48</i>				Coolant	LFW4018 ¹⁸²
(1R0749); Pri.	Fuel	LFF2749	<i>ROC311</i>			W/S	Fuel	LFF4294
(3261643); Pri.		LFF6771 ¹⁷¹	<i>3176-7279-00</i>			6136515120	Oil	LFP5120B
RN1808	Oil	LFP4005RN ⁵⁹⁹	<i>Hydraulic LH4267</i>			<i>QAS168GD w/Detroit Diesel S50 Engine.</i>		
		LFP4005TRT ³	<i>ROC410HC w/Deutz F4L912 Engine.</i>			495mm	Air	LAF1718 ²
		LFP4005XL ¹⁴	<i>9721-0337</i>			W/S	Fuel	LFF5849
<i>XATS136, XAVS136, XATS156, XAVS156 w/Deutz BF4M1012EC Engine.</i>			<i>9790-1543</i>					LFF5849U ⁶⁴⁹
	Air	LAF2342 ²	<i>9790-1543</i>			Sec.		LFP816FN
		LAF2343 ¹	<i>ROC433H w/Deutz F3L912 Engine.</i>				Oil	LFP2160
	Fuel	FP586F	<i>9721-0337</i>					LFP2160TRT ³
		LFP2222	<i>9790-1543</i>					LFP2160XL ¹⁴
	Oil	LFP2222	<i>ROC434H, ROC435H w/Deutz F3L912 Engine.</i>			<i>QAS220 w/Komatsu S6D125 Engine.</i>		
<i>XR210, XRS210D w/Deutz F6L413 Engine.</i>			<i>9721-0337</i>			3216-3286	Air	LAF6769 ²
(1619-2729); 387mm	Air	LAF1716 ²	<i>9790-1543</i>					LAF6769MXM ^{2, 268}
1619-5545-00		LAF1717 ¹	<i>ROC512HC-00 w/Deutz F6L912 Engine.</i>			3216-3287		LAF9373 ¹
(9710-1894); Pri.	Fuel	FP587F	<i>9721-0337</i>				Coolant	LFW4073 ²⁵⁵
		LFFH4960 ⁷⁸¹	<i>9721-0338</i>			W/S	Fuel	LFF4294
	Hydraulic	LFFH4960 ⁷⁸¹	<i>ROC601, 606</i>				Oil	LFP670
9721-0338	Oil	LFP2222 ¹⁴⁸	<i>3176-7279-00</i>					LFP670XL ¹⁴
<i>XR350, XRS350D, XRH350D, XRHS350D w/Deutz F10L413, F12L413 Engines.</i>			<i>3176-1321</i>			<i>QAS275 w/Komatsu SA6D125 Engine.</i>		
(1619-2798); 387mm	Air	LAF1716 ²	<i>Hydraulic LH4267</i>			3216-3286	Air	LAF6769 ²
1619-5545-00		LAF1717 ¹	<i>LH4914</i>					LAF6769MXM ^{2, 268}
(9710-1894); Pri.	Fuel	FP587F	<i>ROC701</i>			3216-3287		LAF9373 ¹
		L3405F ¹⁰⁸	<i>3176-7279-00</i>				Coolant	LFW4073 ²⁵⁵
		LFF3504	<i>ROC712, ROC712H01 w/Deutz Engine.</i>			W/S	Fuel	LFF4294
(9712-5040); Pri.		LFF3507	<i>3216-0140-00</i>				Oil	LFP670
1613-3771	Hydraulic	LFH4960 ⁷⁸¹	<i>3176-7280-00</i>					LFP670XL ¹⁴
		LFFH4960 ⁷⁸¹	<i>3176-7279-00</i>			<i>QAS30 w/Komatsu 4D95LW Engine.</i>		
9721-0338	Oil	LFP2222 ¹⁴⁸	<i>ROC712HC w/Deutz BF6L913 Engine.</i>				Air	LAF222 ²
<i>XRVS455MD w/Mercedes OM442LA Engine.</i>			<i>9721-0337</i>				Fuel	FP588F
(1619-2799); 495mm	Air	LAF1718 ²	<i>9736-5671</i>				Oil	LFP6240
1619-5698		LAF1719 ¹	<i>ROC812, ROC812H w/Deutz F6L912 Engine.</i>			<i>QAS40 w/Komatsu 4D95LW Engine.</i>		
	Fuel	L3405F ¹⁰⁸	<i>P16</i>				Air	LAF222 ²
(9712-5040); Pri.		LFF3507	<i>9721-0337</i>				Fuel	FP588F
		LP2235	<i>9721-0338</i>				Oil	LFP6240
<i>XSS335 w/Deutz Engine.</i>			<i>ROC812HC-S, ROC812HT w/Deutz B6L913C Engine.</i>			<i>QAS60 w/Komatsu 6D95L Engine.</i>		
1619-2797	Air	LAF1714 ²	<i>9721-0337</i>			5412-2915	Air	LAF1544 ²
	Oil	LFP2222 ¹⁴⁸	<i>9736-5671</i>				Fuel	FP588F
<i>ZR3, ZR4, ZR5</i>			<i>Rotamic 50DH w/Deutz F4L912 Engine.</i>				Oil	LFP6240
	Air	LAF2517 ^{1, 12}	<i>9721-0337</i>			<i>QAS85 w/Komatsu 6D95L Engine.</i>		
1030-0979		LAF3535A ²	<i>9721-0337</i>			5412-2915	Air	LAF1544 ²
1030-1070		LAF8578 ²	<i>9721-0338</i>					
	Oil	LP2219 ¹⁴⁸	<i>9721-0338</i>					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 108-Eco-Finer 148-Engine 169-1 Per Package 170-2 Per Package 171-With Sensor Port 182-Contains 2 oz. of chemical 255-Contains 3 oz. of chemical 268-Extended/Severe service 531-Filter only 599-High capacity 649-1/2" Thread Sensor Port 781-Compressor

A

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ATLAS COPCO (GENERATOR)			ATLAS WEYHAUSEN (EXCAVATOR)			ATLAS WEYHAUSEN (EXCAVATOR)		
<i>QAS85 w/Komatsu 6D95L Engine. (cont'd)</i>			<i>AB1252 w/Deutz F3L912 Engine.</i>			<i>AB1602 w/Deutz F4L912 Engine. (cont'd)</i>		
	Fuel	FP588F	387620	Air	LAF222 ²	363031	Oil	PH2819
	Oil	LFP6240	441923	Fuel	FP586F	<i>AB1602 w/Deutz F6L912 Engine.</i>		
<i>QWS280</i>			363031	Oil	PH2819	2654548	Air	LAF222 ²
	Air	LAF2745A ²	<i>AB1300, AB1500</i>			362972	Fuel	FP586F
	Fuel	L550F	441923	Fuel	FP586F	442004	Oil	LFP2222
	Oil	PH2808	363031	Oil	PH2819	<i>AB1602D w/Deutz F4L912 Engine.</i>		
<i>QWS350</i>			<i>AB1301E w/Deutz Engine.</i>			458455	Air	LAF1544 ²
	Air	LAF8823 ²	362972	Fuel	FP586F	463009		LAF9410 ¹
	Fuel	L4103F	831038	Oil	PH2819	441923	Fuel	FP586F
	Oil	PH2808	<i>AB1302, AB1302A, AB1302B w/Deutz F3L912, F4L912 Engine.</i>			363031	Oil	PH2819
ATLAS WEYHAUSEN (EXCAVATOR)						<i>AB1602D w/Deutz F6L912 Engine.</i>		
<i>AB1004 w/Deutz F4L1011 Engine.</i>			458455	Air	LAF1544 ²	442004	Oil	LFP2222
	Air	LAF1544 ²	387620		LAF222 ²	<i>AB1602DLC w/Deutz F4L912 Engine.</i>		
		LAF9410 ¹	463009		LAF9410 ¹	458455	Air	LAF1544 ²
	Fuel	LFF3518	441923	Fuel	FP586F	463009		LAF9410 ¹
	Oil	PH561	363031	Oil	PH2819	441923	Fuel	FP586F
<i>AB1004 w/Deutz F4L912 Engine.</i>			<i>AB1302C w/Deutz F4L912 Engine.</i>			363031	Oil	PH2819
441887	Fuel	LFF3518	431181	Air	LAF1725 ¹	<i>AB1602DLC w/Deutz F6L912 Engine.</i>		
	Oil	PH561	387620		LAF222 ²	442004	Oil	LFP2222
			424580		LAF9001 ²	<i>AB1602E w/Deutz F4L912 Engine.</i>		
<i>AB1102D w/Deutz F3L912, F4L912 Engine.</i>			441923	Fuel	FP586F	458455	Air	LAF1544 ²
458455	Air	LAF1544 ²	W/S		LFF8062	463009		LAF9410 ¹
463009		LAF9410 ¹	363031	Oil	PH2819	441923	Fuel	FP586F
441923	Fuel	FP586F	<i>AB1302D, AB1302DK, AB1302E, AB1302EK w/Deutz F4L912 Engine.</i>			363020	Oil	LFP2222
363031	Oil	PH2819				363031		PH2819
<i>AB1104 w/Deutz BF4L1011 Engine.</i>			458455	Air	LAF1544 ²	<i>AB1602ELC w/Deutz F4L912 Engine.</i>		
458455	Air	LAF1544 ²	463009		LAF9410 ¹	458455	Air	LAF1544 ²
463009		LAF9410 ¹	441923	Fuel	FP586F	463009		LAF9410 ¹
441887	Fuel	LFF3518	363031	Oil	PH2819	362972	Fuel	FP586F
	Oil	PH561				831038	Oil	PH2819
<i>AB1122D w/Deutz F3L912, F4L912 Engine.</i>			<i>AB1302ELC w/Deutz F4L912 Engine.</i>			<i>AB1604 w/Deutz F4L912 Engine.</i>		
458455	Air	LAF1544 ²	458455	Air	LAF1544 ²	458455	Air	LAF1544 ²
463009		LAF9410 ¹	463009		LAF9410 ¹	463009		LAF9410 ¹
362972	Fuel	FP586F	362972	Fuel	FP586F	362972	Fuel	FP586F
831038	Oil	PH2819	831038	Oil	PH2819	831038	Oil	PH2819
<i>AB1200</i>			<i>AB1304 w/Deutz F4L912 Engine.</i>			<i>AB1604, AB1604LC w/Deutz BF4M1013 Engine.</i>		
441923	Fuel	FP586F	458455	Air	LAF1544 ²		Air	LAF1725 ¹
	Oil	P49	463009		LAF9410 ¹			LAF9001 ²
363031		PH2819	362972	Fuel	FP586F		Fuel	FP586F
<i>AB1202 w/Deutz F3L912, F4L912 Engine.</i>			831038	Oil	PH2819		Oil	LFP2222
	Air	LAF1710	<i>AB1404 w/Deutz F4L912 Engine.</i>			<i>AB1604LC w/Deutz F4L912 Engine.</i>		
		LAF1710 ²	458455	Air	LAF1544 ²	458455	Air	LAF1544 ²
		LAF1722 ²	463009		LAF9410 ¹	463009		LAF9410 ¹
		LAF1723 ¹	362972	Fuel	FP586F	362972	Fuel	FP586F
		LAF222 ²	831038	Oil	PH2819	831038	Oil	PH2819
387620			<i>AB1404K w/Deutz BF4M1012E Engine.</i>			<i>AB1622 w/Deutz F5L912 Engine.</i>		
441923	Fuel	FP586F		Air	LAF1544 ²	2654548	Air	LAF222 ²
363031	Oil	PH2819			LAF9410 ¹	362972	Fuel	FP586F
<i>AB1202D w/Deutz F3L912, F4L912 Engine.</i>				Fuel	LFF3518	831038	Oil	PH2819
458455	Air	LAF1544 ²	<i>AB1602 w/Deutz F4L912 Engine.</i>			<i>AB1622C w/Deutz Engine.</i>		
463009		LAF9410 ¹	458455	Air	LAF1544 ²	431181	Air	LAF1725 ¹
441923	Fuel	FP586F	431181		LAF1725 ¹	424580		LAF9001 ²
363031	Oil	PH2819	387620		LAF222 ²	441887	Fuel	FP586F
<i>AB1204 w/Deutz F4L912 & F4L1011 Engine.</i>			424580		LAF9001 ²	363020	Oil	LFP2222
458455	Air	LAF1544 ²	463009		LAF9410 ¹	<i>AB1622D, AB1622DLC w/Deutz Engine.</i>		
463009		LAF9410 ¹	441923	Fuel	FP586F	458455	Air	LAF1544 ²
362972	Fuel	FP586F						
831038	Oil	PH2819						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ATLAS WEYHAUSEN (EXCAVATOR)			ATLAS WEYHAUSEN (EXCAVATOR)			ATLAS WEYHAUSEN (EXCAVATOR)		
<i>AB1622D, AB1622DLC w/Deutz Engine. (cont'd)</i>			<i>AB1704HD w/Deutz BF6L913 Engine. (cont'd)</i>			<i>AB1902DLC w/Deutz F6L912 Engine. (cont'd)</i>		
431181	Air	LAF1725 ^{1, 57}	362972	Fuel	FP586F	441887	Fuel	FP586F
2649370		LAF9001 ²		Oil	LFP8590	363020	Oil	LFP2222
463009		LAF9410 ¹	<i>AB1704LC w/Deutz BF6L913 Engine.</i>			<i>AB1902E w/Deutz BF6L913 Engine.</i>		
441923	Fuel	FP586F	387mm	Air	LAF1716 ²	466535	Air	LAF8668 ²
363031	Oil	PH2819			LAF1717 ¹	466546		LAF8674 ¹
<i>AB1702 w/Deutz Engine.</i>			2654435		LAF6587 ^{2, 57}	362972	Fuel	FP586F
376774	Air	LAF1246 ²			LAF6587MXM ^{2, 57, 291}		Oil	LFP8590
458455		LAF1544 ²			LAF6834 ¹	<i>AB1902ELC w/Deutz BF6L913 Engine.</i>		
431181		LAF1725 ¹	869076			466535	Air	LAF8668 ²
424580		LAF9001 ²	362972	Fuel	FP586F	466546		LAF8674 ¹
463009		LAF9410 ¹		Oil	LFP8590	362972	Fuel	FP586F
441887	Fuel	FP586F	<i>AB1802D w/Deutz BF6L913 Engine.</i>				Oil	LFP8590
363020	Oil	LFP2222	387mm	Air	LAF1716 ²	<i>AB2002</i>		
<i>AB1702 w/Deutz F5L912, F6L912 Engine.</i>					LAF1717 ¹	376774	Air	LAF1246 ²
431181	Air	LAF1725 ¹	362972	Fuel	FP586F	458455		LAF1544 ²
		LAF263 ²		Oil	LFP8590	(451867); Tropics		
2649370		LAF9001 ²	<i>AB1802D w/Deutz F6L913 Engine.</i>			466546		LAF3714 ²
362972	Fuel	FP586F	2654435	Air	LAF6587 ²	463009		LAF8674 ¹
442004	Oil	LFP2222			LAF6587MXM ^{2, 268}	441887	Fuel	FP586F
<i>AB1702B w/Deutz F6L912 Engine.</i>			869076		LAF6834 ¹	363020	Oil	LFP2222
376774	Air	LAF1246 ²	362972	Fuel	FP586F	<i>AB2002LC w/Deutz F6L912 Engine.</i>		
441887	Fuel	FP586F	442004	Oil	LFP2222	376774	Air	LAF1246 ²
363020	Oil	LFP2222	<i>AB1802E, AB1802ELC w/Deutz BF6L913 Engine.</i>			441887	Fuel	FP586F
<i>AB1702D w/Deutz F6L912 Engine.</i>			431181	Air	LAF1725 ¹	W/S		LFF8062
376774	Air	LAF1246 ²	2649370		LAF9001 ²	363020	Oil	LFP2222
431181		LAF1725 ¹	362972	Fuel	FP586F	<i>AB2202D, AB2202HD w/Deutz Engine.</i>		
2654435		LAF6587 ²	442004	Oil	LFP2222	451867	Air	LAF3714 ²
		LAF6587MXM ^{2, 268}			LFP8590	466546		LAF8674 ¹
869076		LAF6834 ¹	<i>AB1805M, AB2005M w/Deutz BF4M1013FC Engine.</i>			441887	Fuel	FP586F
424580		LAF9001 ²		Air	LAF4601 ²	363020	Oil	LFP2222
441887	Fuel	FP586F			LAF4602 ¹	<i>AB2202E, AB2202EH w/Deutz Engine.</i>		
363020	Oil	LFP2222		Fuel	FP586F	(376774); Tropics	Air	LAF1246 ²
<i>AB1702E, AB1702H w/Deutz BF6L913 Engine.</i>				Oil	LFP2222	451867		LAF3714 ²
362972	Fuel	FP586F	<i>AB1902 w/Deutz F6L912 Engine.</i>			466546		LAF8674 ¹
	Oil	LFP8590	376774	Air	LAF1246 ²	362972	Fuel	FP586F
<i>AB1704 w/Deutz BF6L913 Engine.</i>			458455		LAF1544 ²	442004	Oil	LFP2222
387mm	Air	LAF1716 ²	451867		LAF3714 ²	<i>AB2502 w/Deutz F8L418 Engine.</i>		
		LAF1717 ¹	463009		LAF9410 ¹	431181	Air	LAF1725 ^{1, 57}
362972	Fuel	FP586F	441887	Fuel	FP586F	451867		LAF3714 ²
	Oil	LFP8590	363020	Oil	LFP2222	466546		LAF8674 ¹
<i>AB1704 w/Deutz F6L913 Engine.</i>			<i>AB1902D w/BF6L913 Engine.</i>			424580		LAF9001 ²
2654435	Air	LAF6587 ²	376774	Air	LAF222 ²	441887	Fuel	FP586F
		LAF6587MXM ^{2, 268}	Tropics		LAF3714 ²			LFF8092
869076		LAF6834 ¹	466535		LAF8668 ²	363020	Oil	LFP2222
362972	Fuel	FP586F			LAF8674 ¹	<i>AB2502B w/Deutz F10L413V Engine.</i>		
442004	Oil	LFP2222	441887	Fuel	FP586F	431181	Air	LAF1725 ¹
<i>AB1704DLC w/Deutz F6L912 Engine.</i>			W/S		LFF8062	451867		LAF3714 ²
2654435	Air	LAF6587 ²	363020	Oil	LFP2222	466546		LAF8674 ¹
		LAF6587MXM ^{2, 268}	810817		LFP8590	2649370		LAF9001 ²
869076		LAF6834 ¹	(815958); By-Pass		LP2210		Fuel	LFF8092
362972	Fuel	FP586F	<i>AB1902DLC w/Deutz F6L912 Engine.</i>			363020	Oil	LFP2222
442004	Oil	LFP2222	458455	Air	LAF1544 ²	<i>AB404 w/Perkins 103-10 Engine.</i>		
<i>AB1704HD w/Deutz BF6L913 Engine.</i>			451867		LAF3714 ²		Air	LAF8824
387mm	Air	LAF1716 ²	466546		LAF8674 ^{1, 57}		Fuel	LFF3518
		LAF1717 ¹	463009		LAF9410 ¹			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 57-Partial 268-Extended/Severe service 291-Extended/Severe service.



Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ATLAS WEYHAUSEN (EXCAVATOR)			ATLAS WEYHAUSEN (WHEEL LOADER)			ATLAS WEYHAUSEN (WHEEL LOADER)		
<i>AB404 w/Perkins 103-10 Engine. (cont'd)</i>			<i>AR42E w/Deutz F3L1011 Engine. (cont'd)</i>			<i>AR52C w/Deutz F3L912 Engine. (cont'd)</i>		
	Oil	PH2840		Hydraulic	LFH5896		Hydraulic	LFH8593
<i>AB808 w/Perkins 104-19 Engine.</i>				Oil	PH561	363031	Oil	PH2819
	Air	LAF1710 ²	<i>AR45B w/Deutz F2L511 Engine.</i>			<i>AR52D w/Deutz F4L1011 Engine.</i>		
	Fuel	LFF3518	441887	Fuel	LFF3518		Air	LAF1734 ²
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Hydraulic	LFH5896		Fuel	LFF3513
ATLAS WEYHAUSEN (WHEEL LOADER)				Oil	PH561		Hydraulic	LFH8596
<i>65, 65 Super w/Deutz F4L2011 Engine.</i>			<i>AR46E w/Deutz F4L1011 Engine.</i>			<i>AR52E w/Deutz BF4L1011T Engine.</i>		
	Fuel	LFF3504		Air	LAF1734 ²	2981124	Air	LAF4544 ²
	Oil	PH2835		Fuel	LFF3513			LAF4544MXM ^{2, 268}
<i>72E w/Deutz BF4L1011 Engine.</i>				Hydraulic	LFH5896	2981113		LAF4545 ¹
	Fuel	LFF3518	<i>AR50 w/Deutz F2L511 Engine.</i>			2610831	Fuel	LFF3806 ¹⁷⁰
	Hydraulic	LFH8596	2654548	Air	LAF222 ²			LFF4806 ¹⁶⁹
	Oil	PH561	848924		LAF8517 ²		Hydraulic	LFH8596
<i>95 w/Deutz BF4L2012 Engine.</i>				Fuel	LFF3503	TXW3E-CC10		LH22142
	Fuel	FP586F	441887		LFF3518	852931	Oil	PH561
	Oil	PH2819		Oil	PH561	<i>AR52E w/Deutz F4L1011 Engine.</i>		
<i>ABL710</i>			<i>AR50 w/Perkins 404C-22 Engine.</i>				Air	LAF4544 ²
2654548	Air	LAF222 ²		Air	LAF8148 ²			LAF4544MXM ^{2, 268}
362972	Fuel	FP586F			LAF9332 ¹			LAF4545 ¹
<i>AR40, AR40A</i>			<i>AR50A w/Deutz F2L511 Engine</i>				Hydraulic	LFH8596
387620	Air	LAF222 ²	848924	Air	LAF1734 ²	<i>AR61 w/Deutz F3L912 Engine.</i>		
441887	Fuel	LFF3518 LFF3806 ¹⁷⁰ LFF4806 ¹⁶⁹	387620		LAF222 ²	387620	Air	LAF222 ²
<i>AR418</i>			848924	Fuel	LFF3503	362972	Fuel	FP586F
2654548	Air	LAF222 ²	441887		LFF3518		Hydraulic	LFH8593
848924		LAF8517 ²	852931	Oil	PH561	363031	Oil	PH2819
362972	Fuel	FP586F	<i>AR51, AR51A w/Deutz F2L511 Engine.</i>			<i>AR61A, AR61B w/Deutz Engine.</i>		
	Oil	PH561	387620	Air	LAF222 ²	848924	Air	LAF1734 ²
<i>AR41A w/Deutz F2L511 Engine.</i>			848924		LAF8517 ²	387620		LAF222 ^{2, 57}
848924	Air	LAF1734 ²	441887	Fuel	LFF3503	848924		LAF8517 ²
387620		LAF222 ²	363020	Oil	LFP2222	362972	Fuel	FP586F
848924		LAF8517 ²		Trans	LPH561	363020	Oil	LFP2222
<i>AR41B w/Deutz F2L511 Engine.</i>					LPH561	363031	Oil	PH2819
848924	Fuel	LFF3503	<i>AR51B w/Deutz F2L511 Engine.</i>				Trans	LPH8593
441887		LFF3518	2654548	Air	LAF222 ²	<i>AR61C, AR62C w/Deutz Engine.</i>		
	Hydraulic	LFH5896	848924		LAF8517 ²	2654548	Air	LAF222 ^{2, 57}
852931	Oil	PH561		Fuel	LFF3503	848924		LAF8517 ²
<i>AR41C w/Deutz F2L511 Engine.</i>			441887		LFF3518	362972	Fuel	FP586F
848924	Air	LAF1734 ²	442004	Oil	LFP2222	831038	Oil	PH2819
387620		LAF222 ²		Trans	LPH8593		Trans	LPH8593
848924		LAF8517 ²	<i>AR51BE, AR51CE</i>			<i>AR62D</i>		
441887	Fuel	LFF3503	848924	Air	LAF1734 ²	2981124	Air	LAF4544 ²
	Hydraulic	LFF3518	362972	Fuel	FP586F			LAF4544MXM ^{2, 268}
	Oil	PH561		Hydraulic	LFH8593	2981113		LAF4545 ¹
	Trans	LPH8593	363031	Oil	PH2819	441898	Fuel	LFF3806 ¹⁷⁰
<i>AR42C, AR46C w/Deutz F3L1011 Engine.</i>			<i>AR51C, AR51CE w/Deutz F3L912 Engine.</i>			852931	Oil	PH561
848924	Air	LAF1734 ²	848924	Air	LAF1734 ²	<i>AR62E w/Deutz F4L1011 Engine.</i>		
2610831	Fuel	LFF3806 ¹⁷⁰ LFF4806 ¹⁶⁹	362972	Fuel	FP586F		Fuel	LFF3518
	Hydraulic	LFH5896	363031	Oil	PH2819		Hydraulic	LFH8596
<i>AR42E w/Deutz F3L1011 Engine.</i>			<i>AR52C w/Deutz F3L912 Engine.</i>				Oil	PH561
852931	Oil	PH561	C16335	Air	LAF1544 ²	<i>AR65 Super w/Deutz BF4L1011FT Engine.</i>		
<i>AR42E w/Deutz F3L1011 Engine.</i>			848924		LAF1734 ²		Fuel	LFF3504
	Fuel	LFF3518	362972	Fuel	FP586F		Oil	PH2816

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 57-Partial 169-1 Per Package 170-2 Per Package 268-Extended/Severe service 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ATLAS WEYHAUSEN (WHEEL LOADER)			BADGER (CRANE)			BARBER-GREEN (EQUIPMENT)		
<i>AR65 w/Deutz BF4L1011 Engine.</i>			<i>4430 w/Cummins V504 Engine</i>			<i>BG220B</i>		
	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹	P118166 P119175	Air	LAF8668 ² LAF8674 ¹		Hydraulic	LFH7355
	Fuel	LFF3518	BADGER (EXCAVATOR)			<i>BG225B Paver w/John Deere Engine</i>		
	Hydraulic	LFH8596	<i>411 w/Detroit Diesel 8V71T Engine</i>				Air	LAF8144 ² LAF9387 ¹
	Oil	PH2816 ¹⁸	P116466 P116453	Air	LAF1765 ¹ LAF6453 ² LAF6453MXM ^{2, 268}		Fuel	P1130
<i>AR70 w/Deutz F4L912 Engine.</i>			<i>888 w/Cummins VT378 Engine</i>				Hydraulic	LFH7355
387620	Air	LAF222 ²	P122605	Air	LAF2605	<i>BG225C Paver w/Perkins Engine</i>		
362972	Fuel	FP586F	BAKER INDUSTRIAL (LIFT TRUCK)				Air	LAF3663 ² LAF3663MXM ² LAF3664 ¹
<i>AR72C w/Deutz F4L912 Engine.</i>			<i>B40PL, B50PL, B60PL w/Volkswagen Engine</i>			<i>Sec.</i>		
1789231	Air	LAF8583 ² LAF9410 ¹	056115561B	Oil	PH561	<i>Pri.</i>		
362972	Fuel	FP586F	<i>GAS-O-MATIC</i>				Fuel	L3102F L8682F
831038	Oil	PH2819		Oil	P70	<i>LFP2292</i>		
<i>AR95 w/Deutz BF4L2012 Engine.</i>			<i>Some Models</i>			<i>BG230 Asphalt Paver w/Caterpillar 3054 Engine</i>		
448898	Fuel	LFF3518	502101	Hydraulic	P137	(1596102); Sec.	Fuel	L3102F LFF1131
	Hydraulic	LFH8596	By-Pass	Oil	P3 PB50	(8N9803); W/S	Hydraulic	LFH4428 LFH4959
	Oil	PH561	BANDIT INDUSTRIES (EQUIPMENT)			1031971 1446691 7W2326	Oil	LFP2292
<i>AT3207, AT3208, AT3212, AT4007, AT4008, AT4011, AT4012 w/Perkins 1004-40T Engine</i>			<i>1850 Tree Chipper w/John Deere 6081 Engine</i>			<i>BG240, BG245, BG260 w/John Deere Engine</i>		
	Fuel	LFF3504	LE10	Hydraulic	LFH4915		Fuel	P1130
	Oil	PH4403	<i>1890 Brush Bandit w/John Deere 6081 Engine</i>				Hydraulic	LFH7355
AUSA (LIFT TRUCK)			LE10	Hydraulic	LFH4915	<i>BG240C Asphalt Paver w/Caterpillar 3116 Engine</i>		
<i>CE11, CE16 w/Isuzu 3LB1 Engine</i>			<i>1900 Tree Chipper w/Caterpillar 3406TA Engine</i>			6I2499	Air	LAF4499 ² LAF4499MXM ^{2, 268}
P775631	Air	LAF8147 ²	LE10	Hydraulic	LFH4915 LFH4955 LFH4988	6I2500	Fuel	L22023F LFF4783 LFF5322 ²⁰
2944566410	Oil	PH2808	SE10	Hydraulic	LFH4988	(1512409); Pri.	Hydraulic	LFH4959
<i>CH150 w/Isuzu Engine</i>			<i>1900 Tree Chipper w/Caterpillar 3408TA Engine</i>			1R0751 1R0753 1446691	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
450120400	Air	LAF8147 ²	LE10	Hydraulic	LFH4915 LFH4955 LFH4988	1R0739 1R0739		
<i>CH250 Lift Truck w/Kubota V2003T Engine</i>			<i>1900 Tree Chipper w/John Deere 6125 Engine</i>			<i>BG2455C Asphalt Paver w/Caterpillar 3116 Engine</i>		
P772579	Air	LAF8148 ² LAF9332 ¹	LE10	Hydraulic	LFH4915 LFH4955 LFH4988	6I2499	Air	LAF4499 ² LAF4499MXM ^{2, 268}
P775300	Fuel	LFF8060	SE10	Hydraulic	LFH4988	6I2500	Fuel	L22023F LFF4783 LFF5322 ²⁰
W/S	Hydraulic	LFH4268	<i>2090 Tree Chipper w/John Deere 6081 Engine</i>			(1512409); Pri.	Hydraulic	LFH4959 LH95282V ¹⁰⁷⁷
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>2400 Tree Chipper w/Caterpillar 3412 Engine</i>			1R0739 1R0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
<i>CH320 Lift Truck w/Isuzu 4JB1 2.8L Diesel Engine</i>			<i>2680 w/Caterpillar Engine</i>			773492	Trans	LFP1652
P772579	Air	LAF8148 ² LAF9332 ¹	LE10	Hydraulic	LFH4915	<i>BG255C Asphalt Paver w/Caterpillar 3054 Engine</i>		
P775300	Fuel	LFF3553	LE10	Hydraulic	LFH4915	1080671 1080672	Air	LAF3654 ¹ LAF3664 ¹
8944147962	Oil	PH2808	<i>3680 Beast Recycler w/Caterpillar 3412 Engine</i>			(1596102); Sec.	Fuel	L3102F L8682F
8970497081	Fuel	G475	LE10	Hydraulic	LFH4915	(1174089); Pri.	Hydraulic	LH95282V ¹⁰⁷⁷
<i>CHG150 w/Ford VSG413 Engine</i>			<i>3680 Beast Recycler w/Cummins N14 Engine</i>			775479 7W2326	Oil	LFP2292
	Oil	PH400	LE10	Hydraulic	LFH4915	<i>BG255C Asphalt Paver w/Caterpillar 3054 Engine</i>		
<i>CVH20 w/Isuzu 4LE1 Engine</i>			<i>3680 Beast Recycler w/John Deere RG6101 Engine</i>				Air	LAF3654 ¹ LAF3664 ¹
P775631	Air	LAF8147 ²	LE10	Hydraulic	LFH4915	(1596102); Sec.	Fuel	L3102F L8682F
<i>GVH25 w/Isuzu 4 cyl. Engine</i>			<i>5680 w/Caterpillar Engine</i>			775479 7W2326	Hydraulic	LH95282V ¹⁰⁷⁷
P772579	Air	LAF8148 ² LAF9332 ¹	LE10	Hydraulic	LFH4915	<i>LFP2292</i>		
P775300	Fuel	LFF3553	BANDIT INDUSTRIES (STUMP GRINDER INDUSTRIAL)					
AUTOBLADE (GRADER)			<i>2100SP w/Lombardini 6LBDL1 Engine</i>					
<i>AUTOBLADE w/Caterpillar Engine</i>			W/S	Fuel	LFF8678 PH3942			
P110506	Air	LAF506		Oil				
(9L9100); Sec.	Fuel	FP230F						
9L9200	Oil	LFP791						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 18-Short 20-High efficiency 268-Extended/Severe service 275-Primary 1077-Hyd. Tank 1496-Alternate

A

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BARBER-GREEN (EQUIPMENT)			BASIC EQUIPMENT INC (GRADER)			BENFRA (EQUIPMENT)		
<i>BG255C Asphalt Paver w/Caterpillar 3054 Engine (cont'd)</i>			<i>601AD, 601B w/Deutz Engine (cont'd)</i>			<i>2-75P, 2-75R, 2-90P, 2-90R, 10C, 10CB, 12C, 12CB</i>		
773492	Trans	LFP1652		Oil	PH2840			
<i>BG260C Asphalt Paver w/Caterpillar 3116 Engine</i>			<i>701 w/Perkins Engine</i>					
612499	Air	LAF4499 ² LAF4499MXM ^{2, 268} LAF4500 ¹	P101275	Air	LAF1275 ² LAF281	83221060	Air	LAF1544 ² LAF8668 LAF8674 LAF9410 ¹
612500			P120281			8322161		
(1512409); Pri.	Fuel	L22023F LFF4783 LFF5322 ²⁰	K22001	Hydraulic	LFP1652		Fuel	L296F ⁴¹ LFP2230
1R0751			2654342	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	
1R0753			2654342			<i>3501</i>		
1446691	Hydraulic	LFH4959 LH95282V ¹⁰⁷⁷	<i>701A w/John Deere Engine</i>					
775479			P101275	Air	LAF1275 ² LAF281		Fuel	LFF3502
1R0739			P120281				Oil	LFP2230
1R0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	AR50041	Fuel	P1130	<i>4364, 4501, 4504, 4504, 4384 Bulldozers</i>		
773492	Trans	LFP1652	K22001	Hydraulic	LFP1652		Air	LAF222 ² LAF8526 ¹
<i>BG60H</i>			T19044	Oil	FP20		Fuel	L296F ⁴¹ LFP2230
	Hydraulic	LFH4955	BASIC EQUIPMENT INC (ROLLER INDUSTRIAL)				Oil	LFP2230
<i>BG610 Windrower</i>			<i>210S w/Deutz Engine</i>			<i>4511S, 4512S, 4514, 4524, 4534, 4554 Excavators</i>		
	Hydraulic	LFH4955	K22001	Hydraulic	LFP1652		Air	LAF222 ²
<i>CP200 Concrete Mobile</i>				Oil	PH2840		Fuel	L296F ⁴¹
1A-9021	Hydraulic	LFP1652	<i>210S w/Kohler Engine</i>				Oil	LFP2230
<i>RX20</i>			277138	Air	AF214	<i>5512S, 6512S, 7512S, 7613 Excavators</i>		
	Hydraulic	LFH7355	K22001	Hydraulic	LFP1652		Fuel	LFF3502
<i>SA150 Paver w/Caterpillar 3145 Engine</i>			277233	Oil	PH400		Oil	LFP2230
	Air	LAF506	BELARUS (TRACTOR)			<i>6301, 6361, 6501, 6621 Bulldozers</i>		
<i>SA41, SB41 w/IHC UB264 Engine</i>			<i>920M, 925</i>				Fuel	LFF3502
10R59	Hydraulic	LFH4944		Air	LAF1833 ¹		Oil	LFP2230
<i>Some Models</i>			By-Pass	Oil	PB50 ¹²	<i>6513S Excavators</i>		
451217-5140	Hydraulic	LFH4944 LH4914 LP468 LP6005 P137	BELL (EQUIPMENT)				Air	LAF1722 ² LAF1723 ¹
923069			<i>B25B, B25C Articulated Dump Truck w/Mercedes ADE366TI Engine</i>				Fuel	LFF3502
228468			P182002	Air	LAF6632 LAF6632MXM ²⁶⁸		Oil	LFP2230
62200B			P165762	Hydraulic	LFH5876 LFP1652	<i>7534 Bulldozers</i>		
923070			921999				Air	LAF222 ² L296F ⁴¹ LFP2230
BARKO (EQUIPMENT)			<i>B25D, D30D w/Mercedes OM906LA Engine</i>				Oil	LFP2230
<i>160 Loader w/Detroit Diesel Engine</i>				Fuel	L8701F ²⁴⁴	<i>8511, 8511S, 8513S, 8544 Excavators</i>		
	Air	LAF24		Oil	LP8741 ¹⁰²		Air	LAF1544 ² LAF222 ² LAF222 LAF9410 ¹
	Hydraulic	LP509		Trans	LH8640		Fuel	L296F ⁴¹ LFF3502 LFP2230
<i>775B Fellerbuncher w/Cummins 8.3L Engine</i>			<i>B30B Articulated Dump Truck w/Mercedes ADE442N Engine</i>				Oil	LFP2230
	Air	LAF6769 ² LAF6769MXM ² LAF9373 ¹	P165762	Hydraulic	LFH5876 LFP1652	<i>8512S Excavators</i>		
<i>775C w/Cummins Engine</i>			921999				Air	LAF222 ²
	Hydraulic	LFP1652	<i>B35D, B40D w/Mercedes OM501LA Engine</i>				Fuel	L296F ⁴¹
BARKO (FELLER BUNCHER)			687090	Fuel	L8994F LP8995		Oil	LFP2230
<i>240B w/Cummins QSB6.7 Engine</i>			<i>B40B, B40C Articulated Dump Truck w/Mercedes ADE442T1 Engine</i>				Air	LAF222 ²
LF3970	Oil	LFP3970		Air	LAF8407 LAF8407MXM ²⁶⁸	<i>8534</i>		
<i>260B w/Cummins QSB6.7 Engine</i>				Hydraulic	LFH5876		Fuel	L296F ⁴¹
LF3970	Oil	LFP3970		Trans	LFH5013		Oil	LFP2230
BASIC EQUIPMENT INC (GRADER)			<i>Ultra T, Ultra T HP Fellerbuncher w/Deutz BF4L913 Engine</i>			BENNET (PUMP FUEL)		
<i>601A w/Kohler Engine</i>				Fuel	FP586F	<i>Models w/Bennet fuel filter</i>		
277138	Air	AF214		Oil	LFP2222	A3119	Fuel	L3561F
K22001	Hydraulic	LFP1652						
277233	Oil	PH400						
<i>601AD, 601B w/Deutz Engine</i>								
K22001	Hydraulic	LFP1652						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 41-Cartridge 102-8.31" Tall 244-Secondary 268-Extended/Severe service 275-Primary 1077-Hyd. Tank 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BIG BUD (TRACTOR)			BLAW KNOX (ASPHALT PAVER)			BOBCAT (BACKHOE LOADER)		
360, 375 w/Cummins NTA855 Engine			PF25 w/Ford V4 Engine (cont'd)			B100T w/Kubota D1105 Engine (cont'd)		
	Air	LAF1246 LAF9155 LAF9155MXM ²⁶⁸ LAF9159		Oil	PH2835 ²⁷⁵	6657635	Oil	PH2808
	Oil	LP2854	PF65 w/Ford 6-172 Diesel Engine			B250 w/Kubota D1105 Engine		
				Fuel	L296F ⁴¹	6682494	Air	LAF8823 ²
				Hydraulic	LFP1652	6640801	Fuel	FP590F
				Oil	LFP2258	6657635	Oil	PH2808
400 w/Detroit Diesel 8V92T Engine			BLAW KNOX (EQUIPMENT)			B2500, B250B w/Kubota D1105 Engine		
	Air	LAF1246 LAF9155 LAF9155MXM ²⁶⁸ LAF9159	195 w/Detroit Diesel 4-53 Engine			(6640801); Sec.		
			3294	Hydraulic	LP509	6657635		
			25RW w/Ford V4 Engine			B300 Backhoe w/Kubota Tier II eng. S/N 5731		
(6438839); Pri. Sec.	Fuel	LFP815FN LFP816FN	Gas	Fuel	G1 ⁵³¹	11001-		
	Oil	LP2854		Hydraulic	LFP1652	(P822769); S/N 5731		
				Oil	PH253 ¹⁴⁹⁶	11001 up		
					PH2835 ²⁷⁵	(P822768); S/N 5731		
450, 525 w/Cummins KT1150 Engine			RW100 w/John Deere 4276T Engine			11001 up		
	Air	LAF1246 LAF9155 LAF9155MXM ²⁶⁸ LAF9159	T-512	Air	LAF512	(6640801); S/N 5731		
	Coolant	LFW4071 ²⁸	AR50041	Fuel	P1130	11001 up		
	Fuel	LFF5	K-23018	Hydraulic	LFP449	(6667352); S/N 5731		
	Oil	LP2854	T19044	Oil	FP20	11001 up; W/S		
747 w/Detroit Diesel Engine			BLAW KNOX (PAVER)			(6675517); S/N 5731		
	Air	LAF1246 LAF9155 LAF9155MXM ²⁶⁸ LAF9159	PF115 w/John Deere 4219 Engine			11001 up		
	Oil	LP2854	AR50041	Fuel	P1130	S/N 5731 11001 up		
BLACKWELDER (HARVESTER)			K-23018	Hydraulic	LFH7355	BOBCAT (EXCAVATOR)		
75, 76			T19044	Oil	FP20	100		
	Air	LAF1544 ² LAF9410 ¹	PF120H w/John Deere 4276T Engine			6640708		
	Fuel	FP251F FP603	T-512	Air	LAF512	Air		
Pri. Sec.			AR50041	Fuel	P1130	LAF1275 ²		
76 only	Hydraulic	LFH4204 ¹⁰⁷⁷ LFH4209 LFH4213 LP509	K-23018	Hydraulic	LFH7355	6636614		
76 only			T19044	Oil	FP20	Fuel		
76 only			PF150 w/Deutz FBL912 Engine			6637477		
75 only	Oil	PH675	5711730	Fuel	FP586F	Hydraulic		
			5710639	Oil	PH2819	LH8541		
BLAW KNOX (ASPHALT PAVER)			BOBARD (TRACTOR)			116		
PF120 w/Detroit Diesel 4-53 Engine			A35, M30			6646494		
	Hydraulic	LFP1652	Turbo	Oil	LFP2221 P178	6637477		
PF120 w/Ford 6-300 Engine			B45, K38, K45, K48 w/Peugeot Engine			6639919		
Gas	Fuel	G6	H55 w/MWM Engine			220 w/Kubota D750 Engine		
	Oil	P49 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Fuel	LFF3518	897064		
			Turbo	Oil	LFP2221	(6640801); -S/N 11500		
PF180 w/Hercules G3400 Engine			K30, K50 w/Indenor 1970			Fuel		
285253-BS	Oil	LP38		Fuel	L296F ⁴¹	FP590F		
47362-BS		P4		Oil	LFP2292	G5/16 ²⁶³		
PF180H w/Detroit Diesel 4-71 Engine			K68, K68L w/Perkins Engine			S/N 11501-170		
T-512	Air	LAF512		Fuel	L296F ⁴¹	LFF4806 ¹⁶⁹		
K-23018	Hydraulic	LFH7355		Oil	P771A PH4403	6661248		
PF25 w/Ford V4 Engine			BOBCAT (BACKHOE LOADER)			6653336		
Gas	Fuel	G1 ⁵³¹	B100, B100T w/Kubota D1105 Engine			6675517		
	Hydraulic	LFP1652	(6640801); Sec.			Oil		
	Oil	PH253 ¹⁴⁹⁶	6657635			3974113		
			6657635			PH253 ^{677, 1496}		
PF180H w/Detroit Diesel 4-71 Engine			B100T w/Kubota D1105 Engine			PH2808 ⁶⁸⁰		
T-512	Air	LAF512	6640801			PH2835 ^{275, 1499}		
K-23018	Hydraulic	LFH7355	6633977			225		
PF25 w/Ford V4 Engine			225 w/Kubota D1402 Engine			6675517		
Gas	Fuel	G1 ⁵³¹	6646494			Oil		
	Hydraulic	LFP1652	6633977			PH253 ¹⁴⁹⁶		
	Oil	PH253 ¹⁴⁹⁶	6682493			PH2835 ²⁷⁵		
			6682493			225 w/Kubota D1402 Engine		
			(6667352); W/S			6646494		
			(6661248); S/N 12001-			Air		
			(6655066); S/N -11999			Fuel		
			(6653336); S/N 12001-			G5/16 ²⁶³		
						L549F		
						LFF8060		
						LFH4959		
						LH22019 ²⁴⁴		
						LP6005		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 28-Contains 1 oz. of chemical 41-Cartridge 169-1 Per Package 170-2 Per Package 244-Secondary 263-Hoses and clamps included
268-Extended/Severe service 275-Primary 531-Filter only 677-3/4" thread 680-20mm thread 1077-Hyd. Tank 1496-Alternate 1499-"3/4" Thread"

B

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BOBCAT (EXCAVATOR)			BOBCAT (EXCAVATOR)			BOBCAT (EXCAVATOR)		
<i>225 w/Kubota D1402 Engine (cont'd)</i>			<i>325 w/Kubota D1703 Engine (cont'd)</i>			<i>334 w/Kubota V2203MDI Engine (cont'd)</i>		
6675517	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(6661248); All Other S/N	Hydraulic	LHF4959	6666333	Air	LAF8143 ²
231			(6516722); Exc. S/N		LFP1652 ¹⁰⁷⁶	(6667352); W/S	Fuel	LFF8060
6675517	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	511820001-511821999		LP6005	(6661248); Exc. S/N	Hydraulic	LFH4959
<i>231 w/Kubota D1902 Engine</i>			511820001-511821999		LP6005	512913001-,		
6598492	Air	LAF222 ²	(6653336); S/N		LP6005	516711001-,		
6633977	Fuel	G5/16 ²⁶³ LFF8060	514011001-		PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	517711001-		
(6667352); W/S			6675517	Oil		6516722		
6661248	Hydraulic	LFH4959				(6653336); S/N		
6653336		LP6005	<i>328 w/Kubota D1703 Engine</i>			512913001-,		
6675517	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	6675517	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	516711001-,		
<i>316 w/Kubota D722 Engine</i>			<i>328 w/Kubota D1703M-E2B Engine</i>			<i>335 w/Kubota V2203MDI Engine</i>		
6988081	Air	LAF2745A ²	6672467	Air	LAF8195 ²	6666334	Air	LAF8114 ¹
15231-43560	Fuel	L550F	6672468		LAF8690 ¹	6666333		LAF8143 ²
6653336	Hydraulic	LP6005	(6667352); W/S	Fuel	LFF8060	(6667352); W/S	Fuel	LFF8060
3974113	Oil	PH2808	(6661248); Exc. S/N	Hydraulic	LHF4959	6661248	Hydraulic	LFH4081
<i>319 w/Kubota D722-E2B Engine</i>			514013001-,		LFP1652 ¹⁰⁷⁶	6516722		LFP1652 ¹⁰⁷⁶
6673753	Air	LAF22056 ¹	516611001-		LFP1652 ¹⁰⁷⁶	6675517	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
6673752		LAF8388 ²	6516722		LP6005	<i>337 w/Kubota V2003 Engine</i>		
(6667352); W/S	Fuel	LFF8060	(6653336); S/N		PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(6666334); S/N	Air	LAF8114 ¹
6653336	Hydraulic	LP6005	514013001-,			230611001-,		
6671057	Oil	PH2876	516611001-			514111001-		
<i>320, 322 w/Kubota D722 Engine</i>			6675517	Oil		(6666333); S/N		LAF8143 ²
6673753	Air	LAF22056 ¹	<i>329 w/Kubota D1703M Engine</i>			230611001-,		
897064B		LAF2745A ¹⁸¹	6672467	Air	LAF8195 ²	514111001-		
6673752		LAF8388 ²	6672468		LAF8690 ¹	(6666375); Exc. S/N		LAF8148 ²
(6667352); W/S	Fuel	LFF8060	(6667352); W/S	Fuel	LFF8060	230611001-,		
6653336	Hydraulic	LP6005	6661248	Hydraulic	LHF4959	514111001-		
6671057	Oil	PH2876	6516722		LFP1652 ¹⁰⁷⁶	(6666376); Exc. S/N		LAF9332 ¹
<i>320, 322 w/Kubota D750 Engine</i>			6675517	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	230611001-,		
897064	Air	LAF2745A ²	<i>331, 331E w/Kubota V2203 Engine</i>			514111001-		
(6667352); W/S	Fuel	LFF8060	6598362	Air	LAF1793 ^{1, 611}	(6667352); W/S	Fuel	LFF8060
6653336	Hydraulic	LP6005	6598492		LAF222 ^{2, 611}	6670207	Hydraulic	LFH5659
3974113	Oil	PH2808	6666334		LAF8114 ¹	6516722		LFP1652 ¹⁰⁷⁶
<i>321 w/Kubota Engine</i>			6666333		LAF8143 ²	6675517	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
6673753	Air	LAF22056 ¹	(6667352); W/S	Fuel	LFF8060	<i>341 w/Kubota V2003 Engine</i>		
6673752		LAF8388 ²	(6661248); All Other S/N	Hydraulic	LHF4959	(6666334); S/N	Air	LAF8114 ¹
(6667352); W/S	Fuel	LFF8060	6516722		LFP1652 ¹⁰⁷⁶	230611001-,		
6653336	Hydraulic	LP6005	(6653336); S/N		LP6005	514111001-		LAF8143 ²
6671057	Oil	PH2876	511920001-,			(6666333); S/N		
<i>323, 324 w/Kubota D722-E2B Engine</i>			512911001-512912999			230611001-,		LAF8148 ²
6673753	Air	LAF22056 ¹	(6653336); S/N			514111001-		
6673752		LAF8388 ²	512913001-,			(6666375); Exc. S/N		
(6667352); W/S	Fuel	LFF8060	516711001-,			230611001-,		
6653336	Hydraulic	LP6005	517711001-			514111001-		LAF9332 ¹
6671057	Oil	PH2876	6675517	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(6666376); Exc. S/N		
<i>325 w/Kubota D1703 Engine</i>			<i>331, 334 w/Kubota V2203 Engine</i>			230611001-,		
6646494	Air	LAF1275 ¹⁸¹	6675517	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	514111001-		
6598362		LAF1793 ^{1, 611}	<i>333, 334 w/Kubota V2203 Engine</i>			(6667352); W/S	Fuel	LFF8060
6598492		LAF222 ^{2, 611}	6675517	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	6670207	Hydraulic	LFH5659
6672467		LAF8195 ²				6516722		LFP1652 ¹⁰⁷⁶
6672468		LAF8690 ¹	<i>334 w/Kubota V2203MDI Engine</i>			6675517	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
(6667352); W/S	Fuel	LFF8060	6666334	Air	LAF8114 ¹			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 181-Single 263-Hoses and clamps included 275-Primary 611-Axial Seal 1076-Case Drain 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BOBCAT (EXCAVATOR)			BOBCAT (EXCAVATOR)			BOBCAT (EXCAVATOR)		
<i>418 w/Kubota D722 Engine</i>			<i>442 w/Deutz BF4M1012E Engine (cont'd)</i>			<i>E45 w/Kubota V2403MDIE3BBC5 Engine (cont'd)</i>		
6673753	Air	LAF22056 ¹	5411316400	Oil	PH2816	(6667352); W/S	Fuel	LFF8060
6673752		LAF8388 ²	56			6668819	Hydraulic	LFH4990
(6667352); W/S	Fuel	LFF8060	6636539	Air	LAF8620 ²	6516722		LFP1652 ¹⁰⁷⁶
6653336	Hydraulic	LP6005	6636614	Fuel	L4103F	6675517	Oil	PH253 ¹⁴⁹⁶
6671057	Oil	PH2876	6638052	Hydraulic	LFP2267			PH2835 ²⁷⁵
<i>425 w/Kubota V1505M Tier 2 Engine</i>			<i>6636472</i>			<i>E50 w/Kubota V2403MDITE38BC4 Engine</i>		
6672467	Air	LAF8195 ²	76			6666375	Air	LAF8148 ²
6672468		LAF8690 ¹	6636518	Fuel	L4103F	6666376		LAF9332 ¹
6633977	Fuel	G5/16 ²⁶³	S/N -11999	Hydraulic	LH8541	(6667352); W/S	Fuel	LFF8060
(6667352); W/S		LFF8060	3974113	Oil	PH2808	6668819	Hydraulic	LFH4990
6661248	Hydraulic	LFH4959	<i>E08, E10 w/Kubota D722-E2B Engine</i>			6516722		LFP1652 ¹⁰⁷⁶
6657635	Oil	PH2808	6673753	Air	LAF22056 ¹	6675517	Oil	PH253 ¹⁴⁹⁶
<i>428 w/Kubota V1505M Tier 2 Engine</i>			6673752		LAF8388 ²			PH2835 ²⁷⁵
6672467	Air	LAF8195 ²	(6667352); W/S	Fuel	LFF8060	<i>E55, E55W w/Kubota V2403MDIT-4 Engine</i>		
6672468		LAF8690 ¹	6653336	Hydraulic	LP6005	6666375	Air	LAF8148 ²
6633977	Fuel	G5/16 ²⁶³	6671057	Oil	PH2876	6666376		LAF9332 ¹
(6667352); W/S		LFF8060	<i>E14, E16 w/Kubota D722-E2B Engine</i>			(6667352); W/S	Fuel	LFF8060
6661248	Hydraulic	LFH4959	6673753	Air	LAF22056 ¹	6668819	Hydraulic	LFH4990
6657635	Oil	PH2808	6673752		LAF8388 ²	6516722		LFP1652 ¹⁰⁷⁶
<i>430, 430 ZHS w/Kubota V2203 Engine</i>			(6667352); W/S	Fuel	LFF8060	6675517	Oil	PH253 ¹⁴⁹⁶
6666334	Air	LAF8114 ¹	6653336	Hydraulic	LP6005			PH2835 ²⁷⁵
6666333		LAF8143 ²	6671057	Oil	PH2876	<i>E60 w/Yanmar 4TNV98ESDB6 Engine</i>		
6633977	Fuel	G5/16 ²⁶³	<i>E20 w/Kubota D722 Engine</i>			6666334	Air	LAF8114 ¹
(6667352); W/S		LFF8060	6673753	Air	LAF22056 ¹	6666333		LAF8143 ²
6661248	Hydraulic	LFH4959	6673752		LAF8388 ²	7004996	Oil	PH2808
6668819		LFH4990 ²⁷⁵	(6667352); W/S	Fuel	LFF8060	<i>E80 w/Yanmar 4TNV98-ZWDB8 Engine</i>		
6675517	Oil	PH253 ¹⁴⁹⁶	6661248	Hydraulic	LFH4959	6666334	Air	LAF8114 ¹
		PH2835 ²⁷⁵	6671057	Oil	PH2876	6666333		LAF8143 ²
<i>435, 435 ZHS w/Kubota V2203 Engine</i>			<i>E26 w/Kubota Tier 4 Engine</i>			7004996	Oil	PH2808
6666375	Air	LAF8148 ²	6672467	Air	LAF8195 ²	BOBCAT (LOADER)		
6666376		LAF9332 ¹	6672468		LAF8690 ¹	<i>1600 w/Kubota V1702B Engine</i>		
6633977	Fuel	G5/16 ²⁶³	(6667352); W/S	Fuel	LFF8060	6598362	Air	LAF1793 ¹
(6667352); W/S		LFF8060	6661248	Hydraulic	LFH4959	886525		LAF222 ²
6661248	Hydraulic	LFH4959	6675517	Oil	PH253 ¹⁴⁹⁶	3885315	Fuel	L296F ⁴¹
6668819		LFH4990 ²⁷⁵			PH2835 ²⁷⁵	6598903	Hydraulic	LFH4936
6675517	Oil	PH253 ¹⁴⁹⁶	<i>E32, E35 w/Kubota D1803MDIE3BBC-3 Engine</i>			3974896	Oil	PH253 ¹⁴⁹⁶
		PH2835 ²⁷⁵	6672467	Air	LAF8195 ²			PH2835 ²⁷⁵
<i>442 w/Deutz BF4M1012 Oil-Cooled Engine</i>			6672466		LAF8690 ¹	<i>T200, T200G w/Deutz BF4M1011F Engine</i>		
5501660912	Air	LAF3947 ²	(6667352); W/S	Fuel	LFF8060		Air	LAF8148 ²
5501660914		LAF3948 ¹	6668819	Hydraulic	LFH4990			LAF9332 ¹
5501661034		LAF8999	6675517	Oil	PH253 ¹⁴⁹⁶	W/S	Fuel	LFF8060
5411656301	Fuel	LFF3504			PH2835 ²⁷⁵		Oil	PH2816
5411642211	Oil	PH2816	<i>E42 w/Kubota V2403MDIE3BBC5 Engine</i>				Trans	LFH4959
<i>442 w/Deutz BF4M1012 Water-Cooled Engine</i>			6666375	Air	LAF8148 ²	BOBCAT (SKID STEER LOADER)		
5501660912	Air	LAF3947 ²	6666376		LAF9332 ¹	<i>1074 w/Perkins Engine</i>		
5501660914		LAF3948 ¹	(6667352); W/S	Fuel	LFF8060	3885315	Fuel	L296F ⁴¹
5501661034		LAF8999	6668819	Hydraulic	LFH4990	6515541	Hydraulic	LFP1652
5445100004	Fuel	L8105F ¹¹¹⁰	6516722		LFP1652 ¹⁰⁷⁶	6505024		LP50910
5411656567		LFF3518	6675517	Oil	PH253 ¹⁴⁹⁶	6511766	Oil	PH4403
6675517	Oil	PH253 ¹⁴⁹⁶			PH2835 ²⁷⁵	<i>1075, 1080, 1080B w/John Deere 4.276 Engine</i>		
		PH2835 ²⁷⁵	<i>E42, E45, E50 w/Kubota V2403-M Engine</i>			6519066	Air	LAF702
<i>442 w/Deutz BF4M1012E Engine</i>			6675517	Oil	PH253 ¹⁴⁹⁶	651150	Fuel	P1130
5501660912	Air	LAF3947 ²			PH2835 ²⁷⁵	6515541	Hydraulic	LFP1652
5501660914		LAF3948 ¹	<i>E45 w/Kubota V2403MDIE3BBC5 Engine</i>			6505024		LP50910
5501661034		LAF8999	6666375	Air	LAF8148 ²	6511730	Oil	FP20
5411656567	Fuel	LFF3518	6666376		LAF9332 ¹	6505024	Trans	LP50910 ⁵⁹⁰

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 263-Hoses and clamps included 275-Primary 590-Hydrostatic 1076-Case Drain 1110-Tank 1496-Alternate

B

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BOBCAT (SKID STEER LOADER)			BOBCAT (SKID STEER LOADER)			BOBCAT (SKID STEER LOADER)		
<i>1213 w/Isuzu 4JB1 Engine</i>			<i>440B w/Kohler M18QS Engine (cont'd)</i>			<i>520, 530, 540 w/Kohler K582S 23 hp Engine (cont'd)</i>		
6598362	Air	LAF1793 ¹		Fuel	G1/4 ¹¹⁰⁹	S/N 13112-	Hydraulic	LFH4935
6598492		LAF222 ²	6652366	Oil	PH2835	6515541		LFP1652
3885315	Fuel	L296F ⁴¹	6599543	Trans	LFH4961 ⁵⁹⁰	6512143	Oil	PH400
6598903	Hydraulic	LFH4936	<i>443, 443B w/Kubota D750B Engine</i>			(6599543); S/N	Trans	LFH4961 ⁵⁹⁰
6599543		LFH4961	897064	Air	LAF2745A ²	12001-13111		
6659329	Oil	PH2863B	3885315	Fuel	L296F ⁴¹	<i>533 w/Isuzu 2AA1 Engine</i>		
<i>174 w/Perkins Engine</i>			3974113	Oil	PH2808	6646494	Air	LAF1275 ²
	Air	LAF4282	6599543	Trans	LFH4961 ⁵⁹⁰	4121609	Fuel	LFF3806 ¹⁷⁰
3885315	Fuel	L296F ⁴¹	<i>444 w/Deutz BF4M1012 Tier 2 Engine</i>					LFH4806 ¹⁶⁹
6511766	Oil	PH4403	5501661034	Air	LAF8999	6515541	Hydraulic	LFP1652
<i>2000, 2000RTF w/Perkins 4.154 Engine</i>			5501660924		LAF9100 ¹	6555779	Oil	PH561
6598362	Air	LAF1793 ¹	5501660922		LAF9101 ²	<i>542B w/Ford VSG411 Engine</i>		
3885315	Fuel	L296F ⁴¹	5411656493	Fuel	FP586F	897064A	Air	LAF2745A ²
6598903	Hydraulic	LFH4936	5445100004		L8105F	6511393	Fuel	G1/4
6515541		LFP1652	<i>444 w/Kohler Engine</i>			6630494	Hydraulic	LFH4935
960698	Oil	LFP2292	889098	Air	LAF1275 ²	6647672	Oil	PH400
<i>2400, 2410 w/Perkins Engine</i>			6511393	Fuel	G1/4	<i>543 w/Isuzu 2AA1 Engine</i>		
6630940	Air	LAF1784 ¹	946865	Hydraulic	LP509	889098	Air	LAF1275 ²
6630939		LAF9538 ²	854571	Oil	P3	4121609	Fuel	LFF3806 ¹⁷⁰
		LAF9538MXM ^{2, 268}	<i>450 w/Kohler 18HP Engine</i>					LFH4806 ¹⁶⁹
6511393	Fuel	G1/4	6632071	Air	AF216	(6630494); S/N 13235-	Hydraulic	LFH4935
3885315		L296F ⁴¹	6511393	Fuel	G1/4	(6599543); S/N		LFH4961
6598903	Hydraulic	LFH4936	6599543	Hydraulic	LFH4961	12001-13111		LFP1652
6511766	Oil	PH4403	6652366	Oil	PH2835	(645541); -S/N 12001		
<i>265</i>			<i>453 w/Kubota D722B Engine</i>			6555779	Oil	PH561
6598492	Air	LAF222 ²	6565200	Oil	PH2816	<i>543, 543B w/Kubota D950B Engine</i>		
	Fuel	G6	<i>453 w/Kubota D750 Engine</i>			889098	Air	LAF1275 ²
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	6673753	Air	LAF22056 ¹ LAF2745A ²	6598222		LAF8182 ¹
<i>310 w/Kohler K341-QS Engine</i>			(897064B); S/N			3885315	Fuel	L296F ⁴¹
897064	Air	LAF2745A ²	515012896,			(6630494); S/N 13235-	Hydraulic	LFH4935
6511393	Fuel	G1/4	-515112899			(6630494); -S/N 12001		LFP1652
-S/N 13695	Hydraulic	LFH4209	6673752		LAF8388 ²	3974113	Oil	PH2808
651722		LFP1652	3885315B	Fuel	L296F ⁴¹ LFF8060	(6599543); S/N	Trans	LFH4961 ⁵⁹⁰
<i>313 w/Kohler Engine</i>			(6667352); W/S			12001-13234		
897064	Air	LAF2745A ²	3974113B	Oil	PH2808	<i>553 w/Kubota D1105 Engine</i>		
6511393	Fuel	G1/4	6671057		PH2867	6669547	Air	LAF8195 ²
4121609		LFF3806 ¹⁷⁰	<i>463 w/Kubota D722E Engine</i>			6669548		LAF8690 ¹
6515541	Hydraulic	LFP1652	6673753	Air	LAF22056 ^{1, 1111}	(6667352); W/S	Fuel	LFF8060
3974113B	Oil	PH2808	6672467		LAF8195 ^{2, 600}	6661248	Hydraulic	LFH4959
<i>371 w/Kohler K321S Engine</i>			6673752		LAF8388 ^{2, 601}	3974113	Oil	PH2808
6518241	Air	AF213			LAF8690 ^{1, 178}	<i>600, 610 w/Deutz F2L310 Engine</i>		
6511393	Fuel	G1/4	(6667352); W/S	Fuel	LFF8060	6646494	Air	LAF1275 ²
6516722	Hydraulic	LFP1652	6657635	Oil	PH2808	6515017		LAFP4 ¹²
<i>400, 440, 444 w/Onan 15.5 hp Engine</i>			6671057		PH2867	4121619	Fuel	FP586F
889098	Air	LAF1275 ²	<i>500 w/Deutz F2L410 Engine</i>			946865	Hydraulic	LP509
6515017		LAFP4 ¹²	6646494	Air	LAF1275 ²	4119775	Oil	PH2819
946865	Hydraulic	LP509	946865	Hydraulic	LP509	<i>600, 610 w/Deutz F2L410 Engine</i>		
854571	Oil	P3	854571	Oil	P3	6646494	Air	LAF1275 ²
<i>440 w/Kohler Engine</i>			<i>500, 600 w/Kohler K662 Engine</i>			6515017		LAFP4 ¹²
897064	Air	LAF2745A ²	6646494	Air	LAF1275 ²	4121619	Fuel	FP586F
6511393	Fuel	G1/4	6511393	Fuel	G1/4	946865	Hydraulic	LP509
6599543	Trans	LFH4961 ⁵⁹⁰	946865	Hydraulic	LP509	4119775	Oil	PH2819
<i>440B w/Kohler M18QS Engine</i>			854571	Oil	P3	<i>600, 610 w/Petter PA-2 Engine</i>		
6632071	Air	AF216	<i>520, 530, 540 w/Kohler K582S 23 hp Engine</i>			889098	Air	LAF1275 ²
6633977	Fuel	G1 ^{201, 531}	889098	Air	LAF1275 ²	6515017		LAFP4
			6512106	Fuel	G22076			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 41-Cartridge 169-1 Per Package 170-2 Per Package 178-10.5" Tall 201-5/16" 268-Extended/Severe service 275-Primary
531-Filter only 590-Hydrostatic 600-10.8" Tall 601-7.3" Tall 1109-With 1/4" fuel line 1111-6.5" Tall 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BOBCAT (SKID STEER LOADER)			BOBCAT (SKID STEER LOADER)			BOBCAT (SKID STEER LOADER)		
<i>600, 610 w/Petter PA-2 Engine (cont'd)</i>			<i>643 w/Kubota V1402B Engine</i>			<i>732 w/Ford 4-98 Engine (cont'd)</i>		
946865	Hydraulic	LP509	6598362	Air	LAF1793 ¹	6513601	Oil	PH2835
<i>600, 610 w/Wisconsin VF4D Engine</i>			886525		LAF222 ²	<i>741 w/Deutz F2L511 Engine</i>		
6515017	Air	LAFP4	3885315	Fuel	L296F ⁴¹	6598362	Air	LAF1793 ¹
6511393	Fuel	G1/4	6598903	Hydraulic	LFH4936	6598492		LAF222 ²
946865	Hydraulic	LP509	6515541		LFP1652	3885315	Fuel	L296F ⁴¹
6513641	Oil	P106	6675517	Oil	PH253 ¹⁴⁹⁶	(6598903); S/N 15001-	Hydraulic	LFH4936
<i>600, 610 w/Wisconsin VH4D Engine</i>					PH2835 ²⁷⁵	6515541		LFP1652
6515017	Air	LAFP4	<i>645 w/Kubota Engine</i>			6511793	Oil	PH561
6511393	Fuel	G1/4	6598362	Air	LAF1793 ¹	<i>742 w/Ford 4-98 Engine</i>		
946865	Hydraulic	LP509	6598492		LAF222 ²	889098	Air	LAF1275 ²
6513641	Oil	P106	5885315B	Fuel	L296F ⁴¹	(6511393); SN20572 -	Fuel	G1/4
<i>611, 621 w/Deutz F2L411 Engine</i>			(6598903); S/N 13406-	Hydraulic	LFH4936	(6512106); -SN20572	Hydraulic	LFH4936
6598491	Air	LAF1275 ²	6675517	Oil	PH253 ¹⁴⁹⁶	(6598903); S/N 15001-	Hydraulic	LFP1652
Q1H4117	Fuel	FP586F			PH2835 ²⁷⁵	6515541		LFP1652
6511393	G1/4		<i>653 w/Peugeot Engine</i>			6513601	Oil	PH2835
946865	Hydraulic	LP509	6666333	Air	LAF8143 ²	<i>742, 742B w/Mitsubishi 4G32 Engine</i>		
A1H4123	Oil	PH2819	6666334		LAF8195 ²	6646494	Air	LAF1275 ²
6511793	PH561		(6667352); W/S	Fuel	LFF8060	6511393	Fuel	G1/4
<i>620, 630 w/Wisconsin VH-4D Engine</i>			6661248	Hydraulic	LFH4959	(6598903); S/N 15001-	Hydraulic	LFH4936
889098	Air	LAF1275 ²	6661011	Oil	PH2903	6632745	Oil	PH2856A
6511393	Fuel	G1/4	<i>700, 720 w/Wisconsin VH4D Engine</i>			<i>743, 743B, 743DS w/Kubota V1702 Engine</i>		
6515541	Hydraulic	LFP1652	889098	Air	LAF1275 ²	6598362	Air	LAF1793 ¹
6552507		PH725	6511393	Fuel	G1/4	6598492		LAF222 ²
(6599587); S/N	Oil	LFP2271	651239	Hydraulic	LFP449	3885315	Fuel	L296F ⁴¹
5984980-; By-Pass			By-Pass	Oil	LFP2271	(6598903); S/N 15001-	Hydraulic	LFH4936
(6513641); S/N		P106	6513641		P106	6515541		LFP1652
-5984979			6515541	Trans	LFP1652 ⁵⁹⁰	6675517	Oil	PH253 ¹⁴⁹⁶
6513641		P106	<i>721 w/Deutz F2L411 Diesel Engine</i>					PH2835 ²⁷⁵
<i>631 w/Deutz F2L411D Engine</i>			889098	Air	LAF1275 ²	<i>743B, 743DS w/Kubota V1702 Engine</i>		
6598491	Air	LAF1275 ^{2, 181}	6511393	Fuel	G1/4	6675517	Oil	PH253 ¹⁴⁹⁶
6598222		LAF8182 ¹	4121609		LFF3806 ¹⁷⁰			PH2835 ²⁷⁵
	Fuel	L296F ⁴¹			LFF4806 ¹⁶⁹	<i>751 w/Peugeot XUD9 Engine</i>		
		LFF3806 ¹⁷⁰	6515541	Hydraulic	LFP1652	6666334	Air	LAF8114 ¹
		LFF4806 ¹⁶⁹	6552507		LFP449	6666333		LAF8143 ²
6515541	Hydraulic	LFP1652	6511793	Oil	PH561	(6667352); W/S	Fuel	LFF8060
6511793	Oil	PH561	<i>722 w/Ford 4-98 Gas Engine</i>			6661248	Hydraulic	LFH4959
<i>632, 642 w/Ford 4-98 Engine</i>			889098	Air	LAF1275 ²	6661011	Oil	PH2903
889098	Air	LAF1275 ²	6511393	Fuel	G1/4	<i>751, 751G w/Kubota V1903 Engine</i>		
(6511393); SN20608 -	Fuel	G1/4	6515541	Hydraulic	LFP1652	6598362	Air	LAF1793 ¹
6511393		G1/4	6552507		LFP449	6598492		LAF222 ²
(6512106); -SN 20608		G22076	6513601	Oil	PH2835	(6667352); W/S	Fuel	LFF8060
6598903	Hydraulic	LFH4936	<i>730 w/Wisconsin Engine</i>			6661248	Hydraulic	LFH4959
6515541		LFP1652	6646494	Air	LAF1275 ²	6675517	Oil	PH253 ¹⁴⁹⁶
6513601	Oil	PH2835	6515541	Hydraulic	LFP1652			PH2835 ²⁷⁵
<i>641 w/Deutz F2L511 Engine</i>			(6599587); By-Pass	Oil	LFP2271	<i>753, 753 BICS, 763, 773, 7753 w/Kubota V2203 Engine</i>		
6598362	Air	LAF1793 ¹	6513641		P106	6598362	Air	LAF1793 ¹
6598492		LAF222 ²	<i>731 w/Deutz F2L411 Engine</i>			6598492		LAF222 ²
3885315	Fuel	L296F ⁴¹	6598491	Air	LAF1275 ²	6647773	Fuel	LFF3806 ¹⁷⁰
6598903	Hydraulic	LFH4936	6598222		LAF8182 ¹			LFF4806 ¹⁶⁹
6515541		LFP1652	4121609	Fuel	FP586F	6661248	Hydraulic	LFH4959
6511793	Oil	PH561	3885315		L296F ⁴¹	6675517	Oil	PH253 ¹⁴⁹⁶
<i>642B w/Mitsubishi 4G32 Engine</i>			6515541	Hydraulic	LFP1652			PH2835 ²⁷⁵
6646494	Air	LAF1275 ²	6511793	Oil	PH561	<i>753, 753G, 763, 763G, 773, 773G w/Kubota V2203 Engine</i>		
6511393	Fuel	G1/4	<i>732 w/Ford 4-98 Engine</i>			6598362	Air	LAF1793 ¹
6598903	Hydraulic	LFH4936	889098	Air	LAF1275 ²			
6632745	Oil	PH2856A	6515541	Hydraulic	LFP1652			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 169-1 Per Package 170-2 Per Package 181-Single 275-Primary 590-Hydrostatic 1496-Alternate

B

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BOBCAT (SKID STEER LOADER)			BOBCAT (SKID STEER LOADER)			BOBCAT (SKID STEER LOADER)		
<i>753, 753G, 763, 763G, 773, 773G w/Kubota V2203 Engine (cont'd)</i>			<i>943 w/Perkins Engine</i>			<i>980 w/Cummins 4BT3.9 Engine (cont'd)</i>		
6598492	Air	LAF222 ²	6630940	Air	LAF1784 ¹	6598898	Air	LAF1723 ¹
6647773	Fuel	LFF3806 ¹⁷⁰ LFF4806 ¹⁶⁹ LFF8060	6630939		LAF9538 ² LAF9538MXM ^{2, 268}	(1992366B); Pri.	Fuel	LFF3417
(6667352); W/S			6511393	Fuel	G1/4	1992367B		LFF3521
6661248	Hydraulic	LFH4959	3885315		L296F ⁴¹	6515541	Hydraulic	LFP1652
6675517	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(6630977); S/N -11999	Hydraulic	LFH4959	6511197		LP50910
<i>825 w/Perkins 4.108 Engine</i>			6511766	Oil	PH4403	1992368B	Oil	LFP3900
889098	Air	LAF1275 ²	(6598903); S/N 12001-	Trans	LFH4936 ⁵⁹⁰	<i>A220, A300 Turbo w/Deutz BF4M1011F Engine</i>		
3885315	Fuel	L296F ⁴¹	<i>953</i>			6681474	Air	LAF1246 ²
(6591038); 10 Micron	Hydraulic	LFH4955	6630940	Air	LAF1784 ¹	6681475		LAF1394 ¹
(6552507); 25 Micron		LFP449	6630939		LAF9538 ² LAF9538MXM ^{2, 268}	6666375		LAF8148 ²
6511766	Oil	PH4403	3885315	Fuel	L296F ⁴¹	6666376		LAF9332 ¹
<i>843 w/Perkins 4.154 Engine</i>			6660728	Hydraulic	LFH4209	(6667352); W/S	Fuel	LFF8060
6598362	Air	LAF1793 ¹	6598903		LFH4936 ¹¹¹³	6661248	Hydraulic	LFH4959
886525		LAF222 ²	6511766	Oil	PH4403	6678233	Oil	PH253 ¹⁴⁹⁶
3885315	Fuel	L296F ⁴¹	6661248	Trans	LFH4959 ⁵⁹⁰	6665603		PH2816
(6598903); S/N	Hydraulic	LFH4936	<i>963, 963G w/Perkins 1004.40 Turbo Engine</i>					PH2835 ²⁷⁵
13001-14999		LAF4961	6671968	Air	LAF1246 ²	6661248	Trans	LFH4959 ⁵⁹⁰
(6599543); S/N 15501-		LFP2292	6671969		LAF1394 ¹	<i>A300 Turbo w/Kubota V3300 Engine</i>		
960698	Oil	LFH8335 ⁵⁹⁰	(6671649); Pri.	Fuel	L3101F	6681474	Air	LAF1246 ²
-S/N 12999	Trans	LH5841	(6670996); Sec.		L3102F	6681475		LAF1394 ¹
233333			6668819	Hydraulic	LFH4990	(6667352); W/S	Fuel	LFF8060
<i>843, 843B w/Isuzu 4JB1 Engine</i>			6511766	Oil	PH4403	6661248	Hydraulic	LFH4959
6598362	Air	LAF1793 ¹	<i>970 w/Continental F227 Engine</i>			6678233	Oil	PH253 ¹⁴⁹⁶
886525		LAF222 ²	6519066	Air	LAF702			PH2835 ²⁷⁵
3885315	Fuel	L296F ⁴¹	6505024	Hydraulic	LP50910	<i>A300 w/Kubota Tier 3 Engine S/N A5GW 11001-</i>		
6630977	Hydraulic	LFH4959 ¹¹¹²	6560203	Oil	P3	(6667352); W/S	Fuel	LFF8060
(6599543); S/N 15501-		LFH4961	(659587); By-Pass		PB50	6661248	Hydraulic	LFH4959
6659329	Oil	PH2863B	6505024	Trans	LP50910	6678233	Oil	PH253 ¹⁴⁹⁶
6598903	Trans	LFH4936 ⁵⁹⁰	<i>970 w/Perkins Engine</i>					PH2835 ²⁷⁵
<i>853, 853H w/Isuzu 4JB1 Engine</i>			250C64S	Air	LAF702	<i>A770 (w/Kubota V3800DI-T Engine)</i>		
6598362	Air	LAF1793 ¹	3885315	Fuel	L296F ⁴¹	(6667352); W/S	Fuel	LFF8060
6598492		LAF222 ²	961048		LFF3501	6661248	Hydraulic	LFH4959 ¹¹¹⁴
6647773	Fuel	LFF3806 ¹⁷⁰ LFF4806 ¹⁶⁹	6511766	Oil	PH4403	6668819		LFH4990 ¹¹¹⁵
6661248	Hydraulic	LFH4959	6505024	Trans	LP50910 ⁵⁹⁰	6678233	Oil	PH253 ¹⁴⁹⁶
6659329	Oil	PH2863B	<i>974 w/Perkins 4.236 Engine</i>					PH2835 ²⁷⁵
6630977	Trans	LFH4959 ⁵⁹⁰	4280099	Air	LAF1544 ²	<i>M870 Coal Dozer w/Cummins NT855 eng</i>		
<i>863, 863G, 864, 864G w/Deutz BF4M1011F Engine</i>			6598898		LAF1723 ¹		Air	LAF9085 ¹
6666375	Air	LAF8148 ²	6666333		LAF1843 ^{1, 181}			LAF9086 ²
6666376		LAF9332 ¹	6519066		LAF702			LAF9086MXM ^{2, 268}
(6667352); W/S	Fuel	LFF8060	3885315	Fuel	L296F ⁴¹	6552507	Hydraulic	LFP449
6665603	Oil	PH2816	6515541	Hydraulic	LFP1652	<i>MT50, MT52 w/D722 Engine</i>		
6630977	Trans	LFH4959 ⁵⁹⁰	6511197		LP50910	6673753	Air	LAF22056 ¹
<i>873, 873G, 873H, 883, 883G w/Deutz BF4M1011F Engine</i>			6511766	Oil	PH4403	6673752		LAF8388 ²
6666375	Air	LAF8148 ²	<i>975 w/John Deere 4.276 Engine</i>			(6667352); W/S	Fuel	LFF8060
6666376		LAF9332 ¹	4280099	Air	LAF1544 ²	(6653336); MT50	Hydraulic	LP6005
(6647773); W/S	Fuel	LFF8060	6598898		LAF1723 ¹	6671057	Oil	PH2876
6661248	Hydraulic	LFH4959	6519066		LAF702 ¹⁸¹	<i>MT85 (w/Kubota D902-E4B Tier 4 Engine)</i>		
6665603	Oil	PH2816	6511550	Fuel	P1130	HH150-32094	Oil	PH2808
6661248	Trans	LFH4959 ⁵⁹⁰	6515541	Hydraulic	LFP1652	<i>S100 w/Kubota V1505 Engine</i>		
<i>980 w/Cummins 4BT3.9 Engine</i>			6511197		LP50910	(6667352); W/S	Fuel	LFF8060
4280099	Air	LAF1544 ²	6511730	Oil	FP20	6661248	Hydraulic	LFH4959
<i>980 w/Cummins 4BT3.9 Engine</i>			<i>980 w/Cummins 4BT3.9 Engine</i>			6657635	Oil	PH2808
6598362	Air	LAF1793 ¹	<i>980 w/Cummins 4BT3.9 Engine</i>			<i>S130 w/Kubota V2203MDI Engine</i>		
6598492		LAF222 ²	4280099	Air	LAF1544 ²	6598362	Air	LAF1793 ¹
(6667352); W/S	Fuel	LFF8060	<i>980 w/Cummins 4BT3.9 Engine</i>			6598492		LAF222 ²
			<i>980 w/Cummins 4BT3.9 Engine</i>			(6667352); W/S	Fuel	LFF8060

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 169-1 Per Package 170-2 Per Package 181-Single 268-Extended/Severe service 275-Primary 590-Hydrostatic 1112-High Output 1113-Lift 1114-Standard Flow 1115-High Flow 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BOBCAT (SKID STEER LOADER)			BOBCAT (SKID STEER LOADER)			BOBCAT (SKID STEER LOADER)		
<i>S130 w/Kubota V2203MDI Engine (cont'd)</i>			<i>S205 w/Tier 4 Engine S/N A3LJ 11001- (cont'd)</i>			<i>S550, T550 w/Kubota V2607 DIT Engine</i>		
6661248	Hydraulic	LFH4959	6686926	Hydraulic	LFH8329 ¹¹¹⁶	6666375	Air	LAF8148
6686926		LFH8329 ¹¹¹⁶	6675517	Oil	PH253 ¹⁴⁹⁶	6666376	(6667352); W/S	LAF9332 ¹
6675517	Oil	PH253 ¹⁴⁹⁶	<i>S220, S250, S300 w/Kubota V3300DIT Engine</i>			6675517	Oil	LFF8060
<i>S150 w/Kubota V2203MDI Engine</i>			6681474	Air	LAF1246 ²	<i>S570 w/Kubota w/Kubota V2607 DIT Engine</i>		
	Air	LAF1793 ¹	6681475	(6667352); W/S	LAF1394 ¹	6666375	Air	LAF8148
		LAF222 ²	6661248	Hydraulic	LFF8060	6666376	(6667352); W/S	LAF9332 ¹
W/S	Fuel	LFF8060	6668819	Hydraulic	LFH4959 ¹¹¹⁴	6675517	Oil	LFF8060
	Hydraulic	LFH4959	6686926	Oil	LFH8329 ¹¹¹⁶	<i>S630 w/Kubota V3307DIT Tier 4 Engine</i>		
	Oil	PH253 ¹⁴⁹⁶	6678233	Oil	PH253 ¹⁴⁹⁶	(6667352); W/S	Fuel	LFF8060
		PH2835 ²⁷⁵	<i>S220, S250, S300 w/Kubota V3800DIT Tier 3 Engine</i>			6678233	Oil	PH253 ¹⁴⁹⁶
<i>S160 w/Tier 4 Engine S/N A3L3 11001-</i>			6661248	Hydraulic	LFH4959 ¹¹¹⁴	<i>S650 w/Kubota V3307 Tier 4 Engine</i>		
(6667352); W/S	Fuel	LFF8060	6668819	Oil	LFH4990 ¹¹¹⁵	(6667352); W/S	Fuel	LFF8060
6661248	Hydraulic	LFH4959	6678233	Oil	PH253 ¹⁴⁹⁶	6678233	Oil	PH253 ¹⁴⁹⁶
6686926		LFH8329 ¹¹¹⁶	<i>S250 w/Deutz BF4M1011F Engine</i>			6678233	Oil	PH2835 ²⁷⁵
6675517	Oil	PH253 ¹⁴⁹⁶	6666375	Air	LAF8148 ²	<i>S70 w/Kubota D1005E Engine</i>		
		PH2835 ²⁷⁵	6666376	(6647773); W/S	LAF9332 ¹	6672467	Air	LAF8195 ²
<i>S160, S160H w/Kubota V2003MDIT Engine</i>			6661248	Hydraulic	LFF8060	6672468	(6667352); W/S	LAF8690 ¹
	Air	LAF1793 ¹	6665603	Oil	LFH4959	6657635	Oil	LFF8060
		LAF222 ²⁷⁵	6661248	Trans	PH2816	<i>S750, T750 (w/Kubota V3800T Engine)</i>		
W/S	Fuel	LFF8060	6661248	Trans	LFH4959 ⁵⁹⁰	(6667352); W/S	Fuel	LFF8060
	Hydraulic	LFH4959	<i>S330 w/Kubota V3300T Engine</i>			6678233	Oil	PH253 ¹⁴⁹⁶
	Oil	PH253 ¹⁴⁹⁶	6681474	Air	LAF1246 ²	<i>S770 (w/Kubota V3800DI-T Engine)</i>		
		PH2835 ²⁷⁵	6681475	(6667352); W/S	LAF1394 ¹	(6667352); W/S	Fuel	LFF8060
<i>S175, S175H w/Kubota V2203MDI Engine</i>			6661248	Hydraulic	LFF8060	6678233	Oil	PH253 ¹⁴⁹⁶
	Air	LAF1793 ¹	6668819	Hydraulic	LFH4959 ¹¹¹⁴	<i>S850 w/Kubota V3800DI Tier 3 Engine</i>		
		LAF222 ²	6686926	Oil	LFH4990 ¹¹¹⁵	6678233	Oil	PH253 ¹⁴⁹⁶
W/S	Fuel	LFF8060	6678233	Oil	LFH8329 ¹¹¹⁶	<i>S850 w/Kubota V3800DI Tier 3 Engine</i>		
	Hydraulic	LFH4959	<i>S330 w/Kubota V3800DIT Tier 3 Engine</i>			6678233	Oil	PH2835 ²⁷⁵
	Oil	PH253 ¹⁴⁹⁶	6661248	Hydraulic	LFH4959 ¹¹¹⁴	<i>T110 w/Kubota V2403 Engine</i>		
		PH2835 ²⁷⁵	6668819	Oil	LFH4990 ¹¹¹⁵	W/S	Fuel	LFF8060
<i>S185 w/Kubota V2003MDIT Engine</i>			6678233	Oil	PH253 ¹⁴⁹⁶	6661248	Hydraulic	LFH4959
	Air	LAF1793 ¹	<i>S450 w/Kubota V2403 MDI Engine</i>			<i>T140 w/Kubota V2203M Engine</i>		
		LAF222 ²⁷⁵	(6667352); W/S	Fuel	LFF8060	6598362	Air	LAF1793 ¹
W/S	Fuel	LFF8060	6675517	Oil	PH253 ¹⁴⁹⁶	6598492	(6667352); W/S	LAF222 ²
	Hydraulic	LFH4959	<i>S510 w/Kubota V2403 MDI Engine</i>			6661248	Hydraulic	LFF8060
	Oil	PH253 ¹⁴⁹⁶	6666334	Air	LAF8114 ¹	6686926	Hydraulic	LFH4959
		PH2835 ²⁷⁵	6666333	(6667352); W/S	LAF8143 ²	6675517	Oil	LFF8060
<i>S185 w/Tier 4 Engine S/N A3L9 11001-</i>			6675517	Oil	LFF8060	<i>T180 w/Kubota Tier 4 Engine</i>		
(6667352); W/S	Fuel	LFF8060	<i>S530 w/Kubota V2403 MDI Engine</i>			(6667352); W/S	Fuel	LFF8060
6661248	Hydraulic	LFH4959	6666334	Air	LAF8114 ¹	6661248	Hydraulic	LFH4959
6686926		LFH8329 ¹¹¹⁶	6666333	(6667352); W/S	LAF8143 ²	6686926	Hydraulic	LFH8329 ¹¹¹⁶
6675517	Oil	PH253 ¹⁴⁹⁶	6675517	Oil	LFF8060	6675517	Oil	PH253 ¹⁴⁹⁶
		PH2835 ²⁷⁵	<i>S530 w/Kubota V2403 MDI Engine</i>			6675517	Oil	PH2835 ²⁷⁵
<i>S205 Turbo w/Kubota V2403MDIT Engine</i>			6666334	Air	LAF8114 ¹	<i>T180 w/Kubota V2003MDIT engs.</i>		
6598362	Air	LAF1793 ¹	6666333	(6667352); W/S	LAF8143 ²	6598362	Air	LAF1793 ¹
6598492		LAF222 ²	6675517	Oil	LFF8060	6598492	(6667352); W/S	LAF222 ²
(6667352); W/S	Fuel	LFF8060	<i>S530 w/Kubota V2403 MDI Engine</i>			(6667352); W/S	Fuel	LFF8060
6661248	Hydraulic	LFH4959	6666334	Air	LAF8114 ¹	6661248	Hydraulic	LFH4959
6686926		LFH8329 ¹¹¹⁶	6666333	(6667352); W/S	LAF8143 ²	6686926	Hydraulic	LFH8329 ¹¹¹⁶
6565200	Oil	PH2816	6675517	Oil	LFF8060	6675517	Oil	PH253 ¹⁴⁹⁶
<i>S205 w/Tier 4 Engine S/N A3LJ 11001-</i>			6675517	Oil	PH253 ¹⁴⁹⁶	<i>T180 w/Kubota V2003MDIT engs.</i>		
(6667352); W/S	Fuel	LFF8060	<i>S530 w/Kubota V2403 MDI Engine</i>			6598362	Air	LAF1793 ¹
6661248	Hydraulic	LFH4959	6666334	Air	LAF8114 ¹	6598492	(6667352); W/S	LAF222 ²
			6666333	(6667352); W/S	LAF8143 ²	(6667352); W/S	Fuel	LFF8060

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 275-Primary 590-Hydrostatic 1114-Standard Flow 1115-High Flow 1116-Charge Pump With Aluminum Base 1496-Alternate

B

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BOBCAT (SKID STEER LOADER)			BOBCAT (SKID STEER LOADER)			BOBCAT (TELESCOPIC HANDLER)		
<i>T180 w/Kubota V2003MDIT engs. (cont'd)</i>			<i>T320 w/Kubota V3300M Engine (cont'd)</i>			<i>T3093S w/Perkins 1004.42 Engine</i>		
6661248	Hydraulic	LFH4959	6678233	Oil	PH253 ¹⁴⁹⁶	Turbo	Air	LAF3947 ²
6686926		LFH8329 ¹¹¹⁶			PH2835 ²⁷⁵	Turbo		LAF3948 ¹
6675517	Oil	PH253 ¹⁴⁹⁶	<i>T320 w/Kubota V3800DIT Tier 3 Engine</i>			(C14200); w/o Turbo		LAF8749 ²
		PH2835 ²⁷⁵	(6667352); W/S	Fuel	LFF8060	(CF200); w/o Turbo		LAF8750 ¹
<i>T190 w/Kubota V2003MDIT Engine</i>			6661248	Hydraulic	LFH4959 ¹¹¹⁴		Fuel	FP587F
6598362	Air	LAF1793 ¹	6668819		LFH4990 ¹¹¹⁵			L296F ⁴¹
6598492		LAF222 ²	6675517	Oil	PH253 ¹⁴⁹⁶		Oil	PH4403
(6667352); W/S	Fuel	LFF8060			PH2835 ²⁷⁵	759902	Trans	LFH4471
6661248	Hydraulic	LFH4959	<i>T630 w/Kubota V3307DIT Tier 4 Engine</i>			<i>T35120L, T35120SL w/Perkins 1104C.44T Engine</i>		
6686926		LFH8329 ¹¹¹⁶	(6667352); W/S	Fuel	LFF8060	6910726	Air	LAF9100 ¹
6675517	Oil	PH253 ¹⁴⁹⁶	6675517	Oil	PH253 ¹⁴⁹⁶	6910725		LAF9101 ²
		PH2835 ²⁷⁵			PH2835 ²⁷⁵		Base	LMB6926 ⁹⁴³
<i>T190 w/Kubota V2607T Tier 4 Engine</i>			<i>T650 w/Kubota V3307 Tier 4 Engine</i>				Fuel	LFF6925 ⁹⁴²
(6667352); W/S	Fuel	LFF8060	(6667352); W/S	Fuel	LFF8060	6511766	Oil	PH4403
6661248	Hydraulic	LFH4959 ¹¹¹⁴	6675517	Oil	PH253 ¹⁴⁹⁶	<i>T3571, T3571L w/Perkins 1104C.44T Engine</i>		
6686926		LFH8329 ¹¹¹⁶			PH2835 ²⁷⁵	6910726	Air	LAF9100 ¹
6675517	Oil	PH253 ¹⁴⁹⁶	<i>T770 (w/Kubota V3800DI-T-Engine)</i>			6910725		LAF9101 ²
		PH2835 ²⁷⁵	(6667352); W/S	Fuel	LFF8060		Base	LMB6926 ⁹⁴³
<i>T200 w/Deutz BF4M1011F Engine</i>			6678233	Oil	PH253 ¹⁴⁹⁶		Fuel	LFF6925 ⁹⁴²
6666375	Air	LAF8148 ²			PH2835 ²⁷⁵	6511766	Oil	PH4403
6666376		LAF9332 ¹	<i>T870 w/Kubota V3800DIT Tier 3 Engine</i>			<i>T40140 w/Perkins 1004.40T Engine</i>		
(6667352); W/S	Fuel	LFF8060	(6667352); W/S	Fuel	LFF8060	Turbo	Air	LAF3947 ²
6665603	Oil	PH2816	6675517	Oil	PH253 ¹⁴⁹⁶	Turbo		LAF3948 ¹
6661248	Trans	LFH4959 ⁵⁹⁰			PH2835 ²⁷⁵		Fuel	FP587F
<i>T250 w/Kubota V3300M Engine</i>			BOBCAT (TELESCOPIC HANDLER)				Oil	L296F ⁴¹
6681474	Air	LAF1246 ²	<i>T2556, T2566 w/Perkins 1004.40T Engine</i>				Oil	PH4403
6681475		LAF1394 ¹	Turbo	Air	LAF3947 ²	759902	Trans	LFH4471
(6667352); W/S	Fuel	LFF8060	Turbo		LAF3948 ¹	<i>T40140 w/Perkins 1104D.44TA Engine</i>		
6661248	Hydraulic	LFH4959 ¹¹¹⁴	(C14200); w/o Turbo		LAF8749 ²	6910726	Air	LAF9100 ¹
6668819		LFH4990 ¹¹¹⁵	(CF200); w/o Turbo		LAF8750 ¹	6910725		LAF9101 ²
6678233	Oil	PH253 ¹⁴⁹⁶	6910726		LAF9100 ¹		Base	LMB6926 ⁹⁴³
		PH2835 ²⁷⁵	6910725		LAF9101 ²		Fuel	LFF6925 ⁹⁴²
<i>T250 w/Kubota V3800DIT Tier 3 Engine</i>				Base	LMB6926 ⁹⁴³	6511766	Oil	PH4403
(6667352); W/S	Fuel	LFF8060		Fuel	FP587F	<i>T40150 w/Perkins 1004.40T Engine</i>		
6661248	Hydraulic	LFH4959 ¹¹¹⁴			L296F ⁴¹	Turbo	Air	LAF3947 ²
6668819		LFH4990 ¹¹¹⁵			LFF6925 ⁹⁴²	Turbo		LAF3948 ¹
6675517	Oil	PH253 ¹⁴⁹⁶	6511766	Oil	PH4403	(C14200); w/o Turbo		LAF8749 ²
		PH2835 ²⁷⁵	759902	Trans	LFH4471	(CF200); w/o Turbo		LAF8750 ¹
<i>T300 w/Kubota V3300DIT Engine</i>			<i>T3071 w/Perkins 1004.40T Engine</i>				Fuel	FP587F
(6667352); W/S	Fuel	LFF8060	Turbo	Air	LAF3947 ²		Oil	L296F ⁴¹
6661248	Hydraulic	LFH4959 ¹¹¹⁴	Turbo		LAF3948 ¹	759902	Trans	LFH4471
6668819		LFH4990 ¹¹¹⁵	(C14200); w/o Turbo		LAF8749 ²	<i>T40170 w/Perkins 1004.40T Engine</i>		
6675517	Oil	PH253 ¹⁴⁹⁶	(CF200); w/o Turbo		LAF8750 ¹	Turbo	Air	LAF3947 ²
		PH2835 ²⁷⁵		Fuel	FP587F	Turbo		LAF3948 ¹
<i>T300 w/Kubota V3800DIT Tier 3 Engine</i>					L296F ⁴¹	(C14200); w/o Turbo		LAF8749 ²
(6667352); W/S	Fuel	LFF8060		Oil	PH4403	(CF200); w/o Turbo		LAF8750 ¹
6661248	Hydraulic	LFH4959 ¹¹¹⁴	759902	Trans	LFH4471		Fuel	FP587F
6668819		LFH4990 ¹¹¹⁵	<i>T3093S Turbo w/Perkins 1004.40T Engine</i>				Oil	L296F ⁴¹
6675517	Oil	PH253 ¹⁴⁹⁶	Turbo	Air	LAF3947 ²	759902	Trans	LFH4471
		PH2835 ²⁷⁵	Turbo		LAF3948 ¹	<i>T40170 w/Perkins 1104D.44TA Engine</i>		
<i>T320 w/Kubota V3300M Engine</i>			(C14200); w/o Turbo		LAF8749 ²	6910726	Air	LAF9100 ¹
6681474	Air	LAF1246 ²	(CF200); w/o Turbo		LAF8750 ¹	6910725		LAF9101 ²
6681475		LAF1394 ¹		Fuel	FP587F		Base	LMB6926 ⁹⁴³
(6667352); W/S	Fuel	LFF8060			L296F ⁴¹		Fuel	LFF6925 ⁹⁴²
6661248	Hydraulic	LFH4959	759902	Trans	PH4403			
6686926		LFH8329 ¹¹¹⁶			LFH4471			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 275-Primary 590-Hydrostatic 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1114-Standard Flow
1115-High Flow 1116-Charge Pump With Aluminum Base 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BOBCAT (TELESCOPIC HANDLER)			BOBCAT (TRACTOR)			BOMAG (COMPACTOR)		
<i>V417 w/Kubota V3300DIT Engine</i>			<i>CT235 w/Daedong 1.6L Engine (cont'd)</i>			<i>K350, K350P w/Cummins NT855C250 Engine</i>		
6910726	Air	LAF9100 ¹	6696286	Oil	PH2801		Coolant	LFW4071 ²⁸
6910725		LAF9101 ²	<i>CT335 w/Daedong 1.8L Engine</i>			31701105	Fuel	LFF5
(6667352); W/S	Fuel	LFF8060	6666334	Air	LAF8114 ¹	31005666	Hydraulic	LH4994
6661248	Hydraulic	LFH4959	6666333		LAF8143 ²	31701670	Oil	LFP670
	Oil	PH253 ¹⁴⁹⁶	6695912	Fuel	L549F			LFP670XL ¹⁴
		PH2835 ²⁷⁵	6696286	Oil	PH2801			LP566
<i>V518 w/Perkins 1004.40T Engine</i>			<i>CT440 w/Daedong 2.0L Engine</i>			<i>K350, K350P, K351, K451 w/Cummins Engine</i>		
756866	Air	LAF3947 ²	6666334	Air	LAF8114 ¹	05730125	Air	LAF1765 ¹
756874		LAF3948 ¹	6666333		LAF8143 ²	05730124		LAF6453 ²
6910726		LAF9100 ¹	6695912	Fuel	L549F			LAF6453MXM ^{2, 268}
6910725		LAF9101 ²	6696286	Oil	PH2801			LH4994
649780	Fuel	FP587F	<i>CT445 w/Daedong 2.2L Engine</i>			31005666	Hydraulic	LH4994
759902	Hydraulic	LFH4471	6666334	Air	LAF8114 ¹	31005675	Trans	LFH4922
369256	Oil	PH4403	6666333		LAF8143 ²	<i>K401 w/Cummins V504C Engine</i>		
<i>V619 w/Perkins 1104D-44TA Engine</i>			6695912	Fuel	L549F		Air	LAF190 ⁷⁰¹
	Air	LAF9100 ¹	6696286	Oil	PH2801	5730109		LAF241HD ²
		LAF9101 ²	<i>CT450 w/Daedong 2.4L Engine</i>				Fuel	L43F
977462		LAF9101 ²	6666334	Air	LAF8114 ¹	31701105		LFF5
FD7926	Base	LMB6926 ⁹⁴³	6666333		LAF8143 ²	31701054	Oil	LFP734
BF7925	Fuel	LFF6925 ⁹⁴²	6695912	Fuel	L549F	(31780104); By-Pass		LFP8642
476954	Oil	LFP2292 ¹⁹	6696286	Oil	PH2801	31701613		LP613
<i>V623 w/Perkins 1004.40T Engine</i>			BOBCAT (TRENCHER INDUSTRIAL)			<i>K701 w/Cummins Engine</i>		
	Fuel	FP587F	<i>3022</i>			31701105	Fuel	LFF5
		L296F ⁴¹	6511393	Fuel	G1/4	1R0716	Oil	LFP4005
	Oil	PH4403	6598903	Hydraulic	LFH4936			LFP4005TRT ³
<i>V638 w/Perkins 1104C.44T Engine</i>			<i>3023</i>					LFP4005XL ¹⁴
6598362	Air	LAF1793 ¹	6598903	Hydraulic	LFH4936	<i>K850, K850P, K851 w/Cummins Engine</i>		
		LAF9100 ¹	6675517	Oil	PH253 ¹⁴⁹⁶	05730117	Air	LAF9155 ²
		LAF9101 ²			PH2835 ²⁷⁵			LAF9155MXM ^{2, 268}
977462		LAF9101 ²	BOBCAT (WHEEL LOADER)			05730118		LAF9159 ¹
FD7926	Base	LMB6926 ⁹⁴³	<i>AL275 w/Kubota V2403M Engine</i>			31005666	Hydraulic	LH4994
BF7925	Fuel	LFF6925 ⁹⁴²	5501660912	Air	LAF3947 ²	BOMAG (PAVER)		
476954	Oil	LFP2292 ¹⁹	5501660914		LAF3948 ¹	<i>S1014, S1014A w/Deutz F5L912 Engine</i>		
6511766		PH4403 ¹⁸	6675517	Oil	PH253 ¹⁴⁹⁶	P118160	Air	LAF1246 ²
<i>V723 w/Perkins 1104C.44T Engine</i>					PH2835 ²⁷⁵	K23018	Hydraulic	LFH7355
CF400	Air	LAF9100 ¹	<i>AL350 w/Kubota V3300DI Diesel Engine</i>			<i>S812A, S1014A w/Detroit Deisel 3-53 Engine</i>		
C16400		LAF9101 ²	5501660912	Air	LAF3947 ²	K23018	Hydraulic	LFH7355
FD7926	Base	LMB6926 ⁹⁴³	5501660914		LAF3948 ¹	BOMAG (ROLLER INDUSTRIAL)		
BF7925	Fuel	LFF6925 ⁹⁴²	6675517	Oil	PH253 ¹⁴⁹⁶	<i>BW10, BW10A, BW10S w/Deutz F3L912 Engine</i>		
476954	Oil	LFP2292			PH2835 ²⁷⁵	5821013	Air	LAF1714 ²
BOBCAT (TRACTOR)			<i>AL440 w/Kubota V3300DI-T Engine</i>			5821015		LAF1715 ¹
<i>CT120, CT122 w/Daedong Engine</i>			5501660912	Air	LAF3947 ²	5711730	Fuel	FP586F
6673752	Air	LAF8388 ²	5501660914		LAF3948 ¹	5710639	Oil	PH2819
6694509	Oil	PH2808	6675517	Oil	PH253 ¹⁴⁹⁶	<i>BW10, BW10A, BW10S w/Deutz F4L912 Engine</i>		
<i>CT225 w/Daedong 1.4L Engine</i>					PH2835 ²⁷⁵	5821013	Air	LAF1714 ²
6666334	Air	LAF8114 ¹	BOMAG (COMPACTOR)			5821015		LAF1715 ¹
6666333		LAF8143 ²	<i>K301, K301/2 w/Cummins V504C Engine</i>			5711730	Fuel	FP586F
6695912	Fuel	L549F				5710639	Oil	PH2819
6696286	Oil	PH2801	<i>BW100A</i>					
<i>CT230 w/Daedong 1.5L Engine</i>			5730109	Air	LAF190 ⁷⁰¹		Fuel	LFF3518
6666334	Air	LAF8114 ¹			LAF241HD ²		Oil	PH2840
6666333		LAF8143 ²				<i>BW100AC w/Deutz F1L511 Engine</i>		
6695912	Fuel	L549F	31701105	Fuel	L43F	5711730	Fuel	FP586F
6696286	Oil	PH2801	31701054		LFF5	5710632	Oil	PH561
<i>CT235 w/Daedong 1.6L Engine</i>			(31780104); By-Pass		LFP734	<i>BW100AC w/Deutz F2L511 Engine</i>		
6666334	Air	LAF8114 ¹	31701613		LFP8642	5711730	Fuel	FP586F
6666333		LAF8143 ²			LP613			
6695912	Fuel	L549F						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 18-Short 19-Long 28-Contains 1 oz. of chemical 41-Cartridge

268-Extended/Severe service 275-Primary 701-Plastic End Cap 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1496-Alternate

B

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BOMAG (ROLLER INDUSTRIAL)			BOMAG (ROLLER INDUSTRIAL)			BOMAG (ROLLER INDUSTRIAL)		
<i>BW100AC w/Deutz F2L511 Engine (cont'd)</i>			<i>BW135AD, BW138AD w/Deutz F3L1011 Engine (cont'd)</i>			<i>BW154AC, BW154AD w/Deutz F4L912 Engine</i>		
5710632	Oil	PH561		Oil	PH561	5821013	Air	LAF1714 ²
<i>BW100AD w/Deutz F1L511 Engine</i>						5821015		LAF1715 ¹
5711730	Fuel	FP586F	<i>BW141-66AD w/Deutz F4L912 Engine</i>			5711730	Fuel	FP586F
5710632	Oil	PH561	5821013	Air	LAF1714 ²	07993014	Hydraulic	LH4166
<i>BW100AD w/Deutz F2L511 Engine</i>			5821015		LAF1715 ¹	5710639	Oil	PH2819
5711730	Fuel	FP586F	5711730	Fuel	FP586F	<i>BW160-66ADMK1, BW160A, BW160AD, BW160ADMK1, BW160ADMK2, BW160ADMK3 w/Deutz F4L912 Engine</i>		
5710632	Oil	PH561	07993014	Hydraulic	LH4166	05821013	Air	LAF1714 ²
<i>BW100AD w/Hatz Z790 Engine</i>			5710639	Oil	PH2819	05821015		LAF1715 ¹
	Fuel	G1 ⁵³¹	05821220	Trans	LFH8593	5711730	Fuel	FP586F
5727381	Oil	LFP2221	<i>BW141AC, BW141AD</i>			5710640	Oil	LFP2222
<i>BW100AD-2 w/Deutz F2L1011 Engine</i>			5821013	Air	LAF1714 ²		Trans	LFH8593
	Fuel	LFF3518	5821015		LAF1715 ¹	<i>BW160AC, BW160AD-2, BW160AD-3, BW160AS</i>		
	Oil	PH561	5711730	Fuel	FP586F	5821013	Air	LAF1714 ²
<i>BW100AD-3 w/Deutz F2L1011 Engine</i>			07993014	Hydraulic	LH4166	5821015		LAF1715 ¹
	Fuel	LFF3518	5710640	Oil	LFP2222	5711730	Fuel	FP586F
	Oil	PH561	05821220	Trans	LFH8593	5710639	Oil	PH2819
<i>BW101-4A w/Deutz F5L912 Engine</i>			<i>BW141AD-2, BW142AD-2 w/Deutz BF4L1011 Engine</i>			05821220	Trans	LFH8593
5711730	Fuel	FP586F		Fuel	LFF3518	<i>BW161AC, BW161AD w/Deutz F4L913 Engine</i>		
5710640	Oil	LFP2222		Oil	PH561		Fuel	FP586F
<i>BW101A w/Hatz E950 Engine</i>			<i>BW141AD-2, BW142AD-2 w/Deutz F4L1011 Engine</i>				Oil	PH2819
5727381	Oil	LFP2221		Fuel	LFF3518	<i>BW161AD, BW161AD-2 w/Deutz BF4L913 Engine</i>		
<i>BW10AS, BW12AS w/Cummins 4BT3.9 Engine</i>				Oil	PH561		Air	LAF1714 ²
05730110	Air	LAF1544 ²	<i>BW142, BW142D, BW142PD w/Deutz F3L912 Engine</i>				Fuel	FP586F
05730112		LAF9410 ¹	5821304	Air	LAF1741 ²		Oil	PH2819
(031780206); Pri.	Fuel	LFF3417	5711730	Fuel	FP586F	<i>BW162A w/Deutz Engine</i>		
(03780205); Sec.		LFF3521	07993014	Hydraulic	LH4166	5821013	Air	LAF1714 ²
07993014	Hydraulic	LH4166	5710640	Oil	LFP2222	5821015		LAF1715 ¹
03780204	Oil	LFP3900	05821220	Trans	LFH8593	5711730	Fuel	FP586F
<i>BW120AC, BW120AD w/Deutz F2L511 Engine</i>			<i>BW144AD-1, BW144AD-2 w/Deutz F4L912 Engine</i>			5821212	Hydraulic	LFH8593
5711730	Fuel	FP586F	5821013	Air	LAF1714 ²	5710640	Oil	LFP2222
5710632	Oil	PH561	5821015		LAF1715 ¹	<i>BW164AC, BW164AD w/Deutz F4L913 Engine</i>		
<i>BW120AD w/Deutz F2L1011 Engine</i>			5711730	Fuel	FP586F	5711730	Fuel	FP586F
	Fuel	LFF3518	07993014	Hydraulic	LH4166	5710639	Oil	PH2819
	Oil	PH561	5710639	Oil	PH2819	<i>BW16R, BW24R w/Deutz F6L912 Engine</i>		
<i>BW124DH-3, BW124PDH-3 w/Deutz F3L1011 Engine</i>			<i>BW15, BW15A, BW15S w/Deutz F6L912 Engine</i>			5711730	Fuel	FP586F
	Air	LAF8749 ²	5821014	Air	LAF1720 ¹	5710640	Oil	LFP2222
<i>BW124PDB w/Deutz F3L1011 Engine</i>			5821012		LAF2052 ²	<i>BW170 w/Deutz F4L412 Engine</i>		
	Air	LAF1784 ¹	5711730	Fuel	FP586F	Pri.	Fuel	FP586F
		LAF9538 ²	5710640	Oil	LFP2222	Sec.		FP587F
	Fuel	LFF3518	<i>BW151AC, BW151AD w/Deutz F4L912 Engine</i>				Oil	PH2819
	Oil	PH561	5821013	Air	LAF1714 ²	<i>BW170 w/Deutz F4L912 Engine</i>		
<i>BW12R w/Cummins 4B3.9 Engine</i>			5821015		LAF1715 ¹	5710639	Oil	PH2819
05730112	Air	LAF1544 ²	5711730	Fuel	FP586F	05821220	Trans	LFH8593
(031780206); Pri.	Fuel	LFF3417	05821212	Hydraulic	LFH8593	<i>BW172, BW172D, BW172PD, BW172PDB w/Deutz F4L912 Engine</i>		
(03780205); Sec.		LFF3521	07993014		LH4166	5821304	Air	LAF1741 ²
07993014	Hydraulic	LH4166	5710639	Oil	PH2819	5711730	Fuel	FP586F
03780204	Oil	LFP3900	<i>BW151AD-2 w/Deutz BF4L1011 Engine</i>			07993014	Hydraulic	LH4166
<i>BW130AC, BW130AD w/Deutz F2L511 Engine</i>				Air	LAF1712 ²	5710639	Oil	PH2819
5711730	Fuel	FP586F			LAF1713 ¹	05821220	Trans	LFH8593
07993022	Hydraulic	LH4226		Fuel	LFF3518	<i>BW170 w/Deutz F4L912 Engine</i>		
5710632	Oil	PH561		Oil	PH561	5711730	Fuel	FP586F
<i>BW135AD, BW138AD w/Deutz F3L1011 Engine</i>						07993014	Hydraulic	LH4166
	Fuel	LFF3518				5710639	Oil	PH2819

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 268-Extended/Severe service 531-Filter only

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BOMAG (ROLLER INDUSTRIAL)			BOMAG (ROLLER INDUSTRIAL)			BOMAG (ROLLER INDUSTRIAL)		
<i>BW172-2, BW172PD-2, BW172PDB-2 w/Deutz BF4L1011 Engine</i>			<i>BW211, BW211A, BW211AB, BW211AD, BW211B w/Deutz F6L912 Engine</i>			<i>BW214DH-3, BW214PDH-3, BW216D-3 w/Deutz BF6M1013 Engine</i>		
	Air	LAF8567 ² LAF8816 ¹	5821014	Air	LAF1720 ¹ LAF2052 ²	W/S (31701062); W/S	Fuel	LFF8020 ⁶⁸⁹ LFF9013
	Fuel	LFF3806 ¹⁷⁰ LFF4806 ¹⁶⁹	5821012	Fuel	FP586F	7993014	Hydraulic	LH4166
7993014	Hydraulic	LH4266	5711730	Hydraulic	LFP2221	5710640	Oil	LFP2222
	Oil	PH561	5710639	Oil	PH2819	<i>BW215D, BW215PD w/Deutz F6L413 Engine</i>		
			5710640	Oil	LFP2222	5821014	Air	LAF1720 ¹
<i>BW200, BW200E w/Deutz F4L812 Engine</i>			<i>BW211D-3 w/Perkins Engine</i>			5821012		LAF2052 ²
5730104	Air	LAF1246 ²		Oil	PH4403	5711730	Fuel	FP586F
5711730	Fuel	FP586F	<i>BW212, BW212B, BW212D, BW212DH, BW212PD, BW212SB w/Deutz F6L912 Engine</i>			5711732	Fuel	LFF8092
	Oil	P49 PH2819	5821014	Air	LAF1720 ¹	5710640	Oil	LFP2222
5710639			5821012		LAF2052 ²	05821220	Trans	LFH8593
<i>BW200, BW200E, BW201AD w/Deutz F3L912 Engine</i>			<i>BW212D, BW212PD w/Deutz F6L912 Engine</i>			<i>BW217D, BW217PD w/Deutz F6L413 Engine</i>		
5821013	Air	LAF1714 ²	5711730	Fuel	FP586F	5821014	Air	LAF1720 ¹
5821015		LAF1715 ¹	5727381	Hydraulic	LFP2221	5821012		LAF2052 ²
5711730	Fuel	FP586F	5710639	Oil	PH2819	5711730	Fuel	FP586F
5710639	Oil	PH2819	5710640	Oil	LFP2222	5711732	Fuel	LFF8092
<i>BW200, BW200E, BW201AD w/Deutz F4L912 Engine</i>			<i>BW212D, BW212PD w/Deutz F6L912 Engine</i>			5710640	Oil	LFP2222
5821013	Air	LAF1714 ²	5821014	Air	LAF1720 ¹	05821220	Trans	LFH8593
5821015		LAF1715 ¹	5821012		LAF2052 ²	<i>BW219DH-3, BW219PDH-3 w/Deutz BF6M1013 Engine</i>		
5711730	Fuel	FP586F	5711730	Fuel	FP586F	5821149	Air	LAF4601 ²
5710640	Oil	LFP2222	5727381	Hydraulic	LFP2221		Fuel	FP586F
<i>BW202AD w/Deutz BF4L913 Engine</i>			<i>BW212D-2</i>				Oil	LFP2222
5821015	Air	LAF1714 ²	387mm	Air	LAF1716 ²	<i>BW220AD w/Deutz BF6L913 Engine</i>		
5281013		LAF1715 ¹			LAF1717 ¹	5711730	Fuel	FP586F
5711730	Fuel	FP586F	<i>BW212D-3, BW212PD-3 w/Deutz BF6M1012 Engine</i>			5710633	Oil	LFP8590
5710640	Oil	LFP2222		Fuel	FP586F ¹⁹ LFF3518 ¹⁸	<i>BW225D-3, BW225PD-3 w/Deutz BF6M1013 Engine</i>		
<i>BW202ADH, BW202AD-H2 w/Deutz BF4L913 Engine</i>				Oil	LFP2222		Fuel	FP586F
5821015	Air	LAF1715 ¹	<i>BW213, BW213A, BW213AD, BW213D w/Deutz F6L912 Engine</i>				Oil	LFP2222
5711730	Fuel	FP586F	5821014	Air	LAF1720 ¹	<i>BW22CA w/Deutz BF6L913 Engine</i>		
5710640	Oil	LFP2222	5821012		LAF2052 ²		Fuel	FP586F
<i>BW210 w/Allis-Chalmers 2900MKII Engine</i>			5711730	Fuel	FP586F		Oil	LFP8590
	Air	LAF234HD ²	5710640	Oil	LFP2222	<i>BW38, BW38S w/Deutz F3L912 Engine</i>		
	Coolant	LFW4071 ^{28, 205}	<i>BW213AD-3, BW213D-3, BW213DH-3, BW213PDH-3 w/Perkins 1006-60T Engine</i>			5711730	Fuel	FP586F
Sec.	Fuel	FP230F		Oil	PH4403	5710639	Oil	PH2819
	Oil	PH52	<i>BW213D, BW213PD, BW213PDB w/Deutz BF6L913 Engine</i>			<i>BW4, BW4A, BW4S w/Deutz F3L912 Engine</i>		
<i>BW210, BW210A, BW210D, BW210PD w/Deutz F6L912 Engine</i>			5821013	Air	LAF1720 ¹	5821013	Air	LAF1714 ²
5821014	Air	LAF1720 ¹	(5821018); 387mm	Air	LAF1716 ²	5821015		LAF1715 ¹
5821012		LAF2052 ²	5821019		LAF1717 ¹	5711730	Fuel	FP586F
5730102		LAF234HD ²	5711730	Fuel	FP586F	5710639	Oil	PH2819
5711730	Fuel	FP586F	5821213	Hydraulic	LFH8596	<i>BW4, BW4A, BW4S w/Deutz F4L912 Engine</i>		
5710640	Oil	LFP2222	05710633	Oil	LFP8590	5821013	Air	LAF1714 ²
<i>BW210, BW210A, BW213, BW214 w/Detroit 4-53 Engine</i>			<i>BW214D w/Deutz Engine</i>			5821015		LAF1715 ¹
5821014	Air	LAF1720 ¹	(5821018); 387mm	Air	LAF1716 ²	5711730	Fuel	FP586F
5821012		LAF2052 ²	5821019		LAF1717 ¹	5710639	Oil	PH2819
5730102		LAF234HD ²		Fuel	FP586F	<i>BW6, BW6A, BW6S w/Deutz F3L912 Engine</i>		
5711730	Fuel	FP586F	5821213	Hydraulic	LFH8596	5821013	Air	LAF1714 ²
5710640	Oil	LFP2222	7993014		LH4166	5821015		LAF1715 ¹
<i>BW210, BW210A, BW213, BW214 w/Detroit 4-53 Engine</i>				Oil	LFP2222	5711730	Fuel	FP586F
5821014	Air	LAF1720 ¹				5710639	Oil	PH2819
5821012		LAF2052 ²						
5730102		LAF234HD ²						
Sec.	Fuel	261F ⁹⁷⁰						
Sec.		262F ⁹⁷¹						
Pri.		L274F1						
	Oil	LP132						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 18-Short 19-Long 28-Contains 1 oz. of chemical 169-1 Per Package 170-2 Per Package 205-Maintenance 689-Bowless 970-3 3/4" Tall 971-7.8" Tall

B

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BOMAG (ROLLER INDUSTRIAL)			BOWSER BRIGGS (FILTER HOUSING)			BRANSON (TRACTOR)		
<i>BW6, BW6A, BW6S w/Deutz F4L912 Engine</i>			<i>JD Series</i>			<i>4220, 4220i w/Kukje A2000N3 Engine (cont'd)</i>		
5821013	Air	LAF1714 ²	(BP718-1); 5 Micron	Hydraulic	LP6028-5	OF102030	Oil	PH2808
5821015		LAF1715 ¹	BRANSON (TRACTOR)			<i>4520 w/Yanmar 4TNE88 Engine</i>		
5711730	Fuel	FP586F	<i>2400, 2400h w/Kukje A1100N2 Engine</i>			P821575	Air	LAF8195 ²
5710639	Oil	PH2819	P822686	Air	LAF8388 ²		Fuel	L549F
<i>BW75AD, BW75ADL w/Deutz F1L210 Engine</i>			OF102030	Oil	PH2808	HYD102030	Hydraulic	LFH4922
	Fuel	LFF3518	<i>2800, 2800h w/Kukje A1100T1 Engine</i>				Oil	PH2808
<i>BW812A w/Deutz F5L912 Engine</i>			P822686	Air	LAF8388 ²	<i>4520R, 4520C w/Kukje A2300N2R Engine</i>		
5711730	Fuel	FP586F	OF102030	Oil	PH2808	P822768	Air	LAF8114 ¹
5710640	Oil	LFP2222	<i>2810, 2910, 2910i w/Kukje A1400N3 Engine</i>			P822768		LAF8143 ²
<i>BW82, BW82S w/Deutz F6L912 Engine</i>			P821575	Air	LAF8195 ²	(P822768); Pri.	Fuel	L4103F
5711730	Fuel	FP586F		Fuel	L4103F	HRA11102000A3	Oil	PH2808
5710640	Oil	LFP2222	HYD102030	Hydraulic	LFH4922	<i>4720, 4720i w/Kukje A2300N2 Engine</i>		
<i>BW85T</i>			OF102030	Oil	PH2808		Air	LAF8114 ¹
	Air	LAF5844 ¹	<i>3015R (w/Kukje A1700N5 Engine)</i>					LAF8143 ²
		LAF8147 ²		Oil	PH2867	HA13040000A4	Fuel	L4103F
<i>BW90A, BW90AD w/Hatz E950 Engine</i>			<i>3120R (w/Kukje A1700N3 Engine)</i>				Hydraulic	LFH4922
5727381	Oil	LFP2221		Air	LAF8114 ¹	HRA1102000A3	Oil	PH2808
<i>BW90A, BW90AD w/Hatz Z790 Engine</i>					LAF8143 ²	<i>4720h, 4720Ch w/Kukje A2300N2 Engine</i>		
5727381	Oil	LFP2221		Fuel	L4103F		Air	LAF8114 ¹
<i>BW90AD-2 w/Kubota D722 Engine</i>				Oil	PH2808			LAF8143 ²
15852-11082	Air	LAF8620 ²	<i>3510, 3510i w/Kukje A1700N2 Engine</i>			HA13040000A4	Fuel	L4103F
05740143	Fuel	L550F	P821575	Air	LAF8195 ²	HRA1102000A3	Oil	PH2808
<i>BW90ADL w/Deutz F1L210 Engine</i>				Fuel	L4103F	<i>5220R, 5220Ch w/Kukje A2300T3R Engine</i>		
	Fuel	LFF3518	HYD102030	Hydraulic	LFH4922	P822768	Air	LAF8114 ¹
<i>XA540 w/Deutz F2L511 Engine</i>			OF102030	Oil	PH2808	P822768		LAF8143 ²
5710632	Oil	PH561	<i>3515R (w/Kukje A1700N4 Engine)</i>			P822768	Fuel	L4103F
BOMAG (SOIL STABILIZER)				Oil	PH2867	TA00025525A	Hydraulic	LFH4922
<i>MPH100 w/Detroit 8V71 Engine</i>			<i>3520, 4020 w/Kukje A1700N2 Engine</i>			HRA11102000A3	Oil	PH2808
853521309	Air	LAF1765 ¹	P821575	Air	LAF8195 ²	<i>6530, 6530C, 6530R w/Cummins B3.3 Engine</i>		
853521308		LAF6453 ²		Fuel	L4103F	LF16011	Oil	PH2835
		LAF6453MXM ^{2, 268}	HYD102030	Hydraulic	LFH4922	<i>6640C (w/Kukje D3400 Engine)</i>		
	Fuel	L274F	OF102030	Oil	PH2808		Air	LAF8114 ¹
(25014274); Pri. Sec.		LFP815FN	<i>3520R, 3520h, 3520CX (w/Kukje A1700N2 Engine)</i>					LAF8143 ²
		LFP816FN	P821575	Air	LAF8195 ²	<i>7845C, 7845R (w/Kukje D3400T Engine)</i>		
853531246	Hydraulic	LH4254		Fuel	L4103F		Oil	PH2808
853531151		LH4266	HYD102030	Hydraulic	LFH4922	BRIGHT (LIFT TRUCK)		
853531259		LH5020	OF102030	Oil	PH2808	<i>BC3-5000 w/Kubota V2203 Engine</i>		
	Oil	LFP911	<i>3820, 3820i w/Kukje A2000N3 Engine</i>			17351-11083	Air	LAF4514 ²
		LFP911XL ¹⁴		Air	LAF8114 ¹	16631-43560	Fuel	FP591F
		LP132			LAF8143 ²	ZSE10	Hydraulic	LFH8740G ⁶⁰⁷
BOSS (GENERATOR)				Fuel	L4103F	16414-32430	Oil	PH253 ¹⁴⁹⁶
<i>10KW w/Lister Petter Engine</i>			OF102030	Oil	PH2808			PH2835 ²⁷⁵
	Air	LAF1275 ²	<i>4015R (w/Kukje A1700T2 Engine)</i>			BROCEBROOM (SWEEPER INDUSTRIAL)		
<i>20KW w/Lister Petter Engine</i>				Oil	PH2808	<i>CR350 w/Caterpillar 3054 Engine</i>		
	Air	LAF1866 ²	<i>4020R w/Kukje A1700T1 Engine</i>			Sec.	Fuel	L3102F
BOWSER BRIGGS (FILTER HOUSING)			P822769	Air	LAF8114 ¹		Oil	LFP2292
<i>CD Series w/o holder</i>			P822768		LAF8143 ²	<i>D18 w/Ford 172 diesel Engine</i>		
(BP718-1); 5 Micron	Hydraulic	LP6028-5		Fuel	L4103F		Fuel	L296F ⁴¹
<i>D Series w/o holder</i>				Hydraulic	LFH4922	1A-9021	Hydraulic	LFP1652
(BP718-1); 5 Micron	Hydraulic	LP6028-5		Oil	PH2808	C9NN-6714-A	Oil	LFP2258
<i>DF Series</i>			<i>4220, 4220i w/Kukje A2000N3 Engine</i>			<i>D18 w/Ford 172 gas Engine</i>		
(BP718-1); 5 Micron	Hydraulic	LP6028-5		Air	LAF8114 ¹	(C4AZ-9365-A); Gas	Fuel	G6
<i>FF Series w/o holder</i>					LAF8143 ²	1A-9021	Hydraulic	LFP1652
(BP718-1); 5 Micron	Hydraulic	LP6028-5	HYD102030	Hydraulic	LFH4922	C9NN-6714-A	Oil	LFP2258

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 268-Extended/Severe service 275-Primary 607-Return 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BROCEBROOM (SWEEPER INDUSTRIAL)			CASE (ARTICULATED DUMP TRUCK)			CASE (BACKHOE LOADER)		
<i>RJ300 w/John Deere 4239 Engine</i>			<i>330 w/Cummins M11 Engine</i>			<i>480CK w/G188D Engine</i>		
	Air	LAF1544 ² LAF9410 ¹	P777868 P777869	Air	LAF8150 ² LAF8693 ¹	(A-39867); Sec. (A-39868); Pri.	Fuel	FP862F FP863F
	Fuel	P1130	(8900127093); W/S	Fuel	LFF1282	A-39578	Hydraulic	LH4930 LP1653 ¹¹
	Oil	FP20		Oil	LFP3000 LFP3000XL ¹⁴	D-32212		LP212
<i>RJ350 w/John Deere 4045 Engine</i>			<i>335B, 340B w/13.0L Engine</i>			<i>A-146696</i>		
	Air	LAF1544 ² LAF9410 ¹		Hydraulic	LAF6113 ¹¹²⁵	A-146696	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
(RE60021); Sec.	Fuel	L8683F	504082382	Oil	LFP7174	<i>480D, 480LL w/Case G188D Engine</i>		
	Oil	LFP4836 ⁸¹⁰ LFP5757 ¹¹¹⁷	8603535	Trans	LFH8490	<i>(A-39867); Sec.</i>		
BURKEEN (TRENCHER INDUSTRIAL)			CASE (BACKHOE LOADER)			<i>(A-39868); Pri.</i>		
<i>B16 w/Onan P216 Engine</i>			<i>200B w/Gas Engine</i>			<i>N-9025</i>		
1220645	Oil	PH2835	G-13113	Hydraulic	LP212	A-42242	Hydraulic	LFH4910 LP1653 ¹¹
<i>B30 w/Hatz Z790 Engine</i>			<i>380B</i>			<i>A-146696</i>		
	Oil	LFP2221	1265510-C1	Air	LAF1907 ²	A-146696	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>B36B w/Kubota V2203 Engine</i>			<i>430CK w/Diesel Engine</i>			<i>A-146696</i>		
6598903	Hydraulic	LFH4936	A-42242	Hydraulic	LH4930 LP1653 ¹¹	<i>480E, 480ELL, 480F, 480FLL w/Cummins 390 Engine</i>		
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	A-146696	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	A-173291	Air	LAF1784 ¹ LAF9538 ² LAF9538MXM ^{2, 268}
BUSH HOG (FARM EQUIPMENT)			<i>480B w/Diesel Engine</i>			<i>(A-77470); Pri.</i>		
<i>Module Maker</i>			<i>A-39578</i>			<i>N-9025</i>		
350577	Hydraulic	LP6005		Air	LAF222 ²	J-908616	Hydraulic	LFH4910
BUTLER (LOADER)			<i>A-146696</i>			<i>J-908616</i>		
<i>Loader w/Wisconsin VH4D Engine</i>			<i>480B w/G148B Engine</i>			<i>500LK w/Diesel Engine</i>		
P101275	Air	LAF1275 ²		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>A-51346</i>		
1553	Hydraulic	LFP1652		Oil	PH8A ¹⁴⁹⁶	<i>A-146696</i>		
	Oil	P3				<i>A-146696</i>		
CARRIER-TRANCICOLD (GENERATOR)			<i>480B w/Gas Engine</i>			<i>530 Series w/Diesel Engine</i>		
<i>UDG-AL, UDG-BL w/Perkins 4-108 diesel Engine</i>			<i>D-32212</i>			<i>(A-51346); Sec.</i>		
30.00291-01	Air	LAF121	N9025	Hydraulic	LFH4910	<i>(A35863); Pri.</i>		
Pri.	Fuel	LFP3301F	D43800		LH4264	<i>A-51463</i>		
Sec.	Fuel	LFP440F	A39578		LH4930	<i>A-42242</i>		
	Oil	LFP2292 LFP3404A PH299	A-146696	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>A-146696</i>		
(30.00304); By-Pass			A-146696			<i>A-146696</i>		
30.00323						<i>A-146696</i>		
CASE (ARTICULATED DUMP TRUCK)			<i>480C w/Diesel Engine</i>			<i>530CK w/Diesel Engine</i>		
<i>325 w/Cummins 6CTAA 8.3L Engine</i>			<i>(A-39867); Sec.</i>			<i>(A-51346); Sec.</i>		
8900119926	Air	LAF8150 ²		Air	LAF222 ²	<i>(A35863); Pri.</i>		
8900119925		LAF8693 ¹		Hydraulic	LP1653 ¹¹ LP212	<i>A-39578</i>		
J100304	Coolant	LFW4071 ^{28, 205}		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>A-42242</i>		
(J930942); Pri.	Fuel	LFF3417				<i>G-13113</i>		
(J931063); Sec.	Fuel	LFF3521				<i>A-146696</i>		
8900126397	Oil	LFP3000 LFP3000XL ¹⁴	D-75831	Hydraulic	LH4264 LP1653 ¹¹	<i>A-146696</i>		
	Trans	LFH8490		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>A-146696</i>		
332202A1						<i>A-146696</i>		
<i>327B, 330B w/Iveco Cursor F3AE Engine</i>			<i>480CK w/G148B Engine</i>			<i>570L XT, 570L XT Series II w/Cummins 4-390 Engine</i>		
	Air	LAF8765 ² LAF8766 ¹		Air	LAF222 ²	<i>(222421A1); Turbo</i>		
	Hydraulic	LAF6113 ¹¹²⁵ LFH8490		Fuel	FP862F FP863F	<i>Turbo</i>		
87519452				Hydraulic	LH4264 LP1653 ¹¹ LP212	<i>(222422A1); Turbo</i>		
504082382	Oil	LFP7174		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>A128781A1</i>		
						<i>A1287782A1</i>		
						<i>D-145357</i>		
						<i>Pri.</i>		
						<i>Sec.</i>		
						<i>W/S</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 14-Extended Life 28-Contains 1 oz. of chemical 41-Cartridge 205-Maintenance 268-Extended/Severe service
275-Primary 810-M92 x 2.56H Thread 1117-1 1/2 x 16 Thread 1125-VGT 1496-Alternate

B

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (BACKHOE LOADER)			CASE (BACKHOE LOADER)			CASE (BACKHOE LOADER)		
<i>570L XT, 570L XT Series II w/Cummins 4-390 Engine (cont'd)</i>			<i>580C w/G188D Diesel Engine</i>			<i>580M Series 2, 580 Super M Series 2 (cont'd)</i>		
N-9025	Hydraulic	LFH4910	A-42274	Air	LAF222 ²	85826959	Air	LAF9332 ¹
J-908616	Oil	LFP3900	(A-39867); Sec.	Fuel	FP862F	87803194	Fuel	FP587F
<i>570M, 570 Super M w/Cummins Engine</i>			(A-39868); Pri.		FP863F	N9025	Hydraulic	LFH4910
(222421A1); Turbo	Air	LAF4544 ²	N-9025	Hydraulic	LFH4910	87803261	Oil	LFP6015
Turbo		LAF4544MXM ^{2, 268}	D-75831		LH4264	254686A2	Trans	LFH5074G ¹¹²⁹
222422A1		LAF4545 ¹	A-42242		LP1653 ¹¹	<i>580M, 580 Super M</i>		
(128781A1); w/o Turbo		LAF8124 ²	A-146696	Oil	PH400 ²⁷⁵	Turbo	Air	LAF4544 ²
128782A1		LAF8405 ¹	A-146696		PH8A ¹⁴⁹⁶	Turbo		LAF4544MXM ^{2, 268}
(194199A1); In-Line	Fuel	L7693F	<i>580D, 580 Super D w/Case G207D Engine</i>			w/o Turbo		LAF4545 ¹
(J931062); W/S		LFF8062	A-173291	Air	LAF1784 ¹			LAF8124
N9025	Hydraulic	LFH4910	(A-42274); w/o Turbo		LAF222 ²			LAF8405 ¹
J908616	Oil	LFP3900	(A-173290); Turbo		LAF9538 ²	In-Line	Fuel	L7693F
254686A1	Trans	LFH5074G	(A-173290); Turbo		LAF9538MXM ^{2, 268}	W/S		LFF8062
<i>570N EP (w/FPT F5HFL463 Tier 4 Final Engine)</i>			(A-39867); Sec.	Fuel	FP862F		Hydraulic	LFH4910
82981152	Air	LAF4544 ²	(A-39868); Pri.		FP863F			LFH5074G
82981153		LAF4545 ¹	N-9025	Hydraulic	LFH4910		Oil	LFH8294
254686A2	Trans	LFH5074G			LP1653 ¹¹			LFP3900
<i>570N XT w/434T/E Interim Tier 4 Engine</i>			A-146696	Oil	PH400 ²⁷⁵	<i>580M, 580M+ Series III w/445TA/E3 Engine</i>		
82981152	Air	LAF4544 ²	A-146696		PH8A ¹⁴⁹⁶	82981152	Air	LAF4544 ²
82981153		LAF4545 ¹	<i>580K, 580 Super K</i>			47132347		LAF4545 ¹
254686A2	Trans	LFH5074G	N-6777	Air	LAF1784 ¹	87803194	Fuel	FP587F
<i>580 Super E w/Cummins 390 Engine</i>					LAF8525 ^{1, 12}	N9025	Hydraulic	LFH4910
N-6777	Air	LAF1784 ¹			LAF8528 ^{2, 12}	87803261	Oil	LFP6015
A-173290		LAF9538 ²	A-173290		LAF9538 ²	254686A2	Trans	LFH5074G
A-173290		LAF9538MXM ^{2, 268}			LAF9538MXM ^{2, 268}	<i>580N EP (w/FPT F5HFL463 Tier 4 Final Engine)</i>		
(A-77470); Pri.	Fuel	LFF3417	D-145357	Fuel	L3419F	87682989	Air	LAF4544 ²
Sec.		LFF3521	D-139225		L3523F	84217229		LAF4544MXM ^{2, 268}
N-9025	Hydraulic	LFH4910	(A-77470); Pri.		LFF3417	87682999		LAF4545 ¹
J-908616	Oil	LFP3900	Sec.		LFF3521	(84559022); Pri.	Fuel	L4109F
<i>580, 580B, 580CK w/G159 Gas Engine</i>			(J-931062); W/S		LFF8062 ¹⁸¹	84475948	Trans	LFH5074G
A-42274	Air	LAF222 ²	N-9025	Hydraulic	LFH4910 ¹⁰⁹⁹	<i>580N WT (w/FPT F5BFL413 Tier 4 Final Engine)</i>		
(D-53499); Gas	Fuel	G5/16 ²⁶³	(D149921); w/o		LFH8294	87682989	Air	LAF4544 ²
(A-51346); Sec.		L296F ⁴¹	Backhoe		LFP3900	87682989		LAF4544MXM ^{2, 268}
N9025	Hydraulic	LFH4910	J-908616	Oil	LFP3900	87682999		LAF4545 ¹
D43800		LH4264	<i>580L, 580 Super L, 580 Super L Series II</i>			(84559022); Pri.	Fuel	L4109F
D-39578		LH4930	(222421-A1); Turbo	Air	LAF4544 ²	84475948	Trans	LFH5074G
		LP1653 ¹¹	Turbo		LAF4544MXM ^{2, 268}	<i>580N, 580 Super N w/445M3/RE3 Engine</i>		
D-32212		LP212	222422-A1		LAF4545 ¹	87682989	Air	LAF4544 ²
A-146696	Oil	PH400 ²⁷⁵	(A128781A1); w/o		LAF8124 ²	87682999		LAF4545 ¹
A-146696		PH8A ¹⁴⁹⁶	Turbo		LAF8405 ¹	(87803445); Sec.	Fuel	L3441F
<i>580B Road Runner</i>			A128782A1			(87803200); Sec.		LFF5421
A-42274	Air	LAF222 ²	D-145357	Fuel	L3419F	N9025	Hydraulic	LFH4910
Sec.	Fuel	FP862F	(194199A1); In-Line		L7693F	87803261	Oil	LFP6015
Pri.		FP863F	Pri.		LFF3417	254686A2	Trans	LFH5074G
A-39578	Hydraulic	LH4930	Sec.		LFF3521	<i>580N, 580 Super N, 580 Super N WT w/434T/E Interim Tier 4 Engine</i>		
<i>580B, 580CK w/G188D Diesel Engine</i>			(J-931062); W/S		LFF8062 ¹⁸¹	82981152	Air	LAF4544 ²
A-42274	Air	LAF222 ²	N-9025	Hydraulic	LFH4910	82981153		LAF4545 ¹
(A-39867); Sec.	Fuel	FP862F	J-908616	Oil	LFP3900	254686A2	Trans	LFH5074G
(A-39868); Pri.		FP863F	254686A2	Trans	LFH5074G	<i>580N, 580 Super N (w/FPT F5BFL413 Tier 4 Final Engine)</i>		
(A-35863); Pri.		L10F	<i>580M Series 2, 580 Super M Series 2</i>			87682989	Air	LAF4544 ²
D-75831	Hydraulic	LH4264	(87438248); Turbo	Air	LAF4544 ²	87682989		LAF4544MXM ^{2, 268}
G-45307		LP1653 ¹¹	Turbo		LAF4544MXM ^{2, 268}	87682989		LAF4545 ¹
A-146696	Oil	PH400 ²⁷⁵	87438245		LAF4545 ¹	87682999		LAF4545 ¹
A-146696		PH8A ¹⁴⁹⁶	(85826956);		LAF8148 ²			
			Non-Turbo					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 12-Optional 41-Cartridge 181-Single 263-Hoses and clamps included 268-Extended/Severe service 275-Primary

1099-Torque Converter 1129-External 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (BACKHOE LOADER)			CASE (BACKHOE LOADER)			CASE (BACKHOE LOADER)		
<i>580N, 580 Super N (w/FPT F5BFL413 Tier 4 Final Engine) (cont'd)</i>			<i>590 Super L w/Cummins B3.9 eng (cont'd)</i>			<i>680H (cont'd)</i>		
(84559022); Pri.	Fuel	L4109F	222422-A1	Air	LAF4545 ¹ LAF8124 ²	Sec.	Fuel	FP1127F LFP3301F
84475948	Trans	LFH5074G	(A128781A1); w/o Turbo			A-45625 KIT	Hydraulic	LFH4915 LFH8799 ¹¹³³
<i>590 Super M Series II w/4.5L Engine</i>			A128782A1		LAF8405 ¹	D-146735	Oil	PH675
87418364	Air	LAF4544 ² LAF4544MXM ^{2, 268}	D-145357	Fuel	L3419F L7693F LFF3417 LFF3521 LFF8062 ¹⁸¹	D-87214	Trans	LFH8799
87418365		LAF4545 ¹	(194199A1); In-Line Pri.			<i>680K w/590 Engine</i>		
87803194	Fuel	FP587F	Sec.			D-56463	Air	LAF1544 ² LAF9410 ¹
N9025	Hydraulic	LFH4910	W/S			N-8153		
87803261	Oil	LFP6015	D149921	Hydraulic	LFH8294	(A-77470); Pri.	Fuel	LFF3417 LFF3521
254686A2	Trans	LFH5074G		Oil	LFP3900	Sec.		
<i>590 Super M+ Series 3 w/445TA/E3 Engine</i>			254686A2	Trans	LFH5074G	A-45625	Hydraulic	LFH4915 LFH8799 ¹¹³³
(222421A1); Turbo	Air	LAF4544 ² LAF4544MXM ^{2, 268}	<i>680B w/Diesel Engine</i>			D-146735	Oil	LFP780 LFP780XL ¹⁴
222422A1		LAF4545 ¹ LAF8124 ² LAF8405 ¹	A-40866	Air	LAF1246 ²	J-908615		
(128781A1); w/o Turbo			Sec.	Fuel	FP1127F LFP3301F	<i>680L w/590 Engine</i>		
128782A1			A-18061	Hydraulic	LFH1700 ¹¹ LH4920 ⁶⁰⁷	A-47033	Air	LAF1923 ¹ LAF1924 ²
(194199A1); In-Line	Fuel	L7693F LFF8062	D-35995	Oil	P2 ⁹³⁵ PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	A-47032		
(J931062); W/S						(A-77470); Pri.	Fuel	LFF3417 LFF3521
D149921	Hydraulic	LFH8294	A-146696			1329214-C1	Hydraulic	LFH5876 LFH8799 ¹¹³³
J908616	Oil	LFP3900	A-146696			D-146735		
254686A1	Trans	LFH5074G	<i>680C Diesel</i>			J-908615	Oil	LFP780 LFP780XL ¹⁴
<i>590 Super N (w/FPT F5BFL413 Tier 4 Final Engine)</i>			A-40866	Air	LAF1246 ²	<i>780B w/Diesel Engine</i>		
87682989	Air	LAF4544 ² LAF4544MXM ^{2, 268}	Sec.	Fuel	FP1127F LFP3301F	S-117746	Air	LAF1725 ¹ LAF9001 ²
87682989		LAF4545 ¹	Pri.			S-117745		
87682999		L4109F	(L-72877); S/N	Hydraulic	LH4906 ¹⁰⁷⁷	Sec.	Fuel	FP1127F LFP3301F
(84559022); Pri.	Fuel	L4109F	9111009-9114100			Pri.		
84475948	Trans	LFH5074G	L-51619	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	A-45625	Hydraulic	LFH4915
<i>590 Super N w/434T/E Interim Tier 4 Engine</i>			A-146696			A-44081	Oil	PH675
82981152	Air	LAF4544 ² LAF4544MXM ^{2, 268}	A-146696			<i>780C, 780D w/590 Engine</i>		
82981152		LAF4545 ¹	A-146696			A-47033	Air	LAF1923 ¹ LAF1924 ²
82981153		L4109F	F-88379	Hydraulic	LFH1700 ¹¹ LH4914 LH4920	A-47032		
84475948	Trans	LFH5074G	L-13869	Oil	P2 ⁹³⁵	(A-77470); Pri.	Fuel	LFF3417 LFF3521
<i>590 Super N w/Cummins 390 Engine</i>			<i>680CK</i>			(A-45625); 780C	Hydraulic	LFH4915 LFH5876 LFH8799
A-173291	Air	LAF1784 ¹ LAF9538 ² LAF9538MXM ^{2, 268}	A-42274	Air	LAF222 ²	D-146735		
A-173290			Diesel; Sec.	Fuel	261F FP953F ²⁴⁴	J-908615	Oil	LFP780 LFP780XL ¹⁴
(A-77470); Pri.	Fuel	LFF3417 LFF3521 LFF8062	Diesel; In-Line			<i>780CK w/336 Engine</i>		
(J-931062); W/S			A-18061	Hydraulic	LFH1700 ¹¹ LH4914 LH4920	w/o Turbo	Air	LAF1246 ² LAF1544 ²
D149921	Hydraulic	LFH8294	F-88379			Turbo		
J-908616	Oil	LFP3900	L-13869	Oil	P2 ⁹³⁵	Sec.	Fuel	FP1127F LFP3301F
<i>590N, 590 Super N w/Cummins 445RE3 Engine</i>			<i>680E w/Diesel Engine</i>			(A-41745); Pri.		
87682989	Air	LAF4544 ² LAF4545 ¹	Sec.	Air	LAF1984 ²	D-52932	Hydraulic	LH4918 ¹¹³³ LH4995 ¹⁰⁸⁸
87682999		L3441F LFF5421	Pri.	Fuel	FP1127F LFP3301F	S-111605		
(87803445); Sec.	Fuel		(A-75294); S/N			(A-146696); -S/N	Oil	PH400 ²⁷⁵
(87803200); Sec.			10018997			10093006		
N9025	Hydraulic	LFH4910	(A-146696); -S/N			(A-44081); S/N		PH675
87803261	Oil	LFP6015	10018997-	Hydraulic	LH4906 ¹⁰⁷⁷	10093006-		PH8A ¹⁴⁹⁶
254686A2	Trans	LFH5074G	10018997-	Oil	PH675	(A-146696); -S/N		
<i>590 Super L w/Cummins B3.9 eng</i>			10018997			10093006		
(222421-A1); Turbo	Air	LAF4544 ² LAF4544MXM ^{2, 268}	<i>680G w/Diesel Engine</i>			<i>880B-T w/336 Engine</i>		
Turbo			Sec.	Air	LAF1984 ²		Oil	PH400 ²⁷⁵
			Pri.	Fuel	FP1127F LFP3301F			
			(L-72877)	Hydraulic	LH4906 ¹⁰⁷⁷			
			A-44081	Oil	PH675			
			<i>680H</i>					
			D-56453	Air	LAF1544 ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 14-Extended Life 181-Single 244-Secondary 268-Extended/Severe service 275-Primary 607-Return 935-Requires use of Case A21473 gasket not supplied. 1077-Hyd. Tank 1088-Pressure Line 1133-Transfer Pump 1496-Alternate

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
CASE (BACKHOE LOADER)			CASE (COMBINE)			CASE (COMBINE)			
<i>880B-T w/336 Engine (cont'd)</i>			<i>1000, 1010, 1060, 1160 w/301 diesel Engine</i>			<i>SP-12</i>			
	Oil	PH8A ¹⁴⁹⁶	D-37975	Air	LAF1246 ²		Oil	P7FF	
CASE (CABLE LAYER)			F-84818	Cabin Air	LAF6680	CASE (COMPACTOR ROLLER)			
<i>475 (w/336 Engine)</i>			Sec.	Fuel	261F	<i>DV201, DV202, DV204 w/Deutz Engine</i>			
(A-40866); S/N 10018987 up	Air	LAF1246 ²		Oil	P2 ⁹³⁵	ND107578	Air	LAF8143 ²	
(A-40866); S/N 3058169 up			LAF1246 ²	<i>1000, 1010, 1060, 1160 w/A-284 diesel Engine</i>			ND103597	Oil	PH3656
(A-40866); up to S/N 10018986			LAF1246 ²	D-37975	Air	LAF1246 ²	<i>DV207 w/Cummins 3.3 BTAA Tier 3 Engine</i>		
S/N 10018987 up; Sec.	Fuel	FP1127F	F-84818	Cabin Air	LAF6680	<i>87409203</i>			
S/N 3058169 up; Sec. up to S/N 10018986; Sec.			Sec.	Fuel	261F	<i>DV210 w/Cummins QSB 3.3-C99 Tier 3 Engine</i>			
(A-58712); S/N 10018987 up; Pri.				Oil	P2 ⁹³⁵	<i>87409203</i>			
(A-58712); S/N 3058169 up; Pri. up to S/N 10018986; Pri.						<i>DV213 w/Cummins QSB 4.5-C130 Tier 3 Engine</i>			
(R-25844); S/N 10018987 up			LFP1127F	<i>1000, 1010, 1060, 1160 w/V8-318 gas Engine</i>			<i>J978040</i>		
(R-25844); up to S/N 10018986 (A-65854); S/N 10018987 up			LFP1127F	D-37975	Air	LAF1246 ²	<i>(87356193); W/S</i>		
(A-65854); S/N 10018987 up	LFP3301F	A-146696	Oil	PH400 ²⁷⁵	<i>J937736</i>				
(A-65854); S/N 3058169 up (A-65854); up to S/N 10018986	LFP3301F	A-146696	Oil	PH8A ¹⁴⁹⁶	<i>DV23, DV26 w/Yanmar 3TNV88 Engine</i>				
(A-44081); S/N 10018987 up (A-75294); S/N 3058169 up (A-146696); up to S/N 10018986	LFP3301F	<i>1010 w/Case Engine</i>			<i>47420082</i>				
(A-40866); up to S/N 3058169	Hydraulic	LFP449	<i>120 Series</i>			<i>DV36, DV45 w/Yanmar 4TNV88 Engine</i>			
up to S/N 3058169; Sec.			LFP449	<i>1665 w/Chrysler Engines 3/8" Reach</i>			<i>47420082</i>		
(A-58712); up to S/N 3058169; Pri.			LFP449	D-37975	Air	LAF1246 ²	<i>SV1216 w/Cummins B5.9C Engine</i>		
(R-25844); up to S/N 3058169			LH4928 ¹⁰⁸⁸	A-146696	Oil	PH400 ²⁷⁵	<i>P772555</i>		
(A-65854); S/N 10018987 up			LH4928 ¹⁰⁸⁸	A-146696	Oil	PH8A ¹⁴⁹⁶	<i>SV208 w/Cummins QSB3.3L Engine</i>		
(A-65854); S/N 3058169 up (A-65854); up to S/N 10018986			LH4928 ¹⁰⁸⁸	<i>1665 w/Perkins Diesel Engine</i>			<i>SV208, SV210 w/Cummins Engine</i>		
(A-44081); S/N 10018987 up (A-75294); S/N 3058169 up (A-146696); up to S/N 10018986			LH4928 ¹⁰⁸⁸	A-40866	Air	LAF1246 ²	<i>(J930942); Pri.</i>		
(A-146696); up to S/N 3058169				7111/296	Fuel	L296F ⁴¹	<i>(J903640); Sec.</i>		
(A-146696); up to S/N 3058169				A-146696	Oil	PH400 ²⁷⁵	<i>SV210 w/Cummins QSB3.3L Engine</i>		
(A-146696); up to S/N 3058169				A-146696	Oil	PH8A ¹⁴⁹⁶	<i>SV212, SV216 (w/Cummins QSB4.5 Engine)</i>		
(A-146696); up to S/N 3058169				<i>600 w/Diesel Engine</i>			<i>ND133433</i>		
(A-146696); up to S/N 3058169				(A-51346); Sec.	Fuel	L296F ⁴¹	<i>ND133434</i>		
(A-146696); up to S/N 3058169					Oil	P2 ⁹³⁵	<i>ND116140</i>		
(A-146696); up to S/N 3058169						PH400 ²⁷⁵	<i>SV212, SV216 w/Cummins B5.9 Engine</i>		
(A-146696); up to S/N 3058169						PH8A ¹⁴⁹⁶	<i>(J930942); Pri.</i>		
(A-146696); up to S/N 3058169							<i>(J903640); Sec.</i>		
(A-146696); up to S/N 3058169							<i>J932217</i>		
(A-146696); up to S/N 3058169					<i>LFP780XL¹⁴</i>				
<i>475 w/301B Engine</i>			<i>660 w/G188D Engine</i>			CASE (CONCRETE PUMP)			
(A-40866); up to S/N 3058169	Air	LAF1246 ²	F-84998	Air	LAF222 ²	<i>P-336</i>			
up to S/N 3058169; Sec.	Fuel	FP1127F	Diesel; Sec.	Fuel	L296F ⁴¹	<i>D-50938</i>			
(A-58712); up to S/N 3058169; Pri.		LFP3301F	A-146696	Oil	PH400 ²⁷⁵	<i>Sec.</i>			
(R-25844); up to S/N 3058169	Hydraulic	LFP449	A-146696	Oil	PH8A ¹⁴⁹⁶	<i>(A-58712); Pri.</i>			
(A-65854); up to S/N 3058169			LH4928 ¹⁰⁸⁸	Sec.	Fuel	261F	<i>A-146696</i>		
(A-146696); up to S/N 3058169	Oil	PH400 ²⁷⁵		Oil	P2 ⁹³⁵	<i>A-146696</i>			
(A-146696); up to S/N 3058169							<i>P50</i>		
(A-146696); up to S/N 3058169			<i>800, 1000, 1010, 1060 w/Case Engines</i>			<i>(A-39867); Sec.</i>			
(A-146696); up to S/N 3058169				Oil	PH400 ²⁷⁵	<i>(A-29868); Pri.</i>			
(A-146696); up to S/N 3058169			<i>800C w/A267 Engine</i>			<i>(A-35668); Sec.</i>			
(A-146696); up to S/N 3058169				Oil	PH8A ¹⁴⁹⁶	<i>A-146696</i>			
(A-146696); up to S/N 3058169			<i>900, 960 w/H-255 gas Engine</i>			<i>A-146696</i>			
(A-146696); up to S/N 10018986	Oil	PH400 ²⁷⁵	A-42274	Air	LAF222 ²	<i>P-504 w/504DT Engine</i>			
CASE (COMBINE)			A-146696	Oil	PH400 ²⁷⁵	<i>L-30937</i>			
<i>1000, 1010 w/Hercules GO-298 Engine</i>			A-146696	Oil	PH8A ¹⁴⁹⁶	<i>Sec.</i>			
	Oil	LP38	A-146696	Oil	PH8A ¹⁴⁹⁶	<i>(A-58712); Pri.</i>			
				Oil	PH400 ²⁷⁵	<i>A-62423</i>			
				Oil	PH8A ¹⁴⁹⁶	<i>A-75294</i>			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 14-Extended Life 41-Cartridge 275-Primary 935-Requires use of Case A21473 gasket not supplied. 1088-Pressure Line 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (CONCRETE PUMP)			CASE (CRAWLER DOZER)			CASE (CRAWLER DOZER)		
<i>P-604, T-604, TB-604</i>			<i>1150B, 1150C w/451BC Diesel Engine</i>			<i>1450, 1450B, 1455B w/504 Engine (cont'd)</i>		
Sec. (A-58712); Pri.	Fuel	FP1127F LFP3301F	F-64318	Air	LAF1871	N-6660	Air	LAF6834 ¹
A-75294	Oil	PH675	R-29295		LAF8668 ²	N6655		LAF8513 ¹
<i>T-336, TB-336 w/336 Engine</i>			R-36361		LAF8674 ¹	R-29295		LAF8668 ²
D-37975	Air	LAF1246 ²	Sec. (A-41745); Pri.	Fuel	FP1127F LFP3301F	R-36361		LAF8674 ¹
Sec. (A-58712); Pri.	Fuel	FP1127F LFP3301F	D-42995	Hydraulic	P92 ¹⁰⁷⁷	N6656		LAF9200 ²
A-146696	Oil	PH400 ²⁷⁵	A-75294	Oil	PH675	Sec. (A41745); Pri.	Fuel	FP1127F LFP3301F
A-75294		PH675	<i>1150D, 1150E, 1155E w/830 Engine</i>			D-83130	Hydraulic	LH4913 ¹⁰⁸⁸
A-146696		PH8A ¹⁴⁹⁶	F-64318	Air	LAF1871	D-42995		P92 ¹⁰⁷⁷
<i>T-50, TB-50</i>			R-29295		LAF8668 ²	A-62423	Oil	PH444 ¹¹²²
(A-39867); Sec. (A-39868); Pri.	Fuel	FP862F FP863F	R-36361		LAF8674 ¹	A-44081		PH675
G-45210	Oil	PH400 ²⁷⁵	A-77544	Coolant	LFW4071 ²⁸	A-75294		PH675 ¹¹²³
G-45210		PH8A ¹⁴⁹⁶	(J-925274); Pri.	Fuel	LFF3417	N9086	Trans	LFH5659
<i>T-80, TB-80 Pump & Turbo Pump</i>			(J-903640); Sec.		LFF3521	<i>1550 w/830 Engine</i>		
L-30937	Air	LAF237 ²	A-77537	Oil	LFP734	S-238646	Air	LAF1813 ²
Sec. (A-58712); Pri.	Fuel	FP1127F LFP3301F	N9086	Trans	LFH5659	S-238647		LAF1814 ¹
A-58672	Oil	LFP54	<i>1150D, 1155D w/504 Engine</i>			F-64318		LAF1871
A-64453		PH24	F-64318	Air	LAF1871	A-77544	Coolant	LFW4071 ²⁸
A-75294		PH675	R-29295		LAF8668 ²	(J-925274); Pri.	Fuel	LFF3417
CASE (CRAWLER DOZER)			R-36361		LAF8674 ¹	(J-903640); Sec.		LFF3521
<i>1000B</i>			Sec. (A-41745); Pri.	Fuel	FP1127F LFP3301F	D-42995	Hydraulic	P92 ¹⁰⁷⁷
(A-57228); S/N 7010001-7101200; In-Line (72320); S/N 7010001-7101200; Pri.	Fuel	FP953F ²⁴⁴	N9086	Hydraulic	LFH5659 ³⁴	A-77537	Oil	LFP734
		L3570F	N6665		LH4475	N-14232	Trans	LFH4473
<i>1000B, 1000C, 1000D w/Diesel Engine</i>			D-42995		P92 ¹⁰⁷⁷	<i>1650K w/Cummins 6BTA5.9L eng</i>		
(A-57228); In-Line (72320); Pri.	Fuel	FP953F ²⁴⁴	A-44081	Oil	PH675	(J930942); Pri.	Fuel	LFF3417
(34457); -S/N 7101201	Hydraulic	LP32	<i>1150E, 1155E w/590 Engine</i>			(J903640); Sec.		LFF3521
<i>1000D</i>			F-64318	Air	LAF1871	1931153	Oil	LFP780
(A-57228); S/N 7103001 up; In-Line (72320); S/N 7103001 up; Pri.	Fuel	FP953F ²⁴⁴	R-29295		LAF8668 ²	<i>1650M XLT, 1650M WT w/FPT F4HFE613 engine</i>		
		L3570F	R-36361		LAF8674 ¹		Air	LAF5932 ¹
<i>1150, 1150B w/451BD Diesel Engine</i>			J100304	Coolant	LFW4071 ²⁸			LAF8149 ²
A-40866	Air	LAF1246 ²	(J-925274); Pri.	Fuel	LFF3417		Cabin Air	AF299
L-33913		LAF234HD ^{2, 181}	(J-903640); Sec.		LFF3521		Fuel	LFF5421
R-29295		LAF8668 ²	J-908615	Oil	LFP780		Oil	LFP6023
R-36361		LAF8674 ¹			LFP780XL ¹⁴	<i>1850K w/6BT5.9 Engine</i>		
(A-7627); -S/N 2205977; Sec.	Fuel	261F	N9086	Trans	LFH5659	1931144	Air	LAF8648
Sec. (A-57228); In-Line (A-41745); Pri. (A-41745); S/N 2205978-2572691; Pri.		FP1127F FP953F ²⁴⁴ LFP3301F LFP3301F	<i>1150G, 1150H w/6T-590 Engine</i>			1931143		LAF8729 ²
		LH4920	F-64318	Air	LAF1871	J100304	Coolant	LFW4071 ²⁸
D-35995	Hydraulic	LH4928 ¹⁰⁸⁸	R-29295		LAF8668 ²	(J930942); Pri.	Fuel	LFF3417
A-65854		LH4930 ¹¹¹⁹	R-36361		LAF8674 ¹	(J903640); Sec.		LFF3521
D-32211		P92 ¹⁰⁷⁷	187471-A1		LAF9542 ²		Oil	LFP780
D-42995			187472-A1		LAF9543 ¹	<i>2050M LT, 2050M WT w/FPT F4HFE613W engine</i>		
A-20822	Oil	P119	(J-925274); Pri.	Fuel	LFF3417		Air	LAF5932 ¹
A-75294		PH675	(J-903640); Sec.		LFF3521			LAF8149 ²
			J-908615	Oil	LFP780		Cabin Air	AF299
			N9086	Trans	LFH5659		Fuel	LFF5421
			<i>1150M LT, 1150M WT w/FPT F4HFE613 engine</i>				Oil	LFP6023
				Air	LAF5932 ¹	<i>2050M XLT w/FPT F4HFE613W engine</i>		
				Cabin Air	LAF8149 ²		Air	LAF5932 ¹
				Fuel	LFF5421			LAF8149 ²
				Oil	LFP6023		Cabin Air	AF299
			<i>1450, 1450B, 1455B w/504 Engine</i>				Fuel	LFF5421
			S-231996	Air	LAF6587 ²	<i>310D, 310E, 310F</i>		
					LAF6587MXM ^{2, 268}	(A-51346); Sec.	Fuel	L296F ⁴¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 28-Contains 1 oz. of chemical 34-Vertical mounted 41-Cartridge 181-Single 244-Secondary 268-Extended/Severe service 275-Primary 1077-Hyd. Tank 1088-Pressure Line 1119-Suction Line 1122-7/8" Adaptor 1123-1" Adaptor 1496-Alternate

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (CRAWLER DOZER)			CASE (CRAWLER DOZER)			CASE (CRAWLER DOZER)		
310D, 310E, 310F (cont'd)			450C, 455C (cont'd)			650H, 750H w/Cummins 4T-390 Engine (cont'd)		
A-146696	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Air	LAF9538MXM ^{2, 268}	J-908616	Oil	LFP3900
310G				Fuel	LFF3417 LFF3521	650K Series II		
D-48198	Air	LAF1275 ²	(J-925274); Pri.			222421A1	Air	LAF4544 ^{2, 147} LAF4544MXM ^{147, 291}
(A-51346); Sec.	Fuel	L296F ⁴¹	(J-903640); Sec.	Hydraulic	LFH4910	222422A1		LAF4545 ^{1, 147}
D-32212	Hydraulic	LP212	N-9025	Oil	LFP3900	87803194	Fuel	FP587F ¹⁴⁷ L7693F ¹⁴⁷
A-146696	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	500, 520, 600 w/Diesel eng			(194199A1); In-Line	Hydraulic	LFH4972 ^{147, 1132} LFH8294 ^{147, 1131}
A-146696			G-45008	Oil	P4	402652A1		LFF6015 ¹⁴⁷
350			550, 550E			254353A1		LAF4544MXM ^{217, 291}
D-48198	Air	LAF1275 ²	A-173291	Air	LAF1784 ¹	87803261	Oil	LFP6015 ¹⁴⁷
S/N 2718490-; Sec.	Fuel	FP862F FP863F	128781A1		LAF8124 ¹	222421A1	Air	LAF4544 ^{2, 217} LAF4544MXM ^{217, 291}
(A151281); S/N 2718490-; Pri.			128782A1		LAF8405 ¹			LAF4545 ^{1, 217}
(A-51346); -S/N 2718489; Sec.		L296F ⁴¹	A-173290		LAF9538 ²			
(A35863); -S/N 2718489; Pri.		L8188F		Fuel	LFF3417 LFF3521 LFF8062 ¹²	87803194	Fuel	FP587F ²¹⁷ L7693F ²¹⁷
D-75831	Hydraulic	LH4264	(J-925274); Pri.			(194199A1); In-Line	Hydraulic	LFH4972 ^{217, 1132} LFH8294 ^{217, 1131}
A-146696	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	(J-903640); Sec.	Hydraulic	LFH4910	402652A1	Oil	LFP6015 ²¹⁷
A-146696			(J-931062); W/S	Oil	LFP3900	254353A1		LFP6015 ²¹⁷
D-51411	Trans	LP213 ¹⁰⁸⁵	N-9025	Trans	LFH4910	87803261		
350B			600 w/Gas Engine			650K w/Case 445T 4.5L Engine		
D-82775	Air	LAF1948 ¹	34457	Hydraulic	LP32	222421A1	Air	LAF4544 ² LAF4544MXM ^{2, 268}
S-236468		LAF281 ²	650 w/Cummins 4T-390 Engine			222422A1		LAF4545 ¹
Sec.	Fuel	FP862F FP863F	A-47033	Air	LAF1923 ¹	(194199A1); In-Line	Fuel	L7693F
(A-151281); Pri.			A-47032		LAF1924 ²	254353A1	Hydraulic	LFH4910
D-75831	Hydraulic	LH4264	(J-925274); Pri.	Fuel	LFF3417	402652A1	Oil	LFP3900
A-146696	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	(J-903640); Sec.		LFF3521	J908616		LFP3900
A-146696			J-908616	Oil	LFP3900	650L w/Case 445T 4.5L Engine		
400 w/Diesel eng			N-9025	Trans	LFH4910	222421A1	Air	LAF4544 ² LAF4544MXM ^{2, 268}
(A-57228); In-Line	Fuel	FP953F ²⁴⁴	650 w/Cummins Engine			222422A1		LAF4545 ¹
420C			A-47033	Air	LAF1923 ¹	87803200	Fuel	LFF5421
(A-51346); Sec.	Fuel	L296F ⁴¹	A-47032		LAF1924 ²	254353A1	Hydraulic	LFH8294 ¹¹³¹
A-146696	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	(J-925274); Pri.	Fuel	LFF3417	87803261	Oil	LFP6015
A-146696			(J-903640); Sec.		LFF3521	750 w/Cummins Engine		
450 w/207 Engine			J-908616	Oil	LFP3900	(A-7627); Sec.	Fuel	261F FP953F ²⁴⁴
A-42274	Air	LAF222 ²	N-9025	Trans	LFH4910	(A-57228); In-Line	Oil	P119
S/N 2718490-; Sec.	Fuel	FP862F FP863F	650G w/Cummins 4T-390 Engine			A-20822		
(A-151281); S/N 2718490-; Pri.			A-47033	Air	LAF1923 ¹	750L w/445TA/E66 Tier 3 Engine		
(A-51346); -S/N 2718490; Sec.		L296F ⁴¹	A-47032		LAF1924 ²	222421A1	Air	LAF4544 ² LAF4544MXM ^{2, 268}
D-75831	Hydraulic	LH4264 LH4928 ¹⁰⁸⁸ LP212	222421A1		LAF4544 ²	222422A1		LAF4545 ¹
A-65854			222422A1	Fuel	LAF4545 ¹	(194199A1); In-Line	Fuel	L7693F LFF5421
D-32212	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	(J-925274); Pri.		LFF3417	87803200	Hydraulic	LFH4972 ¹¹³² LFH8294 ¹¹³¹
A-146696			(J-903640); Sec.	Hydraulic	LFH4910	402652A1	Oil	LFP6015
A-146696			(J-931062); W/S	Oil	LFP780	254353A1		
450B, 455B			N-9025	Oil	LFP780XL ¹⁴	87803261		
D-82775	Air	LAF1948 ¹ LAF281 ²	650H, 750H w/Cummins 4T-390 Engine			750L w/Case 445T 4.5L Engine		
S-236468			F-64318	Air	LAF1871	222421A1	Air	LAF4544 ^{2, 147} LAF4544MXM ^{147, 291}
Sec.	Fuel	FP862F FP863F	222421A1		LAF4544 ²	222422A1		LAF4545 ^{1, 147}
(A-151281); Pri.			222422A1		LAF4544MXM ^{2, 268}	402652A1	Hydraulic	LFH4972 ^{147, 1132} LFH8294 ^{147, 1131}
A-146696	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	(J-930942); Pri.	Fuel	LFF3417	254353A1		LFP6015 ¹⁴⁷
A-146696			(J-903640); Sec.		LFF3521	87803261	Oil	LFP6015 ¹⁴⁷
450C, 455C			(J-931062); W/S		LFF8062 ¹²	222421A1	Air	LAF4544 ^{2, 217}
A-173291	Air	LAF1784 ¹						
A-173290		LAF9538 ²						

Se reporter à table de matière pour les notes en bas de page en français. Utilise el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 14-Extended Life 41-Cartridge 147-To 12/06 217-From 01/05 244-Secondary 268-Extended/Severe service 275-Primary 291-Extended/Severe service. 1085-Power Shuttle 1088-Pressure Line 1131-4.77" O.D. 1132-4" O.D. 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (CRAWLER DOZER)			CASE (CRAWLER DOZER)			CASE (CRAWLER DOZER)		
<i>750L w/Case 445T 4.5L Engine (cont'd)</i>			<i>850C, 855C w/Diesel Engine (cont'd)</i>			<i>850K Series III w/Case 668T/M2 eng (cont'd)</i>		
222422A1	Air	LAF4544MXM ²¹⁷ LAF4545 ^{1, 217}	(D-78336); w/o Turbo Sec.	Air	LAF4155 ¹ FP1127F LFP3301F	87803194 (194199A1); In-Line	Fuel	FP587F L7693F
402652A1	Hydraulic	LFH4972 ^{217, 1132}	(A-41745); Pri.	Fuel	LFP3301F	254353A1	Hydraulic	LFH8294
254353A1		LFH8294 ^{217, 1131}	D-32211	Hydraulic	LH4930 ¹¹¹⁹	87803261	Oil	LFP6015
87803261	Oil	LFP6015 ²¹⁷	A-44081	Oil	PH675	402652A1	Trans	LFH4972
<i>750M (FPT F5HFL413J Engine)</i>			<i>850D, 855D w/590 Engine</i>			<i>850K w/Cummins 6T-590 Engine</i>		
87682993	Air	LAF4544 ² LAF4544MXM ^{2, 268}	F-64318 A-47033 A-47032	Air	LAF1871 LAF1923 ¹ LAF1924 ²	222421A1	Air	LAF4544 ² LAF4544MXM ^{2, 268}
87682999		LAF4545 ¹	(J-925274); Pri.	Fuel	LFF3417 LFF3521	222422A1 392120A1		LAF4545 ¹ LAF8149 ²
604452T2	Cabin Air	AF299	(J-903640); Sec.	Hydraulic	LFH4910	(194199A1); In-Line	Fuel	L7693F
254353A1	Hydraulic	LFH8294	N-9025 D-32211	Hydraulic	LH4930 ¹¹¹⁹	(J-930742); Pri. (J-931062); W/S		LFF3417 LFF8062 ¹²
<i>800 w/A276D Engine</i>			<i>850E, 855E w/Cummins Engine</i>			<i>850M LT, 850M WT w/FPT F4HFE613P engine</i>		
(A-57228); In-Line (72320); Pri.	Fuel	FP953F ²⁴⁴ L3570F	J-908615	Oil	LFP780 LFP780XL ¹⁴	254353A1 402652A1	Hydraulic	LFH4910 LFH4972
(34457); -S/N 7081201	Hydraulic	LP32	<i>850G w/6T/590 Engine</i>			J937743	Oil	LFP780 LFP780XL ¹⁴
<i>850</i>			<i>850H w/Cummins Engine</i>			<i>330 w/Cummins QSM11 Engine</i>		
(A-40866); S/N 7073469-7076500	Air	LAF1246 ²	F-64318 A-47033 A-47032	Air	LAF1871 LAF1923 ¹ LAF1924 ²	8900119926 8900119925	Air	LAF8150 ² LAF8693 ¹
(A-40866); up to S/N 7073469		LAF1246 ²	(J-925274); Pri. (J-903640); Sec.	Fuel	LFF3417 LFF3521	J318318 (8900131285); W/S (8900129805); W/S	Coolant	LFW4075 ⁶⁴⁴
(A-7627); up to S/N 7073469; Sec.	Fuel	261F	N-9025 J-908615	Hydraulic	LFH4910	8900131282 8900131282	Fuel	LFF1000 LFF1003 ²⁰⁹
S/N 7073469-7076500; Sec.		FP1127F		Oil	LFP780 LFP780XL ¹⁴	332202A1	Oil	LFP9001 ²⁵⁰ LFP9001XL ^{14, 250}
(A-57228); up to S/N 7073469; In-Line (A-41745); S/N 7073469-7076500; Pri.		FP953F ²⁴⁴	<i>850K Series II w/Case 668T/M2 eng</i>			<i>1000 w/Cummins Engine</i>		
(D-32211); S/N 7073469-7076500	Hydraulic	LFP791 ¹¹¹⁹	392121A1 392120A1	Air	LAF5932 ¹ LAF8149 ²	P-1050506 (P-1050507); S/N 14031-	Air	LAF1816 ¹ LAF5069 ²
7073469-7076500 (D-35995); S/N 7073469-7076500		LH4920	87803194 (194199A1); In-Line	Fuel	FP587F L7693F	P-850569 (P-850568); -S/N 14030		LAF5069MXM ^{2, 268} LAF9085 ¹ LAF9086 ²
(D-35995); up to S/N 7073469		LH4920	254353A1	Hydraulic	LFH8294	S/N 14030		LAF9086MXM ^{2, 268}
(A-65854); S/N 7073469-7076500		LH4928 ¹⁰⁸⁸	87803261	Oil	LFP6015	<i>1000 w/Deutz Engine</i>		
(A-65854); up to S/N 7073469		LH4928 ¹⁰⁸⁸	402652A1	Trans	LFH4972	P-1050506 (P-1050507); S/N 14031-	Air	LAF1816 ¹ LAF5069 ²
(D-32211); up to S/N 7073469		LH4930 ¹¹¹⁹	<i>850C, 855C w/Diesel Engine</i>			<i>850K Series III w/Case 668T/M2 eng</i>		
(A-20822); up to S/N 7073469	Oil	P119	(D-80480); w/o Turbo F-64318	Air	LAF1246 ² LAF1871	392121A1 392120A1	Air	LAF5932 ¹ LAF8149 ²
(A-146696); S/N 7073469-7076500		PH400 ²⁷⁵	<i>850B w/Diesel Engine</i>			<i>1000 w/Cummins Engine</i>		
(A-146696); S/N 7073469-7076500		PH8A ¹⁴⁹⁶	(A-40866); w/o Turbo (D-78336); w/o Turbo Sec.	Air	LAF1246 ² LAF4155 ¹	P-1050506 (P-1050507); S/N 14031-	Air	LAF1816 ¹ LAF5069 ²
(A-41745); Pri.	Fuel	FP1127F LFP3301F	(A-41745); Pri.	Fuel	FP1127F LFP3301F	P-850569 (P-850568); -S/N 14030		LAF5069MXM ^{2, 268} LAF9085 ¹ LAF9086 ²
D-32211	Hydraulic	LH4930 ¹¹¹⁹	D-32211	Hydraulic	LH4930 ¹¹¹⁹	S/N 14030		LAF9086MXM ^{2, 268}
A-75294	Oil	PH675	A-75294	Oil	PH675	<i>1000 w/Deutz Engine</i>		
<i>850C, 855C w/Diesel Engine</i>			<i>850K Series III w/Case 668T/M2 eng</i>			<i>1000 w/Deutz Engine</i>		
(D-80480); w/o Turbo F-64318	Air	LAF1246 ² LAF1871	392121A1 392120A1	Air	LAF5932 ¹ LAF8149 ²	P-1050506 (P-1050507); S/N 14031-	Air	LAF1816 ¹ LAF5069 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 14-Extended Life 209-Square sensor port 217-From 01/05 244-Secondary 250-11.9" Hgt. 268-Extended/Severe service
275-Primary 291-Extended/Severe service. 610-Charge Pump 644-Contains 6 oz. of chemical 783-Pressure side 1088-Pressure Line 1119-Suction Line
1131-4.77" O.D. 1132-4" O.D. 1496-Alternate

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (EXCAVATOR)			CASE (EXCAVATOR)			CASE (EXCAVATOR)		
<i>1000 w/Deutz Engine (cont'd)</i>			<i>1088 w/Case 6T5.9 Engine</i>			<i>1285, 1286 Wheel Mounted (cont'd)</i>		
S/N 14031	Air	LAF5069MXM ^{2, 268}	A-47033	Air	LAF1923 ¹	S-114193	Hydraulic	LH4387 ¹⁰⁹⁹
P-850569		LAF9085 ¹	A-47032		LAF1924 ²	S-111605		LH4939
(P-850568); -S/N		LAF9086 ²	P-1950594L	Fuel	L3523F	A-44081	Oil	PH675
14030			Pri.		LFF3417	<i>1288 w/Case 6T830 Engine</i>		
S/N 14030		LAF9086MXM ^{2, 268}	(J-903640); Sec.		LFF3521	A-171255	Air	LAF1889 ²
<i>1080, 1080B w/4-71 Detroit Diesel Engine</i>			J-908615	Oil	LFP780	A-171256		LAF1922 ¹
S-231996	Air	LAF6587 ²	<i>1187, 1187B w/504 Engine</i>			A-77544	Coolant	LFW4071 ²⁸
		LAF6587MXM ^{2, 268}	S-231996	Air	LAF6587 ²	(A-77470); Pri.	Fuel	LFF3417
		LAF6834 ¹			LAF6587MXM ^{2, 268}	Sec.		LFF3521
N-6660			N-6660		LAF6834 ¹	J-919562	Oil	LFP2265
Sec.	Fuel	LFP928F	Sec.	Fuel	FP1127F	<i>300 Crawler w/Deutz Engine</i>		
Pri.		LFP936F	(A-44068); Pri.		LFP3301F	P-850569	Air	LAF9085 ¹
	Oil	LFP911	S-111605	Hydraulic	LH4979	P-850568		LAF9086 ²
By-Pass		LFP911XL ¹⁴	A-44081	Oil	PH675			LAF9086MXM ^{2, 268}
		P71	<i>1187C w/Cummins 8.3L Engine</i>			P-1050595	Fuel	LFF8092
<i>1080, 1080B w/Case Engine</i>			S-231996	Air	LAF6587 ²	2150580	Hydraulic	LH8245
S-231996	Air	LAF6587 ²			LAF6587MXM ^{2, 268}	P-1350575	Oil	LFP2222
		LAF6587MXM ^{2, 268}	N-6660		LAF6834 ¹	<i>400 Crawler w/Deutz Engine</i>		
		LAF6834 ¹	A-77544	Coolant	LFW4071 ²⁸	P-850569	Air	LAF9085 ¹
N-6660			D-139225	Fuel	L3523F	P-850568		LAF9086 ²
Sec.	Fuel	FP1127F	(J-925274); Pri.		LFF3417			LAF9086MXM ^{2, 268}
(A41745); Pri.		LFP3301F	(J-903640); Sec.		LFF3521	P-1050595	Fuel	LFF8092
A-75294	Oil	PH675	S-111605	Hydraulic	LH4979	2150580	Hydraulic	LH8245
<i>1080, 1080B w/Deutz Engine</i>			A-77537	Oil	LFP734	P-1350575	Oil	LFP2222
S-231996	Air	LAF6587 ²	<i>125PB w/Deutz Engine</i>			<i>40F</i>		
		LAF6587MXM ^{2, 268}	S-231996	Air	LAF6587 ²	R-29295	Air	LAF8668 ²
		LAF6834 ¹			LAF6587MXM ^{2, 268}	R36361		LAF8674 ¹
N-6660			P-850561		LAF6834 ¹	S-107791	Hydraulic	LH4939
Sec.	Fuel	FP1127F	P-150564	Fuel	FP586F	N-9960		LP132 ¹⁰⁹⁹
(A41745); Pri.		LFP3301F	P-850589	Oil	LFP8590	<i>588 w/Cummins 4T390 Engine</i>		
A-75294	Oil	PH675	<i>1280, 1280B Crawler w/Case Engine</i>			(J-925274); Pri.	Fuel	LFF3417
<i>1085, 1086</i>			S-231996	Air	LAF6587 ²	J-903640		LFF3521
R-29295	Air	LAF8668 ²			LAF6587MXM ^{2, 268}	J-908616	Oil	LFP3900
R-36361		LAF8674 ¹	N-6660		LAF6834 ¹	<i>600 Crawler w/Cummins Engine</i>		
S-107791	Hydraulic	LH4939	Sec.	Fuel	FP1127F	P-850569	Air	LAF9085 ¹
S-108971		LH4939 ¹⁰⁷⁸	(A-41745); Pri.		LFP3301F	P-850568		LAF9086 ²
N-9960		LP132 ¹⁰⁹⁹	S-116428	Hydraulic	LH4994			LAF9086MXM ^{2, 268}
<i>1085B, 1086B</i>			A-75294	Oil	PH675	<i>600 Crawler w/Deutz Engine</i>		
R-29295	Air	LAF8668 ²	<i>1280, 1280B w/6-53 Detroit Diesel Engine</i>			P-850569	Air	LAF9085 ¹
R-36361		LAF8674 ¹	S-231996	Air	LAF6587 ²	P-850568		LAF9086 ²
Pri.	Fuel	LFF3417			LAF6587MXM ^{2, 268}			LAF9086MXM ^{2, 268}
(J-903640); Sec.		LFF3521	N-6660		LAF6834 ¹	<i>688, 688P w/Cummins 4T-390 Engine</i>		
S-107791	Hydraulic	LH4939	Sec.	Fuel	LFP928F	P-1950555	Air	LAF8583 ²
S-108971		LH4939 ¹⁰⁷⁸	Pri.		LFP936F	P-2150506		LAF8663 ¹
N-9960		LP132 ¹⁰⁹⁹	S-116428	Hydraulic	LH4994	P-250581		LAF9410 ¹
J-908615	Oil	LFP780			LFP911	(J-925274); Pri.	Fuel	LFF3417
		LFP780XL ¹⁴	By-Pass		LFP911XL ¹⁴	(J-903640); Sec.		LFF3521
<i>1085C w/Cummins 5.9L Engine</i>					P71	J-908616	Oil	LFP3900
R-29295	Air	LAF8668 ²	<i>1285, 1286 Wheel Mounted</i>			<i>880, 880B w/Diesel Engine</i>		
R-36361		LAF8674 ¹	S-238646	Air	LAF1813 ²	D-37975	Air	LAF1246 ²
(J-925274); Pri.	Fuel	LFF3417	S-238647		LAF1814 ¹	D-56453		LAF1544 ²
(J-903640); Sec.		LFF3521	Sec.	Fuel	FP1127F	Sec.	Fuel	FP1127F
N-9086	Hydraulic	LFH5659	(A-41745); Pri.		LFP3301F	(A-58712); Pri.		LFP3301F
J-908615	Oil	LFP780				A-62434	Hydraulic	LP509
		LFP780XL ¹⁴				A-146696	Oil	PH400 ^{275, 1499}
N-9025	Trans	LFH4910						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 28-Contains 1 oz. of chemical 268-Extended/Severe service 275-Primary 1078-Drain 1099-Torque Converter 1499-3/4" Thread"

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (EXCAVATOR)			CASE (EXCAVATOR)			CASE (EXCAVATOR)		
880, 880B w/Diesel Engine (cont'd)			9030 w/Cummins 6T590 Engine			980B w/Case Engine		
A-44081	Oil	PH675 ³⁰	153239A1	Air	LAF1947 ²	L-33913	Air	LAF234HD ²
A-146696		PH8A ^{677, 1496}	D-145357	Fuel	L3419F	S-231996		LAF6587
880C			(J-925274); Pri.		LFF3417			LAF6587MXM ²⁶⁸
(D-56453); S/N	Air	LAF1544 ²	(J-903640); Sec.		LFF3521	Sec.	Fuel	FP1127F
6205253-		LAF1725 ¹	153233A1	Hydraulic	LH22019 ¹¹³⁷	Pri.		LFP3301F
(S-117746); -S/N			J-908615	Oil	LFP780	A-44081	Oil	PH675
6205253		LAF9001 ²	9030B w/Cummins 6T590 Engine			CX130 w/Cummins 4TA-390 Engine		
(S-117745); -S/N			161863A1	Air	LAF1804 ²	KRH1320	Air	LAF5732 ¹
6205253			N-6660		LAF6834 ¹	KRH0652		LAF5733 ²
Sec.	Fuel	FP1127F	D-145357	Fuel	L3419F	D139225	Fuel	L3523F
(A-44068); Pri.		LFP3301F	(J-925274); Pri.		LFF3417	(J931062); W/S		LFF8062
(S-107791); S/N	Hydraulic	LH4939 ¹¹²⁸	(J-903640); Sec.		LFF3521	151552A1	Hydraulic	LH22002 ¹¹³⁷
6205236-		LH4939 ¹¹³⁶	153233A1	Hydraulic	LH22019 ¹¹³⁷	KHJ1493		LH22002 ⁶⁰⁷
(S-107791); -S/N		LP50910 ¹¹²⁸	J-908615	Oil	LFP780	153233A1		LH22019
6205236			9040, 9040B w/Cummins 6T830 Engine			J908616	Oil	LFP3900
(S-62434); -S/N			150783A1	Air	LAF1787 ²	CX130C w/Isuzu AM4JJIX Interim Tier 4 Engine		
6205236			151397A1		LAF1790 ¹		Air	LAF9543 ¹
A-75294	Oil	PH675	A-77544	Coolant	LFW4071 ²⁸			LAF9547 ²
880D			D-145357	Fuel	L3419F	84273157	Fuel	L8893F
R-29295	Air	LAF8668 ²	Pri.		LFF3417	KHH12030		L8968F
R-36361		LAF8674 ¹	(J-903640); Sec.		LFF3521	87327673	Oil	LFP7217
Pri.	Fuel	LFF3417	(J-903640); Sec.		LFF3521	CX130D (w/Isuzu AR-4JJ1X Engine)		
(J-903640); Sec.		LFF3521	153233A1	Hydraulic	LH22019 ¹¹³⁷		Air	LAF9543 ¹
S-107791	Hydraulic	LH4939	J-919562	Oil	LFP2265			LAF9547 ²
J-908615	Oil	LFP780	9045B w/Cummins Engine			84273157	Fuel	L8893F
		LFP780XL ¹⁴	150783A1	Air	LAF1787 ²	KHH12030		L8968F
880R Wheel			151397A1		LAF1790 ¹	87327673	Oil	LFP7217
A-40866	Air	LAF1246 ²	A77544	Coolant	LFW4071 ²⁸	CX135 w/Isuzu AJ-4JJ1X Tier 3 Engine		
Sec.	Fuel	FP1127F		Fuel	L3523F	87682993	Air	LAF4544 ²
(A-41745); Pri.		LFP3301F	153233A1	Hydraulic	LH22019 ¹¹³⁷	87682999		LAF4545 ¹
562434	Hydraulic	LP50910	9050, 9060, 9050B, 9060B w/Mitsubishi 6D22 Engine			87379813	Oil	LFP7217
A-75294	Oil	PH675	150783A1	Air	LAF1787 ²	CX135SR		
888 w/Cummins Engine			151397A1		LAF1790 ¹	KMH0781	Air	LAF4544 ²
A-47033	Air	LAF1923 ¹	150794A1	Hydraulic	LFH4943 ⁶⁰⁷	KMH0830		LAF4545 ¹
(A-47032); S/N 15401		LAF1924 ²	151197A1	Oil	LP2545	368446A1	Fuel	FP588F
(P-2150506); -S/N 15401		LAF8663 ¹	9050B, 9060B w/Cummins Engine			CX14 w/Yanmar 3TNE68 Engine		
Pri.	Fuel	LFF3417	150783A1	Air	LAF1787 ²	VV12455055700	Fuel	L4103F
(J-903640); Sec.		LFF3521	151397A1		LAF1790 ¹	PA33H01040P1	Hydraulic	LFH7551 ⁶⁰⁷
J-908615	Oil	LFP780	P537876		LAF8669 ²	VV11930535150	Oil	PH2876
		LFP780XL ¹⁴	P537877		LAF8670 ¹	CX145C SR w/Isuzu AM4JJ1X Interim Tier 4 Engine		
9010, 9010B w/Cummins 4T390 Engine			A-77544	Coolant	LFW4071 ²⁸		Air	LAF4544 ²
150478A1	Air	LAF1544 ²	D-145357	Fuel	L3419F			LAF4544MXM ^{2, 268}
150482A1		LAF1933 ¹	(90-3941T1); W/S		LFF8020		Fuel	L8968F
D-145357	Fuel	L3419F	W/S		LFF90013 ¹²		Oil	LFP7217
(J-925274); Pri.		LFF3417	150794A1	Hydraulic	LFH4943 ⁶⁰⁷	CX160 w/Cummins 4TA-390 Engine		
(J-903640); Sec.		LFF3521	153233A1		LH22019 ¹¹³⁷	KRH1320	Air	LAF5732 ¹
153233A1	Hydraulic	LH22019 ¹¹³⁷	90-7101T1	Oil	LFP3000	KRH0652		LAF5733 ²
J-908616	Oil	LFP3900	980 w/Case Engine			D139225	Fuel	L3523F
9020, 9020B w/Cummins 4T390 Engine				Air	LAF234HD ²	(J931062); W/S		LFF8062
150478A1	Air	LAF1544 ²	Sec.	Fuel	FP1127F	151552A1	Hydraulic	LH22002 ¹¹³⁷
150482A1		LAF1933 ¹	Pri.		LFP3301F	KHJ1493		LH22002 ⁶⁰⁷
D-145357	Fuel	L3419F		Hydraulic	LP50910	153233A1		LH22019
(J-925274); Pri.		LFF3417		Oil	PH24	J908616	Oil	LFP3900
(J-903640); Sec.		LFF3521						
153233A1	Hydraulic	LH22019 ¹¹³⁷						
J-908616	Oil	LFP3900						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 14-Extended Life 28-Contains 1 oz. of chemical 30-1" x 12 Thread 268-Extended/Severe service 607-Return 677-3/4" thread 1128-Rear 1136-Front 1137-Pilot 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (EXCAVATOR)			CASE (EXCAVATOR)			CASE (EXCAVATOR)		
<i>CX160C w/Isuzu AM4JJIX Interim Tier 4 Engine</i>			<i>CX210N w/Isuzu 6BG1T Engine (cont'd)</i>			<i>CX300C w/Isuzu 6HK1X Engine (cont'd)</i>		
	Air	LAF9543 ¹ LAF9547 ²	(86987694); By-Pass	Oil	LFP777B	(KSH0932); Also see Drott	Air	LAF8670 ¹
Sec.	Fuel	L8893F L8968F	KBH0921 KBH0922	Air	LAF5761 ² LAF5762 ¹	(87327673); Also see Drott	Oil	LFP7217
Pri.	Oil	LFP7217	84273157	Fuel	L8893F	<i>CX300D (w/Isuzu AQ-6HK1X Final Tier 4 Engine)</i>		
<i>CX160D (w/Isuzu AR-4JJ1X Engine)</i>			84206729	Oil	LFP7217	KSH0933	Air	LAF8669 ² LAF8670 ¹
	Air	LAF9543 ¹ LAF9547 ²	<i>CX225SR</i>			KSH0932		
(84273157); Sec.	Fuel	L8893F L8968F	KRH1320	Air	LAF5732 ¹ LAF5733 ²	84273157	Fuel	L8893F L8968F
(KHH12030); Pri.			KRH0652			KHH12030		
87327673	Oil	LFP7217	288871A1	Oil	LFP734 LFP777B	87379813	Oil	LFP7217
<i>CX16B, CX18B w/Yanmar 3TNE74N Engine</i>			<i>CX235C SR (w/AM-4HK1X Engine)</i>			<i>CX31 Yanmar 3TNE82A Engine</i>		
72276230	Fuel	L4103F	87704244	Air	LAF9543 ¹ LAF9547 ²	PY02P000073	Air	LAF8195 ² LAF8690 ¹
72276225	Oil	PH2876	87682992			PW11P01019P1		
<i>CX17B w/Mitsubishi Tier 3 Engine</i>			(84273157); Sec.	Fuel	L8893F L8968F	VV11981055650	Fuel	L4103F
PM11P00006S002	Air	LAF8388 ²	(KHH12030); Pri.			PA33H01040P1	Hydraulic	LFH7551 ⁶⁰⁷
MM32088601	Fuel	L3541F	84206729	Oil	LFP7217	VV12915035151	Oil	PH2808
30A4000103	Oil	PH2867	<i>CX240B, CX240BLR w/Tier 3 Engine</i>			<i>CX31B w/Yanmar 3TNV88-PYB Tier 4 Engine</i>		
<i>CX210, CX240 w/Cummins 6TAA-590 Engine</i>			KBH0921	Air	LAF5761 ² LAF5762 ¹	119000-55600	Fuel	LFF8350
KRH1320	Air	LAF5732 ¹ LAF5733 ²	KBH0922			12915035152	Oil	PH2808 ¹¹³⁸
KRH0652			87327673	Oil	LFP7217	<i>CX330, CX330LR w/Cummins 6TAA8304 Engine</i>		
(194199A1); In-Line	Fuel	L7693F LFF9519	<i>CX25 w/Yanmar 3TNE74 Engine</i>			KSH0933	Air	LAF8669 ² LAF8670 ¹
(J942533); W/S			PM11P00006S002	Air	LAF8388 ²	KSH0932		
151552A1	Hydraulic	LH22002 ¹¹³⁷	VV12455055700	Fuel	L4103F	(194199A1); In-Line	Fuel	L7693F
153233A1			VV11930535150	Oil	PH2876	J800394		LFF1022
159274A1		LH5953 ⁶⁰⁷	<i>CX250C w/Isuzu 4HK1X Tier 4 Engine</i>			153233A1	Hydraulic	LH22019
J942365	Oil	LFP3970	(KBH0921); Also see Drott	Air	LAF5761 ²	366700A1	Oil	LFP3000
<i>CX210C w/Isuzu 4HK1X Tier 4 Engine</i>			(KBH0922); Also see Drott			<i>CX330, CX330LR w/Isuzu AH6HK1X Tier 3 Engine</i>		
(KBH0921); Also see Drott	Air	LAF5761 ²	(87327673); Also see Drott	Oil	LFP7217	KSH0933	Air	LAF8669 ² LAF8670 ¹
(KBH0922); Also see Drott			<i>CX250D (w/Isuzu AQ-4HK1X Engine)</i>			KSH0932		
(84273157); Also see Drott	Fuel	L8893F	KBH0921	Air	LAF5761 ² LAF5762 ¹	153233A1	Hydraulic	LH22019
(84206729); Also see Drott	Oil	LFP7217	KBH0922			87327673	Oil	LFP7217
<i>CX210D (w/Isuzu AR-4HK1X Engine)</i>			(84273157); Sec.	Fuel	L8893F L8968F	<i>CX350B w/Isuzu AH-6HK1YSS Tier 3 Engine</i>		
(KBH0921); Also see Drott	Air	LAF5761 ²	(KHH12030); Pri.			KSH0933	Air	LAF8669 ² LAF8670 ¹
(KBH0922); Also see Drott			87327673	Oil	LFP7217	KSH0932		
(KHH12030); Pri.	Coolant	L8968F	<i>CX254</i>			87379813	Oil	LFP7217
(84273157); Also see Drott; Sec.	Fuel	L8893F	P772579	Air	LAF8148 ²	<i>CX350C (w/Isuzu AL-6HK1X Interim Tier 4 Engine)</i>		
(84206729); Also see Drott	Oil	LFP7217	<i>CX27B w/Yanmar 3TNV82-SYB Engine</i>			KSH0933	Air	LAF8669 ² LAF8670 ¹
<i>CX210N w/Isuzu 6BG1T Engine</i>			11980255800	Fuel	LFF8350	KSH0932		
KRH1320	Air	LAF5732 ¹ LAF5733 ²	V12915035152	Oil	PH2808	KHH12030	Fuel	L8968F
(KRH0652); DAC721099-721630			<i>CX290 w/Cummins 6TAA590 Engine</i>			87379813	Oil	LFP7217
(KBH0921); DAC721631-KBH0922		LAF5761 ² LAF5762 ¹	KBH0921	Air	LAF5761 ² LAF5762 ¹	<i>CX350D (w/Isuzu AQ-6HK1X Final Tier 4 Engine)</i>		
			KBH0622			KSH0933	Air	LAF8669 ² LAF8670 ¹
			(194199A1); In-Line	Fuel	L7693F LFF9519	(84273157); Sec.	Fuel	L8893F L8968F
			(J942533); W/S			(KHH12030); Pri.		
			151552A1	Hydraulic	LH22002 ¹¹³⁷	87379813	Oil	LFP7217
			153233A1			<i>CX36 w/Yanmar 3TNE82A Engine</i>		
			159274A1		LH5953 ⁶⁰⁷	PY02P000073	Air	LAF8195 ² LAF8690 ¹
			J942365	Oil	LFP3970	PW11P01019P1		
			<i>CX300C w/Isuzu 6HK1X Engine</i>			72276230	Fuel	L4103F
	Fuel	LFF3415	(KSH0933); Also see Drott	Air	LAF8669 ²	S19100650011	Oil	PH2808
153233A1	Hydraulic	LH22019 ¹¹³⁷	<i>CX300C w/Isuzu 6HK1X Engine</i>			<i>CX36B w/Yanmar 3TNV88 Engine</i>		
(288871A1); DAC721099-721576	Oil	LFP734					Fuel	LFF8350
							Oil	PH2808

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 607-Return 1137-Pilot 1138-10

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (EXCAVATOR)			CASE (EXCAVATOR)			CASE (LIFT TRUCK)		
<i>CX370B w/Isuzu AH-6HK1YSS Tier 3 Engine</i>			<i>CX800 w/Isuzu 6WG1T Engine (cont'd)</i>			584		
KSH0933	Air	LAF8669 ²	153233A1	Hydraulic	LH22019		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
KSH0932		LAF8670 ¹	<i>CX800B w/Isuzu AH6WG1X Engine</i>			584, 585, 586 C & D Series		
87379813	Oil	LFP7217	KWH0029	Air	LAF9155	A-42274	Air	LAF222 ²
<i>CX460 w/Isuzu AA6SD1X Engine</i>			KWH0050		LAF9159	(A-39867); Sec.	Fuel	FP862F
KTH0577	Air	LAF8150 ²		Fuel	L7661F	(A-39868); Pri.		FP863F
KTH0576		LAF8693 ¹	87365565		L8893F	N-9025	Hydraulic	LFH4910
(87418199); W/S	Fuel	LFF4294	(87336446); W/S		LFF7415	D-43800		LH4264
(86987694); By-Pass	Oil	LFP777B	84206729	Oil	LFP7217	A-42242		LP1653 ¹¹
<i>CX47 w/Yanmar 4TNE88 Engine</i>			<i>CX80C (w/Isuzu AP-4LE2X Engine)</i>			A-146696		
PY02P00073	Air	LAF8195 ²	87682991	Air	LAF8114 ¹	A-146696	Oil	PH400 ²⁷⁵
PW11P01019P1		LAF8690 ¹	87682994		LAF8143 ²	A-146696		PH8A ¹⁴⁹⁶
S19100670012A	Fuel	L549F	KHH12030	Fuel	L8968F	<i>584C w/207 Engine</i>		
S19100650011	Oil	PH2808	<i>CX80C w/Isuzu AU4LE2X Tier 3 Engine</i>				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>CX470B w/Isuzu AH-6UZ1XYSS Tier 3 Engine</i>			87682991	Air	LAF8114 ¹	<i>584D w/188D Engine</i>		
KTH0577	Air	LAF8150 ²	87682994		LAF8143 ²	<i>584E, 585E, 586E w/390 Engine</i>		
KTH0576		LAF8693 ¹	KHH12030	Fuel	L8968F	A-173291	Air	LAF1784 ¹
(87336446); Pri.	Fuel	LFF8707	CASE (GRADER)			128781-A1		LAF8124 ²
(87336446); Pri.		LFF8707U ⁶⁸⁹	<i>845 w/Cummins Engine</i>			128782-A1		LAF8405 ¹
87379813	Oil	LFP7217	(J286503); Tier 1; W/S	Fuel	LFF8062	A-173290		LAF9538 ²
<i>CX470C w/Isuzu 6HKIX Tier 4 Engine</i>			(J991350); Tier 2		LFF9608			LAF9538MXM ^{2, 268}
(KTH0577); Also see Drott	Air	LAF8150 ²	(J937743); Tier 1	Oil	LFP780	(J-925274); Pri.	Fuel	LFF3417
(KTH0576); Also see Drott		LAF8693 ¹	(J934430); Tier 2		LFP780XL ¹⁴	(J-903640); Sec.		LFF3521
(87336446); Also see Drott; Pri.	Fuel	LFF8707	<i>865 Tier 1</i>			(J-931062); W/S		LFF8062 ¹⁸¹
(87336446); Also see Drott; Pri.		LFF8707U ⁶⁸⁹	(J930942); Pri.	Fuel	LFF3417	N-9025	Hydraulic	LFH4910
(87379813); Also see Drott	Oil	LFP7217	J931063		LFF3521	J-908616	Oil	LFP3900
<i>CX55B (w/Yanmar 4TNV88 Engine)</i>			90-7101T1	Oil	LFP3000	<i>584G, 585G, 586G, 588G</i>		
	Fuel	LFF8350	<i>865 Tier 2</i>			128781A1	Air	LAF8124 ²
	Oil	PH2808	(J930942); Pri.	Fuel	LFF3417	128782A1		LAF8405 ¹
<i>CX700, CX800 w/Isuzu AH6WG1X Tier 3 Engine</i>			J931063		LFF3521	(194199A1); In-Line	Fuel	L7693F
KWH0029	Air	LAF9155	366700A1	Oil	LFP3000XL ¹⁴	(J931062); W/S		LFF8062
KWH0050		LAF9159	<i>865B VHP w/6.7 Tier 3 Engine</i>			N9025	Hydraulic	LFH4910
	Fuel	L7661F	4897897	Fuel	LFF5421	J934429	Oil	LFP3900
87365565		L8893F	87519452	Hydraulic	LFH8490 ¹⁰⁹⁹	254686A2	Trans	LFH5074G ¹¹³⁰
(87336446); W/S		LFF7415	87803260	Oil	LFP6015	<i>585</i>		
87379813	Oil	LFP7217	<i>885 Tier 1</i>				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>CX700B w/Isuzu AH6WG1X Engine</i>			(J930942); Pri.	Fuel	LFF3417	<i>585C w/207 Engine</i>		
KWH0029	Air	LAF9155	J931063		LFF3521		Oil	PH400 ²⁷⁵
KWH0050		LAF9159	366700A1	Oil	LFP3000XL ¹⁴			PH8A ¹⁴⁹⁶
	Fuel	L7661F	<i>885B</i>			<i>585D w/188D Engine</i>		
87365565		L8893F	(4897897); Sec.	Fuel	LFF5421		Oil	PH400 ²⁷⁵
(87336446); W/S		LFF7415	87803260	Oil	LFP6015			PH8A ¹⁴⁹⁶
84206729	Oil	LFP7217	CASE (LIFT TRUCK)			<i>586</i>		
<i>CX75C SR w/Isuzu AP-4LE2X Tier 4 Engine</i>			<i>500 w/Detroit Diesel 3.53 Engine</i>				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
KAH1386	Air	LAF8114 ¹	VF100A	Air	LAF1853	<i>586C w/207 Engine</i>		
KAH1219		LAF8143 ²	<i>530CK</i>				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
84273157	Fuel	L8893F	D-32212	Hydraulic	LP212	<i>586D w/188D Engine</i>		
<i>CX75SR w/Isuzu 4JG1 Engine</i>			<i>580CK, 584B, 585B, 586B w/Diesel Engine</i>				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
KAH1386	Air	LAF8114 ¹	(D-75831); Early Production	Hydraulic	LH4264	<i>586G, 588G w/445T/M3 Tier 3 Engine</i>		
KAH1219		LAF8143 ²	(D-32212); Late production		LP212	87682989	Air	LAF4544 ²
368446A1	Fuel	FP588F	<i>151552A1</i>					
<i>CX800 w/Isuzu 6WG1T Engine</i>			151552A1	Hydraulic	LH22002 ¹¹³⁷			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 14-Extended Life 181-Single 268-Extended/Severe service 275-Primary 689-Bowless 1099-Torque Converter 1130-2 Wheel Drive 1137-Pilot 1496-Alternate

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (LIFT TRUCK)			CASE (SKID STEER LOADER)			CASE (SKID STEER LOADER)		
<i>586G, 588G w/445T/M3 Tier 3 Engine (cont'd)</i>			<i>1816C w/Onan Engine (cont'd)</i>			<i>1835B w/A-1 Diesel Engine (cont'd)</i>		
87682999	Air	LAF4545 ¹	L-79756	Fuel	G1/4	(A-151281); Pri.	Fuel	FP863F
87803194	Fuel	FP587F	D-59062	Hydraulic	LFH4944	D-126922	Hydraulic	LFH4950
(87400496); In-Line		L7693F	D62845	Oil	PH253 ¹⁴⁹⁶	A-146696	Oil	PH400 ²⁷⁵
N9025	Hydraulic	LFH4910	D-62845		PH253 ¹⁴⁹⁶	A-146696		PH8A ¹⁴⁹⁶
87803261	Oil	LFP6015			PH2835 ²⁷⁵	1835B w/Gas Engine		
254686A2	Trans	LFH5074G	1818 w/Kubota Engine			A-42274	Air	LAF222 ²
586H, 588H w/Case 434T/E Interim Tier 4 Engine			D-82571	Air	LAF2745A ²	D-53499	Fuel	G473
87682989	Air	LAF4544 ²	1959599-C1	Fuel	FP570F	D-126922	Hydraulic	LFH4950
87682999		LAF4545 ¹	D-126921	Hydraulic	LFH4935	A-146696	Oil	PH400 ²⁷⁵
(87400496); In-Line	Fuel	L7693F	195198-C1	Oil	PH2808	A-146696		PH8A ¹⁴⁹⁶
N9025	Hydraulic	LFH4910	1818 w/Onan Engine			1835C w/Continental Diesel Engine		
254686A2	Trans	LFH5074G	D-82571	Air	LAF2745A ²	D-82775	Air	LAF1948 ¹
586H, 588H (w/FPT F5HFL463 Tier 4 Final Engine)			D-126921	Hydraulic	LFH4935	S-236468		LAF281 ²
87682989	Air	LAF4544 ²	D62845	Oil	PH253 ¹⁴⁹⁶	1959802-C1	Fuel	P1130
87682999		LAF4545 ¹	D-62845		PH253 ¹⁴⁹⁶	D-126922	Hydraulic	LFH4950
(84559022); Pri.	Fuel	L4109F			PH2835 ²⁷⁵	1959757-C1	Oil	PH400 ²⁷⁵
84475948	Trans	LFH5074G	1825 w/Kubota Engine			1959757-C1		PH8A ¹⁴⁹⁶
CASE (SKID STEER LOADER)			D-82571	Air	LAF2745A ²	1835C w/Continental Gas Engine		
150, 150M w/Wisconsin Engine			1959599-C2	Fuel	FP590F	D-82775	Air	LAF1948 ¹
D-48198	Air	LAF1275 ²	D-122562	Hydraulic	LFH4471	S-236468		LAF281 ²
(T-40153); -S/N 1225	Hydraulic	LP509	1959198-C1	Oil	PH2808	(H-413666); Gas	Fuel	G5/16 ²⁶³
1527 w/Diesel Engine			1825 w/Nissan Gas Engine			D-126922	Hydraulic	LFH4950
T-40153	Hydraulic	LP509	D-82571	Air	LAF2745A ²	1959757-C1	Oil	PH400 ²⁷⁵
1530, 1530B, 1537 w/Gas Engine			L-79756	Fuel	G1/4	1959757-C1		PH8A ¹⁴⁹⁶
D-48198	Air	LAF1275 ²	D-122562	Hydraulic	LFH4471	1838 w/Kubota V2203 Engine		
(T-40153); 2 mount holes	Hydraulic	LP509	1972202-C1	Oil	PH2827		Air	LAF8114 ¹
T-40475	Oil	P106	1825B w/Kubota V1505 Engine					LAF8143 ²
1737, 1737S w/Gas Engine			D-82571	Air	LAF2745A ²	W/S	Fuel	LFF8062
D-48198	Air	LAF1275 ²		Fuel	FP590F		Hydraulic	LFH4950
D-53499	Fuel	G473	D-122562	Hydraulic	LFH4471		Oil	PH253 ¹⁴⁹⁶
(T-40153); 2 mount holes	Hydraulic	LP509		Oil	PH2808			PH2835 ²⁷⁵
A-146696	Oil	PH400 ²⁷⁵	1830 w/Gas Engine			1838 w/Kubota V2204 Engine		
A-146696		PH8A ¹⁴⁹⁶	D62845	Oil	PH253 ¹⁴⁹⁶	133721A1	Air	LAF8114 ¹
1740 w/Diesel Engine					PH2835 ²⁷⁵	133720A1		LAF8143 ²
(D-48198); -S/N 9821369	Air	LAF1275 ²	1830 w/Renault R688 Engine			(J-931062); W/S	Fuel	LFF8062
(A-42274); S/N 9821369-		LAF222 ²	D-48198	Air	LAF1275 ²	D-126922	Hydraulic	LFH4950
Sec.	Fuel	FP862F	D-59949	Fuel	G473	126385-A1	Oil	PH253 ¹⁴⁹⁶
(A-151281); S/N 2718940;- Pri.		FP863F	D-61950	Hydraulic	LH4264			PH2835 ²⁷⁵
(A-51346); -S/N 2718940; Sec.		L296F ⁴¹	D-62845	Oil	PH253 ¹⁴⁹⁶	1840 w/Cummins 4-390 Engine		
(T-40153); 2 mount holes	Hydraulic	LP509			PH2835 ²⁷⁵	A-173291	Air	LAF1784 ¹
A-146696	Oil	PH400 ²⁷⁵	1835 w/G188D Engine			A-173290		LAF9538 ²
A-146696		PH8A ¹⁴⁹⁶	A-42274	Air	LAF222 ²			LAF9538MXM ^{2, 268}
1816, 1816B w/Tecumseh Engine			Sec.	Fuel	FP862F	Pri.	Fuel	LFF3417
(D-66337); -S/N 9821369	Air	AF213	(A-151281); Pri.		FP863F	A-77470		LFF3521
(D-82571); S/N 9821369-		LAF2745A ²	D-61950	Hydraulic	LH4264	D-126922	Hydraulic	LFH4950
D-59062	Hydraulic	LFH4944	A-146696	Oil	PH400 ²⁷⁵	J-908616	Oil	LFP3900
1816C w/Onan Engine			A-146696		PH8A ¹⁴⁹⁶	1845 w/159 Engine		
D-82571	Air	LAF2745A ²	1835 w/Gas Engine			A-42274	Air	LAF222 ²
			A-42274	Air	LAF222 ²	D-61950	Hydraulic	LH4264
			D-59949	Fuel	G473	D-71352		LP212
			D-61950	Hydraulic	LH4264		Oil	PH400 ²⁷⁵
			A-146696	Oil	PH400 ²⁷⁵			PH8A ¹⁴⁹⁶
			A-146696		PH8A ¹⁴⁹⁶	1845 w/A-1 Diesel Engine		
			1835B w/A-1 Diesel Engine				Oil	PH400 ²⁷⁵
			A-42274	Air	LAF222 ²			PH8A ¹⁴⁹⁶
			Sec.	Fuel	FP862F			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 263-Hoses and clamps included 268-Extended/Severe service 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (SKID STEER LOADER)			CASE (SKID STEER LOADER)			CASE (SKIDDER)		
<i>SR175 (w/ISM844LTA Tier 4 Final Engine) (cont'd)</i>			<i>SV280 (w/FPT 5FH Tier 4 Final Engine) (cont'd)</i>			<i>300C, 400C w/336B Diesel Engine (cont'd)</i>		
86982523	Air	LAF9332 ¹	87682999	Air	LAF4545 ¹	A-146696	Oil	PH8A ¹⁴⁹⁶
9611973	Fuel	G1 ⁵³¹	<i>SV300 (w/Case 432T/M3 Engine)</i>			800, 825 w/Diesel Engine		
W/S		LFF7688	84217229	Air	LAF4544 ²	L-33913	Air	LAF234HD ²
87409203	Oil	PH2835			LAF4544MXM ^{2, 268}	Sec.	Fuel	FP1127F
<i>SR175 w/Case 422T/M2 Engine</i>			87682999		LAF4545 ¹	(A-41745); Pri.		LFP3301F
86982522	Air	LAF8148	<i>SV300 (w/FPT 5FH Tier 4 Final Engine)</i>			A-146696	Oil	PH400 ²⁷⁵
86982523		LAF9332 ¹	84217229	Air	LAF4544 ²	A-146696		PH8A ¹⁴⁹⁶
	Fuel	G1 ⁵³¹			LAF4544MXM ^{2, 268}	CASE (SWATHERS & WINDROWERS)		
W/S		LFF7688	87682999		LAF4545 ¹	<i>1075</i>		
	Oil	PH2835	<i>TR270 FPT 5FHFL463A Tier 4 engine</i>				Air	LAF222
<i>SR200, SR220, SR250 w/Case 432T/M3 Engine</i>				Air	LAF4544 ²		Oil	PH400 ²⁷⁵
84217229	Air	LAF4544 ²			LAF4544MXM ^{2, 268}			PH8A ¹⁴⁹⁶
84217229		LAF4544MXM ^{2, 268}			LAF4545 ¹	<i>1150</i>		
87682999		LAF4545 ¹	(84559022); Pri.	Fuel	L4109F		Oil	PH400 ²⁷⁵
(84299976); W/S	Fuel	LFF7688	<i>TR310 (w/FPT 5FH Tier 4 Final Engine)</i>					PH8A ¹⁴⁹⁶
<i>SR220 (w/FPT 5FHFL463 Tier 4 Final Engine)</i>				Air	LAF4544 ²	<i>1155</i>		
	Air	LAF4544 ²			LAF4544MXM ^{2, 268}	Sec.	Fuel	FP862F
		LAF4544MXM ^{2, 268}			LAF4545 ¹	Pri.		FP863F
		LAF4545 ¹	<i>TR320 (w/FPT 5FHFL413 Tier 4 Final Engine)</i>					L296F ⁴¹
<i>SR240 (w/FPT 5FHFL463 Tier 4 Final Engine)</i>				Air	LAF4544 ²		Oil	PH400 ²⁷⁵
	Air	LAF4544 ²			LAF4544MXM ^{2, 268}			PH8A ¹⁴⁹⁶
		LAF4544MXM ^{2, 268}	<i>TR320, TV380 W/ 432T/M3 Engine</i>			<i>950</i>		
		LAF4545 ¹	84217229	Air	LAF4544 ²		Oil	PH400 ²⁷⁵
<i>SR250 (w/Case 432T/M3 Engine)</i>			84217229		LAF4544MXM ^{2, 268}	CASE (TELESCOPIC HANDLER)		
84217229	Air	LAF4544 ²	87682999		LAF4545 ¹	<i>686G, 686GXR, 688G Series II w/Cummins 4-390 Engine</i>		
		LAF4544MXM ^{2, 268}	<i>TR340 (w/FPT 5BFL413 Tier 4 Final Engine)</i>			(222421A1); Turbo	Air	LAF4544 ²
		LAF4545 ¹		Air	LAF4544 ²	Turbo		LAF4544MXM ^{2, 268}
<i>SR250 (w/FPT 5FHFL463 Tier 4 Engine)</i>					LAF4544MXM ^{2, 268}	222422A1		LAF4545 ¹
87682993	Air	LAF4544 ²			LAF4545 ¹	133721A1		LAF8114 ¹
87682993		LAF4544MXM ^{2, 268}				(133720A1); w/o Turbo		LAF8143 ²
87682999		LAF4545 ¹	<i>TV380 (w/Case 432T/M3 Engine)</i>			D-139225	Fuel	L3523F
<i>SR270 (w/FPT 5B Tier 4 Final Engine)</i>			84217229	Air	LAF4544 ²	(J-931062); W/S		LFF8062
87682993	Air	LAF4544 ²			LAF4544MXM ^{2, 268}	H439069	Hydraulic	LFH5876
87682993		LAF4544MXM ^{2, 268}	87682999		LAF4545 ¹	J-908616	Oil	LFP3900
87682999		LAF4545 ¹	<i>TV380 (w/FPT 5BFL413 Engine)</i>			<i>689G w/Perkins 4 cyl Engine</i>		
(84217229); Pri.	Fuel	L3444F	84217229	Air	LAF4544 ²	D-56453	Air	LAF1544 ²
<i>SV185 (w/ISM844LTA Engine)</i>					LAF4544MXM ^{2, 268}	218118A1	Fuel	LFF3504
86982522	Air	LAF8148	87682999		LAF4545 ¹	310029A1	Hydraulic	LFH4902
86982523		LAF9332 ¹	<i>TX1055 w/Case 445T Engine</i>			3214797R1	Oil	LFP2292
	Fuel	G1 ⁵³¹		Oil	LFP6015	<i>TX130-40, TX130-43, TX130-45 w/Iveco</i>		
(84299977); W/S		LFF7688	<i>TX945 w/Case 445T Engine</i>			<i>F4GE0484G Engine</i>		
84475542	Oil	PH2835	1930589	Air	LAF4544 ²	1930589	Air	LAF4544 ²
<i>SV250 w/FPT 5FHFL413H Interim Tier 4 engine</i>			1930590		LAF4545 ¹	1930590		LAF4545 ¹
	Air	LAF4544 ²	1902138	Fuel	LFF3504	87803192	Fuel	FP587F ¹⁵
		LAF4544MXM ^{2, 268}	87802793	Hydraulic	LFH5659	1902138		LFF3504 ¹¹³⁹
		LAF4545 ¹		Oil	LFP6015	4897898	Oil	LFP6015
<i>SV250, SV300 w/Case 432T/M3 Engine</i>			CASE (SKIDDER)			76086226	Trans	LFH8484
84217229	Air	LAF4544 ²	<i>300C, 400C w/336B Diesel Engine</i>			<i>TX140-43, TX140-45 w/Iveco F4GE0484G Engine</i>		
		LAF4544MXM ^{2, 268}	L-33913	Air	LAF234HD ²	1930589	Air	LAF4544 ²
		LAF4545 ¹	Sec.	Fuel	FP1127F	1930590		LAF4545 ¹
87682999		LAF4545 ¹	(A-41745); Pri.		LFP3301F	87803192	Fuel	FP587F ¹⁵
<i>SV280 (w/FPT 5FH Tier 4 Final Engine)</i>			A-146696	Oil	PH400 ²⁷⁵	1902138		LFF3504 ¹¹³⁹
84217229	Air	LAF4544 ²						
		LAF4544MXM ^{2, 268}						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 15-Standard 41-Cartridge 268-Extended/Severe service 275-Primary 531-Filter only 1139-Optional Cold Start 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (TELESCOPIC HANDLER)			CASE (TRACTOR)			CASE (TRACTOR)		
<i>TX140-43, TX140-45 w/Iveco F4GE0484G Engine (cont'd)</i>			<i>1170, 1175 w/A451BD Engine (cont'd)</i>			<i>1470D w/A504DT Engine</i>		
85802793	Hydraulic	LHF5659	A-64453	Oil	PH24	L-30937	Air	LAF237 ²
4897898	Oil	LFP6015	A-62423		PH444	Sec.	Fuel	FP1127F
76086226	Trans	LFH8484	A-65854	Trans	LH4928 ¹⁰⁸⁴	(A-58712); Pri.		LFP3301F
<i>TX175 w/445TA Tier 3 Engine</i>			<i>1190 w/3-164 Diesel Engine</i>			<i>1490 w/219 Turbo Diesel Engine</i>		
1930589	Air	LAF4544 ²		Fuel	L296F ⁴¹		Air	LAF1451
1930590		LAF4545 ¹	K920522	Hydraulic	P820 ¹¹²⁰			LAF1871
87803192	Fuel	FP587F ¹⁵	K200037	Oil	PH253 ¹⁴⁹⁶			LAF7185
1902138		LFF3504 ¹¹³⁹			PH2835 ²⁷⁵		Fuel	L296F ⁴¹
85802793	Hydraulic	LHF5659	<i>1200 w/A451D Engine</i>				Hydraulic	LH4246
4897898	Oil	LFP6015	L-30937	Air	LAF237 ²		Oil	PH253 ¹⁴⁹⁶
76086226	Trans	LFH8484	Sec.	Fuel	261F			PH2835 ²⁷⁵
<i>TX742, TX842, TX945 w/Case 4.5L Tier 3 Engine</i>			<i>1270 w/451BDT Engine</i>			<i>1570 w/504BDT Engine</i>		
1930589	Air	LAF4544 ²	(A-57288); In-Line		FP953F ²⁴⁴			
1930590		LAF4545 ¹	(A21141); Pri.	Oil	L8262F			
87803192	Fuel	FP587F ¹⁵		Trans	P119	143481C2	Air	LAF1879
1902138		LFF3504 ¹¹³⁹			P92	A-44694		LAF1887 ²
85802793	Hydraulic	LHF5659	<i>1270 w/451BDT Engine</i>			A44695		LAF1999 ¹
4897898	Oil	LFP6015	A-43735	Air	LAF1136 ¹	A-42573	Fuel	FP1127F
CASE (TRACTOR)			A-43734		LAF1137 ²	Sec.		LFP3301F
<i>1030 w/A401D Engine</i>			1434181-C2		LAF1879	(A-58712); Pri.		LFP3301F
A-40866	Air	LAF1246 ²	A-44694		LAF1887 ²	A-44012	Hydraulic	LP468
(A7627); Sec.	Fuel	261F	A-44695		LAF1999 ¹	A-44081	Oil	PH675
(A-57228); In-Line		FP953F ²⁴⁴	A-77544	Coolant	LFW4071 ²⁸	<i>1690 w/329 Diesel Engine</i>		
A-18061	Hydraulic	LFH1700 ¹¹	A-151931	Fuel	LFW4744 ⁴	F-64318	Air	LAF1871
A-40902		LFH1701	Sec.		FP1127F	960911	Fuel	L296F ⁴¹
(4E-023); Turbo	Oil	LFH4210	(A-58712); Pri.		LFP3301F	K-210049	Hydraulic	LH4246
		LFP3413 ¹²	A-44012	Hydraulic	LP468	K-200037	Oil	PH253 ¹⁴⁹⁶
A-41725		P119	A-430702		P137	<i>1830T</i>		
		PH725 ¹¹¹⁸	A-64453	Oil	PH24		Oil	PH253 ¹⁴⁹⁶
<i>1070, 1071 w/Diesel Engine</i>			A75294		PH675			PH2835 ²⁷⁵
A40366	Air	LAF1984 ²	<i>1290 w/David Brown Engine</i>			<i>200, 200B w/Continental F140 Engine</i>		
L30937		LAF237 ²		Fuel	L296F ⁴¹		Hydraulic	LH4930
A-42573		LAF5154	K210049	Hydraulic	LH4246		Oil	P3
Sec.	Fuel	FP1127F	K920522		P820 ¹¹²⁰	<i>2090, 2094 w/504 Diesel Engine</i>		
(A-58712); Pri.		LFP3301F	K-200037	Oil	PH253 ¹⁴⁹⁶	F-64318	Air	LAF1871
A-75294	Oil	PH675			PH2835 ²⁷⁵	A-47033		LAF1923 ¹
A-65854	Trans	LH4928 ¹⁰⁸⁴	<i>1370 w/A504BD Engine</i>			A-47032		LAF1924 ²
A-61234		LH4949	A-43735	Air	LAF1136 ¹	A-77544	Coolant	LFW4071 ²⁸
<i>1090 w/A451BD Engine</i>			(A-43734); -S/N		LAF1137 ²	A-151931	Fuel	FP1127F
F-64361	Air	LAF1871	8727601		LAF1879	Sec.		LFP3301F
1434181-C2		LAF1879	(A-44694); S/N		LAF1887 ²	(A-58712); Pri.		LFP3301F
A42758		LAF4181 ²	8727601-		LAF1999 ¹	A46403	Hydraulic	LH4931 ¹¹²⁴
Sec.	Fuel	FP1127F	A-44695		LAF5154	A176593		LP4421 ¹¹¹²
(A-58712); Pri.		LFP3301F	A-42573	Coolant	LFW4071 ²⁸	A-44081	Oil	PH675
A-65854	Hydraulic	LH4928	A-77544	Fuel	FP1127F	<i>2290, 2294 w/504BDT Engine</i>		
A-62423	Oil	PH444	Sec.		LFP3301F	A-47137	Air	LAF1846 ²
<i>1170, 1175 w/A451BD Engine</i>			(A-58712); Pri.		LP468	F64318		LAF1871
A-43265	Air	LAF1785 ¹	A-44012	Hydraulic	PH24	A-47136		LAF503 ¹
A-43264		LAF1791 ²	(A-64453); -S/N		PH675	A-77544	Coolant	LFW4071 ²⁸
F-64361		LAF1871	18727601	Oil		Sec.	Fuel	FP1127F
1434181-C2		LAF1879	(A-75294); S/N			(A-58712); Pri.		LFP3301F
A-42573		LAF5154	8727601-			A-46403	Hydraulic	LH4931 ¹¹²⁴
Sec.	Fuel	FP1127F	<i>1390 w/Diesel Engine</i>			A176593		LP4421 ¹¹¹²
(A-58712); Pri.		LFP3301F		Fuel	L296F ⁴¹	A-44081	Oil	PH675
A-51463	Hydraulic	LH4930		Hydraulic	LH4246	<i>2390, 2394 w/504BDT Engine</i>		
			K210049		PH253 ¹⁴⁹⁶	F-64318	Air	LAF1871
			K-200037	Oil	PH2835 ²⁷⁵			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 11-Power Steering 12-Optional 15-Standard 28-Contains 1 oz. of chemical 41-Cartridge 244-Secondary 275-Primary 1084-Power Shift 1112-High Output 1118-With Case A-57858 Gasket 1120-Inlet 1124-Requires 2 Filters 1139-Optional Cold Start 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (TRACTOR)			CASE (TRACTOR)			CASE (TRACTOR)		
<i>2390, 2394 w/504BDT Engine (cont'd)</i>			<i>380CK w/David Brown 355011 Diesel Engine</i>			<i>4690 w/504 Engine (cont'd)</i>		
A-47146	Air	LAF8547 ¹	(960911); Pri.	Fuel	L296F ⁴¹	A-77544	Coolant	LFW4071 ²⁸
A-77544	Coolant	LFW4071 ²⁸	(960911); Sec.		L296F ⁴¹	(A-44068); Pri.	Fuel	LFP3301F
Sec.	Fuel	FP1127F		Hydraulic	LP1653 ¹¹	A165029	Hydraulic	LFH4471 ^{11, 1128}
(A-58712); Pri.		LFP3301F	902321	Oil	P820	A-44081	Oil	PH675
A-46403	Hydraulic	LH4931 ¹¹²⁴	<i>380CK, 380GP/LL w/David Brown 355011 Diesel Engine</i>			<i>470 w/Continental G148 Engine</i>		
A176593		LP4421 ¹¹¹²	960911	Fuel	L296F ⁴¹	A-39578	Hydraulic	LH4930
A-75294	Oil	PH675	(D-75831); Loader	Hydraulic	LH4264			LP212
<i>2470 w/504BDT Engine</i>			A-42242		LP1653 ¹¹	A-146696	Oil	PH400 ²⁷⁵
A-44804	Air	LAF1904 ²	K-920522	Oil	P820	A-146696	Oil	PH8A ¹⁴⁹⁶
A-44805		LAF1940 ¹	K-200037		PH253 ¹⁴⁹⁶	<i>470 w/Continental G188D Engine</i>		
A-42573		LAF5154			PH2835 ²⁷⁵	(A-39867); Sec.	Fuel	FP862F
A-44185		LAF9961 ²	<i>400 w/Continental G188D Engine</i>			(A-39868); Pri.		FP863F
Sec.	Fuel	FP1127F	(A-39867); Sec.	Fuel	FP862F	Sec.		L296F ⁴¹
(A-58712); Pri.		LFP3301F	(A-39868); Pri.		FP863F	A-39578	Hydraulic	LH4930
A-45625	Hydraulic	LFH4915	Sec.		L296F ⁴¹	D-32212		LP212
A-44012		LP468	A-146696	Oil	PH400 ²⁷⁵	A-146696	Oil	PH400 ²⁷⁵
A-62423	Oil	PH444	A-146696		PH8A ¹⁴⁹⁶	A-146696	Oil	PH8A ¹⁴⁹⁶
A-75294		PH675		Trans	P92	<i>4890 w/Scania Engine</i>		
<i>2590, 2594 w/504 Engine</i>			<i>400, 400B w/Continental F162 Engine</i>			F-64318	Air	LAF1871
F-64318	Air	LAF1871		Hydraulic	LP212	A45695		LAF1990 ¹
A-47146		LAF8547 ¹	<i>400, 420 w/Continental GD157 Engine</i>			A45694		LAF4310 ²
A-77544	Coolant	LFW4071 ²⁸	(A-7627); Sec.	Fuel	261F	A-151931	Coolant	LFW4744 ⁴
Sec.	Fuel	FP1127F	(A-57228); In-Line		FP953F ²⁴⁴	(A-58712); Pri.	Fuel	LFP3301F
(A-58712); Pri.		LFP3301F		Hydraulic	LP212	(A-46158); Turbo	Oil	PH2840
A-46403	Hydraulic	LH4931 ¹¹²⁴		Oil	P4	<i>500 w/Continental FA162 Engine</i>		
A176593		LP4421 ¹¹¹²	<i>420C w/Gas Engine</i>			In-Line	Fuel	FP953F ²⁴⁴
A-75294	Oil	PH675	A-146696	Oil	PH400 ²⁷⁵	Pri.		L274F
<i>2670 w/504BDT Engine</i>			A-146696		PH8A ¹⁴⁹⁶			L274F1
143481C2	Air	LAF1879	<i>425 w/Diesel Engine</i>				Oil	P71
A-44804		LAF1904 ²	(A-7627); Sec.	Fuel	261F		Trans	LP32
A-44805		LAF1940 ¹	In-Line		FP953F ²⁴⁴	<i>500 w/Continental GD157 Engine</i>		
A-42573		LAF5154	A-7811	Oil	LP2264	(A-57288); In-Line	Fuel	FP953F ²⁴⁴
A-77544	Coolant	LFW4071 ²⁸	<i>430 w/Continental G148B Engine</i>			(A-31222); Pri.		L274F
Sec.	Fuel	FP1127F		Hydraulic	LH4930	A-31222		L274F1
(A-58712); Pri.		LFP3301F			LP1653 ¹¹		Oil	P71
A-45625	Hydraulic	LFH4915	<i>430 w/Continental G188D Engine</i>				Trans	LP32
A-45625		LFP449	(A-35863); Pri.	Fuel	L8188F	<i>500B w/Continental FA162 Engine</i>		
A-44012		LP468	A-21141		L8262F		Hydraulic	LP212
A-44081	Oil	PH675	A-39578	Hydraulic	LH4930	<i>520 w/Continental FA162 Engine</i>		
<i>2870 w/Scania Engine</i>					LP1653 ¹¹	10017	Oil	P3
A45695	Air	LAF1990 ¹	G-13113		LP212	G-45008		P4
A45694		LAF4310 ²	A-146696	Oil	PH400 ²⁷⁵	<i>520 w/Diesel Engine</i>		
A-42573		LAF5154	A-146696		PH8A ¹⁴⁹⁶	(A-57288); In-Line	Fuel	FP953F ²⁴⁴
Sec.	Fuel	FP1127F	<i>4490 w/504B Engine</i>			(A-31222); Pri.		L274F
(A-58712); Pri.		LFP3301F	F-64318	Air	LAF1871	A-31222	Oil	L274F1
A-45625	Hydraulic	LFH4915	A-44638		LAF7933 ¹			P71
(A-46158); Turbo	Oil	PH2840	A-44185		LAF9961 ²	<i>530 w/G188D Engine</i>		
<i>300, 300B Diesel w/Continental GD-157 Engine</i>			A-151931	Coolant	LFW4744 ⁴	(A-35863); Pri.	Fuel	L8188F
Sec.	Fuel	261F	(A-58712); Pri.	Fuel	LFP3301F	A-21141		L8262F
(A-57228); In-Line		FP953F ²⁴⁴	A165029	Hydraulic	LFH4471 ^{11, 1128}	A-39578	Hydraulic	LH4930
	Hydraulic	LP212	A-44081	Oil	PH675			LP1653 ¹¹
By-Pass	Oil	P4	<i>4690 w/504 Engine</i>			D-32212		LP212
<i>300, 300B w/Case G148B Engine</i>			F-64318	Air	LAF1871	A-146696	Oil	PH400 ²⁷⁵
	Hydraulic	LP212	A-44804		LAF1904 ²	A-146696	Oil	PH8A ¹⁴⁹⁶
<i>300, 300B w/Continental F162 Engine</i>			A-44805		LAF1940 ¹	<i>530, 531 w/G159 Engine</i>		
	Hydraulic	LP212				A-39578	Hydraulic	LH4930

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 11-Power Steering 28-Contains 1 oz. of chemical 41-Cartridge 244-Secondary 275-Primary 1112-High Output 1124-Requires 2 Filters 1128-Rear 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (TRACTOR)			CASE (TRACTOR)			CASE (TRACTOR)		
<i>530, 531 w/G159 Engine (cont'd)</i>			<i>730 w/A251 Engine (cont'd)</i>			<i>870 w/336BD Engine</i>		
D-32212	Hydraulic	LP212	A-32297	Hydraulic	LFH1701	A-42274	Air	LAF222 ²
A-146696	Oil	PH400 ²⁷⁵	<i>730, 731 w/A267D Engine</i>			A-42224		LAF2528
A-146696		PH8A ¹⁴⁹⁶	(A-7627); Sec.	Fuel	261F	Sec.	Fuel	FP1127F
<i>570 w/Diesel Engine</i>			(A-57228); In-Line		FP953F ²⁴⁴	Pri.		LFP3301F
Pri.	Fuel	L8188F	(A-21141); Pri.		L8262F	A-65854	Hydraulic	LH4928
A-39578	Hydraulic	LH4930	A-18061	Hydraulic	LFH1700 ¹¹	A-146696	Oil	PH400 ²⁷⁵
A-146696	Oil	PH400 ²⁷⁵	A-32297		LFH1701	A-146696		PH8A ¹⁴⁹⁶
A-146696		PH8A ¹⁴⁹⁶	34457		LP32	<i>900, 910, 920 w/A377D Engine</i>		
<i>600 w/Continental ED208 Engine</i>				Oil	P2 ⁹³⁵	(A-7627); S/N	Fuel	261F
(A-57288); In-Line	Fuel	FP953F ²⁴⁴	<i>770 w/A251 Engine</i>			8140136-; Sec.		
(A-31222); Pri.		L274F	(A-42274); Diesel;	Air	LAF222 ²	(A-31222); Sec.		L274F
A-31222		L274F1	w/A267BD Eng.; 770			(A-31222); Sec.		L274F1
	Hydraulic	LP32	Sec.	Fuel	FP1127F	A-18061	Hydraulic	LFH1700 ¹¹
	Oil	P71	(A-58712); Pri.		LFP3301F	A-20822	Oil	P119
<i>600B w/Continental F209 Engine</i>			A-146696	Oil	PH400 ²⁷⁵	A-28008		P71
	Hydraulic	LP212	A-146696		PH8A ¹⁴⁹⁶		Trans	LP32
<i>610 w/Continental ED208 Engine</i>			A-65854	Trans	LH4928 ¹⁰⁸⁴	<i>930, 931 w/A401D Engine</i>		
(A-31222); Sec.	Fuel	L274F	A-61234		LH4949	Sec.	Fuel	261F
(A-31222); Sec.		L274F1	<i>800 w/A251 Engine</i>			Sec.		FP1127F
	Hydraulic	LP32	Sec.	Fuel	261F	(A-57228); In-Line		FP953F ²⁴⁴
	Oil	P71		Oil	LP132	Pri.		LFP3301F
<i>610 w/Continental F209 Engine</i>			A-7811		LP2264	A-18061	Hydraulic	LFH1700 ¹¹
10017	Oil	P3	(A-28008); By-Pass		P71	A-32297		LFH1701
G-45008		P4	<i>800 w/A267D Engine</i>				Oil	P119
<i>611 w/G188 Engine</i>			Sec.	Fuel	261F	A-41725		PH725 ¹¹¹⁸
A-146696	Oil	PH400 ²⁷⁵	(A-57228); In-Line		FP953F ²⁴⁴		Trans	LP32
A-146696		PH8A ¹⁴⁹⁶	(A-21141); Pri.		L8262F	<i>930, 931, 932, 933 w/A377 Engine</i>		
<i>620 w/Continental F209 Engine</i>				Hydraulic	LP32	A-18061	Hydraulic	LFH1700 ¹¹
10017	Oil	P3	A-7811	Oil	LP2264	A-32297		LFH1701
G-45008		P4	<i>830, 830C, 841 w/A284 Engine</i>			A-41725	Oil	PH725 ¹¹¹⁸
<i>630, 630C w/G188 Engine</i>			(A-7627); Sec.	Fuel	261F	<i>930CK w/Diesel Engine</i>		
G-13113	Hydraulic	LP212	(A-57228); In-Line		FP953F ²⁴⁴	Sec.	Fuel	261F
A-146696	Oil	PH400 ²⁷⁵	A-18061	Hydraulic	LFH1700 ¹¹	In-Line		FP953F ²⁴⁴
A-146696		PH8A ¹⁴⁹⁶	A-32297		LH4930	A-18061	Hydraulic	LFH1700 ¹¹
<i>630, 631 Diesel w/G188D Engine</i>			A-146696	Oil	PH400 ²⁷⁵	A-32297		LFH1701
(A-21141); Pri.	Fuel	L8262F	A-146696		PH8A ¹⁴⁹⁶	A22279		LP1653 ^{11, 12}
G-13113	Hydraulic	LP212	<i>830, 831, 840 w/A301D Engine</i>			A-41725	Oil	P119
A-146696	Oil	PH400 ²⁷⁵	(A-7627); Sec.	Fuel	261F		Trans	PH725 ¹¹¹⁸
A-146696		PH8A ¹⁴⁹⁶	(A-57228); In-Line		FP953F ²⁴⁴	<i>940 w/A377 Engine</i>		
<i>700 w/A251 Engine</i>			Pri.		L8262F	A-18061	Hydraulic	LFH1700 ¹¹
Pri.	Fuel	L8262F	A-18061	Hydraulic	LFH1700 ¹¹			LP32
A32297	Hydraulic	LFH1701	A-32297		LH4930	<i>970 w/401BD Engine</i>		
		LP32		Oil	P2 ⁹³⁵	A-40866	Air	LAF1246 ²
<i>700 w/A267D Engine</i>			<i>850 SERIES w/A401BD Engine</i>			F-64361		LAF1871
(A-31222); Sec.	Fuel	L274F		Oil	PH400 ²⁷⁵	1434181-C2		LAF1879
(A-31222); Sec.		L274F1			PH8A ¹⁴⁹⁶	A40366		LAF1984 ²
S/N 8140136-; Pri.		L8262F	<i>870 w/301 Engine</i>			A-77544	Coolant	LFW4071 ²⁸
A-18061	Hydraulic	LFH1700 ¹¹	A-42274	Air	LAF222 ²	Sec.	Fuel	FP1127F
A-32297		LFH1701	A-42224		LAF2528	Pri.		LFP3301F
34457		LP32	A-146696	Oil	PH400 ²⁷⁵	A-51463	Hydraulic	LH4930
A-7811	Oil	LP2264	A-146696		PH8A ¹⁴⁹⁶	(4E-023); Turbo	Oil	LFP3413 ¹²
		PH400 ²⁷⁵	A-65854	Trans	LH4928 ¹⁰⁸⁴	A-146696		PH400 ²⁷⁵
		PH8A ¹⁴⁹⁶	A61234		LH4949	A-146696		PH8A ¹⁴⁹⁶
<i>730 w/A251 Engine</i>						A-65854	Trans	LH4928 ¹⁰⁸⁴
Pri.	Fuel	L8262F						
A-18061	Hydraulic	LFH1700 ¹¹						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 11-Power Steering 12-Optional 28-Contains 1 oz. of chemical 244-Secondary 275-Primary 935-Requires use of Case A21473 gasket not supplied.

1084-Power Shift 1118-With Case A-57858 Gasket 1496-Alternate

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (TRACTOR)			CASE (WHEEL LOADER)			CASE (WHEEL LOADER)		
970 w/A377D Engine			1021F, 1021F XR w/F4HFE613Z Interm tier 4 Engine			521E, 521EXT, 521EXR w/445TA/EGE Tier 3 Engine		
A-40866	Air	LAF1246 ²	(87592171); W/S	Fuel	LFF9772 ⁷¹²	187472A1	Air	LAF9543 ¹
F-64361		LAF1871	87519452	Trans	LFH8490	381230A1		LAF9547 ²
1434181-C2		LAF1879	1121F, 1121F XR w/F2CFE614B Interim Tier 4 Engine			87803200	Fuel	LFF5421
A-77544	Coolant	LFW4071 ²⁸	(87592171); W/S	Fuel	LFF9772 ⁷¹²	87803261	Oil	LFP6015
Sec.	Fuel	FP1127F	87519452	Trans	LFH8490	87519452	Trans	LFH8490
Pri.		LFP3301F	1221E w/Cummins QSM 10.8L Engine			521F w/CNH F4HFE413J Tier 4 Engine		
A-51463	Hydraulic	LH4930		Air	LAF6453MXM ¹¹²¹	87720899	Air	LAF5454 ²⁴⁴
(4E-023); Turbo	Oil	LFP3413 ¹²		Oil	LFP9001 ²⁵⁰	8602996		LAF9543 ¹
A-146696		PH400 ²⁷⁵			LFP9001TRT ³	87704244		LAF9547 ²
A-75294		PH675			LFP9001XL ^{14, 250}	84167233	Fuel	LFF5421
A-146696		PH8A ¹⁴⁹⁶	1221F w/Cummins QSX11.9 Interim Tier 4 engine			84228488	Oil	LFP6023
A-65854	Trans	LH4928 ¹⁰⁸⁴	W/S	Fuel	LFF1000	87519452	Trans	LFH8490
A-61234		LH4949		Oil	LFP9001 ²⁵⁰	621, 621B, 621B XT w/6T-590 Engine		
D, DC, DI	Oil	P7FF			LFP9001TRT ³	A-47033	Air	LAF1923 ¹
L, LA, LAI, LI	Oil	P7FF			LFP9001XL ^{14, 250}	A-47032		LAF1924 ²
M-2, M-3	Oil	P3	21E, 121E, 221E w/Deutz BF4M2011 Engine			(A-77470); Pri.	Fuel	LFF3417
S, SC, SI	Oil	P7FF	47135972	Air	LAF8148 ²	(J-903640); Sec.		LFF3521
			47135975		LAF9332 ¹	N-9025	Hydraulic	LFH4910
			6911952	Oil	PH2816	S-3007444		LH5739
CASE (TRENCHER INDUSTRIAL)			21E, 121E, 221E w/Iveco Tier 3 Engine			J-908615	Oil	LFP780
660 w/4T-390 Engine			47135972	Air	LAF8148 ²	185161-A1	Trans	LFH8595
1265510-C1	Air	LAF1907 ²	47135975		LAF9332 ¹	621C w/Cummins 6T-590 Engine		
3115569-R2		LAF8803 ¹	21F, 121F, 221F (w/FPT F5H4L463 Tier 4 Engine)			187471-A1	Air	LAF9542 ²
D-139225	Fuel	L3523F	47135972	Air	LAF8148 ²	187472-A1		LAF9543 ¹
(J-925274); Pri.		LFF3417	47135975		LAF9332 ¹	(194199-A1); In-Line	Fuel	L7693F
(J-903640); Sec.		LFF3521	221D w/Perkins 700 Series Engine			(J-931062); W/S		LFF8062
D-126922	Hydraulic	LFH4950	P772579	Air	LAF8148 ²	N-9025	Hydraulic	LFH4910
J-908616	Oil	LFP3900	P775300		LAF9332 ¹	J-932217	Oil	LFP780
760 w/4T-390 Engine				Fuel	L296F ⁴¹	299380-A1	Trans	LFH8595
A-173291	Air	LAF1784 ¹	2654412	Oil	PH4403	621D w/5.9L Engine		
A-173290		LAF9538 ²	221F w/F5HFL463A Engine			392121-A1	Air	LAF5932 ¹
		LAF9538MXM ^{2, 268}	47135972	Air	LAF8148	392120-A1		LAF8149 ²
(J-925274); Pri.	Fuel	LFF3417	321F (w/FPT 5FHFL463A Engine)			(194199-A1); In-Line	Fuel	L7693F
(J-903640); Sec.		LFF3521	47135972	Air	LAF8148 ²	(J-931062); W/S		LFF8062
H-439069	Hydraulic	LFH5876 ⁶⁰⁷	47135975		LAF9332 ¹	N9086	Hydraulic	LFH5659
J-908616	Oil	LFP3900	430 Scat Back w/Wisconsin Engine			J-937743	Oil	LFP780
860 w/4T-390 Engine			D-48198	Air	LAF1275 ²	332202-A1	Trans	LFH8490
D-56453	Air	LAF1544 ²	H-311647	Hydraulic	LFP1652	621D w/668TA/M2 Engine		
N-8153		LAF9410 ¹	521D w/Case 4TAA390 Engine			392121-A1	Air	LAF5932 ¹
(J-843760); W/S	Fuel	LFF8062	187472-A1	Air	LAF9543 ¹	392120-A1		LAF8149 ²
D-126722	Hydraulic	LFH4950	381230-A1		LAF9547 ²	87803194	Fuel	FP587F
H-439069		LFH5876 ⁶⁰⁷	(194199-A1); In-Line	Fuel	L7693F	N9086	Hydraulic	LFH5659
J-908616	Oil	LFP3900	(J-931062); W/S		LFF8062	87803261	Oil	LFP6015
960 w/4T-390 Engine			N9086	Hydraulic	LFH5659	8603535	Trans	LFH8490
D56453	Air	LAF1544 ²	J-908616A1	Oil	LFP3900	621E, 621EXT, 621EXR w/667TA/EDB Tier 3 Engine		
N8153		LAF9410 ¹	332202-A1	Trans	LFH8490	8605139	Air	LAF8085 ²
D139225	Fuel	L3523F	521D w/Case /445TA/M2 Engine			8605140		LAF8086 ¹
(J931062); W/S		LFF8062	187472-A1	Air	LAF9543 ¹	57803200	Fuel	LFF5421
D122562	Hydraulic	LFH4471	381230-A1		LAF9547 ²	87803261	Oil	LFP6015
H439069		LFH5876 ⁶⁰⁷	87803194	Fuel	FP587F	87519452	Trans	LFH8490
J937743	Oil	LFP780	N9086	Hydraulic	LFH5659			
		LFP780XL ¹⁴	87803261	Oil	LFP6015			
			332202-A1	Trans	LFH8490			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 28-Contains 1 oz. of chemical 41-Cartridge 244-Secondary
 250-11.9" Hgt. 268-Extended/Severe service 275-Primary 607-Return 712-Some models 1084-Power Shift 1121-Extended/Severe service version of LAF6453
 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (WHEEL LOADER)			CASE (WHEEL LOADER)			CASE (WHEEL LOADER)		
621F, 621F XR, 621F XT w/F4HFE613Z Interm Tier 4 Engine			821B (cont'd)			921F, 921F XR w/ F4HFE6131 Interm Tier 4 eng. (cont'd)		
87720899	Air	LAF5454 ²⁴⁴	Pri.	Coolant	LFW4071 ²⁸	87519452	Hydraulic	LFH8490 ¹¹³⁵
84167233	Fuel	LFF5421		Fuel	LFF3417	W10		
84228488	Oil	LFP6023		Hydraulic	LFH4910	In-Line	Fuel	261F
87519452	Trans	LFH8490		Hydraulic	LFH8595		Oil	FP953F ²⁴⁴
721 w/6T-830 Engine			S/N 44500128-	Oil	LFP2265			P119
S-238646	Air	LAF1813 ²		Oil	LFP734			P92
S-238647		LAF1814 ¹	821C			W-10B w/A377 eng.		
(A-77470); Pri.	Fuel	LFF3417		Air	LAF3781 ^{1, 241}		Air	LAF1786
		LFF3521			LAF4498 ^{2, 208}			LAF4149
N-9025	Hydraulic	LFH4910	In-Line	Fuel	L7693F		Oil	P119
A-77537	Oil	LFP734	Pri.	Fuel	LFF3417			P2
721B w/Cummins 6CT8.3 Engine				Fuel	LFF3521	W-10B w/A401D eng.		
S-238646	Air	LAF1813 ²		Hydraulic	LFH4910		Air	LAF1786
S-238647		LAF1814 ¹		Oil	LFP2265			LAF4149
A-77544	Coolant	LFW4071 ²⁸		Trans	LFH8490		Fuel	261F
Pri.	Fuel	LFF3417	821E w/667TA/EED Tier III eng.			In-Line	Fuel	FP953F ²⁴⁴
(J-903640); Sec.		LFF3521		Air	LAF8085 ¹¹³⁴		Oil	P119
J-919562	Oil	LFP2265			LAF8086 ^{1, 1134}			P92
S-301612	Trans	LFH8595		Fuel	LFF5421 ¹¹³⁴			PH725
721C, 721CXT, 721CXR w/Cummins 6CT8.3L Engine				Hydraulic	LFH4972 ¹¹³⁴	W10C		
249988-A1	Air	LAF3781 ^{1, 241}		Hydraulic	LFH8490 ¹¹³⁴		Air	LAF1786
249987-A1		LAF4498 ^{2, 208}	821F, 821F XR, 821F XT w/ F4HFE613 Tier 4 Engine)					LAF4149
A-77544	Coolant	LFW4071 ²⁸		Oil	LFP6015 ¹¹³⁴	Sec.	Fuel	FP1127F
(194199-A1); In-Line	Fuel	L7693F		Air	LAF5454 ¹¹³⁵	Pri.	Oil	LFH3301F
(J-930942); Pri.		LFF3417		Fuel	LFF5421 ¹¹³⁵			PH725
(J-903640); Sec.		LFF3521		Hydraulic	LFH8490 ¹¹³⁵	W10D		
N-9025	Hydraulic	LFH4910	921, 921B				Fuel	261F
J-919562	Oil	LFP2265		Air	LAF1777		Oil	P119
332202-A1	Trans	LFH8490			LAF8211			P92
721E, 721EXT w/667TA/EED Tier III eng.				Coolant	LFW4071 ²⁸			PH725
	Air	LAF8085 ¹¹³⁴	W/S	Fuel	LFF8020	W10E		
		LAF8086 ^{1, 1134}		Hydraulic	LFH5659		Air	LAF1786
	Fuel	LFF5421 ¹¹³⁴		Oil	LFP3000			LAF4149
	Hydraulic	LFH4972 ¹¹³⁴			LFP3000XL ¹⁴	Sec.	Fuel	FP1127F
		LFH8490 ¹¹³⁴	921C w/Cummins QSM11 eng.			Pri.	Oil	LFH3301F
	Oil	LFP6015 ¹¹³⁴		Air	LAF8110 ²			P92
721F, 721F XR, 721F XT w/F4HFE613Y 6.7L tier 4 eng.					LAF8111 ¹			PH400 ²⁷⁵
	Air	LAF5454 ²⁴⁴	W/S	Fuel	LFF1000			PH8A ¹⁴⁹⁶
	Fuel	LFF5421		Hydraulic	LFH5659	W-11 w/G207D eng.		
	Hydraulic	LFH8490 ¹¹³⁵		Oil	LFP3000		Air	LAF222
821 w/Cummins 6T-830 Engine					LFP3000XL ¹⁴	Sec.	Fuel	FP862F
	Air	LAF1813			LFP9001 ²⁵⁰	Pri.		FP863F
		LAF1814			LFP9001TRT ³		Hydraulic	LFH4922
	Coolant	LFW4071 ²⁸	921E w/ Cummins QSM11 eng.				Oil	LFH4955
Pri.	Fuel	LFF3417	W/S	Fuel	LFF1000			PH400 ²⁷⁵
		LFF3521		Hydraulic	LFH5659	W-11B w/4B3.9 eng.		
	Hydraulic	LFH4910			LFH8490		Air	LAF1784 ¹
		LFH8595		Oil	LFP9001 ²⁵⁰			LAF9538
S/N 44500128-	Oil	LFP2265			LFP9001TRT ³		Fuel	LFF3521
		LFP734	921F, 921F XR w/ F4HFE6131 Interm Tier 4 eng.					LFH3301F
821B					LFP9001XL ^{14, 250}		Hydraulic	LFH4922
	Air	LAF1813	87720899	Air	LAF5454 ¹¹³⁵			LFH4955
		LAF1814	87803200	Fuel	LFF5421 ¹¹³⁵			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 28-Contains 1 oz. of chemical 208-19" Hgt. 241-17.5" Hgt. 244-Secondary
 250-11.9" Hgt. 275-Primary 1134-8/06 On 1135-2011 On 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (WHEEL LOADER)			CASE (WHEEL LOADER)			CASE (WHEEL LOADER)		
<i>W12</i>			<i>W20</i>			<i>W26B, W26LF (cont'd)</i>		
In-Line	Fuel	261F FP953F ²⁴⁴	S/N 9107854-	Air	LAF1136 LAF1137 LAF1786		Oil	PH444
	Oil	P119 P92	-S/N 9107854			<i>W30</i>		
			-S/N 9107854	Hydraulic	LP32 LP8308		Air	LAF1813 LAF1814
<i>W12D</i>			S/N 9107854-			Sec.	Fuel	FP1127F LFP3301F
In-Line	Fuel	261F FP953F ²⁴⁴		Oil	LP151 PH24 PH675	Pri.	Hydraulic	LFH4915
	Oil	P119 P92					Oil	PH675
<i>W14</i>			<i>W20B</i>			<i>W36</i>		
	Air	LAF1136 LAF1137		Air	LAF1136 LAF1137		Air	LAF1904 LAF1940
Sec.	Fuel	FP1127F LFP3301F	Sec.	Fuel	FP1127F LFP3301F	Sec.	Fuel	FP1127F LFP3301F
Pri.	Hydraulic	LP8308	Pri.	Oil	PH675	Pri.	Hydraulic	LH4906 LH4918
	Oil	LP32 PH400 ²⁷⁵ PH675 PH8A ¹⁴⁹⁶	<i>W20C</i>				Oil	PH675
<i>W14B, W14C</i>				Air	LAF1136 LAF1137	<i>W-36 w/8.3L Cummins eng.</i>		
	Air	LAF1544 LAF9410	Sec.	Fuel	FP1127F LFP3301F		Coolant	LFW4071 ²⁸
Pri.	Fuel	LFF3417 LFF3521	Pri.	Hydraulic	LFH4915 LP8308	Pri.	Fuel	LFF3417 LFF3521
	Hydraulic	LFH4910 LFH5659		Oil	PH675	S/N 17754000 On	Hydraulic	LFH4915 LH4918
	Oil	LFP780 LFP780XL ¹⁴	<i>W-20C w/Cummins 6T5.9 eng.</i>				Oil	LFP734
<i>W14H</i>				Air	LAF1720 LAF2052 ⁶⁹¹	<i>W3D</i>		
	Air	LAF1136 LAF1137	Pri.	Fuel	FP230F LFP3301F	Sec.	Fuel	FP862F FP863F L296F ⁴¹
Sec.	Fuel	FP1127F LFP3301F		Hydraulic	LFH4915	Pri.	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
Pri.	Hydraulic	LP8308		Oil	LFP780 LFP780XL ¹⁴	<i>W3G</i>		
	Oil	LP32 PH400 ²⁷⁵ PH675 PH8A ¹⁴⁹⁶	<i>W-24 w/Case 504BD eng.</i>				Oil	LP212 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>W18</i>			Sec.	Fuel	LAF4335 ¹	<i>W4</i>		
	Air	LAF1136 LAF1137 LAF1786	Pri.	Fuel	FP1127F LFP3301F		Air	LAF222
Sec.	Fuel	FP1127F LFP3301F		Oil	LP32 P119 P92 PH675	Sec.	Fuel	FP862F FP863F L296F ⁴¹
Pri.	Hydraulic	LP8308	From S/N 9105118			Pri.	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Oil	LP132 LP32 PH24 PH675	<i>W24B</i>			<i>W5AD</i>		
	Air	LAF1136 LAF1137 LAF1786		Air	LAF4335 ¹	Sec.	Fuel	FP862F FP863F L296F ⁴¹
Sec.	Fuel	FP1127F LFP3301F	Sec.	Fuel	FP1127F LFP3301F	Pri.	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
Pri.	Hydraulic	LP8308		Hydraulic	LP8308	<i>W5AG</i>		
	Oil	LP132 LP32 PH24 PH675		Oil	PH24 PH675		Air	LAF4123
<i>W18B</i>			<i>W26</i>			<i>W7</i>		
	Air	LAF1136 LAF1137		Air	LAF1416 LAF4282		Air	LAF1786
Sec.	Fuel	FP1127F LFP3301F		Hydraulic	LP32	Sec.	Fuel	261F FP1127F L296F ⁴¹ LFP3301F
Pri.	Hydraulic	LFH4915		Trans	P92	Pri.	Oil	P2 ⁹³⁵ P92 PH400 ²⁷⁵
	Oil	PH675	<i>W26B, W26LF</i>					
	Air	LAF1136 LAF1137	Sec.	Fuel	FP1127F LFP3301F			
Sec.	Fuel	FP1127F LFP3301F	Pri.	Hydraulic	LH4906			
Pri.	Hydraulic	LFH4915		Oil	LP32 PH24			
	Oil	PH675						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 14-Extended Life 28-Contains 1 oz. of chemical 41-Cartridge 244-Secondary 275-Primary 691-1993 On 935-Requires use of Case A21473 gasket not supplied. 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (WHEEL LOADER)			CASE (WHEEL LOADER)			CASE INTERNATIONAL (APPLICATOR & SPRAYER)		
<i>W7 (cont'd)</i>			<i>W-9A</i>			<i>FLX3330 w/Caterpillar 3208 Engine (cont'd)</i>		
	Oil	PH8A 1496		Air	LAF4123 LAF851	W/S	Fuel	LFF1131 LFP440F
<i>W7C</i>				Fuel	261F FP953F 244	Sec.	Oil	LFP6007
	Air	LAF1786	In-Line	Oil	P2 P92	<i>FLX3510 w/Cummins 6TAA-9004 Engine</i>		
Sec.	Fuel	261F FP1127F L296F 41 LFP3301F					Coolant	LFW4071 28, 205
Pri.		LFP3301F	<i>W9AD</i>	Oil	LAF4123		Oil	LFP3000 LFP3000XL 14
	Oil	P2 935 P92 PH400 275 PH8A 1496	In-Line	Air	LAF4123	<i>FLX4010 w/Cummins QSC 8.3L Engine</i>		
<i>W7D</i>				Fuel	261F FP953F 244		Coolant	LFW4071 28, 205
	Air	LAF1786	<i>W9BD</i>	Oil	LP2264 P92		Fuel	LFF1022
	Fuel	261F FP1127F L296F 41 LFP3301F		Air	LAF1786	N14232	Hydraulic	LFH4473
Sec.		LFP3301F		Fuel	261F		Oil	LFP3000 LFP3000XL 14
Pri.	Oil	P2 935 P92 PH400 275 PH8A 1496		Oil	P119 P92 PH725	<i>FLX4330 Titan w/Cat 3176 Engine</i>		
<i>W7E</i>			<i>W9BG</i>			908300T1	Air	LAF8673 2
	Air	LAF1786		Air	LAF1786	908301T1		LAF8689 1
	Fuel	261F FP1127F L296F 41 LFP3301F		Fuel	261F	Sec.	Fuel	LFP440F
Sec.		LFP3301F		Oil	P119 P92 PH725		Oil	LFP5570
Pri.	Oil	P2 935 P92 PH400 275 PH8A 1496	<i>W9C</i>			<i>FLX4375 w/Caterpillar 3176C Engine</i>		
<i>W7E</i>				Air	LAF1786	310067	Air	LAF1870 LAF9085 1 LAF9086MXM 2
	Fuel	261F FP1127F L296F 41 LFP3301F	<i>W9D</i>	Oil	LP32 P119 PH725	1R-0749	Fuel	LFF2749 20
Sec.		LFP3301F		Air	LAF1786	1R-0716	Oil	LFP4005 LFP4005TRT 3 LFP4005XL 14
Pri.	Oil	P2 935 P92 PH400 275 PH8A 1496		Fuel	FP1127F LFP3301F	<i>FLX4510</i>		
<i>W8BD</i>				Oil	PH725	J100304	Coolant	LFW4071 28, 205
	Air	LAF1786	<i>W9E</i>			N14232	Hydraulic	LFH4473
	Fuel	261F FP953F 244		Sec.	FP1127F LFP3301F	366700A1	Oil	LFP3000
In-Line	Oil	P119 P92 PH725		Pri.	PH400 275 PH8A 1496	<i>FLX4510 w/Cummins 6TAA-9004 Engine</i>		
<i>W8BG</i>			CASE INTERNATIONAL (APPLICATOR & SPRAYER)				Coolant	LFW4071 28, 205
	Air	LAF1786	<i>FLX3010 w/ 8.3L Engine</i>				Oil	LFP3000 LFP3000XL 14
	Oil	P119 P92	J100304	Coolant	LFW4071 28, 205	<i>Patriot 2240 w/FPT 6.7L Tier 4 Engine</i>		
<i>W8C</i>			(87360565); Sec.	Fuel	LFF5488 LFF9732		Air	LAF8669 LAF8670
Sec.	Fuel	FP1127F LFP3301F	(87356193); W/S			Pri.	Fuel	LFF5421
Pri.	Oil	P92 PH725	N14232	Hydraulic	LFH4473	87272033	Hydraulic	LH5843 1077
<i>W8E</i>			366700A1	Oil	LFP3000 LFP3000XL 14	84228488	Oil	LFP6023
	Air	LAF1786	29548988	Trans	LH4582G 24	<i>Patriot 3150, Patriot 3185 w/Case 5.9L Engine</i>		
	Fuel	FP1127F LFP3301F	<i>FLX3300B w/Cummins 8.3L Engine</i>			249988A1	Air	LAF3781 1, 241 LAF4498 2, 208
Sec.		LFP3301F	J100304	Coolant	LFW4071 28	D139225	Fuel	L3523F LFF8062
Pri.	Oil	P92 PH400 275 PH8A 1496	J800394	Fuel	LFF1022	(J286503); W/S		LH5843
<i>W8C</i>			J919562	Oil	LFP2265	Hydraulic Tank	Hydraulic	LH5843
			<i>FLX3330 w/Caterpillar 3208 Engine</i>			J934430	Oil	LFP780XL 14
				Air	LAF9086 LAF9086MXM 268	N14232	Trans	LFH4473 590
			<i>FLX3330 w/Caterpillar 3208 Engine</i>			<i>Patriot 3210 w/Case 5.9L Engine</i>		
						249988A1	Air	LAF3781 1, 241 LAF4498 2, 208
						249987A1		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 24-4" Sump 28-Contains 1 oz. of chemical 41-Cartridge 205-Maintenance 208-19" Hgt. 241-17.5" Hgt. 244-Secondary 268-Extended/Severe service 275-Primary 590-Hydrostatic 935-Requires use of Case A21473 gasket not supplied. 1077-Hyd. Tank 1140-1960-on 1496-Alternate

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE INTERNATIONAL (APPLICATOR & SPRAYER)			CASE INTERNATIONAL (APPLICATOR & SPRAYER)			CASE INTERNATIONAL (APPLICATOR & SPRAYER)		
<i>Patriot 3210 w/Case 5.9L Engine (cont'd)</i>			<i>SPX3200B w/Cummins 5.9L Engine (cont'd)</i>			<i>Titan 4020 w/Case IH Tier 3 9L Engine (cont'd)</i>		
D139225 (J286503); W/S	Fuel	L3523F LFF8062	(J931062); W/S	Fuel	LFF8062 ³² LFH4473	366700A1	Oil	LFP3000 LFP3000XL ¹⁴
N14232 J934430	Hydraulic Oil	LFH4473 ¹⁰⁷⁶ LFP780XL ¹⁴	P165332 J934430	Hydraulic Oil	LFP780 LFP780XL ¹⁴	<i>Titan 4520 w/Case IH Tier 2 9L Engine</i>		
<i>Patriot 3240 w/FPT6.7L Tier 4 Engine</i>			<i>SPX3310</i>			J100304	Coolant	LFW4071 ²⁸
Pri.	Fuel	LFF5421	249988-A1	Air	LAF3781 ^{1,241} LAF4498 ^{2,208}	(87349761); Sec. (87356193); W/S	Fuel	LFF5488 LFF9732
Hydraulic Tank	Hydraulic	LH5843	249987-A1			366700A1	Oil	LFP3000 LFP3000XL ¹⁴
	Oil	LFP6023	J100304	Coolant	LFW4071 ²⁸	CASE INTERNATIONAL (COMBINE)		
<i>Patriot 3340w/FPT6.7L Tier 4 Engine</i>			<i>SPX4260 w/Cummins 8.3L Engine</i>			<i>1620 w/Case 6T590 Engine</i>		
Pri.	Fuel	LFF5421	D139225 (J286503); W/S	Fuel	L3523F LFF8062	932391C2	Air	LAF1959 ² LAF1996 ¹
Hydraulic Tank	Hydraulic	LH5843	N14232	Hydraulic	LFH4473	(J-903410); Pri. (J-903640); Sec.	Fuel	LFF3417 LFF3521
	Oil	LFP6023	J934430	Oil	LFP780 LFP780XL ¹⁴	528493-R3	Hydraulic	LFH4636 ¹⁰⁷⁷
<i>Patriot 4420 w/Cummins 8.3L Engine</i>			<i>SPX4410 w/Case 8.3L Engine</i>			J-908615	Oil	LFP780 LFP780XL ¹⁴
J100304 (87349761); Sec. (87356193); W/S	Coolant Fuel	LFW4071 ²⁸ LFF5488 LFF9732	90-8300T1 90-8301T1	Air	LAF8673 ² LAF8689 ¹	<i>1620 w/International D358 Engine</i>		
N14232 Hydraulic Tank (366700A1); XC180	Hydraulic Oil	LFH4473 LH5843 LFP3000 LFP3000XL ¹⁴	J100304 (FS1280); Pri. (FS1251); W/S	Coolant Fuel	LFW4071 ²⁸ LFF3417 LFF8062	529852-R5	Air	LAF1723 ¹ LAF1987 ²
<i>Patriot 4440 w/FPT 8.7L Tier 4 Engine</i>			N14232	Hydraulic	LFH4473	690049C1		
Hydraulic Tank	Hydraulic	LH5843		Oil	LFP2265	(J-903410); Pri. (J-903640); Sec.	Fuel	LFF3417 LFF3521
<i>SPX2130 w/John Deere Engine</i>			<i>SPX4410 w/Case 8.3L Engine</i>			528493-R3	Hydraulic	LFH4636 ¹⁰⁷⁷
(RE60021); Sec.	Fuel	L8683F	J100304	Coolant	LFW4071 ^{28,205}	3136046-R93	Oil	LFP5853
P165332	Hydraulic	LFH4473	FS1022	Fuel	LFF1022	<i>1640 w/Case 6TA590 Engine</i>		
<i>SPX3150</i>			N14232	Hydraulic	LFH4473	932391C2	Air	LAF1959 ² LAF1996 ¹
249988-A1	Air	LAF3781 ^{1,241} LAF4498 ^{2,208}	366700A1	Oil	LFP3000 LFP3000XL ¹⁴	932390C1		
249987-A1			<i>Titan 3020 w/Case IH Tier 3 9L Engine</i>			(J-903640); Sec.	Fuel	LFF3521
J100304	Coolant	LFW4071 ²⁸	J100304	Coolant	LFW4071 ²⁸	(A-184776); Sec.		LFP255F ¹¹⁴¹
D139225 (J286503); W/S	Fuel	L3523F LFF8062	(87349761); Sec. (87356193); W/S	Fuel	LFF5488 LFF9732	528493-R3	Hydraulic	LFH4636
N14232	Hydraulic	LFH4473	366700A1	Oil	LFP3000 LFP3000XL ¹⁴	A177605		LFH5876 ⁶⁰⁷
J934430	Oil	LFP780 LFP780XL ¹⁴	<i>Titan 3020 w/Cummins 9.0L Engine</i>			J-908615	Oil	LFP780 LFP780XL ¹⁴
<i>SPX3185</i>			J100304	Coolant	LFW4071 ²⁸	<i>1640 w/International D466 Engine</i>		
249988-A1	Air	LAF3781 ^{1,241} LAF4498 ^{2,208}	(87349761); Sec. (87356193); W/S	Fuel	LFF5488 LFF9732	S-231996	Air	LAF6587 ² LAF6587MXM ^{2,268}
249987-A1			366700A1	Oil	LFP3000 LFP3000XL ¹⁴	530270-R2		LAF6834 ¹
J100304	Coolant	LFW4071 ²⁸	<i>Titan 3520 w/Case IH Tier 2 9L Engine</i>			J100304	Coolant	LFW4071 ²⁸ LFW4744 ⁴
D139225 (J286503); W/S	Fuel	L3523F LFF8062	J100304	Coolant	LFW4071 ²⁸	A-151931		
N14232	Hydraulic	LFH4473	(87349761); Sec. (87356193); W/S	Fuel	LFF5488 LFF9732	(A-184773); Pri. (A-184774); Sec.	Fuel	FP251F FP603 LFP255F ¹¹⁴¹
J934430	Oil	LFP780 LFP780XL ¹⁴	366700A1	Oil	LFP3000 LFP3000XL ¹⁴	A-184776		
<i>SPX3200</i>			<i>Titan 3520 w/Cummins 9.0L Engine</i>			528493-R3	Hydraulic	LFH4636
249988-A1	Air	LAF3781 ^{1,241} LAF4498 ^{2,208}	J100304	Coolant	LFW4071 ²⁸	A-184775	Oil	PH675
249987-A1			(87349761); Sec. (87356193); W/S	Fuel	LFF5488 LFF9732	<i>1644 w/Cummins 6T590 Engine</i>		
J100304	Coolant	LFW4071 ²⁸	366700A1	Oil	LFP3000 LFP3000XL ¹⁴	143481C92	Air	LAF1879
D139225 (J286503); W/S	Fuel	L3523F LFF8062	<i>Titan 4020 w/Case IH Tier 3 9L Engine</i>			A-171255		LAF1889 ²
N14232	Hydraulic	LFH4473	J100304	Coolant	LFW4071 ²⁸	A-171256		LAF1922 ¹
J934430	Oil	LFP780 LFP780XL ¹⁴	(87349761); Sec. (87356193); W/S	Fuel	LFF5488 LFF9732	A-77544	Coolant	LFW4071 ²⁸
<i>SPX3200B w/Cummins 5.9L Engine</i>			366700A1	Oil	LFP3000 LFP3000XL ¹⁴	J-903640	Fuel	LFF3521
249988A1	Air	LAF3781 ^{1,241} LAF4498 ^{2,208}	<i>Titan 4020 w/Case IH Tier 3 9L Engine</i>			A-184776		LFP255F ¹¹⁴¹
249987A1			J100304	Coolant	LFW4071 ²⁸	A177605	Hydraulic	LFH5876
			(87349761); Sec. (87356193); W/S	Fuel	LFF5488 LFF9732	J-908615	Oil	LFP780 LFP780XL ¹⁴

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 14-Extended Life 28-Contains 1 oz. of chemical 32-Remote mounted 205-Maintenance 208-19" Hgt.

241-17.5" Hgt. 268-Extended/Severe service 607-Return 1076-Case Drain 1077-Hyd. Tank 1141-At Fuel Tank

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE INTERNATIONAL (COMBINE)			CASE INTERNATIONAL (COMBINE)			CASE INTERNATIONAL (COMBINE)		
<i>1660 w/Case 6TA830 Engine</i>			<i>1670 Hillside w/International DT466 Engine (cont'd)</i>			<i>2166, 2188 w/Cummins 6CTA830 Engine (cont'd)</i>		
143481-C2	Air	LAF1879	932390C1	Air	LAF1996 ¹	A77544	Coolant	LFW4071 ²⁸
932391C2		LAF1959 ²	A-151931	Coolant	LFW4744 ⁴	(J925274); Pri.	Fuel	LFF3417
932390C1		LAF1996 ¹	(A-184773); Pri.	Fuel	FP251F	(J903640); Sec.		LFF3521
A-77544	Coolant	LFW4071 ^{28, 205}	(A-184774); Sec.		FP603	A-184776		LFP255F ¹¹⁴¹
(J-903640); Sec.	Fuel	LFF3521	A-184776		LFP255F ¹¹⁴¹	A177605	Hydraulic	LFH5876
A-184776		LFP255F ¹¹⁴¹	A-184775	Oil	PH675	J919562	Oil	LFP2265
528493-R3	Hydraulic	LFH4636 ¹⁰⁷⁷				70203C2	Trans	LFP791 ⁵⁹⁰
A177605		LFH5876 ⁶⁰⁷	<i>1680 w/Case 6TA830 Engine</i>			<i>2344 w/Cummins 5.9L Engine</i>		
(J-919562); S/N	Oil	LFP2265	932391C2	Air	LAF1879	243968-A1	Air	LAF8769 ²
4489287-		LFP734	932390C1		LAF1959 ²	243969-A1		LAF8770 ¹
(A-77537); -S/N			A-77544	Coolant	LAF1996 ¹	(J925274); Pri.	Fuel	LFF3417
4489287			(J-903640); Sec.	Fuel	LFW4071 ²⁸	(J903640); Sec.		LFF3521
<i>1660 w/International DT466 Engine</i>			A-184776		LFF3521	A184776		LFP255F
143481-C2	Air	LAF1879	(528493-R3); -S/N	Hydraulic	LFP255F ¹¹⁴¹	A177605	Hydraulic	LFH5876
932391C2		LAF1959 ²	JJC0047918		LFH4636 ¹⁰⁷⁷	J908615	Oil	LFP780
932390C1		LAF1996 ¹	(1329214C1); S/N		LFH5876			LFP780XL ¹⁴
A-77544	Coolant	LFW4071 ²⁸	JJC0047918-			<i>2366 w/Cummins 8.3L Engine</i>		
A-151931		LFW4744 ⁴	(J-919562); S/N	Oil	LFP2265	A132151A1	Air	LAF8110 ^{2, 894}
(A-184773); Pri.	Fuel	FP251F	44500595-		LFP734	A132149A1		LAF8111 ¹
(A-184774); Sec.		FP603	(A-77537); -S/N			243968A1		LAF8769 ^{2, 1142}
A-184776		LFP255F ¹¹⁴¹	44500595			243969A1		LAF8770 ¹
528493-R3	Hydraulic	LFH4636 ¹⁰⁷⁷	70203C2	Trans	LFP791 ⁵⁹⁰	A77544	Coolant	LFW4071 ²⁸
A-184775	Oil	PH675				(335341A1); W/S	Fuel	LFF1001
<i>1660 w/International DT466B Engine</i>			<i>1680 w/International DT466B Engine</i>			<i>2377, 2388 w/Cummins 8.3L Engine</i>		
143481-C2	Air	LAF1879	932391C2	Air	LAF1959 ²	(J925274); Pri.		LFF3417
932391C2		LAF1959 ²	932390C1		LAF1996 ¹	(J903640); Sec.		LFF3521
932390C1		LAF1996 ¹	A-151931	Coolant	LFW4744 ⁴	(87360565); Sec.		LFF5488
A-77544	Coolant	LFW4071 ²⁸	(A-184773); Pri.	Fuel	FP251F	(90-3941T1); W/S		LFF8020
A-151931		LFW4744 ⁴	(A-184774); Sec.		FP603	A177605	Hydraulic	LFH5876
(A-184773); Pri.	Fuel	FP251F	A-184776		LFP255F ¹¹⁴¹	(J919562); -S/N	Oil	LFP2265
(A-184774); Sec.		FP603	A-184775	Oil	PH675	JJC0255700		LFP3000
A-184776		LFP255F ¹¹⁴¹	70203C2	Trans	LFP791 ⁵⁹⁰	(366700A1); S/N		LFP3000XL ¹⁴
528493-R3	Hydraulic	LFH4636 ¹⁰⁷⁷				JJC0255700-		
A-184775	Oil	PH675	<i>1688 w/Case 6CTA830 Engine</i>			<i>2377, 2388 w/Cummins 8.3L Engine</i>		
<i>1666 w/Case 6CTA830 Engine</i>			627976-C1	Air	LAF1777 ¹	A132151A1	Air	LAF8110 ^{2, 894}
627976-C1	Air	LAF1777 ¹	A132151A1		LAF1879	A132149A1		LAF8111 ¹
143481-C2		LAF1879	A132149A1		LAF8110 ²	243968A1		LAF8769 ^{2, 1142}
A132151A1		LAF8110 ²	627975C1		LAF8111 ¹	243969A1		LAF8770 ¹
A132149A1		LAF8111 ¹	A-77544	Coolant	LAF8211 ²	A77544	Coolant	LFW4071 ²⁸
627975-C1		LAF8211 ²	J-903640	Fuel	LFW4071 ²⁸	(335341A1); W/S	Fuel	LFF1001
A-77544	Coolant	LFW4071 ²⁸	A-184776		LFP255F ¹¹⁴¹	(J925274); Pri.		LFF3417
J-903640	Fuel	LFF3521	A177605	Hydraulic	LFH5876	(J903640); Sec.		LFF3521
A-184776		LFP255F ¹¹⁴¹	J-919562	Oil	LFP2265	(87360565); Sec.		LFF5488
A177605	Hydraulic	LFH5876	70203C2	Trans	LFP791 ⁵⁹⁰	(90-3941T1); W/S		LFF8020
J-919562	Oil	LFP2265				A177605	Hydraulic	LFH5876
<i>1670 Hillside w/Case 6TA830 Engine</i>			<i>2144 w/Cummins 6BTA590 Engine</i>			<i>2577 w/Cummins 8.3L Engine</i>		
932391C2	Air	LAF1959 ²	A132151A1	Air	LAF8110 ²	(J919562); -S/N	Oil	LFP2265
932390C1		LAF1996 ¹	A132149A1		LAF8111 ¹	JJC0255700		LFP3000
(A-77544); S/N	Coolant	LFW4071 ²⁸	(335341A1); W/S	Fuel	LFF1001 ²⁵⁶	(366700A1); S/N		LFP3000XL ¹⁴
JJC0047918-			(J925274); Pri.		LFF3417	JJC0255700-		
J-903640	Fuel	LFF3521	(J903640); Sec.		LFF3521	<i>2577 w/Cummins 8.3L Engine</i>		
A-184776		LFP255F ¹¹⁴¹	A-184776		LFP255F ¹¹⁴¹	243968A1	Air	LAF8769 ^{2, 1142}
A177605	Hydraulic	LFH5876	J908615	Oil	LFH5876	243969A1		LAF8770 ¹
J-919562	Oil	LFP2265			LFP780	A77544	Coolant	LFW4071 ²⁸
<i>1670 Hillside w/International DT466 Engine</i>			<i>2166, 2188 w/Cummins 6CTA830 Engine</i>			<i>2577 w/Cummins 8.3L Engine</i>		
932391C2	Air	LAF1959 ²	A132151A1	Air	LAF8110 ²	(87307432); W/S	Fuel	LFF1003 ²⁴⁴
			A132149A1		LAF8111 ¹	(87360565); Pri.		LFF5488
						(A177605); Suction		LFH5876

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 14-Extended Life 28-Contains 1 oz. of chemical 205-Maintenance 244-Secondary 256-At Tank 590-Hydrostatic 607-Return 894-11" O.D. 1077-Hyd. Tank 1141-At Fuel Tank 1142-13" O.D.

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE INTERNATIONAL (COMBINE)			CASE INTERNATIONAL (COMBINE)			CASE INTERNATIONAL (COTTON PICKER)		
2577 w/Cummins 8.3L Engine (cont'd)			8230 Axial Flow (w/FPT 12.9L tier 4 Engine) (cont'd)			1800 w/Cummins 5.9L Engine (cont'd)		
(A177605); Return	Hydraulic	LFH5876	254353A1	Hydraulic	LFH8294	67975-C1	Air	LAF937 ¹
366700A1	Oil	LFP3000	277311A1		LFH8417 ¹¹⁴³	(J-925274); Pri.	Fuel	LFF3417
		LFP3000XL ¹⁴	504082382	Oil	LFP7174	(J-903640); Sec.		LFF3521
2588 w/Cummins 8.3L Engine			8240 Axial Flow (w/FPT F3HFE613A Engine)			A-177605		
243968A1	Air	LAF8769 ^{2, 1142}	84305930	Air	LAF8889 ²	J-908615	Oil	LFP780
243969A1		LAF8770 ¹	87682993	Cabin Air	LAF4544			LFP780XL ¹⁴
A77544	Coolant	LFW4071 ²⁸	254353A1	Hydraulic	LFH8294	1822 w/Cummins 6BTA590 Engine		
(87307432); W/S	Fuel	LFF1003 ²⁴⁴	9230 Axial Flow (w/FPT 12.9L tier 4 Engine)			143481-C2		
(87360565); Pri.		LFF5488	294721A1	Hydraulic	LFH4990	(67974-C4); S/N		LAF1879
(A177605); Return	Hydraulic	LFH5876	254353A1		LFH8294	JJC0012691-;		LAF936 ²
366700A1	Oil	LFP3000	277311A1		LFH8417 ¹¹⁴³	w/Cummins Diesel eng.		
		LFP3000XL ¹⁴	504082382	Oil	LFP7174	67975-C1		LAF937 ¹
5140 Axial Flow (w/FPT 6.7L Engine)			9240 Axial Flow (w/FPT 16L Engine)			(J-903410); Pri.		
	Air	LAF8769 ²	87682993	Cabin Air	LAF4544	(J-903640); Sec.	Fuel	LFF3417
		LAF8770 ¹	254353A1	Hydraulic	LFH8294	A177605	Hydraulic	LFH5876
84217229	Cabin Air	LAF4544	AFX8010 Axial-flow w/Iveco 3VEXL Engine			J-908615	Oil	LFP780
84412164	Fuel	LFH5421	86998332	Air	LAF4544MXM ²⁵⁹			LFP780XL ¹⁴
A177605	Hydraulic	LFH5876	86998333		LAF8769 ^{2, 259}	1822 w/IHC Engine		
84228488	Oil	LFP6023	84036676	Cabin Air	LAF8770 ^{1, 259}	143181-C2		
6088 w/Case International 8.3L Engine			84989840	Fuel	LAF4544 ²⁵⁹	(67974-C4); -S/N		
86998333	Air	LAF8769 ²	294721-A1	Hydraulic	LFF1223 ²⁵⁹	JJC0012691		
86998332		LAF8770 ¹	254353-A1		LFH4990 ^{259, 607}	67975-C1		
84036676	Cabin Air	LAF4544	277311-A1		LFH8294 ²⁵⁹	A-151931		
J100304	Coolant	LFW4071 ²⁸	84818743	Oil	LFH8417 ^{259, 927}	(A-184774); Sec.		
(87307432); W/S	Fuel	LFF1003 ²⁰⁹			LFP7174 ²⁵⁹	(A-184776); W/S		
(87360565); Sec.		LFF5488	86998332	Air	LAF4544MXM ^{2, 268}	A177605		
A177605	Hydraulic	LFH5876 ^{607, 1119}	86998333		LAF8769 ²	A-184775		
86525899		LFH8417	84036676	Cabin Air	LAF8770 ¹	1844 w/Case 6TA830 Engine		
366700A1	Oil	LFP3000	84989840	Fuel	LAF4544	143481-C2		
		LFP3000XL ¹⁴	294721-A1	Hydraulic	LFF1223	(67974-C4); -S/N		
6140 Axial Flow (w/FPT 8.7L Engine)			254353-A1		LFH4990 ⁶⁰⁷	JJC0002462		
86998332	Air	LAF8670	277311-A1		LFH8294	67975-C1		
86998333		LAF8769 ²	84818743	Oil	LFH8417 ⁹²⁷	A-151931		
84217229	Cabin Air	LAF4544			LFP7174	(A-184774); Sec.		
(84597064); Return	Fuel	LFF8101	86998332	Air	LAF4544MXM ²⁹¹	(A-184776); W/S		
(A177605); Return	Hydraulic	LFH5876	86998333		LAF8769 ^{2, 1145}	A-184775		
84346773	Oil	LFP7174	84036676	Cabin Air	LAF8770 ^{1, 1145}	1844 w/Cummins Engine		
7140 Axial Flow (w/FPT Cursor 8.7L Engine)			84989840	Fuel	LAF4544 ¹¹⁴⁵	143481-C2		
86998332	Air	LAF8670	294721-A1	Hydraulic	LFF1223 ¹¹⁴⁵	(67974-C4); S/N		
86998333		LAF8769 ²	254353-A1		LFH4990 ^{607, 1145}	JJC0002462-		
84217229	Cabin Air	LAF4544	277311-A1		LFH8294 ¹¹⁴⁵	67975-C1		
84597064	Fuel	LFF8101	84818743	Oil	LFH8417 ^{927, 1145}	A-77544		
(A177605); Return	Hydraulic	LFH5876			LFP7174 ¹¹⁴⁵	A-77544		
84346773	Oil	LFP7174	CASE INTERNATIONAL (COTTON PICKER)			(J-903410); Pri.		
7230 Axial Flow (w/FPT Cursor 9 Engine)			1400			(J-903640); Sec.		
87682993	Cabin Air	LAF4544	529852-R5	Air	LAF1723 ¹	A177605		
294721A1	Hydraulic	LFH4990 ¹¹⁴⁴	690049-C2		LAF1987 ²	A-77537		
254353A1		LFH8294 ⁶¹⁰	1967094-C1	Fuel	FP587F	1844 w/IHC Engine		
277311A1		LFH8417 ¹¹⁴³	69149-C1	Hydraulic	LFP449	143481-C2		
504082382	Oil	LFP7174	3136046-R93	Oil	PH2819	(67974-C4); S/N		
7240 Axial Flow (w/FPT F3HFE613A Engine)			1800 w/Cummins 5.9L Engine			JJC0002462		
84305930	Air	LAF8889 ²	67974-C4	Air	LAF936 ²	67975-C1		
87682993	Cabin Air	LAF4544	1844 w/IHC Engine			A-151931		
254353A1	Hydraulic	LFH8294 ⁶¹⁰	143481-C2			(67974-C4); -S/N		
8230 Axial Flow (w/FPT 12.9L tier 4 Engine)			67974-C4			JJC0002462		
294721A1	Hydraulic	LFH4990	1844 w/IHC Engine			67975-C1		
			143481-C2			A-151931		
			(67974-C4); S/N			(A-184774); Sec.		
			JJC0002462			(A-184776); W/S		
			67975-C1			A-184775		
			A-151931					
			(A-184774); Sec.					
			(A-184776); W/S					
			A-184775					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 28-Contains 1 oz. of chemical 209-Square sensor port 244-Secondary 259-To 09/06 268-Extended/Severe service 291-Extended/Severe service. 607-Return 610-Charge Pump 927-In-line 1119-Suction Line 1142-13" O.D. 1143-14" Tall 1144-PTO 1145-From 03/03

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE INTERNATIONAL (COTTON PICKER)			CASE INTERNATIONAL (COTTON PICKER)			CASE INTERNATIONAL (SWATHERS & WINDROWERS)		
2022 w/Cummins 6TA590 Engine			CPX610 w/Cummins 8.3L Engine (cont'd)			8820 w/Cummins 4B3.9 Engine		
143481-C2	Air	LAF1879	1329214-C1	Hydraulic	LFH5876	924779-C2	Air	LAF1734 ²
67974-C4		LAF936 ²	366700-A1	Oil	LFP3000	537335-R3		LAF1735 ¹
67975-C1		LAF937 ¹			LFP3000XL ¹⁴	1701232-C91	Fuel	G5/16 ²⁶³
A-77544	Coolant	LFW4071 ²⁸	CASE INTERNATIONAL (PLANTER)			7738743	Hydraulic	LFH7355
(J-903410); Pri.	Fuel	LFF3417	1220 Planter			D26845		PH2814 ¹⁰⁷⁷
(J-903640); Sec.		LFF3521	87404510	Hydraulic	LFH8395G	1336188C1	Oil	PH253 ¹⁴⁹⁶
A177605	Hydraulic	LFH5876	1240 Planter, 1250 Planter					PH2835 ²⁷⁵
J-908615	Oil	LFP780	87404510	Hydraulic	LFH8395G	8820 w/Diesel Engine		
		LFP780XL ¹⁴	1245, 1255, 1265 Planters			924779-C2	Air	LAF1734 ²
2044 w/Cummins 6TA830 Engine				Hydraulic	LFH8395G	537335-R3		LAF1735 ¹
143481-C2	Air	LAF1879	CASE INTERNATIONAL (SPRAYERS)			A173291		LAF1784 ¹
A-171255		LAF1889 ²	Patriot 3230 w/Cummins 6.7L Engine			(A173290); S/N		LAF9538 ²
A-171256		LAF1922 ¹		Air	LAF8669	CFH0028418-		LAF9538MXM ^{2, 268}
(67974-C4); 2044 only		LAF936 ²		Fuel	LFF5421	S/N CFH0028418-		
(67974-C1); 2044 only		LAF937 ¹	Hydraulic Tank	Hydraulic	LH5843	(J-903410); Pri.	Fuel	LFF3417
A-77544	Coolant	LFW4071 ²⁸		Oil	LFP6023	(J-903640); Sec.		LFF3521
(J-903410); Pri.	Fuel	LFF3417	Patriot 3320 w/Cummins 6.7L Engine			7738743	Hydraulic	LFH7355
(J-903640); Sec.		LFF3521		Air	LAF8669	D-26845		PH2814 ¹⁰⁷⁷
A177605	Hydraulic	LFH5876		Fuel	LFF5421	J-908616	Oil	LFP3900
J-919562	Oil	LFP2265		Oil	LFP6023	8820 w/Gas Engine		
2055 w/Cummins 6TA830 Engine			Patriot 3330 w/Cummins 6.7L Engine			924779-C2	Air	LAF1734 ²
143481-C2	Air	LAF1879		Air	LAF8669	537335-R3		LAF1735 ¹
A-171255		LAF1889 ²		LAF8670	LAF8670	1701232-C91	Fuel	G5/16 ²⁶³
A-171256		LAF1922 ¹		LAF8670	LAF8670	7738743	Hydraulic	LFH7355
(67974-C4); 2044 only		LAF936 ²		LAF8670	LAF8670	D26845		PH2814 ¹⁰⁷⁷
(67974-C1); 2044 only		LAF937 ¹		Fuel	LFF5421	1336188C1	Oil	PH253 ¹⁴⁹⁶
A-77544	Coolant	LFW4071 ²⁸		Hydraulic Tank	LH5843			PH2835 ²⁷⁵
(J-903410); Pri.	Fuel	LFF3417	CASE INTERNATIONAL (SUGAR CANE HARVESTER)			8825 w/Diesel Engine		
(J-903640); Sec.		LFF3521		Oil	LFP6023	(J-903410); Pri.	Fuel	LFF3417
A177605	Hydraulic	LFH5876	A8000 w/Iveco C9 Engine			(J-903640); Sec.		LFF3521
J-919562	Oil	LFP2265	504199551	Fuel	LFF8101	(J-843760); W/S		LFF8062
2055 w/Cummins 6TA830 Engine			504082382	Oil	LFP7174	J-908616	Oil	LFP3900
143481-C2	Air	LAF1879	A8000 w/Scania DC9 Engine			8830 w/A-1 Diesel Engine		
A-171255		LAF1889 ²	87696188	Fuel	L5683F			PH253 ^{1110, 1496}
A-171256		LAF1922 ¹	A8800 w/Iveco C9 Engine					PH2835 ^{275, 1110}
(67974-C4); 2044 only		LAF936 ²	504199551	Fuel	LFF8101			
(67974-C1); 2044 only		LAF937 ¹	504082382	Oil	LFP7174			
A-77544	Coolant	LFW4071 ²⁸	A8800 w/Scania DC9 Engine					
(J-903410); Pri.	Fuel	LFF3417	87696188	Fuel	L5683F			
(J-903640); Sec.		LFF3521	A8800 w/Iveco C9 Engine					
A177605	Hydraulic	LFH5876	504199551	Fuel	LFF8101			
J-919562	Oil	LFP2265	504082382	Oil	LFP7174			
2155 w/Cummins 6CTA830 Engine			CASE INTERNATIONAL (SWATHERS & WINDROWERS)					
A-171255	Air	LAF1889 ²	6000, 6500 w/Diesel Engine			924779-C2	Air	LAF1734 ²
A-171256		LAF1922 ¹	A173291	Air	LAF1784 ¹	537335-R3		LAF1735 ¹
A-77544	Coolant	LFW4071 ²⁸	A173290		LAF9538 ²	(J-903410); Pri.	Fuel	LFF3417
D-139225	Fuel	L3523F	(J-903410); Pri.	Fuel	LFF3417	(J-903640); Sec.		LFF3521
(J-925274); Pri.		LFF3417	(J903640); Sec.		LFF3521	7738743	Hydraulic	LFH7355
(J-903640); Sec.		LFF3521	1276810C1	Hydraulic	LFP1652	D-26845		PH2814 ¹⁰⁷⁷
A177605	Hydraulic	LFH5876	J-908616	Oil	LFP3900	J-908616	Oil	LFP3900
J-919562	Oil	LFP2265	6000, 6500 w/gas Engine			8840 w/Cummins 3.9L Engine		
2555 w/Cummins 8.3L Engine			1336122C1	Air	LAF222 ²	924779-C2	Air	LAF1734 ²
A-171255	Air	LAF1889 ²	1701232C91	Fuel	G5/16 ²⁶³	537335-R3		LAF1735 ¹
A-171256		LAF1922 ¹	1276810C1	Hydraulic	LFP1652	(J-903410); Pri.	Fuel	LFF3417
A-77544	Coolant	LFW4071 ²⁸	1336188C1	Oil	PH253 ¹⁴⁹⁶	(J-903640); Sec.		LFF3521
D-139225	Fuel	L3523F			PH2835 ²⁷⁵	7738743	Hydraulic	LFH7355
(J-925274); Pri.		LFF3417				D-26845		PH2814 ¹⁰⁷⁷
(J-903640); Sec.		LFF3521				J-908616	Oil	LFP3900
A177605	Hydraulic	LFH5876				8840 w/Cummins 3.9L Engine		
J-919562	Oil	LFP2265				924779-C2	Air	LAF1734 ²
CPX610 w/Cummins 8.3L Engine						537335-R3		LAF1735 ¹
243968-A1	Air	LAF8769 ²				(J-903410); Pri.	Fuel	LFF3417
243969-A1		LAF8770 ¹				(J-903640); Sec.		LFF3521
J100304	Coolant	LFW4071 ²⁸				7738743	Hydraulic	LFH7355
(194199-A1); In-Line	Fuel	L7693F				D-26845		PH2814 ¹⁰⁷⁷
(J329289); W/S		LFF1000				J-908616	Oil	LFP3900

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 28-Contains 1 oz. of chemical 263-Hoses and clamps included 268-Extended/Severe service 275-Primary 1077-Hyd. Tank 1110-Tank 1496-Alternate

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE INTERNATIONAL (SWATHERS & WINDROWERS)			CASE INTERNATIONAL (SWATHERS & WINDROWERS)			CASE INTERNATIONAL (SWATHERS & WINDROWERS)		
<i>8850 w/Cummins 5.9L Engine</i>			<i>WD2104 w/FPT 6.75L Tier 4 Engine</i>			<i>WDX1902</i>		
932391C2	Air	LAF1959 ²	8602985	Air	LAF8669 ²	87013225	Air	LAF8669 ²
932390C1		LAF1996 ¹			LAF8669MXM	87042094		LAF8670 ¹
(J925274); Pri.	Fuel	LFF3417	8602986		LAF8670	(87803442); Sec.	Fuel	L3441F
(J903640); Sec.		LFF3521	87592170	Fuel	LFF5421	(87803445); Pri.		L3444F
7738743	Hydraulic	LFH7355	4897898	Oil	LFP6015	87027972	Hydraulic	LFH4955
7825516		PH2814	<i>WD2303 w/Case IH 6.7L Engine</i>			86980031	Oil	LFP950
J908615	Oil	LFP780	8602986	Air	LAF5932 ¹	<i>WDX2302</i>		
		LFP780XL ¹⁴	8602985		LAF8149 ²	87013225	Air	LAF8669 ²
<i>8870 w/Cummins B3.9L Engine</i>			222421A1	Cabin Air	LAF4544	87042094		LAF8670 ¹
187471-A1	Air	LAF9542 ²	(87592170); W/S	Fuel	LFH9772	(87803442); Sec.	Fuel	L3441F
187472-A1		LAF9543 ¹	86632018	Hydraulic	LFP449	(87803445); Pri.		L3444F
7825516	Breather	PH253 ^{858, 1497}	87803261	Oil	LFP6015	87027972	Hydraulic	LFH4955
		PH2835 ^{726, 858}	<i>WD2304 w/FPT 6.75L Tier 4 Engine</i>			86980031	Oil	LFP950
(J931062); W/S	Fuel	LFF8062	8602985	Air	LAF8669 ²	<i>WDX901 w/Case New Holland Engine 5.0L</i>		
7738743	Hydraulic	LFH7355	8602986		LAF8670	D56453	Air	LAF1544 ²
J908616	Oil	LFP3900	87592170	Fuel	LFF5421	N8153		LAF9410 ¹
<i>8880 w/Cummins 5.9L Engine</i>			4897898	Oil	LFP6015	(1931137); Sec.	Fuel	L8680F
187471-A1	Air	LAF9542 ²	<i>WD2504 w/FPT 6.75L Tier 4 Engine</i>			86632018	Hydraulic	LFH4955
187472-A1		LAF9543 ¹	8602985	Air	LAF8669 ²	86980031	Oil	LFP950
7825516	Breather	PH253 ^{858, 1497}	8602986		LAF8670	CASE INTERNATIONAL (TRACTOR)		
		PH2835 ^{726, 858}	87592170	Fuel	LFF5421	<i>1120 w/Mitsubishi Engine</i>		
(J931062); W/S	Fuel	LFF8062	4897898	Oil	LFP6015	1991087-C1	Air	LAF8620 ²
7738743	Hydraulic	LFH7355	<i>WDX1002S</i>			1273082-C1	Fuel	L3556F
J937743	Oil	LFP780	222421A1	Air	LAF4544 ²	1992395-C1	Hydraulic	LFH4943 ⁹²⁷
J934430		LFP780XL ¹⁴			LAF4544MXM ^{2, 268}	(1992048-C1); 1130		LFH8835
<i>WD1203 w/CASE 445T Turbo</i>			222422A1		LAF4545 ¹	only		
8602986	Air	LAF5932 ¹	87803194	Fuel	FP587F	1275229-C1	Oil	PH2808
8602985		LAF8149 ²	87027972	Hydraulic	LFH4955	<i>1130 w/Mitsubishi Engine</i>		
222421A1	Cabin Air	LAF4544	87803261	Oil	LFP6015	1991087-C1	Air	LAF8620 ²
(87592170); W/S	Fuel	LFF9772	<i>WDX1101</i>			1273082-C1	Fuel	L3556F
86632018	Hydraulic	LFP449	D56453	Air	LAF1544 ²	1992395-C1	Hydraulic	LFH4943 ⁹²⁷
87803261	Oil	LFP6015	N8153		LAF9410 ¹	(1992048-C1); 1130		LFH8835
<i>WD1204 w/FPT4.5L Tier 4 Engine</i>			(1931137); Sec.	Fuel	L8680F	only		
8602986	Air	LAF5932 ¹	86632018	Hydraulic	LFH4955	1275229-C1	Oil	PH2808
8602985		LAF8149 ²	86980031	Oil	LFP950	<i>1140 w/Mitsubishi Engine</i>		
87592170	Fuel	LFF5421	<i>WDX1202</i>			1273082-C1	Fuel	L3556F
4897898	Oil	LFP6015	392121A1	Air	LAF5932 ¹	1992395-C1	Hydraulic	LFH4943 ⁹²⁷
<i>WD1504 w/FPT4.5L Tier 4 Engine</i>			392120A1		LAF8149 ²	1992048-C1		LFH8835
8602986	Air	LAF5932 ¹	87803194	Fuel	FP587F	1962769-C2	Oil	PH2867
8602985		LAF8149 ²	87027972	Hydraulic	LFH4955	<i>1194 w/3-194 Engine</i>		
87592170	Fuel	LFF5421	87803261	Oil	LFP6015		Fuel	L296F ⁴¹
4897898	Oil	LFP6015	<i>WDX1202S</i>			K-920522	Hydraulic	P820 ¹¹²⁰
<i>WD1903 w/Case IH 6.7L Engine</i>			392121A1	Air	LAF5932 ¹	K-200037	Oil	PH253 ¹⁴⁹⁶
8602986	Air	LAF5932 ¹	392120A1		LAF8149 ²	PH2835 ²⁷⁵		
8602985		LAF8149 ²	87803194	Fuel	FP587F	<i>1294 w/4 cyl. Engine</i>		
222421A1	Cabin Air	LAF4544	87027972	Hydraulic	LFH4955		Fuel	L296F ⁴¹
(87592170); W/S	Fuel	LFF9772	87803261	Oil	LFP6015	K-210049	Hydraulic	LH4246
86632018	Hydraulic	LFP449	<i>WDX1701</i>			K-920522		P820 ¹¹²⁰
87803261	Oil	LFP6015	87013374	Air	LAF1888 ²	K-200037	Oil	PH253 ¹⁴⁹⁶
<i>WD1904 w/FPT 6.75L Tier 4 Engine</i>			87013375		LAF1952 ¹	PH2835 ²⁷⁵		
8602985	Air	LAF8669 ²	(87802923); Pri.	Fuel	L3891F	<i>1394 w/4-219 Engine</i>		
		LAF8669MXM	(87802921); Sec.		L8680F	K952344	Air	LAF7185 ¹
8602986		LAF8670	86632018	Hydraulic	LFH4955		Fuel	L296F ⁴¹
87592170	Fuel	LFF5421	86980031	Oil	LFP950	K-210049	Hydraulic	LH4246
4897898	Oil	LFP6015				K-200037	Oil	PH253 ¹⁴⁹⁶

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 268-Extended/Severe service 275-Primary 726-400 858-Hydraulic Tank 927-In-line 1120-Inlet
1496-Alternate 1497-401

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)		
<i>1394 w/4-219 Engine (cont'd)</i>			<i>275 w/Diesel Engine</i>			<i>4494 w/504BDT Engine</i>		
	Oil	PH2835 ²⁷⁵	1273134C91	Air	LAF1275 ²	F-64318	Air	LAF1871
<i>1494 w/219 Diesel Engine</i>			1273082-C1	Fuel	L3556F	A-44638		LAF7933 ¹
K952344	Air	LAF7185 ¹	1962769C2	Oil	PH2856A	A-44185		LAF9961 ²
K-960911	Fuel	L296F ⁴¹	3220			A-151931	Coolant	LFW4744 ⁴
K-210049	Hydraulic	LH4246	3125342-R2	Air	LAF1965 ²	Sec.	Fuel	FP1127F
K-200037	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	3125255-R1		LAF1971 ¹	(A-58712); Pri.		LFP3301F
<i>1594 w/6-329 Diesel Engine</i>			A-77544	Coolant	LFW4071 ²⁸	A165029	Hydraulic	LFH4471 ^{11, 1128}
K306536	Air	LAF8428 ¹	(1967094-C1); W/S	Fuel	LFF8062	A-44081	Oil	PH675
K306535		LAF8808		Hydraulic	LP214	<i>4694 w/504BDTI Engine</i>		
K-960911	Fuel	L296F ⁴¹	398080-R2	Oil	LFP54	F-64318	Air	LAF1871
K-210049	Hydraulic	LH4246	3230			A-44804		LAF1904 ²
K-200037	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	1265510-C1	Air	LAF1907 ²	A-44805		LAF1940 ¹
<i>1866 w/Case 6T590 Engine</i>			3115569-R2		LAF8803 ¹	A-77544	Coolant	LFW4071 ²⁸
F64318	Air	LAF1871	A-77544	Coolant	LFW4071 ²⁸	Sec.	Fuel	FP1127F
(J925274); Pri.	Fuel	LFF3417	(1967094-C1); W/S	Fuel	LFF8062	(A-44068); Pri.		LFP3301F
(J903640); Sec.		LFF3521		Hydraulic	LP214	A165029	Hydraulic	LFH4471 ^{11, 1128}
A-46403	Hydraulic	LH4931 ¹¹²⁴	398080-R2	Oil	LFP54	A-44081	Oil	PH675
A-176593		LP4421 ¹¹¹²	<i>385 w/International Engine</i>			<i>485 w/Diesel Engine</i>		
J908615	Oil	LFP780 LFP780XL ¹⁴	1265510C1	Air	LAF1907 ²	1265510C1	Air	LAF1907 ²
<i>1896 w/Case 6T590 Engine</i>			3115569R2		LAF8803 ¹	3115569R2		LAF8803 ¹
F64318	Air	LAF1871	3132428-R2	Fuel	FP587F	A77544	Coolant	LFW4071 ²⁸
(J925274); Pri.	Fuel	LFF3417	1502155-C91		L296F ⁴¹	1967094C1	Fuel	FP587F
(J903640); Sec.		LFF3521	398080R2	Oil	LFP54	3044506R93		L296F ⁴¹
A-46403	Hydraulic	LH4931 ¹¹²⁴	3136046R93		LFP5853	(3218794R91); W/S		LFF8062
A-176593		LP4421 ¹¹¹²	<i>395 w/3 cyl. Engine</i>			398080R2		LFP54
J908615	Oil	LFP780 LFP780XL ¹⁴	3125199-R2	Air	LAF1866 ²	3136046-R93	Oil	LFP5853
<i>2096 w/Case 6T590 Engine</i>			1265510C1		LAF1907 ²	<i>4894 w/F674TDS Engine</i>		
F64318	Air	LAF1871	3115569R2		LAF8803 ¹	F-64318	Air	LAF1871
(J925274); Pri.	Fuel	LFF3417	A-151931	Coolant	LFW4744 ⁴	A-45695		LAF1990 ¹
(J903640); Sec.		LFF3521	3132428-R2	Fuel	FP587F	A45694		LAF4310 ²
A-46403	Hydraulic	LH4931 ¹¹²⁴	398080R2	Oil	LFP54	A-151931	Coolant	LFW4744 ⁴
A-176593		LP4421 ¹¹¹²	3136046R93		LFP5853	Sec.	Fuel	FP1127F
J908615	Oil	LFP780 LFP780XL ¹⁴	4210			(A-58712); Pri.		LFP3301F
<i>2120, 2130 w/Diesel Engine</i>			3125342-R2	Air	LAF1965 ²	A165029	Hydraulic	LFH4471 ^{11, 1128}
3044506-R93	Fuel	L296F ⁴¹	3125255-R1		LAF1971 ¹	(A-46158); Turbo	Oil	PH2835
1966279-C1	Oil	LFP2258	A-77544	Coolant	LFW4071 ²⁸	<i>495 w/3 cyl. Engine</i>		
<i>2140, 2150 w/Diesel Engine</i>			1967094-C1	Fuel	FP587F	1265510C1	Air	LAF1907 ²
1966965-C1	Air	LAF1246 ²	398080-R2	Oil	LFP54	3115569R2		LAF8803 ¹
3044506-R93	Fuel	L296F ⁴¹	(3136046-R93); 4230 only		LFP5853	3132428-R2	Fuel	FP587F
1966279-C1	Oil	LFP2258	4230			398080R2	Oil	LFP54
<i>235, 245, 255 w/Diesel Engine</i>			3125342-R2	Air	LAF1965 ²	3136046R93		LFP5853
1273134C91	Air	LAF1275 ²	3125255-R1		LAF1971 ¹	<i>4994 w/866 Engine</i>		
(1269652C1); 235 only		LAF2745A ²	A-77544	Coolant	LFW4071 ²⁸	F-64318	Air	LAF1871
1273082C1	Fuel	L3556F	1967094-C1	Fuel	FP587F	S-224637		LAF9155 ²
1282528C1	Hydraulic	LFH4943	398080-R2	Oil	LFP54 LFP5853			LAF9155MXM ^{2, 268}
104079A1	Oil	PH2808	(3136046-R93); 4230 only			A-46947		LAF9159 ¹
<i>265 w/3 cyl. Engine</i>			4240			A-151931	Coolant	LFW4744 ⁴
1273134-C91	Air	LAF1275 ²	3125342-R2	Air	LAF1965 ²	Sec.	Fuel	FP1127F
1273082-C1	Fuel	L3556F	3125255-R1		LAF1971 ¹	(A-58712); Pri.		LFP3301F
1962769-C1	Oil	PH2856A	A-77544	Coolant	LFW4071 ²⁸	(A-46158); Turbo	Oil	PH2835
			1967094-C1	Fuel	FP587F	N9086	Hydraulic	LFH5659
			398080-R2	Oil	LFP54 LFP5853	(A-46158); Turbo	Oil	PH2835
			(3136046-R93); 4230 only			<i>585 w/Diesel Engine</i>		
			4994 w/866 Engine			1265510C1	Air	LAF1907 ²
						3115569R2		LAF8803 ¹
						A77544	Coolant	LFW4071 ²⁸
						1967094C1	Fuel	FP587F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 11-Power Steering 14-Extended Life 28-Contains 1 oz. of chemical 41-Cartridge 268-Extended/Severe service
275-Primary 1112-High Output 1124-Requires 2 Filters 1128-Rear 1496-Alternate

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)		
<i>585 w/Diesel Engine (cont'd)</i>			<i>8920 w/Cummins 8.3L Engine (cont'd)</i>			<i>9130 Steiger Series (cont'd)</i>		
3044506R93 (3218794R91); W/S	Fuel	L296F ⁴¹ LFF8062	(J-903640); Sec. 1971728-C1	Fuel Hydraulic	LFF3521 LFH8417	(J-903410); Pri. (J-903640); Sec.	Fuel	LFF3417 LFF3521
398080R2 3136046-R93	Oil	LFP54 LFP5853	J-919562 1346028-C1	Oil Trans	LFP2265 LFH4910	(J-919562); S/N 44500128- (A-77537); -S/N JCB0003600	Oil	LFP2265 LFP734
<i>595 w/3 cyl. Engine</i>			<i>8930 w/Cummins 8.3L Engine</i>			<i>9150 Steiger Series w/Caterpillar 3306 Engine</i>		
1265510C1 3125342R2 3125255R1 3115569R2	Air	LAF1907 ² LAF1965 ² LAF1971 ¹ LAF8803 ¹	A-171255 A-171256 A-77544 (J-925274); Pri.	Air Coolant Fuel	LAF1889 ² LAF1922 ¹ LFW4071 ²⁸ LFF3417	L-102959 A-77544 (28-025); Sec.	Air Coolant Fuel	LAF22036 ⁸⁵⁸ LFW4071 ²⁸ LFP440F
A-151931 1967094-C1 398080R2 3136046R93	Coolant Fuel Oil	LFW4744 ⁴ FP587F LFP54 LFP5853	(J-903640); Sec. 1971728-C1 J-919562 1346028-C1	Hydraulic Oil Trans	LFF3521 LFH8417 LFP2265 LFH4910	N-9025 28-036 28-036	Trans Oil	LFH4910 LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
<i>685 w/4 cyl. Engine</i>			<i>8940 w/Cummins 8.3L Engine</i>			<i>9150 Steiger Series w/Cummins L10 Engine</i>		
1265510-C1 3125342-R2 3125255-R1 3115569-R2	Air	LAF1907 ² LAF1965 ² LAF1971 ¹ LAF8803 ¹	A-171255 A-171256 A-77544 (J-925274); Pri.	Air Coolant Fuel	LAF1889 ² LAF1922 ¹ LFW4071 ²⁸ LFF3417	L-102959 A-77543 J318318	Air Coolant	LAF22036 ⁸⁵⁸ LFW4073 ²⁵⁵ LFW4075 ⁹⁵³
A-151931 3132428-R2 3044506-R93 (3218794-R91); W/S	Coolant Fuel	LFW4744 ⁴ FP587F L296F ⁴¹ LFF8062	(J-903640); Sec. 1971728-C1 J-919562 1346028-C1	Hydraulic Oil Trans	LFH8417 LFP2265 LFH4910	JCB0003600-; W/S (90-3941T1); S/N (90-7101T1); S/N JCB0003600-	Fuel Oil	LFF8020 LFP3000
398080-R2 3136046-R93	Oil	LFP54 ¹² LFP5853	<i>895 w/4 cyl. Engine</i>			<i>9150 Steiger Series w/Cummins L10 Engine</i>		
<i>695 w/4 cyl. Engine</i>			1265510C1 3125342R2	Air	LAF1907 ^{2, 181} LAF1965 ² LAF1971 ¹	01-2187 (90-1158T1); -S/N JCB0003600; By-Pass By-Pass	Oil	LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B
1265510C1 3125342R2 3125255R1 3115569R2	Air	LAF1907 ² LAF1965 ² LAF1971 ¹ LAF8803 ¹	A-151931 3132428-R2 1329000-C2 3136046-R93	Coolant Fuel Oil	LFW4744 ⁴ FP587F LFP54 LFP5853	N-9025	Trans	LFP777XL ¹⁴ LFH4910
A-151931 3132428-R2 398080-R2 3136046-R93	Coolant Fuel Oil	LFW4744 ⁴ FP587F LFP54 LFP5853	<i>8950 w/Cummins 8.3L Engine</i>			<i>9170 Steiger Series w/Caterpillar 3406 Engine</i>		
<i>885 w/Diesel Engine</i>			A-171255 A-171256 A-77544 (J-925274); Pri.	Air Coolant	LAF1889 ² LAF1922 ¹ LFW4071 ²⁸	L-102959 90-4203S1 A-77544 (1-2334); Sec.	Air Coolant	LAF22036 ⁸⁵⁸ LAF4306 ² LFW4071 ²⁸
3125342R2 3125255R1 A-77544 1967094-C1 3044506-R93 (3218794-C91); W/S	Air Coolant Fuel	LAF1965 ² LAF1971 ¹ LFW4071 ²⁸ FP587F L296F ^{41, 528} LFF8062	1971728-C1 J-919562 1346028-C1	Hydraulic Oil Trans	LFH8417 LFP2265 LFH4910	1-2335 N-9025	Fuel Oil Trans	LFF5823B LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LFH4910
398080-R2 3136046-R93	Oil	LFP54 LFP5853	<i>9110 Steiger Series</i>			<i>9170 Steiger Series w/Cummins 855 Engine</i>		
<i>8910 w/Cummins 8.3L Engine</i>			906443T1 L-102959 906444-T1	Air	LAF1864 ² LAF22036 ⁸⁵⁸ LAF4173 ¹	L-102959 90-4203S1 (50-1911T91); -S/N JCB0003600	Air Breather	LAF22036 ⁸⁵⁸ LAF4306 ² LFP1652 ⁸⁵⁸
A-171255 A-171256 A-77544 (J-925274); Pri. (J-903640); Sec.	Air Coolant	LAF1889 ² LAF1922 ¹ LFW4071 ²⁸	A-77544 (J-903410); Pri. (J-903640); Sec.	Coolant Fuel	LFW4071 ²⁸ LFF3417 LFF3521	A-77544 (28-035); Pri. (90-3941T1); W/S	Coolant Fuel	LFW4071 ²⁸ LFF5D LFF8020
1971728-C1 J-919562 1346028-C1	Hydraulic Oil Trans	LFH8417 LFP2265 LFH4910	44500128- (A-77537); -S/N JCB0003600	Oil Trans	LFP2265 LFP734 LFH4910	90-7401T1 01-2187 (90-1158T1); By-Pass By-Pass	Oil Trans	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴ LFH4910
<i>8920 w/Cummins 8.3L Engine</i>			<i>9130 Steiger Series</i>			<i>9170 Steiger Series w/Cummins 855 Engine</i>		
A-171255 A-171256 A-77544 (J-925274); Pri.	Air Coolant Fuel	LAF1889 ² LAF1922 ¹ LFW4071 ²⁸ LFF3417	906443T1 L-102959 906444-T1 A-77544	Air Coolant	LAF1864 ² LAF22036 ⁸⁵⁸ LAF4173 ¹ LFW4071 ²⁸	N-9025 N-9025 JCB0003600 N-9025	Trans	LFH4910 LFH4910

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 28-Contains 1 oz. of chemical 41-Cartridge 181-Single 255-Contains 3 oz. of chemical 528-CAV Fuel System 858-Hydraulic Tank 953-Pre-Charge

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
9180 Steiger Series w/Caterpillar 3406 Engine			9230 w/Cummins 6CTA830 Engine (cont'd)			9300		
L-102959	Air	LAF22036 ⁸⁵⁸	N-9025	Hydraulic	LFH4910	(90-6443-T1); -S/N	Air	LAF1864 ²
90-4203S1		LAF4306 ²	J-919562	Oil	LFP2265	JEE0036501		
A-77544	Coolant	LFW4071 ²⁸	9240 w/Cummins 6CTA830 Engine			90-6444-T1		LAF4173 ¹
(1-2334); Sec.	Fuel	LFF5823B	906443T1	Air	LAF1864 ²	A-77544	Coolant	LFW4071 ²⁸
1-2335	Oil	LFP4005	906444T1		LAF4173 ¹	(A-77470); Pri.	Fuel	LFF3417
		LFP4005TRT ³	604452T2	Cabin Air	AF299	(A-77470); Sec.		LFF3521
		LFP4005XL ¹⁴	A-77544	Coolant	LFW4071 ²⁸	N-9025	Hydraulic	LFH4910
N-9025	Trans	LFH4910	J318318		LFW4075 ⁹⁵³	J-919562	Oil	LFP2265
9180 Steiger Series w/Cummins 855 Engine			D139225	Fuel	L3523F	9310 w/Cummins 6CT.3L Engine		
L-102959	Air	LAF22036 ⁸⁵⁸	(J-903410); Pri.		LFF3417	(906443-T1); -S/N	Air	LAF1864 ²
90-4203S1		LAF4306 ²	(J-903640); Sec.		LFF3521	JEE0036500		
(50-1911T91); -S/N	Breather	LFP1652 ⁸⁵⁸	N-9025	Hydraulic	LFH4910	906444-T1		LAF4173 ¹
JCB0003600			J-919562	Oil	LFP2265	604452T2	Cabin Air	AF299
A-77544	Coolant	LFW4071 ²⁸	9250 w/Cummins LTA10 Engine			A77544	Coolant	LFW4071 ²⁸
(28-035); Pri.	Fuel	LFF5D	627976-C2	Air	LAF1777 ¹	D139225	Fuel	L3523F
(90-3941T1); W/S		LFF8020	627975-C2		LAF8211 ²	(194199-A1); In-Line		L7693F
90-7401T1	Oil	LFP3000	604452T2	Cabin Air	AF299	(J903641); Pri.		LFF3417
		LFP3000XL ¹⁴	A-77544	Coolant	LFW4071 ²⁸	(J903640); Sec.		LFF3521
		LFP670	J318318		LFW4075 ⁹⁵³	N9025	Hydraulic	LFH4910
		LFP670XL ¹⁴	(90-3941T1); W/S	Fuel	LFF8020	J919562	Oil	LFP2265
(90-1158T1); By-Pass		LFP777B	N-9025	Hydraulic	LFH4910	N9025	Trans	LFH4910
By-Pass		LFP777XL ¹⁴	J-919562	Oil	LFP3000	9310 w/Cummins 8.3L Engine		
(N-9025); -S/N	Trans	LFH4910			LFP3000XL ¹⁴	(906443-T1); -S/N	Air	LAF1864 ²
JCB0003600			9260 w/Cummins LTA10 Engine			JEE0036500		
N-9025		LFH4910	627976-C2	Air	LAF1777 ¹	906444-T1		LAF4173 ¹
9190 w/Cummins Engine			627975-C2		LAF8211 ²	604452T2	Cabin Air	AF299
54304T1	Cabin Air	LAF22	604452T2	Cabin Air	AF299	A77544	Coolant	LFW4071 ²⁸
A-77544	Coolant	LFW4071 ²⁸	A-77544	Coolant	LFW4071 ²⁸	D139225	Fuel	L3523F
J318318		LFW4075 ⁹⁵³	J318318		LFW4075 ⁹⁵³	(194199-A1); In-Line		L7693F
28-35	Fuel	LFF5	(90-3941T1); W/S	Fuel	LFF8020	(J903641); Pri.		LFF3417
R-25844	Hydraulic	LFH4955 ¹⁰⁷⁷	N-9025	Hydraulic	LFH4910	(J903640); Sec.		LFF3521
1-2187	Oil	LFP670	J-919562	Oil	LFP3000	N9025	Hydraulic	LFH4910
		LFP670XL ¹⁴			LFP3000XL ¹⁴	J919562	Oil	LFP2265
(90-1158T1); By-Pass		LFP777B	9270 w/Cummins NTA855 Engine			N9025	Trans	LFH4910
By-Pass		LFP777XL ¹⁴	(90-4203S1); -S/N	Air	LAF4306 ²	9330 w/Cummins 6CT.3L Engine		
	Trans	LP151	JEE0033500		LAF8110 ²	(906443-T1); -S/N	Air	LAF1864 ²
9210 w/Cummins 6CTA830 Engine			(132151-A1); S/N		LAF8111 ¹	JEE0036500		
906443T1	Air	LAF1864 ²	JEE0033501-132149-A1		LAF8111 ¹	906444-T1		LAF4173 ¹
906444T1		LAF4173 ¹	604452T2	Cabin Air	AF299	604452T2	Cabin Air	AF299
604452T2	Cabin Air	AF299	A-77544	Coolant	LFW4071 ²⁸	A77544	Coolant	LFW4071 ²⁸
A-77544	Coolant	LFW4071 ²⁸	(90-3941T1); W/S	Fuel	LFF8020	D139225	Fuel	L3523F
J318318		LFW4075 ⁹⁵³	N-9025	Hydraulic	LFH4910	(194199-A1); In-Line		L7693F
D139225	Fuel	L3523F	90-7101T1	Oil	LFP3000	(J903641); Pri.		LFF3417
(J-903410); Pri.		LFF3417			LFP3000XL ¹⁴	(J903640); Sec.		LFF3521
(J-903640); Sec.		LFF3521	9280 w/Cummins NTA855 Engine			N9025	Hydraulic	LFH4910
N-9025	Hydraulic	LFH4910	(90-4203S1); -S/N	Air	LAF4306 ²	J919562	Oil	LFP2265
J-919562	Oil	LFP2265	JEE0033500		LAF8110 ²	N9025	Trans	LFH4910
9230 w/Cummins 6CTA830 Engine			(132151-A1); S/N		LAF8111 ¹	9330 w/Cummins 8.3L Engine		
906443T1	Air	LAF1864 ²	JEE0033501-132149-A1		LAF8111 ¹	(906443-T1); -S/N	Air	LAF1864 ²
906444T1		LAF4173 ¹	604452T2	Cabin Air	AF299	JEE0036500		
604452T2	Cabin Air	AF299	A-77544	Coolant	LFW4071 ²⁸	906444-T1		LAF4173 ¹
A-77544	Coolant	LFW4071 ²⁸	(90-3941T1); W/S	Fuel	LFF8020	604452T2	Cabin Air	AF299
J318318		LFW4075 ⁹⁵³	N-9025	Hydraulic	LFH4910	A77544	Coolant	LFW4071 ²⁸
D139225	Fuel	L3523F	90-7101T1	Oil	LFP3000	D139225	Fuel	L3523F
(J-903410); Pri.		LFF3417			LFP3000XL ¹⁴	(194199-A1); In-Line		L7693F
(J-903640); Sec.		LFF3521	9300 w/Cummins 8.3L Engine			(J903641); Pri.		LFF3417
			(906443-T1); -S/N	Air	LAF1864 ²	(J903640); Sec.		LFF3521

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 28-Contains 1 oz. of chemical 858-Hydraulic Tank 953-Pre-Charge 1077-Hyd. Tank

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)		
<i>9330 w/Cummins 8.3L Engine (cont'd)</i>			<i>9390 w/Cummins Engine</i>			<i>CX100 w/Perkins 1004.40T Engine</i>		
N9025	Hydraulic	LFH4910	(132151-A1); -S/N	Air	LAF8110 ²	222421A1	Air	LAF4544 ²
J919562	Oil	LFP2265	JEE0036500					LAF4544MXM ^{2, 268}
N9025	Trans	LFH4910	132149-A1		LAF8111 ¹	222422A1		LAF4545 ¹
<i>9350 w/Cummins LTA10 Engine</i>			(908300-T1); S/N		LAF8673 ²	D139225	Fuel	L3523F
132151A1	Air	LAF8110 ²	JEE0036501-			218100A1		LFF3504
132149A1		LAF8111 ¹	908301-T1		LAF8689 ¹	3214797R1	Oil	LFP2292
604452T2	Cabin Air	AF299	604452T2	Cabin Air	AF299	<i>CX50 w/Perkins 2.7L Diesel Engine</i>		
A77544	Coolant	LFW4071 ²⁸	A77544	Coolant	LFW4071 ²⁸	133721A1	Air	LAF8114 ¹
J318318		LFW4075 ⁹⁵³	(903941T1); W/S	Fuel	LFF8020	133720A1		LAF8143 ²
(903941T1); W/S	Fuel	LFF8020	N9025	Hydraulic	LFH4910	218577A	Fuel	L296F ⁴¹
N9025	Hydraulic	LFH4910	90-7101T1	Oil	LFP3000	D139225		L3523F
90-7101T1	Oil	LFP3000			LFP3000XL ¹⁴	93413C1	Hydraulic	LP214
		LFP3000XL ¹⁴	N9025	Trans	LFH4910	3118119R1	Oil	PH4403
N9025	Trans	LFH4910	<i>995 w/4 cyl. Engine</i>			<i>CX60 w/Perkins 2.7L Diesel Engine</i>		
<i>9350 w/Cummins M11 Engine</i>			3125342R2	Air	LAF1965 ²	133721A1	Air	LAF8114 ¹
132151A1	Air	LAF8110 ²	3125255R1		LAF1971 ¹	133720A1		LAF8143 ²
132149A1		LAF8111 ¹	A-151931	Coolant	LFW4744 ⁴	218577A	Fuel	L296F ⁴¹
604452T2	Cabin Air	AF299	3132428-R2	Fuel	FP587F	D139225		L3523F
A77544	Coolant	LFW4071 ²⁸	1329020-C2	Oil	LFP54	93413C1	Hydraulic	LP214
J318318		LFW4075 ⁹⁵³	3136046-R93		LFP5853	3118119R1	Oil	PH4403
(903941T1); W/S	Fuel	LFF8020	<i>C100</i>			<i>CX80 w/Perkins 1004.40T Engine</i>		
N9025	Hydraulic	LFH4910	222421A1	Air	LAF4544 ²	222421A1	Air	LAF4544 ²
90-7101T1	Oil	LFP3000			LAF4544MXM ^{2, 268}			LAF4544MXM ^{2, 268}
		LFP3000XL ¹⁴	222422A1		LAF4545 ¹	222422A1		LAF4545 ¹
N9025	Trans	LFH4910	D139225	Fuel	L3523F	D139225	Fuel	L3523F
<i>9370 w/Cummins Engine</i>			218100A1		LFF3504	218100A1		LFF3504
(132151-A1); -S/N	Air	LAF8110 ²	3214797R1	Oil	LFP2292	3214797R1	Oil	LFP2292
JEE0036500			<i>C50 w/Perkins 2.7L Engine</i>			<i>CX90 w/Perkins 1004.40T Engine</i>		
(132149-A1); -S/N		LAF8111 ¹	133721A1	Air	LAF8114 ¹	222421A1	Air	LAF4544 ²
JEE0036500			133720A1		LAF8143 ²			LAF4544MXM ^{2, 268}
(908300-T1); S/N		LAF8673 ²	218577A	Fuel	L296F ⁴¹	222422A1		LAF4545 ¹
JEE0036501-			D139225		L3523F	D139225	Fuel	L3523F
(908301-T1); S/N		LAF8689 ¹	93413C1	Hydraulic	LP214	218100A1		LFF3504
JEE0036501-			3118119R1	Oil	PH4403	3214797R1	Oil	LFP2292
604452T2	Cabin Air	AF299	<i>C60 w/Perkins 2.7L Engine</i>			<i>D25 w/Shibaura 3cyl. Engine</i>		
A77544	Coolant	LFW4071 ²⁸	133721A1	Air	LAF8114 ¹	86519866	Air	LAF8195 ²
(903941T1); W/S	Fuel	LFF8020	133720A1		LAF8143 ²	86519867		LAF8690 ¹
N9025	Hydraulic	LFH4910	218577A	Fuel	L296F ⁴¹	360720020	Fuel	L3556F
90-7101T1	Oil	LFP3000	D139225		L3523F	(87300044); exc.	Hydraulic	LFH22003
		LFP3000XL ¹⁴	93413C1	Hydraulic	LP214	Hydrostatic		
N9025	Trans	LFH4910	3118119R1	Oil	PH4403	86546618	Oil	PH253 ¹⁴⁹⁶
<i>9380 w/Cummins Engine</i>			<i>C80</i>					PH2835 ²⁷⁵
(132151-A1); -S/N	Air	LAF8110 ²	222421A1	Air	LAF4544 ²	87300196	Trans	LFH6201 ⁵⁹⁰
JEE0036500					LAF4544MXM ^{2, 268}	<i>D29 w/Shibaura 3cyl. Engine</i>		
132149-A1		LAF8111 ¹	222422A1		LAF4545 ¹	86519866	Air	LAF8195 ²
(908300-T1); S/N		LAF8673 ²	D139225	Fuel	L3523F	86519867		LAF8690 ¹
JEE0036501-			218100A1		LFF3504	360720020	Fuel	L3556F
908301-T1		LAF8689 ¹	3214797R1	Oil	LFP2292	(87300044); exc.	Hydraulic	LFH22003
604452T2	Cabin Air	AF299	<i>C90</i>			Hydrostatic		
A77544	Coolant	LFW4071 ²⁸	222421A1	Air	LAF4544 ²	86546618	Oil	PH253 ¹⁴⁹⁶
(903941T1); W/S	Fuel	LFF8020			LAF4544MXM ^{2, 268}			PH2835 ²⁷⁵
N9025	Hydraulic	LFH4910	222422A1		LAF4545 ¹	87300196	Trans	LFH6201 ⁵⁹⁰
90-7101T1	Oil	LFP3000	D139225	Fuel	L3523F	<i>D33 w/Shibaura 3cyl. Engine</i>		
		LFP3000XL ¹⁴	218100A1		LFF3504	86519866	Air	LAF8195 ²
N9025	Trans	LFH4910	3214797R1	Oil	LFP2292	86519867		LAF8690 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 14-Extended Life 28-Contains 1 oz. of chemical 41-Cartridge 268-Extended/Severe service 275-Primary 590-Hydrostatic 953-Pre-Charge 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)		
<i>D33 w/Shibaura 3cyl. Engine (cont'd)</i>			<i>DX24 w/Shibaura 3cyl. Engine (cont'd)</i>			<i>DX34 w/Shibaura 3cyl. Engine</i>		
360720020	Fuel	L3556F	87300196	Trans	LFH6201 ⁵⁹⁰	87300178	Air	LAF8195 ²
(87300044); exc.	Hydraulic	LFH22003	<i>DX24E w/Shibaura 3cyl. Engine</i>			87300180		LAF8690 ¹
Hydrostatic			87300190	Air	LAF4629 ²	87300039	Fuel	L3556F
86546618	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	87300040	Fuel	L3556F	87300043	Hydraulic	LFH22003
			SBA340500900	Hydraulic	LP6005	87415600	Oil	PH2835
87300196	Trans	LFH6201 ⁵⁹⁰	87409203	Oil	PH2835	SBA340500890	Trans	LFH6201 ⁵⁹⁰
<i>D35 w/Shibaura 3cyl. Engine</i>			87300196	Trans	LFH6201 ⁵⁹⁰	<i>DX35 w/Shibaura 3cyl. Engine</i>		
86549700	Air	LAF8195 ²	<i>DX25 w/Shibaura 3cyl. Engine</i>			86549700	Air	LAF8195 ²
86549701		LAF8690 ¹	86519866	Air	LAF8195 ²	86549701		LAF8690 ¹
SBA130366060	Fuel	L549F	86519867		LAF8690 ¹	SBA130366060	Fuel	L549F
86546618	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	360720020	Fuel	L3556F	86546618	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
			(87300044); exc.	Hydraulic	LFH22003			
SBA340500770	Trans	LFH6201 ⁵⁹⁰	Hydrostatic			SBA340500770	Trans	LFH6201 ⁵⁹⁰
<i>D40 w/Shibaura 4 cyl. Engine</i>			86546618	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>DX40 w/Shibaura 4cyl. Engine</i>		
86549700	Air	LAF8195 ²	87300196	Trans	LFH6201 ⁵⁹⁰	86549700	Air	LAF8195 ²
86549701		LAF8690 ¹	<i>DX25E w/Shibaura 3cyl. Engine</i>			86549701		LAF8690 ¹
SBA130366060	Fuel	L549F	87300190	Air	LAF4629 ²	SBA130366060	Fuel	L549F
86546618	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	87300040	Fuel	L3556F	86546618	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
			SBA340500900	Hydraulic	LP6005	SBA340500770	Trans	LFH6201 ⁵⁹⁰
SBA340500770	Trans	LFH6201 ⁵⁹⁰	87409203	Oil	PH2835	<i>DX45 w/Shibaura 4cyl. Engine</i>		
<i>D45 w/Shibaura 4cyl. Engine</i>			87300196	Trans	LFH6201 ⁵⁹⁰	86549700	Air	LAF8195 ²
86549700	Air	LAF8195 ²	<i>DX26 w/Shibaura 3cyl. Engine</i>			86549701		LAF8690 ¹
86549701		LAF8690 ¹	86519866	Air	LAF8195 ²	SBA130366060	Fuel	L549F
SBA130366060	Fuel	L549F	86519867		LAF8690 ¹	86546618	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
86546618	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	360720020	Fuel	L3556F			
			(87300044); exc.	Hydraulic	LFH22003	SBA340500770	Trans	LFH6201 ⁵⁹⁰
SBA340500770	Trans	LFH6201 ⁵⁹⁰	Hydrostatic			<i>DX48 w/Shibaura 4cyl. Engine</i>		
<i>DX18E w/Shibaura 3cyl. Engine</i>			86546618	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	87300042	Fuel	L549F
87300190	Air	LAF4629 ²	87300196	Trans	LFH6201 ⁵⁹⁰	87409203	Oil	PH2835
87300040	Fuel	L3556F	<i>DX29 w/Shibaura 3cyl. Engine</i>			<i>DX55 w/Shibaura 4cyl. Engine</i>		
SBA340500900	Hydraulic	LP6005	86519866	Air	LAF8195 ²	87300042	Fuel	L549F
87409203	Oil	PH2835	86519867		LAF8690 ¹	87409203	Oil	PH2835
87300196	Trans	LFH6201 ⁵⁹⁰	360720020	Fuel	L3556F	<i>DX60 w/Shibaura 4cyl. Diesel Engine</i>		
<i>DX21 w/Shibaura 3cyl. Engine</i>			(87300044); exc.	Hydraulic	LFH22003	133721A1	Air	LAF8114 ¹
87300190	Air	LAF4629 ²	Hydrostatic			133720A1		LAF8143 ²
87300040	Fuel	L3556F	86546618	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	87300042	Fuel	L549F
87300044	Hydraulic	LFH22003	87300196	Trans	LFH6201 ⁵⁹⁰	86546618	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
87409203	Oil	PH2835	<i>DX31 w/Shibaura 3cyl. Engine</i>			<i>Farmall 105U (w/FPT 4.5L Engine)</i>		
87300196	Trans	LFH6201 ⁵⁹⁰	87300178	Air	LAF8195 ²	87356351	Air	LAF5934
<i>DX22E w/Shibaura 3cyl. Engine</i>			87300180		LAF8690 ¹	87356353		LAF5938
87300190	Air	LAF4629 ²	87300039	Fuel	L3556F	87803189	Fuel	LFF3800
87300040	Fuel	L3556F	87300043	Hydraulic	LFH22003	47128208	Hydraulic	LH4252 ¹¹⁴⁶
SBA340500900	Hydraulic	LP6005	87415600	Oil	PH2835	2854750	Oil	LFP6023
87409203	Oil	PH2835	SBA340500890	Trans	LFH6201 ⁵⁹⁰	<i>Farmall 110A (w/FPT 4.5L Engine)</i>		
87300196	Trans	LFH6201 ⁵⁹⁰	<i>DX33 w/Shibaura 3cyl. Engine</i>			8602996	Air	LAF9543 ¹
<i>DX23 w/Shibaura 3cyl. Engine</i>			86519866	Air	LAF8195 ²	8602995		LAF9547 ²
87300190	Air	LAF4629 ²	86519867		LAF8690 ¹	84228488	Oil	LFP6023
87300040	Fuel	L3556F	360720020	Fuel	L3556F	<i>Farmall 115C (w/FTP 3.4L Engine)</i>		
87300044	Hydraulic	LFH22003	(87300044); exc.	Hydraulic	LFH22003	87037984	Air	LAF5934
87409203	Oil	PH2835	Hydrostatic			87037985		LAF5938
87300196	Trans	LFH6201 ⁵⁹⁰	86546618	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	84565884	Fuel	FP587F
<i>DX24 w/Shibaura 3cyl. Engine</i>			87300196	Trans	LFH6201 ⁵⁹⁰	<i>Farmall 120A (w/FPT 4.5L Engine)</i>		
87300190	Air	LAF4629 ²	<i>DX33 w/Shibaura 3cyl. Engine</i>			8602996	Air	LAF9543 ¹
87300040	Fuel	L3556F	86519866	Air	LAF8195 ²	8602995		LAF9547 ²
87300044	Hydraulic	LFH22003	86519867		LAF8690 ¹	<i>Farmall 115C (w/FTP 3.4L Engine)</i>		
87409203	Oil	PH2835	360720020	Fuel	L3556F	87037984	Air	LAF5934
			(87300044); exc.	Hydraulic	LFH22003	87037985		LAF5938
			Hydrostatic			84565884	Fuel	FP587F
			86546618	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>Farmall 120A (w/FPT 4.5L Engine)</i>		
			87300196	Trans	LFH6201 ⁵⁹⁰	8602996	Air	LAF9543 ¹
						8602995		LAF9547 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 275-Primary 590-Hydrostatic 1146-Differential Lock 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)		
<i>Farmall 120A (w/FPT 4.5L Engine) (cont'd)</i>			<i>Farmall 40B w/Mitsubishi S4Q2 Engine</i>			<i>Farmall 55 w/Shibaura 2.2L Engine (cont'd)</i>		
84228488	Oil	LFP6023	87682998	Air	LAF8195 ²		Oil	PH2835 ²⁷⁵
<i>Farmall 125A (w/FPT 6.7L Engine)</i>			87300181		LAF8690 ¹	<i>Farmall 55A w/Shibaura 4cyl. Engine</i>		
8602996	Air	LAF9543 ¹	(MT40006997); W/S	Fuel	FP941F	87300042	Fuel	L549F
8602995		LAF9547 ²		Oil	PH2808	87415600	Oil	PH2835
84228488	Oil	LFP6023	Hydro	Trans	LFH8207	<i>Farmall 55A w/Shibaura ISM844 Engine</i>		
<i>Farmall 130A (w/FPT 4.5L Engine)</i>			Hydro		LFP1652	87300041	Fuel	L549F
84228488	Oil	LFP6023	<i>Farmall 40C w/Shibaura N844L Engine</i>			87415600	Oil	PH2835
<i>Farmall 140A (w/FPT 6.7L Engine)</i>			MT4007575	Air	LAF8195 ²	<i>Farmall 60 w/Shibaura 2.2L Engine</i>		
8602996	Air	LAF9543 ¹	MT40049447		LAF8690 ¹	133721A1	Air	LAF8114 ¹
8602995		LAF9547 ²	(MT40007638);	Hydraulic	LFH8207	133720A1		LAF8143 ²
84228488	Oil	LFP6023	Suction		LFP1652	87300042	Fuel	L549F
<i>Farmall 30A (w/Shibaura N843TF Engine)</i>			MT40283380	Oil	PH2835	86402050	Oil	PH253 ¹⁴⁹⁶
MT4007575	Air	LAF8195 ²	<i>Farmall 45 w/Shibaura 2.2L Engine</i>			<i>FARMALL 65C w/FPT3.2L Engine</i>		
MT40049447		LAF8690 ¹	87300179	Air	LAF8195 ²		Air	LAF8148
(MT40007638);	Hydraulic	LFH8207	87300181		LAF8690 ¹			LAF9332 ¹
Suction			87300042	Fuel	L549F		Fuel	FP587F
MT40283380	Oil	PH2835		Hydraulic	LFH4386	<i>Farmall 75C (w/FPT 3.4L Tier 4A Engine)</i>		
<i>Farmall 30B w/Mitsubishi S4L Engine</i>			84475542	Oil	PH2835	87037984	Air	LAF5934
MT40049450	Air	LAF8388 ²	<i>Farmall 45A w/Shibaura ISM844 Engine</i>			87037985		LAF5938
MT40056451	Oil	PH2876	87300042	Fuel	L549F	<i>FARMALL 75C w/FPT3.2L Engine</i>		
<i>Farmall 30C w/Shibaura N843T Engine</i>			87415600	Oil	PH2835		Air	LAF8148
MT4007575	Air	LAF8195 ²	<i>Farmall 45B CVT w/Shibaura N844L Engine</i>					LAF9332 ¹
MT40049447		LAF8690 ¹		Air	LAF8195 ²		Fuel	FP587F
(MT40007638);	Hydraulic	LFH8207			LAF8690 ¹	<i>JX100U w/Iveco 3.9L Engine</i>		
Suction		LFP1652		Fuel	L549F	222421A1	Air	LAF4544 ^{2, 15}
MT40283380	Oil	PH2835		Oil	PH2835			LAF4544MXM ^{2, 268}
<i>Farmall 35A (w/Shibaura N843TF Engine)</i>			<i>Farmall 50 w/Shibaura 2.2L Engine</i>			76094057		LAF4545 ¹
MT4007575	Air	LAF8195 ²	87300179	Air	LAF8195 ²	1931169		LAF8618 ^{1, 1147}
MT40049447		LAF8690 ¹	87300181		LAF8690 ¹	47135707	Fuel	LFF3504
(MT40007638);	Hydraulic	LFH8207	87300041	Fuel	L549F	47128196	Oil	LFP2238
Suction			SBA340500920	Hydraulic	LFH4386	47128208	Trans	LH4252 ¹⁰⁸⁵
MT40283380	Oil	PH2835	87409203	Oil	PH2835	<i>JX1060C w/2.9L Diesel Engine</i>		
<i>Farmall 35B w/Mitsubishi S4L2 Engine</i>			<i>Farmall 50B CVT w/Shibaura N844L Engine</i>			47135973	Air	LAF8148 ²
MT4007575	Air	LAF8195 ²	87300179	Air	LAF8195 ²	47135975		LAF9332 ¹
MT40049447		LAF8690 ¹	87300181		LAF8690 ¹	47135707	Fuel	LFF3504
(MT40007638);	Hydraulic	LFH8207	87300042	Fuel	L549F	47135704	Oil	LFP7075
Suction			84475542	Oil	PH2835	47128208	Trans	LH4252 ¹⁰⁸⁵
MT40283380	Oil	PH2835	<i>Farmall 50B w/Mitsubishi S4QL Engine</i>			<i>JX1070C w/2.9L Diesel Engine</i>		
<i>Farmall 35C (w/Shibaura N843T Engine)</i>			MT4007575	Air	LAF8195 ²	47135973	Air	LAF8148 ²
MT4007575	Air	LAF8195 ²	MT40049447		LAF8690 ¹	47135975		LAF9332 ¹
MT40049447		LAF8690 ¹	(MT40006997); W/S	Fuel	FP941F	47135707	Fuel	LFF3504
(MT40007638);	Hydraulic	LFH8207	MT40007563	Oil	LFP1652	47135704	Oil	LFP7075
Suction		LFP1652			PH2808	47128208	Trans	LH4252 ¹⁰⁸⁵
MT40283380	Oil	PH2835	<i>Farmall 50C w/Shibaura N844L Engine</i>			<i>JX1070N w/2.9L Diesel Engine</i>		
<i>Farmall 40 w/Shibaura N844 Engine</i>			MT4007575	Air	LAF8195 ²	47135973	Air	LAF8148 ²
87682998	Air	LAF8195 ²	MT40049447		LAF8690 ¹	47135975		LAF9332 ¹
87300181		LAF8690 ¹	(MT40007638);	Hydraulic	LFH8207	47135707	Fuel	LFF3504
87300042	Fuel	L549F	Suction		LFP1652	47128208	Trans	LH4252 ¹¹⁴⁸
(84475542); Except	Oil	LFH4386	MT40007563			<i>JX1075C w/2.9L Diesel Engine</i>		
CVT			MT40283380	Oil	PH2835	47135973	Air	LAF8148 ²
84475542		PH2835	<i>Farmall 55 w/Shibaura 2.2L Engine</i>			47135975		LAF9332 ¹
<i>Farmall 40B w/Shibarura N844 Engine</i>				Air	LAF8114 ¹	47135707	Fuel	LFF3504
87682998	Air	LAF8195 ²			LAF8143 ²	47135704	Oil	LFP7075
87300181		LAF8690 ¹		Fuel	L549F	47128208	Trans	LH4252 ¹⁰⁸⁵
87300042	Fuel	L549F		Oil	PH253 ¹⁴⁹⁶			
84475542	Oil	PH2835						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 15-Standard 268-Extended/Severe service 275-Primary 1085-Power Shuttle 1147-With Pre-Cleaner 1148-Hi/Low 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)		
<i>JX1075N w/2.9L Turbo Diesel Engine</i>			<i>JX70U</i>			<i>Magnum 190 w/Cummins 6.7L Turbo Engine</i>		
47135973	Air	LAF8148 ²	47135973	Air	LAF8148 ²	87517153	Air	LAF5929 ²
47135975		LAF9332 ¹	1931164		LAF8516 ^{1, 1147}	4897897	Fuel	LFF5421
47135707	Fuel	LFF3504	47135976		LAF9332 ¹	4897898	Oil	LFP6015
47128208	Trans	LH4252 ¹¹⁴⁸	47135707	Fuel	LFF3504	<i>Magnum 200 (w/FPT 6.7L Tier 4 Final Engine)</i>		
<i>JX1080U w/Case IH 4.5L Engine</i>			47128196	Oil	LFP2238	84412164	Fuel	LFF5421
47132345	Air	LAF4544 ²	47128208	Trans	LH4252 ¹⁰⁸⁵	87588814	Hydraulic	LFH4959 ¹¹⁵²
47132347		LAF4545 ¹	<i>JX75 w/3.9L Engine</i>			84228488	Oil	LFP6023
87803189	Fuel	LFF3800	47128201	Air	LAF8148 ²	87588814	Trans	LFH8294 ¹¹⁵¹
87803206	Oil	LFP6023	1931164		LAF8516 ^{1, 1147}	<i>Magnum 210 w/Cummins 6.7L Turbo Engine</i>		
47128208	Trans	LH4252 ¹⁰⁸⁵	47128200		LAF9332 ¹	87517153	Air	LAF5929 ²
<i>JX1085C w/4.5L Engine</i>			47135707	Fuel	LFF3504	4897897	Fuel	LFF5421
47132345	Air	LAF4544 ^{2, 1149}	1931127	Hydraulic	LFP6007	4897898	Oil	LFP6015
47132347		LAF4545 ^{1, 1150}	(47128196); -S/N	Oil	LFP2238	<i>Magnum 215 (w/Cummins 8.3L Engine)</i>		
87339020		LAF9332 ¹	13287		LFP7075	(87360565); Sec.	Fuel	LFF5488
87803189	Fuel	LFF3800	(47135704); S/N			(87356193); W/S		LFF9732
87803206	Oil	LFP6023	13287-			402652A1	Hydraulic	LFH4972 ⁶¹⁰
<i>JX1090U w/Case IH 4.5L Engine</i>			<i>JX80U</i>			277311A1		LFH8417 ¹¹⁵³
47132345	Air	LAF4544 ²	47135973	Air	LAF8148 ²	87349575	Oil	LFP2265
47132347		LAF4545 ¹	1931164		LAF8516 ^{1, 1147}	<i>Magnum 225 w/Cummins 6.7L Turbo Engine</i>		
87803189	Fuel	LFF3800	47135976		LAF9332 ¹	87517153	Air	LAF5929 ²
87803206	Oil	LFP6023	47135707	Fuel	LFF3504	4897897	Fuel	LFF5421
47128208	Trans	LH4252 ¹⁰⁸⁵	47128196	Oil	LFP2238	4897898	Oil	LFP6015
<i>JX1095C w/4.5L Engine</i>			47128208	Trans	LH4252 ¹⁰⁸⁵	<i>Magnum 245 (w/Cummins 8.3L Engine)</i>		
47132345	Air	LAF4544 ^{2, 1149}	<i>JX85 w/3.9L Engine</i>			(87360565); Sec.	Fuel	LFF5488
47132347		LAF4545 ^{1, 1150}	47128201	Air	LAF8148 ²	(87356193); W/S		LFF9732 ²⁴⁴
87339020		LAF9332 ¹	1931164		LAF8516 ^{1, 1147}	402652A1	Hydraulic	LFH4972 ⁶¹⁰
87803189	Fuel	LFF3800	47128200		LAF9332 ¹	277311A1		LFH8417 ¹¹⁵⁴
87803206	Oil	LFP6023	47135707	Fuel	LFF3504	87349575	Oil	LFP2265
<i>JX1095N w/3.9L Engine</i>			1931127	Hydraulic	LFP6007	<i>Magnum 340 (w/ FPT8.7L Interim Tier 4 Engine)</i>		
	Fuel	LFF3504	(47128196); -S/N	Oil	LFP2238	(84348883); Pri.	Fuel	LFF8981
<i>JX1100U</i>			13287		LFP7075	<i>Magnum 340 (w/FPT 8.7L final Tier 4 Engine)</i>		
47132345	Air	LAF4544 ²	(47135704); S/N			84283691	Fuel	L5467FNXL ¹⁴
47132347		LAF4545 ¹	13287-			<i>Magnum 7110 w/Case 6T830 Engine</i>		
87803189	Fuel	LFF3800	<i>JX90U</i>			143481-C2	Air	LAF1879
87803206	Oil	LFP6023	222421A1	Air	LAF4544 ^{2, 15}	A-171255		LAF1889 ²
47128208	Trans	LH4252 ¹⁰⁸⁵			LAF4544MXM ^{2, 268}	A-171256		LAF1922 ¹
<i>JX55 w/Iveco 8035 2.7L Diesel Engine</i>			76094057		LAF4545 ¹	A-77544	Coolant	LFW4071 ²⁸
47128201	Air	LAF8148 ²	1931169		LAF8618 ^{1, 1147}	D-139225	Fuel	L3523F
1931164		LAF8516 ^{1, 1147}	47135707	Fuel	LFF3504	A-184963		L3524F
47128200		LAF9332 ¹	47128196	Oil	LFP2238	(J-903410); Pri.		LFF3417
47135707	Fuel	LFF3504	47128208	Trans	LH4252 ¹⁰⁸⁵	(J-903640); Sec.		LFF3521
1931127	Hydraulic	LFP6007	<i>JX95 w/3.9L Engine</i>			1971728-C1	Hydraulic	LFH8417
(47128196); -S/N	Oil	LFP2238	47132345	Air	LAF4544 ^{2, 15}	J-919562	Oil	LFP2265
13287		LFP7075	76094057		LAF4545 ¹	A-77537		LFP734
(47135704); S/N			1931169		LAF8618 ^{1, 1147}	1346028-C1	Trans	LFH4910
13287-			47135707	Fuel	LFF3504	<i>Magnum 7110 w/Cummins 8.3L Engine</i>		
<i>JX65 w/2.9L Diesel Engine</i>			1931127	Hydraulic	LFP6007	143481-C2	Air	LAF1879
47128201	Air	LAF8148 ²	(47128196); -S/N	Oil	LFP2238	A-171255		LAF1889 ²
1931164		LAF8516 ^{1, 1147}	13287		LFP7075	A-171256		LAF1922 ¹
47128200		LAF9332 ¹	(47135704); S/N			A-77544	Coolant	LFW4071 ²⁸
47135707	Fuel	LFF3504	13287-			D-139225	Fuel	L3523F
1931127	Hydraulic	LFP6007	<i>Magnum 180 w/Cummins 6.7L Turbo Engine</i>			A-184963		L3524F
(47128196); -S/N	Oil	LFP2238	87517153	Air	LAF5929 ²	(J-903410); Pri.		LFF3417
13287		LFP7075	4897897	Fuel	LFF5421	(J-903640); Sec.		LFF3521
(47135704); S/N			4897898	Oil	LFP6015	1971728-C1	Hydraulic	LFH8417
13287-						J-919562	Oil	LFP2265

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 15-Standard 28-Contains 1 oz. of chemical 244-Secondary 268-Extended/Severe service 610-Charge Pump 1085-Power Shuttle 1147-With Pre-Cleaner 1148-Hi/Low 1149-w/o Cab 1150-Without Cab 1151-With Power Shift 1152-Van pump Hydraulic with CVT 1153-Piston Pump 1154-Pump



Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)		
<i>Magnum 7110 w/Cummins 8.3L Engine (cont'd)</i>			<i>Magnum 7140 w/Cummins 8.3L Engine (cont'd)</i>			<i>Magnum 7240 w/Cummins 6CT8.3 Engine (cont'd)</i>		
A-77537	Oil	LFP734	1346028-C1	Trans	LFH4910	(J-903640); Sec.	Fuel	LFF3521
1346028-C1	Trans	LFH4910	<i>Magnum 7150 w/Cummins 8.3L Engine</i>			1971728-C1	Hydraulic	LFH8417
<i>Magnum 7120 w/Case 6T830 Engine</i>			143481-C2	Air	LAF1879	J-919562	Oil	LFP2265
143481-C2	Air	LAF1879	A-171255		LAF1889 ²	1346028-C1	Trans	LFH4910
A-171255		LAF1889 ²	A-171256		LAF1922 ¹	<i>Magnum 7250 w/Cummins 6CT8.3 Engine</i>		
A-171256		LAF1922 ¹	A-77544	Coolant	LFW4071 ²⁸	143481-C2	Air	LAF1879
A-77544	Coolant	LFW4071 ²⁸	D-139225	Fuel	L3523F	A-171255		LAF1889 ²
D-139225	Fuel	L3523F	A-184963		L3524F	A-171256		LAF1922 ¹
A-184963		L3524F	(J-903410); Pri.		LFF3417	A-77544	Coolant	LFW4071 ²⁸
(J-903410); Pri.		LFF3417	(J-903640); Sec.		LFF3521	D139225	Fuel	L3523F
(J-903640); Sec.		LFF3521	1971728-C1	Hydraulic	LFH8417	(J-925274); Pri.		LFF3417
1971728-C1	Hydraulic	LFH8417	(J-919562); S/N	Oil	LFP2265	(J-903640); Sec.		LFF3521
J-919562	Oil	LFP2265	44500595-		LFP734	1971728-C1	Hydraulic	LFH8417
A-77537		LFP734	(A-77537); -S/N			J-919562	Oil	LFP2265
1346028-C1	Trans	LFH4910	44500595			1346028-C1	Trans	LFH4910
<i>Magnum 7120 w/Cummins 8.3L Engine</i>			1346028-C1	Trans	LFH4910	<i>Maxxum 110 w/Cummins 4.5L Engine</i>		
143481-C2	Air	LAF1879	<i>Magnum 7210 w/Cummins 6CT8.3 Engine</i>			82034608	Air	LAF9543 ¹
A-171255		LAF1889 ²	143481-C2	Air	LAF1879	82034614		LAF9547 ²
A-171256		LAF1922 ¹	A-171255		LAF1889 ²	87803189	Fuel	LFF3800 ³²
A-77544	Coolant	LFW4071 ²⁸	A-171256		LAF1922 ¹	87803200		LFF5421
D-139225	Fuel	L3523F	A-77544	Coolant	LFW4071 ²⁸	(87803182); W/S		LFF9772
A-184963		L3524F	D139225	Fuel	L3523F	47131180	Hydraulic	LFH4972 ⁶¹⁰
(J-903410); Pri.		LFF3417	(J-925274); Pri.		LFF3417	2854750	Oil	LFP6023
(J-903640); Sec.		LFF3521	(J-903640); Sec.		LFF3521	<i>Maxxum 115 (w/Cummins 6.7L Engine)</i>		
1971728-C1	Hydraulic	LFH8417	1971728-C1	Hydraulic	LFH8417	82034623	Air	LAF5932 ¹
J-919562	Oil	LFP2265	J-919562	Oil	LFP2265	82034620		LAF8149 ²
A-77537		LFP734	1346028-C1	Trans	LFH4910	87803200	Fuel	LFF5421
1346028-C1	Trans	LFH4910	<i>Magnum 7220 w/Cummins 6CT8.3 Engine</i>			(87803182); W/S		LFF9772
<i>Magnum 7130 w/Cummins 8.3L Engine</i>			143481-C2	Air	LAF1879	47131180	Hydraulic	LFH4972 ⁶¹⁰
143481-C2	Air	LAF1879	A-171255		LAF1889 ²	2854750	Oil	LFP6023
A-171255		LAF1889 ²	A-171256		LAF1922 ¹	<i>Maxxum 115, Maxxum 115 CVT (w/FPT 4.5L Tier 4 Engine)</i>		
A-171256		LAF1922 ¹	A-77544	Coolant	LFW4071 ²⁸	87683000	Air	LAF5932 ¹
A-77544	Coolant	LFW4071 ²⁸	D139225	Fuel	L3523F	82034629		LAF8149 ²
D-139225	Fuel	L3523F	(J-925274); Pri.		LFF3417	87803200	Fuel	LFF5421
A-184963		L3524F	(J-903640); Sec.		LFF3521	87588814	Hydraulic	LFH4959 ⁶¹⁰
(J-903410); Pri.		LFF3417	1971728-C1	Hydraulic	LFH8417	2854750	Oil	LFP6023
(J-903640); Sec.		LFF3521	J-919562	Oil	LFP2265	<i>Maxxum 120 w/Cummins 6.7L Engine</i>		
1971728-C1	Hydraulic	LFH8417	1346028-C1	Trans	LFH4910	82034608	Air	LAF9543 ¹
(J-919562); S/N	Oil	LFP2265	<i>Magnum 7230 w/Cummins 6CT8.3 Engine</i>			82034614		LAF9547 ²
44500595-		LFP734	143481-C2	Air	LAF1879	87803189	Fuel	LFF3800 ³²
(A-77537); -S/N		LFP734	A-171255		LAF1889 ²	87803200		LFF5421
44500595		LFP734	A-171256		LAF1922 ¹	(87803182); W/S		LFF9772
1346028-C1	Trans	LFH4910	A-77544	Coolant	LFW4071 ²⁸	47131180	Hydraulic	LFH4972 ⁶¹⁰
<i>Magnum 7140 w/Cummins 8.3L Engine</i>			D139225	Fuel	L3523F	2854750	Oil	LFP6023
143481-C2	Air	LAF1879	(J-925274); Pri.		LFF3417	<i>Maxxum 125 w/Cummins 6.7L Engine</i>		
A-171255		LAF1889 ²	(J-903640); Sec.		LFF3521	82034623	Air	LAF5932 ¹
A-171256		LAF1922 ¹	1971728-C1	Hydraulic	LFH8417	82034620		LAF8149 ²
A-77544	Coolant	LFW4071 ²⁸	J-919562	Oil	LFP2265	87803200	Fuel	LFF5421
D-139225	Fuel	L3523F	1346028-C1	Trans	LFH4910	(87803182); W/S		LFF9772
A-184963		L3524F	<i>Magnum 7240 w/Cummins 6CT8.3 Engine</i>			47131180	Hydraulic	LFH4972 ⁶¹⁰
(J-903410); Pri.		LFF3417	143481-C2	Air	LAF1879	2854750	Oil	LFP6023
(J-903640); Sec.		LFF3521	A-171255		LAF1889 ²	<i>Maxxum 130 w/Cummins 4.5L Engine</i>		
1971728-C1	Hydraulic	LFH8417	A-171256		LAF1922 ¹	82034608	Air	LAF9543 ¹
(J-919562); S/N	Oil	LFP2265	A-77544	Coolant	LFW4071 ²⁸	82034614		LAF9547 ²
44500595-		LFP734	D139225	Fuel	L3523F	87803200	Fuel	LFF5421
(A-77537); -S/N		LFP734	(J-925274); Pri.		LFF3417			
44500595		LFP734						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 28-Contains 1 oz. of chemical 32-Remote mounted 610-Charge Pump

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)		
<i>Maxxum 130 w/Cummins 4.5L Engine (cont'd)</i>			<i>Maxxum 5240</i>			<i>MX110 (cont'd)</i>		
(87803182); W/S	Fuel	LFF9772	D-56453	Air	LAF1544 ²	1976434-C5	Hydraulic	LFH8740G
47131180	Hydraulic	LFH4972 ⁶¹⁰	143481-C2		LAF1879	J-908615	Oil	LFP780
2854750	Oil	LFP6023	A-47033		LAF1923 ¹			LFP780XL ¹⁴
<i>Maxxum 140 w/Cummins 6.7L Engine 1/07-</i>			A-47032		LAF1924 ²	<i>MX120</i>		
82034623	Air	LAF5932 ¹	N-8153		LAF9410 ¹	187471-A1	Air	LAF9542 ²
82034629		LAF8149 ^{2, 1155}	A-77544	Coolant	LFW4071 ²⁸	187472-A1		LAF9543 ¹
87803189	Fuel	LFF3800	(J-903410); Pri.		LFF3417	D139225	Fuel	L3523F
87803200		LFF5421	(J-903640); Sec.	Fuel	LFF3521	(J-843760); W/S		LFF8062
(87803182); W/S		LFF9772	(J-931062); W/S		LFF8062 ¹⁸¹	1976434-C5	Hydraulic	LFH8740G
47131180	Hydraulic	LFH4972 ⁶¹⁰	1976934-C5	Hydraulic	LFH8740G	J-908615	Oil	LFP780
2854750	Oil	LFP6023	J-908615	Oil	LFP780			LFP780XL ¹⁴
<i>Maxxum 5120 w/Case 4TA390 Engine</i>					LFP780XL ¹⁴	<i>MX135</i>		
D-56453	Air	LAF1544 ²	<i>Maxxum 5250</i>			187471-A1	Air	LAF9542 ²
143481-C2		LAF1879	D-56453	Air	LAF1544 ²	187472-A1		LAF9543 ¹
N-8153		LAF9410 ¹	143481-C2		LAF1879	D139225	Fuel	L3523F
A-77544	Coolant	LFW4071 ²⁸	A-47033		LAF1923 ¹	(J-843760); W/S		LFF8062
(J-903410); Pri.	Fuel	LFF3417	A-47032		LAF1924 ²	1976434-C5	Hydraulic	LFH8740G
(J-903640); Sec.		LFF3521	N-8153		LAF9410 ¹	J-908615	Oil	LFP780
(J-931062); W/S		LFF8062 ¹⁸¹	A-77544	Coolant	LFW4071 ²⁸			LFP780XL ¹⁴
1976934-C5	Hydraulic	LFH8740G	(J-903410); Pri.	Fuel	LFF3417	<i>MX150</i>		
J-908616	Oil	LFP3900	(J-903640); Sec.		LFF3521	187471-A1	Air	LAF9542 ²
<i>Maxxum 5130 w/Cummins 6BT5.9 Engine</i>			(J-931062); W/S		LFF8062 ¹⁸¹	187472-A1		LAF9543 ¹
D-56453	Air	LAF1544 ²	1976934-C5	Hydraulic	LFH8740G	D-139225	Fuel	L3523F
143481-C2		LAF1879	J-908615	Oil	LFP780	(J-931062); W/S		LFH8062
N-8153		LAF9410 ¹	<i>Maxxum 5520</i>			177356-A1	Hydraulic	LFH5876
A-77544	Coolant	LFW4071 ²⁸	D-56453	Air	LAF1544 ²	J-908615	Oil	LFP780
(J-903410); Pri.	Fuel	LFF3417	143481-C2		LAF1879			LFP780XL ¹⁴
(J-903640); Sec.		LFF3521	N-8153		LAF9410 ¹	<i>MX170</i>		
(J-931062); W/S		LFF8062 ¹⁸¹	A-77544	Coolant	LFW4071 ²⁸	187471-A1	Air	LAF9542 ²
1976934-C5	Hydraulic	LFH8740G	(J-903410); Pri.	Fuel	LFF3417	187472-A1		LAF9543 ¹
J-908615	Oil	LFP780	(J-903640); Sec.		LFF3521	D-139225	Fuel	L3523F
		LFP780XL ¹⁴	(J-931062); W/S		LFF8062 ¹⁸¹	(J-931062); W/S		LFF8062
<i>Maxxum 5140 w/Cummins 6BT5.9M Engine</i>			1976934-C5	Hydraulic	LFH8740G	177356-A1	Hydraulic	LFH5876
D-56453	Air	LAF1544 ²	J-908616	Oil	LFP3900	J-908615	Oil	LFP780
143481-C2		LAF1879	<i>MX100</i>					LFP780XL ¹⁴
N-8153		LAF9410 ¹	187471-A1	Air	LAF9542 ²	<i>MX180 Magnum w/Cummins 8.3L Engine</i>		
A-77544	Coolant	LFW4071 ²⁸	187472-A1		LAF9543 ¹	A77544	Coolant	LFW4071 ²⁸
(J-903410); Pri.	Fuel	LFF3417	D139225	Fuel	L3523F	(194199A1); In-Line	Fuel	L7693F
(J-903640); Sec.		LFF3521	(J-843760); W/S		LFF8062	(A-77470); Pri.		LFF3417
(J-931062); W/S		LFF8062 ¹⁸¹	1976434-C5	Hydraulic	LFH8740G	(402652A1); S/N	Hydraulic	LFH4972
1976934-C5	Hydraulic	LFH8740G	J-908615	Oil	LFP780	JAZ0125001-		LFH4990
J-908615	Oil	LFP780			LFP780XL ¹⁴	(294721A1); S/N		
		LFP780XL ¹⁴	<i>MX100C</i>			JJA0105000-		LFH8417
<i>Maxxum 5230</i>			222421-A1	Air	LAF4544 ²	277311-A1		LFP2265
D-56453	Air	LAF1544 ²			LAF4544MXM ^{2, 268}	J-919562	Oil	LFP2265
143481-C2		LAF1879	222422-A1		LAF4545 ¹	<i>MX200 Magnum w/Cummins 8.3L Engine</i>		
A-47033		LAF1923 ¹	D-139225	Fuel	L3523F	A77544	Coolant	LFW4071 ²⁸
A-47032		LAF1924 ²	218100-A1		LFF3504	(194199A1); In-Line	Fuel	L7693F
N-8153		LAF9410 ¹	1976934-C5	Hydraulic	LFH8740G	(A-77470); Pri.		LFF3417
A-77544	Coolant	LFW4071 ²⁸	3214797-R1	Oil	LFP2292	(402652A1); S/N	Hydraulic	LFF3521
(J-903410); Pri.	Fuel	LFF3417	<i>MX110</i>			(294721A1); S/N		LFH4972
(J-903640); Sec.		LFF3521	187471-A1	Air	LAF9542 ²	JAZ0125001-		LFH4990
(J-931062); W/S		LFF8062 ¹⁸¹	187472-A1		LAF9543 ¹	(294721A1); S/N		
1976934-C5	Hydraulic	LFH8740G	D139225	Fuel	L3523F	JJA0105000-		LFH8417
J-908615	Oil	LFP780	(J-843760); W/S		LFF8062	277311-A1		
		LFP780XL ¹⁴				J-919562	Oil	LFP2265

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 28-Contains 1 oz. of chemical 181-Single 268-Extended/Severe service 610-Charge Pump 1155-High Profile Cab

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)		
<i>MX210 Magnum w/Cummins 8.3L Engine</i>			<i>MX255 Magnum w/Cummins 8.3L Engine</i>			<i>MXM120 w/CNH 7.5L Turbo Diesel Engine</i>		
A77544	Coolant	LFW4071 ²⁸	J-100304	Coolant	LFW4071 ²⁸	82034623	Air	LAF5932 ¹
(194199A1); In-Line	Fuel	L7693F	(194199A1); In-Line	Fuel	L7693F	82034629		LAF8149 ²
(A-77470); Pri.		LFF3417	(J-329289); W/S		LFF1000 ¹⁸¹	82008606		LAF8767 ²
		LFF3521	J800394		LFF1022 ²¹⁰	82008607		LAF8768 ¹
(402652A1); S/N	Hydraulic	LFH4972	402652-A1	Hydraulic	LFH4972 ⁶¹⁰	(87803442); S/N	Fuel	L3441F
JAZ0125001-		LFH4990	277311-A1		LFH8417 ⁵⁹⁹	FA097480-; Sec.		L3444F
(294721A1); S/N		LFH8417	J919562	Oil	LFP2265	(87803445); S/N		L3891F
JJA0105000-		LFP2265	<i>MX270 Magnum w/Cummins 8.3L Engine</i>			FA097480-; Pri.		L3925F
277311-A1		LFF5488	A77544	Coolant	LFW4071 ²⁸	(87802923); S/N		
J-919562	Oil	LFF9732 ²⁴⁴	(194199A1); In-Line	Fuel	L7693F	HD091599 To		
<i>MX215 Magnum (w/Cummins 8.3L Engine)</i>			(J-329289); W/S		LFF1000 ¹⁸¹	FA097480; Pri.		
(87360565); Sec.	Fuel	LFF9732 ²⁴⁴	J800394		LFF1022 ²¹⁰	(87802927); -S/N		
(87356193); W/S		LFH4972 ⁶¹⁰	(402652A1); S/N	Hydraulic	LFH4972	HD091599; Sec.		
402652A1	Hydraulic	LFH8417 ¹¹⁵⁴	JAZ0125001-		LFH4972 ⁶¹⁰	47131180	Hydraulic	LFH4972
277311A1		LFP2265	402652-A1		LFH4990	1931173		LFH8726
87349575	Oil	LFP2265	(294721A1); S/N		LFH8417 ⁵⁹⁹	86980031	Oil	LFP950
<i>MX220 Magnum w/Cummins 8.3L Engine</i>			JJA0105000-		LFP2265	<i>MXM130 w/CNH 7.5L Turbo Diesel Engine</i>		
A77544	Coolant	LFW4071 ²⁸	277311-A1		LFP2265	82034623	Air	LAF5932 ¹
(194199A1); In-Line	Fuel	L7693F	J919562	Oil	LFP2265	82034629		LAF8149 ²
(A-77470); Pri.		LFF3417	<i>MX275 Magnum (w/Cummins 8.3L Engine)</i>			82008606		LAF8767 ²
		LFF3521	(87360565); Sec.	Fuel	LFF5488	82008607		LAF8768 ¹
(402652A1); S/N	Hydraulic	LFH4972	(87356193); W/S		LFF9732 ²⁴⁴	(87803442); S/N	Fuel	L3441F
JAZ0125001-		LFH4990	402652A1	Hydraulic	LFH4972 ⁶¹⁰	FA097480-; Sec.		L3444F
(294721A1); S/N		LFH8417	277311A1		LFH8417 ¹¹⁵⁴	(87803445); S/N		L3891F
JJA0105000-		LFP2265	87349575	Oil	LFP2265	FA097480-; Pri.		L3925F
277311-A1		LFP2265	<i>MX285 Magnum w/Cummins 8.3L Engine</i>			(87802923); S/N		
J-919562	Oil	LFP2265	J-100304	Coolant	LFW4071 ²⁸	HD091599 To		
<i>MX230 Magnum w/Cummins 8.3L Engine</i>			(194199A1); In-Line	Fuel	L7693F	FA097480; Pri.		
A77544	Coolant	LFW4071 ²⁸	(J-329289); W/S		LFF1000 ¹⁸¹	(87802927); -S/N		
(194199A1); In-Line	Fuel	L7693F	J800394		LFF1022 ²¹⁰	HD091599; Sec.		
(A-77470); Pri.		LFF3417	402652-A1	Hydraulic	LFH4972 ⁶¹⁰	47131180	Hydraulic	LFH4972
		LFF3521	277311-A1		LFH8417 ⁵⁹⁹	1931173		LFH8726
(402652A1); S/N	Hydraulic	LFH4972	J919562	Oil	LFP2265	86980031	Oil	LFP950
JAZ0125001-		LFH4990	<i>MX305 Magnum (w/Cummins 8.3L Engine)</i>			<i>MXM140 w/CNH 7.5L Turbo Diesel Engine</i>		
(294721A1); S/N		LFH8417	A77544	Coolant	LFW4071 ^{28, 205}	82034623	Air	LAF5932 ¹
JJA0105000-		LFP2265	(87360565); Sec.	Fuel	LFF5488	82034629		LAF8149 ²
277311-A1		LFP2265	(87356193); W/S		LFF9732 ²⁴⁴	82008606		LAF8767 ²
J-919562	Oil	LFP2265	402652A1	Hydraulic	LFH4972 ⁶¹⁰	82008607		LAF8768 ¹
<i>MX240 Magnum w/Cummins 8.3L Engine</i>			277311A1		LFH8217	(87803442); S/N	Fuel	L3441F
A77544	Coolant	LFW4071 ²⁸	87349575	Oil	LFP2265	FA097480-; Sec.		L3444F
(194199A1); In-Line	Fuel	L7693F	<i>MX80C</i>			(87803445); S/N		L3891F
(J-329289); W/S		LFF1000 ¹⁸¹	222421-A1	Air	LAF4544 ²	FA097480-; Pri.		L3925F
J800394		LFF1022 ²¹⁰			LAF4544MXM ^{2, 268}	(87802923); S/N		
(402652A1); S/N	Hydraulic	LFH4972	222422-A1		LAF4545 ¹	HD091599 To		
JAZ0125001-		LFH4972 ⁶¹⁰	D-139225	Fuel	L3523F	FA097480; Pri.		
402652-A1		LFH4990	218100-A1		LFF3504	(87802927); -S/N		
(294721A1); S/N		LFH8417 ⁵⁹⁹	1976934-C5	Hydraulic	LFH8740G	HD091599; Sec.		
JJA0105000-		LFP2265	3214797-R1	Oil	LFP2292	47131180	Hydraulic	LFH4972
277311-A1		LFP2265	<i>MX90C</i>			1931173		LFH8726
J919562	Oil	LFP2265	222421-A1	Air	LAF4544 ²	86980031	Oil	LFP950
<i>MX245 Magnum (w/Cummins 8.3L Engine)</i>					LAF4544MXM ^{2, 268}	<i>MXM155 w/CNH 7.5L Turbo Diesel Engine</i>		
(87360565); Sec.	Fuel	LFF5488	222422-A1		LAF4545 ¹	82034623	Air	LAF5932 ¹
(87356193); W/S		LFF9732 ²⁴⁴	D-139225	Fuel	L3523F	82034629		LAF8149 ²
402652A1	Hydraulic	LFH4972 ⁶¹⁰	218100-A1		LFF3504	82008606		LAF8767 ²
277311A1		LFH8417 ¹¹⁵⁴	1976934-C5	Hydraulic	LFH8740G	82008607		LAF8768 ¹
87349575	Oil	LFP2265	3214797-R1	Oil	LFP2292	(87803442); S/N	Fuel	L3441F
		LFP2265			LFP2292	FA097480-; Sec.		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 28-Contains 1 oz. of chemical 181-Single 205-Maintenance 210-w/ Sensor 244-Secondary 268-Extended/Severe service 599-High capacity 610-Charge Pump 1154-Pump

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)			CASE INTERNATIONAL (TRACTOR)		
<i>Puma 210 w/Cummins 6.7L Turbo Engine</i>			<i>Steiger 380 (w/Iveco 12.9 Engine)</i>			<i>STX380 w/Iveco 12.9L Engine (cont'd)</i>		
87517153	Air	LAF5929 ²	1346028C1	Hydraulic	LFH4910 ⁶⁷⁹	504082382	Oil	LFP7174
87803200	Fuel	LFF5421	87404986		LFH8294 ¹¹⁶⁴	1346028C1	Trans	LFH4910
(87803182); W/S		LFF9772	504082382	Oil	LFP7174	<i>STX425 w/Cummins QSX Engine</i>		
2854750	Oil	LFP6023	<i>Steiger 385 w/Iveco 12.9L Engine</i>			(319468-A1); -S/N	Air	LAF1953 ²
<i>Puma 215 CVT w/6.7 Tier 4A Engine</i>			W/S	Fuel	LFF90013	JEE0099501		LAF1953MXM ^{2, 268}
87517153	Air	LAF5929 ²	(87410186); W/S		LFF9013	-S/N JEE0099501		LAF5973 ²
4897897	Fuel	LFF5421	87404986	Hydraulic	LFH8294	(426020A1); S/N		LAF5974 ²
504084161	Oil	LFP6023	504082382	Oil	LFP7174	JEE099501-		LAF5974 ²
<i>Puma 220, Puma 220CVT w/FPT 6.7L Tier 4B Engine</i>			1346028C1	Trans	LFH4910	426021A1		LAF5974 ²
<i>Steiger 435 w/Iveco 12.9L Engine</i>			W/S	Fuel	LFF90013	324618-A1	Coolant	LFW2126 ²⁵⁵
87517153	Air	LAF5929 ²	(87410186); W/S		LFF9013	(324619-A1); W/S	Fuel	LFF1007 ²¹⁰
504084161	Fuel	LFF5421	87404986	Hydraulic	LFH8294	1346028-C1	Hydraulic	LFH4910
84226258	Hydraulic	LFH4972 ¹¹⁶⁰	504082382	Oil	LFP7174	254353A1		LFH8294
84226263		LFH8294 ¹¹⁶¹	1346028C1	Trans	LFH4910	324617-A1	Oil	LFP9001 ²⁵⁰
84228488	Oil	LFP6023	<i>Steiger 485 w/Iveco 12.9L Engine</i>			324617-A1		LFP9001TRT ³
84228488	Trans	LFH4959 ¹¹⁵⁹	W/S	Fuel	LFF90013	324617-A1		LFP9001XL ^{14, 250}
<i>Puma 225 CVT w/Cummins 6.7L Turbo Engine</i>			(87410186); W/S		LFF9013	<i>STX430 w/Iveco 12.9L Engine</i>		
87803200	Fuel	LFF5421	504082382	Oil	LFP7174	W/S	Fuel	LFF90013
(87803182); W/S		LFF9772	1346028C1	Trans	LFH4910	(87410186); W/S		LFF9013
Charge pump	Hydraulic	LFH5013	<i>STX275 w/Cummins 8.3L Engine</i>			504082382	Oil	LFP7174
2854750	Oil	LFP6023	A77544	Coolant	LFW4071 ²⁸	1346028C1	Trans	LFH4910
<i>Puma 230 CVT w/6.7 Tier 4A Engine</i>			J800394	Fuel	LFF1022	<i>STX440 w/Cummins QSX Engine</i>		
87517153	Air	LAF5929 ¹	1346028-C1	Hydraulic	LFH4910	(319468-A1); -S/N	Air	LAF1953 ²
504084161	Fuel	LFF5421	254353A1		LFH8294	JEE0099501		LAF1953MXM ^{2, 268}
504084161	Oil	LFP6023	366700-A1	Oil	LFP3000	-S/N JEE0099501		LAF5973 ²
<i>Puma 240 w/FPT 6.7L Tier 4B Engine</i>			<i>STX325 w/Cummins 8.3L Engine</i>			(426020A1); S/N		LAF5974 ²
87517153	Air	LAF5929 ²	A77544	Coolant	LFW4071 ²⁸	JEE099501-		LAF5974 ²
504084161	Fuel	LFF5421	J800394	Fuel	LFF1022	426021A1		LAF5974 ²
87588814	Hydraulic	LFH4959 ¹¹⁶²	1346028-C1	Hydraulic	LFH4910	324618-A1	Coolant	LFW2126 ²⁵⁵
84228488	Oil	LFP6023	254353A1		LFH8294	(324619-A1); W/S	Fuel	LFF1007 ²¹⁰
QUAD TRAK			366700-A1	Oil	LFP3000	1346028-C1	Hydraulic	LFH4910
90-8300T1	Air	LAF8673 ²	<i>STX330 w/Cummins 9L Engine</i>			254353A1		LFH8294
90-8301T1		LAF8689 ¹	J100304	Coolant	LFW4071 ^{28, 205}	324617-A1	Oil	LFP9001 ²⁵⁰
604452T2	Cabin Air	AF299	(87360565); Sec.	Fuel	LFF5488	324617-A1		LFP9001TRT ³
A77544	Coolant	LFW4071 ²⁸	(87356193); W/S		LFF9732	324617-A1		LFP9001XL ^{14, 250}
(90-3941T1); W/S	Fuel	LFF8020	87349575	Oil	LFP2265	<i>STX450 w/Cummins QSX Engine</i>		
254353A1	Hydraulic	LFH4910	1346028C1	Trans	LFH4910	(319468-A1); -S/N	Air	LAF1953 ²
N9025		LFH4910 ⁶⁷⁹	<i>STX375 w/Cummins QSX Engine</i>			JEE0099501		LAF1953MXM ^{2, 268}
90-7101T1	Oil	LFP3000	(319468-A1); -S/N	Air	LAF1953 ²	-S/N JEE0099501		LAF5973 ²
	Trans	LFH4910	JEE0099501		LAF1953MXM ^{2, 268}	(426020A1); S/N		LAF5974 ²
<i>Steiger 330 (w/Cummins Engine)</i>			-S/N JEE0099501		LAF1953MXM ^{2, 268}	JEE099501-		LAF5974 ²
(87360565); Sec.	Fuel	LFF5488	(426020A1); S/N		LAF5973 ²	426021A1		LAF5974 ²
(87356193); W/S		LFF9732	JEE099501-		LAF5974 ²	324618-A1	Coolant	LFW2126 ²⁵⁵
1346028C1	Hydraulic	LFH4910 ¹¹⁶³	426021A1		LAF5974 ²	(324619-A1); W/S	Fuel	LFF1007 ²¹⁰
84226263		LFH8294	324618-A1	Coolant	LFW2126 ²⁵⁵	1346028-C1	Hydraulic	LFH4910
84301243	Oil	LFP2265	(324619-A1); W/S	Fuel	LFF1007 ²¹⁰	254353A1		LFH8294
<i>Steiger 335 (w/Cummins 8.9L Engine)</i>			1346028-C1	Hydraulic	LFH4910	324617-A1	Oil	LFP9001 ²⁵⁰
(87360565); Sec.	Fuel	LFF5488	254353A1		LFH8294	324617-A1		LFP9001TRT ³
1346028C1	Hydraulic	LFH4910 ¹¹⁶³	324617-A1	Oil	LFP9001 ²⁵⁰	324617-A1		LFP9001XL ^{14, 250}
84226263		LFH8294 ¹¹⁶⁴	<i>STX480 w/Cummins QSX15 Engine</i>			324618A1	Coolant	LFW2126 ²⁵⁵
84226263		LFH8294 ¹¹⁶⁴	324617-A1		LFP9001TRT ³	1346028C1	Hydraulic	LFH4910
<i>Steiger 370, Steiger 370 Rowtrac (w/8.7L Final Tier 4 Engine)</i>			324617-A1		LFP9001XL ^{14, 250}	324617A1	Oil	LFP9000 ⁷²³
84303715	Fuel	LFF9769	<i>STX380 w/Iveco 12.9L Engine</i>			324617A1		LFP9000XL ^{14, 723}
84346773	Oil	LFP7174	W/S	Fuel	LFF90013			
			(87410186); W/S		LFF9013			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 28-Contains 1 oz. of chemical 205-Maintenance 210-w/ Sensor 250-11.9"

Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 679-Axle 723-13.9" Hgt. 1159-CVT 1160-Except CVT 1161-Hydraulic Pump except CVT

1162-Vane pump 1163-Axles 1164-Below battery

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE INTERNATIONAL (TRACTOR)			CATERPILLAR (ARTICULATED DUMP TRUCK)			CATERPILLAR (ARTICULATED DUMP TRUCK)		
<i>STX500 w/Cummins QSX15 Engine</i>			<i>AD45 (cont'd)</i>			<i>AE40 Series II w/Caterpillar 3408 Engine (cont'd)</i>		
87417040	Air	LAF5973 ²	(133-5673); Pri.	Fuel	LFF8707	(1R-0749); Sec.	Fuel	LFF2749 ²⁰
87417041		LAF5974 ²	1R-0741	Hydraulic	LP560	(133-5673); Pri.		LFF8707
324618A1	Coolant	LFW2126 ²⁵⁵	1R-0716	Oil	LFP4005	1R-0741	Hydraulic	LP560
(419858A1); W/S	Fuel	LFF1007 ²¹⁰			LFP4005TRT ³	1R-0716	Oil	LFP4005
1346028C1	Hydraulic	LFH4910			LFP4005XL ¹⁴			LFP4005TRT ³
324617A1	Oil	LFP9000 ⁷²³	1R-0719	Trans	LP164			LFP4005XL ¹⁴
324617A1		LFP9000XL ^{14, 723}	1R-0741		LP560 ¹⁰⁹⁹	1R-0719	Trans	LP164
<i>STX530 w/Cummins QSX15 Engine</i>			<i>AD55</i>			<i>D20D w/9MG Engine</i>		
324618A1	Coolant	LFW2126 ²⁵⁵	4W-5228	Air	LAF5228 ²	7W-5316	Air	LAF45 ²
1346028C1	Hydraulic	LFH4910	1N-4864		LAF8408 ¹	2S-1287		LAF46 ¹
324617A1	Oil	LFP9000 ⁷²³	(1R-0749); Sec.	Fuel	LFF2749 ²⁰	(1R-0740); Sec.	Fuel	LFP440F
324617A1		LFP9000XL ^{14, 723}	(133-5673); Pri.		LFF8707	1R-0741	Hydraulic	LP560 ¹⁰⁷⁷
<i>STX535 w/Cummins QSX15 Engine</i>			130-3212	Hydraulic	LFH22028	1R-0739	Oil	LFP3191
324618A1	Coolant	LFW2126 ²⁵⁵	9T-0973		LFH5013 ¹¹	1R-0739		LFP3191TRT ³
1346028C1	Hydraulic	LFH4910 ¹¹⁶⁵	2P-4005	Oil	LFP4005			LFP3191XL ¹⁴
324617A1	Oil	LFP9000 ⁷²³			LFP4005TRT ³	9M-9740	Trans	LP164
324617A1		LFP9000XL ^{14, 723}	1G-8878	Trans	LFH4990	<i>D22</i>		
CATERPILLAR (ARTICULATED DUMP TRUCK)			<i>AD55B w/Caterpillar C27 Engine</i>			<i>D25, D25B</i>		
<i>300D</i>			2465009	Air	LAF5568 ²	1P-7360	Air	LAF7360 ¹
1P-7360	Air	LAF7360 ¹	2465010		LAF5569 ¹	7W-5495		LAF7716 ²
7W-5495		LAF7716 ²	8X4575	Breather	LAF5810 ⁸⁵⁸	W/S	Fuel	LAF7716MXM ^{2, 268}
		LAF7716MXM ^{2, 268}	(1R0755); Sec.	Fuel	LFF4102 ²⁰	(1P-2299); Sec.		LFF8030 ¹²
4T-3131	Hydraulic	LP135	1303212	Hydraulic	LFH22028 ¹¹³⁷	4J-6064	Hydraulic	LFP440F
1R-0741		LP560	1G8878		LFH4990 ¹²¹³	2P-4004	Oil	LP560
9M-9740	Trans	LP164	9T-0973		LFH5013 ¹¹	2P-4004		LFP3191
<i>AD30</i>			1R1808	Oil	LFP4005RN ⁵⁹⁹			LFP3191TRT ³
106-3973	Air	LAF3884 ¹			LFP4005TRT ³			LFP3191XL ¹⁴
106-3969		LAF5022 ²	<i>AD60 w/Caterpillar C27 Engine</i>			9M-9740	Trans	LP164
		LAF5022MXM ^{2, 268}	1421340	Air	LAF8150 ²	<i>D25, D25B</i>		
(1R-0749); Sec.	Fuel	LFF2749 ²⁰	1421403		LAF8693 ¹	1P-7360	Air	LAF7360 ¹
(133-5673); Pri.		LFF8707	1R0755	Fuel	LFF4102	7W-5495		LAF7716 ²
130-3212	Hydraulic	LFH22028	130-3212	Hydraulic	LFH22028	W/S	Fuel	LAF7716MXM ^{2, 268}
2P-4005	Oil	LFP4005	1G-8878		LFH4990 ¹²¹³	(1P-2299); Sec.		LFF8030 ¹²
		LFP4005TRT ³	9T-0973		LFH5013 ¹¹	4J-6064	Hydraulic	LFP440F
		LFP4005XL ¹⁴	1R1808	Oil	LFP4005RN ⁵⁹⁹	2P-4004	Oil	LP560
1G-8878	Trans	LFH4990			LFP4005TRT ³			LFP3191
<i>AD40</i>					LFP4005XL ¹⁴			LFP3191TRT ³
4W-5228	Air	LAF5228 ²	<i>AE40</i>					LFP3191XL ¹⁴
1N-4864		LAF8408 ¹	4W-5228	Air	LAF5228 ²	9M-9740	Trans	LP164
(9M-2342); Pri.	Fuel	L3531F	1N-4864		LAF8408 ¹	<i>D250</i>		
(1R-0749); Sec.		LFF2749 ²⁰	(9M-2342); Pri.	Fuel	L3531F	1P-7360	Air	LAF7360 ¹
(133-5673); Pri.		LFF8707	(1R-0749); Sec.		LFF2749 ²⁰	7W-5495		LAF7716 ²
2U-6391	Hydraulic	LH4247	(133-5673); Pri.		LFF8707	W/S	Fuel	LAF7716MXM ^{2, 268}
1R-0741		LP560	1R-0741	Hydraulic	LP560	(1P-2299); Sec.		LFF8030 ¹²
1R-0716	Oil	LFP4005	1R-0716	Oil	LFP4005	4J-6064	Hydraulic	LFP440F
		LFP4005TRT ³			LFP4005TRT ³	2P-4004	Oil	LP560
		LFP4005XL ¹⁴			LFP4005XL ¹⁴	2P-4004		LFP3191
1R-0719	Trans	LP164	1R-0719	Trans	LP164			LFP3191TRT ³
1R-0741		LP560 ¹⁰⁹⁹	1R-0741		LP560 ¹⁰⁹⁹			LFP3191XL ¹⁴
<i>AD45</i>			<i>AE40 Series II w/Caterpillar 3408 Engine</i>			9M-9740	Trans	LP164
4W-5228	Air	LAF5228 ²	1N-4864	Air	LAF8408 ¹	<i>D250B</i>		
1N-4864		LAF8408 ¹	9N3718	Coolant	LFW4072 ¹⁸²	1P-7360	Air	LAF7360 ¹
7T-8945	Cabin Air	LAF1810	(9M-2342); Pri.	Fuel	L3531F	7W-5495		LAF7716 ²
(1R-0749); Sec.	Fuel	LFF2749 ²⁰						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 12-Optional 14-Extended Life 20-High efficiency 182-Contains 2 oz. of chemical 210-w/ Sensor 255-Contains 3 oz. of chemical 268-Extended/Severe service 599-High capacity 723-13.9" Hgt. 858-Hydraulic Tank 1077-Hyd. Tank 1099-Torque Converter 1137-Pilot 1165-Mega Flow 1213-Fan

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (ARTICULATED DUMP TRUCK)			CATERPILLAR (ARTICULATED DUMP TRUCK)			CATERPILLAR (ARTICULATED DUMP TRUCK)		
<i>D250B (cont'd)</i>			<i>D275, D275B (cont'd)</i>			<i>D30C, D30D (cont'd)</i>		
	Air	LAF7716MXM ^{2, 268}	4J-6064	Hydraulic	LP560	(1R-0750); Sec.	Fuel	LFF3347 ²⁰
W/S (1P-2299); Sec.	Fuel	LFF8030 ¹² LFP440F	2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	1R-0750		LFF3347
4T-3131	Hydraulic	LP135	2P-4004			W/S (1P-2299); Sec.		LFF8030 ¹² LFP440F
1R-0741		LP560	9M-9740	Trans	LP164	4T-3131	Hydraulic	LP135
2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	<i>D300</i>			4J-6064		LP560
2P-4004			1P-7360	Air	LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}	2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
9M-9740	Trans	LP164	7W-5495			2P-4004		LFP3191TRT ³ LFP3191XL ¹⁴
<i>D250D</i>			W/S (1P-2299); Sec.	Fuel	LFF8030 ¹² LFP440F	9M-9740	Trans	LP164
7W-5316	Air	LAF45 ² LAF46 ¹	4J-6064	Hydraulic	LP560	<i>D330, D330B</i>		
2S-1287			2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	1P-7360	Air	LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}
(9M-2341); Pri.	Fuel	L3531F LFF4783 LFP440F	2P-4004			7W-5495		
1R-0751 (1R-0740); Sec.			9M-9740	Trans	LP164	W/S (1P-2299); Sec.	Fuel	LFF8030 ¹² LFP440F
4T-3131	Hydraulic	LP135 LP560 ¹⁰⁷⁷	<i>D300B</i>			4J-6064	Hydraulic	LP560
1R-0741			6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}	2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	6I-0274		LAF4274 ¹ LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}	2P-4004		LFP3191TRT ³ LFP3191XL ¹⁴
1R-0739			1P-7360			9M-9740	Trans	LP164
9M-9740	Trans	LP164	1P-7716			<i>D35</i>		
<i>D250E w/Caterpillar 3306 Engine</i>			1R-0750	Fuel	LFF3347 LFF8030 ¹² LFP440F	1P-7360	Air	LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}
6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}	W/S (1P-2299); Sec.			7W-5495		
6I-0274		LAF4274 ¹ LAF9657	4T-3131	Hydraulic	LP135 LP560	W/S (1P-2299); Sec.	Fuel	LFF8030 ¹² LFP440F
8C-9657	Fuel	L3531F LFF3347 LFF8030 ¹² LFP440F	1R-0741			4J-6064	Hydraulic	LP560
(5M-7650); Pri.			2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
1R-0750			2P-4004			9M-9740	Trans	LP164
W/S (1P-2299); Sec.			9M-9740	Trans	LP164	<i>D350, D350B</i>		
132-8875	Hydraulic	LH8784G ²⁰ LP135 LP560	<i>D300E, D300E Series II</i>			1P-7360	Air	LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}
4T-3131			6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}	7W-5495		
1R-0741			6I-0274		LAF4274 ¹ LAF9657	W/S (1P-2299); Sec.	Fuel	LFF8030 ¹² LFP440F
1R-0658	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	8C-9657	Fuel	L3531F LFP440F	1R-0741	Hydraulic	LP560
1R-0658			(9M-2341); Pri.			2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
9M-9740	Trans	LP164	(1R-0740); Sec.			2P-4004		LFP3191TRT ³ LFP3191XL ¹⁴
<i>D25C, D25D</i>			132-8875	Hydraulic	LH8784G ²⁰ LP135 LP560	9M-9740	Trans	LP164
1P-7360	Air	LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}	4T-3131			<i>D350C, D350D</i>		
1P-7716			1R-0741			6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}
(1P-2299); Sec.	Fuel	LFP440F	1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	6I-0274		LAF4274 ¹ LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}
1R-0741	Hydraulic	LP560	1R-0739			1P-7360		
2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	9M-9740	Trans	LP164	7W-5495		
2P-4004			<i>D30C, D30D</i>			(1R-0750); Sec.	Fuel	LFF3347 ²⁰ LFF8030 ¹² LFP440F
9M-9740	Trans	LP164	6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}	W/S (1P-2299); Sec.		LFP440F
<i>D275, D275B</i>			6I-0274		LAF4274 ¹ LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}	<i>D350C, D350D</i>		
1P-7360	Air	LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}	6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}	6I-0274		LAF4274 ¹ LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}
7W-5495			6I-0274		LAF4274 ¹ LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}	1P-7360		
W/S (1P-2299); Sec.	Fuel	LFF8030 ¹² LFP440F	1P-7360			7W-5495		
			7W-5495			(1R-0750); Sec.	Fuel	LFF3347 ²⁰ LFF8030 ¹² LFP440F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 268-Extended/Severe service 1077-Hyd. Tank

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (ARTICULATED DUMP TRUCK)			CATERPILLAR (ASPHALT PAVER)			CATERPILLAR (ASPHALT PAVER)		
<i>D350C, D350D (cont'd)</i>			<i>AP1000, AP1050, AP1050B w/Caterpillar 3116 Engine</i>			<i>AP1055B w/Caterpillar 3116 Engine (cont'd)</i>		
4T-3131	Hydraulic	LP135	8N-4901	Air	LAF1963 ¹	773492	Hydraulic	LFP1652
1R-0741		LP560	6I-2499		LAF4499 ²	1R-0739	Oil	LFP3191
2P-4004	Oil	LFP3191			LAF4499MXM ^{2, 268}	1R-0739		LFP3191TRT ³
2P-4004		LFP3191TRT ³	6I-2500		LAF4500 ¹			LFP3191XL ¹⁴
		LFP3191XL ¹⁴	7W-5389		LAF47 ²	<i>AP1055D w/Caterpillar C7 Engine</i>		
9M-9740	Trans	LP164	(9M-2341); Pri.	Fuel	L3531F	6I-2503	Air	LAF4503 ²
<i>D350E, D350E Series II w/Caterpillar 3406 Engine</i>			1R-0750		LFF3347			LAF4503MXM ^{2, 268}
6I-0273	Air	LAF4273 ²	1R-0751		LFF4783	6I-2504		LAF4504 ¹
		LAF4273MXM ^{2, 268}	1R-0753		LFF5322 ²⁰	775232		LFH4909 ⁸⁵⁸
		LAF4274 ¹	(1R-0740); Sec.		LFP440F	(151-2409); Pri.	Fuel	L22023F
6I-0274			541719	Hydraulic	LFH4204 ¹⁰⁷⁷	(1R-0762); Sec.		LFF5804
(9M-2341); Pri.	Fuel	L3531F	P160516		LH5001	54-1719	Hydraulic	LFH4204 ¹⁰⁷⁷
1R-0749		LFF2749 ²⁰	1R-0739	Oil	LFP3191	1R-1807	Oil	LFP3191
(1R-0712); Sec.		LF5823B	1R-0739		LFP3191TRT ³	1R-1807		LFP3191TRT ³
(133-5673); Pri.		LFF8707			LFP3191XL ¹⁴			LFP3191XL ¹⁴
(132-8876); 2XW only	Hydraulic	LH22044 ¹¹⁶⁸	<i>AP1000B w/Caterpillar 3116 Engine</i>			1G-8878	Trans	LFH4990
132-8875		LH8784G	6I-2499	Air	LAF4499 ²	<i>AP1055E w/Caterpillar C7.1 Tier 4 Engine</i>		
4T-3131		LP135			LAF4499MXM ^{2, 268}	54-1719	Hydraulic	LFH4204 ¹⁰⁷⁷
1R-0720		LP560	6I-2500		LAF4500 ¹	2698325	Oil	LFP2698
1R-0716	Oil	LFP4005	(9M-2342); Pri.	Fuel	L3531F	1G-8878	Trans	LFH4990
		LFP4005TRT ³	(8N-9803); W/S		LFF1131	<i>AP1055F (w/Caterpillar C7.1 Engine)</i>		
		LFP4005XL ¹⁴	1R-0751		LFF4783	54-1719	Hydraulic	LFH4204 ¹⁰⁷⁷
9M-9740	Trans	LP164	1R-0753		LFF5322 ²⁰	2698325	Oil	LFP2698
<i>D35C</i>			1R-0739	Oil	LFP3191	1G-8878	Trans	LFH4990
6I-0273	Air	LAF4273 ²	1R-0739		LFP3191TRT ³	<i>AP1200 w/Perkins Engine</i>		
		LAF4273MXM ^{2, 268}			LFP3191XL ¹⁴	8T-7463	Air	LAF1725 ¹
6I-0274		LAF4274 ¹	<i>AP1000D w/Caterpillar C7 Engine</i>			8T-7462		LAF9001 ²
1P-7360		LAF7360 ¹	6I2503	Air	LAF4503 ²	676987	Fuel	L296F ⁴¹
7W-5495		LAF7716 ²	6I2504		LAF4504 ¹	7W-2327	Oil	PH4403
		LAF7716MXM ^{2, 268}	775232		LFH4909 ⁸⁵⁸	<i>AP200, AP200B w/Hatz 2M40 Engine</i>		
1R-0750	Fuel	LFF3347	(1512409); Pri.	Fuel	L22023F	1G-7197	Air	LAF8089
W/S		LFF8030 ¹²	(1R0762); Sec.		LFF5804	7G7206	Fuel	G800
(1P-2299); Sec.		LFP440F	541719	Hydraulic	LFH4204 ¹⁰⁷⁷	812684	Oil	LFP2538
4T-3131	Hydraulic	LP135	1G8878		LFH4990	<i>AP255E w/Caterpillar C2.2 Engine</i>		
4J-6064		LP560	1R1807	Oil	LFP3236	2201523	Oil	PH2835
2P-4004	Oil	LFP3191			LFP3236TRT ³	<i>AP300D w/Caterpillar C4.4 Engine</i>		
2P-4004		LFP3191TRT ³	<i>AP1000E w/Caterpillar C7.1 tier 4 Engine</i>			7W2326	Oil	LFP2292
		LFP3191XL ¹⁴	54-1719	Hydraulic	LFH4204 ¹⁰⁷⁷	<i>AP500E w/Caterpillar C4.4 Engine</i>		
9M-9740	Trans	LP164	2698325	Oil	LFP2698	2567902	Air	LAF4601 ²
<i>D35CHP</i>			1G-8878	Trans	LFH4990	2567903		LAF4602 ¹
6I-0273	Air	LAF4273 ²	<i>AP1000F (w/Caterpillar C7.1 Engine)</i>			(2998229); Sec.	Fuel	LFF5088 ²⁰
		LAF4273MXM ^{2, 268}	54-1719	Hydraulic	LFH4204 ¹⁰⁷⁷	(3261644); Pri.		LFF6770 ¹¹⁶⁶
		LAF4274 ¹	2698325	Oil	LFP2698	541719	Hydraulic	LFH4204 ¹⁰⁷⁷
6I-0274		LAF7360 ¹	1G-8878	Trans	LFH4990	7w2326	Oil	LFP2292
1P-7360		LAF7716 ²	<i>AP1055B w/Caterpillar 3116 Engine</i>			<i>AP555E w/Caterpillar C4.4 Engine</i>		
7W-5495		LAF7716MXM ^{2, 268}	6I-2499	Air	LAF4499 ²	2567902	Air	LAF4601 ²
1R-0749	Fuel	LFF2749 ²⁰			LAF4499MXM ^{2, 268}	2567903		LAF4602 ¹
(4N-5823); Sec.		LFF5823B	6I-2500		LAF4500 ¹	(2998229); Sec.	Fuel	LFF5088 ²⁰
4T-3131	Hydraulic	LP135	(9M-2342); Pri.	Fuel	L3531F	(3261644); Pri.		LFF6770 ¹¹⁶⁶
1R-0741		LP560	W/S		LFF1131	541719	Hydraulic	LFH4204 ¹⁰⁷⁷
2P-4005	Oil	LFP4005	1R-0751		LFF4783	7w2326	Oil	LFP2292
		LFP4005TRT ³	1R-0753		LFF5322 ¹⁹	<i>AP600D w/Caterpillar C6.6 Acert Engine</i>		
		LFP4005XL ¹⁴	1031971	Hydraulic	LFH4428	2567902	Air	LAF4601 ²
9M-9740	Trans	LP164	1446691		LFH4959	2567903		LAF4602 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 18-Short 19-Long 20-High efficiency 41-Cartridge
268-Extended/Severe service 858-Hydraulic Tank 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port 1168-Ultra High Efficiency

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (ASPHALT PAVER)			CATERPILLAR (ASPHALT PAVER)			CATERPILLAR (ASPHALT PAVER)		
<i>AP600D w/Caterpillar C6.6 Acert Engine (cont'd)</i>			<i>AP800D w/Caterpillar 3054C Engine (cont'd)</i>			<i>BG230D w/Caterpillar 3054C Engine (cont'd)</i>		
541719	Hydraulic	LFH4204 ¹⁰⁷⁷	206-5234	Air	LAF9547 ²	7W-2326	Oil	LFP2292
2698325	Oil	LFP2698	775232		LFH4909 ⁸⁵⁸	<i>BG240C w/Caterpillar 3116 Engine</i>		
<i>AP600F (w/Caterpillar C4.4 Engine)</i>			FD7926	Base	LMB6926 ⁹⁴³	6I-2499	Air	LAF4499 ²
541719	Hydraulic	LFH4204 ¹⁰⁷⁷	BF7925	Fuel	LFF6925 ⁹⁴²			LAF4499MXM ^{2, 268}
1G8878		LFH4990 ¹⁰⁷⁷	541719	Hydraulic	LFH4204 ¹⁰⁷⁷	6I-2500		LAF4500 ¹
7W2326	Oil	LFP2292	1219868		LFH4472 ¹¹⁷²	(1512409); Pri.	Fuel	L22023F
<i>AP650B w/Caterpillar 3054 Engine</i>			144-6691		LFH4959	541719	Hydraulic	LFH4204 ¹⁰⁷⁷
1080671	Air	LAF3663 ²	7W-2326	Oil	LFP2292	1219868		LFH4472 ¹¹⁷²
1080671		LAF3663MXM ²	<i>AP900B w/Caterpillar 3116 Engine</i>			1446691		LFH4959
1080672		LAF3664 ¹	6I-2499	Air	LAF4499 ²	1R-0739	Oil	LFP3191
(1383098); Sec.	Fuel	L3102F			LAF4499MXM ^{2, 268}	1R-0739		LFP3191TRT ³
(1174089); Pri.		L8682F	6I-2500		LAF4500 ¹			LFP3191XL ¹⁴
7W-2326	Oil	LFP2292	77-5232		LFH4909 ⁸⁵⁸	<i>BG2455</i>		
<i>AP650B w/Caterpillar 3054C Engine</i>			(151-2409); Pri.	Fuel	L22023F	6I-2499	Air	LAF4499 ²
206-5235	Air	LAF9543 ¹	(1R-0753); Sec.		LFF5322			LAF4499MXM ^{2, 268}
206-5234		LAF9547 ²	54-1719	Hydraulic	LFH4204 ¹⁰⁷⁷	6I-2500		LAF4500 ¹
FD7926	Base	LMB6926 ⁹⁴³	1219868		LFH4472 ¹¹⁷²	(9M-2342); Pri.	Fuel	L3531F
BF7925	Fuel	LFF6925 ⁹⁴²	144-6691		LFH4959 ¹²³⁰	W/S		LFF1131
54-1719	Hydraulic	LFH4204 ¹⁰⁷⁷	1R-1807	Oil	LFP3191	(1R-0751); Sec.		LFF4783
7W-2326	Oil	PH4403	1R-1807		LFP3191TRT ³	1R-0739	Oil	LFP3191
77-3492	Trans	LFP1652			LFP3191XL ¹⁴	1R-0739		LFP3191TRT ³
<i>AP655C w/Caterpillar 3056 Engine</i>			<i>BG1000E w/C7.1 Tier 4 Engine</i>			<i>BG245C w/Caterpillar 3116 Engine</i>		
6I-2503	Air	LAF4503 ²	54-1719	Hydraulic	LFH4204 ¹⁰⁷⁷	6I-2499	Air	LAF4499 ²
		LAF4503MXM ^{2, 268}	2698325	Oil	LFP2698			LAF4499MXM ^{2, 268}
6I-2504		LAF4504 ¹	1G-8878	Trans	LFH4990	6I-2500		LAF4500 ¹
(151-2409); Pri.	Fuel	L22023F	<i>BG1055E w/Caterpillar C7.1 Engine</i>			(1512409); Pri.	Fuel	L22023F
(145-4501); Sec.		L3102F	54-1719	Hydraulic	LFH4204 ¹⁰⁷⁷	(9M-2341); Pri.		L3531F
54-1719	Hydraulic	LFH4204 ¹⁰⁷⁷	2698325	Oil	LFP2698	1R-0751		LFF4783
1G-8878		LFH4990 ¹²³⁰	1G-8878	Trans	LFH4990	541719	Hydraulic	LFH4204 ¹⁰⁷⁷
7W-2327	Oil	PH4403	<i>BG225C w/Caterpillar 3054 Engine</i>			1219868		LFH4472 ¹¹⁷²
<i>AP655D w/Caterpillar C6.6 Acert Engine</i>			1080671	Air	LAF3663 ²	1446691		LFH4959
(2567902); S/N GNZ	Air	LAF4601 ²	1080671		LAF3663MXM ²	1R-0739	Oil	LFP3191
(2567903); S/N GNZ		LAF4602 ¹	1080672		LAF3664 ¹	1R-0739		LFP3191TRT ³
(2998229); Sec.	Fuel	LFF5088 ²⁰	775232		LFH4909 ⁸⁵⁸			LFP3191XL ¹⁴
(1R0770); Pri.		LFF6770 ¹¹⁶⁶	(1512409); Pri.	Fuel	L22023F	<i>BG260C w/Caterpillar 3116 Engine</i>		
541719	Hydraulic	LFH4204 ¹⁰⁷⁷	(1596102); Sec.		L3102F	6I-2503	Air	LAF4503 ²
2698325	Oil	LFP2698	(1174089); Pri.		L8682F			LAF4503MXM ^{2, 268}
<i>AP655F (w/Caterpillar C7.1 Engine)</i>			541719	Hydraulic	LFH4204 ¹⁰⁷⁷	6I-2504		LAF4504 ¹
541719	Hydraulic	LFH4204 ¹⁰⁷⁷	0773492		LFP1652	(151-2409); Pri.	Fuel	L22023F
1G8878		LFH4990 ¹⁰⁷⁷	7W-2326	Oil	LFP2292	(1R-0751); Top mtd.		LFF4783
<i>AP800, AP800B, AP800L w/Perkins 4.236 Engine</i>			<i>BG230 w/Caterpillar 3054C Engine</i>			1R-0753		LFF5322 ¹²³¹
7E-0975	Air	LAF1544 ²	1029388	Air	LAF8144 ²	54-1719	Hydraulic	LFH4204 ¹⁰⁷⁷
676987	Fuel	L296F ⁴¹	1029387		LAF9387 ¹	1R-1807	Oil	LFP3191
8T7478	Hydraulic	LFH4404	(1596102); Sec.	Fuel	L3102F	1R-1807		LFP3191TRT ³
7W-2327	Oil	PH4403	1031971	Hydraulic	LFH4428 ¹²³⁰			LFP3191XL ¹⁴
<i>AP800C</i>			1219868		LFH4472 ¹¹⁷²	77-3492	Trans	LFP1652
1029388	Air	LAF8144 ²	1446691		LFH4959	<i>BG500E w/Caterpillar C4.4 Engine</i>		
		LAF9387 ¹	7W-2326	Oil	LFP2292	2567902	Air	LAF4601 ²
(1006374); Pri.	Fuel	L3101F	7W-2327		PH4403	2567903		LAF4602 ¹
(1005593); Sec.		L3102F	<i>BG230D w/Caterpillar 3054C Engine</i>			(2998229); Sec.	Fuel	LFF5088 ²⁰
863940	Hydraulic	LFH3990-03 ¹⁰⁷⁷	2065235	Air	LAF9543 ¹	(3261644); Pri.		LFF6770 ¹¹⁶⁶
1031971		LFH4428	2065234		LAF9547 ²	541719	Hydraulic	LFH4204 ¹⁰⁷⁷
1446691		LFH4959		Base	LMB6926 ⁹⁴³	7W2326	Oil	LFP2292
7W-2327	Oil	PH4403		Fuel	LFF6925 ⁹⁴²			
<i>AP800D w/Caterpillar 3054C Engine</i>			541719	Hydraulic	LFH4204 ¹⁰⁷⁷			
206-5235	Air	LAF9543 ¹	1446691		LFH4959			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 41-Cartridge 268-Extended/Severe service 858-Hydraulic Tank 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port 1172-For Fire Resistant Fluids 1230-Conveyor 1231-Bottom mounted

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (ASPHALT PAVER)			CATERPILLAR (BACKHOE LOADER)			CATERPILLAR (BACKHOE LOADER)		
<i>BG555E w/Caterpillar C4.4 Engine</i>			<i>416C (cont'd)</i>			<i>420D w/Caterpillar 3054C Engine (cont'd)</i>		
2567902	Air	LAF4601 ²	1261817	Hydraulic	LFH8705 ²⁰	(228-9130); Sec.	Fuel	L3103F
2567903		LAF4602 ¹	(7W-2326); w/Cooler	Oil	LFP2292	126-1817	Hydraulic	LFH8705
(2998229); Sec.	Fuel	LFF5088 ²⁰	7W-2327		PH4403	7W-2326	Oil	LFP2292
(3261644); Pri.		LFF6770 ¹¹⁶⁶	1194740	Trans	LFP2275	<i>420E w/Caterpillar 3054C Engine</i>		
541719	Hydraulic	LFH4204 ¹⁰⁷⁷	<i>416D</i>			2277448	Air	LAF3236 ²⁷⁵
7W2326	Oil	LFP2292	1106326	Air	LAF4544 ²	2277449		LAF3237 ¹
<i>BG600D w/Caterpillar C6.6 Engine</i>					LAF4544MXM ^{2, 268}	(1561200); Sec.	Fuel	L8706F
2567902	Air	LAF4601 ²	1106331		LAF4545 ¹	1261817	Hydraulic	LFH8705 ¹¹⁶⁸
2567903		LAF4602 ¹	(1596102); Sec.	Fuel	L3102F	7W2326	Oil	LFP2292
(2998229); Sec.	Fuel	LFF5088 ²⁰	(1311812); Pri.		L8681F	1194740	Trans	LFH8876
(3261644); Pri.		LFF6770 ¹¹⁶⁶	1261817	Hydraulic	LFH8705	<i>420E w/Caterpillar C4.4 DITA Engine</i>		
541719	Hydraulic	LFH4204 ¹⁰⁷⁷	7W-2326	Oil	LFP2292	2277448	Air	LAF3236 ²⁷⁵
2698325	Oil	LFP2698	1194740	Trans	LFH8876	2277449		LAF3237 ²⁴⁴
<i>BG655D w/Caterpillar C6.6 Engine</i>			<i>416D w/Caterpillar 3054C Engine</i>			(2998229); Sec.	Fuel	LFF5088
(2567902); S/N GNZ	Air	LAF4601 ²	227-7448	Air	LAF3236 ²⁷⁵	1261817	Hydraulic	LFH8705 ¹¹⁶⁸
(2567903); S/N GNZ		LAF4602 ¹	227-7449		LAF3237 ¹	7W2326	Oil	LFP2292
(2998229); Sec.	Fuel	LFF5088 ²⁰	110-6326		LAF4544 ²	1194740	Trans	LFH8876
(1R0770); Pri.		LFF6770 ¹¹⁶⁶			LAF4544MXM ^{2, 268}	<i>420F (w/Caterpillar C4.4 Tier 4 Interim Engine)</i>		
541719	Hydraulic	LFH4204 ¹⁰⁷⁷	110-6331		LAF4545 ¹	(3619554); Sec.	Fuel	L6268F
2698325	Oil	LFP2698	(159-6102); Sec.	Fuel	L3102F	(1561200); Sec.		L8706F
CATERPILLAR (BACKHOE LOADER)			(228-9130); Sec.		L3103F	7W2326	Oil	LFP2292
<i>414E w/Caterpillar 3054C Engine</i>			(131-1812); Pri.		L8681F	1194740	Trans	LFH8876
2934053	Air	LAF3236 ²⁷⁵	126-1817	Hydraulic	LFH8705 ²⁰	<i>420F2 (w/Caterpillar C4.4 Tier 4 Final Engine)</i>		
2277449		LAF3237 ¹	7W-2326	Oil	LFP2292	(9R9925); Hydraulic	Breather	L3523F
(3619554); Sec.	Fuel	L6268F	<i>416E w/Caterpillar 3054C or C4.4 Engine</i>			2934053	Air	LAF3236 ²⁷⁵
(1561200); Sec.		L8706F	2277448	Air	LAF3236 ²⁷⁵	2277449		LAF3237 ¹
1261817	Hydraulic	LFH8705	2277449		LAF3237 ¹	(2289130); Sec.	Fuel	L3103F
7W2326	Oil	LFP2292	(3619554); Sec.	Fuel	L6268F	(1311812); Pri.		L8681F
1194740	Trans	LFH8876	(1561200); Sec.		L8706F	1261817	Hydraulic	LFH8705
<i>416</i>			1261817	Hydraulic	LFH8705 ¹¹⁶⁸	7W2326	Oil	LFP2292
8N-5504	Air	LAF1820 ²	7W2326	Oil	LFP2292	1194740	Trans	LFH8876
7W-6754		LAF7530 ¹	1194740	Trans	LFH8876	<i>422E</i>		
7T-3519		LAF9089 ¹¹⁹²	<i>416F (w/Caterpillar C4.4 Tier 4 Interim Engine)</i>			2934053	Air	LAF3236 ²⁷⁵
676987	Fuel	L296F ⁴¹	(3619554); Sec.	Fuel	L6268F	2277449		LAF3237 ¹
4T-0522	Hydraulic	LH4932	(1561200); Sec.		L8706F	(2289130); Sec.	Fuel	L3103F
7W-2327	Oil	PH4403	7W2326	Oil	LFP2292	(1311812); Pri.		L8681F
6E-0924	Trans	LFP2275	1194740	Trans	LFH8876	1261817	Hydraulic	LFH8705
<i>416B</i>			<i>416F2 (w/Caterpillar C4.4 Tier 4 Final Engine)</i>			7W2326	Oil	LFP2292
8N-5504	Air	LAF1820 ²	(9R9925); Hydraulic	Breather	L3523F	1194740	Trans	LFH8876
4W-6691		LAF7530 ¹	tank			<i>422F (w/Caterpillar C4.4 Tier 4 Interim Engine)</i>		
7T-3519		LAF9089 ¹¹⁹²	(3619554); Sec.	Fuel	L6268F	1561200	Fuel	L8706F
(1383098); Sec.	Fuel	L3102F	7W2326	Oil	LFP2292	1194740	Hydraulic	LFH8876
(1311812); Pri.		L8681F	1194740	Trans	LFH8876	7W2326	Oil	LFP2292
9T-0973	Hydraulic	LFH5013	<i>420D w/Caterpillar 3054 Engine</i>			1194740	Trans	LFH8876
(7W-2326); w/Cooler	Oil	LFP2292	1106326	Air	LAF4544 ²	<i>424D w/Caterpillar 3054C Engine</i>		
7W-2327		PH4403			LAF4544MXM ^{2, 268}	2277448	Air	LAF3236 ²⁷⁵
6E-0924	Trans	LFP2275	1106331		LAF4545 ¹	2277449		LAF3237 ¹
<i>416C</i>			(1311812); Sec.	Fuel	L3102F	(2289130); Sec.	Fuel	L3103F
1106326	Air	LAF4544 ²	(1596102); Pri.		L8681F	7W-2326	Oil	LFP2292
		LAF4544MXM ^{2, 268}	1261817	Hydraulic	LFH8705	1194740	Trans	LFH8876
1106331		LAF4545 ¹	7W-2326	Oil	LFP2292	<i>424D w/Caterpillar 3054T Engine</i>		
7T-3519		LAF9089 ¹¹⁹²	1194740	Trans	LFH8876	1106326	Air	LAF4544 ²
(1596102); Sec.	Fuel	L3102F	<i>420D w/Caterpillar 3054C Engine</i>					LAF4544MXM ^{2, 268}
(1311812); Pri.		L8681F	227-7448	Air	LAF3236 ²⁷⁵	1106331		LAF4545 ¹
9T-0973	Hydraulic	LFH5013	227-7449		LAF3237 ¹			
1081153		LFH5659						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 20-High efficiency 41-Cartridge 244-Secondary 268-Extended/Severe service 275-Primary 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port 1168-Ultra High Efficiency 1192-Heater

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (BACKHOE LOADER)			CATERPILLAR (BACKHOE LOADER)			CATERPILLAR (BACKHOE LOADER)		
<i>424D w/Caterpillar 3054T Engine (cont'd)</i>			<i>428C</i>			<i>430E w/Caterpillar 3054C Engine (cont'd)</i>		
(1311812); Sec. (1596102); Pri.	Fuel	L3102F L8681F	1106326	Air	LAF4544 ² LAF4544MXXM ^{2, 268}	(2289130); Sec.	Fuel	L3103F
1261817	Hydraulic	LFH8705	1106331		LAF4545 ¹	1261817	Hydraulic	LFH8705 ¹¹⁶⁸
7W-2326	Oil	LFP2292	7T-3519		LAF9089 ¹¹⁹²	7W2326	Oil	LFP2292
1194740	Trans	LFH8876	(1005593); Sec. (1311812); Pri.	Fuel	L3102F L8681F	1194740	Trans	LFH8876
<i>426, 426 Series II</i>			<i>428D w/Caterpillar 3054 Engine</i>			<i>430E w/Caterpillar C4.4 DITA Engine</i>		
8N-5504	Air	LAF1820 ² LAF7530 ¹ LAF9089 ¹¹⁹²	1261817	Hydraulic	LFH8705 ²⁰	1261817	Hydraulic	LFH8705 ¹¹⁶⁸
7W-6754			1194740		LFP2275	7W2326	Oil	LFP2292
7T-3519			7W-2327	Oil	PH4403	1194740	Trans	LFH8876
676987	Fuel	L296F ⁴¹	1194740	Trans	LFP2275	<i>430F w/Caterpillar C4.4 Tier 4 Interim Engine</i>		
4T-0522	Hydraulic	LH4932 LH5461	<i>428D w/Caterpillar 3054 Engine</i>			1561200	Fuel	L8706F
9J-5461			2277448	Air	LAF3236 ²⁷⁵ LAF3237 ¹ LAF4544 ² LAF4544MXXM ^{2, 268} LAF4545 ¹	7W2326	Oil	LFP2292
7W-2327	Oil	PH4403	2277449			1194740	Trans	LFH8876
4T-7948	Trans	LFP2275	1106326			<i>430F2 (w/Caterpillar C4.4 Tier 4 Final Engine)</i>		
<i>426B</i>			<i>428E</i>			<i>432E w/Caterpillar 3054C Engine</i>		
8N-5504	Air	LAF1820 ² LAF7530 ¹ LAF9089 ¹¹⁹²	2277448	Air	LAF3236 ²⁷⁵ LAF3237 ¹	9R9925	Breather	L3523F
7W-6754			2277449			(3619554); Sec.	Fuel	L6268F
7T-3519			(2289130); Sec.	Fuel	L3103F	1194740	Hydraulic	LFH8876
(1005593); Sec. (1311812); Pri.	Fuel	L3102F L8681F	1261817	Hydraulic	LFH8705	7W2326	Oil	LFP2292
9T-0973	Hydraulic	LFH5013	7W2326	Oil	LFP2292	1194740	Trans	LFH8876
1R-0735		LH4932 LH5461	1194740	Trans	LFH8876	<i>432E w/Caterpillar C4.4 Engine</i>		
9J-5461			<i>428F (w/Caterpillar C4.4 Tier 4 Interim Engine)</i>			2277448	Air	LAF3236 ²⁷⁵ LAF3237 ¹
7W-2326	Oil	LFP2292	(3619554); Sec. (1561200); Sec.	Fuel	L6268F L8706F	2277449		
1194740	Trans	LFP2275	7W2326	Oil	LFP2292	(2289130); Sec.	Fuel	L3103F
<i>426C</i>			1194740	Trans	LFH8876	1261817	Hydraulic	LFH8705
1106326	Air	LAF4544 ² LAF4544MXXM ^{2, 268} LAF4545 ¹ LAF9089 ¹¹⁹²	<i>428F2 (w/Caterpillar C4.4 Tier 4 Final Engine)</i>			7W2326	Oil	LFP2292
1106331			(9R9925); Hydraulic tank	Breather	L3523F	1194740	Trans	LFH8876
7T-3519			(3619554); Sec.	Fuel	L6268F	<i>432E w/Caterpillar C4.4 Engine</i>		
(1596102); Sec. (1311812); Pri.	Fuel	L3102F L8681F	7W2326	Oil	LFP2292	(3619554); Sec. (1561200); Sec.	Fuel	L6268F L8706F
9T-0973	Hydraulic	LFH5013	1194740	Trans	LFH8876	7W2326	Oil	LFP2292
1261817		LFH8705 ²⁰	<i>430D, 432D w/Caterpillar 3054 Engine</i>			1194740	Trans	LFH8876
7W-2326	Oil	LFP2292	2277448	Air	LAF3236 ²⁷⁵ LAF3237 ¹ LAF4544 ² LAF4544MXXM ^{2, 268} LAF4545 ¹	<i>432F w/Caterpillar C4.4 Engine</i>		
1194740	Trans	LFP2275	2277449			(3619554); Sec. (1561200); Sec.	Fuel	L6268F L8706F
<i>427F2 (w/Caterpillar C3.4 Engine)</i>			1106326			7W2326	Oil	LFP2292
1194740	Trans	LFH8876	(1596102); Sec. (228-9130); Sec. (1311812); Pri.	Fuel	L3102F L3103F L8681F	1194740	Trans	LFH8876
<i>428, 428 Series II</i>			1261817	Hydraulic	LFH8705	<i>434E w/Caterpillar 3054C Engine</i>		
8N-5504	Air	LAF1820 ² LAF7530 ¹ LAF9089 ¹¹⁹²	7W-2326	Oil	LFP2292	2277448	Air	LAF3236 ²⁷⁵ LAF3237 ¹
7W-6754			1194740	Trans	LFH8876	2277449		
7T-3519			<i>430E w/Caterpillar 3054C Engine</i>			(2289130); Sec. (1311812); Pri.	Fuel	L3103F L8681F
676987	Fuel	L296F ⁴¹	2277448	Air	LAF3236 ²⁷⁵ LAF3237 ¹ LAF4544 ² LAF4544MXXM ^{2, 268} LAF4545 ¹	1261817	Hydraulic	LFH8705
4T-0522	Hydraulic	LH4932 LH5461	2277449			7W2326	Oil	LFP2292
9J-5461			1106326			1194740	Trans	LFH8876
7W-2327	Oil	PH4403	(1596102); Sec. (228-9130); Sec. (1311812); Pri.	Fuel	L3102F L3103F L8681F	<i>434E w/Caterpillar C4.4 Engine</i>		
4T-7948	Trans	LFP2275	1261817	Hydraulic	LFH8705	2277448	Air	LAF3236 ²⁷⁵ LAF3237 ¹
<i>428B</i>			7W-2326	Oil	LFP2292	2277449		
8N-5504	Air	LAF1820 ² LAF7530 ¹ LAF9089 ¹¹⁹²	1194740	Trans	LFH8876	(2289130); Sec. (1311812); Pri.	Fuel	L3103F L8681F
7W-5764			<i>430E w/Caterpillar 3054C Engine</i>			1261817	Hydraulic	LFH8705
7T-3519			2277448	Air	LAF3236 ²⁷⁵ LAF3237 ¹	7W2326	Oil	LFP2292
(1596102); Sec.	Fuel	L3102F	2277449			1194740	Trans	LFH8876
9T-0973	Hydraulic	LFH5013	<i>430E w/Caterpillar 3054C Engine</i>			<i>434F w/Caterpillar C4.4 Engine</i>		
(7W-2326); w/Cooler	Oil	LFP2292	2277448	Air	LAF3236 ²⁷⁵ LAF3237 ¹	(3619554); Sec. (1561200); Sec.	Fuel	L6268F L8706F
7W-2327		PH4403	2277449			7W2326	Oil	LFP2292
4T-7948	Trans	LFP2275						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 20-High efficiency 41-Cartridge 268-Extended/Severe service 275-Primary 1168-Ultra High Efficiency 1192-Heater

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
CATERPILLAR (BACKHOE LOADER)			CATERPILLAR (BACKHOE LOADER)			CATERPILLAR (BACKHOE LOADER)			
<i>434F w/Caterpillar C4.4 Engine (cont'd)</i>			<i>438C (cont'd)</i>			<i>446 w/Caterpillar 3114 Engine (cont'd)</i>			
1194740	Trans	LFH8876		Air	LAF4544MXM ^{2, 268}	7T-3519	Air	LAF9089 ¹¹⁹²	
<i>434F w/Caterpillar C4.4 Tier 4 Interim Engine</i>			1106331		LAF4545 ¹	(9M-2341); Pri.	Fuel	L3531F	
(3619554); Sec.	Fuel	L6268F	(1596102); Sec.	Fuel	L3102F	(1R-0750); Sec.		LFF3347 ²⁰	
(1561200); Sec.		L8706F	(1311812); Pri.		L8681F	9T-0973	Hydraulic	LFH5013	
7W2326	Oil	LFP2292	1261817	Hydraulic	LFH5013	9J-5461		LH5461	
1194740	Trans	LFH8876	7W-2326	Oil	LFH8705 ²⁰	1R-0714	Oil	LFP6007	
<i>434F2 (w/Caterpillar C4.4 Tier 4 Final Engine)</i>			1194740	Trans	LFP2275	6E-0924	Trans	LFP2275	
9R9925	Breather	L3523F ⁸⁵⁸	<i>438D w/Caterpillar 3054 Engine</i>			<i>446B w/Caterpillar 3114 Engine</i>			
(3619554); Sec.	Fuel	L6268F	1106326	Air	LAF4544 ²	1080671	Air	LAF3663 ²	
7W2326	Oil	LFP2292			LAF4544MXM ^{2, 268}	1080671		LAF3663MXM ²	
1194740	Trans	LFH8876			LAF4545 ¹	1080672		LAF3664 ¹	
<i>436, 436 Series II</i>			1106331	(1596102); Sec.	Fuel	L3102F	(9M-2342); Pri.	Fuel	L3531F
8N-5504	Air	LAF1820 ²	(1311812); Pri.		L8681F	(1R-0750); Sec.		LFF3347 ²⁰	
7W-6754		LAF7530 ¹	1261817	Hydraulic	LFH8705 ²⁰	9T-0973	Hydraulic	LFH5013	
7T-3519		LAF9089 ¹¹⁹²	7W-2326	Oil	LFP2292	1261817		LFH8705 ²⁰	
676987	Fuel	L296F ⁴¹	1194740	Trans	LFH8876	1R-0714	Oil	LFP6007	
4T-0522	Hydraulic	LH4932	<i>442D w/Caterpillar 3054C Engine</i>			6E-0924	Trans	LFP2275	
9J-5461		LH5461	2277448	Air	LAF3236 ²⁷⁵	<i>446D w/Caterpillar 3114 Engine</i>			
7W-2327	Oil	PH4403	2277449		LAF3237 ¹	108-0671	Air	LAF3663 ²	
4T-7948	Trans	LFP2275	1106326		LAF4544 ²	108-0671		LAF3663MXM ²	
<i>436B</i>					LAF4544MXM ^{2, 268}	108-0672		LAF3664 ¹	
8N-5504	Air	LAF1820 ²	1106331	(1596102); Sec.	Fuel	(117-4089); Pri.	Fuel	L8682F	
7W-6754		LAF7530 ¹	(2289130); Sec.		L3102F	1R-0753		LFF5322 ²⁰	
7T-3519		LAF9089 ¹¹⁹²	(1311812); Pri.		L3103F	1261817	Hydraulic	LFH8705 ^{20, 1172}	
(1005593); Sec.	Fuel	L3102F	1261817	Hydraulic	LFH8705 ²⁰	1R-0714	Oil	LFP6007	
9T-0973	Hydraulic	LFH5013	7W-2326	Oil	LFP2292	119-4740	Trans	LFH8876	
7W-2326	Oil	LFP2292	1194740	Trans	LFH8876	<i>450E w/Caterpillar C4.4 Engine</i>			
1194740	Trans	LFP2275	<i>442E w/Caterpillar 3054C Engine</i>			9R9925	Fuel	L3523F ⁸⁵⁸	
<i>436C</i>			2277448	Air	LAF3236 ²⁷⁵	2998229		LFF5088 ²⁰	
1106326	Air	LAF4544 ²	2277449		LAF3237 ¹	2075035	Hydraulic	LFH8417G	
		LAF4544MXM ^{2, 268}	1106326	(2289130); Sec.	Fuel	7W2326	Oil	LFP2292	
1106331		LAF4545 ¹			L3103F	1194740	Trans	LFH8876	
(1005593); Sec.	Fuel	L3102F	1261817	Hydraulic	LFH8705	<i>450F w/Caterpillar C4.4 Engine</i>			
(131182); Pri.		L8681F	7W2326	Oil	LFP2292	9R9925	Fuel	L3523F ⁸⁵⁸	
1261817	Hydraulic	LFH8705 ²⁰	1194740	Trans	LFH8876	7W2326	Oil	LFP2292	
7W-2326	Oil	LFP2292	<i>444E w/Caterpillar C4.4 Engine</i>			1194740	Trans	LFH8876	
1194740	Trans	LFP2275	2277448	Air	LAF3236 ²⁷⁵	CATERPILLAR (COMBINE)			
<i>438, 438 Series II</i>			2277449		LAF3237 ¹	<i>Lexion 450 w/Caterpillar 3126 Engine</i>			
8N-5504	Air	LAF1820 ²	(2289130); Sec.	Fuel	L3103F	1R-0751	Fuel	LFF4783	
7W-6754		LAF7530 ¹	(1311812); Pri.		L8681F	(1335673); Pri.		LFF8707	
676987	Fuel	L296F ⁴¹	1261817	Hydraulic	LFH8705	1R-0739	Oil	LFP3191	
4T-0522	Hydraulic	LH4932 ¹⁰⁷⁷	7W2326	Oil	LFP2292	1R-0739		LFP3191TRT ³	
1R-0722		LH5461 ¹⁰⁷⁷	1194740	Trans	LFH8876	LFP3191XL ¹⁴			
7W-2327	Oil	PH4403	<i>444F w/Caterpillar C4.4 Engine</i>			<i>Lexion 460, 465 w/Caterpillar 3126 Engine</i>			
1194740	Trans	LFP2275	(3619554); Sec.	Fuel	L6268F	1R-0751	Fuel	LFF4783	
<i>438B</i>			(1561200); Sec.		L8706F	1R-0739	Oil	LFP3191	
8N-5504	Air	LAF1820 ²	7W2326	Oil	LFP2292	1R-0739		LFP3191TRT ³	
7W-6754		LAF7530 ¹	1194740	Trans	LFH8876	LFP3191XL ¹⁴			
7T-3519		LAF9089 ¹¹⁹²	<i>444F2 w/Caterpillar C4.4 Tier 4 Final Engine</i>			<i>Lexion 460R w/Caterpillar 3126 Engine</i>			
(1005593); Sec.	Fuel	L3102F	(3619554); Sec.	Fuel	L6268F	1R-0751	Fuel	LFF4783	
1081153	Hydraulic	LFH5013	7W2326	Oil	LFP2292	1R-0739	Oil	LFP3191	
1261817		LFH8705 ²⁰	1194740	Trans	LFH8876	1R-0739		LFP3191TRT ³	
7W-2326	Oil	LFP2292	<i>446 w/Caterpillar 3114 Engine</i>			LFP3191XL ¹⁴			
6E-0924	Trans	LFP2275	7W-3920	Air	LAF7531 ²				
<i>438C</i>									
1106326	Air	LAF4544 ²							

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 41-Cartridge 268-Extended/Severe service 275-Primary 858-Hydraulic Tank 1077-Hyd. Tank 1172-For Fire Resistant Fluids 1192-Heater

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (COMBINE)			CATERPILLAR (COMPACTOR ROLLER)			CATERPILLAR (COMPACTOR ROLLER)		
<i>Lexion 470 w/Caterpillar 3126B Engine</i>			<i>CB214E, CB224E, CB225E w/Caterpillar 3013C Engine (cont'd)</i>			<i>CB335D w/Caterpillar 3014 Engine (cont'd)</i>		
1R-0751 (1335673); Pri.	Fuel	LFF4783 LFF8707	2201523	Oil	PH2835	(151-2409); Pri.	Fuel	L22023F L3101F
1R-0739	Oil	LFP3191	<i>CB22, CB24, CC24 w/Caterpillar C1.5 Engine</i>			1219868	Hydraulic	LFH4472 ¹¹⁷²
1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴	1467472	Air	LAF8195 ²	144-6691		LFH4959
<i>Lexion 470R, 475R w/Caterpillar C9 Engine</i>			1467473	Fuel	LAF8690 ¹	150-4140	Oil	LFP2253
(1R-0762); Sec. (133-5673); Pri.	Fuel	LFF5804 LFF8707	(1561200); Sec.		L8706F	<i>CB34, CB34XW, CC34 w/Caterpillar C2.2 Engine</i>		
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1446691	Hydraulic	LFH4959	1467472	Air	LAF8195 ² LAF8690 ¹
<i>Lexion 480, 485 w/Caterpillar 3176 Engine</i>			2201523	Oil	PH2835	(1561200); Sec.	Fuel	L8706F
1R-07749	Fuel	LFF2749 ²⁰	<i>CB224D w/Hatz 2M40L Engine</i>			1446691	Hydraulic	LFH4959
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	146-7472	Air	LAF8195 ²	2201523	Oil	PH2835
<i>Lexion 480R, 485R w/Caterpillar C12 Engine</i>			146-7473	Fuel	LAF8690 ¹	<i>CB34B (w/Caterpillar C2.2 Engine)</i>		
(1R-0762); Sec. (133-5673); Pri.	Fuel	LFF5804 LFF8707	(156-1200); Sec.		L8706F	1402334	Air	LAF8114 ¹
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1219868	Hydraulic	LFH4472 ¹¹⁷²	1348726	Fuel	LAF8143 ² L296F ⁴¹
CATERPILLAR (COMPACTOR ROLLER)			144-6691	Oil	LFH4959	(676987); Sec.		Hydraulic
<i>CB14, CB14XW w/Caterpillar C1.1 Engine</i>			176-7710		LFP2253	<i>CB36B (w/Caterpillar C2.2 Engine)</i>		
2349828	Air	LAF22056 ¹ LAF8388 ²	<i>CB314 w/Deutz Engine</i>			1402334	Air	LAF8114 ¹
1394834		L8706F	(775795); S/N 6HD134-	Fuel	FP586F	1348726	Fuel	LAF8143 ² L296F ⁴¹
(1561200); Sec.	Fuel	L8706F	Hydraulic	LFH4929	<i>CB414 w/John Deere Engine</i>			
1446691	Hydraulic	LFH4959	Oil	PH2819	773314	Fuel	P1130	
2201523	Oil	PH2835	<i>CB32 w/Caterpillar C1.5 Engine</i>			773092	Hydraulic	LH4459
<i>CB214, CB214B, CB224, CB224B w/Hatz 2M40L Engine</i>			1467472	Air	LAF8195 ²	773416	Oil	FP20
1G-7197	Air	LAF8089	1467473	Fuel	LAF8690 ¹	<i>CB424 w/Perkins 4.236 Engine</i>		
7G7206	Fuel	G800	(1561200); Sec.		L8706F	676987	Fuel	L296F ⁴¹
813242	Oil	LFF3518	1446691	Hydraulic	LFH4959	7W-2327	Oil	PH4403
812684		LFP2538	2201523	Oil	PH2835	<i>CB434</i>		
<i>CB214C, CB224C w/Hatz 2M40L Engine</i>			<i>CB32B (w/Caterpillar C1.5 Engine)</i>			687744	Air	LAF1246 ²
7G7206	Fuel	G800	1467472	Air	LAF8195 ²	1R-0750	Fuel	LFF3347
813242	Hydraulic	LFF3518	1467473	Fuel	LAF8690 ¹	(1R-0740); Sec.	Hydraulic	LFP440F
812684		LFP2538	(676987); Sec.		L296F ⁴¹	7R-4568		LH4594
<i>CB214D w/Hatz 2M40L Engine</i>			1446691	Hydraulic	LFH4959	1R-0714	Oil	LFP6007
146-7472	Air	LAF8195 ² LAF8690 ¹	2201523	Oil	PH2835	<i>CB434B w/Perkins 4.236 Engine</i>		
146-7473		L8706F	<i>CB334D w/Caterpillar 3014 Engine</i>			1106326	Air	LAF4544 ² LAF4544MXM ^{2, 268}
(156-1200); Sec.	Fuel	L8706F	146-7472	Air	LAF8195 ²	1106331		LAF4545 ¹
1219868	Hydraulic	LFH4472 ¹¹⁷²	146-7473	Fuel	LAF8690 ¹	6I-1450	LAF8404 ²	
144-6691	Hydraulic	LFH4959	(151-2409); Pri. (138-3100); Pri.		L22023F L3101F	6I-1451	LAF8481 ¹	
176-7710	Oil	LFP2253	1219868	Hydraulic	LFH4472 ¹¹⁷²	676987	Fuel	L296F ⁴¹ L3101F L3102F LFF1131
<i>CB214E, CB224E, CB225E w/Caterpillar 3013C Engine</i>			144-6691	Hydraulic	LFH4959	(1006374); Pri. (1005593); Sec. W/S	Hydraulic	LFH4990
1467472	Air	LAF8195 ² LAF8690 ¹	150-4140	Oil	LFP2253	1G-8878		Oil
1467473		L8706F	<i>CB334E, CB335E w/Caterpillar 3024C Engine</i>			<i>CB434C w/Caterpillar 3054 Engine</i>		
(1561200); Sec.	Fuel	L8706F	1467472	Air	LAF8195 ²	6I-1450	Air	LAF8404 ² LAF8481 ¹
1219868	Hydraulic	LFH4472 ¹¹⁷² LFH4959	1467473	Fuel	LAF8690 ¹	6I-1451	Fuel	L3101F L3102F
1446691		LFH4959	(1561200); Sec.		L8706F	(1006374); Pri. (1005593); Sec.		1G-8878
<i>CB335D w/Caterpillar 3014 Engine</i>			1446691	Hydraulic	LFH4472 ¹¹⁷² LFH4959	7W-2326	Oil	LFP2292
146-7472	Air	LAF8195 ² LAF8690 ¹	<i>CB335D w/Caterpillar 3014 Engine</i>			<i>CB335D w/Caterpillar 3014 Engine</i>		
146-7473		L8706F	146-7472	Air	LAF8195 ²	<i>CB335D w/Caterpillar 3014 Engine</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 41-Cartridge 268-Extended/Severe service 1172-For Fire Resistant Fluids

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (COMPACTOR ROLLER)			CATERPILLAR (COMPACTOR ROLLER)			CATERPILLAR (COMPACTOR ROLLER)		
<i>CB434D w/Caterpillar 3054C Engine</i>			<i>CB534D w/Caterpillar 3054C Engine</i>			<i>CB614, CB624 (cont'd)</i>		
1106326	Air	LAF4544 ² LAF4544MXM ^{2, 268}	2065235	Air	LAF9543 ¹ LAF9547 ²	1R-0750	Fuel	LFF3347
1106331		LAF4545 ¹	2065234		LAF9547 ²	(1R-0740); Sec.		LFP440F
FD7926	Base	LMB6926 ⁹⁴³	FD7926	Base	LMB6926 ⁹⁴³	(773092); CB614 only	Hydraulic	LH4459
BF7925	Fuel	LFF6925 ⁹⁴²	BF7925	Fuel	LFF6925 ⁹⁴²	1R-0713	Oil	LFP5570
1219868	Hydraulic	LFH4472 ¹¹⁷²	1219868	Hydraulic	LFH4472 ¹¹⁷²	CB634, CB634C		
1G-8878		LFH4959	1G-8878		LFH4959	6I-2499	Air	LAF4499 ² LAF4499MXM ^{2, 268}
7W-2326	Oil	LFP2292	7W-2326	Oil	LFP2292			LAF4500 ¹
<i>CB44B (w/Caterpillar C3.4B Engine)</i>			<i>CB535B</i>			6I-2500		L3531F
1106326	Air	LAF4544 ²	(1006374); Pri.	Fuel	L3101F	(9M-2341); Pri.	Fuel	LFF4783
1106331		LAF4545 ¹	(1005593); Sec.		L3102F	1R-0751		LFH4990
2321732	Cabin Air	LAF8779 ⁸⁹⁸	1G-8878	Hydraulic	LFH4990	1G-8878	Hydraulic	LFP3191
1G8878	Hydraulic	LFH4990	7W-2326	Oil	LFP2292	1R-0739	Oil	LFP3191TRT ³ LFP3191XL ¹⁴
<i>CB514 w/Detroit Diesel Engine</i>			<i>CB54, CB54XW (w/Caterpillar C4.4 Engine)</i>			<i>CB634D w/Caterpillar 3116T Engine</i>		
773690	Air	LAF1472	2065235	Air	LAF9543 ¹ LAF9547 ²	6I-2499	Air	LAF4499 ² LAF4499MXM ^{2, 268}
776725	Fuel	L274F	2065234		LAF9547 ²	6I-2500		LAF4500 ¹
3I-1151	Oil	LP2279	2998229	Fuel	LFF5088	(1174089); Pri.	Fuel	L8682F
<i>CB521, CB522, CB523, CB523B, CB524, CB525, CB525B w/Deutz F5L912 Engine</i>			3261644		LFF6771SC	1R-0751		LFF4783
814648	Air	LAF1246 ²	1G8878	Hydraulic	LFH4990	1R-0753		LFF5322 ²⁰
814662	Fuel	FP586F	7W2326	Oil	LFP2292	1G-8878	Hydraulic	LFH4990
814661	Oil	LFP2222	<i>CB544</i>			1R-0739	Oil	LFP3191
<i>CB534 w/Caterpillar 3054C Engine</i>			1106326	Air	LAF4544 ² LAF4544MXM ^{2, 268}	1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴
2065235	Air	LAF9543 ¹	1106331		LAF4545 ¹	<i>CB64 (w/Caterpillar C4.4 Engine)</i>		
2065234		LAF9547 ²	(1006374); Pri.	Fuel	L3101F	2065235	Air	LAF9543 ¹
FD7926	Base	LMB6926 ⁹⁴³	(1005593); Sec.		L3102F	2065234		LAF9547 ²
BF7925	Fuel	LFF6925 ⁹⁴²	1G-8878	Hydraulic	LFH4990	2998229	Fuel	LFF5088
1G-8878	Hydraulic	LFH4990	7W-2327	Oil	PH4403	(3261644); W/S		LFF6771SC
7W-2326	Oil	LFP2292	<i>CB545 w/Perkins Engine</i>			1G8878	Hydraulic	LFH4990
<i>CB534 w/Caterpillar Engine</i>			1106326	Air	LAF4544 ² LAF4544MXM ^{2, 268}	7W2326	Oil	LFP2292
813923	Air	LAF6587 ² LAF6587MXM ^{2, 268}	1106331		LAF4545 ¹	<i>CB66B (w/Caterpillar C4.4 Engine)</i>		
813957		LAF6834 ¹	(13883100); Pri.	Fuel	L3101F	2229020	Air	LAF2342
(9M-2341); Pri.	Fuel	L3531F	7W-2327	Oil	PH4403	2229021		LAF2343 ¹
(1R-0740); Sec.		LFP440F	<i>CB54B (w/Caterpillar C4.4 Engine)</i>			1G8878	Hydraulic	LFH4990
1R-0739	Oil	LFP3191	1106326	Air	LAF4544 ²	7W2326	Oil	LFP2292
1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴	1106331		LAF4545 ¹	<i>CB68B (w/Caterpillar C4.4 Engine)</i>		
<i>CB534B w/Perkins Engine</i>			2321732	Cabin Air	LAF8779 ⁸⁹⁸	2229020	Air	LAF2342
1080671	Air	LAF3663 ²	1G8878	Hydraulic	LFH4990	2229021		LAF2343 ¹
1080671		LAF3663MXM ²	7W2326	Oil	LFP2292	1G8878	Hydraulic	LFH4990
1080672		LAF3664 ¹	<i>CB564D w/Caterpillar 3054C Engine</i>			7W2326	Oil	LFP2292
(1006374); Pri.	Fuel	L3101F	2065235	Air	LAF9543 ¹	<i>CC22 (w/Caterpillar C1.5 Engine)</i>		
(1005593); Sec.		L3102F	2065234		LAF9547 ²	1467472	Air	LAF8195 ²
1G-8878	Hydraulic	LFH4990		Base	LMB6926 ⁹⁴³	1467473		LAF8690 ¹
7W-2326	Oil	LFP2292		Fuel	LFF6925 ⁹⁴²	(1561200); Sec.	Fuel	L8706F
<i>CB534C w/Caterpillar 3054T Engine</i>			1G8878	Hydraulic	LFH4990	1446691	Hydraulic	LFH4959
1080671	Air	LAF3663 ²	7w2326	Oil	LFP2292	1261815		LFP2546 ²⁰
1080671		LAF3663MXM ²	<i>CB614, CB624</i>			2201523	Oil	PH2835
1080672		LAF3664 ¹	(7W-5317); CB624 only	Air	LAF334 ²	<i>CC24 (w/Caterpillar C1.5 Engine)</i>		
(1006374); Pri.	Fuel	L3101F	CB624 only		LAF334MXM ^{2, 268}	1467472	Air	LAF8195 ²
(1005593); Sec.		L3102F	(2S-1286); CB624 only		LAF335 ¹	1467473		LAF8690 ¹
1G-8878	Hydraulic	LFH4990	6I-2501		LAF4501MXM ^{2, 268}	(1561200); Sec.	Fuel	L8706F
7W-2326	Oil	LFP2292	6I-2502		LAF4502 ¹	1446691	Hydraulic	LFH4959

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 268-Extended/Severe service 898-Cabin fresh air filter 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1172-For Fire Resistant Fluids

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (COMPACTOR ROLLER)			CATERPILLAR (COMPACTOR ROLLER)			CATERPILLAR (COMPACTOR ROLLER)		
<i>CC24 (w/Caterpillar C1.5 Engine) (cont'd)</i>			<i>CP433 w/John Deere Engine</i>			<i>CP533C w/Caterpillar 3116 Engine (cont'd)</i>		
1261815	Hydraulic	LFP2546 ²⁰	687744	Air	LAF1246 ²	1G-8878	Hydraulic	LFH4990
2201523	Oil	PH2835	3I-1233	Fuel	P1130	1R-0739	Oil	LFP3191
<i>CC24B (w/Caterpillar C1.5 Engine)</i>				Hydraulic	LP50910	1R-0739		LFP3191TRT ³
1467472	Air	LAF8195 ²	773416	Oil	FP20			LFP3191XL ¹⁴
1467473		LAF8690 ¹	<i>CP433B w/Perkins Engine</i>			<i>CP533D w/Caterpillar 3116 Engine</i>		
(676987); Sec.	Fuel	L296F ⁴¹	3I-0806	Air	LAF1246 ²	1807487	Air	LAF5300 ²¹⁹
1446691	Hydraulic	LFH4959	676987	Fuel	L296F ⁴¹	1318821		LAF5868 ¹
2201523	Oil	PH2835	7W-2327	Oil	PH4403	1318822		LAF8145 ²
<i>CC34 (w/Caterpillar C2.2 Engine)</i>			<i>CP433C w/Caterpillar 3054 Engine</i>					LAF8145MXM ^{2, 268}
1467472	Air	LAF8195 ²	1106326	Air	LAF4544 ²	(1512409); Pri.	Fuel	L22023F
1467473		LAF8690 ¹			LAF4544MXM ^{2, 268}	(1R-0751); Top mtd.		LFF4783
(1561200); Sec.	Fuel	L8706F	1106331		LAF4545 ¹	1R-0753		LFF5322 ¹²³¹
1446691	Hydraulic	LFH4959	(1006374); Pri.	Fuel	L3101F	1G-8878	Hydraulic	LFH4990
1261815		LFP2546 ²⁰	(1005593); Sec.		L3102F	1R-0739	Oil	LFP3191
2201523	Oil	PH2835	1G-8878	Hydraulic	LFH4990	1R-0739		LFP3191TRT ³
<i>CC34B (w/Caterpillar C2.2 Engine)</i>			7W-2326	Oil	LFP2292			LFP3191XL ¹⁴
1467472	Air	LAF8195 ²	<i>CP433E, CS433E w/Caterpillar 3054C Engine</i>			<i>CP533E, CS533E w/Caterpillar 3054C Engine</i>		
1467473		LAF8690 ¹	110-6326	Air	LAF4544 ²	1807487	Air	LAF5300 ²¹⁹
(676987); Sec.	Fuel	L296F ⁴¹			LAF4544MXM ^{2, 268}	2065235		LAF9543 ¹
1446691	Hydraulic	LFH4959	110-6331		LAF4545 ¹	2065234		LAF9547 ²
2201523	Oil	PH2835	180-7487		LAF5300 ²¹⁹	FD7926	Base	LMB6926 ⁹⁴³
<i>CD44B, CD54B w/Caterpillar C3.4 Engine</i>			FD7926	Base	LMB6926 ⁹⁴³	BF7925	Fuel	LFF6925 ⁹⁴²
2321732	Cabin Air	LAF8779 ¹²³²	(138-3100); Pri.	Fuel	L3101F	1G8878	Hydraulic	LFH4990 ²⁰
1G8878	Hydraulic	LFH4990	(159-6102); Sec.		L3102F	7W2326	Oil	LFP2292
<i>CP323, CP433, CP433B</i>			BF7925		LFF6925 ⁹⁴²	<i>CP54B, CS54B w/Caterpillar C4.4 Acert Engine</i>		
3I-0806	Air	LAF1246 ²	1219868	Hydraulic	LFH4472 ¹¹⁷²	2229020	Air	LAF2342 ²
676987	Fuel	L296F ⁴¹	1G-8878		LFH4959	2229021		LAF2343 ¹
7W-2327	Oil	PH4403	7W-2326	Oil	LFP2292	1807487		LAF5300 ²¹⁹
<i>CP323C, CS323C w/Caterpillar 3054 Engine</i>						7W2326	Oil	LFP2292
	Air	LAF3663 ²	<i>CP44, CS44 w/Caterpillar C4.4 Engine</i>			<i>CP553 w/Caterpillar Engine</i>		
		LAF3663MXM ²	1807487	Air	LAF5300 ²¹⁹	775869	Air	LAF237 ²
		LAF3664 ¹	2065235		LAF9543 ¹	(1R-0740); Sec.	Fuel	LFP440F
		LAF4544 ²	2065234		LAF9547 ²	775795	Hydraulic	LFH4929
		LAF4544MXM ^{2, 268}	(2998229); Sec.	Fuel	LFF5088 ²⁰	1R-0713	Oil	LFP5570
		LAF4545 ¹	(3261643); Pri.		LFF6771 ¹⁷¹	<i>CP553 w/Detroit Diesel Engine</i>		
6I-1450		LAF8404 ²	1G8878	Hydraulic	LFH4990	774592	Air	LAF6769 ²
6I-1451		LAF8481 ¹	7w2326	Oil	LFP2292			LAF6769MXM ^{2, 268}
Pri.	Fuel	L3101F	<i>CP533</i>			776258		LAF9373 ¹
Sec.		L3102F	8N-4901	Air	LAF1963 ¹	773900	Fuel	LFF937
1219868	Hydraulic	LFH4472 ¹¹⁷²	7W-5389		LAF47 ²	(3I-1220); Sec.		LFP936F
1G-8878		LFH4959	(9M-2341); Pri.	Fuel	L3531F	773899	Oil	LFP947
		LFH4990	1R-0750		LFF3347	<i>CP56, CS56 w/Caterpillar C6.6 Engine</i>		
		LFP2292	(1R-0740); Sec.		LFP440F	2567902	Air	LAF4601 ²
7W-2327	Oil	PH4403	1G-8878	Hydraulic	LFH4990	2567903		LAF4602 ¹
<i>CP433</i>			7R-4568		LH4594	1807487		LAF5300 ²¹⁹
1106326	Air	LAF4544 ²	1R-0739	Oil	LFP3191	(2998229); Pri.	Fuel	LFF5088 ²⁰
		LAF4544MXM ^{2, 268}	1R-0739		LFP3191TRT ³	(1R0770); Pri.		LFF6770 ¹¹⁶⁶
					LFP3191XL ¹⁴	1G8878	Hydraulic	LFH4990 ²⁰
1106331		LAF4545 ¹	<i>CP533C w/Caterpillar 3116 Engine</i>			2698325	Oil	LFP2698
1807487		LAF5300 ²¹⁹	6I-2499	Air	LAF4499 ²	<i>CP563, CP563C</i>		
(1383100); Pri.	Fuel	L3101F			LAF4499MXM ^{2, 268}	(8N-4901); S/N 5AJ	Air	LAF1963 ¹
(1596102); Sec.		L3102F	6I-2500		LAF4500 ¹	(6I-2499); S/N 5JN		LAF4499 ²
1G-8878	Hydraulic	LFH4990	(9M-2342); Pri.	Fuel	L3531F	S/N 5JN		LAF4499MXM ^{2, 268}
7W-2326	Oil	LFP2292	(1R-0751); Sec.		LFF4783			
			1R-0753		LFF5322 ²⁰			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 41-Cartridge 171-With Sensor Port 219-Air Conditioner
 268-Extended/Severe service 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1166-9/16"-18 Thread Sensor Port 1172-For Fire Resistant
 Fluids 1231-Bottom mounted 1232-Cab Front

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (COMPACTOR ROLLER)			CATERPILLAR (COMPACTOR ROLLER)			CATERPILLAR (COMPACTOR ROLLER)		
<i>CP563, CP563C (cont'd)</i>			<i>CP643 (cont'd)</i>			<i>CS413C</i>		
(6I-2500); S/N 8XF1-650 (7W-5389); S/N 1YJ (9M-2341); Pri. 1R-0750 1R-0751 (1R-0740); Sec. 1G-8878 7R-4568 (1R-0739); S/N 1YJ1- (1R-0739); S/N 1YJ1-	Air	LAF4500 ¹ LAF47 ²	1W-3300 1W-3300	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	1080671 1080671 1080672	Air	LAF3663 ² LAF3663MXM ² LAF3664 ¹
(1R-0740); Sec. 1G-8878 7R-4568 (1R-0739); S/N 1YJ1- (1R-0739); S/N 1YJ1-	Fuel	L3531F LFF3347 LFF4783 LFP440F	<i>CP653</i>			(1006374); Pri. (1005593); Sec. 1G-8878 7W-2326	Fuel	L3101F L3102F LFH4990 LFP2292
1G-8878 7R-4568 (1R-0739); S/N 1YJ1- (1R-0739); S/N 1YJ1-	Hydraulic	LFH4990 LH4594	7W-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF9972 ¹	<i>CS423E w/Caterpillar 3054B Engine</i>		
(1R-0739); S/N 1YJ1- (1R-0739); S/N 1YJ1-	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	9S-9972 (9M-2341); Pri. 1R-0750 (1R-0740); Sec. 9M-9740 1R-0739 1R-0739	Fuel	L3531F LFF3347 LFP440F	1106326	Air	LAF4544 ² LAF4544MXM ^{2, 268}
<i>CP563D w/Caterpillar 3116 Engine</i>			<i>CP663E, CS663E w/Caterpillar 3056E Engine</i>			<i>CS423E w/Caterpillar 3054C Engine</i>		
180-7487 131-8821 131-8822	Air	LAF5300 ²¹⁹ LAF5868 ¹ LAF8145 ² LAF8145MXM ^{2, 268}	1807487 1318821 1318822	Air	LAF5300 ²¹⁹ LAF5868 ¹ LAF8145 ² LAF8145MXM ^{2, 268}	1106331 1807487 (1383100); Pri. (1596102); Sec. 1G-8878 7W-2326	Fuel	LAF4545 ¹ LAF5300 ²¹⁹ L3101F L3102F LFH4990 LFP2292
(151-2409); Pri. 1R-0751 1R-0753 1R-0739 1R-0739	Fuel	L22023F LFF4783 LFF5322 ²⁰	(1383100); Pri. (1454501); Sec. 1G-8878 7W-2327	Fuel	L3101F L3102F	<i>CS433C</i>		
1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	1G-8878 7W-2327	Hydraulic	LFH4990	110-6326	Air	LAF4544 ² LAF4544MXM ^{2, 268}
<i>CP563E, CS563E w/Caterpillar 3056E Engine</i>			<i>CP68B, CS68B w/Caterpillar C4.4 Engine</i>			110-6331 180-7487 (138-3100); Pri. (159-6102); Sec. 1219868 1G-8878 7W-2326	Fuel	LAF4545 ¹ LAF5300 ²¹⁹ L3101F L3102F
1807487 1318821 1318822	Air	LAF5300 ²¹⁹ LAF5868 ¹ LAF8145 ² LAF8145MXM ^{2, 268}	2229020 1807487 2229021 7W-2326	Air	LAF2342 ² LAF5300 ²¹⁹ LAF5868 ¹ LFP2292	<i>CS433E w/Caterpillar 3054 Engine</i>		
(1383100); Pri. (1454501); Sec. 1G-8878 7W-2326	Fuel	L3101F L3102F	2567902 2567903 1807487 (2998229); Pri. (1R0770); Pri. 1G8878 2698325	Fuel	LFF5088 ²⁰ LFF6770 ¹¹⁶⁶	110-6326	Air	LAF3663 ² LAF3663MXM ² LAF3664 ¹ LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹
1G-8878 7W-2326	Hydraulic	LFH4990	2567902 2567903 1807487 (2998229); Pri. (1R0770); Pri. 1G8878 2698325	Hydraulic	LFH4990 ²⁰	Pri. Sec. 1G-8878 7W-2326	Fuel	L3101F L3102F
1G-8878 7W-2326	Oil	LFP2292	2567902 2567903 1807487 7W-2326	Oil	LFP2698	1G-8878 7W-2326	Hydraulic	LFH4990
<i>CP566B, CS566B w/Caterpillar C4.4 Acert Engine</i>			<i>CP74B, CS74B w/Caterpillar C4.4 Engine</i>			1106326	Oil	LFP2292
2567902 2567903 1807487 (2998229); ENG. S/N C4E; Sec. 7W2326	Air	LAF4601 ² LAF4602 ¹ LAF5300 ²¹⁹	2567902 2567903 1807487 (2998229); Pri. (1R0770); Pri. 1G8878 2698325	Air	LAF4601 ² LAF4602 ¹ LAF5300 ²¹⁹	<i>CS433E w/Caterpillar 3054 Engine</i>		
(2998229); ENG. S/N C4E; Sec. 7W2326	Fuel	LFF5088 ²⁰	2567902 2567903 1807487 (2998229); Pri. (1R0770); Pri. 1G8878 2698325	Fuel	LFF5088 ²⁰ LFF6770 ¹¹⁶⁶	1106331 (1596102); Sec. 1G-8878 7W-2326	Fuel	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹
7W2326	Oil	LFP2292	2567902 2567903 1807487 7W-2326	Oil	LFP2292	<i>CS531, CS533</i>		
<i>CP64, CS64 w/Caterpillar C6.6 Engine</i>			<i>CP76, CS76 w/Caterpillar C6.6 Engine</i>			<i>CS531, CS533</i>		
2567902 2567903 1807487 (2998229); Pri. (1R0770); Pri. 1G8878 2698325	Air	LAF4601 ² LAF4602 ¹ LAF5300 ²¹⁹	2567902 2567903 1807487 (2998229); Pri. (1R0770); Pri. 1G8878 2698325	Air	LAF4601 ² LAF4602 ¹ LAF5300 ²¹⁹	8N-4901 7W-5389 (9M-2341); Pri. 1R-0750 (1R-0740); Sec.	Air	LAF1963 ¹ LAF47 ²
(2998229); Pri. (1R0770); Pri. 1G8878 2698325	Fuel	LFF5088 ²⁰ LFF6770 ¹¹⁶⁶	2567902 2567903 1807487 (2998229); Pri. (1R0770); Pri. 1G8878 2698325	Fuel	LFF5088 ²⁰ LFF6770 ¹¹⁶⁶	<i>CS531, CS533</i>		
1G8878 2698325	Hydraulic	LFH4990 ²⁰	2567902 2567903 1807487 (2998229); Pri. (1R0770); Pri. 1G8878 2698325	Hydraulic	LFH4990 ²⁰	<i>CS531, CS533</i>		
2698325	Oil	LFP2698	2567902 2567903 1807487 (2998229); Pri. (1R0770); Pri. 1G8878 2698325	Oil	LFP2698	<i>CS531, CS533</i>		
<i>CP643</i>			<i>CS323, CS431, CS431B, CS433, CS433B w/Perkins Engine</i>			<i>CS531, CS533</i>		
7W-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF9972 ¹	938717 676987 W/S 7W-2327	Air	LAF1246 ² L296F ⁴¹ LFF1131 PH4403	<i>CS531, CS533</i>		
9S-9972 (9M-2341); Pri. (1P-2299); Sec. 9M-9740	Fuel	L3531F LFP440F	<i>CS531, CS533</i>			<i>CS531, CS533</i>		
9M-9740	Hydraulic	LP164	<i>CS531, CS533</i>			<i>CS531, CS533</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 41-Cartridge 219-Air Conditioner 268-Extended/Severe service 1166-9/16"-18 Thread Sensor Port 1172-For Fire Resistant Fluids

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (COMPACTOR ROLLER)			CATERPILLAR (COMPACTOR ROLLER)			CATERPILLAR (COMPACTOR ROLLER)		
<i>CS531, CS533 (cont'd)</i>			<i>CS563 (cont'd)</i>			<i>CS573E w/Caterpillar 3056E Engine (cont'd)</i>		
1G-8878	Hydraulic	LFH4990		Oil	LFP3191XL ¹⁴		Air	LAF8145MXM ^{2, 268}
1R-0739	Oil	LFP3191	CS563C			(1383100); Pri.	Fuel	L3101F
1R-0739		LFP3191TRT ³	6I-2499	Air	LAF4499 ²	(145-4501); Sec.		L3102F
		LFP3191XL ¹⁴			LAF4499MXM ^{2, 268}	1219868	Hydraulic	LFH4472 ¹¹⁷²
CS531C					LAF4500 ¹	1G-8878		LFH4959
6I-2499	Air	LAF4499 ²	6I-2500		LFF4783	7W-2326	Oil	LFP2292
		LAF4499MXM ^{2, 268}	1R-0751	Fuel	LFP3191	CS583C		
		LAF4500 ¹	1G-8878	Hydraulic	LFP3191TRT ³	6I-2499	Air	LAF4499 ²
6I-2500		L3531F	1R-0739	Oil	LFP3191XL ¹⁴			LAF4499MXM ^{2, 268}
(9M-2342); Pri.	Fuel	LFF4783	1R-0739			6I-2500		LAF4500 ¹
(1R-0751); Sec.			CS563D w/Caterpillar 3116 Engine			(1174089); Pri.	Fuel	L8682F
1R-0739	Oil	LFP3191	180-7487	Air	LAF5300 ²¹⁹	1R-0751		LFF4783
1R-0739		LFP3191TRT ³	131-8821		LAF5868 ¹	1G-8878	Hydraulic	LFH4990
		LFP3191XL ¹⁴	131-8822		LAF8145 ²	1R-0739	Oil	LFP3191
CS54 w/Caterpillar C4.4 Engine					LAF8145MXM ^{2, 268}	1R-0739		LFP3191TRT ³
1807487	Air	LAF5300 ²¹⁹	(151-2409); Pri.	Fuel	L22023F	1R-0739		LFP3191XL ¹⁴
2065235		LAF9543 ¹	1R-0751		LFF4783	CS583D w/Caterpillar 3116 Engine		
2065234		LAF9547 ²	1R-0753		LFF5322 ²⁰	1318821	Air	LAF5868 ¹
(2998229); Pri.	Fuel	LFF5088 ²⁰	1G-8878	Hydraulic	LFH4990	1318822		LAF8145 ²
(1R0770); Pri.		LFF6770 ¹¹⁶⁶	1R-0739	Oil	LFP3191			LAF8145MXM ^{2, 268}
1G8878	Hydraulic	LFH4990 ²⁰	1R-0739		LFP3191TRT ³	(1512409); Pri.	Fuel	L22023F
7W2326	Oil	LFP2292	1R-0739		LFP3191XL ¹⁴	(1174089); Pri.		L8682F
CS551, CS553			CS573, CS583			1G-8878	Hydraulic	LFH4990
775869	Air	LAF237 ²	8N-4901	Air	LAF1963 ¹	1R-0739	Oil	LFP3191
(9M-2341); S/N	Fuel	L3531F	7W-5389		LAF47 ²	1R-0739		LFP3191TRT ³
7BD22-; Pri.		LFF3347	1R-0750	Fuel	LFF3347	1R-0739		LFP3191XL ¹⁴
1R-0750		LFP440F	(1R-0740); Sec.		LFP440F	CS583E w/Caterpillar 3056E Engine		
(1R-0740); Sec.			1G-8878	Hydraulic	LFH4990	180-7487	Air	LAF5300 ²¹⁹
775795	Hydraulic	LFH4929	1R-0739	Oil	LFP3191	131-8821		LAF5868 ¹
(1R-0739); S/N		LFP3191	1R-0739		LFP3191TRT ³	131-8822		LAF8145 ²
7AD90-	Oil	LFP3191TRT ³	CS573C					LAF8145MXM ^{2, 268}
(1R-0739); S/N		LFP3191XL ¹⁴	6I-2499	Air	LAF4499 ²	(1383100); Pri.	Fuel	L3101F
7AD90-		LFP5570	6I-2500		LAF4500 ¹	(145-4501); Sec.		L3102F
1R-0713			1R-0751	Fuel	LFF4783	1219868	Hydraulic	LFH4472 ¹¹⁷²
CS553E			1G-8878	Hydraulic	LFH4990	1G-8878		LFH4959
2065235	Air	LAF9543 ¹	1R-0739	Oil	LFP3191	7W-2327	Oil	PH4403
2065234		LAF9547 ²	1R-0739		LFP3191TRT ³	CS643		
	Base	LMB6926 ⁹⁴³	1R-0739		LFP3191XL ¹⁴	7W-5317	Air	LAF334 ²
1R1804	Fuel	LFF6925 ⁹⁴²	CS573D w/Caterpillar 3116 Engine					LAF334MXM ^{2, 268}
1G8878	Hydraulic	LFH4990	180-7487	Air	LAF5300 ²¹⁹	9S-9972		LAF9972 ¹
7W2326	Oil	LFP2292	131-8821		LAF5868 ¹	(9M-2341); Pri.	Fuel	L3531F
CS563			131-8822		LAF8145 ²	(1R-0740); Sec.		LFP440F
8N-4901	Air	LAF1963 ¹			LAF8145MXM ^{2, 268}	9M-9740	Hydraulic	LP164
6I-2499		LAF4499 ²	(151-2409); Pri.	Fuel	L22023F	1R-0739	Oil	LFP3191
		LAF4499MXM ^{2, 268}	1R-0751		LFF4783	1R-0739		LFP3191TRT ³
6I-2500		LAF4500 ¹	1G-8878	Hydraulic	LFH4990			LFP3191XL ¹⁴
7W-5389		LAF47 ²	1R-0739	Oil	LFP3191	CS653		
(9M-2341); Pri.	Fuel	L3531F	1R-0739		LFP3191TRT ³	7W-5317	Air	LAF334 ²
1R-0750		LFF3347	1R-0739		LFP3191XL ¹⁴			LAF334MXM ^{2, 268}
(1R-0740); Sec.		LFP440F	CS573E w/Caterpillar 3056E Engine			9S-9972		LAF9972 ¹
1G-8878	Hydraulic	LFH4990	180-7487	Air	LAF5300 ²¹⁹	1R-0750	Fuel	LFF3347
7R-4568		LH4594	131-8821		LAF5868 ¹	(1R-0740); Sec.		LFP440F
1R-0739	Oil	LFP3191	131-8822		LAF8145 ²	9M-9740	Hydraulic	LP164
1R-0739		LFP3191TRT ³						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 219-Air Conditioner 268-Extended/Severe service
 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1166-9/16"-18 Thread Sensor Port 1172-For Fire Resistant Fluids

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (COMPACTOR ROLLER)			CATERPILLAR (COMPACTOR ROLLER)			CATERPILLAR (COMPACTOR ROLLER)		
<i>CS653 (cont'd)</i>			<i>PF300B, PS300B w/Caterpillar 3054 Engine</i>			<i>PS300B w/Caterpillar 3054T Engine (cont'd)</i>		
1R-0739	Oil	LFP3191	1106326	Air	LAF4544 ²	7W-2326	Oil	LFP2292
1R-0739		LFP3191TRT ³			LAF4544MXM ^{2, 268}	7W-2327		PH4403
		LFP3191XL ¹⁴	1106331		LAF4545 ¹	<i>PS360 w/Caterpillar 3054ATAAC Engine</i>		
<i>CS663E w/Caterpillar 3056E Engine</i>			(1383100); Pri.	Fuel	L3101F	2065235	Air	LAF9543 ¹
180-7487	Air	LAF5300 ²¹⁹	(1596102); Sec.		L3102F	2065234		LAF9547 ²
131-8821		LAF5868 ¹	1G-8878	Hydraulic	LFH4990		Base	LMB6926 ⁹⁴³
131-8822		LAF8145 ²	7W-2326	Oil	LFP2292	1R1804	Fuel	LFF6925 ⁹⁴²
		LAF8145MXM ^{2, 268}	1238189	Trans	LFH22034	1G8878	Hydraulic	LFH4990
(145-4501); Sec.	Fuel	L3102F	<i>PS110 w/Perkins Engine</i>			7W2326	Oil	LFP2292
1G-8878	Hydraulic	LFH4990	656140	Air	LAF702	<i>PS360B w/Caterpillar 3054T Engine</i>		
7W-2327	Oil	PH4403	676987	Fuel	L296F ⁴¹	1106326	Air	LAF4544 ²
<i>CS683E w/Caterpillar 3056 Engine</i>			7W-2327	Oil	PH4403			LAF4544MXM ^{2, 268}
1318821	Air	LAF5868 ¹	<i>PS130, PS180 w/John Deere Engine</i>			1106331		LAF4545 ¹
1318822		LAF8145 ²	656140	Air	LAF702	(1383100); Pri.	Fuel	L3101F
		LAF8145MXM ^{2, 268}	773314	Fuel	P1130	(1383098); Sec.		L3102F
(1383100); Pri.	Fuel	L3101F	773416	Oil	FP20	1G-8878	Hydraulic	LFH4990
(1454501); Sec.		L3102F	773673	Trans	HP1	7W-2326	Oil	LFP2292
1219868	Hydraulic	LFH4472 ¹¹⁷²	<i>PS150B w/Caterpillar 3054 Engine</i>			<i>PS360C w/Caterpillar 3054C Engine</i>		
1G-8878		LFH4959	1106326	Air	LAF4544 ²	2065235	Air	LAF9543 ¹
7W-2327	Oil	PH4403			LAF4544MXM ^{2, 268}	2065234		LAF9547 ²
<i>CS68B w/Caterpillar C4.4 Engine</i>			1106331		LAF4545 ¹		Base	LMB6926 ⁹⁴³
2229020	Air	LAF2342 ²	(1006374); Pri.	Fuel	L3101F		Fuel	LFF6925 ⁹⁴²
2229021		LAF2343 ¹	(1005593); Sec.		L3102F	1G8878	Hydraulic	LFH4990
1807487		LAF5300 ²¹⁹	1G-8878	Hydraulic	LFH4990	7W2326	Oil	LFP2292
7W-2326	Oil	LFP2292	7W-2327	Oil	PH4403	<i>PS500</i>		
<i>CS74B w/Caterpillar C4.4 Engine</i>			<i>PS150C w/Caterpillar 3054C Engine</i>			7W-5317	Air	LAF334 ²
2229020	Air	LAF2342 ²	1106326	Air	LAF4544 ²			LAF334MXM ^{2, 268}
2229021		LAF2343 ¹	1106331		LAF4545 ¹	2S-1286		LAF335 ¹
1807487		LAF5300 ²¹⁹		Base	LMB6926 ⁹⁴³	6I-2501		LAF4501 ²
7W-2326	Oil	LFP2292	1R1804	Fuel	LFF6925 ⁹⁴²			LAF4501MXM ^{2, 268}
<i>CS78B w/Caterpillar C6.6 Acert Engine</i>			1G8878	Hydraulic	LFH4990	6I-2502		LAF4502 ¹
2567902	Air	LAF4601 ²	7W2326	Oil	LFP2292	(1R-0750); Sec.	Fuel	LFF3347 ²⁰
2567903		LAF4602 ¹	<i>PS200B w/Caterpillar 3054 Engine</i>			(1R-0740); Sec.		LFP440F
1807487		LAF5300 ²¹⁹	1106326	Air	LAF4544 ²	1R-0713	Oil	LFP5570
2998229	Fuel	LFF5088 ²⁰			LAF4544MXM ^{2, 268}	<i>TSF54, TSM54</i>		
7W-2326	Oil	LFP2292	1106331		LAF4545 ¹	3I-1321	Fuel	LFF3806 ¹⁷⁰
<i>CW14 w/Caterpillar C3.4 Engine</i>			(1006374); Pri.	Fuel	L3101F			LFF4806 ¹⁶⁹
1106326	Air	LAF4544 ²	(1005593); Sec.		L3102F	773058	Hydraulic	LFP449
1106331		LAF4545 ¹	1G-8878	Hydraulic	LFH4990	3I-1303	Oil	PH561
1G8878	Hydraulic	LFH4990	7W-2326	Oil	LFP2292	CATERPILLAR (COMPACTOR)		
<i>CW34 w/Caterpillar C4.4 Engine</i>			<i>PS300A</i>			<i>CP573E w/Caterpillar 3056E Engine</i>		
1G8878	Hydraulic	LFH4990	(9M-2341); Pri.	Fuel	L3531F		Air	LAF5868 ¹
7W-2326	Oil	LFP2292	(1R-0740); Sec.		LFP440F			LAF8145 ²
<i>PF290B, PF300B w/Caterpillar 3054 Engine</i>			1R-0658	Oil	LFP3191	Pri.	Fuel	L3101F
1006326	Air	LAF4544 ²	1R-0658		LFP3191TRT ³	Sec.		L3102F
		LAF4544MXM ^{2, 268}			LFP3191XL ¹⁴		Hydraulic	LFH4990
1106331		LAF4545 ¹	<i>PS300B w/Caterpillar 3054T Engine</i>				Oil	PH4403
(1005593); Sec.	Fuel	L3102F	1106326	Air	LAF4544 ²	<i>CP583E w/Caterpillar 3056E Engine</i>		
1G-8878	Hydraulic	LFH4990			LAF4544MXM ^{2, 268}		Air	LAF5868 ¹
7W-2327	Oil	PH4403	1106331		LAF4545 ¹			LAF8145 ²
<i>PF300, PS300 w/Deutz F6L912 Engine</i>			(1006374); Pri.	Fuel	L3101F	<i>CS431B</i>		
814662	Fuel	FP586F	(1005593); Sec.		L3102F	1XF1-up	Air	LAF1246
814780	Hydraulic	LFH8799	1G-8878	Hydraulic	LFH4990	1XF1-up	Fuel	L296F ⁴¹
814861	Oil	LFP2222				1XF1-up	Oil	PH4403

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 41-Cartridge 169-1 Per Package 170-2 Per Package 219-Air Conditioner 268-Extended/Severe service 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1172-For Fire Resistant Fluids

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (CRAWLER DOZER)			CATERPILLAR (CRAWLER DOZER)			CATERPILLAR (CRAWLER DOZER)		
<i>D10T2 (w/C27 Acert Engine)</i>			<i>D4C, D4C XL Series II w/Caterpillar 3204 Engine</i>			<i>D4G w/Caterpillar 3046 Engine (cont'd)</i>		
6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹	5G1913	Air	LAF1468 LAF8549 ¹ LAF8550 ²	1G8878	Hydraulic	LFH4990
6I-2506			4N-0313			1R-0734	Oil	LFP791
(1R-0755); Sec.	Fuel	LFF4102 ²⁰	4N-0326	(1R0740); Sec.	Fuel	LFP440F	<i>D4H, D4H Series III w/Caterpillar 3304 Engine</i>	
139-1537	Hydraulic	LH4932G ¹⁰⁷⁷	1328875	Hydraulic	LH8784G ²⁰	8N-4901	Air	LAF1963 ¹
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	4T3131		LP135 LP164	6I-2499		LAF4499 ² LAF4499MXM ^{2, 268}
1261815	Trans	LFP2546	9M-9740		LFP5570	6I-2500		LAF4500 ¹
<i>D3K w/C4.4 Acert Engine</i>			1R-0713	Oil	LFP5570	7W-5389		LAF47 ²
2934053	Air	LAF3236 ²⁷⁵ LAF3237 ¹	2P5834	Trans	LP4736	6T-0988	Cabin Air	LAF8393 ⁸⁹⁸
2277449			<i>D4D w/Caterpillar 3304 Engine</i>			(1R-0750); Sec.	Fuel	LFF3347 ²⁰
9R9925	Fuel	L3523F ⁸⁵⁸ LFF5088 ²⁰	6K-9606	Air	LAF1792 ²¹⁹ LAF379 ¹ LAF47 ² LAF48 ¹ LAF7531 ² LAF7727	(1P-2299); Sec.		LFP440F
1446691	Hydraulic	LFH4959	2S-1284			9M-9740	Hydraulic	LP164 ¹⁰⁷⁷
7W2326	Oil	LFP2292	4M-8047			1R-0746		LP4736 ¹¹⁹⁵
1G8878	Trans	LFH4990	2S-1285			(1R-0739); S/N 9GJ, 8PJ, 4NK	Oil	LFP3191
<i>D3K2, D3K2 LGP, D3K2 XL (w/C4.4 Engine)</i>			4M-9378			(1R-0739); S/N 9GJ, 8PJ, 4NK		LFP3191TRT ³
	Air	LAF5429 LAF5430 ¹	8M-3120					LFP3191XL ¹⁴
	Breather	L3523F ⁸⁵⁸	(9H-4729); Sec.	Fuel	364F LFF1131 LFP440F	1R0714		LFP6007
(2998229); S/N KFF, KLL	Fuel	LFF5088	(6N-7617); W/S (1P-2299); Sec.			9M-9740	Trans	LP164
1446691	Hydraulic	LFH4959	2P-4004	Oil	LFP3191	<i>D4K, D5K w/Caterpillar C4.4 Acert Engine</i>		
7W2326	Oil	LFP2292	2P-4004		LFP3191TRT ³ LFP3191XL ¹⁴ LFP55 LP161	2934053	Air	LAF3236 ²⁷⁵
<i>D4</i>			2S-9969			2277449		LAF3237 ¹
7B-8264	Fuel	L3565F	1W-7399			9R9925	Fuel	L3523F ⁸⁵⁸ LFF5088 ²⁰
1W-7399	Oil	LP161 LP165 LP1655 ⁶⁵	(9M-9740); S/N 22C, 58J, 86A (9M-9740); S/N 7R, 47H, 59J, 83J	Trans	LP164 LP164	1446691	Hydraulic	LFH4959
1R-0729			<i>D4E, D4E SR w/Caterpillar 3304 Engine</i>			7W2326	Oil	LFP2292
8B-5935			8N-4901	Air	LAF1963 ^{1, 1236} LAF334 ² LAF334MXM ^{2, 268} LAF335 ^{1, 1235} LAF4499 ² LAF4499MXM ^{2, 268} LAF4500 ¹ LAF47 ²	1G8878	Trans	LFH4990
<i>D4B</i>			7W-5317			<i>D4K2 w/Caterpillar C4.4 Acert tier 4 Engine</i>		
4N-0313	Air	LAF8549 ¹ LAF8550 ²	2S-1286				Air	LAF5429 LAF5430 ¹
(9L-9100); Sec.	Fuel	FP230F	6I-2499				Breather	L3523F ⁸⁵⁸
9M-9740	Hydraulic	LP164	6I-2500			1446691	Hydraulic	LFH4959
1R-0713	Oil	LFP5570	7W-5389			7W2326	Oil	LFP2292
2P-5834	Trans	LP4736	2V-36	Cabin Air	LAF2515	<i>D5, D5 Turbo</i>		
<i>D4C w/Caterpillar 3046 Engine</i>			(9M-2342); Pri.	Fuel	L3531F LFF1131 LFF3347 ²⁰ LFP440F	6K-9606	Air	LAF1792 ²¹⁹ LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹ LAF47 ² LAF48 ¹ LAF7727
4N-0313	Air	LAF8549 ¹ LAF8550 ²	(6N-7617); W/S (1R-0750); Sec. (1P-2299); Sec.			(4M-9334); S/N 21J1- S/N 21J1- (2S-1286); S/N 21J12- (7W-5389); S/N 98A exc. S/N 21J (2S-1285); Exc. S/N 21J		
4N-0326			9T-0973	Hydraulic	LFH5013 LP164	7M-7727		
(1P-2299); Sec.	Fuel	LFP440F	9M-9740			(9H-4729); Sec.	Fuel	364F LFF3347 LFP440F
9M-9740	Hydraulic	LP164	2P-4004	Oil	LFP3191	1R-0750		
8N-9586	Oil	LFP5570	2P-4004		LFP3191TRT ³ LFP3191XL ¹⁴	(1P-2299); Sec.		
1R-0746	Trans	LP4736	9M-9740	Trans	LP164		Hydraulic	LFH4210 ¹¹⁹⁵ LP4736 ¹¹⁹⁵ LP816
<i>D4C, D4C LPG, D4CXL Series III</i>			<i>D4G w/Caterpillar 3046 Engine</i>			1R-0746		
4N-0313	Air	LAF8549 ¹ LAF8550 ²	180-5474	Air	LAF5474 ² LAF5475 ¹	2P-4004	Oil	LFP3191
7X6041	Cabin Air	LAF4191 ¹¹⁹²	180-5475			2P-4004		LFP3191TRT ³ LFP3191XL ¹⁴
5I-7951	Fuel	LFF3886	(2289130); Sec. (1174089); Pri. (1R-0751); Sec.	Fuel	L3103F L8682F LFF4783	2S-9969		LFP55
1G-8878	Hydraulic	LFH4990 LH8784G ²⁰ LP135 LP164	1219868	Hydraulic	LFH4472 ¹¹⁷² LFH4959	1W-7399		LP161
1328875			1446691			9M-9740	Trans	LP164
4T3131								
9M-9740								
1R-0734	Oil	LFP791						
1R-0746	Trans	LP4736						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 65-By-Pass 219-Air Conditioner 268-Extended/Severe service 275-Primary 858-Hydraulic Tank 898-Cabin fresh air filter 1077-Hyd. Tank 1172-For Fire Resistant Fluids 1192-Heater 1195-Attached Winch 1235-With Bolts 1236-Without Bolts

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (CRAWLER DOZER)			CATERPILLAR (CRAWLER DOZER)			CATERPILLAR (CRAWLER DOZER)		
<i>D5B</i>			<i>D5G w/Caterpillar 3046T Engine</i>			<i>D5N w/Caterpillar 3126B Engine (cont'd)</i>		
4M-9334	Air	LAF334 ² LAF334MXM ^{2, 268}	180-5474 180-5475	Air	LAF5474 ² LAF5475 ¹	6I-2502	Air	LAF4501MXM ^{2, 268} LAF4502 ¹
2S-1286		LAF335 ¹	1R-0751	Fuel	LFF4783	7G-8116	Cabin Air	LAF8116 LAF8116MXM ²⁶⁸
6P-1319		LAF3680 ⁵⁵⁴	1446691	Hydraulic	LFH4959 ¹¹⁹⁵ LFH4990	(1R-0770); Pri.	Fuel	LFF6770 ¹¹⁶⁶
6I-2501		LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹	1G-8878	Oil	LFP791	1219868	Hydraulic	LFH4472 ¹¹⁷² LFH4959 LH22044 ¹¹⁶⁸ LH4932 ¹⁰⁷⁷
6I-2502		LAF4502 ¹	1R-0734	Oil	LFP791	144-6691	Hydraulic	LFH4472 ¹¹⁷² LFH4959 LH22044 ¹¹⁶⁸ LH4932 ¹⁰⁷⁷
2V-36	Cabin Air	LAF2515	1G-8878	Trans	LFH4990	1328876		
(9M-2342); Pri.	Fuel	L3531F LFF1131 LFF3347 LFP440F	<i>D5H, D5H Series II w/Caterpillar 3304 Engine</i>			1R-0735		
(6N-7617); W/S			7W-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹	1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
1R-0750			2S-1286			1R-0739		
(1P-2299); Sec.			6I-2501			<i>D6</i>		
(1W-7399); S/N 11Y, 26X	Hydraulic	LP161 ¹¹⁵⁴ LP164 ¹⁰⁷⁷	6I-2502			7B-8264	Fuel	L3565F
(9M-9740); S/N 26X878-			6T0988	Cabin Air	LAF8393 ⁸⁹⁸	1W-7399	Oil	LP161
1R-0746		LP4736 ¹¹⁹⁵ LP816 ¹⁰⁷⁷	(9M-2341); Pri.	Fuel	L3531F LFF3347 ²⁰	9H-1318		LP165 ^{65, 1237}
4J-816			(1R-0750); Sec.			<i>D6B</i>		
2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	4T-6915	Hydraulic	LFH4943 LH4932 LP4736	8M-3119	Air	LAF3119 ⁹ LAF47 ² LAF48 ¹ LAF7727 ¹²²⁸
2P-4004			1R-0735			7W-5389		
9M-9740	Trans	LP164	1R-0746			2S-1285		
<i>D5C, D5CLGP w/Caterpillar 3204 Engine</i>			1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	8M-3120		
5G1913	Air	LAF1468 ²⁷⁵ LAF8549 ¹ LAF8550 ²	1R-0739			(9H-4729); Sec.	Fuel	364F
4N-0313			1R-0719	Trans	LP164	2S-9969	Oil	LFP55 LP161 LP165 ¹²³⁷
4N-0326			<i>D5K, D5K XL w/Caterpillar C4.4 Engine</i>			1W-7399		
(1R-0750); Sec.	Fuel	LFF3347 ²⁰ LFP440F	2934053	Air	LAF3236 ²⁷⁵ LAF3237 ¹	9H-1318		
(1P-2299); Sec.			2277449			<i>D6C Turbo w/Dual lube element</i>		
9M-9740	Hydraulic	LP164	(2998229); 50-; Pri.	Fuel	LFF5088 ²⁰	4M-9334	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹ LAF7727
1R-0713	Oil	LFP5570	1446691	Hydraulic	LFH4959 ¹¹¹⁹	2S-1286		
1R-0746	Trans	LP4736	7W2326	Oil	LFP2292	8M-3120		
<i>D5C, D5CLPG, D5C XL Series III w/Caterpillar 3046 Engine</i>			1G8878	Trans	LFH4990	(9H-4729); Sec.	Fuel	364F
4N-0313	Air	LAF8549 ¹ LAF8550 ²	<i>D5K2, D5K2 LGP, D5K2 XL w/C4.4 Engine</i>			2S-9969	Oil	LFP55 LP161
4N-0326				Air	LAF5429 LAF5430 ¹	1W-7339		
7X6041	Cabin Air	LAF4191 ¹¹⁹²		Breather	L3523F ⁸⁵⁸	9M-9740	Trans	LP164 ¹¹³² LP560 ¹²⁰⁴
5I-7951	Fuel	LFF3886	1446691	Hydraulic	LFH4959	4J-6064		
1R-0719	Hydraulic	LP164		Oil	LFP2292	<i>D6C w/Caterpillar 3306 Engine</i>		
1R-0734	Oil	LFP791	<i>D5M, D5M XL w/Caterpillar 3116 Engine</i>			6K-9606	Air	LAF1792 ²¹⁹ LAF334 ^{2, 894} LAF334MXM ^{268, 894} LAF335 ^{1, 937} LAF7360 ^{1, 938} LAF7716 ^{2, 769} LAF7716MXM ^{268, 769}
168878	Trans	LFH4990 LP4736	6I-2499	Air	LAF4499 ² LAF4499MXM ^{2, 268} LAF4500 ¹	4M-9334		
1R-0746			6I-2500			2S-1286		
<i>D5E w/Caterpillar 3306 Engine</i>			6T-0988	Cabin Air	LAF8393 ⁸⁹⁸	1P-7360		
7W-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹	(1174089); Pri.	Fuel	L8682F LFF4783 ¹⁸ LFF5322 ¹⁹	1P-7716		
2S-1286			(1R-0751); Sec.			(6N-7617); W/S	Fuel	LFF1131 LFF3347 ²⁰ LFP440F
6I-2501			(1R-0753); Sec.			(1R-0750); Sec.		
6I-2502			1219868	Hydraulic	LFH4472 ¹¹⁷² LFH4959 LFH4961 ¹¹⁹⁵ LP164 ¹⁰⁷⁷	(1P-2299); Sec.		
6T0988	Cabin Air	LAF8393 ⁸⁹⁸	1446691			5S0484	Hydraulic	LFH4213 LFP3191 LFP3191TRT ³ LP4736 ¹¹⁹⁵
(9M-2341); Pri.	Fuel	L3531F LFF3347 ²⁰	1186322			2P4004		
(1R-0750); Sec.			1R-0719			2P4004		
1R-0728	Hydraulic	LP816	1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	1R-0746		
1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	1R-0739			2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP161
1R-0739			1328875	Trans	LH8784G	2P-4004		
1R-0719	Trans	LP164	<i>D5N w/Caterpillar 3126B Engine</i>			1W-7339		
			6I-2501	Air	LAF4501 ²	4J6064	Trans	LP560

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 9-3.5" Tall 14-Extended Life 18-Short 19-Long 20-High efficiency 65-By-Pass 219-Air Conditioner 268-Extended/Severe service 275-Primary 554-Recirculation 769-11.5" O.D. 858-Hydraulic Tank 894-11" O.D. 898-Cabin fresh air filter 937-Early Production 938-Late Production 1077-Hyd. Tank 1119-Suction Line 1132-4" O.D. 1154-Pump 1166-9/16"-18 Thread Sensor Port 1168-Ultra High Efficiency 1172-For Fire Resistant Fluids 1192-Heater 1195-Attached Winch 1204-5.13" O.D. 1228-4.75" Tall 1237-Bevel Gear

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (CRAWLER DOZER)			CATERPILLAR (CRAWLER DOZER)			CATERPILLAR (CRAWLER DOZER)		
<i>D6D w/Caterpillar 3306 Engine</i>			<i>D6HXL, D6HXR</i>			<i>D6N w/Caterpillar 3126B Engine (cont'd)</i>		
(7W-5317); exc. S/N ZMJ	Air	LAF334 ^{2, 1239}	1W-5317	Air	LAF334 ²	1R-0739	Oil	LFP3191
exc. S/N ZMJ		LAF334MXM ^{2, 268}	6I-2501		LAF334MXM ^{2, 268}	1R-0739		LFP3191TRT ³
2S-1286		LAF335 ¹			LAF4501 ²			LFP3191XL ¹⁴
1P-7360		LAF7360 ¹	6I-2502		LAF4501MXM ^{2, 268}	<i>D6N w/Caterpillar C6.6 Engine</i>		
(7W-5495); S/N ZMJ		LAF7716 ²	9S-9972		LAF4502 ¹	7G8116	Cabin Air	LAF8116
S/N ZMJ		LAF7716MXM ^{2, 268}	6T-0988	Cabin Air	LAF9972 ¹			LAF8116MXM ²⁶⁸
9S-9972		LAF9972 ¹	(9M-2341); Pri.	Fuel	LAF8393 ⁸⁹⁸	1G8878	Hydraulic	LFH4990
(9M-2341); Pri.	Fuel	L3531F	1R-0750		L3531F	1R0777		LH4932
(8N-9803); W/S		LFF1131	9T-8578	Hydraulic	LFF3347	1391537		LH4932G ^{20, 1077}
(1R-0750); Sec.		LFF3347 ²⁰	1R-0735		LFH5015	2698325	Oil	LFP2698
(1P-2299); Sec.		LFP440F	1R-0746		LH4932	1R1809	Trans	LH9407
1R-0719	Hydraulic	LP164 ¹¹³²	1R-0739	Oil	LP4736 ¹¹⁹⁵	<i>D6R Series II & III w/Caterpillar C9 Engine</i>		
1R-0746		LP4736 ¹¹⁹⁵			LFP3191	6I2501	Air	LAF4501 ²
1R-0728		LP816 ¹²³⁸			LFP3191TRT ³			LAF4501MXM ^{2, 268}
1R-0739	Oil	LFP3191	4T-6788	Trans	LFP3191XL ¹⁴	6I2502		LAF4502 ¹
1R-0739		LFP3191TRT ³	1R-0741		LFH4955	6T0098	Cabin Air	LAF8393 ⁸⁹⁸
		LFP3191XL ¹⁴			LP560	(1R0762); Sec.	Fuel	LFF5804
1R-0741	Trans	LP560	<i>D6K, D6K XL w/Caterpillar C6.6 Engine</i>			(1R0770); Pri.		LFF6770 ¹¹⁶⁶
<i>D6FSR, D6GSR w/Caterpillar 3306 Engine</i>			(1R0751); Pri.	Fuel	LFF4783	1R0735	Hydraulic	LH4932
6I-0273	Air	LAF4273 ²	(1R0770); Pri.		LFF6770 ¹¹⁶⁶	1R0777		LH4932 ²⁰
		LAF4273MXM ^{2, 268}	2698325	Oil	LFP2698	1391537		LH4932G ¹¹⁶⁸
6I-0274		LAF4274 ¹	1022828	Trans	LFH4473 ²⁰	1R0739	Oil	LFP3191
(9M-2341); Pri.	Fuel	L3531F	1G8878		LFH4990	1R0739		LFP3191TRT ³
(1R-0750); Sec.		LFF3347 ²⁰	<i>D6K2 w/Caterpillar C6.6 Interim Tier 4 engine</i>			1R1807		LFP3191XL ¹⁴
132-8876	Hydraulic	LH22044 ¹¹⁶⁸		Oil	LFP2698	1328876	Trans	LH22044 ¹¹⁶⁸
1R-0741		LP560	<i>D6K2, D6K2 LGP w/Caterpillar C7.1 Tier 4 Engine</i>			1R1809		LH9407
4T-3132		LP560HE ^{20, 1172}		Oil	LFP2698	<i>D6R, D6R LGP, D6RXL, D6R XR, D6R XW w/Caterpillar 3306 Engine</i>		
1R-0739	Oil	LFP3191	<i>D6M, D6MLPG, D6MXL w/Caterpillar 3116T Engine</i>			6I-2501	Air	LAF4501 ²
1R-0739		LFP3191TRT ³	6I-2501	Air	LAF4501MXM ^{2, 268}			LAF4501MXM ^{2, 268}
		LFP3191XL ¹⁴			LAF4502 ¹	6I-2502		LAF4502 ¹
9T-0973	Trans	LFH5013	6I-2502		LAF4502 ¹	6T-0988	Cabin Air	LAF8393 ⁸⁹⁸
<i>D6H Series II w/Caterpillar 3306 Engine</i>			6T-0988	Cabin Air	LAF8393 ⁸⁹⁸	(9M-2341); Pri.	Fuel	L3531F
7W-5317	Air	LAF334 ²	(1174089); Pri.	Fuel	L8682F	1R-0750		LFF3347
		LAF334MXM ^{2, 268}	(1R-0751); Sec.		LFF4783	4T-6788	Hydraulic	LFH4955 ¹⁰⁷⁶
6I-2501		LAF4501 ²	1219868	Hydraulic	LFH4472 ¹¹⁷²	1328876		LH22044 ¹¹⁶⁸
		LAF4501MXM ^{2, 268}	4T-6915		LFH4943	1R-0735		LH4932 ¹⁰⁷⁷
6I-2502		LAF4502 ¹	1446691		LFH4959	1R-0739	Oil	LFP3191
9S-9972		LAF9972 ^{1, 1240}	1186322		LFH4961 ¹¹⁹⁵	1R-0739		LFP3191TRT ³
6T-0988	Cabin Air	LAF8393 ⁸⁹⁸	1R-0735		LH4932 ¹⁰⁷⁷	1R-0739		LFP3191XL ¹⁴
(9M-2342); Pri.	Fuel	L3531F	1R-0739	Oil	LFP3191	<i>D6T, D6T XL, D6T XW w/Caterpillar C9.3 Engine</i>		
(1R-0750); Sec.		LFF3347 ²⁰	1R-0739		LFP3191TRT ³	6T0988	Cabin Air	LAF8393 ⁸⁹⁸
(1P-2299); Sec.		LFP440F			LFP3191XL ¹⁴	1R0749	Fuel	LFF2749 ²⁰
4T-6788	Hydraulic	LFH4955	1328875	Trans	LH8784G	(3261643); Pri.		LFF6771 ¹⁷¹
(9T-8578); S/N 1FJ,		LFH5015	<i>D6N w/Caterpillar 3126B Engine</i>			1261813	Hydraulic	LFH9393 ²⁰
2TG, 4RC, 6FC, 7ZK,			6I-2501	Air	LAF4501 ²	1R0777		LH4932 ¹⁰⁷⁷
8FC, 9RK					LAF4501MXM ^{2, 268}	1391537		LH4932G ^{20, 1077}
(9T-6636); Series II only		LFH8875G	6I-2502		LAF4502 ¹	1R1808	Oil	LFP4005RN ⁵⁹⁹
1R-0735		LH4932	7G-8116	Cabin Air	LAF8116			LFP4005TRT ³
1R-0746		LP4736 ¹¹⁹⁵			LAF8116MXM ²⁶⁸			LFP4005XL ¹⁴
2P-4004	Oil	LFP3191	(1466695); W/S	Fuel	LFF9011	<i>D7</i>		
2P-4004		LFP3191TRT ³	9T-8578	Hydraulic	LFH5015	(7B-8264); S/N	Fuel	L3565F
		LFP3191XL ¹⁴			LFP5015G ²⁰	3T22174-3T28058		
4J-6064	Trans	LP560	1328876		LH22044 ¹¹⁶⁸	9H-1318	Oil	LP165 ⁶⁵
			1R-0735		LH4932 ¹⁰⁷⁷	643736		P3

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 65-By-Pass 171-With Sensor Port 268-Extended/Severe service 599-High capacity 898-Cabin fresh air filter 1076-Case Drain 1077-Hyd. Tank 1132-4" O.D. 1166-9/16"-18 Thread Sensor Port 1168-Ultra High Efficiency 1172-For Fire Resistant Fluids 1195-Attached Winch 1238-3.1" O.D. 1239-All 1240-Add G42-AF Gasket

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (CRAWLER DOZER)			CATERPILLAR (CRAWLER DOZER)			CATERPILLAR (CRAWLER DOZER)		
<i>D7 (cont'd)</i>			<i>D7G Series II w/Caterpillar 3306 Engine (cont'd)</i>			<i>D7R Series II w/Caterpillar 3176C Engine (cont'd)</i>		
1W-7399	Trans	LP161	(1R-0750); Sec. (1335673); Pri.	Fuel	LFF3347 ²⁰ LFF8707	1R-0749	Fuel	LFF2749 ²⁰
<i>D7C, D7D</i>			1R-0746	Hydraulic	LP4736 ¹¹⁹⁵	132-8876	Hydraulic	LH22044 ¹¹⁶⁸
8M-3120	Air	LAF7727	1R1807	Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LP560HE ^{20, 1172}	1R-0741		LP560
3S-9606		LAF8514 ¹²⁴¹	4T3132			1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
(9H-4729); Sec. (9M-2342); Pri.	Fuel	364F ^{181, 614} L3531F	4J-6064	Trans	LP560	<i>D7R, D7R LGP, D7RXL w/Caterpillar 3306 Engine</i>		
1W-7399	Trans	LP161	<i>D7G w/Caterpillar 3306 Engine</i>			(6I-0273); w/Winch w/Winch	Air	LAF4273 ² LAF4273MXM ^{2, 268}
<i>D7E</i>			8N-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹ LAF9972 ¹	6I-0274 (6I-2501); w/o Winch w/o Winch		LAF4274 ¹ LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹
(9M-8373); S/N 47A3396-3677	Air	LAF4148 ¹	6I-2501			6I-2502		
8M-3120		LAF7727	6I-2502			9S-9972		
3S-9606		LAF8514 ⁹⁵⁴	6P-6664	Cabin Air	LAF1885	(9M-2342); Pri.	Fuel	L3531F LFF3347
(4S-8833); S/N 48A (4S-8834); S/N 47A		LAF8833 ^{2, 1242} LAF8834 ¹	(9M-2342); Pri. (6N-7617); W/S (1R-0750); Sec. (1P-2299); Sec.	Fuel	L3531F LFF1131 LFF3347 ²⁰ LFP440F	4T-6788	Hydraulic	LFH4955 ¹⁰⁷⁶ LP4736 ¹¹⁹⁵ LP560 ¹⁰⁷⁷
(9H-4729); Sec. (9M-2342); Pri.	Fuel	364F L3531F	9T-5664	Hydraulic	LFP449 LH5461 LP4736 ¹¹⁹⁵	1R-0746		LP560 ¹⁰⁷⁷
2S-9969	Oil	LFP55 LP163	9J-5461			1R-0741		LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
6H-9999		LP164	1R-0746			1R-0739	Oil	LFP3191
(9M-9740); S/N 48A1-48A6392	Power Steering	LP164	2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴
(9M-9740); S/N 47A-47A3395	Trans	LP164	2P-4004					
(4J-6064); Remaining S/N (4J-6064); S/N A7A3396-, 79A1-		LP560 LP560	4J-6064	Trans	LP560	<i>D8</i>		
<i>D7E w/Caterpillar C9.3 Acert Engine</i>			<i>D7H, D7H LGP, D7H LGP Series II</i>			3S-9606	Air	LAF8514 ⁹⁵⁴
6I0273	Air	LAF4273 ² LAF4274 ¹	8N-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹ LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹ LAF9972 ¹	1W-7399	Oil	LP161
6I0274		LAF4274 ¹	6I-0273			(9H-1318); Turbo		LP165 ¹²⁴³ LP165 ⁶⁵
1R0749	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹	6I-0274			9H-1318	Trans	LP161
(3261644); Pri.			6I-2501			(1W-7399); Remaining S/N (9H-1318); S/N 2U5307-2U16627		LP165
1022828	Hydraulic	LFH4473 ¹¹ LH4932 ¹⁰⁷⁷	6I-2502			<i>D8D, D8G</i>		
1R0777			9S-9972			(9H-4729); S/N 15A2822-; Sec. (9H-4729); Sec. (9M-2342); Pri.	Fuel	364F ⁶¹⁴ 364F ¹⁸¹ L3531F
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	6T-0988	Cabin Air	LAF8393 ⁸⁹⁸	9M-9740	Hydraulic	LP164
<i>D7F w/Caterpillar 3306 Engine</i>			(9M-2342); Pri. (1R-0750); Sec. (1P-2299); Sec.	Fuel	L3531F LFF3347 ²⁰ LFP440F	9H-1318		LP165 ¹¹
6K-9606	Air	LAF1792	9T-5664	Hydraulic	LFH4955 LH4932 LH5461	4J-6064	Trans	LP560
8N-5317		LAF334 ² LAF334MXM ^{2, 268} LAF4501 ² LAF4501MXM ^{2, 268}	4T-0522 (9J-5461); S/N 79Z, 80Z			1W-7399		LP161 ¹⁰⁹⁹
6I-2501		LAF4502 ¹ LAF9972 ¹	1R-0746		LP4736 ¹¹⁹⁵ LP560	<i>D8E, D8F</i>		
6I-2502		LAF4502 ¹ LAF9972 ¹	4J-6064		LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	(9H-4729); Sec. (9M-2342); Pri.	Fuel	364F ^{181, 614} L3531F
9S-9972		LAF9972 ¹	2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	9M-9740	Hydraulic	LP164
(9M-2342); Pri. 1R-0750 (1P-2299); Sec.	Fuel	L3531F LFF3347 LFP440F	2P-4004			9H-1318		LP165 ^{11, 1100}
2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	4J-6064	Trans	LP560	1W-7399	Oil	LP161
2P-4004		LP161	2P-4004			(9H-1318); Turbo		LP165
1W-7399		LP161	4J-6064	Trans	LP560	1W-7399	Trans	LP161
4J-6064	Trans	LP560	<i>D7G Series II w/Caterpillar 3306 Engine</i>			<i>D8H w/Caterpillar D342T Engine</i>		
<i>D7G Series II w/Caterpillar 3306 Engine</i>			6I0273	Air	LAF4273 ² LAF4274 ¹	6K-9606	Air	LAF1792 ²¹⁹ LAF268 ¹²⁴⁶ LAF337 ^{2, 1245} LAF340 ¹ LAF7360 ¹ LAF7716 ^{2, 1244}
6I0273	Air	LAF4273 ² LAF4274 ¹	6I0234			9M-6379		LAF268 ¹²⁴⁶ LAF337 ^{2, 1245} LAF340 ¹ LAF7360 ¹ LAF7716 ^{2, 1244}
6I0234		LAF4274 ¹	6P-6664	Cabin Air	LAF1885	4S-8837		LAF337 ^{2, 1245} LAF340 ¹ LAF7360 ¹ LAF7716 ^{2, 1244}
6P-6664	Cabin Air	LAF1885	<i>D7R Series II w/Caterpillar 3176C Engine</i>			4S-8340		LAF340 ¹ LAF7360 ¹ LAF7716 ^{2, 1244}
<i>D7G Series II w/Caterpillar 3306 Engine</i>			6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹	1P-7360		LAF340 ¹ LAF7360 ¹ LAF7716 ^{2, 1244}
<i>D7G Series II w/Caterpillar 3306 Engine</i>			6I-0274			1P-7716		LAF340 ¹ LAF7360 ¹ LAF7716 ^{2, 1244}

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 20-High efficiency 65-By-Pass 171-With Sensor Port
 181-Single 219-Air Conditioner 268-Extended/Severe service 599-High capacity 614-Dual 898-Cabin fresh air filter 954-10.5" O.D. 1076-Case Drain
 1077-Hyd. Tank 1099-Torque Converter 1100-Clutch 1168-Ultra High Efficiency 1172-For Fire Resistant Fluids 1195-Attached Winch 1241-Dry 1242-14.5"
 O.D. Flange 1243-Attached Altitude 1244-Retained By Bar 1245-Retained By Clip 1246-Single Dry

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (CRAWLER DOZER)			CATERPILLAR (CRAWLER DOZER)			CATERPILLAR (CRAWLER DOZER)		
<i>D8H w/Caterpillar D342T Engine (cont'd)</i>			<i>D8N w/Caterpillar 3408 Engine (cont'd)</i>			<i>D8T w/Caterpillar C15 Engine (cont'd)</i>		
8M-3120 (9H-4729); Sec. (9M-2342); Pri. (1P-2299); Sec. 1R-0746 2S-9969 1W-7399 9H-1318 9M-9740 4J-6064	Air Fuel Hydraulic Oil Trans	LAF7716MXM ^{2, 268, 124} LAF7727 364F L3531F ²⁶⁵ LFP440F LP4736 ¹¹⁹⁵ LFP55 LP161 LP165 LP164 ¹¹³² LP560 ¹²⁰⁴	6I-0274 1P-7360 (7W-5495); Std. 6T-0988 (9M-2342); Pri. 1R-0749 (2W-2314); Sec. 9T-5664 (4T-0522); S/N 5TJ, 7TK 1R-0746 (4J-6064); Exc. S/N 5TJ, 7TK 2P-4005 (4T-3131); S/N 5TJ, 7TK (4J-6064); Exc. S/N 5TJ, 7TK	Air Cabin Air Fuel Hydraulic Trans	LAF4274 ¹ LAF7360 ^{1, 15} LAF7716 ² LAF7716MXM ^{2, 268} LAF8393 ⁸⁹⁸ L3531F LFF2749 ²⁰ LFF5823B LFH4210 ¹¹⁹⁵ LFH4955 LH4932 LP4736 ¹¹⁹⁵ LP560 LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LP164 LP560	(1R-0770); Pri. 126-1813 132-8876 1R-0778 1R-0716 102-2828	Fuel Hydraulic Oil Trans	LFF6770 ¹¹⁶⁶ LFH9393 LH22044 ¹¹⁶⁸ LP560HE ^{20, 1172} LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LFH4473 ²⁰
<i>D8K w/Caterpillar D342 Engine</i>			<i>D8R Series II w/Caterpillar 3406E Engine</i>			<i>D9D</i>		
6I-0273 6I-0274 1P-7360 1P-7716 6P-6664 (9M-2342); Pri. 1R-0750 (1P-2299); Sec. 1R-0746 1R-0741 2P-4005 9H-1318 4J-6064	Air Cabin Air Fuel Hydraulic Oil Trans	LAF2738 ^{1, 1247} LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹ LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268} LAF1885 L3531F LFF3347 LFP440F LP4736 LP560 LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LP165 LP560	6I-2505 6I-2506 6T-0988 1R-0749 1R-0735 1R-0716 1022828 1328876 1R-0778	Air Cabin Air Fuel Hydraulic Oil Trans	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹ LAF8393 ⁸⁹⁸ LFF2749 ²⁰ LH4932 LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LFH4473 LH22044 ¹¹⁶⁸ LP560HE ^{20, 1172}	3S-9606 (9H-4729); Sec. (9M-2342); Pri. 8M-6018 (9H-1318); Turbo 9H-1318 8M-6018	Air Fuel Oil Trans	LAF8514 ¹²⁴¹ 364F L3531F ²⁶⁵ LP163 ^{275, 938} LP165 LP165 ^{11, 244} LP163
<i>D8L w/Caterpillar 3408 Engine</i>			<i>D8R w/Caterpillar 3406 Engine</i>			<i>D9E</i>		
6N-6444 6I-2507 6I-2508 7T-1890 8N-5313 9P-5174 7G-8116 (9M-2342); Pri. 1R-0749 (4N-5823); Sec. 7J-0670 1R-0746 2P-4005 9M-9740	Air Cabin Air Fuel Hydraulic Oil Trans	LAF1847 ¹ LAF4507 ² LAF4508 ¹ LAF5026 ¹¹⁹² LAF8483 ² LAF8483MXM ^{2, 268} LAF8782 ²¹⁹ LAF8116 LAF8116MXM ²⁶⁸ L3531F LFF2749 ²⁰ LFF5823B LFH4210 ¹¹⁹⁵ LFH4635 ¹⁰⁷⁷ LP4736 ¹¹⁹⁵ LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LP164	6I-2505 6I-2506 6T-0988 9N-6123 (9M-2342); Pri. 1R-0749 (1R-0712); Sec. 4T-0522 1R-0746 1R-0716 1R-0719	Air Cabin Air Coolant Fuel Hydraulic Oil Trans	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹ LAF8393 ⁸⁹⁸ LFW4074 ⁶²⁷ L3531F LFF2749 ²⁰ LFF5823B LH4932 ¹⁰⁷⁷ LP4736 ¹¹⁹⁵ LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LP164	3S-4745 8M-3120 3S-9606 (9H-4729); Sec. (9M-2342); Pri. 8M-6018 9H-1318 (8M-6018); S/N 49A, 50A (9M-9740); S/N 34A (4J-6064); S/N 49A, 50A	Air Fuel Oil Trans	LAF745 ¹ LAF7727 LAF8514 ² 364F L3531F ²⁶⁵ LP163 LP165 ¹¹ LP163 LP164 LP560
<i>D8N w/Caterpillar 3408 Engine</i>			<i>D8T w/Caterpillar C15 Engine</i>			<i>D9G w/Caterpillar D353 Engine</i>		
6I-0273	Air	LAF2738 ^{1, 1247} LAF4273 ² LAF4273MXM ^{2, 268}	6I-2506 (1R-0762); Sec.	Fuel	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹ LFF5804	6H-7606 (7S-2642); S/N 66A 6I-2505 6I-2506 8S-4649 8M-3120 7N-1308 (8N-5313); S/N 91J S/N 91J (9H-4729); Sec. (9M-2342); Pri. (1P-2299); Sec. (4J-6064); Exc. S/N 66A, 91J (4J-816); S/N 91J 1R-0716 2S-9969 8M-6018 9H-1318 (9M-9740); S/N 66A1-66A3265	Air Fuel Hydraulic Oil Trans	LAF1792 ²¹⁹ LAF282 ^{2, 1248} LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹ LAF745 ¹ LAF7727 ¹²⁰⁰ LAF8482 ¹ LAF8483 ^{2, 1249} LAF8483MXM ^{2, 268, 124} 364F L3531F LFP440F LFH4210 ¹¹⁹⁵ LP560 LP816 LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LFP55 ¹²⁰⁰ LP163 LP165 LP164

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 15-Standard 20-High efficiency 219-Air Conditioner
 244-Secondary 265-3" Tall 268-Extended/Severe service 275-Primary 627-5 oz. of chemical 898-Cabin fresh air filter 938-Late Production 1077-Hyd. Tank
 1132-4" O.D. 1166-9/16"-18 Thread Sensor Port 1168-Ultra High Efficiency 1172-For Fire Resistant Fluids 1192-Heater 1195-Attached Winch 1200-Starting
 Engine 1204-5.13" O.D. 1241-Dry 1244-Retained By Bar 1247-Quick Change 1248-16.4" O.D. 1249-12.5" O.D.

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (CRAWLER DOZER)			CATERPILLAR (CRAWLER DOZER)			CATERPILLAR (CRAWLER LOADER)		
<i>D9G w/Caterpillar D353 Engine (cont'd)</i>			<i>D9R w/Caterpillar 3408 Engine</i>			<i>931C, 931C Series II (cont'd)</i>		
(4J-6064); All other S/N	Trans	LP560	6I-2507	Air	LAF4507 ²	(1R-0750); Opt.	Fuel	LFF3347 ²⁰
			6I-2508		LAF4508 ¹	(1P-2299); Sec.		LFP440F
<i>D9H w/Caterpillar D353 Engine</i>			7T-1890		LAF5026	4T-3131	Hydraulic	LP135
6K-9606	Air	LAF1792	1070266	Cabin Air	AF7878	1R-0719		LP164
(6I-2505); S/N 97V		LAF4505 ²	7T-7358		LAF7358	1R-0713	Oil	LFP5570
S/N 97V		LAF4505MXM ^{2, 268}	9N-6123	Coolant	LFW4074 ⁶²⁷	1R-0746	Trans	LP4736
(6I-2506); S/N 98B		LAF4506 ¹	(9M-2342); Pri.	Fuel	L3531F	<i>933, 933C, 933LGP, 933CLGP w/Caterpillar 3046 Engine</i>		
(7N-1308); S/N 12U		LAF8482 ¹	1R-0749		LFF2749 ²⁰	4N-0317	Air	LAF8549 ¹
(8N-5313); S/N 90V		LAF8483 ²	1R-0735	Hydraulic	LH4932	4N-0326		LAF8550 ²
S/N 90V		LAF8483MXM ^{2, 268}	1R-0722		LH5461	7X-6041	Cabin Air	LAF4191
(6P-6664); S/N 90V	Cabin Air	LAF1885	1R-0716	Oil	LFP4005	(5I-7951); Sec.	Fuel	LFF3886
(9M-2342); Pri.	Fuel	L3531F			LFP4005TRT ³	1G-8878	Hydraulic	LFH4990
(1P-2299); Sec.		LFP440F	1R-0719	Trans	LFP4005XL ¹⁴	1R-0734	Oil	LFP791
9J-5461	Hydraulic	LH5461 ⁹⁵¹	<i>D9T w/Caterpillar C18 Engine</i>			<i>935B w/Caterpillar 3204 Engine</i>		
2P-4005	Oil	LFP4005	(1063973); S/N TWG	Air	LAF3884 ¹	4N-0313	Air	LAF8549 ¹
		LFP4005TRT ³	(1327168); S/N TWG		LAF5022 ²	4N-0326		LAF8550 ²
		LFP4005XL ¹⁴	(123-6856); S/N RJS		LAF8115 ¹	(9L-9100); Sec.	Fuel	FP230F
9H-1318		LP165	(123-6855); S/N RJS		LAF8146 ²	4T-3131	Hydraulic	LP135
4J-6064	Trans	LP560	Outer		LAF8148	9M-9740		LP164
<i>D9L w/Caterpillar 3412 Engine</i>			(2310167); S/N RJS	Cabin Air		1R-0713	Oil	LFP5570
1W-2516	Air	LAF2516 ²	1263 -			1R-0746	Trans	LP4736
		LAF2516MXM ^{2, 268}	1R-0749	Fuel	LFF2749 ²⁰	<i>935C, 935C Series II w/Caterpillar 3204 Engine</i>		
		LAF4509 ²	(3261643); S/N TWG;		LFF6771 ¹⁷¹	5G-1913	Air	LAF1468 ²⁷⁵
6I-2509		LAF4510 ¹	Pri.		LFF6771SC ⁶⁸⁹	4N-0313		LAF8549 ¹
7N-1308		LAF8482 ¹	(3261644); S/N RSJ			4N-0326		LAF8550 ²
7G-8116	Cabin Air	LAF8116	4T-3134	Hydraulic	LH5854 ¹⁰⁷⁷	(1R-0750); Sec.	Fuel	LFF3347 ²⁰
		LAF8116MXM ²⁶⁸	132-8875		LH8784G ²⁰	(1P-2299); Sec.		LFP440F
(9M-2342); Pri.	Fuel	L3531F	1R-0716	Oil	LFP4005	4T-3131	Hydraulic	LP135
1R-0749		LFF2749 ²⁰			LFP4005TRT ³	9M-9740		LP164
(4N-5823); Sec.		LFF5823B			LFP4005XL ¹⁴	8N-9586	Oil	LFP5570
7J-0670	Hydraulic	LFH4635	1261818	Power Steering	LFH8294	1R-0746	Trans	LP4736
1R-0746		LP4736 ¹¹⁹⁵	(1R1809); S/N RJS	Trans	LH9407	<i>939 w/Caterpillar 3046 Engine</i>		
2P-4005	Oil	LFP4005	-1290			4N-0313	Air	LAF8549 ¹
		LFP4005TRT ³	CATERPILLAR (CRAWLER LOADER)			4N-0326		LAF8550 ²
		LFP4005XL ¹⁴				5I-7951	Fuel	LFF3886
9M-9740	Trans	LP164				4T-3131	Hydraulic	LP135
<i>D9N w/Caterpillar 3408 Engine</i>			<i>931 w/Caterpillar 3204 Engine</i>			9M-9740		LP164 ¹⁰⁷⁷
6N-6444	Air	LAF1847 ¹	4N-0313	Air	LAF8549 ¹	1R-0734	Oil	LFP791
6I-2507		LAF4507 ²	4N-326		LAF8550 ²	1R-0746	Trans	LP4736
6I-2508		LAF4508 ¹	(9L-9100); Sec.	Fuel	FP230F	<i>939C w/Caterpillar 3046T Engine</i>		
7T-1890		LAF5026	9M-9740	Hydraulic	LP164	4N-0313	Air	LAF8549 ¹
7W-5313		LAF8483 ²	9L-9200	Oil	LFP791	4N-0326		LAF8550 ²
		LAF8483MXM ^{2, 268}	<i>931B w/Caterpillar 3204 Engine</i>			7X-6041	Cabin Air	LAF4191 ¹¹⁹²
9N-3718	Coolant	LFW4073 ²⁵⁵	5G-1913	Air	LAF1468 ²⁷⁵	5I-7951	Fuel	LFF3886
(9M-2342); Pri.	Fuel	L3531F	4N-0313		LAF8549 ¹	1G-8878	Hydraulic	LFH4990
1R-0749		LFF2749 ²⁰	4N-0326		LAF8550 ²	1R-0734	Oil	LFP791
(2W-2134); Sec.		LFF5823B	(9L-9100); Sec.	Fuel	FP230F	<i>941</i>		
7J-0670	Hydraulic	LFH4635	4T-3131	Hydraulic	LP135	4M-8047	Air	LAF47 ²
4T-0522		LH4932	1R-0719		LP164	2S-1285		LAF48 ¹
1R-0746		LP4736 ¹¹⁹⁵	1R-0713	Oil	LFP5570 ²⁹	(1R-0750); Sec.	Fuel	LFF3347 ²⁰
2P-4005	Oil	LFP4005	9L-9200		LFP791 ³⁰	W/S		LFF8030 ¹²
		LFP4005TRT ³	1R-0746	Trans	LP4736	(1P-2299); Sec.		LFP440F
		LFP4005XL ¹⁴	<i>931C, 931C Series II</i>			2P-4004	Oil	LFP3191
9M-9740	Trans	LP164	5G-1913	Air	LAF1468 ²⁷⁵	2P-4004		LFP3191TRT ³
			4N-0313		LAF8549 ¹			LFP3191XL ¹⁴
			4N-0326		LAF8550 ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 29-1 1/8" Thread 30-1" x 12 Thread 171-With Sensor Port 255-Contains 3 oz. of chemical 268-Extended/Severe service 275-Primary 627-5 oz. of chemical 689-Bowless 951-Attached 1077-Hyd. Tank 1192-Heater 1195-Attached Winch

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (CRAWLER LOADER)			CATERPILLAR (CRAWLER LOADER)			CATERPILLAR (CRAWLER LOADER)		
<i>941 (cont'd)</i>			<i>953B w/Caterpillar 3116 Engine (cont'd)</i>			<i>955K (cont'd)</i>		
1W-7399	Oil	LP161 LP816 ¹²²³	(1R-0751); Sec. (1R-0711); Sec.	Fuel	LFF4783 ²⁰ LFP440F	1R-0741 2P-4004	Hydraulic Oil	LP560 LFP3191
	Trans	LP164	8J-1600 9J-5461	Hydraulic	LFH5068-10 LH5461 ¹⁰⁷⁷	2P-4004		LFP3191TRT ³ LFP3191XL ¹⁴
<i>941B</i>			2P-4004 2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	5S-0484 1R-0719		LP161 LP164
4M-8047	Air	LAF47 ² LAF48 ¹	1R-0741	Trans	LP560	<i>955L</i>		
2S-1285	Fuel	LFF3347 ²⁰ LFF8030 ¹² LFP440F	<i>953C w/Caterpillar 3116 Engine</i>			4M-9334	Air	LAF1792 ²¹⁹ LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹
(1R-0750); Sec. W/S (1P-2299); Sec.	Hydraulic	LFH4213 ¹¹ LP816	(6I-0273); S/N 2ZN-943- S/N 2ZN-943-	Air	LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹ LAF4499 ² LAF4499MXM ^{2, 268} LAF4500 ¹	2S-1286 S/N 13X1 (7B-8264); Pri. (1R-0750); Sec. W/S (1P-2299); Sec.	Cabin Air Fuel	LAF2515 ¹²²⁶ L3564F LFF3347 ²⁰ LFF8030 ¹² LFP440F
4J-816	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	6I-0274 (6I-2499); S/N 2ZN-942			9J-5461	Hydraulic	LH5461
2P-4004 2P-4004	Trans	LP164	6I-2500 (1174089); Pri. (1R-0751); Sec. (1R-0753); Sec.	Fuel	L8682F LFF4783 ¹⁸ LFF5322 ¹⁹	2P-4004 2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
9M-9740	<i>943 w/Caterpillar 3204 Engine</i>		1R-0722	Hydraulic	LH5461	1R-0719	Trans	LP164
8N-4901	Air	LAF1963 ¹ LAF47 ²	4T-6788 1081153	Trans	LFH4955 LFH5013	<i>963, 963LGP</i>		
7W-5389	Cabin Air	LAF1950	<i>953D w/Caterpillar C6.6 Acert Engine</i>			(6I-0273); S/N 21Z4548- S/N 21Z4548-	Air	LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹ LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}
9G-1518	Fuel	L3531F LFF3347 ²⁰ LFP440F	(1R0751); Pri. 1022828 1G8878 2698325	Fuel Hydraulic Oil	LFF4783 LFH4473 ²⁰ LFH4990 LFP2698	6I-0274 1P-7360 1P-7716		LAF1950
(9M-2342); Pri. (1R-0750); Sec. (1P-2299); Sec.	Hydraulic	LH5461 LFP6007	955, 955C, 955E, 955F			9G-1518 (9M-2341); Pri. (1R-0750); Sec. (1P-2299); Sec.	Cabin Air Fuel	L3531F LFF3347 ²⁰ LFP440F
9J-5461	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	2S-1284 4M-9378	Air	LAF379 ¹ LAF7531 ²	9J-5461	Hydraulic	LH5461 ¹⁰⁷⁷
9N-6007	Power Steering	LP161 ¹²²⁵	7B-8264 1R-0741	Fuel	L3564F LP560	1R-0739 1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
4J-6064	Trans	LP560	1R-0659	Hydraulic Oil	LP560 LP161	4J-6064	Trans	LP560
<i>951B, 951C w/Caterpillar 3304 Engine</i>			<i>955H</i>			<i>963B w/Caterpillar 3116 Engine</i>		
6K-9606	Air	LAF1792 LAF47 ² LAF48 ¹	4M-8047 2S-1285 8M-3120	Air	LAF47 ² LAF48 ¹ LAF7727 ¹²⁰⁰	6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹
4M-8047 2S-1285 (1P-2299); Sec.	Fuel	LFP440F LP816 ¹²²³	(4H-8792); Sec. 1R-0741	Fuel Hydraulic	364F LP560	6I-0274 (9M-2341); Pri. (1R-0751); Sec. (1R-0753); Sec.	Fuel	L3531F LFF4783 ^{20, 1183} LFF5322 ^{20, 1184}
2P-4004 2P-4004	Hydraulic	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	1R-0659 1R-0659	Oil Trans	LP161 LFH4213	1R-0722 1R-0739 1R-0739	Hydraulic Oil	LH5461 ¹⁰⁷⁷ LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
5S-0484	Power Steering	LP161 ¹²²⁵	<i>955K</i>			1R-0741	Trans	LP560
	Trans	LP164 ¹²²⁴ LP164	4M-9334 4M-9334 2S-1286 6I-2501	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹	<i>963C</i>		
9M-9740	<i>953 w/Caterpillar 3204 Engine</i>		6I-2502 (9H-4729); Sec. (1R-0740); Sec.	Fuel	364F LFP440F	6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹
8N-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF9972 ¹	5S-0484	Hydraulic	LFH4213 ¹¹	6I-0274 (1174089); Pri.	Fuel	L8682F
9S-9972	Cabin Air	LAF1950	<i>955B w/Caterpillar 3116 Engine</i>					
9G-1518	Fuel	L3531F LFF3347 ²⁰ LFP440F	6I-2499	Air	LAF4499 ² LAF4499MXM ^{2, 268} LAF4500 ¹			
(9M-2342); Pri. (1R-0750); Sec. (1R-0711); Sec.	Hydraulic	LH5461 ¹⁰⁷⁷ LFP6007	6I-2500 9G-1518 (9M-2342); Pri.	Cabin Air Fuel	LAF1950 L3531F			
9J-5461	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴						
9N-6007	Trans	LP560						
4J-6064	<i>953B w/Caterpillar 3116 Engine</i>							
6I-2499	Air	LAF4499 ² LAF4499MXM ^{2, 268} LAF4500 ¹						
6I-2500	Cabin Air	LAF1950						
9G-1518	Fuel	L3531F						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 12-Optional 14-Extended Life 18-Short 19-Long 20-High efficiency
219-Air Conditioner 268-Extended/Severe service 1077-Hyd. Tank 1183-7" Hgt. 1184-10.5" Hgt. 1200-Starting Engine 1223-w/ CAT 3J1991 Gskt. 1224-w/
CAT. 5K1770 Gskt. 1225-w/ CAT 5F3144 Gskt. 1226-Attached Cab A/C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (CRAWLER LOADER)			CATERPILLAR (CRAWLER LOADER)			CATERPILLAR (CRAWLER TRACTOR)		
<i>963C (cont'd)</i>			<i>977K, 977L</i>			<i>D10 (cont'd)</i>		
(1R-0751); Sec.	Fuel	LFF4783 ^{20, 1183}	7M-9045	Air	LAF45 ²	2P-4005	Oil	LFP4005
(1R-0753); Sec.		LFF5322 ^{20, 1184}	2S-1287		LAF46 ¹			LFP4005TRT ³
1R-0722	Hydraulic	LH5461 ¹⁰⁷⁷	2V-36	Cabin Air	LAF2515			LFP4005XL ¹⁴
1R-0739	Oil	LFP3191	(1R-0724); Sec.	Fuel	364F	4J-6064	Trans	LP560
1R-0739		LFP3191TRT ³	(1R-0750); Sec.		LFF3347 ²⁰	<i>D10N, D10R w/Caterpillar 3412 Engine</i>		
		LFP3191XL ¹⁴	1R-0750		LFF3347	7W-9853	Air	LAF1774 ²
4T-6788	Trans	LFH4955	(1R-0740); Sec.		LFP440F	7W-9567		LAF1775 ¹
<i>963D w/Caterpillar C6.6 Acert Engine</i>			(1R-0722); S/N 14X1-,	Hydraulic	LH5461	1063973		LAF3884 ¹
(1R0751); Pri.	Fuel	LFF4783	95X1-		LP560	1063969		LAF5022 ²
(3261644); Pri.		LFF6771 ¹⁷¹	1R-0741					LAF5022MXM ^{2, 268}
1022828	Hydraulic	LFH4473 ²⁰	1R-0739	Oil	LFP3191	7T-1890		LAF5026 ¹¹⁹²
1G8878		LFH4990 ²⁰	1R-0739		LFP3191TRT ³	9N-3718	Coolant	LP560
2698325	Oil	LFP2698			LFP3191XL ¹⁴	(9M-2342); Pri.	Fuel	L3531F
<i>963K w/Caterpillar C7.1 Engine</i>			1R-0659		LP161	(1R-0749); Sec.		LFF2749 ²⁰
4621171	Oil	LFP2698	1R-0741	Trans	LP560	(2W-2134); Sec.		LFF5823B
<i>973, 973LGP w/Caterpillar 3306 Engine</i>			<i>983 w/Caterpillar D343 Engine</i>			1R-0732	Hydraulic	LFH4635
(6I-0273); 86G	Air	LAF4273 ²	5S-4282	Air	LAF1792	4T-0522		LH4932
86G		LAF4273MXM ^{2, 268}	3S-4745		LAF282 ²	1R-0746	Oil	LP4736 ¹¹⁹⁵
(6I-0274); 86G		LAF4274 ¹	(9M-2341); Pri.	Fuel	L3531F	2P-4005		LFP4005
1P-7360		LAF7360 ¹	(1R-0750); Sec.		LFF3347 ²⁰			LFP4005TRT ³
1P-7716		LAF7716 ²	W/S		LFF8030 ¹²			LFP4005XL ¹⁴
		LAF7716MXM ^{2, 268}	(1P-2299); Sec.		LFP440F	1328875	Trans	LH8784G
9G-1518	Cabin Air	LAF1950	4J-6064	Hydraulic	LP560	9M-9740		LP164
(1R-0750); Sec.	Fuel	LFF3347 ²⁰	5S-485	Oil	LP163	<i>D10R w/Caterpillar 3412E Engine</i>		
W/S		LFF8030 ¹²	4J-6064	Trans	LP560	6I-2505	Air	LAF4505 ²
(1P-2299); Sec.		LFP440F	<i>983B w/Caterpillar 3406 Engine</i>					LAF4505MXM ^{2, 268}
9J-5461	Hydraulic	LH5461 ¹⁰⁷⁷	1P-7360	Air	LAF7360 ¹	6I-2506		LAF4506 ¹
2P-4004	Oil	LFP3191	7W-5495		LAF7716 ²	7T-1890		LAF5026
2P-4004		LFP3191TRT ³			LAF7716MXM ^{2, 268}	1R-0749	Fuel	LFF2749 ²⁰
		LFP3191XL ¹⁴	2V-36	Cabin Air	LAF2515	(1R-0769); Pri.		LFF6771 ¹⁷¹
1081153	Trans	LFH5013	(9M-2341); Pri.	Fuel	L3531F	132-8876	Hydraulic	LH22044 ¹¹⁶⁸
4J-6064		LP560	(1R-0749); Sec.		LFF2749 ²⁰	134-0964		LH4166
<i>973D w/Caterpillar C9 Engine</i>			(4N-5823); Sec.		LFF5823B	1R-0716	Oil	LFP4005
(1R0762); Sec.	Fuel	LFF5804	9J-5461	Hydraulic	LH5461			LFP4005TRT ³
(3261644); Pri.		LFF6771 ¹⁷¹	1R-0716	Oil	LFP4005	<i>D10T w/Caterpillar C27 Engine</i>		
1022828	Hydraulic	LFH4473 ²⁰			LFP4005TRT ³	6I-2505	Air	LAF4505 ²
168878		LFH4990 ²⁰	1R-0741	Trans	LFP4005XL ¹⁴			LAF4505MXM ^{2, 268}
1R1808	Oil	LFP4005RN ⁵⁹⁹	CATERPILLAR (CRAWLER TRACTOR)			6I-2506		LAF4506 ¹
		LFP4005TRT ³	<i>D10</i>			(1R-0755); Sec.	Fuel	LFF4102 ²⁰
		LFP4005XL ¹⁴	6N-6444	Air	LAF1847 ¹	(1R-0771); Pri.		LFF6771 ¹⁷¹
<i>977D</i>			8P-5343		LAF5343 ⁵⁵⁴	130-3212	Hydraulic	LFH22028 ¹¹³⁷
	Fuel	L3565F	1P-7716		LAF7716 ²	139-1537		LH4932G ¹⁰⁷⁷
	Hydraulic	LP560			LAF7716MXM ^{2, 268}	1R-0716	Oil	LFP4005
	Oil	LP161	1P-7360		LAF8483 ²			LFP4005TRT ³
<i>977H</i>					LAF8483MXM ^{2, 268}			LFP4005XL ¹⁴
	Air	LAF3119 ⁹	(8N-5313); S/N		LAF8513 ²	1R-1809	Trans	LH9407
2M-2626		LAF7727 ¹²²⁸	76X359-,			<i>D11N</i>		
2V-36	Cabin Air	LAF8514	84W610-640,			(6I-2505); S/N	Air	LAF4505 ²
(9H-4729); Sec.	Fuel	364F	84W646-			74Z1103-		LAF4505MXM ^{2, 268}
1R-0729	Hydraulic	LP165 ¹¹	(9M-2342); Pri.	Fuel	L3531F	S/N 74Z1103-		LAF4506 ¹
1R-0741		LP560	(1R-0749); Sec.		LFF2749 ²⁰	6I-2506		LAF5026 ¹¹⁹²
	Oil	LFP55 ¹²²⁷	(4N-5823); Sec.		LFF5823B	7T-1890		LAF8115 ¹
5S-0484		LP161	7J-670	Hydraulic	LFH4635 ¹⁰⁷⁷	1236856		
1W-7399	Trans	LP161						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 9-3.5" Tall 11-Power Steering 12-Optional 14-Extended Life 20-High efficiency 171-With Sensor Port 255-Contains 3 oz. of chemical 268-Extended/Severe service 554-Recirculation 599-High capacity 1077-Hyd. Tank 1137-Pilot 1168-Ultra High Efficiency 1183-7" Hgt. 1184-10.5" Hgt. 1192-Heater 1195-Attached Winch 1227-Attached Single 1228-4.75" Tall

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (CRAWLER TRACTOR)			CATERPILLAR (CRAWLER TRACTOR)			CATERPILLAR (CRAWLER TRACTOR)		
<i>D11N (cont'd)</i>			<i>D2</i>			<i>D3C w/Caterpillar 3204 Engine (cont'd)</i>		
(1236855); S/N 4HK562-99999 1P-8482 (7W-5313); S/N 74Z1-1102 S/N 74Z1-1102	Air	LAF8146 ² LAF8482 ¹ LAF8483 ² LAF8483MXM ^{2, 268}	(4M-9378); Including models converted from oil bath 2S-1284 5S-484 1S-9150 5B-8934	Air	LAF1128 ² LAF379 ¹ LP161 LP165 ⁶⁵ LP1655	1R-0713 2P-5834	Oil Trans	LFP5570 LP4736
(9M-2342); Pri. (8N-3080); Sec. (1R-0755); Sec.	Fuel	L3531F LFF3416 LFF4102 ²⁰	<i>D3, D3B w/Caterpillar 3204 Engine</i>			<i>D3G w/Caterpillar 3046 Engine</i>		
7J-0670 2P-4005	Hydraulic Oil	LHF4635 LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	4N-0313 4N-0326 (9L-9100); S/N 45V48070-72653; Sec. (1P-2299); S/N 45V72654-; Sec.	Air Fuel	LAF8549 ¹ LAF8550 ² FP230F LFP440F	180-5474 180-5475 (228-9130); Sec. (117-4089); Pri. (1R-0751); Sec.	Air Fuel	LAF5474 ² LAF5475 ¹ L3103F L8682F LFF4783
1328876 4J-6064	Trans	LH22044 ¹¹⁶⁸ LP560	9M-9740 1R-0713 2P-5834	Hydraulic Oil Trans	LP164 ¹⁰⁷⁷ LFP5570 LP4736	1219868 144-6691 1R-0734 1G8878	Hydraulic Oil Trans	LFH4472 ¹¹⁷² LFH4959 ¹¹⁹³ LFP791 LFH4990
<i>D11R</i>			<i>D3B</i>			<i>D6T w/Caterpillar C9 Engine</i>		
106-3973 1327168	Air	LAF3884 ^{1, 20} LAF5022 ² LAF5022MXM ^{2, 268} LAF5026 LAF8115 ¹ LAF8146 ²	8N-5317 4N-0313 4N-0326 9S-9972 (9L-9100); Sec. (1R-0750); Sec. (1P-2299); Sec.	Air Fuel	LAF334 ² LAF334MXM ^{2, 268} LAF8549 ¹ LAF8550 ² LAF9972 ¹ FP230F LFF3347 ²⁰ LFP440F	6I2501 6I2502 6T0988 (1R0762); Sec. (1R0770); Pri. (3261643); Pri.	Air Cabin Air Fuel	LAF4501 ² LAF4502 ¹ LAF8393 ⁸⁹⁸ LFF5804 LFF6770 ¹¹⁶⁶ LFF6771 ¹⁷¹
7T-1890 1236856 1236855	Fuel	L3531F LFF4102 ²⁰	9M-9740 1R-0714 9L-9200	Hydraulic Oil	LP164 ¹⁰⁷⁷ LFP6007 LFP791	1022828 1R0777 1391537 1R1808	Hydraulic Oil	LFH4473 ¹¹ LH4932 ¹⁰⁷⁷ LH4932G ^{20, 1077} LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
(9M-2342); Pri. (1R-0755); Sec.	Hydraulic	LHF4635 ¹⁰⁷⁷	2P-5834	Trans	LP4736	1R1809	Trans	LH9407
1R-0732 1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	<i>D3C Series II w/Caterpillar 3204 Engine</i>			CATERPILLAR (DRILLS)		
1328876 1328875	Trans	LH22044 ¹¹⁶⁸ LH8784G	7W-5317 9S-9972 (1P-2299); Sec.	Air Fuel	LAF334 ² LAF334MXM ^{2, 268} LAF9972 ¹ LFP440F	<i>DM5125 (w/Caterpillar C11 Engine)</i>		
<i>D11RCD</i>			9M-9740 1R-0714 2P-5834	Hydraulic Oil Trans	LP164 ¹⁰⁷⁷ LFP6007 LP4736	1R0749 (1R0762); Sec. 1R1808	Fuel Oil	LFF2749 ²⁰ LFF5804 LFP4005RN ⁵⁹⁹
7T-1890 123-6856 123-6855	Air	LAF5026 LAF8115 ¹ LAF8146 ²	<i>D3C Series III w/Caterpillar 3046 Engine</i>			<i>DM5150C (w/Caterpillar C11 Engine)</i>		
1R-0755 132-8875 2P-4005	Fuel Hydraulic Oil	LFF4102 ²⁰ LH8784G ⁶⁰⁷ LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	4N-0313 4N-0326 7X6041 (5I-7951); Pri. 132-8875 4T-3131 1R-0719 1R-0734 1G-8878 2P-5834	Air Fuel Hydraulic Cabin Air Fuel Hydraulic Oil	LAF8549 ¹ LAF8550 ² LAF4191 ⁸⁹⁸ LFF3886 LH8784G ^{20, 1233} LP135 LP164 ¹⁰⁷⁷ LFP791 LFH4990 LP4736	1R0749 (1R0762); Sec. (3261643); Pri. 1G8878 1R1808	Fuel Fuel Hydraulic Oil	LFF2749 ²⁰ LFF5804 LFF6771 ¹⁷¹ LFH4990 LFP4005RN ⁵⁹⁹
132-8876	Trans	LH22044 ¹¹⁶⁸	<i>D3C w/Caterpillar 3204 Engine</i>			CATERPILLAR (EXCAVATOR)		
<i>D11T w/Caterpillar C32 ACERT 32.1L Engine</i>			4N-0313 4N-0326 (1R-0750); Sec. (1P-2299); Sec.	Air Fuel	LAF8549 ¹ LAF8550 ² LFF3347 ²⁰ LFP440F	<i>205, 206 w/Deutz Engine</i>		
1063973 1327168	Air	LAF3884 ¹ LAF5022 ² LAF5022MXM ^{2, 268}	4T-3131 1U-2093 9M-9740	Hydraulic Hydraulic	LH8784G ^{20, 1233} LP135 LP164 ¹⁰⁷⁷ LP135 ¹²³⁴ LP164 ¹¹⁷² LP164 ¹⁰⁷⁷	5W-5889 5W-5890 5W-5890 5W-5803 5W-5887	Air Fuel Fuel Hydraulic Oil	LAF1544 ² LAF9410 ¹ FP585F LH8599 ¹⁰⁷⁷ PH2819
(1R0755); Sec. (1R0771); Pri.	Fuel	LFF4102 ²⁰ LFF6771 ¹⁷¹	<i>D3C w/Caterpillar 3204 Engine</i>			<i>205, 206 w/Perkins Engine</i>		
1303212 1261815 1391537 1R0716	Hydraulic Oil	LFH22028 ¹¹³⁷ LFH5083 ¹¹⁹⁰ LH4932G ¹⁰⁷⁷ LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	4N-0313 4N-0326 (1R-0750); Sec. (1P-2299); Sec.	Air Fuel	LAF8549 ¹ LAF8550 ² LFF3347 ²⁰ LFP440F	5W-5889 5W-5890 676987 694229	Air Fuel Fuel Oil	LAF1544 ² LAF9410 ¹ L296F ⁴¹ PH4403
1328876	Trans	LH22044 ¹¹⁶⁸	4T-3131 1U-2093 9M-9740	Hydraulic	LP135 ¹²³⁴ LP164 ¹¹⁷² LP164 ¹⁰⁷⁷	<i>205B w/Caterpillar 3114 Engine</i>		
<i>D11T w/Caterpillar C32 ACERT 32.1L Engine</i>			<i>D3C w/Caterpillar 3204 Engine</i>			<i>206B</i>		
1063973 1327168	Air	LAF3884 ¹ LAF5022 ² LAF5022MXM ^{2, 268}	4N-0313 4N-0326 (1R-0750); Sec. (1P-2299); Sec.	Air Fuel	LAF8549 ¹ LAF8550 ² LFF3347 ²⁰ LFP440F	8T-7462	Air	LAF9410 ¹ L3531F LFF3347 ²⁰ LFP6007
(1R0755); Sec. (1R0771); Pri.	Fuel	LFF4102 ²⁰ LFF6771 ¹⁷¹	4T-3131 1U-2093 9M-9740	Hydraulic	LP135 ¹²³⁴ LP164 ¹¹⁷² LP164 ¹⁰⁷⁷	<i>206B</i>		
1303212 1261815 1391537 1R0716	Hydraulic Oil	LFH22028 ¹¹³⁷ LFH5083 ¹¹⁹⁰ LH4932G ¹⁰⁷⁷ LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	4T-3131 1U-2093 9M-9740	Hydraulic	LP135 ¹²³⁴ LP164 ¹¹⁷² LP164 ¹⁰⁷⁷	<i>206B</i>		
1328876	Trans	LH22044 ¹¹⁶⁸	4T-3131 1U-2093 9M-9740	Hydraulic	LP135 ¹²³⁴ LP164 ¹¹⁷² LP164 ¹⁰⁷⁷	<i>206B</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 20-High efficiency 41-Cartridge 65-By-Pass 171-With Sensor Port 268-Extended/Severe service 599-High capacity 607-Return 898-Cabin fresh air filter 1077-Hyd. Tank 1137-Pilot 1166-9/16"-18 Thread Sensor Port 1168-Ultra High Efficiency 1172-For Fire Resistant Fluids 1190-High Efficiency Pilot 1193-Winch 1233-In-Tank 1234-High Efficiency In-Tank

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)		
<i>206B (cont'd)</i>			<i>213B, 214B, 214BFT w/Caterpillar 3116 Engine (cont'd)</i>			<i>215B, 215BSA w/Caterpillar 3204 Engine (cont'd)</i>		
(9M-2341); Pri. (1R-0750); Sec.	Fuel	L3531F LFF3347 ²⁰	1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	7W-5389	Air	LAF4499MXM ^{2, 268} LAF4500 ¹ LAF47 ² LAF48 ¹
1R-0714	Oil	LFP6007	1R-0739			2S-1285		
<i>211 w/Deutz Engine</i>			<i>214 w/Deutz Engine</i>			1R-0750	Fuel	LFF3347 LFP440F
5W-5889	Air	LAF1544 ² LAF9410 ¹	5W-2716	Air	LAF1725 ¹ LAF8617 ²	(1P-2299); Sec.		
5W-5890			5W-2717			4T-6788	Hydraulic	LFH4955 LP560 ⁶⁰⁷ LP816 ¹¹⁵⁴
5W-3394	Fuel	FP585F	5W-3394	Fuel	FP585F	4J-6064		
5W-5803	Hydraulic	LH8599 ¹⁰⁷⁷	5W-2628	Hydraulic	LP8317	1R-0728		
5W-5887	Oil	PH2819	5W-6017	Oil	LFP2222	1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
<i>211 w/Perkins Engine</i>			<i>214 w/Perkins Engine</i>			1R-0739		
5W-5889	Air	LAF1544 ² LAF9410 ¹	5W-2716	Air	LAF1725 ¹ LAF8617 ²	215C, 215D		
5W-5890			5W-2717			4M-9334	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹
5W-6081	Fuel	L296F ⁴¹	676987	Fuel	L296F ⁴¹	2S-1286		
7W-2327	Oil	PH4403	7W-2326	Oil	LFP2292	6I-4501		
<i>211B</i>			<i>215</i>			6I-4502		
5W-2716	Air	LAF1725 ¹ LAF9001 ²		Air	LAF4499 ² LAF4499MXM ^{2, 268} LAF4500 ¹ LAF47 ² LAF48 ¹	(9M-2341); Pri. (1R-0750); Sec. (1P-2299); Sec.	Fuel	L3531F LFF3347 ²⁰ LFP440F
8T-7462			7W-5389			4T-6788	Hydraulic	LFH4955 LP560 ⁶⁰⁷ LP816
(9M-2341); Pri. (1R-0750); Sec.	Fuel	L3531F LFF3347 ²⁰	2S-1285			1R-0741		
1R-0714	Oil	LFP6007	1R-0750	Fuel	LFF3347 LFP440F	1R-0728		
<i>212 w/Deutz Engine</i>			4T-6788	Hydraulic	LFH4955	2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
5W-5889	Air	LAF1544 ² LAF9410 ¹	4J-6064			2P-4004		
5W-5890			1R-0728			<i>219, 219D</i>		
5W-3394	Fuel	FP585F	1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP6007	4M-9334	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹
5W-5803	Hydraulic	LH8599 ¹⁰⁷⁷	1R-0739			2S-1286		
5W-5887	Oil	PH2819	9N-6007			6I-4501		
<i>212 w/Perkins Engine</i>			<i>215 w/Caterpillar 3304 Engine</i>			6I-4502	Fuel	LFF3347 ²⁰ LFP440F
5W-5889	Air	LAF1544 ² LAF9410 ¹	7W-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹	(1R-0750); Sec. (1P-2299); Sec.		
5W-5890			2S-1286			4T-6788	Hydraulic	LFH4955 LP560 ⁶⁰⁷ LP816 ¹¹⁵⁴
5W-6081	Fuel	L296F ⁴¹	6I-2501			1R-0741		
5W-5803	Hydraulic	LH8599 ¹⁰⁷⁷	1R-0750	Fuel	LFF3347	1R-0728		
7W-2327	Oil	PH4403	1R-0741	Hydraulic	LP560 LP816 ¹¹⁵⁴	1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
<i>212B</i>			1R-0739			1R-0739		
5W-2716	Air	LAF1725 ¹ LAF9001 ²	1R-0739			<i>219D w/Caterpillar 3304 Engine</i>		
8T-7462			215B w/Caterpillar 3204 Engine			(9M-2341); Pri. (1P-2299); Sec.	Fuel	L3531F LFP440F
(9M-2341); Pri. (1R-0750); Sec.	Fuel	L3531F LFF3347 ²⁰	7W-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹	8J-1600	Hydraulic	LFH5068-10 LP560 ⁶⁰⁷ LP816 ¹¹⁵⁴
1R-0714	Oil	LFP6007	2S-1286			4J-6064		
<i>213 w/Deutz Engine</i>			Pri. (1R-0750); Sec. (1P-2299); Sec.	Fuel	L3531F LFF3347 ²⁰ LFP440F	4J-0816		
5W-2716	Air	LAF1725 ¹ LAF8617 ²	4J-6064	Hydraulic	LP560 ⁶⁰⁷ LP816 ¹¹⁵⁴	1W-3300	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
5W-2717			4J-0816			1W-3300		
5W-3394	Fuel	FP585F	9N-6007	Oil	LFP6007	<i>224 w/Deutz Engine</i>		
5W-2628	Hydraulic	LP8317	<i>215B, 215BSA w/Caterpillar 3204 Engine</i>			5W-2716	Air	LAF1725 ¹ LAF8617 ²
5W-6017	Oil	LFP2222		Air	LAF4499 ²	5W-2717		
<i>213B, 214B, 214BFT w/Caterpillar 3116 Engine</i>			<i>215B, 215BSA w/Caterpillar 3204 Engine</i>					
5W-2716	Air	LAF1725 ¹ LAF8674 ¹ LAF9001 ²						
5W-3402								
8U-2601								
1R-0750	Fuel	LFF3347 LFP440F						
(1R-0740); Sec.								

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 41-Cartridge 268-Extended/Severe service 607-Return 1077-Hyd. Tank 1154-Pump

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)		
<i>224 w/Deutz Engine (cont'd)</i>			<i>225B w/Caterpillar 3304 Engine (cont'd)</i>			<i>227 (cont'd)</i>		
5W-3402	Air	LAF8674 ¹	1R-0739	Oil	LFP3191TRT ³ LFP3191XL ¹⁴	1R-0750	Fuel	LFF3347 LFF8030 ¹² LFP440F
5W-3394	Fuel	FP585F	<i>225BLC w/Caterpillar 3208 Engine</i>			(1P-2299); Sec.		
5W2628	Hydraulic	LP8317	4M-9334	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹	7J-670	Hydraulic	LFH4635 ⁶⁰⁷ LFH4935 LP164 ¹¹⁵⁴ LP816 ¹¹⁵⁴
5W-3407	Oil	LFP8590	<i>224 w/Perkins Engine</i>			7J-0670		
<i>224 w/Perkins Engine</i>			2S-1286			9M-9740		
5W-2716	Air	LAF1725 ¹	W/S	Fuel	LFF1131	4J-816		
5W-2717		LAF8617 ²	(1R-0750); Sec.		LFF3347 ²⁰	8N-9586	Oil	LFP5570
5W-3402		LAF8674 ¹	(1R-0740); Sec.		LFP440F	<i>229, 229D</i>		
676987	Fuel	L296F ⁴¹	1R-0732	Hydraulic	LFH4635 ¹¹⁷¹ LFH4635G ¹¹⁷² LP135 LP164 LP816 ¹¹³⁷	4M-9334	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹
5W2628	Hydraulic	LP8317	4T-3133			2S-1286		
7W-2327	Oil	PH4403	4T-3131			6I-4501		
<i>224B w/Caterpillar 3116 Engine</i>			1R-0719			6I-4502		
5W-2716	Air	LAF1725 ¹	1R-0728			(9M-2341); Pri.	Fuel	L3531F LFF3347 ²⁰ LFP440F
8V-2601		LAF9001 ²	1R-0713	Oil	LFP5570	(1R-0750); Sec.		
(9M-2341); Pri.	Fuel	L3531F	<i>225D w/Caterpillar 3208 Engine</i>			(1R-0740); Sec.		
(1R-0750); Sec.		LFF3347 ²⁰	7W-5316	Air	LAF45 ² LAF4503 ² LAF4503MXM ^{2, 268} LAF4504 ¹ LAF46 ¹	(1R-0740); Sec.		
(1R-0740); Sec.		LFP440F	6I-2503			7J-0670	Hydraulic	LFH4635 ¹¹⁷¹ LP135 LP164 ¹⁰⁷⁸ LP560 ¹¹⁷³ LP816 ¹¹³⁷
1R-0739	Oil	LFP3191	6I-2504			1R-0719		
1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴	2S-1287			S/N 2LJ-		
<i>225 w/Caterpillar 3208 Engine</i>			(1R-0750); Sec.	Fuel	LFF3347 ²⁰ LFP440F	1R-0728		
7W-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹	1R-0732	Hydraulic	LFH4635 LFH4635G ¹¹⁷² LP135 LP164 LP816	(1R-0739); S/N 1AG1-;	Oil	LFP3191
2S-1286			4T-3133			3304 eng.		
(1R-0710); Sec.	Fuel	FP230F LFP440F	4T-3131			(1R-0739); S/N 1AG1-;		LFP3191TRT ³
(1R-0740); Sec.			9M-9740			3304 eng.		
1R-0732	Hydraulic	LFH4635 LP164 LP816	1R-0728			(1R-0713); S/N 1GF1-;		LFP3191XL ¹⁴ LFP5570
1R-0719			1R-0713	Oil	LFP5570	3208 eng.		
1R-0728			<i>225DLC w/Caterpillar 3304 Engine</i>			<i>231D, 231DLC w/Caterpillar 3208 Engine</i>		
1R-0713	Oil	LFP5570 LFP791	7W-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹	7W-5316	Air	LAF45 ² LAF46 ¹
1R-0734			2S-1286			2S-1287		
<i>225 w/Caterpillar 3304 Engine</i>			6I-2501			(1R-0750); Sec.	Fuel	LFF3347 ²⁰
7W-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹	6I-4502			7J-0670	Hydraulic	LFH4935 LP135 LP164 LP560 LP816 ¹¹³⁷
2S-1286			Pri.	Fuel	L3531F LFF3347	4T-3131		
(1R-0750); Sec.	Fuel	LFF3347 ²⁰ LFP440F	1R-0750			1R-0719		
(1R-0740); Sec.			7J-0670	Hydraulic	LFH4635 LFH4635G ¹¹⁷² LP135 LP164 LP560 LP816	4J-6064		
1R-0732	Hydraulic	LFH4635 LP164 LP816	4T-3133			1R-0728		
1R-0719			4T-3131			1R-0714	Oil	LFP6007
1R-0728			9M-9740			<i>235 w/Caterpillar 3306 Engine</i>		
1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP791	1R-0741			7M-9045	Air	LAF1792 ¹² LAF45 ² LAF46 ¹
1R-0739			1R-0728			2S-1287		
<i>225B w/Caterpillar 3304 Engine</i>			1W-3300	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	W/S	Fuel	LFF1131 LFF3347 LFP440F
4M-9334	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹	1W-3300			1R-0750		
2S-1286			<i>227</i>			(1R-0740); Sec.		
1R-0750	Fuel	LFF3347 LFP440F	8N-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹	7J-0670	Hydraulic	LFH4635 ⁶⁰⁷ LP164 ¹¹⁷⁴ LP560 LP816 ¹¹⁷⁵
(1R-0740); Sec.			2S-1286			1R-0719		
1R-0732	Hydraulic	LFH4635 ¹¹⁷¹ LFH4635G ¹¹⁷² LP135 LP164 LP816 ¹¹³⁷	6I-4501			4J-6064		
4T-3133			6I-4502			1R-0728		
4T-3131			(6N-7617); W/S	Fuel	LFF1131	1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
1R-0719			<i>235B, 235C, 235D w/Caterpillar 3306 Engine</i>			1R-0739		
1R-0728			7M-9045	Air	LAF45 ²			
1R-0739	Oil	LFP3191						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 41-Cartridge 268-Extended/Severe service 607-Return 1078-Drain 1137-Pilot 1154-Pump 1171-Main 1172-For Fire Resistant Fluids 1173-Hammer 1174-Vertical Pump 1175-Horizontal Pump

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)		
<i>235B, 235C, 235D w/Caterpillar 3306 Engine (cont'd)</i>			<i>300.9D (w/Yanmar 31NV70 Engine) (cont'd)</i>			<i>303 w/Mitsubishi S3L2 Engine</i>		
2S-1287	Air	LAF46 ¹	139-4834	Air	LAF8388 ²	146-7472	Air	LAF8195 ²
(1R-0750); Sec.	Fuel	LFF3347 ²⁰		Fuel	L4103F	171-0493		LAF8690 ¹
(1R-0740); Sec.		LFP440F	3735650	Oil	PH2876 ¹⁴⁸	199-2239	Oil	PH2867
7J-0670	Hydraulic	LFH4635	<i>301.4C w/Yanmar 3TNV76 Engine</i>			<i>303.5 w/Caterpillar 3013 Engine</i>		
1R-0719		LP164 ⁶⁰⁷	2349828	Air	LAF22056 ¹	1467472	Air	LAF8195 ²
1R-0741		LP560 ¹¹⁷³	139-4834		LAF8388 ²	171-0493		LAF8690 ¹
1R-0728		LP816 ¹¹⁵⁴	3769707	Oil	PH2876 ¹⁴⁸	(1561200); Sec.	Fuel	L8706F
1R-0739	Oil	LFP3191	<i>301.5 w/Caterpillar Engine</i>			1504140	Oil	LFP2253
1R-0739		LFP3191TRT ³	(150-4140); 3YW1-up	Oil	PH253 ¹⁴⁹⁶	150-4140		PH253 ¹⁴⁹⁶
		LFP3191XL ¹⁴	3YW1-up		PH2835 ²⁷⁵			PH2835 ²⁷⁵
<i>245 w/Caterpillar 3406 Engine</i>			<i>301.5, 301.6, 301.8 w/Caterpillar 3003 Engine</i>			<i>303.5 w/Caterpillar Engine</i>		
	Air	LAF4273 ²	1467472	Air	LAF8195 ²	150-4140	Oil	PH253 ¹⁴⁹⁶
		LAF4273MXM ^{2, 268}	(1561200); Sec.	Fuel	L8706F			PH2835 ²⁷⁵
		LAF4274 ¹	1G-8878	Hydraulic	LFH4990	<i>303.5CCR w/Mitsubishi S3Q2T Engine</i>		
1P-7360		LAF7360 ¹	(1504140); 5DW1791-	Oil	LFP2253	1467472	Air	LAF8195 ²
1P-7716		LAF7716 ²	<i>301.6 w/Caterpillar Engine</i>			1467473		LAF8690 ¹
		LAF7716MXM ^{2, 268}	(150-4140); 3YW1-up	Oil	PH253 ¹⁴⁹⁶	(2339856); DMY 3356	Fuel	L6265F
8S-0468	Cabin Air	LAF8407	3YW1-up		PH2835 ²⁷⁵	-; Sec.		L8706F
		LAF8407MXM ²⁹¹	<i>301.6C, 301.8C w/L3E Engine</i>			(156-1200); -		
1R-0749	Fuel	LFF2749 ²⁰	139-4834	Air	LAF8388 ²	DMY3356; Sec.		
(4N-5823); Sec.		LFF5823B	(156200); Sec.	Fuel	L8706F	120-0664	Oil	PH2808
7J-0760	Hydraulic	LFH4635 ⁶⁰⁷	223-0294	Oil	PH2867 ¹⁴⁸	<i>303.5E CR w/Caterpillar C1.8 engine</i>		
1R-0728		LP816 ¹¹⁵⁴	<i>301.7D, 301.7D CR w/Yanmar 3TNV76 Engine</i>				Air	LAF8114 ¹
2P-4005	Oil	LFP4005	2349828	Air	LAF22056 ¹		Fuel	LAF8143 ²
		LFP4005TRT ³	139-4834		LAF8388 ²		Oil	L8706F
		LFP4005XL ¹⁴	(1561200); Sec.	Fuel	L8706F		Oil	LFP2253
<i>245B, 245D</i>			3769707	Oil	PH2876 ¹⁴⁸	<i>303.5E2 CR w/Caterpillar C1.7 Tier 4 engine</i>		
6I-2505	Air	LAF4505 ²	<i>301.8 w/Caterpillar Engine</i>			1561200	Fuel	L8706F
		LAF4505MXM ^{2, 268}	(150-4140); 3YW1-up	Oil	PH253 ¹⁴⁹⁶	3830339	Oil	LFP2253
6I-2506		LAF4506 ¹	3YW1-up		PH2835 ²⁷⁵	<i>303CCR w/S3Q2 Engine</i>		
1P-8482		LAF8482 ¹	<i>302.2D w/Yanmar Engine</i>			1467472	Air	LAF8195 ²
1P-8483		LAF8483 ²	2349828	Air	LAF22056 ¹	1467473		LAF8690 ¹
		LAF8483MXM ^{2, 268}	139-4834		LAF8388 ²	(156-1200); Sec.	Fuel	L8706F
(9M-2341); Pri.	Fuel	L3531F	(1561200); Sec.	Fuel	L8706F	120-0664	Oil	PH2808
1R-0749		LFF2749 ²⁰	3769707	Oil	PH2876 ¹⁴⁸	<i>303E CR (w/Caterpillar C1.3 Engine)</i>		
(1R-0712); Sec.		LFF5823B	<i>302.4D w/Yanmar 3TNV76 Engine</i>			1467472	Air	LAF8195 ²
7J-0670	Hydraulic	LFH4635 ⁶⁰⁷	2349828	Air	LAF22056 ¹	1467473		LAF8690 ¹
1R-0728		LP816 ¹¹⁵⁴	139-4834		LAF8388 ²	1561200	Fuel	L8706F
1R-0716	Oil	LFP4005	(1561200); Sec.	Fuel	L8706F	3776969	Oil	LFP2253
(1W-8845); By-Pass		LFP4005TRT ³	3769707	Oil	PH2876 ¹⁴⁸	<i>304 w/Mitsubishi 4SL2 Engine</i>		
By-Pass		LFP4005XL ¹⁴	<i>302.5 w/Caterpillar 3013 Engine</i>			146-7472	Air	LAF8195 ²
		LFP777B	1467472	Air	LAF8195 ²	171-0493		LAF8690 ¹
		LFP777XL ¹⁴	146-7473		LAF8690 ¹	(156-1200); Sec.	Fuel	L8706F
<i>3.3.5D w/Mitsubishi Engine</i>			(1561200); Sec.	Fuel	L8706F	120-0664	Oil	PH2808
1467472	Air	LAF8195 ²	<i>302.4D w/Yanmar 3TNV76 Engine</i>			<i>304.5 w/Caterpillar 3013 Engine</i>		
1467473		LAF8690 ¹	2349828	Air	LAF22056 ¹	150-4140	Oil	LFP2253
(2339856); Sec.	Fuel	L6265F	139-4834		LAF8388 ²	<i>304.5 w/Caterpillar 3024 Engine</i>		
120-0664	Oil	PH2808	(1561200); Sec.	Fuel	L8706F	1467472	Air	LAF8195 ²
<i>300.9 w/Yanmar 3TNV70 Engine</i>			3769707	Oil	PH2876 ¹⁴⁸	1710493		LAF8690 ¹
2349828	Air	LAF22056 ¹	<i>302.5C w/Mitsubishi S3L2 Engine</i>			(1561200); Sec.	Fuel	L8706F
139-4834		LAF8388 ²	(156-1200); Sec.	Fuel	L8706F	1504140	Oil	LFP2253
3735650	Oil	PH2876 ¹⁴⁸	199-2239	Oil	PH2867	<i>304.5 w/Caterpillar Engine</i>		
<i>300.9D (w/Yanmar 31NV70 Engine)</i>			<i>302.7D w/Yanmar 3TNV76 Engine</i>			<i>304.5 w/Caterpillar Engine</i>		
2349828	Air	LAF22056 ¹	2349828	Air	LAF22056 ¹	150-4140	Oil	PH253 ¹⁴⁹⁶
			139-4834		LAF8388 ²			PH2835 ²⁷⁵
			(1561200); Sec.	Fuel	L8706F	<i>304CCR w/Mitsubishi S4Q2 Engine</i>		
			3769707	Oil	PH2876 ¹⁴⁸	146-7472	Air	LAF8195 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 148-Engine 268-Extended/Severe service 275-Primary 291-Extended/Severe service. 607-Return 1154-Pump 1173-Hammer 1496-Alternate

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)		
<i>304CCR w/Mitsubishi S4Q2 Engine (cont'd)</i>			<i>306E2 w/Caterpillar C2.4 Engine (cont'd)</i>			<i>308ECR,308ESR w/Caterpillar C3.3B engine (cont'd)</i>		
146-7473	Air	LAF8690 ¹	2339856	Oil	LFP2253		Air	LAF8143 ²
(156-1200); Sec.	Fuel	L8706F	<i>307 w/Perkins Engine</i>				Fuel	L8706F
120-0664	Oil	PH2808	1106326	Air	LAF4544 ²		Oil	LFP2253
<i>304CR w/Mitsubishi S4L2 Engine</i>					LAF4544MXM ^{2, 268}	<i>311, 312 w/Caterpillar 3064 Engine</i>		
1467472	Air	LAF8195 ²	1106331		LAF4545 ¹	41-7575	Air	LAF1804 ²
1710493		LAF8690 ¹	(1006374); Pri.	Fuel	L3101F	61-6582		LAF6834 ¹
(1561200); Sec.	Fuel	L8706F	(1005593); Sec.		L3102F	51-7951	Fuel	LFF3886
1992239	Oil	PH2867	7W-2327	Oil	PH4403	1R-0739	Oil	LFP3191
<i>304DCR w/Mitsubishi S3Q2-T 1.9L Engine</i>			<i>307C, 307CSB w/Mitsubishi 4M40 Engine</i>			1R-0739		LFP3191TRT ³
1467472	Air	LAF8195 ²	1348726	Air	LAF8143 ²			LFP3191XL ¹⁴
1467473		LAF8690 ¹	1838187	Fuel	LFF3527	<i>311B, 312B, 312BL w/Caterpillar 3064 Engine</i>		
(2339856); Sec.	Fuel	L6265F	1R-0714	Oil	LFP6007	1318902	Air	LAF4544 ²
1200664	Oil	PH2808	<i>307D w/Mitsubishi 4M40 Engine</i>					LAF4544MXM ^{2, 268}
<i>304E2 CR w/Caterpillar C2.4 engine</i>			1402334	Air	LAF8114 ¹	1318903		LAF4545 ¹
1561200	Fuel	L8706F	1348726		LAF8143 ²	51-7951	Fuel	LFF3886
3830339	Oil	LFP2253	(2339856); Sec.	Fuel	L6265F	937521	Hydraulic	LFH8217 ⁶⁰⁷
<i>305.5DCR w/Mitsubishi S4Q2T Engine</i>			1R0714	Oil	LFP6007	126-2081		LH8506
1402334	Air	LAF8114 ¹	<i>307E w/Caterpillar C2.6 Engine</i>			1R-0739	Oil	LFP3191
1348726		LAF8143 ²	1402334	Air	LAF8114 ¹	1R-0739		LFP3191TRT ³
(2339856); Sec.	Fuel	L6265F	1348726		LAF8143 ²			LFP3191XL ¹⁴
1200664	Oil	PH2808	(2339856); Sec.	Fuel	L6265F	<i>311C, 312, 312CLM w/Caterpillar 3054T Engine</i>		
<i>305.5E w/Caterpillar C2.4 Engine</i>			3776969	Oil	LFP2253	110-6326	Air	LAF4544 ²
1402334	Air	LAF8114 ¹	<i>307L w/Mitsubishi 4M40 Engine</i>					LAF4544MXM ^{2, 268}
1348726		LAF8143 ²	947073	Fuel	LFF8350	110-6331		LAF4545 ¹
(2339856); S/N MX5;	Fuel	L6265F	947207	Oil	LFP2255	(159-6102); Sec.	Fuel	L3102F
Sec.		L8706F	947208		LFP5010	(117-4089); Pri.		L8682F
(1561200); Exc. S/N			<i>308C w/Mitsubishi 4M40 Engine</i>			937521	Hydraulic	LFH8217
MX5			140-2334	Air	LAF8114 ¹	126-2081		LH8506
3830339	Oil	LFP2253	1348726		LAF8143 ²	7W-2326	Oil	LFP2292
<i>305.5E2 CR w/Caterpillar C2.4 Tier 4 engine</i>			(233-9856); Sec.	Fuel	L6265F	<i>311CU w/Caterpillar 3064 Engine</i>		
1G-7206	Fuel	G800	1347572		LFF3527	131-8902	Air	LAF4544 ²
1561200		L8706F	1R-0714	Oil	LFP6007			LAF4544MXM ^{2, 268}
3830339	Oil	LFP2253	<i>308D w/Mitsubishi 4M40 Engine</i>			131-8903		LAF4545 ¹
<i>305CR w/K4N Engine</i>			1402334	Air	LAF8114 ¹	41-1278	Cabin Air	LAF9092 ⁸⁹⁸
1710493	Air	LAF8195 ²	1348726		LAF8143 ²	(117-4089); Pri.	Fuel	L8682F
1710493		LAF8690 ¹	(2339856); Sec.	Fuel	L6265F	1R-0751		LFF4783
(1561200); Sec.	Fuel	L8706F	1R0714	Oil	LFP6007	093-7521	Hydraulic	LFH8217 ⁶⁰⁷
51-7951		LFF3886	<i>308E SR w/Caterpillar C3.3B Engine</i>			126-2081		LH8506
1200664	Oil	PH2808	140-2334	Air	LAF8114 ¹	1R-0739	Oil	LFP3191
<i>305DCR w/Mitsubishi S4Q2T Engine</i>			134-8726		LAF8143 ²	1R-0739		LFP3191TRT ³
146-7472	Air	LAF8195 ²	(156-1200); Sec.	Fuel	L8706F			LFP3191XL ¹⁴
1467473		LAF8690 ¹	3776969	Oil	PH253 ¹⁴⁹⁶	<i>311D LRR w/Caterpillar C4.2 Engine</i>		
(2339856); Sec.	Fuel	L6265F			PH2835 ²⁷⁵	1080671	Air	LAF3663 ²
1200664	Oil	PH2808	<i>308E2 CR SB w/Caterpillar C3.3B Engine</i>			1080671		LAF3663MXM ²
<i>305E2 CR (w/Caterpillar C2.4 Engine)</i>			140-2334	Air	LAF8114 ¹	1080672		LAF3664 ¹
1G-7206	Fuel	G800	134-8726		LAF8143 ²	131-8902		LAF4544 ²
1561200		L8706F	(156-1200); Sec.	Fuel	L8706F			LAF4544MXM ^{2, 268}
3830339	Oil	LFP2253	3776969	Oil	PH253 ¹⁴⁹⁶	131-8903		LAF4545 ¹
<i>306E w/Caterpillar C2.6 Engine</i>					PH2835 ²⁷⁵	1R0750	Fuel	LFF3347
1402334	Air	LAF8114 ¹	<i>308E2CR,308E2SR w/Caterpillar C3.3B engine</i>			(3261644); Pri.		LFF6771SC
1348726		LAF8143 ²	1402334	Air	LAF8114 ¹	093-7521	Hydraulic	LFH8217 ¹⁰⁷⁶
(2339856); Sec.	Fuel	L6265F	1348726		LAF8143 ²	1261813		LH9393 ¹¹⁷⁷
<i>306E2 w/Caterpillar C2.4 Engine</i>			(2339856); Sec.	Fuel	L6265F	1799806		LH9556 ⁶⁰⁷
1402334	Air	LAF8114 ¹	<i>308ECR,308ESR w/Caterpillar C3.3B engine</i>			1R-0739	Oil	LFP3191
1348726		LAF8143 ²		Air	LAF8114 ¹			
(2339856); Sec.	Fuel	L6265F						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 268-Extended/Severe service 275-Primary 607-Return 898-Cabin fresh air filter 1076-Case Drain 1177-Pilot, High Efficiency 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)		
<i>311D LRR w/Caterpillar C4.2 Engine (cont'd)</i>			<i>314CLCR w/Caterpillar 3046T Engine (cont'd)</i>			<i>316E w/Caterpillar C4.4 engine</i>		
1R-0739	Oil	LFP3191TRT ³ LFP3191XL ¹⁴	1R0739	Oil	LFP3191TRT ³ LFP3191XL ¹⁴		Air	LAF2342 LAF2343 ¹
<i>311FLRR w/Caterpillar C3.4L engine</i>			<i>314DCR, 314DLCR w/Caterpillar C4.2 Acert Engine</i>					
	Hydraulic	LFH8217 ¹⁰⁷⁶					Hydraulic	LFH8217 ¹⁰⁷⁶
<i>312 w/Caterpillar 3054 Engine</i>			<i>314E CR w/Caterpillar C4.4 engine</i>			<i>316F L w/Caterpillar C4.4 Engine</i>		
1106326	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹	1318902	Air	LAF4544 ² LAF4545 ¹		Air	LAF2342 LAF2343 ¹
1106331	(1006374); Pri.	L3101F	1318903				Hydraulic	LFH8217 ¹⁰⁷⁶
(1005593); Sec.	Fuel	L3102F	1R0751	Fuel	LFF4783			
7W-2326	Oil	LFP2292	(1R0770); Pri.		LFF6770 ¹¹⁶⁶			
<i>312D, 312DL w/Caterpillar C4.2 Acert Engine</i>			<i>315, 315L w/Caterpillar 3046 Engine</i>			<i>317</i>		
108-0671	Air	LAF3663 ^{2, 1178} LAF3663MXM ^{2, 117} LAF3664 ¹ LAF4544 ^{2, 1143} LAF4544MXM ^{2, 291, 114} LAF4545 ¹	4I-7575	Air	LAF1804 ² LAF6834 ¹	4I-1278	Cabin Air	LAF9092 ⁸⁹⁸
108-0671			6I-6852			(100-5593); S/N	Fuel	L3102F
108-0672			5I-7951	Fuel	LFF3886	4MM1-; Sec.		
131-8902				Hydraulic	LFH8217 ⁶⁰⁷ LH8506 ⁶⁰⁷ LH9556 ¹¹⁷⁹			
3050329	Cabin Air	LAF9092 ⁸⁹⁸	1799806			<i>318BL, 318BLN w/Caterpillar 3046 Engine</i>		
1R0750	Fuel	LFF3347	1R-0734	Oil	LFP791	1355787	Air	LAF5732 ¹ LAF5733 ²
(1R0770); Pri.		LFF6770 ¹¹⁶⁶	<i>315, 317, 317N w/Caterpillar 3054 Engine</i>			(5I-7951); Sec.	Fuel	LFF3886
93-7521	Hydraulic	LFH8217 ¹⁰⁷⁶ LFH9393 ¹¹³⁷	1106326	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹	937521	Hydraulic	LFH8217 ¹⁰⁷⁷
126-1813			1106331			1R-0734	Oil	LFP791
1R0739	Oil	LFP3191	(1006374); Pri.	Fuel	L3101F	<i>318C w/Caterpillar 3066 Engine</i>		
1R0739		LFP3191TRT ³ LFP3191XL ¹⁴	(1005593); Sec.		L3102F	135-5787	Air	LAF5732 ¹ LAF5733 ²
<i>312DL w/Caterpillar C4.2 Engine</i>			7W-2326	Oil	LFP2292	135-5788		LAF5932 ¹ LAF8149 ²
131-8902	Air	LAF4544 ^{2, 1143} LAF4544MXM ^{2, 291, 114} LAF4545 ¹	<i>315B, 315BL, 317B, 317BLN w/Caterpillar 3046 Engine</i>			152-7219		LAF8149 ²
131-8903			1355787	Air	LAF5732 ¹ LAF5733 ²	152-7217	(117-4089); Pri.	L8682F
1R0751	Fuel	LFF4783	1355788			1R-0751	Fuel	LFF4783
3261644		LFF6771SC	(5I-7951); Sec.	Fuel	LFF3886	93-7521	Hydraulic	LFH8217 ¹⁰⁷⁶ LH8506 ¹⁰⁷⁷
93-7521	Hydraulic	LFH8217 ¹⁰⁷⁶	937521	Hydraulic	LFH8217 ¹⁰⁷⁷	126-2081		LFP3191
1R0739	Oil	LFP3191	1R-0734	Oil	LFP791	1R-0739	Oil	LFP3191TRT ³ LFP3191XL ¹⁴
1R0739		LFP3191TRT ³ LFP3191XL ¹⁴	<i>315D (w/Caterpillar C4.2 Engine)</i>			1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴
<i>312E, 312EL w/Caterpillar C4.4 Acert engine</i>			1355787	Air	LAF5732 ¹ LAF5733 ¹¹⁸¹ LAF5932 ¹ LAF8149 ^{2, 1182} LAF9543 ¹ LAF9547 ²	<i>318D2 w/Caterpillar 3054C Engine</i>		
937521	Hydraulic	LFH8217 ¹⁰⁷⁶	1527219			2229020	Air	LAF2342 ² LAF2343 ¹
<i>312F GC w/Caterpillar C3.4B Engine</i>			1527217			2229021		LAF2343 ¹
	Hydraulic	LFH8217 ¹⁰⁷⁶	(2065235); S/N NCM			937521	Hydraulic	LFH8217 ¹⁰⁷⁶
<i>313BCR w/Mitsubishi Engine</i>			(2065234); S/N NCM			1R1807	Oil	LFP3236
1347572	Fuel	LFF3527	(1R0750); Sec.	Fuel	LFF3347 ²⁰ LFF6771SC	1R1807		LFP3236TRT ³
	Oil	LFP2440	(3261644); W/S			<i>318E w/Caterpillar C4.4 engine</i>		
<i>313F GC (w/Caterpillar C3.4B Engine)</i>			937521	Hydraulic	LFH8217 ¹⁰⁷⁶ LFH9393 ¹¹⁸⁰ LH9556 ⁶⁰⁷		Air	LAF2342 LAF2343 ¹
	Hydraulic	LFH8217 ¹⁰⁷⁶	1261813				Hydraulic	LFH8217 ¹⁰⁷⁶
<i>314CLCR w/Caterpillar 3046T Engine</i>			1799806			<i>319C w/Caterpillar 3066 Engine</i>		
131-8902	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹	1R0739	Oil	LFP3191	1527219	Air	LAF5932 ¹ LAF8149 ²
131-8903					LFP3191TRT ³ LFP3191XL ¹⁴	1527217		LAF8149 ² LAF9543 ¹ LAF9547 ²
1R0751	Fuel	LFF4783	<i>315F w/Caterpillar C4.4 Engine</i>			2065235		LAF9543 ¹ LAF9547 ²
93-7521	Hydraulic	LFH8217 ¹⁰⁷⁶	937521	Hydraulic	LFH8217 ¹⁰⁷⁶ LH9556 ⁶⁰⁷	2065234		LAF9547 ²
126-2081		LH8506	1799806			4I1278	Cabin Air	LAF9092 ⁸⁹⁸
1R0739	Oil	LFP3191				(1174089); Pri.	Fuel	L8682F
						(1R0751); Sec.		LFF4783
						937521	Hydraulic	LFH8217 ⁶⁰⁷
						1R0739	Oil	LFP3191
								LFP3191TRT ³ LFP3191XL ¹⁴

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 268-Extended/Severe service 291-Extended/Severe service. 607-Return 898-Cabin fresh air filter 1076-Case Drain 1077-Hyd. Tank 1137-Pilot 1143-14" Tall 1166-9/16"-18 Thread Sensor Port 1178-11.6" Tall 1179-Hammer attachment 1180-Pilot, Ultra High Efficiency 1181-Outer 14.39 height 1182-16.64" Tall

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)		
<i>319D w/Caterpillar C4.2 Engine</i>			<i>320C, 320CL, 320CLN, 320CLU w/Caterpillar 3066 Engine (cont'd)</i>			<i>320DRR, 320DLRR w/Caterpillar 3066 Engine (cont'd)</i>		
2065235	Air	LAF9543 ¹	1R-0739	Oil	LFP3191	(117-4089); Pri.	Fuel	L8682F
2065234		LAF9726 ²	1R-0739		LFP3191TRT ³	1R-0751		LFF4783
1R0750	Fuel	LFF3347			LFP3191XL ¹⁴	(1R0770); Pri.		LFF6770 ¹¹⁶⁶
(1R0770); Pri.		LFF6770 ¹¹⁶⁶	<i>320D, 320DL w/Caterpillar 3066 Engine</i>			93-7521	Hydraulic	LFH8217
0937521	Hydraulic	LFH8217 ¹⁰⁷⁶	6I-2501	Air	LAF4501 ²	1R-0739	Oil	LFP3191
1261813		LFH9393 ²⁰			LAF4501MXM ^{2, 268}	1R-0739		LFP3191TRT ³
1R0739	Oil	LFP3191	6I-2502		LAF4502 ¹			LFP3191XL ¹⁴
1R0739		LFP3191TRT ³	131-8821		LAF5868 ¹	<i>320E, 320EL, 320ELN, 320ELRR w/Caterpillar C6.6 engine</i>		
		LFP3191XL ¹⁴	131-8822		LAF8145 ²	1318821	Air	LAF5868 ¹
<i>320, 320L w/Mitsubishi Engine</i>					LAF8145MXM ^{2, 268}	1318822		LAF8145
5I-5208	Air	LAF7315 ¹	4I-1278	Cabin Air	LAF9092 ⁸⁹⁸	1340685		LAF8145MXM
7Y-0404		LAF9000 ²	(117-4089); Pri.		L8682F	937521	Hydraulic	LFH8217 ¹⁰⁷⁶
5I-7951	Fuel	LFF3886	1R-0751	Fuel	LFF4783	1261813		LFH9393 ¹¹⁷⁷
4I-3948	Hydraulic	LFH8454 ¹¹⁵⁴	(1R-0770); Pri.		LFF6770 ¹¹⁶⁶	1799806		LH9556 ⁶⁰⁷
944412		LH8544	93-7521	Hydraulic	LFH8217	<i>320L w/Perkins Engine</i>		
5I-7950	Oil	LFP5954	1R-0739	Oil	LFP3191	3I-0924	Air	LAF1810 ²
<i>320, 320L, 320N, 320S w/Caterpillar Engine</i>			1R-0739		LFP3191TRT ³	3I-0190		LAF1854 ¹
5I-5208	Air	LAF7315 ¹	1R-0739		LFP3191XL ¹⁴	(1006374); Pri.	Fuel	L3101F
7Y-0404		LAF9000 ²	<i>320D, 320DL w/Caterpillar C6.4 Acert Engine</i>			(1005593); Sec.		L3102F
(9M-2341); Pri.	Fuel	L3531F	1318821	Air	LAF5868 ¹	944412	Hydraulic	LH8544
(1R-0751); Sec.		LFF4783 ^{20, 1183}	1318822		LAF8145 ²	7W-2326	Oil	LFP2292
1R-0753		LFF5322 ^{20, 1184}	3050329	Cabin Air	LAF9092 ⁸⁹⁸	<i>320N, 320S w/Caterpillar 3116 Engine</i>		
(1R-0740); Sec.		LFP440F	1R0751	Fuel	LFF4783	5I-5208	Air	LAF7315 ¹
4I-3948	Hydraulic	LFH8454 ¹¹⁵⁴	(1R0770); Pri.		LFF6770 ¹¹⁶⁶	7Y-0404		LAF9000 ²
944412		LH8544	937521	Hydraulic	LFH8217 ¹⁰⁷⁶	5I-7951	Fuel	LFF3886
1R-0739	Oil	LFP3191	1261813		LFH9393 ¹¹⁸⁵	944412	Hydraulic	LH8544
1R-0739		LFP3191TRT ³	1R0739	Oil	LFP3191	1R-0739	Oil	LFP3191
		LFP3191XL ¹⁴	1R0739		LFP3191TRT ³	1R-0739		LFP3191TRT ³
<i>320B, 320BL, 320BN, 320BS w/Caterpillar 3116 Engine</i>					LFP3191XL ¹⁴	<i>321B, 321BCR w/Caterpillar 3066 Engine</i>		
1318821	Air	LAF5868 ¹	<i>320D2, 320D2 L w/Caterpillar C7.1 Engine</i>			131-8821	Air	LAF5868 ¹
1318822		LAF8145 ²	1282686	Air	LAF4501MXM ¹¹⁸⁶	131-8822		LAF8145 ²
		LAF8145MXM ^{2, 268}	6I2502		LAF4502 ¹¹⁸⁷			LAF8145MXM ^{2, 268}
1R-0751	Fuel	LFF4783 ¹⁸	6I2503		LAF4503 ¹¹⁸⁶	5I-7951	Fuel	LFF3886
1R-0753		LFF5322 ¹⁹	1327165		LAF4503MXM ⁷¹²	184-3931	Hydraulic	LFH22150
937521	Hydraulic	LFH8217 ¹¹³⁷	6I2504	Fuel	LAF4504 ¹¹⁸⁸	93-7521		LFH8217
4I-3948		LFH8454 ¹¹⁵⁴			LFF6925 ^{712, 942}	1R-0739	Oil	LFP3191
944412		LH8544 ¹⁰⁷⁷	1799806		LH9556 ⁶⁰⁷	1R-0739		LFP3191TRT ³
1R-0739	Oil	LFP3191	93-7521	Hydraulic	LFH8217 ¹⁰⁷⁶	1R-0739		LFP3191XL ¹⁴
1R-0739		LFP3191TRT ³	<i>320DL, 320DLRR w/Caterpillar 6.4 Acert Engine</i>			<i>321CLCR w/Caterpillar 3066T Engine</i>		
		LFP3191XL ¹⁴	131-8821	Air	LAF5868 ¹	131-8821	Air	LAF5868 ¹
<i>320C, 320CL, 320CLN, 320CLU w/Caterpillar 3066 Engine</i>			131-8822		LAF8145 ²	131-8822		LAF8145 ²
(6I-2501); S/N AMC, ANB	Air	LAF4501 ²			LAF8145MXM ^{2, 268}			LAF8145MXM ^{2, 268}
S/N AMC, ANB		LAF4501MXM ^{2, 268}	4I1278	Cabin Air	LAF9092 ⁸⁹⁸	(117-4089); Pri.	Fuel	L8682F
6I-2502		LAF4502 ¹	1R0751	Fuel	LFF4783	(1R-0751); Sec.		LFF4783
1318821		LAF5868 ¹	(1R0770); Pri.		LFF6770 ¹¹⁶⁶	937521	Hydraulic	LFH8217 ¹⁰⁷⁶
1318822		LAF8145 ²	93-7521	Hydraulic	LFH8217 ¹⁰⁷⁶	1261813		LFH9393 ¹¹³⁷
		LAF8145MXM ^{2, 268}	126-1813		LFH9393 ¹¹³⁷	126-2081		LH8506 ⁶⁰⁷
(1174089); Pri.	Fuel	L8682F	1R0739	Oil	LFP3191	1R-0739	Oil	LFP3191
1R-0751		LFF4783 ¹⁸	1R0739		LFP3191TRT ³	1R-0739		LFP3191TRT ³
Sec.		LFF5322 ¹⁹			LFP3191XL ¹⁴			LFP3191XL ¹⁴
937521	Hydraulic	LFH8217 ^{607, 1137}	<i>320DRR, 320DLRR w/Caterpillar 3066 Engine</i>			<i>321DLCR w/Caterpillar C6.4 Acert Engine</i>		
1262081		LH8506	131-8821	Air	LAF5868 ¹	131-8821	Air	LAF5868 ¹
			131-8822		LAF8145 ²			
					LAF8145MXM ^{2, 268}			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 18-Short 19-Long 20-High efficiency 268-Extended/Severe service
 607-Return 712-Some models 898-Cabin fresh air filter 942-Used with LMB6926 conversion kit 1076-Case Drain 1077-Hyd. Tank 1137-Pilot 1154-Pump
 1166-9/16"-18 Thread Sensor Port 1177-Pilot, High Efficiency 1183-7" Hgt. 1184-10.5" Hgt. 1185-2" Threaded Pilot 1186-Outer some models 1187-Inner used
 with LAF4501 1188-Inner used with LAF4503

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)		
<i>321DLCR w/Caterpillar C6.4 Acert Engine (cont'd)</i>			<i>322C, 322CL, 322CLN w/Caterpillar 3126 Engine (cont'd)</i>			<i>323DL, 323DLN, 323DS w/Caterpillar 3066 Engine (cont'd)</i>		
131-8822	Air	LAF8145 ² LAF8145MXM ^{2, 268}	(1432849); 322CLN only	Hydraulic	LH9390V	131-8822	Air	LAF8145 ² LAF8145MXM ^{2, 268}
(1R-0751); Sec. (1R0770); Pri.	Fuel	LFF4783 LFF6770 ¹¹⁶⁶	1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	(117-4089); Pri. (1R-0751); Sec.	Fuel	L8682F LFF4783
937521 (1261813); 2-12 Thread	Hydraulic	LFH8217 ¹⁰⁷⁶ LFH9393 ¹¹³⁷	1R-0739			93-7521 143-2849	Hydraulic	LFH8217 LH9390V
126-2081		LH8506 ⁶⁰⁷				1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴				1R-0739		
1R-0739			<i>322C, 322CL, 322CLN w/Caterpillar 3126B Engine</i>			<i>323E, 323E LN, 323E SA (w/Caterpillar C6.6 Engine)</i>		
<i>322 w/Caterpillar 3116 Engine</i>			6I-2501	Air	LAF4501 ² LAF4501MXM ^{2, 268}	1318821	Air	LAF5868 ¹ LAF8145 LAF8145MXM
5I-5208	Air	LAF7315 ¹ LAF9000 ²	6I-2502		LAF4502 ¹ LAF4503 ² LAF4503MXM ^{2, 268}	1340685		
7Y-0404 (9M-2341); Pri.	Fuel	L3531F LFF4783 ¹⁸ LFF5322 ¹⁹	6I-2503		LAF4504 ¹ LAF5868 ¹ LAF8145 ² LAF8145MXM ^{2, 268}	937521	Hydraulic	LFH8217 ¹⁰⁷⁶ LFH9393 ¹¹⁷⁷ LH9556 ⁶⁰⁷
1R-0751						1261813		
1R-0753						1799806		
4I-3948	Hydraulic	LFH8454 ¹¹⁵⁴ LH8544	1R-0751 (1R-0753); Sec. (1R-0762); Sec. (1R-0770); Pri.	Fuel	LFF4783 ¹⁸ LFF5322 ¹⁹ LFF5804 LFF6770 ¹¹⁶⁶	<i>323F L (w/Caterpillae C7.1 Engine)</i>		
944412			937521	Hydraulic	LFH8217 ¹¹³⁷ LH8506 LH9390V	1318821	Air	LAF5868 ¹ LAF8145 LAF8145MXM
1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	1262081 (1432849); 322CLN only			1318822		
1R-0739			1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	1340685		
<i>322BL, 322BLN w/Caterpillar 3116 Engine</i>			1R-0739			937521	Hydraulic	LFH8217 ¹⁰⁷⁶ LH9556 ⁶⁰⁷
6I-2501	Air	LAF4501 ² LAF4501MXM ^{2, 268}	<i>322L, 322LN, 322N w/Caterpillar 3116 Engine</i>			<i>324D, 324DL, 324DLN w/Caterpillar C7 Engine</i>		
6I-2502		LAF4502 ¹ LAF5868 ¹ LAF8145 ² LAF8145MXM ^{2, 268}	5I-5208	Air	LAF7315 ¹ LAF9000 ²	6I-2503	Air	LAF4503 ² LAF4503MXM ^{2, 268} LAF4504 ¹
1318821			7Y-0404 (9M-2341); Pri. (1R-0751); Sec. (1R-0753)	Fuel	L3531F LFF4783 ^{20, 1183} LFF5322 ^{20, 1184}	(1R-0770); Pri.	Fuel	LFF6770 ¹¹⁶⁶
1318822			1R-0753			93-7521	Hydraulic	LFH8217 LH9390V LH9556 ⁶⁰⁷
(1174089); Pri. (1R-0751); Sec. (1R-0753)	Fuel	L8682F LFF4783 ^{20, 1183} LFF5322 ^{20, 1184}	1R-0753 (1R-0740); Sec.			143-2849		LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
937521	Hydraulic	LFH8217 ¹¹³⁷ LFH8454 ¹¹³⁷	4I-3948	Hydraulic	LFH8454 ¹¹⁵⁴ LH8544	1799806		
4I-3948			944412			1R-1807		
1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	<i>324E, 324EL, 324ELN w/Caterpillar C7.1 engine</i>		
1R-0739			1R-0739			6I2503	Air	LAF4503 LAF4503MXM LAF4504 ¹
<i>322C, 322CL, 322CLN w/Caterpillar 3126 Engine</i>			<i>323D L, 323D L/LN w/Caterpillar C6.4 Acert Engine</i>			6I2503		
6I-2501	Air	LAF4501 ² LAF4501MXM ^{2, 268}				937521 (1432849); S/N PNW, TLF	Hydraulic	LFH8217 ¹⁰⁷⁶ LH9390V LH9556 ⁶⁰⁷
6I-2502		LAF4502 ¹ LAF4503 ² LAF4503MXM ^{2, 268}				<i>325, 325L, 325LN w/Caterpillar 3116 Engine</i>		
6I-2503		LAF4504 ¹ LAF5868 ¹ LAF8145 ² LAF8145MXM ^{2, 268}				5I-5208	Air	LAF7315 ¹ LAF9000 ²
6I-2504		LAF4504 ¹ LAF5868 ¹ LAF8145 ² LAF8145MXM ^{2, 268}				7Y-0404 (9M-2341); Pri.	Fuel	L3531F LFF4783 LFF5322 ¹⁹ LFP440F
1318821						1R-0751 (1R-0753); Sec. (1P2299); -5A6717; Sec.		
1318822						4I-3948	Hydraulic	LFH8454 ¹¹⁵⁴ LH8544
1R-0751 (1R-0753); Sec. (1R-0762); Sec. (1R-0770); Pri.	Fuel	LFF4783 ¹⁸ LFF5322 ¹⁹ LFF5804 LFF6770 ¹¹⁶⁶	<i>323DL, 323DLN, 323DS w/Caterpillar 3066 Engine</i>			944412		
937521	Hydraulic	LFH8217 ¹¹³⁷ LH8506	6I-2501	Air	LAF4501 ² LAF4501MXM ^{2, 268}	1R-0739	Oil	LFP3191 LFP3191TRT ³
1262081			6I-2502		LAF4502 ¹ LAF5868 ¹	1R-0739		
			131-8821					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 18-Short 19-Long 20-High efficiency 268-Extended/Severe service 607-Return 1076-Case Drain 1137-Pilot 1154-Pump 1166-9/16"-18 Thread Sensor Port 1177-Pilot, High Efficiency 1183-7" Hgt. 1184-10.5" Hgt.

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)		
<i>325, 325L, 325LN w/Caterpillar 3116 Engine (cont'd)</i>			<i>328D w/Caterpillar C7 Engine (cont'd)</i>			<i>330C w/Caterpillar C9 Engine (cont'd)</i>		
	Oil	LFP3191XL ¹⁴		Air	LAF4503MXM ^{2, 268}	(1R-0770); Pri.	Fuel	LFF6770 ¹¹⁶⁶
<i>325B, 325BL, 325BLN w/Caterpillar 3116 Engine</i>			6I-2504		LAF4504 ¹	937521	Hydraulic	LFH8217
6I-2501	Air	LAF4501 ²	(1R0762); Sec.	Fuel	LFF5804	1261813		LFH9393
		LAF4501MXM ^{2, 268}	3261644		LFF6771SC	1262081		LH8506 ⁶⁰⁷
6I-2502		LAF4502 ¹	93-7521	Hydraulic	LFH8217	1R-1808	Oil	LFP4005
1318821		LAF5868 ¹	1261813		LFH9393 ¹¹⁶⁸			LFP4005TRT ³
1318822		LAF8145 ²	143-2849		LH9390V			LFP4005XL ¹⁴
		LAF8145MXM ^{2, 268}	1R-1807	Oil	LFP3236	<i>330CL, 330CLN w/Caterpillar C9 Engine</i>		
					LFP3236TRT ³	1421339	Air	LAF8669 ²
(1174089); Pri.	Fuel	L8682F	<i>329DL w/Caterpillar C7 Engine</i>			1421404		LAF8670 ¹
(1R-0751); Sec.		LFF4783 ¹⁸	6I2503	Air	LAF4503 ²	(1R-0762); Sec.	Fuel	LFF5804
(1R-0753); Sec.		LFF5322 ¹⁹	1327165		LAF4503MXM ^{2, 268}	(1R-0770); Pri.		LFF6770 ¹¹⁶⁶
937521	Hydraulic	LFH8217 ¹¹³⁷	6I2504		LAF4504 ¹	937521	Hydraulic	LFH8217
(4I-3948); Exc. S/N		LFH8454 ¹¹⁵⁴	(1R0762); Sec.	Fuel	LFF5804	1432849		LH8506
6DN, 8FN			(326-1644); Pri.		LFF6771 ¹⁷¹	1432849		LH9390V
1R-0739	Oil	LFP3191	93-7521	Hydraulic	LFH8217 ¹⁰⁷⁶	1R-0716	Oil	LFP4005
1R-0739		LFP3191TRT ³	1R1807	Oil	LFP3236			LFP4005TRT ³
		LFP3191XL ¹⁴			LFP3236TRT ³			LFP4005XL ¹⁴
<i>325C, 325CL w/Caterpillar 3126 Engine</i>			<i>329E, 329EL, 329ELN w/Caterpillar C7.1 engine</i>			<i>330D, 330DL, 330DLN w/Caterpillar C9 Engine</i>		
6I-2503	Air	LAF4503 ²	6I2503	Air	LAF4503	142-1339	Air	LAF8669 ²
		LAF4503MXM ^{2, 268}	1327165		LAF4503MXM	142-1404		LAF8670 ¹
6I-2504		LAF4504 ¹	6I2504		LAF4504 ¹	(1R-0770); Pri.	Fuel	LFF6770 ¹¹⁶⁶
(1R-0762); Sec.	Fuel	LFF5804	937521	Hydraulic	LFH8217 ¹⁰⁷⁶	93-7521	Hydraulic	LFH8217
(1R-0770); Pri.		LFF6770 ¹¹⁶⁶	1799806		LH9556 ⁶⁰⁷	1261813		LFH9393 ¹¹³⁷
937521	Hydraulic	LFH8217 ¹⁰⁷⁶	<i>329F L (w/Caterpillar C7.1 Engine)</i>			1R0716	Oil	LFP4005
1262081		LH8506	6I2503	Air	LAF4503			LFP4005TRT ³
1432849		LH9390V	1327165		LAF4503MXM	1R-1808		LFP4005XL ¹⁴
1R-0739	Oil	LFP3191	6I2504		LAF4504 ¹	<i>330D2 L (w/Caterpillar C7.1 Engine)</i>		
1R-0739		LFP3191TRT ³	937521	Hydraulic	LFH8217 ¹⁰⁷⁶	6I2503	Air	LAF4503
		LFP3191XL ¹⁴	1799806		LH9556 ⁶⁰⁷	1327165		LAF4503MXM
<i>325D, 325DL w/Caterpillar C7 Engine</i>			<i>330, 330L, 330LN w/Caterpillar 3306 Engine</i>			6I2504		LAF4504 ¹
6I-2503	Air	LAF4503 ²	7Y-1323	Air	LAF1787 ²	937521	Hydraulic	LFH8217 ¹⁰⁷⁶
		LAF4503MXM ^{2, 268}	7Y-1322		LAF1790 ¹			LFP4005
6I-2504		LAF4504 ¹	(9M-2341); Pri.	Fuel	L3531F	1R0716	Oil	LFP4005TRT ³
(1R-0770); Pri.	Fuel	LFF6770 ¹¹⁶⁶	(1R-0750); Sec.		LFF3347 ²⁰			LFP4005XL ¹⁴
93-7521	Hydraulic	LFH8217	(1R-0740); Sec.		LFP440F	<i>335F, 335F LCR (w/Caterpillar C7.1 Engine)</i>		
143-2849		LH9390V	4I-3948	Hydraulic	LFH8454 ¹¹⁵⁴	6I2503	Air	LAF4503
	Oil	LFP3191	944412		LH8544	1327165		LAF4503MXM
		LFP3191TRT ³	1R-0739	Oil	LFP3191	6I2504		LAF4504 ¹
		LFP3236	1R-0739		LFP3191TRT ³	937521	Hydraulic	LFH8217 ¹⁰⁷⁶
		LFP3236TRT ³	<i>330B, 330BL, 330BLN w/Caterpillar 3306 Engine</i>			<i>336D w/Caterpillar C9 Engine</i>		
<i>326D2, 326D2 L (w/Caterpillar C7.1 Engine)</i>			6I-2503	Air	LAF4503 ²		Air	LAF8669 ²
6I2503	Air	LAF4503			LAF4503MXM ^{2, 268}	(1R-0762); Sec.	Fuel	LFF5804
1327165		LAF4503MXM	6I-2504		LAF4504 ¹	Pri.		LFF6770 ¹¹⁶⁶
6I2504		LAF4504 ¹	1R-0750	Fuel	LFF3347	Pri.		LFF6771 ¹⁷¹
937521	Hydraulic	LFH8217 ¹⁰⁷⁶	937521	Hydraulic	LFH8217 ¹¹³⁷		Hydraulic	LFH8217 ¹⁰⁷⁶
1799806		LH9556 ⁶⁰⁷	4I-3948		LFH8454 ¹¹⁵⁴	1R0716	Oil	LFP4005
<i>326F L (w/Caterpillar C7.1 Engine)</i>			1R-0739	Oil	LFP3191			LFP4005TRT ³
6I2503	Air	LAF4503	1R-0739		LFP3191TRT ³			LFP4005XL ¹⁴
1327165		LAF4503MXM			LFP3191XL ¹⁴	<i>336D2, 336D2 L (w/Caterpillar C9 Engine)</i>		
6I2504		LAF4504 ¹	<i>330C w/Caterpillar C9 Engine</i>			937521	Hydraulic	LFH8217 ¹⁰⁷⁶
937521	Hydraulic	LFH8217 ¹⁰⁷⁶	1421339	Air	LAF8669 ²	1R1808	Oil	LFP4005RN ⁵⁹⁹
1799806		LH9556 ⁶⁰⁷	1421404		LAF8670 ¹	<i>336DL w/Caterpillar C9.3 ACERT 9.3L Engine</i>		
<i>328D w/Caterpillar C7 Engine</i>			(1R-0762); Sec.	Fuel	LFF5804	142-1339	Air	LAF8669 ²
6I-2503	Air	LAF4503 ²				142-1404		LAF8670 ¹
						305-0329	Cabin Air	LAF9092 ⁸⁹⁸

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 18-Short 19-Long 20-High efficiency 171-With Sensor Port

268-Extended/Severe service 599-High capacity 607-Return 898-Cabin fresh air filter 1076-Case Drain 1137-Pilot 1154-Pump 1166-9/16"-18 Thread Sensor Port 1168-Ultra High Efficiency

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)		
336DL w/Caterpillar C9.3 ACERT 9.3L Engine (cont'd)			349EL, 349E VG w/Caterpillar C13 Acert Engine			365B, 365BL w/Caterpillar 3196 12.0L Engine (cont'd)		
93-7521	Hydraulic	LHF8217 ¹⁰⁷⁶	142-1340	Air	LAF8150 ²		Oil	LFP4005XL ¹⁴
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	142-1403		LAF8693 ¹			
336E Hybrid w/Caterpillar C9.3 Engine			305-0329	Cabin Air	LAF9092 ⁸⁹⁸	365C w/Caterpillar C15 Engine		
142-1339	Air	LAF8669 ²	(1R0749); Sec. (326-1643); Pri.	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹	106-3973	Air	LAF3884 ¹
142-1404		LAF8670 ¹	937521	Hydraulic	LHF8217 ¹⁰⁷⁶	106-3969		LAF5022 ²
305-0329	Cabin Air	LAF9092 ⁸⁹⁸	1R-1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴			LAF5022MXM ^{2, 268}
(1R0749); Sec. (326-1643); Pri.	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹	349F L w/Caterpillar C13 Tier 4 engine			4I-1278	Cabin Air	LAF9092 ⁸⁹⁸
93-7521	Hydraulic	LHF8217 ¹⁰⁷⁶		Air	LAF8150 ² LAF8693 ¹	1R-0755	Fuel	LFF4102
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴		Cabin Air	LAF9092 ⁸⁹⁸	4T-6788	Hydraulic	LFH4955
2444484			Sec.	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹	185-0337		LFH5075 ¹¹³⁷
336E, 336E LC w/Caterpillar C9.3 Engine			Pri.	Hydraulic	LHF8217 ¹⁰⁷⁶	1R0716	Oil	LFP4005
142-1339	Air	LAF8669 ²		Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	1R-1808		LFP4005TRT ³ LFP4005XL ¹⁴
142-1404		LAF8670 ¹	350, 350L w/Caterpillar 3306 Engine			365CL w/Caterpillar C15 Engine		
305-0329	Cabin Air	LAF9092 ⁸⁹⁸	7W-9853	Air	LAF1774 ²	106-3973	Air	LAF3884 ¹
(1R0749); Sec. (326-1643); Pri.	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹	7W-9567		LAF1775 ¹	106-3969		LAF5022 ²
93-7521	Hydraulic	LHF8217 ¹⁰⁷⁶	1063963		LAF3884 ¹			LAF5022MXM ^{2, 268}
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	1063969		LAF5022 ²	4T-6788	Hydraulic	LFH4955
2444484			(9M-2341); Pri. (1R-0750); Sec. (1R-0740); Sec.	Fuel	L3531F LFF3347 ²⁰ LFP440F	185-0337		LFH5075 ¹¹³⁷
345B, 345BL, 345BLC, 345BC Series II w/Caterpillar 3176C Engine			4T-6788	Hydraulic	LFH4955 ¹⁰⁷⁸	1R0716	Oil	LFP4005
1063973	Air	LAF3884 ¹	4I-3950		LFH5075	1R-1808		LFP4005TRT ³ LFP4005XL ¹⁴
1063969		LAF5022 ² LAF5022MXM ^{2, 268}	944412		LH8544	374D w/Caterpillar C15 15.2L Engine		
1421340		LAF8150 ²	1R-0716	Oil	LFP4005	1063973	Air	LAF3884 ¹
1421403		LAF8693 ¹	352F L (w/Caterpillar C13 Engine)			1063969		LAF5022 ²
1R-0750	Fuel	LFF3347 LFF5804 LFF8707	1421340	Air	LAF8150	(1R0755); Sec. (326-1643); Pri.	Fuel	LFF4102
(1R-0762); Sec. (1335673); Pri.			1421403		LAF8693 ¹	4T6788	Hydraulic	LFH4955
937521	Hydraulic	LHF8217 ¹¹³⁷	1R0749	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
4I-3948		LFH8454 ¹¹⁵⁴	(3261643); Pri.	Hydraulic	LHF8217 ¹⁰⁷⁶	374F Lw/Caterpillar C15 Tier 4 engine		
1R-0716	Oil	LFP4005	937521		LFH9393 ¹¹⁸⁰		Hydraulic	LFH4955 ¹¹⁸⁹
345CL w/Caterpillar C13 Engine			1261813		LH9556 ⁶⁰⁷			LFH5075 ¹¹⁹⁰
142-1403	Air	LAF8693 ¹	1799806		LFP4005RN ⁵⁹⁹		Oil	LFH5083 ^{1137, 1168}
4I-1278	Cabin Air	LAF9092 ⁸⁹⁸	1R1808	Oil	LFP4005RN ⁵⁹⁹			LFH8268 ^{1076, 1191}
937521	Hydraulic	LHF8217	365B, 365BL w/Caterpillar 3196 12.0L Engine			375, 375L w/Caterpillar 3406C Engine		
1R0716	Oil	LFP4005	106-3973	Air	LAF3884 ¹	5G-1913	Air	LAF1468 ¹¹⁹²
1R-1808		LFP4005TRT ³ LFP4005XL ¹⁴	106-3969		LAF5022 ² LAF5022MXM ^{2, 268}	4W-5228		LAF5228 ²
349DL w/Caterpillar C13 Engine			4I-1278	Cabin Air	LAF9092 ⁸⁹⁸	1N-4864		LAF8408 ¹
142-1340	Air	LAF8150 ²	(1R-0762); Sec. (133-5673); Pri.	Fuel	LFF5804 LFF8707	7Y-1196		LAF8634 ²
142-1403		LAF8693 ¹	4T-6788	Hydraulic	LFH4955	7Y-1197		LAF8641 ¹
305-0329	Cabin Air	LAF9092 ⁸⁹⁸	4I-3950		LFH5075	9N6123	Coolant	LFW4074 ²⁰⁵
(326-1643); Pri.	Fuel	LFF6771 ¹⁷¹	126-2081		LH8506	(9M-2341); Pri.	Fuel	L3531F
937521	Hydraulic	LHF8217 ¹⁰⁷⁶	1R-0716	Oil	LFP4005	1R-0749		LFF2749 ²⁰
1R-1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	365B, 365BL w/Caterpillar 3196 12.0L Engine			(1R-0712); Sec.		LFF5823B
			106-3973	Air	LAF3884 ¹	4T-6788	Hydraulic	LFH4955
			106-3969		LAF5022 ² LAF5022MXM ^{2, 268}	4I-3950		LFH5075
			4I-1278	Cabin Air	LAF9092 ⁸⁹⁸	944412		LH8544 ¹⁰⁷⁷
			(1R-0762); Sec. (133-5673); Pri.	Fuel	LFF5804 LFF8707	1R-0716	Oil	LFP4005
			4T-6788	Hydraulic	LFH4955			LFP4005TRT ³ LFP4005XL ¹⁴
			4I-3950		LFH5075			
			126-2081		LH8506			
			1R-0716	Oil	LFP4005			
					LFP4005TRT ³			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 171-With Sensor Port 205-Maintenance

268-Extended/Severe service 599-High capacity 607-Return 898-Cabin fresh air filter 1076-Case Drain 1077-Hyd. Tank 1078-Drain 1137-Pilot 1154-Pump

1168-Ultra High Efficiency 1180-Pilot, Ultra High Efficiency 1189-High Efficiency Case Drain 1190-High Efficiency Pilot 1191-Ultra High Efficiency 1192-Heater

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)		
<i>385B, 385BL w/Caterpillar 3456ATAAC Engine</i>			<i>5090B w/Caterpillar 3456 Engine (cont'd)</i>			<i>5230B w/Caterpillar 3516B Engine (cont'd)</i>		
1063973	Air	LAF3884 ¹	1063969	Air	LAF5022 ²		Cabin Air	LAF8116MXXM ²¹⁹
1063969		LAF5022 ²			LAF5022MXXM ^{2, 268}	1R-0755	Fuel	LFF4102
		LAF5022MXXM ^{2, 268}	(1R-0762); Sec.	Fuel	LFF5804	1340964	Hydraulic	LH4166
(1R-0762); Sec.	Fuel	LFF5804	(1335673); Pri.	Hydraulic	LFF8707	1R-0735		LH4932 ¹⁰⁷⁷
(1335673); Pri.		LFF8707	4T-6788	Hydraulic	LFH4955	2P-4005	Oil	LFP4005
4T-6788	Hydraulic	LFH4955 ¹⁰⁷⁸	1262081		LH8506			LFP4005TRT ³
1850337		LFH5075	1R-0716	Oil	LFP4005			LFP4005XL ¹⁴
1262081		LH8506			LFP4005TRT ³	<i>533 w/Caterpillar 3126 Engine</i>		
1R-0716	Oil	LFP4005			LFP4005XL ¹⁴	6I2503	Air	LAF4503 ²
		LFP4005TRT ³	<i>5110B, 5110BL w/Caterpillar 3412E Engine</i>					LAF4503MXXM ^{2, 268}
		LFP4005XL ¹⁴	6I-2505	Air	LAF4505 ²	6I2504		LAF4504 ¹
<i>385CL w/Caterpillar C18 Engine</i>					LAF4505MXXM ^{2, 268}	1R-0751	Fuel	LFF4783 ¹⁸
106-3973	Air	LAF3884 ¹	6I-2506		LAF4506 ¹	1R-0753		LFF5322 ¹⁹
106-3969		LAF5022 ²	4I-1278	Cabin Air	LAF9092 ⁸⁹⁸	(1R-0769); Pri.		LFF6771 ¹⁷¹
		LAF5022MXXM ^{2, 268}	1R-0749	Fuel	LFF2749 ²⁰	1G-8878	Hydraulic	LFH4990
4T-6788	Hydraulic	LFH4955	(133-5673); Pri.		LFF8707	9T8578		LFH5015 ¹⁰⁷⁶
185-0337		LFH5075 ¹¹³⁷	4I-3950	Hydraulic	LFH5075 ¹¹³⁷	2075035		LFH8417G
1R0716	Oil	LFP4005	134-0964		LH4166	1R-0739	Oil	LFP3191
		LFP4005TRT ³	1R-0722		LH5461	1R-0739		LFP3191TRT ³
1R-1808		LFP4005XL ¹⁴	1R-0716	Oil	LFP4005			LFP3191XL ¹⁴
<i>390D, 390DLC w/Caterpillar C18 ACERT 18.1L Engine</i>					LFP4005TRT ³	1261814	Trans	LFH5083
					LFP4005XL ¹⁴	<i>543 w/Caterpillar 3126 Engine</i>		
1063973	Air	LAF3884 ¹	<i>5130, 5130B w/Caterpillar 3508B Engine</i>			6I2503	Air	LAF4503 ²
1327168		LAF5022 ²	7W-5216	Air	LAF2516 ²			LAF4503MXXM ^{2, 268}
		LAF5022MXXM ^{2, 268}			LAF2516MXXM ^{2, 268}	6I2504		LAF4504 ¹
4I1278	Cabin Air	LAF9092 ⁸⁹⁸	6I-2509		LAF4509 ²	1R-0751	Fuel	LFF4783 ¹⁸
(1R0755); Sec.	Fuel	LFF4102	6I-2510		LAF4510 ¹	1R-0753		LFF5322 ¹⁹
(3261643); Pri.		LFF6771 ¹⁷¹	7N-1308		LAF8482 ¹	(1R-0769); Pri.		LFF6771 ¹⁷¹
4T6788	Hydraulic	LFH4955	7G-8116	Cabin Air	LAF8116	1G-8878	Hydraulic	LFH4990
1850337		LFH5075 ¹¹³⁷			LAF8116MXXM ²⁶⁸	9T8578		LFH5015 ¹⁰⁷⁶
1R1808	Oil	LFP4005RN ⁵⁹⁹	(9M-2342); Pri.	Fuel	L3531F	2075035		LFH8417G
		LFP4005TRT ³	8N-3080		LFF3416	1R-0739	Oil	LFP3191
		LFP4005XL ¹⁴	(1R-0755); Sec.		LFF4102	1R-0739		LFP3191TRT ³
<i>390F Lw/Caterpillar C18 Tier 4 engine</i>			4I-3950	Hydraulic	LFH5075			LFP3191XL ¹⁴
Pri.	Fuel	LFF6771 ¹⁷¹	1340964		LH4166	1261814	Trans	LFH5083
	Hydraulic	LFH4955 ¹¹⁸⁹	1R-0722		LH5461	<i>6020B (w/Caterpillar C32 Engine)</i>		
		LFH5075 ¹¹⁹⁰	2P-4005	Oil	LFP4005	2465009	Air	LAF5568
		LFH5083 ^{1137, 1168}			LFP4005TRT ³	2465010		LAF5569 ¹
		LFH8268 ^{1076, 1191}			LFP4005XL ¹⁴	1R0755	Fuel	LFF4102
	Oil	LFP4005TRT ³	<i>5230 w/Caterpillar 3516 Engine</i>			(3261643); Pri.		LFF6771 ¹⁷¹
		LFP4005XL ¹⁴	6I-2509	Air	LAF4509 ²	1R1808	Oil	LFP4005RN ⁵⁹⁹
<i>5080 w/Caterpillar 3406B Engine</i>			6I-2510		LAF4510 ¹	1R1808		LFP4005XL ¹⁴
4W-5228	Air	LAF5228 ²	Pri.	Fuel	L3531F	<i>E100 w/Caterpillar 3204 Engine</i>		
1N-4864		LAF8408 ¹	8N-3080		LFF3416		Air	LAF47 ²
9N-3718	Coolant	LFW4072 ¹⁸²	1R-0755		LFF4102			LAF48 ¹
(9M-2341); Pri.	Fuel	L3531F	4I-3950	Hydraulic	LFH5075	Sec.	Fuel	LFP440F
1R-0749		LFF2749 ²⁰	4T-0522		LH4932 ¹⁰⁷⁷		Oil	LFP6007
(1R-0712); Sec.		LFF5823B	9J-5461		LH5461 ¹⁰⁷⁷	<i>E110 w/Mitsubishi 4D31 Engine</i>		
4T-6788	Hydraulic	LFH4955 ¹¹³⁷	2P-4005	Oil	LFP4005	938717	Air	LAF1246 ²
944412		LH8544 ¹⁰⁷⁷			LFP4005TRT ³	ME016823	Fuel	LFF3527
1R-0716	Oil	LFP4005			LFP4005XL ¹⁴	(937521); S/N 3FG	Hydraulic	LFH8217 ¹⁰⁷⁶
		LFP4005TRT ³	<i>5230B w/Caterpillar 3516B Engine</i>			ME014833	Oil	LFP2255
		LFP4005XL ¹⁴	6I-2509	Air	LAF4509 ²	ME014838		LFP5010
<i>5090B w/Caterpillar 3456 Engine</i>			6I-2510		LAF4510 ¹	<i>E110 w/Mitsubishi 4D31-T Engine</i>		
1063973	Air	LAF3884 ¹	7G-8116	Cabin Air	LAF8116 ²¹⁹	938717	Air	LAF1246 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 18-Short 19-Long 20-High efficiency 171-With Sensor Port 182-Contains 2 oz. of chemical 219-Air Conditioner 268-Extended/Severe service 599-High capacity 898-Cabin fresh air filter 1076-Case Drain 1077-Hyd. Tank 1078-Drain 1137-Pilot 1168-Ultra High Efficiency 1189-High Efficiency Case Drain 1190-High Efficiency Pilot 1191-Ultra High Efficiency

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)		
<i>E110 w/Mitsubishi 4D31-T Engine (cont'd)</i>			<i>E240, EL240, EL240B (cont'd)</i>			<i>E300B, EL300B w/Caterpillar 3306 Engine (cont'd)</i>		
ME016823	Fuel	LFF3527	(2S-1286); S/N 1FG1	Air	LAF335 ¹	(1P-2299); Sec.	Fuel	LFP440F
(937521); S/N 3FG	Hydraulic	LFH8217 ¹⁰⁷⁶	up, 4JF1 up, 5WG1 up		LAF4501 ²	937521	Hydraulic	LFH8217 ¹⁰⁷⁶
ME014833	Oil	LFP2255	(6I-2501); S/N 1FG1		LAF4501MXM ^{2, 268}	944412		LH8544 ¹⁰⁷⁷
ME014838		LFP5010	up, 4JF1 up, 5WG1 up		LAF4502 ¹	1R-0739	Oil	LFP3191
<i>E110B w/Caterpillar 3114T Engine</i>			S/N 1FG1 up, 4JF1 up, 5WG1 up		LAF7315 ¹	1R-0739		LFP3191TRT ³
4I-7575	Air	LAF1804 ²	(6I-2502); S/N 1FG1		LAF9000 ²			LFP3191XL ¹⁴
946352		LAF6834 ¹	up, 4JF1 up, 5WG1 up			<i>E450 w/Mitsubishi 6D22T Engine</i>		
(9M-2341); Pri.	Fuel	L3531F	(5I-5208); S/N 1FG1			969624	Air	LAF6769 ²
1R-0751		LFF4783 ²⁰	up, 4JF1 up, 5WG1 up					LAF6769MXM ^{2, 268}
(1P-2299); Sec.		LFP440F	(7Y-0404); S/N 1FG1			946081		LAF9373 ¹
937521	Hydraulic	LFH8217 ¹⁰⁷⁶	up, 4JF1 up, 5WG1 up				Fuel	LFF5127
		LH22002 ¹¹³⁷	(1R-0750); S/N 1FG1	Fuel	LFF3347 ²⁰	937521	Hydraulic	LFH8217 ¹⁰⁷⁶
1R-0714	Oil	LFP6007	up; Sec.		LFP440F	944412		LH8544 ¹⁰⁷⁷
<i>E120, E140 w/Mitsubishi 6D14 Engine</i>			(1P-2299); S/N 1FG1				Oil	LP2545
938717	Air	LAF1246 ²	up, 4JF1 up, 5WG1 up			<i>E450 w/Mitsubishi 6D22TC Engine</i>		
MEO35829	Fuel	LFF3527	(937521); S/N 1FG1	Hydraulic	LFH8217 ¹⁰⁷⁶	969624	Air	LAF6769 ²
937521	Hydraulic	LFH8217 ¹⁰⁷⁶	up, 4JF1 up, 5WG1 up		LH22002 ¹¹⁵⁴			LAF6769MXM ^{2, 268}
	Oil	LFP2440	(966431); S/N 1FG1		LH8544 ⁶⁰⁷	946081		LAF9373 ¹
<i>E120B w/Caterpillar 3114T Engine</i>			up, 4JF1 up, 5WG1 up				Fuel	LFF5127
964175	Air	LAF1804 ²	(944412); S/N 1FG1			937521	Hydraulic	LFH8217 ¹⁰⁷⁶
946352		LAF6834 ¹	up, 4JF1 up, 5WG1 up			944412		LH8544 ¹⁰⁷⁷
(9M-2341); Pri.	Fuel	L3531F	(1W-3300); S/N 1FG1	Oil	LFP3191		Oil	LP2545
1R0750		LFF3347	up, 4JF1 up, 5WG1 up		LFP3191TRT ³	<i>E650 w/Mitsubishi S6BTA Engine</i>		
937521	Hydraulic	LFH8217 ¹⁰⁷⁶	(1W-3300); S/N 1FG1		LFP3191XL ¹⁴	937521	Hydraulic	LFH8217 ¹⁰⁷⁶
966431		LH22002 ¹¹³⁷	up, 4JF1 up, 5WG1 up			944412		LH8544 ¹⁰⁷⁷
	Oil	LFP6007	(1R-0750); S/N 1FG1			<i>E70 w/Mitsubishi 4D31T Engine</i>		
<i>E180, EL180 w/Caterpillar 3204 Engine</i>			up, 4JF1 up, 5WG1 up			ME016823	Fuel	LFF3527
7W-5398	Air	LAF47 ²	(1R-0750); Sec.			ME056670		LFF5127
2S-1285		LAF48 ¹	(1P-2299); Sec.			947073		LFF8350
(1R-0750); Sec.	Fuel	LFF3347 ²⁰	(1R-0740); Sec.	Fuel	LFF3347 ²⁰	(937521); S/N 3BG	Hydraulic	LFH8217 ¹⁰⁷⁶
(1P-2299); Sec.		LFP440F	937521		LFP440F	997352		LH22002 ¹¹³⁷
	Hydraulic	LFH8217 ¹⁰⁷⁶	966431	Hydraulic	LFH8217 ¹⁰⁷⁶	947207	Oil	LFP2255
944412		LH8544 ⁶⁰⁷	944412		LH22002 ¹¹⁵⁴	ME014838		LFP5010
9N-6007	Oil	LFP6007	1R-0739	Oil	LH8544 ¹⁰⁷⁷	<i>E70B w/Mitsubishi 4D32 Engine</i>		
<i>E200B, EL200B w/Caterpillar 3116T Engine</i>			1R-0739			ME016823	Fuel	LFF3527
(4I-7575); w/Lid	Air	LAF1804 ²	(1R-0750); Sec.			ME056670		LFF5127
6I-6582		LAF6834 ¹	(1R-0740); Sec.			947073		LFF8350
5I-5208		LAF7315 ¹	937521	Hydraulic	LFH8217 ¹⁰⁷⁶	(937521); S/N 3BG	Hydraulic	LFH8217 ¹⁰⁷⁶
7Y-0404		LAF9000 ²	966431		LH22002 ¹¹⁵⁴	997352		LH22002 ¹¹³⁷
(9M-2341); Pri.	Fuel	L3531F	944412		LH8544 ¹⁰⁷⁷	947207	Oil	LFP2255
(1R-0750); Sec.		LFF3347 ²⁰	1R-0739	Oil	LFP3191	ME014838		LFP5010
(1R-0740); Sec.		LFP440F	1R-0739		LFP3191TRT ³	<i>M312 w/Perkins Engine</i>		
937521	Hydraulic	LFH8217 ¹⁰⁷⁶	<i>E300, EL300 w/Caterpillar 3306 Engine</i>			ME016823	Fuel	LFF3527
944412		LH8544 ⁶⁰⁷	7W-5317	Air	LAF334 ²	ME056670		LFF5127
1R-0739	Oil	LFP3191	2S-1286		LAF334MXM ^{2, 268}	947073		LFF8350
1R-0739		LFP3191TRT ³	6I-2501		LAF335 ¹	(937521); S/N 3BG	Hydraulic	LFH8217 ¹⁰⁷⁶
		LFP3191XL ¹⁴	6I-2502		LAF4501 ²	997352		LH22002 ¹¹³⁷
<i>E240 w/Mitsubishi Engine</i>			(1R-0750); Sec.	Fuel	LAF4501MXM ^{2, 268}	947207	Oil	LFP2255
ME035829	Fuel	LFF3527	(1P-2299); Sec.		LAF4502 ¹	ME014838		LFP5010
937521	Hydraulic	LFH8217 ¹⁰⁷⁶	944412	Hydraulic	LFF3347 ²⁰	<i>M312 w/Perkins Engine</i>		
	Oil	LFP2440	1W-3300		LFP440F	1106326	Air	LAF4544 ²
<i>E240, EL240, EL240B</i>			1W-3300	Oil	LH8544 ¹⁰⁷⁷			LAF4544MXM ^{2, 268}
(7W-5317); S/N 1FG1	Air	LAF334 ²	1W-3300		LFP3191	1106331		LAF4545 ¹
up, 4JF1 up, 5WG1 up		LAF334MXM ^{2, 268}	1W-3300		LFP3191TRT ³	(1383100); Pri.	Fuel	L3101F
					LFP3191XL ¹⁴	(1596102); Sec.		L3102F
						7W-2326	Oil	LFP2292
						<i>M313C, M315C w/Caterpillar 3054 Engine</i>		
						2229020	Air	LAF2342 ²
						2229021		LAF2343 ¹
						<i>M313D w/Caterpillar C4.4 Engine</i>		
						411278	Cabin Air	LAF9092 ⁸⁹⁸
						2998229	Fuel	LFF5088 ²⁰
						7W2326	Oil	LFP2292

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 268-Extended/Severe service 607-Return 898-Cabin fresh air filter 1076-Case Drain 1077-Hyd. Tank 1137-Pilot 1154-Pump

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)			CATERPILLAR (EXCAVATOR)		
<i>M314F (w/Caterpillar C4.4 Engine)</i>			<i>M320 w/Caterpillar 3116 DIT Engine (cont'd)</i>			<i>W330B w/Caterpillar 3306 Engine (cont'd)</i>		
2998229	Fuel	LFF5088	(1R-0751); Bottom Mtd.	Fuel	LFF4783	1843931	Hydraulic	LFH22150
7W2326	Oil	LFP2292	(1R-0751); Top Mtd.		LFF4783	937521		LFH8217
<i>M315 w/Perkins Engine</i>					LFP3191		Oil	LFP3191
1106326	Air	LAF4544 ² LAF4544MXM ^{2, 268}	1R-0739	Oil	LFP3191	1R-1807		LFP3191
1106331		LAF4545 ¹	1R-0739		LFP3191TRT ³	1R-1807		LFP3191TRT ³
(1383100); Pri. (1005593); Sec.	Fuel	L3101F L3102F	1R-1807		LFP3191XL ¹⁴			LFP3191XL ¹⁴
7W-2326	Oil	LFP2292	<i>M320F (w/Caterpillar C7.1 Engine)</i>			<i>W345B Series II w/Caterpillar 3176C ATAAC Engine</i>		
<i>M315D w/Caterpillar C4.4 Acert Engine</i>			2698325	Oil	LFP2698	1063973	Air	LAF3884 ¹
411278	Cabin Air	LAF9092 ⁸⁹⁸	<i>M322C w/Caterpillar 3056 Engine</i>			1063969		LAF5022 ²
2998229	Fuel	LFF5088 ²⁰	2229020	Air	LAF2342 ²			LAF5022MXM ^{2, 268}
7W2326	Oil	LFP2292	2229021		LAF2343 ¹	(1R-0762); Sec. (1335673); Pri.	Fuel	LFF5804
<i>M316C w/Caterpillar 3056 Engine</i>			(1383100); Pri. (1454501); Sec.	Fuel	L3101F L3102F			LFH8217 ¹⁰⁷⁷
2229020	Air	LAF2342 ²	7W-2327	Oil	PH4403	1843931	Hydraulic	LFH8217 ¹⁰⁷⁶
2229021		LAF2343 ¹	<i>M322D w/Caterpillar C6.6 Acert Engine</i>			937521		LH8506
(1454501); Sec.	Fuel	L3102F	411278	Cabin Air	LAF9092 ⁸⁹⁸	1262081		LFP4005
7W-2327	Oil	PH4403	2998229	Fuel	LFF5088 ²⁰	1R-0716	Oil	LFP4005TRT ³
<i>M316D w/Caterpillar 6.6 Engine</i>			2698325	Oil	LFP2698			LFP4005XL ¹⁴
411278	Cabin Air	LAF9092 ⁸⁹⁸	<i>M322F (w/Caterpillar C7.1 Engine)</i>			CATERPILLAR (FARM EQUIPMENT)		
2998229	Fuel	LFF5088 ²⁰	2698325	Oil	LFP2698	<i>Challenger 35 w/Caterpillar 3116 Engine</i>		
2698325	Oil	LFP2698	<i>M325B w/Caterpillar 3116 Engine</i>			6I-2501	Air	LAF4501 ²
<i>M316F (w/Caterpillar C4.4 Engine)</i>			1318821	Air	LAF5868 ¹			LAF4501MXM ^{2, 268}
2998229	Fuel	LFF5088	1318822		LAF8145 ²			LAF4502 ¹
7W2326	Oil	LFP2292			LAF8145MXM ^{2, 268}	6I-2502		LAF4502 ¹
<i>M317D2 (w/Caterpillar C4.4 Engine)</i>			(1174089); Pri.	Fuel	L8682F	(9M-2342); Pri. (1174089); Pri. (1R-0751); Sec. (1R-0753); Sec.	Fuel	L3531F
2998229	Fuel	LFF5088	1R-0739	Oil	LFP3191			L8682F
7W2326	Oil	LFP2292	1R-0739		LFP3191TRT ³			LFF4783
<i>M318 w/Caterpillar 3116 DIT Engine</i>					LFP3191XL ¹⁴			LFF5322
8T-7463 (8U-6669); 6ES1-226 8T-7462 (1512409); Pri. (9M-2341); Pri. (1174089); Pri. (1R-0751); Bottom Mtd. (1R-0751); Sec.	Air	LAF1725 ¹ LAF9001 ² LAF9001 ²	<i>M325C w/Caterpillar 3126B ATAAC Engine</i>			1081153	Hydraulic	LFH5659 ¹²²⁰
	Fuel	L22023F L3531F L8682F LFF4783 LFF4783 ¹²⁵⁰	6I-2503	Air	LAF4503 ² LAF4503MXM ^{2, 268}	1081153		LFH8705
1R-0739	Oil	LFP3191	6I-2504		LAF4504 ¹	2P-4004	Oil	LFP3191
1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴	(1R-0762); Sec. (1R-0770); Pri.	Fuel	LFF5804 LFF6770 ¹¹⁶⁶	2P-4004		LFP3191TRT ³
<i>M318C w/Caterpillar 3056 Engine</i>			937521	Hydraulic	LFH8217 ¹⁰⁷⁷			LFP3191XL ¹⁴
2229020	Air	LAF2342 ²	1R-0739	Oil	LFP3191	1G-8878	Trans	LFH4990
2229021		LAF2343 ¹	1R-0739		LFP3191TRT ³	<i>Challenger 45 w/Caterpillar 3116 Engine</i>		
(1383100); Pri.	Fuel	L3101F			LFP3191TRT ³	6I-2501	Air	LAF4501 ²
<i>M318D w/Caterpillar C6.6 Acert Engine</i>			<i>M325D, M325DL w/Caterpillar C7 Engine</i>					LAF4501MXM ^{2, 268}
411278	Cabin Air	LAF9092 ⁸⁹⁸	6I-2503	Air	LAF4503 ²	6I-2502		LAF4502 ¹
2998229	Fuel	LFF5088 ²⁰	6I-2504		LAF4503MXM ^{2, 268}	(151-2409); Pri. (9M-2342); Pri. (1174089); Pri. (1R-0751); Sec. (1R-0753); Sec.	Fuel	L22023F
2698325	Oil	LFP2698	(1R-0762); Sec. (1R-0770); Pri.	Fuel	LAF4504 ¹			L3531F
<i>M318F (w/caterpillar C7.1 Engine)</i>			93-7521	Hydraulic	LFH8217			L8682F
2698325	Oil	LFP2698		Oil	LFP3191	1081153	Hydraulic	LFH5659 ¹²²⁰
<i>M320 w/Caterpillar 3116 DIT Engine</i>			1R-1807		LFP3191TRT ³	1526902		LFH8417
8T-7463	Air	LAF1725 ¹			LFP3191TRT ³	2P-4004	Oil	LFP3191
8T-7462		LAF9001 ²	<i>W330B w/Caterpillar 3306 Engine</i>			2P-4004		LFP3191TRT ³
(1512409); Pri. (1174089); Pri.	Fuel	L22023F L8682F	6I-2503	Air	LAF4503 ²			LFP3191XL ¹⁴
			6I-2504		LAF4503MXM ^{2, 268}	1G-8878	Trans	LFH4990
			(9M-2341); Pri. Pri. (1R-0750); Sec.	Fuel	LAF4504 ¹	<i>Challenger 55 w/Caterpillar 3126 Engine</i>		
					L3531F L3531F LFF3347 ²⁰	6I-2501	Air	LAF4501 ²
								LAF4501MXM ^{2, 268}
						6I-2502		LAF4502 ¹
						(1174089); Pri.	Fuel	L8682F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 268-Extended/Severe service 898-Cabin fresh air filter 1076-Case Drain 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port 1220-Implement 1250-Top mtd.

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (FARM EQUIPMENT)			CATERPILLAR (FARM EQUIPMENT)			CATERPILLAR (FARM EQUIPMENT)		
<i>Challenger 55 w/Caterpillar 3126 Engine (cont'd)</i>			<i>Challenger 70C w/Caterpillar 3306 Engine</i>			<i>Challenger 85E, 95E w/Caterpillar 3196 Engine (cont'd)</i>		
1R-0751 (1R-0753); Sec.	Fuel	LFF4783 LFF5322	6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹		Oil	LFP4005XL ¹⁴
1081153	Hydraulic	LFH5659 ¹²²⁰	6I-0274 (9M-2342); Pri. 1R-0750 (1P-2299); Sec.	Fuel	L3531F LFF3347 LFP440F	<i>Challenger MT295, MT295 Hydro</i>		
1526902		LFH8417	9T-0973	Hydraulic	LFH5013	3702815-M1	Fuel	L549F
2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	3757038-M2	Oil	PH2814
2P-4004		LFP3191XL ¹⁴	2P-4004		LFP3191XL ¹⁴	<i>Challenger MT655, MT665 w/Sisu C8.4L Engine</i>		
1G-8878	Trans	LFH4990	9T-0973	Trans	LFH5013	5016603-M1	Air	LAF1819 ²
<i>Challenger 65, 65B w/Caterpillar 3306 Engine</i>			<i>Challenger 75, 75C, 75D, 75E w/Caterpillar 3176 Engine</i>			5016604-M1		LAF1922 ¹
8N-6883	Air	LAF1843 ^{1, 15} LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹ LAF45 ^{2, 15}	6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹ LAF7360 ^{1, 15} LAF7716 ² LAF7716MXM ^{2, 268}	3405419-M1	Fuel	LFF3501
6I-0273		LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹ LAF45 ^{2, 15}	6I-0274 1P-7360 (1P-7716); Std.		LAF4274 ¹ LAF7360 ^{1, 15} LAF7716 ² LAF7716MXM ^{2, 268}	3902287-M91	Hydraulic	LH4594
6I-0274		LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹ LAF45 ^{2, 15}	7E-6014 7E-6013 (9M-2342); Pri. 1R-0749 (1335673); Pri. (9T-5916); 75 only 9T-5916 1081153 2P-4005	Coolant	LFW4071 ^{28, 205} LFW4073 ^{255, 953}	V836859108	Oil	LFP3354
7M-9045	Coolant	LFW4071 ^{28, 205}	9T-0973	Trans	LFH5013	<i>Challenger MT735, MT745, MT755, MT765 w/Caterpillar 8.8L Engine</i>		
(9M-2342); Pri. 1R-0750 (1P-2299); Sec.	Fuel	L3531F LFF3347 LFP440F	9T-0973		LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹
9T-5916	Hydraulic	LFH4910 ^{11, 1220}	9T-0973		LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	6I-0274 (1R-0762); Sec. (1R-0770); Pri.	Fuel	LFF5804 LFF6770 ¹¹⁶⁶
1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	9T-0973		LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	152-6902	Hydraulic	LFH8217
1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴	9T-0973		LFP3191TRT ³ LFP3191XL ¹⁴	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
9T-0973	Trans	LFH5013	9T-0973		LFH5013	1G-8878	Trans	LFH4990
<i>Challenger 65C, 65D w/Caterpillar 3306 Engine</i>			<i>Challenger 85C, 85D w/Caterpillar 3176 Engine</i>			<i>Challenger MT835, MT845 w/Caterpillar C12 Engine</i>		
6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹	6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹	6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹
6I-0274		LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹	6I-2506	Coolant	LFW4071 ^{28, 205} LFW4073 ^{255, 953}	6I-2506		LAF4506 ¹
(9M-2341); Pri. 1R-0749	Fuel	L3531F LFF2749 ¹⁹ LFF3347 ¹⁸	7E-6014 7E-6013 (9M-2342); Pri. 1R-0749	Fuel	L3531F LFF2749 ²⁰	6I-2509		LAF4509 ²
1R-0750		LFF2749 ¹⁹ LFF3347 ¹⁸	9T-0973	Hydraulic	LFH5013	6I-2510		LAF4510 ¹
1081153	Hydraulic	LFH5013 ¹²²⁰	9T-0973		LFH5013	(1R-0771); Pri.	Fuel	LFF6771 ¹⁷¹
1R-0716	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	9T-0973		LFH5013	207-5035	Hydraulic	LFH8417G ¹¹ LFP1652 ¹²²⁰
1R-0716		LFP3191TRT ³ LFP3191XL ¹⁴	9T-0973		LFH5013	77-3492		LFP1652 ¹²²⁰
9T-0973	Trans	LFH5013	9T-0973		LFH5013	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
<i>Challenger 65E w/Caterpillar 3176 Engine</i>			<i>Challenger 85E, 95E w/Caterpillar 3196 Engine</i>			<i>Challenger MT855 w/Caterpillar C15 Engine</i>		
6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹	6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹	6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹
6I-0274		LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹	6I-2606		LAF4506 ¹	6I-2506		LAF4506 ¹
(1R-0762); Sec. (1335673); Pri.	Fuel	LFF5804 LFF8707	(1R-0762); Sec. (1335673); Pri.	Fuel	LFF5804 LFF8707	6I-2509		LAF4509 ²
1081153	Hydraulic	LFH5659 ¹²²⁰	9T-0973	Hydraulic	LFH5013	6I-2510		LAF4510 ¹
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	9T-0973		LFH5013	(1R-0771); Pri.	Fuel	LFF6771 ¹⁷¹
1R-0716		LFP4005TRT ³ LFP4005XL ¹⁴	9T-0973		LFH5013	207-5035	Hydraulic	LFH8417G ¹¹ LFP1652 ¹²²⁰
9T-0973	Trans	LFH5013	9T-0973		LFH5013	77-3492		LFP1652 ¹²²⁰
<i>Challenger 660, Challenger 670 Combines</i>			<i>Challenger 85E, 95E w/Caterpillar 3196 Engine</i>			<i>Challenger MT865 w/Caterpillar C16 Engine</i>		
71368961	Air	LAF1456 ² LAF1465 ²	6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹	6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹
71368962		LAF1456 ² LAF1465 ²	6I-2606		LAF4506 ¹	6I-2506		LAF4506 ¹
1R-0751 (133-5673); Pri.	Fuel	LFF4783 LFF8707	(1R-0762); Sec. (1335673); Pri.	Fuel	LFF5804 LFF8707	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
104309-W91	Hydraulic	LFH4915	9T-0973	Hydraulic	LFH5013 LFH5659 ¹²²⁰	207-5035	Trans	LFH8417G
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1R-0716	Oil	LFP4005 LFP4005TRT ³	<i>Challenger MT865 w/Caterpillar C16 Engine</i>		
1R-0716		LFP4005TRT ³ LFP4005XL ¹⁴	1R-0716		LFP4005TRT ³	6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 15-Standard 18-Short 19-Long 20-High efficiency
28-Contains 1 oz. of chemical 171-With Sensor Port 205-Maintenance 255-Contains 3 oz. of chemical 268-Extended/Severe service 953-Pre-Charge
1166-9/16"-18 Thread Sensor Port 1220-Implement

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (FARM EQUIPMENT)			CATERPILLAR (GRADER)			CATERPILLAR (GRADER)		
<i>Challenger MT865 w/Caterpillar C16 Engine (cont'd)</i>			<i>120 (cont'd)</i>			<i>120M w/Caterpillar C6.6 Engine (cont'd)</i>		
6I-2509	Air	LAF4509 ²	1R-0659	Oil	LP161	1R1809	Hydraulic	LH9407 ⁶⁰⁷
6I-2510		LAF4510 ¹	1R-0719	Trans	LP164	2698325	Oil	LFP2698
(1R-0771); Pri.	Fuel	LFF6771 ¹⁷¹	<i>120, 120B</i>			<i>12E</i>		
207-5035	Hydraulic	LFH8417G ¹¹	6K-9606	Air	LAF1792	6I-2499	Air	LAF4499 ²
77-3492		LFP1652 ¹²²⁰	4M-9334		LAF334 ²			LAF4499MXM ^{2, 268}
1R-0716	Oil	LFP4005			LAF334MXM ^{2, 268}			LAF4500 ¹
		LFP4005TRT ³	2S-1286		LAF335 ¹	6I-2500		LAF47 ²
		LFP4005XL ¹⁴	(1R-0750); Sec.	Fuel	LFF3347 ²⁰	4M-8047		LAF48 ¹
			(1R-0740); Sec.		LFP440F	2S-1285		364F
207-5035	Trans	LFH8417G	1R-0727	Hydraulic	LP1655 ¹¹	(4H-8792); Sec.	Fuel	LP1655 ¹¹
CATERPILLAR (FELLER BUNCHER)			1R-0739	Oil	LFP3191	1R-0727	Hydraulic	LP1655 ¹¹
<i>522 w/Caterpillar C9 Engine</i>			1R-0739		LFP3191TRT ³	1R-0659	Oil	LP161
1127448	Cabin Air	LAF8777			LFP3191XL ¹⁴	1R-0757	Trans	LP1655
(1R0762); Sec.	Fuel	LFF5804 ²⁰	1R-0659		LP161	<i>12F</i>		
(3261644); Pri.		LFF6771SC	1R-0727	Trans	LP1655	6K-9606	Air	LAF1792
937521	Hydraulic	LFH8217 ¹⁰⁷⁶	<i>120G w/Caterpillar 3304 Engine</i>			4M-9334		LAF334 ²
1261813		LFH9393 ¹¹⁸⁵	6I-2499	Air	LAF4499 ²			LAF334MXM ^{2, 268}
1R1808	Oil	LFP4005RN ⁵⁹⁹			LAF4499MXM ^{2, 268}	2S-1286		LAF335 ¹
		LFP4005TRT ³	6I-2500		LAF4500 ¹	6I-2501		LAF4501 ²
		LFP4005XL ¹⁴	4M-8047		LAF47 ²			LAF4501MXM ^{2, 268}
CATERPILLAR (GRADER)			2S-1285		LAF48 ¹	6I-2502		LAF4502 ¹
<i>112F</i>			(9M-2341); Pri.	Fuel	L3531F	(4H-8792); Sec.	Fuel	364F
6K-9606	Air	LAF1792	W/S		LFF1131	1R-0750		LFF3347
6I-2499		LAF4499 ²	(1R-0750); Sec.		LFF3347 ²⁰	(1R-0740); Sec.		LFP440F
		LAF4499MXM ^{2, 268}	(1R-0740); Sec.		LFP440F	1R-0723	Hydraulic	LH8877 ¹¹
6I-2500		LAF4500 ¹	1R-0719	Hydraulic	LP164	1R-0728		LP816
4M-8047		LAF47 ²	1R-0739	Oil	LFP3191	1R-0739	Oil	LFP3191
2S-1285		LAF48 ¹	1R-0739		LFP3191TRT ³	1R-0739		LFP3191TRT ³
(9H-4729); Sec.	Fuel	364F	1R-0739		LFP3191XL ¹⁴			LFP3191XL ¹⁴
1R-0750		LFF3347	1R-0719	Trans	LP164	1R-0659		LP161
(1R-0740); Sec.		LFP440F	<i>120H, 120HNA</i>			1R-0719	Trans	LP164
1R-0727	Hydraulic	LP1655 ¹¹	6I-2499	Air	LAF4499 ²	1R-0727		LP1655
1R-0739	Oil	LFP3191			LAF4499MXM ^{2, 268}	<i>12G</i>		
1R-0739		LFP3191TRT ³	6I-2500		LAF4500 ¹	6I-2499	Air	LAF4499 ²
		LFP3191XL ¹⁴	7T-7358	Cabin Air	LAF7358			LAF4499MXM ^{2, 268}
1R-0659		LP161	Pri.	Fuel	L3531F	6I-2500		LAF4500 ¹
1R-0727	Trans	LP1655	(1174089); Pri.		L8682F	4M-8047		LAF47 ²
<i>12</i>			1R-0751		LFF4783 ¹⁸	2S-1285		LAF48 ¹
4M-8047	Air	LAF47 ²	1R-0753		LFF5322 ¹⁹	(6N-7617); W/S	Fuel	LFF1131
2S-1285		LAF48 ¹	1R-0722	Hydraulic	LH5461 ¹⁰⁷⁷	(1R-0750); Sec.		LFF3347 ²⁰
7B-8264	Fuel	L3565F	4T-3131		LP135	W/S		LFF8030 ¹²
1R-0727	Hydraulic	LP1655 ¹¹	1R-0739	Oil	LFP3191	(1P-2299); Sec.		LFP440F
5S-0484	Oil	LP161	1R-0739		LFP3191TRT ³	4T-3131	Hydraulic	LP135
1R-0729		LP165			LFP3191XL ¹⁴	9M-9740		LP164
1R-0727	Trans	LP1655	1R-0719	Trans	LP164	2P-4004	Oil	LFP3191
<i>120</i>			<i>120M Sereis 2 w/Caterpillar C7.1 Engine</i>			2P-4004		LFP3191TRT ³
4M-9334	Air	LAF334 ²	(3261643); Pri.	Fuel	LFF6771 ¹⁷¹			LFP3191XL ¹⁴
		LAF334MXM ^{2, 268}	1G8878	Hydraulic	LFH4990	9M-9740	Trans	LP164
		LAF335 ¹	2698325	Oil	LFP2698	<i>12H w/Caterpillar C9 Engine</i>		
2S-1286		LAF335 ¹	<i>120M w/Caterpillar C6.6 Engine</i>			6I-0273	Air	LAF4273 ²
(1R-0750); Sec.	Fuel	LFF3347 ²⁰	2567902	Air	LAF4601 ²			LAF4273MXM ^{2, 268}
(1R-0740); Sec.		LFP440F	2567903		LAF4602 ¹	6I-0274		LAF4274 ¹
1R-0727	Hydraulic	LP1655 ¹¹	(2998229); Sec.	Fuel	LFF5088 ²⁰	6I-2499		LAF4499 ²
1R-0739	Oil	LFP3191	(1R0770); Pri.		LFF6770 ¹¹⁶⁶			LAF4499MXM ^{2, 268}
1R-0739		LFP3191TRT ³	1G8878	Hydraulic	LFH4990	6I-2500		LAF4500 ¹
		LFP3191XL ¹⁴						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 12-Optional 14-Extended Life 18-Short 19-Long 20-High efficiency
 171-With Sensor Port 268-Extended/Severe service 599-High capacity 607-Return 1076-Case Drain 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port
 1185-2" Threaded Pilot 1220-Implement

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (GRADER)			CATERPILLAR (GRADER)			CATERPILLAR (GRADER)		
<i>12H w/Caterpillar C9 Engine (cont'd)</i>			<i>12M w/Caterpillar C6.6 Engine (cont'd)</i>			<i>135HNA w/Caterpillar 3116 Engine (cont'd)</i>		
232-1732	Cabin Air	LAF1810	1R1809	Hydraulic	LH9407	1R-0722	Hydraulic	LH5461 ¹⁰⁷⁷
7T-7358		LAF7358	2698325	Oil	LFP2698	1R-0739	Oil	LFP3191
(9M-2342); Pri.	Fuel	L3531F	<i>12M3 w/Caterpillar C9.3 Final Tier 4 engine</i>			1R-0739		LFP3191TRT ³
(1R-0750); Sec.		LFF3347 ²⁰	Pri.	Fuel	LFF6771 ¹⁷¹			LFP3191XL ¹⁴
(1R-0762); Sec.		LFF5804		Hydraulic	LH9407	1R-0719	Trans	LP164
(1R-0770); Pri.		LFF6770 ¹¹⁶⁶	1R1808	Oil	LFP4005RN ⁵⁹⁹	14		
1R-0722	Hydraulic	LH5461 ¹⁰⁷⁷			LFP4005TRT ³	3S-9606	Air	LAF8514
4T-3131		LP135	130G			(9H-4729); Sec.	Fuel	364F
9T-9054		LP2336	6I-2499	Air	LAF4499 ²	7B-8264		L3565F
1R-0739	Oil	LFP3191			LAF4499MXM ^{2, 268}	1R-0727	Hydraulic	LP1655 ¹¹
1R-0739		LFP3191TRT ³	6I-2500		LAF4500 ¹	5S-0484	Oil	LP161
		LFP3191XL ¹⁴	4M-8047		LAF47 ²	1R-0727	Trans	LP1655
		LFP4005	2S-1285		LAF48 ¹	140, 140A		
		LFP4005TRT ³	W/S	Fuel	LFF1131	6K-9606	Air	LAF1792
		LFP4005XL ¹⁴	1R-0750		LFF3347	4M-9334		LAF334 ²
132-8875	Trans	LH8784G	W/S		LFF8030 ¹²			LAF335 ¹
1R-0719		LP164	(1P-2299); Sec.		LFP440F	2S-1286		LAF4501 ²
<i>12HES w/Caterpillar 3306B Engine</i>			9M-9740	Hydraulic	LP164	6I-2501		LAF4501MXM ^{2, 268}
6I-0273	Air	LAF4273 ²	2P-4004	Oil	LFP3191	6I-2502		LAF4502 ¹
		LAF4273MXM ^{2, 268}	2P-4004		LFP3191TRT ³	(4H-8792); Sec.	Fuel	364F
6I-0274		LAF4274 ¹			LFP3191XL ¹⁴	1R-0750		LFF3347
6I-2499		LAF4499 ²	9M-9740	Trans	LP164	W/S		LFF8030 ¹²
		LAF4499MXM ^{2, 268}	<i>135H w/Caterpillar 3116 Engine</i>			(1P-2299); Sec.		LFP440F
		LAF4500 ¹	6I-2499	Air	LAF4499 ²	8B-5935	Hydraulic	LP1655 ¹¹
6I-2500					LAF4499MXM ^{2, 268}	2P-4004	Oil	LFP3191
7T-7358	Cabin Air	LAF7358	6I-2500		LAF4500 ¹	2P-4004		LFP3191TRT ³
(9M-2342); Pri.	Fuel	L3531F	(3I-1260); Pri.	Fuel	L3531F			LFP3191XL ¹⁴
(1R-0750); Sec.		LFF3347 ²⁰	(1174089); Pri.		L8682F	1W-7399		LP161
1R-0722	Hydraulic	LH5461 ¹⁰⁷⁷	(1R-0751); Sec.		LFF4783 ¹⁸	9M-9740	Trans	LP164
4T-3131		LP135	(1R-0753); Sec.		LFF5322 ¹⁹	8B-5935		LP1655
9T-9054		LP2336	1R-0722	Hydraulic	LH5461 ¹⁰⁷⁷	140G		
1R-0739	Oil	LFP3191	1R-0739	Oil	LFP3191	8N-5317	Air	LAF334 ²
1R-0739		LFP3191TRT ³	1R-0739		LFP3191TRT ³			LAF334MXM ^{2, 268}
		LFP3191XL ¹⁴	1R-0739		LFP3191XL ¹⁴	6I-2501		LAF4501 ²
1R-0719	Trans	LP164	1R-0719	Trans	LP164			LAF4501MXM ^{2, 268}
<i>12K w/Caterpillar C7 Engine</i>			<i>135H w/Caterpillar 3126B Engine</i>			6I-2502		LAF4502 ¹
2456375	Air	LAF6098 ²	6I0273	Air	LAF4273 ²	9S-9972		LAF9972 ¹
2456376		LAF6099 ¹	6I0274		LAF4274 ¹	Pri.	Fuel	L3531F
7T7358	Cabin Air	LAF7358 ¹¹⁶⁷	7T7358	Cabin Air	LAF7358	(1R-0750); Sec.		LFF3347 ²⁰
2321732		LAF8779 ⁸⁹⁸	(1R0762); Sec.	Fuel	LFF5804	W/S		LFF8030 ¹²
(1R0762); Sec.	Fuel	LFF5804	(1R0770); Pri.		LFF6770 ¹¹⁶⁶	(1P-2299); Sec.		LFP440F
(3261644); Pri.		LFF6771SC	1R1808	Oil	LFP4005RN ⁵⁹⁹	4T-3131	Hydraulic	LP135
1R1807	Oil	LFP3236			LFP4005TRT ³	9M-9740		LP164
		LFP3236TRT ³			LFP4005XL ¹⁴	2P-4004	Oil	LFP3191
<i>12M Series 2 w/Caterpillar C9.3 Engine</i>			1328875	Trans	LH8784G	2P-4004		LFP3191TRT ³
(3261643); Pri.	Fuel	LFF6771 ¹⁷¹	1R1809		LH9407			LFP3191XL ¹⁴
1022828	Hydraulic	LFH4473 ¹¹⁶⁸	<i>135HNA w/Caterpillar 3116 Engine</i>			9M-9740	Trans	LP164
1G8878		LFH4990	6I-2499	Air	LAF4499 ²	<i>140H, 140HES w/Caterpillar 3306 Engine</i>		
1R1808	Oil	LFP4005RN ⁵⁹⁹			LAF4499MXM ^{2, 268}	6I-0273	Air	LAF4273 ²
		LFP4005TRT ³	6I-2500		LAF4500 ¹			LAF4273MXM ^{2, 268}
		LFP4005XL ¹⁴	(3I-1260); Pri.	Fuel	L3531F	6I-0274		LAF4274 ¹
<i>12M w/Caterpillar C6.6 Engine</i>			(1174089); Pri.		L8682F	7T-7358	Cabin Air	LAF7358
2567902	Air	LAF4601 ²	(1R-0751); Sec.		LFF4783 ¹⁸	Pri.	Fuel	L3531F
2567903		LAF4602 ¹	(1R-0753); Sec.		LFF5322 ¹⁹	(1R-0750); Sec.		LFF3347 ²⁰
(1R0770); Pri.	Fuel	LFF6770 ¹¹⁶⁶						
1F8878	Hydraulic	LFH4990						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 12-Optional 14-Extended Life 18-Short 19-Long 20-High efficiency
 171-With Sensor Port 268-Extended/Severe service 599-High capacity 898-Cabin fresh air filter 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port
 1167-Standard Cabin 1168-Ultra High Efficiency

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (GRADER)			CATERPILLAR (GRADER)			CATERPILLAR (GRADER)		
<i>140H, 140HES w/Caterpillar 3306 Engine (cont'd)</i>			<i>143H w/Caterpillar 3176C Engine (cont'd)</i>			<i>14H w/Caterpillar 3306TA Engine (cont'd)</i>		
1R-0722	Hydraulic	LH5461 ¹⁰⁷⁷	(1R-0762); Sec.	Fuel	LFF5804	6I-0274	Air	LAF4274 ¹
1R-0739	Oil	LFP3191	(1335673); Pri.		LFF8707	(9M-2342); Pri.	Fuel	L3531F
1R-0739		LFP3191TRT ³	(1335673); Pri.		LFF8707U ⁶⁸⁹	(1R-0750); Sec.		LFF3347 ²⁰
		LFP3191XL ¹⁴		Oil	LFP4005	(1P-2299); Sec.		LFP440F
1R-0719	Trans	LP164	1R-0716		LFP4005TRT ³	1R-0722	Hydraulic	LH5461 ¹⁰⁷⁷
<i>140K, 140K Series 2 w/Caterpillar C7 Engine</i>								
2456375	Air	LAF6098 ²	1340964	Trans	LH4166 ¹¹⁷⁰	1R-0739	Oil	LFP3191
2456376		LAF6099 ¹	1328875		LH8784G	1R-0739		LFP3191TRT ³
777358	Cabin Air	LAF7358 ¹¹⁶⁹	<i>143H w/Caterpillar 3306 Engine</i>					
2321732		LAF8779 ⁸⁹⁸	6I0273	Air	LAF4273 ²	<i>14M w/Caterpillar C11 Engine</i>		
(1R0762); Sec.	Fuel	LFF5804	6I-0274		LAF4274 ¹	2453818	Air	LAF6998 ²
(3261644); Pri.		LFF6771SC	1R-0750	Fuel	LFF3347	2453819		LAF6999 ¹
1R1807	Oil	LFP3236	(1R-0762); Sec.		LFF5804	(1R0762); Sec.	Fuel	LFF5804
		LFP3236TRT ³	9T-5916	Hydraulic	LFH4910	(1R0770); Pri.		LFF6770 ¹¹⁶⁶
<i>140M w/Caterpillar C7 Engine</i>			1R-0722		LH5461 ¹⁰⁷⁷	1G8878	Hydraulic	LFH4990
2456375	Air	LAF6098 ²	1R-0739	Oil	LFP3191	1R1809		LH9407 ⁶⁰⁷
2456376		LAF6099 ¹	1R-0739		LFP3191TRT ³	1R1808	Oil	LFP4005RN ⁵⁹⁹
(1R0762); Sec.	Fuel	LFF5804			LFP3191XL ¹⁴			LFP4005TRT ³
(1R0770); Pri.		LFF6770 ¹¹⁶⁶	1R-0719	Trans	LP164			LFP4005XL ¹⁴
1F8878	Hydraulic	LFH4990	<i>14E</i>			<i>16</i>		
1R1809		LH9407 ⁶⁰⁷	6K-9606	Air	LAF1792	6K-9606	Air	LAF1792
1R1807	Oil	LFP3236	4M-9334		LAF334 ²	4M-9334		LAF334 ²
		LFP3236TRT ³			LAF334MXM ^{2, 268}			LAF334MXM ^{2, 268}
<i>140M w/Caterpillar C9 Engine</i>			2S-1286		LAF335 ¹	2S-1286		LAF335 ¹
2456375	Air	LAF6098 ²	7M-9045		LAF45 ²	6I-2501		LAF4501 ²
2456376		LAF6099 ¹	2S-1287		LAF46 ¹			LAF4501MXM ^{2, 268}
(1R0762); Sec.	Fuel	LFF5804	(1R-0724); Sec.	Fuel	364F	6I-2502		LAF4502 ¹
(3261644); Pri.		LFF6771SC	(1R-0740); Sec.		LFP440F	(1R-0724); Sec.	Fuel	364F
1F8878	Hydraulic	LFH4990	1R-0727	Hydraulic	LP1655 ¹¹	W/S		LFF8030 ¹²
1R1807	Oil	LFP3236 ²⁹	1R-0728		LP816	(1P-2299); Sec.		LFP440F
		LFP3236TRT ³	1R-0739	Oil	LFP3191	1R-0728	Hydraulic	LP816
		LFP4005RN ⁵⁹⁹	1R-0739		LFP3191TRT ³	1W-7399	Oil	LP161
		LFP4005TRT ^{3, 643}			LFP3191XL ¹⁴	1R-0721		LP163
		LFP4005XL ^{14, 643}	1R-0659		LP161	1R-0719	Trans	LP164
(1R1809); S/N -	Trans	LH9407	1R-0727	Trans	LP1655	<i>160G</i>		
CZM14533			<i>14E, 14G</i>			7W-5317	Air	LAF334 ²
<i>140M2 w/Caterpillar 9.3 Acert Tier 4 Engine</i>			6K-9606	Air	LAF1792			LAF334MXM ^{2, 268}
2567902	Air	LAF4601 ²	4M-9334		LAF334 ²	959972		LAF9972 ¹
2567903		LAF4602 ¹			LAF334MXM ^{2, 268}	(9M-2341); Pri.	Fuel	L3531F
9R9925	Fuel	L3523F ⁸⁵⁸	(2S-1286); S/N 72G1-		LAF335 ¹	(1R-0750); Sec.		LFF3347 ²⁰
(3261643); Pri.		LFF6771 ¹⁷¹	(6I-2501); S/N 12K		LAF4501 ²	(IP-2299); Sec.		LFP440F
1022828	Hydraulic	LFH4473 ²⁰	S/N 12K		LAF4501MXM ^{2, 268}	1R-0719	Hydraulic	LP164
1G8878		LFH4990	6I-2502		LAF4502 ¹	1R-0739	Oil	LFP3191
1R1809		LH9407 ¹⁰⁷⁷	(9S-9972); S/N 96U1-		LAF9972 ¹	1R-0739		LFP3191TRT ³
2698325	Oil	LFP2698	(1R-0750); Sec.	Fuel	LFF3347 ²⁰			LFP3191XL ¹⁴
1R1809	Trans	LH9407	(1R-0740); Sec.		LFP440F	1R-0719	Trans	LP164
<i>140M3 w/Caterpillar C9.3 Final Tier 4 engine</i>			1R-0719	Hydraulic	LP164	<i>160H w/Caterpillar 3306 Engine</i>		
Pri.	Fuel	LFF6771 ¹⁷¹	1R-0739	Oil	LFP3191	1R-0273	Air	LAF4273 ²
	Hydraulic	LH9407	1R-0739		LFP3191TRT ³			LAF4273MXM ^{2, 268}
					LFP3191XL ¹⁴			LAF4274 ¹
1R1808	Oil	LFP4005RN ⁵⁹⁹	1R-0659		LP161	1R-0274	Cabin Air	LAF7358 ²¹⁹
		LFP4005TRT ³	1R-0719	Trans	LP164	(1R-0750); Sec.	Fuel	LFF3347 ²⁰
		LFP4005XL ¹⁴	<i>14H w/Caterpillar 3306TA Engine</i>			1R-0722	Hydraulic	LH5461
<i>143H w/Caterpillar 3176C Engine</i>			6I-0273	Air	LAF4273 ²	4T-3131		LP135
6I0273	Air	LAF4273 ²			LAF4273MXM ^{2, 268}	1R-0739	Oil	LFP3191
6I-0274		LAF4274 ¹						
777358	Cabin Air	LAF7358						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 12-Optional 14-Extended Life 20-High efficiency 29-1 1/8" Thread
 171-With Sensor Port 219-Air Conditioner 268-Extended/Severe service 599-High capacity 607-Return 643-1 1/2" Thread 689-Bowless 858-Hydraulic Tank
 898-Cabin fresh air filter 1077-Hyd. Tank 1117-1 1/2 x 16 Thread 1166-9/16"-18 Thread Sensor Port 1169-Cabin Recirculation 1170-All Wheel Drive

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (GRADER)			CATERPILLAR (GRADER)			CATERPILLAR (GRADER)		
<i>160H w/Caterpillar 3306 Engine (cont'd)</i>			<i>16G (cont'd)</i>			<i>16M3 w/Caterpillar C9.3 Engine (cont'd)</i>		
1R-0739	Oil	LFP3191TRT ³ LFP3191XL ¹⁴	1P-7716	Air	LAF7716 ² LAF7716MXM ^{2, 268}		Oil	LFP4005XL ¹⁴
1R-0719	Trans	LP164	9N-3368	Coolant	LFW4071 ^{28, 205}	<i>18M3 w/Caterpillar C9.3 Engine</i>		
<i>160K w/Caterpillar C7 Engine</i>			1R-0749	Fuel	LFF2749 ²⁰ LFF5823B	(6I2505); S/N N9Y	Air	LAF4505
2456375	Air	LAF6098 ² LAF6099 ¹	(4N-5823B); Sec.			(6I2506); S/N N9Y		LAF4506
2456376			9M-9740	Hydraulic	LP164	(6I2509); S/N E9Y		LAF4509 ²
7T7358	Cabin Air	LAF7358 ¹¹⁶⁹ LAF8779 ⁸⁹⁸	2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	(6I2510); S/N E9Y		LAF4510 ¹
2321732			9M-9740	Trans	LP164	(1R0749); Pri.	Fuel	LFF2749
(1R0762); Sec.	Fuel	LFF5804 LFF6771SC	<i>16H w/Caterpillar 3406TA Engine</i>			3383540	Hydraulic	LH9407
(3261644); Pri.			6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
1R1807	Oil	LFP3236 LFP3236TRT ³	6I-0274		LAF4274 ¹	<i>212</i>		
<i>160M w/Caterpillar C9 Engine</i>			9N-6123	Coolant	LFW4744 ⁴	2S-1284	Air	LAF379 ¹
2456375	Air	LAF6098 ² LAF6099 ¹	(9M-2342); Pri.	Fuel	L3531F LFF2749 ²⁰ LFF5823B LFF906	4M-9378		LAF7531 ²
2456376			1R-0749			S/N 9T2153-, 79C1-	Oil	LP161
9R9925	Fuel	L3523F ⁸⁵⁸ LFF5804 LFF6770 ¹¹⁶⁶	(1R-0712); Sec.			S/N 1M1-, 1R1-, 1U1-,		LP165
(1R0762); Sec.			(1290373); W/S			9T1-9T2152		
(1R0770); Pri.			1R-0722	Hydraulic	LH5461 ¹⁰⁷⁷	<i>24H w/Caterpillar 3412E Engine</i>		
1G8878	Hydraulic	LFH4990 LH9407 ⁶⁰⁷	2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1063973	Air	LAF3884 ¹
1R1809			9M-9740	Trans	LP164	1063969		LAF5022 ²
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	<i>16HNA</i>					LAF5022MXM ^{2, 268}
<i>160M2 w/Caterpillar C9.3 Engine</i>			6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}	1R-0749	Fuel	LFF2749 ²⁰
(3261643); Pri.	Fuel	LFF6771 ¹⁷¹	6I-0274		LAF4274 ¹	(1290373); W/S		LFF906
1G8878	Hydraulic	LFH4990 LH9407	(9M-2341); Pri.	Fuel	L3531F LFF2749	4I-3950	Hydraulic	LFH5075
3383540			(1R-0749); Sec.			1R-0722		LH5461 ¹⁰⁷⁷
1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³	1R-0716	Hydraulic	LH5461	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
1R1808			4T-3131	Trans	LP135	<i>24M w/Caterpillar C18 18.1L Engine</i>		
<i>160M3 w/Caterpillar C9.3 Final Tier 4 engine</i>			1R-0719		LP164	2453818	Air	LAF6998 ²
(3261643); Pri.	Fuel	LFF6771 ¹⁷¹	<i>16M w/Caterpillar C13 Engine</i>			2453819		LAF6999 ¹
3383540	Hydraulic	LH9407	2453818	Air	LAF6998 ² LAF6999 ¹	7T7358	Cabin Air	LAF7358
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	(1R0762); Sec.	Fuel	LFF5804 LFF6770 ¹¹⁶⁶	(1R0762); Sec.	Fuel	LFF5804
<i>163H w/Caterpillar 3306TA Engine</i>			(1R0770); Pri.			(1R0770); Pri.		LFF6770 ¹¹⁶⁶
6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}	1G8878	Hydraulic	LFH4990 LH9407	1R1809	Hydraulic	LH9407 ⁶⁰⁷
6I-0274		LAF4274 ¹	1R1809			1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
7T-7358	Cabin Air	LAF7358 ²¹⁹	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	CATERPILLAR (HYDRAULIC CONTROL)		
(1R-0750); Sec.	Fuel	LFF3347 ²⁰ LFF5823B	<i>16M3 w/Caterpillar C9.3 Engine</i>			<i>No. 140, 141, 143</i>		
(1R-0712); Sec.			(6I2505); S/N N9Y	Air	LAF4505	1R-0719	Hydraulic	LP164
9T-5916	Hydraulic	LFH4910 LH5461 ¹⁰⁷⁷ LP135	(6I2506); S/N N9Y		LAF4506	<i>No. 140, 150</i>		
1R-0722			(6I2509); S/N E9Y		LAF4509 ²	4J-816	Hydraulic	LP816
4T-3131			(6I2510); S/N E9Y		LAF4510 ¹	<i>No. 141, 143, 151, 161</i>		
1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	(1R0749); Pri.	Fuel	LFF2749	4J-816	Hydraulic	LP816
1R-0739			3383540	Hydraulic	LH9407	<i>No. 141, 143, 161, 181, 191</i>		
1R-0719	Trans	LP164	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³	1S-9150	Hydraulic	LP165
<i>16G</i>			<i>16M3 w/Caterpillar C9.3 Engine</i>			<i>No. 153, 163</i>		
6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}	(6I2505); S/N N9Y	Air	LAF4505	4J-816	Hydraulic	LP816
6I-0274		LAF4274 ¹	(6I2506); S/N N9Y		LAF4506	<i>No. 163, 165, 182, 192</i>		
1P-7360		LAF7360 ¹	(6I2509); S/N E9Y		LAF4509 ²	9M-9740	Hydraulic	LP164
			(6I2510); S/N E9Y		LAF4510 ¹	4J-6064		LP560
			(1R0749); Pri.	Fuel	LFF2749			
			3383540	Hydraulic	LH9407			
			1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 171-With Sensor Port 205-Maintenance 219-Air Conditioner 268-Extended/Severe service 599-High capacity 607-Return 858-Hydraulic Tank 898-Cabin fresh air filter 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port 1169-Cabin Recirculation

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (HYDRAULIC CONTROL)			CATERPILLAR (INTEGRATED TOOLCARRIER)			CATERPILLAR (INTEGRATED TOOLCARRIER)		
<i>No. 172, 173</i>			<i>IT14B (cont'd)</i>			<i>IT18B (cont'd)</i>		
4J-816	Hydraulic	LP816	1R-0735	Hydraulic	LH4932		Air	LAF4499MXM ^{2, 268}
<i>No. 173B, 183B</i>			1R-0714	Oil	LFP6007	6I-2500		LAF4500 ¹
9J-750 (4J-6064); S/N 34H1-, 35H1-, 36M1-, 37M1-, 59P1-, 60P1-	Hydraulic	LH5461 LP560	9T-9054	Trans	LP2336	8N-5389		LAF47 ²
<i>No. 176, 182, 183</i>			<i>IT14F</i>			7R-1889		LAF8363
9M-9740	Hydraulic	LP164	4I-7575	Air	LAF1804 ²	(1R-0750); Sec.	Fuel	LFF3347 ²⁰
<i>No. 183</i>			6I-6582		LAF6834 ¹	(1P-2299); Sec.		LFP440F
9J-750 (4J-6064); S/N 59P1-, 60P1-	Hydraulic	LH5461 LP560	(9M-2341); Pri.	Fuel	L3531F	9J-5461	Hydraulic	LH5461
<i>No. 183, 193</i>			1R-0751		LFF4783	9N-6007	Oil	LFP6007
4J-6064	Hydraulic	LP560	(1R-0740); Sec.		LFP440F	1R-0746	Trans	LP4736
<i>No. 184, 193</i>			1R-0735	Hydraulic	LH4932	<i>IT18F w/Caterpillar 3114 Engine</i>		
4J-6064	Hydraulic	LP560	1R-0714	Oil	LFP6007	6I-2499	Air	LAF4499 ²
<i>No. 193B</i>			1G-8878	Trans	LFH4990			LAF4499MXM ^{2, 268}
1R-0722	Hydraulic	LH5461	9T-9054		LP2336	6I-2500		LAF4500 ¹
<i>No. 46</i>			<i>IT14G w/Caterpillar 3054 Engine</i>			9X-3352		LAF8778
	Hydraulic	LP165	4I-7575	Air	LAF1804 ²	(9M-2341); Pri.	Fuel	L3531F
<i>No. 50</i>			1106326		LAF4544 ²	(1R-0751); Sec.		LFF4783 ²⁰
5S-485	Hydraulic	LP163	1106331		LAF4544MXM ^{2, 268}	(1P-2299); Sec.		LFP440F
4J-6064	Hydraulic	LP560	(1005593); Sec.	Fuel	L3102F	9J-5461	Hydraulic	LH5461
CATERPILLAR (INTEGRATED TOOLCARRIER)			1G-8878	Hydraulic	LFH4990	1R-0714	Oil	LFP6007
<i>IT12</i>			(7W-2326); Turbo	Oil	LFP2292	9T-5916	Trans	LFH4910
4N-0313	Air	LAF8549 ¹	7W-2327		PH4403	1G-8878		LFH4990
4N-0326		LAF8550 ²	<i>IT14G w/Caterpillar 3054T Engine</i>			<i>IT24F w/Caterpillar 3114 Engine</i>		
(9L-9100); Sec. (1P-2299); Pri.	Fuel	FP230F L3531F	4I-7575	Air	LAF1804 ²	6I-2499	Air	LAF4499 ²
4T-3131	Hydraulic	LP135	1106326		LAF4544 ²			LAF4499MXM ^{2, 268}
9M-9740		LP164	1106331		LAF4544MXM ^{2, 268}	6I-2500		LAF4500 ¹
1R-0713	Oil	LFP5570	(1005593); Sec.	Fuel	L3102F	9X-3352		LAF8778
1R-0746	Trans	LP4736	1G-8878	Hydraulic	LFH4990	(9M-2342); Pri.	Fuel	L3531F
<i>IT12B</i>			(7W-2326); Turbo	Oil	LFP2292	(1R-0751); Sec.		LFF4783
7T-1889	Air	LAF8363 ²¹⁹	7W-2327		PH4403	9J-5461	Hydraulic	LH5461
(9M-2341); Pri.	Fuel	L3531F	<i>IT14G2 w/Caterpillar C4.4 Engine</i>			9N-6007	Oil	LFP6007
1R-0750		LFF3347	1118738	Air	LAF4364 ²⁷⁵	9T-5916	Trans	LFH4910
(1P-2299); Sec.		LFP440F	1106326		LAF4544 ²	1G-8878		LFH4990
1R-0735	Hydraulic	LH4932	1106331		LAF4544MXM ^{2, 268}	<i>IT28, IT28B</i>		
1R-0714	Oil	LFP6007	1807487		LAF4545 ¹	8N-4901	Air	LAF1963 ¹
9T-9054	Trans	LP2336	1G-8878	Hydraulic	LAF5300 ²¹⁹	7W-5389		LAF47 ²
<i>IT12F</i>			7W-2326	Oil	LFP2292	(1W-8633); Sec.	Fuel	LFP440F
7T-7358	Cabin Air	LAF7358	<i>IT18</i>			9J-5461	Hydraulic	LH5461
(9M-2341); Pri.	Fuel	L3531F	8N-4901	Air	LAF1963 ¹	9N-6007	Oil	LFP6007
1R-0750		LFF3347	7W-5389		LAF47 ²	1R-0746	Trans	LP4736
1R-0751		LFF4783	7T-1889		LAF8363	<i>IT28F w/Caterpillar 3116 Engine</i>		
(1P-2299); Sec.		LFP440F	4N-0313		LAF8549 ¹	6I-2499	Air	LAF4499 ²
1R-0714	Oil	LFP6007	(1R-0710); S/N 7ZB; Sec.	Fuel	FP230F			LAF4499MXM ^{2, 268}
1G-8878	Trans	LFH4990	(1P-2299); Sec.		LFP440F	6I-2500		LAF4500 ¹
9T-9054		LP2336	9J-5461	Hydraulic	LH5461	(9M-2342); Pri.	Fuel	L3531F
<i>IT14B</i>			9N-6007	Oil	LFP6007	(1R-0751); Sec.		LFF4783 ²⁰
	Air	LAF7531 ²	1R-0746	Trans	LP4736	(1R-0740); Sec.		LFP440F
(9M-2341); Pri.	Fuel	L3531F	<i>IT18B</i>			1R-0722	Hydraulic	LH5461 ¹⁰⁷⁷
1R-0750		LFF3347	8N-4901	Air	LAF1963 ¹	1R-0739	Oil	LFP3191
			6I-2499		LAF4499 ²	1R-0739		LFP3191TRT ³
								LFP3191XL ¹⁴
						9T-5916	Trans	LFH4910
						1G-8878		LFH4990

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 219-Air Conditioner 268-Extended/Severe service
275-Primary 1077-Hyd. Tank

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (INTEGRATED TOOLCARRIER)			CATERPILLAR (INTEGRATED TOOLCARRIER)			CATERPILLAR (LIFT TRUCK)		
<i>IT28G w/Caterpillar 3116 Engine</i>			<i>IT38H w/Caterpillar C6.6 Acert Engine (cont'd)</i>			<i>2PD4000 w/Mitsubishi S4S Engine (cont'd)</i>		
6I-2499	Air	LAF4499 ² LAF4499MXM ^{2, 268} LAF4500 ¹	(3261644); Pri.	Fuel	LFF6771 ¹⁷¹	(32A4000100); Mitsubishi S4S 3.3L Diesel Engine	Oil	LFP3828
6I-2500 (117-4089); Pri.	Fuel	L8682F LFF4783 ¹⁸ LFF5322 ¹⁹	2254118	Hydraulic	LFH9353	<i>2PD5000 w/Mitsubishi S4S Engine</i>		
1R-0751			1440832		LFP5015G ¹⁰⁷⁶	(91B6100912); Mitsubishi S4S 3.3L Diesel Engine	Air	LAF22029
1R-0753			2698325	Oil	LFP2698			LAF8690 ¹
1G-8878	Hydraulic	LFH4990	1G-8878	Trans	LFH4990			
1R-0739	Oil	LFP3191	<i>IT62G</i>			(32A6201020); W/S	Fuel	FP941F
1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴	1282686	Air	LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹	91375-03800	Hydraulic	LH22126
9T-5916	Trans	LFH4910	6I-2502		AF7878 ²¹⁹ LAF8777 ²¹⁹	(32A4000100); Mitsubishi S4S 3.3L Diesel Engine	Oil	LFP3828
<i>IT38F w/Caterpillar 3116 Engine</i>			1070266	Cabin Air		<i>2PD5500 w/Mitsubishi S4S Engine</i>		
6I-2501	Air	LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹ LAF8778	(1R-0751); Pri.	Fuel	LFF4783	(91B6100912); Mitsubishi S4S 3.3L Diesel Engine	Air	LAF22029
6I-2502			(1R-0753); Sec.		LFF5322			LAF8690 ¹
9X-3352			1G-8878	Hydraulic	LFH4990	(32A6201020); W/S	Fuel	FP941F
(9M-2342); Pri.	Fuel	L3531F LFF4783	1R-0739	Oil	LFP3191	91375-03800	Hydraulic	LH22126
(1R-0751); Sec.			1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴	(32A4000100); Mitsubishi S4S 3.3L Diesel Engine	Oil	LFP3828
1R-0722	Hydraulic	LH5461 ¹⁰⁷⁷	(1W-8845); By-Pass		LFP777B LFP777XL ¹⁴			
1R-0739	Oil	LFP3191	By-Pass		LFH4910	<i>2PD6000 w/Mitsubishi S4S Engine</i>		
1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴	9T-5916	Trans	LFH4910	(91B6100912); Mitsubishi S4S 3.3L Diesel Engine	Air	LAF22029
9T-5916	Trans	LFH4910	<i>IT62G II w/Caterpillar 3126B Engine</i>			(32A6201020); W/S	Fuel	FP941F
<i>IT38G II w/Caterpillar 3126B Engine</i>			6I2503	Air	LAF4503 ² LAF4503MXM ^{2, 268} LAF4504 ¹	91375-03800	Hydraulic	LH22126
6I2503	Air	LAF4503 ² LAF4503MXM ^{2, 268} LAF4504 ¹	6I-2504		LAF4191	(32A4000100); Mitsubishi S4S 3.3L Diesel Engine	Oil	LFP3828
6I-2504			7X-6041	Cabin Air	LAF4191	<i>2PD6500 w/Mitsubishi S4S Engine</i>		
1807487		LAF4504 ¹ LAF5300 ²¹⁹	(1R-0762); Sec.	Fuel	LFF5804	(91B6100912); Mitsubishi S4S 3.3L Diesel Engine	Air	LAF22029
(1R-0762); Sec.	Fuel	LFF5804 LFF6770 ¹¹⁶⁶	(1R-0770); Pri.		LFF6770 ¹¹⁶⁶	(32A6201020); W/S	Fuel	FP941F
(1R-0770); Pri.			1G-8878	Hydraulic	LFH4990	91375-03800	Hydraulic	LH22126
1R-0722	Hydraulic	LH5461	1R-0739	Oil	LFP3191	(32A4000100); Mitsubishi S4S 3.3L Diesel Engine	Oil	LFP3828
1R-0739	Oil	LFP3191	1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴	<i>2PD7000 w/Mitsubishi S4S Engine</i>		
1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴	1R-0739		LFH4990	(91B6100912); Mitsubishi S4S 3.3L Diesel Engine	Air	LAF22029
1G-8878	Trans	LFH4990	1G-8878	Trans	LFH4990	(32A6201020); W/S	Fuel	FP941F
<i>IT38G w/Caterpillar 3126 Engine</i>			<i>IT62H w/Caterpillar C7 Engine</i>			91375-03800	Hydraulic	LH22126
1118738	Air	LAF4364	2456375	Air	LAF6098 ² LAF6099 ¹	(32A4000100); Mitsubishi S4S 3.3L Diesel Engine	Oil	LFP3828
6I-2501		LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹	2456376		LAF4191	<i>2PD7500 w/Mitsubishi S4S Engine</i>		
6I-2502			(1R0762); Sec.	Fuel	LFF5804	(91B6100912); Mitsubishi S4S 3.3L Diesel Engine	Air	LAF22029
(117-4089); Pri.	Fuel	L8682F LFF4783 LFF5322	(3261644); Pri.		LFF6771 ¹⁷¹	(32A6201020); W/S	Fuel	FP941F
(1R-0751); Pri.			2254118	Hydraulic	LFH9353	91375-03800	Hydraulic	LH22126
(1R-0753); Sec.			1440832		LFP5015G ¹⁰⁷⁶	(32A4000100); Mitsubishi S4S 3.3L Diesel Engine	Oil	LFP3828
1R-0722	Hydraulic	LH5461	1R1807	Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³	<i>2PD7500 w/Mitsubishi S4S Engine</i>		
1R-0739	Oil	LFP3191	1G-8878	Trans	LFH4990	(91B6100912); Mitsubishi S4S 3.3L Diesel Engine	Air	LAF22029
1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴	CATERPILLAR (LIFT TRUCK)			(32A6201020); W/S	Fuel	FP941F
9T-5916	Trans	LFH4910	<i>2PD4000 w/Mitsubishi S4S Engine</i>			91375-03800	Hydraulic	LH22126
<i>IT38H w/Caterpillar C6.6 Acert Engine</i>			(91B6100912); Mitsubishi S4S 3.3L Diesel Engine	Air	LAF22029	(32A4000100); Mitsubishi S4S 3.3L Diesel Engine	Oil	LFP3828
1118738	Air	LAF4364			LAF8690 ¹	<i>AH40, AM40</i>		
2567902		LAF4601 ² LAF4602 ¹	(32A6201020); W/S	Fuel	FP941F			
2567903			91375-03800	Hydraulic	LH22126	<i>AH46, AM46</i>		
2998229	Fuel	LFF5088 ²⁰					Oil	LP468

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 18-Short 19-Long 20-High efficiency 171-With Sensor Port 219-Air Conditioner 268-Extended/Severe service 1076-Case Drain 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (LIFT TRUCK)			CATERPILLAR (LIFT TRUCK)			CATERPILLAR (LIFT TRUCK)		
<i>AH52, AM52</i>			<i>DP45, DP50 w/Mitsubishi S6E Engine (cont'd)</i>			<i>GC25K w/Mitsubishi 4G63 2.0L Engine</i>		
	Oil	LP468	1011460	Air	LAF8549 ¹		Air	LAF8776
<i>AM30, AM36</i>			1032901	Fuel	LFF8307		Oil	PH2867
	Oil	LP468		Oil	LFP3712	<i>GC25K w/Mitsubishi 4G64 2.4L Engine</i>		
<i>DP100, DP115, DP135, DP150 w/Mitsubishi 6D16 Engine</i>			<i>DP45K, P50K w/Mitsubishi S6S Engine</i>				Air	LAF8776
1146934	Trans	PH2808	9186101600	Air	LAF22084 ²		Oil	PH2876
<i>DP15, DP18</i>			9186100700		LAF8400 ¹	<i>GC25N w/Mitsubishi K21 or K25 Engine</i>		
(1041296); W/S	Fuel	FP941F	3446200300	Fuel	LFF8307		Air	LAF22029 ²
	Hydraulic	LH22126 ¹⁰⁷⁷	32B4000100	Oil	LFP5748	Mitsubishi K25 Engine		LAF8690 ¹
<i>DP15N, DP18N w/Mitsubishi S4Q2 Engine</i>			<i>DP50K w/Mitsubishi S6S Engine</i>				Torque Converter	PH2808
(3446221040); W/S	Fuel	FP941F	9186101600	Air	LAF22084 ¹⁸¹	<i>GC28N w/Mitsubishi K21 or K25 Engine</i>		
3446200300		LFF8307	(9186100700); -S/N		LAF8400 ^{1, 12}		Air	LAF22029 ²
MD162326	Oil	PH2808	2310			Mitsubishi K25 Engine		LAF8690 ¹
<i>DP20, DP20K w/Mitsubishi S4S Engine</i>			3446200300	Fuel	LFF8307		Torque Converter	PH2808
9136113300	Air	LAF8776	32B4000100	Oil	LFP5748	<i>GC30K w/Mitsubishi 4G63 2.0L Engine</i>		
(3446221040); W/S	Fuel	FP941F	<i>DP70, DP70E w/Mitsubishi S6S Engine</i>				Air	LAF8776
3446200300		LFF8307	6560800200	Air	LAF1544 ^{2, 12}		Oil	PH2867
32A4000100	Oil	LFP3828	9206103600		LAF1933 ^{1, 12}	<i>GC30K w/Mitsubishi 4G64 2.4L Engine</i>		
<i>DP20, DP25, DP30, DP35</i>			9186101600		LAF22084 ²		Air	LAF8776
1033229	Air	LAF222 ²	9186100700		LAF8400 ¹		Oil	PH2867
1085330		LAF8776	3446200300	Fuel	LFF8307	<i>GC30N w/Mitsubishi K21 or K25 Engine</i>		
(1041296); W/S	Fuel	FP941F	32B4000100	Oil	LFP5748	Mitsubishi K21 Engine	Air	LAF22029 ²
	Hydraulic	LH22126 ¹⁰⁷⁷	<i>DP80, DP90 w/Mitsubishi 6D16 Engine</i>			Mitsubishi K21 Engine		LAF8690 ¹
1039737	Oil	LFP3828	ME035829	Fuel	LFF3527	Mitsubishi K25 Engine	Oil	PH8862
<i>DP20CN w/Mitsubishi S4Q2 Engine</i>			1146934	Trans	PH2808		Torque Converter	PH2808
(3446221040); W/S	Fuel	FP941F	<i>F25, F30, F35</i>			<i>GC33N w/Mitsubishi K21 or K25 Engine</i>		
3446200300		LFF8307	3G-6926	Hydraulic	LFP2275	Mitsubishi K21 Engine	Air	LAF22029 ²
MD162326	Oil	PH2808	<i>F40, F50, F60 Electric</i>			Mitsubishi K21 Engine		LAF8690 ¹
<i>DP25, DP25K, DP25NT w/Mitsubishi S4S Engine</i>			347003	Hydraulic	P92	Mitsubishi K25 Engine	Oil	PH8862
9136113300	Air	LAF8776	<i>F40D, M40D, MC40D</i>				Torque Converter	PH2808
(3446221040); W/S	Fuel	FP941F	917336	Oil	LFP3729	<i>GP15, GP18 w/Mitsubishi 4G63 2.0L Engine</i>		
3446200300		LFF8307	<i>F50D, M50D</i>			1085330	Air	LAF8776
	Hydraulic	LH22126 ¹⁰⁷⁷	917336	Oil	LFP3729	1041426	Oil	PH2867
32A4000100	Oil	LFP3828	<i>GC15, GC18 w/Mitsubishi 4G63 2.0L Engine</i>			<i>GP15, GP18 w/Mitsubishi 4G64 2.4L Engine</i>		
<i>DP30, DP30K, DP30NT w/Mitsubishi S4S Engine</i>			1085330	Air	LAF8776		Air	LAF8776
9136113300	Air	LAF8776	1041426	Oil	PH2867		Oil	PH2867
(3446221040); W/S	Fuel	FP941F	<i>GC20K HP w/Mitsubishi 4G64 2.4L Gas Engine</i>			<i>GP15K w/Mitsubishi 4G63 2.0L Engine</i>		
3446200300		LFF8307		Air	LAF8776		Air	LAF8776
32A4000100	Oil	LFP3828		Oil	PH2867		Oil	PH2867
<i>DP35, DP35K, DP35NT w/Mitsubishi S4S Engine</i>			<i>GC20N w/Mitsubishi K21 or K25 Engine</i>			<i>GP18Z w/Mitsubishi K21 or K25 Engine</i>		
9136113300	Air	LAF8776	Mitsubishi K21 Engine	Air	LAF22029 ²	Mitsubishi K21 Engine	Air	LAF22029 ²
(3446221040); W/S	Fuel	FP941F	Mitsubishi K25 Engine	Oil	PH8862	Mitsubishi K21 Engine		LAF8690 ¹
3446200300		LFF8307	Mitsubishi K25 Engine	Torque Converter	PH2808		Oil	PH8862
32A4000100	Oil	LFP3828	<i>GC25 w/Mitsubishi 4G63 2.0L Gas Engine</i>			<i>GP20 HP w/Mitsubishi 4G63 2.0L Engine</i>		
<i>DP40, DPL40 w/Mitsubishi S6S Engine</i>				Air	LAF8776		Air	LAF8776
9186101600	Air	LAF22084 ¹⁸¹		Oil	PH2867		Oil	PH2867
3446200300	Fuel	LFF8307	<i>GC25, GC30 w/Mitsubishi 4G63 2.0L Engine</i>			<i>GP20 HP w/Mitsubishi 4G64 2.4L Engine</i>		
32B4000100	Oil	LFP5748	2W-4246	Air	LAF4246		Air	LAF8776
<i>DP40K, DP40KL w/Mitsubishi S6S Engine</i>			1085330		LAF8776		Oil	PH2867
9186101600	Air	LAF22084 ¹⁸¹	1041426	Oil	PH2867	<i>GP20, GP25 w/Mitsubishi 4G63 2.0L Engine</i>		
(9186100700); -S/N		LAF8400 ^{1, 12}	<i>GC25, GC30 w/Mitsubishi 4G64 2.4L Engine</i>				Air	LAF8776
2310			2W-4246	Air	LAF4246	1039843	Hydraulic	LH22126 ^{607, 1119}
3446200300	Fuel	LFF8307	1085330		LAF8776		Oil	PH2867
32B4000100	Oil	LFP5748	1041426	Oil	PH2867			
<i>DP45, DP50 w/Mitsubishi S6E Engine</i>								
9186101600	Air	LAF22084 ²						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 12-Optional 181-Single 607-Return 1077-Hyd. Tank 1119-Suction Line

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (LIFT TRUCK)			CATERPILLAR (LIFT TRUCK)			CATERPILLAR (LIFT TRUCK)		
<i>GP20, GP25 w/Mitsubishi 4G64 2.4L Engine</i>			<i>T100D thru T150D w/Perkins 4.236 Gas Engine</i>			<i>T30B, T35B, T40B, T45B, T50B, T60B w/Caterpillar 1404 Engine (cont'd)</i>		
	Air	LAF8776	8N-5504	Air	LAF1820 ²	(8N-5504); S/N 15Y, 17Y, 86W, 88W	Air	LAF1820 ²
1039843	Hydraulic	LH22126 ^{607, 1119}	7N-9027	Fuel	L296F ⁴¹			
	Oil	PH2867	(676987); Diesel	Fuel	L296F ⁴¹			
<i>GP30, GP35 w/Mitsubishi 4G63 2.0L Engine</i>			<i>7W-2327</i>			7N-9027		
1085330	Air	LAF8776	6E-0924	Trans	LFP2275	349804		
1041426	Oil	PH2867	<i>T100D thru T150D w/Perkins 4.2482 Diesel Engine</i>			1R-0734		
<i>GP30, GP35 w/Mitsubishi 4G64 2.4L Engine</i>			<i>8N-5504</i>			329868		
1085330	Air	LAF8776	7N-9027	Air	LAF1820 ²	364464		
1041426	Oil	PH2867	(676987); Diesel	Fuel	L296F ⁴¹	364464		
<i>GPL40, GPL40S w/Mitsubishi Engine</i>			<i>7W-2327</i>			<i>T30B, T35B, T40B, T45B, T50B, T60B w/Continental F163 Engine</i>		
9186101600	Air	LAF22084 ²	6E-0924	Trans	LFP2275	358896		
9146111500		LAF222 ¹⁸¹	<i>T165, T200, T225, T250, T300</i>			(67765); S/N 02N, 12N, 30M, 39N, 41N, 61R, 92P, 94P, 98P		
9186100700		LAF8549 ¹	315405	Air	LAF240	(67765); S/N 04N, 14N, 32M, 40N, 42N, 62R, 64P, 93P, 95P, 99P		
30A4000103	Oil	PH2867	85261	Hydraulic	LP6005 ¹¹	347003		
<i>LT62, LT72, LT90</i>			88269	Oil	P138	(68147); By-Pass		
68660	Oil	P7FF	<i>T25 Thru TC30 w/Continental F163 Engine</i>			3G-6926		
<i>M20, M30 Electric</i>			<i>(67765); S/N 11X (67765); S/N 12X (67765); S/N 12X, 61V; Gas</i>			329868		
347003	Hydraulic	P92	67765	Air	LAF863 ¹²⁵⁴	364464		
<i>M25D</i>			<i>(68147); By-Pass</i>			364464		
917336	Oil	LFP3729	<i>Oil</i>			364464		
<i>M30, M40, M50 Electric</i>			<i>329868</i>			<i>T30B, T35B, T40B, T45B, T50B, T60B w/Perkins 3.152 Engine</i>		
347003	Hydraulic	P92	329868	LP50910		358896		
<i>M30B, M40B, M50B, MC60B Electric</i>			<i>364464</i>			(656140); S/N 45S, 47S		
347003	Hydraulic	P92	364464	PH400 ²⁷⁵		676987		
<i>M60, M70, M80, M100 Electric</i>			<i>(329868); exc. S/N 22Y</i>			347003		
347003	Hydraulic	P92	329868	PH8A ¹⁴⁹⁶		3G-6926		
<i>M60B, M70B, M80B, M100B Electric</i>			<i>364464</i>			329868		
347003	Hydraulic	P92	364464	PH8A ¹⁴⁹⁶		364464		
<i>P4000 w/Mitsubishi S4S Engine</i>			<i>T25D, V25D, T30D w/Peugeot XN1P Engine</i>			<i>T30C thru TC60C w/Caterpillar 1404 Engine</i>		
(3446221040); W/S	Fuel	FP941F	2W-4246	Air	LAF4246	(8N-5504); S/N 31W, 38Y, 69W, 93W		
3446200300	LFF8307		917336	Oil	LFP3729	(8N-5504); S/N 33W, 67W		
(32A4000100); -S/N 162881	Oil	LFP3828	6E-0924	Trans	LFP2275 ¹⁰⁸⁴	7N-9027		
<i>P5000, P5500 w/Mitsubishi S4S Engine</i>			<i>T30, T40, T50, T60 w/Continental F163 Engine</i>			1R-0734		
(3446221040); W/S	Fuel	FP941F	343007	Air	LAF1823 ¹	Oil		
3446200300	LFF8307		358896	Air	LAF1968	Trans		
(32A4000100); -S/N 162881	Oil	LFP3828	347003	Hydraulic	P92	LP50910		
<i>P6000, P6500 w/Mitsubishi S4S 3.3L Engine</i>			<i>(68147); By-Pass</i>			364464		
(3446221040); W/S	Fuel	FP941F	3G-6926	Trans	LFP2275 ¹⁰⁸⁴	PH400 ²⁷⁵		
3446200300	LFF8307		364464	PH400 ²⁷⁵		PH8A ¹⁴⁹⁶		
(32A4000100); -S/N 162881	Oil	LFP3828	364464	PH8A ¹⁴⁹⁶		<i>T30C thru TC60C w/Perkins 4.2032 Engine</i>		
<i>P7000 w/Mitsubishi S4S 3.3L Engine</i>			<i>T30, T40, T50, T60 w/Perkins 3.152 Engine</i>			<i>8N-5504</i>		
(3446221040); W/S	Fuel	FP941F	358896	Air	LAF1968	358896		
3446200300	LFF8307		656140	Air	LAF702	7N-9027		
(32A4000100); -S/N 162881	Oil	LFP3828	676987	Fuel	L296F ⁴¹	3G-6926		
<i>R40, RT40, R50, RT50, R60, RT60, RTC60, R70, R80 w/Perkins 4.236 eng.</i>			<i>347003</i>			<i>8N-5504</i>		
	Air	LAF1820	347003	Hydraulic	P92	(8N-5504); S/N 13Y, 16Y, 85W, 87W		
		LAF2519	3G-6926	Trans	LFP2275 ¹⁰⁸⁴	Air		
	Fuel	L296F ⁴¹	329868	LP50910 ⁵⁹⁰		LAF1820 ²		
	Hydraulic	LFH4204	364464	PH400 ^{275, 1255}		LAF1968		
	Oil	PH4403	364464	PH8A ^{1255, 1496}		LAF2519 ¹		
<i>T30B, T35B, T40B, T45B, T50B, T60B w/Caterpillar 1404 Engine</i>			<i>8N-5504</i>			<i>3G-6926</i>		
		LAF1820 ²	<i>(8N-5504); S/N 13Y, 16Y, 85W, 87W</i>			Trans		
		LAF2519 ¹				LFP2275 ¹⁰⁸⁴		
		LHF4204				<i>T40D thru TC60D w/Caterpillar 1404 Engine</i>		
		PH4403				8N-5504		
						7N-9027		
						917336		
						1R-0734		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 41-Cartridge 181-Single 275-Primary 590-Hydrostatic 607-Return 1084-Power Shift 1119-Suction Line 1254-Propane 1255-With oil clutch 1496-Alternate

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (LIFT TRUCK)			CATERPILLAR (LIFT TRUCK)			CATERPILLAR (LIFT TRUCK)		
<i>T40D thru TC60D w/Caterpillar 1404 Engine (cont'd)</i>			<i>T60D thru TC120D w/Perkins 4.2482 Engine (cont'd)</i>			<i>V160B thru V200B w/Caterpillar 3208 eng. S/N 67Y, 68Y, 84Y, 9AF (cont'd)</i>		
3G-6926	Trans	LFP2275 ¹⁰⁸⁴	329868	Trans	LP50910 ⁵⁹⁰		Oil	LFP5570 LP164
<i>T40D thru TC60D w/Peugeot XD3P Engine</i>			<i>V100 thru V150 w/Perkins 4.236 eng. S/N 6PG, 12V, 13V, 55D, 60D, 91W, 92W</i>			<i>V200 thru V225 w/Caterpillar 3145 eng. S/N 20V, 21V</i>		
2W-3236	Fuel	LFF3501		Air	LAF1820 LAF2519		Air	LAF234HD ²
917336	Hydraulic	LFP3729 LFP449		Fuel	L296F ⁴¹		Hydraulic	LFP1652 ¹²⁵⁵
902900				Hydraulic	LFH4204 LFP1652 ¹²⁵⁵		Oil	LFP791
6E-0924	Trans	LFP2275 ¹⁰⁸⁴		Oil	LFP2275 P771A PH4403	<i>V200 thru V225 w/Perkins 6.354 eng. S/N 62E, 63E, 96W</i>		
<i>T40D thru TC60D w/Peugeot XN1P Engine</i>			<i>V100F thru VC110F w/Perkins 4.236 & 4.2482 eng. S/N 1FK, 6LG</i>			<i>V200B thru V225B w/Caterpillar 3208 eng.</i>		
2W-4246	Air	LAF4246		Air	LAF1820 LAF2519		Air	LAF47 LAF48
902900	Hydraulic	LFH4407 ⁶⁰⁸ LFP449		Fuel	L296F ^{41, 1257}	Sec.	Fuel	LFP440F
917336	Oil	LFP3729		Oil	LFP2275 PH4403		Hydraulic	LFH4204 LFP1652
6E-0924	Trans	LFP2275	<i>V1100 CTH w/Caterpillar 3208 eng. S/N 6BF</i>				Oil	LFP5570 LP164
<i>T40D, V40D w/Peugeot XN1P Engine</i>			<i>V1100B thru VC155B w/Perkins 4.236 eng. S/N 2YJ, 3WG</i>			<i>V250 thru V300 w/Caterpillar 3145 eng. S/N 24V, 25V</i>		
2W-4246	Air	LAF4246		Air	LAF334 ² LAF334MXM LAF9972		Air	LAF234HD ²
917336	Oil	LFP3729	Sec.	Fuel	LFP440F		Hydraulic	LFP1652
6E-0924	Trans	LFP2275 ¹⁰⁸⁴		Oil	LFP6007 LP164 LP560		Oil	LFP791 LP164
<i>T50E, T60E</i>			<i>V110B thru VC110F w/Perkins 4.236 & 4.2482 eng. S/N 1FK, 6LG</i>			<i>V250 thru V300 w/Perkins 6.354 eng. S/N 10F, 49H, 98W</i>		
6I-1450	Air	LAF8404 ² LAF8481 ¹		Air	LAF1820 LAF2519		Fuel	L296F ⁴¹
<i>T60B, T60C w/Caterpillar 1404 Engine</i>			<i>V160 thru V180 w/Caterpillar 3145 eng. S/N 16V, 17V</i>				Hydraulic	LFP1652 ¹²⁵⁵
8N-5504	Air	LAF1820 ² LAF2519 ¹		Fuel	L296F ⁴¹		Oil	PH4403
7N-9027				Hydraulic	LFH4204	<i>V250B thru V330B w/Caterpillar 3208 eng. S/N 71Y, 72Y, 86Y</i>		
1R-0734	Oil	LFP791		Oil	LFP2275 PH4403		Air	LAF234HD ² LAF47 LAF48
364464		PH400 ^{275, 1100} PH8A ^{1100, 1496}	Pri.	Fuel	L3531F	Sec.	Fuel	LFP440F
364464				Hydraulic	LFP1652 ¹²⁵⁵		Hydraulic	LFH4204 LFP1652
6E-0924	Trans	LFP2275 ¹⁰⁸⁴		Oil	LFP791		Oil	LFP5570 LP164
329868		LP509	<i>V160 thru V180 w/Perkins 6.354 eng. S/N 18W, 63D, 94W</i>			<i>V25D thru VC40D w/Peugeot XN1P & XD3P eng. S/N 5HB, 5JB</i>		
<i>T60C thru T120C w/Continental F227 Engine</i>			<i>V160 thru V180 w/Perkins 4.236 eng. S/N 2YJ, 3WG</i>			<i>V250B thru V330B w/Caterpillar 3208 eng. S/N 71Y, 72Y, 86Y</i>		
(8N-5504); S/N 37R, 41L, 55L	Air	LAF1820 ²		Air	LAF1820 LAF2519		Fuel	L296F ⁴¹
(8N-5504); S/N 54Y, 55Y, 56Y		LAF1820 ²		Fuel	L296F ⁴¹		Hydraulic	LFP1652 ¹²⁵⁵
358896		LAF1968		Hydraulic	LFH4204		Oil	PH4403
7N-9027		LAF2519 ¹		Oil	LFP2275 PH4403	<i>V250B thru V330B w/Caterpillar 3208 eng. S/N 71Y, 72Y, 86Y</i>		
(68147); S/N 18N, 33L, 35R, 53R, 90M, 94M; By-Pass	Oil	PB50					Air	LAF234HD ² LAF47 LAF48
		PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Air	LAF234HD ²	Sec.	Fuel	LFP440F
3G-6926	Trans	LFP2275 ¹⁰⁸⁴		Fuel	L3531F		Hydraulic	LFH4204 LFP1652
329868		LP50910 ⁵⁹⁰ PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Hydraulic	LFP1652 ¹²⁵⁵		Oil	LFP5570 LP164
<i>T60D thru TC120D w/Perkins 4.236 Engine</i>			<i>V160 thru V180 w/Perkins 6.354 eng. S/N 18W, 63D, 94W</i>			<i>V25D thru VC40D w/Peugeot XN1P & XD3P eng. S/N 5HB, 5JB</i>		
8N-5504	Air	LAF1820 ²		Air	LAF234HD ²		Air	LAF4246
358896		LAF1968		Fuel	L296F ⁴¹		Fuel	LFF3501
7N-9027		LAF2519 ¹		Hydraulic	LFP1652 ¹²⁵⁵		Oil	LFP2275 LFP3729
7W-2327	Oil	PH4403		Oil	PH4403	<i>V30 thru V60 w/Continental F163 eng. S/N 76M, 77M, 78M</i>		
4T-7948	Trans	LFP2275					Air	LAF1823 ¹ LAF1968 LAF863
6E-0924		LFP2275 ¹⁰⁸⁴					Oil	LFP2275 LP50910 P92
<i>T60D thru TC120D w/Perkins 4.2482 Engine</i>			<i>V160B thru V200B w/Caterpillar 3208 eng. S/N 67Y, 68Y, 84Y, 9AF</i>			<i>V30 thru V60 w/Continental F163 eng. S/N 76M, 77M, 78M</i>		
8N-5504	Air	LAF1820 ²	Sec.	Fuel	LFP440F		Air	LAF1823 ¹ LAF1968 LAF863
7N-9027		LAF2519 ¹		Hydraulic	LFH4204		Oil	LFP2275 LP50910 P92
676987	Fuel	L296F ⁴¹	S/N 9AF		LFH4204 LFH4922 LFP1652			
7W-2327	Oil	PH4403						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 275-Primary 590-Hydrostatic 608-1 3/8" x 12 Thread 1084-Power Shift 1100-Clutch 1255-With oil clutch 1257-Diesel 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (LIFT TRUCK)			CATERPILLAR (LIFT TRUCK)			CATERPILLAR (LIFT TRUCK)		
<i>V30 thru V60 w/Continental F163 eng. S/N 76M, 77M, 78M (cont'd)</i>			<i>V30C thru VC60C w/Caterpillar 1404 eng. (cont'd)</i>			<i>V40D thru VC60D SA w/Perkins 4.2032 eng. S/N 5AC, 5BC</i>		
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP50910 ²⁷⁵ PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Air	LAF1820 LAF2519
<i>V30 thru V60 w/Perkins 3.152 eng.</i>			<i>V30C thru VC60C w/Continental F227 eng.</i>				Fuel	L296F ⁴¹
	Air	LAF1968 LAF702		Air	LAF1820 LAF1968 LAF2519		Hydraulic	LFP449 LH4442
	Fuel	L296F ⁴¹		Oil	LFP2275 LP50910 ²⁷⁵ PH400 ²⁷⁵ PH4403 PH8A ¹⁴⁹⁶		Oil	LFP2275 PH4408
<i>V30B thru V60B w/Continental F163 eng.</i>			<i>V30C thru VC60C w/Perkins 4.2032 eng. S/N 13R, 47Y, 58Y, 59Y, 61Y, 97P</i>			<i>V40D thru VC60D w/Peugeot XN1P eng. S/N 2MC, 3EC, 3FC, 9RB</i>		
	Air	LAF1823 ¹ LAF1968 LAF863		Air	LAF1820 LAF1968 LAF2519		Air	LAF4246
	Oil	LP50910 P92 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Fuel	L296F ⁴¹		Hydraulic	LFH4407 LH4442
<i>V30B thru V60B w/Continental F227 eng.</i>			<i>V30C thru VC60C w/Perkins 4.236 eng. S/N 39U, 41U, 42U, 43, 44Y, 90W</i>				Oil	LFP2275 LFP3729
	Air	LAF1463 LAF1968 LAF702 LAF863		Oil	LFP2275 ¹²⁵⁸ LFP3729 LP50910 P92 PH400 ²⁷⁵ PH4403 PH8A ¹⁴⁹⁶	<i>V50E</i>		
	Oil	LFP2275 LP50910 P92 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Air	LAF1820 LAF1968 LAF2519		Air	LAF8404 LAF8481 ¹
<i>V30B thru V60B w/Perkins 4.236 eng.</i>			<i>V30C thru VC60C w/Perkins 4.236 eng. S/N 39U, 41U, 42U, 43, 44Y, 90W</i>			<i>V550 thru V620 w/Caterpillar 3208 eng. S/N 2DD, 9SC</i>		
	Air	LAF1968 LAF702		Fuel	L296F ⁴¹		Air	LAF334 ² LAF334MXM LAF9972
	Fuel	L296F ⁴¹		Oil	LP50910 P92 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	Sec.	Fuel	LFP440F
	Oil	LFP2275 LP50910 P92 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Air	LAF1820 LAF1968 LAF2519		Oil	LFP5570 LP164 LP560
<i>V30B-V60B w/Continental F163 Engine</i>			<i>V30C-VC60C w/Caterpillar 1404 Engine</i>			<i>V60C thru V80C w/Perkins 4.236 Engine</i>		
"54W, 55R, 72P"	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	2Y	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	369136 (358896); V80C	Air	LAF131 LAF1968
54W, 55R, 72P			2Y			676987	Fuel	L296F ⁴¹
<i>V30B-V60B w/Continental F227 Engine</i>			<i>V30-V60 w/Continental F163 Engine</i>				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
37N	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	"77M, 78M"	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	6E-0924	Trans	LFP2275 ¹⁰⁸⁴ PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
37N			77M, 78M			<i>V60D thru V80D w/Perkins 4.236 Engine</i>		
<i>V30B-V60B w/Perkins 4.236 Engine</i>			<i>V30-V60 w/Perkins 3.152 Engine</i>			8N-5504	Air	LAF1820 ²
55W	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	"52W, 70P, 73P, 75M, 87Y"	Oil	PH400 ²⁷⁵	358896		LAF1968
55W			52W, 70P, 73P, 75M, 87Y		PH8A ¹⁴⁹⁶	7N-9027 (676987); Diesel	Fuel	LAF2519 ¹
<i>V30C thru VC60C w/Caterpillar 1404 eng.</i>			<i>V40D thru VC60D SA w/Caterpillar 1404 eng. S/N 2NC, 4BC, 4CC, 9SB</i>			(676987); Diesel	Fuel	L296F ⁴¹
	Air	LAF1820 LAF2519		Air	LAF1820 LAF2519	6E-0924	Trans	LFP2275 ¹⁰⁸⁴ PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Oil	LFP2275 LFP3729 LFP791		Hydraulic	LFH4407 LH4442	<i>V60E thru V90E w/Perkins 4.236 Engine</i>		
				Oil	LFP2275 LFP3729 LFP791	8N-5504	Air	LAF1820 ²
						358896		LAF1968
						7N-9027 (676987); Diesel	Fuel	LAF2519 ¹
						(676987); Diesel	Fuel	L296F ⁴¹
						(3G-6926); 480E	Hydraulic	LFP2275
							Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
							Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 41-Cartridge 275-Primary 1084-Power Shift 1258-Some V30C 1496-Alternate

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (LIFT TRUCK)			CATERPILLAR (LIFT TRUCK)			CATERPILLAR (LOGGING EQUIPMENT)		
<i>V700 thru V800 w/Caterpillar 3208 Engine</i>			<i>VC60C, VC60D SA w/Caterpillar 1404 Engine (cont'd)</i>			<i>320D FM w/Caterpillar C6.4 Engine</i>		
7W-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF9972 ¹	329868	Trans	LP509	1318821	Air	LAF5868 ¹ LAF8145 ² LAF8145MXM ^{2, 12, 599}
9S-9972 (1R-0711); Sec.	Fuel	LFP440F	<i>VC60D SA w/Perkins 4.2032 Engine</i>			1127448	Cabin Air	LAF8777 ²¹⁹ LAF9092 ⁸⁹⁸
1R-0720	Hydraulic	LP560	8N-5504	Air	LAF1820 ² LAF2519 ¹	3050329	Fuel	LFF4783 LFF6771SC
1R-0714	Oil	LFP6007	7N-9027		L296F ⁴¹	1R0751	Hydraulic	LFH8217 ¹⁰⁷⁶ LFH9393 ¹¹³⁷
1R-0719	Trans	LP164	676987	Fuel	L296F ⁴¹	3261644	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
<i>V70F thru V90F w/Perkins 4.236 Engine</i>			902900	Hydraulic	LFH4407 LFP3729	<i>324D FM w/Caterpillar C7 Engine</i>		
8N-5504	Air	LAF1820 ² LAF2519 ¹	917336		LFP2275 ¹⁰⁸⁴ LH4442 ¹⁸	614503	Air	LAF4503 ² LAF4503MXM ^{2, 12, 599} LAF4504 ¹
7N-9027 (676987); Diesel	Fuel	L296F ⁴¹	CATERPILLAR (LOGGING EQUIPMENT)			1127448	Cabin Air	LAF8777 ²¹⁹ LAF9092 ⁸⁹⁸
6E-0924	Hydraulic	LFP2275 LP4467	<i>1190, 1190T Feller Bunchers</i>			(1R0762); Sec.	Fuel	LFF5804 LFF6771SC
922568			1421339	Air	LAF8669 ² LAF8670 ¹	3261644	Hydraulic	LFH8217 ¹⁰⁷⁶ LFH9393 ¹¹³⁷
7W-2327	Oil	PH4403	1421404		LAF8777	937521	Oil	LFP3191TRT ³ LFP3191XL ¹⁴ LFP3236
6E-0924	Trans	LFP2275 ¹⁰⁸⁴	112-7448	Cabin Air	LAF8777	<i>325C w/3126B ATAAC Engine</i>		
<i>V70F thru V90F w/Perkins 4.2482 Engine</i>			1R0792	Hydraulic	LFH4635 LFH8217 ¹⁰⁷⁶ LFH9393 ¹¹³⁷	61-2503	Air	LAF4503 ² LAF4503MXM ^{2, 268} LAF4504 ¹
8N-5504	Air	LAF1820 ² LAF2519 ¹	93-7521		L296F ⁴¹	61-2504	Fuel	LFF5804 LFF6770 ¹¹⁶⁶
7N-9027 (676987); Diesel	Fuel	L296F ⁴¹	126-1813		LFP2275 LP4467	(1R-0762); Sec. (1R-0770); Pri.	Hydraulic	LFH8217 LFH9393 ¹¹³⁷ LH8506 ⁶⁰⁷
6E-0924	Hydraulic	LFP2275 LP4467	<i>1290T Feller Buncher</i>			1R-1807	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
922568			142-1339	Air	LAF8669 ² LAF8670 ¹	1R-1807		
7W-2327	Oil	PH4403	142-1404		LAF8777	<i>325D FM w/Caterpillar C7 Engine</i>		
6E-0924	Trans	LFP2275 ¹⁰⁸⁴	112-7448	Cabin Air	LAF8777	614503	Air	LAF4503 ² LAF4503MXM ^{2, 12, 599} LAF4504 ¹
<i>V900CH w/Caterpillar 3208 Engine</i>			1R0792	Hydraulic	LFH4635 LFH8217 ¹⁰⁷⁶ LFH9393 ¹¹³⁷	1327165		
7W-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF9972 ¹	93-7521		L296F ⁴¹	1318821	Air	LAF4504 ¹
9S-9972 (1R-0711); Sec.	Fuel	LFP440F	126-1813		LFP2275 LP4467	1127448	Cabin Air	LAF8777 ²¹⁹ LAF9092 ⁸⁹⁸
1R-0720	Hydraulic	LP560	<i>1390 Feller Buncher</i>			(1R0762); Sec.	Fuel	LFF5804 LFF6770 ¹¹⁶⁶
1R-0714	Oil	LFP6007	142-1339	Air	LAF8669 ² LAF8670 ¹	937521	Hydraulic	LFH8217 LFH9393 ¹¹³⁷
1R-0719	Trans	LP164	142-1404		LAF8777	1262081	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
<i>V925, V925 LH w/Caterpillar 3208 Engine</i>			112-7448	Cabin Air	LAF8777	<i>325D FM w/Caterpillar C7 Engine</i>		
7W-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF9972 ¹	1R0792	Hydraulic	LFH4635 LFH8217 ¹⁰⁷⁶ LFH9393 ¹¹³⁷	614503	Air	LAF4503 ² LAF4503MXM ^{2, 12, 599} LAF4504 ¹
9S-9972 (1R-0711); Sec.	Fuel	LFP440F	93-7521		L296F ⁴¹	1327165		
1R-0720	Hydraulic	LP560	126-1813		LFP2275 LP4467	1318821	Air	LAF4504 ¹
1R-0714	Oil	LFP6007	<i>228</i>			1127448	Cabin Air	LAF8777 ²¹⁹ LAF9092 ⁸⁹⁸
1R-0719	Trans	LP164	1402334	Air	LAF8114 ¹ LAF8143 ²	(1R0762); Sec.	Fuel	LFF5804 LFF6771SC
<i>VC60C w/Continental F227 Engine</i>			1348726		L3102F	937521	Hydraulic	LFH8217 ¹⁰⁷⁶ LFH9393 ¹¹³⁷
364464	Oil	PH400 ^{275, 1100} PH400 ²⁷⁵ PH8A ¹⁴⁹⁶ PH8A ^{1100, 1496}	(1596102); Sec.	Fuel	L3102F	1262081	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
364464			7W-2327	Oil	PH4403	<i>325D FM w/Caterpillar C7 Engine</i>		
364464			<i>248</i>			614503	Air	LAF4503 ² LAF4503MXM ^{2, 12, 599} LAF4504 ¹
6E-0924	Trans	LFP2275 ¹⁰⁸⁴ LP509	1106326	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹	1327165		
329868			1106331		L3102F	1318821	Air	LAF4504 ¹
<i>VC60C, VC60D SA w/Caterpillar 1404 Engine</i>			(1596102); Sec.	Fuel	L3102F	1127448	Cabin Air	LAF8777 ²¹⁹ LAF9092 ⁸⁹⁸
8N-5504	Air	LAF1820 ² LAF2519 ¹	7W-2327	Oil	PH4403	(1R0762); Sec.	Fuel	LFF5804 LFF6771SC
7N-9027 (902900); LPG Eng. (917336); Gas	Hydraulic	LFH4407 LFP3729	<i>2864C Caterpillar C9 Engine</i>			3261644	Hydraulic	LFH8217 ¹⁰⁷⁶ LFH9393 ¹¹³⁷
1R-0734	Oil	LFP791		Air	LAF8150 ² LAF8693 ¹	937521	Oil	LFP3191TRT ³ LFP3191XL ¹⁴ LFP3236
364464			Pri.	Fuel	LFF4783 LFF6771 ¹⁷¹	1261813		
364464				Hydraulic	LFH4990 LFH8417 ¹¹⁷⁶	1R1807		
6E-0924	Trans	LFP2275 ¹⁰⁸⁴ LH4442	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	<i>325D FM w/Caterpillar C7 Engine</i>		
9T1119						614503	Air	LAF4503 ² LAF4503MXM ^{2, 12, 599} LAF4504 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 18-Short 41-Cartridge 171-With Sensor Port 219-Air Conditioner 268-Extended/Severe service 275-Primary 599-High capacity 607-Return 898-Cabin fresh air filter 1076-Case Drain 1084-Power Shift 1100-Clutch 1137-Pilot 1166-9/16"-18 Thread Sensor Port 1176-Spin-on, Hyd. Tank 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (LOGGING EQUIPMENT)			CATERPILLAR (LOGGING EQUIPMENT)			CATERPILLAR (LOGGING EQUIPMENT)		
<i>325DFM w/Caterpillar C7 Engine</i>			<i>511, 521 Feller Bunchers w/Caterpillar C9 Engine (cont'd)</i>			<i>521 w/Caterpillar C9 Engine (cont'd)</i>		
61-2503	Air	LAF4503 ² LAF4503MXM ^{2, 268}	1261813	Hydraulic	LFH9393 ¹¹⁸⁵	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
61-2504 (1R0762); Sec. (1R-0770); Pri.	Fuel	LFF5804 LFF6770 ¹¹⁶⁶	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	<i>521B w/Caterpillar C9 Engine</i>		
93-7521 1261813	Hydraulic	LFH8217 LFH9393 ¹¹⁷⁷	<i>5110 w/Caterpillar 3412E Engine</i>			1127448	Cabin Air	LAF8777
1R-1807	Oil	LFP3191TRT ³ LFP3236 LFP3236TRT ³	142-1339 142-1404	Air	LAF8669 ² LAF8670 ¹	(1R0762); Sec. (3261644); Pri.	Fuel	LFF5804 ²⁰ LFF6771SC
<i>330D FM w/Caterpillar C9 Engine</i>			112-7448	Cabin Air	LAF8777	937521	Hydraulic	LFH8217 ¹⁰⁷⁶ LFH9393 ¹¹⁸⁵ LH9556
1421339 1327165	Air	LAF8669 ² LAF8669MXM ^{2, 12, 599}	1R0792	Hydraulic	LFH4635	1799806	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
1421404 1127448 (1R0762); Sec. 3261644	Cabin Air	LAF8670 ¹ LAF8777 ²¹⁹	93-7521 126-1813		LFH8217 ¹⁰⁷⁶ LFH9393 ¹¹³⁷	<i>522B Feller Buncher w/Caterpillar C9 Engine</i>		
937521 1261813	Hydraulic	LFH8217 ¹⁰⁷⁶ LFH9393 ¹¹³⁷	<i>515 w/Caterpillar 3304 Engine</i>			1127448	Cabin Air	LAF8777
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	61-2499	Air	LAF4499 ² LAF4499MXM ^{2, 268} LAF4500 ¹	(1R0762); Sec. (3261644); Pri.	Fuel	LFF5804 ²⁰ LFF6771SC
<i>330DFM w/Caterpillar C9 Engine</i>			61-2500 (9M-2341); Pri. 1R-0750	Fuel	L3531F LFF3347	937521	Hydraulic	LFH8217 ¹⁰⁷⁶ LFH9393 ¹¹⁸⁵
	Air	LAF8669 ²⁷⁵ LAF8669MXM ²⁷⁵ LAF8670 ¹	1R-0735 1R-0722	Hydraulic	LH4932 LH5461	1261813 1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
(1R-0762); Sec.	Fuel	LFF5804 LFF6771SC	9T-5916 9T-9054	Trans	LFH4910 LP2336	<i>525</i>		
	Hydraulic	LFH8217 ⁶¹⁰ LFH9393 ¹⁰⁷⁶ LH9556 ¹⁰⁷⁶	<i>517 w/Caterpillar 3304 DIT Engine</i>			61-2499	Air	LAF4499 ² LAF4499MXM ^{2, 268} LAF4500 ¹
	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	61-2499	Air	LAF4499 ² LAF4499MXM ^{2, 268} LAF4500 ¹	61-2500 (9M-2341); Pri. 1R-0750	Fuel	L3531F LFF3347
<i>508 w/Caterpillar 3204 Engine</i>			61-2500 6T-0988	Cabin Air	LAF8393 ⁸⁹⁸	9T-5916 1R-0735 1R-0722	Hydraulic	LFH4910 LH4932 LH5461
61-2499	Air	LAF4499 ² LAF4499MXM ^{2, 268}	1R-0750 9M-9740	Fuel	LFF3347	1R-0739 1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
61-2500 7W-5389	Fuel	LAF4500 ¹ LAF47 ²	1R-0739 1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	9T-9054	Trans	LP2336
1R-0750 (1W-8633); Sec. (9J-5461); S/N 9NC1-	Hydraulic	LFF3347 LFP440F LH5461	<i>518C w/Caterpillar 3304 Engine</i>			<i>525B w/Caterpillar 3126 Engine</i>		
9N-6007	Oil	LFP6007	7W-5389 2S-1285	Air	LAF47 ² LAF48 ¹	61-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}
9M-9740	Trans	LP164	(9M-2341); Pri. (1R-0740); Sec.	Fuel	L3531F LFP440F	61-0274	Fuel	LAF4274 ¹
<i>511, 521 Feller Bunchers w/Caterpillar C9 Engine</i>			1R-0739 1R-0739	Hydraulic	LP816	1R-0751 1R-0753 (1R-0769); Pri.	Fuel	LFF4783 ¹⁸ LFF5322 ¹⁹ LFF6771 ¹⁷¹
1421339	Air	LAF8669 ² LAF8670 ¹	9M-9740	Trans	LP164	1G-8878	Hydraulic	LFH4990
1421404	Cabin Air	LAF8777	<i>521 w/Caterpillar C9 Engine</i>			1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
1127448 (1R0762); Sec. (3261644); Pri.	Fuel	LFF5804 ²⁰ LFF6770 ¹¹⁶⁶	1421339	Air	LAF8669 ² LAF8670 ¹	1R-0739	Oil	LFP3191TRT ³ LFP3191XL ¹⁴
1R0792 937521	Hydraulic	LFH4635 LFH8217 ¹⁰⁷⁶	1127448 (1R0762); Sec. (3261644); Pri.	Cabin Air	LAF8777	1G-8878	Trans	LFH4990
<i>511, 521 Feller Bunchers w/Caterpillar C9 Engine</i>			937521 1261813 1799806	Hydraulic	LFH8217 ¹⁰⁷⁶ LFH9393 ¹¹⁸⁵ LH9556	<i>527 w/Caterpillar 3304 Engine</i>		
1421339	Air	LAF8669 ² LAF8670 ¹	<i>518C w/Caterpillar 3304 Engine</i>			61-2501	Air	LAF4501 ² LAF4501MXM ^{2, 268}
1421404	Cabin Air	LAF8777	7W-5389 2S-1285	Air	LAF47 ² LAF48 ¹	61-2502	Cabin Air	LAF4502 ¹
1127448 (1R0762); Sec. (3261644); Pri.	Fuel	LFF5804 ²⁰ LFF6770 ¹¹⁶⁶	(9M-2341); Pri. (1R-0740); Sec.	Fuel	L3531F LFP440F	6T-0988 (9M-2341); Pri. (1R-0740); Sec.	Fuel	LAF8393 ⁸⁹⁸ L3531F LFP440F
1R0792 937521	Hydraulic	LFH4635 LFH8217 ¹⁰⁷⁶	1R-0739 1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	<i>527 w/Caterpillar 3304 Engine</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 18-Short 19-Long 20-High efficiency 171-With Sensor Port
219-Air Conditioner 268-Extended/Severe service 275-Primary 599-High capacity 610-Charge Pump 898-Cabin fresh air filter 1076-Case Drain 1137-Pilot
1166-9/16"-18 Thread Sensor Port 1177-Pilot, High Efficiency 1185-2" Threaded Pilot

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (LOGGING EQUIPMENT)			CATERPILLAR (LOGGING EQUIPMENT)			CATERPILLAR (LOGGING EQUIPMENT)		
<i>527 w/Caterpillar 3304 Engine (cont'd)</i>			<i>539 Feller Buncher w/Caterpillar C9 Engine (cont'd)</i>			<i>545C w/Caterpillar C7 Engine</i>		
4T-6915	Hydraulic	LFH4943				2456375	Air	LAF6098 ²
1R-0735		LH4932 ¹⁰⁷⁷		Oil	LFP4005TRT ³	2456376		LAF6099 ¹
1R-0739	Oil	LFP3191			LFP4005XL ¹⁴	(1R-0762); Sec.	Fuel	LFF5804
1R-0739		LFP3191TRT ³	<i>539 w/Caterpillar 3126D1TA Engine</i>			(3261644); Pri.		LFF6771 ¹⁷¹
		LFP3191XL ¹⁴	6I-0273	Air	LAF4273 ²	1G-8878	Hydraulic	LFH4990
9M-9740	Trans	LP164			LAF4273MXM ^{2, 268}		Oil	LFP3191XL ¹⁴
<i>530B w/Caterpillar 3306 Engine</i>			6I-0274		LAF4274 ¹	1R1807		LFP3236
4M-9334	Air	LAF334 ²	(151-2409); Pri.	Fuel	L22023F			LFP3236TRT ³
		LAF334MXM ^{2, 268}	(1R-0751); Sec.		LFF4783	1G-8878	Trans	LFH4990
6I-2501		LAF4501 ²	(1R-0753); Sec.		LFF5322	<i>550 Harvester w/Caterpillar 3126B Engine</i>		
		LAF4501MXM ^{2, 268}	4I-3948	Hydraulic	LFH8454	6I2501	Air	LAF4501 ²
		LAF4502 ¹	126-2081		LH8506			LAF4501MXM ^{2, 268}
2S-1286		LAF75 ¹	1R-0739	Oil	LFP3191	6I4502		LAF4502 ¹
(9M-2342); Pri.	Fuel	L3531F	1R-0739		LFP3191TRT ³	(151-2409); Pri.	Fuel	L22023F
1R-0750		LFF3347			LFP3191XL ¹⁴	(1R-0751); Sec.		LFF4783
(1P-2299); Sec.		LFP440F	<i>541 Series 2 Feller Buncher w/Caterpillar C9 Engine</i>			937521	Hydraulic	LFH8217
2P-4004	Oil	LFP3191	1421339	Air	LAF8669 ²	1R-0739	Oil	LFP3191
2P-4004		LFP3191TRT ³	1421404		LAF8670 ¹			LFP3191TRT ³
		LFP3191XL ¹⁴	1127448	Cabin Air	LAF8777	1R-0739		LFP3191XL ¹⁴
9M-9740	Trans	LP164	(1R0762); Sec.	Fuel	LFF5804 ²⁰	<i>550B Tree Harvester w/Caterpillar C7 Engine</i>		
<i>532 Feller Buncher w/Caterpillar C9 Engine</i>			(3261644); Pri.		LFF6771SC	6I2501	Air	LAF4501 ²
1421339	Air	LAF8669 ²	1R0792	Hydraulic	LFH4635			LAF4501MXM ^{2, 268}
1421404		LAF8670 ¹	937521		LFH8217 ¹⁰⁷⁶	6I4502		LAF4502 ¹
1127448	Cabin Air	LAF8777	1261813		LFH9393 ¹¹⁸⁵	(1634465); Pri.	Fuel	L3101F
(1R0762); Sec.	Fuel	LFF5804 ²⁰	1R1808	Oil	LFP4005RN ⁵⁹⁹	(1454501); Sec.		L3102F
(1R0770); Pri.		LFF6770 ¹¹⁶⁶			LFP4005TRT ³	0937521	Hydraulic	LFH8217 ¹⁰⁷⁶
1R0792	Hydraulic	LFH4635	<i>541, 551 Feller Bunchers w/Caterpillar C9 Engine</i>			7W2327	Oil	LFP2292
937521		LFH8217 ¹⁰⁷⁶	1421339	Air	LAF8669 ²	<i>552 Feller Buncher w/Caterpillar C9 Engine</i>		
1261813		LFH9393 ¹¹⁸⁵	1421404		LAF8670 ¹	1421339	Air	LAF8669 ²
1R1808	Oil	LFP4005RN ⁵⁹⁹	1127448	Cabin Air	LAF8777	1421404		LAF8670 ¹
		LFP4005TRT ³	(1R0762); Sec.	Fuel	LFF5804 ²⁰	1127448	Cabin Air	LAF8777
		LFP4005XL ¹⁴	(1R0770); Pri.		LFF6770 ¹¹⁶⁶	(1R0762); Sec.	Fuel	LFF5804 ²⁰
<i>535B w/Caterpillar 3126 Engine</i>			1R0792	Hydraulic	LFH4635	(1R0770); Pri.		LFF6770 ¹¹⁶⁶
6I-0273	Air	LAF4273 ²	937521		LFH8217 ¹⁰⁷⁶	1R0792	Hydraulic	LFH4635
		LAF4273MXM ^{2, 268}	1261813		LFH9393 ¹¹⁸⁵	937521		LFH8217 ¹⁰⁷⁶
6I-0274		LAF4274 ¹	1R1808	Oil	LFP4005RN ⁵⁹⁹	1261813		LFH9393 ¹¹⁸⁵
1R-0751	Fuel	LFF4783 ¹⁸			LFP4005TRT ³	1R1808	Oil	LFP4005RN ⁵⁹⁹
1R-0753		LFF5322 ¹⁹	<i>545 w/Caterpillar 3306 Engine</i>					LFP4005TRT ³
(1R-0769); Pri.		LFF6771 ¹⁷¹	6I0273	Air	LAF4273 ²	<i>552 Series 2 Feller Buncher w/Caterpillar C9 Engine</i>		
1G-8878	Hydraulic	LFH4990	6I0274		LAF4274 ¹	1421339	Air	LAF8669 ²
1R-0739	Oil	LFP3191	(9M2341); Pri.	Fuel	L3531F	1421404		LAF8670 ¹
1R-0739		LFP3191TRT ³	1R0750		LFF3347	1127448	Cabin Air	LAF8777
		LFP3191XL ¹⁴	1G8878	Hydraulic	LFH4990 ¹¹⁹³	(1R0762); Sec.	Fuel	LFF5804 ²⁰
1G-8878	Trans	LFH4990	1526902		LFH8417	(3261644); Pri.		LFF6771SC
<i>539 Feller Buncher w/Caterpillar C9 Engine</i>			1R0735		LH4932 ¹⁰⁷⁷	1R0792	Hydraulic	LFH4635
1421339	Air	LAF8669 ²	1R0722		LH5461 ¹⁰⁷⁷	937521		LFH8217 ¹⁰⁷⁶
1421404		LAF8670 ¹	1R-0739	Oil	LFP3191	1261813		LFH9393 ¹¹⁸⁵
1127448	Cabin Air	LAF8777	1R-0739		LFP3191TRT ³	1R1808	Oil	LFP4005RN ⁵⁹⁹
(1R0762); Sec.	Fuel	LFF5804 ²⁰			LFP3191XL ¹⁴			LFP4005TRT ³
(1R0770); Pri.		LFF6770 ¹¹⁶⁶	1G8878	Trans	LFH4990	<i>553C w/Caterpillar C6.6 Acert Engine</i>		
1R0792	Hydraulic	LFH4635				1421339	Air	LAF8669 ²
937521		LFH8217 ¹⁰⁷⁶						
1261813		LFH9393 ¹¹⁸⁵						
1R1808	Oil	LFP4005RN ⁵⁹⁹						
		LFP4005TRT ³						
		LFP4005XL ¹⁴						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 18-Short 19-Long 20-High efficiency 171-With Sensor Port

268-Extended/Severe service 599-High capacity 1076-Case Drain 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port 1185-2" Threaded Pilot 1193-Winch

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (LOGGING EQUIPMENT)			CATERPILLAR (LOGGING EQUIPMENT)			CATERPILLAR (LOGGING EQUIPMENT)		
<i>553C w/Caterpillar C6.6 Acert Engine (cont'd)</i>			<i>568 w/Caterpillar C9.3 ATAAC Engine (cont'd)</i>			<i>580B Harvester w/Caterpillar 3126B Engine (cont'd)</i>		
1421404	Air	LAF8670 ¹	1R1808	Oil	LFP4005TRT ³		Oil	LFP3191XL ¹⁴
(2998229); Sec.	Fuel	LFF5088 ²⁰	1R1808		LFP4005XL ¹⁴			
(3261643); Pri.		LFF6771 ¹⁷¹	<i>570B Harvester w/Caterpillar 3126B Engine</i>			<i>584 Forwarder w/Caterpillar C-7 Engine</i>		
3416643	Hydraulic	LFH4972 ⁶¹⁰	6I2501	Air	LAF4501 ²	1421339	Air	LAF8669 ²
937521		LFH8217 ⁶⁰⁷			LAF4501MXM ^{2, 268}	1421404		LAF8670 ¹
1526902		LFH8417 ¹¹⁹⁴			LAF4502 ¹	1R0751	Fuel	LFF4783
2698325	Oil	LFP2698	6I4502	(1634465); Pri.	L3101F	(3261644); Pri.		LFF6771 ¹⁷¹
<i>554 w/Caterpillar 3054D1TA Engine</i>			(1454501); Sec.		L3102F	1R1807	Oil	LFP3236
110-6326	Air	LAF4544 ²	0937521	Hydraulic	LFH8217 ¹⁰⁷⁶			LFP3236TRT ³
		LAF4544MXM ^{2, 268}	1R-0739	Oil	LFP3191TRT ³	<i>586C w/Caterpillar C9 Engine</i>		
110-6331		LAF4545 ¹			LFP3191XL ¹⁴		Air	LAF8150 ²
(159-6102); Sec.	Fuel	L3102F	<i>573C Feller Buncher w/Caterpillar C7.1 Engine</i>					LAF8693 ¹
(117-4089); Pri.		L8682F	1421404	Air	LAF8150 ²		Fuel	LFF4783
093-7521	Hydraulic	LFH8217 ⁶⁰⁷	1421339		LAF8669 ²		Hydraulic	LFF6771 ¹⁷¹
7W-2326	Oil	LFP2292	3416643	Hydraulic	LFH4972 ⁶¹⁰			LFH4990
1G-8878	Trans	LFH4990	937521		LFH8217 ⁶⁰⁷			LFH8417 ¹¹⁷⁶
<i>559C Knuckleboom Loader w/Caterpillar C6.6 Engine</i>			1526902		LFH8417 ¹¹⁹⁴	1R1808	Oil	LFP4005RN ⁵⁹⁹
3416643	Hydraulic	LFH4972 ⁶¹⁰	2698325	Oil	LFP2698			LFP4005TRT ³
1526902		LFH8417 ¹¹⁹⁴	<i>574 Forwarder w/Caterpillar 3126 Engine</i>					LFP4005XL ¹⁴
2698325	Oil	LFP2698	152-7219	Air	LAF5932 ¹	<i>586C w/Caterpillar C9.3 engine</i>		
<i>560B Harvester w/Caterpillar 3056E Engine</i>			152-7217		LAF8149 ²		Air	LAF8150 ²
6I2501	Air	LAF4501 ²	(151-2409); Pri.	Fuel	L22023F			LAF8693 ¹
		LAF4501MXM ^{2, 268}	(1R-0751); Sec.		LFF4783		Fuel	LFF4783
6I4502		LAF4502 ¹	937521	Hydraulic	LFH8217 ⁶⁰⁷		Hydraulic	LFF6771 ¹⁷¹
(1634465); Pri.	Fuel	L3101F	1R-0739	Oil	LFP3191	1R1808	Oil	LFH8417 ¹⁰⁷⁶
(1454501); Sec.		L3102F	1R-0739		LFP3191TRT ³			LFP4005RN ⁵⁹⁹
0937521	Hydraulic	LFH8217 ¹⁰⁷⁶			LFP3191XL ¹⁴			LFP4005TRT ³
7W2327	Oil	LFP2292	1G-8878	Trans	LFH4990		Trans	LFP4005XL ¹⁴
<i>563C Feller Buncher w/Caterpillar C7.1 Engine</i>			<i>574B w/Caterpillar 3056E Engine</i>			<i>950 Tree Harvester</i>		
1421404	Air	LAF8150 ²	1527219	Air	LAF5932 ¹	6K-9606	Air	LAF1792 ²¹⁹
1421339		LAF8669 ²	1527217		LAF8149 ²			LAF47 ²
3416643	Hydraulic	LFH4972 ⁶¹⁰	(1383100); Pri.	Fuel	L3101F			LAF48 ¹
937521		LFH8217 ⁶⁰⁷	(1454501); Sec.		L3102F	1R-0750	Fuel	LFF3347
1526902		LFH8417 ¹¹⁹⁴	937521	Hydraulic	LFH8217 ⁶⁰⁷	(1P-2299); Sec.		LFP440F
2698325	Oil	LFP2698	7W-2327	Oil	PH4403	4J-6064	Hydraulic	LP560 ¹⁰⁷⁷
<i>564 w/Caterpillar 3056E Engine</i>			1G-8878	Trans	LFH4990	2P-4004	Oil	LFP3191
1527219	Air	LAF5932 ¹	<i>579C (w/Caterpillar C6.6 Acert Engine)</i>			2P-4004		LFP3191TRT ³
1527217		LAF8149 ²	1421339	Air	LAF8669			LFP3191XL ¹⁴
1070266	Cabin Air	AF7878	1421404		LAF8670	9M-9740	Trans	LP164
(1383100); Pri.	Fuel	L3101F	2998229	Fuel	LFF5088	<i>LL229</i>		
(1454501); Sec.		L3102F	(3261643); Pri.		LFF6771 ¹⁷¹		Fuel	L2020FN
1G-8878	Hydraulic	LFH4990 ⁶¹⁰	3261644		LFF6771SC	<i>TK1051 w/Caterpillar 3176C Engine</i>		
937521		LFH8217 ⁶⁰⁷	1526902	Hydraulic	LFH8217	1421340	Air	LAF8150 ²
7W-2327	Oil	PH4403	2698325	Oil	LFP2698	1421403		LAF8693 ¹
<i>568 w/Caterpillar C9.3 ATAAC Engine</i>			<i>580B Harvester w/Caterpillar 3126B Engine</i>			(1R-0762); Sec.	Fuel	LFF5804
1421339	Air	LAF8669 ²	6I2501	Air	LAF4501 ²	(1335673); Pri.		LFF8707
1421404		LAF8670 ¹			LAF4501MXM ^{2, 268}	1843931	Hydraulic	LFH22150
1127448	Cabin Air	LAF8777	6I4502		LAF4502 ¹	7J-0670		LFH4635 ¹⁰⁷⁷
1R0749	Fuel	LFF2749 ²⁰	(1634465); Pri.	Fuel	L3101F	937521		LFH8217 ¹⁰⁷⁶
(3261643); Pri.		LFF6771 ¹⁷¹	(1454501); Sec.		L3102F	1R-0716	Oil	LFP4005
937521	Hydraulic	LFH8217 ¹⁰⁷⁶	0937521	Hydraulic	LFH8217 ¹⁰⁷⁶			LFP4005TRT ³
1261813		LFH9393 ¹¹³⁷	1R0739	Oil	LFP3191	<i>TK370 w/Caterpillar 3126 Engine</i>		
1R1808	Oil	LFP4005RN ⁵⁹⁹	1R-0739		LFP3191TRT ³	6I-2503	Air	LAF4503 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 171-With Sensor Port 219-Air Conditioner
 268-Extended/Severe service 599-High capacity 607-Return 610-Charge Pump 1076-Case Drain 1077-Hyd. Tank 1137-Pilot 1176-Spin-on, Hyd. Tank
 1194-Powertrain

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (LOGGING EQUIPMENT)			CATERPILLAR (LOGGING EQUIPMENT)			CATERPILLAR (MINING EQUIPMENT)		
<i>TK370 w/Caterpillar 3126 Engine (cont'd)</i>			<i>TK741, TK751, TK752 w/Caterpillar C9 Engine (cont'd)</i>			<i>R1600G w/Caterpillar 3176C EUI Engine (cont'd)</i>		
	Air	LAF4503MXM ^{2, 268}		Oil	LFP4005TRT ³ LFP4005XL ¹⁴	1R0719	Trans	LP164
6I-2504		LAF4504 ¹				<i>R1600H (w/Caterpillar C11 Engine)</i>		
1R-0751	Fuel	LFF4783				6I2510	Air	LAF4510 ¹
1R-0753		LFF5322 ²⁰	CATERPILLAR (MATERIAL HANDLER)			9N3718	Coolant	LFW4072 ¹⁸²
(1R-0769); Pri.		LFF6771 ¹⁷¹	<i>MH3037 (w/Caterpillar C7 Engine)</i>			(1R0762); Sec.	Fuel	LFF5804
9T-8578	Hydraulic	LFH5015 ¹⁰⁷⁶		Air	LAF6889	(3261643); Pri.		LFF6771 ¹⁷¹
126-1814		LFH5083 ¹¹⁹⁴		Hydraulic	LFH4959	1G8878	Hydraulic	LFH4990 ⁶⁷⁹
207-5035		LFH8417G			LFH5015	1R0722		LH5461
1R1807	Oil	LFP3236	<i>MH3059 (w/Caterpillar C9 Engine)</i>			4T3134		LH5854 ¹¹⁷²
		LFP3236TRT ³	1446691	Hydraulic	LFH4959	1R0716	Oil	LFP4005
<i>TK371, TK381 w/Caterpillar 3126 Engine</i>			1R1808	Oil	LFP4005RN ⁵⁹⁹			LFP4005TRT ³ LFP4005XL ¹⁴
6I-2503	Air	LAF4503 ²	CATERPILLAR (MINING EQUIPMENT)			1328875	Torque Converter	LH8784G
		LAF4503MXM ^{2, 268}	<i>AD45B w/Caterpillar C18 Acent Engine</i>			1R0719	Trans	LP164
6I-2504		LAF4504 ¹	4W5228	Air	LAF5228 ²	<i>R1700 Series II</i>		
(1R-0751); Sec.	Fuel	LFF4783 ¹²⁵⁰	1N4864		LAF408 ¹		Air	LAF4505 ² LAF4506 ¹
(1R-0753); Sec.		LFF5322 ¹²³¹	8X4575	Breather	LAF5810 ⁸⁵⁸	Pri.	Fuel	L3531F
(1R-0769); Pri.		LFF6771 ¹⁷¹	9N3718	Coolant	LFW4072 ¹⁸²			LFF1201
9T-8578	Hydraulic	LFH5015 ¹⁰⁷⁶	1R0749	Fuel	LFF2749 ²⁰			LFF2749 ²⁰
207-5035		LFH8417G	1303212	Hydraulic	LFH22028 ¹¹³⁷		Hydraulic	LH5461
1R-1807	Oil	LFP3191	ZP4005	Oil	LFP4005			LH5854 ¹¹⁷²
1R-1807		LFP3191TRT ³			LFP4005TRT ³			LP164
		LFP3191XL ¹⁴	1G8878	Trans	LFH4990	1R0716	Oil	LFP4005
1G-8878	Trans	LFH4990						LFP4005TRT ³ LFP4005XL ¹⁴
<i>TK380 w/Caterpillar 3126 Engine</i>			<i>R1300G w/6.6 Engine</i>			<i>R2900G w/Caterpillar 3406E Engine</i>		
6I-2503	Air	LAF4503 ²	8N6309	Air	LAF1826 ²	1063973	Air	LAF3884 ¹
		LAF4503MXM ^{2, 268}	8N2556		LAF3048 ¹			LAF5022 ²
6I-2504		LAF4504 ¹	(1335673); Pri.	Fuel	LFF8707 ¹⁸¹	1063969		LAF5023 ²
1R-0751	Fuel	LFF4783	1R0722	Hydraulic	LH5461 ¹⁰⁷⁷	9N3718	Coolant	LFW4072 ¹⁸²
1R-0753		LFF5322 ²⁰	2698325	Oil	LFP2698	(1R0762); Sec.	Fuel	LFF5804
(1R-0769); Pri.		LFF6771 ¹⁷¹	1G8878	Trans	LFH4990	1G8878	Hydraulic	LFH4990 ⁶⁷⁹
9T-8578	Hydraulic	LFH5015 ¹⁰⁷⁶	<i>R1300G w/Caterpillar 3306 DITA Engine</i>			1R0722		LH5461
126-1814		LFH5083 ¹¹⁹⁴	8N6309	Air	LAF1826 ²	1R0716	Oil	LFP4005
207-5035		LFH8417G	8N2556		LAF3048 ¹			LFP4005TRT ³ LFP4005XL ¹⁴
1R1807	Oil	LFP3236	1112371	Coolant	LFW4072 ¹⁸²	1R0719	Trans	LP164
		LFP3236TRT ³	1R0750	Fuel	LFF3347	<i>R2900G w/Caterpillar C15 Engine</i>		
<i>TK711, TK721, TK722, TK732 w/Caterpillar C9 Engine</i>			(1335673); Pri.		LFF8707	1063973	Air	LAF3884 ¹
1421339	Air	LAF8669 ²	1R0722	Hydraulic	LH5461 ¹⁰⁷⁷			LAF5022 ²
1421404		LAF8670 ¹	1R0739	Oil	LFP3191	1063969		LAF5023 ²
(1R-0762); Sec.	Fuel	LFF5804	1R0739		LFP3191TRT ³ LFP3191XL ¹⁴	9N3718	Coolant	LFW4072 ¹⁸²
(1R-0770); Pri.		LFF6770 ¹¹⁶⁶	9T9054	Trans	LP2336	(1R0762); Sec.	Fuel	LFF5804
937521	Hydraulic	LFH8217 ¹⁰⁷⁶	<i>R1600G w/Caterpillar 3176C EUI Engine</i>			1G8878	Hydraulic	LFH4990 ⁶⁷⁹
1261813		LFH9393 ¹¹³⁷	6I2510	Air	LAF4510 ¹	1R0722		LH5461
1R-0716	Oil	LFP4005	9N3718	Coolant	LFW4072 ¹⁸²	1R1808	Oil	LFP4005RN ⁵⁹⁹
		LFP4005TRT ³	1R0749	Fuel	LFF2749 ²⁰			LFP4005TRT ³ LFP4005XL ¹⁴
		LFP4005XL ¹⁴	(1335673); Pri.		LFF8707	1R0719	Trans	LP164
<i>TK741, TK751, TK752 w/Caterpillar C9 Engine</i>			1G8878	Hydraulic	LFH4990 ⁶⁷⁹	<i>R3000H (w/Caterpillar C15 Engine)</i>		
1421339	Air	LAF8669 ²	1R0722		LH5461	1063973	Air	LAF3884 ¹
1421404		LAF8670 ¹	4T3134		LH5854 ¹¹⁷²			LAF5022 ²
(1R-0762); Sec.	Fuel	LFF5804	1R0716	Oil	LFP4005	1063969		LAF5023 ²
(1R-0770); Pri.		LFF6770 ¹¹⁶⁶			LFP4005TRT ³ LFP4005XL ¹⁴	9N3718	Coolant	LFW4072 ¹⁸²
937521	Hydraulic	LFH8217 ¹⁰⁷⁶	1328875	Torque Converter	LH8784G			
1261813		LFH9393 ¹¹³⁷						
1R-0716	Oil	LFP4005						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 171-With Sensor Port 181-Single 182-Contains 2 oz. of chemical 268-Extended/Severe service 599-High capacity 679-Axle 858-Hydraulic Tank 1076-Case Drain 1077-Hyd. Tank 1137-Pilot 1166-9/16"-18 Thread Sensor Port 1172-For Fire Resistant Fluids 1194-Powertrain 1231-Bottom mounted 1250-Top mtd.

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (MINING EQUIPMENT)			CATERPILLAR (OFF HIGHWAY TRUCK)			CATERPILLAR (OFF HIGHWAY TRUCK)		
<i>R3000H (w/Caterpillar C15 Engine) (cont'd)</i>			<i>730 w/Caterpillar 3196C Engine</i>			<i>735 w/Caterpillar C15 Engine</i>		
(1R0762); Sec. (1R0762); Pri.	Fuel	LFF5804 LFF6771 ¹⁷¹	142-1339	Air	LAF8669 ² LAF8670 ¹	142-1340	Air	LAF8150 ² LAF8693 ¹
1G8878	Hydraulic	LFH4990 ⁶⁷⁹ LH5461	142-1404			142-1403		
1R0722			(1R-0762); Sec. (133-5673); Pri.	Fuel	LFF5804 LFF8707	(1R0749); Sec. (1R-0762); Sec. (3261643); Pri. (133-5673); Pri.	Fuel	LFF2749 ²⁰ LFF5804 LFF6771 ¹⁷¹ LFF8707
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	126-1815	Hydraulic	LFP2546 ²⁰ LH22044 ¹¹⁶⁸ LP560 ¹⁰⁷⁷	1219868	Hydraulic	LFH4472 ¹¹⁷² LFH4959
1R0719	Trans	LP164	1328876			144-6691		
CATERPILLAR (OFF HIGHWAY TRUCK)			1R-0741			1328876		
<i>725 w/Caterpillar 3176 ATAAC Engine</i>			1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1R-0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
142-1339	Air	LAF8669 ² LAF8670 ¹	1219868	Trans	LFH4472 ¹¹⁷² LFH4959	1R1808		
142-1404			144-6691					
(1R-0762); Sec. (133-5673); Pri.	Fuel	LFF5804 LFF8707	<i>730 w/Caterpillar C11 Engine</i>			1303212	Trans	LFH22028
126-1815	Hydraulic	LFP2546 ²⁰ LH22044 ¹¹⁶⁸ LH4932G LP560 ¹⁰⁷⁷	142-1339	Air	LAF8669 ² LAF8670 ¹	<i>735B (w/Caterpillar C15 T4I Engine)</i>		
139-1537			142-1404			142-1340	Air	LAF8150 ² LAF8693 ¹
1R-0741			(1R-0762); Sec. (133-5673); Pri.	Fuel	LFF5804 LFF8707	142-1403		
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1219868	Hydraulic	LFH4472 ¹¹⁷² LFH4959 LH22044 ¹¹⁶⁸	(1R0749); Sec. (3261643); Pri.	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹
1219868	Trans	LFH4472 ¹¹⁷² LFH4959	144-6691			1328876	Hydraulic	LH22044 ¹⁰⁷⁷
144-6691			132-8876			1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
<i>725 w/Caterpillar C11 Engine</i>			1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	<i>735C (w/Caterpillar C15 Engine)</i>		
142-1339	Air	LAF8669 ² LAF8670 ¹	<i>730C w/Caterpillar C13 tier 4 engine</i>			142-1340	Air	LAF8150 ² LAF8693 ¹
142-1404				Air	LAF8150 ² LAF8669MXM LAF8693 ¹	142-1403		
(1R-0762); Sec. (133-5673); Pri.	Fuel	LFF5804 LFF8707		Fuel	LFF2749 ²⁰	8X4575	Breather	LAF5810 ¹²⁰³
1219868	Hydraulic	LFH4472 ¹¹⁷² LFH4959 LH22044 ¹¹⁶⁸	1R0716	Hydraulic	LFH4959 LH22044 ¹¹⁶⁸	1R0749	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹
144-6691				Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	(3261643); Pri.		
132-8876						132-8876	Hydraulic	LH22044 ¹¹⁶⁸
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	130-3212	Trans	LFH22028	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
<i>725C w/Caterpillar C9.3 Tier 4 engine</i>			<i>730C2 w/Caterpillar C13 Acert Engine</i>			<i>740 w/Caterpillar 3406E Engine</i>		
	Air	LAF8669 ² LAF8669MXM LAF8670 ¹		Air	LAF8150 ² LAF8669MXM LAF8693 ¹	142-1340	Air	LAF8150 ² LAF8693 ¹
	Fuel	LFF2749 ²⁰		Fuel	LFF2749 ²⁰	142-1403		
	Hydraulic	LFH4959 LH22044 ¹¹⁶⁸	1R1808	Hydraulic	LH22044 ¹¹⁶⁸	1R-0749	Fuel	LFF2749 ²⁰
1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴		Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	132-8876	Hydraulic	LH22044 ¹¹⁶⁸ LH8784G ²⁰ LP135 LP164
130-3212	Trans	LFH22028	130-3212	Trans	LFH22028	4T-3131		
<i>725C2 w/Caterpillar C9.3 Engine</i>			<i>735 w/Caterpillar 3406E ATAAC Engine</i>			1R-0719		
	Air	LAF8669 ² LAF8669MXM LAF8670 ¹	142-1340	Air	LAF8150 ² LAF8693 ¹	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
	Fuel	LFF2749 ²⁰	142-1403			1219868	Trans	LFH4472 ¹¹⁷² LFH4959
	Hydraulic	LH22044 ¹¹⁶⁸	1R-0749	Fuel	LFF2749 ²⁰ LFF8707	144-6691		
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	(133-5673); Pri.			<i>740 w/Caterpillar C15 Engine</i>		
130-3212	Trans	LFH22028	132-8876	Hydraulic	LH22044 ¹¹⁶⁸	142-1340	Air	LAF8150 ² LAF8693 ¹
			1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	142-1403		
						(1R-0762); Sec. (133-5673); Pri.	Fuel	LFF5804 LFF8707
			1219868	Trans	LFH4472 ¹¹⁷² LFH4959	1219868	Hydraulic	LFH4472 ¹¹⁷² LFH4959
			144-6691			144-6691		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 171-With Sensor Port 599-High capacity 679-Axle 1077-Hyd. Tank 1168-Ultra High Efficiency 1172-For Fire Resistant Fluids 1203-Transmission

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (OFF HIGHWAY TRUCK)			CATERPILLAR (OFF HIGHWAY TRUCK)			CATERPILLAR (OFF HIGHWAY TRUCK)		
<i>740 w/Caterpillar C15 Engine (cont'd)</i>			<i>768C (cont'd)</i>			<i>769C w/Caterpillar 3408 Engine (cont'd)</i>		
132-8876	Hydraulic	LH22044 ¹¹⁶⁸		Oil	LFP4005TRT ³	1R-0741	Trans	LP560
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	(9M-9740); S/N 3X350-		LFP4005XL ¹⁴ LP164 ¹²⁰⁵	<i>769D w/Caterpillar 3408E Engine</i>		
<i>740B (w/Caterpillar C15 Engine)</i>			4J-6064	Power Steering	LP560	6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268}
142-1340	Air	LAF8150 ²	9M-9740	Trans	LP164 ¹¹³²	6I-2506		LAF4506 ¹
142-1403		LAF8693 ¹	4J-6064		LP560 ¹²⁰⁴	8C-9657		LAF9657 ²¹⁹
(1R0749); Sec. (3261643); Pri.	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹	<i>769</i>			9N-6123	Coolant	LFW4074 ⁶²⁷
1328876	Hydraulic	LH22044 ¹⁰⁷⁷	1P-8482	Air	LAF8482 ¹	1R-0749	Fuel	LFF2749 ²⁰
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	(8N-5313); S/N 1X1- S/N 1X1		LAF8483 ² LAF8483MXM ^{2, 268}	4T-6788	Hydraulic	LFH4955 LFH4990
2444484			S/N 99F1-99F1229	Fuel	364F ¹²⁰⁶	1G-8878		LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
1303212	Trans	LFH22028	4J-6064	Hydraulic	LP560	1R-0716		
<i>740C (w/Caterpillar C18 Engine)</i>			2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1R-0720	Power Steering	LP560
142-1340	Air	LAF8150 ²				1R-0741	Trans	LP560
142-1403		LAF8693 ¹				<i>770 w/Caterpillar C15 Engine</i>		
8X4575	Breather	LAF5810 ¹²⁰³	5S-485		LP163	2465009	Air	LAF5568 ²
1R0749	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹	4J-6064	Power Steering	LP560	2465010		LAF5569 ¹
(3261643); Pri.						(1R0762); Sec. (1R0770); Pri.	Fuel	LFF5804 LFF6770 ¹¹⁶⁶
132-8876	Hydraulic	LH22044 ¹¹⁶⁸	9M-9740	Trans	LP164	4I3948	Hydraulic	LFH8454 ¹⁰⁷⁸
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	4J-6064		LP560	1440832		LFP5015G ¹²⁰⁷
<i>745C (w/Caterpillar C18 Engine)</i>			<i>769B</i>			1340964		LH4166 LH4442
8X4575	Breather	LAF5810 ¹²⁰³	7M-9045	Air	LAF45 ² LAF4503 ² LAF4503MXM ^{2, 268}	(9T1119); diff. breather		
1R0749	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹	6I-2503		LAF4504 ¹ LAF46 ¹	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
(3261643); Pri.			6I-2504					
132-8876	Hydraulic	LH22044 ¹⁰⁷⁷	2S-1287			1328875	Trans	LH8784G ²⁰
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	(8M-9661); S/N 99F1238; Sec. W/S (1P-2299); Sec.	Fuel	364F LFF8030 ¹² LFP440F	1R0719		LP164
<i>768B</i>			4J-6064	Hydraulic	LP560	<i>770G w/Caterpillar C18 Engine</i>		
7M-9045	Air	LAF45 ²	5S-485	Oil	LP163	2465009	Air	LAF5568 ²
2S-1287		LAF46 ¹	4J-6064	Trans	LP560	2465010		LAF5569 ¹
(6H-5932); Sec.	Fuel	364F LFF3347 LFF8030 ¹² LFP440F	<i>769C w/Caterpillar 3408 Engine</i>			1R0749	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹
1R-0750			6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268}	(3261643); Pri.		LFF6771 ¹⁷¹
W/S (1P-2299); Sec.			6I-2506		LAF4506 ¹	9T8578	Hydraulic	LFH5015 ¹⁰⁷⁶ LFP5015G ¹¹⁸⁹
5S-485	Oil	LP163	1P-8482		LAF8482 ¹	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
<i>768C</i>			8N-5313		LAF8483 ² LAF8483MXM ^{2, 268}	<i>771C w/Caterpillar 3408 Engine</i>		
6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268}	8C-9657		LAF9657 ¹¹⁹²	6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268}
6I-2506		LAF4506 ¹	2G-1946	Cabin Air	LAF8727 ²¹⁹	6I-2506		LAF4506 ¹
1P-8482		LAF8482 ^{1, 15}	(9M-2342); Pri.	Fuel	L3531F LFF2749 ²⁰ LFF5823B	1P-8482		LAF8482 ^{1, 15}
7W-5313		LAF8483 ^{2, 15} LAF8483MXM ^{2, 268}	1R-0749		LP163	(7W-5313); S/N 3BJ S/N 3BJ		LAF8483 ^{2, 15} LAF8483MXM ^{2, 268}
8C-9657		LAF9657 ¹¹⁹²	(1R-0712); Sec.			9N-6123	Coolant	LFW4073 ²⁵⁵
2G-1946	Cabin Air	LAF8727 ²¹⁹	1R-0741	Hydraulic	LP560	(9M-2342); Pri.	Fuel	L3531F LFF3347 LFF5823B LFP440F
(9M-2342); Pri.	Fuel	L3531F LFF2749 ²⁰ LFF5823B	2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1R-0750		LFP4005 LFP4005TRT ³
1R-0749			5S-485		LP163	(1R-0712); Sec. (1P-2299); Sec.		
(1R-0712); Sec.	Hydraulic	LP560	4J-6064	Power Steering	LP560	2P-4005	Oil	

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 15-Standard 20-High efficiency 171-With Sensor Port 219-Air Conditioner 255-Contains 3 oz. of chemical 268-Extended/Severe service 599-High capacity 627-5 oz. of chemical 1076-Case Drain 1077-Hyd. Tank 1078-Drain 1132-4" O.D. 1166-9/16"-18 Thread Sensor Port 1168-Ultra High Efficiency 1189-High Efficiency Case Drain 1192-Heater 1203-Transmission 1204-5.13" O.D. 1205-Power Brake 1206-Cat. 8M7830 Gskt. 1207-High Efficiency Drain

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (OFF HIGHWAY TRUCK)			CATERPILLAR (OFF HIGHWAY TRUCK)			CATERPILLAR (OFF HIGHWAY TRUCK)		
<i>771C w/Caterpillar 3408 Engine (cont'd)</i>			<i>772B (cont'd)</i>			<i>773D w/Caterpillar 3412E Engine (cont'd)</i>		
9M-9740	Oil	LFP4005XL ¹⁴ LP164 ¹²⁰⁵	4J-6064	Hydraulic	LP560	4T-6788	Hydraulic	LFH4955
4J-6064	Power Steering	LP560	2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1G-8878		LFH4990
<i>771D w/Caterpillar 3408E Engine</i>			4J-6064	Trans	LP560	4I-3948		LFH8454
6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹ LAF9657 ¹¹⁹²	<i>772G w/Caterpillar C18 Engine</i>			1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
6I-2506			2465009	Air	LAF5568 ² LAF5569 ¹	<i>773D w/Caterpillar 3412ETA Engine</i>		
8C-9657			2465010			6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹
9N-6123	Coolant	LFW4074 ⁶²⁷	1R0749	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹	6I-2506		LAF4506 ¹
(1R-0749); Sec. (1290373); W/S	Fuel	LFF2749 ²⁰ LFF906	(3261643); Pri.			8C-9657		LAF9657 ²¹⁹
4T-6788	Hydraulic	LFH4955 LFH4990 LP164	9T8578	Hydraulic	LFH5015 ¹⁰⁷⁶ LFP5015G ¹¹⁸⁹	1R-0749	Fuel	LFF2749 ²⁰ LFF906
1G-8878			1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	(1290373); W/S		
1R-0719			<i>773</i>			4I-3948	Hydraulic	LFH8454
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	7M-9045	Air	LAF45 ² LAF4503 ² LAF4503MXM ^{2, 268}	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
1R-0741	Trans	LP560	6I-2503			1R-0741	Trans	LP560
<i>772 w/Caterpillar C18 Engine</i>			6I-2504		LAF4504 ¹ LAF46 ¹	<i>773E w/Caterpillar 3412E Engine</i>		
2465009	Air	LAF5568 ² LAF5569 ¹	2S-1287			6I2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹
2465010			1R-0750	Fuel	LFF3347 LFF8030 ¹² LFP440F	(1335673); Pri. (1290372); W/S	Fuel	LFF8707 LFF9006
(1R0762); Sec. (1R0770); Pri.	Fuel	LFF5804 LFF6770 ¹¹⁶⁶	W/S (1P-2299); Sec.			1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
4I3948	Hydraulic	LFH8454 ¹⁰⁷⁸ LFP5015G ¹²⁰⁷ LH4166 LH4442	4J-6064	Hydraulic	LP560 ¹²⁰⁹	1G8878	Trans	LFH4990
1440832			2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LP161 ¹¹³² LP163 ¹²⁰⁸	<i>773F w/Caterpillar C27 Acert 27.0L Engine</i>		
1340964			1W-7399			2465009	Air	LAF5568 ² LAF5569 ¹
(9T1119); diff. breather			5S-485			2465010		
1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	4J-6064	Trans	LP560	1070266	Cabin Air	AF7878 ¹⁵
1328875	Trans	LH8784G ²⁰ LP164	<i>773B</i>			1R0755	Fuel	LFF4102 LFF6770 ¹¹⁶⁶
1R0719			6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268}	(1R0770); Pri.		LFF6770 ¹¹⁶⁶
<i>772 w/Caterpillar D346 Engine</i>			6I-2506		LAF4506 ¹ LAF8482 ¹ LAF8483 ² LAF8483MXM ^{2, 268} LAF9657 ¹¹⁹²	9T8578	Hydraulic	LFH5015 ¹⁰⁷⁶ LFP5015G ¹¹⁸⁹ LH4166
7M-9045	Air	LAF45 ² LAF46 ¹	1P-8482			1340964		
2S-1287			1P-8483			1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
W/S (1P-2299); Sec.	Fuel	LFF8030 ¹² LFP440F	8C-9657			1261813	Power Steering	LFH9393
2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LP161 ¹¹³² LP163 ¹²⁰⁸	1R-0749	Fuel	LFF2749 ²⁰ LFF5823B	1R1809	Trans	LH9407
1W-7399			(4N-5823); Sec.			<i>773G w/Caterpillar C27 Acert tier 4 Engine</i>		
5S-485			4J-6064	Hydraulic	LP560	2465009	Air	LAF5568 ² LAF5569 ¹
4J-6064	Trans	LP560	2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	2465010		
<i>772B</i>			4J-6064	Trans	LP560	1R0755	Fuel	LFF4102 LFF6771 ¹⁷¹
6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹ LAF8482 ^{1, 15} LAF8483 ^{2, 15} LAF8483MXM ^{2, 268} LAF9657 ¹¹⁹²	<i>773D w/Caterpillar 3412E Engine</i>			(3261643); Pri.		
6I-2506			6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹ LAF9657 ²¹⁹	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
1P-8482			6I-2506				Power Steering	LFH8294
7W-5313			8C-9657					
8C-9657			1R-0749	Fuel	LFF2749 ²⁰ LFF906			
(9M-2342); Pri. (1R-0712); Sec.	Fuel	L3531F LFF5823B	(1290373); W/S					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 15-Standard 20-High efficiency 171-With Sensor Port 219-Air Conditioner 268-Extended/Severe service 599-High capacity 627-5 oz. of chemical 1076-Case Drain 1078-Drain 1132-4" O.D. 1166-9/16"-18 Thread Sensor Port 1189-High Efficiency Case Drain 1192-Heater 1205-Power Brake 1207-High Efficiency Drain 1208-5" O.D. 1209-Caterpillar 4K1557 Gasket

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (OFF HIGHWAY TRUCK)			CATERPILLAR (OFF HIGHWAY TRUCK)			CATERPILLAR (OFF HIGHWAY TRUCK)		
<i>775B w/Caterpillar 3412 Engine</i>			<i>775G w/Caterpillar C27 Acert tier 4 Engine (cont'd)</i>			<i>777, 777A w/Caterpillar D348 Engine (cont'd)</i>		
1P-8482 7W-5313	Air	LAF8482 ¹ LAF8483 ² LAF8483MXM ^{2, 268} LAF9657 ¹¹⁹²	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	1R-0274 1P-7360 1P-7716	Air	LAF4274 ¹ LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}
8C-9657 8X-4575 (9M-2342); Pri. (1R-0712); Sec. 2P-4005	Breather Fuel	LAF5810 ⁸⁵⁸ L3531F LFF5823B	1261813	Power Steering	LFH8294 LFH9393	(4H-8792); Sec. 4J-6064 2P-4005	Fuel Hydraulic Oil	364F LP560 LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
1R-0741	Trans	LP560	776			4J-6064	Trans	LP560
<i>775D w/Caterpillar 3412E Engine</i>			<i>776B w/Caterpillar 3508 Engine</i>			777B		
6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹ LAF9657 ²¹⁹	1P-7360 (1P-7716); S/N D14H1-70 S/N D14H1-70	Air	LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}	(4W-5716); S/N 4YC 1063969	Air	LAF1884 ² LAF5022 ² LAF5022MXM ^{2, 268} LAF9159 ¹
6I-2506 8C-9657 8X-4575 1070266 4T-6788 1G-8878 2P-4005	Breather Cabin Air Hydraulic Oil	LAF5810 ⁸⁵⁸ AF7878 ¹²⁰¹ LFH4955 ¹¹ LFH4990	S/N 14H36-205 S/N 14H206-	Trans	LFH4635 LP560 LP560	6N-6072 (9M-2342); Pri. 8N-3080 1R-0755 4J-6064 (2P-4005); S/N 3NF	Fuel Hydraulic Oil	L3531F LFF3416 LFF4102 LP560 LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
4J-6064	Trans	LP560	<i>776C w/Caterpillar 3508 Engine</i>			4J-6064	Trans	LP560
<i>775E w/Caterpillar 3412E Engine</i>			<i>776D w/Caterpillar 3508B Engine</i>			<i>777C w/Caterpillar 3508 Engine</i>		
6I2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹	4W-5716 (9M-2342); Pri. (1R-0715); Sec.	Fuel	LAF1884 ² L3531F LFF3416	4W-5716 1063969	Air	LAF1884 ² LAF5022 ² LAF5022MXM ^{2, 268}
6I2506 (1335673); Pri. (1290372); W/S 1R0716	Fuel	LFF8707 LFF9006	1R-0741 2P-4005	Hydraulic Oil	LP560 LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	(9M-2342); Pri. 1R-0715 1R-0755 1R-0741 2P-4005	Fuel Hydraulic Oil	L3531F LFF3416 LFF4102 LP560 LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
1G8878	Trans	LFH4990	1R-0741	Trans	LP560	9M-9740 4J-6064	Trans	LP560
<i>775F w/Caterpillar C27 Acert 27.0L Engine</i>			<i>777D w/Caterpillar 3508 Engine</i>			<i>777D w/Caterpillar 3508 Engine</i>		
2465009 2465010 1070266 1R0755 (3261644); Pri. 9T8578	Air Cabin Air Fuel	LAF5568 ² LAF5569 ¹ AF7878 ¹⁵ LFF4102 LFF6771 ¹⁷¹	4W-5716 8C-9657 Pri. Sec.	Air Fuel	LAF1884 ² LAF9657 ¹¹⁹² L3531F LFF3416 LP164	1063973 1063969	Air	LAF3884 ¹ LAF5022 ² LAF5022MXM ^{2, 268}
1340964 1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	(9M-2342); Pri.	Fuel	L3531F LFH4955 ¹¹ LP164 LP560 ¹⁰⁷⁷	8X-4575 (9M-2342); Pri. 1R-0715	Breather Fuel	LAF5810 ⁸⁵⁸ L3531F LFF3416
1261813 1R1809	Power Steering Trans	LFH9393 LH9407	1R-0719 2P-4005	Hydraulic Oil	LP560 ¹⁰⁷⁷ LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	9T8578 1R-0716	Hydraulic Oil	LFH4955 ¹¹ LFH5015 ¹⁰⁷⁶ LFP5015G ¹¹⁸⁹
<i>775G w/Caterpillar C27 Acert tier 4 Engine</i>			<i>777, 777A w/Caterpillar D348 Engine</i>			<i>777D w/Caterpillar 3512B Engine</i>		
2465009 2465010 1R0755 (3261643); Pri.	Air Fuel	LAF5568 ² LAF5569 ¹ LFF4102 LFF6771 ¹⁷¹	1R-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}	9M-9740 1R-0741 4W-5228	Trans Air	LP560 ¹⁰⁹⁹ LP164 ¹²⁰⁵ LAF5228 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 15-Standard 171-With Sensor Port 219-Air Conditioner
268-Extended/Severe service 599-High capacity 858-Hydraulic Tank 1076-Case Drain 1077-Hyd. Tank 1099-Torque Converter 1189-High Efficiency Case
Drain 1192-Heater 1201-Cab Heater 1205-Power Brake

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (OFF HIGHWAY TRUCK)			CATERPILLAR (OFF HIGHWAY TRUCK)			CATERPILLAR (OFF HIGHWAY TRUCK)		
<i>777D w/Caterpillar 3512B Engine (cont'd)</i>			<i>783B w/Caterpillar 3512 Engine (cont'd)</i>			<i>785C w/Caterpillar 3516B Engine (cont'd)</i>		
1N-4864	Air	LAF8408 ¹	9M-9740	Hydraulic	LP164		Oil	LFP4005TRT ³
(9M-2342); Pri.	Fuel	L3531F	4J-6064		LP560 ¹⁰⁷⁷			LFP4005XL ¹⁴
1R-0755		LFF4102	2P-4005	Oil	LFP4005	1R-0741	Trans	LP560
	Hydraulic	LFH4955 ¹¹			LFP4005TRT ³	<i>785D w/Caterpillar 3512C Engine</i>		
4T-3131		LP135	9M-9740	Trans	LFP4005XL ¹⁴	1070266	Cabin Air	AF7878 ¹⁵
1R-0719		LP164	<i>784B, 785, 785B</i>			(9M2342); Pri.	Fuel	L3531F
2P-4005	Oil	LFP4005	4W-5228	Air	LAF5228 ²	(1R0755); Pri.		LFF4102
		LFP4005TRT ³	1N-4864		LAF8408 ¹	1328876	Hydraulic	LH22044 ¹¹⁶⁸
		LFP4005XL ¹⁴	7G-8116	Cabin Air	LAF8116 ²¹⁹	1328875		LH8784G ¹²¹¹
1R-0741	Trans	LP560			LAF8116MXM ²¹⁹ ₂₆₈	1R0741		LP560
<i>777F w/Caterpillar C32 Acert Engine</i>					LAF8116MXM ²¹⁹ ₂₆₈	1R0778	Oil	LFP4005TRT ³
2465009	Air	LAF5568 ²	1R-0715	Fuel	LFF3416	2752604		LFP4005XL ¹⁴
2465010		LAF5569 ¹	1R-0755		LFF4102	1R1809	Trans	LH9407
1070266	Cabin Air	AF7878 ¹⁵	4T-3131	Hydraulic	LP135	<i>786 Coal Hauler</i>		
1R0755	Fuel	LFF4102	4J-6064		LP560 ¹⁰⁷⁷	Sec.	Fuel	364F
(3261643); Pri.		LFF6771 ¹⁷¹	2P-4005	Oil	LFP4005		Hydraulic	LP560
9T8578	Hydraulic	LFH5015 ¹⁰⁷⁶			LFP4005TRT ³		Oil	LP163
		LFP5015G ¹¹⁸⁹	4J-6064	Power Steering	LFP4005XL ¹⁴		Trans	LFH4213
1328876		LH22044 ¹¹⁶⁸			LP560	<i>789, 789B, 789C w/Caterpillar 3516 Engine</i>		
1340964		LH4166	9M-9740	Trans	LP164	1W-3636	Air	LAF1816 ¹
4T3132		LP560HE ^{20, 1172}	4J-6064		LP560 ¹⁰⁹⁹	1W-3637		LAF1818 ²
1R0716	Oil	LFP4005	<i>784C</i>					LAF1818MXM ^{2, 268}
		LFP4005TRT ³	4W-5228	Air	LAF5228 ²	(4M-2341); Pri.	Fuel	L3531F
		LFP4005XL ¹⁴	1N-4864		LAF8408 ¹	1R-0750		LFF3347
1261813	Power Steering	LFH9393	(9M-2342); Pri.	Fuel	L3531F	1R-0715		LFF3416
1R1809	Trans	LH9407	1R-0755		LFF4102	1R-0755		LFF4102
<i>777G w/Caterpillar C32 Acert Engine</i>			4T-3131	Hydraulic	LP135	4T-6915	Hydraulic	LFH4943
1070266	Cabin Air	AF7878 ¹⁵	1R-0719		LP164	9J-5461		LH5461
1R0755	Fuel	LFF4102	2P-4005	Oil	LFP4005	2P-4005	Oil	LFP4005
(3261643); Pri.		LFF6771 ¹⁷¹			LFP4005TRT ³			LFP4005TRT ³
9T8578	Hydraulic	LFH5015 ¹⁰⁷⁶	1R-0741	Trans	LFP4005XL ¹⁴			LFP4005XL ¹⁴
1261818		LFH8294	<i>785C w/Caterpillar 3512B Engine</i>			9M-9740		LP164 ¹²⁰⁵
		LFP5015G ¹¹⁸⁹	(1W-3637); S/N 5AZ	Air	LAF1816 ¹	4J-6064	Trans	LP560
1328876		LH22044 ¹¹⁶⁸	1W-3636		LAF1818 ²	<i>789D w/Caterpillar 3516C Engine</i>		
1R0778		LP560HE ^{20, 1172}	2515886		LAF1818MXM ^{2, 268}		Air	LAF1816 ¹
1R1808	Oil	LFP4005RN ⁵⁹⁹	(4W-5228); S/N APX		LAF5228 ²			LAF1818 ²
		LFP4005TRT ³	1N-4864		LAF8408 ¹	Pri.	Fuel	L3531F
		LFP4005XL ¹⁴	1070266	Cabin Air	AF7878	1R0750		LFF3347
1261813	Power Steering	LFH9393	4T-3131	Hydraulic	LP135			LFF3416
<i>779</i>			1R-0719		LP164			LFF4102
3S-4746	Air	LAF282 ²	1W-3636	Kit	LAK1 ¹⁵⁰³		Hydraulic	LFH4943
3S-4745		LAF745 ¹	1R-0741	Trans	LP560			LFH4955 ¹⁰⁹⁹
(9M-2342); Pri.	Fuel	L3531F	<i>785C w/Caterpillar 3516B Engine</i>				Oil	LFP4005TRT ³
(4J-6064); Low Pressure System	Hydraulic	LP560	1W-3636	Air	LAF1816 ¹			LFP4005XL ¹⁴
High Pressure System		LP560 ¹²¹⁰	1W-3637		LAF1818 ²			LP164 ¹²⁰⁵
5S-485	Oil	LP163	(9M-2341); Pri.	Fuel	L3531F		Trans	LH22044
<i>783B w/Caterpillar 3512 Engine</i>			1R-0755		LFF4102	<i>793 w/Caterpillar 3516 Engine</i>		
4W-5228	Air	LAF5228 ²	4T-3131	Hydraulic	LP135	9Y-7662	Air	LAF5069 ²
1N-4864		LAF8408 ¹	1R-0719		LP164			LAF5069MXM ^{2, 268}
(9M-2342); Pri.	Fuel	L3531F	1W-3637	Kit	LAK1 ¹⁵⁰³	9Y-7663		LAF5070 ¹
(1R-0715); Sec.		LFF3416	1R-0716	Oil	LFP4005			
4T-3131	Hydraulic	LP135						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 15-Standard 20-High efficiency 171-With Sensor Port
 219-Air Conditioner 268-Extended/Severe service 599-High capacity 1076-Case Drain 1077-Hyd. Tank 1099-Torque Converter 1168-Ultra High Efficiency
 1172-For Fire Resistant Fluids 1189-High Efficiency Case Drain 1205-Power Brake 1210-Caterpillar 2K8257 Gasket 1211-Brake 1503-Inner outer air filter kit

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (OFF HIGHWAY TRUCK)			CATERPILLAR (OFF HIGHWAY TRUCK)			CATERPILLAR (OFF HIGHWAY TRUCK)		
<i>793 w/Caterpillar 3516 Engine (cont'd)</i>			<i>793F, 795F w/Caterpillar C175-16 Engine</i>			<i>D400E w/Caterpillar 3406E Engine (cont'd)</i>		
(9M-2342); Pri. 1R-0715 1R-0755	Fuel	L3531F LFF3416 LFF4102	1R0755	Fuel	LFF4102	123-6855	Air	LAF8146 ²
4T-6915 1R-0722 2P-4005	Hydraulic	LHF4943 LH5461 ¹⁰⁷⁷	797 w/Caterpillar 3524B Engine			1R-0749	Fuel	LFF2749 ²⁰ LFF8707
	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1W-3636 (1W-3637); S/N 5YW	Air	LAF1816 ¹ LAF1818 ² LAF1818MXM ^{2, 268} LAF5069 ² LAF5069MXM ^{2, 268} LAF5070 ¹	(133-5673); Pri. 132-8876	Hydraulic	LH22044 ¹¹⁶⁸
1R-0719	Trans	LP164	9Y-7662			1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
<i>793B w/Caterpillar 3516 Engine</i>			9Y-7663			132-8875	Trans	LH8784G ²⁰ LP135 LP164
9Y-7662	Air	LAF5069 ² LAF5069MXM ^{2, 268} LAF5070 ¹	9T1119	Breather	LH4442	4T-3131 1R-0719		
9Y-7663 (9M-2342); Pri. 1R-0715 1R-0755	Fuel	L3531F LFF3416 LFF4102	1R-0755	Fuel	LFF4102	<i>D400E, D400E Series II</i>		
1081153 1R-0722 4T-3131	Hydraulic	LHF5013 LH5461 ¹⁰⁷⁷ LP135	1022828	Hydraulic	LHF4473 LHF4955 LP135	6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹
1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	4T-6788		LAK1 ¹	6I-0274		
9M-9740	Trans	LP164	1W-3636	Kit	LAK1 ¹	Pri. 1R-0749	Fuel	L3531F LFF2749 ²⁰ LFF5823B
<i>793C w/Caterpillar 3516B Engine</i>			1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LP164	(1R-0712); Sec. 4T-3131 (1R-0720); Exc. S/N 8PS	Hydraulic	LP135 LP560
9Y-7662	Air	LAF5069 ² LAF5069MXM ^{2, 268} LAF5070 ¹	797B w/Caterpillar 3524B Engine			1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
9Y-7663 7G-8116	Cabin Air	LAF8116 ²¹⁹ LAF8116MXM ^{219, 268}	9Y-7662	Air	LAF5069 ² LAF5069MXM ^{2, 268} LAF5070 ¹	132-8875 9M-9740	Trans	LH8784G ²⁰ LP164
(9M-2342); Pri. 4T-6915 9T-0973 1R-0722 1R-0719 9M-9740 1R0716	Fuel	L3531F LHF4943 ¹¹ LHF5013 ^{11, 951} LH5461 LP164 ¹²¹² LP164 ¹²¹¹	9Y-7663			<i>D40D</i>		
	Hydraulic	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1R-0732	Hydraulic	LHF4635 ¹²¹¹	1P-8482 7W-5313	Air	LAF8482 ¹ LAF8483 ² LAF8483MXM ^{2, 268}
9M-9740 1R-0741	Trans	LP164 LP560 ⁵⁹⁰	2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LP560HE ^{20, 1172}	(9M-2341); Pri. 1R-0749 (4N-5823); Sec. 4J-6064 2P-4005	Fuel	L3531F LFF2749 ²⁰ LFF5823B LP560 LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
<i>793D w/Caterpillar 3516HD EUI Engine</i>			1R-0778			9M-9740	Trans	LP164
9Y-7662 2515885 9Y-7663	Air	LAF5069 ² LAF5069MXM ² LAF5070 ¹	797F w/Caterpillar C175-20 Engine			<i>D44B</i>		
1070266	Cabin Air	AF7878 ²¹⁹	2310167	Air	LAF8148 ²	1P-8482 7W-5313	Air	LAF8482 ¹ LAF8483 ² LAF8483MXM ^{2, 268}
(9M-2342); Pri. 1R0755	Fuel	L3531F LFF4102	1070266	Cabin Air	AF7878	(9M-2341); Pri. 1R-0749 (4N-5823); Sec. 4T-3131 4J-6064 2P-4005	Fuel	L3531F LFF2749 ²⁰ LFF5823B LP135 LP560 LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
1022828 4T-6915 9T-0973 1328876 1328876	Hydraulic	LHF4473 ¹²¹³ LHF4943 ¹¹ LHF5013 ^{11, 951} LH22044 ¹¹⁶⁸ LP560HE ^{20, 1172}	1R0755	Fuel	LFF4102	9M-9740	Trans	LP164
	Oil	LFP4005TRT ³ LFP4005XL ¹⁴	9T1119	Hydraulic	LH4442 ⁵⁵²	<i>D550</i>		
2752604			<i>D400, D400D w/3406 Engine</i>			6I-2505 6I-2506	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹
			6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹ LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}			
			6I-0274					
			1P-7360					
			7W-5495					
			1R-0749	Fuel	LFF2749 ²⁰ LFF5823B			
			4T-3131	Hydraulic	LP135 LP560			
			1R-0741					
			2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴			
			9M-9740	Trans	LP164			
			<i>D400E w/Caterpillar 3406E Engine</i>					
			123-6856	Air	LAF8145 ² LAF8145MXM ^{2, 268}			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 20-High efficiency 219-Air Conditioner
 268-Extended/Severe service 552-Rear axle 590-Hydrostatic 944-1"-14 Thread 951-Attached 1077-Hyd. Tank 1168-Ultra High Efficiency 1172-For Fire
 Resistant Fluids 1211-Brake 1212-Drive 1213-Fan 1214-1 3/8" Thread

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (OFF HIGHWAY TRUCK)			CATERPILLAR (PAVER)			CATERPILLAR (PIPELAYER)		
<i>D550 (cont'd)</i>			<i>SF550 (cont'd)</i>			<i>561B (cont'd)</i>		
1P-8482	Air	LAF8482 ¹	1R0750	Fuel	LAF6453MXM ^{2, 268}	6I-2500	Air	LAF4499MXM ^{2, 268}
7W-5313		LAF8483 ²	(1R-0712); Sec.		LFF3347	4M-8047		LAF4500 ¹
		LAF8483MXM ^{2, 268}			LFF5823B	2S-1285		LAF47 ²
	Coolant	LFW4071 ^{28, 205}	1R-0716	Hydraulic	LP50910	(9H-4729); Sec.	Fuel	LAF48 ¹
(9M-2341); Pri.	Fuel	L3531F		Oil	LFP4005	1R-0729	Hydraulic	364F
1R-0749		LFF2749 ²⁰			LFP4005TRT ³	1R-0659	Oil	LP165
(4N-5823); Sec.		LFF5823B			LFP4005XL ¹⁴	1R-0719	Trans	LP161
1R-0741	Hydraulic	LP560	SM350			1R-0719	Trans	LP164
2P-4005	Oil	LFP4005	1P-8482	Air	LAF8482 ¹	<i>561C, 561D</i>		
		LFP4005TRT ³	7W-5313		LAF8483 ²	8N-5317	Air	LAF334 ²
		LFP4005XL ¹⁴			LAF8483MXM ^{2, 268}	2S-1286		LAF334MXM ^{2, 268}
9M-9740	Trans	LP164		Coolant	LFW4071 ^{28, 205}	6I-2501		LAF335 ¹
<i>D550B</i>					LFW4073 ^{255, 953}			LAF4501 ²
6I-2505	Air	LAF4505 ²	(9M-2342); Pri.	Fuel	L3531F			LAF4501MXM ^{2, 268}
		LAF4505MXM ^{2, 268}	1R-0749		LFF2749 ²⁰	6I-2502		LAF4502 ¹
6I-2506		LAF4506 ¹	(1R-0712); Sec.		LFF5823B	(9H-4729); Sec.	Fuel	364F
1P-8482		LAF8482 ¹	775795	Hydraulic	LFH4204 ¹⁰⁷⁷	(1R-0750); Sec.		LFF3347 ²⁰
7W-5313		LAF8483 ²	1R-0741		LP560	W/S		LFF8030 ¹²
		LAF8483MXM ^{2, 268}	1R-0716	Oil	LFP4005	(1R-0740); Sec.		LFP440F
					LFP4005TRT ³	1R-0728	Hydraulic	LP816
1R-0749	Fuel	LFF2749 ²⁰			LFP4005XL ¹⁴	1R-0739	Oil	LFP3191
(4N-5823); Sec.		LFF5823B	4T-6788	Trans	LFH4955	1R-0739		LFP3191TRT ³
4T-3131	Hydraulic	LP135	SS250			1R-0659		LFP3191XL ¹⁴
4J-6064		LP560	6N-6071	Air	LAF9155 ²	1R-0719	Trans	LP164
2P-4005	Oil	LFP4005	6N-6072		LAF9155MXM ^{2, 268}	<i>561M w/Caterpillar 3116 Engine</i>		
		LFP4005TRT ³	(1R-0712); Sec.	Fuel	LAF9159 ¹	6I2499	Air	LAF4499 ²
		LFP4005XL ¹⁴	541719	Hydraulic	LFF5823B			LAF4499MXM ^{2, 268}
9M-9740	Trans	LP164	8T-4051		LFH4204 ¹⁰⁷⁷	6I2500		LAF4500 ¹
CATERPILLAR (PAVER)			1R-0716	Oil	LP50910 ¹²⁵³	(1174089); Pri.	Fuel	L8682F
<i>SF175, SF250</i>					LFP4005	1R0751		LFF4783
7N-1225	Air	LAF1801			LFP4005TRT ³	1R0719	Hydraulic	LP164 ¹⁰⁷⁷
813923		LAF6587	<i>SS250B w/Caterpillar 3406C Engine</i>			1R0739	Oil	LFP3191
		LAF6587MXM ²⁶⁸	6I-2505	Air	LAF4505 ²	1R0739		LFP3191TRT ³
(1R-0750); Sec.	Fuel	LFF3347 ²⁰			LAF4505MXM ^{2, 268}			LFP3191XL ¹⁴
(1R-0740); Sec.		LFP440F	6I-2506		LAF4506 ¹	1328875	Trans	LH8784G
1R-0713	Oil	LFP5570	1R-0749	Fuel	LFF2749 ²⁰	<i>561N w/Caterpillar 3126 Engine</i>		
SF350			541719	Hydraulic	LFH4204 ¹⁰⁷⁷	6I2501	Air	LAF4501 ²
2S-5648	Air	LAF268	1R-0716	Oil	LFP4005			LAF4501MXM ^{2, 268}
(1R-0750); Sec.	Fuel	LFF3347 ²⁰			LFP4005TRT ³	6I2502		LAF4502 ¹
(1R-0711); Sec.		LFP440F	WE601B			(1R0762); Sec.	Fuel	LFF5804
1R-0658	Oil	LFP3191	7E-0975	Air	LAF1544 ²	3261644		LFF6771SC
1R-0658		LFP3191TRT ³	8T-6306		LAF9410 ¹	(1466695); W/S		LFF9011
		LFP3191XL ¹⁴	676987	Fuel	L296F ⁴¹	1R0777	Hydraulic	LH4932 ¹⁰⁷⁷
SF450			7W-2327	Oil	PH4403		Oil	LFP3191XL ¹⁴
8T-4586	Air	LAF64 ²	WE851B			1R1808		LFP3236
(9M-2341); Pri.	Fuel	L3531F	8T-7463	Air	LAF1725 ¹			LFP3236TRT ³
1R-0750		LFF3347	8T-7462		LAF9001 ²	2254118	Trans	LFH9353
(1R-0740); Sec.		LFP440F	676987	Fuel	L296F ⁴¹	<i>571A</i>		
	Hydraulic	LP50910	7W-2327	Oil	PH4403	3S-9606	Air	LAF8514 ¹⁸¹
1R-0658	Oil	LFP3191	CATERPILLAR (PIPELAYER)			4S-8833		LAF8833 ²
1R-0658		LFP3191TRT ³	<i>561B</i>			4S-8834		LAF8834 ¹
		LFP3191XL ¹⁴	6I-2499	Air	LAF4499 ²	(9H-1252); Sec.	Fuel	364F
SF550						1R-0721	Oil	LP163
8T-6289	Air	LAF1765 ¹				1R-0719	Trans	LP164
8T-6288		LAF6453 ²						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 41-Cartridge
 181-Single 205-Maintenance 255-Contains 3 oz. of chemical 268-Extended/Severe service 953-Pre-Charge 1077-Hyd. Tank 1253-Attached Hydraulic Asphalt
 Sprayer

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (PIELAYER)			CATERPILLAR (PIELAYER)			CATERPILLAR (PIELAYER)		
571G, 571F			572R w/Caterpillar 3306 Engine (cont'd)			583R w/Caterpillar 3406C Engine (cont'd)		
4M-9334	Air	LAF334 ² LAF334MXM ^{2, 268} LAF4501 ² LAF4501MXM ^{2, 268}	1328876	Hydraulic	LH22044 ¹¹⁶⁸ LP560		Oil	LFP4005XL ¹⁴
6I-2501			1R-0741			583T w/Caterpillar C15 15.2L Engine		
6I-2502		LAF4502 ¹ LAF9972 ¹	1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	6I2505	Air	LAF4505 ² LAF4506 ¹
9S-9972			1R-0739			6I2506		LFF5804 LFF6770 ¹¹⁶⁶
(1R-0750); Sec.	Fuel	LFF3347 ²⁰ LFP440F	578			(3261644); Sec.	Fuel	LFF5804
(1R-0740); Sec.			6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}	(3261644); Pri.		LFF6770 ¹¹⁶⁶
1R-0728	Hydraulic	LP816	6I-0274		LAF4274 ¹	1022828	Hydraulic	LHF4473 ^{11, 15} LHF4990 ²⁰ LH22044 ¹¹⁶⁸ LH5461 ¹⁵
1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	1R-0749	Fuel	LFF2749 ²⁰	1G8878		
1R-0739			1R-0735	Hydraulic	LH4932	1328876		
1R-0728	Power Steering	LP816	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1R0722		
1R-0741	Trans	LP560	583			1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
572E			3S-9606	Air	LAF8514	587R w/Caterpillar 3176R Engine		
4S-8833	Air	LAF8833 ² LAF8834 ¹	(6H-5931); Sec.	Fuel	364F	6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹
4S-8834			1R-0729	Hydraulic	LP165	6I-2506		L3531F LFF2749 ²⁰
(9H-1252); Sec.	Fuel	364F	1R-0659	Trans	LP161	(9M-2342); Pri.	Fuel	L3531F LFF2749 ²⁰
1R-0729	Hydraulic	LP165	583H			1R-0749		LFF4473 ¹¹⁶⁸ LHF4990 LH4932 ¹⁰⁷⁷
1R-0721	Oil	LP163	4S-8337	Air	LAF337 ² LAF340 ¹	1022828	Hydraulic	LHF4473 ¹¹⁶⁸ LHF4990 LH4932 ¹⁰⁷⁷
1R-0719	Trans	LP164	4S-8340		LAF337 ² LAF340 ¹	1G8878		
572G, 572F			(6H-5931); Sec.	Fuel	364F LFP440F	1R-0735		
4M-9334	Air	LAF334 ² LAF334MXM ^{2, 268} LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹ LAF9972 ¹	(1R-0740); S/N 61A680; Sec.		LFP440F	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
6I-2501			1R-0728	Hydraulic	LP816	(1328876); S/N BXL1-380	Trans	LH22044
6I-2502		LAF4502 ¹ LAF9972 ¹	1R-0659	Oil	LP161	(1R1809); S/N BXL381-405		LH9407
9S-9972			1R-0719	Power Steering	LP164	(4T3132); S/N BXL1-380		LP560HE ^{20, 1172}
1R-0750	Fuel	LFF3347 LFP440F	1R-0741	Trans	LP560	587T w/Caterpillar C15 15.2L Engine		
(1R-0740); Sec.			583K			6I2505	Air	LAF4505 ² LAF4506 ¹
2P-5834	Hydraulic	LP4736 ¹¹⁹⁵ LP816	6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}	6I2506		LFF5804 LFF6770 ¹¹⁶⁶
1R-0728			6I-0274		LAF4274 ¹	(1R0762); Sec.	Fuel	LFF5804 LFF6770 ¹¹⁶⁶
1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	1P-7360		LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}	(1R0770); Pri.		LFF5804 LFF6770 ¹¹⁶⁶
1R-0739			1P-7716			1022828	Hydraulic	LHF4473 ¹⁵ LHF4990 ²⁰ LP560HE ^{20, 1172}
1R-0728	Power Steering	LP816	1R-0750	Fuel	LFF3347 LFP440F	1G8878		
1R-0741	Trans	LP560	(1R-0740); Sec.		LFP440F	1328876		
572R SERIES II w/Caterpillar 3176C Engine			1R-0728	Hydraulic	LP816	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
(1R-0749); Sec.	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	589 w/Caterpillar 3408 Engine		
(1R-0769); Pri.			1R-0728	Power Steering	LP816	6N-6444	Air	LAF1847 ¹ LAF4507 ² LAF4508 ¹ LAF8483 ² LAF8483MXM ^{2, 268}
4T-6788	Hydraulic	LHF4955 ¹¹⁹⁷ LH22044 ¹¹⁶⁸ LP560 ¹¹⁹⁶	1R-0741	Trans	LP560	6I-2507		
132-8876			583R w/Caterpillar 3406C Engine			6I-2508		
1R-0741	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268}	8N-5313		
1R-0716			6I-2506		LAF4506 ¹	(9M-2341); Pri.	Fuel	L3531F
572R w/Caterpillar 3306 Engine			(9M-2342); Pri.	Fuel	L3531F LFF2749 ²⁰	7J-0670	Hydraulic	LHF4635
6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268} LAF4274 ¹	1R-0749		LH4932 ¹⁰⁷⁷	2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
6I-0274			1R-0735	Hydraulic	LH4932 ¹⁰⁷⁷	9M-9740	Trans	LP164
(9M-2341); Pri.	Fuel	L3531F LFF3347	1R-0716	Oil	LFP4005 LFP4005TRT ³	594, 594G		
1R-0750	Hydraulic	LHF4955 ¹⁰⁷⁶	583R w/Caterpillar 3406C Engine			5S-4282	Air	LAF282 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilisez el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 15-Standard 20-High efficiency 171-With Sensor Port
268-Extended/Severe service 1076-Case Drain 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port 1168-Ultra High Efficiency 1172-For Fire Resistant Fluids
1195-Attached Winch 1196-Implement Return 1197-Return High Efficiency

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (PIPELAYER)			CATERPILLAR (ROAD BUILDING MACHINERY)			CATERPILLAR (ROAD BUILDING MACHINERY)		
<i>594, 594G (cont'd)</i>			<i>PM200 w/Caterpillar C18 Engine</i>			<i>PR1000 w/Caterpillar 3412 Engine (cont'd)</i>		
3S-4745	Air	LAF745 ¹	(1R0762); Sec.	Fuel	LFF5804		Air	LAF9155MXM ^{2, 268}
(1R-0724); Sec.	Fuel	364F	(1R0769); Pri.		LFF6771 ¹⁷¹	6N-6072		LAF9159 ¹
1R-0729	Hydraulic	LP165 ¹¹	1R0716	Oil	LFP4005	1R-0750	Fuel	LFF3347
1R-0721	Oil	LP163			LFP4005TRT ³	1R-0714	Oil	LFP6007
1R-0741	Trans	LP560			LFP4005XL ¹⁴	<i>PR1000C w/Caterpillar 3208 Engine</i>		
<i>594H</i>			<i>PM201 w/Caterpillar C18 Engine</i>			<i>PR1000C w/Caterpillar 3208 Engine</i>		
6I-2505	Air	LAF4505 ²	4W5228	Air	LAF5228 ²	8T-8076	Air	LAF6769 ²
		LAF4505MXM ^{2, 268}	1N4864		LAF8408 ¹			LAF6769MXM ^{2, 268}
6I-2506		LAF4506 ¹	(3261644); Pri.	Fuel	LFF6771 ¹⁷¹	6N-6071		LAF9155 ²
1P-8482		LAF8482 ¹	1G8878	Hydraulic	LFH4990			LAF9155MXM ^{2, 268}
7W-5313		LAF8483 ²	1R0716	Oil	LFP4005	6N-6072		LAF9159 ¹
		LAF8483MXM ^{2, 268}			LFP4005TRT ³	8C-3047		LAF9373 ¹
1R-0750	Fuel	LFF3347			LFP4005XL ¹⁴	1R-0749	Fuel	LFF2749 ²⁰
(1R-0740); Sec.		LFP440F	1328875	Trans	LH8784G ²⁰	(1R-0712); Sec.		LFF5823B
1R-0729	Hydraulic	LP165 ¹¹	1R0719		LP164 ¹⁵	1R-0714	Oil	LFP6007
2P-5834		LP4736 ¹¹⁹⁵	<i>PM565 w/Caterpillar 3408 Engine</i>			<i>PR105</i>		
1R-0716	Oil	LFP4005	7W-5216	Air	LAF2516 ²	S/N 5WC215-	Air	LAF1544 ²
		LFP4005TRT ³			LAF2516MXM ^{2, 268}	(1R-0710); Sec.	Fuel	FP230F
		LFP4005XL ¹⁴	6I-2509		LAF4509 ²	(1R-0740); Sec.		LFP440F
1R-0741	Trans	LP560	6I-2510		LAF4510 ¹	774375	Hydraulic	LP509
<i>PL61 w/Caterpillar C6.6 Acert Engine</i>			7N-1308		LAF8482 ¹	8T-4051		LP50910
1R0751	Fuel	LFF4783		Coolant	LPW4073 ²⁵⁵	1R-0714	Oil	LFP6007
(1R0770); Pri.		LFF6770 ¹¹⁶⁶	1R-0749	Fuel	LFF2749 ²⁰	(1R-0734); S/N 5NC1-		LFP791
1012828	Hydraulic	LFH4473 ²⁰	(1R-0712); Sec.		LFF5823B	<i>PR275</i>		
1G8878		LFH4990 ¹¹⁹⁴	2P-4005	Oil	LFP4005	BT-6289	Air	LAF1765 ¹
2698325	Oil	LFP2698			LFP4005TRT ³	4L-9852		LAF852 ²
<i>PL72 (w/Caterpillar C9.3 Engine)</i>					LFP4005XL ¹⁴	(9M-2341); Pri.	Fuel	L3531F
1R0749	Fuel	LFF2749 ²⁰	9M-9740	Trans	LP164	1R-0750		LFF3347
1R1808	Oil	LFP4005RN ⁵⁹⁹	<i>PM565B w/Caterpillar 3408ETA Engine</i>			(1R-0740); Sec.		LFP440F
1R1808		LFP4005XL ¹⁴	6I-2509	Air	LAF4509 ²	8T-5550	Hydraulic	LH4999
<i>PL83 (w/Caterpillar C15 Engine)</i>			6I-2510		LAF4510 ¹	1R-0739	Oil	LFP3191
6I2505	Air	LAF4505	9N-6123	Coolant	LPW4074 ²⁰⁵	1R-0739		LFP3191TRT ³
6I2506		LAF4506	1W-5518		LPW5870 ⁹⁵³	<i>PR450, PR450C</i>		
(1R0762); Sec.	Fuel	LFF5804	(1R-0749); Sec.	Fuel	LFF2749 ²⁰	8T-6289	Air	LAF1765 ¹
1R0722	Hydraulic	LH5461 ¹⁵	(129-0372); Pri.		LFF8707	8T-3909		LAF5255
4T3134		LH5854 ¹²⁵¹	1G-8878	Hydraulic	LFH4990		Coolant	LPW4071 ^{28, 205}
1R0716	Oil	LFP4005	132-8875		LH8784G ^{20, 1100}	(9M-2342); Pri.	Fuel	L3531F
1R1808		LFP4005RN ⁵⁹⁹	77-5479		LH95282V	1R-0749		LFF2749 ²⁰
		LFP4005TRT ³	1R-0716	Oil	LFP4005	(1R-0712); Sec.		LFF5823B
		LFP4005XL ¹⁴			LFP4005TRT ³	863940	Hydraulic	LFH3990-03
<i>PL87 (w/Caterpillar C15 Engine)</i>			1R-0719		LFP4005XL ¹⁴	8T-4059		LP50910
6I2505	Air	LAF4505			LP164 ¹¹⁰⁰	1R-0716	Oil	LFP4005
6I2506		LAF4506	<i>PM800</i>					LFP4005TRT ³
(1R0762); Sec.	Fuel	LFF5804	(9M-2342); Pri.	Fuel	L3531F	<i>PR75 w/John Deere Engine</i>		
3261644		LFF6771SC	(1R-0712); Sec.		LFF5823B	773314	Fuel	P1130
1R0716	Oil	LFP4005	541719	Hydraulic	LFH4204 ¹⁰⁷⁷	773416	Oil	FP20
1R1808		LFP4005RN ⁵⁹⁹	1R-0716	Oil	LFP4005	<i>PR75 w/Perkins Engine</i>		
1R1808		LFP4005TRT ³			LFP4005TRT ³	676987	Fuel	L296F ⁴¹
1R1808		LFP4005XL ¹⁴	<i>PR100, PR100DC</i>			7W-2327	Oil	PH4403
CATERPILLAR (ROAD BUILDING MACHINERY)			<i>PR100, PR100DC</i>			<i>PR750B</i>		
<i>PM102 w/Caterpillar C-7 Engine</i>			7E0975	Air	LAF1544 ²	<i>PR750B</i>		
(1R0762); Sec.	Fuel	LFF5804	(1R-0740); Sec.	Fuel	LFP440F	6N-6071	Air	LAF9155 ²
1R1807	Oil	LFP3236	1R-0714	Oil	LFP6007			LAF9155MXM ^{2, 268}
		LFP3236TRT ³	<i>PR1000 w/Caterpillar 3412 Engine</i>					
			6N-6071	Air	LAF9155 ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 15-Standard 20-High efficiency 28-Contains 1 oz. of chemical 41-Cartridge 171-With Sensor Port 205-Maintenance 255-Contains 3 oz. of chemical 268-Extended/Severe service 599-High capacity 953-Pre-Charge 1077-Hyd. Tank 1100-Clutch 1166-9/16"-18 Thread Sensor Port 1194-Powertrain 1195-Attached Winch 1251-Fire resistant

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (ROAD BUILDING MACHINERY)			CATERPILLAR (ROAD BUILDING MACHINERY)			CATERPILLAR (SCRAPER)		
<i>PR750B (cont'd)</i>			<i>RM500B w/Caterpillar C15 Acert Engine (cont'd)</i>			<i>613, 613B (cont'd)</i>		
6N-6072	Air	LAF9159 ¹	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³	(1R-0710); S/N 71M1-1377; Sec.	Fuel	FP230F
(9M-2342); Pri.	Fuel	L3531F				(1R-0750); Sec.		LFF3347 ²⁰
1R-0749		LFF2749 ²⁰	1G8878	Trans	LFH4990 ¹²⁵²	(1W-8633); S/N 38W1-, 71M1378-;		LFP440F
(1R-0712); Sec.		LFF5823B	1081153		LFH5659 ¹²⁵²	Sec.		
	Hydraulic	LH5001	<i>RR250</i>			4J-6064	Hydraulic	LP560
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	7E-0975	Air	LAF1544 ²	(1R-0713); S/N 38W1- (1R-0734); S/N 71M1-	Oil	LFP5570 LFP791
			1P-8482		LAF8482 ¹			
			6N-6071		LAF9155 ² LAF9155MXM ^{2, 268} LAF9159 ¹	9M-9740	Trans	LP164
<i>RM300</i>						<i>613C Series II w/Caterpillar 3116 Engine</i>		
610273	Air	LAF4273 ²	6N-6072		LAF9159 ¹	8N5316	Air	LAF45 ²
610274		LAF4274 ¹	1R-0749	Fuel	LFF2749 ²⁰	612503		LAF4503 ²
(1R0762); Sec.	Fuel	LFF5804 ²⁰	(1R-0712); Sec.		LFF5823B			LAF4503MXM ^{2, 268}
(1R0770); Pri.		LFF6770 ¹¹⁶⁶	541719	Hydraulic	LFH4204 ¹⁰⁷⁷	6I-2504		LAF4504 ¹
541719	Hydraulic	LFH4204 ¹⁰⁷⁷	8T-4051		LP50910 ¹²⁵³	2S1287		LAF46 ¹
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	8C9657		LAF9657
1446691	Trans	LFH4959 ¹¹⁹⁴				(1R0750); Sec.	Fuel	LFF3347 ²⁰ LFF4783 ²⁰
<i>RM350</i>			<i>RR250B</i>			1R-0751		
6N-6444	Air	LAF1847 ¹	1P-8482	Air	LAF8482 ¹	1328875	Hydraulic	LH8784G ¹¹⁹⁴
7W-5313		LAF8483 ² LAF8483MXM ^{2, 268}	9N-3367	Coolant	LFW2055	1R0719		LP164 ¹¹⁹⁴
			1R-0749	Fuel	LFF2749 ²⁰	4J-6064		LP560 ¹⁰⁷⁷
(9M-2342); Pri.	Fuel	L3531F	541719	Hydraulic	LFH4204 ¹⁰⁷⁷	9M-9740		LP560HE ^{20, 1172}
(1R-0712); Sec.		LFF5823B	<i>TR225B w/Caterpillar 3208 Engine</i>			1R1807	Oil	LFP3236 LFP3236TRT ³
541719	Hydraulic	LFH4204 ¹⁰⁷⁷	8T-8076	Air	LAF6769 LAF6769MXM ²⁶⁸	<i>613C w/Caterpillar 3116 Engine</i>		
1R-0741		LP560				7W-5316	Air	LAF45 ^{2, 15}
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1R-0750	Fuel	LFF3347 LFP440F	6I-2503		LAF4503 ²
			(1R-0740); Sec.					LAF4503MXM ^{2, 268}
			1R-0713	Oil	LFP5570	6I-2504		LAF4504 ¹
<i>RM350B w/Caterpillar 3406C Engine</i>			<i>TR500</i>			2S-1287		LAF46 ^{1, 15}
6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268}	7N-1225	Air	LAF1801	(1174089); S/N	Fuel	L8682F
			8T-4586		LAF64 ²	93X2780; Pri.		
6I-2506		LAF4506 ¹	1R-0750	Fuel	LFF3347 LFF5823B	(6N-7617); W/S		LFF1131
	Coolant	LFW4071 ^{28, 205}	(1R-0712); Sec.			1R-0751		LFF4783 ²⁰
(9M-2341); Pri.	Fuel	L3531F	2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	(1R-0740); Sec.		LFP440F
1R-0749		LFF2749 ²⁰	CATERPILLAR (SCRAPER)			7J-0670	Hydraulic	LFH4635
541719	Hydraulic	LFH4204 ¹⁰⁷⁷	<i>611</i>			4J-6064		LP560 ¹⁰⁷⁷
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	<i>(6I-2503); S/N 6SZ, 7WZ</i>			1R-0739	Oil	LFP3191
			<i>S/N 6SZ, 7WZ</i>			1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴
<i>RM500 w/Caterpillar C15 Engine</i>			<i>613, 613B</i>			9M-9740	Trans	LP164
6I2509	Air	LAF4509 ²	6I-2504		LAF4504 ¹	<i>613C w/Caterpillar 3208 Engine</i>		
6I2510		LAF4510 ¹	(9M-2341); Pri.	Fuel	L3531F	8N-5316	Air	LAF45 ²
(1R0762); Sec.	Fuel	LFF5804 ²⁰	(1R-0750); Sec.		LFF3347 ²⁰	2S-1287		LAF46 ¹
(1R0770); Pri.		LFF6770 ¹¹⁶⁶	1R-0732	Hydraulic	LFH4635	1R-0750	Fuel	LFF3347
541719	Hydraulic	LFH4204 ¹⁰⁷⁷	1R-0739	Oil	LFP3191	4J-6064	Hydraulic	LP560
1446691		LFH4959	1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴	1R-0713	Oil	LFP5570
1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³	1R-0719	Trans	LP164	4T-3131		LP135
						1R-0719	Trans	LP164
1081153	Trans	LFH5659 ¹²⁵²	<i>615, 615C</i>			8P-5142	Air	LAF2671
<i>RM500B w/Caterpillar C15 Acert Engine</i>			4M-9334	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹	(7W-5316); S/N 5TF (6I-2503); S/N 2XG S/N 2XG		LAF45 ² LAF4503 ² LAF4503MXM ^{2, 268}
(1R0749); Sec.	Fuel	LFF2749 ²⁰	2S-1286					
(3261643); Pri.		LFF6771 ¹⁷¹						
541719	Hydraulic	LFH4204 ¹⁰⁷⁷						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 15-Standard 20-High efficiency 28-Contains 1 oz. of chemical 171-With Sensor Port 205-Maintenance 268-Extended/Severe service 599-High capacity 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port 1172-For Fire Resistant Fluids 1194-Powertrain 1252-Rotor Transmission 1253-Attached Hydraulic Asphalt Sprayer

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (SCRAPER)			CATERPILLAR (SCRAPER)			CATERPILLAR (SCRAPER)		
<i>615, 615C (cont'd)</i>			<i>621E w/Caterpillar 3406C Engine (cont'd)</i>			<i>623 (cont'd)</i>		
61-2504 (2S-1287); S/N 46Z	Air	LAF4504 ¹ LAF46 ¹	S/N 6BB1-	Air	LAF7716MXM ^{2, 268}	2S-1287 (4S-5368); Sec.	Air	LAF46 ¹ 364F
(1P-2299); Sec.	Fuel	LFP440F	7G-8116	Cabin Air	LAF8116 LAF8116MXM ²⁶⁸	1R-0749	Fuel	LFF2749 ²⁰ LFF5823B
7J-0670	Hydraulic	LFH4635	1R-0749	Fuel	LFF2749 ²⁰ LFF5823B	7J-0670	Hydraulic	LFH4635
2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	(4N-5823); Sec.	Fuel	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1R-0659	Oil	LP161
2P-4004			2P-4005	Oil		1R-0719	Trans	LP164
9M-9740	Trans	LP164	9M-9740	Trans	LP164	623B		
619B			<i>621E/F, 623E/F, 627E/F w/Caterpillar C15 Tier 3 Engine</i>			(6P-1290); S/N 46P447- 6I-0273		
S/N 89E	Air	LAF2020	6I-2507	Air	LAF4507 ²		Air	LAF1797
(1R-0721); Sec. (9M-2341); Pri.	Fuel	364F L3531F	6I-2508		LAF4508 ¹			LAF4273 ² LAF4273MXM ^{2, 268}
4J-6064	Hydraulic	LP560	(1R-0762); Sec. (326-1643); Pri.	Fuel	LFF5804 LFF6771 ¹⁷¹	6I-0274 1P-7360 1P-7716		LAF4274 ¹ LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}
(6H-9999); S/N 90E	Oil	LP163	1R-0732	Hydraulic	LFH4635 LFH4635G ¹¹⁹⁸ LFH4943 ¹⁰⁷⁶ LH8784G LP164	(1R-0712); Sec. 1R-0716	Fuel	LFF5823B
	Trans	LP163	4T-3133				Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
619C			4T-6915			1R-0719	Trans	LP164
(4M-9334); S/N 61F1- S/N 61F1- (2S-1286); S/N 62F1- 6I-2501	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2, 268}	1U-2093		LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	<i>623E w/Caterpillar 3406C Engine</i>		
6I-2502 (1R-0724); Sec.	Fuel	LAF4502 ¹ 364F	1R-1808	Oil		(6I-0273); S/N 6YF S/N 6YF	Air	LAF4273 ² LAF4273MXM ^{2, 268}
4J-6064	Hydraulic	LP560	<i>621F w/Caterpillar 3406C Engine</i>			6I-0274 (1P-7360); S/N 6CB (7W-5495); S/N 5SG S/N 5SG		LAF4274 ¹ LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}
1R-0721	Trans	LP163	(6I-0273); S/N 4SK S/N 4SK	Air	LAF4273 ² LAF4273MXM ^{2, 268}	7G-8116); S/N 6DB S/N 6DB	Cabin Air	LAF8116 LAF8116MXM ²⁶⁸
621			(6I-0274); S/N 5JK		LAF4274 ¹	1R-0749	Fuel	LFF2749 ²⁰
6K-9606	Air	LAF1792 ²¹⁹	1R-0749	Fuel	LFF2749 ²⁰	1R-0749	Fuel	LFF2749 ²⁰
7M-9045		LAF45 ²	7J-0670	Hydraulic	LFH4635	(4N-5823); Sec.	Hydraulic	LFH4635
6I-2503		LAF4503 ² LAF4503MXM ^{2, 268}	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	7J-0670 4R-6915	Hydraulic	LFH4635 LFH4943 ¹¹⁹⁹
6I-2504		LAF4504 ¹	9M-9740	Trans	LP164	2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
2S-1287 (4S-5368); Sec.	Fuel	LAF46 ¹ 364F	<i>621G w/Caterpillar 3406E Engine</i>			9M-9740	Trans	LP164
1R-0741	Hydraulic	LP560	1R0749	Fuel	LFF2749	<i>623F w/Caterpillar 3406C Engine</i>		
1R-0659	Oil	LP161	7J-0670	Hydraulic	LFH4635	(6I-0273); S/N 6BK S/N 6BK	Air	LAF4273 ² LAF4273MXM ^{2, 268}
1R-0719	Trans	LP164	9T-0973		LFH5013	6I-0274		LAF4274 ¹
621B			6I-2507	Oil	LAF4507 LFP4005 LFP4005RN	7G-8116	Cabin Air	LAF8116 LAF8116MXM ²⁶⁸
(6P-1290); S/N 45P845- 1P-7360 1P-7716	Air	LAF1797 LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}	1R0716		LFP4005RN	1R-0749	Fuel	LFF2749 ²⁰
			1R1808			7J-0670	Hydraulic	LFH4635
(1R-0712); Sec.	Fuel	LFF5823B	9M-9740	Trans	LP164	4T-6915		LFH4943 ¹¹⁹⁹
7J-0670	Hydraulic	LFH4635	<i>621H w/Caterpillar C13 Engine</i>			1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1R0749	Fuel	LFF2749 ²⁰	1R-0719	Trans	LP164
1R-0719	Trans	LP164	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	<i>623G w/Caterpillar C15 Engine</i>		
<i>621E w/Caterpillar 3406C Engine</i>			<i>621K w/Caterpillar C13 Tier 4 engine</i>			6I-2507	Air	LAF4507 ²
6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}	Pri.		LFF2749 ²⁰ LFF6771 ¹⁷¹	6I-2508 (1R-0762); Sec.	Fuel	LAF4508 ¹ LFF5804
6I-0274 1P-7360 (7W-5495); S/N 6BB1-		LAF4274 ¹ LAF7360 ¹ LAF7716 ²	1R1808	Hydraulic	LH4932G ¹⁰⁷⁷			
			623					
			7M-9045	Air	LAF45 ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 171-With Sensor Port 219-Air Conditioner
268-Extended/Severe service 599-High capacity 1076-Case Drain 1077-Hyd. Tank 1198-Glass Media 1199-Control

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
623G w/Caterpillar C15 Engine (cont'd)			627B, 627BTR (cont'd)			627G w/Caterpillar C15 15.2L Engine (cont'd)		
(1R-0771); Pri.	Fuel	LFF6771 ¹⁷¹		Air	LAF4273MXM ^{2, 268}	1R-0732	Hydraulic	LFF4635 ¹⁰⁷⁷
1R-0732	Hydraulic	LFF4635 ¹⁰⁷⁷	6I-0274		LAF4274 ¹	4T-6915		LFF4943 ¹¹
4T-6915		LFF4943 ¹¹	1P-7360		LAF7360 ¹	126-1814		LFF5083
126-1814		LFF5083	S/N 15S		LAF7360 ¹	1R-0716	Oil	LFP4005
1R-0716	Oil	LFP4005	(1P-7716); S/N 14S		LAF7716 ²			LFP4005TRT ³
		LFP4005TRT ³	1P-7716		LAF7716 ²			LFP4005XL ¹⁴
		LFP4005XL ¹⁴	S/N 14S		LAF7716MXM ^{2, 268}	627H Scaperw/Caterpillar C9.3 Engine		
623H w/Caterpillar C13 Engine			1R-0750	Fuel	LFF3347	1R0749	Fuel	LFF2749 ²⁰
1R0749	Fuel	LFF2749 ²⁰	(1R-0740); Sec.		LFP440F	Pri.		LFF6771 ¹⁷¹
1R0716	Oil	LFP4005	7J-0670	Hydraulic	LFF4635	1R1808	Oil	LFP4005RN ⁵⁹⁹
1R1808		LFP4005RN ⁵⁹⁹	1R-0739	Oil	LFP3191			LFP4005TRT ³
		LFP4005TRT ³	1R-0739		LFP3191TRT ³	627H Tractor w/Caterpillar C13 Engine		
		LFP4005XL ¹⁴			LFP3191XL ¹⁴	Cab air	Air	LAF8148
623K w/Caterpillar C13 Tier 4 engine			1R-0719	Trans	LP164	1R0749	Fuel	LFF2749 ²⁰
Pri.	Fuel	LFF2749 ²⁰	627E			Pri.		LFF6771 ¹⁷¹
		LFF6771 ¹⁷¹	Scrapers	Air	LAF1843 ¹	1R1808	Oil	LFP4005RN ⁵⁹⁹
	Hydraulic	LH4932G ¹⁰⁷⁷	Scrapers		LAF45 ²			LFP4005TRT ³
1R1808	Oil	LFP4005RN ⁵⁹⁹	(8N-6883); Tractors		LAF7360 ¹			LFP4005XL ¹⁴
		LFP4005TRT ³	(7W-5316); Tractors		LAF7716 ²	627K w/Caterpillar C13 Engine		
		LFP4005XL ¹⁴	Tractors		LAF7716MXM ^{2, 268}		Fuel	LFF2749 ²⁰
627				Cabin Air	LAF8116	Pri.		LFF6771 ¹⁷¹
4M-9334	Air	LAF334 ²	(9M-2341); Pri.	Fuel	L3531F	1R1808	Hydraulic	LH4932G ¹⁰⁷⁷
		LAF334MXM ^{2, 268}	1R-0750		LFF3347		Oil	LFP4005RN ⁵⁹⁹
2S-1286		LAF335 ¹	(1P-2299); Sec.		LFP440F			LFP4005TRT ³
6I-0273		LAF4273 ²	7J-0670	Hydraulic	LFF4635 ¹⁰⁷⁷			LFP4005XL ¹⁴
		LAF4273MXM ^{2, 268}	1R-0739	Oil	LFP3191	630, 630B		
		LAF4274 ¹	w/3306 Cat. eng.		LFP3191	(7M-9045); S/N 14G	Air	LAF45 ²
6I-0274		LAF45 ²	1R-0739		LFP3191TRT ³	6I-2503		LAF4503 ²
7M-9045		LAF4501 ²	w/3306 Cat. eng.		LFP3191TRT ³			LAF4503MXM ^{2, 268}
6I-2501		LAF4501MXM ^{2, 268}	(1R0716); w/3406 Cat. eng.		LFP3191XL ¹⁴	6I-2504		LAF4504 ¹
2S-1287		LAF4502 ¹	1R-0716		LFP4005	2S-1287		LAF46 ¹
1P-7360		LAF46 ¹			LFP4005TRT ³	(8M-9641); Sec.	Fuel	364F
7W-5495		LAF7360 ¹			LFP4005XL ¹⁴	W/S		LFF8030 ¹²
		LAF7716 ²				(1P-2299); Sec.		LFP440F
		LAF7716MXM ^{2, 268}				1R-0741	Hydraulic	LP560
1R-0750	Fuel	LFF2749 ²⁰	1R-0719	Trans	LP164	5S-485	Oil	LP163
1R-0750		LFF3347	627G w/Caterpillar 3306 Engine			1R-0741	Trans	LP560
(1R-0740); Sec.		LFP440F	6I-2507	Air	LAF4507 ²	631, 631B		
7J-0670	Hydraulic	LFF4635	6I-2508		LAF4508 ¹	7M-9045	Air	LAF45 ²
1R-0741		LP560	(9M-2341); Pri.	Fuel	L3531F	6I-2503		LAF4503 ²
(1R-0739); S/N	Oil	LFP3191	(1R-0750); Sec.		LFF3347 ²⁰			LAF4503MXM ^{2, 268}
68M1879-		LFP3191	9T-0973	Hydraulic	LFF8705 ²⁰	6I-2504		LAF4504 ¹
1R-0739		LFP3191TRT ³	126-1817		LFP3191	2S-1287		LAF46 ¹
(1R-0739); S/N		LFP3191TRT ³	1R-0739	Oil	LFP3191TRT ³			LAF7727 ¹²⁰⁰
68M1879-		LFP3191XL ¹⁴	1R-0739		LFP3191XL ¹⁴	(8M-9641); Sec.	Fuel	364F
1R-0739		LP161				1R-0750		LFF3347
1R-0659		LFP4005	132-8875	Trans	LH8784G ²⁰	1R-0741	Hydraulic	LP560
(7J-0670); S/N	Trans	LFP4005TRT ³	4T-3131		LP135		Oil	LFP55 ¹²⁰⁰
68M879-1550		LFP4005XL ¹⁴	1R-0719		LP164	1R-0721		LP163
(1R-0719); S/N			627G w/Caterpillar C15 15.2L Engine				Power Steering	LP816
68M1551-			6I-2507	Air	LAF4507 ²			
1R-0719			6I-2508		LAF4508 ¹	1R-0741	Trans	LP560
627B, 627BTR			(1R-0762); Sec.	Fuel	LFF5804	631C		
6P-1290	Air	LAF1797	(1R-0771); Pri.		LFF6771 ¹⁷¹	6K-9606	Air	LAF1792
6I-0273		LAF4273 ²				5S-4282		LAF282 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 12-Optional 14-Extended Life 20-High efficiency 171-With Sensor Port
268-Extended/Severe service 599-High capacity 1077-Hyd. Tank 1200-Starting Engine

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (SCRAPER)			CATERPILLAR (SCRAPER)			CATERPILLAR (SCRAPER)		
631C (cont'd)			631G w/Caterpillar C18 Engine (cont'd)			633D, 633E (cont'd)		
3S-4745	Air	LAF745 ¹		Air	LAF5022 ²		Oil	LFP4005TRT ³ LFP4005XL ¹⁴
(1R-0740); Sec.	Fuel	LFP440F	Sec.	Fuel	LFF5804			
7J-0670	Hydraulic	LFH4635	Pri.		LFF6771 ¹⁷¹	9T-0973	Trans	LFF5013
1R-0741		LP560		Hydraulic	LFH4635	1R-0719		LP164
1R-0721	Oil	LP163			LFH5013	633E Series II		
1R-0719	Trans	LP164			LFH5659	6I-2507	Air	LAF4507 ²
631D			1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	6I-2508		LAF4508 ¹
6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268}	632			7G-8116	Cabin Air	LAF8116 LAF8116MXM ²⁶⁸
6I-2506		LAF4506 ¹	(7M-9045); S/N 14G1-	Air	LAF45 ²	9N-6123	Coolant	LFW4073 ²⁵⁵
1P-8482		LAF8482 ¹	6I-2503		LAF4503 ²	1R-0749	Fuel	LFF2749 ²⁰
1P-8483		LAF8483 ²			LAF4503MXM ^{2, 268}	7J-0670	Hydraulic	LFH4635
		LAF8483MXM ^{2, 268}	6I-2504		LAF4504 ¹	9T-0973		LFF5013 ¹¹
1R-0749	Fuel	LFF2749 ²⁰ LFF5823B	2S-1287		LAF46 ¹	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
(1R-0712); Sec.			(1R-0724); Sec.	Fuel	364F			LP164
7J-0670	Hydraulic	LFH4635	W/S		LFF8030 ¹²	9M-9740	Trans	LP164
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	(1P-2299); Sec.		LFP440F	637, 637B		
1R-0719	Trans	LP164	1R-0741	Hydraulic	LP560	6K-9606	Air	LAF1792 ²¹⁹
631E			5S-0485	Oil	LP163	5S-4282		LAF282 ²
(6N-6444); S/N 3ND1	Air	LAF1847 ¹	1R-0741	Trans	LP560	7M-9045		LAF45 ²
(6I-2507); S/N 4LD1		LAF4507 ²	633			6I-2503		LAF4503 ²
6I-2508		LAF4508 ¹	7M-9045	Air	LAF45 ²	6I-2504		LAF4504 ¹
(7W-5313); S/N 1NB1		LAF8483 ²	6I-2503		LAF4503 ²	2S-1287		LAF46 ¹
S/N 1NB1		LAF8483MXM ^{2, 268}	6I-2504		LAF4503MXM ^{2, 268}	3S-4745		LAF745 ¹
7G-8116	Cabin Air	LAF8116 ¹²⁰¹ LAF8116MXM ^{268 120}	2S-1287		LAF4504 ¹	(9M-2341); Pri.	Fuel	L3531F
1R-0749	Fuel	LFF2749 ²⁰ LFF5823B	1R-0750	Fuel	LFF3347	W/S		LFF1131
(4N-5823); Sec.			(1R-0740); Sec.		LFP440F	1R-0750		LFF3347
7J-0670	Hydraulic	LFH4635	1R-0741	Hydraulic	LP560	(1R-0740); Sec.		LFP440F
2Y-8097	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1R-0721	Oil	LP163	1R-0741	Hydraulic	LP560
9M-9740	Trans	LP164	1R-0741	Trans	LP560	1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
631G Series II w/Caterpillar 3408E Engine			633C			1R-0739		LP161
6I2509	Air	LAF4509 ²	6K-9606	Air	LAF1792	1R-0659		LP163
6I2510		LAF4510 ¹	5S-4282		LAF282 ²	1R-0721		LP163
8C9657		LAF9657 ¹²⁰²	3S-4745		LAF745 ¹	1R-0719	Trans	LP164
(1R0749); Sec.	Fuel	LFF2749 ²⁰ LFF8707	(1R-0740); Sec.	Fuel	LFP440F	637D Scraper		
(1335673); Pri.			7J-0670	Hydraulic	LFH4635	7M-9045	Air	LAF45 ²
1R0732	Hydraulic	LFH4635 ¹⁰⁷⁷	1R-0721	Oil	LP163	6I-2503		LAF4503 ²
9T0973		LFH5013	1R-0719	Trans	LP164			LAF4503MXM ^{2, 268}
1081153		LFH5659	633D, 633E			6I-2504		LAF4504 ¹
1328875		LH8784G ²⁰	6P-1290	Air	LAF1797	2S-1287		LAF46 ¹
1U2093		LP164 ¹¹⁷²	6I-2505		LAF4505 ²	(6N-7617); W/S	Fuel	LFF1131
1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	6I-2506		LAF4506 ¹	1R-0750		LFF3347
631G w/Caterpillar 3406E Engine			1P-8482		LAF8482 ¹	W/S		LFF8030 ¹²
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	7W-5313		LAF8483 ²	(1P-2299); Sec.		LFP440F
631G w/Caterpillar C18 Engine					LAF8483MXM ^{2, 268}	2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
	Air	LAF3884 ¹	1R-0749	Fuel	LFF2749 ²⁰ LFF5823B	2P-4004		LP164
			(1R-0712); Sec.			9M-9740	Trans	LP164
			7J-0670	Hydraulic	LFH4635 ¹⁰⁷⁷	637D Tractor		
			1R-0739	Oil	LFP3191	6P-1290	Air	LAF1797
			1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴ LFP4005	6P-1319		LAF3680 ⁵⁵⁴
			1R-0716			6I-2505		LAF4505 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 12-Optional 14-Extended Life 20-High efficiency 171-With Sensor Port
 219-Air Conditioner 255-Contains 3 oz. of chemical 268-Extended/Severe service 554-Recirculation 599-High capacity 1077-Hyd. Tank 1172-For Fire
 Resistant Fluids 1201-Cab Heater 1202-Outside

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
CATERPILLAR (SCRAPER)			CATERPILLAR (SCRAPER)			CATERPILLAR (SCRAPER)			
<i>637D Tractor (cont'd)</i>			<i>637G w/Caterpillar C18 Engine (cont'd)</i>			<i>641B (cont'd)</i>			
6I-2506 (1P-8482); S/N 27W1-8N-5313	Air	LAF4505MXM ^{2, 268} LAF4506 ¹ LAF8482 ¹ LAF8483 ² LAF8483MXM ^{2, 268}	(3261643); Pri.	Fuel	LFF6771 ¹⁷¹	6I-2504	Air	LAF4504 ¹ LAF46 ¹	
1R-0749 (4N-5823); Sec.	Fuel	LFF2749 ²⁰ LFF5823B	1R0732	Hydraulic	LFH4635	2S-1287	(1R-0750); Sec.	Fuel	LFF3347 ²⁰ LFP440F
7J-0670	Hydraulic	LFH4635	9T0973		LFH5013	1R-0741	Hydraulic	LP560	
2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1081153		LFH5659	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	
9M-9740	Trans	LP164	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	1R-0659		LP161	
<i>637E</i>			<i>637G w/Caterpillar C9 Engine</i>			<i>650</i>			
(6N-6444); Tractors (6I-2503); Scrapers Scrapers	Air	LAF1847 ¹ LAF4503 ² LAF4503MXM ^{2, 268}	6I0273	Air	LAF4273 ²	7M-9045	Air	LAF45 ² LAF4503 ² LAF4503MXM ^{2, 268}	
(6I-2504); Scrapers (6I-2507); Tractors (6I-2508); Tractors (7W-5313); Tractors Tractors		LAF4504 ¹ LAF4507 ² LAF4508 ¹ LAF8483 ² LAF8483MXM ^{2, 268}	6I0274	Fuel	LAF4274 ¹	6I-2503		LAF4504 ¹ LAF46 ¹ LAF7727 ¹⁸¹	
7G-8116	Cabin Air	LAF8116 LAF8116MXM ²⁶⁸	(1R0762); Sec. (1R0770); Pri.		LFF5804 LFF6770 ¹¹⁶⁶	(8M-5388); Sec.	Fuel	364F	
9N-6123	Coolant	LFW4074 ⁶²⁷	1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	1R-0741	Hydraulic	LP560	
(1R-0749); S/N 1HB, 1FB, 1JB (1R-0750); S/N 1CB, 7CB (1290373); W/S	Fuel	LFF2749 ²⁰ LFF3347 LFF906	1R1808		LFP4005	1R-0659	Oil	LP163	
7J-0670	Hydraulic	LFH4635	<i>639D</i>			1R-0741	Trans	LP560	
(1R-0739); S/N 1HB, 7CB (1R-0739); S/N 1HB, 7CB (1R-0716); S/N 1FB, 1JB, 1LB	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	6P-1290	Air	LAF1797 LAF45 ²	<i>650B</i>			
1R-0719	Trans	LP164	(7W-5316); S/N 88X1-; Scrapers (6I-2505); Tractors Tractors		LAF4505 ² LAF4505MXM ^{2, 268}	6K-9606	Air	LAF1792 LAF45 ² LAF4503 ² LAF4503MXM ^{2, 268}	
<i>637G w/Caterpillar 3306 Engine</i>			6I-2506		LAF4506 ¹ LAF46 ¹ LAF8482 ¹ LAF8483 ²	7M-9045		LAF4504 ¹ LAF46 ¹	
6I-2507	Air	LAF4507 ² LAF4508 ¹	(2S-1287); Scrapers (1P-8482); Tractors (8N-5313); S/N 99X1-; Tractors S/N 99X1-; Tractors		LAF8483MXM ^{2, 268}	6I-2503		LAF4504 ¹ LAF46 ¹	
6I-2508	Fuel	L3531F LFF3347 ²⁰	(1R-0749); Tractors	Fuel	LFF2749 ²⁰ LFF3347 LFF5823B	6I-2504	(8M-5388); Sec.	Fuel	364F
(9M-2341); Pri. (1R-0750); Sec.			1R-0750		LFH4635	2S-1287	1R-0741	Hydraulic	LP560
1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	(1R-0739); Scrapers (1R-0739); Scrapers		LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	1R-0721	Oil	LP163	
1R-0739			2P-4005		LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1R-0741	Trans	LP560	
132-8875	Trans	LH8784G ²⁰ LP135 LP164	9M-9740	Trans	LP164	<i>651</i>			
4T-3131			<i>641</i>			6K-9606	Air	LAF1792 LAF45 ² LAF4503 ² LAF4503MXM ^{2, 268}	
1R-0719			7M-9045	Air	LAF45 ² LAF4503 ² LAF4503MXM ^{2, 268}	7M-9045		LAF4504 ¹ LAF46 ¹	
<i>637G w/Caterpillar C18 Engine</i>			6I-2504		LAF4504 ¹ LAF46 ¹	6I-2503		LAF4505 ² LAF4505MXM ^{2, 268}	
1063973	Air	LAF3884 ¹ LAF5022 ²	2S-1287		LAF46 ¹	6I-2504	(8M-5388); Sec.	Fuel	364F
1063969	Fuel	LFF5804	7M-7727		LAF7727 ¹²⁰⁰	2S-1287	1R-0741	Hydraulic	LP560
(1R0762); Sec.			(8M-5388); Sec.	Fuel	364F	1R-0721	Oil	LP163	
			1R-0741	Hydraulic	LP560	1R-0741	Trans	LP560	
			1R-0721	Oil	LP163	<i>651B</i>			
			1R-0741	Trans	LP560	6K-9606	Air	LAF1792 LAF45 ² LAF4503 ² LAF4503MXM ^{2, 268}	
			<i>641B</i>			7M-9045		LAF4504 ¹ LAF46 ¹	
			6K-9606	Air	LAF1792 LAF45 ²	6I-2503		LAF4505 ² LAF4505MXM ^{2, 268}	
			7M-9045		LAF4503 ² LAF4503MXM ^{2, 268}	6I-2504		LAF4505 ² LAF4505MXM ^{2, 268}	

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 171-With Sensor Port 181-Single 268-Extended/Severe service 599-High capacity 627-5 oz. of chemical 1166-9/16"-18 Thread Sensor Port 1200-Starting Engine

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (SCRAPER)			CATERPILLAR (SCRAPER)			CATERPILLAR (SCRAPER)		
<i>651B (cont'd)</i>			<i>657E (cont'd)</i>			<i>660B (cont'd)</i>		
2S-1287	Air	LAF46 ¹	6I-2506	Air	LAF4506 ¹	1R-0659	Oil	LFP4005XL ¹⁴
(1R-0750); Sec.	Fuel	LFF3347 ²⁰	1P-8482		LAF8482 ¹	1R-0719	Trans	LP161
(1R-0740); Sec.		LFP440F	8N-5313		LAF8483 ²			LP164
1R-0741	Hydraulic	LP560			LAF8483MXM ^{2, 268}	666		
1R-0716	Oil	LFP4005	7G-8116	Cabin Air	LAF8116	7M-9045	Air	LAF45 ²
		LFP4005TRT ³			LAF8116MXM ²⁶⁸	6I-2503		LAF4503 ²
		LFP4005XL ¹⁴						LAF4503MXM ^{2, 268}
1R-0721		LP163	1R-0749	Fuel	LFF2749 ²⁰	6I-2504		LAF4506 ¹
1R-0719	Trans	LP164	(1R-0712); Sec.		LFF5823B	2S-1287		LAF46 ¹
651E w/Caterpillar 3412E Engine			1R-0741	Hydraulic	LP560	(8M-5338); Sec.	Fuel	364F
6I-2505	Air	LAF4505 ²	1R-0716	Oil	LFP4005	1R-0741	Hydraulic	LP560
		LAF4505MXM ^{2, 268}			LFP4005TRT ³	1R-0721	Oil	LP163
6I-2506		LAF4506 ¹			LFP4005XL ¹⁴	1R-0741	Trans	LP560
1P-8482		LAF8482 ¹	657G w/Caterpillar C15 Engine			666B		
8N-5313		LAF8483 ²	6I2509	Air	LAF4509 ²	6K-9606	Air	LAF1792
		LAF8483MXM ^{2, 268}	6I2510		LAF4510 ¹	7M-9045		LAF45 ²
7G-8116	Cabin Air	LAF8116	(1R0762); Sec.	Fuel	LFF5804	6I-2503		LAF4503 ²
		LAF8116MXM ²⁶⁸	(1R0771); Pri.		LFF6771 ¹⁷¹			LAF4503MXM ^{2, 268}
1R-0749	Fuel	LFF2749 ²⁰	1328875	Hydraulic	LH8784G ²⁰	6I-2504		LAF4504 ¹
(1R-0712); Sec.		LFF5823B	4T3131		LP135	2S-1287		LAF46 ¹
1R-0741	Hydraulic	LP560	1R1808	Oil	LFP4005RN ⁵⁹⁹	(1R-0750); Sec.	Fuel	LFF3347 ²⁰
1R-0716	Oil	LFP4005			LFP4005TRT ³	(1R-0740); Sec.		LFP440F
		LFP4005TRT ³	657G w/Caterpillar C18 Engine			1R-0741	Hydraulic	LP560
		LFP4005XL ¹⁴	1063973	Air	LAF3884 ¹	1R-0716	Oil	LFP4005
1R-0741	Trans	LP560	1063969		LAF5022 ²			LFP4005TRT ³
657			(1R0762); Sec.	Fuel	LFF5804	1R-0659		LFP4005XL ¹⁴
6K-9606	Air	LAF1792 ²¹⁹	(3261643); Pri.		LFF6771 ¹⁷¹	1R-0719	Trans	LP164
7M-9045		LAF45 ²	1261814	Hydraulic	LFH5083	973C w/Caterpillar C9 Engine		
6I-2503		LAF4503 ²	1328876		LH22044 ¹¹⁶⁸	6I-0273	Air	LAF4273 ²
		LAF4503MXM ^{2, 268}	1R0778		LP560HE ^{20, 1172}			LAF4273MXM ^{2, 268}
6I-2504		LAF4504 ¹	2492347	Oil	LFP4005SC ⁷¹¹	6I-0274		LAF4274 ¹
2S-1287		LAF46 ¹	660			(1R-0762); Sec.	Fuel	LFF5804
(8M-9641); Sec.	Fuel	364F	7M-9045	Air	LAF45 ²	(1R-0770); Pri.		LFF6770 ¹¹⁶⁶
1R-0741	Hydraulic	LP560	6I-2503		LAF4503 ²	225-4118	Hydraulic	LFH9353
1R-0721	Oil	LP163			LAF4503MXM ^{2, 268}	1R-0716	Oil	LFP4005
1R-0741	Trans	LP560	6I-2504		LAF4504 ¹			LFP4005TRT ³
657B			2S-1287		LAF46 ¹			LFP4005XL ¹⁴
6K-9606	Air	LAF1792	(8M-5338); Sec.	Fuel	364F	DW10		
7M-9045		LAF45 ²	1R-0741	Hydraulic	LP560	4M-8047	Air	LAF47 ²
6I-2503		LAF4503 ²	1R-0721	Oil	LP163	2S-1285		LAF48 ¹
		LAF4503MXM ^{2, 268}	1R-0741	Trans	LP560		Oil	LP161
6I-2504		LAF4504 ¹	660B			S/N 1V1-	Trans	LP165
2S-1287		LAF46 ¹	6K-9606	Air	LAF1792	DW15		
(1R-0750); Sec.	Fuel	LFF3347 ²⁰	7M-9045		LAF45 ²	exc. S/N 45C1-; Sec.	Fuel	364F
(1R-0740); Sec.		LFP440F	6I-2503		LAF4503 ²		Hydraulic	LP165
1R-0741	Hydraulic	LP560			LAF4503MXM ^{2, 268}	All others	Oil	LP163
1R-0716	Oil	LFP4005	6I-2504		LAF4504 ¹	S/N 45C1-, 59C1-,		LP165
		LFP4005TRT ³	2S-1287		LAF46 ¹	70C1-70C343	Trans	LP161
		LFP4005XL ¹⁴	(1R-0750); Sec.	Fuel	LFF3347 ²⁰	DW20		
1R-0659		LP161	(1R-0740); Sec.		LFP440F	(2S-5648); S/N 6W1-,	Air	LAF268
1R-0719	Trans	LP164	1R-0741	Hydraulic	LP560	21C1-, 50C1-		
657E			1R-0716	Oil	LFP4005	(3S-9606); exc. S/N		LAF8514
6I-2505	Air	LAF4505 ²			LFP4005TRT ³	6W1-, 21C1-, 50C1-		
		LAF4505MXM ^{2, 268}						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 171-With Sensor Port 219-Air Conditioner
 268-Extended/Severe service 599-High capacity 711-Short can version 1166-9/16"-18 Thread Sensor Port 1168-Ultra High Efficiency 1172-For Fire Resistant
 Fluids 1200-Starting Engine

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (SCRAPER)			CATERPILLAR (SKID STEER LOADER)			CATERPILLAR (SKID STEER LOADER)		
<i>DW20 (cont'd)</i>			<i>232B w/Caterpillar 3024CT Engine (cont'd)</i>			<i>246, 248 w/Caterpillar 3034 Engine</i>		
S/N 57C1-, 67C1-, 87E1-, 88E1-; Sec.	Fuel	364F	1G-8878	Hydraulic	LFH4990	110-6326	Air	LAF4544 ²
	Hydraulic	LP165	2201523	Oil	PH2835			LAF4544MXM ^{2, 268}
	Oil	LP163 ¹²⁰⁸ LP165 ²⁷¹	<i>236 w/Caterpillar 3034 Engine</i>			110-6331		LAF4545 ¹
	Trans	LP163	1402334	Air	LAF8114 ¹	140-2334		LAF8114 ¹
<i>DW21</i>			1348726		LAF8143 ²	134-8726		LAF8143 ²
(2S-5648); S/N 8W1- (8S-9606); exc. S/N 8W1-	Air	LAF268 LAF8514	(1311812); Pri. (1596102); Sec.	Fuel	L3101F L3102F	(159-6102); Sec. (131-1812); Pri.	Fuel	L3102F L8681F
S/N 58C1-, 69C1-, 85E1-, 86E1-; Sec.	Fuel	364F	1G-8878	Hydraulic	LFH4990	1G-8878	Hydraulic	LFH4990
	Oil	LP163 ¹²⁰⁸ LP165 ²⁷¹	7W-2327	Oil	PH4403	7W-7327	Oil	PH4403
	Trans	LP163	<i>236B w/Caterpillar 3034 Engine</i>			<i>246B w/Caterpillar 3044C 3.3L Engine</i>		
CATERPILLAR (SKID STEER LOADER)			1106326	Air	LAF4544 ² LAF4544MXM ^{2, 268}	1106326	Air	LAF4544 ² LAF4544MXM ^{2, 268}
1402334	Air	LAF8114 ¹ LAF8143 ²	1106331		LAF4545 ¹	1106331		LAF4545 ¹
(1634465); Pri. (1596102); Sec. (1311812); Pri.	Fuel	L3101F L3102F L8681F	(2339856); Sec.	Fuel	L6265F	(2339856); Sec.	Fuel	L6265F
1G-8878	Hydraulic	LFH4990	1G-8878	Hydraulic	LFH4990	1G-8878	Hydraulic	LFH4990
8W-2327	Oil	PH4403	1R-0734	Oil	LFP791	1R-0734	Oil	LFP791
<i>216B, 226B w/Caterpillar 3034 Engine</i>			<i>236B3 w/Caterpillar C3.4 3.3L Engine</i>			<i>246C w/Caterpillar 3044C 3.3L Engine</i>		
2310167	Air	LAF8148 ² LAF9332 ¹	1106326	Air	LAF4544 ² LAF4544MXM ^{2, 268}	1106326	Air	LAF4544 ² LAF4545 ¹
2310168		L8706F	1106331		LAF4545 ¹	1106331		LAF4545 ¹
(1561200); Sec.	Fuel	LFH4990	(3619555); Sec.	Fuel	L6268F	(2339856); Sec.	Fuel	L6265F
1G-8878	Hydraulic	LFH4990	1G-8878	Hydraulic	LFH4990	1G8878	Hydraulic	LFH4990
2201523	Oil	PH2835	2672528	Oil	LFP3828	1R0734	Oil	LFP791
<i>216B3 w/Caterpillar C2.2 Engine</i>			<i>236D w/Caterpillar C3.3B DIT engine</i>			<i>246D w/Caterpillar C3.3B DIT Engine</i>		
2310167	Air	LAF8148 ² LAF9332 ¹		Air	LAF4544 ² LAF4545 ¹	1106326	Air	LAF4544 ² LAF4545 ¹
2310168		L8706F		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	1106331		LAF4545 ¹
(1561200); Sec.	Fuel	LFH4990	<i>239D (w/Caterpillar C2.2 Engine)</i>			3776969	Oil	LFP2253
1G-8878	Hydraulic	LFH4990	1561200	Fuel	L8706F	<i>247 w/Caterpillar 3034 Engine</i>		
2201523	Oil	PH2835	2201523	Oil	PH2835	1402334	Air	LAF8114 ¹ LAF8143 ²
<i>226B3 w/Caterpillar C2.2 Engine</i>			<i>242 w/Caterpillar 3034 Engine</i>			<i>247B w/Caterpillar 3034 Engine</i>		
2310167	Air	LAF8148 ² LAF9332 ¹	1402334	Air	LAF8114 ¹ LAF8143 ²	(1634465); Pri. (1596102); Sec. (1311812); Pri.	Fuel	L3101F L3102F L8681F
2310168		L8706F	1348726		LAF8143 ²	1G-8878	Hydraulic	LFH4990
(1561200); Sec.	Fuel	G800 L8706F	(1596102); Sec. (1311812); Pri.	Fuel	L3102F L8681F	8W-2327	Oil	PH4403
1G-8878	Hydraulic	LFH4990	1G-8878	Hydraulic	LFH4990	<i>247B w/Caterpillar 3024CT Engine</i>		
2201523	Oil	PH2835	7W-2327	Oil	PH4403	2310167	Air	LAF8148 ² LAF9332 ¹
<i>228 w/Caterpillar 3034 Engine</i>			<i>242B w/Caterpillar 3024CT Engine</i>			2310168		L8706F
1402334	Air	LAF8114 ¹ LAF8143 ²	2310167	Air	LAF8148 ² LAF9332 ¹	(1561200); Sec.	Fuel	L8706F
1348726		L8706F	2310168		LAF9332 ¹	1G-8878	Hydraulic	LFH4990
(1634465); Pri. (1596102); Sec. (1311812); Pri.	Fuel	L3101F L3102F L8681F	(1561200); Sec.	Fuel	L8706F	2201523	Oil	PH2835
1G-8878	Hydraulic	LFH4990	1G-8878	Hydraulic	LFH4990	<i>247B3 w/Caterpillar C2.2 Engine</i>		
7W-2327	Oil	PH4403	2201523	Oil	PH2835	2310167	Air	LAF8148 ² LAF9332 ¹
<i>232B w/Caterpillar 3024CT Engine</i>			<i>242D w/Caterpillar C3.3B DIT engine</i>			2310168		L8706F
2310167	Air	LAF8148 ² LAF9332 ¹	1106326	Air	LAF4544 ² LAF4545 ¹	(156200); Sec.	Fuel	L8706F
2310168		L8706F	1106331		LAF4545 ¹	1G8878	Hydraulic	LFH4990
(1561200); Sec.	Fuel	L8706F	(3619555); Sec.	Fuel	L6268F	2201523	Oil	PH2835
Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.			1G-8878	Hydraulic	LFH4990	<i>248B w/Caterpillar 3044C 3.3L Engine</i>		
1-Inner 2-Outer 268-Extended/Severe service 271-3" O.D. 275-Primary 1208-5" O.D. 1496-Alternate			2672528	Oil	LFP3828	1106326	Air	LAF4544 ² LAF4544MXM ^{2, 268}
			1G-8878	Hydraulic	LFH4990	1106331		LAF4545 ¹
			2201523	Oil	PH2835	(2339856); Sec.	Fuel	L6265F
			2201523	Oil	PH2835	1G-8878	Hydraulic	LFH4990
			2201523	Oil	PH2835	1R-0734	Oil	LFP791
			2201523	Oil	PH2835	<i>252, 262 w/Caterpillar 3034 Engine</i>		
			2201523	Oil	PH2835	110-6326	Air	LAF4544 ²

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (SKID STEER LOADER)			CATERPILLAR (SKID STEER LOADER)			CATERPILLAR (SKID STEER LOADER)		
<i>252, 262 w/Caterpillar 3034 Engine (cont'd)</i>			<i>257D w/Caterpillar C3.3B DIT Engine (cont'd)</i>			<i>272C w/Caterpillar 3044C 3.3L Engine (cont'd)</i>		
	Air	LAF4544MXM ^{2, 268}		Air	LAF4545 ¹	1106331	Air	LAF4545 ¹
110-6331		LAF4545 ¹		Oil	PH253 ¹⁴⁹⁶	(2339856); Sec.	Fuel	L6265F
140-2334		LAF8114 ¹			PH2835 ²⁷⁵	1G8878	Hydraulic	LFH4990
134-8726		LAF8143 ²	<i>259B3 w/Caterpillar C3.4 DIT Engine</i>			1R0734	Oil	LFP791
(159-6102); Sec.	Fuel	L3102F	1106326	Air	LAF4544 ²	<i>272D HXP w/Caterpillar C3.8 DIT Engine</i>		
(131-1812); Pri.		L8681F	1106331		LAF4545 ¹		Air	LAF4544 ²
1G-8878	Hydraulic	LFH4990	(3619555); W/S	Fuel	L6267F			LAF4545 ¹
7W-7327	Oil	PH4403	1G8878	Hydraulic	LFH4990		Oil	PH253 ¹⁴⁹⁶
<i>252B w/Caterpillar 3044C 3.3L Engine</i>			2672578	Oil	LFP3828			PH2835 ²⁷⁵
1106326	Air	LAF4544 ²	<i>259D w/Caterpillar C3.3B DIT Engine</i>			<i>272D w/Caterpillar C3.8 Engine</i>		
		LAF4544MXM ^{2, 268}		Air	LAF4544 ²	1106326	Air	LAF4544 ²
1106331		LAF4545 ¹			LAF4545 ¹	1106331		LAF4545 ¹
(2339856); S/N	Fuel	L6265F		Oil	PH253 ¹⁴⁹⁶	3776969	Oil	PH253 ¹⁴⁹⁶
-00606; Sec.		L6268F			PH2835 ²⁷⁵			PH2835 ²⁷⁵
(3619555); S/N 00606			<i>262B w/Caterpillar 3044C 3.3L Engine</i>			<i>277 w/Caterpillar 3034T Engine</i>		
-; Sec.			1106326	Air	LAF4544 ²	1106326	Air	LAF4544 ²
1G-8878	Hydraulic	LFH4990			LAF4544MXM ^{2, 268}			LAF4544MXM ^{2, 268}
1R-0734	Oil	LFP791	1106331		LAF4545 ¹	1106331		LAF4545 ¹
<i>252B3 w/Caterpillar 3044C 3.3L Engine</i>			(2339856); Sec.	Fuel	L6265F	(1596102); Sec.	Fuel	L3102F
1106326	Air	LAF4544 ²	1G-8878	Hydraulic	LFH4990	(1311812); Pri.		L8681F
		LAF4544MXM ^{2, 268}	1R-0734	Oil	LFP791	1G-8878	Hydraulic	LFH4990
1106331		LAF4545 ¹	<i>262C w/Caterpillar 3044C 3.3L Engine</i>			7W-2327	Oil	PH4403
(2339856); -S/N	Fuel	L6265F	1106326	Air	LAF4544 ²	<i>277B w/Caterpillar 3044C 3.3L Engine</i>		
00606; Sec.		L6268F	1106331		LAF4545 ¹	1106326	Air	LAF4544 ²
(3619555); S/N 00606			(2339856); Sec.	Fuel	L6265F			LAF4544MXM ^{2, 268}
-; Sec.			1G8878	Hydraulic	LFH4990	1106331		LAF4545 ¹
1G-8878	Hydraulic	LFH4990	1R0734	Oil	LFP791	(2339856); Sec.	Fuel	L6265F
2672528	Oil	LFP3828	<i>262D w/Caterpillar C3.3B DIT Engine</i>			1G-8878	Hydraulic	LFH4990
<i>256C w/Caterpillar 3044C 3.3L Engine</i>				Air	LAF4544 ²	1R-0734	Oil	LFP791
1106326	Air	LAF4544 ²			LAF4545 ¹	<i>277C w/Caterpillar 3044C 3.3L Engine</i>		
1106331		LAF4545 ¹		Oil	PH253 ¹⁴⁹⁶	1106326	Air	LAF4544 ²
(2339856); Sec.	Fuel	L6265F			PH2835 ²⁷⁵	1106331		LAF4545 ¹
1G8878	Hydraulic	LFH4990	<i>267 w/Caterpillar 3034 Engine</i>			(2339856); Sec.	Fuel	L6265F
1R0734	Oil	LFP791	1402334	Air	LAF8114 ¹	1G8878	Hydraulic	LFH4990
<i>257 w/Caterpillar 3034 Engine</i>			1348726		LAF8143 ²	1R0734	Oil	LFP791
1402334	Air	LAF8114 ¹	(1596102); Sec.	Fuel	L3102F	<i>277C2 (w/Caterpillar C3.4 Engine)</i>		
1348726		LAF8143 ²	(1311812); Pri.		L8681F	1106326	Air	LAF4544 ²
(1596102); Sec.	Fuel	L3102F	1G-8878	Hydraulic	LFH4990	1106331		LAF4545 ¹
(1311812); Pri.		L8681F	7W-2327	Oil	PH4403	(3619555); Sec.	Fuel	L6268F
1G-8878	Hydraulic	LFH4990	<i>267B w/Caterpillar 3044C 3.3L Engine</i>			1G8878	Hydraulic	LFH4990
7W-2327	Oil	PH4403	1106326	Air	LAF4544 ²	2672528	Oil	LFP3828
<i>257B w/Caterpillar 3024CT Engine</i>					LAF4544MXM ^{2, 268}	<i>277D w/Caterpillar C3.3B DIT Engine</i>		
2310167	Air	LAF8148 ²	1106331		LAF4545 ¹		Air	LAF4544 ²
2310168		LAF9332 ¹	(2339856); Sec.	Fuel	L6265F			LAF4545 ¹
(1561200); Sec.	Fuel	L8706F	1G-8878	Hydraulic	LFH4990		Oil	PH253 ¹⁴⁹⁶
1G-8878	Hydraulic	LFH4990	1R-0734	Oil	LFP791			PH2835 ²⁷⁵
2201523	Oil	PH2835	<i>268B w/Caterpillar 3044C Engine</i>			<i>279C w/Caterpillar 3044C 3.3L Engine</i>		
<i>257B3 w/Caterpillar C3.4 DIT Engine</i>			1106326	Air	LAF4544 ²	1106326	Air	LAF4544 ²
1106326	Air	LAF4544 ²			LAF4544MXM ^{2, 268}	1106331		LAF4545 ¹
1106331		LAF4545 ¹	1106331		LAF4545 ¹	(2339856); Sec.	Fuel	L6265F
(3619555); W/S	Fuel	L6267F	(2339856); Sec.	Fuel	L6265F	1G8878	Hydraulic	LFH4990
1G8878	Hydraulic	LFH4990	1G-8878	Hydraulic	LFH4990	1R0734	Oil	LFP791
2672578	Oil	LFP3828	1R-0734	Oil	LFP791	<i>279D w/Caterpillar C3.3B DIT Engine</i>		
<i>257D w/Caterpillar C3.3B DIT Engine</i>			<i>272C w/Caterpillar 3044C 3.3L Engine</i>				Air	LAF4544 ²
	Air	LAF4544 ²	1106326	Air	LAF4544 ²			LAF4545 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 268-Extended/Severe service 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (SKID STEER LOADER)			CATERPILLAR (SKID STEER LOADER)			CATERPILLAR (SKIDDER)		
<i>279D w/Caterpillar C3.3B DIT Engine (cont'd)</i>			<i>297D2 (w/Caterpillar C3.8DIT Engine)</i>			<i>525D (w/Caterpillar C7.1 Engine) (cont'd)</i>		
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	1106326 1106331	Air	LAF4544 ² LAF4545 ¹	1446691 4621171	Hydraulic Oil	LFH4959 LFP2698
<i>287 w/Caterpillar 3034T Engine</i>			<i>299D HXP w/Caterpillar C3.8 DIT Engine</i>			<i>528</i>		
1106326	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹		Air	LAF4544 ² LAF4545 ¹ LFP2253	4M-9334 2S-1286 6I-2501	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹
1106331				Oil	LFP2253			
(2230702); Sec.	Fuel	L8254F	<i>299D w/Caterpillar C3.8 Engine</i>			6I-2502		
1G-8878	Hydraulic	LFH4990	1106326	Air	LAF4544 ² LAF4545 ¹	1R-0750	Fuel	LFF3347 LFP440F
7W-2327	Oil	PH4403	1106331	Air	LAF4544 ² LAF4545 ¹	(1P-2299); Sec.		
<i>287B w/Caterpillar 3044C 3.3L Engine</i>			3776969	Oil	LFP2253	9M-9740	Hydraulic	LP164
1106326	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹	<i>299D2 (w/Caterpillar C3.8DIT Engine)</i>			2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
1106331			1106326	Air	LAF4544 ² LAF4545 ¹	2P-4004		
(2339856); Sec.	Fuel	L6265F	1106331	Air	LAF4544 ² LAF4545 ¹			
1G-8878	Hydraulic	LFH4990	3776969	Oil	LFP2253	9M-9740	Trans	LP164
1R0734	Oil	LFP791	<i>908 w/Caterpillar 3044C 3.3L Engine</i>			<i>535C w/Caterpillar C7 Engine</i>		
<i>287C w/Caterpillar 3044C 3.3L Engine</i>			1106326	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹	2456375	Air	LAF6098 ² LAF6099 ¹
1106326	Air	LAF4544 ² LAF4545 ¹	1106331	Fuel	L22023F L3101F L3102F	2456376	Fuel	LFF5804 LFF6771 ¹⁷¹
1106331			(1512409); Pri.			(1R-0762); Sec.		
(2339856); Sec.	Fuel	L6265F	(1383100); Pri.			(3261644); Pri.	Hydraulic	LFH4990
1G8878	Hydraulic	LFH4990	(1596102); Sec.			1G-8878	Oil	LFP3191XL ¹⁴
1R0734	Oil	LFP791	1G-8878	Hydraulic	LFH4990	1R1807		LFP3236 LFP3236TRT ³
<i>287C2 (w/Caterpillar C3.4 Engine)</i>			7W-2326	Oil	LFP2292	<i>535D (w/Caterpillar C7.1 Engine)</i>		
1106326	Air	LAF4544 ² LAF4545 ¹	CATERPILLAR (SKIDDER)			1G-8878	Trans	LFH4990
1106331			<i>518</i>			<i>535D (w/Caterpillar C7.1 Engine)</i>		
(3619555); Sec.	Fuel	L6268F	6I-2499	Air	LAF4499 ² LAF4499MXM ^{2, 268} LAF4500 ¹ LAF47 ² LAF48 ¹	2456375	Air	LAF6098 LAF6099 ¹
1G8878	Hydraulic	LFH4990	6I-2500			2456376	Hydraulic	LFH4959
2672528	Oil	LFP3828	4M-8947			1446691	Oil	LFP2698
<i>287D w/Caterpillar C3.3B DIT Engine</i>			2S-1285			4621171		
	Air	LAF4544 ² LAF4545 ¹	Pri.	Fuel	L3531F LFF3347 LFF8030 ¹² LFP440F	<i>545D (w/Caterpillar C7.1 Engine)</i>		
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	IR-0750			2456375	Air	LAF6098 LAF6099 ¹
<i>289C w/Caterpillar 3044C 3.3L Engine</i>			W/S			2456376	Hydraulic	LFH4959
1106326	Air	LAF4544 ² LAF4545 ¹	(1P-2299); Sec.			1446691	Oil	LFP2698
1106331			4J-816	Hydraulic	LP816	4621171		
(2339856); Sec.	Fuel	L6265F	2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP161	<i>555D (w/Caterpillar C7.1 Engine)</i>		
1G8878	Hydraulic	LFH4990	2P-4004			2456375	Air	LAF6098 LAF6099 ¹
1R0734	Oil	LFP791	(1W-7399); S/N			2456376	Oil	LFP2698
<i>289D w/Caterpillar C3.3B DIT Engine</i>			50S1-205			4621171		
	Air	LAF4544 ² LAF4545 ¹	9M-9740	Trans	LP164	CATERPILLAR (TELESCOPIC HANDLER)		
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>525C w/Caterpillar C7 Engine</i>			<i>RT40, RT50, RT60, RTC60 w/Perkins 4.236 Engine</i>		
<i>297C, 299C w/Caterpillar 3044C 3.3L Engine</i>			2456375	Air	LAF6098 ² LAF6099 ¹	<i>8N-5504</i>		
1106326	Air	LAF4544 ² LAF4545 ¹	2456376	Fuel	LFF5804 LFF6771 ¹⁷¹	<i>7N-9027</i>		
1106331			(1R-0762); Sec.			<i>676987</i>		
(2339856); Sec.	Fuel	L6265F	(3261644); Pri.			<i>541719</i>		
1G8878	Hydraulic	LFH4990	1G-8878	Hydraulic	LFH4990	<i>(837905); Late Prod.</i>		
1R0734	Oil	LFP791		Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³	<i>7W-2327</i>		
<i>297D, 297D XHP (w/Caterpillar C3.8 Engine)</i>			1R1807			<i>6E-0924</i>		
1106326	Air	LAF4544 ² LAF4545 ¹	1G-8878	Trans	LFH4990	<i>RT50SA</i>		
1106331			<i>525D (w/Caterpillar C7.1 Engine)</i>			<i>7W-5389</i>		
3776969	Oil	LFP2253	2456375	Air	LAF6098 LAF6099 ¹	<i>251285</i>		
			2456376			<i>676987</i>		
						<i>Fuel</i>		
						<i>L296F ⁴¹</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 41-Cartridge 171-With Sensor Port 268-Extended/Severe service
275-Primary 1077-Hyd. Tank 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (TELESCOPIC HANDLER)			CATERPILLAR (TELESCOPIC HANDLER)			CATERPILLAR (TELESCOPIC HANDLER)		
<i>RT50SA (cont'd)</i>			<i>TH336C, TH337C (w/Caterpillar C3.4B Engine (cont'd)</i>			<i>TH514C w/Caterpillar C3.4B Engine (cont'd)</i>		
(541719); Early Prod.	Hydraulic	LFH4204 ¹⁰⁷⁷	1022828	Hydraulic	LFH4473 ²¹	1194740	Trans	LFH8876
(837905); Late Prod.		LFH4204XL ^{14, 107}			LH9407 ¹²⁵⁶	<i>TH560B, TH580B w/Caterpillar 3054 Engine</i>		
7W-2327	Oil	PH4403		Trans	LFH8876	206-5235	Air	LAF9543 ¹
6E-0924	Trans	LFP2275				206-5234		LAF9547 ²
<i>RT80, RT100 w/Caterpillar 3114T Engine</i>			<i>TH350B, TH360B w/Caterpillar 3054 Engine</i>			FD7926	Base	LMB6926 ⁹⁴³
(1R-0711); Sec.	Fuel	LFP440F	2065235	Air	LAF9543 ¹	BF7925	Fuel	LFF6925 ⁹⁴²
Early Prod.	Hydraulic	LFH4204 ¹⁰⁷⁷	2065234		LAF9547 ²	1G-8878	Hydraulic	LFH4990
(837905); Late Prod.		LFH4204XL ^{14, 107}	FD7926	Base	LMB6926 ⁹⁴³	7W-2326	Oil	LFP2292
1R-0714	Oil	LFP6007	(1512409); (S/N SLD1-599); Pri.	Fuel	L22023F	1G-8878	Trans	LFH4990
9T-5916	Trans	LFH4910	(1512409); (S/N SLE1-599); Pri.		L22023F	<i>TH62 w/Caterpillar 3054T Engine</i>		
9T-9054		LP2336	(1596102); Sec.		L3102F	1106326	Air	LAF4544 ²
<i>TH103 w/Caterpillar 3054T Engine</i>			9R-9925		L3523F ⁸⁵⁸	<i>LAF4544MXM^{2, 268}</i>		
1106326	Air	LAF4544 ²	BF7925		LFF6925 ⁹⁴²	1106331		LAF4545 ¹
		LAF4544MXM ^{2, 268}	1G-8878	Hydraulic	LFH4990	(1383100); Pri.	Fuel	L3101F
		LAF4545 ¹	7W-2326	Oil	LFP2292	(1383098); Sec.		L3102F
1106331	Fuel	L3101F	<i>TH355B w/Caterpillar 3054E Engine</i>			(1006374); Pri.	Fuel	L3101F
(1383098); Sec.		L3102F	FD7926	Base	LMB6926 ⁹⁴³	(1005593); Sec.		L3102F
9T-9073	Hydraulic	LFH5013	(159-6102); Sec.	Fuel	L3102F	1081153	Hydraulic	LFH5659
1081153		LFH5659	BF7925		LFF6925 ⁹⁴²	1261817		LFH8705
7W-2326	Oil	LFP2292	7W-2326	Oil	LFP2292	<i>TH63, TH82, TH83 w/Caterpillar 3054T Engine</i>		
1238189	Trans	LFH22034	1G-8878	Trans	LFH4990	1106326	Air	LAF4544 ²
<i>TH210, TH215 w/Caterpillar 3054 Engine</i>			<i>TH406, TH407 w/Caterpillar C4.4 DITAAC Engine</i>			<i>LAF4544MXM^{2, 268}</i>		
1106326	Air	LAF4544 ²	2065234	Air	LAF9547 ²	1106331		LAF4545 ¹
		LAF4544MXM ^{2, 268}	1G8878	Hydraulic	LFH4990	(1634465); Pri.	Fuel	L3101F
		LAF4545 ¹	7W2326	Oil	LFP2292	(1596102); Sec.		L3102F
1106331	Fuel	L3101F	<i>TH406C, TH407C w/Caterpillar C3.4B Engine</i>			9T-0973	Hydraulic	LFH5013
(1634465); Pri.		L3102F	1106326	Air	LAF4544 ²	1081153		LFH5659
(1596102); Sec.		L3102F	1106331		LAF4545 ¹	1261817	Oil	PH4403
7W-2327	Oil	PH4403	(9R9925); Pri.	Breather	L3531F	7W-2327	Oil	PH4403
<i>TH220B w/Caterpillar 3054 Engine</i>			1022828	Hydraulic	LFH4473 ²¹	1238189	Trans	LFH22034
206-5235	Air	LAF9543 ¹			LH9407 ¹²⁵⁶	<i>TL1055 w/Caterpillar C4.4 EDITAAC Engine</i>		
206-5234		LAF9547 ²		Trans	LFH8876	108-1153	Hydraulic	LFH5659
FD7926	Base	LMB6926 ⁹⁴³	<i>TH414C, TH417C w/Caterpillar C3.4B Engine</i>			7W2326	Oil	LFP2292
9R-9925	Fuel	L3523F ⁸⁵⁸	1106326	Air	LAF4544 ²	<i>TL1055 w/Caterpillar C4.4TA Engine</i>		
BF7925		LFF6925 ⁹⁴²	1106331		LAF4545 ¹	108-1153	Hydraulic	LFH5659
7W-2326	Oil	LFP2292	(9R9925); Pri.	Breather	L3531F	7W2326	Oil	LFP2292
1G-8878	Trans	LFH4990	1022828	Hydraulic	LFH4473 ²¹	1194740	Trans	LFH8876
<i>TH255 w/Caterpillar 4.4 DIT Tier 3 Engine</i>					LH9407 ¹²⁵⁶	<i>TL1055D (w/Caterpillar C4.4 Engine)</i>		
P609221	Air	LAF5416 ²		Trans	LFH8876	7W2326	Oil	LFP2292
FD7926	Base	LMB6926 ⁹⁴³	<i>TH460B w/Caterpillar 3054 Engine</i>			1194740	Trans	LFH8876
BF7925	Fuel	LFF6925 ⁹⁴²	2065235	Air	LAF9543 ¹	<i>TL1255C (Caterpillar C4.4TA Engine)</i>		
7W2326	Oil	LFP2292	2065234		LAF9547 ²	2998229	Coolant	LFF5088
<i>TH330B, TH340B w/Caterpillar 3054 Engine</i>			(1512409); Pri.	Fuel	L22023F	108-1153	Hydraulic	LFH5659
206-5235	Air	LAF9543 ¹	(1596102); Sec.		L3102F	7W2326	Oil	LFP2292
206-5234		LAF9547 ²	9R-9925		L3523F ⁸⁵⁸	1194740	Trans	LFH8876
FD7926	Base	LMB6926 ⁹⁴³	1G-8878	Hydraulic	LFH4990	<i>TL1255D (w/Caterpillar C4.4 Engine)</i>		
9R-9925	Fuel	L3523F ⁸⁵⁸	7W-2326	Oil	LFP2292	7W2326	Oil	LFP2292
BF7925		LFF6925 ⁹⁴²	<i>TH514C w/Caterpillar C3.4B Engine</i>			1194740	Trans	LFH8876
7W-2326	Oil	LFP2292	1106326	Air	LAF4544 ²	<i>TL642D (w/Caterpillar C3.4 Engine)</i>		
1G-8878	Trans	LFH4990	1106331		LAF4545 ¹	7W2326	Oil	LFP2292
<i>TH336C, TH337C (w/Caterpillar C3.4B Engine</i>			(9R9925); Pri.	Breather	L3531F	1194740	Trans	LFH8876
1106326	Air	LAF4544 ²	1022828	Hydraulic	LFH4473 ²¹	<i>TL642D (w/Caterpillar C4.4 Engine)</i>		
1106331		LAF4545 ¹			LH9407 ¹²⁵⁶	7W2326	Oil	LFP2292
(9R9925); Pri.	Breather	L3531F	1R1809			1194740	Trans	LFH8876

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 21-Frame mounted 268-Extended/Severe service 858-Hydraulic Tank 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1077-Hyd. Tank 1256-Field installed Hydraulic

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (TELESCOPIC HANDLER)			CATERPILLAR (WHEEL DOZER-COMPACTOR)			CATERPILLAR (WHEEL DOZER-COMPACTOR)		
<i>TL943C w/Caterpillar C3.4B Engine</i>			<i>814F (cont'd)</i>			<i>815F Series II w/Caterpillar C9 Acert Engine (cont'd)</i>		
7W2326	Oil	LFP2292	9J-5461	Hydraulic	LH5461			
1194740	Trans	LFH8876		Oil	LFP3191		Air	LAF4505MXM ^{2, 268}
<i>TL943D w/Caterpillar C3.4B Engine</i>					LFP3191TRT ³			LAF4506 ¹
7W2326	Oil	LFP2292			LFP3191XL ¹⁴			LAF5614 ¹
1194740	Trans	LFH8876	1R-0719	Trans	LP164			LAF8778
CATERPILLAR (WHEEL DOZER-COMPACTOR)			<i>814F Series II w/Caterpillar C9 Acert Engine</i>					LAF8783
<i>814</i>			6I2505	Air	LAF4505 ²	6I2506		LAF4506 ¹
	Air	LAF1792 ²¹⁹			LAF4505MXM ^{2, 268}	6I2506		LAF5614 ¹
4M-9334		LAF334 ²	6I2506		LAF4506 ¹	9X3352		LAF8778
		LAF334MXM ^{2, 268}	9X3352		LAF8778	3E0410		LAF8783
2S-1286		LAF335 ¹	3E0410		LAF4191	7X6041	Cabin Air	LAF4191
7M-9045		LAF45 ²	7X6041	Cabin Air	LAF4191	(1R0762); Sec.	Fuel	LFF5804
6I-2501		LAF4501 ²	(1R0762); Sec.	Fuel	LFF5804	(1R0770); Pri.	Fuel	LFF6770 ¹¹⁶⁶
		LAF4501MXM ^{2, 268}	1R0722	Hydraulic	LH5461 ¹⁰⁷⁷	1R0722	Hydraulic	LH5461 ¹⁰⁷⁷
6I-2502		LAF4502 ¹	132-8875		LH8784G ¹¹⁹⁴	132-8875		LH8784G ¹¹⁹⁴
6I-2503		LAF4503 ²	1R0716	Oil	LFP4005	1R1808	Oil	LFP4005
		LAF4503MXM ^{2, 268}	1R1808		LFP4005RN ⁵⁹⁹	1R1808		LFP4005TRT ³
6I-2504		LAF4504 ¹	<i>815</i>					LFP4005XL ¹⁴
2S-1287		LAF46 ¹	(4M-9334); S/N	Air	LAF334 ²	<i>815F, 816F w/Caterpillar 3176C ATAAC Engine</i>		
1R-0750	Fuel	LFF3347	91P244-		LAF334MXM ^{2, 268}	6I-2505	Air	LAF4505 ²
W/S		LFF8030 ¹²	S/N 91P244-		LAF335 ¹			LAF4505MXM ^{2, 268}
(1P-2299); Sec.		LFP440F	2S-1286		LAF45 ²	6I-2506		LAF4506 ¹
4J-6064	Hydraulic	LP560	7M-9045		LAF46 ¹	1R-0762	Coolant	LFW5870 ⁹⁵³
2P-4004	Oil	LFP3191	2S-1287		LFF8030 ¹²	(1R-0770); Pri.	Fuel	LFF6770 ¹¹⁶⁶
2P-4004		LFP3191TRT ³	W/S	Fuel	LFP440F	1R-0716	Oil	LFP4005
		LFP3191XL ¹⁴	(1P-2299); Sec.		LFP440F			LFP4005TRT ³
1W-7399		LP161	4J-6064	Hydraulic	LP560 ¹²¹⁵			LFP4005XL ¹⁴
9M-9740	Trans	LP164	(2P-4004); S/N	Oil	LFP3191	<i>815F, 816F w/Caterpillar 3306 Engine</i>		
<i>814B</i>			91P920-91P924,		LFP3191TRT ³	6I-2503	Air	LAF4503 ²
6K-9606	Air	LAF1792	91P926-		LFP3191XL ¹⁴			LAF4503MXM ^{2, 268}
8N-5317		LAF334 ²	(2P-4004); S/N		LP161	6I-2504		LAF4504 ¹
		LAF334MXM ^{2, 268}	91P920-91P924,		LP164	9X-3352		LAF8778
6I-2501		LAF4501 ²	91P926-			3E-0410		LAF8783
		LAF4501MXM ^{2, 268}	(1W-7399); S/N			7X-0641	Cabin Air	LAF4191
6I-2502		LAF4502 ¹	91P1-91P919, 91P925			(9M-2341); Pri.	Fuel	L3531F
9S-9972		LAF9972 ¹	9M-9740	Trans		(1R-0750); Sec.	Fuel	LFF3347 ²⁰
2V-0036	Cabin Air	LAF2515	<i>815B w/Caterpillar 3306 Engine</i>			9J-5461	Hydraulic	LH5461
1R-0750	Fuel	LFF3347	8N-5317	Air	LAF334 ²	2P-4004	Oil	LFP3191
W/S		LFF8030 ¹²			LAF334MXM ^{2, 268}	2P-4004		LFP3191TRT ³
(1P-2299); Sec.		LFP440F	9S-9972		LAF9972 ¹			LFP3191XL ¹⁴
9J-5461	Hydraulic	LH5461	2V-0036	Cabin Air	LAF2515	132-8875	Trans	LH8784G ²⁰
1R-0739	Oil	LFP3191	W/S	Fuel	LFF8030 ¹²	1R-0719		LP164
1R-0739		LFP3191TRT ³	(1P-2299); Sec.		LFP440F	<i>816</i>		
		LFP3191XL ¹⁴		Hydraulic	LH5461 ¹⁰⁷⁷	6K-9606	Air	LAF1792 ²¹⁹
9M-9740	Trans	LP164	9J-5461		LH5461	4M-9334		LAF334 ²
<i>814F</i>			2P-4004	Oil	LFP3191			LAF334MXM ^{2, 268}
6I-2503	Air	LAF4503 ²	2P-4004		LFP3191TRT ³	2S-1286		LAF335 ¹
		LAF4503MXM ^{2, 268}			LFP3191XL ¹⁴	W/S	Fuel	LFF8030 ¹²
6I-2504		LAF4504 ¹	9M-9740	Trans	LP164	(1P-2299); Sec.		LFP440F
Pri.	Fuel	L3531F	<i>815F Series II w/Caterpillar C9 Acert Engine</i>			1R-0728	Hydraulic	LP816
1R-0750		LFF3347	6I2505	Air	LAF4505 ²	2P-4004	Oil	LFP3191
Sec.		LFP440F				2P-4004		LFP3191TRT ³
								LFP3191XL ¹⁴
						1R-0719	Trans	LP164

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 219-Air Conditioner 268-Extended/Severe service 599-High capacity 953-Pre-Charge 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port 1194-Powertrain 1215-Caterpillar 3J1991 Gasket

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (WHEEL DOZER-COMPACTOR)			CATERPILLAR (WHEEL DOZER-COMPACTOR)			CATERPILLAR (WHEEL DOZER-COMPACTOR)		
<i>816B</i>			<i>824C (cont'd)</i>			<i>825G, 826G</i>		
4M-9334	Air	LAF334 ² LAF334MXM ^{2, 268} LAF4501 ² LAF4501MXM ^{2, 268}	9M-9740 1R-0741	Trans	LP164 LP560	1R-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}
6I-2501		LAF4501 ² LAF4501MXM ^{2, 268}	<i>824H w/Caterpillar C15 15.2L Engine</i>			1R-0274		LAF4274 ¹ LAF4505 ² LAF4505MXM ^{2, 268}
6I-2502		LAF4502 ¹	106-3973 106-3969	Air	LAF3884 ¹ LAF5022 ² LAF5022MXM ^{2, 268}	6I-2505		LAF4506 ¹
9S-9972		LAF9972 ¹	107-0266	Cabin Air	AF7878	6I-2506		LAF4506 ¹
	Cabin Air	LAF2515	112-7448		LAF8777	1R-0749	Fuel	LFF2749 ²⁰
W/S (1R-0740); Sec.	Fuel	LFF8030 ¹² LFP440F	(1R0762); Sec. (1R0770); Pri.	Fuel	LFF5804 LFF6770 ¹¹⁶⁶	1R-0722	Hydraulic	LH5461
1R-0722	Hydraulic	LH5461	1R0722	Hydraulic	LH5461 ¹⁰⁷⁷	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
4T-3131		LP135	1R0716	Oil	LFP4005			
1R-0739	Oil	LFP3191	1R0716	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	1R-0719	Trans	LP164
1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴	1R1808		LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	<i>825H w/Caterpillar C15 Acert Engine</i>		
1R-0719	Trans	LP164			LFP4005XL ¹⁴	106-3973	Air	LAF3884 ¹ LAF5022 ² LAF5022MXM ^{2, 268}
<i>816F Series II w/Caterpillar C9 Engine</i>			132-8876	Trans	LP560HE ^{20, 1172}	106-3969		
6I2505	Air	LAF4505 ²	<i>825</i>			107-0266	Cabin Air	AF7878
6I2506		LAF5614 ¹	7M-9045	Air	LAF45 ²	112-7448		LAF8777
9X3352		LAF8778	2S-1287		LAF46 ¹	(1R0762); Sec.	Fuel	LFF5804 LFF6770 ¹¹⁶⁶
(1R0770); Pri.	Fuel	LFF6770 ¹¹⁶⁶	W/S (1P-2299); Sec.	Fuel	LFF8030 ¹² LFP440F	(1R0770); Pri.		LH5461 ¹⁰⁷⁷
1R0722	Hydraulic	LH5461 ¹⁰⁷⁷	4J-6064	Hydraulic	LP560	1R0722	Hydraulic	LH5461 ¹⁰⁷⁷
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	5S-485	Oil	LP163	1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
			4J-6064	Trans	LP560	1R1808		
1328875	Trans	LH8784G	<i>825C</i>			132-8875	Trans	LH8784G
<i>824C</i>			6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}	<i>826</i>		
6K-9606	Air	LAF1792	6I-0274		LAF4274 ¹	7M-9045	Air	LAF45 ²
(4M-9334); S/N 29G1-S/N 29G1-		LAF334 ²	1P-7360		LAF7360 ¹	2S-1287		LAF46 ¹
(2S-1286); S/N 29G1-7M-9045		LAF334MXM ^{2, 268}	1P-7716		LAF7716 ²	W/S (1P-2299); Sec.	Fuel	LFF8030 ¹² LFP440F
6I-2501		LAF335 ¹			LAF7716MXM ^{2, 268}	4J-6064	Hydraulic	LP560
		LAF45 ²	2V-0036	Cabin Air	LAF2515	5S-485	Oil	LP163
		LAF4501 ²	(1R-0712M); Sec.	Fuel	LFP440F	4J-6064	Trans	LP560
		LAF4501MXM ^{2, 268}	1R-0722	Hydraulic	LH5461	<i>826B</i>		
6I-2502		LAF4502 ¹	2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	7W-5316	Air	LAF45 ²
6I-2503		LAF4503 ²	9M-9740	Trans	LP164	6I-2503		LAF4503MXM ^{2, 268}
		LAF4503MXM ^{2, 268}	<i>825G II, 826G II w/Caterpillar 3406E ATAAC Engine</i>			6I-2504		LAF4504 ¹
6I-2504		LAF4504 ¹	6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹	2S-1287		LAF46 ¹
2S-1287		LAF46 ¹				1R-0750	Fuel	LFF3347
1P-7360		LAF7360 ¹				1R-0721	Oil	LP163
1R-7716		LAF7716 ²				1R-0741	Trans	LP560
		LAF7716MXM ^{2, 268}	6I-2606			<i>826C</i>		
S/N 85X	Cabin Air	LAF2515 ¹²¹⁶	107-0266	Cabin Air	AF7878	6K-9606	Air	LAF1792
	Coolant	LFW4071 ^{28, 205}	112-7448		LAF8777	6I-0273		LAF4273 ² LAF4273MXM ^{2, 268}
(1R-0724); Sec. (9M-2341); Pri. (1R-0712); Sec. (1R-2299); Sec.	Fuel	364F L3531F LFF5823B LFP440F	(1R-0762); Sec. (1R-0770); Pri.	Fuel	LFF5804 LFF6770 ¹¹⁶⁶	6I-0274		LAF4274 ¹
9J-5461	Hydraulic	LH5461 ¹⁰⁷⁷	132-8876	Hydraulic	LH22044 ¹¹⁶⁸	1P-7360		LAF7360 ¹
1R-0741		LP560	1R-0722		LH5461 ¹⁰⁷⁷	1P-7716		LAF7716 ² LAF7716MXM ^{2, 268}
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	(4N-5823); Sec.	Fuel	LFF5823B
1R-0721		LP163				9J-5461	Hydraulic	LH5461

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical

205-Maintenance 268-Extended/Severe service 599-High capacity 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port 1168-Ultra High Efficiency 1172-Fire Resistant Fluids 1216-Attached Cab

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (WHEEL DOZER-COMPACTOR)			CATERPILLAR (WHEEL DOZER-COMPACTOR)			CATERPILLAR (WHEEL DOZER-COMPACTOR)		
<i>826C (cont'd)</i>			<i>834</i>			<i>835 (cont'd)</i>		
2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	6K-9606 7M-9045 6I-2503	Air	LAF1792 ²¹⁹ LAF45 ² LAF4503 ² LAF4503MXM ^{2, 268}	6I-2503	Air	LAF4503 ² LAF4503MXM ^{2, 268}
9M-9740	Trans	LP164				6I-2504 2S-1287		LAF4504 ¹ LAF46 ¹
<i>826G II w/Caterpillar 3406 Engine</i>			6I-2504 2S-1287 (1R-0724); Sec. W/S	Fuel	364F LFF8030 ¹²	1R-0749 W/S (1P-2299); Sec.	Fuel	LFF2749 ²⁰ LFF8030 ¹² LFP440F
6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹	4J-6064 1R-0721 4J-6064	Hydraulic Oil	LP560 LP163	4J-6064	Hydraulic Trans	LP560
6I-2606								
107-0266	Cabin Air	AF7878						
112-7448		LAF8777						
(1R-0762); Sec.	Fuel	LFF5804						
132-8876	Hydraulic	LH22044 ¹¹⁶⁸	<i>834B w/Caterpillar 3408 Engine</i>			6P-1319	Air	LAF3680 ⁵⁵⁴
1R-0722		LH5461 ¹⁰⁷⁷	6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268}	8P-5343		LAF5343 ⁵⁵⁴ LAF8482 ¹ LAF8483 ² LAF8483MXM ^{2, 268}
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	6I-2506		LAF4506 ¹ LAF5343 ⁵⁵⁴ LAF8482 ¹ LAF8483 ² LAF8483MXM ^{2, 268}	1P-8483		
<i>826G w/Caterpillar 3406 Engine</i>			1P-8482 7W-5313A			1R-0749 (1290373); W/S	Fuel	LFF2749 ²⁰ LFF906
6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}	1R-0749 (1R-0712); Sec. W/S	Fuel	LFF2749 ²⁰ LFF5823B LFF8030 ¹²	1R-0732	Hydraulic	LFH4635 ¹⁰⁷⁷
6I-0274		LAF4274 ¹	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
6I-2505		LAF4505 ² LAF4505MXM ^{2, 268} LAF4506 ¹				9M-9740	Trans	LP164
6I-2506						<i>836G</i>		
9N-3368	Coolant	LFW4071 ^{28, 205}	9M-9740	Trans	LP164	6I-2509	Air	LAF4544 ² LAF4544MXM ^{2, 268}
1R-0749	Fuel	LFF2749 ²⁰	<i>834H w/Caterpillar C18 18.1L Engine</i>			6I-2510		LAF4545 ¹
1R-0722	Hydraulic	LH5461	106-3973 106-3969	Air	LAF3884 ¹ LAF5022 ² LAF5022MXM ^{2, 268}	1R-0749 W/S	Fuel	LFF2749 ²⁰ LFF906
4T-3131		LP135	107-0266 112-7448	Cabin Air	AF7878 LAF8777	1G-8878	Hydraulic	LFH4990
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	(1R0762); Sec. (1R0771); Pri.	Fuel	LFF5804 LFF6771 ¹⁷¹	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
1R-0719	Trans	LP164	1G8878	Hydraulic	LFH4990 ¹²¹⁸	1261817	Trans	LFH8705
<i>826H Compactor w/Caterpillar C15 15.2L Engine</i>			126-1817 1R0716 1R1808	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	<i>836G w/Caterpillar 3456 DITA Engine</i>		
106-3973	Air	LAF3884 ¹	<i>834K w/Caterpillar C18 Tier 4 engine</i>			6I-2509	Air	LAF4509 ²
106-3969		LAF5022 ² LAF5022MXM ^{2, 268}				6I-2510		LAF4510 ¹
107-0266	Cabin Air	AF7878				107-0266 112-7448	Cabin Air	AF7878 LAF8777
112-7448		LAF8777				(1R-0749); Sec. (129-0372); Pri.	Fuel	LFF2749 ²⁰ LFF8707
(1R-0762); Sec. (1R-0770); Pri.	Fuel	LFF5804 LFF6770 ¹¹⁶⁶				1G-8878	Hydraulic	LFH4990
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴				126-1817		LFH8705
1R-1808						1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
132-8876	Trans	LH22044 ¹¹⁶⁸				<i>836H w/Caterpillar C18 18.1L Engine</i>		
1R-0722		LH5461				106-3973 106-3969	Air	LAF3884 ¹ LAF5022 ² LAF5022MXM ^{2, 268}
<i>826K (w/Caterpillar C15 Engine0</i>						1R-0771		LAF9332 ¹
2310167	Cabin Air	LAF8148				107-0266 112-7448	Cabin Air	AF7878 LAF8777
(1R-0762); Sec. (3261643); Pri.	Fuel	LFF2749 ²⁰ LFF6771 ^{171, 1217}	1R0716 1R1808	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴			
1261817	Hydraulic	LFH8705 ¹¹⁶⁸	<i>835</i>					
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	6K-9606 7M-9045	Air	LAF1792 LAF45 ²			
1R-1808								

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 171-With Sensor Port 205-Maintenance 219-Air Conditioner 268-Extended/Severe service 554-Recirculation 599-High capacity 689-Bowless 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port 1168-Ultra High Efficiency 1217-Except engine S/N 580-UP 1218-Oil Cooler

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (WHEEL DOZER-COMPACTOR)			CATERPILLAR (WHEEL DOZER-COMPACTOR)			CATERPILLAR (WHEEL LOADER)		
<i>836H w/Caterpillar C18 18.1L Engine (cont'd)</i>			<i>854G w/Caterpillar 3508B Engine (cont'd)</i>			<i>906H w/Caterpillar C3.4 Engine (cont'd)</i>		
(1R-0762); Sec.	Fuel	LFF5804 ²⁰	1G8878	Hydraulic	LFH4990 ^{1076, 1219}	(2339856); Sec.	Fuel	L6265F
1G-8878	Hydraulic	LFH4990 ¹⁰⁷⁶	9T-0973		LFH5013	1G8878	Hydraulic	LFH4990
126-1817		LFH8705 ¹¹	1261817		LFH8705 ¹¹	1R0734	Oil	LFP791
1R-0716	Oil	LFP4005	1R-0716	Oil	LFP4005	<i>906H2 w/Caterpillar C3.3B engine</i>		
		LFP4005TRT ³			LFP4005TRT ³		Air	LAF4544 ²
1R-1808		LFP4005XL ¹⁴			LFP4005XL ¹⁴		LAF4545 ¹	
<i>836K (w/Caterpillar C18 Engine)</i>			1328876	Trans	LH22044 ¹¹⁶⁸	(3619555); Sec.	Fuel	L6268F
2310167	Cabin Air	LAF8148	<i>854K w/Caterpillar C32 Acert 32.1L Engine</i>				Hydraulic	LFH4990
(1R-0762); Sec.	Fuel	LFF2749 ²⁰	1063973	Air	LAF3884 ¹		Oil	LFP2253
(3261643); Pri.		LFF6771 ^{171, 1217}	1327168		LAF5022 ²	<i>906M (w/Caterpillar C3.3B Engine)</i>		
1261817	Hydraulic	LFH8705 ¹¹⁶⁸			LAF5022MXM ^{2, 268}		Air	LAF4544 ²
1R-0716	Oil	LFP4005	9X-8216	Cabin Air	LAF5818		LAF4545 ¹	
		LFP4005TRT ³	(3261644); Pri.	Fuel	LFF6771 ¹⁷¹	W/S	Fuel	L6267F
1R-1808		LFP4005XL ¹⁴	1022828	Hydraulic	LFH4473 ¹²²⁰		Hydraulic	LFH4990
<i>844 w/Caterpillar 3412E Engine</i>			1G8878		LFH4990 ¹⁰⁷⁶		Oil	LFP2253
61-2505	Air	LAF4505 ²	2075035		LFH8417G ¹²¹³	<i>907H w/Caterpillar C3.4 Engine</i>		
		LAF4505MXM ^{2, 268}	1261817		LFH8705 ¹¹	1106326	Air	LAF4544 ²
61-2506		LAF4506 ¹	1R-0716	Oil	LFP4005	1106331	LAF4545 ¹	
9X-8216	Cabin Air	LAF5818			LFP4005TRT ³	(2339856); Sec.	Fuel	L6265F
1R-0749	Fuel	LFF2749 ²⁰	1328876	Trans	LH22044 ¹¹⁶⁸	1G8878	Hydraulic	LFH4990
4T-3134	Hydraulic	LH5854 ¹⁰⁷⁷	CATERPILLAR (WHEEL LOADER)			1R0734	Oil	LFP791
1R-0716	Oil	LFP4005	<i>902</i>			<i>907H w/Caterpillar S4Q2T Engine</i>		
		LFP4005TRT ³	150-4140	Oil	PH253 ¹⁴⁹⁶	1402334	Air	LAF8114 ¹
		LFP4005XL ¹⁴			PH2835 ²⁷⁵	1348726	LAF8143 ²	
<i>844H w/Caterpillar C27 Acert Engine</i>			<i>902 w/Caterpillar 3024 Engine</i>			(1561200); Sec.	Fuel	L8706F
612505	Air	LAF4505 ²	1402334	Air	LAF8114 ¹	1200664	Oil	PH2808
		LAF4505MXM ^{2, 268}	1348726	LAF8143 ²		<i>907H2 w/Caterpillar C3.3B Engine</i>		
612506		LAF4506 ¹	(1561200); Sec.	Fuel	L8706F	1106326	Air	LAF4544 ²
9X-8216	Cabin Air	LAF5818	(1561200); Sec.	Hydraulic	LFH4990	1106331	LAF4545 ¹	
1R0755	Fuel	LFF4102	1R-0734	Oil	LFP791	(3619555); Sec.	Fuel	L6268F
(1R0770); Pri.		LFF6770 ¹¹⁶⁶	<i>903C (w/Caterpillar C2.4 Engine)</i>			1G8878	Hydraulic	LFH4990
1G8878	Hydraulic	LFH4990 ¹⁰⁷⁶	1467472	Air	LAF8195 ²	3776969	Oil	PH253 ¹⁴⁹⁶
4T3134		LH5854 ¹⁰⁷⁷	1467473		LAF8690 ¹		PH2835 ²⁷⁵	
1R0716	Oil	LFP4005	1561200	Fuel	L8706F	<i>907M (w/Caterpillar C3.3B Engine)</i>		
		LFP4005RN ⁵⁹⁹	<i>904B w/Mitsubishi S4Q2T Engine</i>				Air	LAF4544 ²
1R1808		LFP4005TRT ³	1402334	Air	LAF8114 ¹		LAF4545 ¹	
		LFP4005XL ¹⁴	1348726		LAF8143 ²	(3619555); Sec.	Fuel	L6268F
465-8876	Trans	LP560HE ^{20, 1172}	(1561200); Sec.	Fuel	L8706F		Hydraulic	LFH4990
<i>844K w/Caterpillar C27 Tier 4 engine</i>			1200664	Oil	PH2808		Oil	LFP2253
	Cabin Air	AF7878	<i>904H w/Mitsubishi S4Q2T Engine</i>			<i>908H w/Caterpillar C3.4 Engine</i>		
		LAF8777	1402334	Air	LAF8114 ¹	1106326	Air	LAF4544 ²
	Fuel	LFF6771SC ⁶⁸⁹	1348726	LAF8143 ²		1106331	LAF4545 ¹	
	Hydraulic	LFH8705	(1561200); Sec.	Fuel	L8706F	(2339856); Sec.	Fuel	L6265F
		LH5854 ¹⁰⁷⁷	1200664	Oil	PH2808	1G8878	Hydraulic	LFH4990
1R0716	Oil	LFP4005	<i>906 w/Caterpillar 3034 Engine</i>			1R0734	Oil	LFP791
		LFP4005RN ⁵⁹⁹	(1383100); Pri.	Fuel	L3101F	<i>908H2 w/Caterpillar C3.3B engine</i>		
1R1808		LFP4005TRT ³	(1383098); Sec.		L3102F		Air	LAF4544 ²
		LFP4005XL ¹⁴	1G-8878	Hydraulic	LFH4990	(3619555); Sec.	Fuel	L6268F
<i>854G w/Caterpillar 3508B Engine</i>			1R-0734	Oil	LFP791		Hydraulic	LFH4990
1236856	Air	LAF8115 ¹	7W-2327		PH4403		Oil	LFP2253
1236855		LAF8146 ²	<i>906H w/Caterpillar C3.4 Engine</i>			<i>908M (w/Caterpillar C3.3B Engine)</i>		
9X-8216	Cabin Air	LAF5818	1106326	Air	LAF4544 ²		Air	LAF4544 ²
(9M2342); Pri.	Fuel	L3531F	1106331	LAF4545 ¹		Sec.	Fuel	L6268F
1R-0755		LFF4102					Hydraulic	LFH4990

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 20-High efficiency 171-With Sensor Port
 268-Extended/Severe service 275-Primary 599-High capacity 689-Bowless 1076-Case Drain 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port 1168-Ultra
 High Efficiency 1172-For Fire Resistant Fluids 1213-Fan 1217-Except engine S/N 580-UP 1219-Optional Axle 1220-Implement 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (WHEEL LOADER)			CATERPILLAR (WHEEL LOADER)			CATERPILLAR (WHEEL LOADER)		
<i>908M (w/Caterpillar C3.3B Engine) (cont'd)</i>			<i>914G (cont'd)</i>			<i>920 (cont'd)</i>		
	Oil	LFP2253	1G-8878	Hydraulic	LFH4990	(1R-0740); Sec.	Fuel	LFP440F
<i>910 w/Caterpillar 3204 Engine</i>			7W-2326	Oil	LFP2292	1R-0741	Hydraulic	LP560 ¹⁰⁷⁷
4N-0313	Air	LAF8549 ¹	1G-8878	Trans	LFH4990	1R-0739	Oil	LFP3191
4N-0326		LAF8550 ²	<i>914G2 w/Caterpillar C4.4 Engine</i>			1R-0739		LFP3191TRT ³
(9L-9100); Sec.	Fuel	FP230F	1118738	Air	LAF4364 ²⁷⁵			LFP3191XL ¹⁴
(9M-2341); Pri.		L3531F	1106326		LAF4544 ²	1R-0659	Trans	LP161
(IP-2299); Sec.		LFP440F			LAF4544MXM ^{2, 268}			LP164
9M-9740	Hydraulic	LP164 ¹⁰⁷⁷	1106331		LAF4545 ¹	922A, 922B		
8N-9586	Oil	LFP5570	1807487		LAF5300 ²¹⁹	(2S-1284); S/N 59A-	Air	LAF3119 ¹²²¹
9N-5680		LFP791	1G-8878	Hydraulic	LFH4990	6I-2499		LAF379 ¹
2P-5834	Trans	LFH4210	7W-2326	Oil	LFP2292			LAF4499 ²
2P-5834		LP4736	<i>914K w/Caterpillar C3.8 Interim Tier 4 engine</i>					LAF4499MXM ^{2, 268}
910E					LAF4544 ²	6I-2500		LAF4500 ¹
7W-3920	Air	LAF7531 ²			LAF4544MXM ^{2, 268}	7W-5389		LAF47 ²
(1R-0750); Sec.	Fuel	LFF3347 ²⁰			LAF4545 ¹	2S-1285		LAF48 ¹
(1P-2299); Sec.		LFP440F			LFH4990	7W-3920		LAF7531 ²
1R-0735	Hydraulic	LH4932			LFP2253			LAF7727 ¹²²²
9T-9054		LP2336 ¹⁰⁷⁷	916			Sec.	Fuel	364F
1R-0714	Oil	LFP6007	8N-4901	Air	LAF1963 ¹	Gas		G6
1R-0746	Trans	LP4736	6I-2499		LAF4499 ²	(9M-2341); S/N 59A-;		L3531F
<i>910F w/Caterpillar 3114T Engine</i>					LAF4499MXM ^{2, 268}	Pri.		LFF3347
4I-7575	Air	LAF1804 ²	6I-2500		LAF4500 ¹	1R-0750		LFP440F
6I-6582		LAF6834 ¹	7W-5389		LAF47 ²	Diesel; Sec.		
7T-1889		LAF8363	7T-1889		LAF8363	1R-0741	Hydraulic	LP560
4N-0313		LAF8549 ¹	(9M-2342); Pri.	Fuel	L3531F	(1R-0659); Exc. S/N	Oil	LP161
4N-0326		LAF8550 ²	(1R-0750); Sec.		LFF3347 ²⁰	63A		P92
(9M-2341); Pri.	Fuel	L3531F	(1P-2299); Sec.		LFP440F	S/N 63A-	Trans	LP161
1R-0751		LFF4783 ²⁰	9J-5461	Hydraulic	LH5461	924F		
(1P-2299); Sec.		LFP440F	9N-6607	Oil	LFP6007	6I-2499	Air	LAF4499 ²
1R-0719	Hydraulic	LP164	2P-5834	Trans	LFH4210			LAF4499MXM ^{2, 268}
1R-0714	Oil	LFP6007	1R-0746		LP4736	6I-2500		LAF4500 ¹
1R-0746	Trans	LP2336	<i>918F w/Caterpillar 3114 Engine</i>			9X-3352		LAF8778
910G			6I-2499	Air	LAF4499 ²	3E-0410		LAF8783
1318902	Air	LAF4544 ²			LAF4499MXM ^{2, 268}	7X-6041	Cabin Air	LAF4191
		LAF4544MXM ^{2, 268}	6I-2500		LAF4500 ¹	(1512409); Pri.		L22023F
(1512409); Pri.	Fuel	L22023F	9X-3352		LAF8778	(9M-2341); Pri.	Fuel	L3531F
1G-8878	Trans	LFH4990	3E-0410		LAF8783	(1174089); Pri.		L8682F
<i>910K w/Caterpillar C3.8 Interim Tier 4 engine</i>			7X-6041	Cabin Air	LAF4191	(1R-0751); Sec.		LFF4783
	Air	LAF4544 ²	(9M-2341); Pri.	Fuel	L3531F	1R-0751		LFF4783
		LAF4544MXM ^{2, 268}	(1R-0751); Sec.		LFF4783	1R-0722	Hydraulic	LH5461 ¹⁰⁷⁷
		LAF4545 ¹	(1R-0740); Sec.		LFP440F	1R-0714	Oil	LFP6007
	Hydraulic	LFH4990	9J-5461	Hydraulic	LH5461 ¹⁰⁷⁷	(1W-8845); By-Pass		LFP777B
		LFP2253	1R-0714	Oil	LFP6007	By-Pass		LFP777XL ¹⁴
<i>914 w/Perkins Engine</i>			9T-5916	Trans	LFH4910	9T-5916	Trans	LFH4910
4I-7575	Air	LAF1804 ²	1G-8878		LFH4990	1G-8878		LFH4990
(1005593); Sec.	Fuel	L3102F	9T-9054		LP2336	924G, 924GZ w/Caterpillar 3056 Engine		
1G-8878	Hydraulic	LFH4990	920			1527219	Air	LAF5932 ¹
7W-2326	Oil	LFP2292	6K-9606	Air	LAF1792	1527217		LAF8149 ²
914G					LAF22062	(1634465); Pri.	Fuel	L3101F
(4I-7575); w/Lid	Air	LAF1804 ²	(7W-5389); S/N 62K		LAF47 ²	(1454501); Sec.		L3102F
1106326		LAF4544 ²	(251285); S/N 75J		LAF48 ¹	1G-8878	Hydraulic	LFH4990
		LAF4544MXM ^{2, 268}	(9M-2341); Pri.	Fuel	L3531F	1261818		LFH8294
		LAF4545 ¹	W/S		LFF1131	7W-2327	Oil	PH4403
1106331		L3102F	1R-0750		LFF3347	924H, 924HZ w/Caterpillar C6.6 Acert Engine		
(1596102); Sec.	Fuel	L8681F	W/S		LFF8030 ¹²	2229020	Air	LAF2342 ²
(1311812); Pri.								

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 219-Air Conditioner 268-Extended/Severe service 275-Primary 1077-Hyd. Tank 1221-Single eng. 1222-Single Engine

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (WHEEL LOADER)			CATERPILLAR (WHEEL LOADER)			CATERPILLAR (WHEEL LOADER)		
924H, 924HZ w/Caterpillar C6.6 Acert Engine (cont'd)			928G (cont'd)			930K (w/Caterpillar C7.1 Engine) (cont'd)		
2229021	Air	LAF2343 ¹		Oil	LFP3191XL ¹⁴	2698325	Oil	LFP2698
1118738		LAF4364	9T-5916	Trans	LFH4910	1446691	Trans	LFH4959
1807487		LAF5300 ²¹⁹	928H, 928HZ w/Caterpillar C6.6 Acert Engine			930M (w/Caterpillar C7.1 Engine)		
2998229	Fuel	LFF5088 ²⁰	2229020	Air	LAF2342 ²	2229020	Air	LAF2342
(1R0770); Pri.		LFF6770 ¹¹⁶⁶	2229021		LAF2343 ¹	2229021		LAF2343 ¹
1G8878	Hydraulic	LFH4990	1118738		LAF4364	4621171	Oil	LFP2698
1261818		LFH8294	1807487		LAF5300 ²¹⁹	1446691	Trans	LFH4959
2698325	Oil	LFP2698	(1R0770); Pri.	Fuel	LFF6770 ¹¹⁶⁶	930R		
924K (w/Caterpillar C6.6 Engine)			1G8878	Hydraulic	LFH4990	4M-8047	Air	LAF47 ²
2229020	Air	LAF2342 ²	1261818		LFH8294	2S-1285		LAF48 ¹
2229021		LAF2343 ¹	2698325	Oil	LFP2698	1R-0750	Fuel	LFF3347
2698325	Oil	LFP2698	930			(1P-2299); Sec.		LFP440F
1446691	Trans	LFH4959		Air	LAF1792	1R-0741	Hydraulic	LP560
926, 926E, 926F			4M-8047		LAF22062	2P-4004	Oil	LFP3191
8N-4901	Air	LAF1963 ¹	2S-1285		LAF47 ²	2P-4004		LFP3191TRT ³
7W-5389		LAF47 ²	(6N-7617); W/S	Fuel	LFF1131			LFP3191XL ¹⁴
(9M-2342); Pri.	Fuel	L3531F	(1R-0750); Sec.		LFF3347 ²⁰	1R-0746	Trans	LP4736
(1R-0750); Sec.		LFF3347 ²⁰	(1P-2299); Sec.		LFP440F	930T w/Caterpillar 3304 Engine		
W/S		LFF8030 ¹²	1R-0741	Hydraulic	LP560	8N-4901	Air	LAF1963 ¹
(1W-8633); Sec.		LFP440F	2P-4004	Oil	LFP3191	4M-8047		LAF47 ²
9J-5461	Hydraulic	LH5461	2P-4004		LFP3191TRT ³	(9M-2342); Pri.	Fuel	L3531F
9N-6007	Oil	LFP6007			LFP3191XL ¹⁴	(1R-0750); Sec.		LFF3347 ²⁰
1R-0746	Trans	LP4736	5S-0684		LP161	(1P-2299); Sec.		LFP440F
926M (w/Caterpillar C7.1 Engine)			9M-9760	Trans	LP164	1R-0741	Hydraulic	LP560 ¹⁰⁷⁷
2229020	Air	LAF2342 ²	1R-0746		LP4736	2P-4004	Oil	LFP3191
2229021		LAF2343 ¹	930G w/Caterpillar 3056E Engine			2P-4004		LFP3191TRT ³
2698325	Oil	LFP2698	2229020	Air	LAF2342 ²	2P-4004		LFP3191XL ¹⁴
1446691	Trans	LFH4959	2229021		LAF2343 ¹	1R-0746	Trans	LP4736
928F w/Caterpillar 3116 Engine			1118738		LAF4364	936, 936E, G936		
6I-2499	Air	LAF4499 ²	1807487		LAF5300 ²¹⁹	(8N-5317); S/N 33Z1-	Air	LAF334 ²
		LAF4499MXM ^{2, 268}	(1454501); Sec.	Fuel	L3102F	S/N 33Z1-		LAF334MXM ^{2, 268}
6I-2500		LAF4500 ¹	(1311812); Pri.		L8681F	6I-2501		LAF4501 ²
9X-3352		LAF8778	1261818	Hydraulic	LFH8294			LAF4501MXM ^{2, 268}
3E-0410		LAF8783	1R0739	Oil	LFP3191	6I-2502		LAF4502 ¹
7X-6041	Cabin Air	LAF4191	1R0739		LFP3191TRT ³	(8P-5343); S/N 4ND		LAF5343 ⁵⁵⁴
(9M-2342); Pri.	Fuel	L3531F			LFP3191XL ¹⁴	7T-1889		LAF8363
1R-0751		LFF4783 ²⁰	1G8878	Trans	LFH4990	8S-9972		LAF9972 ¹
(1P-2299); Sec.		LFP440F	930H w/Caterpillar C6.6 Acert Engine			(1R-0750); Sec.	Fuel	LFF3347 ²⁰
9J-5461	Hydraulic	LH5461 ¹⁰⁷⁷	2229020	Air	LAF2342 ²	W/S		LFF8030 ¹²
2P-4004	Oil	LFP3191	2229021		LAF2343 ¹	(1P-2299); Sec.		LFP440F
2P-4004		LFP3191TRT ³	1118738		LAF4364	9J-5461	Hydraulic	LH5461
		LFP3191XL ¹⁴	1807487		LAF5300 ²¹⁹	(2P-4004); S/N 8ED	Oil	LFP3191
9T-5916	Trans	LFH4910	2998229	Fuel	LFF5088 ²⁰	(2P-4004); S/N 8ED		LFP3191TRT ³
928G			(1R0770); Pri.		LFF6770 ¹¹⁶⁶			LFP3191XL ¹⁴
6I-2499	Air	LAF4499 ²	1G8878	Hydraulic	LFH4990	1R-0746	Trans	LP4736
		LAF4499MXM ^{2, 268}	1261818		LFH8294	936F w/Caterpillar 3304 Engine		
6I-2500		LAF4500 ¹	2698325	Oil	LFP2698	7W-5317	Air	LAF334 ²
(1174089); Pri.	Fuel	L8682F	930K (w/Caterpillar C6.6 Engine)					LAF334MXM ^{2, 268}
1R-0751		LFF4783 ¹⁸	2229020	Air	LAF2342 ²	6I-2501		LAF4501 ²
1R-0753		LFF5322 ¹⁹	2229021		LAF2343 ¹			LAF4501MXM ^{2, 268}
1G-8878	Hydraulic	LFH4990	2698325	Oil	LFP2698	6I-2502		LAF4502 ¹
944412		LH8544	1446691	Trans	LFH4959	7T-1889		LAF8363
1R-0739	Oil	LFP3191	930K (w/Caterpillar C7.1 Engine)			9S-9972		LAF9972 ¹
1R-0739		LFP3191TRT ³	2567902	Air	LAF4601 ²	(9M-2342); Pri.	Fuel	L3531F
			2567903		LAF4602 ¹	(1174089); Pri.		L8682F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 18-Short 19-Long 20-High efficiency 219-Air Conditioner 268-Extended/Severe service 554-Recirculation 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (WHEEL LOADER)			CATERPILLAR (WHEEL LOADER)			CATERPILLAR (WHEEL LOADER)		
<i>936F w/Caterpillar 3304 Engine (cont'd)</i>			<i>938H w/Caterpillar C6.6 Acert Engine (cont'd)</i>			<i>950 (cont'd)</i>		
1R-0750 (1P-2299); Sec.	Fuel	LFF3347 LFP440F	2567902 2567903	Air	LAF4601 ² LAF4602 ¹	(1R-0659); S/N 90A1- S/N 81J1-, 31K1-	Trans	LFH4213 LP164
9J-5461	Hydraulic	LH5461	1807487		LAF5300 ²¹⁹	<i>950B, 950E</i>		
1R-0739 1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	2998229 (3261644); Pri. 2254118	Fuel	LFF5088 ²⁰ LFF6770 ¹¹⁶⁶	8N-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF9972 ¹
1G-8878 1R-0746	Trans	LFH4990 LP4736	1440832 2698325	Hydraulic	LFH9353 LFP5015G ¹⁰⁷⁶	9S-9972 2U-0036	Cabin Air	LAF2515
<i>938F, 938G w/Caterpillar 3116 Engine</i>			<i>938K (w/Caterpillar C6.6 Engine)</i>			(1R-0750); Sec. W/S (1P-2299); Sec.	Fuel	LFF3347 ²⁰ LFF8030 ¹² LFP440F
6I-2501	Air	LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹ LAF5300 ²¹⁹ LAF8778 LAF8783	2229020 2229021 2698325 1446691	Air	LAF2342 ² LAF2343 ¹ LFP2698 LFH4959	9J-5461 2P-4004 2P-4004	Hydraulic	LH5461 LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
6I-2502 1807487 9X-3352 3E-0410			<i>938K (w/Caterpillar C7.1 Engine)</i>			2P-5834 1R-0746	Trans	LFH4210 LP4736
7X-6041 (9M-2342); Pri. (1R-0750); Pri. (1R-0753); Sec.	Cabin Air Fuel	LAF4191 L3531F LFF3347 LFF5322	2567902 2567903 2698325 1446691	Air	LAF4601 ² LAF4602 ¹ LFP2698 LFH4959	<i>950F Series II</i>		
9J-5461	Hydraulic	LH5461 ¹⁰⁷⁷	<i>938M (w/Caterpillar C7.1 Engine)</i>			6I-2501	Air	LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹ LAF8778 LAF8783
1R-0739 1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	2229020 2229021 2698325 1446691	Air	LAF2342 ² LAF2343 ¹ LFP2698 LFH4959	6I-2502 9X-3352 3E-0410		LAF4502 ¹ LAF8778 LAF8783
9T-5916	Trans	LFH4910	<i>944, 944A</i>			7X-6041 (9M-2341); Pri. (1R-0750); S/N 5SK, 74Z (1R-0751); Sec. (1R-0753); S/N 5SK2334 (1R-0753); Sec.	Cabin Air Fuel	LAF4191 L3531F LFF3347 LFF4783 ¹⁸ LFF5322 ²⁰ LFF5322 ¹⁹
<i>938F, 938G w/Caterpillar 3126 Engine</i>			6I-2499	Air	LAF4499 ² LAF4499MXM ^{2, 268} LAF4500 ¹ LAF47 ² LAF48 ¹	1R-0722	Hydraulic	LH5461
6I-2501	Air	LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹ LAF5300 ²¹⁹ LAF8778 LAF8783	6I-2500 4M-8047 2S-1285 Sec. (1R-0750); Sec. W/S (1P-2299); Sec.	Fuel	364F LFF3347 ²⁰ LFF8030 ¹² LFP440F		Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
6I-2502 1807487 9X-3352 3E-0410			1R-0741 1W-7399 1R-0659	Hydraulic	LP560 LP161 LFH4213	9T-9054	Trans	LP2336
7X-6041 (9M-2342); Pri. (1R-0750); Pri. (1R-0753); Sec.	Cabin Air Fuel	LAF4191 L3531F LFF3347 LFF5322	<i>950</i>			<i>950F w/Caterpillar 3116 Engine</i>		
9J-5461	Hydraulic	LH5461 ¹⁰⁷⁷	6I-2499	Air	LAF1792 ²¹⁹ LAF4499 ² LAF4499MXM ^{2, 268} LAF4500 ¹ LAF47 ² LAF48 ¹ LAF7727 ¹²⁰⁰	6I-2501	Air	LAF334 ² LAF334MXM ^{2, 268} LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹ LAF8778 LAF8783 LAF9972 ¹
1R-0739 1R-0739	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	6I-2500 4M-8047 2S-1285 Sec. (1R-0750); Sec. W/S Sec.	Fuel	364F LFF3347 ²⁰ LFF8030 ¹² LFP440F	6I-2502 9X-3352 3E-0410		LAF4502 ¹ LAF8778 LAF8783 LAF9972 ¹
9T-5916	Trans	LFH4910	2P-4004 2P-4004	Hydraulic	LP560	7X-6041 (9M-2341); Pri. (1R-0750); Sec. (1R-0740); Sec.	Cabin Air Fuel	LAF4191 L3531F LFF3347 ²⁰ LFP440F
<i>938G II Series w/3126B Engine</i>			1W-7399	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP55 ¹²⁰⁰ LP161	1R-0722	Hydraulic	LH5461
1118738 1327165	Air	LAF4364 LAF4503 ² LAF4503MXM ^{2, 268} LAF4504 ¹ LAF5300 ²¹⁹	2P-4004 2P-4004	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP55 ¹²⁰⁰ LP161		Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
6I2504 1807487 (1R0762); Sec. (1R0770); Pri.	Fuel	LFF5804 LFF6770 ¹¹⁶⁶	<i>950G II Series w/Caterpillar 3126B Engine</i>			9T-9054 2P-5834	Trans	LP2336 LP4736
1G8878 1R0722	Hydraulic	LFH4990 LH5461				1327165	Air	LAF4503 ²
1R1807	Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³						
<i>938H w/Caterpillar C6.6 Acert Engine</i>								
1118738	Air	LAF4364						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 18-Short 19-Long 20-High efficiency 219-Air Conditioner
268-Extended/Severe service 1076-Case Drain 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port 1200-Starting Engine

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (WHEEL LOADER)			CATERPILLAR (WHEEL LOADER)			CATERPILLAR (WHEEL LOADER)		
950G II Series w/Caterpillar 3126B Engine (cont'd)			960F w/Caterpillar 3116 Engine (cont'd)			966 (cont'd)		
612504	Air	LAF4503MXM ^{2, 268} LAF4504 ¹	By-Pass	Oil	LFP777XL ¹⁴	9S-9972	Air	LAF334MXM ^{2, 268} LAF9972 ¹
7X6041	Cabin Air	LAF4191	9T-9054	Trans	LP2336	(9M-2341); Pri.	Fuel	L3531F
(1R0762); Sec.	Fuel	LFF5804	962G w/Caterpillar 3126B Engine			(1P-2299); Sec.	Hydraulic	LH5461
(1R0770); Pri.	Hydraulic	LFF6770 ¹¹⁶⁶	1282686	Air	LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹	1R-0722	Oil	LFP3191
1G8878	Oil	LFP3191	61-2502	Cabin Air	AF7878 ¹²⁰¹ LAF8777	1R-0739	Trans	LFP3191TRT ³ LFP3191XL ¹⁴
1R1807	Fuel	LFF5804	1070266	Fuel	L22023F	1R-0739	Trans	LP164
1R1807	Hydraulic	LFF6770 ¹¹⁶⁶	1127448	Fuel	L8682F	966A, 966B		
950G w/Caterpillar 3126B Engine			(1512409); Pri.	Hydraulic	LFF4783 ¹⁸ LFF5322 ¹⁹	7W-5317	Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹
1282686	Air	LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹	(1174089); Pri.	Oil	LFF5322 ¹⁹	2S-1286	Fuel	364F
61-2502	Cabin Air	LAF4502 ¹	(1R-0751); Sec.	Hydraulic	LFF5322 ¹⁹	(1R-0724); Sec.	Hydraulic	L3531F
1070266	Fuel	AF7878 ¹²⁰¹ LAF8777	(1R-0753); Sec.	Hydraulic	LFF5322 ¹⁹	(9M-2341); Pri.	Oil	LP560
1127448	Hydraulic	LFF5804	1G-8878	Oil	LFF5322 ¹⁹	1R-0741	Trans	LP161
(1512409); Pri.	Oil	LFF6770 ¹¹⁶⁶	(4I-3948); S/N 3BS	Trans	LFF5322 ¹⁹	1R-0659	Trans	LFH4213
(1174089); Pri.	Hydraulic	LFF6770 ¹¹⁶⁶	1R-0739	Trans	LFF5322 ¹⁹	1R-0659	Trans	LFH4213
(1R-0751); Sec.	Hydraulic	LFF6770 ¹¹⁶⁶	1R-0739	Trans	LFF5322 ¹⁹	966C		
(1R-0753); Sec.	Hydraulic	LFF6770 ¹¹⁶⁶	(1W-8845); By-Pass	Trans	LFF5322 ¹⁹	(4M-9334); S/N 18B	Air	LAF1792 ²¹⁹ LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹ LAF45 ² LAF46 ¹
1G-8878	Oil	LFF6770 ¹¹⁶⁶	By-Pass	Trans	LFF5322 ¹⁹	S/N 18B	Fuel	L3531F
(4I-3948); S/N 2JS	Oil	LFF6770 ¹¹⁶⁶	9T-5916	Trans	LFF5322 ¹⁹	2S-1286	Hydraulic	LFF3347 ²⁰ LFF8030 ¹² LFP440F
1R-0739	Hydraulic	LFF6770 ¹¹⁶⁶	962G w/Caterpillar Engine			7M-9045	Oil	LFP3191
1R-0739	Trans	LFF6770 ¹¹⁶⁶	1282686	Air	LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹	2S-1287	Trans	LFP3191TRT ³ LFP3191XL ¹⁴ LFP777B LFP777XL ¹⁴
9T-5916	Trans	LFF6770 ¹¹⁶⁶	61-2502	Cabin Air	AF7878 ¹²⁰¹ LAF8777	(9M-2341); Pri.	Fuel	L3531F
950H w/Caterpillar C7 Engine			1070266	Fuel	L22023F	(1R-0750); Sec.	Hydraulic	LFF3347 ²⁰ LFF8030 ¹² LFP440F
245-6375	Air	LAF6098 ² LAF6099 ¹	1127448	Hydraulic	L8682F	W/S	Oil	LP560
245-6376	Cabin Air	LAF4191	(1512409); Pri.	Hydraulic	LFF4783 ¹⁸ LFF5322 ¹⁹	(1R-0740); Sec.	Oil	LFP3191
7X-6041	Fuel	LFF5804	(1174089); Pri.	Hydraulic	LFF4783 ¹⁸ LFF5322 ¹⁹	1R-0741	Trans	LFP3191TRT ³ LFP3191XL ¹⁴ LP161
(1R-0762); Sec.	Hydraulic	LFF6770 ¹¹⁶⁶	(1R-0751); Sec.	Hydraulic	LFF4783 ¹⁸ LFF5322 ¹⁹	2P-4004	Trans	LP135 LP164
(1R-0770); Pri.	Hydraulic	LFF6770 ¹¹⁶⁶	(1R-0753); Sec.	Hydraulic	LFF4783 ¹⁸ LFF5322 ¹⁹	2P-4004	Trans	LP135 LP164
225-4118	Hydraulic	LFH9353	1G-8878	Hydraulic	LFF4783 ¹⁸ LFF5322 ¹⁹	1R-0659	Trans	LFP3191
144-0832	Oil	LFP5015G ¹⁰⁷⁸	(4I-3948); S/N 3BS	Hydraulic	LFF4783 ¹⁸ LFF5322 ¹⁹	4T-3131	Trans	LFP3191TRT ³ LFP3191XL ¹⁴ LP161
1R-1807	Oil	LFP3191	1R-0739	Oil	LFF4783 ¹⁸ LFF5322 ¹⁹	1R-0719	Trans	LP135 LP164
1G-8878	Trans	LFP3191TRT ³ LFP3191XL ¹⁴	1R-0739	Trans	LFF4783 ¹⁸ LFF5322 ¹⁹	966D		
950K w/Caterpillar C7.1 Engine			(1W-8845); By-Pass	Trans	LFF4783 ¹⁸ LFF5322 ¹⁹	(8N-5317); S/N 99Y1-	Air	LAF334 ² LAF334MXM ^{2, 268} LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹ LAF9972 ¹
1G-8878	Trans	LFH4990	By-Pass	Trans	LFF4783 ¹⁸ LFF5322 ¹⁹	S/N 99Y1-	Fuel	L3531F
950K w/Caterpillar C7.1 Engine			9T-5916	Trans	LFF4783 ¹⁸ LFF5322 ¹⁹	61-2501	Hydraulic	LFF3347 ²⁰ LFF8030 ¹² LFP440F
2698325	Oil	LFP2698	962H w/Caterpillar C7 Engine			61-2502	Oil	LFP3191
960F w/Caterpillar 3116 Engine			245-6375	Air	LAF6098 ² LAF6099 ¹	(9S-9972); S/N	Cabin Air	LAF2515
61-2501	Air	LAF4501 ² LAF4501MXM ^{2, 268} LAF4502 ¹	245-6376	Cabin Air	LAF4191	94X1-6488	Fuel	L3531F
61-4502	Fuel	LFF5804	7X-6041	Fuel	LFF5804	(2V-36); S/N	Hydraulic	LH5461 ¹⁰⁷⁷
9X-3352	Hydraulic	LFF6770 ¹¹⁶⁶	(1R-0762); Sec.	Hydraulic	LFF6770 ¹¹⁶⁶	3551-2522	Oil	LFP3191
3E-0410	Oil	LFP3191	(1R-0770); Pri.	Hydraulic	LFF6770 ¹¹⁶⁶	(9M-2341); Pri.	Trans	LFP3191TRT ³ LFP3191XL ¹⁴
7X-6041	Cabin Air	LAF4191	(1R-0770); Pri.	Hydraulic	LFF6770 ¹¹⁶⁶	(1R-0750); Sec.	Trans	LP164
(9M-2341); Pri.	Fuel	L3531F	225-4118	Hydraulic	LFH9353	W/S	Hydraulic	LH5461 ¹⁰⁷⁷
(6I-4783); Sec.	Fuel	LFF4783 ¹⁸ LFF5322 ²⁰ LFF5322 ¹⁹		Oil	LFP3191	9J-5461	Oil	LFP3191
(1R-0753); S/N 92J	Hydraulic	LH5461	1R-1807	Oil	LFP3191TRT ³ LFP3191XL ¹⁴	2P-4004	Trans	LFP3191TRT ³ LFP3191XL ¹⁴
(1R-0753); Sec.	Hydraulic	LH5461	1G-8878	Trans	LFH4990	2P-4004	Trans	LP164
1R-0722	Oil	LFP3191	962K w/Caterpillar C7.1 Engine			966E w/Caterpillar 3304 Engine		
	Oil	LFP3191TRT ³ LFP3191XL ¹⁴ LFP777B	2698325	Oil	LFP2698	7W-5317	Air	LAF334 ²
(1W-8845); By-Pass	Oil	LFP777B	962M (w/Caterpillar C7.1 Engine)					
			4621171	Oil	LFP2698			
			966					
			4M-9334	Air	LAF334 ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 18-Short 19-Long 20-High efficiency 219-Air Conditioner
 268-Extended/Severe service 1077-Hyd. Tank 1078-Drain 1166-9/16"-18 Thread Sensor Port 1201-Cab Heater

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (WHEEL LOADER)			CATERPILLAR (WHEEL LOADER)			CATERPILLAR (WHEEL LOADER)		
<i>966E w/Caterpillar 3304 Engine (cont'd)</i>			<i>966G w/Caterpillar 3306 Engine (cont'd)</i>			<i>972G Series II w/Caterpillar 3196 12.0L Engine</i>		
6I-2501	Air	LAF334MXM ^{2, 268} LAF4501 ² LAF4501MXM ^{2, 268}	1G-8878	Hydraulic	LFH4990	6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268}
6I-2502		LAF4502 ¹	1R-0739	Oil	LFP3191	6I-2506		LAF4506 ¹
9S-9972		LAF9972 ¹	1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴	(1R-0762); Sec.	Fuel	LFF5804
2V-36	Cabin Air	LAF2515	4T-3131	Trans	LP135	(1R-0770); Pri.		LPF6770 ¹¹⁶⁶
(1R-0750); Sec.	Fuel	LFF3347 ²⁰	1R-0719		LP164	1G-8878	Hydraulic	LFH4990
(1P-2299); Sec.		LFP440F	<i>966H w/Caterpillar C11 Engine</i>			1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
9J-5461	Hydraulic	LH5461	245-3818	Air	LAF6998 ²	4T-3131	Trans	LP135
1R-0658	Oil	LFP3191	245-3819		LAF6999 ¹	1R-0719		LP164
1R-0658		LFP3191TRT ³ LFP3191XL ¹⁴	7X-6041	Cabin Air	LAF4191	<i>972G w/Caterpillar 3306 Engine</i>		
1R-0719	Trans	LP164	(1R-0762); Sec.	Fuel	LFF5804	6I-2503	Air	LAF4503 ² LAF4503MXM ^{2, 268}
<i>966F, 966F Series II w/Caterpillar 3306 Engine</i>			(1R-0770); Pri.		LFF6770 ¹¹⁶⁶	6I-2504		LAF4504 ¹
7W-5317	Air	LAF334 ^{2, 15} LAF334MXM ^{2, 268} LAF4501 ² LAF4501MXM ^{2, 268}	225-4118	Hydraulic	LFH9353	1070266	Cabin Air	AF7878
6I-2501		LAF4502 ¹ LAF4503 ² LAF4503MXM ^{2, 268}	144-0832		LFP5015G ¹⁰⁷⁸	1127448		LAF8777
6I-2502		LAF4504 ¹	1R0716	Oil	LFP4005	(9M-2342); Pri.	Fuel	L3531F
6I-2503		LAF4504 ¹ LAF8778	1R-1808		LFP4005TRT ³ LFP4005XL ¹⁴	(1R-0750); Sec.		LFF3347 ²⁰
6I-2504		LAF8778	1R-1809	Trans	LH9407	1G-8878	Hydraulic	LFH4990
9X-3352		LAF8783	<i>966K w/Caterpillar C9.3 ACERT 9.3L Turbo Diesel Engine</i>			1R-0739	Oil	LFP3191
3E-0410		LAF9972 ^{1, 15}	Pri.	Fuel	LFF6771 ¹⁷¹	1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴
9S-9972		LAF4191	1R0716	Oil	LFP4005	4T-3131	Trans	LP135
7X-6041	Cabin Air	L3531F	1R1808		LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	1R-0719		LP164
(9M-2342); Pri.	Fuel	LFF3347 ²⁰	<i>966M, 966M XE w/Caterpillar C9.3 engine</i>			<i>972H w/Caterpillar C13 12.5L Engine</i>		
(1R-0750); Sec.		LFP440F	(9M-2341); Pri.	Fuel	L3531F	245-3818	Air	LAF6998 ²
(1P-2299); Sec.	Hydraulic	LH5461	(8N-9803); W/S		LFF1131	245-3819		LAF6999 ¹
9J-5461	Oil	LFP3191	1R-0750		LFF3347	7X-6041	Cabin Air	LAF4191
1R-0658		LFP3191TRT ³ LFP3191XL ¹⁴	1R-0741	Hydraulic	LP560	(1R-0762); Sec.	Fuel	LFF5804
1R-0658		LP164	1R-0739	Oil	LFP3191	(1R-0770); Pri.		LFF6770 ¹¹⁶⁶
9M-9740	Trans	LP164	1R-0739		LFP3191TRT ³ LFP3191XL ¹⁴	225-4118	Hydraulic	LFH9353
<i>966G Series II w/Caterpillar 3176C Engine</i>			1R-0739		LP135 LP164	144-0832		LFP5015G ¹⁰⁷⁸
6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268}	4T-3131	Trans	LP135 LP164	1R0716	Oil	LFP4005
6I-2606		LAF4506 ¹	1R-0719			1R-1808		LFP4005TRT ³ LFP4005XL ¹⁴
(1R-0762); Sec.	Fuel	LFF5804	<i>970F w/Caterpillar 3306 Engine</i>			1R-1809	Trans	LH9407
(1R-0770); Pri.		LFF6770 ¹¹⁶⁶	6I-2503	Air	LAF4503 ² LAF4503MXM ^{2, 268}	<i>972M, 972M XE w/Caterpillar C9.3 engine</i>		
1G-8878	Hydraulic	LFH4990	6I-2504		LAF4504 ¹	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
1R-0716	Oil	LFP4005	9X-3352		LAF8778	<i>980</i>		
		LFP4005TRT ³ LFP4005XL ¹⁴	3E-0410		LAF8783	4M-9334	Air	LAF334 ² LAF334MXM ^{2, 268}
4T-3131	Trans	LP135	7X-6041	Cabin Air	LAF4191	2S-1286		LAF335 ¹
1R-0719		LP164	(9M-2342); Pri.	Fuel	L3531F	6I-2501		LAF4501 ² LAF4501MXM ^{2, 268}
<i>966G w/Caterpillar 3306 Engine</i>			(1R-0750); Sec.		LFF3347 ²⁰	6I-2502		LAF4502 ¹
6I-2503	Air	LAF4503 ² LAF4503MXM ^{2, 268}	(1P-2299); Sec.		LFP440F	7M-7727		LAF7727 ¹²⁰⁰
6I-2504		LAF4504 ¹	9J-5461	Hydraulic	LH5461	(9M-2341); Sec.	Fuel	364F
1070266	Cabin Air	AF7878	1R-0658	Oil	LFP3191	1R-0741	Hydraulic	LP560
1127448		LAF8777	1R-0658		LFP3191TRT ³ LFP3191XL ¹⁴	1R-0659	Oil	LP161
(9M-2342); Pri.	Fuel	L3531F	4T-3131	Trans	LP135	1R-0719	Trans	LP164
(1R-0750); Sec.		LFF3347 ²⁰	9M-9740		LP164	1R-0741		LP560

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 15-Standard 20-High efficiency 171-With Sensor Port 268-Extended/Severe service 599-High capacity 1078-Drain 1166-9/16"-18 Thread Sensor Port 1200-Starting Engine

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (WHEEL LOADER)			CATERPILLAR (WHEEL LOADER)			CATERPILLAR (WHEEL LOADER)		
980B			980G Series II w/Caterpillar C15 15.2L Engine			986H (w/Caterpillar C15 Engine) (cont'd)		
6K-9606	Air	LAF1792	6I-2505	Air	LAF4505 ²	(3261643); Pri.	Fuel	LFF6771 ¹⁷¹
4M-9334		LAF334 ²			LAF4505MXM ^{2, 268}	1261818	Hydraulic	LFH8294 ¹²¹³
		LAF334MXM ^{2, 268}	6I-2506		LAF4506 ¹	1R1808	Oil	LFP4005RN ⁵⁹⁹
2S-1286		LAF335 ¹	(1R-0762); Sec.	Fuel	LFF5804			LFP4005TRT ³
6I-0273		LAF4273 ²	(1R-0770); Pri.		LFF6770 ¹¹⁶⁶	2752604		LFP4005XL ¹⁴
		LAF4273MXM ^{2, 268}	1022828	Hydraulic	LFH4473	988, 988A		
6I-07274		LAF4274 ¹	1R-0716	Oil	LFP4005	6K-9606	Air	LAF1792
6I-2501		LAF4501 ²			LFP4005TRT ³	(7M-9045); S/N		LAF45 ²
		LAF4501MXM ^{2, 268}			LFP4005XL ¹⁴	87A1-9074		
6I-2502		LAF4502 ¹	4T-3131	Trans	LP135	2S-1287		LAF46 ¹
1P-7360		LAF7360 ¹	1R-0719		LP164	1P-8482		LAF8482 ¹
7W-5495		LAF7716 ²	980G w/Caterpillar 3406C Engine			(1P-8433); S/N		LAF8483 ²
		LAF7716MXM ^{2, 268}	6I-0273	Air	LAF4273 ²	87A9075-		LAF8483MXM ^{2, 268}
					LAF4273MXM ^{2, 268}	(1R-0724); Sec.	Fuel	364F
(1R-0750); Sec.	Fuel	LFF3347 ²⁰	6I-0274		LAF4274 ¹	(1R-0750); Sec.		LFF3347 ²⁰
(1R-0740); Sec.		LFP440F	6I-2505		LAF4505 ²	W/S		LFF8030 ¹²
1R-0741	Hydraulic	LP560			LAF4505MXM ^{2, 268}	(1P-2299); S/N		LFP440F
1R-0739	Oil	LFP3191	6I-2506		LAF4506 ¹	87A1879-; Sec.		
1R-0739		LFP3191TRT ³	1070266	Cabin Air	AF7878	1R-0741	Hydraulic	LP560
		LFP3191XL ¹⁴	1127448		LAF8777	5S-485	Oil	LP163
1R-0719	Trans	LP164	9N-3368	Coolant	LFW4071 ^{28, 205}		Power Steering	LP560
980C			Pri.	Fuel	L3531F	1R-0741	Trans	LP560
1P-7360	Air	LAF7360 ¹	1R-0749		LFF2749 ²⁰	988B		
7W-5495		LAF7716 ²	1R-0722	Hydraulic	LH5461 ¹⁰⁷⁷	6P-1319	Air	LAF3680 ⁵⁵⁴
		LAF7716MXM ^{2, 268}	1R0716	Oil	LFP4005	6I-2505		LAF4505 ²
					LFP4005TRT ³			LAF4505MXM ^{2, 268}
2V-36	Cabin Air	LAF2515			LFP4005XL ¹⁴	6I-2506		LAF4506 ¹
9N-3368	Coolant	LFW4071 ^{28, 205}	1R-0719	Trans	LP164	8P-5343		LAF5343 ⁵⁵⁴
(9M-2341); Pri.	Fuel	L3531F	980H w/Caterpillar C15 15.2L Engine			(1P-8482); S/N 62Y1-		LAF8482 ¹
1R-0749		LFF2749 ²⁰	6I-2509	Air	LAF4509 ²	(1P-8483); S/N 50W1-		LAF8483 ²
(1R-0712); Sec.		LFF5823B	6I-2510		LAF4510 ¹	S/N 50W1-		LAF8483MXM ^{2, 268}
1R-0722	Hydraulic	LH5461	7X6041	Cabin Air	LAF4191	2V-36	Cabin Air	LAF2515
1R-0716	Oil	LFP4005	(1R0762); Sec.	Fuel	LFF5804	1R-0749	Fuel	LFF2749 ²⁰
		LFP4005TRT ³	(1R0770); Pri.		LFF6770 ¹¹⁶⁶	(4N-5823); Sec.		LFF5823B
		LFP4005XL ¹⁴	3261644		LFF6771SC	2P-4005	Oil	LFP4005
1R-0719	Trans	LP164	1261818	Hydraulic	LFH8294			LFP4005TRT ³
980F, 980F Series II			1R1809		LH9407 ¹¹⁹⁴			LFP4005XL ¹⁴
6I-0273	Air	LAF4273 ²	1R0716	Oil	LFP4005	9M-9740	Trans	LP164
		LAF4273MXM ^{2, 268}			LFP4005TRT ³	988F, 988F Series II		
6I-0274		LAF4274 ¹	980M (w/Caterpillar C13 Engine)			6P-1319	Air	LAF3680 ⁵⁵⁴
6I-2505		LAF4505 ²	1R0749	Fuel	LFF2749 ²⁰	(6I-2505); S/N 8GY1-		LAF4505 ²
		LAF4505MXM ^{2, 268}	1R1808	Oil	LFP4005RN ⁵⁹⁹	S/N 8GY1-		LAF4505MXM ^{2, 268}
6I-2506		LAF4506 ¹			LFP4005TRT ³	(6I-2506); S/N 2ZR1-		LAF4506 ¹
1P-7360		LAF7360 ¹	982M (w/Caterpillar C13 Engine)			8P-5343		LAF5343 ⁵⁵⁴
1P-7716		LAF7716 ²	1R0749	Fuel	LFF2749 ²⁰	9N-3718	Coolant	LFW4073 ²⁵⁵
		LAF7716MXM ^{2, 268}	1R1808	Oil	LFP4005RN ⁵⁹⁹	1R-0749	Fuel	LFF2749 ²⁰
2V-36	Cabin Air	LAF2515			LFP4005TRT ³	(1290353); W/S		LFF906
9N-3368	Coolant	LFW4744 ⁴	986H (w/Caterpillar C15 Engine)			7J-0670	Hydraulic	LFH4635 ¹⁰⁷⁷
(9M-2341); Pri.	Fuel	L3531F	6I-2509	Air	LAF4509 ²	4T-6915		LFH4943
(1R-0749); Sec.		LFF2749 ²⁰	6I-2510		LAF4510 ¹	2P-4005	Oil	LFP4005
(4N-5823); Sec.		LFF5823B	7X6041	Cabin Air	LAF4191			LFP4005TRT ³
9J-5461	Hydraulic	LH5461	(1R0749); Sec.	Fuel	LFF2749 ²⁰	1G-8878	Trans	LFH4990
1R-0739	Oil	LFP3191						LFP4005XL ¹⁴
1R-0739		LFP3191TRT ³						
		LFP3191XL ¹⁴						
9M-9740	Trans	LP164						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 171-With Sensor Port 205-Maintenance 255-Contains 3 oz. of chemical 268-Extended/Severe service 554-Recirculation 599-High capacity 1077-Hyd. Tank 1166-9/16"-18 Thread Sensor Port 1194-Powertrain 1213-Fan

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (WHEEL LOADER)			CATERPILLAR (WHEEL LOADER)			CATERPILLAR (WHEEL LOADER)		
<i>988F, 988F Series II (cont'd)</i>			<i>990 Series II (cont'd)</i>			<i>992C, 992D w/Caterpillar 3412 Engine (cont'd)</i>		
9M-9740	Trans	LP164		Oil	LFP4005XL ¹⁴	7J-0670	Hydraulic	LFH4635 LP816 ¹²²⁹
988G			990H w/Caterpillar C27 Engine					
6I-2509	Air	LAF4509 ²	6I2505	Air	LAF4505 ²	2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
6I-2510		LAF4510 ¹	6I2506		LAF4506 ¹			
(1R-0749); Sec. (1290373); W/S	Fuel	LFF2749 ²⁰ LFF906	9X8216	Cabin Air	LAF5818	4J-6064	Trans	LP560
1G-8878	Hydraulic	LFH4990	(1R0770); Pri.	Fuel	LFF6770 ¹¹⁶⁶			
1261817		LFH8705	1G8878	Hydraulic	LFH4990 ¹⁰⁷⁶	992G w/Caterpillar 3508 Engine		
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	4T3134		LH5854 ¹⁰⁷⁷	1236856	Air	LAF8115 ¹ LAF8146 ²
1G-8878	Trans	LFH4990	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1236855		
988H w/Caterpillar C18 18.1L Engine			990K (w/Caterpillar C27 Engine)			9X8216	Cabin Air	LAF5818
1063973	Air	LAF3884 ¹	1070266	Cabin Air	AF7878	Pri.	Fuel	L3531F LFF4102
1063969		LAF5022 ² LAF5022MXM ^{2, 268}	1R0755	Fuel	LFF4102	1R-0755		
			3261644		LFF6771SC ¹¹¹⁰	9T-0973	Hydraulic	LFH5013 LFH8705 LP135
1070266	Cabin Air	AF7878	4T3134	Hydraulic	LH5854 ¹⁰⁷⁷	2P-4005	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
1127448		LAF8777	1R1808	Oil	LFP4005RN ⁵⁹⁹	1G-8878	Trans	LFH4990 LH22044 ¹¹⁶⁸
(1R0762); Sec. (1R0771); Pri.	Fuel	LFF5804 LFF6771 ¹⁷¹	992, 992B			1328876		
1G8878	Hydraulic	LFH4990	6K-9606	Air	LAF1792 LAF45 ²	992K w/Caterpillar C32 Engine		
1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	(7M-9045); S/N 25K1-25K1169		LAF46 ¹	1063973	Air	LAF3884 ¹ LAF5022 ² LAF5022MXM ^{2, 268}
988K w/Caterpillar C18 engine			2S-1287		LFW4072 ¹⁸²	1327168		
Radial Seal cab air	Air	LAF8148	9N-3718	Coolant	364F	9X8216	Cabin Air	LAF5818
Pri.	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹	1R-0741	Hydraulic	LP560	1R0755	Fuel	LFF4102 LFF6770 ¹¹⁶⁶
Fan	Hydraulic	LFH8705	1W-7399	Oil	LP161	(1R0770); Pri.		
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005XL ¹⁴	1R-0728	Power Steering	LP816	1022828	Hydraulic	LFH4473 ¹¹³⁷ LFH4990 ¹⁰⁷⁶ LFH8417G ¹²¹³ LFH8705 ¹¹ LH22044 ¹¹⁶⁸
990			1R-0741	Trans	LP560	1G8878		
1P-8482	Air	LAF8482 ¹	992B			2075035		
7W-5313		LAF8483 ² LAF8483MXM ^{2, 268}	6I-2503	Air	LAF1792 LAF4503 ² LAF4503MXM ^{2, 268}	1261817		
9X8216	Cabin Air	LAF5818	6I-2504		LAF4504 ¹	1328876		
9N-3718	Coolant	LFW4072 ¹⁸²	1P-7360		LAF7360 ¹	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
(9M-2342); Pri. (1R-0712); Sec. (1290373); W/S	Fuel	L3531F LFF5823B LFF906	(7W-5495); S/N 25K1170- S/N 25K1170-		LAF7716 ²	993K w/Caterpillar C32 Engine		
4J-5461	Hydraulic	LH5461	(1R-0724); Sec.	Fuel	364F	1063973	Air	LAF3884 ¹ LAF5022 ² LAF5022MXM ^{2, 268}
4T-3134		LH5854 ¹⁰⁷⁷	1R-0741	Hydraulic	LP560	1327168		
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1R-0659	Oil	LP161	1070266	Cabin Air	AF7878
990 Series II			1R-0728	Power Steering	LP816	1R0755	Fuel	LFF4102 LFF6770 ¹¹⁶⁶
6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268}	1R-0741	Trans	LP560	1261817	Hydraulic	LFH8705 ¹¹ LFH9393 LH22044 ¹¹⁶⁸ LH4166 LH4932G ¹⁰⁷⁶ LP560HE ^{20, 1172}
6I-2506		LAF4506 ¹	992C, 992D w/Caterpillar 3412 Engine			1328876		
9X8216	Cabin Air	LAF5818	6P-1319	Air	LAF3680 ⁵⁵⁴	1340964		
9N-3718	Coolant	LFW4072 ¹⁸²	6I-2505		LAF4505 ² LAF4505MXM ^{2, 268}	1391537		
(1290373); W/S	Fuel	LFF906	6I-2506		LAF4506 ¹	1328876		
4T-3134	Hydraulic	LH5854 ¹⁰⁷⁷	8P-5343		LAF5343 ⁵⁵⁴	1R0716	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
1R-0716	Oil	LFP4005 LFP4005TRT ³	1P-8482		LAF8482 ¹	1R1808		
			8N-5313		LAF8483 ² LAF8483MXM ^{2, 268}	994 w/Caterpillar 3516 Engine		
			1R-0749	Fuel	LFF2749 ²⁰ LFF5823B	6N-6444	Air	LAF1847 ¹ LAF4507 ²
			(4N-5823); Sec.			6I-2507		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 20-High efficiency 171-With Sensor Port 182-Contains 2 oz. of chemical 268-Extended/Severe service 554-Recirculation 599-High capacity 1076-Case Drain 1077-Hyd. Tank 1110-Tank 1137-Pilot 1166-9/16"-18 Thread Sensor Port 1168-Ultra High Efficiency 1172-For Fire Resistant Fluids 1213-Fan 1229-Pilot and Pump

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (WHEEL LOADER)			CATERPILLAR (WHEEL LOADER)			CEDARAPIDS (CONSTRUCTION EQUIPMENT)		
<i>994 w/Caterpillar 3516 Engine (cont'd)</i>			<i>994H w/Caterpillar 3516B Engine (cont'd)</i>			<i>CR541 w/Detroit Diesel 8.2L Engine</i>		
6I-2508	Air	LAF4508 ¹	(9T1119); pump breather	Hydraulic	LH4442		Air	LAF512
8P-5343		LAF5343 ⁵⁵⁴	275-2604	Oil	LFP4005	<i>CR551 w/Cummins 6BTA 5.9 Engine</i>		
7W-5313		LAF8483 ²			LFP4005TRT ³		Air	LAF6587 ²
		LAF8483MXM ^{2, 268}			LFP4005XL ¹⁴			LAF6587MXM ^{2, 268}
(9M-2342); Pri.	Fuel	L3531F	<i>994K (w/Caterpillar 3516B Engine)</i>				Hydraulic	LAF6834 ¹
1R-0715		LFF3416	6I-2509	Air	LAF4509 ²	<i>DF20 w/Detroit Diesel 3-71N Engine</i>		
1R-0755		LFF4102	6I-2510		LAF4510 ¹	P118159	Air	LAF234HD ²
(9T1119); Rear tank s/o	Hydraulic	LH4442	1070266	Cabin Air	AF7878	CENTURY (TRACTOR)		
4T-3131		LP135	Pri.	Fuel	L3531F	<i>2028, 2535, 3035, 3040, 3045</i>		
1R-0719		LP164	(1R-0750); Pri.		LFF3347	P821575	Air	LAF8195 ²
2P-4005	Oil	LFP4005	1R-0755		LFF4102		Oil	PH2808
		LFP4005TRT ³	126-1817	Hydraulic	LFH8705 ¹⁰⁷⁶	CHALLENGER (BRAZIL) (COMBINE)		
		LFP4005XL ¹⁴	(132-8876); Steering		LH22044 ¹¹⁶⁸	<i>640 w/1006.6T Engine</i>		
1G-8878	Trans	LFH4990	(9T1119); pump breather		LH4442	055135R1	Air	LAF1735 ¹
4J-6064		LP560	275-2604	Oil	LFP4005	055134R1		LAF4601 ²
<i>994D w/Caterpillar 3516B Engine</i>					LFP4005TRT ³	1447048M1	Oil	PH4403
6P-1319	Air	LAF3680 ⁵⁵⁴	<i>G910</i>			<i>642 w/Cummins Engine</i>		
6I-2505		LAF4505 ²	4N-0313	Air	LAF8549 ¹	(3930942); Pri.	Fuel	LFF3417
		LAF4505MXM ^{2, 268}	4N-0326		LAF8550 ²	(3931063); Sec.		LFF3521
		LAF4506 ¹	(1R-0710); Sec.	Fuel	FP230F	3318853	Oil	LFP3000
6I-2506		LAF5343 ⁵⁵⁴		Hydraulic	LP164 ¹⁰⁷⁷			LFP3000XL ¹⁴
8P-5343		L3531F	1R-0713	Oil	LFP5570	<i>643 w/Cummins Engine</i>		
(9M-2341); Pri.	Fuel	LFF4102	1R-0746	Trans	LP4736	(3930942); Pri.	Fuel	LFF3417
1R-0755		LH4442	<i>G916, G926</i>			(3931063); Sec.		LFF3521
(9T1119); Rear tank s/o	Hydraulic	LH4442	4N-0313	Air	LAF8549 ¹	3318853	Oil	LFP3000
4T-3131		LP135	4N-0326		LAF8550 ²			LFP3000XL ¹⁴
9M-9740		LP164	(1R-0710); Sec.	Fuel	FP230F	CHALLENGER (BRAZIL) (TRACTOR)		
1R0716	Oil	LFP4005	1R-0722	Hydraulic	LH5461 ¹⁰⁷⁷	<i>WT360N, WT375N</i>		
		LFP4005TRT ³	1R-0734	Oil	LFP791	V82642000	Air	LAF9100 ¹
		LFP4005XL ¹⁴	1R-0746	Trans	LP4736	V82642100		LAF9101 ²
1G-8878	Trans	LFH4990	<i>G936</i>			V836015106	Fuel	L296F ⁴¹
<i>994F w/Caterpillar 3516B Engine</i>			7W-5317	Air	LAF334 ²	V836647133	Oil	LFP8501
6I-2509	Air	LAF4509 ²			LAF334MXM ^{2, 268}	<i>WT380, WT390</i>		
6I-2510		LAF4510 ¹	9S-9972		LAF9972 ¹	V82642000	Air	LAF9100 ¹
9X8216	Cabin Air	LAF5818	(9M-2341); Pri.	Fuel	L3531F	V82642100		LAF9101 ²
Pri.	Fuel	L3531F	1R-0722	Hydraulic	LH5461	V836015106	Fuel	L296F ⁴¹
(1R-0750); Pri.		LFF3347	1R-0739	Oil	LFP3191	(836866575); Pri.		L4109F
1R-0755		LFF4102	1R-0739		LFP3191TRT ³	V836647133	Oil	LFP8501
126-1817	Hydraulic	LFH8705 ¹⁰⁷⁶			LFP3191XL ¹⁴	<i>WT450B</i>		
132-8876		LH22044 ¹¹⁶⁸	1R-0746	Trans	LP4736	V836015106	Fuel	L296F ⁴¹
(9T1119); pump breather		LH4442	CEDARAPIDS (CONSTRUCTION EQUIPMENT)			V836647133	Oil	LFP8501
275-2604	Oil	LFP4005	<i>4A-VGF 2742 w/Murphy 472CT Engine</i>			<i>WT460, WT460B</i>		
		LFP4005TRT ³	SAF-59	Hydraulic	PH725	V80061800	Air	LAF1714 ²
		LFP4005XL ¹⁴	<i>796 Tandemeer w/Detroit Diesel 16V-71 Engine</i>			V80062100		LAF1715 ¹
<i>994H w/Caterpillar 3516B Engine</i>					LAF480	V836015106	Fuel	L296F ⁴¹
6I-2509	Air	LAF4509 ²	<i>BSF2H w/Detroit Diesel 3-71 Engine</i>			V836647133	Oil	LFP8501
6I-2510		LAF4510 ¹	1509	Hydraulic	LP50910	<i>WT470, WT470B</i>		
1070266	Cabin Air	AF7878	<i>BSF330 w/Ford 256 Engine</i>			V80270400	Air	LAF1720 ¹
Pri.	Fuel	L3531F	P118159	Air	LAF234HD ²	V80270500		LAF2052 ²
(1R-0750); Pri.		LFF3347	C7NN-9176-A	Fuel	L296F ⁴¹	V836015106	Fuel	L296F ⁴¹
1R-0755		LFF4102	C9NN-6714-A	Oil	LFP2258	V433800	Hydraulic	LH8883
126-1817	Hydraulic	LFH8705 ¹⁰⁷⁶				V836647133	Oil	LFP8501
132-8876		LH22044 ¹¹⁶⁸						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 41-Cartridge 268-Extended/Severe service 554-Recirculation 1076-Case Drain 1077-Hyd. Tank 1168-Ultra High Efficiency

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CHALLENGER (BRAZIL) (TRACTOR)			CHALLENGER (SWATHERS & WINDROWERS)			CHALLENGER (SWATHERS & WINDROWERS)		
<i>WT480, WT480B</i>			<i>SP115C w/Sisu Engine</i>			<i>WR9870 (w/Agco 66CTA Engine)</i>		
V80270400	Air	LAF1720 ¹	700716411	Air	LAF9542 ²	700721747	Hydraulic	LFP2546
V80270500		LAF2052 ²	700716412		LAF9543 ¹	V836679586	Oil	LFP8501
V836015106	Fuel	L296F ⁴¹	(V836867595); Sec.			CHALLENGER (TRACTOR)		
V433800	Hydraulic	LH8883	700721747	Hydraulic	LFP2546 ⁶¹⁰	<i>425B w/4.4C Tier III eng.</i>		
V836647133	Oil	LFP8501	7738743		LFP449		Air	LAF4544 ²
<i>WT490B</i>			V836662580	Oil	LFP8501		Hydraulic	LAF4545 ¹
V80270400	Air	LAF1720 ¹	<i>SP165</i>					LH4594
V80270500		LAF2052 ²	700717485	Air	LAF3781 ^{1, 241}	<i>MT225</i>		
V836015106	Fuel	L296F ⁴¹	700717484		LAF4498 ^{2, 208}	3608255-M1	Fuel	L3541F
V433800	Hydraulic	LH8883	(72501531); Pri.			72201898	Oil	LFP8176
V836647133	Oil	LFP8501	(72501530); Sec.			<i>MT225B w/Iseki 1.1L Engine</i>		
<i>WT540, WT540B, WT540HI</i>			8040461	Hydraulic	LPH4392 ¹²⁶²	3608255-M1	Fuel	L3541F
V836647133	Oil	LFP8501	7738743		LFP449 ⁶⁰⁷	72201898	Oil	LFP8176
<i>WT560, WT560B, WT560HI</i>			72501532	Oil	LFP780	<i>MT255</i>		
V836647133	Oil	LFP8501	LFP780XL ¹⁴			3608255-M1	Fuel	L3541F
<i>WT590, WT590B, WT595B</i>			<i>SP165B, SP185B w/Cummins 5.9L Engine</i>			72201898	Oil	LFP8176
V836647133	Oil	LFP8501	700722567	Air	LAF8085 ²	<i>MT255 Hydro</i>		
CHALLENGER (COMBINE)			700722566		LAF8086 ¹	3608255M1	Fuel	L3541F
<i>580R w/Caterpillar C13 12.5L Engine</i>			(71400403); W/S			72201898	Oil	LFP8176
	Air	LAF8657	700721747	Hydraulic	LFP2546 ¹²⁶²	<i>MT255B w/Iseki 1.45L Engine</i>		
(1R0762); Sec.	Fuel	LFF5804	7738743		LFP449 ⁶⁰⁷	3608255-M1	Fuel	L3541F
(R90T); W/S		LFF8957	71400404	Oil	LFP780	72201898	Oil	LFP8176
1R1808	Oil	LFP4005RN	LFP780XL ¹⁴			<i>MT260 Hydro</i>		
<i>590R w/Caterpillar C13 12.5L Engine</i>			<i>SP185C w/Caterpillar 6.6CTA Engine</i>			3608255M1	Fuel	L3541F
	Air	LAF8657	700727341	Air	LAF4503 ²	72201898	Oil	LFP8176
(1R0762); Sec.	Fuel	LFF5804	700727340		LAF4504 ¹	<i>MT265</i>		
(R90T); W/S		LFF8957	(V836867595); Sec.			(3703703M91); One		
1R1808	Oil	LFP4005RN	700721747	Hydraulic	LFP2546 ⁶¹⁰	Open End	Air	LAF6008 ²
<i>660, 670 Combines w/Caterpillar C9 Engine</i>			7738743		LFP449	3702815-M1	Fuel	L549F
71368961	Air	LAF1456 ²	V836662580	Oil	LFP8501	72201898	Oil	LFP8176
71368962		LAF1465 ²	<i>SP80, SP110 Windrowers</i>			<i>MT265 Hydro</i>		
1R-0751	Fuel	LFF4783	700716411	Air	LAF9542 ²	(3703703-M91); One	Air	LAF6008 ²
(1335673); Pri.		LFF8707	700716412		LAF9543 ¹	Open End		
104309W91	Hydraulic	LPH4915	(72501531); Pri.			3702815-M1	Fuel	L549F
1R1808	Oil	LFP4005RN ⁵⁹⁹	(72501530); Sec.			72201898	Oil	LFP8176
		LFP4005TRT ³	8040461	Hydraulic	LPH4392 ¹²⁶²	<i>MT265B w/Iseki 1.5L Engine</i>		
		LFP4005XL ¹⁴	7738743		LFP449 ⁶⁰⁷	3702815-M1	Fuel	L549F
<i>660B, 670B w/Agco Citius 84CTA Engine</i>			72515699	Oil	LFP3900	3757038-M2	Oil	PH2814
71368961	Air	LAF1456 ²	<i>SP85B, SP115B w/Caterpillar 3054 Engine</i>			<i>MT275</i>		
71368962		LAF1465 ²	700716411	Air	LAF9542 ²	3702815-M1	Fuel	L549F
7825516	Breather	PH253 ^{858, 1497}	700716412		LAF9543 ¹	3757038-M2	Oil	PH2814
		PH2835 ^{726, 858}	700721747	Hydraulic	LFP2546 ¹²⁶²	<i>MT275B w/Iseki 1.5L Engine</i>		
(V836867595); Sec.	Fuel	L3880F	7738743		LFP449 ⁶⁰⁷	3702815-M1	Fuel	L549F
104309W91	Hydraulic	LPH4915	<i>WR9740, WR9760 w/Agco 49CTA Tier 4 Engine</i>			3757038-M2	Oil	PH2814
<i>680B w/Caterpillar C13 12.5L Engine</i>			<i>WR9770 w/Agco 66CTA Engine</i>			<i>MT285, MT285 Hydro</i>		
71409552	Air	LAF9155 ²	V836662580	Oil	LFP8501	3703703-M91	Air	LAF6008 ²
71409553		LAF9159 ¹	<i>WR9840 (w/Agco 44CTA Engine)</i>			3702815-M1	Fuel	L549F
(1R0762); Sec.	Fuel	LFF5804	8022345	Cabin Air	LAF8832	3757038-M2	Oil	PH2814
(1R0771); Pri.		LFF6771 ¹⁷¹	700721747	Hydraulic	LFP2546	<i>MT285B w/Iseki 2.2L Engine</i>		
104309W91	Hydraulic	LPH4915	V836679586	Oil	LFP8501	3702815-M1	Fuel	L549F
1R1808	Oil	LFP4005RN ⁵⁹⁹	<i>WR9860 (w/Agco 49CTA Engine)</i>			3757038-M2	Oil	PH2814
		LFP4005TRT ³	700721747	Hydraulic	LFP2546	<i>MT295, MT295 Hydro</i>		
		LFP4005XL ¹⁴	V836679586	Oil	LFP8501	3702815-M1	Fuel	L549F
						3757038-M2	Oil	PH2814

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 41-Cartridge 171-With Sensor Port 208-19" Hgt. 241-17.5" Hgt. 599-High capacity 607-Return 610-Charge Pump 726-400 858-Hydraulic Tank 1262-Header Drive 1497-401

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CHALLENGER (TRACTOR)			CHALLENGER (TRACTOR)			CHALLENGER (TRACTOR)		
<i>MT295B w/Iseki 3.0L Engine</i>			<i>MT485D (w/Agco 49AWI Engine) (cont'd)</i>			<i>MT565E (w/Agco 66CTA Engine) (cont'd)</i>		
3702815-M1	Fuel	L549F	V836679586	Oil	LFP8501	V836679586	Oil	LFP8501
3757038-M2	Oil	PH2814	<i>MT495D (w/Agco 49AWI Engine)</i>			<i>MT575B w/Caterpillar 6.6 Acert Engine</i>		
<i>MT297 w/Iseki 2.8L Engine</i>			3792287M1	Hydraulic	LH11015V ¹²⁶¹	4286473M1	Air	LAF6889 ²⁷⁵
3702815-M1	Fuel	L549F	V836679586	Oil	LFP8501	2698325	Oil	LFP2698
3757038-M2	Oil	PH2814	<i>MT515D (w/Agco 66CTA Engine)</i>			<i>MT575B w/Sisu Engine</i>		
<i>MT325B w/Sisu 3.3L Diesel Tier 3 Engine</i>			V836662580	Oil	LFP8501	3782386M1	Air	LAF4501 ²
(V836867595); Sec.	Fuel	L3880F	<i>MT515E (w/Agco 66CTA Engine)</i>			3782387M1		LAF4502 ¹
<i>MT335B w/Sisu 3.3L Diesel Tier 3 Engine</i>			V836862582	Oil	LFP8501	3405419-M1	Fuel	LFF3501
(V836867595); Sec.	Fuel	L3880F	<i>MT525B, MT535B, MT545B w/Caterpillar 3056E Engine</i>			V836667235	Oil	LFP8501
<i>MT345B w/Sisu 3.3L Diesel Tier 3 Engine</i>			<i>Engine</i>			<i>MT575D w/SISU 74 AWI Engine</i>		
(V836867595); Sec.	Fuel	L3880F	4271467-M1	Air	LAF8149 ²	4286473M1	Air	LAF6889 ²⁷⁵
<i>MT425, MT445, MT455, MT465 w/Caterpillar 3054 Engine</i>			(1454501); Sec.	Fuel	L3102F	3792287M1	Hydraulic	LH11015V ¹²⁶¹
3901464-M1	Air	LAF3947 ^{2, 1260}	7W-2327	Oil	PH4403	V83662580	Oil	LFP8501
3901465-M1		LAF3948 ^{1, 866}	<i>MT525D (w/Agco 66CTA Engine)</i>			<i>MT575E (w/Agco 74CTA Engine)</i>		
3901462-M1		LAF8749 ^{2, 1259}	V836662580	Oil	LFP8501	4286473M1	Air	LAF6889
3901463-M1		LAF8750 ^{1, 786}	<i>MT535, MT545 w/Caterpillar 3056 Engine</i>			3792287M1	Hydraulic	LH11015V ¹²⁶¹
(159-6102); Sec.	Fuel	L3102F	3901477-M1	Air	LAF2342 ²	V836679586	Oil	LFP8501
7W-2327	Oil	PH4403	3901478-M1		LAF2343 ¹	<i>MT585D w/SISU 74 AWI Engine</i>		
3615949-M2	Trans	LH4254	(159-6102); Sec.	Fuel	L3102F	4286473M1	Air	LAF6889 ²⁷⁵
<i>MT425B, MT445B, MT455B w/Caterpillar 3054 Engine</i>			3902287-M91	Hydraulic	LH4594 ¹⁰⁸⁹	V83662580	Oil	LFP8501
3901476-M1	Air	LAF9100 ¹	7W-2327	Oil	PH4403	<i>MT595E (w/Agco 74CTA Engine)</i>		
3901475-M1		LAF9101 ²	3792287-M1	Trans	LH4594 ¹⁰⁸⁵	4286473M1	Air	LAF6889
FD7926	Base	LMB6926 ⁹⁴³	<i>MT535D (w/Agco 66CTA Engine)</i>			3792287M1	Hydraulic	LH11015V ¹²⁶¹
BF7925	Fuel	LFF6925 ⁹⁴²	V836662580	Oil	LFP8501	V836679586	Oil	LFP8501
7W-2326	Oil	LFP2292	<i>MT545D (w/Agco 66CTA Engine)</i>			<i>MT635, MT645 w/Sisu C8.4L Engine</i>		
<i>MT445B w/Caterpillar 3054 Engine</i>			3792287M1	Hydraulic	LH11015V ¹²⁶¹	5016603-M1	Air	LAF1819 ²
4270033M1	Air	LAF4544 ²	V836662580	Oil	LFP8501	5016604-M1		LAF1922 ¹
4270034M1		LAF4545 ¹	<i>MT555B, MT565B w/Caterpillar 3056E Engine</i>			3405419-M1	Fuel	LFF3501
<i>MT455B w/Caterpillar 3054 Engine</i>			3782386-M1	Air	LAF4501 ²	3618662-M1	Hydraulic	LH4166
4270033M1	Air	LAF4544 ²	3782387-M1		LAF4502 ¹	3902287-M1		LH4594 ¹⁰⁸⁹
4270034M1		LAF4545 ¹	(1454501); Sec.	Fuel	L3102F	V836662111	Oil	LFP8501
<i>MT455D (w/Agco 49AWI Engine)</i>			7W-2327	Oil	PH4403	<i>MT635B, MT645B w/Sisu 74ETA Engine</i>		
3792287M1	Hydraulic	LH11015V ¹²⁶¹	<i>MT555D (w/Agco 66CTA Engine)</i>			4278631-M1	Air	LAF1819 ²
V836679586	Oil	LFP8501	3792287M1	Hydraulic	LH11015V ¹²⁶¹	4270018-M1		LAF1922 ¹
<i>MT465B w/Caterpillar 3054C Engine</i>			V836662580	Oil	LFP8501	(4275627M1); Pri.	Fuel	L4109F
4270033-M1	Air	LAF4544 ²	<i>MT555E (w/Agco 66CTA Engine)</i>			V836667235	Oil	LFP8501
4270034-M1		LAF4545 ¹	3792287M1	Hydraulic	LH11015V ¹²⁶¹	<i>MT635C (w/Agco 84CTA Engine)</i>		
FD7926	Base	LMB6926 ⁹⁴³	V836679586	Oil	LFP8501	(V836867595); Sec.	Fuel	L3880F
BF7925	Fuel	LFF6925 ⁹⁴²	<i>MT565 w/Sisu C8.4L Engine</i>			V836862582	Oil	LFP3354
7W-2326	Oil	LFP2292	5016603-M1	Air	LAF1819 ²	<i>MT645C, MT655C, MT665C, MT675C w/SISU 8.4CTA e 3 Engine</i>		
<i>MT465B w/Caterpillar 4.4C Tier 3 Engine</i>			5016604-M1		LAF1922 ¹	(V836867595); Sec.	Fuel	L3880F
4270033M1	Air	LAF4544 ²	3405419-M1	Fuel	LFF3501	V836862582	Oil	LFP3354
4270034M1		LAF4545 ¹	3902287-M91	Hydraulic	LH4594 ¹⁰⁸⁹	<i>MT645D w/AGCO 84CTA Engine</i>		
2998229	Fuel	LFF5088	V836662111	Oil	LFP8501	V836862582	Oil	LFP3354
<i>MT465D (w/Agco 49AWI Engine)</i>			<i>MT565B w/Caterpillar 6.6 Acert Engine</i>			<i>MT645E (w/Agco 84CTA Engine)</i>		
3792287M1	Hydraulic	LH11015V ¹²⁶¹	4286473M1	Air	LAF6889 ²⁷⁵	V836862582	Oil	LFP3354
V836679586	Oil	LFP8501	2698325	Oil	LFP2698	<i>MT655, MT665 w/Sisu C8.4L Engine</i>		
<i>MT475B w/Caterpillar 6.6C Tier 3 Engine</i>			<i>MT565D (w/Agco 66 AWI Engine)</i>			5016603-M1	Air	LAF1819 ²
2698325	Oil	LFP2698	4286473M1	Air	LAF6889	5016604-M1		LAF1922 ¹
<i>MT475D (w/Agco 49AWI Engine)</i>			3792287M1	Hydraulic	LH11015V ¹²⁶¹	3405419-M1	Fuel	LFF3501
3792287M1	Hydraulic	LH11015V ¹²⁶¹	V836662580	Oil	LFP8501	3902287-M91	Hydraulic	LH4594 ¹⁰⁸⁹
V836679586	Oil	LFP8501	<i>MT565E (w/Agco 66CTA Engine)</i>			V836859108	Oil	LFP3354
<i>MT485D (w/Agco 49AWI Engine)</i>			4286473M1	Air	LAF6889	<i>MT655B, MT665B w/Sisu 8.4 Tier 3 Engine</i>		
3792287M1	Hydraulic	LH11015V ¹²⁶¹	3792287M1	Hydraulic	LH11015V	4278631M1	Air	LAF1819 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 275-Primary 786-11.9" Tall 866-13.5" Tall 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1085-Power Shuttle
1089-Right Hand Load Sensing 1259-12.63" Tall 1260-14.25" Tall 1261-Wet Clutch

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CHALLENGER (TRACTOR)			CHALLENGER (TRACTOR)			CHALLENGER (TRACTOR)		
<i>MT655D w/Agco 84CTA Engine</i>			<i>MT765C w/Caterpillar C9 Engine</i>			<i>MT855B w/Caterpillar C15 15.2L Engine (cont'd)</i>		
V836862582	Oil	LFP3354	6I0273	Air	LAF4273 ² LAF4274 ¹	(1R0771); Pri.	Fuel	LFF6771 ¹⁷¹
<i>MT655E (w/Agco 84CTA Engine)</i>			6I0274			1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
V836862582	Oil	LFP3354	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	<i>MT855C w/Caterpillar C15 Acert Tier 3 Engine</i>		
<i>MT665D w/Agco 84CTA Engine</i>			<i>MT835, MT845 w/Caterpillar C12 Engine</i>			1R0749	Fuel	LFF2749 ²⁰
V836862582	Oil	LFP3354	6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268}	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
<i>MT665E (w/Agco 84CTA Engine)</i>			6I-2506		LAF4506 ¹	<i>MT865 w/Caterpillar C16 Engine</i>		
V836862582	Oil	LFP3354	6I-2509		LAF4509 ²	6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268}
<i>MT675D w/Agco 84CTA Engine</i>			6I-2510		LAF4510 ¹	6I-2506		LAF4506 ¹
V836862582	Oil	LFP3354	(1R-0762); Sec.	Fuel	LFF5804	6I-2509		LAF4509 ²
<i>MT675E (w/Agco 84CTA Engine)</i>			(1R-0771); Pri.		LFF6771 ¹⁷¹	6I-2510		LAF4510 ¹
V836862582	Oil	LFP3354	207-5035	Hydraulic	LFH8417G ¹¹	(1R-0762); Sec.	Fuel	LFF5804
<i>MT685D w/Agco 84CTA Engine</i>			77-3492		LFP1652 ¹²²⁰	(1R-0771); Pri.		LFF6771 ¹⁷¹
V836862582	Oil	LFP3354	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	207-5035	Hydraulic	LFH8417G ¹¹
<i>MT685E (w/Agco 84CTA Engine)</i>			<i>MT835B, MT845B w/Caterpillar C15 15.2L Engine</i>			77-3492		LFP1652 ¹²²⁰
V836862582	Oil	LFP3354	CH6I2505	Air	LAF4505 ²	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
<i>MT735, MT745, MT755, MT765 w/Caterpillar C9 Engine</i>			CH6I2506		LAF4506 ¹	<i>MT865B w/C15 Engine</i>		
6I-0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}	1R0749	Fuel	LFF2749 ²⁰	1R0749	Fuel	LFF2749 ²⁰
6I-0274		LAF4274 ¹	(1R0771); Pri.		LFF6771 ¹⁷¹	(1R0771); Pri.		LFF6771 ¹⁷¹
(1R-0762); Sec.	Fuel	LFF5804	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
(1R-0770); Pri.		LFF6770 ¹¹⁶⁶	<i>MT835C w/Caterpillar C15 Acert Tier 3 Engine</i>			<i>MT865C w/Caterpillar C18 Acert Tier 3 Engine</i>		
152-6902	Hydraulic	LFH8217	504421D1	Air	LAF6998 ²	1R0749	Fuel	LFF2749 ²⁰
1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	504422D1		LAF6999 ¹	(1R0771); Pri.		LFF6771 ¹⁷¹
1G-8878	Trans	LFH4990	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
<i>MT745B, MT755B, MT765B w/Caterpillar C9 Engine</i>			<i>MT845C w/Caterpillar C15 Acert Tier 3 Engine</i>			<i>MT875B w/Caterpillar C18 18.1L Turbo Engine</i>		
6I0273	Air	LAF4273 ² LAF4273MXM ^{2, 268}	504421D1	Air	LAF6998 ²	1R0749	Fuel	LFF2749 ²⁰
6I0274		LAF4274 ¹	504422D1		LAF6999 ¹	(1R0771); Pri.		LFF6771 ¹⁷¹
(1R0762); Sec.	Fuel	LFF5804	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	(1R1808); 1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
(1R0770); Pri.		LFF6770 ¹¹⁶⁶	<i>MT855 w/Caterpillar C15 15.2L Engine</i>			<i>MT875C w/Caterpillar C18 Acert Tier 3 Engine</i>		
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	6I-2505	Air	LAF4505 ² LAF4505MXM ^{2, 268}	1R0749	Fuel	LFF2749 ²⁰
<i>MT745C w/Caterpillar C9 Engine</i>			6I-2506		LAF4506 ¹	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
6I0273	Air	LAF4273 ²	6I-2509		LAF4509 ²	<i>MT945B w/Caterpillar C15 15.2L Engine</i>		
6I0274		LAF4274 ¹	6I-2510		LAF4510 ¹	1R0749	Fuel	LFF2749 ²⁰
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	(1R-0762); Sec.	Fuel	LFF5804	(1R0771); Pri.		LFF6771 ¹⁷¹
<i>MT745D, MT755D, MT765D w/Agco 8.4 Interim Tier 4 Engine</i>			(1R-0771); Pri.		LFF6771 ¹⁷¹	<i>MT945C w/Caterpillar C15 Acert Tier 3 Engine</i>		
534039D1	Hydraulic	LFH8417	207-5035	Hydraulic	LFH8417G ¹¹	1R0749	Fuel	LFF2749 ²⁰
V836862582	Oil	LFP3354	77-3492		LFP1652 ¹²²⁰	(1R0771); Pri.		LFF6771 ¹⁷¹
534045D1	Trans	LFH8294	1R-0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
<i>MT755C w/Caterpillar C9 Engine</i>			<i>MT855B w/Caterpillar C15 15.2L Engine</i>			<i>MT945C w/Caterpillar C15 Acert Tier 3 Engine</i>		
6I0273	Air	LAF4273 ²	(1R0762); Sec.	Fuel	LFF5804	1R0749	Fuel	LFF2749 ²⁰
6I0274		LAF4274 ¹	(1R0771); Pri.		LFF6771 ¹⁷¹	(3261643); Pri.		LFF6771 ¹⁷¹
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	207-5035	Trans	LFH8417G	AG609431	Hydraulic	LFH5015 ⁶⁷⁹
<i>MT755C w/Caterpillar C9 Engine</i>			<i>MT855B w/Caterpillar C15 15.2L Engine</i>			504594D1	Oil	LFP4005RN ⁵⁹⁹
6I0273	Air	LAF4273 ²	(1R0762); Sec.	Fuel	LFF5804			
6I0274		LAF4274 ¹						
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 20-High efficiency 171-With Sensor Port
268-Extended/Severe service 599-High capacity 679-Axle 1166-9/16"-18 Thread Sensor Port 1220-Implement

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CHALLENGER (TRACTOR)			CHAMPION (GRADER)			CHAMPION (GRADER)		
<i>MT945C w/Caterpillar C15 Acert Tier 3 Engine (cont'd)</i>			<i>710, 710A, 716A w/Cummins 6BT5.9 Engine (cont'd)</i>			<i>730, 730A, 736A w/Cummins 6CT8.3 Engine (cont'd)</i>		
	Oil	LFP4005TRT ³ LFP4005XL ¹⁴	49076	Trans	LFH5013	30790	Hydraulic	LH4594 ¹¹⁷⁰
<i>MT955C w/Caterpillar C15 Acert Tier 3 Engine</i>			<i>715 w/Allis-Chalmers 3500 Engine</i>			<i>740, 740A w/Cummins LT10C Engine</i>		
(1R0749); Opt.	Fuel	LFF2749 LFF6771 ¹⁷¹	K23018	Hydraulic	LFH7355	(54429); S/N 21000-	Oil	LFP3000 LFP3000XL ¹⁴ LFP734
(3261643); Pri.				Air	LAF8513 ¹ LAF9200 ²	(36844); S/N 16245-20999		
AG609431	Hydraulic	LFH5015 ⁶⁷⁹		Fuel	P1130	37104	Trans	LFH1832 ¹⁵ LFH5013
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴	K23018	Hydraulic	LFH7355	49076		
<i>MT965B, MT975B w/Caterpillar C18 18.1L Engine</i>			<i>715 w/Allis-Chalmers 3500MK1 Engine</i>			<i>740, 740A w/Cummins LT10C Engine</i>		
1R0749	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹	K23018	Hydraulic	LFH7355	(37398); S/N 16806-	Air	LAF1787 ² LAF1790 ¹ LAF1813 ²
(1R0771); Pri.				Air	LAF8513 ¹ LAF9200 ²	37399 (28120); S/N 16245-16805		
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴		Fuel	P1130	28121		LAF1814 ¹
<i>MT965C w/Caterpillar C18 Acert Tier 3 Engine</i>			<i>720, 720 VHP, 720A, 720A VHP, 726A, 726A VHP w/Cummins 6CT8.3 Engine</i>			<i>740, 740A w/Cummins LT10C Engine</i>		
1R0749	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹	K23018	Hydraulic	LFH7355	26866	Cabin Air	LAF6680
(3261643); Pri.				Air	LAF8513 ¹ LAF9200 ²	45674	Coolant	LFW4071 ^{28, 205} LFW4073 ^{255, 953}
AG609431	Hydraulic	LFH5015 ⁶⁷⁹		Fuel	P1130	34654		LFF5
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴		Oil	PH52	36107	Fuel	L2020FN ²⁵⁴ LFF5
<i>MT975C w/Caterpillar C18 Acert Tier 3 Engine</i>			<i>720, 720 VHP, 720A, 720A VHP, 726A, 726A VHP w/Cummins 6CT8.3 Engine</i>			<i>740, 740A w/Cummins LT10C Engine</i>		
1R0749	Fuel	LFF2749 ²⁰ LFF6771 ¹⁷¹		Trans	LP151	(24351); S/N 16245-19884		LFF8000 ⁶²⁸
(531314D1); Pri.				Air	LAF1813 ² LAF1814 ¹	(36849); S/N 19885-; W/S		
AG609431	Hydraulic	LFH5015 ⁶⁷⁹		Cabin Air	LAF6680	(53527); S/N 21457- (13028); S/N 16245-20120	Hydraulic	LFH4902 LFH4955
1R1808	Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴		Coolant	LFW4071 ^{28, 205} LFW4073 ^{255, 953}	49076		LFH5013
CHAMPION (GRADER)			<i>720, 720 VHP, 720A, 720A VHP, 726A, 726A VHP w/Cummins 6CT8.3 Engine</i>			<i>740, 740A w/Cummins LT10C Engine</i>		
<i>1110W, 1110T w/Cummins 6BTA5.9 Engine</i>			<i>720, 720 VHP, 720A, 720A VHP, 726A, 726A VHP w/Cummins 6CT8.3 Engine</i>			<i>740, 740A w/Cummins LT10C Engine</i>		
<i>600 SUPERPAC w/Deutz F4L912 Engine</i>			<i>720, 720 VHP, 720A, 720A VHP, 726A, 726A VHP w/Cummins 6CT8.3 Engine</i>			<i>740, 740A w/Cummins LT10C Engine</i>		
1160243	Fuel	FP586F L61F	28120	Air	LAF1813 ² LAF1814 ¹	(54429); S/N 19885- (24355); S/N 16245-19884	Oil	LFP3000 LFP3000XL ¹⁴ LFP670
Q1H4115			28121			(27872); By-Pass By-Pass		LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴
1160024	Oil	PH2819	26866	Cabin Air	LAF6680	37104 (49076); S/N 24736-	Trans	LFH1832 ¹⁵ LFH5013
<i>710, 710A, 716A w/Cummins 6BT5.9 Engine</i>			<i>720, 720 VHP, 720A, 720A VHP, 726A, 726A VHP w/Cummins 6CT8.3 Engine</i>			<i>740, 740A w/Cummins LT10C Engine</i>		
28120	Air	LAF1813 ² LAF1814 ¹	45674	Coolant	LFW4071 ^{28, 205} LFW4073 ^{255, 953}	49076		LFF8020
28121			36107	Fuel	L2020FN ²⁵⁴ L3523F LFF3417 ¹² LFF3521	(36849); W/S	Fuel	LFP3000 LFP3000XL ¹⁴
26866	Cabin Air	LAF6680	59115	(36846); Pri. (36845); Sec. (53527); S/N 21457- 44419	Hydraulic	(24355); S/N 16245-19884	Hydraulic	LFH4902 LFH4936 ¹¹⁷⁰ LFH4955
45674	Coolant	LFW4071 ^{28, 205} LFW4073 ^{255, 953}	59115	(36846); Pri. (36845); Sec. (53527); S/N 21457- 44419	Hydraulic	37104 (49076); S/N 24736-	Oil	LFP3000 LFP3000XL ¹⁴
34654			59115	(36846); Pri. (36845); Sec. (53527); S/N 21457- 44419	Hydraulic	49076		LFF8020
36107	Fuel	L2020FN ²⁵⁴ L3523F LFF3417 LFF3521	59115	(36846); Pri. (36845); Sec. (53527); S/N 21457- 44419	Hydraulic	54429	Oil	LFP3000 LFP3000XL ¹⁴
59115			59115	(36846); Pri. (36845); Sec. (53527); S/N 21457- 44419	Hydraulic	49076	Hydraulic	LFH5013
(36846); Pri. (36845); Sec. (53527); S/N 21457- 44419			59115	(36846); Pri. (36845); Sec. (53527); S/N 21457- 44419	Hydraulic	49076		LFP3000 LFP3000XL ¹⁴
(13028); S/N 16245-20120			59115	(36846); Pri. (36845); Sec. (53527); S/N 21457- 44419	Hydraulic	49076		LFP3000 LFP3000XL ¹⁴
(49076); S/N 24736- 30790			59115	(36846); Pri. (36845); Sec. (53527); S/N 21457- 44419	Hydraulic	49076		LFP3000 LFP3000XL ¹⁴
36844	Oil	LFP780 LFP780XL ¹⁴	59115	(36846); Pri. (36845); Sec. (53527); S/N 21457- 44419	Hydraulic	49076		LFP3000 LFP3000XL ¹⁴
			59115	(36846); Pri. (36845); Sec. (53527); S/N 21457- 44419	Hydraulic	49076		LFP3000 LFP3000XL ¹⁴
37104	Trans	LFH1832 ¹⁵	59115	(36846); Pri. (36845); Sec. (53527); S/N 21457- 44419	Hydraulic	49076		LFP3000 LFP3000XL ¹⁴
			59115	(36846); Pri. (36845); Sec. (53527); S/N 21457- 44419	Hydraulic	49076		LFP3000 LFP3000XL ¹⁴

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 15-Standard 20-High efficiency 28-Contains 1 oz. of chemical
 171-With Sensor Port 205-Maintenance 254-Optional Racor 255-Contains 3 oz. of chemical 599-High capacity 628-Tall version of LFF8020 679-Axle
 953-Pre-Charge 1094-For engine filters - see engine section. 1170-All Wheel Drive

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CHAMPION (GRADER)			CHAMPION (GRADER)			CHICAGO PNEUMATIC (AIR COMPRESSOR)		
<i>750, 750A w/Cummins LT10C Engine (cont'd)</i>			<i>C70, C70A, C76A, C80A, C86A w/Cummins 4B3.9 Engine</i>			<i>C700 w/Caterpillar Engine (cont'd)</i>		
(24351); S/N 16245-19884	Fuel	LFF5		Air	LAF222	13PS-2203	Hydraulic	LP2854 ¹⁰⁷⁷
(36849); S/N 19885-; W/S		LFF8000 ⁶²⁸	Pri.	Fuel	LFF3417	<i>CP8030GS w/John Deere 3179 Engine</i>		
(53527); S/N 21457-49076	Hydraulic	LFH4902 LFH5013 LFP449		Oil	LFP3900	<i>CPS270 w/John Deere 4039D Engine</i>		
(13028); S/N 16245-20120			<i>D605T w/Detroit Diesel 6-71 eng.</i>			Air LAF1246 ²		
(54429); S/N 19885-	Oil	LFP3000 LFP3000XL ¹⁴ LFP670		Air	LAF9085 ¹ LAF9086 LAF9086MXM	<i>CPS3900 w/Deutz F6L913 Engine</i>		
(24355); S/N 16245-19884				Fuel	262F L552F	495mm	Air	LAF1718 ²
(27872); By-Pass By-Pass		LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴		Hydraulic	LFH4935		Fuel	FP586F
37104	Trans	LFH1832 ¹⁵ LFH5013		Oil	LP132 LP151		Oil	LFP2222
(49076); S/N 24736-			<i>D740, D760 w/GMC eng.</i>			<i>Models w/Hercules D2000 Engine</i>		
<i>780, 780A w/Cummins LT10C Engine</i>				Air	LAF9085 ¹ LAF9086 LAF9086MXM	(266537); Sec. Fuel L296F ⁴¹		
(37398); S/N 16806-37399	Air	LAF1787 ² LAF1790 ¹ LAF1813 ²	(25014274); Pri. Sec.	Fuel	LFP815FN LFP816FN	D-3400 Oil LP38		
(28120); S/N 16245-16805				Hydraulic	LFP449	D-2000 P7FF		
28121		LAF1814 ¹		Oil	LP132 LP151	CHRISTENSEN BOYLES CORPORATION (MINING EQUIPMENT)		
26866	Cabin Air	LAF6680	CHAMPION (PAVER)			<i>CS3000HD w/Cummins CTA8.3 Engine</i>		
45674	Coolant	LFW4071 ^{28, 205} LFW4073 ^{255, 953}	<i>1110W, 1110T w/Cummins 6BTA5.9 Engine</i>			P181046 Air LAF6769 LAF6769MXM ²⁶⁸		
34654			K23018	Hydraulic	LFH7355	SPE15-10 Breather LFP1652 ⁸⁵⁸		
36107	Fuel	L2020FN ²⁵⁴ LFF5	<i>840 w/Cummins 5.9L Engine</i>			HF6731 Hydraulic LFH5876		
(24351); S/N 16245-19884		LFF8000 ⁶²⁸		Air	LAF234HD ²	HF6510 Hydraulic LFP1652		
(36849); S/N 19885-; W/S			CHAR-LYNN (HYDRAULIC SYSTEM)			<i>CS4000 w/Detroit Diesel 6V53T Engine</i>		
(53527); S/N 21457-49076	Hydraulic	LFH4902 LFH5013 LFP449	<i>F-16-1-3, IF-16-1-3, F-16-1-5, IF-16-1-5, F-16-1-15, IF-16-1-15</i>			P182042 Air LAF8407 ² LAF8407MXM ^{2, 268}		
(13028); S/N 16245-20120			5610, 5611	Hydraulic	LFH4935	P188408 LAF8408 ¹		
(54429); S/N 19885-	Oil	LFP3000 LFP3000XL ¹⁴ LFP670	<i>F-32-1-3, IF-32-1-3, F-32-1-5, IF-32-1-5, F-32-1-15, IF-32-1-15</i>			<i>LC1500 w/Cummins 6BTA5.9 Engine</i>		
(24355); S/N 16245-19884			5610, 5611	Hydraulic	LFH4935	P181034 Air LAF6587 LAF6587MXM ²⁶⁸		
(27872); By-Pass By-Pass		LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴	<i>F-32-5-3, IF-32-5-3, F-32-5-5, IF-32-5-5, F-32-5-15, IF-32-5-15</i>			HF6056 Hydraulic LFP1652		
37104	Trans	LFH1832 ¹⁵ LFH5013	5610, 5611	Hydraulic	LFH4935 ²⁴²	CLAAS (COMBINE)		
(49076); S/N 24736-			<i>IF-30-1-3, IF-30-1-5, IF-30-1-15</i>			<i>690, 695</i>		
<i>780A, 780A VHP Series V w/Cummins M11 Engine</i>			CHICAGO PNEUMATIC (AIR COMPRESSOR)			0712420 Air LAF1726 ² LAF1727 ¹		
37398	Air	LAF1787 ² LAF1790 ¹	<i>185DZ w/CN4-33 Engine</i>					
63288			7111/296	Fuel	L296F ⁴¹			
26866	Cabin Air	LAF6680	10PS-4538	Hydraulic	LH4924			
45674	Coolant	LFW4071 ^{28, 205} LFW4073 ^{255, 953}	<i>C700 w/Caterpillar Engine</i>			Fuel L3405F ¹⁰⁸ LFF3507		
34654	Fuel	LFF8020	68PS-4670	Air	LAF9155 ² LAF9155MXM ^{2, 268}	Oil LP2235		
49076	Hydraulic	LFH5013	69PS-4670		LAF9159 ¹	Trans LFH8596		
54429	Oil	LFP3000 LFP3000XL ¹⁴	(4N-5823); Sec.	Fuel	LFF5823B	<i>80</i>		
49076	Trans	LFH5013	51PS-3072	Hydraulic	LFP1652	9400840 Air LAF1720 ¹ 6774340 LAF2052 ²		
			11PS-2203		LP2854 ⁷⁸¹	Fuel LFF8092 Oil LFP2222		
						<i>Columbus D, Comet, Consul, Cosar, Cosmos, Europa, Mercur, Protector w/Deutz F4L812 Engine</i>		
						656.501.0 Fuel FP586F L3401F ¹⁰⁸		
						(099.105.0); Sec. L60F (099.104.0); Pri. LFF3403		
						Oil PH2819		
						<i>Columbus D, Comet, Consul, Cosar, Cosmos, Europa, Mercur, Protector w/Deutz F4L912 Engine</i>		
						656.501.0 Fuel FP586F L3401F ¹⁰⁸		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 15-Standard 28-Contains 1 oz. of chemical 41-Cartridge 108-Eco-Finer 205-Maintenance 242-10 Micron 254-Optional Racor 255-Contains 3 oz. of chemical 268-Extended/Severe service 628-Tall version of LFF8020 781-Compressor 858-Hydraulic Tank 953-Pre-Charge 1077-Hyd. Tank

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CLAAS (COMBINE)			CLAAS (COMBINE)			CLAAS (COMBINE)		
<i>Columbus D, Comet, Consul, Cosar, Cosmos, Europa, Mercur, Protector w/Deutz F4L912 Engine (cont'd)</i>			<i>Dominator 100, 105 w/Mercedes-Benz OM352 Engine (cont'd)</i>			<i>Dominator 115, 115CS, 116, 116CS w/Mercedes-Benz OM421A Engine</i>		
(099.105.0); Sec.	Fuel	L60F	(099.105.0); Sec.	Fuel	L3401F ¹⁰⁸	(643.169.0); 495mm	Air	LAF1718 ²
(099.104.0); Pri.		LFF3403	(099.104.0); Pri.		L60F	643.331.0		LAF1719 ¹
	Oil	PH2819	133.031.0	Oil	LP2210		Fuel	L3405F ¹⁰⁸
<i>Columbus, Columbus D, Comet w/Perkins 4/99 Engine</i>			<i>Dominator 100, 105 w/Mercedes-Benz OM360 Engine</i>			<i>Dominator 115, 115CS, 116, 116CS w/Mercedes-Benz OM422 Engine</i>		
(099.105.0); Sec.	Fuel	L3401F ¹⁰⁸	677.434.0	Air	LAF2052 ²	4220900051	Hydraulic	LFH4268
(099.104.0); Pri.		L60F		Fuel	L3401F ¹⁰⁸	679.433.0		LFH8596
		LFF3403			L60F	1314200	Oil	LP2235
<i>Commander 228CS w/Mercedes OM443 Engine</i>			<i>Dominator 100, 105 w/Perkins V8.605 Engine</i>			<i>Dominator 115, 115CS, 116, 116CS w/Mercedes-Benz OM422 Engine</i>		
495mm	Air	LAF1718 ²	677.434.0	Air	LAF2052 ²	(643.169.0); 495mm	Air	LAF1718 ²
		LAF1719 ¹		Fuel	L3401F ¹⁰⁸	643.331.0		LAF1719 ¹
	Fuel	LFF3507			L60F		Fuel	L3405F ¹⁰⁸
	Hydraulic	PH2816 ⁶⁷⁷			LFF3403	4220900051		LFF3507
	Oil	LP2235			LFP2292	679.433.0	Hydraulic	LFH4268
<i>Commandor 114CS, Dominator 114CS w/Mercedes-Benz OM421 Engine</i>			<i>Dominator 106 w/Mercedes-Benz OM360 Engine</i>			<i>Dominator 38, 48 w/Perkins 4.236 Engine</i>		
176.168.0	Air	LAF1720 ¹	176.168.0	Air	LAF1720 ¹	723.561.0	Air	LAF1712 ²
677.434.0		LAF2052 ²	677.434.0		LAF2052 ²			LAF1713 ¹
	Fuel	L61F		Fuel	L3405F ¹⁰⁸	656.501.0	Fuel	FP586F
	Oil	LP815			L61F	147.225.0	Oil	PH4403
<i>Compact w/Mercedes-Benz OM615 Engine</i>			<i>Dominator 106 w/Mercedes-Benz OM401 Engine</i>			<i>Dominator 56 w/Perkins 4.248 Engine</i>		
656.501.0	Fuel	FP586F	176.168.0	Air	LAF1720 ¹	676.600.0	Air	LAF1714 ²
<i>Compact w/Mercedes-Benz OM616 Engine</i>			<i>Dominator 106 w/Mercedes-Benz OM401 Engine</i>			<i>Dominator 66 w/Perkins 6.354.4 Engine</i>		
656.501.0	Fuel	FP586F	677.434.0	Air	LAF2052 ²	656.501.0	Fuel	FP586F
146.851.0	Oil	P771A		Fuel	L3401F ¹⁰⁸	147.225.0	Oil	PH4403
147.225.0		PH4403			L3405F ¹⁰⁸	<i>Dominator 68, 68R, 68S w/Mercedes-Benz OM352 Engine</i>		
<i>Consul w/Mercedes-Benz OM314 Engine</i>			<i>Dominator 108SL, 108SL Maxi w/Mercedes-Benz OM421 Engine</i>			<i>Dominator 76 w/Mercedes-Benz OM352 Engine</i>		
133.035.0	Fuel	L3405F ¹⁰⁸	(099.105.0); Sec.	Air	LAF1720 ¹	676.600.0	Air	LAF1714 ²
133.496.0	Oil	LP2211	(133.038.0); Sec.		LAF2052 ²	176.169.0		LAF1715 ¹
<i>Consul, Cosar, Cosmos, Europa, Mercur, Standard w/Perkins 4.236 Engine</i>			<i>Dominator 108VX w/Mercedes OM441LA Engine</i>			<i>Dominator 76 w/Mercedes-Benz OM401 Engine</i>		
(133.038.0); Sec.	Fuel	L3405F ¹⁰⁸	495mm	Air	LAF1718 ²	676.600.0	Air	LAF1714 ²
(133.035.0); Pri.		LFF3507			LAF1719 ¹	176.169.0		LAF1715 ¹
146.790.0	Oil	P72		Fuel	L61F	656.501.0	Fuel	FP586F
147.223.0		PH4403			LFF3403	133.031.0	Oil	LP2210
<i>Consul, Mercur, Senator w/Deutz F6L912 Engine</i>			<i>Dominator 112CS w/Perkins V8.540 Engine</i>			<i>Dominator 76 w/Perkins 6.372 Engine</i>		
656.501.0	Fuel	FP586F	649.500.0	Air	LAF1720 ¹	676.600.0	Air	LAF1714 ²
(133.038.0); Sec.		L3405F ¹⁰⁸			LAF2052 ²	147.222.0	Oil	LFP2292
(133.035.0); Pri.		L61F		Fuel	L296F ⁴¹	<i>Dominator 76 w/Perkins 6.372 Engine</i>		
	Oil	LFF3507			LFF8103	<i>Dominator 76 w/Perkins 6.372 Engine</i>		
		LFP2222			LFP2292	<i>Dominator 76 w/Perkins 6.372 Engine</i>		
<i>Cosmos, Europa, Matador, Standard, Mercur w/Perkins 4.270D Engine</i>			<i>Dominator 100, 105 w/Mercedes-Benz OM352 Engine</i>			<i>Dominator 76 w/Perkins 6.372 Engine</i>		
(099.105.0); Sec.	Fuel	L3401F ¹⁰⁸	677.434.0	Air	LAF2052 ²	676.600.0	Air	LAF1714 ²
(099.104.0); Pri.		L60F				147.222.0	Oil	LFP2292
		LFF3403						
147.221.0	Oil	P771A						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 41-Cartridge 108-Eco-Finer 677-3/4" thread

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CLAAS (COMBINE)			CLAAS (COMBINE)			CLAAS (COMBINE)		
<i>Dominator 76, 76H, 78, 78S w/Perkins 6.354.4 Engine</i>			<i>Dominator 98, 98S, 98SL Maxi w/Mercedes Engine (cont'd)</i>			<i>LEXION 450 w/Caterpillar C9 Engine (cont'd)</i>		
676.600.0	Air	LAF1714 ²	6794330	Hydraulic	LFH4268	Sec.	Fuel	LFF2749 ²⁰
176.169.0		LAF1715 ¹	1314201		LFH8596	Pri.		LFF8103
	Fuel	FP585F		Oil	LP2214		Hydraulic	LFH4471
<i>Dominator 76, 76H, 78SL, 80, 80H, 85, 85H, 86, 88S w/Mercedes OM352A Engine</i>			133031		LP2220	1R0716	Oil	LFP4005
176.168.0	Air	LAF1720 ¹	1336330		LP2220X ¹⁰⁸			LFP4005TRT ³
677.434.0		LAF2052 ²	1334990		LP2226			LFP4005XL ¹⁴
	Fuel	FP585F	<i>Dominator 98S w/Perkins T1.006.6 Engine</i>			<i>Lexion 450, 460 w/Mercedes OM401LA Engine</i>		
	Oil	LP2226	942.084.0	Air	LAF1720 ¹		Air	LAF1727 ¹
<i>Dominator 80, 85 w/Mercedes-Benz OM 352, OM352A Engine</i>			677.434.0		LAF2052 ²		Fuel	LFF8103
676.600.0	Air	LAF1714 ²	602.390.0	Fuel	L296F ⁴¹		Oil	LP2235
656.501.0	Fuel	FP586F	649.500.0		LFF3504	<i>LEXION 460 Evolution w/Caterpillar C9 Engine</i>		
		L3401F ¹⁰⁸	147.222.0	Oil	LFP2292		Air	LAF6998 ²
(099.105.0); Sec.		L60F	<i>Dominator 98VX w/Perkins 1006.60TW Engine</i>					LAF6999 ¹
(099.104.0); Pri.		LFF3403	387mm	Air	LAF1716 ²	Sec.	Fuel	LFF2749 ²⁰
133.031.0	Oil	LP2210			LAF1717 ¹	Pri.		LFF8103
		LP2226		Fuel	L296F ⁴¹		Hydraulic	LFH4471
				Hydraulic	LFH4471	1R0716	Oil	LFP4005
				Oil	LFP2292			LFP4005TRT ³
<i>Dominator 80, 85 w/Perkins 6.372 Engine</i>			<i>Europa w/Ford Engine</i>			<i>Lexion 470 w/Caterpillar C9 Engine</i>		
676.600.0	Air	LAF1714 ²	115.054.0	Oil	P772		Air	LAF6998 ²
176.169.0		LAF1715 ¹	<i>Gigant, Matador, Mercator, Mercator 60, Mercator 70, Protector, Senator w/Perkins 6.354 Engine</i>					LAF6999 ¹
656.501.0	Fuel	FP586F		Fuel	L3401F ¹⁰⁸	Sec.	Fuel	LFF2749 ²⁰
147.222.0	Oil	LFP2292	(099.105.0); Sec.		L3405F ¹⁰⁸	Pri.		LFF8103
146.790.0		P72	(133.038.0); Sec.		L60F		Hydraulic	LFH4471
<i>Dominator 86 w/Mercedes-Benz OM352 Engine</i>			(099.104.0); Pri.		L61F	1R0716	Oil	LFP4005
676.600.0	Air	LAF1714 ²	(133.035.0); Pri.		LFF3403			LFP4005TRT ³
656.501.0	Fuel	FP586F	146.790.0	Oil	LFF3507			LFP4005XL ¹⁴
133.530.0	Oil	LP2220	<i>Lexion 405, 410, 415 w/Perkins 1006.6T/TA Engine</i>			<i>Lexion 480 w/Caterpillar C12 Engine</i>		
<i>Dominator 86 w/Perkins 6.372 Engine</i>			495mm	Air	LAF1718 ²		Air	LAF6998 ²
676.600.0	Air	LAF1714 ²			LAF1719 ¹	Sec.	Fuel	LFF2749 ²⁰
656.501.0	Fuel	FP586F		Fuel	L296F ⁴¹		Hydraulic	LFH4471
147.222.0	Oil	LFP2292			LFF8103	1R0716	Oil	LFP4005
<i>Dominator 88S, 88SL, 96, 98, 98S, 98SL w/Perkins T6.354.4 Engine</i>				Oil	PH4403			LFP4005TRT ³
176.168.0	Air	LAF1720 ¹	<i>Lexion 410 w/Caterpillar 3126B Engine</i>			By-Pass		LFP4005XL ¹⁴
677.434.0		LAF2052 ²		Air	LAF6098 ²	<i>Lexion 570 w/Caterpillar C12 Engine</i>		
	Fuel	FP585F			LAF6099 ¹		Air	LAF6998 ²
1314200	Hydraulic	LFH8596	Pri.	Fuel	LFF8103			LAF6999 ¹
	Oil	PH400 ²⁷⁵		Hydraulic	LFH4471		Fuel	LFF2749 ²⁰
		PH8A ¹⁴⁹⁶		Oil	LFP3191	1R0716	Oil	LFP4005
<i>Dominator 96 w/Mercedes-Benz OM352A Engine</i>					LFP3191TRT ³			LFP4005TRT ³
676.600.0	Air	LAF1714 ²	<i>Lexion 430 w/Caterpillar 3126B Engine</i>					LFP4005XL ¹⁴
677.434.0		LAF2052 ²		Air	LAF6098 ²	<i>Lexion 730, Lexion 740 (w/Caterpillar C9.3 Engine)</i>		
	Fuel	L3401F ¹⁰⁸			LAF6099 ¹	7983030	Oil	LFP4005RN ⁵⁹⁹
(099.105.0); Sec.		L60F	Pri.	Fuel	LFF8103	773671	Air	LAF8657
(099.104.0); Pri.		LFF3403		Hydraulic	LFH4471	773821		LAF8686 ¹
1314200	Hydraulic	LFH8596		Oil	LFP3191	7962130	Fuel	LFF3292 ⁶³
	Oil	LP2226	<i>LEXION 450 w/Caterpillar C9 Engine</i>			(3632040); Sec.		LFF5804
<i>Dominator 98, 98S, 98SL Maxi w/Mercedes Engine</i>				Air	LFP3191TRT ³	7983030	Oil	LFP4005RN ⁵⁹⁹
387mm	Air	LAF1716 ²			LFP3191XL ¹⁴	<i>Lexion 750 (w/Caterpillar C13 Engine)</i>		
		LAF1717 ¹			LAF6998 ²	7962130	Fuel	LFF3292 ⁶³
9420840		LAF1720 ¹			LAF6999 ¹	(3632040); Sec.		LFF5804
6774340		LAF2052 ²			LAF6999 ¹	7983030	Oil	LFP4005RN ⁵⁹⁹
656501	Fuel	FP586F						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 41-Cartridge 63-9/16" Thread Sensor Port 108-Eco-Finer 275-Primary 599-High capacity 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CLAAS (COMBINE)			CLAAS (COMBINE)			CLAAS (COMBINE)		
<i>Lexion 760 (w/Caterpillar C13 Engine)</i>			<i>Mega 204 w/Mercedes OM906LA Engine (cont'd)</i>			<i>Mercator 60, 65, 70 w/Perkins 6.372 Engine</i>		
7962130	Fuel	LFF3292 ⁶³	(687090); Sec.	Fuel	L6161F ¹⁴⁵	(099.105.0); Sec.	Fuel	L3401F ¹⁰⁸
(3632040); Sec.		LFF5804	W/S		L8994F	(099.104.0); Pri.		L60F
7983030	Oil	LFP4005RN ⁵⁹⁹		Hydraulic	LFF5766	146.790.0	Oil	LFF3403
<i>Lexion 770 (w/Mercedes OM502LA Engine)</i>				Oil	LFH8596	<i>Mercator 75 w/Ford 2704E Engine</i>		
	Air	LAF8657	<i>Mega 208 w/Mercedes OM366LA Engine</i>			<i>Mercator 75 w/Mercedes-Benz OM352 Engine</i>		
		LAF8686 ¹	(6431690); 495mm	Air	LAF1718 ²	(099.105.0); Sec.	Fuel	L3401F ¹⁰⁸
687090	Fuel	L8994F	6433310		LAF1719 ¹	(099.104.0); Pri.		L60F
		LFF3292 ⁶³	6572880	Fuel	LFF3513	<i>Mercator 75 w/Perkins 6.354 Engine</i>		
687101	Oil	LP8995	W/S		LFF5766	656.501.0	Fuel	FP586F
<i>Matador Standard w/Claas LD40 Engine</i>			1314201	Hydraulic	LFH8596	133.496.0	Oil	LP2211
(099.105.0); Sec.	Fuel	L3401F ¹⁰⁸	1336330	Oil	PH2816 ⁶⁷⁷	<i>Mercator 75 w/Perkins 6.354 Engine</i>		
(099.104.0); Pri.		L60F	<i>Mega 208 w/Mercedes OM906LA Engine</i>			656.501.0	Fuel	FP586F
133.031.0	Oil	LFF3403			LP2220 ¹⁰⁸	147.222.0	Oil	LFF2292
		LP2210	<i>Mega 218 w/Mercedes OM441LA Engine</i>			CLAAS (FORGE HARVESTER)		
<i>Medion 310, Median 320 w/Perkins 1006.60TA Engine</i>				Air	LAF6098 ²	<i>Jaguar 675 w/Mercedes OM 360 eng.</i>		
	Fuel	L296F ⁴¹	(687090); Sec.	Fuel	LAF6099 ¹		Air	LAF1720
	Oil	PH4403	W/S		L6161F ¹⁴⁵			LAF2052
<i>Medion 340 w/Mercedes OM906LA Engine</i>				Hydraulic	L8994F		Oil	LP2210
	Air	LAF6098 ²		Oil	LFF5766			LP2220
		LAF6099 ¹	<i>Mega 218 w/Mercedes OM906LA Engine</i>			<i>Jaguar 685, 685SL w/Mercedes OM 421A eng.</i>		
	Fuel	L8701F ²⁴⁴	(6431690); 495mm	Air	LAF1718 ²	495mm	Air	LAF1718
W/S		LFF5766	6433310		LAF1719 ¹			LAF1719
	Oil	LP8741 ¹⁰²	1336020	Fuel	L61F		Fuel	L3405F
<i>Mega 202 w/Mercedes OM366A Engine</i>			6572880		LFF3513			LFF3507
9420840	Air	LAF1720 ¹	1314201	Hydraulic	LFH8596		Hydraulic	LFH8596
6774340		LAF2052 ²	1336330	Oil	LP2220 ¹⁰⁸	<i>Jaguar 690, 690SL, 695SL</i>		
656501	Fuel	FP586F	1335290		LP815		Air	LAF1726
1314201	Hydraulic	LFH8596	<i>Mega 218 w/Mercedes OM906LA Engine</i>					LAF1727
6568340		PH2840		Air	LAF6098 ²		Fuel	L61F
1336330	Oil	LP2220 ¹⁰⁸	(687090); Sec.	Fuel	LAF6099 ¹		Hydraulic	LFH8596
<i>Mega 202, 203 w/Perkins T1.006.6 Engine</i>			W/S		L6161F ¹⁴⁵		Oil	LP2235
9420840	Air	LAF1720 ¹		Hydraulic	L8994F	<i>Jaguar 70SF</i>		
6774340		LAF2052 ²		Oil	LFF5766		Air	LAF1720
6023900	Fuel	L296F ⁴¹	<i>Mercator 50 w/Mercedes-Benz OM314 Engine</i>					LAF2052
649500		LFF3504	(656.501.0); Pri.	Fuel	FP586F		Fuel	FP586F
6568340	Hydraulic	PH2840	133.496.0	Oil	LP2211	<i>Jaguar 80 w/Deutz F8L413 eng.</i>		
1472220	Oil	LFP2292	636.501.0		LP2211		Oil	LP2226
<i>Mega 203 w/Mercedes OM366A Engine</i>			147.222.0		LP2211		Fuel	LFF8092
9420840	Air	LAF1720 ¹	146.790.0		LP2211		Oil	LFP950
6774340		LAF2052 ²	147.225.0		LP2211	<i>Jaguar 800 w/Mercedes OM 441LA eng.</i>		
656501	Fuel	FP586F	<i>Mercator 50 w/Perkins 4.236 Engine</i>			495mm	Air	LAF1718
1314201	Hydraulic	LFH8596	636.501.0	Fuel	FP586F			LAF1719
6568340		PH2840	147.222.0	Oil	LFP2292		Fuel	L61F
1336330	Oil	LP2220 ¹⁰⁸	146.790.0		P72		Hydraulic	LFH8596
<i>Mega 204 w/Mercedes OM366LA Engine</i>			147.225.0		PH4403	<i>Jaguar 80SF</i>		
(6431690); 495mm	Air	LAF1718 ²	<i>Mercator 60, 65, 70 w/Perkins 6.354 Engine</i>				Oil	LP815
6433310		LAF1719 ¹	(099.105.0); Sec.	Fuel	L3401F ¹⁰⁸	<i>Jaguar 80SF</i>		
6572880	Fuel	LFF3513	(099.104.0); Pri.		L60F		Air	LAF1720
W/S		LFF5766	146.790.0		LFF3403			LAF2052
1314201	Hydraulic	LFH8596	147.225.0		P72		Fuel	LFF8092
		PH2816 ⁶⁷⁷	<i>Mercator 50 w/Perkins 4.248 Engine</i>				Oil	LFP950
1336330	Oil	LP2220 ¹⁰⁸	636.501.0	Fuel	FP586F	<i>Jaguar 800 w/Mercedes OM 441LA eng.</i>		
<i>Mega 204 w/Mercedes OM906LA Engine</i>			147.222.0	Oil	LFP2292	495mm	Air	LAF1718
	Air	LAF6098 ²	146.790.0		P72			LAF1719
		LAF6099 ¹	147.225.0		PH4403		Fuel	L61F
<i>Mega 204 w/Mercedes OM906LA Engine</i>			<i>Mercator 60, 65, 70 w/Perkins 6.354 Engine</i>				Hydraulic	LFH8596
	Air	LAF6098 ²	(099.105.0); Sec.	Fuel	L3401F ¹⁰⁸	<i>Jaguar 80SF</i>		
		LAF6099 ¹	(099.104.0); Pri.		L60F		Oil	LP815
		LAF6099 ¹	146.790.0		LFF3403	<i>Jaguar 80SF</i>		
		LAF6099 ¹		Oil	P72		Air	LAF1720
		LAF6099 ¹			P72			LAF2052
		LAF6099 ¹			P72		Oil	LFP2292
		LAF6099 ¹			P72			LP2220

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 63-9/16" Thread Sensor Port 102-8.31" Tall 108-Eco-Finer 145-Pre-Screen 244-Secondary 599-High capacity 677-3/4" thread

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CLAAS (FORAGE HARVESTER)			CLAAS (FORAGE HARVESTER)			CLAAS (TRACTOR)		
<i>Jaguar 820, 840 w/Mercedes OM 402LA, OM 441LA eng.</i>			<i>Jaguar 960 (w/Mercedes OM502LA Engine) (cont'd)</i>			<i>Ares 547 w/DPS Engine (cont'd)</i>		
	Air	LAF1726 LAF1727	687121 (687110); W/S	Fuel	LFF2040N LFF5766	Sec.	Fuel	G2978 ²⁷⁵ L8557F L8563F
	Fuel	L61F	687101	Oil	LP8995	Pri.	Oil	LFP4836
	Hydraulic	LFH8596	<i>Jaguar 970 (w/ 2 Mercedes OM460LA Engines)</i>			<i>Ares 557 w/DPS Engine</i>		
	Oil	LP2235	773671	Air	LAF8657 ² LAF8686 ¹		Air	LAF9543 ¹ LAF9547 ²
<i>Jaguar 830</i>			773821				Fuel	G2978 ²⁷⁵ L8557F L8563F
	Air	LAF8657 LAF8686 ¹	687090	Fuel	L8994F LFF2040N LFF5766	Sec.		
687090	Fuel	L8994F	687121 (687110); W/S			Pri.		
	Hydraulic	LFH8596	773671	Oil	LP5048		Oil	LFP4836
	Oil	LP2235	<i>Jaguar 980 (w/2 Mercedes OM460LA Engines)</i>			<i>Ares 567 w/DPS Engine</i>		
<i>Jaguar 850, 870 w/Mercedes OM442LA eng.</i>			773671	Air	LAF8657 ² LAF8686 ¹		Air	LAF9543 ¹ LAF9547 ²
	Air	LAF8657 LAF8686 ¹	773821				Fuel	G2978 ²⁷⁵ L8557F L8563F
687090	Fuel	L8994F	687090	Fuel	L8994F LFF2040N LFF5766	Sec.		
	Hydraulic	LFH8596	687121 (687110); W/S			Pri.		
	Oil	LP8995	773671	Oil	LP5048		Oil	LFP4836
<i>Jaguar 8550C w/Mercedes OM 457LA eng.</i>			CLAAS (TELESCOPIC HANDLER)			<i>Ares 577 w/DPS Engine</i>		
	Air	LAF8657 ¹¹³⁵ LAF8686 ^{1, 1135}	<i>Ranger 907, 911T, 920, 925, 928, 940GX, 960, 964, 965, 970, 974, 975 w/Perkins 1004.40 eng.</i>				Air	LAF9543 ¹ LAF9547 ²
687090	Fuel	L8994F ¹¹³⁵		Air	LAF1246	Sec.	Fuel	G2978 ²⁷⁵ L8557F L8563F
	Hydraulic	LFH8596 ¹¹³⁵		Fuel	L296F ⁴¹	Pri.		
	Oil	LP2235 ¹¹³⁵		Oil	LFP2292 PH4403		Oil	LFP4836
<i>Jaguar 860, 880 w/Mercedes OM 442LA eng.</i>			<i>Ranger 960/964/965 w/Perkins 1004.4T Engine</i>			<i>Ares 697 w/DPS Engine</i>		
	Air	LAF1726 LAF1727 LAF8657 LAF8686 ¹		Air	LAF1246 ²		Air	LAF9543 ¹ LAF9547 ²
	Fuel	L61F		Fuel	L296F ⁴¹	Sec.	Fuel	G2978 ²⁷⁵ L8557F L8563F
	Hydraulic	LFH8596		Oil	LFP2292	Pri.		
	Oil	LP2235	<i>Ranger 974/975 w/Perkins 1004.4T Engine</i>				Oil	LFP4836
<i>Jaguar 890, 900 w/Mercedes OM502LA eng.</i>				Air	LAF1246 ²			
	Air	LAF8657 LAF8686 ¹		Fuel	L296F ⁴¹			
687090	Fuel	L8994F		Oil	LFP2292	<i>Atlas 946 w/Deutz Engine</i>		
	Hydraulic	LFH8596	<i>Scorpion 6030 w/Deutz TCD2010 Engine</i>				Air	LAF8669 ² LAF8670 ¹
	Oil	LP8995	1181245	Fuel	LFF7687		Fuel	FP586F
<i>Jaguar 930 w/Mercedes OM460LA Engine)</i>				Oil	LFP2222	<i>Dionis 130 w/Deutz F4L912 Engine</i>		
773671	Air	LAF8657 ² LAF8686 ¹	1181245	Fuel	LFF7687		Air	LAF8148 ² LAF9332 ¹
773821				Oil	LFP2222		Fuel	FP586F
687090	Fuel	L8994F	<i>Scorpion 7045 w/Deutz TCD2010 Engine</i>			HF28808	Hydraulic	LH4252
687121 (687110); W/S		LFF2040N LFF5766	1181245	Fuel	LFF7687		Oil	PH2819
773671	Oil	LP5048		Oil	LFP2222	<i>Dionis 140 w/Deutz F4L913 Engine</i>		
<i>Jaguar 950 (w/Mercedes OM502LA Engine)</i>			<i>Scorpion 9040 w/Deutz TCD2010 Engine</i>			CLARK (BACKHOE LOADER)		
712422	Air	LAF1726 ² LAF1727 ¹	1181245	Fuel	LFF7687	<i>60 w/Continental F244 gas Engine</i>		
722391				Oil	LFP2222	886525	Air	LAF222 ²
687090	Fuel	L8994F	<i>Targo K70 w/Perkins 1004.40T Engine</i>			887764	Hydraulic	P137
687121 (687110); W/S		LFF2040N LFF5766		Fuel	LFF3504	854570	Oil	P4
687101	Oil	LP8995		Oil	LFP2292	957577	Trans	P92
<i>Jaguar 960 (w/Mercedes OM502LA Engine)</i>			CLAAS (TRACTOR)			<i>700 w/Continental F244-388 Engine</i>		
712422	Air	LAF1726 ² LAF1727 ¹	<i>Ares 547 w/DPS Engine</i>			896056	Air	LAF131
722391				Air	LAF9543 ¹ LAF9547 ²	<i>700 w/Detroit Diesel 3-53 Engine</i>		
687090	Fuel	L8994F				896002	Air	LAF2514 LAF66
						P101066		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 41-Cartridge 275-Primary 1135-2011 On

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CLARK (BACKHOE LOADER)			CLARK (LIFT TRUCK)			CLARK (LIFT TRUCK)		
<i>HV4 w/Kohler K91 Engine</i>			<i>685, H685, H685D, HY685, Y685 (cont'd)</i>			<i>C500 (cont'd)</i>		
230840	Air	AF210	886525	Air	LAF222 ²	2353816	Air	LAF1275 ²
CLARK (CRANE)			(990936); By-Pass			21236	Fuel	L296F ⁴¹
<i>450TC, 500TC, 615, 709, 710, 712, 714, 714SP, 720, 720CM, 736CM w/Cummins Engine</i>			990937			1810889	Hydraulic	LH4921
888936			990937			By-Pass	Oil	PB50
(845059); 714SP	Air	LAF1246 ²	815B			Trans		
(5209957); 736CM		LAF237 ²	733289			Hydraulic		
		LAF8668	915; H915; HY1015, 1245D, 1425, 1625, 1830, 1830D, 2030, 2030D, 2030DP; Y1015, 1015DP, 1425, 1425D,			C500-235 w/Continental Y112 Gas Engine		
	Trans	LP151 ¹²⁶³	888936			880044	Air	AF70
<i>450TC, 500TC, 615, 709, 710, 712, 714, 714SP, 720, 720CM, 736CM w/Detroit Diesel Engine</i>			945059			(990936); By-Pass	Oil	PB50
888936	Air	LAF1246 ²	887764			1800977	Trans	PH253 ¹⁴⁹⁶
(845059); 714SP		LAF237 ²	(990936); By-Pass			PH2835 ²⁷⁵		
(5209957); 736CM		LAF8668	Trans			C500-235 w/Continental Y112 LPG Engine		
	Trans	LP151 ¹²⁶³	(990937); *915, Y1015, Y1015PD only"			880044	Air	AF70
<i>700HC, 700TC, 720CM, 720O5, 76SCM, 780CM, 990TC, 1500C, 2400B, 7700, 7707 w/Cummins Engine</i>			(990937); 915, Y1015, Y1015PD only			(990936); By-Pass	Oil	PB50
(993688); 720O5 only	Air	LAF6587	C, CH, CHY, CY100, 200; CHY, CY100B, 120B; CHY, CY100BD, 120BD; C, CH, CHY, CY100D, 120D			1800977	Trans	PH253 ¹⁴⁹⁶
720O5 only		LAF6587MXM ²⁶⁸	886525			PH2835 ²⁷⁵		
	Trans	LP151 ¹²⁶³	894954			C500-335 w/Waukesha D155 Gas Engine		
<i>714SP w/Detroit Diesel 4-53 Engine</i>			887764			880044	Air	AF70
945059	Air	LAF237 ²	854570			879199	Fuel	G124
	Trans	LP151 ¹²⁶³	(990936); By-Pass			(990936); By-Pass	Oil	PB50
<i>714SP w/International UV345 Engine</i>			C20, C25B, C25BP, C25B5, C25SY, CFY20, CFY25B, CY20, CY25B, CY25BS w/Continental Engine			1800977	Trans	PH253 ¹⁴⁹⁶
888936	Air	LAF1246 ²	668788			PH2835 ²⁷⁵		
	Trans	LP151 ¹²⁶³	1614059			C500-335 w/Waukesha D155 LPG Engine		
<i>720O5 w/Detroit Diesel 6-53 Engine</i>			854571			880044	Air	AF70
5209957	Air	LAF8668	(990936); By-Pass			879199	Fuel	G124
	Trans	LP151 ¹²⁶³	854570			(990936); By-Pass	Oil	PB50
CLARK (LIFT TRUCK)			C30, C30B, CS30, CF30B, CFY30B, CY30B w/Continental Engine			1800977	Trans	PH253 ¹⁴⁹⁶
<i>12H</i>			668788			PH2835 ²⁷⁵		
	Oil	P4	1614059			C60, CF60, CFY60, CH60, CHY60, CY60, C60D, CF60D, CH60D, CHY60D, CHY60PD, CY60D, CY60PD		
<i>200L w/Continental Engine</i>			854571			888936	Air	LAF1246 ²
1624567	Air	LAF1246 ²	(990936); By-Pass			889098		LAF1275 ²
871077	Hydraulic	P2	854570			886525		LAF222 ²
A-10850	Oil	P4	C300-356 w/Continental F163 Gas Engine			994954		LAF234HD ²
<i>235, F235, FY235, Y235, 355, H355, HY355, Y355, H355D, HY355D, Y355D, H355PD, HY355PD, Y355PD</i>			880044			854570	Oil	P4
668788	Air	AF70	879199			(990936); By-Pass	Oil	PB50
889098		LAF1275 ²	(990936); By-Pass			C65RC, CH65RC		
(990936); By-Pass	Oil	PB50	1800977			889098	Air	LAF1275 ²
990937	Trans	PH400 ²⁷⁵	C40, CF40, CY40, CFYR40B, CLFR40B, CLF40B, CYR40B, C50B, CFY50B, CY50B			854570	Oil	P4
990937		PH8A ¹⁴⁹⁶	668788			(990936); By-Pass	Oil	PB50
<i>35A w/Ford 220 Engine</i>			733289			C70, CF70, CFY70, CH70, CHY70, CY70, C70D, CF70D, CY70D, CHY70PD, CH70S		
Sec.	Fuel	L23F	854571			668788	Air	AF70
Pri.		L296F ⁴¹	(990936); By-Pass			886525		LAF222 ²
	Oil	P772	854570			854570	Oil	P4
<i>35A w/General Motors 3-53 Engine</i>			C500			(990936); By-Pass	Oil	PB50
Sec.	Fuel	261F	668788			957577	Trans	P92
Pri.		L274F1	733289			C500		
	Oil	LP132 ¹¹⁰⁶	854571			668788		
		LP2279 ⁹⁶⁷	(990936); By-Pass			886525		
<i>685, H685, H685D, HY685, Y685</i>			854570			854570		
889098	Air	LAF1275 ²	C500			(990936); By-Pass		
			668788			Trans		
			Air			AF70		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 41-Cartridge 268-Extended/Severe service 275-Primary 967-5.86" Tall Cartridge 1077-Hyd. Tank 1106-9" Hgt. 1263-And 3967 gasket
 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CLARK (LIFT TRUCK)			CLARK (LIFT TRUCK)			CLARK (LIFT TRUCK)		
<i>C80, CF80, CFY80, CH80, CHY80, CY80, C80D, CF80D, CH80S, CHY80PD, CY80D</i>			<i>Clarktor 120 w/Chrysler 16A483 Engine</i>			<i>GCS20-30 w/Mitsubishi 4G54 Engine (cont'd)</i>		
668788	Air	AF70		Oil	LP38	2792962	Hydraulic	LFH8460
886525		LAF222²	<i>Clarktor 120 w/Chrysler 32-181 Engine</i>			909213	Oil	PH2856A
854570	Oil	P4		Oil	LP38	247050	Trans	LFH8799
(990936); By-Pass		PB50	<i>CLIPPER 2024 w/Continental Engine</i>			<i>GCS20-30 w/Waukesha D176 Engine</i>		
957577	Trans	P92	P122510	Air	LAF1275²	(990936); By-Pass	Oil	PB50
<i>CE2024 w/Continental Y112 Engine</i>				Oil	P3	11993686-2	Trans	LFH8799
854571	Oil	P3	<i>CMP15D, CMP18D w/Yanmar 4TNE88 Engine</i>			<i>GCS25</i>		
854570		P4	2910055650	Fuel	L549F	247050	Trans	LFH8799
	Trans	P92	12915035152	Oil	PH2808	<i>GCX17E</i>		
<i>CFY150, 165, 180B, 180BD; CHYWP160, 180B; CY150, 160, 160BD, 165, 180B</i>			<i>CT40</i>			668788	Air	AF70
888936	Air	LAF1246²		Oil	P3	918648	Oil	PH2856A
944954		LAF234HD²		Trans	P4	<i>GCX25</i>		
945059		LAF237²	<i>CY150 w/Hercules JXC Engine</i>			886525	Air	LAF222²
887764	Hydraulic	P137		Oil	P4	<i>GCX25E, GCX30E</i>		
854570	Oil	P4	<i>CY165, CY180, CY200 w/Hercules JXC Engine</i>			918648	Oil	PH2856A
	Trans	LP151¹²⁶³		Trans	P92	<i>GPS15 w/Mitsubishi 4G54 Engine</i>		
<i>CGC25 w/Mitsubishi 4G64 2.4L Engine</i>			<i>CY200L, 200LD, 200S, 200SD, 225, 250, 300; CFY200, 200L, 200LD, 200S, 200SD, 225D, 250D; CHY200L, 2</i>			<i>GPX20, GPX25</i>		
6666334	Air	LAF8114¹	888936	Air	LAF1246²	2370631	Hydraulic	LFH8460
6666333		LAF8143²	994954		LAF2338²	<i>GPX230 w/Mitsubishi M654 Engine</i>		
MM409365	Oil	PH2808	945059		LAF237²	886525	Air	LAF222²
	Trans	LFP2546	887764	Hydraulic	P137	2366807	Hydraulic	LFH8173
<i>CHY140, CHY140D, CY140, CY140D</i>			854570	Oil	P4	909213	Oil	PH2856A
886525	Air	LAF222²		Trans	LP151¹²⁶³	2791199	Trans	LFH8460
994954		LAF234HD²	<i>CY350, 400, 450, 500; CY350B, 400B, 500B; CY350BD, 400BD, 500BD</i>			<i>GPX30</i>		
887764	Hydraulic	P137	892129	Air	LAF262HD	886525	Air	LAF222²
854570	Oil	P4	<i>DCS251</i>			910535	Oil	PH4403
(990936); By-Pass		PB50	2366807	Hydraulic	LFH8173	990937	Trans	PH400²⁷⁵
<i>CL30 w/Continental Engine</i>			909213	Oil	PH2856A	990937		PH8A¹⁴⁹⁶
871975	Hydraulic	LP2279¹⁰⁹⁹	119936862	Trans	LFH8799	<i>GPX30, GPX40, GPX50 w/Perkins Engine</i>		
854571	Oil	P3¹⁵	<i>GC127, GP127</i>			886525	Air	LAF222²
(854570); Opt.		P4	880044	Air	AF70	910535	Oil	PH4403
<i>CL3024, 4024, 5024 w/Continental F4162 Engine</i>				Oil	PH2856A	990937	Trans	PH400²⁷⁵
854571	Oil	P3	<i>GC138I, GP138I w/Diesel Engine</i>			990937		PH8A¹⁴⁹⁶
854570		P4	Gas	Fuel	G475	<i>H30, H40, H50, H30D, H40D, H50D, HY40, HY50, HY40D, HY50D, Y40, Y50, Y40D, Y50D</i>		
	Trans	P92	Diesel	Oil	L296F⁴¹	668788	Air	AF70
<i>CL40</i>					PH253¹⁴⁹⁶	889098		LAF1275²
871975	Hydraulic	LP2279¹⁰⁹⁹			PH2835²⁷⁵	854571	Oil	P3
854571	Oil	P3	<i>GC138I, GP138I w/Gas Engine</i>			(990936); By-Pass	Oil	PB50
(854570); Opt.		P4	Gas	Fuel	G475	854570	Trans	P4
<i>CL50</i>			Diesel		L296F⁴¹	<i>HCL</i>		
871975	Hydraulic	LP2279¹⁰⁹⁹			PH253¹⁴⁹⁶		Oil	P2
854571	Oil	P3	<i>GC138MB,MC; GP138MB,MC w/Mitsubishi MG54 Engine</i>			<i>HUT100, HUTS100, 7024, 8024 w/Continental F6209</i>		
(854570); Opt.		P4	2366807	Hydraulic	LFH8173	854571	Oil	P3
<i>Clarkat 20, 26</i>			909213	Oil	PH2856A	854570	Trans	P92
	Air	AF70	2791199	Trans	LFH8460	<i>HY80</i>		
871975	Hydraulic	LP2279¹⁰⁹⁹	<i>GC138WC, GP138WC w/Waukesha D176 Engine</i>				Hydraulic	LH4921
(854570); Opt.	Oil	P3	(990936); By-Pass	Oil	PB50	<i>IT30, IT40, IT40B, IT50, IT60, IT70, IT80, IT355, IT581, TFY30, TFY40</i>		
<i>Clarklift 20, 25, 30, 40, 50</i>					PH2835²⁷⁵	889098	Air	LAF1275²
	Hydraulic	LP2279¹⁰⁹⁹	<i>GCS20-30 w/Mitsubishi 4G54 Engine</i>			1810889	Hydraulic	LH4921
871975		LP2279			LFH8173	1810143		LH4923
854571	Oil	P3						
854570		P4						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 15-Standard 41-Cartridge 275-Primary 1099-Torque Converter 1263-And 3967 gasket 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CLARK (LIFT TRUCK)			CLARK (LOADER)			CLARK (LOGGING EQUIPMENT)		
<i>IT30, IT40, IT40B, IT50, IT60, IT70, IT80, IT355, IT581, TFY30, TFY40 (cont'd)</i>			<i>35B w/Isuzu Engine (cont'd)</i>			<i>668, 668B w/Cummins V504C Engine (cont'd)</i>		
887764	Hydraulic	LP468		Trans	LH4918		Trans	LP151 ¹²⁶³
854571 (990936); By-Pass	Oil	P3 PB50	961001	Air	LAF1725 ¹ LAF9001 ²	1991853	Air	LAF1787 ¹ LAF1790 ¹
992221	Trans	HP1	961000	Fuel	LFF3501	1991852		LAF1790 ¹ LAF1834 ²
<i>IT50BD w/Perkins Engine</i>				Hydraulic	LH4394	1991959		LAF1834 ² LAF1835 ¹
	Air	LAF222 ²		Oil	LFP2292	1991960		LAF1835 ¹ LAF6769
	Fuel	L23F		Trans	LFH8799	946897		LAF6769 LAF6769MXM ²⁶⁸
	Hydraulic	P137	<i>45B w/Perkins Engine</i>				Trans	LP151 ¹²⁶³
	Oil	P771A	944954	Air	LAF234HD ²	<i>668, 668B w/Detroit Diesel 6V53N Engine</i>		
<i>Models with Cessna Hydr. Systems</i>				Fuel	L296F ⁴¹	1991853	Air	LAF1787 ¹ LAF1790 ¹
62200-AF	Hydraulic	LP6005 ²⁴²		Oil	LFP2292	1991852		LAF1790 ¹ LAF1834 ²
<i>Models with Hydratorque Trans.</i>			<i>55B w/Cummins Engine</i>			1991959		LAF1834 ² LAF1835 ¹
	Oil	P2 ¹²	948313	Air	LAF8668	1991960		LAF1835 ¹ LAF6769
<i>R600, R700, RHY Series w/Detroit Diesel 4-53 Engine</i>			2515079	Hydraulic	LH4911	946897		LAF6769 LAF6769MXM ²⁶⁸
(5573263); Sec. (5574508); Opt. (5574961); Pri.	Fuel	261F 262F L274F	<i>55C w/Cummins V378C Engine</i>				Trans	LP151 ¹²⁶³
	Oil	LP132 ¹¹⁰⁶ LP2279 ⁹⁶⁷ P71	965899	Hydraulic	LFH1832	CLARK (SKIDDER)		
By-Pass			<i>Carloader 3024 w/Continental Engine</i>			<i>664 w/Detroit Diesel 3-53 Engine</i>		
<i>SDUTE</i>				Oil	P4	1990108	Air	LAF1616 LAF24
	Oil	P71		Trans	P92	946092		LAF6587 LAF6587MXM ²⁶⁸
<i>TR1024 w/Continental Y91 Engine</i>			<i>Clarkloader 340 w/Waukesha 180DLC Engine</i>			1990248		LH4914
854571	Oil	P3	Pri.	Fuel	L3567F ¹²⁶⁴		Power Steering	
854570	Oil	P4	119390	Oil	700		Trans	LP151 ¹²⁶³
	Trans	P92	869688	Oil	P71	<i>666, 666B, 667GS w/Cummins V352C Engine</i>		
<i>Truckloader 1024</i>			<i>Clarkloader 340 w/Waukesha 180GKB Engine</i>			1990248	Air	LAF6587 LAF6587MXM ²⁶⁸
	Oil	P3		Oil	700 P4		Trans	LP151 ¹²⁶³
<i>UT60 w/John Deere 4219 Engine</i>			CLARK (LOGGING EQUIPMENT)			<i>666, 666B, 667GS w/Detroit Diesel 4-53 Engine</i>		
AR50041	Fuel	P1130	<i>664D w/Detroit Deisel 3-53 Engine</i>			1990108	Air	LAF1616 LAF24
T19044	Oil	FP20	1990244	Air	LAF6587 ² LAF6587MXM ^{2, 268} LAF6834 ¹	946092		LAF6587 LAF6587MXM ²⁶⁸
<i>UT-6024, 7024 w/Continental F6209 Engine</i>			1993689			1990248		LAF6587 LAF66
854571	Oil	P3	1992053	Hydraulic	LFH7355		P101066	LH4914
854570	Oil	P4	<i>665D w/Detroit Diesel 3-53 Engine</i>				886351	Power Steering
	Trans	P92		Air	LAF6587 ² LAF6587MXM ^{2, 268} LAF6834 ¹		Trans	LP151 ¹²⁶³
<i>UTILITRUCK 100 w/Continental Engine</i>				Hydraulic	LFH5068-10	<i>667 w/Detroit Diesel 4-53 Engine</i>		
	Oil	P4	<i>666D w/Cummins 6B5.9 Engine</i>			1990248	Air	LAF6587 ² LAF6587MXM ^{2, 268} LAF6834 ¹
<i>UTILITRUCK 120 w/Continental HD260 Engine</i>				Air	LAF7315 ¹ LAF9000 ²			
Sec.	Fuel	261F	Pri.	Fuel	LFF3417	CLARK (WHEEL LOADER)		
	Oil	P71	Sec.	Fuel	LFF3521	<i>C440B</i>		
<i>Utilitruck 6024, 7024 w/Continental Engine</i>				Oil	LFP780 LFP780XL ¹⁴	668788	Air	AF70
	Oil	P4		Trans	LFH4223 LFH4223XL ¹⁴		Oil	P3
<i>Yardlift 150, 2024, 4024, 6024 w/Continental Engine</i>			<i>667 w/Cummins V378C Engine</i>				Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
P122510	Air	LAF1275 ²	944954	Air	LAF234HD ²	CLARK (YARD TRACTOR)		
854571	Oil	P3	<i>668 w/Cummins C352 Engine</i>			<i>20, 30, 40, 50 w/Ford 6-240 Industrial Engine</i>		
854570	Oil	P4	1990248	Air	LAF6587 LAF6587MXM ²⁶⁸		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>YL50</i>			<i>668, 668B w/Cummins V504C Engine</i>					
	Oil	P4	1990248	Air	LAF6587 LAF6587MXM ²⁶⁸			
CLARK (LOADER)			<i>35B w/Isuzu Engine</i>					
	Air	LAF1246 ²		Fuel	L3528F			
	Fuel	L3528F		Oil	LP2256			
	Oil	LP2256						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 14-Extended Life 41-Cartridge 242-10 Micron 268-Extended/Severe service 275-Primary 967-5.86" Tall Cartridge 1106-9" Hgt. 1263-And 3967 gasket 1264-Fram 1103 Housing 1496-Alternate

C

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CLARK (YARD TRACTOR)			CMC (CONSTRUCTION EQUIPMENT)			COLEMAN (EQUIPMENT)		
21, 30, 40, 46 w/Chrysler Industrial 30 6 cyl. Engine			PR1200 Profiler w/Cummins KTA38 Engine (cont'd)			MH4000 RDHK Light Tower w/Kubota D850 Engine		
	Oil	P7FF		Air	LAF6453MXM ^{2, 268}		Air	LAF2745A ²
225, 300 w/Ford M477 Engine			PR275, PR275RT Profiler w/Caterpillar 3306 Engine				Fuel	FP590F
	Oil	P114	4L9852	Air	LAF852		Oil	PH2808
CKT-5, CK-20, CK-26, CT-21, FCT-30, FCT-40, FCT-461 Continental Engine			PR450			COMBLIFT (LIFT TRUCK)		
	Oil	P3	P117332	Air	LAF5255	C10000 w/GM 3.0L LPG Engine		
CKT-C, 81			PR525 Roto-Mill w/Detroit Diesel 12V-71 Engine			CPK00144	Air	LAF1848
	Oil	L24A		Air	LAF5069 ² LAF5069MXM ^{2, 268} LAF5070 ¹		Oil	PH454
CT20B, CT6 20B, CT20D, CTA6, CTF20B			PR750, PR750A Profiler w/Caterpillar 3412 Engine			CPHY0012	Trans	LFH4268 ⁵⁹⁰
889289	Air	AF101	P117441	Air	LAF9155 ² LAF9155MXM ^{2, 268} LAF9159 ¹	C10000 w/Kubota V2003T Engine		
886525	Air	LAF222 ²	P114931	Air	LAF9159 ¹	CPK00144	Air	LAF8148 ²
854571	Oil	P3	PR800-7 Profiler w/Caterpillar 3412 Engine			1663143560	Fuel	FP591F
854570	Oil	P4	P117441	Air	LAF9155 ² LAF9155MXM ^{2, 268} LAF9159 ¹	CPK00056		G1 ⁵³¹
(990936); By-Pass		PB50	P114931	Air	LAF9159 ¹	1641432430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
CT30, CT30B, CT6 30B, CTA6, CTF6, CTF30B			PST300 Placer/Spreader/Trimmer w/Caterpillar 3306 Engine			CPHY0012	Trans	LFH4268 ⁵⁹⁰
889289	Air	AF101	PST300 Placer/Spreader/Trimmer w/Caterpillar 3306 Engine			C10000 w/Volkswagen IM4Z LPG Engine		
886525	Air	LAF222 ²	4L9852	Air	LAF852	CPK00144	Air	LAF8148 ²
854571	Oil	P3	PST300 Placer/Spreader/Trimmer w/Caterpillar D333C Engine			068115561B	Oil	PH2815 ¹⁴⁹⁶
854570	Oil	P4	4L9852	Air	LAF852	068115561B	Oil	PH561 ²⁷⁵
(990936); By-Pass		PB50	RS425 Reclaimer w/Caterpillar 3304B Engine			CPHY0012	Trans	LFH4268 ⁵⁹⁰
CT40B, CT40D, CT6 40B, CTA6, CTF40B			SF300 Slipform Paver w/Caterpillar 3306 Engine			C14000 w/GM V6 4.3L LPG Engine		
889289	Air	AF101		Air	LAF1765 ¹ LAF6453 ² LAF6453MXM ^{2, 268}	CPK00144	Air	LAF8148 ²
886525	Air	LAF222 ²	TR225 Trimmer/Reclaimer w/Caterpillar 3208 Engine			22679	Oil	PH400 ^{275, 1265}
854571	Oil	P3		Air	LAF852	7110200		PH51A ¹²⁶⁶
854570	Oil	P4	TR250 w/Caterpillar 3208 Engine			22679		PH8A ^{1265, 1496}
(990936); By-Pass		PB50	P117433	Air	LAF9200	CPHY0012	Trans	LFH4268 ⁵⁹⁰
CT50B, CT50D, CT1623551, CT6 50B, CTA6, CTF50B				Hydraulic	LH4594 LP509 LP50910	C14000 w/Kubota V3300T Engine		
889289	Air	AF101	COLEMAN (EQUIPMENT)			CPK00144	Air	LAF8148 ²
886525	Air	LAF222 ²	12.5KW Generator w/Isuzu 3LD1 Engine			1663143560	Fuel	FP591F
854571	Oil	P3		Air	LAF2745A ²	1C01032430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
854570	Oil	P4		Oil	PH2808	CPHY0012	Trans	LFH4268 ⁵⁹⁰
(990936); By-Pass		PB50	40KW, 60KW Generator w/John Deere 4039T Engine			C17300 w/GM V6 4.3L LPG Engine		
CT60B, CT60D, CT1623551, CT6 60B, CTA6, CTF60B				Fuel	L3887F LFF8061 LFF8061U ¹⁷¹	CPK00144	Air	LAF8148 ²
889289	Air	AF101	COLEMAN (EQUIPMENT)			22679	Oil	PH400 ^{275, 1265}
886525	Air	LAF222 ²	12.5KW Generator w/Isuzu 3LD1 Engine			7110200		PH51A ¹²⁶⁶
854571	Oil	P3		Air	LAF2745A ²	22679		PH8A ^{1265, 1496}
854570	Oil	P4		Oil	PH2808	CPHY0012	Trans	LFH4268 ⁵⁹⁰
(990936); By-Pass		PB50	40KW, 60KW Generator w/John Deere 4039T Engine			C17300 w/Kubota V3300T Engine		
FCT80, FCT120 Continental Engine				Fuel	L3887F LFF8061 LFF8061U ¹⁷¹	CPK00144	Air	LAF8148 ²
	Oil	P4		Oil	FP20	1663143560	Fuel	FP591F
CMC (CONSTRUCTION EQUIPMENT)						1C01032430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
3-90C Trashmaster						CPHY0012	Trans	LFH4268 ⁵⁹⁰
1023185119	Air	LAF8407 ² LAF8407MXM ^{2, 268}	COLEMAN (EQUIPMENT)			C2500, C2500EST w/GM L4 3.0L LPG Engine		
1023185121	Air	LAF8408 ¹	12.5KW Generator w/Isuzu 3LD1 Engine			CPV00011	Air	LAF6205 ²
1023216613	Coolant	LFW4071 ^{28, 205}		Air	LAF2745A ²	CPHY0012	Hydraulic	LFH4268 ⁶⁰⁷
(1023216612); W/S	Fuel	LFF1000		Oil	PH2808	C2500, C2500EST w/Kubota V1505T Engine		
1023216611	Oil	LFP3000 LFP3000XL ¹⁴				CPV00011	Air	LAF6205 ²
AG65 Grader w/Caterpillar D336 Engine						CPK00056	Fuel	G1 ⁵³¹
	Air	LAF480				CPHY0012	Hydraulic	LFH4268 ⁶⁰⁷
Autoblade w/Caterpillar Engine						1627132092	Oil	PH2808
P110506	Air	LAF506	COLEMAN (EQUIPMENT)			C3000 w/GM L4 3.0L LPG Engine		
H16						CPV00011	Air	LAF6205 ²
	Air	LAF702				CPK00056	Fuel	G1 ⁵³¹
MTP400 Material Handler w/Cummins 5.9L Engine						CPHY0012	Hydraulic	LFH4268 ⁶⁰⁷
	Air	LAF8668 ² LAF8674 ¹				1627132092	Oil	PH2808
PR1200 Profiler w/Cummins KTA38 Engine						C3000 w/GM L4 3.0L LPG Engine		
	Air	LAF1765 ¹ LAF6453 ²				CPV00011	Air	LAF6205 ²
						CPHY0012	Hydraulic	LFH4268 ⁶⁰⁷

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 28-Contains 1 oz. of chemical 171-With Sensor Port 205-Maintenance 268-Extended/Severe service 275-Primary 531-Filter only 590-Hydrostatic 607-Return 1265-With Oil Cooler 1266-Without Oil Cooler 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
COMBLIFT (LIFT TRUCK)			COMBLIFT (LIFT TRUCK)			COMBLIFT (LIFT TRUCK)		
<i>C3000 w/Kubota V1505T Engine</i>			<i>C5000L w/GM L4 3.0L LPG Engine</i>			<i>C9000 w/GM L4 3.0L LPG Engine (cont'd)</i>		
CPV00011	Air	LAF6205 ²	CPK00144	Air	LAF8148 ²		Oil	PH454
CPK00056	Fuel	G1 ⁵³¹		Oil	PH454	CPHY0012	Trans	LFH4268 ⁵⁹⁰
CPHY0012	Hydraulic	LFH4268 ⁶⁰⁷	CPHY0012	Trans	LFH4268 ⁵⁹⁰	<i>C9000 w/Kubota V2003T Engine</i>		
1627132092	Oil	PH2808	<i>C5000L w/Kubota V2003T Engine</i>			CPK00144	Air	LAF8148 ²
<i>C3500, C3500N w/GM L4 3.0L LPG Engine</i>			CPK00144	Air	LAF8148 ²	1663143560	Fuel	FP591F
CPV00011	Air	LAF6205 ²	1663143560	Fuel	FP591F	CPK00056		G1 ⁵³¹
CPHY0012	Trans	LFH4268 ⁵⁹⁰	CPK00056		G1 ⁵³¹	1641432430	Oil	PH253 ¹⁴⁹⁶
<i>C3500, C3500N w/Kubota V2003T Engine</i>			1641432430	Oil	PH253 ¹⁴⁹⁶			PH2835 ²⁷⁵
CPV00011	Air	LAF6205 ²	CPHY0012	Trans	LFH4268 ⁵⁹⁰	CPHY0012	Trans	LFH4268 ⁵⁹⁰
1663143560	Fuel	FP591F	<i>C5000SL, C5000SR w/Kubota V2003T Engine</i>			<i>COMBi-CB CUBE w/GM L4 3.0L LPG Engine</i>		
CPK00056		G1 ⁵³¹	CPK00144	Air	LAF8148 ²	CPK00144	Air	LAF8148 ²
1641432430	Oil	PH253 ¹⁴⁹⁶	1663143560	Fuel	FP591F		Oil	PH454
		PH2835 ²⁷⁵	CPK00056		G1 ⁵³¹	CPHY0012	Trans	LFH4268 ⁵⁹⁰
CPHY0012	Trans	LFH4268 ⁵⁹⁰	1641432430	Oil	PH253 ¹⁴⁹⁶	<i>COMBi-CB CUBE w/Kubota V1505T Engine</i>		
<i>C4000, C4000N w/GM L4 3.0L LPG Engine</i>			CPHY0012	Trans	LFH4268 ⁵⁹⁰	CPK00144	Air	LAF8148 ²
CPV00011	Air	LAF6205 ²	<i>C6000 w/GM L4 3.0L LPG Engine</i>			CPK00056	Fuel	G1 ⁵³¹
CPHY0012	Trans	LFH4268 ⁵⁹⁰	CPK00144	Air	LAF8148 ²	1627132092	Oil	PH2808
<i>C4000, C4000N w/Kubota V2003T Engine</i>			CPHY0012	Trans	LFH4268 ⁵⁹⁰	CPHY0012	Trans	LFH4268 ⁵⁹⁰
CPV00011	Air	LAF6205 ²	<i>C6000 w/Kubota V2003T Engine</i>			COMPACT (EQUIPMENT)		
1663143560	Fuel	FP591F	CPK00144	Air	LAF8148 ²	<i>T20 w/Kubota V1902 Engine</i>		
CPK00056		G1 ⁵³¹	1663143560	Fuel	FP591F	P181052	Air	LAF222 ²
1641432430	Oil	PH253 ¹⁴⁹⁶	CPK00056		G1 ⁵³¹		Fuel	FP586F
		PH2835 ²⁷⁵	1641432430	Oil	PH253 ¹⁴⁹⁶		Hydraulic	LFH4922
CPHY0012	Trans	LFH4268 ⁵⁹⁰	CPHY0012	Trans	LFH4268 ⁵⁹⁰	<i>T50 w/John Deere Engine</i>		
<i>C4500, C4500N w/GM L4 3.0L LPG Engine</i>			<i>C6000 w/Volkswagen IM4Z LPG Engine</i>			P119410	Air	LAF9410
CPV00011	Air	LAF6205 ²	CPK00144	Air	LAF1848		Hydraulic	LFP449
CPHY0012	Trans	LFH4268 ⁵⁹⁰	068115561B	Oil	PH2815 ¹⁴⁹⁶	COMPAIR (AIR COMPRESSOR)		
<i>C4500, C4500N w/Kubota V2003T Engine</i>			068115561B	Oil	PH561 ²⁷⁵	<i>4000EL</i>		
CPV00011	Air	LAF6205 ²	CPHY0012	Trans	LFH4268 ⁵⁹⁰	L11731	Hydraulic	LFH8534
1663143560	Fuel	FP591F	<i>C6000SL, C6000SR w/Kubota V2003T Engine</i>			<i>6010</i>		
CPK00056		G1 ⁵³¹	CPK00144	Air	LAF8148 ²	L11731	Hydraulic	LFH8534
1641432430	Oil	PH253 ¹⁴⁹⁶	1663143560	Fuel	FP591F	<i>6010ELK, 6012ELK, 6015ELK</i>		
		PH2835 ²⁷⁵	CPK00056		G1 ⁵³¹	L11731	Hydraulic	LFH8534
CPHY0012	Trans	LFH4268 ⁵⁹⁰	1641432430	Oil	PH253 ¹⁴⁹⁶	<i>6020ELK, 6025ELK</i>		
<i>C4500SL, C4500SR w/Kubota V2003T Engine</i>			CPHY0012	Trans	LFH4268 ⁵⁹⁰	L11731	Hydraulic	LFH8534
CPK00144	Air	LAF8148 ²	<i>C8000 w/GM L4 3.0L LPG Engine</i>			<i>6020ELX, 6025ELX</i>		
1663143560	Fuel	FP591F	CPK00144	Air	LAF8148 ²	L11731	Hydraulic	LFH8534
CPK00056		G1 ⁵³¹	1663143560	Fuel	FP591F	<i>6030ELX</i>		
1641432430	Oil	PH253 ¹⁴⁹⁶	CPK00056		G1 ⁵³¹	L11731	Hydraulic	LFH8534
		PH2835 ²⁷⁵	1641432430	Oil	PH253 ¹⁴⁹⁶	<i>6100AS, 6115AS, 6125AS</i>		
CPHY0012	Trans	LFH4268 ⁵⁹⁰	CPHY0012	Trans	LFH4268 ⁵⁹⁰	(C111581041); 387mm	Air	LAF1716 ²
<i>C5000 w/GM L4 3.0L LPG Engine</i>			<i>C8000 w/Kubota V2003T Engine</i>			CORE CUT (CONCRETE SAW INDUSTRIAL)		
CPK00144	Air	LAF8148 ²	CPK00144	Air	LAF8148 ²	<i>CC3700 w/Wisconsin V465D Engine</i>		
CPHY0012	Trans	LFH4268 ⁵⁹⁰	1663143560	Fuel	FP591F	P822769	Air	LAF8114 ¹
<i>C5000 w/Kubota V2003T Engine</i>			CPK00056		G1 ⁵³¹	P822768	Oil	LAF8143 ²
CPK00144	Air	LAF8148 ²	1641432430	Oil	PH253 ¹⁴⁹⁶			LFP2252
1663143560	Fuel	FP591F	CPHY0012	Trans	LFH4268 ⁵⁹⁰	<i>CC65 w/Wisconsin V465D Engine</i>		
CPK00056		G1 ⁵³¹	<i>C8000 w/VW IM4Z LPG Engine</i>				Air	LAF1948 ¹
1641432430	Oil	PH253 ¹⁴⁹⁶	CPK00144	Air	LAF1848		Oil	LAF281 ²
		PH2835 ²⁷⁵	068115561B	Oil	PH2815 ¹⁴⁹⁶			PH400 ²⁷⁵
CPHY0012	Trans	LFH4268 ⁵⁹⁰	068115561B	Oil	PH561 ²⁷⁵			PH8A ¹⁴⁹⁶
<i>C5000 w/Volkswagen IM4Z LPG Engine</i>			CPHY0012	Trans	LFH4268 ⁵⁹⁰	<i>CC6560XL w/Deutz bf31/1011 Engine</i>		
CPK00144	Air	LAF1848	<i>C9000 w/GM L4 3.0L LPG Engine</i>			P827653	Air	LAF8148 ²
068115561B	Oil	PH2815 ¹⁴⁹⁶	CPK00144	Air	LAF8148 ²	P829332		LAF9332 ¹
068115561B	Oil	PH561 ²⁷⁵						
CPHY0012	Trans	LFH4268 ⁵⁹⁰						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 275-Primary 531-Filter only 590-Hydrostatic 607-Return 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CORE CUT (CONCRETE SAW INDUSTRIAL)			CUMMINS (GENERATOR)			CUMMINS (GENERATOR)		
<i>CC6560XL w/Deutz bf311011 Engine (cont'd)</i>			<i>3A1.7 (cont'd)</i>			<i>N-855, NT-855, NTA-855 N14</i>		
	Fuel	LFF3518	1220550	Oil	LFP2267		Coolant	LFW4071 ²⁸
	Oil	PH561	<i>4A2.3</i>				Fuel	L43F LFF5 LFF5D LFF8020 LFF90011
<i>CC8000 w/Deutz BF4L1011 Engine</i>			1401089	Air	AF5HD ¹²⁶⁷	Pri. W/S W/S	Oil	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴ LP566
	Fuel	LFF3518	1401539		LAF1784 ¹			
K23018	Hydraulic	LFH7355	1401204		LAF222 ^{2, 15}			
	Oil	PH561	1401540		LAF9538 ² LAF9538MXM ^{2, 268}			
CROWN (LIFT TRUCK)			1491758	Fuel	LFF1005	By-Pass By-Pass	Oil	LFP734 LFP777B LFP777XL ¹⁴ LP613
<i>C5 w/John Deere PowerTech E2.4 Engine</i>			1491802		LFF1129			
(RE508202); Sec.	Fuel	L8569F	1220550	Oil	LFP2267	<i>QSB4.5</i>		
(RE533626); Sec.		L8891F	<i>4B</i>			W/S W/S W/S	Fuel	L3523F LFF5421 LFF9608 LFF9616 ²¹⁰ LFF9732
RE519626	Oil	LFP8340	(3925274); Pri.	Fuel	LFF3417 ¹⁸⁰			
CUB CADET YANMAR (TRACTOR)			(3903640); Sec.		LFF3521 ¹⁸⁰			
<i>EX2900</i>			3903640		LFF3521 ¹⁸¹			
12908712510	Air	LAF8195 ²	(3903202); W/S		LFF8062 ¹²	Oil	LFP3900 LFP3970 LFP6015	
12905112530		LAF8690 ¹	3908616	Oil	LFP3900			
11980255801	Fuel	FP570F	<i>4BT</i>			<i>QSB6.7</i>		
12915035152	Oil	PH2808	(3925274); Pri.	Fuel	LFF3417 ¹⁸⁰	W/S Sec. W/S	Fuel	LFF1065 ²¹⁰ LFF5421 LFF5632 LFF9732
<i>EX3200</i>			(3903640); Sec.		LFF3521 ¹⁸⁰			
12908712510	Air	LAF8195 ²	3903640		LFF3521 ¹⁸¹	Oil	LFP3900 LFP3970 LFP6015	
12905112530		LAF8690 ¹	(3903202); W/S		LFF8062 ¹²			
11980255801	Fuel	FP570F	3908616	Oil	LFP3900	<i>V-378, V-504</i>		
12915035152	Oil	PH2808	<i>6-590/6B5.9</i>			Coolant	Fuel	LFW4071 ²⁸ LFF5 LFF5D LFF8020 LFF90011
<i>EX450</i>			Pri.	Fuel	LFF3417 LFF3521 LFF8062			
1190512571	Air	LAF8114 ¹	W/S		LFP780 LFP780XL ¹⁴	Oil	LFP734 LFP777B LFP777XL ¹⁴ LP613	
12290612520		LAF8143 ²	<i>6A-3.4</i>					
11980255801	Fuel	FP590F		Air	AF5HD LAF1246	CUSHION (CONCRETE SAW INDUSTRIAL)		
12915035153	Oil	PH2808		Fuel	LFF1129	<i>530 w/Volkswagen 53 hp Engine</i>		
<i>LX410 w/Yanmar Engine</i>				Oil	LFP2267	K-22001	Hydraulic	LFP1652
1190512571	Air	LAF8114 ¹	<i>KT-1150, KTA-1150 KT19</i>			<i>G24 w/Wisconsin V-465D Engine</i>		
12290612520		LAF8143 ²		Coolant	LFW4071 ²⁸	K-22001	Hydraulic	LFP1652
11980255800	Fuel	LFF8350	Pri.	Fuel	LFF5D	D. B. ELPHINSTONE (MINING EQUIPMENT)		
12915035153	Oil	PH2808	W/S		LFF8020	<i>69C Underground Haul Unit w/Caterpillar 3408 Engine</i>		
<i>LX450 w/Yanmar Engine</i>			W/S		LFF90011	Pri. Sec. 1R0716	Fuel	L3531F LFF5823B
1190512571	Air	LAF8114 ¹		Oil	LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴			
12290612520		LAF8143 ²	By-Pass			Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	
11980255800	Fuel	LFF8350	By-Pass					
12915035153	Oil	PH2808	<i>KT-2300, KTA-2300 KT38</i>			<i>69C Underground Haul Unit w/Caterpillar 3408 Engine</i>		
<i>SC2400, SC2450</i>				Coolant	LFW4073 ²⁵⁵	<i>69C Underground Haul Unit w/Caterpillar 3408 Engine</i>		
	Air	LAF22056 ¹ LAF8388 ²	Pri.	Fuel	LFF202	Pri.	Fuel	L3531F LFF5823B
	Oil	PH2867		Oil	LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴	Sec.	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
11930535150			By-Pass			CUMMINS (GENERATOR)		
CUMMINS (GENERATOR)			By-Pass			<i>3A-1.4L Tier 2</i>		
<i>3A-1.4L Tier 2</i>			W/S	Fuel	LFF8060	<i>3A1.7</i>		
	Oil	PH2835		Oil	PH2835	<i>1401089</i>		
<i>3A1.7</i>						<i>1401204</i>		
1401089	Air	AF5HD ¹²⁶⁷				<i>1491758</i>		
1401204		LAF222 ^{2, 15}						
1491758	Fuel	LFF1005						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 15-Standard 28-Contains 1 oz. of chemical 180-Dual Filter
181-Single 210-w/ Sensor 255-Contains 3 oz. of chemical 268-Extended/Severe service 1267-Automotive

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
D. B. ELPHINSTONE (MINING EQUIPMENT)			DAEWOO (EXCAVATOR)			DAEWOO (EXCAVATOR)		
<i>73B Underground Haul Unit w/Caterpillar 3412 Engine</i>			<i>DH170 w/Perkins 1006-6HR Engine (cont'd)</i>			<i>Solar 130W III w/DB58T Engine (cont'd)</i>		
Pri.	Fuel	L3531F		Air	LAF6834 ¹	65125035005	Fuel	L3528F
Sec.		LFF5823B		Fuel	L296F ⁴¹	<i>Solar 170W III w/D1146 Engine</i>		
1R0716	Oil	LFP4005		Oil	LFP2292	24746006A	Air	LAF1804 ²
		LFP4005TRT ³	<i>DH180</i>			24749038		LAF6834 ¹
		LFP4005XL ¹⁴	24749020	Air	LAF8668 ²	(65125035001); Pri.		
<i>AD20 Underground Haul Unit w/Caterpillar 3304 Engine</i>			24749019		LAF8674 ¹	(65125035004); Sec.		
Pri.	Fuel	L3531F	Pri.	Fuel	L3401F ¹⁰⁸	(65125035016); W/S		
Sec.		LFP440F			LFF3403	24711154		
1R-0739	Oil	LFP3191		Oil	LP614	<i>Solar 175LC-V w/DB58TIS Engine</i>		
1R-0739		LFP3191TRT ³	<i>DH180LC, DH200LC w/D0846HM Engine</i>			24749053	Air	LAF1768 ²
		LFP3191XL ¹⁴	94749002	Air	LAF8663 ¹	24749054		LAF8392 ¹
		LFP4005	94749001		LAF8664 ²	(65125035016); W/S		
		LFP4005TRT ³	24749020		LAF8668 ²	24711154	Hydraulic	LH22019 ¹¹³⁷
		LFP4005XL ¹⁴	24749019		LAF8674 ¹	24749404A		LH8544 ¹⁰⁷⁷
1W-2660		LFP4005		Fuel	L3401F ¹⁰⁸	6505510515	Oil	LFP7181
		LFP4005TRT ³	65125035005			<i>Solar 180W-V w/DB58TIS Engine</i>		
		LFP4005XL ¹⁴	65125035001			24749053	Air	LAF1768 ²
<i>R1500, R1700 Loaders w/Caterpillar 3306 Engine</i>			24749037			24749054		LAF8392 ¹
Pri.	Fuel	L3531F	<i>DH200W w/D1146 Engine</i>			24749404A	Hydraulic	LH8544 ¹⁰⁷⁷
Sec.		LFP440F		Air	LAF8668 ²	65055105015	Oil	LFP7181
1R-0739	Oil	LFP3191			LAF8674 ¹	<i>Solar 200W III w/D1146 Engine</i>		
1R-0739		LFP3191TRT ³	65125035001				Air	LAF8668 ²
		LFP3191XL ¹⁴		Fuel	L3401F ¹⁰⁸			LAF8674 ¹
		LFP4005	24749037				Fuel	L3401F ¹⁰⁸
		LFP4005TRT ³	<i>DH220LC w/D1146 Engine</i>			(65125035004); Sec.		
		LFP4005XL ¹⁴	(24749020); -S/N 950	Air	LAF8663 ¹	(65125035016); W/S		
<i>R2800 Loader w/Caterpillar 3406 Engine</i>			24749019		LAF8668 ²	(65125035001); Sec.		
Pri.	Fuel	L3531F	24749037	Oil	LFP734	24711154	Hydraulic	LH22019 ¹¹³⁷
Sec.		LFF5823B	<i>DH320 w/D2366T Engine</i>			24749003B		LH8498 ¹¹⁷¹
1R0716	Oil	LFP4005	24746003	Air	LAF6587 ²	24749037	Oil	LFP734
		LFP4005TRT ³			LAF6587MXM ^{2, 268}	<i>Solar 200W-V w/DB58TI Engine</i>		
		LFP4005XL ¹⁴	(65125035004); Sec.			24749053	Air	LAF1768 ²
<i>UC500 Service and Charging Unit w/Caterpillar 3304 Engine</i>			<i>DH450 w/D2848T Engine</i>			24749054		LAF8392 ¹
Pri.	Fuel	L3531F	24719023	Air	LAF6412 ²	24749404A	Hydraulic	LH8544 ¹⁰⁷⁷
Sec.		LFP440F	24719024		LAF8648 ¹	65055105015	Oil	LFP7181
1R-0739	Oil	LFP3191		Fuel	L3405F ¹⁰⁸	<i>Solar 280LC II w/D2366 Engine</i>		
1R-0739		LFP3191TRT ³	65125035002			24746003	Air	LAF6587 ²
		LFP3191XL ¹⁴			L61F	24746025		LAF6834 ¹
		LFP4005		Hydraulic	LFF3507	(65125035004); Sec.		
		LFP4005TRT ³	24749008		LH8498	(65125035002); Pri.		
		LFP4005XL ¹⁴	24749404A		LH8544	247490415	Hydraulic	LH22019 ¹¹³⁷
DAEWOO (EXCAVATOR)			<i>DH50</i>			24749404A		LH8544 ¹⁰⁷⁷
<i>DH130 MK2 w/Cummins eng. Engine</i>			24746012	Air	LAF222 ²	65055105020	Oil	LFP8925
24749014	Air	LAF1723 ¹	65125155006	Fuel	LFF8307	<i>Solar 280LC III w/D2366 Engine</i>		
65125035005	Fuel	L3528F	65055105002	Oil	PH2801	24746003	Air	LAF6587 ²
65055105009	Oil	LFP780	<i>S330-III</i>			24746025		LAF6834 ¹
		LFP780XL ¹⁴	24746003	Air	LAF6587 ²	(65125035004); Sec.		
<i>DH130 w/Isuzu 6BB1 Engine</i>			24746025		LAF6834 ¹	(65125035002); Pri.		
	Air	LAF1544 ²	(65125035004); Sec.			247490415	Hydraulic	LH22019 ¹¹³⁷
		LAF1903	(65125035002); Pri.			24749404A		LH8544 ¹⁰⁷⁷
<i>DH170 w/Perkins 1006-6HR Engine</i>			24749404A	Hydraulic	LH8544 ¹⁰⁷⁷	65055105020	Oil	LFP8925
P815050	Air	LAF1804 ²	65055105020			<i>Solar 290LC-V w/Daewoo D1146TI Engine</i>		
		LAF6587 ²	<i>Solar 130W III w/DB58T Engine</i>			(24749058); W/S	Fuel	LFF8020
		LAF6587MXM ^{2, 268}		Air	LAF1544 ²	24711154	Hydraulic	LH22019
					LAF1933 ¹	24719051		LH4742

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 41-Cartridge 108-Eco-Finer 268-Extended/Severe service 1077-Hyd. Tank 1137-Pilot 1171-Main

D

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DAEWOO (EXCAVATOR)			DAEWOO (SKID STEER LOADER)			DAVID BROWN (TRACTOR)		
<i>Solar 30 w/Isuzu 3LB1 Engine</i>			<i>DSL601 w/Yanmar 4TNE84 Engine (cont'd)</i>			380, 770, 780, 880, 885, 950, 990, 995, 996, 1200, 1210, 1212 (cont'd)		
	Fuel	L3541F	D516823	Hydraulic	LFH4990			
	Oil	PH2808	D460903	Oil	PH2808		Oil	P820
<i>Solar 340LC-V w/Daewoo DE12TIS Engine (24749058); W/S</i>			DAEWOO (WHEEL LOADER)			3800, 4600 w/Gas Engine		
24711154	Hydraulic	LH22019	<i>Mega 200 w/DB58T Engine</i>				Oil	P820
24719051		LH4742	24749020	Air	LAF8668 ²	DAVIS (TRENCHER INDUSTRIAL)		
DAEWOO (LIFT TRUCK)			24749019		LAF8674 ¹	1000 w/Ford 192 Gas Engine		
<i>D20-2, D25-2 w/DC24 Diesel engine Engine</i>			(65125035001); Sec.	Fuel	L3401F ¹⁰⁸	P101222	Air	LAF222 ²
	Trans	LFP2275	24749008	Hydraulic	LFF3403		Oil	P114
<i>D35S, D40 w/Perkins 4.2482 Engine</i>			65055105009	Oil	LH8498			PH400 ²⁷⁵
	Fuel	L296F ⁴¹			LFP780	PH8A ¹⁴⁹⁶		
	Oil	PH4403	<i>Mega 250-V w/Daewoo D1146T Engine</i>			1000 w/Ford 201 Diesel Engine		
	Trans	LFP2275		Air	LFP780XL ¹⁴	P101222	Air	LAF222 ²
<i>D50, D70 w/Perkins 4.236 Engine</i>					LAF6587 ²		Fuel	L296F ⁴¹
	Fuel	L296F ⁴¹			LAF6587MXM ^{2, 268}		Oil	P114
	Oil	PH4403	(65125035016); W/S	Fuel	LAF6834 ¹			PH400 ²⁷⁵
	Trans	LFP2275	24749404A	Hydraulic	LFF1001	PH8A ¹⁴⁹⁶		
<i>D60 w/Perkins 4.236 Engine</i>			750131061	Trans	LH8544	1000 w/Wisconsin V-461 Engine		
	Fuel	L296F ⁴¹	<i>Mega 300 w/D2366 Engine</i>				Oil	LFP2252
	Oil	PH4403		Air	LAF6587 ²	1102 Roller w/Deutz F6L912 Engine		
	Trans	LFP2275			LAF6587MXM ^{2, 268}		Air	LAF2052 ²
<i>G20-2, G25-2 w/Peugeot XN1P gas Engine</i>					LAF6834 ¹		Fuel	FP586F
	Trans	LFP2275			L61F		Oil	LFP2222
<i>G20S-2, G25S-2 w/Hercules 1404 Engine</i>			Sec.	Fuel	L61F	12 + 4 w/Wisconsin AGND Engine		
D141099	Oil	PH2819	<i>Mega 300-V w/Daewoo DE08TIS Engine</i>			H-217307	Hydraulic	LFP1652
	Trans	LFP2275		Air	LAF6587 ²	16 + 4 w/Kohler Engine		
<i>G25S w/Hercules Engine</i>					LAF6587MXM ^{2, 268}		Air	LAF2745A ^{2, 268}
	Air	LAF8404 ²	(65125035016); W/S	Fuel	LAF6834 ¹	D-82571		LAF2745A ²
	Oil	LFP791	24749404A	Hydraulic	LH8544	H334540	Hydraulic	PH710 ⁶⁰³
DAEWOO (LOADER)			<i>Mega 400, Mega 400 III w/D2366T Engine</i>			20 + 4 w/Wisconsin TJD Engine		
<i>1360XL w/Yanmar 4TNE84 Engine</i>				Air	LAF6587 ²	TJE1	Air	LAF1915
129100-55650	Fuel	L549F			LAF6587MXM ^{2, 268}		Hydraulic	LP6005
	Oil	PH2856A			LAF6834 ¹	25 + 4 w/Kohler Engine		
DAEWOO (SKID STEER LOADER)			24749026	Fuel	L61F	P101275	Air	LAF1275 ²
<i>430, 430 Plus 440, 440 Plus w/Cummins A2000 series Engines Engine</i>			W/S		LFF8020	H334540	Hydraulic	PH710
(HRA16011F1A2); W/S	Fuel	LFF8060	65055105017	Oil	LFP8925	277233	Oil	PH400
D516823	Hydraulic	LFH4990	243622	Trans	LFH1832	25 + 4XP w/Wisconsin Engine		
HRA11020F4A3	Oil	PH2808	<i>Mega 500-V w/Cummins QSM11 Engine</i>			D-48198	Air	LAF1275 ²
<i>450, 460, 470 w/Cummins B3.3 Engine</i>			WF2075	Coolant	LFW4075 ⁶⁴⁴	H-311647	Hydraulic	LFP1652
D470245	Air	LAF1948 ¹	W/S	Fuel	LFF1000	30 + 4, 30 + 4 SP., 40 + 4 w/Deutz Engine		
A213939		LAF8143 ²			LFP9001 ²⁵⁰	(D-48198); Wisc. eng.	Air	LAF1275 ²
	Fuel	FP588F			LFP9001TRT ³	A-173291		LAF1784 ¹
W/S		LFF9594			LFP9001XL ^{14, 250}	A-173290		LAF9538 ²
	Oil	PH2835	DAVID BROWN (TRACTOR)					LAF9538MXM ^{2, 268}
<i>DSL500 w/Yanmar 3TN84 Engine</i>			<i>1410, 1412 w/David Brown 455011 Diesel Engine</i>			H-311647	Hydraulic	LFP1652 ¹²⁶⁸
	Oil	PH2808	K952344	Air	LAF7185 ¹	H-311654		LP6005
<i>DSL600 w/Yanmar 4TN84 Engine</i>			(960911); Pri.	Fuel	L296F ⁴¹	30 Fleethoe w/Wisconsin Engine		
	Fuel	L549F	902321	Oil	P820	D-48198	Air	LAF1275 ²
	Oil	PH2808	380, 770, 780, 880, 885, 950, 990, 995, 996, 1200, 1210, 1212			H-311647	Hydraulic	LFP1652
<i>DSL601 w/Yanmar 4TNE84 Engine</i>			(K922630); w/Precleaner	Air	LAF8625	300, 500 w/Wisconsin Engine		
D470245	Air	LAF1948 ¹			L296F ⁴¹	TJE1	Air	LAF1915
	Fuel	L549F			LFP3413 ¹²		Oil	P3
D460689		LFF8350	(4E-023); Turbo	Oil	LFP3413 ¹²	360 w/Wisconsin VH4D Engine		
						(D-48198); Gas	Air	LAF1275 ²
						(A-173291); Diesel;		LAF1784 ¹
						Two Element		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 41-Cartridge 108-Eco-Finer 250-11.9" Hgt.

268-Extended/Severe service 275-Primary 603-Tank Breather 644-Contains 6 oz. of chemical 1268-Propulsion Pump 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DAVIS (TRENCH INDUSTRIAL)			DAVIS (TRENCH INDUSTRIAL)			DAVIS (TRENCH INDUSTRIAL)		
<i>360 w/Wisconsin VH4D Engine (cont'd)</i>			<i>70 + 4 w/Wisconsin Engine</i>			<i>Maxi-Sneaker w/1.8L Diesel Engine</i>		
1265510-C1	Air	LAF1907 ²	P101222	Air	LAF222 ²	D-48198	Air	LAF1275 ²
3115569-R2		LAF8803 ¹		Oil	LFP2252	3044506-R93	Fuel	L296F ⁴¹
(A-173290); Diesel;		LAF9538 ²	<i>752 Roller w/Deutz Engine</i>			H-311647	Hydraulic	LFP1652
One Element		LAF9538MXM ^{2, 268}		Air	LAF8567 ²	1336188-C1	Oil	PH253 ^{18, 1496}
Diesel; One Element				Fuel	FP586F			PH2835 ^{18, 275}
N-9025	Hydraulic	LFH4910 ¹¹¹⁹		Hydraulic	LFH4207	E-36534		PH400 ^{19, 275}
H-335620		LFH4929 ⁶⁰⁷	<i>800 w/Wisconsin V465D Engine</i>			E-36534		PH8A ^{19, 1496}
460			H-217307	Hydraulic	LFP1652	<i>Mini-Sneaker B w/Hatz Engine</i>		
1265510-C1	Air	LAF1907 ²	<i>D-100</i>			D-48198	Air	LAF1275 ²
3115569-R2		LAF8803 ¹	P101275	Air	LAF1275 ²	H-335620	Hydraulic	LFH4929
D-139225	Fuel	L3523F	<i>DH-4 w/1.8L Diesel Engine</i>			<i>Mini-Sneaker w/Onan Engine</i>		
(J-843760); W/S		LFF8062	D-48198	Air	LAF1275 ²	P101275	Air	LAF1275 ²
D126922	Hydraulic	LFH4950	3044506-R93	Fuel	L296F ⁴¹	140B-495		LAF73
A-125282A1	Oil	PH2808	H-335620	Hydraulic	LFH4929	H-217307	Hydraulic	LFP1652
<i>500 w/Onan J-60 Engine</i>			1336188-C1	Oil	PH253 ^{18, 1496}	122B-323	Oil	PH400
	Oil	PH253 ¹⁴⁹⁶	E-36534		PH2835 ^{18, 275}	<i>Models with Cessna spin-on filter</i>		
		PH2835 ²⁷⁵	E-36534		PH400 ^{19, 275}	(H-217307); Cessna	Hydraulic	LFP1652 ²⁴²
<i>550 Roadrunner</i>			E-36534		PH8A ^{19, 1496}			LP6005
	Fuel	L296F ⁴¹	<i>DH-4, DH-4B w/2.1L Diesel Engine</i>			<i>Models with Fram F3 Housing</i>		
	Oil	P820	D-48198	Air	LAF1275 ²		Hydraulic	P3
560			N-9025	Hydraulic	LFH4910	<i>Models with Ripley Hydraulic System</i>		
1265510-C1	Air	LAF1907 ²	H-335620		LFH4929 ¹¹¹⁹	DP752-30	Hydraulic	LFH4209
3115569-R2		LAF8803 ¹	H-411272	Oil	LFP791	DP752-10		LFP1652
D-139225	Fuel	L3523F	<i>DH-5 w/Case G188D Engine</i>			<i>PT-90 w/Wisconsin V-461 Engine</i>		
(J-843760); W/S		LFF8062	D-48198	Air	LAF1275 ²		Oil	LFP2252
D-126922	Hydraulic	LFH4950	(A-151281); Sec.	Fuel	FP862F	<i>Roadrunner w/Case 188D Engine</i>		
126385A1	Oil	PH2904 ²⁷⁵	(A-151281); Pri.		FP863F	Sec.	Fuel	FP862F
<i>580B Road Runner</i>			A-42242	Hydraulic	LP1653 ¹¹	Pri.		FP863F
A-42274	Air	LAF222 ²	H-341974		PH725	(A-39109); Sec.		L296F ⁴¹
(A-151281); Sec.	Fuel	FP862F	A-146696	Oil	PH400 ²⁷⁵	H-217307	Hydraulic	LFP1652
(A-151281); Pri.		FP863F	A-146696		PH8A ¹⁴⁹⁶	G-45210	Oil	PH400 ^{12, 275, 1504}
A-39578	Hydraulic	LH4930	<i>DH-7 w/David Brown Engine</i>			G-45210		PH8A ^{12, 1269, 1496}
	Oil	PH400 ²⁷⁵	P101222	Air	LAF222 ²	<i>Scatback w/Hatz Z790 Engine</i>		
		PH8A ¹⁴⁹⁶		Fuel	L296F ⁴¹	H-217307	Hydraulic	LFP1652
60				Oil	P820	<i>Scatback w/Wisconsin VH4D Engine</i>		
H-311647	Hydraulic	LFH4929	<i>FH-4 w/1.8L Engine</i>			H-217307	Hydraulic	LFP1652
<i>602 Series Roller w/4B Cummins Engine</i>			D-48198	Air	LAF1275 ²	<i>T-78 w/Wisconsin Engine</i>		
	Air	LAF1784 ¹	3044506-R93	Fuel	L296F ⁴¹	311654	Hydraulic	LFP1652
		LAF9538 ²	H-335620	Hydraulic	LFH4929	<i>TF1000 w/Case 207 Engine</i>		
		LAF9538MXM ^{2, 268}	1336188-C1	Oil	PH253 ^{18, 1496}	F-84998	Air	LAF222 ²
Pri.	Fuel	LFF3417	E-36534		PH2835 ^{18, 275}	(A-39867); Sec.	Fuel	FP862F
Sec.		LFF3521	E-36534		PH400 ^{19, 275}	(A-39868); Pri.		FP863F
	Oil	LFP3900			PH8A ^{19, 1496}	A-146696	Oil	PH400 ²⁷⁵
<i>70 + 4 Ditcher w/Case G207D Engine</i>			<i>FH-4 w/2.1L Diesel Engine</i>			A-146696		PH8A ¹⁴⁹⁶
	Air	LAF222 ²	D-48198	Air	LAF1275 ²	<i>TF-300</i>		
Sec.	Fuel	FP862F	H-335620	Hydraulic	LFH4929	H-311654	Hydraulic	LP6005
Pri.		FP863F	H-411272	Oil	LFP791	<i>TF-700</i>		
H311654	Hydraulic	LP6005	<i>Maxi-Sneaker B</i>			H-311654	Hydraulic	LP6005
	Oil	PH400 ²⁷⁵	H-425256	Air	LAF1275 ²	<i>TL-100, TL-120 w/Kohler Engine</i>		
		PH8A ¹⁴⁹⁶	17012322-C91	Fuel	G5/16 ²⁶³	235116	Air	AF213
<i>70 + 4 w/Ford 201 Engine</i>			H-335620	Hydraulic	LFH4929	<i>W-4 Loader/Forklift w/1.8L Diesel Engine</i>		
	Fuel	L296F ⁴¹	<i>Maxi-Sneaker C</i>			D-48198	Air	LAF1275 ²
	Hydraulic	LFP1652	H-425256	Air	LAF1275 ²	3044506-R93	Fuel	L296F ⁴¹
	Oil	LFP2258	D-139225	Fuel	L3523F	H-335620	Hydraulic	LFH4929
		P114	(J-843760); W/S		LFF8062	1336188-C1	Oil	PH253 ^{18, 1496}
				Oil	PH2808			PH2835 ^{18, 275}

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 12-Optional 18-Short 19-Long 41-Cartridge 242-10 Micron 263-Hoses and clamps included 268-Extended/Severe service 275-Primary 607-Return 1119-Suction Line 1269-When space is limited, [PH253] can be used. 1496-Alternate 1504-When space is limited, [PH253] can be used."

D

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DAVIS (TRENCHER INDUSTRIAL)			DEUTZ (CONSTRUCTION EQUIPMENT)			DEUTZ (LOADER)		
<i>W-4 Loader/Forklift w/1.8L Diesel Engine (cont'd)</i>			<i>DL75, DR75, DL750, DR750 w/Deutz F4L514F Engine (cont'd)</i>			A1720		
E-36534	Oil	PH400 ^{19, 275}	2312078	Oil	P92	1173430	Oil	LFP2222
E-36534		PH8A ^{19, 1496}				B1750		
<i>W-4 Loader/Forklift w/2.1L Diesel Engine</i>			<i>DL750, DL750P, DR750, DR750P, DL900, DP900, DR900 w/F6L912 Engine</i>			(1168398); Sec. (1168407); Pri.		
D-48198	Air	LAF1275 ²	2164590	Air	LAF1736 ²		Fuel	L3405F ¹⁰⁸ L61F LFF3507
H-335620	Hydraulic	LHF4929	1174423	Fuel	FP586F	1161934	Oil	LFP950
H-411272	Oil	LFP791	1174421	Oil	LFP2222			
DENYO (GENERATOR)			DEUTZ (CONSTRUCTION EQUIPMENT)			DEUTZ (TRACTOR)		
<i>MQ Power 25 w/Isuzu C240 Engine</i>			<i>DP1500 w/Deutz Engine</i>			<i>D10006, D10006A, D13006, D16006 w/Deutz F6L912 Engine</i>		
P148969	Air	LAF1275 ²	2164590	Air	LAF1736 ²	33392	Air	LAF1725 ¹
DEUTZ (CONSTRUCTION EQUIPMENT)			1160243	Fuel	FP586F L3405F ¹⁰⁸ L61F LFF3507	2339823		LAF8567 ²
<i>DK40 w/Deutz F4L310 Engine</i>			(1168398); Sec. (1168407); Pri.			2379163		LAF8568 ¹
1160217	Fuel	L60F	1160025	Oil	LFP2222	31-2755007		LAF9001 ²
3357461	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	1161934	Oil	LFP950	(1174482); Pri. 2133558 (1174483); Sec.	Fuel	FP587F FP587F LFF3504
<i>DK60A/B, DK60BBA, DK75, DK75A, DK75B, DK75BF w/Deutz F4L514 Engine</i>			<i>DP2100 w/Deutz Engine</i>			1174421	Oil	LFP2222
1168398	Fuel	L61F	(1168398); Sec. (1168407); Pri.	Fuel	L3405F ¹⁰⁸ L61F LFF3507	<i>D12006 w/Deutz F6L912 Engine</i>		
1168469	Oil	LP2210	1168446	Oil	LP614	2322855	Air	LAF8567 ²
1168465		LP2211	<i>DR100, DL120, DR120, DRM120, DR1250, DRM1250</i>			2379163		LAF8568 ¹
2312078		P92	3359855	Air	LAF8514	(1160243); Pri. (2133558); Sec.	Fuel	FP586F FP587F
<i>DK90, DK100 w/Deutz F6L514 Engine</i>			(1168398); Sec. 1168407	Fuel	L3405F ¹⁰⁸ L61F LFF3507	1174421	Oil	LFP2222
(1168398); Sec. (1168407); Pri.	Fuel	L3405F ¹⁰⁸ L61F LFF3507	1168407	Fuel	L3405F ¹⁰⁸ L61F LFF3507	1267900	Trans	LFH4224
1168469	Oil	LP2210	2312078	Oil	P92	<i>D207A</i>		
1168465		LP2211	<i>DR1800P w/Deutz BF6M716 Engine</i>			2211565	Air	LAF1733 ²
<i>DKX100 w/Deutz Engine</i>			(1168398); Sec. (1168407); Pri.	Fuel	L3405F ¹⁰⁸ L61F LFF3507	1160243	Fuel	FP586F
2312078	Oil	P92	1161212	Oil	LP161 LP614 P92	1174418	Oil	PH2819
<i>DL1250P w/Deutz F6L312 Engine</i>			1168446			<i>D2506</i>		
(1168398); Sec. (1168407); Pri.	Fuel	L3405F ¹⁰⁸ L61F LFF3507	2312078			2211565	Air	LAF1733 ²
1160025	Oil	LFP2222	<i>Uni Super w/Deutz F3L812 Engine</i>			2379161		LAF8622 ¹
2312078		P92	1160243	Fuel	FP586F	(1168407); Pri. 1174696	Fuel	L3405F ¹⁰⁸ LFF3507 LFF3806 ¹⁷⁰ LFF4806 ¹⁶⁹
<i>DL1250P w/Deutz F6L413 Engine</i>			1173481	Oil	PH2819	<i>D3006, D3607, D3607A w/Deutz F2L912 Engine</i>		
(1168398); Sec. (1168407); Pri.	Fuel	L3405F ¹⁰⁸ L61F LFF3507	<i>Uni Super w/Deutz F3L812, F3L912 Engine</i>			2211565	Air	LAF1733 ²
1160025	Oil	LFP2222	1160243	Fuel	FP586F	2379161		LAF8622 ¹
2312078		P92	1173481	Oil	PH2819	Q1H4115 (1168407); Pri. 1174696	Fuel	L3405F ¹⁰⁸ L61F LFF3507 LFF3806 ¹⁷⁰ LFF4806 ¹⁶⁹
<i>DL1300 w/Deutz Engine</i>			DEUTZ (GENERATOR)			<i>D4005, D4505, D5005, D5505, D6005 w/Deutz F3L812D Engine</i>		
1161934	Oil	LFP950	<i>A4L514 40 KVA Engine, A6L514 60 KVA Engine</i>			<i>D4005, D4505, D5005, D5505, D6005 w/Deutz F4L812D Engine</i>		
<i>DL50, DR50, DL500, DR500 w/Deutz F4L812 Engine</i>			1168398	Fuel	L3405F ¹⁰⁸ L61F LFF3507	2165049	Air	LAF2052 ²
3366456	Air	LAF47	1168407			1168443	Oil	P49
1160243	Fuel	FP586F	1168469	Oil	LP2210	1174418		PH2819
1168443	Oil	P49	<i>F2L310 12.5 KVA Engine</i>			<i>D4005, D4505, D5005, D5505, D6005 w/Deutz F4L812D Engine</i>		
<i>DL75, DR75, DL750, DR750 w/Deutz F4L514F Engine</i>			1160217	Fuel	L60F	2165049	Air	LAF2052 ²
1168398	Fuel	L61F	<i>F4L911 47.5KVA Engine</i>			1168443	Oil	P49
1160025	Oil	LFP2222	(Q1H4117); In-line Injection Pump only	Fuel	FP586F	A1H4123		PH2819
1168465		LP2211	A1H4123	Oil	PH2819			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 19-Long 108-Eco-Finer 169-1 Per Package 170-2 Per Package 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DEUTZ (TRACTOR)			DEUTZ (TRACTOR)			DEUTZ (TRACTOR)		
<i>D4006, D4506, D4506A, D5006, D5206, D5506, D6006, D6206, D6206A, D6806, D6806A, D7006, D7206 w/Deutz F3L912, F4L912 eng.</i>			<i>DX110, DX110A w/Deutz F5L912 Engine (cont'd)</i>			<i>DX3.60, DX3.70, DX3.90 w/Deutz F4L912 Engine</i>		
2339813	Air	LAF1733 ²	(2133558); Sec.	Fuel	FP587F	2322855	Air	LAF8567 ²
2379161		LAF8622 ¹	1174421	Oil	LFP2222	1160243	Fuel	FP586F
Q1H4117	Fuel	FP586F	<i>DX110, DX110A w/Deutz F6L912 Engine</i>			1174418	Oil	PH2819
A1H4123	Oil	PH2819	2322855	Air	LAF8567 ²	<i>DX3.70, DX3.90 w/Deutz F4L912 Engine</i>		
<i>D4007, D4507, D4507A, D4507C, D4807, D4807A, D4807B, D4807C</i>			2379163		LAF8568 ¹	2339823	Air	LAF8567 ²
2339813	Air	LAF1733 ²	(1160243); Pri.	Fuel	FP586F	2379163		LAF8568 ¹
LAF8622		LAF8622 ¹	(2133558); Sec.		FP587F	04319256		LAF8618 ¹
1174423	Fuel	FP587F	1174421	Oil	LFP2222	04319257		LAF8619 ²
1174418	Oil	PH2819	<i>DX120, DX120A w/Deutz BF6L913 Engine</i>			1174423	Fuel	FP587F
<i>D7120 w/Deutz Engine</i>			2339823	Air	LAF8567 ²	1174418	Oil	PH2819
4319263	Air	LAF3714 ²	2379463		LAF8568 ¹	<i>DX36V w/Deutz F2L912 Engine</i>		
1174420	Oil	LFP8590	4319256		LAF8618 ¹	2211565	Air	LAF1733 ²
<i>D7506 w/Deutz F6L912 Engine</i>			4319257		LAF8619 ²		Fuel	LFF3806 ¹⁷⁰ LFF4806 ¹⁶⁹
2322855	Air	LAF8567 ²	(1174482); Pri.	Fuel	FP586F	<i>DX4.10, DX4.30, DX4.50, DX4.70 w/Deutz BF4L913 Engine</i>		
2379163		LAF8568 ¹	(1174483); Sec.		FP587F	2322855	Air	LAF8567 ²
1160243	Fuel	FP586F	<i>DX130, DX140, DX140A, DX145, DX145A, DX160, DX160A w/Deutz BF6L913 Engine</i>			(1160243); Pri.	Fuel	FP586F
W/S		LFF8062	2241329	Air	LAF1720 ¹	1174418	Oil	PH2819
1174421	Oil	LFP2222	2165049		LAF2052 ²	<i>DX4.10, DX4.30, DX4.50, DX4.70 w/Deutz BF4L913T Engine</i>		
<i>D7807, D7807A, D7807C w/Deutz F4L913 Engine</i>			4319263		LAF3714 ²	2322855	Air	LAF8567 ²
2322855	Air	LAF8567 ²	71183993		LAF8674 ¹	(1160243); Pri.	Fuel	FP586F
2379163		LAF8568 ¹	(1174482); Pri.	Fuel	FP586F	1174418	Oil	PH2819
1160243	Fuel	FP586F	1160243		FP586F	<i>DX4.10, DX4.30, DX4.50, DX4.70 w/Deutz F4L913 Engine</i>		
W/S		LFF8062	(1174483); Sec.		FP587F	2322855	Air	LAF8567 ²
1174418	Oil	PH2819	1174420	Oil	LFP8590	(1160243); Pri.	Fuel	FP586F
<i>D8000 w/Deutz Engine</i>			<i>DX130, DX140, DX140A, DX145, DX145A, DX160, DX160A w/Deutz BF6L913FR Engine</i>			1174418	Oil	PH2819
2339823	Air	LAF8567 ²	2241329	Air	LAF1720 ¹	<i>DX4.10, DX4.30, DX4.50, DX4.70 w/Deutz F4L913T Engine</i>		
2379163		LAF8568 ¹	2165049		LAF2052 ²	2322855	Air	LAF8567 ²
<i>D8005, D9005 w/Deutz F6L812 Engine</i>			1160243	Fuel	FP586F	(1160243); Pri.	Fuel	FP586F
	Fuel	L61F	1174420	Oil	LFP8590	1174418	Oil	PH2819
1174421	Oil	LFP2222	<i>DX140, DX160A w/Deutz BF6L913 Engine</i>			<i>DX4.10, DX4.30, DX4.50, DX4.70 w/Deutz F4L913T Engine</i>		
1168443		P49	4319263	Air	LAF3714 ²	2322855	Air	LAF8567 ²
<i>D8005, D9005 w/Deutz F6L812D Engine</i>			71183993		LAF8674 ¹	(1160243); Pri.	Fuel	FP586F
	Fuel	L61F	1174482	Fuel	FP586F	1174418	Oil	PH2819
1174421	Oil	LFP2222	1174420	Oil	LFP8590	<i>DX50V w/Deutz F3L912 Engine</i>		
1168443		P49	<i>DX23A, DX230, DX230A w/Deutz BF6L913 Engine</i>			2211565	Air	LAF1733 ²
<i>D8006, D8006A, D9006, D9006A, D10006, D10006A, w/Deutz F6L912 Engine</i>			(2165056); 495mm	Air	LAF1718 ²	1160243	Fuel	FP586F
2339823	Air	LAF8567 ²	2394637		LAF1719 ¹	W/S		LFF8062 ⁶⁸⁷
2379163		LAF8568 ¹	1160243	Fuel	FP586F	1174418	Oil	PH2819
(2133558); Pri.	Fuel	FP586F	1174421	Oil	LFP2222	<i>DX6.10, DX6.30 w/Deutz F6L912 Engine</i>		
1160243		FP586F ¹⁸¹	<i>DX250V 4x4 Engine</i>			2322855	Air	LAF8567 ²
(2133943); Sec.		FP587F	(2165056); 495mm	Air	LAF1718 ²	1174421	Oil	LFP2222
1267900	Hydraulic	LFH4224	2394637		LAF1719 ¹	<i>DX6.10, DX6.30 w/Deutz F6L913 Engine</i>		
1174421	Oil	LFP2222	1160243	Fuel	FP586F	2322855	Air	LAF8567 ²
<i>DX110, DX110A w/Deutz Engine</i>			1174420	Oil	LFP8590	1174421	Oil	LFP2222
4319256	Air	LAF8618 ¹	<i>DX3.10, DX3.30, DX3.50 w/Deutz F3L912 Engine</i>			<i>DX6.50, DX7.10 w/Deutz BF6L913 Engine</i>		
4319257		LAF8619 ²	2211565	Air	LAF1733 ²	2241329	Air	LAF1720 ¹
(1174482); Pri.	Fuel	FP586F	1160243	Fuel	FP586F	2165049		LAF2052 ²
(1174483); Sec.		FP587F	1174418	Oil	PH2819	4319263		LAF3714 ²
1174421	Oil	LFP2222	<i>DX110, DX110A w/Deutz F5L912 Engine</i>			71183993		LAF8674 ¹
<i>DX110, DX110A w/Deutz F5L912 Engine</i>			2211565	Air	LAF1733 ²	(1174482); Pri.	Fuel	FP586F
2322855	Air	LAF8567 ²	1160243	Fuel	FP586F	1160243		FP586F
2379163		LAF8568 ¹	1174418	Oil	PH2819	(1174483); Sec.		FP587F
(1160243); Pri.	Fuel	FP586F	<i>DX3.10, DX3.30, DX3.50 w/Deutz F3L913 Engine</i>			(1174483); Sec.		LFF3504
			2211565	Air	LAF1733 ²	1174420	Oil	LFP8590
			1160243	Fuel	FP586F			
			1174418	Oil	PH2819			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 169-1 Per Package 170-2 Per Package 181-Single 687-Upgrade

D

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DEUTZ (TRACTOR)			DEUTZ-ALLIS (TRACTOR)			DEUTZ-ALLIS (TRACTOR)		
<i>DX8.30 w/Deutz Engine</i>			<i>6260 w/Deutz F3L913 Engine</i>			<i>9130 w/Deutz Engine (cont'd)</i>		
(2165056); 495mm 2394637	Air	LAF1718 ² LAF1719 ¹	02339813 2243521	Air	LAF1733 ² LAF8623 ¹		Trans	PH2835 ²⁷⁵
(1174482); Pri. (1174483); Sec. 1174420	Fuel	FP586F FP587F	1174423 1174418	Fuel	FP586F PH2819	<i>9150 w/Deutz Engine</i>		
	Oil	LFP8590	<i>6265 w/Deutz F4L912 Engine</i>			72162545 72163296	Air	LAF1846 ² LAF503 ¹
<i>DX80, DX80A w/Deutz F4L913 Engine</i>			2339823	Air	LAF8567 ²	1174423	Fuel	FP586F
2322855	Air	LAF8567 ²	04319256		LAF8618 ¹	(71367686); W/S		LFF1131
1174418	Oil	PH2819	04319257		LAF8619 ²	1174420	Oil	LFP8590
<i>DX85, DX85A, DX90, DX90A w/Deutz F5L912 Engine</i>			2243522		LAF8816 ¹	72161316	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
2322855	Air	LAF8567 ²	1174423	Fuel	FP586F	<i>9170 w/Deutz Engine</i>		
2379163		LAF8568 ¹	1174418	Oil	PH2819	1174422	Fuel	LFF8092
(1160243); Pri. (2133558); Sec. 1174421	Fuel	FP586F FP587F	<i>6275 w/Deutz F4L913 Engine</i>			(72509129); 9170	Hydraulic	LH4985
	Oil	LFP2222	2339823	Air	LAF8567 ²	1174421	Oil	LFP2222
<i>DX85, DX85A, DX90, DX90A w/Deutz F6L912 Engine</i>			04319256		LAF8618 ¹	72161316	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
2322855	Air	LAF8567 ²	04319257		LAF8619 ²	<i>9190 w/Deutz Engine</i>		
2379163		LAF8568 ¹	2243522		LAF8816 ¹	1174422	Fuel	LFF8092
(1160243); Pri. (2133558); Sec. 1174421	Fuel	FP586F FP587F	1174423	Fuel	FP586F	(72509129); 9170	Hydraulic	LH4985
	Oil	LFP2222	1174418	Oil	PH2819	1174421	Oil	LFP2222
<i>DX86, DX86A, DX92, DX92A w/Deutz BF4L913T Engine</i>			<i>7085 w/Deutz BF4L913 Engine</i>			72161316	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
2322855	Air	LAF8567 ²	2239823	Air	LAF8567 ²	REMOVE		
	Hydraulic	LHF8596	4319258		LAF8618 ¹	72097035	Air	LAF1275 ²
1174418	Oil	PH2819	4319257		LAF8619 ²	72097407		LAF2745A ²
<i>Intrac 2003, 2003A w/Deutz Engine</i>			2243522		LAF8816 ¹	72098616	Fuel	FP590F
Q1H4117	Fuel	FP586F	(1174483); Pri. (1174482); Sec. 1174418	Fuel	FP586F FP587F	72118856	Oil	LFP229A
A14H4123	Oil	PH2819	<i>7110 w/Deutz F6L913 Engine</i>			DEUTZ-FAHR (COMBINE)		
<i>Intrac 2004, 2005, 2006 w/Deutz Engine</i>			4319256	Air	LAF8618 ¹	<i>Ectron 5530H w/Deutz BF6L913 Engine</i>		
2912005	Air	LAF1714 ²	4319257		LAF8619 ²		Fuel	FP586F
2414950		LAF1715 ¹	(1174483); Pri. (1174482); Sec. 1174421	Fuel	FP586F FP587F		Oil	LFP2222
2211565		LAF1733 ²	1174421	Oil	LFP2222	<i>Gas-Liner MSS240 w/Deutz BF6L913C Engine</i>		
1160243	Fuel	FP586F	<i>7120 w/Deutz BF6L913T Engine</i>			387mm	Air	LAF1716 ² LAF1717 ¹
W/S		LFF8062 ⁶⁸⁷	4319263	Air	LAF3714 ²		Fuel	FP586F
1174421	Oil	LFP2222	71183993		LAF8674 ¹		Oil	LFP8590
1174418		PH2819	(1174483); Pri. (1174482); Sec. 1174420	Fuel	FP586F FP587F	<i>M1000 w/Deutz F4L912 Engine</i>		
<i>K90, K100, K120 w/Deutz BF4M2012C Engine</i>			1174420	Oil	LFP8590	2165031	Air	LAF1710 ² LAF1712 ² LAF1713 ¹
4252239	Oil	LP8700 ¹⁷⁵	<i>7145 w/Deutz BF6L913T Engine</i>			1160243	Fuel	FP586F
<i>R128, R140</i>			4319263	Air	LAF3714 ²	1267900	Hydraulic	LFH4224
(1168407); Pri.	Fuel	L3405F ¹⁰⁸ LFF3507	71183993		LAF8674 ¹	1174421	Oil	LFP2222
REMOVE			(1174483); Pri. (1174482); Sec. 1174420	Fuel	FP586F FP587F	A1H4123		PH2819
2339823	Air	LAF8567 ²	<i>7190</i>			<i>M1002 w/Deutz F5L912 Engine</i>		
2379163		LAF8568 ¹	(2165059); 495mm	Air	LAF1718 ²	2165031	Air	LAF1710 ² LAF1712 ² LAF1713 ¹
04319256		LAF8618 ¹	4144966		LAF1719 ¹	1160243	Fuel	FP586F
04319257		LAF8619 ²	1174483	Fuel	FP586F	1267900	Hydraulic	LFH4224
(1174482); Pri. (1174483); Sec. 1174421	Fuel	FP586F FP587F	(1174482); Sec. 1174420		FP587F	1174421	Oil	LFP2222
	Oil	LFP2222	<i>9130 w/Deutz Engine</i>			A1H4123		PH2819
1174418		PH2819	72162545	Air	LAF1846 ²	<i>M1080 w/Deutz F5L912 Engine</i>		
DEUTZ-ALLIS (TRACTOR)			72163296		LAF503 ¹	2165044	Air	LAF1714 ²
<i>6150, 6240, 6250 w/Deutz F3L913 Engine</i>			1174423	Fuel	FP586F	2414950		LAF1715 ¹
3018713	Air	LAF1710 ²	1174420	Oil	LFP8590	1174423	Fuel	FP586F
			72161316	Trans	PH253 ¹⁴⁹⁶	1174421	Oil	LFP2222

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 108-Eco-Finer 175-6" Tall 275-Primary 687-Upgrade 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DEUTZ-FAHR (COMBINE)			DEUTZ-FAHR (COMBINE)			DEUTZ-FAHR (COMBINE)		
<i>M1102 w/Deutz F6L912 Engine</i>			<i>M1302, M1302H w/Deutz BF6L913 Engine (cont'd)</i>			<i>M1600 Hydromat w/Deutz F8L413V Engine</i>		
	Air	LAF1712 ²	2165049	Air	LAF2052 ²	(2165041); 387mm	Air	LAF1716 ² LAF1820 ²
1160243	Fuel	FP586F	1160243	Fuel	FP586F			
1267900	Hydraulic	LFH4224		Hydraulic	LFH8596	1160243	Fuel	FP586F
1174421	Oil	LFP2222	1174421	Oil	LFP2222		Hydraulic	LFH8596
A1H4123		PH2819	1174420		LFP8590	1174421	Oil	LFP2222
<i>M1200 w/Deutz F6L912 Engine</i>			By-Pass			By-Pass		LP2210
2165031	Air	LAF1710 ² LAF1713 ¹	<i>M1302HA w/Deutz BF6L912 Engine</i>			<i>M1610H, M1620H</i>		
<i>M1202 w/Deutz F6L912 Engine</i>			(2165041); 387mm	Air	LAF1716 ² LAF2052 ²	387mm	Air	LAF1716 LAF1717 LAF2052
2165031	Air	LAF1710 ² LAF1712 ² LAF1713 ¹	2165049	Fuel	FP586F		Fuel	FP586F
			1160243	Hydraulic	LFH8596		Hydraulic	LFH8596
1160243	Fuel	FP586F	1174421	Oil	LFP2222		Oil	LFP2222
1267900	Hydraulic	LFH4224	1174420		LFP8590			LP2210
1174421	Oil	LFP2222	By-Pass					
A1H4123		PH2819	<i>M1302HA w/Deutz BF6L913 Engine</i>			<i>M2385, M2480 w/Deutz F6L912 Engine</i>		
<i>M1250 w/Deutz F6L912 Engine</i>			(2165041); 387mm	Air	LAF1716 ² LAF2052 ²	2241329	Air	LAF1720 ¹ LAF2052 ²
2165031	Air	LAF1710 ² LAF1712 ² LAF1713 ¹	2165049	Fuel	FP586F	2165049	Fuel	FP586F
			1160243	Hydraulic	LFH8596	1174423	Fuel	FP586F
1160243	Fuel	FP586F	1174421	Oil	LFP2222	1174421	Oil	LFP2222
1267900	Hydraulic	LFH4224	1174420		LFP8590	<i>M2580, M2680 w/Deutz F6L912, F6L913 Engine</i>		
1174421	Oil	LFP2222	By-Pass			(2165041); 387mm	Air	LAF1716 ² LAF1717 ¹
A1H4123		PH2819	<i>M1302HA w/Deutz F6L912 Engine</i>			2243946	Fuel	FP586F
<i>M1300 Hydromat w/Deutz F6L912 Engine</i>			(2165041); 387mm	Air	LAF1716 ² LAF2052 ²	1174423	Oil	LFP2222
2165031	Air	LAF1710 ² LAF1712 ² LAF1713 ¹	2165049	Fuel	FP586F	<i>M2685, M2780, M2780H w/Deutz BF6L913 Engine</i>		
			1160243	Hydraulic	LFH8596	(2165041); 387mm	Air	LAF1716 ² LAF1717 ¹
1160243	Fuel	FP586F	1174421	Oil	LFP2222	2243946	Fuel	FP586F
1267900	Hydraulic	LFH4224	1174420		LFP8590	1174423	Oil	LFP2222 ³⁰ LFP8590 ²⁹
1174421	Oil	LFP2222	By-Pass					
A1H4123		PH2819	<i>M1302HA w/Deutz F6L913 Engine</i>			<i>M3580, M3610 w/Deutz BF6L913 Engine</i>		
<i>M1300, M1300H w/Deutz BF6L913 Engine</i>			(2165041); 387mm	Air	LAF1716 ² LAF2052 ²	(2165041); 387mm	Air	LAF1716 ² LAF1717 ¹
2241329	Air	LAF1720 ¹ LAF2052 ²	2165049	Fuel	FP586F	2243946	Fuel	FP586F
2165049			1160243	Hydraulic	LFH8596	1174423	Hydraulic	LFH8596
1160243	Fuel	FP586F	1174421	Oil	LFP2222	1173765	Oil	LFP8590
1174421	Oil	LFP2222	1174420		LFP8590	<i>M3630 w/Deutz BF6L913C Engine</i>		
1174420		LFP8590 LP2210	By-Pass			1174423	Fuel	FP586F
<i>M1300, M1300H w/Deutz F6L913 Engine</i>			<i>M1320, M1320H w/Deutz F6L913 Engine</i>				Hydraulic	LFH8596
2241329	Air	LAF1720 ¹ LAF2052 ²	(2165041); 387mm	Air	LAF1716 ² LAF1717 ¹	1160025	Oil	LFP2222
2165049			2243946		LAF1717 ¹	11760024		PH2819
1160243	Fuel	FP586F	2165049	Fuel	LAF2052 ²	<i>M3630 w/Deutz F8L413C Engine</i>		
1174421	Oil	LFP2222	1160243	Hydraulic	LFH8596	1174423	Fuel	FP586F
1174420		LFP8590 LP2210	1174421	Oil	LFP2222		Hydraulic	LFH8596
<i>M1302, M1302H w/Deutz BF6L912 Engine</i>			1174420		LFP8590 LP2210	1160025	Oil	LFP2222
(2165041); 387mm	Air	LAF1716 ² LAF2052 ²	By-Pass			11760024		PH2819
2165049			<i>M1320, M1320H, M1322H w/Deutz BF6L913 Engine</i>			<i>M750, M770 w/Deutz F3L912 Engine</i>		
1160243	Fuel	FP586F	(2165041); 387mm	Air	LAF1716 ² LAF1717 ¹	2165031	Air	LAF1710 ²
	Hydraulic	LFH8596	2243946		LAF1717 ¹	1174423	Fuel	FP586F
1174421	Oil	LFP2222	2165049	Fuel	LAF2052 ²	1174418	Oil	PH2819
1174420		LFP8590 LP2210	1160243	Hydraulic	LFH8596	<i>M750, M770 w/Deutz F4L912 Engine</i>		
By-Pass			1174421	Oil	LFP2222	2165031	Air	LAF1710 ²
<i>M1302, M1302H w/Deutz BF6L913 Engine</i>			By-Pass		LFP2210	1174423	Fuel	FP586F
(2165041); 387mm	Air	LAF1716 ²	By-Pass			1174418	Oil	PH2819
<i>M900 w/Deutz Engine</i>						2165031	Air	LAF1710 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 29-1 1/8" Thread 30-1" x 12 Thread

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DEUTZ-FAHR (COMBINE)			DEUTZ-FAHR (COMBINE)			DEUTZ-FAHR (TRACTOR)		
<i>M900 w/Deutz Engine (cont'd)</i>			<i>Top-Liner 4090 H w/BF8L513 Engine</i>			<i>Agrokid 50A w/Mitsubishi K4FDT Engine</i>		
	Air	LAF1712 ² LAF1713 ¹	387mm	Air	LAF1716 ² LAF1717 ¹	MD352627	Oil	PH2867
1160243	Fuel	FP586F		Fuel	FP586F	<i>Agrokid 55 w/Mitsubishi S4L2T Engine</i>		
1267900	Hydraulic	LFH4224		Oil	LFP8590	P772579	Air	LAF8148 ²
1174421	Oil	LFP2222	DEUTZ-FAHR (TRACTOR)			P775300	Oil	LAF9332 ¹
A1H4123		PH2819	<i>Actor 5510 w/Deutz BF6L912 Engine</i>					PH2876
<i>M980 w/F4L912 Engine</i>			<i>Actor 5520H w/Deutz BF6L913 Engine</i>			<i>Agrolux 310, Agrolux 320 (w/Same 1000.3 WTI Engine)</i>		
2165044	Air	LAF1714 ² LAF1715 ¹		Fuel	FP586F		Fuel	L296F ⁴¹
2414950				Oil	LFP2221		Oil	LFP2258
1174423	Fuel	FP586F	387mm	Air	LAF1716 ² LAF1717 ¹	<i>Agrolux 60 w/Deutz F3L913 Engine</i>		
1174418	Oil	PH2819		Fuel	FP586F	4407275	Air	LAF8583
<i>MH650 w/F8L413 Engine</i>				Hydraulic	LFH8596		Fuel	FP586F
	Air	LAF2052 ²		Oil	LFP2222	1174418	Oil	PH2819
	Fuel	LFF8092	<i>Agrocompact 70 80, 90, 100 w/Same 1000.4W Engine</i>			<i>Agrolux 65 (w/Same 1000.3 WTI Engine)</i>		
	Oil	LFP2222	<i>Agrocompact F60 w/Same 1000.3WT Engine</i>				Air	LAF4544 ² LAF4545 ¹
<i>Power-Liner M4030 w/F6L912 Engine</i>			242491310	Air	LAF8583 ² LAF9410 ¹		Fuel	L296F ⁴¹
	Air	LAF1720 ¹ LAF2052 ²	242491307	Fuel	L296F ⁴¹	<i>Agrolux 70, Agrolux 80 w/Deutz F4L913/T Engine</i>		
	Fuel	FP586F	243190601	Oil	LFP2258	4407275	Air	LAF8583
	Oil	LFP2222	4415670				Fuel	FP586F
<i>Power-Liner M4035 w/BF6L913T Engine</i>			<i>Agrocompact F60 w/Same 1000.3WT Engine</i>			1174483	Oil	LFF3504
387mm	Air	LAF1716 ² LAF1717 ¹	242491310	Air	LAF8583 ² LAF9410 ¹	1174418	Oil	PH2819
	Fuel	FP586F	242491307	Fuel	L296F ⁴¹	<i>Agrolux 75 (w/Same 1000.3 WTI Engine)</i>		
	Oil	LFP2222	243190601	Oil	LFP2258		Air	LAF4544 ² LAF4545 ¹
<i>Star-Liner M4040 w/BF6L913 Engine</i>			4415670				Fuel	L296F ⁴¹
387mm	Air	LAF1716 ² LAF1717 ¹	<i>Agrofarm 100 (w/Deutz BF4M2012C Engine)</i>				Oil	LFP2258
	Fuel	FP586F		Air	LAF4544 ² LAF4545 ¹	<i>Agroplus 100 w/Deutz BF2012EC Engine</i>		
	Oil	LFP2222		Fuel	FP586F		Fuel	FP586F
<i>Star-Liner M4045 w/BF6L913 Engine</i>				Hydraulic	LFH8207 ¹	100 only	Oil	LP8993 ¹⁰⁸
387mm	Air	LAF1716 ² LAF1717 ¹	<i>Agrofarm 410, Agrofarm420 w/TCD2012 Engine</i>			<i>Agroplus 310 w/1000.3 WTE3 Engine</i>		
	Fuel	FP586F	090003010	Air	LAF4544 ² LAF4544MXM ^{2, 268}		Air	LAF4544 ² LAF4545 ¹
	Oil	LFP2222	090003011		LAF4545 ¹		Oil	LFP2258
<i>Top-Liner 4060 H/HTS w/BF6L913 Engine</i>				Oil	LP8992	<i>Agroplus 320 w/1000.3 WTI2E3 Engine</i>		
387mm	Air	LAF1716 ² LAF1717 ¹	<i>Agrofarm 430 w/TCD2012 Engine</i>				Air	LAF4544 ² LAF4545 ¹
	Fuel	FP586F	090003010	Air	LAF4544 ² LAF4544MXM ^{2, 268}	<i>Agroplus 420 w/1000.4 WTI2E3 Engine</i>		
	Oil	LFP8590	090003011		LAF4545 ¹		Air	LAF4544 ² LAF4545 ¹
<i>Top-Liner 4065 H/HTS w/BF6L913C Engine</i>				Oil	LP8992	<i>Agroplus 67</i>		
387mm	Air	LAF1716 ² LAF1717 ¹	<i>Agrofarm 85 (w/Deutz (w/BF4M2012C Engine)</i>			242491310	Air	LAF8583
	Fuel	FP586F		Air	LAF4544 ² LAF4545 ¹	242491307		LAF9410
	Oil	LFP8590		Fuel	FP586F	<i>Agroplus 75, Agroplus85, Agroplus 95 w/Deutz BF4M1012EC Engine</i>		
<i>Top-Liner 4075 H/HTS w/BF6L913C Engine</i>				Hydraulic	LFH8207		Fuel	FP586F
387mm	Air	LAF1716 ² LAF1717 ¹		Oil	LP8992	4208014	Oil	LP8992 ¹⁰⁸
	Fuel	FP586F	<i>Agrokid 30A, Agrokid 40A w/Mitsubishi K4FD Engine</i>			<i>Agroplus 77, Agroplus 87 w/SDF100.4WT Engine</i>		
	Oil	LFP8590		Air	LAF8148 ² LAF9332 ¹	242491310	Air	LAF8583
<i>Top-Liner 4080 H/HTS w/F8L513 Engine</i>					MD352627	242491307		LAF9410
387mm	Air	LAF1716 ² LAF1717 ¹	<i>Agrokid 35A w/Mitsubishi K4FD Engine</i>			<i>Agroprima 4.31, Agroprima 4.51, Agroprima 4.56 w/Deutz BF4M1012EC Engine</i>		
	Fuel	FP586F		Air	LAF8749 ²	4384103	Air	LAF8567 ²
	Oil	LFP8590		Oil	PH2867	4319256		LAF8618 ¹
						2243522		LAF8816 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 108-Eco-Finer 268-Extended/Severe service

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DEUTZ-FAHR (TRACTOR)			DEUTZ-FAHR (TRACTOR)			DEUTZ-FAHR (TRACTOR)		
<i>Agroprima 4.31, Agroprima 4.51, Agroprima 4.56 w/Deutz BF4M1012EC Engine (cont'd)</i>			<i>Agrostar 6.28, Agrostar 6.38 w/Deutz F6L913 Engine</i>			<i>Agrotron 130, Agrotron 140, Agrotron 155 w/Deutz 6FM1013EC Engine (cont'd)</i>		
(1174483); Pri.	Fuel	FP586F	2165044	Air	LAF1714 ²	1180597	Fuel	FP585F
(1174482); Sec.		FP587F	2415950		LAF1715 ¹	1174421	Oil	LFP2222
1174418	Oil	PH2819	(1174482); Pri.	Fuel	FP586F	<i>Agrotron 135 w/Deutz BF6M1013 Engine</i>		
<i>Agrostar 4.61, Agrostar 4.71 w/Deutz BF4L913 Engine</i>			(1174483); Sec.		FP587F		Air	LAF9100 ¹
2165044	Air	LAF1714 ²	1174421	Oil	LFP2222			LAF9101 ²
2415950		LAF1715 ¹	<i>Agrostar 8.31 w/Deutz BF6L913 Engine</i>				Fuel	FP586F
2241329		LAF1720 ¹	495mm	Air	LAF1718 ²			L6916F
2165049		LAF2052 ²			LAF1719 ¹		Oil	LP8700 ¹⁷⁵
2339823		LAF8567 ²	Sec.	Fuel	LFF3504	<i>Agrotron 135, Agrotron 150 w/Deutz BF6M1013EC Engine</i>		
(1174482); Pri.	Fuel	FP587F	Pri.		LFF8103	4415901	Air	LAF2342 ²
(1174483); Sec.		LFF8103		Oil	LFP8590 ²⁷⁵	4415903		LAF2343 ¹
1174418	Oil	PH2819	<i>Agrosun 100, Agrosun 120</i>			1180597	Fuel	FP585F
<i>Agrostar 4.68, Agrostar 4.78 w/Deutz BF4L913 Engine</i>			1174423	Fuel	FP586F	1174421	Oil	LFP2222
2165044	Air	LAF1714 ²	1174421	Oil	LFP2222	<i>Agrotron 150 MK3 w/Deutz BF6M1013 Engine</i>		
2415950		LAF1715 ¹	<i>Agrotron 100 w/Deutz BF4M1012EC Engine</i>				Fuel	L6916F
(1174482); Pri.	Fuel	FP587F	4415905	Air	LAF9100 ¹		Oil	LP8741 ¹⁰²
1174418	Oil	PH2819		Fuel	LAF9101 ²	<i>Agrotron 150.7 w/Deutz BF6M2013C Engine</i>		
<i>Agrostar 6.08 w/Deutz F6L913 Engine</i>				Oil	LP8992		Air	LAF2342 ²
2165044	Air	LAF1714 ²	<i>Agrotron 100 w/Deutz BF4M2012C Engine</i>					LAF2343 ¹
2415950		LAF1715 ¹	4415905	Air	LAF9100 ¹		Fuel	FP585F
(1174482); Pri.	Fuel	FP587F		Fuel	LAF9101 ²		Oil	LFP2222
1174421	Oil	LFP2222		Oil	LP8700 ¹⁷⁵	<i>Agrotron 150.7, Agrotron 165.7 w/Deutz 6M2013EC Engine</i>		
<i>Agrostar 6.11, Agrostar 6.21, Agrostar 6.31, Agrostar 6.61 w/Deutz BF6L913T Engine</i>				Oil	LP8700 ¹⁷⁵		Air	LAF2342 ²
2165044	Air	LAF1714 ²	<i>Agrotron 105, Agrotron 108 w/Deutz BF6M1012C Engine</i>					LAF2343 ¹
2415950		LAF1715 ¹	4415901	Air	LAF2342 ²	1180597	Fuel	FP585F
2241329		LAF1720 ¹	4415903		LAF2343 ¹		Oil	LFP2222
2165049		LAF2052 ²	1180597	Fuel	L6916F	<i>Agrotron 155 w/Deutz BF6M1013E Engine</i>		
2339823		LAF8567 ²		Oil	LP8741 ¹⁰²		Air	LAF2342 ²
(1174482); Pri.	Fuel	FP586F	<i>Agrotron 110, Agrotron 115 w/Deutz BF6M1012 Engine</i>					LAF2343 ¹
(1174483); Sec.		FP587F		Air	LAF2342 ²		Fuel	FP585F
1174421	Oil	LFP2222			LAF2343 ¹		Oil	LFP2222
1174420	Oil	LFP8590		Fuel	L6916F	<i>Agrotron 165, Agrotron 175, Agrotron 200 w/Deutz BF6M1013 Engine</i>		
<i>Agrostar 6.11, Agrostar 6.21, Agrostar 6.31, Agrostar 6.61 w/Deutz F6L912 Engine</i>				Oil	LP8741 ¹⁰²	C23610	Air	LAF4601 ²
2165044	Air	LAF1714 ²	<i>Agrotron 118, Agrotron 128 w/Deutz 6M2012C Engine</i>			CF610		LAF4602 ¹
2415950		LAF1715 ¹	4415901	Air	LAF2342 ²	1180597	Fuel	FP585F
2241329		LAF1720 ¹	4415903		LAF2343 ¹		Oil	LFP2222
2165049		LAF2052 ²	4258970	Fuel	L6916F	<i>Agrotron 165.7 w/Deutz BF6M2013C Engine</i>		
2339823		LAF8567 ²		Oil	LP8741 ¹⁰²		Air	LAF4601 ²
(1174482); Pri.	Fuel	FP586F	<i>Agrotron 130 w/Deutz BF6M1013E Engine</i>					LAF4602 ¹
(1174483); Sec.		FP587F		Air	LAF9100 ¹		Fuel	FP585F
1174421	Oil	LFP2222			LAF9101 ²		Oil	LFP2222
1174420	Oil	LFP8590		Fuel	FP586F	<i>Agrotron 210, Agrotron 230, Agrotron 235 w/BF6M1013FC Engine</i>		
<i>Agrostar 6.28, Agrostar 6.38 w/Deutz BF6L913T Engine</i>				Oil	LP8992	(2165059); 495mm	Air	LAF1718 ²
2165044	Air	LAF1714 ²	<i>Agrotron 130 w/Deutz BF6M2012C Engine</i>			4144966		LAF1719 ¹
2415950		LAF1715 ¹	4258970	Fuel	L6916F	1180597	Fuel	FP585F
(1174482); Pri.	Fuel	FP586F	4252248	Oil	LP8741 ¹⁰²	1174421	Oil	LFP2222
(1174483); Sec.		FP587F	<i>Agrotron 130, Agrotron 140, Agrotron 155 w/Deutz 6FM1013EC Engine</i>			<i>Agrotron 260, Agrotron 265 w/BF6M1013FC Engine</i>		
1174421	Oil	LFP2222	4415901	Air	LAF2342 ²	495mm	Air	LAF1718 ²
			4415903		LAF2343 ¹		Fuel	FP586F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 102-8.31" Tall 175-6" Tall 275-Primary

D

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DEUTZ-FAHR (TRACTOR)			DEUTZ-FAHR (TRACTOR)			DEUTZ-FAHR (TRACTOR)		
Agrotron 260, Agrotron 265 w/BF6M1013FC Engine (cont'd)			Agrotron M650 (w/Deutz TCD2012 LO6 Engine) (cont'd)			Agroxta 3.57, Agroxta 4.07 w/Deutz F4L913 Engine (cont'd)		
	Oil	LFP2222		Oil	LP8741 ¹⁰²	4384102	Air	LAF1733 ²
Agrotron 4.70 w/Deutz BF4M1012E Engine			Agrotron TTV1130, TTV1145, TTV1160 w/Deutz BF6M1013 Engine			4384103		LAF8567 ²
	Fuel	FP586F				(1174482); Pri.	Fuel	FP586F
	Oil	LP8992	4415901	Air	LAF2342 ²	(1174483); Sec.		FP587F
Agrotron 4.70, 4.80, 4.85, 4.90, 4.95 w/BF4M1012EEC Engine			4415903		LAF2343 ¹	1174418	Oil	PH2819
	Fuel	FP586F	W1H4117	Fuel	FP586F	Agroxta 4.17, Agroxta 4.47 w/Deutz BF4L913 Engine		
4208014	Oil	LP8992	400651042	Oil	LFP2222			
Agrotron 4.80 w/Deutz BF4M1012E Engine			Agrotron TTV410 (w/Deutz TCD2012 Engine)			2165044	Air	LAF1714 ²
	Fuel	LFF5874		Air	LAF4544 ²	2415950		LAF1715 ¹
	Oil	LP8741 ¹⁰²			LAF4545 ¹	4384102		LAF1733 ²
Agrotron 4.85 w/Deutz BF4M1012E Engine				Fuel	FP586F	4384103		LAF8567 ²
	Fuel	LFF5874	4208014	Oil	LP8992	(1174482); Pri.	Fuel	FP586F
	Oil	LP8741 ¹⁰²	Agrotron TTV420 (w/Deutz TCD2012 Engine)			(1174483); Sec.		FP587F
Agrotron 4.90 w/Deutz BF4M1012EC Engine				Air	LAF4544 ²	1174418	Oil	PH2819
	Fuel	LFF5874			LAF4545 ¹	Agroxta 4.17, Agroxta 4.47 w/Deutz F3L913 Engine		
	Oil	LP8741 ¹⁰²		Fuel	FP586F			
Agrotron 6.00, 6.01, 6.05, 6.15 w/Deutz BF6M1012E Engine			Agrotron TTV430 (w/Deutz TCD2012 Engine)			2165044	Air	LAF1714 ²
	Fuel	FP586F		Air	LAF4544 ²	2415950		LAF1715 ¹
4208015	Oil	LP8993			LAF4545 ¹	4384102		LAF1733 ²
Agrotron 6.20 w/Deutz BF6M1013 Engine				Fuel	FP586F	4384103		LAF8567 ²
	Fuel	FP586F	Agrotron X710			(1174482); Pri.	Fuel	FP586F
	Oil	LFF8103		Fuel	LFF5874	(1174483); Sec.		FP587F
				Oil	LFP8590	1174418	Oil	PH2819
Agrotron 6.20, Agrotron 6.30, Agrotron 6.45 w/Deutz BF6M1013E Engine			Agrotron X720			Agroxta 4.17, Agroxta 4.47 w/Deutz F4L913 Engine		
	Fuel	FP586F		Fuel	LFF5874	2165044	Air	LAF1714 ²
1174483	Oil	LFF8103		Oil	LFP8590	2415950		LAF1715 ¹
Agrotron Euro II 100			Agrotron85 w/BFM2012EC Engine			4384102		LAF1733 ²
	Fuel	LFF5874	4415905	Air	LAF9100 ¹	4384103		LAF8567 ²
	Oil	LFP8590	1180597	Fuel	FP585F	(1174482); Pri.	Fuel	FP586F
Agrotron K90, Agrotron K100, Agrotron K120 w/Deutz BF4M2012C Engine			4208014	Oil	LP8992	(1174483); Sec.		FP587F
	Fuel	FP586F	Agroxta 3.57, Agroxta 4.07 w/Deutz BF4L913 Engine			1174418	Oil	PH2819
	Hydraulic	LFH4428	2165044	Air	LAF1714 ²	Agroxta 4.57 w/Deutz BF4L913 Engine		
4208014	Oil	LP8992	2415950		LAF1715 ¹	2165044	Air	LAF1714 ²
Agrotron L720 w/Deutz TCD2013 LO6 2V Engine			4384102		LAF1733 ²	2415950		LAF1715 ¹
	Oil	LFP2222	4384103		LAF8567 ²	4384102		LAF1733 ²
Agrotron M600 w/Deutz TCD2012 LO6 Engine			(1174482); Pri.	Fuel	FP586F	4384103		LAF8567 ²
	Fuel	LFF5874	(1174483); Sec.		FP587F	(1174482); Pri.	Fuel	FP587F
	Hydraulic	LFH4268	1174418	Oil	PH2819	1174483		LFF8103
	Oil	LP8741 ¹⁰²	Agroxta 3.57, Agroxta 4.07 w/Deutz F3L913 Engine			1174418	Oil	PH2819
Agrotron M610 w/Deutz TCD2012 LO6 Engine			Agroxta 3.57, Agroxta 4.07 w/Deutz F4L913 Engine			Agroxta 6.07, 6.17 w/Deutz F6L912 Engine		
	Fuel	LFF5874	2165044	Air	LAF1714 ²	2165044	Air	LAF1714 ^{2, 57}
	Hydraulic	LFH4268	2415950		LAF1715 ¹	2415950		LAF1715 ^{1, 57}
4208014	Oil	LP8741 ¹⁰²	4384102		LAF1733 ²	4384102		LAF1733 ^{2, 57}
Agrotron M620 w/Deutz TCD2012 LO6 Engine			4384103		LAF8567 ²	4384103		LAF8567 ^{2, 57}
	Fuel	LFF5874	(1174482); Pri.	Fuel	FP586F	(1174482); Pri.	Fuel	FP586F
	Hydraulic	LFH4268	(1174483); Sec.		FP587F	1174483		FP587F
	Oil	LP8741 ¹⁰²	1174418	Oil	PH2819	1174421	Oil	LFP2222
Agrotron M650 (w/Deutz TCD2012 LO6 Engine)			Agroxta 3.57, Agroxta 4.07 w/Deutz F4L913 Engine			Agroxta 6.07, 6.17 w/Deutz F6L913 Engine		
	Fuel	LFF5874	2165044	Air	LAF1714 ²	2165044	Air	LAF1714 ^{2, 57}
	Hydraulic	LFH4268	2415950		LAF1715 ¹	2415950		LAF1715 ^{1, 57}
Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.			1-Inner 2-Outer 57-Partial 102-8.31" Tall			1-Inner 2-Outer 57-Partial 102-8.31" Tall		

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DEUTZ-FAHR (TRACTOR)			DITCH WITCH (EQUIPMENT)			DITCH WITCH (EQUIPMENT)		
Agroxta 6.07, 6.17 w/Deutz F6L913 Engine (cont'd)			3610 w/Deutz F3L1011 Engine (cont'd)			7020 w/John Deere 4045D Engine (cont'd)		
1174421	Oil	LFP2222		Fuel	FP587F LFF3806 ¹⁷⁰	194734	Air	LAF1723 ¹
DIG IT (EQUIPMENT)				Hydraulic	LFH4404 ⁷⁸³ LFP1652 ¹¹¹⁹	159079	Hydraulic	LFH4988
148 w/Kubota D722E Engine				Oil	PH2816		Oil	FP20
15231-43560	Fuel	L550F	4010 w/Deutz F2L912 Engine			7510, 7610 w/Deutz F4L912 Engine		
AE10	Hydraulic	LFP1652		Fuel	FP586F	195809	Air	LAF1784 ¹
70000-15241	Oil	PH2808		Hydraulic	LFP1652	195690		LAF9538 ² LAF9538MXM ^{2, 268}
158 w/Kohler Command CH18S Engine				Oil	PH2819	Pri.	Fuel	FP586F
AE10	Hydraulic	LFP1652	4010 w/Perkins Engine			Sec.		FP587F
	Oil	PH2814 ¹⁸ PH2835 ¹⁹	P119538	Air	LAF9538 ² LAF9538MXM ^{2, 268}	155954	Hydraulic	LFH4955
2008 w/Kohler CH20S Engine				Fuel	LFF3501		Oil	PH2819
	Oil	PH2835		Oil	PH4408	8020 w/John Deere 4045D, 4045T Engine		
M2208 w/Kohler Command 22 HP Engine			410SX (w/Kubota WG1605 Engine)			195809	Air	LAF1784 ¹
	Oil	PH2814 ¹⁸ PH2835 ¹⁹		Oil	PH2808	195690		LAF9538 ² LAF9538MXM ^{2, 268}
DITCH WITCH (EQUIPMENT)			410SX w/Lister Petter LPW4 Engine			159079	Hydraulic	LFH4988
1025SK w/Deutz F2L511 Engine				Fuel	LFF4806 ¹⁶⁹	155954		LFP449
	Fuel	LFF3806 ¹⁷⁰ LFF4806 ¹⁶⁹		Hydraulic	LFH4959 ¹²⁷⁰ LFP1652 ¹²⁷¹	C99		
	Oil	PH561		Oil	PH2814		Air	LAF189
1030 w/Honda GX340 Engine			440, 444A Jet Tracks w/Deutz F4L1011 Engine			FX30 w/Kubota D1105 Engine		
P535396	Air	LAF22056 ¹	195-849	Oil	PH561	C085004	Air	LAF1833 ¹
P822686		LAF8388 ²	5110 w/Deutz F3L912 Engine				Oil	PH2808
1230, 1330 w/Honda GX390 Engine			195809	Air	LAF1784 ¹	HT100 w/John Deere 4045T Engine		
P822686	Air	LAF8388 ²	195818		LAF1793 ¹		Air	LAF1246 ²
1230 only	Oil	PH2816	195817		LAF222 ²		Fuel	P1130
2300 w/Deutz F2L511 Engine			195690		LAF9538 ² LAF9538MXM ^{2, 268}	155954	Hydraulic	LFH4955
921999	Hydraulic	LFP1652		Fuel	FP586F	155910		LFP1652
	Oil	PH561		Oil	PH2819		Oil	FP20
2300 w/Wisconsin Engine			5510 w/F3L912 Engine			HT115 w/4045T Power Tech Engine		
	Air	LAF1275 ²	195809	Air	LAF1784 ¹	P780523	Air	LAF9543 ¹
	Fuel	G1 ⁵³¹	195818		LAF1793 ¹	P780522		LAF9547 ²
	Hydraulic	LFP1652	195817		LAF222 ²	(RE60021); Sec.	Fuel	L8683F
255SX w/Onan P224 Engine			195690		LAF9538 ² LAF9538MXM ^{2, 268}	RE59754	Oil	LFP5757
	Oil	PH400		Fuel	FP586F	HT25 w/Kubota D1105E Engine		
255SX w/Onan Performer P224 Engine				Oil	PH2819		Oil	PH2808
	Fuel	G1/4	5700 w/Deutz F4M1011F Engine			HT85, RT185 w/John Deere 6068 Engine		
	Oil	PH400		Oil	PH561		Oil	LFP5757
3210 w/Deutz F2L511 Engine			6510, 6610 w/Deutz F4L912 Engine			J20 w/Wisconsin TJD Engine		
	Fuel	LFF3806 ¹⁷⁰ LFF4806 ¹⁶⁹	P119538	Air	LAF9538 ² LAF9538MXM ^{2, 268}		Air	LAF1915
	Oil	PH561		Fuel	FP585F LFF1131	155-910	Hydraulic	LFP1652
3210 w/Wisconsin Engine			W/S	Oil	PH2819	JT1720 w/John Deere 4045 Engine		
P101275	Air	LAF1275 ²	6520 w/John Deere 3179T Engine				Air	LAF8148 ²
	Fuel	G1 ⁵³¹	194733	Air	LAF1544 ²	(RE-60021); Sec.	Fuel	L8683F
921999	Hydraulic	LFP1652	194734		LAF1723 ¹	RE-59754	Oil	LFP5757
3500 w/Deutz 3 cyl. Engine			159079	Hydraulic	LFH4988	JT2020 Mach 1 w/Cummins B3.3L Engine		
195-817	Air	LAF222 ²		Oil	FP20		Fuel	LFF5784
195-807	Fuel	LFF3806 ¹⁷⁰ LFF4806 ¹⁶⁹	7020 w/John Deere 4045D Engine				Oil	PH2835
195-849	Oil	PH2816	194733	Air	LAF1544 ²	JT2720 w/John Deere 4045T Engine		
3610 w/Deutz F3L1011 Engine							Air	LAF8148 ²
195818	Air	LAF1793 ¹				(RE-60021); Sec.	Fuel	L8683F
195817		LAF222 ²				9700810	Hydraulic	LFH4471
						RE-59754	Oil	LFP5757
						JT3020 Mach 1 w/Cummins QSB4.5L Engine		
						W/S	Fuel	LFF9732

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 18-Short 19-Long 169-1 Per Package 170-2 Per Package 268-Extended/Severe service 531-Filter only 783-Pressure side 1119-Suction Line 1270-13/8 x12" thread 1271-1x12" thread

D

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DITCH WITCH (EQUIPMENT)			DITCH WITCH (EQUIPMENT)			DITCH WITCH (TRENCHER INDUSTRIAL)		
<i>JT3020 Mach 1 w/Cummins QSB4.5L Engine (cont'd)</i>			<i>XT1600 w/Kubota V2300-M-DI 2.0L Engine (cont'd)</i>			<i>RT36 (w/Deutz F3L2011 Engine)</i>		
	Oil	LFP3970	153792	Hydraulic	LFH5876	194038	Air	LAF8195 ²
<i>JT4020 w/John Deere 6068TF Engine</i>			194881	Oil	PH253 ¹⁴⁹⁶	194039		LAF8690 ¹
	Air	LAF8148 ²	<i>Zahn R230 (w/Kohler CH23S Engine)</i>				Fuel	LFF3518
(RE-60021); Sec.	Fuel	L8683F		Oil	PH2814		Hydraulic	LFP1652
9700810	Hydraulic	LFH4471	<i>Zahn R300 (w/Kohler CH750S Engine)</i>				Oil	PH2816
RE-59754	Oil	LFP5757		Oil	PH2814	<i>RT40 w/Deutz 3FM2011 Engine</i>		
<i>JT420 w/John Deere 6068 Powertech Engine</i>			DITCH WITCH (TRENCHER INDUSTRIAL)			AF26168	Air	LAF5325
9700810	Hydraulic	LFH4471	<i>R100 w/Detroit Diesel 4-53 Engine</i>				Fuel	LFF3518
P167162	Oil	LFP5757		Air	LAF9001 ²	159074	Hydraulic	LFH4959
<i>JT520 w/Kubota D1105B-1 Engine</i>				Fuel	261F		Oil	PH2816
P821575	Air	LAF8195 ²	Sec.		L274F	<i>RT45 (w/Deutz F3M2011 Tier 4 Engine)</i>		
P822858		LAF8690 ¹	Pri.		L274F1	194038	Air	LAF8195 ²
155954	Hydraulic	LFH4955	Pri.		LP132	194039		LAF8690 ¹
<i>JT7020 w/Deutz BF6M1013ECP Turbo Engine</i>				Oil		194038	Fuel	LFF3518
	Air	LAF1793 ¹	<i>R100 w/John Deere 4045T Engine</i>			159074	Hydraulic	LFH4959
		LAF222 ²		Fuel	P1130		Oil	PH2816
	Fuel	FP586F	155954	Hydraulic	LFH4955	<i>RT55 (w/Deutz D2011L04 Tier 4i Engine)</i>		
	Hydraulic	LFH4955		Oil	FP20	194038	Air	LAF8195 ²
	Oil	LFP2222	<i>R100 w/Perkins 6.354 Engine</i>			194039		LAF8690 ¹
<i>JT920, JTL920L w/Lister-Petter LPWT4 Turbo Engine</i>				Air	LAF1246 ²	(195-807); Sec.	Fuel	LFF3518
195817	Air	LAF222 ²		Fuel	L296F ⁴¹	(R12P); Pri.		LFF8677
<i>MX15 w/Komatsu 3D68EK-3KJ Engine</i>				Oil	LFP2292	153792	Hydraulic	LFH5876
	Fuel	L4103F	<i>R30, V30, R40 w/Wisconsin VH4D Engine</i>				Oil	PH2808
	Oil	PH2876		Air	LAF1275 ^{2, 57}	<i>RT55 (w/Deutz F4M2011 Engine)</i>		
<i>MX27 w/Komatsu 3D82AE-3HC Engine</i>			155-910	Hydraulic	LFP1652	194038	Air	LAF8195 ²
	Fuel	L4103F	<i>R40 w/Deutz Engine</i>			194038		LAF8690 ¹
	Oil	PH2876		Hydraulic	LFH5068-10	(195-807); Sec.	Fuel	LFF3518
<i>MX35 w/Komatsu 3D84E-3LN Engine</i>			<i>R60 w/Wisconsin 60 hp Engine</i>			(R12P); Pri.		LFF8677
	Fuel	L549F	155-910	Hydraulic	LFP1652	153792	Hydraulic	LFH5876
	Oil	PH2808	155-929	Oil	LFP2252		Oil	PH2808
<i>MX45 w/Komatsu 4D88E-3HB Engine</i>			<i>R65 w/Ford 192DF Engine</i>			<i>RT70, RT90 w/John Deere 4045DF150 Engine</i>		
	Fuel	L549F		Air	LAF222 ²		Air	LAF8148
	Oil	PH2808		Fuel	L296F ⁴¹			LAF9332 ¹
<i>MX9 w/Komatsu 2DE68-N3CB Engine</i>			155-910	Hydraulic	LFP1652	Sec.	Fuel	L8683F
	Fuel	L4103F		Oil	PH400 ²⁷⁵	P165332	Hydraulic	LFH4473 ¹²⁷³
	Oil	PH2876			PH8A ¹⁴⁹⁶	153792		LFH5876 ¹²⁷²
<i>SK300 w/Honda 13 hp OHV</i>			<i>R65 w/Ford 4-192 Engine</i>				Oil	LFP5757
	Oil	PH2808	P101222	Air	LAF222 ²	<i>RT75H (w/John Deere 4045DF270 Engine)</i>		
<i>SK350 w/Kohler 20 hp V-Twin</i>			155-910	Hydraulic	LFP1652		Air	LAF8148
	Oil	PH2814	C9NN-6714-A	Oil	LFP2258			LAF9332 ¹
<i>SK350 w/Kohler Command CH20 Engine</i>			<i>R65 w/Wisconsin V465D Engine</i>			RE62421	Fuel	L8242F
	Oil	PH2814	155-910	Hydraulic	LFP1652	(RE62418); W/S		LFF8215
<i>SK500 w/Honda 21 hp V-Twin</i>			155-929	Oil	LFP2252	153792	Hydraulic	LFH5876
	Oil	PH2808	<i>RT115 w/John Deere 4045T Engine</i>			RE504836	Oil	LFP4836
<i>SK500 w/Honda 24 hp V-Twin</i>			P780523	Air	LAF9543 ¹	<i>RT75M w/John Deere 4045DF270 Engine</i>		
	Oil	PH2808	P780522		LAF9547 ²		Air	LAF8148
<i>SK500 w/Kohler 27 hp OHV</i>			(RE60021); Sec.	Fuel	L8683F			LAF9332 ¹
	Oil	PH2814		Oil	LFP5757	RE62424	Fuel	L8242F
<i>XT1600 w/Kubota V2300-M-DI 2.0L Engine</i>			<i>RT12 (w/Briggs & Stratton Vanguard Engine)</i>			(RE62418); W/S		LFF8215
194758	Air	LAF8114 ¹		Hydraulic	LFP1652	RE39390	Hydraulic	LFH4473
194759		LAF8143 ²	<i>RT30 (w/Kubota D1105 Engine)</i>			RE504836	Oil	LFP4836
155941	Fuel	G1 ⁵³¹		Air	LAF8195 ²	<i>RT80 (w/Deutz TD2011L04W Engine)</i>		
1941001		LFF3553			LAF8690 ¹		Air	LAF4544 ²
				Hydraulic	LFH9393			LAF4545 ¹
				Oil	PH2808	(195-807); Sec.	Fuel	LFF3518

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 57-Partial 275-Primary 531-Filter only 1272-1 1/2 x16 thread 1273-1 3/8 x16 thread 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DITCH WITCH (TRENCHER INDUSTRIAL)			DOOSAN (EXCAVATOR)			DOOSAN (EXCAVATOR)		
<i>RT80 (w/Deutz TD2011L04W Engine) (cont'd)</i>			<i>DX140LC, DX140LCR w/Doosan DL06 Engine (cont'd)</i>			<i>DX35Z w/Yanmar 3TNV88 Engine</i>		
(R12P); Pri.	Fuel	LFF8677	65125035026	Fuel	LFF5485	K1025338	Air	LAF8195 ²
	Oil	PH2816	24711154	Hydraulic	LH22019	K1025335	Fuel	FP570F
<i>RT95H (w/4045TF270 Engine)</i>			65055105032	Oil	LFP2286 LFP2286XL ¹⁴	K1025334	Oil	PH2808
RE62421 (RE62418); W/S	Fuel	L8242F LFF8215	<i>DX160W-3 w/Doosan DL06KB Engine)</i>			<i>DX420LC w/Doosan DV11 Engine</i>		
153792	Hydraulic	LFF5876	4740039	Air	LAF3781 ^{1, 241} LAF4498 ^{2, 208}	47400038	Air	LAF8150 ² LAF8693 ¹
RE504836	Oil	LFP4836	4740040			47400037		
<i>RT95H (w/John Deere 4045HF280B Engine)</i>			K1006529	Fuel	LFF9769	K1006529	Fuel	LFF9769
	Air	LAF9543 ¹ LAF9547 ²	24711154	Hydraulic	LH22019	24711154	Hydraulic	LH22019
P165332 153792	Hydraulic	LFH4473 ¹²⁷³ LFF5876 ¹²⁷²	<i>DX180LC w/Doosan DL06 Engine</i>			<i>DX420LC-3 w/Isuzu AL-6UZ1X Engine)</i>		
	Oil	LFP4836	4740039	Air	LAF3781 ^{1, 241} LAF4498 ^{2, 208}	47400038	Air	LAF8150 ² LAF8693 ¹
<i>SK750 (w/Kubota D1105 E3B Engine)</i>			4740040			47400037		
	Air	LAF8195 ² LAF8690 ¹	65125035026	Fuel	LFF5485	K1006529	Fuel	LFF9769
	Fuel	G1 ⁵³¹	24711154	Hydraulic	LH22019	24711154	Hydraulic	LH22019
	Oil	PH253 ¹⁴⁹⁶	65055105032	Oil	LFP2286 LFP2286XL ¹⁴	<i>DX480LC w/Doosan DV11 Engine</i>		
<i>SK755 (w/Kubota D1105TE3B Engine)</i>			<i>DX210W w/Doosan DL06 Engine</i>			<i>DX520LC w/Doosan DV11 Engine</i>		
	Air	LAF8195 ² LAF8690 ¹	4740039	Air	LAF3781 ^{1, 241} LAF4498 ^{2, 208}	47400038	Air	LAF8150 ² LAF8693 ¹
	Fuel	G1 ⁵³¹	4740040			47400037		
	Oil	PH253 ¹⁴⁹⁶	65125035026	Fuel	LFF5485	K1006529	Fuel	LFF9769
<i>VP12 Onan NHMS Engine</i>			24711154	Hydraulic	LH22019	24711154	Hydraulic	LH22019
	Air	LAF8195 ² LAF8690 ¹	65055105032	Oil	LFP2286 LFP2286XL ¹⁴	<i>DX520LC w/Doosan DV11 Engine</i>		
	Fuel	G1 ⁵³¹	<i>DX225LC w/Doosan DL06 Engine</i>			<i>DX55 w/Yanmar 4TNV98 Engine</i>		
	Oil	PH253 ¹⁴⁹⁶	47400039	Air	LAF3781 ^{1, 241} LAF4498 ^{2, 208}	47400038	Air	LAF8150 ² LAF8693 ¹
<i>VP12 w/Onan NHCMS Engine</i>			47400040			47400037		
155-910	Hydraulic	LFP1652	65125035026	Fuel	LFF5485	K1006529	Fuel	LFF9769
	Oil	PH400	24711154	Hydraulic	LH22019	24711154	Hydraulic	LH22019
<i>VP12 w/Onan NH-MS Engine</i>			65055105032	Oil	LFP2286 LFP2286XL ¹⁴	47400023	Oil	LFP3000 LFP3000XL ¹⁴
155-910	Hydraulic	LFP1652	<i>DX255LC w/Doosan DL06 Engine</i>			<i>DX60r w/Yanmar 4TNV98 Engine</i>		
	Oil	PH253 ¹⁴⁹⁶	4740039	Air	LAF3781 ^{1, 241} LAF4498 ^{2, 208}	A213939	Air	LAF8143 ² LAF9332 ¹
DJB ENGINEERING (DUMP TRUCK)			4740040			A213938	Oil	PH2867
D22, D25B, D275B, D330B, D350B w/Caterpillar 3306 Engine	Air	LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2, 268}	65125035026	Fuel	LFF5485	<i>DX60r w/Yanmar 4TNV98 Engine</i>		
AZA618			24711154	Hydraulic	LH22019	A213939	Air	LAF8143 ² LAF9332 ¹
AZA617			65055105032	Oil	LFP2286 LFP2286XL ¹⁴	A213938	Oil	PH2867
9M-9740	Trans	LP164	<i>DX27Z w/Yanmar 3TNV82A Engine</i>			<i>DX700LC w/Isuzu AH-6WG1XYS001 Tier 3 Engine</i>		
<i>D250, D300 w/Caterpillar 330GT Engine</i>			K1025335	Fuel	FP570F	<i>DX300LC w/Doosan DL08 Engine</i>		
4L-9852	Air	LAF852	K1025334	Oil	PH2808	<i>DX300LC-V w/Doosan DL08 Engine</i>		
<i>D44, D550 w/Caterpillar 3408 Engine</i>			<i>DX300LC w/Doosan DL08 Engine</i>			<i>DX80r w/Yanmar 4TNV98 Engine</i>		
1P-8482	Air	LAF8482 ¹ LAF8483 ² LAF8483MXM ^{2, 268}	47400038	Air	LAF8150 ² LAF8693 ¹	K1053750	Air	LAF9155 ² LAF9159 ¹
1P-8483			47400037			K1053748		
			K1006529	Fuel	LFF9769	24711154	Hydraulic	LH22019 ¹¹³⁷
9M-9740	Trans	LP164	24711154	Hydraulic	LH22019	87327673	Oil	LFP7217
DOOSAN (EXCAVATOR)			65055105026B	Oil	LFP911XL ¹⁴	<i>DX80r w/Yanmar 4TNV98 Engine</i>		
<i>DH50 w/Daewoo DC24 Engine</i>			<i>DX300LC-V w/Doosan DL08 Engine</i>			<i>DX85-3 w/Yanmar 4TNV98C Engine)</i>		
24746008	Air	LAF222 ²	47400038	Air	LAF8150 ² LAF8693 ¹	A213939	Air	LAF8143 ² LAF9332 ¹
65125155006	Fuel	LFF8307	47400037			A213938	Oil	PH2867
65055105008	Hydraulic	LFP8244	K1006529	Fuel	LFF9769	<i>DX85-3 w/Yanmar 4TNV98C Engine)</i>		
<i>DX140LC, DX140LCR w/Doosan DL06 Engine</i>			24711154	Hydraulic	LH22019	<i>Solar 10 w/Yanmar 2TNE68 Engine</i>		
4740039	Air	LAF3781 ^{1, 241} LAF4498 ^{2, 208}	65055105026B	Oil	LFP911XL ¹⁴	<i>Solar 140LCV, 140WV w/Doosan DB58TIS Engine</i>		
4740040			<i>DX340LC w/Doosan DL08 Engine</i>			12455055700	Fuel	L4103F
			47400038	Air	LAF8150 ² LAF8693 ¹	11930535150	Oil	PH2876
			47400037			<i>Solar 140LCV, 140WV w/Doosan DB58TIS Engine</i>		
			K1006529	Fuel	LFF9769	24749053	Air	LAF1768 ² LAF8392 ¹
			24711154	Hydraulic	LH22019	24749054		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 208-19" Hgt. 241-17.5" Hgt. 268-Extended/Severe service 531-Filter only 1137-Pilot 1272-1 1/2 x16 thread 1273-1 3/8 x16 thread 1496-Alternate

D

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DOOSAN (EXCAVATOR)			DOOSAN (EXCAVATOR)			DOOSAN (WHEEL LOADER)		
<i>Solar 140LCV, 140WV w/Doosan DB58TIS Engine (cont'd)</i>			<i>Solar 70 III w/Daewoo DB33 Engine (cont'd)</i>			<i>DL500 w/Cummins QSM 11 Engine (cont'd)</i>		
(65125035016); W/S	Fuel	LFF1001	65125155006	Fuel	LFF8307	47400037	Air	LAF8693 ¹
24749003A	Hydraulic	LH8498	24711154	Hydraulic	LH22019 ¹¹³⁷		Coolant	LFW4075 ⁶⁴⁴
24749404A		LH8544	24749003B		LH8498	W/S	Fuel	LFF1000
			650551105015	Oil	LFP7181	K1006529		LFF9769
<i>Solar 15 w/Kubota D722 Engine</i>			<i>Solar 75V w/Yanmar 4TNE98 Engine</i>				Oil	LFP9001 ²⁵⁰
1523143563	Fuel	L550F	24749008	Hydraulic	LH8498			LFP9001TRT ³
1585399170	Oil	PH2876		Oil	PH2808			LFP9001XL ^{14, 250}
<i>Solar 150-V w/Daewoo DB58TIS Engine</i>			DOOSAN (LIFT TRUCK)			<i>Mega 300-V w/Daewoo DE08TIS Engine</i>		
24749053	Air	LAF1768 ²	<i>D15S w/Cummins A2300 Engine</i>			(65125035016); W/S	Fuel	LFF1001
24749054		LAF8392 ¹		Oil	PH2808	(24749404A);	Hydraulic	LH8544
(65125035016); W/S	Fuel	LFF1001	<i>D18S w/Cummins A2300 Engine</i>			2001-3000; REMOVE		
24711154	Hydraulic	LH22019 ¹¹³⁷		Oil	PH2808	Duplication of line 177		
24749404A		LH8544 ¹⁰⁷⁷	<i>D20S w/Yanmar 4TNE98 Engine</i>			<i>Mega 400-V w/Daewoo DE12TIS Engine</i>		
6505510515	Oil	LFP7181		Oil	PH2808	(65125035016); W/S	Fuel	LFF1001
<i>Solar 155LCV w/Doosan DB58TIS Engine</i>			<i>D20SC-5 w/Cummins A2300 Engine</i>			(24749404A);	Hydraulic	LH8544
24749053	Air	LAF1768 ²		Oil	PH2808	2001-3000		
24749054		LAF8392 ¹	<i>D33 w/Yanmar 4TNE98 Engine</i>			(65055105022);	Oil	LFP8925
(65125035016); W/S	Fuel	LFF1001		Oil	PH2808	Engine 40306-up		
24749003A	Hydraulic	LH8498	DOOSAN (WHEEL LOADER)			750131063	Trans	LFH8593
24749404A		LH8544	<i>DL160 w/Cummins QSB4.5 Engine</i>			<i>Mega 500 w/QSM 10.8L Engine</i>		
<i>Solar 175, Solar 175LC-V w/DB58TIS Engine</i>			24746006A	Air	LAF1814 ¹		Coolant	LFW4075 ⁶⁴⁴
(65125035016); W/S	Fuel	LFF1001	24749038		LAF6834 ¹	W/S	Fuel	LFF1000
24749404A	Hydraulic	LH8544	65125035026	Fuel	LFF5421		Oil	LFP9001 ²⁵⁰
<i>Solar 180WV w/Doosan DB58TIS Engine</i>			3937736	Oil	LFP3970			LFP9001TRT ³
24749053	Air	LAF1768 ²	<i>DL200, DL200TC w/Doosan DL06 Tier 3 Engine</i>					LFP9001XL ^{14, 250}
24749054		LAF8392 ¹	47400038	Air	LAF3781 ^{1, 241}	DRESSER (CRANE)		
(65125035016); W/S	Fuel	LFF1001	47400040		LAF4498 ^{2, 208}	<i>150, 150F Series A w/Dresser D359T Engine</i>		
(24749058); W/S		LFF8020	501323154	Trans	LFH8490	(161623); Pri.	Fuel	LFF3417
24749003A	Hydraulic	LH8498	<i>DL220 w/Doosan DL06 Tier 3 Engine</i>			(161624); Sec.		LFF3521
24749404A		LH8544	47400038	Air	LAF3781 ^{1, 241}	1240388-H1	Oil	LFP780
<i>Solar 225LCV w/Doosan DB58TIS Engine</i>			47400040		LAF4498 ^{2, 208}			LFP780XL ¹⁴
(65125035016); W/S	Fuel	LFF1001	501323154	Trans	LFH8490	DRESSER (CRAWLER LOADER)		
24749404A	Hydraulic	LH8544	<i>DL250, DL250TC w/Doosan DL06 Tier 3 Engine</i>			<i>100G w/Dresser D240N Engine</i>		
<i>Solar 30 Plus w/Isuzu 3LB1 Engine</i>			47400038	Air	LAF3781 ^{1, 241}	1240619-H1	Fuel	FP587F
8970763960	Air	LAF8630 ²	47400040		LAF4498 ^{2, 208}	161625	Oil	LFP3900
8944567412	Oil	PH2808	501323154	Trans	LFH8490	1140079-C2	Trans	LH4905 ¹²⁷⁴
<i>Solar 30 w/Isuzu 3LB1 Engine</i>			<i>DL300 w/DL08 Engine</i>			<i>125G w/Dresser D240T Engine</i>		
8970423170	Air	LAF2745A ²	47400038	Air	LAF8150 ²	1129111-C1	Air	LAF4169 ²
8941329471	Fuel	FP588F	47400037		LAF8693 ¹	1129112-C1		LAF4317 ¹
8944567411	Oil	PH2808	K1006529	Fuel	LFF9769	1240619-H1	Fuel	FP587F
<i>Solar 35 w/Isuzu 3LB1 Engine</i>			<i>DL400 w/Cummins QSL9 Engine</i>			161625	Oil	LFP3900
8970763960	Air	LAF8630 ²	47400038	Air	LAF8150 ²	1140079-C2	Trans	LH4905 ¹²⁷⁴
(8941329471); -20001	Fuel	FP588F	47400037		LAF8693 ¹	<i>175C w/Dresser D359T Engine</i>		
		L3541F	(3973232); Sec.	Fuel	LFF5488	1251529-H1	Air	LAF414 ¹
8944567412	Oil	PH2808	K1006529		LFF9769	1251528-H1		LAF926 ²
<i>Solar 50 w/Daewoo DC24 Engine</i>			3401544	Oil	LFP3000	(161623); Pri.	Fuel	LFF3417
24749020	Air	LAF8668 ²	<i>DL450 w/Cummins QSM11 eng.</i>			(161624); Sec.		LFF3521
24749019		LAF8674 ¹			LFP3000XL ¹⁴	666219-C1	Hydraulic	LH4901 ¹²⁷⁶
24749026	Fuel	L61F		Coolant	LFW4075 ⁶⁴⁴	1240388-H1	Oil	LFP780
<i>Solar 55-V Plus w/4TNE98L Engine</i>			W/S	Fuel	LFF1000			LFP780XL ¹⁴
A213939	Air	LAF8143 ²		Oil	LFP9001 ²⁵⁰	1140079-C2	Trans	LH4905 ¹²⁷⁵
A213938		LAF9332 ¹			LFP9001TRT ³	<i>200 w/Dresser D505T Engine</i>		
11980255800	Fuel	LFF8350			LFP9001XL ^{14, 250}	627935-C1	Air	LAF8547 ¹
8944567412	Oil	PH2808	<i>DL500 w/Cummins QSM 11 Engine</i>			627934-C1		LAF8548 ²
<i>Solar 70 III w/Daewoo DB33 Engine</i>			47400038	Air	LAF8150 ²	1261387-H1	Coolant	LFW4071 ²⁸
24746004	Air	LAF222 ²				(161623); Pri.	Fuel	LFF3417

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 28-Contains 1 oz. of chemical 208-19" Hgt. 241-17.5" Hgt. 250-11.9" Hgt.

644-Contains 6 oz. of chemical 1077-Hyd. Tank 1137-Pilot 1274-Dresser 3042934-R1 O-ring 1275-Dresser 3042934-R1 O-ring 2 1276-Dresser 252556-R1

O-ring 3

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DRESSER (CRAWLER LOADER)			DRESSER (CRAWLER TRACTOR)			DRESSER (CRAWLER TRACTOR)		
<i>200 w/Dresser D505T Engine (cont'd)</i>			<i>TD15E w/Dresser D505N Engine (cont'd)</i>			<i>TD40 w/Cummins KTA19C Engine (cont'd)</i>		
(161624); Sec.	Fuel	LFF3521	627934-C1	Air	LAF8548 ²	1140079-C2	Trans	LH4905 ¹²⁷⁷
1240892-H1	Oil	LFP734	1261387-H1	Coolant	LFW4071 ²⁸	<i>TD40B w/Cummins KTA19C Engine</i>		
1214275-H2	Trans	LFH5937	(161623); Pri.	Fuel	LFF3417	1200455-H1	Air	LAF1787 ¹
<i>250E w/Cummins LTA-10C Engine</i>			(161624); Sec.	Fuel	LFF3521	1200454-H1		LAF1812 ²
	Air	LAF2542 ¹	666219-C1	Hydraulic	LH4901 ¹²⁷⁶	1261388-H1	Coolant	LFW4073 ²⁵⁵
672019-C1		LAF9726 ²	1240892-H1	Oil	LFP734	(1214920-H1); W/S	Fuel	LFF8000 ⁶²⁸
1261387-H1	Coolant	LFW4071 ²⁸	1214275-H2	Trans	LFH5937	1212622-H1	Oil	LFP670
(1214920-H1); W/S	Fuel	LFF8000 ⁶²⁸	<i>TD15E w/Dresser D505T Engine</i>					LFP670XL ¹⁴
666219-C1	Hydraulic	LH4901 ¹²⁷⁶		Air	LAF8547 ¹	(1212621-H1);		LFP777B
1212622-H1	Oil	LFP670		Coolant	LAF8548 ²	By-Pass		LFP777XL ¹⁴
		LFP670XL ¹⁴			LFW4071 ²⁸	By-Pass		
(1212621-H1);		LFP777B	Pri.	Fuel	LFF3417	<i>TD7E w/Dresser D239 Engine</i>		
By-Pass		LFP777XL ¹⁴	Sec.	Fuel	LFF3521	625041-C1	Air	LAF1467 ²
By-Pass				Hydraulic	LH4901 ¹²⁷⁶	625042-C1		LAF1930 ¹
1140079-C2	Trans	LH4905 ¹²⁷⁵		Oil	LFP734	3132428-R2	Fuel	FP587F
DRESSER (CRAWLER TRACTOR)				Trans	LFH5937	3144477-R91		L296F ⁴¹
<i>500E w/Dresser D155 Engine</i>			<i>TD20G w/Cummins LTA10C Engine</i>			623017-C1	Hydraulic	LH4906
384812-R93	Air	LAF1866 ²	935693-C1	Air	LAF1780 ¹	615447-C2		P138 ¹¹
	Fuel	L296F ⁴¹	935694-C1		LAF1819 ²	528250-R1	Oil	LFP54
	Oil	LFP54	1261387-H1	Coolant	LFW4071 ²⁸	<i>TD7G, TD7H w/Dresser D240N Engine</i>		
918266-R93	Trans	PH400 ²⁷⁵	(1214920-H1); W/S	Fuel	LFF8000 ⁶²⁸		Air	LAF1544 ²
918266-R93		PH8A ¹⁴⁹⁶	(666219-C1); S/N	Hydraulic	LH4901 ¹²⁷⁶			LAF1723 ¹
<i>Also See International Harvester</i>			35126-			(1240619-H1); W/S	Fuel	LFF8062
384812-R93	Air	LAF1866 ²	1212622-H1	Oil	LFP670	623017-C1	Hydraulic	LH4906
	Fuel	L296F ⁴¹	(1212621-H1);		LFP670XL ¹⁴	161625	Oil	LFP3900
	Oil	LFP54	By-Pass		LFP777B	1140079-C2	Trans	LH4905 ¹²⁷⁴
918266-R93	Trans	PH400 ²⁷⁵	By-Pass		LFP777XL ¹⁴	<i>TD8E w/Dresser D239 Engine</i>		
918266-R93		PH8A ¹⁴⁹⁶	By-Pass			3132428-R2	Fuel	FP587F
<i>TD12B w/Dresser D505N Engine</i>			1214275-H2	Trans	LFH5937	3144477-R91		L296F ⁴¹
627935-C1	Air	LAF8547 ¹	(1140079-C2); -S/N		LH4905 ¹²⁷⁸	623017-C1	Hydraulic	LH4906
627934-C1		LAF8548 ²	35125			615447-C2		P138 ¹¹
1261387-H1	Coolant	LFW4071 ²⁸	<i>TD25G w/Cummins KT1150C Engine</i>			528250-R1	Oil	LFP54
(161623); Pri.	Fuel	LFF3417	680587-C2	Air	LAF3716 ²	<i>TD8G, TD8H w/Dresser D240T Engine</i>		
(161624); Sec.	Fuel	LFF3521	1261388-H1	Coolant	LFW4073 ²⁵⁵	1129111-C1	Air	LAF4169 ²
666219-C1	Hydraulic	LH4901 ¹²⁷⁶	(1214920-H1); W/S	Fuel	LFF8000 ⁶²⁸	1129112-C1		LAF4317 ¹
1240892-H1	Oil	LFP734	(666219-C1); S/N	Hydraulic	LH4901 ¹²⁷⁶	(1240619-H1); W/S	Fuel	LFF8062
<i>TD15C w/Dresser D505N Engine</i>			2467-			623017-C1	Hydraulic	LH4906
1251529-H1	Air	LAF414 ¹	709014-C1	Oil	LFP55	161625	Oil	LFP3900
1251528-H1		LAF926 ²	1212622-H1		LFP670	1140079-C2	Trans	LH4905 ¹²⁷⁴
1261387-H1	Coolant	LFW4071 ²⁸	(1212621-H1);		LFP670XL ¹⁴	DRESSER (EXCAVATOR)		
(161623); Pri.	Fuel	LFF3417	By-Pass		LFP777B	<i>3960, 3961, 3964, 3964B, 3965B, 3966, 3984B</i>		
(161624); Sec.	Fuel	LFF3521	By-Pass		LFP777XL ¹⁴	<i>w/Deutz F6L912 Engine</i>		
666219-C1	Hydraulic	LH4901 ¹²⁷⁶	1214275-H2	Trans	LFH5937		Air	LAF1246 ²
1240892-H1	Oil	LFP734	(1140079-C2); -S/N		LH4905 ¹²⁷⁸		Fuel	FP586F
1214275-H2	Trans	LFH5937	2466				Oil	LFP2222
<i>TD15C w/Dresser D505T Engine</i>			<i>TD40 w/Cummins KTA19C Engine</i>			<i>3964B, 3964B-LGP, 3965B, 3984, 3984B w/IH</i>		
	Air	LAF414 ¹	1200455-H1	Air	LAF1787 ¹	<i>D-358 Engine</i>		
		LAF926 ²	1200454-H1		LAF1812 ²	529852-R2	Air	LAF1723 ¹
	Coolant	LFW4071 ²⁸	1261388-H1	Coolant	LFW4073 ²⁵⁵	529851-R2		LAF1905 ²
Pri.	Fuel	LFF3417	(1214920-H1); W/S	Fuel	LFF8000 ⁶²⁸	(3132428-R1); Pri.	Fuel	FP587F
Sec.	Fuel	LFF3521	1212622-H1	Oil	LFP670	528493-R3	Hydraulic	LFH4636
	Hydraulic	LH4901 ¹²⁷⁶	(1212621-H1);		LFP670XL ¹⁴	631144-C3		LP6061
	Oil	LFP734	By-Pass		LFP777B	528250-R1	Oil	LFP54
	Trans	LFH5937	By-Pass		LFP777XL ¹⁴	<i>6120 w/Dresser 410T Engine</i>		
<i>TD15E w/Dresser D505N Engine</i>			1214275-H2	Trans	LFH5937	(161623); Pri.	Fuel	LFF3417
627935-C1	Air	LAF8547 ¹				(161624); Sec.	Fuel	LFF3521

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 14-Extended Life 28-Contains 1 oz. of chemical 41-Cartridge 255-Contains 3 oz. of chemical 275-Primary 628-Tall version of LFF8020 1274-Dresser 3042934-R1 O-ring 1275-Dresser 3042934-R1 O-ring 2 1276-Dresser 252556-R1 O-ring 3 1277-Dresser 3042934-R1 O-ring 4 1278-Dresser 3042934-R1 O-ring 3 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DRESSER (EXCAVATOR)			DRESSER (GRADER)			DRESSER (GRADER)		
<i>6120 w/Dresser 410T Engine (cont'd)</i>			<i>830 w/Dresser D359T Engine (cont'd)</i>			<i>A450E w/Dresser D359T Engine (cont'd)</i>		
07063-01100	Hydraulic	LH4912	(149661); Early models	Trans	LFH4922	149661	Trans	LFH4922
1240388-H1	Oil	LFP780 LFP780XL ¹⁴	<i>830B, 830C w/D359T Engine</i>			<i>A500E, A566E w/Dresser D505T Engine</i>		
<i>6200LC w/Dresser 610T Engine</i>			12490055-H1	Air	LAF1481 ²	1249055-H1	Air	LAF1481 ²
(161623); Pri.	Fuel	LFF3417	1249056-H1	Fuel	LAF8339 ¹	1249056-H1	Fuel	LAF8339 ¹
(161624); Sec.		LFF3521	(161623); Pri.		LFF3417	(161623); Pri.		LFF3417
1240388-H1	Oil	LFP780 LFP780XL ¹⁴	161624		LFF3521	(161624); Sec.		LFF3521
<i>6200LC w/Dresser 610TA Engine</i>			1266751-H2	Hydraulic	LFH4428	79360	Hydraulic	LP132
(161623); Pri.	Fuel	LFF3417	123914-H2		LFH5936		Oil	LFP734
(161624); Sec.		LFF3521	1240388-H1	Oil	LFP780 LFP780XL ¹⁴	149661	Trans	LFH4922
1240388-H1	Oil	LFP780 LFP780XL ¹⁴	<i>850 w/Dresser D505T Engine</i>			<i>A550, A600, A606 w/Dresser D505T Engine</i>		
<i>6220LC w/Dresser 610TA Engine</i>			1249055-H1	Air	LAF1481 ²	1249055-H1	Air	LAF1481 ²
(161623); Pri.	Fuel	LFF3417	1249056-H1		LAF8339 ¹	1249056-H1	Fuel	LAF8339 ¹
(161624); Sec.		LFF3521	1258389-H1	Coolant	LFW4071 ²⁸	(161623); Pri.		LFF3417
1240388-H1	Oil	LFP780 LFP780XL ¹⁴	(161623); Pri.	Fuel	LFF3417	(161624); Sec.		LFF3521
<i>625E, 625ELC w/Dresser D240T Engine</i>			(161624); Sec.		LFF3521	141064	Hydraulic	LH4939
(161623); Pri.	Fuel	LFF3417	(1295155-H1); Late models	Oil	LFP3000		Oil	LFP734
(161624); Sec.		LFF3521	Late Models (1240892-H1); Early models		LFP3000XL ¹⁴ LFP734	149661	Trans	LFH4922
1240388-H1	Oil	LFP3900	(149661); Early models	Trans	LFH4922	DRESSER (ROLLER INDUSTRIAL)		
<i>630 w/Deutz F6L912 Engine</i>			<i>850B, 850C w/D505T Engine</i>			<i>708, 710, 712, 714 w/Dresser D240T Engine</i>		
	Air	LAF1246 ²	1249055-H1	Air	LAF1481 ²	114360	Air	LAF1246 ²
	Fuel	FP586F	1249056-H1		LAF8339 ¹	(161623); Pri.	Fuel	LFF3417
	Hydraulic	LP6061	(161623); Pri.	Fuel	LFF3417	(161624); Sec.		LFF3521
	Oil	LFP2222	(161624); Sec.		LFF3521	(1240619-H1); W/S		LFF8062 ¹²
<i>6300LC w/Dresser 614TA Engine</i>			1266751-H2	Hydraulic	LFH4428	161625	Oil	LFP3900
600-181-8270	Air	LAF1813 ²	1233914-H2		LFH5936	<i>S4-6B</i>		
600-181-8370		LAF1814 ¹	(1295155-H1); Late models	Oil	LFP3000		Air	LAF1275 ²
1257937-H1	Coolant	LFW4072 ¹⁸²	Late Models (1240892-H1); Early models		LFP3000XL ¹⁴ LFP734	By-Pass	Oil	PB50
(161623); Pri.	Fuel	LFF3417	(1240892-H1); Early models		LFP734	<i>VOS2-66B</i>		
(161624); Sec.		LFF3521	<i>870 w/Dresser D505T Engine</i>				Air	LAF237
1240892-H1	Oil	LFP734	1249055-H1	Air	LAF1481 ²		Oil	LAF265HD
<i>635E-LC, W635E, 645, 645LC w/D359TA Engine</i>			1249056-H1		LAF8339 ¹	<i>VOS66A, VOSA66A, VOSD66A, VOSPD66A w/Dresser D240T Engine</i>		
(161623); Pri.	Fuel	LFF3417	1258389-H1	Coolant	LFW4071 ²⁸	(161623); Pri.	Fuel	LFF3417
(161624); Sec.		LFF3521	(161623); Pri.	Fuel	LFF3417	(161624); Sec.		LFF3521
1240388-H1	Oil	LFP780 LFP780XL ¹⁴	(161624); Sec.		LFF3521	(1240619-H1); W/S		LFF8062 ¹²
<i>6400LC w/Cummins LTA10C Engine</i>			(1295155-H1); Late models	Oil	LFP3000	161625	Oil	LFP3900
600-181-1580	Air	LAF1834 ²	Late Models (1240892-H1); Early models		LFP3000XL ¹⁴ LFP734	<i>VOS84A, VOSA84A, VOSD84, VOSPD84 w/Detroit Diesel Engine</i>		
600-181-1680		LAF1835 ¹	(149661); Early models	Trans	LFH4922	78041	Air	LAF237 ²
(1214920-H1); W/S	Fuel	LFF8000 ⁶²⁸	<i>830 w/Dresser D359T Engine</i>			67372	Hydraulic	LP50910
07063-01142	Hydraulic	LH8543	1249055-H1	Air	LAF1481 ²	DRESSER (SCRAPER)		
<i>650 w/Dresser DT402 Engine</i>			1249056-H1		LAF8339 ¹	<i>412B w/Dresser D505T Engine</i>		
	Hydraulic	LH4901	(161623); Pri.	Fuel	LFF3417	627935-C1	Air	LAF8547 ¹
	Oil	LFP54	(161624); Sec.		LFF3521	627934-C1		LAF8548 ²
DRESSER (GRADER)			(1295155-H1); Late models	Oil	LFP3000	(161623); Pri.	Fuel	LFF3417
<i>830 w/Dresser D359T Engine</i>			Late Models (1240892-H1); Early models		LFP3000XL ¹⁴ LFP734	(161624); Sec.		LFF3521
1249055-H1	Air	LAF1481 ²	(149661); Early models	Trans	LFH4922	(129155-H1); Late models	Oil	LFP3000
1249056-H1		LAF8339 ¹	<i>A450E w/Dresser D359T Engine</i>			Late Models (1240892-H1); Early models		LFP3000XL ¹⁴ LFP734
(161623); Pri.	Fuel	LFF3417	1249055-H1	Air	LAF1481 ²			
(161624); Sec.		LFF3521	1249056-H1		LAF8339 ¹			
1240388-H1	Oil	LFP780 LFP780XL ¹⁴	(161623); Pri.	Fuel	LFF3417			
			(161624); Sec.		LFF3521			
				Hydraulic	LP132			
			1240388-H1	Oil	LFP780 LFP780XL ¹⁴			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 14-Extended Life 28-Contains 1 oz. of chemical 182-Contains 2 oz. of chemical 628-Tall version of LFF8020

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DRESSER (WHEEL DOZER-COMPACTOR)			DRESSER (WHEEL LOADER)			DRESSER (WHEEL LOADER)		
970 w/Cummins VTA28C Engine			518 w/KDC 610T Engine (cont'd)			540 w/Dresser D505T Engine (cont'd)		
680587-C2	Air	LAF3716 ²	154-60-12170	Hydraulic	LH8541	(161623); Pri.	Fuel	LFF3417
1257937-H1	Coolant	LFW4072 ¹⁸²	1240388-H1	Oil	LFP780	(161624); Sec.		LFF3521
1257972-H1	Fuel	L14F	520B, 520C w/Dresser D359T Engine			1240892-H1	Oil	LFP734
(1212621-H1); By-Pass	Oil	LFP777B	1249057-H1	Air	LAF1813 ²	930654-C1	Trans	LH4913 ¹²⁷⁴
By-Pass		LFP777XL ¹⁴	1249058-H1		LAF1814 ¹	542 w/KDC 614TA Engine		
1214939-H1		LP566	(161623); Pri.	Fuel	LFF3417	600-181-1580	Air	LAF1834 ²
1140079-C2	Trans	LH4905 ¹²⁷⁵	(161624); Sec.		LFF3521	600-181-1680		LAF1835 ¹
DRESSER (WHEEL LOADER)			1106643-C1	Hydraulic	LFH5071	1257937-H1	Coolant	LFW4072 ¹⁸²
510B, 510C w/Dresser D240T Engine			1240388-H1	Oil	LFP780	(161623); Pri.	Fuel	LFF3417
(161623); Pri.	Fuel	LFF3417	(1140079-C2); Hsg. w/o drain plug	Trans	LH4905 ¹²⁷⁴	(161624); Sec.		LFF3521
(161624); Sec.		LFF3521	(930654-C1); Hsg. w/drain plug		LH4913 ¹²⁷⁴	07063-01142	Hydraulic	LH8543
(161625); -S/N 44257907	Oil	LFP3900	525 w/KDC 610T Engine			1295155-H1	Oil	LFP3000
(1240388-H1); S/N 44257908-		LFP780	1249057-H1	Air	LAF1813 ²	545 w/Cummins LTA10C Engine		
		LFP780XL ¹⁴	1249058-H1		LAF1814 ¹	600-181-1580	Air	LAF1834 ²
(1140079-C2); Hsg. w/o drain plug	Trans	LH4905 ¹²⁷⁴	(161623); Pri.	Fuel	LFF3417	600-181-1680		LAF1835 ¹
(930654-C1); Hsg. w/drain plug		LH4913 ¹²⁷⁴	(161624); Sec.		LFF3521	1257937-H1	Coolant	LFW4072 ¹⁸²
512 w/KDC 410T Engine			154-60-12170	Hydraulic	LH8541	(1214920-H1); W/S	Fuel	LFF8000 ⁶²⁸
1129111-C1	Air	LAF4169 ²	1240388-H1	Oil	LFP780	07063-01142	Hydraulic	LH8543
1129112-C1		LAF4317 ¹	530, 530C w/Dresser D505T Engine			1295155-H1	Oil	LFP3000XL ¹⁴
(161623); Pri.	Fuel	LFF3417	627935-C1	Air	LAF8547 ¹	550 w/Cummins NTA855 Engine		
(161624); Sec.		LFF3521	627934-C1		LAF8548 ²	680587-C2	Air	LAF3716 ²
154-60-12170	Hydraulic	LH8541	1261387-H1	Coolant	LFW4071 ²⁸	Pri.	Fuel	LFF5D
161625	Oil	LFP3900	(161623); Pri.	Fuel	LFF3417	W/S		LFF8020 ¹²
515B, 515C, CA w/Dresser D359N Engine			(161624); Sec.		LFF3521		Oil	LFP670
1129111-C1	Air	LAF4169 ²	1106643-C1	Hydraulic	LFH5071	(1212621-H1); By-Pass		LFP670XL ¹⁴
1129112-C1		LAF4317 ¹	1240892-H1	Oil	LFP734	By-Pass		LFP777B
(161623); Pri.	Fuel	LFF3417	(1140079-C2); Hsg. w/o drain plug	Trans	LH4905 ¹²⁷⁴	1140079-C2	Trans	LH4905
(161624); Sec.		LFF3521	(930654-C1); Hsg. w/drain plug		LH4913 ¹²⁷⁴	555 w/Cummins NTA-855 Engine		
1240388-H1	Oil	LFP780	532 w/KDC 614T Engine			680587-C1	Air	LAF3716 ²
		LFP780XL ¹⁴	419-02-11240	Air	LAF1813 ²	1261387-H1	Coolant	LFW4071 ²⁸
(11470079-C2); Hsg. w/o drain plug	Trans	LH4905 ¹²⁷⁴	419-02-11230		LAF1814 ¹	(1214920-H1); W/S	Fuel	LFF8000 ⁶²⁸
(930654-C1); Hsg. w/drain plug		LH4913 ¹²⁷⁴	1257937-H1	Coolant	LFW4072 ¹⁸²	1212622-H1	Oil	LFP670
515B, 515C, CA w/Dresser D359T Engine			(161623); Pri.	Fuel	LFF3417	(1212621-H1); By-Pass		LFP670XL ¹⁴
1129111-C1	Air	LAF4169 ²	(161624); Sec.		LFF3521	By-Pass		LFP777B
1129112-C1		LAF4317 ¹	07063-01142	Hydraulic	LH8543	By-Pass		LFP777XL ¹⁴
(161623); Pri.	Fuel	LFF3417	1295155-H1	Oil	LFP3000	558 w/Cummins NTA855 Engine		
(161624); Sec.		LFF3521	538 w/KDC 614T Engine			W/S	Fuel	LFF8020
1240388-H1	Oil	LFP780	600-181-1580	Air	LAF1834 ²		Oil	LFP3000
		LFP780XL ¹⁴	600-181-1680		LAF1835 ¹			LFP3000XL ¹⁴
(11470079-C2); Hsg. w/o drain plug	Trans	LH4905 ¹²⁷⁴	1257937-H1	Coolant	LFW4072 ¹⁸²	560, 560B w/Cummins KT19C Engine		
(930654-C1); Hsg. w/drain plug		LH4913 ¹²⁷⁴	(161623); Pri.	Fuel	LFF3417	680587-C1	Air	LAF3716 ²
518 w/KDC 610T Engine			(161624); Sec.		LFF3521	1257937-H1	Coolant	LFW4072 ¹⁸²
1249057-H1	Air	LAF1813 ²	07063-01142	Hydraulic	LH8543	(1214920-H1); W/S	Fuel	LFF8000 ⁶²⁸
1249058-H1		LAF1814 ¹	1295155-H1	Oil	LFP3000	1212622-H1	Oil	LFP670
(161623); Pri.	Fuel	LFF3417	540 w/Dresser D505T Engine			(1212621-H1); By-Pass		LFP670XL ¹⁴
(161624); Sec.		LFF3521	935693-C1	Air	LAF1780 ¹	By-Pass		LFP777B
			935694-C1		LAF1819 ²	By-Pass		LFP777XL ¹⁴
			1261387-H1	Coolant	LFW4071 ²⁸	1140079-C2	Trans	LH4905 ¹²⁷⁵
						568 w/Cummins VTA19C Engine		
							Coolant	LFW4071 ^{28, 205}

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 14-Extended Life 28-Contains 1 oz. of chemical 182-Contains 2 oz. of chemical 205-Maintenance 628-Tall version of LFF8020

1274-Dresser 3042934-R1 O-ring 1275-Dresser 3042934-R1 O-ring 2

D

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DRESSER (WHEEL LOADER)			DRILLTECH (DRILL INDUSTRIAL)			DROTT (EXCAVATOR)		
<i>568 w/Cummins VTA19C Engine (cont'd)</i>			<i>D40K w/Caterpillar 3406 Engine (cont'd)</i>			<i>1500, 1800, 2500 Cruz-Crane w/Case 504BD Engine (cont'd)</i>		
Pri.	Fuel	LFF5D	318553	Hydraulic	LH2544	S62434	Hydraulic	LP509
W/S		LFF8020 ¹²	<i>DK40II w/Caterpillar 3408 Engine</i>			A64453	Oil	PH24
	Oil	LFP670	001036-53	Air	LAF1816 ¹	A62423		PH444
		LFP670XL ¹⁴	001036-61		LAF1818 ²	<i>1500, 2000 Cruz-Crane w/Detroit 4-71 Engine</i>		
By-Pass		LFP777B	<i>DK45KS w/Caterpillar Engine</i>			Sec.	Fuel	FP1127F
By-Pass		LFP777XL ¹⁴		Air	LAF1765 ¹	(A58712); Pri.		LFP3301F
<i>570 w/Cummins VTA28C Engine</i>					LAF222 ²	S62434	Hydraulic	LP509
680587-C2	Air	LAF3716 ²			LAF6453 ²	A64453	Oil	PH24
1257937-H1	Coolant	LFW4072 ¹⁸²			LAF6453MXM ^{2, 268}	A62423		PH444
1257972-H1	Fuel	L14F			LAF9086 ^{2, 1280}	<i>160CK, 170B, 170C w/Deutz Engine</i>		
(1212621-H1);	Oil	LFP777B			LAF9086MXM ^{2, 268}	(S231996); Std. eng.	Air	LAF6587 ²
By-Pass					LAF9086MXM ^{2, 268}	Std. eng.		LAF6587MXM ^{2, 268}
By-Pass		LFP777XL ¹⁴			LH4916-10	N6660		LAF6834 ¹
1214939-H1		LP566		Hydraulic		A43657		LAF8513 ¹
1140079-C2	Trans	LH4905 ¹²⁷⁵	<i>DK50K w/Caterpillar Engine</i>			(A43656); H.D. eng.		LAF9200 ²
<i>580 w/Cummins KTA38C Engine</i>			001036-53	Air	LAF1816 ¹	P150564	Fuel	FP586F
1236970-H1	Air	LAF8407 ²	001036-61		LAF1818 ²	2150580	Hydraulic	LH8245
		LAF8407MXM ^{2, 268}			LAF1818MXM ^{2, 268}	P850589	Oil	LFP8590
1236971-H1		LAF8408 ¹	<i>Prime Mover w/Caterpillar 3208 Engine</i>			<i>220, 220B w/Deutz F10L413 Engine</i>		
(1140079-C1); S/N	Trans	LH4905 ^{1094, 1277}	P111237	Air	LAF237 ²	P850569	Air	LAF9085 ¹
1006-1039, 2000-2009			001063-55	Hydraulic	LFH4204 ¹⁰⁷⁷	P850568		LAF9086 ²
<i>580 w/Detroit Diesel 12V-149TI Engine</i>			1551		LFP1652	<i>220C Crawler w/Deutz Engine</i>		
942626-C1	Air	LAF9155 ^{2, 268}	<i>Prime Mover w/Caterpillar 3306NA Engine</i>			P1050595	Fuel	LFF8092
942625-C1		LAF9155 ²	P111237	Air	LAF237 ²	P1350575	Oil	LFP2222
(1140079-C1); S/N	Trans	LAF9159 ¹	001063-55	Hydraulic	LFH4204 ¹⁰⁷⁷	<i>220C Crawler w/Deutz Engine</i>		
1006-1039, 2000-2009		LH4905 ^{1094, 1277}	1551		LFP1652	P850569	Air	LAF9085 ¹
DRILLTECH (DRILL INDUSTRIAL)			<i>Prime Mover w/IH RD549 Engine</i>			P850568		LAF9086 ²
<i>D25K, D25K-II w/Caterpillar 3406 Engine</i>			P111237	Air	LAF237 ²	<i>2500 Series B w/Case 504BDT Engine</i>		
P117781	Air	LAF1816 ¹	001063-55	Hydraulic	LFH4204 ¹⁰⁷⁷	Sec.	Fuel	FP1127F
P117782		LAF1818 ²	1551		LFP1652	(A58712); Pri.		LFP3301F
		LAF1818MXM ^{2, 268}	<i>T50K w/Caterpillar Engine</i>			A64453	Oil	PH24
630753		LAF1845 ²	001036-53	Air	LAF1816 ¹	A62423		PH444
	Hydraulic	LP50910	001036-61		LAF1818 ²	<i>30EC, 30YC, 30YM, 35EC, 356YC w/Cummins 6V-352 Engine</i>		
<i>D40K w/Caterpillar 3208 Engine</i>					LAF1818MXM ^{2, 268}	UC263 Gas, UD282	Air	LAF222 ²
001036-53	Air	LAF1816 ¹	DROTT (EXCAVATOR)			Diesel		LAF702
001036-61		LAF1818 ²	<i>115, 115P, 126CK, 125P-B w/Deutz Engine</i>			UC301 Gas		LAF744
		LAF1818MXM ^{2, 268}	(S231996); Std. eng.	Air	LAF6587 ²	71405		LP509
		LAF1881 ¹²⁸⁰	Std. eng.		LAF6587MXM ^{2, 268}	62434	Hydraulic	LP50910 ¹⁰⁸⁸
318553	Hydraulic	LFH5068-10 ¹²⁷⁹	N6660		LAF6834 ¹	<i>30EC, 30YC, 30YM, 35EC, 356YC w/Detroit Diesel 3-53N Engine</i>		
		LH2544	A43657		LAF8513 ¹	(A42274); UC263 Gas,	Air	LAF222 ²
<i>D40K w/Caterpillar 3304 Engine</i>			(A43656); H.D. eng.		LAF9200 ²	UD282 Diesel		LAF702
001036-53	Air	LAF1816 ¹	P150564	Fuel	FP586F	(317702-R91); UC301		LAF744
001036-61		LAF1818 ²	P850589	Oil	LFP8590	Gas		LP509
		LAF1818MXM ^{2, 268}	<i>120 w/Detroit Diesel 12V-71 Engine</i>			<i>30EC, 30YC, 30YM, 35EC, 356YC w/Detroit Diesel 3-53N Engine</i>		
		LAF1881 ¹²⁸⁰	S224637	Air	LAF9155 ²	(A42274); UC263 Gas,	Air	LAF222 ²
318553	Hydraulic	LFH5068-10 ¹²⁷⁹	S224636		LAF9155MXM ^{2, 268}	UD282 Diesel		LAF702
		LH2544	(S104929); S/N	Hydraulic	LAF9159 ¹	(317702-R91); UC301		LAF744
<i>D40K w/Caterpillar 3406 Engine</i>			65521-6287228		LH5001	Gas		LP509
001036-53	Air	LAF1816 ¹	<i>1500, 1800, 2500 Cruz-Crane w/Case 504BD Engine</i>			<i>30EC, 30YC, 30YM, 35EC, 356YC w/Detroit Diesel 3-53N Engine</i>		
001036-61		LAF1818 ²	Sec.	Fuel	FP1127F	S62434	Hydraulic	LP50910 ¹⁰⁸⁸
		LAF1818MXM ^{2, 268}	(A58712); Pri.		LFP3301F			
		LAF1881 ¹²⁸⁰						
	Hydraulic	LFH5068-10 ¹²⁷⁹						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 14-Extended Life 182-Contains 2 oz. of chemical 268-Extended/Severe service 1077-Hyd. Tank 1088-Pressure Line 1094-For engine filters - see engine section. 1275-Dresser 3042934-R1 O-ring 2 1277-Dresser 3042934-R1 O-ring 4 1279-Compressor Lube 1280-Dust Collector

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DROTT (EXCAVATOR)			DROTT (EXCAVATOR)			DROTT (EXCAVATOR)		
<i>30EC, 30YC, 30YM, 35EC, 356YC w/Detroit Diesel 4-53 Engine</i>			<i>35EC-YC Series B Crawler S/N 300- (cont'd)</i>			<i>40YR w/Cummins Engine</i>		
UC263 Gas, UD282 Diesel	Air	LAF222 ²		Oil	LP50910		Hydraulic	LP509
UC301 Gas		LAF702	<i>40 w/Ford V8-361 Engine</i>			<i>45, 45B w/Case Engine</i>		
71405		LAF744		Oil	P2		Air	LAF1813 ² LAF1814 ¹ LAF237 ²
62434	Hydraulic	LP509 LP50910 ¹⁰⁸⁸	<i>40B Logger w/Case Engine</i>			S221313		
<i>30EC, 30YC, 30YM, 35EC, 356YC w/Detroit Diesel 4-53N Engine</i>			L33913	Air	LAF234HD ²	Sec.	Fuel	FP1127F LFP3301F
(A42274); UC263 Gas, UD282 Diesel (317702-R91); UC301 Gas	Air	LAF222 ² LAF702 LAF744	Sec. (A41745); Pri.	Fuel	FP1127F LFP3301F	(A58712); Pri.	Fuel	FP1127F LFP3301F
S62434	Hydraulic	LP509 LP50910 ¹⁰⁸⁸	S62434	Hydraulic	LP50910 ¹⁰⁸⁸	A75294	Oil	PH675
<i>30EC, 30YC, 30YM, 35EC, 356YC w/International UC-263 Engine</i>			A64453	Oil	PH24	<i>45, 45B w/Detroit Diesel 4-71 Engine</i>		
	Air	LAF744	<i>40B Logger w/Detroit Engine</i>				Air	LAF1813 ² LAF1814 ¹ LAF237 ²
	Hydraulic	LP509 LP50910 ¹⁰⁸⁸	S221313	Air	LAF237 ²	S221313		
<i>30EC, 30YC, 30YM, 35EC, 356YC w/Perkins 6.354 Engine</i>			S62434	Hydraulic	LP50910 ¹⁰⁸⁸	Sec.	Fuel	FP1127F LFP3301F
71405	Air	LAF744	<i>40B Wheel S/N 2200-6292775</i>			(A58712); Pri.	Oil	PH675
62434	Hydraulic	LP509	(A40866); w/Cummins eng. (L33913); w/Detroit Diesel eng.	Air	LAF1246 ² LAF234HD ²	A75294		
<i>30EC, 30YC, 30YM, 35EC, 356YC w/Detroit Diesel 4-71 Engine</i>			S62434	Hydraulic	LP50910 ¹⁰⁸⁸	<i>50D Crawler w/Case 504BDT Engine</i>		
	Air	LAF744	<i>40BEC w/Detroit Diesel 4-71 Engine</i>			(S221347); w/Detroit Diesel eng. (S231996); w/Case eng.	Air	LAF241HD LAF6587 LAF6587MXM ²⁶⁸
	Hydraulic	LP509	221313	Air	LAF237 ²	w/Case eng.		
<i>30EC, 30YC, 30YM, 35EC, 356YC w/Case 504BDT Engine</i>			<i>40D w/Case 504BDT Engine</i>			<i>50D, 50EC Series w/Case 504BDT Engine</i>		
71405	Air	LAF744	Sec. (A-58712); Pri.	Fuel	FP1127F LFP3301F	Sec.	Fuel	FP1127F LFP3301F
62434	Hydraulic	LP509	A-64453	Oil	PH24	(A58712); Pri.		
<i>30EC, 30YC, 30YM, 35EC, 356YC w/A-C 2900, Cummins 6V-352, Detroit Diesel 4-53</i>			A-62423		PH444	S116428	Hydraulic	LH4994 LH5001
71405	Air	LAF744	<i>40D w/Detroit Diesel 4-71 Engine</i>			S104929		
62434	Hydraulic	LP509	L33913	Air	LAF234HD ²	A64453	Oil	PH24
<i>30YM-30YC Crawler</i>			S62434	Hydraulic	LP509	A62423		PH444
317702-R91	Air	LAF702	<i>40E, 40F Wheel</i>			<i>50E Crawler w/Case Engine</i>		
S62434	Hydraulic	LP50910	R29295	Air	LAF8668 ² LAF8674 ¹	(S221347); w/Detroit Diesel eng. (S231996); w/Case eng.	Air	LAF241HD LAF6587 LAF6587MXM ²⁶⁸
<i>3330 Carry Deck Crane w/Case 188 Diesel Engine</i>			N9960	Hydraulic	LP132 ¹⁰⁹⁹	w/Case eng.		
(A39867); Sec. (A39868); S/N 271849; Pri. (A51346); -S/N 271849; Sec.	Fuel	FP862F FP863F L296F ⁴¹	<i>40EC, 40YC Crawler w/Detroit Diesel 4-53 Engine</i>			S116428	Hydraulic	LH4994
A146696	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	S75328	Air	LAF1472 LAF744	<i>50E Crawler w/GMC 4-53 Engine</i>		
A146696	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	71405	Air	LAF1472 LAF744	(S221347); w/Detroit Diesel eng. (S231996); w/Case eng.	Air	LAF241HD LAF6587 LAF6587MXM ²⁶⁸
<i>3330 Carry Deck Crane w/Case G-188 Engine</i>			62434	Hydraulic	LP509	w/Case eng.		
A146696	Oil	PH400 ^{275, 1504} PH8A ^{1269, 1496}	<i>40EC, 40YC Crawler w/Perkins 6-354 Engine</i>			S116428	Hydraulic	LH4994
A146696	Oil	PH400 ^{275, 1504} PH8A ^{1269, 1496}	S75328	Air	LAF1472 LAF744	<i>50E Crawler w/GMC 4-71 Engine</i>		
<i>35 Series D w/Case 336BDT Engine</i>			71405	Air	LAF1472 LAF744	(S221347); w/Detroit Diesel eng. (S231996); w/Case eng.	Air	LAF241HD LAF6587 LAF6587MXM ²⁶⁸
D56453	Air	LAF1544 ²	62434	Hydraulic	LP509	w/Case eng.		
Sec. (A58712); Pri.	Fuel	FP1127F LFP3301F	<i>40ER, 40YR Cruz-Air Cummins 6V-352 Engine</i>			S116428	Hydraulic	LH4994
A146696	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	73840	Trans	P141	<i>50E Crawler w/GMC 6V-53N Engine</i>		
A146696	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>40ER, 40YR Cruz-Air w/A-C 2900 Engine</i>			(S221347); w/Detroit Diesel eng. (S231996); w/Case eng.	Air	LAF241HD LAF6587 LAF6587MXM ²⁶⁸
<i>35D Crawler w/Detroit Diesel 4-53 Engine</i>			<i>40ER, 40YR Cruz-Air w/Detroit Diesel 4-53 Engine</i>			(S221347); w/Detroit Diesel eng. (S231996); w/Case eng.	Air	LAF241HD LAF6587 LAF6587MXM ²⁶⁸
(D56453); w/Case eng. (R29295); w/Detroit Diesel eng.	Air	LAF1544 ² LAF8668	(71405); S/N 1-415	Air	LAF744	w/Case eng.		
S107791	Hydraulic	LH4939	<i>40ER, 40YR Cruz-Air w/Ford V8-330 Engine</i>			S116428	Hydraulic	LH4994
<i>35EC-YC Series B Crawler S/N 300-</i>			(71405); S/N 1-415	Air	LAF744	<i>50E Crawler w/GMC 6V-53N Engine</i>		
w/Case eng.	Air	LAF1246	<i>40ER, 40YR Cruz-Air w/Perkins 6-354 Engine</i>			(S221347); w/Detroit Diesel eng. (S231996); w/Case eng.	Air	LAF241HD LAF6587 LAF6587MXM ²⁶⁸
w/Detroit Diesel		LAF234HD ²	73840	Trans	P141	w/Case eng.		
<i>35EC-YC Series B Crawler S/N 300-</i>			<i>40LC Feller Buncher w/Case 504BD Engine</i>			S116428	Hydraulic	LH4994
			Sec. (A58712); Pri.	Fuel	FP1127F LFP3301F	<i>50E Crawler w/GMC 6V-53N Engine</i>		
				Hydraulic	LP50910	(S221347); w/Detroit Diesel eng. (S231996); w/Case eng.	Air	LAF241HD LAF6587 LAF6587MXM ²⁶⁸
			A64453	Oil	PH24	w/Case eng.		
			A62423		PH444	S116428	Hydraulic	LH4994

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 275-Primary 1088-Pressure Line 1099-Torque Converter 1269-When space is limited, [PH253] can be used. 1496-Alternate 1504-When space is limited, [PH253] can be used."

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DROTT (EXCAVATOR)			DYNAMIC (LOADER)			DYNAPAC (ROLLER INDUSTRIAL)		
<i>5550 w/Case 504BDT Engine</i>			<i>300 w/John Deere 4219D Engine</i>			<i>CA-25 Series II w/Deutz F6L912 Engine (cont'd)</i>		
S221313	Air	LAF237 ²	AR50041	Fuel	P1130	499349	Hydraulic	LFH7355 ^{607, 1119}
Sec.	Fuel	FP1127F	T19044	Oil	FP20	<i>CA-25, CA-25A, CA-25D, CA-25PD, CA-25S</i>		
(A58712); Pri.		LFP3301F	<i>Swinger 160B w/Perkins Engine</i>			<i>w/Caterpillar 3145 Engine</i>		
(A64453); w/8 in. Heat exchanger	Oil	PH24		Air	LAF1275 ²	P118340	Air	LAF66
(A75294); w/12 in. Heat exchanger		PH675		Fuel	L296F ⁴¹	1557	Hydraulic	LP509
<i>5550 w/Detroit Diesel Engine</i>			<i>Swinger 4000B Forklift w/Perkins Engine</i>			1509		LP50910
S83589	Air	LAF2522		Air	LAF1275 ²	<i>CA-25, CA-25A, CA-25D, CA-25PD, CA-25S</i>		
<i>60C, 60CK-B, 60P, 60P-PL-B, 70CK-B w/Deutz Engine</i>			<i>Swinger 748 Forklift</i>			<i>w/Caterpillar 3208 Engine</i>		
(P250566); Std.	Air	LAF1723 ¹	S58	Hydraulic	LFH4955	P118340	Air	LAF66
(P850501); H.D.		LAF1725 ¹	S59		PH725	1557	Hydraulic	LP509
(P250599); H.D.		LAF9001 ²	<i>Swinger 748 Forklift</i>			1509		LP50910
P150564	Fuel	FP586F		Air	LAF1246 ²	<i>CA-30 Series II w/Caterpillar 3208 Engine</i>		
<i>75C, 75CK-CKE-B, 75P, 75P-B w/Deutz Engine</i>			DYNAPAC (COMPACTOR ROLLER)			<i>CA-30 Series II w/Detroit Diesel Engine</i>		
(P850510); H.D.	Air	LAF1544 ²	<i>CA15 w/Detroit Diesel 3-53 Engine</i>			814257	Air	LAf8668 ²
(P450543); Std.		LAF3714 ²	P118159	Air	LAF234HD ²	8142556		LAf8674 ¹
(P450544); Std.		LAF8674 ¹	3294	Hydraulic	LP509	<i>CA-30 Series II w/Deutz F6L912 Engine</i>		
(P250581); H.D.		LAF9410 ¹	3293		LP50910	814257	Air	LAf8668 ²
<i>80B w/Detroit Diesel Engine</i>			DYNAPAC (EQUIPMENT)			814256		LAf8674 ¹
S96962	Air	LAF5255	<i>CA-121, CA-141 w/John Deere 3029 Engine</i>			<i>CA-50, CA-51S, CC-42A, CC-50, CC-50A, CC-50S</i>		
S104929	Hydraulic	LH5001 LP151	P119539	Air	LAF1784 ¹	<i>w/Caterpillar 3145 Engine</i>		
<i>85CK-B, 90C, 90CK-CKE-B, 90P, 90P-B w/Deutz Engine</i>			P148586		LAF9538 ²	891529	Air	LAF1246 ²
(P850510); H.D.	Air	LAF1544 ²	(RE60021); Sec.	Fuel	LAF9538MXM ^{2, 268}	P118340		LAF66
(P450543); Std.		LAF3714 ²	T19044	Oil	L8683F	1557	Hydraulic	LP509
(P450544); Std.		LAF8674 ¹	<i>PL2100S w/Cummins Engine</i>			1509		LP50910
(P250581); H.D.		LAF9410 ¹	P182042	Air	LAF8407	<i>CA-50, CA-51S, CC-42A, CC-50, CC-50A, CC-50S</i>		
P150564	Fuel	FP586F			LAF8407MXM ²⁶⁸	<i>w/Caterpillar 3150 Engine</i>		
P1050586	Hydraulic	LH8532	DYNAPAC (ROLLER INDUSTRIAL)			891529	Air	LAF1246 ²
P1350575	Oil	LFP2222	<i>CA-12 Roller w/Deutz F.3L.912 Engine</i>			P118340		LAF66
<i>H1000 w/Detroit Diesel Engine</i>			<i>CA-15, CA-15A, CA-15D, CA-15PD, CA-15PDB</i>			1557	Hydraulic	LP509
P11-7331	Air	LAF241HD	<i>Rollers w/John Deere 4239D Engine</i>			1509		LP50910
<i>Models with Gresen filters</i>			891528	Air	LAF1246 ²	<i>CA-50, CA-51S, CC-42A, CC-50, CC-50A, CC-50S</i>		
(62434); 1567	Hydraulic	LP509	<i>CA-150 w/Cummins 4BT 3.9 Engine</i>			<i>w/Caterpillar 3208 Engine</i>		
(62434); 3278, 3294		LP509	908451	Air	LAF5932 ¹	891529	Air	LAF1246 ²
(62427); 1509		LP50910	908450		LAF8149 ²	P118340		LAF66
(62427); 3276, 3293		LP50910	<i>CA-151, CA151A, CA-151D, CA151DP w/Cummins 4BT3.9 Engine</i>			1557	Hydraulic	LP509
DROTT (LIFT TRUCK)			<i>CA-152 w/Cummins 4BT3.9 Engine</i>			1509		LP50910
<i>40, 50, 650</i>			902900	Hydraulic	LFH4407	<i>CA51S w/Caterpillar 3208 Engine</i>		
S62434	Hydraulic	LP509	<i>CA-121, CA-141 w/John Deere 3029 Engine</i>			P118340	Air	LAF66
DYNAMIC (LOADER)			<i>CA-151, CA151A, CA-151D, CA151DP w/Cummins 4BT3.9 Engine</i>			1557	Hydraulic	LP509
<i>140 w/Perkins 4.108 Engine</i>				Air	LAF1544 ^{2, 12}	1509		LP50910
P101275	Air	LAF1275 ²	<i>CA-152 w/Cummins 4BT3.9 Engine</i>			<i>CC1 Series 2 Vibratory Roller w/Deutz F4L912 Engine</i>		
26560017	Fuel	L296F ⁴¹	908451	Air	LAF5932 ¹	499345	Air	LAF1544 ²
2654403	Oil	PH4403	908450		LAF8149 ²	499346		LAF9410 ¹
<i>200 w/Ford 172 Engine</i>			<i>CA-25 Series II w/Caterpillar 3208 Engine</i>			499349	Hydraulic	LFH7355 ¹¹
C3TZ-9365-B	Fuel	L296F ⁴¹	814257	Air	LAF8668 ²	<i>CC10 w/Wisconsin VH4D Engine</i>		
C9NN-6714-A	Oil	LFP2258	814256		LAF8674 ¹		Air	LAF1275 ²
<i>5550 w/Case 504BDT Engine</i>			499349	Hydraulic	LFH7355 ^{607, 1119}	3294	Hydraulic	LP509
<i>300 w/John Deere 4219D Engine</i>			<i>CA-25 Series II w/Detroit Diesel Engine</i>			3293		LP50910
<i>CA-25 Series II w/Deutz F6L912 Engine</i>			499553	Air	LAF8668 ²	<i>CC14 Roller w/Deutz F.3L.912 Engine</i>		
<i>CA-25 Series II w/Detroit Diesel Engine</i>			814256		LAF8674 ¹	K23018	Hydraulic	LFH7355
<i>CA-25 Series II w/Deutz F6L912 Engine</i>			<i>CA-25 Series II w/Deutz F6L912 Engine</i>			<i>CC14G w/Deutz F2L912 Engine</i>		
<i>CA-25 Series II w/Detroit Diesel Engine</i>			814257	Air	LAF8668 ²	K23018	Hydraulic	LFH7355
<i>CA-25 Series II w/Deutz F6L912 Engine</i>			814256		LAF8674 ¹			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 12-Optional 41-Cartridge 268-Extended/Severe service 607-Return 1077-Hyd. Tank 1119-Suction Line

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DYNAPAC (ROLLER INDUSTRIAL)			DYNAPAC (ROLLER INDUSTRIAL)			EARTHFORCE (LOADER)		
<i>CC20 w/Deutz F4L912 Engine</i>			<i>CP132 w/Cummins 3.9L Engine (cont'd)</i>			<i>EF5 w/Kubota 2003 Turbo Engine (cont'd)</i>		
1160243	Fuel	FP586F		Air	LAF4544MXM ^{2, 268}		Oil	PH253 ¹⁴⁹⁶
1160024	Oil	PH2819		Hydraulic	LFH5068-10	<i>SSK 4x4x4 w/Kubota D1105 Turbo Engine</i>		
<i>CC21 Roller w/John Deere 4239 Engine Engine</i>			<i>CP15 Roller w/Perkins Engine</i>			Oil PH2808		
499190	Air	LAF222 ²	Hydraulic LFH8534			EARTHFORCE (SKID STEER LOADER)		
<i>CC21A w/Ford 256 Engine</i>			<i>CP21, CP22 Pneumatic Tired Roller w/Mercedes-Benz Engine</i>			<i>EF3 w/Kubota D1703 Engine</i>		
7111/296	Fuel	L296F ⁴¹	814257	Air	LAF8668 ²		Fuel	L549F
	Hydraulic	LP50910	814256		LAF8674 ¹		Oil	PH2904 ²⁷⁵
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>CP27 Roller w/Mercedes-Benz Engine</i>			EAVES (LIFT TRUCK)		
<i>CC41 w/Caterpillar 3208 Engine</i>			C203252	Air	LAF2052 ²	<i>E155 w/Cummins 6BT5.9 Engine</i>		
P101066	Air	LAF66	814257		LAF8668 ²		Air	LAF1725 ¹ LAF9001 ²
<i>CC42 Series II w/Caterpillar 3208 Engine</i>			814257		LAF8674 ¹	Pri. LFF3417 Sec. LFF3521		
814257	Air	LAF8668 ²	<i>DD18</i>			Oil LFP780 LFP780XL ¹⁴		
814256	Air	LAF8674 ¹	1551	Hydraulic	LFP1652	<i>E205 w/Cummins 6BT5.9 Engine</i>		
499349	Hydraulic	LFH7355	<i>F30 w/Cummins 6BTA 5.9 Engine</i>			Pri. LFF3417 Sec. LFF3521		
<i>CC42 Series II w/Cummins 6BT 5.9 Engine</i>			P777639	Air	LAF5932 ¹	<i>E250 w/Cummins 6BTA5.9 Engine</i>		
814257	Air	LAF8668 ²	P777638		LAF8149 ²	Pri. LFF3417 Sec. LFF3521		
814256	Air	LAF8674 ¹	<i>F30C w/Cummins 6BTA 5.9 Engine</i>			Oil LFP780 LFP780XL ¹⁴		
499349	Hydraulic	LFH7355	P777639	Air	LAF5932 ¹	<i>E250 w/Cummins 6BTA5.9 Engine</i>		
<i>CC42 Series II w/Deutz F6L912 Engine</i>			P777638		LAF8149 ²	Pri. LFF3417 Sec. LFF3521		
814257	Air	LAF8668 ²	<i>PL2000 Profiler w/Caterpillar 3406 Engine</i>			Oil LFP780 LFP780XL ¹⁴		
814256	Air	LAF8674 ¹	499504	Air	LAF1840 ¹	<i>E300, E305 w/Cummins 6BTA5.9 Engine</i>		
499349	Hydraulic	LFH7355	499505		LAF1845 ²	Pri. LAF1725 ¹ LAF9001 ²		
<i>CC421 Vibratory Roller w/Deutz F6L912 Engine</i>			499504		LAF1846 ²	Pri. LFF3417 Sec. LFF3521		
814257	Air	LAF8668 ²	EAGER BEAVER (ROLLER INDUSTRIAL)			Oil LFP780 LFP780XL ¹⁴		
814256	Air	LAF8674 ¹	<i>SR150 w/Kohler K181 Engine</i>			<i>E355 w/Cummins 6BTA5.9 Engine</i>		
<i>CC421 w/Deutz F6L912 Engine</i>			231847	Air	AF211	Pri. LFF3417 Sec. LFF3521		
814257	Air	LAF8668 ²	<i>SRH300 w/Kohler Engine</i>			Oil LFP780 LFP780XL ¹⁴		
814256	Air	LAF8674 ¹	277138	Air	AF214	<i>E355 w/Cummins 6BTA5.9 Engine</i>		
<i>CC421, CC421C Vibratory Roller w/Cummins 6BT 5.9 Engine</i>			K22002	Hydraulic	LFH4209	Pri. LFF3417 Sec. LFF3521		
814257	Air	LAF8668 ²	<i>VR2H w/Kohler K321 Engine</i>			Oil LFP780 LFP780XL ¹⁴		
814256	Air	LAF8674 ¹	235116	Air	AF213	<i>E355 w/Cummins 6BTA5.9 Engine</i>		
<i>CC421, CC421C w/Cummins 6BT5.9 Engine</i>			EAGLE-PICHER (LIFT TRUCK)			Pri. LFF3417 Sec. LFF3521		
814257	Air	LAF8668 ²	<i>TM50 TrailerMate w/VW 1.9L Diesel Engine</i>			Oil LFP780 LFP780XL ¹⁴		
814256	Air	LAF8674 ¹	P822686	Air	LAF8388 ²	EGGING (TRACTOR CAB)		
<i>CC422HF w/Cummins 4BTA 3.9 Engine</i>			068 127 177B	Fuel	FP587F	<i>Cab Air</i>		
908451	Air	LAF5932 ¹	60367	Hydraulic	LFH4922		Air	LAF1913
908450	Air	LAF8149 ²	<i>CC42A Roller w/Detroit Diesel 3-53 Engine</i>					LAF2539 ¹²⁸¹
814257	Air	LAF8668 ²	068115561E	Oil	PH2815 ¹⁴⁹⁶	ELGIN SWEEPER (SWEEPER INDUSTRIAL)		
814256	Air	LAF8674 ¹	068115561E		PH561 ²⁷⁵	<i>475 White King w/International Engine</i>		
<i>CC522HF w/Cummins 4BTA 3.9 Engine</i>			EARTHFORCE (LOADER)			Hydraulic LFP1652		
908451	Air	LAF5932 ¹	<i>EF1 w/Kohler CH25 Engine</i>			<i>Custom 375, Fleetwing, Pelican, Pelican JP, JPR, Street King, White King, Educator w/International Engine</i>		
908450	Air	LAF8149 ²		Oil	PH2814	250C4-S Air LAF702		
<i>CC622 w/Cummins 4BTA 3.9 Engine</i>			<i>EF1D, EF1TD w/Kubota D1105 Engine</i>			1551 Hydraulic LFP1652		
908451	Air	LAF5932 ¹		Fuel	G5/16 ²⁶³	<i>Eagle w/Isuzu 6-353 Engine</i>		
P781039	Air	LAF8149 ²		Oil	PH2808	Air LAF7315 ¹ LAF9000 ²		
<i>CF33, CF36, CF44, CF46, CH33, CH44, CH45, CH46, CH47 w/Deutz F3L912 Engine</i>			<i>EF2 w/Kubota D1105 Turbo Engine</i>			Fuel LFF3415		
1160243	Fuel	FP586F		Fuel	G5/16 ²⁶³	Oil LFP2262		
1160024	Oil	PH2819	<i>EF4, EF4SP w/Kubota V2003 Engine</i>			By-Pass		
<i>CG-11 Vibratory Roller</i>			W/S	Fuel	LFF8060			
P102745	Air	LAF2745A ²		Oil	PH253 ¹⁴⁹⁶			
<i>CP132 w/Cummins 3.9L Engine</i>			<i>EF5 w/Kubota 2003 Turbo Engine</i>					
P828889	Air	LAF4544 ²	W/S	Fuel	LFF8060			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 263-Hoses and clamps included 268-Extended/Severe service 275-Primary 1281-23.5" Long 1496-Alternate

D

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ELGIN SWEEPER (SWEEPER INDUSTRIAL)			EUCLID (CRAWLER TRACTOR)			EUCLID (DUMP TRUCK)		
<i>Eagle w/Suzuki 6-353 Engine (cont'd)</i>			<i>8230 w/Detroit Diesel 6V-71 Engine (cont'd)</i>			<i>B63, B70 w/Detroit Diesel 12V-71 Engine</i>		
	Oil	LFP6007	9190077	Hydraulic	LP229		Hydraulic	LP32 ¹¹
<i>Model S w/John Deere Engine</i>				Torque Converter	LP151		Trans	LP151
P112671	Air	LAF2671	<i>8240 w/Detroit Diesel 8V-71 Engine</i>			<i>R190 w/Detroit Diesel 16V-149 Engine</i>		
<i>Pelican Americana w/John Deere 4276T Engine</i>			9036293	Air	LAF1767 ¹	Pri.	Fuel	LFP958F
AR50041	Fuel	P1130	9036292		LAF1812 ²	Sec.		LFP959F
7071052	Hydraulic	LFP1652 LP50910	9034222		LAF6632 ²	Sec.	Oil	LFP911
T19044	Oil	FP20			LAF6632MXM ^{2, 268}			LFP911XL ¹⁴
<i>Pelican Americana, Whirlwind w/International UV345 Engine</i>			9034223		LAF6641 ¹	<i>R20 Series; Model FD w/Cummins NH250 Engine</i>		
7072938	Air	LAF1723 ¹	9190077	Hydraulic	LP229	255963	Air	LAF190
7071052	Hydraulic	LFP1652		Torque Converter	LP151	9028637		LAF262HD
<i>Pelican Series SE w/John Deere 4039T Engine</i>			<i>8250 w/Detroit Diesel 12V-71 Engine</i>			(256837); w/o Turbo	Breather	LAF200 ⁶⁴⁵
T19044	Oil	FP20		Air	LAF1767 ¹	9190077	Hydraulic	LAF65
<i>Whirlwind w/Caterpillar 3208 Engine</i>					LAF1812 ²	<i>R20 Series; Model FD w/Detroit Diesel 6-71 Engine</i>		
	Air	LAF6587 ²		Hydraulic	LP229	9028638	Air	LAF263HD
		LAF6587MXM ^{2, 268}	<i>8280 w/Detroit Diesel 6-71 Engine</i>				Breather	LAF200 ⁶⁴⁵
		LAF6834 ¹	9190077	Hydraulic	LP229	9190077	Hydraulic	LP229
<i>Whirlwind w/John Deere 4276T Engine</i>				Trans	LP151	<i>R22 Series; Model FD w/Detroit Diesel 6-71 Engine</i>		
	Air	LAF1723 ¹	<i>C6 w/Detroit Diesel 6-71 Engine</i>			9023871	Air	LAF1464 ¹²⁸⁴
		LAF1905 ²	9028638	Air	LAF263HD	9229213		LAF6632 ^{2, 1283}
AR50041	Fuel	P1130	9190077	Hydraulic	LP229			LAF6632MXM ^{2, 268, 128}
	Hydraulic	LFP1652		Trans	LP151	9229213		LAF6641 ^{1, 1283}
T19044	Oil	FP20	<i>TC12 w/Detroit Diesel 6-71 Engine</i>			9038408		LAF8513 ¹
ERICKSON (EQUIPMENT)			9028639	Air	LAF263HD	9038407		LAF9200 ²
<i>FB5 w/Continental Engine</i>			9190077	Hydraulic	LP229 ¹²	Sec.	Fuel	L540F
P101275	Air	LAF1275 ²	EUCLID (DUMP TRUCK)			Pri.		L552F
	Oil	P3	<i>1100 w/Detroit Diesel 2000 Engine</i>				Hydraulic	LP229
<i>Husky w/Lister diesel Engine</i>				Air	LAF5069 ²		Oil	LP132
P101246	Air	LAF1246 ²			LAF5069MXM ^{2, 268}		Trans	LP151
	Fuel	L296F ⁴¹			LAF5070 ¹			P2
<i>LC4D w/Wisconsin Engine</i>					LFP2248	<i>R22 Series; Model TD w/Cummins NHRS6 Engine</i>		
P101275	Air	LAF1275 ²	<i>B100, B110 w/Cummins Engine</i>			9028637	Air	LAF262HD
	Oil	P3	9035992	Air	LAF9155 ²		Breather	LAF200 ⁶⁴⁵
ERICKSON (LOADER)					LAF9155MXM ^{2, 268}	9190077	Hydraulic	LP229
<i>Little Eric w/Onan NHC Engine</i>			9035993		LAF9159 ¹	<i>R22 Series; Model TD w/Detroit Diesel 6-110 Engine</i>		
140P-842	Air	LAF2745A ²	9190077	Hydraulic	LP229	9028637	Air	LAF262HD
	Fuel	G5/16 ²⁶³			LP32 ¹¹		Breather	LAF200 ⁶⁴⁵
1551	Hydraulic	LFP1652	5576200	Trans	LP151	9190077	Hydraulic	LP229
ERLINDER (TRASH PAK)			<i>B100, B110 w/Detroit Diesel Engine</i>				Trans	LP151
<i>Refuse Collector</i>			9035992	Air	LAF9155 ²	<i>R22 Series; Model TD w/Detroit Diesel 6-71 Engine</i>		
Gresen 3293 (10 micron)	Hydraulic	LP509			LAF9155MXM ^{2, 268}	9034222	Air	LAF6632 ²
Gresen 3294 (33 micron)		LP50910	9035993		LAF9159 ¹			LAF6632MXM ^{2, 268}
EUCLID (CRAWLER TRACTOR)			9190077	Hydraulic	LP229	9034223		LAF6641 ¹
<i>8230 w/Detroit Diesel 6V-71 Engine</i>					LP32 ¹¹	4012358		LAF8513 ¹
9030538	Air	LAF263HD	5576200	Trans	LP151	(4012359); S/N 65517		LAF9200 ²
(9034222); S/N 42592-42596		LAF6632 ^{2, 12}	<i>B30 w/Detroit Diesel 8V-71N Engine</i>				Breather	LAF200 ⁶⁴⁵
S/N 42592-42596		LAF6632MXM ^{2, 12, 268}	9023871	Air	LAF1464	9190077	Hydraulic	LP229
		LAF6641 ^{1, 12}	P-40		LAF4040			
9034223			9190077	Hydraulic	LP229			
				Torque Converter	LP151			
			5573014	Trans	LP151			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 12-Optional 14-Extended Life 20-High efficiency 41-Cartridge 263-Hoses and clamps included 268-Extended/Severe service 645-Air Shift 1283-Kit 1284-Crankcase Breather

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
EUCLID (DUMP TRUCK)			EUCLID (DUMP TRUCK)			EUCLID (DUMP TRUCK)		
<i>R27 Series; Model TD w/Cummins NRT06 Engine</i>			<i>R35 Series; Model 75TD w/Detroit Diesel 12V-71N Engine (cont'd)</i>			<i>R50, R62 Series; Model LLD w/Cummins NT335 Engine</i>		
9028638	Air	LAF263HD	4012357	Air	LAF9159 ¹	9028638	Air	LAF263HD
9190077	Hydraulic	LP229	9190077	Hydraulic	LP229	9190077	Hydraulic	LP229
	Trans	LP151		Trans	LP151		Torque Converter	LP151
<i>R27 Series; Model TD w/Detroit Diesel 6-110 Engine</i>			<i>R35 w/Cummins Engine</i>			<i>R50, R62 Series; Model LLD w/Cummins VT1710C Engine</i>		
9028637	Air	LAF262HD	4082222	Air	LAF5069 ²	9028638	Air	LAF263HD
9034222		LAF6632 ²			LAF5069MXM ^{2, 268}	9190077	Hydraulic	LP229
		LAF6632MXM ^{2, 268}			LAF5070 ¹		Torque Converter	LP151
9034223		LAF6641 ¹	12967020	Coolant	LFW4075 ⁶⁴⁴			
9190077	Hydraulic	LP229	(2551717); W/S	Fuel	LFF8020			
	Trans	LP151	12000200	Oil	LFP670			
<i>R30, R35 Series; Model TD w/Cummins NT335 Engine</i>			<i>R40, R40C w/Cummins QSK19 Engine</i>			<i>R50, R62 Series; Model LLD w/Detroit Diesel 16V-71N Engine</i>		
255963	Air	LAF190	(12978467); By-Pass		LFP670XL ¹⁴	P-64	Air	LAF64 ²
9028638		LAF263HD	By-Pass		LFP777B	9190077	Hydraulic	LP229
(256837); w/o Turbo	Breather	LAF65			LFP777XL ¹⁴		Trans	LP151
9190077	Hydraulic	LP229	<i>R40, R45 Series; Model FFD, JD w/Cummins NT6 Engine</i>			<i>R50, R62 Series; Model LLD w/Detroit Diesel 6-110 Engine</i>		
	Trans	LP151	12975364	Air	LAF8407 ²	9028637	Air	LAF262HD
<i>R30, R35 Series; Model TD w/Detroit Diesel 12V-71 Engine</i>			12570267		LAF8407MXM ^{2, 268}	P-64		LAF64 ²
9028638	Air	LAF263HD	12967020	Coolant	LAF8408 ¹	9190077	Hydraulic	LP229
9030854		LAF290A	(12977622); W/S	Fuel	LFW4075 ⁶⁴⁴		Torque Converter	LP151
4012356		LAF9155 ²	12969457	Oil	LFF1000			
		LAF9155MXM ^{2, 268}	<i>R40, R45 Series; Model FFD, JD w/Cummins V12-525 Engine</i>			<i>R60 Series; Model LDC w/Cummins VTA28C Engine</i>		
4012357		LAF9159 ¹	9028637	Air	LAF262HD	4082222	Air	LAF5069 ²
9190077	Hydraulic	LP229	9190077	Hydraulic	LP229			LAF5069MXM ^{2, 268}
	Trans	LP151		Torque Converter	LP151	4031215		LAF5070 ¹
<i>R30, R35 Series; Model TD w/Detroit Diesel 6-110 Engine</i>			<i>R40, R45 Series; Model FFD, JD w/Cummins V16V-71 Engine</i>			<i>R60, R60C, R60D w/Cummins QSK19 Engine</i>		
9028637	Air	LAF262HD	9028638	Air	LAF263HD	4082222	Air	LAF5069 ²
4012356		LAF9155 ²	9190077	Hydraulic	LP229	4031215		LAF5070 ¹
		LAF9155MXM ^{2, 268}		Trans	LP151	12967020	Coolant	LFW4075 ⁶⁴⁴
4012357		LAF9159 ¹	<i>R40, R45 Series; Model FFD, JD w/Detroit Diesel 16V-71 Engine</i>			(12977622); W/S	Fuel	LFF1000
9190077	Hydraulic	LP229	9028638	Air	LAF263HD	12969457	Oil	LFP3000
	Trans	LP151	9190077	Hydraulic	LP229	<i>R75 w/Cummins Engine</i>		
<i>R35 Series; Model 75TD w/Cummins NTA380 Engine</i>				Torque Converter	LP151	255963	Air	LAF190
P117441	Air	LAF9155 ²	<i>R40, R45 Series; Model FFD, JD w/Detroit Diesel 6-71 Engine</i>			P64		LAF64 ²
		LAF9155MXM ^{2, 268}	9028638	Air	LAF263HD	(256837); w/o Turbo	Breather	LAF65
		LAF9159 ¹	9190077	Hydraulic	LP229	<i>R75 w/Detroit Diesel 16V-71T Engine</i>		
P114931		LAF9159 ¹		Torque Converter	LP151		Trans	LP151
5573014	Trans	LP151	<i>R50 w/Cummins VT1710C Engine</i>			<i>R85 w/Cummins Engine</i>		
<i>R35 Series; Model 75TD w/Cummins NTA855C Engine</i>			(5574980); Pri.	Fuel	L541F		Air	LAF1816 ¹
P117441	Air	LAF9155 ²	(6436719); Sec.		L624F			LAF1818 ²
		LAF9155MXM ^{2, 268}	5573014	Trans	LP151			LAF1818MXM ^{2, 268}
P114931		LAF9159 ¹	<i>R50, R62 Series; Model LLD w/Cummins NRT06 Engine</i>			EUCLID (LOADER)		
5573014	Trans	LP151	9028638	Air	LAF263HD	<i>7221 w/Detroit Diesel 3-71 Engine</i>		
<i>R35 Series; Model 75TD w/Detroit Diesel 12V-71N Engine</i>			9190077	Hydraulic	LP229	Sec.	Fuel	261F
9028638	Air	LAF234HD ²		Torque Converter	LP151	Pri.		L274F
9030854		LAF290A				Pri.		L274F1
4012356		LAF9155 ²					Oil	LP132
		LAF9155MXM ^{2, 268}				By-Pass		LP2210
<i>R35 Series; Model 75TD w/Detroit Diesel 12V-71N Engine</i>			<i>R50, R62 Series; Model LLD w/Cummins NRT06 Engine</i>			<i>7231 w/Detroit Diesel 4V-71 Engine</i>		
9028638	Air	LAF234HD ²	9028638	Air	LAF263HD		Air	LAF241HD
9030854		LAF290A	9190077	Hydraulic	LP229			
4012356		LAF9155 ²		Torque Converter	LP151			
		LAF9155MXM ^{2, 268}						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 14-Extended Life 182-Contains 2 oz. of chemical 205-Maintenance 268-Extended/Severe service 644-Contains 6 oz. of chemical

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
EUCLID (LOADER)			EUCLID (OFF HIGHWAY TRUCK)			EUCLID (OFF HIGHWAY TRUCK)		
<i>7240 w/Detroit Diesel 6V Engine</i>			<i>R105, RX105 w/Detroit Diesel 12V-149T Engine (cont'd)</i>			<i>R170 w/Detroit Diesel 12V-149 Engine (cont'd)</i>		
9030895	Air	LAF241HD					Oil	LP132
9190077	Hydraulic	LP229		Trans	LP151	<i>R170 w/Detroit Diesel 16V-149 Engine</i>		
	Trans	LP151	<i>R120, R120E, R120M w/Detroit Diesel 12V-149 Engine</i>			Sec.	Fuel	L624F
<i>7240 w/Detroit Diesel 8V-71 Engine</i>			Sec.	Fuel	L624F	Sec.		L624FP ⁹⁶⁵
9030895	Air	LAF241HD	Sec.		L632F	Pri.		L632F
9190077	Hydraulic	LP229	Pri.		LFP911		Oil	LFP911
	Trans	LP151			LFP911XL ¹⁴			LFP911XL ¹⁴
					LP132			LP132
<i>7241 w/Detroit Diesel 4-71 Engine</i>			<i>R130, R130M w/Detroit Diesel 12V-149, 16V-149 Engine</i>			EUCLID (SCRAPER)		
	Air	LAF241HD	<i>S12, SS12 w/Detroit Diesel 6-71 Engine</i>			<i>S12, SS12 w/Detroit Diesel 6-71 Engine</i>		
Sec.	Fuel	261F	Sec.	Fuel	L624F	9028638	Air	LAF263HD
Pri.		L274F	Sec.		L624FP ⁹⁶⁵	9190077	Hydraulic	LP229
Pri.		L274F1	Pri.		L632F	<i>S18, SS18 w/Cummins NRT6B1 Engine</i>		
	Oil	LP132			LFP911	9190077	Hydraulic	LP229
By-Pass		LP2210			LFP911XL ¹⁴		Torque Converter	LP151
<i>7251 w/Detroit Diesel 6V-71 Engine</i>					LP132	<i>S18, SS18 w/Detroit Diesel 6-110 Engine</i>		
9034222	Air	LAF6632 ²	<i>R130M w/Cummins KTTA38C Engine</i>			9028637	Air	LAF262HD
		LAF6632MXM ^{2, 268}		Coolant	LFW4071 ^{28, 205}	9228197		LAF5255
9034223		LAF6641 ¹	Pri.	Fuel	LFF202	9190077	Hydraulic	LP229
<i>7271 w/Detroit Diesel 8V-71 Engine</i>				Oil	LFP670		Torque Converter	LP151
Sec.	Fuel	L540F			LFP670XL ¹⁴	<i>S24, SS24, S28, SS28, SS40 w/Cummins NRT06B1 Engine</i>		
Pri.		L552F	By-Pass		LFP777B	9035428	Air	LAF9085 ¹
	Oil	LP132	By-Pass		LFP777XL ¹⁴	9035429		LAF9086 ²
<i>7281 w/Detroit Diesel 12V-71T Engine</i>			<i>R15, R17, R18 Series; Model FD w/Cummins NH220 Engine</i>					LAF9086MXM ^{2, 268}
Pri.	Fuel	L541F	255963	Air	LAF190	9190077	Hydraulic	LP229
Sec.		L624F	9028636		LAF265		Torque Converter	LP151
Sec.		L624FP ⁹⁶⁵	(256837); w/o Turbo	Breather	LAF65	<i>S24, SS24, S28, SS28, SS40 w/Detroit Diesel 12V-71 Engine</i>		
	Oil	LP132	9190077	Hydraulic	LP229	9028638	Air	LAF263HD
		LP2210 ¹²⁸²	<i>R15, R17, R18 Series; Model FD w/Cummins NH6 Engine</i>			9030854		LAF290A
<i>L15, L20 w/Detroit Diesel 3-71 Engine</i>					LFP670	9035428		LAF9085 ¹
9028638	Air	LAF263			LFP670XL ¹⁴	9035429		LAF9086 ²
9028636		LAF265			LFP777B			LAF9086MXM ^{2, 268}
9030537		LAF265HD			LFP777XL ¹⁴	9190077	Hydraulic	LP229
9190077	Hydraulic	LP229					Torque Converter	LP151
9028091	Trans	LP151 ¹²	<i>R15, R17, R18 Series; Model FD w/Detroit Diesel 6-71 Engine</i>			9028638	Air	LAF263HD
<i>L25, L30 w/Detroit Diesel 4-71 Engine</i>					LAF263HD	9030854		LAF290A
9030244	Air	LAF262HD			LAF265	9035428		LAF9085 ¹
9207092		LAF265HD			LAF65	9035429		LAF9086 ²
9190077	Hydraulic	LP229			LP229			LAF9086MXM ^{2, 268}
9028091	Trans	LP151	<i>R15, R17, R18 Series; Model FD w/Detroit Diesel 6-71 Engine</i>			9190077	Hydraulic	LP229
<i>L7 w/Continental F162 Engine</i>					LFP670		Torque Converter	LP151
	Oil	P3			LFP670XL ¹⁴	<i>S24, SS24, S28, SS28, SS40 w/Detroit Diesel 6-110 Engine</i>		
EUCLID (OFF HIGHWAY TRUCK)					LFP777B	9028637	Air	LAF262HD
<i>R10, R12, R13 Series; Model UD w/Detroit Diesel 4-71 Engine</i>			Pri.	Fuel	LFF202	9035428		LAF9085 ¹
9028637	Air	LAF262HD		Oil	LFP670	9035429		LAF9086 ²
<i>R100 w/Detroit Diesel Engine</i>					LFP670XL ¹⁴			LAF9086MXM ^{2, 268}
4022650	Air	LAF1816 ¹	<i>R170 w/Cummins KTA2300C Engine</i>			9190077	Hydraulic	LP229
4022651		LAF1818 ²	Pri.	Fuel	LFF202		Torque Converter	LP151
		LAF1818MXM ^{2, 268}		Oil	LFP670			LP151
5576200	Trans	LP151			LFP670XL ¹⁴	<i>S32 w/Detroit Diesel 12V-71 Engine</i>		
<i>R105, RX105 w/Detroit Diesel 12V-149T Engine</i>			<i>R170 w/Detroit Diesel 12V-149 Engine</i>			9028638	Air	LAF263
9190077	Hydraulic	LP229	Sec.	Fuel	L624F	9030854		LAF290A ¹²
	Oil	LP132	Sec.		L624FP ⁹⁶⁵		Hydraulic	LP229
			Pri.		L632F		Trans	LP151
					LFP911			LP151
					LFP911XL ¹⁴			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 14-Extended Life 28-Contains 1 oz. of chemical 205-Maintenance 255-Contains 3 oz. of chemical 268-Extended/Severe service 965-Pleated paper 1282-8" Primary Cart.

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
EUCLID (SCRAPER)			EUCLID (SCRAPER)			FARMTRAC (TRACTOR)		
<i>S7 w/Detroit Diesel 4-71 Engine</i>			<i>TSS40 w/Rear Engine Detroit Diesel 8V-71 Engine</i>			<i>775DTC w/1000.4 Engine</i>		
9028637	Air	LAF262HD	9028638	Air	LAF263HD	P828889	Air	LAF4544 ²
9190077	Hydraulic	LP229	9190077	Hydraulic	LP229	P829333		LAF4545 ¹
<i>SS40 w/Cummins NHV12 Engine</i>			EVO (COMPACTOR)			<i>795DTC</i>		
255963	Air	LAF190	<i>Trash Compactor w/Chevrolet 6-292 Engine</i>			P828889	Air	LAF4544 ²
(256837); w/o Turbo	Breather	LAF65		Fuel	G470	P829333		LAF4545 ¹
	Hydraulic	LP229	3294	Hydraulic	LP509 ⁸⁰⁵	FENDT (TRACTOR)		
	Trans	LP151	3293		LP50910	<i>309 Vario w/Deutz TCD2012 Engine</i>		
<i>Tandem 14 w/Detroit Diesel 4-71 Engine</i>				Oil	PH454 ¹⁰³⁸		Air	LAF9543 ¹
9030244	Air	LAF262HD	FARMPRO (TRACTOR)					LAF9547 ²
	Trans	LP151	<i>2510</i>				Oil	LP8700 ¹⁷⁵
<i>TS14 w/Detroit Diesel 4-71 Engine</i>			JX0706P	Oil	PH2903	<i>310 Vario w/Deutz TCD2012 Engine</i>		
9028637	Air	LAF262HD	<i>3010</i>				Air	LAF9543 ¹
9190077	Hydraulic	LP229	JX0810	Oil	PH2801			LAF9547 ²
	Torque Converter	LP151	FARMTRAC (TRACTOR)				Oil	LP8700 ¹⁷⁵
<i>TS18 w/Detroit Diesel 6-71 Engine</i>			<i>300DTC</i>			<i>311 Vario w/Deutz TCD2012 Engine</i>		
9028638	Air	LAF263HD	LG3304	Air	LAF8195 ²		Air	LAF9543 ¹
9190077	Hydraulic	LP229	LG3305		LAF8690 ¹			LAF9547 ²
	Torque Converter	LP151	LG2659	Oil	PH2867		Oil	LP8700 ¹⁷⁵
<i>TS24 w/Front Engine Detroit Diesel 6-110 Engine</i>			<i>330HST</i>			<i>312 Vario w/Deutz TCD2012 Engine</i>		
(9028637); Front eng.-Detroit Diesel 6-110 eng.	Air	LAF262HD	LG3304	Air	LAF8195 ²		Air	LAF9543 ¹
(9028638); Rear eng.-Detroit Diesel 6-71 eng.		LAF263HD	LG3305		LAF8690 ¹			LAF9547 ²
9190077	Hydraulic	LP229	<i>360DTC</i>				Oil	LP8700 ¹⁷⁵
	Torque Converter	LP151	LG3304	Air	LAF8195 ²	<i>312 w/MWM TD226-B6 Engine</i>		
<i>TS24 w/Rear Engine Detroit Diesel 6-71 Engine</i>			LG3305		LAF8690 ¹	F8162000600010	Fuel	FP587F
(9028637); Front eng.-Detroit Diesel 6-110 eng.	Air	LAF262HD	LG2659	Oil	PH2867	F284201310040	Oil	LFP2222
(9028638); Rear eng.-Detroit Diesel 6-71 eng.		LAF263HD	<i>390HST</i>			<i>409, 410, 411, 412 Vario w/Deutz BF4M2013 Engine</i>		
9190077	Hydraulic	LP229	LG3304	Air	LAF8195 ²		Air	LAF9543 ¹
	Torque Converter	LP151	LG3305		LAF8690 ¹			LAF9547 ²
<i>TS24 w/Rear Engine Detroit Diesel 6-71 Engine</i>			LG2659	Oil	PH2867		Oil	LP8700 ¹⁷⁵
(9028637); Front eng.-Detroit Diesel 6-110 eng.	Air	LAF262HD	<i>435</i>			<i>510C, 511C w/TD226, B6 Engine</i>		
(9028638); Rear eng.-Detroit Diesel 6-71 eng.		LAF263HD	ESL10222	Air	LAF3710 ¹		Fuel	FP587F
9190077	Hydraulic	LP229	ESL10221		LAF3717 ²	F716201060070	Fuel	L6916F
	Torque Converter	LP151	ESL10083	Oil	PH400 ²⁷⁵	F411201510010	Oil	LP8700 ¹⁷⁵
<i>TS40 w/Front Engine Detroit Diesel 6-110 Engine</i>			ESL10083		PH8A ¹⁴⁹⁶	<i>509C</i>		
(9028637); Front eng.-Detroit Diesel 6-110 eng.	Air	LAF262HD	<i>535</i>				Fuel	FP587F
(9028638); Rear eng.-Detroit Diesel 6-71 eng.		LAF263HD	ESL10222	Air	LAF3710 ¹		Oil	LFP2222
9190077	Hydraulic	LP229	ESL10221		LAF3717 ²	<i>512 Vario w/Deutz TCD4.1 Engine</i>		
	Torque Converter	LP151	ESL10083	Oil	PH400 ²⁷⁵	F411201510010	Oil	LP8700 ¹⁷⁵
<i>TS40 w/Rear Engine Detroit Diesel 6-71 Engine</i>			ESL10083		PH8A ¹⁴⁹⁶	<i>512C, CA, 514C, CA</i>		
(9028637); Front eng.-Detroit Diesel 6-110 eng.	Air	LAF262HD	<i>545, 545DTC</i>			F816200060010	Fuel	FP587F
(9028638); Rear eng.-Detroit Diesel 6-71 eng.		LAF263HD	ESL10222	Air	LAF3710 ¹	F284201310040	Oil	LFP2222
9190077	Hydraulic	LP229	ESL10221		LAF3717 ²	<i>513 Vario w/Deutz TCD4.1 Engine</i>		
	Torque Converter	LP151	ESL10083	Oil	PH400 ²⁷⁵	F411201510010	Oil	LP8700 ¹⁷⁵
<i>TS40 w/Rear Engine Detroit Diesel 6-71 Engine</i>			ESL10083		PH8A ¹⁴⁹⁶	<i>514 Vario w/Deutz TCD4.1 Engine</i>		
9028638	Air	LAF263HD	<i>555, 555DTC</i>			F411201510010	Oil	LP8700 ¹⁷⁵
Sec.	Fuel	262F	ESL10222	Air	LAF3710 ¹	<i>516 Vario w/Deutz TCD4.1 Engine</i>		
Sec.		L540F	ESL10221		LAF3717 ²	F411201510010	Oil	LP8700 ¹⁷⁵
<i>TSS40 w/Front Engine Detroit Diesel 16V-71 Engine</i>			ESL10083	Oil	PH400 ²⁷⁵	<i>5220, 5250 w/Deutz BF6M1013EC, ECP Engine</i>		
9028638	Air	LAF263HD	ESL10083		PH8A ¹⁴⁹⁶		Fuel	FP585F
9190077	Hydraulic	LP229	<i>665, 665DTC</i>				Oil	LFP2222
	Torque Converter	LP151	ESL10222	Air	LAF3710 ¹	<i>6300, 6330, 8350 w/Deutz BF6M1015, C Engine</i>		
			ESL10221		LAF3717 ²		Fuel	LFF8092
			ESL10083	Oil	PH400 ²⁷⁵		Oil	LFP8590
			ESL10083		PH8A ¹⁴⁹⁶			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 175-6" Tall 275-Primary 805-25 micron 1038-If space permits, use long length [PH1218]. 1496-Alternate

E

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FENDT (TRACTOR)			FENDT (TRACTOR)			FENDT (TRACTOR)		
711 Vario, 712 Vario w/BF6M2013, BF6M2013C Engine			924 Vario w/TCD2013 Engine			Farmer 105, 105SA		
	Air	LAF5932 ¹ LAF8149 ²	(F934201060010); Sec.	Fuel	LFF5874		Air	LAF8623 ¹
F716200510020	Oil	LP8741 ¹⁰²	F934201510320	Oil	LFP8590	F138204060020	Fuel	LFF3518
714 Vario, 716 Vario w/Deutz BF6M2013, BF6M2013C Engine			924 Vario, 926 Vario w/M.A.N. D0826LE Engine			Farmer 105S, 105LS, 106S		
	Air	LAF5932 ¹ LAF8149 ²	(F291200090100); 495mm	Air	LAF1718 ²		Air	LAF8623 ¹
F716200510020	Oil	LP8741 ¹⁰²	F291200090110		LAF1719 ¹	F138204060020	Fuel	LFF3518
716 Vario, 718 Vario (w/Deutz TCD2012 Engine)			924 Vario, 926 Vario w/M.A.N. D0836LE Engine			Farmer 108S, 108LS		
	Air	LAF5932 ¹ LAF8149 ²	F816200060010	Fuel	FP587F	F278201090020	Air	LAF1741 ² LAF8623 ¹
F716200510020	Oil	LP8741 ¹⁰²	F284201310040	Oil	LFP2222	F238202310010	Oil	LFP2538
815 Vario w/Deutz BF6M2013 Engine			924 Vario, 926 Vario w/M.A.N. D0836LE Engine			Farmer 108S, 11S, 12S, 14S, Favorit 4S w/MWM D225-6 Engine		
	Air	LAF5932 ¹ LAF8149 ²	(F291200090100); 495mm	Air	LAF1718 ²	F278201060040	Fuel	L296F ⁴¹ LFF3518
H716200090110	Air	LAF5932 ¹ LAF8149 ²	F291200090110		LAF1719 ¹	F138204060020	Oil	LFP2538
H716200090100	Fuel	L6916F	F816200060010	Fuel	FP587F	Farmer 10S, 11S, 12S, 14S, Favorit 4S w/MWM D225-6 Engine		
F716201060070	Oil	LP8741 ¹⁰²	F284201310040	Oil	LFP2222	F181200091040	Air	LAF8975
816, 818, 822, 824 Turbo w/M.A.N. D0826LE Engine			927 Vario w/TCD2013 Engine			Farmer 10S, 11S, 12S, 14S, Favorit 4S w/MWM D226-6 Engine		
	Air	LAF1716 ²	(F934201060010); Sec.	Fuel	LFF5874	F100001160243	Fuel	FP586F
(F385202090010); 387mm		LAF1717 ¹	F934201510320	Oil	LFP8590	F238202310010	Oil	LFP2538
F280200090030	Fuel	FP587F LFF3504	930 Vario w/M.A.N. D0836LE Engine			Farmer 1E, FIX 2E w/MWM D325-2 Engine		
F816200060010	Oil	LFP2222	G311200060050	Fuel	FP587F	F100001160243	Fuel	FP586F
F816200060010			F926202510010	Oil	P847	F015200060180	Oil	L60F
F284201310040			930 Vario w/TCD2013 Engine			Farmer 2, Farmer 2D w/MWM KD110.5D Engine		
817 Vario w/Deutz BF6M2013 Engine			930 Vario w/TCD2013 Engine			Farmer 200S, 200SA w/Deutz F3L912 Engine		
	Air	LAF5932 ¹ LAF8149 ²	(F934201060010); Sec.	Fuel	LFF5874		Air	LAF1733 ²
H716200090110			F934201510320	Oil	LFP8590	F120203310170	Oil	LFP2221
H716200090100	Fuel	L6916F	933 Vario w/TCD2013 Engine			Farmer 201S, 200SA w/Deutz F3L912 Engine		
F716201060070	Oil	LP8741 ¹⁰²	(F934201060010); Sec.	Fuel	LFF5874		Fuel	LFF3518
F16200510020			F934201510320	Oil	LFP8590		Oil	PH2819
818 Vario w/Deutz BF6M2013 Engine			936 Vario w/TCD2013 Engine			Farmer 201S, 200SA w/Deutz F3L912 Engine		
	Air	LAF5932 ¹ LAF8149 ²	(F934201060010); Sec.	Fuel	LFF5874		Air	LAF1733 ²
H716200090110			F934201510320	Oil	LFP8590		Fuel	LFF3518
H716200090100	Fuel	L6916F	F370GT, F370GTA, F390 GTA Turbo w/Deutz F4L913H Engine			Farmer 203K, 203KV, 203P, 203PA 203V, 203VA w/Deutz F3L912 Engine		
F716201060070	Oil	LP8741 ¹⁰²	F816200060010	Fuel	FP587F		Oil	PH2819
F16200510020			Farmer 1, Farmer 2 w/MWM KD110.5D Engine			Farmer 204P, 204PA, 204V, 204VA w/Deutz F4L912 Engine		
916 Vario, 920 Vario w/M.A.N. D0826LE Engine			Farmer 102, 102S, 102SA			Farmer 205P, 205PA w/Deutz F4L912 Engine		
	Air	LAF1716 ²	F135201090020	Air	LAF1732 ²		Air	LAF1733 ²
(F385202090010); 387mm		LAF1717 ¹	F278201090020		LAF1741 ²		Fuel	LFF3518
F280200090030	Fuel	FP587F	X810270072		LAF8623 ¹		Oil	PH2819
F816200060010	Oil	LFP2222	F138204060020	Fuel	LFF3518	Farmer 240S, Farmer 250S, Farmer 260S w/Deutz F3L912 Engine		
F284201310040			F139215310010	Oil	LFP2213	C13114/4	Air	LAF1710 ²
916 Vario, 920 Vario w/M.A.N. D0836LE Engine			Farmer 103, 103S, 103LS, 103LSA, 103SA					
	Air	LAF1716 ²	F138204060020	Air	LAF8623 ¹			
(F385202090010); 387mm		LAF1717 ¹	F139215310010	Oil	LFP2213			
F280200090030	Fuel	FP587F	Farmer 104S, 104LS, 104LSA, 104SA					
F816200060010	Oil	LFP2222	F138204060020	Fuel	LFF3518			
F284201310040			F139215310010	Oil	LFP2213			
922 Vario w/TCD2013 Engine			Farmer 104S, 104LS, 104LSA, 104SA					
	Fuel	LFF5874		Air	LAF8623 ¹			
(F934201060010); Sec.			F138204060020	Fuel	LFF3518			
F934201510320	Oil	LFP8590	F139215310010	Oil	LFP2213			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 41-Cartridge 102-8.31" Tall

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FENDT (TRACTOR)			FENDT (TRACTOR)			FENDT (TRACTOR)		
Farmer 240S, Farmer 250S, Farmer 260S w/Deutz F3L912 Engine (cont'd)			Farmer 308 Turbo w/MWM TD226-B4 Engine			Favorit 509C, 510C w/TD226.B4 Engine		
	Fuel	LFF3518		Air	LAF5932 ¹ LAF8149 ²	H311200090110	Air	LAF4545 ¹
	Oil	PH2819		Fuel	FP587F	Favorit 600LS, 610LS, 611LS, 611LSA w/MWM D226-B6 Engine		
Farmer 270V, 270VA w/F4L913 Engine				Oil	LFP2538	F184230090100	Air	LAF1717 ¹ LAF1720 ¹ LAF1736 ² LAF1736 LAF2052 ²
	Air	LAF1710 ²	Farmer 308S, 308LS, 308LSA w/MWM D226-4 Engine			F184230090050		
	Fuel	LFF3518	F178200090010	Air	LAF1712 ² LAF1713 ¹	F816200060010	Fuel	FP587F
	Oil	PH2819	F178200090020	Fuel	FP586F	Favorit 610S, 611S, 612S		
Farmer 275S, 275SA, 275V, 275VA w/Deutz F4L912 Engine			F100001160243	Oil	LFP2538	F184200090010	Air	LAF1713 ¹ LAF1714 ²
	Air	LAF1710 ²	Farmer 309 Turbo w/MWM TD226-B4 Engine			F181200091040		LAF8975
	Fuel	LFF3518		Air	LAF5932 ¹ LAF8149 ²	F100001160243	Fuel	FP586F
	Oil	PH2819		Fuel	FP587F	F816200060010	Fuel	FP587F
Farmer 280P, 280PA w/Deutz F4L912 Engine				Oil	LFP2538	G238202310010	Oil	LFP2538
	Air	LAF1710 ²	Farmer 309S, 309LS, 309LSA w/TD226.B4 Engine			Favorit 610SL, 611SL, 611SLA, 612SL		
	Fuel	LFF3518	F178200090010	Air	LAF1712 ² LAF1713 ¹	F184230090100	Air	LAF1720 ¹ LAF2052 ²
	Oil	PH2819	F178200090020	Fuel	FP586F	F184230090050		
Farmer 280S, 280SA w/Deutz F4L913 Engine			F100001160243	Fuel	FP586F	F100001160243	Fuel	FP586F
	Air	LAF1710 ²	F816200060010	Oil	FP587F	F816200060010	Fuel	FP587F
	Fuel	LFF3518	Farmer 310 Turbo w/MWM TD226-B4 Engine			Favorit 612S, 612SL		
	Oil	PH2819		Air	LAF5932 ¹ LAF8149 ²	(F015200060180); Sec.		L3401F ¹⁰⁸ L60F
Farmer 2DE, 2E, 2S, 3S, Favorit 3 FW150/11				Fuel	FP587F	(F015200060160); Pri.		LFF3403
F015200060180	Fuel	L60F	Farmer 310LSA, 311LSA, 312LSA w/MWM TD226-B4 Engine				Oil	LFP2538
F139215310010	Oil	LFP2213	F184200090010	Air	LAF1713 ¹ LAF1714 ² LAF1715 ¹	F184200090010	Air	LAF1713 ¹ LAF1714 ²
Farmer 303LS w/MWM D226 Engine			F184200090040	Fuel	FP586F	F100001160243	Fuel	FP586F
F178200090010	Air	LAF1712 ² LAF1713 ¹	F100001160243	Fuel	FP587F	F816200060010	Fuel	FP587F
F178200090020	Fuel	LAF1713 ¹	F816200060010	Oil	LFP2538	Favorit 612SLA, 614SLA, 615SLA w/MWM D226-B6 Engine		
F100001160243	Fuel	FP586F FP587F	Farmer 311 Turbo w/MWM TD226-B6 Engine			F184200090100	Air	LAF1717 ¹ LAF1720 ¹ LAF1736 ² LAF1736 LAF2052 ²
F816200060010	Fuel	FP587F		Air	LAF5932 ¹ LAF8149 ²	F184200090050		
F139215310010	Oil	LFP2213		Fuel	FP587F	F816200060010	Fuel	FP587F
Farmer 304LS w/MWM D226 Engine				Oil	LFP2538	Favorit 614LS, 614SL, 615LS, 615SL, 615SLA w/MWM D226-B6 Engine		
F178200090010	Air	LAF1712 ² LAF1713 ¹	Farmer 312 Turbo w/MWM TD226-B6 Engine			F184200090010	Air	LAF1714 ² LAF1715 ¹ LAF1720 ¹ LAF1736 ² LAF2052 ²
F178200090020	Fuel	FP586F FP587F		Air	LAF5932 ¹ LAF8149 ²	F184200090040		
F816200060010	Fuel	FP587F		Fuel	FP587F	F184230090100		
F139215310010	Oil	LFP2213		Oil	LFP2538	F184230090050		
Farmer 305LS/LSA w/MWM D227-4 Engine				Fuel	L6916F ¹⁰⁸ LFF3504	F100001160243	Fuel	FP586F
F178200090010	Air	LAF1712 ² LAF1713 ¹	Farmer 3S, 4S w/MWM D208-4 Engine			F816200060010	Fuel	FP587F
F178200090020	Fuel	LAF1713 ¹	F015200060180	Fuel	L60F	Favorit 615SL, 615SLA		
F100001160243	Fuel	FP586F	Farmer 409, 410, 411 Vario w/Deutz BF4M2013 Engine			F184230090050		
	Oil	LFP2538	4252603	Fuel	L6916F ¹⁰⁸ LFF3504	F184230090100		
Farmer 306S/LS/LSA w/MWM 226-4 Engine			F816200060010	Oil	LP8700 ¹⁷⁵	F184230090050		
F178200090010	Air	LAF1712 ² LAF1713 ¹	Farmer 307 Turbo w/MWM TD226-B3 Engine			F100001160243	Fuel	FP586F
F178200090020	Fuel	LAF1713 ¹		Air	LAF5932 ¹ LAF8149 ²	F816200060010	Fuel	FP587F
F100001160243	Fuel	FP586F		Fuel	FP587F	Favorit 615SL, 615SLA		
	Oil	LFP2538		Oil	LFP2538	w/MWM D226-B6 Engine		
Farmer 307S/LS/LSA w/MWM 226-4 Engine				Fuel	L6916F ¹⁰⁸ LFF3504	F184200090010	Air	LAF1714 ² LAF1715 ¹ LAF1720 ¹ LAF1736 ² LAF2052 ²
F178200090010	Air	LAF1712 ² LAF1713 ¹	Farmer 5S, Favorit 3S w/MWM D225-4 Engine			F184200090040		
F178200090020	Fuel	LAF1713 ¹	F100001160243	Fuel	FP586F	F184230090100		
F100001160243	Fuel	FP586F	F015200060180	Fuel	L60F	F184230090050		
	Oil	LFP2538		Oil	LFP2538	F100001160243	Fuel	FP586F
						F816200060010	Fuel	FP587F
						(F015200060180); Sec.		L3401F ¹⁰⁸ L60F
						(F015200060160); Pri.		LFF3403
							Oil	LFP2222 LFP2538

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 108-Eco-Finer 175-6" Tall

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FENDT (TRACTOR)			FIATAGRI (COMBINE)			FIATAGRI (COMBINE)		
<i>Favorit 614S</i>			<i>3300 w/Perkins 4.236 Engine (cont'd)</i>			<i>7730 w/Cummins 350HP 6 cyl. Engine (cont'd)</i>		
	Air	LAF1720 ¹	734988	Oil	PH4403	By-Pass	Oil	LFP777XL ¹⁴
F184230090050		LAF2052 ²	<i>3350, 3450 w/8051, 8061 Engine</i>			<i>Includes Hesston and Laverda</i>		
F100001160243	Fuel	FP586F	1909100	Fuel	L296F ⁴¹	1909100	Fuel	L296F ⁴¹
F816200060010		FP587F	1909102	Oil	LFP2238	1909102	Oil	LFP2238
<i>Favorit 626LSA w/M.A.N. D2566MTE Engine</i>			<i>3350, 3450 w/8051.1, 8061.1 Engine</i>			<i>MX240 w/8210 Engine</i>		
495mm	Air	LAF1718 ²	1909100	Fuel	L296F ⁴¹		Coolant	LFW4744 ⁴
		LAF1719 ¹	1909101	Oil	LFP2230	1909107	Fuel	L3515F
F816200060010	Fuel	FP587F	<i>3400R, 3500R w/Fiat 8061.1 Engine</i>			1909103		LFF3502
	Oil	LP2235	1909964	Air	LAF9410 ¹	1909137	Oil	LFP2229
<i>FL114, FL120, FL131, FL236, FIX1, FIX2, FW116, FW120, FW243U, FWU237</i>			1909100	Fuel	L296F ⁴¹	FIATAGRI (TRACTOR)		
F015200060180	Fuel	L60F	1909102	Oil	LFP2238	<i>100.90, 100.90DT, 110.90, 11090DT</i>		
<i>Xylon 520, Xylon 522, Xylon 524</i>			<i>3550, 3550AL w/8061.25Si Turbo Engine</i>			1930138	Air	LAF8377 ²
H312200090110	Air	LAF8663 ¹	(1909107); Pri.	Fuel	L3515F	1909100	Fuel	L296F ⁴¹
F816200060010	Fuel	FP587F	(1909103); Sec.		LFF3502	1930010		LFF3504
F284201310040	Oil	LFP2222	<i>3550R</i>			1909130	Hydraulic	LFP6007
FERMEC (BACKHOE LOADER)			1909100	Fuel	L296F ⁴¹	1909102	Oil	LFP2238
<i>640B, 650B, 660B w/Perkins 1004-4 Engine</i>			1930213	Oil	LFP2241	<i>1000, 1000S, 1000DT, 1000DTS, 1000N</i>		
2654407	Oil	LFP2292 ¹⁹	<i>3600, 3700 w/8361.1 Engine</i>			1909100	Fuel	L296F ⁴¹
2654403		PH4403 ¹⁸	(1909107); Pri.	Fuel	L3515F	1909102	Oil	LFP2238
<i>700 Backhoe w/Perkins 1004.4 TLR2 Engine</i>			(1909103); Sec.		LFF3502	<i>100C, 110C, 120C</i>		
	Oil	LFP2292	1909137	Oil	LFP2229	(1909107); Pri.	Fuel	L3515F
<i>860, 860B, 860S, 860SE, 960, 960B w/Perkins 1004-40T Engine</i>			<i>3650 w/8061 Engine</i>			(1909103); Sec.		LFF3502
			1909100	Fuel	L296F ⁴¹	1909101	Oil	LFP2230
			1909102	Oil	LFP2238			LP132
	Oil	LFP2292	<i>3650 w/8061Si Engine</i>			<i>115.90, 115.90DT, 115.90DTH</i>		
		PH4403 ¹⁸	1909100	Fuel	L296F ⁴¹	1930175	Air	LAF6834 ¹
<i>TLK750, TLK760 w/Perkins 1004.4 Engine</i>			1909102	Oil	LFP2238	1930174		LAF8979 ²
3515586-M1	Air	LAF8830 ²	<i>3750 w/8061.25Si Turbo Engine</i>			1909100	Fuel	L296F ⁴¹
218577A1	Fuel	L296F ⁴¹	(1909107); Pri.	Fuel	L3515F	1909130	Hydraulic	LFP6007
2654407	Oil	LFP2292 ¹⁹	(1909103); Sec.		LFF3502	1909102	Oil	LFP2238
2654403		PH4403 ¹⁸	<i>3790R</i>			<i>1180, 1180DT, 1280, 1280DT, 1380, 1380DT</i>		
<i>TLK860, TLK865 w/Perkins 1004.4 Turbo Engine</i>			1930783	Air	LAF8977 ²	1909136	Air	LAF6587 ²
3515586-M1	Air	LAF8830 ²		Fuel	L3515F			LAF6587MXM ^{2, 268}
218577A1	Fuel	L296F ⁴¹	1909103		LFF3502	1909137		LAF8674 ¹
2654407	Oil	LFP2292 ¹⁹	1930542	Oil	LFP8982	1909100	Fuel	L296F ⁴¹
2654403		PH4403 ¹⁸	<i>3850, 3890 w/8361Si Engine</i>			1930010		LFF3504
<i>TLK960, TLK965 w/Perkins 1004.4 Turbo Engine</i>			(1909107); Pri.	Fuel	L3515F	1909130	Hydraulic	LFP6007
3515586-M1	Air	LAF8830 ²	(1909103); Sec.		LFF3502	1909102	Oil	LFP2238
2654407	Oil	LFP2292	1909137	Oil	LFP2229	<i>125C, 125CA, 125CI, 125GA, 125GI</i>		
2654403		PH4403	<i>3900 w/8261 Engine</i>			(1909107); Pri.	Fuel	L3515F
FERMEC (SKID STEER LOADER)			1909103	Fuel	LFF3502	(1909103); Sec.		LFF3502
<i>524 w/Kubota V1505B Engine</i>			<i>6500 w/Perkins 4.236 Engine</i>				Oil	LP132
Pri.	Fuel	LFF3417	1909100	Fuel	L296F ⁴¹	<i>130.90, 130.90DT</i>		
		LFF3521	734988	Oil	PH4403	1930175	Air	LAF6834 ¹
	Oil	LFP3900	<i>7700 w/8361Si Engine</i>			1930174		LAF8979 ²
<i>526, 528 w/Cummins 4-390 Engine</i>			(1909107); Pri.	Fuel	L3515F	1909100	Fuel	L296F ⁴¹
Pri.	Fuel	LFF3417	(1909103); Sec.		LFF3502	1930010		LFF3504
		LFF3521	1909137	Oil	LFP2229	1909130	Hydraulic	LFP6007
	Oil	LFP3900	<i>7730 w/Cummins 350HP 6 cyl. Engine</i>			1930213	Oil	LFP2241
FIATAGRI (COMBINE)			P11-8155	Air	LAF9155	<i>1300, 1300DT, 1300S</i>		
<i>3300 w/8051, 8061 Engine</i>					LAF9155MXM ^{2, 268}	1909107	Fuel	L3515F
1909100	Fuel	L296F ⁴¹		Coolant	LFW4071 ²⁸	(1909103); Sec.		LFF3502
1909102	Oil	LFP2238	W/S	Fuel	LFF8000 ⁶²⁸	1909137	Oil	LFP2229
<i>3300 w/Perkins 4.236 Engine</i>				Oil	LFP670	<i>130C</i>		
1909100	Fuel	L296F ⁴¹	By-Pass		LFP670XL ¹⁴	(1909107); Pri.	Fuel	L3515F
					LFP777B			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 14-Extended Life 18-Short 19-Long 28-Contains 1 oz. of chemical 41-Cartridge 268-Extended/Severe service 628-Tall version of LFF8020

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FIATAGRI (TRACTOR)			FIATAGRI (TRACTOR)			FIATAGRI (TRACTOR)		
<i>130C (cont'd)</i>			<i>20D, 25D, 30, 271, 272 (cont'd)</i>			<i>45.76, 55.76, 60.76, 70.76, 80.76 (cont'd)</i>		
(1909103); Sec.	Fuel	LFF3502		Oil	P7FF	1909101	Oil	LFP2230
<i>1355C w/8361i Engine</i>			<i>250, 255C, 300, 350, 350C</i>			<i>450, 450DT, 450N, 450DT N, 450S, 450DT S, 450V, 450F, 450-8, 450-8DT</i>		
1909957	Air	LAF1544 ² LAF9410 ¹	1909100	Fuel	L296F ⁴¹	1909100	Fuel	L296F ⁴¹
(1909107); Pri.	Fuel	L3515F	1909102	Oil	LFP2238	1909101	Oil	LFP2230
(1909103); Sec.		LFF3502	<i>311, 312, 315, 332</i>			<i>455C, 465C, 505C, 565C, 605C, 665C, 765C, 805C, 855C</i>		
1909137	Oil	LFP2229	(1909112); Sec.	Fuel	261F			
<i>140, 140CA, 140CI</i>			540955	Oil	P3			
<i>(1909107); Pri.</i>			<i>35 w/CO1D/45 Engine</i>			1909138	Air	LAF1793 ¹
(1909103); Sec.	Fuel	L3515F	(1909109); Sec.	Fuel	LFF3508	1909139		LAF222 ²
		LFF3502	1909123	Oil	LP2225	1909117		LAF8618 ¹
	Oil	LP132	<i>35, 35DE, 35DG, 35DS</i>			1909116		LAF8619 ²
<i>140.90, 140.90DT</i>			(1909108); Sec.	Fuel	LFF3509	1909100	Fuel	L296F ⁴¹
1930175	Air	LAF6834 ¹	1909104	Oil	P3	1909130	Hydraulic	LFP6007
1930174		LAF8979 ²	<i>355, 400, 450, 455, 553</i>			1909101	Oil	LFP2230
1909100	Fuel	L296F ⁴¹	1909100	Fuel	L296F ⁴¹	<i>460, 460DT, 460V, 470, 470DT</i>		
1930010		LFF3504	1909101	Oil	LFP2230	1909128	Air	LAF1734 ²
1909130	Hydraulic	LFP6007	1909102	Oil	LFP2238	1909129		LAF1735 ¹
1930213	Oil	LFP2241	<i>40, 50DA, 50DL w/CO2D/45 Engine</i>			1909100	Fuel	L296F ⁴¹
<i>150C</i>			(1909109); Sec.	Fuel	LFF3508	1909101	Oil	LFP2230
(1909107); Pri.	Fuel	L3515F	1909123	Oil	LP2225	<i>465C, 565C, 605C, 665C, 765C, 805C, 855C</i>		
(1909103); Sec.		LFF3502	<i>400</i>			1909139	Air	LAF222 ²
<i>1580, 1580DT, 1880, 1880DT</i>			1909100	Fuel	L296F ⁴¹	1909100	Fuel	L296F ⁴¹
1909136	Air	LAF6587 ² LAF6587MXM ^{2, 268}	1909101	Oil	LFP2230	1909130	Hydraulic	LFP6007
(1909107); Pri.	Fuel	L3515F	<i>411, 413E, 413V, 431C, 431E, 431V, 441, 481, 511, 612</i>			1909101	Oil	LFP2230
(1909103); Sec.		LFF3502	(1909108); Sec.	Fuel	LFF3509	<i>466, 466DT, 566, 566DT, 666, 666DT</i>		
1909130	Hydraulic	LFP6007	1909123	Oil	LP2225	1909128	Air	LAF1734 ²
1909137	Oil	LFP2229	<i>415GD, 415GT</i>			1909129		LAF1735 ¹
<i>160.55</i>			(1909108); Sec.	Fuel	LFF3509	1909139		LAF222 ²
1909107	Fuel	L3515F		Oil	P7FF	1909100	Fuel	L296F ⁴¹
1909103		LFF3502	<i>420, 420DT</i>			1909101	Oil	LFP2230
1909137	Oil	LFP2229	1909100	Fuel	L296F ⁴¹	<i>470, 470DT, 474, 474DT</i>		
<i>160.90, 160.90DT</i>			1909101	Oil	LFP2230	1909128	Air	LAF1734 ²
1930175	Air	LAF6834 ¹	<i>440, 440DT</i>			1909129		LAF1735 ¹
1930174		LAF8979 ²	1909100	Fuel	L296F ⁴¹	1909139		LAF222 ²
(1909107); Pri.	Fuel	L3515F	1909101	Oil	LFP2230	1909100	Fuel	L296F ⁴¹
(1909103); Sec.		LFF3502	<i>446, 446DT w/8035.02 Engine</i>			1909101	Oil	LFP2230
1909130	Hydraulic	LFP6007	1909139	Air	LAF222 ²	<i>480, 480DTS, 500, 500S, 500DTS, 505C, 540S, 540DT, 550, 555</i>		
1909137	Oil	LFP2229	1909100	Fuel	L296F ⁴¹	1909100	Fuel	L296F ⁴¹
<i>1690DT, 1790DT</i>			1909101	Oil	LFP2230	1909101	Oil	LFP2230
1930175	Air	LAF6834 ¹	<i>45.66, 50.66, 55.66, 60.66, 65.66, 70.66, 80.66</i>			<i>50.86, 55.86, 60.86, 62.86, 70.86, 72.86, 82.86</i>		
1930174		LAF8979 ²	1909138	Air	LAF1793 ¹	1909138	Air	LAF1793 ¹
1930010	Fuel	LFF3504	1909139		LAF222 ^{2, 57}	1909139		LAF222 ²
1909101	Oil	LFP2230	1930587		LAF8148 ²	1909587		LAF8148 ²
<i>180.55, 180.90, 180.90DT</i>			1930588		LAF9332 ¹	1909130	Hydraulic	LFP6007
1930175	Air	LAF6834 ¹	1909100	Fuel	L296F ⁴¹	1909101	Oil	LFP2230
1930174		LAF8979 ²	1930010		LFF3504	<i>512, 513</i>		
1909107	Fuel	L3515F	1909130	Hydraulic	LFP6007	(1909109); Sec.	Fuel	LFF3508
1909103		LFF3502	1909101	Oil	LFP2230	1909101	Oil	LFP2230
1909137	Oil	LFP2229	<i>45.76, 55.76, 60.76, 70.76, 80.76</i>			1909123		LP2225
<i>200C</i>			1909138	Air	LAF1793 ¹	<i>55.56, 60.56, 70.56, 70.66, 75.56</i>		
(1909107); Pri.	Fuel	L3515F	1909139		LAF222 ^{2, 57}	1909138	Air	LAF1793 ¹
(1909109); Sec.		LFF3508	1930587		LAF8148 ²	1909139		LAF222 ²
<i>20D, 25D, 30, 271, 272</i>			1930588		LAF9332 ¹	1930587		LAF8148 ²
(1909112); Sec.	Fuel	261F	1909100	Fuel	L296F ⁴¹	47135975		LAF9332 ¹
1909104	Oil	P3	1909130	Hydraulic	LFP6007	1909100	Fuel	L296F ⁴¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 41-Cartridge 57-Partial 268-Extended/Severe service

F

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FIATAGRI (TRACTOR)			FIATAGRI (TRACTOR)			FIATAGRI (TRACTOR)		
<i>55.56, 60.56, 70.56, 70.66, 75.56 (cont'd)</i>			<i>60CA, 60C, 60CI, 60CT (cont'd)</i>			<i>766, 766DT (cont'd)</i>		
1909130	Hydraulic	LFP6007	(1909109); Sec.	Fuel	LFF3508	1909101	Oil	LFP2230
1909101	Oil	LFP2230	1909101	Oil	LFP2230	<i>780, 780DT</i>		
1909102		LFP2238	1909123		LP2225	1909117	Air	LAF8618 ¹
<i>55.65, 60.65, 70.65, 80.65</i>			<i>612</i>			1909116		LAF8619 ²
1909138	Air	LAF1793 ¹	(1909109); Sec.	Fuel	LFF3508	1909100	Fuel	L296F ⁴¹
1909139		LAF222 ²	1909123	Oil	LP2225	1909101	Oil	LFP2230
1909100	Fuel	L296F ⁴¹	<i>615, 715, 715DT</i>			<i>80.66, 80.66F w/8045.05 Engine</i>		
1909130	Hydraulic	LFP6007	1909123	Oil	LP2225		Air	LAF1793 ¹
1909101	Oil	LFP2230	<i>650, 750, 850</i>					LAF222 ²
<i>55.75, 60.75, 70.75, 80.75</i>			1909103	Fuel	LFF3502		Fuel	L296F ⁴¹
1909138	Air	LAF1793 ¹	1909101	Oil	LFP2230		Hydraulic	LFP6007
1909139		LAF222 ²	<i>655</i>				Oil	LFP2230
1930587		LAF8148 ²	1909101	Oil	LFP2230	<i>82.93, 82.94 w/8045.05/06 Engine</i>		
1930588		LAF9332 ¹	<i>670, 670DT, 680, 680DT</i>				Air	LAF8148 ²
1909100	Fuel	L296F ⁴¹	1909128	Air	LAF1734 ²			LAF9332 ¹
1909130	Hydraulic	LFP6007	1909129		LAF1735 ¹		Fuel	L296F ⁴¹
1909101	Oil	LFP2230	1909138		LAF1793 ¹		Hydraulic	LFP6007
<i>55.85, 60.85</i>			1909139		LAF222 ²		Oil	LFP2230
1930587	Air	LAF8148 ²	1909100	Fuel	L296F ⁴¹	<i>85.55, 95.55</i>		
1930588		LAF9332 ¹	1909103		LFF3502	1909117	Air	LAF8618 ¹
1909101	Oil	LFP2230	1909101	Oil	LFP2230	1909116		LAF8619 ²
<i>55.88, 60.88, 65.88, 70.88, 80.88</i>			<i>70.90, 70.90DT, 80.90, 80.90DT</i>			1909100	Fuel	L296F ⁴¹
1909138	Air	LAF1793 ¹	1909116	Air	LAF6587 ²	1909101	Oil	LFP2230
1909139		LAF222 ²			LAF6587MXM ^{2, 268}	<i>85.90, 90.90, 90.90DT</i>		
1909100	Fuel	L296F ⁴¹	1909117		LAF8617 ²	1930589	Air	LAF4544 ²
1909130	Hydraulic	LFP6007	1909100	Fuel	L296F ⁴¹			LAF4544MXM ^{2, 268}
1909101	Oil	LFP2230	1930010		LFF3504	1930590		LAF4545 ¹
<i>55.90, 60.90, 65.90</i>			1909130	Hydraulic	LFP6007	1909117		LAF8618 ¹
1909138	Air	LAF1793 ¹	1909101	Oil	LFP2230	1909116		LAF8619 ²
1909139		LAF222 ^{2, 57}	<i>700E, 800E</i>			1909100	Fuel	L296F ⁴¹
1909116		LAF6587 ²	1909103	Fuel	LFF3502	1930010		LFF3504
		LAF6587MXM ^{2, 268}	1909101	Oil	LFP2230	1909130	Hydraulic	LFP6007
1909587		LAF8148 ²	<i>70CI, 70R, 80CA, 80R</i>			1909102	Oil	LFP2238
1909117		LAF8617 ²	(1909112); Sec.	Fuel	261F	<i>850, 850DT</i>		
1909100	Fuel	L296F ⁴¹	1909118		L43F	1909103	Fuel	LFF3502
1909130	Hydraulic	LFP6007	(1909109); Sec.		LFF3508	1909101	Oil	LFP2230
1909101	Oil	LFP2230	1909123	Oil	LP2225	<i>855C, 955C</i>		
<i>570, 570DT, 580, 580DT</i>			<i>72.93, 72.94 w/8045.05/06 Engine</i>			1909117	Air	LAF8618 ¹
1909128	Air	LAF1734 ²		Air	LAF8148 ²	1909116		LAF8619 ²
1909129		LAF1735 ¹			LAF9332 ¹	1909102	Oil	LFP2238
1909139		LAF222 ²		Fuel	L296F ⁴¹	<i>880, 880DT, 880/5DT</i>		
1909100	Fuel	L296F ⁴¹		Hydraulic	LFP6007	1909117	Air	LAF8618 ¹
1909101	Oil	LFP2230		Oil	LFP2230	1909116		LAF8619 ²
<i>60.93, 60.94, 65.93, 65.94, 72.93, 72.94, 82.93, 82.94</i>			<i>750, 750DT</i>			1909100	Fuel	L296F ⁴¹
1930587	Air	LAF8148 ²	1909103	Fuel	LFF3502	1909101	Oil	LFP2230
1930588		LAF9332 ¹	1909101	Oil	LFP2230	1909102		LFP2238
1909130	Hydraulic	LFP6007	<i>755, 755C</i>			<i>88-93, 88-94</i>		
1909101	Oil	LFP2230	1909103	Fuel	LFF3502	1930589	Air	LAF4544 ²
<i>600, 605C, 640, 640DT</i>			1909101	Oil	LFP2230			LAF4544MXM ^{2, 268}
1909100	Fuel	L296F ⁴¹	<i>765, 765C</i>			1930590		LAF4545 ¹
1909101	Oil	LFP2230	1909139	Air	LAF222 ²	1909100	Fuel	L296F ⁴¹
<i>60CA, 60C, 60CI, 60CT</i>			1909100	Fuel	L296F ⁴¹	1909130	Hydraulic	LFP6007
(1909112); Sec.	Fuel	261F	1909101	Oil	LFP2230	1909102	Oil	LFP2238
1909118		L43F	<i>766, 766DT</i>			<i>900</i>		
1909103		LFF3502	1909139	Air	LAF222 ²	1909100	Fuel	L296F ⁴¹
			1909100	Fuel	L296F ⁴¹			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 41-Cartridge 57-Partial 268-Extended/Severe service

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FIATAGRI (TRACTOR)			FIATAGRI (TRACTOR)			FIAT-ALLIS (CRAWLER TRACTOR)		
<i>900 (cont'd)</i>			<i>Super 40H, OM50, OM50C (cont'd)</i>			<i>11B w/11000 Engine (cont'd)</i>		
1909102	Oil	LFP2238	1909123	Oil	LP2225	74395889	Oil	LP132
<i>905C, 90C</i>			<i>T55</i>			70665859		LP8719
(1909100); Sec.	Fuel	L296F ⁴¹	9900999	Fuel	L43F	70669434	Trans	LH4265
1909101	Oil	LFP2230	<i>T55, T55L, 70CA</i>			<i>11B w/HD-516 Engine</i>		
<i>980, 980DT</i>			(1909109); Sec.	Fuel	LFF3508	Sec.		261F
1909117	Air	LAF8618 ¹	1909118	Oil	P772	S/N 12201-; Sec.	Fuel	FP230F
1909116		LAF8619 ²	<i>Winner F-100 w/8065.06 Engine</i>			Pri.		L274F
1909100	Fuel	L296F ⁴¹	1909100	Fuel	L296F ⁴¹	Pri.		L274F1
1930010		LFF3504	1930010		LFF3504	S/N 4331-	Oil	LP112
1909101	Oil	LFP2230	1909102	Oil	LFP2238	(74395889); -S/N 4330		LP132
<i>A18</i>			<i>Winner F110 HI-LO, Winner F120 HI-LO w/8065.05 Engine</i>			Turbo		P2
	Oil	LP132				74372517	Trans	P2
<i>AD12</i>			1909100	Fuel	L296F ⁴¹	<i>12G-B w/11000 Engine</i>		
	Oil	LP132	1930010		LFF3504	70684734	Air	LAF6769 ²
<i>AD4</i>			<i>Winner F115</i>					LAF6769MXM ^{2, 268}
Sec.	Fuel	261F	1930825	Air	LAF8618 ¹	70662477		LAF9373 ¹
	Oil	P3	1930010	Fuel	LFF3504	Sec.	Fuel	261F
<i>AD6</i>			1909102	Oil	LFP2238	Sec.		FP230F
	Fuel	L43F	<i>Winner F120</i>			Pri.		L274F
<i>FL12, FL18</i>			1930010	Fuel	LFF3504	Pri.		L274F1
	Oil	LP132	1909102	Oil	LFP2238	74395889	Oil	LP132
<i>FL4</i>			<i>Winner F130 HI-LO, F140 w/8065.25 Engine</i>			70665859		LP8719
Sec.	Fuel	261F	1930603	Air	LAF8622 ¹	Turbo		P2
	Oil	P3	1930790		LAF8663 ¹	70640780	Trans	LH8461
<i>FL7</i>			1909100	Fuel	L296F ⁴¹	<i>16B w/16000 Engine</i>		
	Fuel	L43F	1930010		LFF3504	70634446	Air	LAF24
<i>L60, L65, L75 1990-98</i>			1930213	Oil	LFP2241	76718381		LAF5518 ²
1930587	Air	LAF8148 ²	FIAT-ALLIS (CRAWLER TRACTOR)			76718381		LAF5518MXM ²
1930537		LAF8516 ¹	<i>10B</i>			76718399		LAF5526 ¹
1930588		LAF9332 ¹	8322129	Air	LAF8581 ¹	S/N 2032-		LAF6587 ²
1930010	Fuel	FP587F	8322128		LAF8582 ²	S/N 2032-		LAF6587MXM ^{2, 268}
1909101	Oil	LFP2230	Pri.	Fuel	L3515F			LAF6834 ¹
<i>L85, L95 w/8045.25 Engine</i>					LFF3502	P109206		LAF8513 ¹
1930587	Air	LAF8148 ²		Hydraulic	LP132 ¹¹	P109200		LAF9200 ²
1930825		LAF8618 ¹		Oil	LFP3411	16000 eng.; Sec.	Fuel	262F
1930588		LAF9332 ¹	<i>11B w/10000 Engine</i>			HD-844 eng.; Sec.		262F
1930010	Fuel	FP587F	Sec.	Fuel	261F	(74025230); Sec.		FP230F
1909101	Oil	LFP2230	S/N 12201-; Sec.		FP230F	Sec.		L540F
<i>M100, M100DT, M115, M115DT</i>			Pri.		L274F	74394889	Oil	LP132
82008601	Air	LAF8082 ¹	Pri.		L274F1	70669434	Trans	LH4265
82008600		LAF8083 ²	S/N 4331-	Oil	LP112	70623049		P92
(87840591); Pri.	Fuel	L8679F	(74395889); -S/N 4330		LP132	<i>16B w/HD-844 Engine</i>		
(87840590); Sec.		L8680F	Turbo		P2	70634446	Air	LAF24
81879134	Oil	LFP950	74372517	Trans	P2	76718381		LAF5518 ²
81863799	Trans	LFH4990	<i>11B w/11000 Engine</i>			76718381		LAF5518MXM ²
<i>M135, M135DT, M160, M160DT</i>			(70684733); w/Direct Drive	Air	LAF6587 ²	76718399		LAF5526 ¹
82008606	Air	LAF8767	w/Direct Drive			S/N 2032-		LAF6587 ²
82008607		LAF8768	(70684734); w/P/Shft.			S/N 2032-		LAF6587MXM ^{2, 268}
(87840591); Pri.	Fuel	L8679F	w/P/Shft.			P109206		LAF6834 ¹
(87840590); Sec.		L8680F	70662609			P109200		LAF8513 ¹
81879134	Oil	LFP950	70662477			16000 eng.; Sec.	Fuel	262F
81863799	Trans	LFH4990	4734562	Coolant	LFW4744 ⁴	HD-844 eng.; Sec.		262F
<i>OS110E</i>			(74028945); Sec.	Fuel	FP230F	(74025230); Sec.		FP230F
	Fuel	L43F	70631828	Hydraulic	LP2296 ¹¹	Sec.		L540F
<i>Super 40H, OM50, OM50C</i>								
(1909109); Sec.	Fuel	LFF3508						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 4-Maintenance 1 oz. chemical 11-Power Steering 41-Cartridge 268-Extended/Severe service

F

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FIAT-ALLIS (CRAWLER TRACTOR)			FIAT-ALLIS (CRAWLER TRACTOR)			FIAT-ALLIS (CRAWLER TRACTOR)		
<i>16B w/HD-844 Engine (cont'd)</i>			<i>21B w/HDT-844 Engine (cont'd)</i>			<i>AD12, BD12, FL12, AD12L, BD12L (cont'd)</i>		
74394889	Oil	LP132	70640780	Hydraulic	LH8461 ¹¹		Trans	LP151
70669434	Trans	LH4265	74395889	Oil	LP132	<i>AD14, BD14, BD14L, FL14 w/Fiat Engine</i>		
70623049		P92	Turbo		P2		Air	LAF8581 ¹ LAF8582 ²
<i>21B w/19000 Engine</i>			70669434	Trans	LH4265		Fuel	L3515F
70632707	Air	LAF320	70623049		P92		Oil	LFF3502
(70671838); 21-C		LAF5518 ²	<i>31 w/Cummins Engine</i>				Power Steering	LP151
(70671838); 21-C		LAF5518MXM ²	70671838	Air	LAF5518 ²	<i>AD14B, BD14B, FL14B, 14B w/Fiat Engine</i>		
70671839		LAF5526 ¹	70671838		LAF5518MXM ²	8322129	Air	LAF8581 ¹
70113616		LAF66	70671839		LAF5526 ¹	8322128		LAF8582 ²
(70659387); Series B, C		LAF6632 ²	70697635	Coolant	LFW4073 ²⁵⁵	Pri.	Fuel	L3515F
Series B, C		LAF6632MXM ^{2, 268}	70640780	Hydraulic	LH8461 ¹¹	Sec.		LFF3502
70197588		LAF6641 ¹	70666421		LP560		Oil	LFP2229
74393504	Coolant	LFW4744 ⁴	70669434	Trans	LH4265	<i>AD14C, 14C, FL14C w/Fiat Engine</i>		
Sec.	Fuel	262F	<i>41 w/Cummins V-12 Engine</i>			4667755	Oil	LFP2229
Sec.		L540F	70667685	Air	LAF9085 ¹	4636401		LP132
	Hydraulic	LFP3411 ¹⁰⁹⁹	70674967		LAF9086 ²		Power Steering	LP151
70640780		LH8461 ¹¹			LAF9086MXM ^{2, 268}			
74395889	Oil	LP132	70681546	Coolant	LFW4073 ²⁵⁵	<i>AD14C, 14C, FL14C w/Fiat Engine</i>		
Turbo		P2	<i>41 w/two A-C 21000 engs.</i>			79042203	Air	LAF1725 ¹
70669434	Trans	LH4265	Sec.	Fuel	262F	70684733		LAF6587
70623049		P92	Sec.		L540F			LAF6587MXM ²⁶⁸
<i>21B w/21000 Engine</i>			70666421	Hydraulic	LP163	70662609		LAF6834 ¹
70632707	Air	LAF320			LP712	79042202		LAF8617 ²
(70671838); 21-C		LAF5518 ²	74395889	Oil	LP132		Coolant	LFW4744 ⁴
(70671838); 21-C		LAF5518MXM ²	Turbo		P2		Fuel	L3515F
70671839		LAF5526 ¹	<i>41B w/Cummins V-12 Engine</i>			Sec.		LFF3502
70113616		LAF66	70690304	Air	LAF1767 ¹	4667755	Oil	LFP2229
(70659387); Series B, C		LAF6632 ²	70690305		LAF1812 ²		Power Steering	LP151
Series B, C		LAF6632MXM ^{2, 268}	70681546	Coolant	LFW4073 ²⁵⁵	<i>AD18, BD18</i>		
70197588		LAF6641 ¹	<i>AD10, FL10C w/Fiat 8365.05 Engine</i>				Air	LAF237 ²
74393504	Coolant	LFW4744 ⁴	70684733	Air	LAF6587			LAF237
Sec.	Fuel	262F			LAF6587MXM ²⁶⁸			LAF7716
Sec.		L540F	70662609		LAF6834 ¹			LAF7716MXM ²⁶⁸
	Hydraulic	LFP3411 ¹⁰⁹⁹	Pri.	Fuel	L3515F	Pri.	Fuel	L3515F
70640780		LH8461 ¹¹	Sec.		LFF3502	Sec.		LFF3502
74395889	Oil	LP132		Oil	LFP2230			LFF3508
Turbo		P2		Power Steering	LP132		Hydraulic	LP151
70669434	Trans	LH4265	<i>AD10B, BD10B, FL10B</i>			4667755	Oil	LFP2229
70623049		P92			LP151			LP132
<i>21B w/HDT-844 Engine</i>			70662609	Air	LAF237 ²	<i>AD20, BD20</i>		
70632707	Air	LAF320	8322129		LAF6834 ¹	70662477	Air	LAF9373 ¹
(70671838); 21-C		LAF5518 ²	8322128		LAF8581 ¹		Coolant	LFW4744 ⁴
(70671838); 21-C		LAF5518MXM ²	Pri.	Fuel	L3515F		Fuel	L3515F
70671839		LAF5526 ¹		Oil	LFP2230	Pri.		LFF3502
70113616		LAF66			LP132	(4618310); Sec.		LFF3502
(70659387); Series B, C		LAF6632 ²		Power Steering	LP151	4667755	Oil	LFP2229
Series B, C		LAF6632MXM ^{2, 268}	<i>AD12, BD12, FL12, AD12L, BD12L</i>					LP132
70197588		LAF6641 ¹		Air	LAF7716 ²	<i>AD3</i>		
74393504	Coolant	LFW4744 ⁴			LAF7716MXM ^{2, 268}	(970296); Sec.	Fuel	261F
Sec.	Fuel	262F	8322129		LAF8581 ¹	540955	Oil	P3
Sec.		L540F	8322128		LAF8582 ²	<i>AD4, AD4C, FL4, FL4D, FL4L</i>		
	Hydraulic	LFP3411 ¹⁰⁹⁹	(75242); Sec.	Fuel	LFF3508	4604875		LFP2230
			8813556	Oil	LP132	540955	Oil	P3
						<i>AD5, FD5, FL5</i>		
						9955976	Air	LAF1734 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 11-Power Steering 255-Contains 3 oz. of chemical 268-Extended/Severe service 1099-Torque Converter

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FIAT-ALLIS (CRAWLER TRACTOR)			FIAT-ALLIS (CRAWLER TRACTOR)			FIAT-ALLIS (CRAWLER TRACTOR)		
<i>AD5, FD5, FL5 (cont'd)</i>			<i>FD30 w/Fiat 8285 turbo Engine (cont'd)</i>			<i>FL14B (cont'd)</i>		
9955749	Air	LAF1735 ¹	(4618310); Sec.	Fuel	LFF3502	Sec.	Fuel	LFF3502
	Fuel	LFF3502	70666421	Hydraulic	LP560 ¹⁰⁷⁷		Oil	LFP2229
Sec.		LFF3508	74744707	Oil	LFP8250		Power Steering	LP151
73118171	Hydraulic	LFH8799		Power Steering	LP151	<i>FL14C w/Cummins 6CT8.3 Engine</i>		
	Oil	LFP2230	73144499	Trans	LFH4910	-S/N 50101	Air	LAF1725 ¹
8806171		LP2225	70669434		LH4265	-S/N 50101		LAF6587 ²
<i>AD7, FD7, FL7</i>			79032093		LP132			LAF6587MXM ^{2, 268}
Sec.	Fuel	LFF3508	<i>FD40 w/Cummins Engine</i>			S/N 50101-		LAF6834 ¹
	Oil	LP2225		Air	LAF5518 ²	4734562	Coolant	LAF8617 ²
		LP8346			LAF5518MXM ²			LFW4744 ⁴
		P3			LAF5526 ¹	Sec.	Fuel	L3515F
<i>AD7C, AD7D, BD7C, BD7D, FD7D</i>			70666421	Hydraulic	LP560 ¹⁰⁷⁷		Oil	LFP2229
9955976	Air	LAF1734 ²		Oil	LFP670	<i>FL14E w/Fiat 8365 Engine</i>		
9955749		LAF1735 ¹			LFP670XL ¹⁴	79043778	Air	LAF6587 ²
4621740	Fuel	L296F ⁴¹			LFP777B			LAF6587MXM ^{2, 268}
73118171	Hydraulic	LFH8799	By-Pass		LFP777XL ¹⁴	70662609		LAF6834 ¹
4625547	Oil	LFP2230	By-Pass		LFP777XL ¹⁴	70697635	Coolant	LFW4744 ⁴
<i>AD8, BD8, AD8B, BD8B, FL8C, 8BTA</i>			73144499	Trans	LFH4910	(1902096); Pri.	Fuel	L3515F
79011386	Air	LAF1544 ²	<i>FD50 w/Cummins VT-1710 Engine</i>			(4788503); Sec.		LFF3502
79011387		LAF9410 ¹		Air	LAF1767 ¹	1902102	Oil	LFP8982
4621740	Fuel	L296F ⁴¹			LAF1812 ²	79026104	Trans	LFP2229
	Oil	LFP2230	Pri.	Fuel	LFF202	<i>FL20, FD20 w/Fiat 8215.22 turbo Engine</i>		
<i>AD9, BD9, FL9</i>				Hydraulic	LP560	70684734	Air	LAF6769
79011387	Air	LAF1544 ²	By-Pass	Oil	LFP777B			LAF6769MXM ²⁶⁸
79011387		LAF9410 ¹	By-Pass		LFP777XL ¹⁴	70662477		LAF9373
4621740	Fuel	L296F ⁴¹			LP566		Coolant	LFW4744 ⁴
Pri.		L3515F	70669434	Trans	LH4265	Pri.	Fuel	L3515F
Sec.		LFF3502	<i>FL10B, 10B</i>			(4618310); Sec.		LFF3502
	Oil	LFP2230	8322129	Air	LAF8581 ¹		Oil	LFP2229
<i>Also See Allis-Chalmers</i>			8322128		LAF8582 ²	79032093	Trans	LP151
8322129	Air	LAF8581 ¹	Pri.	Fuel	L3515F	<i>FL4C w/Fiat 8035 Engine</i>		
8322128		LAF8582 ²	Sec.		LFF3502	70684733	Air	LAF6587
Pri.	Fuel	L3515F		Oil	LFP2230			LAF6587MXM ²⁶⁸
		LFF3502		Power Steering	LP151	70662609		LAF6834 ¹
	Hydraulic	LP132 ¹¹	<i>FL10C, 10C LGP</i>			4621740	Fuel	L296F ⁴¹
	Oil	LFP3411		Air	LAF6587 ²		Oil	LFP2230
<i>BD10, FL10</i>					LAF6587MXM ^{2, 268}	<i>FL4M</i>		
8322129	Air	LAF8581 ¹			LAF6834 ¹	1909128	Air	LAF1734 ²
8322128		LAF8582 ²			L3515F	1909129		LAF1735 ¹
Sec.	Fuel	LFF3508			LFF3502	1909101	Oil	LFP2230
	Oil	LP132			LFP2229	79104646	Trans	LFH8799
<i>FD20 w/Fiat 8215 Engine</i>				Oil	LFP2229	<i>FL6</i>		
70684734	Air	LAF6769 ²	<i>FL10E</i>			Sec.	Fuel	LFF3502
		LAF6769MXM ^{2, 268}	(70684732); S/N	Air	LAF8668 ²	Sec.		LFF3508
		LAF9373 ¹	90101-		LAF8674 ¹	79104646	Hydraulic	LFH8799
4681776	Coolant	LFW4071 ^{28, 205}	70662608		LFW4744 ⁴		Oil	LFP2230
Pri.	Fuel	L3515F	70697635	Coolant	LFW4744 ⁴	4585298		LP2225
4788503		LFF3502	4788503	Fuel	LFF3502	<i>FL8</i>		
4667755	Oil	LFP2229	4787410	Oil	LFP2241	Sec.	Fuel	LFF3508
79032093	Trans	LP132	79026104	Trans	LFP2229		Oil	LP2225
<i>FD30 w/Fiat 8285 turbo Engine</i>			<i>FL14B</i>					P3
70671838	Air	LAF5518	8322129	Air	LAF8581 ¹	<i>S11, SL11</i>		
70671838		LAF5518MXM	8322128		LAF8582 ²			LAF6587
70671839		LAF5526 ¹	4734562	Coolant	LFW4744 ⁴		Air	
70697635	Coolant	LFW4744 ⁴	Pri.	Fuel	L3515F			
Pri.	Fuel	L3515F						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 11-Power Steering 14-Extended Life 28-Contains 1 oz. of chemical 41-Cartridge 205-Maintenance 268-Extended/Severe service 1077-Hyd. Tank

F

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FIAT-ALLIS (CRAWLER TRACTOR)			FIAT-ALLIS (EXCAVATOR)			FIAT-ALLIS (GRADER)		
<i>S11, SL11 (cont'd)</i>			<i>FE40, FE40L w/Fiat 8215 Engine (cont'd)</i>			<i>FG75, FG75A, FG85, FG85A, FG95, FG95A w/Fiat Engine (cont'd)</i>		
	Air	LAF6587MXM ²⁶⁸ LAF6834 ¹	70662477	Air	LAF9373 ¹		Air	LAF6834 ¹
Pri.	Fuel	L3515F		Fuel	L3515F		Coolant	LFW4073 ²⁵⁵
Sec.		LFF3502		Sec.	LFF3502		Fuel	L3515F
	Oil	LFP2230			LFP2229		(74671001); Sec.	LFF3502
<i>S15, SL15</i>			<i>FX130 w/Cummins 4BT3.9L Engine</i>			<i>74667338</i>		
Pri.	Fuel	L3515F	71405341	Air	LAF3785 ²		Hydraulic	LFH4922
Sec.		LFF3502	1930825		LAF8618 ¹		Oil	LFP2229
	Oil	LFP2230	71402469	Hydraulic	LH5719 ¹¹³⁷	<i>FG75, FG85, FG95 w/Cummins Engine</i>		
<i>S9, SL9, SR9</i>			<i>FX210, FX210LC w/Cummins 6BT5.9L Engine</i>			<i>79043778</i>		
	Fuel	L296F ⁴¹	1930790	Air	LAF8663 ¹		Air	LAF6587 ²
	Oil	LFP2230	1930603		LAF8822 ²			LAF6587MXM ^{2, 268}
<i>TL5</i>			<i>FX250LC w/Cummins 6BT5.9L Engine</i>			<i>79043779</i>		
4621740	Fuel	L296F ⁴¹	71402469	Hydraulic	LH5719 ¹¹³⁷		Fuel	LAF6834 ¹
	Oil	LFP2230	71416241		LH8544		(75208274); Pri.	LFF3417
FIAT-ALLIS (EXCAVATOR)			<i>FX310LC w/Cummins Engine</i>			<i>(75208272); Sec.</i>		
<i>FE12, FE12LC, FE12R w/Fiat 8045 Engine</i>			<i>71420350</i>			<i>75028314</i>		
	Fuel	L296F ⁴¹	1930606	Air	LAF6412 ²	FIAT-ALLIS (SCRAPER)		
	Oil	LFP2230	71402469	Hydraulic	LAF8648 ¹	<i>161 w/Cummins V-903 Engine</i>		
<i>FE16 w/Fiat 8065 Engine</i>			<i>71416241</i>			<i>70659378</i>		
	Fuel	LFF3502			LH8544		Air	LAF6587 ²
	Oil	LFP2238						LAF6587MXM ^{2, 268}
<i>FE18, FE18LC, FE18R w/Fiat 8065 Engine</i>			FIAT-ALLIS (GRADER)			<i>70697588</i>		
73119795	Air	LAF1544 ²	<i>100C, 150C, 200C w/1100 Engine</i>			<i>WF-2014</i>		
73119796		LAF9410 ¹	70660360	Air	LAF6587 ²		Coolant	LFW4744 ⁴
1901605	Fuel	LFF3502			LAF6587MXM ^{2, 268}		Trans	LH4265
1909101	Oil	LFP2230			LAF6834 ¹	<i>260, 260, 260E-AE</i>		
4630787		LFP2238			LAF6834 ¹		Air	LAF4040
<i>FE20 w/Fiat 8365 Engine</i>			<i>70662609</i>					LAF6632 ²
70684733	Air	LAF6587 LAF6587MXM ²⁶⁸ LAF6834 ¹	74393504	Coolant	LFW4744 ⁴			LAF6632MXM ^{2, 268}
70662609			(74028945); Sec.	Fuel	FP230F			LAF6641 ¹
	Coolant	LFW4744 ⁴	74395889	Oil	LP132			LAF6641 ¹
Pri.	Fuel	L3515F	<i>65 w/D-262 Engine</i>					LAF6641 ¹
Sec.		LFF3502	70243163	Air	LAF222 ²			LAF6641 ¹
	Oil	LFP2229	74511629	Hydraulic	PH400 ²⁷⁵	<i>260B, 261B w/A-C 25000 MKII Engine</i>		
<i>FE24 w/Fiat 8365 Engine</i>			<i>74511629</i>			<i>70659387</i>		
	Coolant	LFW4744 ⁴	74027979	Oil	LFP2238			LAF6632 ²
Pri.	Fuel	L3515F	<i>65 w/G-226 Engine</i>					LAF6632MXM ^{2, 268}
Sec.		LFF3502			PH400 ²⁷⁵			LAF6641 ¹
	Oil	LFP2229	<i>65B w/Fiat 8065 Engine</i>					LAF6641 ¹
<i>FE28 w/Fiat 8365 Engine</i>			<i>70257024</i>			<i>70197588</i>		
70684733	Air	LAF6587 LAF6587MXM ²⁶⁸ LAF6834 ¹	70257029	Air	LAF1544 ²			LAF6632 ²
70662609			4681776	Coolant	LAF9410 ¹			LAF6632MXM ^{2, 268}
	Coolant	LFW4744 ⁴	74060050	Fuel	LFW4071 ²⁸			LAF6641 ¹
Pri.	Fuel	L3515F	74027979	Hydraulic	L296F ⁴¹	<i>262B, 263B</i>		
Sec.		LFF3502	74027979	Oil	LFP3411			LAF6632 ²
	Oil	LFP2229	73118171	Trans	LFP2238			LAF6632MXM ^{2, 268}
<i>FE40, FE40L w/Fiat 8215 Engine</i>			<i>FG65C</i>			<i>70197588</i>		
	Air	LAF5518 ² LAF5518MXM ² LAF5526 ¹ LAF6769 ² LAF6769MXM ^{2, 268}	73119795	Air	LAF1544 ²			LAF6641 ¹
70684734			73119796		LAF9410 ¹	<i>74393504</i>		
			<i>FG75, FG75A, FG85, FG85A, FG95, FG95A w/Fiat Engine</i>			<i>(74028945); Sec.</i>		
						<i>70666421</i>		
						<i>74395889</i>		
						<i>460C w/Detroit Diesel 12V-71 Engine</i>		
						<i>70666421</i>		
						<i>74395889</i>		
						<i>Hydraulic</i>		
						<i>LP112</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 28-Contains 1 oz. of chemical 41-Cartridge 255-Contains 3 oz. of chemical 268-Extended/Severe service
275-Primary 1137-Pilot 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FIAT-ALLIS (SCRAPER)			FIAT-ALLIS (WHEEL LOADER)			FIAT-ALLIS (WHEEL LOADER)		
<i>460C w/Detroit Diesel 12V-71 Engine (cont'd)</i>			<i>745, 745B, 745C, 745H, 745HB w/11000 Engine (cont'd)</i>			<i>FR12, FR12B w/Fiat Engine (cont'd)</i>		
	Power Steering	P92		Air	LAF6769MXM ^{2, 268}		Trans	LFH4223XL ¹⁴
	Trans	LP151	70662609		LAF6834 ¹	<i>FR120 w/Cummins 6BT5.9 Engine</i>		
FIAT-ALLIS (WHEEL LOADER)			70662477		LAF9373 ¹	71004922	Trans	LH4918
<i>345B</i>				Coolant	LP560 ¹²⁸⁵	<i>FR12C w/Fiat 8025 Engine</i>		
	Air	LAF1544 ² LAF9410 ¹		Fuel	LFW4071 ²⁸	4618310	Fuel	LFF3502
74024232	Fuel	P1130	Sec.		261F	4667755	Oil	LFP2229
	Hydraulic	LP32	Sec.		FP230F	<i>FR130, FR130.2 w/Iveco 8065.25.093 Engine</i>		
74023548	Oil	PH52	Pri.		L274F	1930790	Air	LAF8663 ¹
	Trans	LH4918	Pri.		L274F1	70684732		LAF8668 ²
<i>545, 545H w/2900 Engine</i>			70666421	Hydraulic	LP560 ¹²⁸⁵	1930820	Fuel	FP586F
(70244728); -S/N 2501	Air	LAF234HD ²	70679513		LP712	79109089	Hydraulic	LFH8595
(70684732); S/N 2501-70662608		LAF8668 ² LAF8674 ¹	74395889	Oil	LP132	1930213	Oil	LFP2241
(74028945); Sec.	Fuel	FP230F	Turbo	Trans	P2	<i>FR140 w/Cummins 6CT8.3 Engine</i>		
70666421	Hydraulic	LP560 ¹²⁸⁵			P92	79043778	Air	LAF6587 ² LAF6587MXM ^{2, 268}
74027979	Oil	LFP3411	<i>945, 945B w/25000 MKII diesel Engine</i>			79043779		LAF6834 ¹
(74395889); -S/N 1400	Trans	LP151	70659387	Air	LAF6632 ²	75206848	Coolant	LFW4071 ²⁸
(70679513); S/N 2833-		LP712			LAF6632MXM ^{2, 268}	8320238	Fuel	P1130
(73056509); S/N 1001-2833		P92	70197588		LAF6641 ¹	<i>FR15, FR15B w/Fiat 8365 turbo Engine</i>		
<i>545B, 605-B w/2900 MKII Diesel Engine</i>			74393504	Coolant	LFW4744 ⁴	70684733	Air	LAF6587 LAF6587MXM ²⁶⁸ LAF6834 ¹
70684732	Air	LAF8668 ² LAF8674 ¹	(74028945); Sec.	Fuel	FP230F	70662609		LFW4744 ⁴
70662608			70666421	Hydraulic	LP560 ¹²⁸⁵		Coolant	L3515F LFF3502
(74028945); Sec.	Fuel	FP230F	74027979	Oil	LFP3411	4667755	Hydraulic	LP560
70666421	Hydraulic	LP560 ¹²⁸⁵	(74395889); -S/N 1400	Trans	LP151		Oil	LFP2229
74023548	Oil	PH52	(70679513); S/N 2592-		LP712		Trans	LFH4223 LFH4223XL ¹⁴
70679513	Trans	LP712	(73056509); S/N 1501-2592		P92	<i>FR160, FR160.2 w/Iveco 8365.25.584 Engine</i>		
<i>645 w/3500 Engine</i>			<i>FR10, FR10B w/Fiat 8065T Engine</i>			1930606	Air	LAF8648 ¹
73047497	Air	LAF237 ²	70654409	Air	LAF8668 ²	1930604		LAF8729 ²
70684733		LAF6587 ² LAF6587MXM ^{2, 268}	76626089		LAF8674 ¹	1930549	Coolant	LFW4744 ⁴
			4734562	Coolant	LFW4744 ⁴	(1902096); Pri.	Fuel	L3515F
70662609		LAF6834 ¹		Fuel	FP587F	(4788503); Sec.		LFF3502
(74028945); Sec.	Fuel	FP230F	74027979	Oil	L296F ⁴¹	79109089	Hydraulic	LFH8595
70666421	Hydraulic	LP560 ¹²⁸⁵	73074045	Trans	LFP2238	1930542	Oil	LFP8982
74027979	Oil	LFP3411			LFW4223 LFH4223XL ¹⁴	<i>FR20, FR20B w/Flat 8215 Engine</i>		
(74395889); -S/N 1501	Trans	LP151	<i>FR10, FR11</i>			70684734	Air	LAF6769 LAF6769MXM ²⁶⁸ LAF9373 ¹
(70679513); S/N 2592-		LP712	S/N 560101-	Air	LAF8668 ² LAF8674 ¹	70662477		LFW4744 ⁴
(73056509); S/N 1501-2592		P92		Fuel	LFF3502		Coolant	LFW4744 ⁴
<i>645B w/3500 MKII Engine</i>			4787410	Hydraulic	LP560	Pri.	Fuel	L3515F LFF3502
70660360	Air	LAF6587 ² LAF6587MXM ^{2, 268}		Oil	LFP2241	70666421	Hydraulic	LP560
70662609		LAF6834 ¹	<i>FR100 w/Iveco 8060.05.390 Engine</i>			74744707	Oil	LFP8250
	Coolant	LFW4071 ²⁸	73119795	Air	LAF1544 ² LAF9410 ¹	73142551	Trans	LFH4223 LFH4223XL ¹⁴
(74028945); Sec.	Fuel	FP230F	4621740	Fuel	L296F ⁴¹	<i>FR220 w/Fiat 8365 Engine</i>		
70666421	Hydraulic	LP560 ¹²⁸⁵	71004922	Hydraulic	LH4918		Air	LAF8831 ²
74023548	Oil	PH52	1907567	Oil	LFP2238		Coolant	LFW4744 ⁴
70679513	Trans	LP712 ¹²⁸⁶	<i>FR12, FR12B w/Fiat Engine</i>				Fuel	L3515F LFF3502
<i>745, 745B, 745C, 745H, 745HB w/11000 Engine</i>			1930751	Air	LAF8668 ² LAF8674 ¹	74744707	Oil	LFP8250
(70684733); 745-B only	Air	LAF6587 ²	1930752		L296F ⁴¹	<i>FR30 w/Cummins NTA855C Engine</i>		
745-B only		LAF6587MXM ^{2, 268}	1930549	Coolant	LFW4744 ⁴		Air	LAF6632 ²
70659533		LAF6769 ²	1909103	Fuel	L296F ⁴¹ LFF3502		Coolant	LFW4744 ⁴
			70666421	Hydraulic	LP560		Fuel	L3515F LFF3502
			1930213	Oil	LFP2241		Oil	LFP8250
				Trans	LFH4223	<i>FR30 w/Cummins NTA855C Engine</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 14-Extended Life 28-Contains 1 oz. of chemical 41-Cartridge 268-Extended/Severe service 1285-Fiat Allis 70926821 Gasket 1286-Fiat Allis 70666244 Gasket

F

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FIAT-ALLIS (WHEEL LOADER)			FIAT-ALLIS (WHEEL LOADER)			FIAT-HITACHI (EXCAVATOR)		
<i>FR30 w/Cummins NTA855C Engine (cont'd)</i>			<i>FR90, FR90PL w/Iveco 8045.05.395 Engine</i>			<i>FH270-3 w/Cummins 6CT8.3 Engine (cont'd)</i>		
	Air	LAF6632MXM ^{2, 268} LAF6641 ¹	73119795	Air	LAF1544 ² LAF9410 ¹	1930792	Air	LAF8648 ¹
	Coolant	LFW4744 ⁴	73119796			4228689	Coolant	LFW4075 ⁶⁴⁴
70666421	Hydraulic	LP560 ¹¹⁰⁶ LP712 ²¹¹	1930010	Fuel	FP587F	(76107829); Pri.	Fuel	LFF3417
			1930213	Oil	LFP2241	(75208272); Sec.		LFF3521
73142551	Trans	LFH4223 LFH4223XL ¹⁴	79104646	Trans	LFH8799	4207841	Hydraulic	LH5719 ¹¹³⁷
			FIAT-HITACHI (EXCAVATOR)			4206705		LH8544 ¹¹⁷¹
<i>FR35 w/Cummins KT-1150 Engine</i>			<i>FH115W, FH85W, FH95 w/Perkins Engine</i>			4228688	Oil	LFP3000 LFP3000XL ¹⁴
70690304	Air	LAF1767 ¹	151849134	Air	LAF8610 ²	<i>FH330-3 w/Isuzu 6SD1 Engine</i>		
70690305		LAF1812 ²	1909964		LAF9410 ¹	4288963	Air	LAF1834 ²
70681546	Coolant	LFW4744 ⁴	<i>FH120 w/Iveco 8065T Engine</i>			4288964		LAF1835 ¹
(73144663); W/S	Fuel	LFF8000 ⁶²⁸	71405431	Air	LAF5785 ²	(4192631); W/S	Fuel	LFF4294
70666421	Hydraulic	LP560	1930010	Fuel	LFF3504	4207841	Hydraulic	LH5719 ¹¹³⁷
70679513		LP712 ¹¹³⁷	4207841	Hydraulic	LH5719 ¹¹³⁷	4325820		LH5953 ¹¹⁷¹
30697634	Oil	LFP670	4227353		LH8498 ¹¹⁷¹	4429728	Oil	LFP6007
		LFP670XL ¹⁴	1930213	Oil	LFP2241	(4429727); By-Pass		LFP777B
(73124135); By-Pass		LFP777B	<i>FH130-3 w/Iveco Engine</i>			<i>FH330-3 w/Iveco Engine</i>		
By-Pass		LFP777XL ¹⁴	71405431	Air	LAF5785 ²	1930602	Air	LAF6412 ²
73142551	Trans	LFH4223 LFH4223XL ¹⁴	1930010	Fuel	LFF3504	1930792		LAF8648 ¹
			4207841	Hydraulic	LH5719 ¹¹³⁷	1930549	Coolant	LFW4744 ⁴
<i>FR35 w/Iveco Engine</i>			4227353		LH8498 ¹¹⁷¹	1909107	Fuel	L3515F
	Coolant	LFW4744 ⁴	1930213	Oil	LFP2241	1909103		LFF3502
Pri.	Fuel	L3515F	<i>FH130W-3 w/Cummins Engine</i>			4207841	Hydraulic	LH5719 ¹¹³⁷
Sec.		LFF3502	151849134	Air	LAF8610 ^{2, 591}	4206705		LH8544 ¹¹⁷¹
70666421	Hydraulic	LP560 ¹¹⁰⁶ LP712 ²¹¹	1930790		LAF8663 ¹	1930906	Oil	LFP8982
			1930784		LAF8664 ^{2, 1287}	FMC (HARVESTER)		
74744707	Oil	LFP8250	1909964		LAF9410 ¹	<i>4300 Shaker w/John Deere Engine</i>		
73142551	Trans	LFH4223	(76107829); Pri.	Fuel	LFF3417		Fuel	P1130
73142551		LFH4223XL ¹⁴	(75208272); Sec.		LFF3521		Hydraulic	LP509
			4227353	Hydraulic	LH8498 ¹¹⁷¹		Oil	FP20
<i>FR4</i>			151831111	Oil	LFP3900	<i>5500TE Tomato Picker w/John Deere Engine</i>		
540955	Oil	P3	<i>FH150, FH150-3, FH150W w/Iveco Engine</i>			P120022	Air	LAF9001 ²
<i>FR7, FR7B w/Fiat 8045 Engine</i>			71405431	Air	LAF5785 ²		Fuel	P1130
79049791	Air	LAF1722 ²	1930010	Fuel	LFF3504		Hydraulic	LP509
79049790		LAF1723 ¹	4207841	Hydraulic	LH5719 ¹¹³⁷		Oil	FP20
79081327		LAF1734 ²	4227353		LH8498 ¹¹⁷¹	FMC (LOGGING EQUIPMENT)		
79081328		LAF8518 ¹	1930213	Oil	LFP2241	<i>200, 210, 220 Series Log Skidders w/Detroit Diesel 6V-53 Engine</i>		
	Fuel	L296F ⁴¹	<i>FH220, FH220-3 w/Iveco Engine</i>			P124045	Air	LAF1787 ²
73118171	Hydraulic	LFH8799	1930602	Air	LAF6412 ²	P124047		LAF1790 ¹
1909101	Oil	LFP2230	1930792		LAF8648 ¹	FMC (SPRAYERS)		
<i>FR70 w/Fiat 8045.05.396 Engine</i>			1930549	Coolant	LFW4744 ⁴	<i>1093CPD Sprayer w/John Deere 6068T Engine</i>		
79081327	Air	LAF1734 ²	1909107	Fuel	L3515F	P181035	Air	LAF237 ²
79081328		LAF8518 ¹	1909103		LFF3502	<i>393CPD, 993CPD w/John Deere Engine</i>		
1930010	Fuel	FP587F	4207841	Hydraulic	LH5719 ¹¹³⁷	P181035	Air	LAF237 ²
4648371	Oil	LFP2230	4206705		LH8544 ¹¹⁷¹	<i>4000CP w/Deutz F5L912 Engine</i>		
79104646	Trans	LFH8799	1930906	Oil	LFP8982	P119363	Air	LAF1544 ²
<i>FR9, FR9B w/Fiat 8045 Engine</i>			<i>FH240-3 w/Iveco Engine</i>			P119410		LAF9410 ¹
73119795	Air	LAF1544 ² LAF8581 ¹ LAF8647 ² LAF9410 ¹	1930602	Air	LAF6412 ²	Q1H4117	Fuel	FP586F
			1930792		LAF8648 ¹	1174421	Oil	LFP2222
73119796			1930549	Coolant	LFW4744 ⁴	<i>40RC w/Chrysler 318 Engine</i>		
Pri.	Fuel	L3515F	1909107	Fuel	L3515F	Gas	Fuel	G5/16 ²⁶³
(4618310); Sec.		LFF3502	1909103		LFF3502		Oil	PH400 ²⁷⁵
1901603	Oil	LFP2230	4207841	Hydraulic	LH5719 ¹¹³⁷			PH8A ¹⁴⁹⁶
4796458		LFP2241	4206705		LH8544 ¹¹⁷¹			
79104646	Trans	LFH8799	1930906	Oil	LFP8982			
			<i>FH270-3 w/Cummins 6CT8.3 Engine</i>					
			1930602	Air	LAF6412 ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 14-Extended Life 41-Cartridge 211-7" Tall 263-Hoses and clamps included 268-Extended/Severe service 275-Primary 591-6" O.D. 628-Tall version of LFF8020 644-Contains 6 oz. of chemical 1106-9" Hgt. 1137-Pilot 1171-Main 1287-10" O.D. 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FMC (SPRAYERS)			FORD (BACKHOE LOADER)			FORD (BACKHOE LOADER)		
<i>757GP w/Detroit Diesel 4-71 Engine</i>			<i>2120 (cont'd)</i>			<i>340, 340A, 340B (cont'd)</i>		
P101234	Air	LAF234HD ²	(EDPN9N074AA); Diesel	Fuel	L296F ⁴¹		Oil	PH8A ¹⁴⁹⁶
FMC (SWEEPER INDUSTRIAL)								
<i>300</i>								
	Air	LAF4126	7700040	Hydraulic	LFP1652	<i>3400</i>		
<i>Vanguard 3000, 3000SP, 4000, 4000SP w/General Motors 8.2L Engine</i>			<i>230, 231, 233 w/Ford 158 Diesel Engine</i>					
208334	Air	LAF1275 ¹ LAF1725 ¹ LAF9001 ²	D3NN9R500A	Air	LAF1823 ¹	E6NN9R500DA	Air	LAF1823 ¹
207194	Fuel	LFP928F LFP936F P1130	D6NN9R500A		LAF3707 ¹	E9NN9601BA	Fuel	LAF8551 ²
(208772); Sec. (208378); Pri.			E9NN9601BA		LAF8551 ²	(EDPN9N074AA); Diesel		L296F ⁴¹
	Oil	FP20 PH1218	(EDPN9N074AA); Diesel	Fuel	L296F ⁴¹	7700040	Hydraulic	LFP1652
301052			D8NNB486CA	Hydraulic	LFH4926	DGPN6731A	Oil	P114
<i>Vanguard 3000SP, 4000SP w/John Deere Engine</i>			<i>230, 231, 233 w/Ford 158 Gas Engine</i>					
208334	Air	LAF1725 ¹	E7NN6714AA	Oil	PH400 ²⁷⁵	86546617		PH400 ²⁷⁵
207194		LAF9001 ²	E7NN6714AA		PH8A ¹⁴⁹⁶	86546617		PH8A ¹⁴⁹⁶
311540	Fuel	P1130	D3NN9R500A	Air	LAF1823 ¹	<i>345C, 345D</i>		
311539	Oil	FP20	D6NN9R500A		LAF3707 ¹	E6NN9R500BA	Air	LAF1823 ¹
FORD (BACKHOE LOADER)								
<i>1801</i>								
(309991); Diesel	Fuel	L296F ⁴¹	E9NN9601BA		LAF8551 ²	E9NN9601BA		LAF8551 ²
7700040	Hydraulic	LFP1652	(EDPN9N074AA); Diesel	Fuel	L296F ⁴¹	EDPN9N074AA	Fuel	L296F ⁴¹
E7NN6714AA	Oil	PH400 ²⁷⁵	D8NNB486CA	Hydraulic	LFH4926	(87801434); S/N		L3893F
E7NN6714AA		PH8A ¹⁴⁹⁶	E7NN6714AA	Oil	PH400 ²⁷⁵	A44230-; Sec.		
<i>2000</i>								
E6NN9R500DA	Air	LAF131 LAF1823 ¹ LAF8551	E7NN6714AA		PH8A ¹⁴⁹⁶	D8NNB486CA	Hydraulic	LFH4926
(EDPN9N074AA); Diesel	Fuel	L296F ⁴¹	E7NN6714AA		PH8A ¹⁴⁹⁶	E7NN6714AA	Oil	PH400 ²⁷⁵
7700040	Hydraulic	LFP1652	E7NN6714FA	Trans	LP6005	E7NN6714AA		PH8A ¹⁴⁹⁶
DGPN6731A	Oil	P114 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>250C, 260C</i>			E7NN6714FA	Trans	LP6005
E7NN6714AA			D6NN9R500B	Air	LAF3710 ¹	<i>3500</i>		
<i>2030, 2040</i>			E9NN9B618AA		LAF3717 ²	E6NN9R500DA	Air	LAF1823 ¹
(309991); Diesel	Fuel	L296F ⁴¹	EDPN9N074AA	Fuel	L296F ⁴¹	E9NN9601BA		LAF8551 ²
7700040	Hydraulic	LFP1652	D8NNB486CA	Hydraulic	LFH4926	EDPN9N074AA	Fuel	L296F ⁴¹
E7NN6714AA	Oil	PH400 ²⁷⁵	E7NN6714AA	Oil	PH400 ²⁷⁵	DGPN6731A	Oil	P114
E7NN6714AA		PH8A ¹⁴⁹⁶	E7NN6714AA		PH8A ¹⁴⁹⁶	E7NN6714DA		PH253 ¹⁴⁹⁶
AE33538A	Power Steering	LP1653	E7NN6714FA	Trans	LP6005	<i>3550</i>		
<i>204D, 205D w/Diesel Engine</i>								
C9NN6714A	Oil	LFP2258	<i>3120</i>			E6NN9R500DA	Air	LAF1823 ¹
<i>2110</i>						E9NN9601BA		LAF8551 ²
E6NN9R500DA	Air	LAF1823 ¹	E6NN9R500DA	Air	LAF1823 ¹	EDPN9N074AA	Fuel	L296F ⁴¹
E9NN9601BA		LAF8551 ²	83908360		LAF3710 ¹	D8NNB486CA	Hydraulic	LFH4926
(EDPN9N074AA); Diesel	Fuel	L296F ⁴¹	83908365		LAF3717 ²	E7NN6714AA	Oil	PH400 ²⁷⁵
DGPN6731A	Oil	P114 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	E9NN9601BA		LAF8551 ²	E7NN6714AA		PH8A ¹⁴⁹⁶
(E7NN6714AA); Diesel			EDPN9N074AA	Fuel	L296F ⁴¹	C5NN6714B	Trans	LFP2258
(E7NN6714AA); Diesel			D8NNB486CA	Hydraulic	LFH4926	<i>4000</i>		
<i>2120</i>								
E6NN9R500DA	Air	LAF1823 ¹	<i>333, 335</i>					
E9NN9601BA		LAF8551 ²	E6NN9R500DA	Air	LAF1823 ¹	(CONN9155A); Diesel; Sec.	Fuel	261F
<i>340, 340A, 340B</i>			83908360		LAF3710 ¹	(309991); Diesel		L296F ⁴¹
E6NN9R500BA	Air	LAF1823 ¹	83908365		LAF3717 ²	7700040	Hydraulic	LFP1652
E9NN9601BA		LAF8551 ²	E9NN9601BA		LAF8551 ²	E7NN6714AA	Oil	PH400 ²⁷⁵
(EDPN9N074AA); Diesel	Fuel	L296F ⁴¹	EDPN9N074AA	Fuel	L296F ⁴¹	E7NN6714AA		PH8A ¹⁴⁹⁶
D8NNB486CA	Hydraulic	LFH4926	D8NNB486CA	Hydraulic	LFH4926	<i>4030</i>		
Oil		PH400 ²⁷⁵	E7NN6714AA	Oil	PH400 ²⁷⁵	(CONN9155A); Diesel; Sec.	Fuel	261F
<i>Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.</i>								
<i>1-Inner 2-Outer 41-Cartridge 275-Primary 1496-Alternate</i>								

F

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (BACKHOE LOADER)			FORD (BACKHOE LOADER)			FORD (BACKHOE LOADER)		
4040 (cont'd)			4500			530A		
C5NN6714B	Oil	LFP2258	E6NN9R500DA	Air	LAF1823 ¹	D6NN9R500A	Air	LAF3707 ¹
4110			E9NN9601BA		LAF8551 ²	D6NN9601A		LAF8551 ²
E6NN9R500DA	Air	LAF1823 ¹	(EDPN9N074AA);	Fuel	L296F ⁴¹	EDPN9N074AA	Fuel	L296F ⁴¹
E9NN9601BA		LAF8551 ²	Diesel			D9NN6714EA	Oil	PH400 ²⁷⁵
(EDPN9N074AA);	Fuel	L296F ⁴¹	C7NNF882A	Hydraulic	LH4900	D9NN6714EA		PH8A ¹⁴⁹⁶
Diesel			DGPN6731A	Oil	P114	535		
C7NNF882A	Hydraulic	LH4900	E7NN6714AA		PH400 ²⁷⁵	E6NN9R500DA	Air	LAF1823 ¹
DGPN6731A	Oil	P114	E7NN6714AA		PH8A ¹⁴⁹⁶	E9NN9601BA		LAF8551 ²
420			C5NN6714B	Trans	LFP2258	E9NN9601AA		LAF8552 ²
E6NN9R500DA	Air	LAF1823 ¹	455, 455C, 455D			(EDPN9N074AA);	Fuel	L296F ⁴¹
E9NN9601BA		LAF8551 ²	D1NN9R500A	Air	LAF323 ¹	Diesel		L296F ⁴¹
(EDPN9N074AA);	Fuel	L296F ⁴¹	E9NN9601AA		LAF8552 ²	C7NNF882A	Hydraulic	LH4900
Diesel			EDPN9N074AA	Fuel	L296F ⁴¹	D8NNB951AE		LH4983
D8NNB486CA	Hydraulic	LH4926	F2NNF882AA	Hydraulic	LP214	E7NN6714AA	Oil	PH400 ²⁷⁵
E7NN6714AA	Oil	PH400 ²⁷⁵	E7NN6714AA	Oil	PH400 ^{275, 1290}	E7NN6714AA		PH8A ¹⁴⁹⁶
E7NN6714AA		PH8A ¹⁴⁹⁶	E7NN6714AA		PH400 ²⁷⁵	C5NN6714B	Trans	LFP2258
C5NN6714B	Trans	LFP2258	E7NN6714AA		PH8A ¹⁴⁹⁶	540, 540A, 540B		
4400			E7NN6714AA		PH8A ^{1290, 1496}	E9NN9601BA	Air	LAF8551 ²
E6NN9R500DA	Air	LAF1823 ¹	E7NN6714FA	Trans	LP6005	E6NN9R500DA	Air	LAF1823 ¹
E9NN9601BA		LAF8551 ²	4600 w/Ford 201 Diesel Engine			EDPN9N074AA	Fuel	L296F ⁴¹
(EDPN9N074AA);	Fuel	L296F ⁴¹	D2NN9R500A	Air	LAF1823 ¹	(D8NNB486CA); 540A,	Hydraulic	LH4926
Diesel			D6NN9R500A		LAF3707 ¹	B		
DGPN6731A	Oil	P114	(DONN9N074B);	Fuel	L296F ⁴¹	(C7NNF882A); 540		LH4900
(E8NN6714AA); Gas		PH253 ¹⁴⁹⁶	Diesel			E7NN6714AA	Oil	PH400 ²⁷⁵
Gas		PH2835 ²⁷⁵	C9NN6714A	Oil	LFP2258	E7NN6714AA		PH8A ¹⁴⁹⁶
E7NN6714AA		PH400 ²⁷⁵	4600 w/Ford 201 Gasoline Engine			C5NN6714B	Trans	LFP2258
E7NN6714AA		PH8A ¹⁴⁹⁶	D2NN9R500A	Air	LAF1823 ¹	540D, 540G		
C5NN6714B	Trans	LFP2258	D6NN9R500A		LAF3707 ¹	E6NN9601BA	Air	LAF1823 ¹
445, 445A			(DONN9N074B);	Fuel	L296F ⁴¹	E9NN9601BA		LAF8551 ²
E6NN9R500DA	Air	LAF1823 ¹	Diesel			EDPN074AA	Fuel	L296F ⁴¹
E9NN9601BA		LAF8551 ²	C9NN6714A	Oil	LFP2258	C7NNF882A	Hydraulic	LH4900
(EDPN9N074AA);	Fuel	L296F ⁴¹	515, 531, 532 w/Ford 201 Gasoline Engine			D8NNB951AE		LH4983
Diesel			E9NN9601AA	Air	LAF8552 ^{2, 1291}	E7NN6714AA	Oil	PH400 ²⁷⁵
D8NNB486CA	Hydraulic	LH4926	E9NN9601AA	Air	LAF8552 ²	E7NN6714AA		PH8A ¹⁴⁹⁶
D8NNB951AE		LH4983	D2NN9R500A	Air	LAF1823 ¹	C5NN6714B	Trans	PH253 ¹⁴⁹⁶
E7NN6714AA	Oil	PH400 ²⁷⁵	D6NN9R500A		LAF3707 ¹			PH2835 ²⁷⁵
E7NN6714AA		PH8A ¹⁴⁹⁶	(DONN9N074B);	Fuel	L296F ⁴¹	545, 545A, 545C, 545D		
C5NN6714B	Trans	LFP2258	Diesel			E6NN9R500DA	Air	LAF1823 ¹
445C, 445D			C9NN6714A	Oil	LFP2258	E9NN9601BA		LAF8551 ²
E6NN9R500DA	Air	LAF1823 ¹	515, 531, 532 w/Ford 201 Diesel Engine			(EDPN9N074AA);	Fuel	L296F ⁴¹
E9NN9601BA		LAF8551 ²	E9NN9601AA	Air	LAF8552 ^{2, 1291}	Diesel		L296F ⁴¹
EDPN9N074AA	Fuel	L296F ⁴¹	E9NN9601AA	Air	LAF8552 ²	D8NNB486CA	Hydraulic	LH4926
D8NNB486CA	Hydraulic	LH4926	D2NN9R500A	Air	LAF1823 ¹	D8NNB951AE		LH4983
D8NNB951AE		LH4983	D6NN9R500A		LAF3707 ¹	E7NN6714AA	Oil	PH400 ²⁷⁵
	Oil	PH400 ²⁷⁵	(DONN9N074B);	Fuel	L296F ⁴¹	E7NN6714AA		PH8A ¹⁴⁹⁶
		PH8A ¹⁴⁹⁶	Diesel			C5NN6714B	Trans	LFP2258
E7NN6714FA	Trans	LP6005	C9NN6714A	Oil	LFP2258	E7NN6714FA		LP6005
450			515, 531, 532 w/Ford 201 Gasoline Engine			550 w/Ford 201 Diesel Engine		
E6NN9R500DA	Air	LAF1823 ¹	E9NN9601AA	Air	LAF8552 ^{2, 1291}	D6NN9R500A	Air	LAF3707 ¹
E9NN9601BA		LAF8551 ²	E9NN9601AA	Air	LAF8552 ²	E9NN9601BA		LAF8551 ²
EDPN9N074AA	Fuel	L296F ⁴¹	D2NN9R500A	Air	LAF1823 ¹	EDPN9N074AA	Fuel	L296F ⁴¹
D8NNB486CA	Hydraulic	LH4926	D6NN9R500A		LAF3707 ¹	(EDPN9N074AA);		L296F ⁴¹
D8NNB951AE		LH4983	(DONN9N074B);	Fuel	L296F ⁴¹	Diesel		L296F ⁴¹
	Oil	PH400 ²⁷⁵	Diesel			D8NNB486CA	Hydraulic	LH4926
		PH8A ¹⁴⁹⁶	C9NN6714A	Oil	LFP2258	D8NNB951AE		LH4983
E7NN6714FA	Trans	LP6005	C7NNF882A		LH4900	E7NN6714AA	Oil	PH400 ²⁷⁵
450			D8NNB951AE		LH4983	E7NN6714AA		PH8A ¹⁴⁹⁶
E6NN9R500DA	Air	LAF1823 ¹	E7NN6714AA	Oil	PH400 ²⁷⁵	C5NN6714B	Trans	LFP2258
E9NN9601BA		LAF8551 ²	E7NN6714AA		PH8A ¹⁴⁹⁶	E7NN6714FA		LP6005
EDPN9N074AA	Fuel	L296F ⁴¹	515, 531, 532 w/Ford 201 Diesel Engine			550 w/Ford 201 Diesel Engine		
E7NN6714AA	Oil	PH400 ²⁷⁵	E9NN9601AA	Air	LAF8552 ^{2, 1291}	D6NN9R500A	Air	LAF3707 ¹
E7NN6714AA		PH8A ¹⁴⁹⁶	E9NN9601AA	Air	LAF8552 ²	E9NN9601BA		LAF8551 ²
C5NN6714B	Trans	LFP2258	D2NN9R500A	Air	LAF1823 ¹	EDPN9N074AA	Fuel	L296F ⁴¹
			D6NN9R500A		LAF3707 ¹	C5NN6714B	Hydraulic	LFP2258 ¹⁰⁹⁹
			(DONN9N074B)	Fuel	L296F ⁴¹	E7NN6714AA	Oil	PH400 ²⁷⁵
			D8NNB786CA	Hydraulic	LH4926	E7NN6714AA		PH8A ¹⁴⁹⁶
			C5NN6714B		LFP2258 ¹⁰⁹⁹	7705675	Trans	LP712
			C7NNF882A		LH4900			
			D8NNB951AE		LH4983			
			E7NN6714AA	Oil	PH400 ²⁷⁵			
			E7NN6714AA		PH8A ¹⁴⁹⁶			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 275-Primary 1099-Torque Converter 1290-12/88-on 1291-To 03/76 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (BACKHOE LOADER)			FORD (BACKHOE LOADER)			FORD (BACKHOE LOADER)		
<i>550 w/Ford 201 Gasoline Engine</i>			<i>555E (cont'd)</i>			<i>755, 755A, 755B (cont'd)</i>		
D6NN9R500A	Air	LAF3707 ¹	878000083	Oil	PH4403	251483	Hydraulic	LP712
E9NN9601BA		LAF8551 ²	9968353	Trans	LFP2275	E8NN6714AA	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
EDPN9N074AA	Fuel	L296F ⁴¹	<i>575D, 675D</i>			E7NN6714AA		PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
C5NN6714B	Hydraulic	LFP2258 ¹⁰⁹⁹	D1NN9R500A	Air	LAF323 ¹	D3NN7C045A	Trans	LH4918
E7NN6714AA	Oil	PH400 ²⁷⁵	E9NN9601AA		LAF8552 ²	FORD (COMBINE)		
E7NN6714AA		PH8A ¹⁴⁹⁶	71909100	Fuel	L296F ⁴¹	<i>611</i>		
7705675	Trans	LP712	D8NN9176AA		LFF3501	C9NN6714A	Oil	LFP2258
<i>5500</i>			86513279	Hydraulic	LH4174	CPN6731B		P2
C7NN9A641B	Air	LAF702	E7NN6714AA	Oil	PH400 ²⁷⁵	<i>620</i>		
(EDPN9N074AA); Diesel	Fuel	L296F ⁴¹	E7NN6714AA		PH8A ¹⁴⁹⁶	C5NE9A641A	Air	LAF131
DBPN6731A	Oil	P114	E7NN6714FA	Trans	LP6005	<i>622 w/6-254 Engine</i>		
C5NN6714B	Trans	LFP2258	<i>575E</i>			(C7NN9176A); Diesel	Fuel	L296F ⁴¹
<i>555, 555A, 555B, 555D</i>			1930765	Air	LAF8583 ²	C9NN6714A	Oil	LFP2258
E9NN9601AA	Air	LAF8552 ^{2, 35}	1909964		LAF9410 ¹	<i>630, 640</i>		
E9NN9601AA	Air	LAF8552 ²	87840509	Fuel	LFF3504	C5NE9A641A	Air	LAF131
E9NN9601AA	Air	LAF8552 ^{2, 1292}	9821388	Hydraulic	LFH5659	<i>642 w/Ford 6-380 Engine</i>		
D1NN9R500A	Air	LAF323 ¹	878000083	Oil	PH4403	C7NN9176A	Fuel	L296F ⁴¹
D9NN9N187AA	Fuel	L296F ⁴¹	<i>650, 6500</i>			C9NN6714A	Oil	LFP2258
251483	Hydraulic	LP712	D2NN9R500A	Air	LAF1823 ¹	<i>642 w/Ford V8-361 Engine</i>		
E7NN6714AA	Oil	PH400 ²⁷⁵	C7NN9A641B		LAF702 ²	(C4AZ9365A); Gas	Fuel	G6
E7NN6714AA		PH8A ¹⁴⁹⁶	D8NN9N074AA	Fuel	L296F ⁴¹	C1T26731B	Oil	P2
C5NN6714B	Trans	LFP2258	7705675	Hydraulic	LP712	FORD (EXCAVATOR)		
<i>5550</i>			D9NN6714EA	Oil	PH400 ²⁷⁵	<i>H41 w/Ford 401DF Diesel Engine</i>		
C7NN9A641B	Air	LAF702	D9NN6714EA		PH8A ¹⁴⁹⁶		Fuel	L296F ⁴¹
(EDPN9N074AA); Diesel	Fuel	L296F ⁴¹	D3NN7C045A	Trans	LH4918	7700040	Hydraulic	LFP1652
C5NN6714B	Hydraulic	LFP2258 ¹⁰⁹⁹	<i>655, 655A</i>			C5TE6744A	Oil	P114
DGPN6731A	Oil	P114	E6NN9R500DA	Air	LAF1823 ¹	By-Pass		P4
E7NN6714AA		PH400 ²⁷⁵	D1NN9R500A		LAF323 ¹	<i>H48</i>		
E7NN6714AA		PH8A ¹⁴⁹⁶	E9NN9601AA		LAF8552 ²	D1NN9R500A	Air	LAF323 ¹
E7NN6714AA		PH8A ¹⁴⁹⁶	EDPN9N074AA	Fuel	L296F ⁴¹	D1NN9601A		LAF8552 ²
<i>555C, 555C Turbo, 555D</i>			251483	Hydraulic	LP712	ELPN9N074AA	Fuel	L296F ⁴¹
D1NN9R500A	Air	LAF323 ¹	E7NN6714AA	Oil	PH400 ²⁷⁵	DGPN6731A	Oil	P114
D9NN9N187AA	Fuel	L296F ^{18, 41}	E7NN6714AA		PH8A ¹⁴⁹⁶	FORD (TRACTOR)		
D8NN9176A		LFF3501 ¹⁹	E7NN6714FA	Trans	LP6005	<i>1000 w/Shibaura LE892 Engine</i>		
9821388	Hydraulic	LFH5659	<i>655C, 655D</i>			87300039	Fuel	L3556F
E7NN6714AA	Oil	PH400 ²⁷⁵	D1NN9R500A	Air	LAF323 ¹	E1NN6714BB	Oil	PH561
E7NN6714AA		PH8A ¹⁴⁹⁶	E9NN9601AA		LAF8552 ²	<i>104D, 105D, 106D w/Diesel Engine</i>		
E7NN6714FA	Trans	LP6005	EDPN9N074AA	Fuel	L296F ⁴¹	C9NN6714A	Oil	LFP2258
<i>555D</i>			86513279	Hydraulic	LH4174	<i>1100, 1200 w/2 cyl. Engine</i>		
	Air	LAF8551 ^{2, 1294}	E7NN6714AA	Oil	PH400 ²⁷⁵	SBA314530360	Air	LAF2745A ²
	Air	LAF8551 ²	E7NN6714AA		PH8A ¹⁴⁹⁶		Fuel	L3541F
	Air	LAF8551 ^{2, 1293}	E7NN6714FA	Trans	LP6005	E1NN6714AB	Oil	PH2865
D6NN9R500A	Air	LAF3707 ¹	<i>713, 723, 750, 753</i>			<i>1110</i>		
D9NN9N187AA	Fuel	L296F ⁴¹	7700040	Hydraulic	LFP1652	86512887	Air	LAF2745A ²
9706161	Hydraulic	LFH8880G	<i>750, 7500</i>			SBA360720020	Fuel	L3556F
86513279		LH4174	D1NN9R500A	Air	LAF323 ¹	E1NN6714AA	Oil	PH2865
E7NN6714AA	Oil	PH400 ²⁷⁵	E9NN9601AA		LAF8552 ²	87300195	Trans	LFH6201 ⁵⁹⁰
E7NN6714AA		PH8A ¹⁴⁹⁶	EDPN9N074AA	Fuel	L296F ⁴¹	<i>1120</i>		
E7NN6714FA	Trans	LP6005	251483	Hydraulic	LP712	86512887	Air	LAF2745A ²
<i>555E</i>			E7NN6714AA	Oil	PH400 ²⁷⁵	SBA360720020	Fuel	L3556F
1930765	Air	LAF8583 ²	E7NN6714AA		PH8A ¹⁴⁹⁶	9846407	Hydraulic	LFH4957
1909964		LAF9410 ¹	D3NN7C045A	Trans	LH4918	F0NN6714BA	Oil	PH2840
(87800220); W/S	Fuel	LFF8062	<i>755, 755A, 755B</i>			87300195	Trans	LFH6201 ⁵⁹⁰
9821388	Hydraulic	LFH5659	D1NN9R500A	Air	LAF323 ¹			
9706161		LFH8880G	E9NN9601AA		LAF8552 ²			
			EDPN9N074AA	Fuel	L296F ⁴¹			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 18-Short 19-Long 35-To 10/88 41-Cartridge 275-Primary 590-Hydrostatic 1099-Torque Converter 1292-From 08/81 1293-From 10/78 1294-To 07/81 1496-Alternate

F

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (TRACTOR)			FORD (TRACTOR)			FORD (TRACTOR)		
<i>1210, 1215, 1220</i>			<i>1710 w/Diesel Engine (cont'd)</i>			<i>1925 (cont'd)</i>		
86512887	Air	LAF2745A ²	87415600	Oil	PH2835	87300039	Fuel	L3556F
87300039	Fuel	L3556F	(87300195); 1710 only	Trans	LFH6201 ⁵⁹⁰	SBA340500720	Hydraulic	LFH22003
9846407	Hydraulic	LFH4957	<i>1715 w/Shibaura Diesel Engine</i>			E9NN6714AA	Oil	PH253 ¹⁴⁹⁶
87300195		LFH6201	(86512889); 1720 only	Air	LAF8212			PH2835 ²⁷⁵
FONN6714BA	Oil	PH2840	86512888		LAF8426	SBA340500770	Trans	LFH6201 ⁵⁹⁰
<i>1300 w/2cyl. Engine</i>			SBA360720020	Fuel	L3556F	<i>2000 Super Dexta</i>		
SBA314530360	Air	LAF2745A ²	(SBA340500410); 1720 only	Hydraulic	LFH4953		Fuel	L23F
SBA360720020	Fuel	L3556F			LFH4957	178562	Hydraulic	HP1
E1NN6714AB	Oil	PH2865	E9NN6714AA	Oil	PH253 ¹⁴⁹⁶	1551		LFP1652
<i>1310</i>					PH2835 ²⁷⁵	-S/N 1495141	Oil	P771A
86512887	Air	LAF2745A ²	87415600		PH2835	S/N 1495142-		P772
SBA360720020	Fuel	L3556F	(87300195); 1710 only	Trans	LFH6201 ⁵⁹⁰	<i>2000 w/Ford Diesel Engine</i>		
FONN6714BA	Oil	PH2840	<i>1720</i>			E6NN9B618AB	Air	LAF131
<i>1320</i>			(86512889); 1720 only	Air	LAF8212	E6NN9R500DA		LAF1823 ¹
86512888	Air	LAF8426	86512888		LAF8426	83937061	Fuel	L296F ⁴¹
SBA360720020	Fuel	L3556F	SBA360720020	Fuel	L3556F	C5NNN832B	Hydraulic	LH4900
9846407	Hydraulic	LFH4957	(SBA340500410); 1720 only	Hydraulic	LFH4953	86546611	Oil	P114 ¹²⁸⁸
E9NN6714BA	Oil	PH253 ¹⁴⁹⁶			LFH4957	86546608		P2 ¹¹³²
		PH2835 ²⁷⁵	E9NN6714AA	Oil	PH253 ¹⁴⁹⁶	<i>2000 w/Ford Gas Engine</i>		
		PH2835			PH2835 ²⁷⁵		Air	LAF131 ¹²⁸⁸
87415600		LFH6201 ⁵⁹⁰	87415600		PH2835			LAF1823 ¹
87300195	Trans		(87300195); 1710 only	Trans	LFH6201 ⁵⁹⁰	C5NNN832B	Hydraulic	LH4900
<i>1500, 1600, 1700 w/Shibaura Engine</i>			<i>1725</i>				Oil	P114
SBA314530122	Air	LAF222 ^{2, 57}	87300178	Air	LAF8195 ²			P2 ¹¹³²
SBA360720020	Fuel	L3556F	87300180		LAF8690 ¹			PH400 ²⁷⁵
E1NN6714BA	Oil	PH561	87300039	Fuel	L3556F			PH8A ¹⁴⁹⁶
<i>1510</i>			87300043	Hydraulic	LFH22003	<i>2110 Compact</i>		
86512886	Air	LAF2745A ²	E9NN6714AA	Oil	PH253 ¹⁴⁹⁶	86512889	Air	LAF8212
SBA360720020	Fuel	L3556F			PH2835 ²⁷⁵	SBA130366060	Fuel	L549F
9846407	Hydraulic	LFH4957	87415600		PH2835	SBA340500410	Hydraulic	LFH4953
E1NN6714AA	Oil	PH2865	<i>1800, 1801</i>			E6NN9B618AB	Air	LAF131 ²
<i>1520, 1620</i>			(309991); Diesel	Fuel	L296F ⁴¹			LAF1823 ¹
86512888	Air	LAF8426	CPN6731B	Oil	P2	(C3TZ9365B); Diesel	Fuel	L296F ^{41, 1289}
SBA360720020	Fuel	L3556F	E7NN6714AA		PH400 ²⁷⁵	C5NNN832B	Hydraulic	LH4900
9846407	Hydraulic	LFH4957	E7NN6714AA		PH8A ¹⁴⁹⁶	CRPN6731B	Oil	P114
E1NN6714AA	Oil	PH2865	<i>1900</i>			E7NN6714AA		PH400 ²⁷⁵
<i>1530, 1630</i>			SBA314530122	Air	LAF222 ²	E7NN6714AA		PH8A ¹⁴⁹⁶
86512888	Air	LAF8195 ²	SBA130366060	Fuel	L549F	<i>2110 w/Ford Diesel Engine</i>		
SBA360720020	Fuel	LAF8690 ¹	E1NN6714BB	Oil	PH561	E6NN9B618AB	Air	LAF131 ²
87300195		L3556F	<i>1910</i>					LAF1823 ¹
E9NN6714AA	Oil	LFH22003	SBA130366060	Fuel	L549F	(C3TZ9365B); Diesel	Fuel	L296F ^{41, 1289}
		PH253 ¹⁴⁹⁶	SBA340500410	Hydraulic	LFH4953	C5NNN832B	Hydraulic	LH4900
		PH2835 ²⁷⁵	SBA340500410		LFP5570	CRPN6731B	Oil	P114
87415600		PH2835	E1NN6714BB	Oil	PH561	E7NN6714AA		PH400 ²⁷⁵
87300195	Trans	LFH6201 ⁵⁹⁰	<i>1920</i>			E7NN6714AA		PH8A ¹⁴⁹⁶
<i>1710 w/Diesel Engine</i>			86512889	Air	LAF8212	<i>2110 w/Ford Gas Engine</i>		
(86512889); 1720 only	Air	LAF8212	SBA130366060	Fuel	L549F	E6NN9B618AB	Air	LAF131 ²
86512888		LAF8426	SBA340500410	Hydraulic	LFP5570			LAF1823 ¹
SBA360720020	Fuel	L3556F	E9NN6714AA	Oil	PH253 ¹⁴⁹⁶	(C3TZ9365B); Diesel	Fuel	L296F ^{41, 1289}
(SBA340500410); 1720 only	Hydraulic	LFH4953			PH2835 ²⁷⁵	C5NNN832B	Hydraulic	LH4900
		LFH4957	87415600		PH2835	CRPN6731B	Oil	P114
E9NN6714AA	Oil	PH253 ¹⁴⁹⁶	<i>1925</i>			E7NN6714AA		PH400 ²⁷⁵
		PH2835 ²⁷⁵	87300178	Air	LAF8195 ²	E7NN6714AA		PH8A ¹⁴⁹⁶
<i>1710 w/Diesel Engine</i>			87300180		LAF8690 ¹	<i>2120 Compact Tractor</i>		
(86512889); 1720 only	Air	LAF8212	<i>1910</i>			SBA340500410	Hydraulic	LFH4953
86512888		LAF8426	SBA130366060	Fuel	L549F	86512889	Air	LAF8212
SBA360720020	Fuel	L3556F	SBA340500410	Hydraulic	LFP5570	SBA130366060	Fuel	L549F
(SBA340500410); 1720 only	Hydraulic	LFH4953	E9NN6714AA	Oil	PH253 ¹⁴⁹⁶	SBA340500730	Hydraulic	LFH4386
		LFH4957			PH2835 ²⁷⁵	SBA340500410	Hydraulic	LFH4953 ⁴²⁷
E9NN6714AA	Oil	PH253 ¹⁴⁹⁶	87415600		PH2835	SBA340500410	Hydraulic	LFH4953
		PH2835 ²⁷⁵	<i>1925</i>					
			87300178	Air	LAF8195 ²			
			87300180		LAF8690 ¹			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 57-Partial 275-Primary 427-To 11/91 590-Hydrostatic 1132-4" O.D. 1288-4.6" O.D. 1289-Some models use two filters.

1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (TRACTOR)			FORD (TRACTOR)			FORD (TRACTOR)		
<i>2310, 2610 w/Ford Diesel Engine</i>			<i>3000 w/Ford Diesel Engine</i>			<i>3610 Diesel</i>		
Gas	Air	LAF131 ²	C7NN-9A641-C	Air	LAF131	E9NN9B168AA	Air	LAF3710 ¹
Gas		LAF1823 ¹	D2NN9R500A		LAF1823 ¹	E7NN8A469AA	Coolant	LAF3717 ²
Diesel		LAF3710 ¹	(C3TZ9365B); Diesel	Fuel	L296F ⁴¹			LFW4685 ²⁴⁹
Diesel		LAF3717 ²	C5N9NN832B	Hydraulic	LH4900			LFW4685XL ^{14, 249}
E7NN8A469AA	Coolant	LFW4685 ²⁴⁹	(C9NN6714A); when converted w/Ford 309825 Kit	Oil	LFP2258	EDPN9N074AA	Fuel	L296F ⁴¹
(EDPN9N074AA); Diesel	Fuel	L296F ⁴¹				D8NNB486CA	Hydraulic	LFH4926
D8NNB486CA	Hydraulic	LFH4926	<i>3000 w/Ford Gas Engine</i>			E8NN6714AA	Oil	PH253 ¹⁴⁹⁶
E7NN6714AA	Oil	PH400 ²⁷⁵	C7NN-9A641-C	Air	LAF131	D9NN6714EA		PH2835 ²⁷⁵
E7NN6714AA		PH8A ¹⁴⁹⁶	D2NN9R500A		LAF1823 ¹	D9NN6714EA		PH400 ²⁷⁵
<i>2310, 2610 w/Ford Gas Engine</i>			(C3TZ9365B); Diesel	Fuel	L296F ⁴¹			PH8A ¹⁴⁹⁶
Gas	Air	LAF131 ²	C5N9NN832B	Hydraulic	LH4900	<i>3830, 4030</i>		
Gas		LAF1823 ¹	(C9NN6714A); when converted w/Ford 309825 Kit	Oil	LFP2258	1909138	Air	LAF1793 ¹
Diesel		LAF3710 ¹				1909139		LAF222 ²
Diesel		LAF3717 ²	<i>3230, 3430</i>			83908360		LAF3710 ¹
E7NN8A469AA	Coolant	LFW4685 ²⁴⁹	D6NN9R500B	Air	LAF3710 ¹	1930010	Fuel	LFF3504
		LFW4685XL ^{14, 249}	D9NN9B618AA		LAF3717 ²	1909130	Hydraulic	LFP6007
(EDPN9N074AA); Diesel	Fuel	L296F ⁴¹	E8NN8A424BB	Coolant	LFW4072 ¹⁸²	4648371	Oil	LFP2230
D8NNB486CA	Hydraulic	LFH4926	EDPN9N074AA	Fuel	L296F ^{18, 41}	1909102		LFP2238
E7NN6714AA	Oil	PH400 ²⁷⁵	83917626		LFF3501 ¹⁹	<i>3910</i>		
E7NN6714AA		PH8A ¹⁴⁹⁶	(D8NNB486CA); 3430 only	Hydraulic	LFH4926	D6NN9R500B	Air	LAF3710 ¹
<i>2600 w/Ford Gas Engine</i>			E7NN6714AA		PH253 ¹⁴⁹⁶	D6NN9601B		LAF3717 ²
Gas	Air	LAF1823 ¹	E8NN6714AA		PH253 ^{18, 1496}	E7NN8A469AA	Coolant	LFW4685 ²⁴⁹
(83908367); Diesel		LAF3707 ¹	E7NN6714AA		PH2835 ^{18, 275}			LFW4685XL ^{14, 249}
(81866975); Diesel		LAF8551 ²	E7NN6714AA		PH400 ^{19, 275}	EDPN9N074AA	Fuel	L296F ⁴¹
(81866927); Gas		LAF8552 ²	E7NN6714AA		PH8A ^{19, 1496}	D8NNB486CA	Hydraulic	LFH4926
D8NN9N074B	Fuel	L296F ⁴¹	<i>335</i>			E8NN6714AA	Oil	PH253 ¹⁴⁹⁶
D8NNB486CA	Hydraulic	LFH4926	E9NN9B618AA	Air	LAF3717 ²			PH2835 ²⁷⁵
E7NN6714AA	Oil	PH400 ²⁷⁵	E6NN9R500B	Air	LAF937 ¹	<i>3930, 3930N</i>		
E7NN6714AA		PH8A ¹⁴⁹⁶	E8NN8A424BB	Coolant	LFW4072 ¹⁸²	D9NN9B618AA	Air	LAF3717 ²
<i>260C</i>			87800068	Oil	PH253 ¹⁴⁹⁶	E6NN9R500B	Air	LAF3710 ¹
	Oil	PH400 ²⁷⁵	E7NN6714AA		PH2835 ²⁷⁵	E8NN8A424BB	Coolant	LFW4072 ¹⁸²
		PH8A ¹⁴⁹⁶	<i>3415 w/Diesel Engine</i>			EDPN9N074AA	Fuel	L296F ⁴¹
<i>276 II w/Ford 4.4L Engine</i>				Air	LAF8426	D8NNB486CA	Hydraulic	LFH4926
V90183	Air	LAF1725 ¹	SBA130366060	Fuel	L549F	E8NN6714AA	Oil	PH253 ^{18, 1496}
V103344		LAF9001 ²		Hydraulic	LFH4953			PH2835 ^{18, 275}
EPDN9N074AA	Fuel	L296F ^{18, 41}	E9NN6714AA	Oil	PH253 ¹⁴⁹⁶	E7NN6714AA		PH400 ^{19, 275}
E8NN6714BA	Oil	PH400 ²⁷⁵			PH2835 ²⁷⁵	E7NN6714AA		PH8A ^{19, 1496}
E8NN6714BA		PH8A ¹⁴⁹⁶	<i>3600</i>			<i>4000</i>		
<i>2810, 2910</i>			(E6NN9B618AB); Gas	Air	LAF131 ²	E6NN9B618AB	Air	LAF131 ²
D6NN9R500B	Air	LAF3710 ¹	(E6NN9R500DA); Diesel		LAF1823 ¹	E6NN9R500DA	Fuel	LAF1823 ¹
D6NN9601B		LAF3717 ²	(E6NN9R500DA); Gas		LAF1823 ¹	Diesel		L296F ⁴¹
E8NN8A424BB	Coolant	LFW4072 ¹⁸²	(D6NN9R500A); Diesel		LAF3707 ¹	C5N9NN832B	Hydraulic	LH4900
E7NN8A469AA		LFW4685 ²⁴⁹	(E6NN9R500DA); Diesel		LAF3710 ¹			P114
		LFW4685XL ^{14, 249}	(D5NN9B618A); Diesel		LAF3717 ²	E7NN6714AA	Oil	PH400 ²⁷⁵
EDPN9N074AA	Fuel	L296F ⁴¹	(81866975); Diesel		LAF8551 ²	E7NN6714AA		PH8A ¹⁴⁹⁶
D8NNB486CA	Hydraulic	LFH4926	(E9NN9601AA); Diesel		LAF8552 ²	7700040	Hydraulic	LFH4209
E8NN6714AA	Oil	PH253 ¹⁴⁹⁶	D8NN9N074AA	Fuel	L296F ⁴¹	CPN6882A	Oil	LFP2258
		PH2835 ²⁷⁵	D8NNB486CA	Hydraulic	LFH4926	86546608		P2
		PH400 ²⁷⁵	C5N9NF882B	Oil	PH400 ²⁷⁵	AE33538A	Trans	LP1653
		PH8A ¹⁴⁹⁶			PH8A ¹⁴⁹⁶	<i>4100</i>		
D9NN6714EA		PH8A ¹⁴⁹⁶				D2NN9R500A	Air	LAF1823 ¹
D9NN6714EA		PH8A ¹⁴⁹⁶				D5NN9B618A		LAF3717 ²
<i>2N 1942-47</i>						E9NN9601AA		LAF8552 ²
APN6731B	Oil	P3				Diesel	Fuel	L296F ⁴¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 18-Short 19-Long 41-Cartridge 182-Contains 2 oz. of chemical 249-No chemical 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (TRACTOR)			FORD (TRACTOR)			FORD (TRACTOR)		
<i>4100 (cont'd)</i>			<i>4550 (cont'd)</i>			<i>4830 (cont'd)</i>		
D8NNB486CA	Hydraulic	LFH4926		Hydraulic	LH4900	E7NN6714AA	Oil	PH400 ²⁷⁵
C5NNN832B		LH4900		Oil	LFP2258	E7NN6714AA		PH8A ¹⁴⁹⁶
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>4600</i>			<i>5000</i>		
<i>4110 w/John Deere Engine</i>			(E6NN9B618AB); Gas	Air	LAF131 ²	D1NN9R500A	Air	LAF323 ¹
D6NN9R500B	Air	LAF3710 ¹	(E6NN9R500DA);		LAF1823 ¹	E9NN9601AA		LAF8552 ²
E9NN9B618AA		LAF3717 ²	Diesel		LAF1823 ¹	83937061	Fuel	L296F ⁴¹
E7NN8A469AA	Coolant	LFW4685 ²⁴⁹ LFW4685XL ^{14, 249}	(E6NN9R500DA); Gas		LAF3707 ¹	C5NNN832C	Hydraulic	LH4900 ⁶⁰⁷
(EDPN9N074AA); Diesel	Fuel	L296F ⁴¹	(D6NN9R500A); Diesel		LAF8551 ²	86546611	Oil	P114
D8NNB486CA	Hydraulic	LFH4926	(81866975); Diesel		LAF8552 ²	86546614		PH400 ²⁷⁵
C5NNN832B		LH4900	(E9NN9601AA); Diesel		LAF8552 ²	86546614		PH8A ¹⁴⁹⁶
E8NN6714AA	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	D8NN9N074AA	Fuel	L296F ⁴¹	<i>5000 Super Major</i>		
E9NN6714EA			D8NNB486CA	Hydraulic	LFH4926		Fuel	L23F
E9NN6714EA				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	7700040	Hydraulic	LH4900
<i>420 w/Ford 183 Diesel Engine</i>			<i>4610</i>			1551		LFP1652
(D0NN9N074B); Diesel	Fuel	L296F ⁴¹	81823932	Air	LAF323 ¹			LH4900 ⁶⁰⁷
(7700040); w/753 Backhoe	Hydraulic	LFP1652	83908367		LAF3707 ¹	-S/N 1495142	Oil	P771A
C9NN6714A	Oil	LFP2258	83908360		LAF3710 ¹	S/N 1495142-		P772
<i>420 w/Ford 183 Gasoline Engine</i>			83908365		LAF3717 ²	<i>501</i>		
(D0NN9N074B); Diesel	Fuel	L296F ⁴¹	83908364		LAF8551 ²	C9NN6714A	Oil	LFP2258
(7700040); w/753 Backhoe	Hydraulic	LFP1652	81866927		LAF8552	CPN6731B		P2
C9NN6714A	Oil	LFP2258	E7NN8A469AA	Coolant	LFW4685 ²⁴⁹ LFW4685XL ^{14, 249}	86546614		PH400 ²⁷⁵
<i>420 w/Ford 183 Gasoline Engine</i>					LFW4685XL ^{14, 249}	86546614		PH8A ¹⁴⁹⁶
(D0NN9N074B); Diesel	Fuel	L296F ⁴¹	D8NN9N074AA	Fuel	L296F ⁴¹	<i>5030</i>		
(7700040); w/753 Backhoe	Hydraulic	LFP1652	83912256	Hydraulic	LFH4926	D6NN9R500B	Air	LAF3710 ¹
C9NN6714A	Oil	LFP2258	87800068	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	E9NN9B618AA		LAF3717 ²
<i>4200 w/Ford Gas Engine</i>			<i>4610SU</i>			EDPN9N074AA	Fuel	L296F ⁴¹
E6NN9B618AB	Air	LAF131 ²		Air	LAF131 ⁶⁹⁸	D8NNB486EA	Hydraulic	LH4900
D2NN9R500A		LAF1823 ¹			LAF1472 ⁶⁹⁸	E7NN6714AA	Oil	PH400 ²⁷⁵
D0NN9N074B	Fuel	L296F ⁴¹			LAF1823 ¹	E7NN6714AA		PH8A ¹⁴⁹⁶
C5NNN832B	Hydraulic	LH4900			LAF2517 ¹	<i>5100, 5200 w/Ford Diesel Engine</i>		
C9NN6714A	Oil	LFP2258	71909100	Fuel	L296F ⁴¹		Air	LAF323 ¹
DGPN6731A		P114		Hydraulic	LP6005	Diesel	Fuel	L296F ⁴¹
E7NN6714AA		PH400 ²⁷⁵		Oil	PH400 ²⁷⁵	C5NNN832A	Hydraulic	LH4900
E7NN6714AA		PH8A ¹⁴⁹⁶			PH8A ¹⁴⁹⁶		Oil	P114
<i>4230, 4430</i>			<i>4630</i>					PH253 ^{18, 1496}
1909138	Air	LAF1793 ¹	D6NN9R500B	Air	LAF3710 ¹			PH2835 ^{18, 275}
1909139		LAF222 ²	E8NN8A424BB	Coolant	LFW4072 ¹⁸²	E7NN6714AA		PH400 ²⁷⁵
4621740	Fuel	L296F ⁴¹	EDPN9N074AA	Fuel	L296F ⁴¹	E7NN6714AA		PH8A ¹⁴⁹⁶
1930010		LFF3504	86570171		LFF3501 ¹⁹	<i>5100, 5200 w/Ford Gas Engine</i>		
1930299	Hydraulic	LFP6007	D8NNB486CA	Hydraulic	LFH4926		Air	LAF323 ¹
4648371	Oil	LFP2230	E8NN6714AA	Oil	PH253 ^{18, 1496} PH2835 ^{18, 275} PH400 ^{19, 275} PH8A ^{19, 1496}	Diesel	Fuel	L296F ⁴¹
1909102		LFP2238				C5NNN832A	Hydraulic	LH4900
<i>431 w/Ford 201 Diesel Engine</i>			<i>4830</i>				Oil	LP8413
(D0NN9N074B); Diesel	Fuel	L296F ⁴¹	D6NN9R500B	Air	LAF3710 ¹			P114
C9NN6714A	Oil	LFP2258	D9NN9B618AA		LAF3717 ²			PH253 ^{18, 1496}
<i>431 w/Ford 201 Gasoline Engine</i>			E8NN8A424BA	Coolant	LFW4072 ¹⁸²			PH2835 ^{18, 275}
(D0NN9N074B); Diesel	Fuel	L296F ⁴¹	EDPN9N074AA	Fuel	L296F ^{18, 41}	E7NN6714AA		PH400 ²⁷⁵
C9NN6714A	Oil	LFP2258	86570171		LFF3501 ¹⁹	E7NN6714AA		PH8A ¹⁴⁹⁶
<i>4550</i>			D8NNB486CA	Hydraulic	LFH4926	<i>540, A, B w/Ford Diesel Engine</i>		
	Air	LAF131 ⁶⁹⁸					Oil	PH400 ²⁷⁵
71909100	Fuel	L296F ⁴¹						PH8A ¹⁴⁹⁶

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 18-Short 19-Long 41-Cartridge 182-Contains 2 oz. of chemical 249-No chemical 275-Primary 607-Return 698-With Metal End Cap 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (TRACTOR)			FORD (TRACTOR)			FORD (TRACTOR)		
<i>540, A, B w/Ford Gas Engine</i>			<i>5900 (cont'd)</i>			<i>6635, 7635 (cont'd)</i>		
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Coolant	LFW4685XL ^{14, 249}	1930010	Fuel	FP587F
				Fuel	L296F ⁴¹	47135706		LFF3504
<i>5530 w/Fiat Engine</i>			D8NNB486CA	Hydraulic	LFH4926	1909102	Oil	LFP2238
1930587	Air	LAF8148 ²	E7NN6714AA	Oil	PH400 ²⁷⁵	6640		
1930588		LAF9332 ¹	E7NN6714AA		PH8A ¹⁴⁹⁶	82008601	Air	LAF8082 ¹
4621740	Fuel	L296F ⁴¹	600, 601			82008600		LAF8083 ²
1909130	Hydraulic	LFP6007	D8NNB486CA	Hydraulic	LFH4926	F0NN9176BA	Fuel	LFF3504
4648371	Oil	LFP2230	C9NN6714A	Oil	LFP2258	(8655246); W/S		LFF8062
<i>5600 w/Ford 201 Engine</i>			CPN6731B		P2	81863799	Hydraulic	LFH4990 ⁶¹⁰
D6NN9R500B	Air	LAF3710 ¹	86546614		PH400 ²⁷⁵	F0NNB486AA		LFH8243 ¹²⁹⁶
D6NN9601B		LAF3717 ²	86546614		PH8A ¹⁴⁹⁶	F0NNB-486-BB		LFH8726 ¹¹¹³
D1NN9601A		LAF8552 ²	AE33538A	Power Steering	LP1653	F0NN-3N976AA		LFH9499 ¹¹
(D0NN9N074B); Diesel	Fuel	L296F ⁴¹	<i>6000 w/Ford Gas Engine</i>			F2NN6714AB	Oil	LFP950
D8NNB486A	Hydraulic	LFH4926	Diesel; Sec.	Fuel	261F	6700, 6710		
D8NN6714GA	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Hydraulic	LFH4209	D1NN9R500A	Air	LAF323 ¹
D8NN6714GA				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	D6NN9R500B		LAF3710 ¹
<i>5600 w/Ford 233 Engine</i>				Trans	LFP2258	E9NN96B618AA		LAF3717 ²
D6NN9R500B	Air	LAF3710 ¹				E9NN9601AA		LAF8552 ²
D6NN9601B		LAF3717 ²	6410			E7NN8A469AA	Coolant	LFW4685 ²⁴⁹ LFW4685XL ^{14, 249}
D1NN9601A		LAF8552 ²	81823932	Air	LAF323 ¹	D8NN9N074AA	Fuel	L296F ⁴¹
(D0NN9N074B); Diesel	Fuel	L296F ⁴¹	81866927		LAF8552 ²	D8NNB486CA	Hydraulic	LFH4926
D8NNB486A	Hydraulic	LFH4926	71909100	Fuel	L296F ⁴¹	86546614	Oil	PH400 ²⁷⁵
D8NN6714GA	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	83912256	Hydraulic	LFH4926	86546614		PH8A ¹⁴⁹⁶
D8NN6714GA				Oil	LFP2258		Trans	LFH1701
<i>5610, 5710</i>					PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>671, 681, 741, 771, 811, 820, 821, 841, 850, 861, 871, 881, 951, 961, 971, 981</i>		
D5NN9B618B	Air	LAF2540 ²	6530			86546614	Oil	PH400 ^{19, 275}
81823932		LAF323 ¹	1909138	Air	LAF1793 ¹	86546614		PH8A ^{19, 1496}
83908360		LAF3710 ¹	1909139		LAF222 ²	C9NN6714A	Oil	PH253 ^{18, 1496} PH2835 ^{18, 275}
83908365		LAF3717 ²	47128154		LAF8148 ²	6810		
E4NN9400N20AF		LAF8437	47135975		LAF9332 ¹	D1NN9R500A	Air	LAF323 ¹
81866927		LAF8552 ^{2, 57}	4621740	Fuel	L296F ⁴¹	D1NN9601A		LAF8552 ²
E7NN8A469AA	Coolant	LFW4685 ²⁴⁹ LFW4685XL ^{14, 249}	1909130	Hydraulic	LFP6007	EDPN9N074AA	Fuel	L296F ⁴¹
D8NN9N074AA	Fuel	L296F ⁴¹	4648371	Oil	LFP2230 ¹⁹	83912256	Hydraulic	LFH4926
D8NN9176AA		LFF3501	1909102		LFP2238 ¹⁸	D9NN6714EA	Oil	PH400 ²⁷⁵
D8NNB486CA	Hydraulic	LFH4926	6600, 6610			D9NN6714EA		PH8A ¹⁴⁹⁶
C5NN6714B		LFP2258 ¹²⁹⁵	D1NN9R500A	Air	LAF323 ¹	700, 701		
87800068	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	D6NN9R500B		LAF3710 ¹	C9NN6714A	Oil	LFP2258
D9NN6714EA		PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	D1NN9601B		LAF3717 ²	C0NN-B951-A	Hydraulic	LFP1652
D9NN6714EA			E4NN9400N20AF		LAF8437	CPN6731B	Oil	P2
5640			D1NN9601A		LAF8552	86546614		PH400 ²⁷⁵
82008601	Air	LAF8082 ¹	E7NN8A469AA	Coolant	LFW4685 ²⁴⁹ LFW4685XL ^{14, 249}	86546614		PH8A ¹⁴⁹⁶
82008600		LAF8083 ²				AE33538A	Power Steering	LP1653
F0NN9176BA	Fuel	FP587F LFF3504	71909100	Fuel	L296F ^{18, 41}	7000, 7200		
71930010			83917626		LFF3501 ¹⁹	D1NN9R500A	Air	LAF323 ¹
81863799	Hydraulic	LFH4990 ⁶¹⁰	D8NNB486CA	Hydraulic	LFH4926	D1NN9601A		LAF8552 ²
F0NNB486AA		LFH8243 ¹²⁹⁶	83958902		PH933	C7NN9176A	Fuel	L296F ⁴¹
82005016		LFH8726 ¹¹¹³	87800068	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Hydraulic	LH4900
F0NN-3N976AA		LFH9499 ¹¹	86546614		PH400 ²⁷⁵	86546610		PH933
F0NN6714AA	Oil	LFP781	86546614		PH8A ¹⁴⁹⁶		Oil	LFP2258
F2NN6714AB		LFP950	6635, 7635			D5NN6714A		LFP3411
5900			1930589	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹	D9NN6714EA		PH400 ²⁷⁵
E7NN8A469AA	Coolant	LFW4685 ²⁴⁹	1930590			D9NN6714EA		PH8A ¹⁴⁹⁶

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 14-Extended Life 18-Short 19-Long 41-Cartridge 57-Partial 249-No chemical 268-Extended/Severe service 275-Primary 610-Charge Pump 1113-Lift 1295-Lift Pump 1296-Auxiliary Pump 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
FORD (TRACTOR)			FORD (TRACTOR)			FORD (TRACTOR)			
<i>7100 w/Ford Gas Engine</i>			<i>7740, 7840 (cont'd)</i>			<i>8240, 8340, 8340SL, 8340SLE</i>			
E9NN9601AA	Air	LAF8552 ²	F2NN6714AB	Oil	LFP950	F0NN9176BA	Fuel	LFF3504	
D1NN9R500A	Air	LAF323 ¹	<i>7810, 7910</i>			F0NN6714CA12H	Hydraulic	LFH4990 ⁶¹⁰	
D0PN6731A	Oil	P114	D1NN9R500A	Air	LAF323 ¹	(F0NNB486AA); 8240 only		LFH8243 ¹²⁹⁶	
87800068		PH253 ^{18, 1496}	D1NN9601A	Fuel	LAF8552 ²			LFF3501	
E8NN6714BA		PH2835 ^{18, 275}	D8NN9176AA	Fuel	LFF3501			F0NNB-486-BB	LFH8726 ¹¹¹³
E8NN6714BA		PH400 ^{19, 275}	D8NNB486CA	Hydraulic	LFH4926			F0NN-3N976AA	LFH9499 ¹¹
E8NN6714BA		PH8A ^{19, 1496}	(D8NNF933AC); 7810 only		LFH8293 ¹²⁹⁸	F2NN6714AB	Oil	LFP950	
<i>7530</i>			<i>800, 801</i>			<i>8360, 8560</i>			
1930589	Air	LAF4544 ²	E0NN6714AA	Oil	PH6714	82034439	Air	LAF8767 ²	
		LAF4544MXM ^{2, 268}	D8NNB486CA	Trans	LFH4926	82034441		LAF8768 ¹	
1930590		LAF4545 ¹	<i>800, 801</i>			E8NN8A424DA	Coolant	LFW4072 ¹⁸²	
1930010	Fuel	FP587F	C9NN6714A	Oil	LFP2258	(87802332); S/N	Fuel	L3891F	
1909130	Hydraulic	LFP6007	C1T26731B	Oil	P2	085156B-; Pri.		L8679F	
1909102	Oil	LFP2238	86546614		PH400 ²⁷⁵	(87840591); S/N		L8680F	
<i>7600, 7700 w/Ford 256 Diesel Engine</i>			86546614		PH8A ¹⁴⁹⁶	-085156B; Pri.		LFH4990	
D1NN9R500A	Air	LAF323 ¹	AE33538A	Power Steering	LP1653	(87840590); Sec.	Hydraulic	LFH8726	
D1NN9601A		LAF8552 ²	<i>8000</i>			81863799	Hydraulic	LFH4990	
(D0NN9N074B); Diesel	Fuel	L296F ⁴¹	E6NN9R500CA	Air	LAF1779 ¹	82005016	Hydraulic	LFH8726	
D8NNB486CA	Hydraulic	LFH4926	D1NN9R500A		LAF323 ¹	F2NN6714AB	Oil	LFP950	
86546609	Oil	LFP2238	D1NN9601A		LAF8552 ²	<i>8530</i>			
E8NN6714BA		LFP2292	134692	Cabin Air	LAF6680	D1NN9R500A	Air	LAF323 ¹	
C5NN6714B	Trans	PH4403	D8NNM903AA	Hydraulic	LFH4951	E4NN9400N20AF		LAF8437	
<i>7600, 7700 w/Ford 256 Gasoline Engine</i>			D8NNF933AC		LFH8293 ¹²⁹⁸	E9NN9601AA		LAF8552 ²	
D1NN9R500A	Air	LAF323 ¹	D1NNF933A		PH933	9672301	Coolant	LFW4071 ²⁸	
D1NN9601A	Fuel	L296F ⁴¹	(4E023); Turbo	Oil	LFP3413 ¹²	D8NN9176AA	Fuel	LFF3501	
(D0NN9N074B); Diesel		L296F ⁴¹	C5TE6744A		P114	D8NNB48CCA	Hydraulic	LFH4926	
D8NNB486CA	Hydraulic	LFH4926	C7NN6N605A		P4	D8NNM903FA		LFH4951 ¹²⁹⁹	
86546609	Oil	LFP2238	E7NN6714BA		PH6714	D8NNF933AC		LFH8293 ¹²⁹⁸	
E8NN6714BA		LFP2292	<i>8160, 8260</i>			86546610		PH933	
C5NN6714B	Trans	PH4403	82008601	Air	LAF8082 ¹	E7NN6714BB	Oil	PH6714	
<i>7610, 7710</i>			82008600		LAF8083 ²	<i>8600 w/6 cyl. Diesel Engine</i>			
E4NN9400N20AF	Air	LAF8437	E8NN8A424DA	Coolant	LFW4072 ¹⁸²	D1NN9R500A	Air	LAF323 ¹	
EDPN9N074AA	Fuel	L296F ^{18, 35, 41}	(87802332); S/N	Fuel	L3891F	D1NN9601A		LAF8552 ²	
EDPN9N074AA	Fuel	L296F ^{18, 41}	085156B-; Pri.		L8679F	134692	Cabin Air	LAF6680	
E4NN9400N20AF	Air	LAF8437 ¹²⁹⁷	(87840591); S/N		L8680F	C7NN9176A	Fuel	L296F ⁴¹	
D1NN9R500A	Air	LAF323 ¹	-085156B; Pri.		LFH4990	D8NNB486CA	Hydraulic	LFH4926	
D1NN9601A		LAF8552 ²	(87840590); Sec.		LFH8726	D8NNM903AA		LFH4951	
E8NN8A42	Coolant	LFW4072 ¹⁸²	81863799	Hydraulic	LFH4990	D8NNF933AB		LFH8293 ¹²⁹⁸	
E7NN8A469AA		LFW4685 ²⁴⁹	82005016	Hydraulic	LFH8726		Oil	P114	
D8NNB486CA	Hydraulic	LFH4926	F2NN6714AB	Oil	LFP950	E7NN6714BA		PH6714	
86546609	Oil	LFP2238	<i>8200, 8260, 8400</i>			<i>8630</i>			
E8NN6714BA		PH4403	D1NN9R500A	Air	LAF323 ¹	E6NN9B618BB	Air	LAF2540 ²	
C5NN6714B	Trans	LFP2258	D1NN9601A		LAF8552	E4NN9400N20A		LAF8437	
<i>7740, 7840</i>			D8NN9N074AA	Fuel	L296F ⁴¹	E6NN9R500FB		LAF937 ¹	
82008601	Air	LAF8082 ¹		Hydraulic	LFH8293 ¹²⁹⁸	9672301	Coolant	LFW4071 ²⁸	
82008600		LAF8083 ²	DBPN6731A	Oil	P114	D8NN9176AA	Fuel	LFF3501	
F0NN9176BA	Fuel	LFF3504	<i>8210</i>			D8NNB486CA	Hydraulic	LFH4926	
F0NN6714CA12H	Hydraulic	LFH4990 ⁶¹⁰	D1NN9R500A	Air	LAF323 ¹	D8NNM903FA		LFH4951 ¹²⁹⁹	
F0NNB486AA		LFH8243 ¹²⁹⁶	D1NN9601A		LAF8552 ²	D8NNF933AC		LFH8293	
F0NNB-486-BB		LFH8726 ¹¹¹³	E8NN8A424DA	Coolant	LFW4072 ¹⁸²	86546610		PH933	
F0NN-3N976AA		LFH9499 ¹¹	D8NN9176AA	Fuel	LFF3501	E7NN6714BB	Oil	PH6714	
			D8NNB486CA	Hydraulic	LFH4926	<i>8670, 8770, 8770A, 8870, 8970</i>			
			E0NN6714AA	Oil	PH6714		Air	LAF1771	
			E8NN6A692AA	Trans	LFH4926	9846494		LAF3655 ²	
						861361	Coolant	LFW4074 ⁶²⁷	

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 12-Optional 14-Extended Life 18-Short 19-Long 28-Contains 1 oz. of chemical 35-To 10/88 41-Cartridge 182-Contains 2 oz. of chemical 249-No chemical 268-Extended/Severe service 275-Primary 610-Charge Pump 627-5 oz. of chemical 1113-Lift 1296-Auxiliary Pump 1297-10/85 1298-Lift Cover 1299-Pump Engine Mounted 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (TRACTOR)			FORD (TRACTOR)			FORD (TRACTOR)		
8670, 8770, 8770A, 8870, 8970 (cont'd)			9000 (cont'd)			FW30, FW40 w/Cummins V-903 Engine (cont'd)		
(87840136); W/S W/S	Fuel	LFF1223 LFF8063 LFF8063U ¹⁷¹	D8NNM903AA	Hydraulic	LFH4951 LFH8293 ¹²⁹⁸ PH933	SFD54304T1	Air	LAF1990 ¹
81863799 9821388 9706161	Hydraulic	LFH4990 LFH5659 LFH8880G	D8NNF933AB (C9NN6714A); when converted w/Ford 309825 Kit	Oil	LFP2258	SFD28035	Cabin Air	LAF22
F2NN6714AA	Oil	LFP950	E7NN6714BA		P114 PH6714	SFD18498	Fuel	LFF5
81863799	Trans	LFH4990				SFD012187	Hydraulic	LFH4955 ⁶⁰⁷
8700 w/401D Diesel Engine			9030			SFD012187	Oil	LFP670 LFP670XL ¹⁴
D1NN9R500A	Air	LAF323 ¹ LAF8552 ²	V90183 V103344	Air	LAF1725 ¹ LAF9001 ²	SFD18502	Trans	LFH4209
D1NN9601A			EPDN9N074AA	Fuel	L296F ^{18, 41} LFF3501 ¹⁹	FW60 w/Cummins V-903 Engine		
9672301	Coolant	LFW4071 ²⁸	D8NN9176AA				Air	LAF9155 ² LAF9155MXM ²⁶⁸ LAF9159 ¹
D0NN9N074B	Fuel	L296F ⁴¹	E8NN6714BA	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	SFD54304T1	Cabin Air	LAF22
D8NNB486CA D8NNM903AA	Hydraulic	LFH4926 LFH4951 LFH8293 ¹²⁹⁸	E8NN6714BA			SFD28035	Fuel	LFF5
D8NNF933AB		PH933	9280, 9480, 9680, 9880			SFD18498	Hydraulic	LFH4955 ⁶⁰⁷
CFPN6731B	Oil	P114	V95611	Air	LAF1465 ² LAF1854 ¹	SFD012187	Oil	LFP670 LFP670XL ¹⁴
E7NN6714BA		PH6714	V95612			SFD18502	Trans	LFH4209
8730			E5NN8A424AA	Coolant	LFW4071 ²⁸	Models with Everett Trenchers		
D8NN9R500AA	Air	LAF1814 ¹ LAF8155 ² LAF8437	(V88834); Sec. (V79080); W/S	Fuel	LFF3521 LFF8000	62200-G2	Hydraulic	LFH4943
D8NN9B618AA			9703112	Oil	LFP3000 LFP3000XL ¹⁴	NAA/ Jubilee		
E4NN94000N20AF			9600			CPN6731A	Oil	P2
9672301	Coolant	LFW4071 ²⁸	81823932	Air	LAF323 ¹ LAF8552 ²	E7NN6714AA		PH400 ²⁷⁵
D8NN9176AA	Fuel	LFF3501	81866927			E7NN6714AA		PH8A ¹⁴⁹⁶
D8NNB486CA	Hydraulic	LFH4926 LFH4951 ¹²⁹⁹ PH933	C7NN9176B	Fuel	L296F ⁴¹	Ninety-Five/100		
D8NNM903FA			D8NNM903AA	Hydraulic	LFH4951 LFH8293 ¹²⁹⁸ LFP54 PH933	P101222	Air	LAF222 ²
83958902			C7NNF933A			A98204	Fuel	L296F ⁴¹
E7NN6714BB	Oil	PH6714 PH6715	D8NNF933AB			2703E6731A	Oil	P72
83960879			DGPN6731A	Oil	P114 PH6714	Ploughmaster/75		
E9NN7B155AB	Trans	LFH4922 ¹⁰⁸⁴	E7NN6714BB			C7NN9176A	Fuel	L296F ⁴¹
8830			9700 w/401DT Engine			C1TZ6731C	Oil	P114
D8NN9B618AA	Air	LAF1814 ¹ LAF8155 ² LAF8437	E6NN9B618BB	Air	LAF2540 ² LAF323 ¹ LAF937 ¹	Super County 4		
E4NN94000N20AF			81823932			EPN99162A	Fuel	L23F
9672301	Coolant	LFW4071 ²⁸	E6NN9R500FB				Oil	LFP2258 LFP2258
83917626	Fuel	LFF3501	D0NN9N074B	Fuel	L296F ⁴¹	(C9NN6714A); when converted w/Ford 309825 Kit		
D8NNB486CA	Hydraulic	LFH4926 LFH4951 ¹²⁹⁹ PH933	D8NNM903AA	Hydraulic	LFH4951 LFH8293 ¹²⁹⁸ PH933	Super County 6		
D8NNM903FA			D8NNF933AB			when converted w/Ford 309825 Kit	Oil	LFP2258
83958902			CFPN6731B	Oil	P114			P114
83986170	Oil	PH6714 PH6715	E7NN6714BB		PH6714	Super County 6 1124		
83960879			9N				Fuel	L23F
E9NN7B155AB	Trans	LFH4922 ¹⁰⁸⁴	APN6731B	Oil	P3		Oil	LFP2258 LFP2258
8N			FW20 w/Cummins V-555 Engine			when converted w/Ford 309825 Kit		P114 P72
APN6731B	Oil	P3		Air	LAF1882 ² LAF1990 ¹	Super County 6 1164		
900, 901			SFD54304T1	Cabin Air	LAF22	(C9NN6714A); when converted w/Ford 309825 Kit		
CONN-B951-A	Hydraulic	LFP1652	SFD28035	Fuel	LFF5		Oil	LFP2258
C9NN6714A	Oil	LFP2258	SFD18498	Hydraulic	LFH4955 ⁶⁰⁷	Super County 6 1124		
CPN6731B		P2	SFD012187	Oil	LFP670 LFP670XL ¹⁴			P114
86546614		PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	SFD18502	Trans	LFH4209	TW10		
86546614			FW30, FW40 w/Cummins V-903 Engine			D1NN9R500A	Air	LAF323 ¹
AE33538A	Power Steering	LP1653		Air	LAF1882 ²	E9NN9601AA		LAF8552 ²
9000			9N					
D0NN9601A	Air	LAF2503 ² LAF2540 ²						
E6NN9601BB								

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 18-Short 19-Long 28-Contains 1 oz. of chemical 41-Cartridge 171-With Sensor Port 268-Extended/Severe service
275-Primary 607-Return 1084-Power Shift 1298-Lift Cover 1299-Pump Engine Mounted 1496-Alternate

F

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
FORD (TRACTOR)			FORD (WHEEL LOADER)			FORDSON (TRACTOR)			
<i>TW10 (cont'd)</i>			<i>13-SIX, 16-SIX w/Ford 4500 Engine (cont'd)</i>			<i>Costcutter (cont'd)</i>			
D8NN9176AA	Fuel	LFF3501		Fuel	L296F ⁴¹		Oil	P771A	
D8NNM903FA	Hydraulic	LFH4951	C7NNF882A	Hydraulic	LH4900	<i>Dexta 2000, Super Dexta 3000 3 cyl.</i>			
		LFH8293 ¹²⁹⁸	C5TE6744A	Oil	P114		Fuel	L296F ⁴¹	
D8NNF933AC	Oil	PH933	<i>A60</i>			<i>Dexta 2000, Super Dexta 5000, Super Major</i>			
CFPN6731B		P114	D1NN9R500A	Air	LAF323 ¹		Hydraulic	LFP1652	
E7NN6714AA		PH400 ²⁷⁵	E9NN9601AA		LAF8552 ²		Hydraulic	LFP1652 ¹³⁰⁰	
E0NN6714AA		PH6714	2701E9150B	Fuel	L296F ⁴¹	<i>Major</i>			
E7NN6714AA		PH8A ¹⁴⁹⁶	D6NN6744A	Oil	P114	(EPN99162A); Diesel	Fuel	L23F	
<i>TW15</i>			7705675	Trans	LP712	EPN6731B	Oil	P771A	
D5NN9B618B	Air	LAF2540 ²	C5R6731A		P138	<i>Major 4000, Super Major 5000</i>			
D5NN9R500C		LAF937 ¹	<i>A62</i>				Fuel	L296F ⁴¹	
D8NN9176AA	Fuel	LFF3501	D1NN9R500A	Air	LAF323 ¹	<i>Power Major</i>			
D8NNB486CA	Hydraulic	LFH4926	D1NN9601A		LAF8552 ²		Fuel	L23F	
83958902		PH933	EDPN9N074AA	Fuel	L296F ⁴¹		Hydraulic	LFP1652	
E0NN6714AA	Oil	PH6714	D8NN9176AA		LFF3501	-S/N 1495141	Oil	P771A	
D8NNF903FA	Trans	LFH4951		Hydraulic	LH4270	S/N 1495142-		P772	
<i>TW20</i>			D3NNF882A		LH4920	<i>Power Major, Super Major</i>			
D5NN9B618B	Air	LAF2540 ²	251483		LP712		Fuel	L23F	
D5NN9R500C		LAF937 ¹	D5NN6714A	Oil	LFP3411	1551	Hydraulic	LFP1652	
71909100	Fuel	L296F ⁴¹	EEP7B301AA	Trans	P138	-S/N 1495141	Oil	P771A	
D8NN9176AA		LFF3501	<i>A64, A66</i>			(EPN6731B); S/N		P772	
D8NNM903FA	Hydraulic	LFH4951	D8NN9N184	Fuel	L296F ⁴¹	1495142-			
		LFH8293 ¹²⁹⁸	D8NN9176AA		LFF3501	FOX (FORAGE HARVESTER)			
D8NNF933AC		PH933 ¹²⁹⁵	D3NNF882A		LH4270	<i>Max II Harvester Models 6600, 6644; Super E</i>			
CFPN6731B	Oil	P114	251483		LH4920	<i>Harvester Models 4400, 4444</i>			
E7NN6714AA		PH400 ²⁷⁵	E7NN6714BB	Oil	LP712		Oil	LP509	
83986170		PH6714	D8NN6714AA		PH6715	FRANKLIN (LOGGING EQUIPMENT)			
E7NN6714AA		PH8A ¹⁴⁹⁶	EEP7B301AA	Trans	P138	<i>130A/XL, 132A/XL</i>			
<i>TW25</i>			<i>CL20 w/Onan Engine</i>			(1504917); 132A/XL	Air	LAF1476 ²	
D8NN9R500AA	Air	LAF1814 ¹	P102745	Air	LAF2745A ²	1504918		LAF4159 ¹	
D8NN9B618AA		LAF8155 ²		Fuel	G5/16 ²⁶³	<i>142A/XL, 142XLN w/Detroit Diesel 4-53 Engine</i>			
D8NN9176AA	Fuel	LFF3501		Oil	PH400	1504917	Air	LAF1476 ²	
D8NNB486CA	Hydraulic	LFH4926	<i>CL25</i>			1504918		LAF4159 ¹	
83958902		PH933			Fuel	LFF3553	Sec.	Fuel	261F ⁹⁷⁰
E0NN6714AA	Oil	PH6714	SBA140516180	Oil	PH400	Sec.		262F ⁹⁷¹	
<i>TW30, TW35</i>			<i>CL30 w/Wisconsin VH4D Engine</i>			Pri.		L274F1	
E4NN94111N20AF	Air	LAF8437	P101275	Air	LAF1275 ²		Oil	LP151	
9672301	Coolant	LFW4071 ²⁸		Fuel	G5/16 ²⁶³	<i>145, 160B w/Allis Chalmers 3400 Engine</i>			
(9672301); 2/86-90	Coolant	LFW4071 ²⁸	<i>CL35</i>			1504917	Air	LAF1476 ²	
E4NN94111N20AF	Air	LAF8437 ¹²⁹⁷			LFF3553	<i>145, 160B w/Perkins 4236 Engine</i>			
D8NN9R500AA	Air	LAF1814 ¹	P101275	Air	LAF1275 ²	1504917	Air	LAF1476 ²	
D8NN9B618AA		LAF8155 ²		Fuel	LAF2745A ²	<i>170, 190 w/Detroit Diesel Engine</i>			
D8NN9176AA	Fuel	LFF3501	<i>CL40 w/Taurus V-4 Engine</i>			1505193	Air	LAF7640 ¹	
D8NNB486CA	Hydraulic	LFH4926	P101275	Air	LAF1275 ²	1505190		LAF9545 ²	
D8NNF933AC		PH933 ¹²⁹⁵	P102475		LAF2745A ²	<i>70XLN Skidder w/Detroit Diesel Engine</i>			
D8NN6714AA	Oil	PH6715		Fuel	G1/4		Air	LAF24	
<i>TW5</i>				Oil	PH253 ¹⁴⁹⁶	<i>Models with Donaldson Air Filters</i>			
D1NN9R500A	Air	LAF323 ¹	<i>CL45</i>			P101066	Air	LAF66	
D1NN9601A		LAF8552 ²	E1NN6714BA	Oil	PH561	FRANKLIN (SKIDDER)			
D8NN9176AA	Fuel	LFF3501	<i>CL55</i>			<i>100, 100H</i>			
D8NNB486CA	Hydraulic	LFH4926	E1NN6714BA	Oil	PH561	1504917	Air	LAF1476 ²	
D8NNM903FA		LFH4951				1504918		LAF4159 ¹	
E0NN6714AA	Oil	PH6714	<i>FORDSON (TRACTOR)</i>			<i>Costcutter</i>			
FORD (WHEEL LOADER)			FORDSON (TRACTOR)						
<i>13-SIX, 16-SIX w/Ford 4500 Engine</i>			<i>Costcutter</i>						
	Air	LAF131		Fuel	L23F				

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 28-Contains 1 oz. of chemical 41-Cartridge 263-Hoses and clamps included 275-Primary 970-3 3/4" Tall 971-7.8" Tall 1295-Lift Pump 1297-10/85 1298-Lift Cover 1300-From 03/60 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FRANKLIN (SKIDDER)			FURUKAWA (WHEEL LOADER)			FURUKAWA (WHEEL LOADER)		
160B, 170B, 170P/SL, 170PAB, 170SB, 170XL, 170XLN w/Detroit Diesel 4-53 Engine			FL120A w/Isuzu 6BB1 Engine			FL60, FL70 w/Isuzu C221 Engine (cont'd)		
1504917	Air	LAF1476 ²	312021-11110	Air	LAF1246 ²		Fuel	L4367F
Sec.	Fuel	261F ⁹⁷⁰	98851-31111	Fuel	L3528F	FL70A w/Isuzu Engine		
Sec.		262F ⁹⁷¹	18781-00751	Oil	LP2256	00501-03065	Air	LAF1275 ²
Pri.		L274F1	FL140 w/Isuzu DA640 Engine			5132400091	Fuel	LFF4295
	Oil	LP151	93101-06013	Air	LAF1246 ²	FL90		
FURUKAWA (WHEEL LOADER)			98851-31111	Fuel	L3528F	226021-11120	Air	LAF222 ²
325-II, 335-II w/Cummins 6B5.9 Engine			98851-32641	Oil	LP5907	HCR12 Rock Drill w/Isuzu 6BG1TPJ Engine		
	Air	LAF8669 ²	FL150-1				Fuel	LFF3415
		LAF8670 ¹	312021-11110	Air	LAF1246 ²	W630		
Pri.	Fuel	LFF3417	FL160, FL170 w/Isuzu DA640 Engine				Air	LAF1544 ²
Sec.		LFF3521	95101-06009	Air	LAF234HD ²		Fuel	LAF9410 ¹
	Oil	LFP780	98851-31111	Fuel	L3528F		Fuel	FP586F
		LFP780XL ¹⁴	98851-32641	Oil	LP5907	W730		
375 w/Cummins NTA-855 Engine			FL170A w/Isuzu 6BD1 Engine				Air	LAF1725 ¹
	Air	LAF22055 ²	97201-10002	Air	LAF1246 ²		Fuel	LAF9001 ²
	Coolant	LFW4071 ²⁸	98851-31111	Fuel	L3528F		Fuel	FP587F
W/S	Fuel	LFF8020	18781-00731	Oil	LP2256	GEHL (CONSTRUCTION EQUIPMENT)		
	Oil	LFP3000	FL170M w/Mitsubishi Engine			1648 Plus Asphalt Paver w/Isuzu Engine		
		LFP3000XL ¹⁴	05101-06024	Air	LAF8668	74830	Hydraulic	LFH4972
640ELS w/Furukawa F659TA Engine			05101-06023	Fuel	LAF8674 ¹	GEHL (EXCAVATOR)		
	Air	LAF6587 ²	ME021101	Fuel	L5944F	153 w/Yanmar 3TNV76 Engine		
		LAF6587MXM ^{2, 268}	FL200A w/Mitsubishi 6DB10C Engine			206304	Air	LAF22056 ¹
		LAF6834 ¹	05101-06024	Air	LAF8668	206303	Fuel	LAF8388 ²
	Fuel	LFF3504	05101-06023	Fuel	LAF8674	178677	Oil	PH7028
1240388H1	Oil	LFP780	ME021254	Oil	LP8720	223 w/Yanmar 3TNV76 Engine		
		LFP780XL ¹⁴	FL220T w/Mitsubishi 6DB10CT Engine			206304	Air	LAF22056 ¹
645ELS w/Furukawa F683T Engine			05201-06004	Air	LAF6587	206303	Fuel	LAF8388 ²
3375264-R1	Air	LAF6587 ²		Fuel	LAF6587MXM ²⁶⁸	178677	Oil	PH7028
		LAF6587MXM ^{2, 268}	05201-06013	Air	LAF6834 ¹	253 w/Kubota D1403 Engine		
		LAF6834 ¹	ME021254	Oil	LP8720	1000004567	Air	LAF5844 ¹
3375263-R1	Fuel	LFF8062	FL230 w/Mitsubishi 6D20C Engine			1000004566	Fuel	LAF8147 ²
W/S		LFP3000	05201-06004	Air	LAF6587	42534636	Fuel	L549F
		LFP3000XL ¹⁴		Fuel	LAF6587MXM ²⁶⁸	121965	Oil	PH253 ¹⁴⁹⁶
1290006H1	Oil	LFP3000	05201-06013	Fuel	LAF6834 ¹			PH2835 ²⁷⁵
		LFP3000XL ¹⁴	31162-09012	Fuel	L5949F	283Z w/Yanmar 3TNV76 Engine		
725ELS w/Furukawa F439T Engine			ME064356	Oil	LP2545	206304	Air	LAF22056 ¹
	Air	LAF1725 ¹	FL230A			206303	Fuel	LAF8388 ²
		LAF9001 ²	550106009	Air	LAF1959 ²	178677	Oil	PH7028
W/S	Fuel	LFF8062	550106009	Fuel	LAF1996 ¹	303 w/Kubota D1703 Engine		
	Oil	LFP3900	FL310 w/Isuzu Engine			1000004567	Air	LAF5844 ¹
735ELS w/Furukawa F659T Engine			341021-11120	Air	LAF6834 ¹	1000004566	Fuel	LAF8147 ²
	Air	LAF1725 ¹	89432-12190	Oil	LFP5748		Oil	L549F
		LAF9001 ²	FL320 w/Mitsubishi 8DC20C Engine				Oil	PH253 ¹⁴⁹⁶
W/S	Fuel	LFF8062		Air	LAF1959 ²		Oil	PH2835 ²⁷⁵
1240388H1	Oil	LFP780	31162-09012	Fuel	L5949F	303 w/Yanmar 3TNE88B Engine		
		LFP780XL ¹⁴	FL320, FL320A w/Mitsubishi 8DC61C Engine			1000004567	Air	LAF5844 ¹
FH30			31162-09012	Fuel	L5949F	1000004566	Fuel	LAF8147 ²
FH60				Oil	LP2545		Fuel	L549F
	Air	LAF1246 ²	FL330 w/Mitsubishi 6D22T Engine				Oil	LFF8350
FL120 w/Hino Engine			ME056670	Fuel	LFF5127		Oil	PH2808
312021-11110	Air	LAF1246 ²	ME064356	Oil	LP2545	353 w/Kubota D1703 Engine		
03401-06012		LAF1544 ²	FL460			1000004567	Air	LAF5844 ¹
3401-06011		LAF1933 ¹	1644-97001	Fuel	L5948F	1000004566	Fuel	LAF8147 ²
63022-00020	Fuel	LP5564	FL60, FL70 w/Isuzu C221 Engine				Fuel	L549F
60712-10260	Oil	LP2256	00501-03065	Air	LAF1275 ²		Oil	PH253 ¹⁴⁹⁶

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 28-Contains 1 oz. of chemical 268-Extended/Severe service 275-Primary 970-3 3/4" Tall 971-7.8" Tall 1496-Alternate

F

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GEHL (EXCAVATOR)			GEHL (EXCAVATOR)			GEHL (SKID STEER LOADER)		
<i>353 w/Kubota D1703 Engine (cont'd)</i>			<i>Z27 (w/Yanmar 3TNV82A Interim Tier 4 Engine)</i>			<i>3935 SX w/Yanmar 3TNE88 Engine</i>		
	Oil	PH2835 ²⁷⁵		Oil	PH2876	42036075	Air	LAF8195 ²
<i>373 w/Yanmar 4TNV88 Engine</i>			<i>Z35 GEN2 (w/Yanmar 3TNV88 Tier 4 Engine)</i>			42036076		LAF8690 ¹
1000004567	Air	LAF5844 ¹		Oil	PH2867 ¹³⁰³	42534636	Fuel	L296F ⁴¹
1000004566		LAF8147 ²			PH2876 ¹³⁰²	189260	Hydraulic	LFH8324
202488	Fuel	LFF8350	<i>Z55 (w/Yanmar 4TNV86CT Tier 4 Engine)</i>			137500	Oil	PH2808
	Oil	PH2808		Oil	PH2808	<i>3935 w/Yanmar 3TNV88 Engine</i>		
<i>383Z w/Yanmar 3TNV88 Engine</i>			<i>Z80 (w/Yanmar 4TNV98 Tier 4 Engine)</i>			(42036075); S/N 1337	Air	LAF8195 ²
1000004567	Air	LAF5844 ¹		Air	LAF8143 ²	up		
1000004566		LAF8147 ²		Fuel	LFF8350	(42036076); S/N 1337		LAF8690 ¹
	Oil	PH2808		Oil	PH2808	up		
<i>503Z w/Yanmar 4TNV88PNS Engine</i>			GEHL (FARM EQUIPMENT)			(182130); S/N 1337	Fuel	LFF8350
1000004567	Air	LAF5844 ¹	<i>100 Mix-All</i>			up		
1000004566		LAF8147 ²	48959	Hydraulic	LFP1652	(189260); S/N 1337	Hydraulic	LFH8324
119802-55801	Fuel	FP570F	<i>120 Mix-All</i>			up		
	Oil	PH2808	48959	Hydraulic	LFP1652	(137500); S/N 1337	Oil	PH2808
<i>603 w/Yanmar 4TNV98 Engine</i>			<i>125 Mix-All</i>			up		
188814	Air	LAF8749 ²	48959	Hydraulic	LFP1652	<i>4240E w/Yanmar TNVN88PNS Engine</i>		
188817		LAF8750 ¹	<i>135 Mix-All</i>			188814	Air	LAF8749 ²
137499	Fuel	LFF8350	48959	Hydraulic	LFP1652	188817		LAF8750 ¹
	Oil	PH2808	<i>170 Mix-All</i>			182130	Fuel	LFF8350
<i>803 w/Yanmar 4TNV98 Engine</i>			48959	Hydraulic	LFP1652	074830	Hydraulic	LFH4972
188814	Air	LAF8749 ²	<i>2240 Mower Conditioner</i>			135700	Oil	PH2808
188817		LAF8750 ¹	63459	Hydraulic	LFP449	<i>4400 Hydro Cat. w/Ford 134 Engine</i>		
137499	Fuel	LFF8350	<i>2245 Mower Conditioner</i>			P101275	Air	LAF1275 ²
	Oil	PH2808	63459	Hydraulic	LFP449	1553	Hydraulic	LFP1652
<i>GE1202 w/Yanmar 4TNE106T Engine</i>			<i>2270 Mower Conditioner</i>			C9NN-6714-A	Oil	LFP2258
425-36097	Air	LAF1275 ²	63459	Hydraulic	LFP449	<i>4400 Hydro Cat. w/Tecumseh 10 hp Engine</i>		
425-36095		LAF5835 ¹	<i>2275 Mower Conditioner</i>			32008	Air	AF213
425-34636	Fuel	LFF8350	63459	Hydraulic	LFP449	<i>4400 Hydro Cat. w/Wisconsin S8D Engine</i>		
425-34635	Oil	PH2808	<i>95 Mix-All</i>			LO-173B	Air	LAF225
<i>GE142, GE152 w/Yanmar 3TNE68 Engine</i>			48959	Hydraulic	LFP1652	<i>4635SX, DX w/Deutz BF3M1011 Engine</i>		
425-36154	Air	LAF2745A ²	GEHL (SKID STEER LOADER)			L99453	Air	LAF4544 ²
425-35259	Oil	PH2808	<i>1640E w/Yanmar 3TNV82 Engine</i>					LAF4544MXM ^{2, 268}
<i>GE192, GE222 w/Yanmar 3TNE68 Engine</i>			241216	Hydraulic	LFH22150	L99967		LAF4545 ¹
425-36154	Air	LAF2745A ²	195568	Oil	PH2808	132024	Fuel	FP587F
425-35259	Oil	PH2808	<i>3635 w/Yanmar 3TNE88 Engine</i>			74830	Hydraulic	LFH4972
<i>GE253 w/Kubota D1403 Engine</i>			42036075	Air	LAF8195 ²	132023	Oil	PH2816
P775298	Air	LAF5844 ¹	42036076		LAF8690 ¹	<i>4640, 4640 Turbo w/Deutz BF3M2011F Engine</i>		
P772578		LAF8147 ²	42534636	Fuel	L296F ⁴¹	(184146); S/N 307900-	Air	LAF3947 ²
425-34636	Fuel	L549F	189260	Hydraulic	LFH8324	184195		LAF3948 ¹
121965	Oil	PH253 ¹⁴⁹⁶	137500	Oil	PH2808	(L99453); S/N -370901		LAF4544 ²
		PH2835 ²⁷⁵	<i>3635 w/Yanmar 3TNV88 Engine</i>			S/N -370901		LAF4544MXM ^{2, 268}
<i>GE272 w/Yanmar 3TNE88 Engine</i>			(42036075); S/N 1175	Air	LAF8195 ²	L99967		LAF4545 ¹
425-36097	Air	LAF1275 ²	up			132024	Fuel	FP587F
425-36095		LAF5835 ¹	(42036076); S/N 1175		LAF8690 ¹	137794		G115
425-34636	Fuel	L549F	up			074830	Hydraulic	LFH4972
425-34635	Oil	PH2808	(182130); S/N 1175 up	Fuel	LFF8350	132023	Oil	PH2816
<i>GE292 w/Yanmar 3TNV88 Engine</i>			(189260); S/N 1175 up	Hydraulic	LFH8324	<i>4640, 4640 Turbo w/Deutz F3M2011F Engine</i>		
425-36154	Air	LAF2745A ²	(137500); S/N 1175 up	Oil	PH2808	(184146); S/N 307900-	Air	LAF3947 ²
42536095		LAF5835 ¹	<i>3640E, 3840E w/Yanmar 3TNV88 Engine</i>			184195		LAF3948 ¹
42534636	Fuel	L549F	188814	Air	LAF8749 ²	(L99453); S/N -370901		LAF4544 ²
425-35259	Oil	PH2808	188817		LAF8750 ¹	S/N -370901		LAF4544MXM ^{2, 268}
<i>Z17 (w/3TNV70 Tier 4 Engine)</i>			182130	Fuel	LFF8350	L99967		LAF4545 ¹
203221	Fuel	L4103F	74830	Hydraulic	LFH4972	132024	Fuel	FP587F
	Oil	PH2876	137500	Oil	PH2808	137794		G115

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 275-Primary 1302-2.51' Hgt. 1303-3.35" Height 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GEHL (SKID STEER LOADER)			GEHL (SKID STEER LOADER)			GEHL (SKID STEER LOADER)		
4640, 4640 Turbo w/Deutz F3M2011F Engine (cont'd)			5640, 5640 Turbo w/Deutz F4M2011F Engine (cont'd)			CTL60 w/Yanmar 4TNE98 Engine (cont'd)		
074830	Hydraulic	LFH4972	137794	Fuel	G115	180324	Trans	LH4256 ⁵⁹⁰
132023	Oil	PH2816	074830	Hydraulic	LFH4972	CTL60 w/Yanmar 4TNV98 Tier 2 Engine		
4640E Power 2 (w/Yanmar 4TNV98 Tier 4 Engine)			132023	Oil	PH2816	182132	Air	LAF8148 ²
C15300	Air	LAF3947 ²	5640E Turbo w/Yanmar 4TNV98T Engine			182133		LAF9332 ¹
CF300		LAF3948 ¹	C15300	Air	LAF3947 ²	182130	Fuel	LFF8350
074830	Hydraulic	LFH4972	CF300		LAF3948 ¹	182131	Oil	PH2808
	Oil	PH2808	74830	Hydraulic	LFH4972	180324	Trans	LH4256 ⁵⁹⁰
4640E w/Deutz TD2009 Engine				Oil	PH2808	CTL65 w/Yanmar 4TNV84T Engine		
C15300	Air	LAF3947 ²	5640E, 5640E turbo w/Deutz BF4M2011 Engine			188814	Air	LAF8749 ²
CF300		LAF3948 ¹	C15300	Air	LAF3947 ²	195573		LAF8750 ¹
(104045); W/S	Fuel	LFF8062	CF300		LAF3948 ¹	180324	Hydraulic	LH4256
74830	Hydraulic	LFH4972	132024	Fuel	FP587F	195568	Oil	PH2808
104044	Oil	PH2816	74830	Hydraulic	LFH4972	CTL70 w/Isuzu 4JG1T Tier 2 Engine		
4700 w/Ford 1600cc LPG Engine			132023	Oil	PH2816	L99453	Air	LAF4544 ²
P101275	Air	LAF1275 ²	5640E, 5640E turbo w/Deutz F4M2011 Engine			L99967		LAF4545 ¹
3293	Hydraulic	LP50910	C15300	Air	LAF3947 ²	182134	Fuel	FP588F
4840 w/Deutz F4M2011F Engine			CF300		LAF3948 ¹	182136	Oil	PH2862B
(184146); S/N 408500-184195	Air	LAF3947 ²	132024	Fuel	FP587F	180324	Trans	LH4256 ⁵⁹⁰
(L99453); S/N -408501		LAF3948 ¹	74830	Hydraulic	LFH4972	CTL75 w/Yanmar 4TNV84T Engine		
S/N -408501		LAF4544 ²	132023	Oil	PH2816	184146	Air	LAF3947 ²
L99967		LAF4544MXM ^{2, 268}	6640 Turbo w/Deutz BF4M2011F Engine			195574		LAF3948 ¹
132024	Fuel	LAF4545 ¹	(184146); S/N 605000-184195	Air	LAF3947 ²	180324	Hydraulic	LH4256
137794		FP587F	(L99453); S/N -605501		LAF3948 ¹	195568	Oil	PH2808
074830	Hydraulic	LFH4972	S/N -605501		LAF4544 ²	CTL80 w/Yanmar 4TNE106 Engine		
132023	Oil	PH2816	L99967		LAF4544MXM ^{2, 268}	L99453	Air	LAF4544 ²
5240, 5240E w/Deutz TD2009 Engine			132024	Fuel	LAF4545 ¹	L99967		LAF4544MXM ^{2, 268}
C15300	Air	LAF3947 ²	137794		FP587F	137499	Fuel	LFF8350
CF300		LAF3948 ¹	074830	Hydraulic	G115	137500	Oil	PH2808
(104045); W/S	Fuel	LFF8062	132023	Oil	LFH4972	180324	Trans	LH4256 ⁵⁹⁰
74830	Hydraulic	LFH4972	6640E w/Deutz BF4M2011 Engine			CTL80 w/Yanmar 4TNV106t Tier 2 Engine		
104044	Oil	PH2816	C15300	Air	LAF3947 ²	L99453	Air	LAF4544 ²
5240E Power2 (w/Yanmar 4TNV98 Tier 4 Engine)			CF300		LAF3948 ¹	L99967		LAF4545 ¹
C15300	Air	LAF3947 ²	74830	Hydraulic	LFH4972	137500	Oil	PH2808
CF300		LAF3948 ¹	132023	Oil	PH2816	180324	Trans	LH4256 ⁵⁹⁰
074830	Hydraulic	LFH4972	7810E Turbo w/Cummins B4.5T-99C Engine			CTL85 w/Kubota V3800DI T Engine		
	Oil	PH2808	184454	Air	LAF8148 ^{2, 1147}	184146	Air	LAF3947 ²
5640, 5640 Turbo w/Deutz BF4M2011F Engine			137501		LAF9100 ^{1, 1301}	195574		LAF3948 ¹
(184146); S/N 506600-184195	Air	LAF3947 ²	137498		LAF9101 ^{2, 1301}	195567	Fuel	FP591F
(L99453); S/N -506601		LAF3948 ¹	42035886		LAF9332 ^{1, 1147}	180324	Hydraulic	LH4256
S/N -506601		LAF4544 ²	(191117); W/S	Fuel	LFF9608	195569	Oil	PH253 ¹⁴⁹⁶
L99967		LAF4544MXM ^{2, 268}	191116	Oil	LFP3900	PH2835 ²⁷⁵		
132024	Fuel	LAF4545 ¹	AL20DX Advantage w/Kubota D722 Engine			DL10L, DL10H, DL12H Dynalift w/John Deere 4045T Engine		
137794		FP587F	164082	Fuel	L550F	L99967	Air	LAF4544 ²
074830	Hydraulic	G115	164079	Oil	PH2808	L99453		LAF4545 ¹
132023	Oil	LFH4972	CTL55 w/Yanmar 4TNV84T Engine			(RE60021); Sec.	Fuel	L8683F
		PH2816	188814	Air	LAF8749 ²	L99420	Oil	LFP5757
5640, 5640 Turbo w/Deutz F4M2011F Engine			195573		LAF8750 ¹	HL2500, HL2500A Hydro Cat w/Onan NH Series Engine		
(184146); S/N 506600-184195	Air	LAF3947 ²	180324	Hydraulic	LH4256	Gas	Fuel	G1/4
(L99453); S/N -506601		LAF3948 ¹	195568	Oil	PH2808	048959	Hydraulic	LFP1652
S/N -506601		LAF4544 ²	CTL60 w/Yanmar 4TNE98 Engine				Oil	PH400
L99967		LAF4544MXM ^{2, 268}	171880	Air	LAF8114 ¹	HL2500, HL2500A Hydro Cat w/Onan NHC Series Engine		
132024	Fuel	LAF4545 ¹	181878		LAF8143 ²	Gas	Fuel	G1/4
		FP587F	137499	Fuel	LFF8350			
			137500	Oil	PH2808			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 268-Extended/Severe service 275-Primary 590-Hydrostatic 1147-With Pre-Cleaner 1301-Without Pre-Cleaner 1496-Alternate

G

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GEHL (SKID STEER LOADER)			GEHL (SKID STEER LOADER)			GEHL (SKID STEER LOADER)		
<i>HL2500, HL2500A Hydro Cat w/Onan NHC Series Engine (cont'd)</i>			<i>R190 w/Yanmar 4TNV98T Engine (cont'd)</i>			<i>SL3610 w/Isuzu QD27 Engine (cont'd)</i>		
048959	Hydraulic	LFP1652	184195	Air	LAF3948 ¹	122497	Oil	PH2867
	Oil	PH400	(104045); W/S	Fuel	LFF8062	<i>SL3610 w/Isuzu QT35 Engine</i>		
<i>HL2600 w/Onan NHC Engine</i>			074830	Hydraulic	LFH4972	078856	Fuel	LFF4295
(055017); S/N 1188- (063733); -S/N 1189	Air	LAF1275 ²	195568	Oil	PH2808	076030	Hydraulic	LFH4935
	Hydraulic	LAF2745A ²	<i>R220 w/Yanmar 4TNV98CT Engine</i>			(122497); S/N 2000-	Oil	PH2867
600287	Oil	PH400	184195	Air	LAF3947 ²	<i>SL3615 w/Isuzu QT35 Engine</i>		
<i>HL3000, HL3200 Hydro Cat w/Onan NHCV Series Engine</i>			184146		LAF3948 ¹	078856	Fuel	LFF4295
P102745	Air	LAF2745A ²	(104045); W/S	Fuel	LFF8062	076030	Hydraulic	LFH4935
Gas	Fuel	G1/4	074830	Hydraulic	LFH4972	122497	Oil	PH2867
	Oil	PH400	195568	Oil	PH2808	<i>SL3635DXT w/Deutz BF3M011 Engine</i>		
<i>HL360 w/Onan B43 M Engine</i>			<i>R260 w/Yanmar 4TNV98CT Engine</i>			132024	Fuel	FP587F
603913	Air	AF215	184195	Air	LAF3947 ²	74830	Hydraulic	LFH4972
600449	Fuel	G1/4	184146		LAF3948 ¹	132023	Oil	PH2816
048959	Hydraulic	LFP1652	(104045); W/S	Fuel	LFF8062	<i>SL3635SXT w/Deutz BF4M1011 Engine</i>		
	Oil	PH2816	074830	Hydraulic	LFH4972	132024	Fuel	FP587F
<i>HL4300 w/Wisconsin VH4D Engine</i>			195568	Oil	PH2808	74830	Hydraulic	LFH4972
055017	Air	LAF1275 ²	078852	Oil	PH2808	132023	Oil	PH2816
066799A,B	Hydraulic	LP50910	<i>RL20DX Advantage w/Kubota D722 Engine</i>			<i>SL3725 w/Ford 411VSG Engine</i>		
	Oil	P106	164082	Fuel	L550F	055017	Air	LAF1275 ¹⁸¹
<i>HL4500 w/Ford I-98 Engine</i>			164079	Oil	PH2808	092398		LAF1948 ¹
055017	Air	LAF1275 ²	<i>SL3310 w/Onan B48G Engine</i>			092397		LAF281 ²
078851	Fuel	G1 ⁵³¹	088360	Fuel	G115	089314	Fuel	G475
066799A,B	Hydraulic	LP50910	076030	Hydraulic	LFH4935	115259	Hydraulic	LFH4922
078852	Oil	PH400	(611990); -S/N 1501	Oil	PH400	083715	Oil	PH400
<i>HL4600 w/Perkins 4-108 Engine</i>			<i>SL3310 w/Onan P220 Engine</i>			<i>SL3825, SX w/Kubota V1305B Engine</i>		
055017	Air	LAF1275 ²	088360	Fuel	G115	055017	Air	LAF1275 ¹⁸¹
078850	Fuel	L296F ⁴¹	076030	Hydraulic	LFH4935	092398		LAF1948 ¹
066799A,B	Hydraulic	LP50910	(088361); S/N 1501-	Oil	PH2835	(092397); S/N 8311-		LAF281 ²
078849	Oil	PH4403	076030	Hydraulic	LFH4935	(092397); -S/N 8311		LAF281 ²
<i>Hydro Cat HL3030 Skid Loader</i>			<i>SL3410 w/Isuzu QT23 Diesel Engine</i>			114868	Fuel	FP570F
P101275	Air	LAF1275 ²	<i>SL3510 w/Ford I67 KSG Engine</i>			123828		FP587F
1553	Hydraulic	LFP1652	(055017); S/N 1921- & -S/N 2420	Air	LAF1275 ²	115259	Hydraulic	LFH4922
	Oil	P106	(055017); -S/N 1922		LAF1275 ²	121433	Oil	PH2808
	Oil	P3	078851	Fuel	G1 ⁵³¹	<i>SL4510 w/Ford I79 VSG Engine</i>		
<i>R135 (w/Yanmar 4TNV88C Tier 4 Engine)</i>			076030	Hydraulic	LFH4935	055017	Air	LAF1275 ¹⁸¹
188814	Air	LAF8749 ²	(083715); S/N 2420- & -S/N 3502	Oil	PH400	092398		LAF1948 ¹
188817		LAF8750 ¹	(083715); S/N 3502-		PH400	(092397); S/N 5500-	Fuel	LAF281 ²
42536115	Fuel	LFF8350	<i>SL3510 w/Ford I67 VSG Engine</i>			089314	Fuel	G475
074830	Hydraulic	LFH4972	078851	Fuel	G1 ⁵³¹	083715	Oil	PH400
195568	Oil	PH2808	089314		G475	<i>SL4510 w/Ford I98 KSG Engine</i>		
<i>R150 w/Yanmar 4TNV88C Tier 4 Engine</i>			076030	Hydraulic	LFH4935	055017	Air	LAF1275 ¹⁸¹
188814	Air	LAF8749 ²	(083715); S/N 2420- & -S/N 3502	Oil	PH400	092398		LAF1948 ¹
188817		LAF8750 ¹	(083715); S/N 3502-		PH400	(092397); -S/N 5501		LAF281 ²
42536115	Fuel	LFF8350	<i>SL3515 w/Ford I67 VSG Engine</i>			078851	Fuel	G1 ⁵³¹
074830	Hydraulic	LFH4972	078851	Fuel	G1 ⁵³¹	078852	Oil	PH400
195568	Oil	PH2808	089314		G475	<i>SL4515 w/Ford I79 VSG Engine</i>		
<i>R165 (w/Yanmar 4TNV98C Tier 4 Engine)</i>			076030	Hydraulic	LFH4935	055017	Air	LAF1275 ¹⁸¹
184146	Air	LAF3947 ²	(083715); S/N 6701- (083715); -S/N 6702	Oil	PH400	092398		LAF1948 ¹
184195		LAF3948 ¹	(083715); S/N 6701- (083715); -S/N 6702		PH400	(092397); S/N 6130		LAF281 ²
074830	Hydraulic	LFH4972	<i>SL3610 w/Isuzu QD27 Engine</i>			089314	Fuel	G475
195568	Oil	PH2808	(055017); S/N 1654- & -S/N 2001	Air	LAF1275 ²	083715	Oil	PH400
<i>R190 w/Yanmar 4TNV98T Engine</i>			(055017); -S/N 1655		LAF1275 ²	<i>SL4515 w/Ford I98 KSG Engine</i>		
184146	Air	LAF3947 ²	078853	Fuel	LFF4295	055017	Air	LAF1275 ¹⁸¹
			076030	Hydraulic	LFH4935	092398		LAF1948 ¹
						(092397); -S/N 6131		LAF281 ²
						078851	Fuel	G1 ⁵³¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 41-Cartridge 181-Single 531-Filter only

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GEHL (SKID STEER LOADER)			GEHL (SKID STEER LOADER)			GEHL (SKID STEER LOADER)		
<i>SL4515 w/Ford I98 KSG Engine (cont'd)</i>			<i>SL4635, SX & DX w/Deutz F3M1011F Engine</i>			<i>SL5635, SX, DX, DXT w/Deutz BFM 1011 Engine (cont'd)</i>		
078852	Oil	PH400	L99453	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹	132023	Oil	PH2816
<i>SL4525 w/Ford 413 VSG Engine</i>			L99967		FP587F	<i>SL5635, SX, DX, DXT w/Deutz FM 1011 Engine</i>		
055017	Air	LAF1275 ¹⁸¹	132023	Fuel	LAF4544 ²	131852	Air	LAF1246 ²
092398		LAF1948 ¹	074830	Hydraulic	LAF4544MXM ^{2, 268}	131853		LAF1394 ¹
(092397); -S/N 4525		LAF281 ²	132023	Oil	LAF4545 ¹	L99453		LAF4544 ²
(092397); S/N 8562-		LAF281 ²			PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵			LAF4544MXM ^{2, 268}
089314	Fuel	G475	<i>SL4835, DX & SX w/Deutz BF3M1011 Engine</i>			L99967		LAF4545 ¹
083715	Oil	PH400	L99967	Air	LAF4544 ²	132024	Fuel	FP587F
<i>SL4610 w/Perkins 4.19 Engine</i>					LAF4544MXM ^{2, 268}	074830	Hydraulic	LFH4972
055017	Air	LAF1275 ¹⁸¹	L99453		LAF4545 ¹	132023	Oil	PH2816
092398		LAF1948 ¹	74830	Hydraulic	LFH4972	<i>SL5635SXT w/BF4M1011 Engine</i>		
(092397); S/N 8500-		LAF281 ²	132023	Oil	PH2816	L99453	Air	LAF4544 ²
074830	Hydraulic	LFH4972						LAF4544MXM ^{2, 268}
078849	Oil	PH4403	<i>SL4835SXT w/Deutz BF3M1011 Engine</i>			L99967		LAF4545 ¹
<i>SL4610 w/Perkins 4-108 Engine</i>			L99453	Air	LAF4544 ²	132024	Fuel	FP587F
055017	Air	LAF1275 ¹⁸¹			LAF4544MXM ^{2, 268}	74830	Hydraulic	LFH4972
092398		LAF1948 ¹	L99967		LAF4545 ¹	132023	Oil	PH2816
(092397); -S/N 8501		LAF281 ²	132024	Fuel	FP587F	<i>SL6620, S-6625 w/Perkins 4-154 Engine</i>		
078850	Fuel	L296F ⁴¹	74830	Hydraulic	LFH4972	087859	Air	LAF1784 ¹
074830	Hydraulic	LFH4972	132023	Oil	PH2816	078934		LAF222 ¹⁸¹
078849	Oil	PH4403				(087860); -S/N 7605		LAF9538 ²
<i>SL4615 w/Perkins 4.19 Engine</i>			<i>SL5620 w/Perkins 4-154 Engine</i>			-S/N 7605		LAF9538MXM ^{2, 268}
092398	Air	LAF1948 ¹	087859	Air	LAF1784 ¹	079757	Fuel	FP570F
(092397); S/N 14200-		LAF281 ²	078934		LAF222 ¹⁸¹	074830	Hydraulic	LFH4972
074830	Hydraulic	LFH4972	087860		LAF9538 ²	079756	Oil	LFP2292
078849	Oil	PH4403			LAF9538MXM ^{2, 268}	<i>SL6625, SX & DX w/Perkins 204.30 Engine</i>		
<i>SL4615 w/Perkins 4-108 Engine</i>			079757	Fuel	FP570F	087859	Air	LAF1784 ¹
055017	Air	LAF1275 ¹⁸¹	074830	Hydraulic	LFH4972	(087860); S/N 7604-		LAF9538 ²
092398		LAF1948 ¹	079756	Oil	LFP2292	-S/N 7604-		LAF9538MXM ^{2, 268}
(092397); -S/N 14201		LAF281 ²	<i>SL5625, SX & DX w/Perkins 204.25 Engine</i>			(079757); Pri.	Fuel	FP570F
078850	Fuel	L296F ⁴¹	087859	Air	LAF1784 ¹	(123828); S/N 7932-;		FP587F
074830	Hydraulic	LFH4972	(087860); S/N 8867-		LAF9538 ²	Sec.		
078849	Oil	PH4403	S/N 8867-		LAF9538MXM ^{2, 268}	074830	Hydraulic	LFH4972
<i>SL4625, SX & DX w/Kubota V2203B Engine</i>			079757D	Fuel	FP570F	(048959); DX model		LFP1652
055017	Air	LAF1275 ¹⁸¹	074830	Hydraulic	LFH4972	127389	Oil	LFP8703
092398		LAF1948 ¹				<i>SL5625, SX & DX w/Perkins 4.154 Engine</i>		
(092397); S/N 16851- & -S/N 17248		LAF281 ²				087859	Air	LAF1784 ¹
(092397); -S/N 16852		LAF281 ²	079757D	Fuel	FP570F	(087860); -S/N 8868		LAF9538 ²
(092397); S/N 17247-		LAF281 ²	074830	Hydraulic	LFH4972	-S/N 8868		LAF9538MXM ^{2, 268}
114868	Fuel	FP570F	(048959); DX model		LFP1652			
123828		FP587F	127389	Oil	LFP8703	(079757); Pri.	Fuel	FP570F
115259	Hydraulic	LFH4922	<i>SL5625, SX & DX w/Perkins 4.154 Engine</i>			(123828); S/N 9431-;		FP587F
074830		LFH4972	087859	Air	LAF1784 ¹	Sec.		
(048959); DX model		LFP1652	(087860); -S/N 8868		LAF9538 ²	074830	Hydraulic	LFH4972
121965	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	-S/N 8868		LAF9538MXM ^{2, 268}	(048959); DX model		LFP1652
<i>SL4635, SX & DX w/Deutz BF3M1011F Engine</i>			079756	Oil	LFP2292	127389	Oil	LFP8703
L99453	Air	LAF4544 ² LAF4544MXM ^{2, 268}	<i>SL5635, SX, DX, DXT w/Deutz BFM 1011 Engine</i>			<i>SL6635, SX & DX w/Deutz BF4M1011F Engine</i>		
L99967		LAF4545 ¹	131852	Air	LAF1246 ²	131852	Air	LAF1246 ²
132023	Fuel	FP587F	131853		LAF1394 ¹	131853		LAF1394 ¹
074830	Hydraulic	LFH4972	L99453		LAF4544 ²	L99453		LAF4544 ²
132023	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵			LAF4544MXM ^{2, 268}			LAF4544MXM ^{2, 268}
			L99967		LAF4545 ¹	L99967		LAF4545 ¹
			132024	Fuel	FP587F	132024	Fuel	FP587F
			074830	Hydraulic	LFH4972	74830	Hydraulic	LFH4972
						132023	Oil	PH2816
			074830	Hydraulic	LFH4972	<i>SL7600, SL7800 w/Yanmar 4TNE106 Engine</i>		
						137501	Air	LAF9100 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 41-Cartridge 181-Single 268-Extended/Severe service 275-Primary 1496-Alternate

G

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GEHL (SKID STEER LOADER)			GEHL (TELESCOPIC HANDLER)			GEHL (TELESCOPIC HANDLER)		
<i>SL7600, SL7800 w/Yanmar 4TNE106 Engine (cont'd)</i>			<i>1083 Dynalift w/Perkins 1004-4 Engine</i>			<i>DL11-44 Dynalift w/John Deere 4045T Engine</i>		
137498	Air	LAF9101 ²		Air	LAF1246 ²	105070	Air	LAF2342
	Breather	LFH4909WA ⁸⁵⁸		Fuel	FP587F	105071		LAF2343 ¹
137794	Fuel	G115	L97489	Hydraulic	LFH3990-03	102173	Oil	LFP4836
137499		LFF8350	L98601	Oil	PH4403	L99440	Trans	LFP2546
74830	Hydraulic	LFH4972	L99184	Trans	LFH22034	<i>DL11-55 Dynalift w/John Deere 4045T Engine</i>		
137359		LFH5659	<i>552, 553 Dynalift w/Perkins 1004-4 Engine</i>			105070	Air	LAF2342
137500	Oil	PH2808	L120054	Air	LAF1246 ²	105071		LAF2343 ¹
<i>SL7600, SL7800 w/Yanmar 4TNE106T Engine</i>				Fuel	FP587F	102173	Oil	LFP4836
137501	Air	LAF9100 ¹		Fuel	L296F ⁴¹	L99440	Trans	LFP2546
137498	Breather	LFH4909WA ⁸⁵⁸	78850			<i>DL1155 w/John Deere 4045T Engine</i>		
137794	Fuel	G115	L97489	Hydraulic	LFH3990-03	C20500	Air	LAF2342
137499		LFF8350	L98601	Oil	PH4403	CF500		LAF2343 ¹
74830	Hydraulic	LFH4972	L99184	Trans	LFH22034	(RE529643); Pri.	Fuel	L8872F
137359		LFH5659	<i>552, 553, 562 DynaHandlers w/John Deere 4039 Engine</i>			102173	Oil	LFP4836
137500	Oil	PH2808		Air	LAF1246 ²	L99440	Trans	LFP2546
<i>SL7610 w/Perkins 1104C-44 Engine</i>			(P181054); W/S	Fuel	LFF8215	<i>DL12-40 Dynalift w/John Deere 4045T Engine</i>		
137501	Air	LAF9100 ^{1, 1147}	48959	Hydraulic	LFP1652	105070	Air	LAF2342
137498		LAF9101 ^{2, 1147}		Oil	FP20	105071		LAF2343 ¹
FD7926	Base	LMB6926 ⁹⁴³	<i>5629 Dynahandler w/John Deere 4039T Engine</i>			102173	Oil	LFP4836
BF7925	Fuel	LFF6925 ⁹⁴²		Air	LAF1246 ²	L99440	Trans	LFP2546
079756	Oil	LFP2292		Fuel	LFF8215	<i>DL6H Dynalift w/John Deere 4045T Engine</i>		
<i>SL7810 w/Perkins 1104C-E44T Engine</i>			(RE62418); W/S	Fuel	LFF8215		Air	LAF4544 ²
137501	Air	LAF9100 ^{1, 1147}		Oil	FP20			LAF4544MXM ^{2, 268}
137498		LAF9101 ^{2, 1147}		Oil	FP20			LAF4545 ¹
FD7926	Base	LMB6926 ⁹⁴³		Air	LAF1246 ²	(RE60021); Sec.	Fuel	L8683F
BF7925	Fuel	LFF6925 ⁹⁴²		Fuel	LFF8215	B7125	Oil	LFP5757
079756	Oil	LFP2292		Fuel	LFF8215	<i>DL7-44 Dynalift w/John Deere 4045T Engine</i>		
<i>V270 w/Yanmar 4TNV98T 3.3L Engine</i>			L97489	Hydraulic	LFH3990-03	102173	Oil	LFP4836
184146	Air	LAF3947 ²	(L94746); -7953	Oil	FP20	L99440	Trans	LFP2546
184195		LAF3948 ¹	(L99420); 7954-	Trans	LFP4836	<i>DL9-44 Dynalift w/John Deere 4045T Engine</i>		
(104045); W/S	Fuel	LFF8062	L99184	Trans	LFH22034	102173	Oil	LFP4836
074830	Hydraulic	LFH4972	<i>663, 883 Dynalift w/John Deere 4039 Engine</i>			L99440	Trans	LFP2546
195568	Oil	PH2808		Oil	FP20	<i>R5S-19 Dynalift w/Deutz TD2009 Engine</i>		
<i>V330 w/Yanmar 4TNV98T 3.3L Engine</i>				Air	LAF1246 ²	P827653	Air	LAF8148 ²
184146	Air	LAF3947 ²		Fuel	FP587F			LAF9332 ¹
184195		LAF3948 ¹		Fuel	L296F ⁴¹	104045	Fuel	FP587F
(104045); W/S	Fuel	LFF8062		Fuel	LFF8215	074830	Hydraulic	LFH4972
074830	Hydraulic	LFH4972		Fuel	LFF8215	104044	Oil	PH2816
195568	Oil	PH2808		Fuel	LFF8215	<i>RS1044 w/John Deere 4045T Engine</i>		
<i>V400 (w/Cummins QSB4.5L Engine)</i>			L97489	Hydraulic	LFH3990-03	C20500	Air	LAF2342
105070	Air	LAF2342 ²	L98601	Oil	PH4403	CF500		LAF2343 ¹
105071		LAF2343 ¹	<i>CT5-16 w/Kubota V330DI Tier 3 Engine</i>			- S/N 90191 ; Sec.	Fuel	L8868F
(104045); W/S	Fuel	LFF8062		Air	LAF3951 ²	- S/N 90191 ; Pri.	Fuel	L8872F
074830	Hydraulic	LFH4972		Fuel	LAF3952 ¹	L97489	Hydraulic	LFH3990-03
(5035434); 195568	Oil	LFP3970		Fuel	LFF6925 ⁹⁴²	102178	Oil	LFP4836
GEHL (TELESCOPIC HANDLER)				Oil	LFP2292	L99184	Trans	LFH22034
<i>1083 Dynalift w/John Deere 4039 Engine</i>				Oil	LFP2292	<i>RS10-55 w/John Deere 4045T Interim 4 Engine</i>		
	Air	LAF234HD ²		Oil	LFP2292	C20500	Air	LAF2342 ²
(RE62418); W/S	Fuel	LFF8215		Oil	LFP2292	CF500		LAF2343 ¹
L97489	Hydraulic	LFH3990-03		Oil	LFP2292	L97489	Hydraulic	LFH3990-03
- 2711	Oil	FP20		Oil	LFP2292	102178	Oil	LFP4836
(L99420); 2712-		LFP4836		Oil	LFP2292	L99184	Trans	LFH22034
L99184	Trans	LFH22034		Oil	LFP2292	<i>RS12-42 w/John Deere 4045T Interim Tier 4 engine</i>		
			FD7926	Base	LMB6926 ⁹⁴³		Air	LAF2342 ²
			BF7925	Fuel	LFF6925 ⁹⁴²			LAF2343 ¹
			476954	Oil	LFP2292			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 858-Hydraulic Tank 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1147-With Pre-Cleaner

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GEHL (TELESCOPIC HANDLER)			GEHL (WHEEL LOADER)			GEHL (WHEEL LOADER)		
<i>RS12-42 w/John Deere 4045T Interim Tier 4 engine (cont'd)</i>			<i>340 w/Yanmar 3TNV88 Engine (cont'd)</i>			<i>AWS46 w/Deutz D2011 Engine (cont'd)</i>		
	Hydraulic	LFP4836	270979	Fuel	LFF8350	132023	Oil	PH2816
	Oil	LFP4836		Oil	PH2808	GENERAC (GENERATOR)		
	Trans	LFP4836	<i>418, 418T w/Perkins 704-30 Engine</i>			<i>10000 Series w/GN570 Engine</i>		
<i>RS1519 (w/Yanmar 4TNV98C Tier 4 Engine)</i>			0000805187	Air	LAF8148 ²	70185	Oil	PH2840
	Air	LAF8148 ²	0000805188	Fuel	LAF9332 ¹	<i>4000 Series w/GN220 Engine</i>		
	Fuel	LAF9332 ¹		Fuel	L296F ⁴¹	70185	Oil	PH2840
	Fuel	FP587F ⁵⁸⁷	2654403	Oil	PH4403	<i>5251 w/Generac GH410 engine</i>		
	Hydraulic	LFH4972	<i>480, 480T w/Deutz F4M2011 Engine</i>				Air	LAF1482
	Oil	PH2808	0000805187	Air	LAF8148 ²	<i>5500 Series w/GN320 Engine</i>		
<i>RS1519 Dynalift w/Deutz TD2009 Engine</i>			0000805188	Fuel	LAF9332 ¹	73111	Air	LAF4512
P827653	Air	LAF8148 ²	132024	Fuel	FP587F	70185	Oil	PH2840
104076		LAF9332 ¹	137794		G115	<i>6500 Series w/GN360 Engine</i>		
104045	Fuel	FP587F	132023	Oil	PH2816	73111	Air	LAF4512
74830	Hydraulic	LFH4972	<i>521, 521T w/Deutz F4M2011 Engine</i>			70185	Oil	PH2840
104044	Oil	PH2816	0000805187	Air	LAF8148 ²	<i>6500EXL w/GN360 Engine</i>		
<i>RS634 w/John Deere 4045T Engine</i>			0000805188	Fuel	LAF9332 ¹	73111	Air	LAF4512
137501	Air	LAF9100 ¹	137794		G115	70185	Oil	PH2840
137498		LAF9101 ²	0000801393	Fuel	LFF4806 ¹⁶⁹	<i>6500EXP w/GN360 Engine</i>		
(L98978); W/S	Fuel	LFF8215	132023	Oil	PH2816	73111	Air	LAF4512
L97489	Hydraulic	LFP4836	<i>540 Articulate Loader w/Yanmar 4TNV88 Engine</i>			70185	Oil	PH2840
102178	Oil	LFP4836	P822786	Air	LAF8143 ²	<i>6500XL w/GN360 Engine</i>		
L99184	Trans	LFP4836	<i>540 w/Yanmar 4TNV88 Engine</i>			73111	Air	LAF4512
<i>RS6-42 John Deere 4045T Interim Tier 4 engine</i>			270741	Air	LAF8114 ¹	70185	Oil	PH2840
	Air	LAF2342 ²	270740		LAF8143 ²	<i>8000 Series w/GN480 Engine</i>		
	Fuel	LAF2343 ¹	270979	Fuel	LFF8350	70185	Oil	PH2840
	Hydraulic	LFP4836		Oil	PH2808	<i>Centurion 13/14/16/17 kw w/Generac GT990 engine</i>		
	Oil	LFP4836	<i>680 w/Deutz BF4M2011 Engine</i>				Air	LAF1482
	Trans	LFP4836	0000805187	Air	LAF8148 ²	<i>Generator w/Mazda 2.2L Engine</i>		
<i>RS842 w/John Deere 4045T Engine</i>			0000805188	Fuel	LAF9332 ¹		Fuel	L296F ⁴¹
137501	Air	LAF9100 ¹	137794		G115	<i>Generator w/Mazda 3.0L Engine</i>		
137498		LAF9101 ²	0000801393	Fuel	LFF4806 ¹⁶⁹	4810-13-Z40	Air	LAF222 ²
(L98978); W/S	Fuel	LFF8215	132023	Oil	PH2816	0559-23-570	Fuel	LFF3527
L97489	Hydraulic	LFP4836	<i>721, 721T w/Perkins 1004.42 Engine</i>			<i>Guardian 4077 Series 6kW w/GN440 Engine</i>		
102178	Oil	LFP4836	0000805187	Air	LAF8148 ²	73111	Air	LAF4512
L99184	Trans	LFP4836	0000805188	Fuel	LAF9332 ¹	70185	Oil	PH2840
<i>RS8-44 w/John Deere 4045T Engine</i>			137794		G115	<i>Guardian 4079 Series 10kW w/GN724 Engine</i>		
	Air	LAF2342 ²	0000801393	Fuel	LFF4806 ¹⁶⁹	70941	Air	LAF5810
	Fuel	LAF2343 ¹	132023	Oil	PH2816	70185	Oil	PH2840
	Hydraulic	LFP4836	<i>AL730 w/John Deere 4045T Engine</i>			<i>Guardian 4109 Series 8kW w/GN724 Engine</i>		
	Oil	LFP4836	L99453	Air	LAF4544 ²	70941	Air	LAF5810
	Trans	LFP4836			LAF4544MXM ^{2, 268}	70185	Oil	PH2840
GEHL (WHEEL LOADER)			L99967		LAF4545 ¹	<i>Guardian 4373 Series 40kW w/GM 4.3L Gas Engine</i>		
<i>140 w/Yanmar 3TNV76 Engine</i>			(102174); Sec.	Fuel	L8683F ¹⁸	<i>Guardian 4389 6kW w/GT760 Engine</i>		
42036075	Air	LAF8195 ²	(L98978); W/S		LFF8215 ³¹	OA4637	Air	AF348
42036076		LAF8690 ¹	(102173); -65178	Oil	LFP4836	A37970001	Oil	PH51A
203221	Fuel	L4103F	65179-		LFP5757	<i>Guardian 4390 13kW, 15kW w/GT760 Engine</i>		
203886	Oil	PH2876	L99440	Trans	LFP2546	70185	Oil	PH2840
<i>280 w/Yanmar 4TNV88 Engine</i>			<i>AWS36 w/Deutz D2011 Engine</i>			<i>Guardian 4390 13kW, 15kW w/GT990 Engine</i>		
165294	Air	LAF5844 ¹	0000805187	Air	LAF8148 ²	OC8127	Air	LAF1482
165293		LAF8147 ²	0000805188	Fuel	LAF9332 ¹	70185	Oil	PH2840
270979	Fuel	LFF8350	132024	Fuel	FP587F	<i>Guardian 4456 12kW w/GT990 Engine</i>		
	Oil	PH2808	132023	Oil	PH2816	OC8127	Air	LAF1482
<i>340 w/Yanmar 3TNV88 Engine</i>			<i>AWS46 w/Deutz D2011 Engine</i>			70185	Oil	PH2840
270741	Air	LAF8114 ¹	0000805187	Air	LAF8148 ²	<i>Guardian 4390 13kW, 15kW w/GT990 Engine</i>		
270740		LAF8143 ²	0000805188	Fuel	LAF9332 ¹	OC8127	Air	LAF1482
			132024	Fuel	FP587F	70185	Oil	PH2840

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 18-Short 31-Tall 41-Cartridge 169-1 Per Package 268-Extended/Severe service 587-Spin-on

G

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GENERAC (GENERATOR)			GENERAC (PRESSURE WASHER)			GENIE (AERIAL WORK PLATFORM)		
<i>Guardian 4458 6kW w/GT990 Engine</i>			<i>MC12000, MC12000B w/GN360 Engine</i>			<i>S40, S45 w/Deutz F4L1011F Engine</i>		
OC8127	Air	LAF1482	73111	Air	LAF4512	P181052	Air	LAF222
70185	Oil	PH2840		Oil	PH2840	P822786		LAF8143 ²
<i>Guardian 4459 12kW w/GT990 Engine</i>			<i>MC7500B w/GN220 Engine</i>			<i>S40, S45 (w/Perkins 704-30 Engine)</i>		
OC8127	Air	LAF1482		Oil	PH2840	1174482	Fuel	FP587F
70185	Oil	PH2840				1174417	Oil	PH561
<i>Guardian 4626 40kW w/GM 4.3L Gas Engine</i>			GENERAC (WELDER)			<i>S40, S45 (w/Deutz D2.9 Engine)</i>		
OA4637	Air	AF348	<i>1908AP, 1930AP w/GN190 Engine</i>				Air	LAF8143 ²
A37970001	Oil	PH51A		Oil	PH2840	(R12P); Pri.	Fuel	LFF8677
<i>Guardian QT15068 150kW w/V106.8L Engine</i>			<i>Smart Weld 170 w/GN220 Engine</i>			<i>(R12T); W/S</i>		
OF5419	Air	AF697		Oil	PH2840		Oil	PH4403
OD5419	Oil	PH48 ²⁷⁵	<i>Smart Weld 215 w/GN360 Engine</i>			<i>S40, S45 (w/Deutz D2.9 Engine)</i>		
OD5419		PH820 ¹⁴⁹⁶	73111	Air	LAF4512		Air	LAF8143 ²
<i>Impact 36G</i>				Oil	PH2840		Oil	PH2816
70185	Oil	PH2840	<i>Smart Weld 270 w/GN480 Engine</i>			<i>S40, S45 (w/Deutz F3L2011 Engine)</i>		
<i>MC4000 w/GN220 OHV1 Engine</i>				Oil	PH2840	P822786	Air	LAF8143 ²
	Oil	PH2840	<i>Smart Weld 300 w/GN570 Engine</i>			1174482	Fuel	FP587F
<i>MC5500, MC6500 w/GN360 OHV1 Engine</i>				Oil	PH2840	1174417	Fuel	PH561
	Air	LAF4512	GENIE (AERIAL WORK PLATFORM)			<i>S40, S45 (w/Ford LRG425 Engine)</i>		
	Oil	PH2840	<i>540, 560, 565 w/Ford LRG425 Engine</i>				Air	LAF8143 ²
<i>NP30G w/Gas Engine</i>			P18-1052	Air	LAF222 ²		Oil	PH400 ²⁷⁵
	Oil	PH2840	925600	Hydraulic	LH4237			PH8A ¹⁴⁹⁶
<i>NP65D, NP75D, NP80D</i>			FL1A	Oil	PH400 ²⁷⁵	<i>S40, S45 (w/Perkins 404D-22 Engine)</i>		
70941	Air	LAF5810	FL1A		PH8A ¹⁴⁹⁶	P181052	Air	LAF222
69858	Fuel	FP588F	<i>GS1530, GS1532</i>			P822786		LAF8143 ²
<i>NP75 w/Diesel Engine</i>				Hydraulic	LFH4209	(1174482); Pri.	Fuel	LFF8677
	Air	LAF5810	<i>GS1930, GS1932</i>			1174417	Oil	PH561
<i>QP75D 7.5kW w/ISM 1.1L Diesel Engine</i>				Hydraulic	LFH4209	<i>TML4000, TML4000N w/Deutz F3M1008 Engine</i>		
	Air	LAF8732	<i>GS2046</i>			1072175160	Air	LAF8792
	Fuel	FP588F		Hydraulic	LFH4209	1052175138	Fuel	LFF3518
	Oil	PH2827	<i>GS2632, GS2646</i>			<i>TMZ34/19 Electric</i>		
<i>QP85D 8.5kW w/ISM 1.1L Diesel Engine</i>				Hydraulic	LFH4209	BE10/18	Trans	LFH5809
	Air	LAF8732	<i>GS2668RT w/Kubota D905E Engine</i>			<i>Z135 w/Deutz BF4L2011 Engine</i>		
	Fuel	FP588F		Air	LAF8823 ²	P181014	Air	LAF6300 ²
	Oil	PH2827		Fuel	G1/4	1174416	Oil	PH2816
<i>Quiet Pack 55 w/GN410 Engine</i>				Oil	PH2808	<i>Z34/22 IC w/Kubota D905E Engine</i>		
73111	Air	LAF4512	<i>GS3268RT w/Kubota D905 B22 Engine</i>				Fuel	LFF8676 ⁶⁸²
70185	Oil	PH2840		Air	LAF8823 ²		Oil	PH2808
<i>RV45 w/GT530 Engine</i>				Oil	PH2808	<i>Z45 w/Ford VSG413 Engine</i>		
	Fuel	G16	<i>GS3384 w/General Motors 1.6 Engine</i>			P18-1052	Air	LAF222 ²
70185	Oil	PH2840	P822768	Air	LAF8143 ²	925600	Hydraulic	LH4237
<i>RV55 w/GT530 Engine</i>				Oil	PH47 ¹⁸	FL400A	Oil	PH400
	Fuel	G16			PH51A ¹⁹	<i>Z45/22IC w/Deutz F4L1011 Engine</i>		
70185	Oil	PH2840	<i>GS4390RT, GS5390RT w/Ford LRG425 Engine</i>				Air	LAF222 ²
<i>RV65 w/GT530 Engine</i>			P181052	Air	LAF222		Fuel	G1 ⁵³¹
	Fuel	G16	FL1A	Oil	PH400 ²⁷⁵			LFF3518
70185	Oil	PH2840	FL1A		PH8A ¹⁴⁹⁶		Oil	PH561
<i>SV4200, SVT4200 w/B&S 8 hp Engine</i>			<i>S100, S105, S120, S125 w/Cummins 4B3.9 Engine</i>			<i>Z45/25 w/Ford FGR425 Engine</i>		
	Air	AF206	87026N	Air	LAF8148 ²	P822768	Air	LAF8143 ²
<i>SVP5000, SVT5000 w/B&S 10 hp Engine</i>			62435	Fuel	LFF3521	88917	Hydraulic	LH4199 ¹⁰⁷⁷
	Air	AF206	(R12P); Pri.		LFF8677	FL400S	Oil	PH400
<i>XP6500 w/GN410 Engine</i>				Oil	LFP3900	<i>Z60 w/Ford LRG425 Engine</i>		
73111	Air	LAF4512	<i>S100, S105, S120, S125 w/Perkins 1004.42 Engine</i>			P18-1052	Air	LAF222 ²
70185	Oil	PH2840	62426	Fuel	FP587F	925600	Hydraulic	LH4237
<i>XP8000 w/GN410 Engine</i>			62427	Oil	PH4403	FL1A	Oil	PH400 ²⁷⁵
73111	Air	LAF4512				FL1A		PH8A ¹⁴⁹⁶
70185	Oil	PH2840				<i>Z60/34RT w/Deutz F4L1011 Engine</i>		
							Air	LAF222 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 18-Short 19-Long 275-Primary 531-Filter only 682-2 micron 1077-Hyd. Tank 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GENIE (AERIAL WORK PLATFORM)			GLEANER (COMBINE)			GLEANER (COMBINE)		
<i>Z60/34RT w/Deutz F4L1011 Engine (cont'd)</i>			<i>A, AH, B, R, T w/G-230 Engine (cont'd)</i>			<i>F (cont'd)</i>		
	Fuel	G1 ⁵³¹ LFF3518		Oil	PH8A ¹⁴⁹⁶	(71152408); S/N 12201	Trans	LP509
	Oil	PH561	<i>A65, A75 w/Sisu 84CTA Engine</i>			<i>F-2, F-3</i>		
GENIE (TELESCOPIC HANDLER)			71368962	Air	LAF1465 ²	74009076	Air	LAF1246 ²
<i>GTH1048 w/John Deere 4045 Power Tech Engine</i>			(V836867595); Sec.	Fuel	L3880F	243163-2		LAF222 ²
	Air	LAF9100 ¹ LAF9101 ²	104309W91	Hydraulic	LFH4915	569300	Cabin Air	LAF6680
	Oil	LFP4836	<i>A66 w/84CTA Tier 3 Engine</i>			71321111	Hydraulic	LFP1652
<i>GTH1048 w/Perkins 1104D 4.4L Turbo Diesel Engine</i>			71368962	Air	LAF1465 ²	71300930		LP4469 ¹³⁰⁷ LP509 ¹³⁰⁶
	Air	LAF9100 ¹ LAF9101 ²	(V836867595); Sec.	Fuel	L3880F	71152408		LFP3411 ¹³⁰⁶
	Fuel	LFF6925 ⁹⁴²	104309W91	Hydraulic	LFH4915	(74027979); Diesel (71146873); Gas	Oil	LFP3411 PH454
	Oil	LFP2292 LFP4836	<i>A76 w/84CTA Tier 3 Engine</i>			<i>G, GH</i>		
<i>GTH1056 w/Deutz TCD3.6 Engine</i>			71368962	Air	LAF1465 ²	4056630	Air	LAF234HD ²
	Air	LAF9000 ²⁴⁴ LAF9101 ²⁷⁵	(V836867595); Sec.	Fuel	L3880F	(74028945); Sec.	Fuel	FP230F
	Cabin Air	LAF8749 ²	104309W91	Hydraulic	LFH4915	74027979	Oil	LFP3411 ¹³⁰⁸
	Hydraulic	LFH22034 ⁶⁰⁷	(1R0762); Sec.	Fuel	LFF5804	(71146873); Chevrolet Gas Engine		PH454
	Oil	PH2816	(1R0771); Pri.	Fuel	LFF6771 ¹⁷¹	71152408	Trans	LP509
<i>GTH2506 w/Deutz D2011LO4 engine</i>			104309W91	Hydraulic	LFH4915	<i>K, K-2 w/Gas Engine</i>		
	Air	LAF8749 ² LAF8750 ¹	504594D1	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	243163	Air	LAF222 ²
	Fuel	FP587F	<i>A85 w/Caterpillar C13 Engine</i>				Oil	PH454
	Oil	PH2816	71409552	Air	LAF9155 ²	71152408	Trans	LP509
<i>GTH3007 w/Deutz D2011LO4 engine</i>			71409553	Air	LAF9159 ¹	<i>K-2 w/Diesel Engine</i>		
	Air	LAF8749 ² LAF8750 ¹	(1R0762); Sec.	Fuel	LFF5804	74009078	Air	LAF1246 ²
	Fuel	FP587F	(1R0771); Pri.	Fuel	LFF6771 ¹⁷¹	(74028945); Sec.	Fuel	FP230F
	Oil	PH2816	104309W91	Hydraulic	LFH4915	74027979	Oil	LFP3411
<i>GTH4010SX 9w/Deutz BF4M2001 engine</i>			504594D1	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	<i>L, M w/Gas Engine</i>		
	Air	LAF1246 LAF4155 ¹	<i>C, CH w/G-226, G-262 Engine</i>				Air	LAF1246 ²
	Fuel	FP586F	70243163	Air	LAF222 ²	70569300	Cabin Air	LAF6680
	Oil	PH2816		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	71183469	Hydraulic	LFH4209
<i>GTH5519 w/Deutz TD2011 Tier 3 engine</i>			<i>C62 w/Cummins 6CTA8.3L Engine</i>			71300930		LP4469 ¹³⁰⁷ LP509 ¹³⁰⁶
	Air	LAF8749 ² LAF8750 ¹	1076752M1	Coolant	LFW4071 ²⁸ LFW4073 ²⁵⁵	71152408	Oil	PH1218 PH454
	Oil	PH2816	1076751M1	Fuel	LFF3417 ³² LFF3417 LFF3521	<i>L, M, MH w/2900 Diesel Engine</i>		
<i>GTH842, GTH844 w/Perkins 1104C engine</i>			(72501531); Pri. (74394407); Pri. (72501530); Sec.		LFP1652 ¹³⁰⁵	70267953	Air	LAF1725 ¹
	Air	LAF9100 ¹ LAF9101	71321111	Hydraulic	LFP3000 LFP3000XL ¹⁴	70244728		LAF234HD ^{2, 181} LAF9001 ²
	Oil	FP586F LFH22034 LFP2292	72501533	Oil		70244727		LAF9001 ²
GLEANER (COMBINE)			<i>F</i>			70569300	Cabin Air	LAF6680
<i>A, AH, B, C, CH, E w/D-262 Engine</i>			243163-2	Air	LAF222 ²	(74028945); Sec.	Fuel	FP230F
235863	Air	LAF863 ¹³⁰⁴	Diesel; Sec. (71321111); S/N 48001	Fuel	FP230F	71367687		LFF1129 LFF1131
Sec.	Fuel	G22077 L3564F	Allis Chalmers Gas Engine	Hydraulic	LFP1652	(71367686); W/S		LP4469 ¹³⁰⁷ LP509 ¹³⁰⁶
A, AH, B, R, T w/6B-230 Engine			Allis Chalmers Gas Engine			71300930	Hydraulic	LFP509 ¹³⁰⁶
By-Pass	Oil	P4	Chevrolet Gas Engine			71152408		2432 ⁶⁵ LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ PH52
A, AH, B, R, T w/G-230 Engine			Allis Chalmers Gas Engine			<i>L, MH w/3500 Diesel Engine</i>		
	Oil	PH400 ²⁷⁵				71325203	Air	LAF8668 ² LAF8674 ¹
						71183993		LAF6680
						70569300	Cabin Air	LAF6680
						(74028945); Sec.	Fuel	FP230F LFF1129
						71367687		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 28-Contains 1 oz. of chemical 32-Remote mounted 65-By-Pass 171-With Sensor Port 181-Single 244-Secondary 255-Contains 3 oz. of chemical 275-Primary 531-Filter only 607-Return 942-Used with LMB6926 conversion kit 1304-E Only 1305-Lateral Tilt 1306-4.5" O.D. 1307-2.62" O.D. 1308-Except Chevrolet Engines 1496-Alternate

G

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GLEANER (COMBINE)			GLEANER (COMBINE)			GLEANER (COMBINE)		
<i>L1, MH w/3500 Diesel Engine (cont'd)</i>			<i>L2, M2, MH2 w/670T Engine (cont'd)</i>			<i>N5, N6 (cont'd)</i>		
(71367686); W/S	Fuel	LFF1131	71367687	Fuel	LFF1129	74037047	Oil	PH52
71300930	Hydraulic	LP4469 ¹³⁰⁷	(71367686); W/S		LFF1131	<i>N7</i>		
71152408		LP509 ¹³⁰⁶	71300930	Hydraulic	LP4469 ¹³⁰⁷	70269244	Air	LAF1882 ²
By-Pass	Oil	1041	71152408		LP509 ¹³⁰⁶	70269245		LAF1990 ¹
74036791		LFP3191	74036791	Oil	LFP3191		Coolant	LFW4073 ²⁵⁵
74036791		LFP3191TRT ³	74036791		LFP3191TRT ³	(74028945); Sec.	Fuel	FP230F
		LFP3191XL ¹⁴			LFP3191XL ¹⁴	W/S		LFF1131
74037047		PH52	4023548-3		PH52	74394407		LFP255F
71183469	Trans	LFH4209	71183469	Trans	LFH4209	(71300930); S/N 5105-	Hydraulic	LP4469
<i>L2, M2, MH2 w/2900 Engine</i>			<i>L3, M3, MH3 w/649 Engine</i>					
267953, 1181296	Air	LAF1725 ¹	267953, 1181296	Air	LAF1725 ¹			
266787		LAF9001 ²	266787		LAF9001 ²			
70569300	Cabin Air	LAF6680	70569300	Cabin Air	LAF6680	<i>R40, R50 w/Deutz Engine</i>		
(74028945); Sec.	Fuel	FP230F	(74028945); Sec.	Fuel	FP230F	70269244	Air	LAF1882 ²
71367687		LFF1129	71367687		LFF1129	70264113		LAF1990 ¹
(71367686); W/S		LFF1131	(71367686); W/S		LFF1131	71356376		LAF5810
71300930	Hydraulic	LP4469 ¹³⁰⁷	71300930	Hydraulic	LP4469 ¹³⁰⁷	1174423	Fuel	FP586F
71152408		LP509 ¹³⁰⁶	71152408		LP509 ¹³⁰⁶	74394407		LFP255F
By-Pass	Oil	1041	By-Pass	Oil	1041	71300930	Hydraulic	LP4469
74036791		LFP3191	74036791		LFP3191	1174420	Oil	LFP8590
74036791		LFP3191TRT ³	74036791		LFP3191TRT ³	<i>R42, R52 w/Cummins Engine</i>		
		LFP3191XL ¹⁴			LFP3191XL ¹⁴	70269244	Air	LAF1882 ²
4023548-3		PH52	4023548-3		PH52	70264113		LAF1990 ¹
<i>L2, M2, MH2 w/3500 Engine</i>			<i>L3, M3, MH3 w/670T Engine</i>					
71325203	Air	LAF8668 ²	71325203	Air	LAF5516 ^{2, 792}			
71183993		LAF8674 ¹	70266787		LAF8668 ²			
70569300	Cabin Air	LAF6680	71183993		LAF8674 ¹			
(74028945); Sec.	Fuel	FP230F	70569300	Cabin Air	LAF6680			
71367687		LFF1129	(74028945); Sec.	Fuel	FP230F			
(71367686); W/S		LFF1131	(74036711); Sec.	Fuel	FP603			
71300930	Hydraulic	LP4469 ¹³⁰⁷	(71367686); W/S		LFF1131			
71152408		LP509 ¹³⁰⁶	74394407		LFP255F			
74036791	Oil	LFP3191	71300930	Hydraulic	LP4469 ¹³⁰⁷			
74036791		LFP3191TRT ³	71152408		LP509 ¹³⁰⁶			
		LFP3191XL ¹⁴	74036791	Oil	LFP3191			
4023548-3		PH52	74036791		LFP3191TRT ³			
71183469	Trans	LFH4209	74036791		LFP3191XL ¹⁴			
<i>L2, M2, MH2 w/649 Engine</i>			<i>L3, M3, MH3 w/670T Engine</i>					
267953, 1181296	Air	LAF1725 ¹	4023548-3		PH52	<i>R42, R52 w/Deutz Engine</i>		
266787		LAF9001 ²				70269244	Air	LAF1882 ²
70569300	Cabin Air	LAF6680				70264113		LAF1990 ¹
(74028945); Sec.	Fuel	FP230F				1174423	Fuel	FP586F
71367687		LFF1129				74394407		LFP255F
(71367686); W/S		LFF1131				1174420	Oil	LFP8590
71300930	Hydraulic	LP4469 ¹³⁰⁷				<i>R5, R6 w/Allis Chalmers Engine</i>		
71152408		LP509 ¹³⁰⁶				70269244	Air	LAF1882 ²
By-Pass	Oil	1041				70264113		LAF1990 ¹
74036791		LFP3191				(74036711); Sec.	Fuel	FP603
74036791		LFP3191TRT ³				74394407		LFP255F
		LFP3191XL ¹⁴				71300930	Hydraulic	LP4469
4023548-3		PH52				74036791	Oil	LFP3191
<i>L2, M2, MH2 w/670T Engine</i>						74036791		LFP3191TRT ³
71325203	Air	LAF8668 ²						LFP3191XL ¹⁴
71183993		LAF8674 ¹				74037047		PH52
70569300	Cabin Air	LAF6680				<i>R55 w/Cummins 6CTA8.3L Engine</i>		
(74028945); Sec.	Fuel	FP230F				70269244	Air	LAF1882 ²
						70264113		LAF1990 ¹
						71372880	Coolant	LFW2055
						(72501531); Sec.	Fuel	LFF3417
						(72501530); Sec.		LFF3521
						74394407		LFP255F ¹¹⁴¹
						71321111	Hydraulic	LFP1652 ¹³⁰⁵
						72516560	Oil	LFP3000

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 28-Contains 1 oz. of chemical 65-By-Pass 255-Contains 3 oz. of chemical 792-Without Fin 1141-At Fuel Tank 1305-Lateral Tilt 1306-4.5" O.D. 1307-2.62" O.D.

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GLEANER (COMBINE)			GLEANER (COMBINE)			GOLDONI (TRACTOR)		
<i>R55 w/Cummins 6CTA8.3L Engine (cont'd)</i>			<i>R72 w/Cummins Engine</i>			<i>652, 654 w/Lombardini Engine (cont'd)</i>		
	Oil	LFP3000XL ¹⁴	70269244	Air	LAF1882 ²		Oil	PH4408
<i>R60, R70 w/Deutz Engine</i>			70264113		LAF1990 ¹	<i>764, 774 w/John Deere 3179 Engine</i>		
70269244	Air	LAF1882 ²	71372880	Coolant	LFW2055		Fuel	P1130
70264113		LAF1990 ¹	(72515622); W/S	Fuel	LFF1000		Oil	FP20
71356376		LAF5810	71394407		LFF5	<i>834, 932 w/Slanzi Engine</i>		
1174422	Fuel	LFF8092	74394407		LFP255F		Fuel	LFF3518
74394407		LFP255F	71321111	Hydraulic	LFP1652 ¹³⁰⁵	<i>933 w/Lombardini Engine</i>		
71300930	Hydraulic	LP4469	72501533	Oil	LFP3000		Oil	PH2816
1174421	Oil	LFP2222			LFP3000XL ¹⁴	<i>940, 1040 w/Slanzi Engine</i>		
(74322701); By-Pass		LFP777B	<i>R75 w/Cummins M11 Engine</i>				Fuel	L61F
By-Pass		LFP777XL ¹⁴	71368962	Air	LAF1465 ²	<i>Euro 26RS w/Lombardini 9LD561-2 Engine</i>		
<i>R62 w/Cummins Diesel Engine</i>			(72515622); W/S	Fuel	LFF1000	45409	Air	LAF1246 ²
71372880	Coolant	LFW2055	74394407		LFP255F		Fuel	FP586F
72511906	Fuel	LFF1022 ²¹⁰	71321111	Hydraulic	LFP1652 ¹³⁰⁵		Oil	PH2816
74394407		LFP255F ¹¹⁴¹	72501533	Oil	LFP3000	<i>Euro 30RS w/Lombardini 9LD625-2B Engine</i>		
71321111	Hydraulic	LFP1652 ¹³⁰⁵			LFP3000XL ¹⁴	45409	Air	LAF1246 ²
72516560	Oil	LFP3000	<i>R76 w/Agco 84CTA Tier 3 Engine</i>				Fuel	FP586F
		LFP3000XL ¹⁴	71368962	Air	LAF1465 ²		Oil	PH2816
<i>R62, R72 w/Deutz Engine</i>			(V836867595); W/S	Fuel	L3880F ²¹	<i>Star 75 w/John Deere 3029T Engine</i>		
70269244	Air	LAF1882 ²	104309W91	Hydraulic	LFH4915	W/S	Fuel	LFF8215
70264113		LAF1990 ¹	P164378		LFH4990		Oil	FP20
71356376		LAF5810	921999		LFP1652 ¹³⁰⁵	GRADALL (CONSTRUCTION EQUIPMENT)		
1174422	Fuel	LFF8092	<i>S67, S77 w/Agco 84CWA-4V Engine</i>			<i>2460 w/Caterpillar D-320 Engine</i>		
74394407		LFP255F ¹¹⁴¹	71368962	Air	LAF1465 ²	5L-5035	Air	LAF210
71321111	Hydraulic	LFP1652 ¹³⁰⁵	104309W91	Hydraulic	LFH4915	<i>300 Hydro Scopic, H300A Hopto Excavator w/Chrysler 318 Engine</i>		
1174421	Oil	LFP2222	P164378		LFH4990	63104-3	Hydraulic	LP32
(74322701); By-Pass		LFP777B	921999		LFP1652 ¹³⁰⁵	<i>311 Excavator</i>		
By-Pass		LFP777XL ¹⁴	GODWIN (PUMP INDUSTRIAL)			7610-9223	Air	LAF6769
<i>R65 w/Cummins QSC8.3 Engine</i>			<i>CD150m, CD200m w/John Deere 4039D Engine</i>					LAF6769MXM ²⁶⁸
72509505	Coolant	LFW4074 ⁶²⁷	ECC085002	Air	LAF2532	<i>371 w/Detroit Diesel Engine</i>		
72511906	Fuel	LFF1022	GOLDONI (TRACTOR)			S/N 3A5583-	Hydraulic	LP32
74394407		LFP255F ¹¹⁴¹	<i>1045 w/Lombardini Engine</i>			<i>522, 524, 532C6, 534C6, 534C9, 544B Carrier w/Cummins 4B3.9 Engine</i>		
71321111	Hydraulic	LFP1652 ¹³⁰⁵		Fuel	LFF3518	90206262	Air	LAF1544 ²
72516560	Oil	LFP3000		Oil	PH4408	91083218	Fuel	L3523F
		LFP3000XL ¹⁴	<i>240 w/Slanzi Engine</i>			(77383202); Pri.		LFF3417
<i>R65, R75 w/Agco 84CTA Engine</i>				Fuel	L61F	77383203		LFF3521
71368962	Air	LAF1465 ²	<i>25DT, 26DT, 30DT Idea w/Perkins 103-13 Engine</i>			91143144	Hydraulic	LFH5876 ¹¹¹⁹
(V836867595); W/S	Fuel	L3880F ²¹		Oil	PH253 ¹⁴⁹⁶	91084001	Oil	LFP3900
P164378	Hydraulic	LFH4990	<i>3050 w/VM 3 cyl. Engine</i>			<i>522D, 524D w/Cummins 3.9L Engine</i>		
921999		LFP1652 ¹³⁰⁵		Air	LAF1275 ²		Air	LAF9001 ¹⁸¹
<i>R66 w/Agco 84CTA Tier 3 Engine</i>				Fuel	L296F ⁴¹			LAF9543 ¹
71368962	Air	LAF1465 ²		Oil	PH561			LAF9547 ²
(V836867595); W/S	Fuel	L3880F ²¹	<i>3450, 3460 w/VM 394 hp Series Engine</i>			91083218	Fuel	L3523F
104309W91	Hydraulic	LFH4915	45409	Air	LAF1246 ²	(77383202); Pri.		LFF3417
P164378		LFH4990	41042	Fuel	L296F ⁴¹	(77383203); Sec.		LFF3521
921999		LFP1652 ¹³⁰⁵	1909101	Oil	LFP2230	W/S		LFF8062
<i>R7 w/Cummins Engine</i>			<i>532 w/Slanzi Engine</i>			91143144	Hydraulic	LFH5876
70269244	Air	LAF1882 ²		Fuel	LFF3518	91084001	Oil	LFP3900
70264113		LAF1990 ¹	<i>602, 604 w/Lombardini Engine</i>			<i>532, 534B-6, 534B-8, 534B-9, 544, 542 Carrier w/Perkins Engine</i>		
74393504	Coolant	LFW4073 ²⁵⁵		Fuel	FP586F	90206262	Air	LAF1544 ²
Sec.	Fuel	FP230F		Oil	L61F	91034005	Fuel	L296F ⁴¹
71300930	Hydraulic	LP4469			PH4408	<i>652, 654 w/Lombardini Engine</i>		
74396645	Oil	LFP670			L61F			L61F
		LFP670XL ¹⁴	<i>652, 654 w/Lombardini Engine</i>					
(74322701); By-Pass		LFP777B			L61F			
By-Pass		LFP777XL ¹⁴						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 21-Frame mounted 41-Cartridge 181-Single 210-w/ Sensor 255-Contains 3 oz. of chemical 268-Extended/Severe service 275-Primary 627-5 oz. of chemical 1119-Suction Line 1141-At Fuel Tank 1305-Lateral Tilt 1496-Alternate

G

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GRADALL (CONSTRUCTION EQUIPMENT)			GRADALL (CONSTRUCTION EQUIPMENT)			GRADALL (CONSTRUCTION EQUIPMENT)		
532, 534B-6, 534B-8, 534B-9, 544, 542 Carrier w/Perkins Engine (cont'd)			660C, 880C Carrier w/Detroit Diesel 8.2L Engine (cont'd)			G600 w/Chrysler HT-413 Engine (cont'd)		
91143144	Hydraulic	LFH5876	88213023	Oil	PH1218		Hydraulic	LP78 ¹¹⁰⁶
91034006	Oil	PH4403	660C, 880C Excavators w/Detroit Diesel 4-71 Engine			G600 w/Detroit Diesel Engine		
90204732	Trans	LFH8799	534C-10 w/Cummins Engine			P24	Air	LAF24
91083218 (77383202); Pri. (77383203); Sec.			86971100	Air	LAF320	G600 w/International Engine		
91143144	Hydraulic	LFH5876	86671639	Fuel	LFF937	P24	Air	LAF24
91084001	Oil	LFP3900	(86671640); Sec.		LFP928F	G-642A, G-642P w/John Deere 4045D Power Tech Engine		
534D6, 534D9, 534D10, 544D Material Handler w/Cummins 4BT3.9L Engine			86983463	Oil	LFP911	80273010	Air	LAF4544 ²
91083218 (77383202); Pri. (77383203); Sec. W/S			660E, 880C, 880E Excavators w/Cummins 6BTA5.9 Engine			80273042		LAF4545 ¹
91143144	Hydraulic	LFH5876	77174001	Air	LAF6587		Oil	LFP5757
	Oil	LFP3900			LAF6587MXM ²⁶⁸	G660 w/Caterpillar 3100 Series Engine		
534D9-45, 534D10-45 w/John Deere 4045T Engine			83683550	Fuel	L3524F	2N1990	Air	LAF506
P780523	Air	LAF9543 ¹	(77383303); W/S		LFF8062	G660 w/Detroit Diesel 4-53N Engine		
P780522		LAF9547 ²	77383201	Oil	LFP780	P-24	Air	LAF24
91083218 (RE509031); Sec.	Fuel	L3523F	660E, 880E Carrier w/Cummins 6CT8.3 Engine			G660 w/Detroit Diesel 4-71 Engine		
91143144	Hydraulic	LFH5876	86981590	Air	LAF9472	P-24	Air	LAF24
	Oil	LFP3900	83683550	Fuel	L3524F	G660B w/Detroit Diesel Engine		
544C w/Cummins 3.9L Engine			(77383303); W/S		LFF8062		Air	LAF320 ¹³¹¹
91154001	Air	LAF9001 ¹⁸¹	(83674186); S/N	Oil	LFP3000	LAF8044 ¹³¹⁰		
91083218 (77383202); Pri. (77383203); Sec.	Fuel	L3523F	44487830-		LFP3000XL ¹⁴	G880 w/Caterpillar Engine		
91143144	Hydraulic	LFH5876	83684744		LFP734	P-32	Air	LAF320
	Oil	LFP4836	G1000 w/Cummins NHC-4-B1 Engine			G880 w/Detroit Diesel Engine		
544D10-55 w/John Deere 4045HF Engine				Air	LAF230	P-32	Air	LAF320
91534005	Oil	LFP4836	G1000 w/two Detroit Diesel 4-71 Engine			G943, G9-43A Material Handlers w/John Deere 4045 PowerTech Engine		
544D-55 w/John Deere 404T Engine			P101066	Air	LAF66		Fuel	L3523F
P780523	Air	LAF9543 ¹	G3WD Carrier w/6BT5.9 Engine			91143144	Hydraulic	LFH5876
P780522		LAF9547 ²	83954112	Air	LAF6769 ²		Oil	LFP5757
91083218 (77383202); Pri. (77383203); Sec.	Fuel	L3523F			LAF6769MXM ^{2, 268}	4202525	Trans	LFH22034
91143144	Hydraulic	LFH5876	90201415		LAF8668	M2460 w/Minneapolis Moline 403-4A Engine		
	Oil	LFP3900	83954113		LAF9373 ¹	63104-3	Hydraulic	LP32
544D10-55 w/John Deere 4045HF Engine			(77383202); Pri. (77383203); W/S	Fuel	LFF3417	XL2100, XL2200, XL2300 w/Cummins 4BTA3.9 Engine		
91534004); Sec.	Fuel	L3887F	(8307447); Pri.		LFF3521		Air	LAF4544 ²
91143144	Hydraulic	LFH5876 ^{607, 1119}	(80933057)	Hydraulic	LH4235 ¹¹³⁷		Fuel	LAF4544MXM ^{2, 268}
	Oil	LFP4836	77383201	Oil	LFP780	Pri.		LAF4545 ¹
544D-55 w/John Deere 404T Engine			90201617	Trans	LFH4922	Sec.	Fuel	LFF3417
P780523	Air	LAF9543 ¹	G440 Excavator w/Detroit Diesel 6V-71T Engine			W/S		LFF3521
P780522		LAF9547 ²		Air	LAF8044		Oil	LFF8010
91083218 (RE509031); Sec.	Fuel	L3523F	G440 w/Detroit Diesel 3-53 Engine					LFP3900
91143144	Hydraulic	LFH5876	P-24	Air	LAF24	XL3100 w/Cummins ISB5.9L Engine		
	Oil	LFP4836	G600 w/A-C 3400D Engine			83954112	Air	LAF6769 ²
660C, 880C Carrier w/Detroit Diesel 8.2L Engine			63104-3	Hydraulic	LP32	93854113		LAF9373 ¹
86981590	Air	LAF9472	G600 w/Caterpillar D320 Engine			(77384846); W/S	Fuel	L9800F ⁴¹
(83074447); Pri. (86671640); Sec.	Fuel	LFP815FN	Fram FA-210PL)	Air	LAF210 ¹⁷³	W/S	Oil	LFF9519
		LFP928F	63104-3	Hydraulic	LP32			LFP3970
			G600 w/Chrysler HT-413 Engine			XL3200 w/John Deere 4045T Engine		
			63104-3	Hydraulic	LP32		Oil	LFP5757
			G600 w/Detroit Diesel 4-71 Engine			XL3300 w/John Deere 6068TF Engine		
					LP32			LFP5757

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 173-Heavy Duty 181-Single 268-Extended/Severe service 601-7.3" Tall 607-Return 1106-9" Hgt. 1119-Suction Line 1137-Pilot 1310-Carrier 1311-Crane

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GRADALL (CONSTRUCTION EQUIPMENT)			GROVE (CRANE)			GROVE (CRANE)		
XL4000, XL4100, XL4200, XL5000, XL5100, XL5200 Excavators w/Cummins 6BTA5.9C Engine			24 Crane w/Perkins 4.203 Diesel, G4 203 Gas Engine			AMZ51XT w/Deutz F4L1011F Engine (cont'd)		
77174001	Air	LAF6587 LAF6587MXM ²⁶⁸	P101222	Air	LAF222 ²		Air	LAF8143 ²
(77383819); W/S (77383303); W/S	Fuel	LFF8010 LFF8062	9904103228	Trans	LHF4922		Fuel	LFF3806 ¹⁷⁰ LFF4806 ¹⁶⁹
80933057	Hydraulic	LH4237	2535 Crane w/Caterpillar 3208 Engine				Hydraulic	LH4235 ¹⁸ LH4237 ¹⁹
80273008		LH781 ¹⁰⁷⁷		Air	LAF241HD		Oil	PH561
77383201	Oil	LFP780 LFP780XL ¹⁴		Hydraulic	LH4903			
XL4100 IV w/Mercedes OM926 Engine				Trans	LP151	AT400 w/Cummins 6BTA5.9 Engine		
	Air	LAF4503 LAF4504 ¹	2535 Crane w/Cummins V555C Engine			P119539	Air	LAF1784 ¹ LAF9538 ² LAF9538MXM ^{2, 268}
	Fuel	L8701F ²⁴⁴		Air	LAF241HD	P181063		
	Oil	LP8741 ¹⁰²		Hydraulic	LH4903	CD7725 w/Cummins QSB4.5 Engine		
29540496	Trans	LH4582G ²⁴ LH4591G ²²		Trans	LP151	9414101755	Fuel	LFF5421
XL4100, XL5100 Carrier w/Cummins 6CTA8.3 Engine			36 Crane w/Detroit Diesel 3-53N Engine			9414101679	Oil	LFP3970
86981590	Air	LAF9472		Air	LAF6587 LAF6587MXM ²⁶⁸	GMK3050 Crane w/Mercedes-Benz OM501LA Engine		
(77383819); W/S (77383303); W/S	Fuel	LFF8010 LFF8062	50 Ton w/Cummins Engine				Air	LAF6998 ² LAF6999 ¹
83674186	Oil	LFP3000 LFP3000XL ¹⁴		Air	LAF241HD	5410900151	Fuel	L8994F
XL5100 IV w/Mercedes OM926 Engine				Trans	LP151	Brake Dryer	Miscellaneous	LFP8654
	Air	LAF4503 LAF4504 ¹	68 Crane w/Detroit Diesel 4-53 Engine				Oil	LP8995
	Fuel	L8701F ²⁴⁴		Air	LAF6587 LAF6587MXM ²⁶⁸	GMK4075 Crane w/Mercedes-Benz OM501LA Engine		
	Oil	LP8741 ¹⁰²	68, 68B, 68D Yard Crane w/Ford 6-240, 6-300 Engine				Air	LAF6998 ² LAF6999 ¹
29540496	Trans	LH4582G ²⁴ LH4591G ²²	943710071	Hydraulic	LH4903	3045825	Fuel	L8994F
XL5110 w/Cummins 6BTA5.9 Engine			AMX 131XT w/Cummins 4BT3.9 Engine			Brake Dryer	Miscellaneous	LFP8654
77174001	Air	LAF6587 LAF6587MXM ²⁶⁸		Air	LAF4544 ² LAF4545 ¹		Oil	LP8995
(77383819); W/S (77383303); W/S	Fuel	LFF8010 LFF8062		Fuel	LFF3417 LFF3521 LFF8062	GMK4100 Super Structure w/Mercedes OM904LA Engine		
80933057	Hydraulic	LH4237		Hydraulic	LH22123		Air	LAF2342 LAF2343 ¹
77383201	Oil	LFP780 LFP780XL ¹⁴		Oil	LFP780 LFP780XL ¹⁴		Fuel	L8701F ²⁴⁴ LP8700 ¹⁷⁵
XL5210 w/Cummins 6BTA5.9 Engine			AMX 131XT w/Ford Gas Engine			GMK5095 Carrier w/Mercedes OM502LA Engine		
77174001	Air	LAF6587 ² LAF6587MXM ^{2, 268}	P828889	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹		Air	LAF6165 ⁵³¹
(77383819); W/S (77383303); W/S	Fuel	LFF8010 LFF8062		Fuel	LFF3417 LFF3521 LFF8062	541 090 0151 (3322877); W/S	Fuel	L8994F ²⁵ LFF5766
80933057	Hydraulic	LH4237		Hydraulic	LH22123	2316289	Hydraulic	LH5840 ⁶⁰⁷
77383201	Oil	LFP780 LFP780XL ¹⁴		Oil	LFP2213	3328365	Oil	LP8995
GROVE (CRANE)			AMZ 50XT			GMK5095 Super Structure w/Mercedes OM904LA Engine		
1012 Crane w/Caterpillar 3208 Engine				Air	LAF8089	3316343	Air	LAF2342 LAF2343 ¹
	Air	LAF6587 LAF6587MXM ²⁶⁸	W/S	Fuel	LFF8062	3316343		
1012 Crane w/Detroit Diesel 4-53 Engine				Hydraulic	LH4235	3328573	Fuel	L8701F ²⁴⁴
9437100135	Air	LAF6587 LAF6587MXM ²⁶⁸		Oil	LFP2213	3316035	Oil	LP8700 ¹⁷⁵
			AMZ 86XT w/Cummins 4BT3.9 Engine			GMK5100 Crane w/Mercedes-Benz OM502LA Engine		
				Air	LAF1544 ² LAF9410 ¹ LFH4909 ⁸⁵⁸	Carrier	Air	LAF6998 ² LAF6999 ¹
				Fuel	LFF3417 LFF3521 LFF8062	Carrier		
				Hydraulic	LH22123	(3045825); Carrier	Fuel	L8994F L8994F
				Oil	LFP3900	3045825		
			AMZ51XT w/Deutz F4L1011F Engine			(2316289); Carrier	Hydraulic	LH5840
				Air	LAF8114 ¹	3328365	Oil	LP8995

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 18-Short 19-Long 22-2" or 7" Sump High Capacity 24-4" Sump 25-Engine mounted 102-8.31" Tall 169-1 Per Package 170-2 Per Package 175-6" Tall 244-Secondary 268-Extended/Severe service 531-Filter only 607-Return 858-Hydraulic Tank 1077-Hyd. Tank

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GROVE (CRANE)			GROVE (CRANE)			GROVE (CRANE)		
<i>GMK5115 Carrier w/Mercedes-Benz OM502LA Engine</i>			<i>GMK5200 Super Structure w/Mercedes OM904LA Engine (cont'd)</i>			<i>MZ72DXT w/Ford Engine (cont'd)</i>		
3326272	Air	LAF6165	3328573	Fuel	L8701F ²⁴⁴		Air	LAF8143 ²
3045825	Fuel	L8994F	3316035	Oil	LP8700 ¹⁷⁵		Oil	PH400
3328365	Oil	LP8995	<i>GMK5240 w/Cummins 6BTA5.9 Engine</i>			<i>RT400</i>		
<i>GMK5115 Super Structure w/Mercedes-Benz OM904LA Engine</i>			3316343	Air	LAF2342 ²	P181059	Air	LAF1544 ²
3316344		LAF2343 ¹	3316344		LAF2343 ¹	<i>RT48 Self-Propelled Crane w/Ford 6-300 Engine</i>		
3316343	Air	LAF2342	(3930942); Pri.	Fuel	LFF3417		Trans	LP151
3316344		LAF2343 ¹	2316289	Hydraulic	LH5840 ⁶⁰⁷	<i>RT49 Self-Propelled Crane w/Ford 6-300 Engine</i>		
3328573	Fuel	L8701F ²⁴⁴	3932217	Oil	LFP780		Trans	LP151
3316035	Oil	LP8700 ¹⁷⁵	<i>GMK5240 w/Cummins Signature 600 Engine</i>			<i>RT500 Crane w/Caterpillar 3208 Engine</i>		
<i>GMK5165-2 Carrier w/Mercedes OM502LA Engine</i>			(3101871); W/S	Fuel	LFF1007 ²¹⁰		Air	LAF237 ²
541 090 0151 (3322877); W/S	Fuel	L8994F ²⁵ LFF5766		Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723}		Hydraulic	LH4903
2316289	Hydraulic	LH5840 ⁶⁰⁷	<i>GMK6220 w/Mercedes-Benz OM502LA Engine</i>				Trans	LP151
Brake Dryer	Miscellaneous	LFP8654		Air	LAF6165		Air	LAF237 ²
3328365	Oil	LP8995	541 090 0151	Fuel	L8994F		Hydraulic	LH4903
<i>GMK5165-2 Super Structure w/Cummins OM924LA Engine</i>			Brake Dryer	Miscellaneous	LFP8654	<i>RT500 Crane w/Detroit Diesel 4-53 Engine</i>		
	Fuel	L8701F ²⁴⁴	3328365	Oil	LP8995		Air	LAF237 ²
	Oil	LP8700 ¹⁷⁵	<i>GMK6220, GMK6220L Super Structure w/Mercedes OM904LA Engine</i>				Hydraulic	LH4903
<i>GMK5170 Carrier (w/Mercedes OM502LA Engine)</i>			3316343	Air	LAF2342 ²		Trans	LP151
541 090 0151 (3322877); W/S	Fuel	L8994F ²⁵ LFF5766	3316344		LAF2343 ¹	<i>RT500 Crane w/Deutz F.6L.912 Engine</i>		
2316289	Hydraulic	LH5840 ⁶⁰⁷	3328573	Fuel	L8701F ²⁴⁴		Air	LAF237 ²
Brake Dryer	Miscellaneous	LFP8654	3316035	Oil	LP8700 ¹⁷⁵		Hydraulic	LH4903
3328365	Oil	LP8995	<i>GMK6220L w/Cummins Engine</i>				Trans	LP151
<i>GMK5170 Super Structure w/Mercedes OM924LA E3 Engine)</i>			3319653	Fuel	L8994F	<i>RT522 Crane w/Detroit Diesel 4-53 Engine</i>		
3328573 (3322877); W/S	Fuel	L8701F ²⁴⁴ LFF5766	3328365	Oil	LP8995	9304100009	Air	LAF237 ²
3316035	Oil	LP8700 ¹⁷⁵	<i>GRT8100 w/Cummins QSB6.7 Engine</i>			9437100156	Hydraulic	LH4903
<i>GMK5180 Carrier w/Mercedes-Benz OM502LA Engine</i>			(9414101756); Tier 3	Fuel	LFF5421		Trans	LP151
	Air	LAF6998 ² LAF6999 ¹	9437100825	Hydraulic	LH11033V ⁶⁰⁷	<i>RT528B, RT528C Crane w/Cummins 6BT5.9 Engine</i>		
	Fuel	L8994F	9414101679	Oil	LFP3970	9437100309	Air	LAF9001 ²
2316289	Hydraulic	LH5840 ⁶⁰⁷	<i>Models with Vickers Hydraulic System</i>			9437100156	Hydraulic	LH4903
Brake Dryer	Miscellaneous	LFP8654	923069	Hydraulic	LH4914		Trans	LP151
3328365	Oil	LP8995	<i>MZ 66DXT</i>			<i>RT530E w/Cummins QSB6.7 Engine</i>		
<i>GMK5180 Super Structure w/Mercedes OM904LA Engine)</i>				Air	LAF8114 ¹ LAF8143 ²	90001159	Air	LAF6124 ² LAF6125 ¹
3316343	Air	LAF2342		Fuel	LFF3806 ¹⁷⁰ LFF4806 ¹⁶⁹	(9414101756); Tier 3	Fuel	LFF5421
3316344		LAF2343 ¹		Hydraulic	LH22123	(9414101755); Tier 3; W/S		LFF9732
3328573	Fuel	L8701F ²⁴⁴	<i>MZ116 Manlift w/Wisconsin Engine</i>			9437100825	Hydraulic	LH11033V ⁶⁰⁷
3316035	Oil	LP8700 ¹⁷⁵	P181059	Air	LAF1544 ²	9414101679	Oil	LFP3970
<i>GMK5200 Carrier w/Mercedes-Benz OM502LA Engine</i>				Hydraulic	LFH4935	7437000873	Trans	LFH22034
541 090 0151 (3322877); W/S	Fuel	L8994F ²⁵ LFF5766	<i>MZ48B, MZ1-50 Manlift w/VG4D Wisconsin VG4D 37 hp Engine</i>			<i>RT540E w/Cummins QSB 6.7L Engine</i>		
2316289	Hydraulic	LH5840 ⁶⁰⁷	P181062	Air	LAF9538 ² LAF9538MXM ^{2, 268}	90001159	Air	LAF6124 ² LAF6125 ¹
3328365	Oil	LP8995		Fuel	G1/4	(9414101756); Tier 3	Fuel	LFF5421
<i>GMK5200 Super Structure w/Mercedes OM904LA Engine)</i>			By-Pass	Oil	LFP2271	9437100825	Hydraulic	LH11033V ⁶⁰⁷
3316343	Air	LAF2342 ²	<i>MZ66B Manlift w/Wisconsin VG4D 37 hp Engine</i>			9414101679	Oil	LFP3970
3316344		LAF2343 ¹		Air	LAF9538 ² LAF9538MXM ^{2, 268}	<i>RT58A, RT58B, RT58C, RT58D Cranes w/Cummins V378 Engine</i>		
	Fuel	L8701F ²⁴⁴		Fuel	G1/4		Air	LAF237 ²
	Oil	LP8700 ¹⁷⁵	By-Pass	Oil	LFP2271		Hydraulic	LH4903
<i>GMK5200 Super Structure w/Mercedes OM904LA Engine)</i>			<i>MZ72DXT w/Ford Engine</i>				Trans	LP151
3316343	Air	LAF2342 ²		Air	LAF8114 ¹	<i>RT58A, RT58B, RT58C, RT58D Cranes w/Detroit Diesel 4-53N Engine</i>		
3316344		LAF2343 ¹					Air	LAF237 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 25-Engine mounted 169-1 Per Package 170-2 Per Package 175-6" Tall 210-w/ Sensor 244-Secondary 268-Extended/Severe service 531-Filter only 607-Return 723-13.9" Hgt.

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GROVE (CRANE)			GROVE (CRANE)			GROVE (CRANE)		
<i>RT58A, RT58B, RT58C, RT58D Cranes w/Detroit Diesel 4-53N Engine (cont'd)</i>			<i>RT740, RT755 Crane w/Caterpillar 3208 Engine</i>			<i>RT9130E w/Cummins QSL Engine (cont'd)</i>		
	Hydraulic	LH4903		Air	LAF241HD		Oil	LFP3000XL ¹⁴
	Trans	LP151		Hydraulic	LH4903	<i>RT9150E w/Cummins QSC8.3 Tier 3 Engine</i>		
<i>RT58A, RT58B, RT58C, RT58D Cranes w/Deutz F.6L.912 Engine</i>			<i>RT740, RT755 Cranes w/Cummins V555C Engine</i>				Air	LAF6124 ² LAF6125 ¹
	Air	LAF237 ²		Air	LAF241HD		Fuel	LFF1022 ¹⁵
	Hydraulic	LH4903		Hydraulic	LH4903		Oil	LFP3000XL ¹⁴
	Trans	LP151		Trans	LP151	<i>RT9150E w/Cummins QSL Tier 4 Engine</i>		
<i>RT600B w/Cummins Engine</i>			<i>RT740, RT755 Cranes w/Detroit Diesel 6V-53 Engine</i>			90001159	Air	LAF6124
P181063	Air	LAF9001 ²		Air	LAF241HD	Sec.	Fuel	LFF5488
<i>RT600E w/Cummins 6BTAA5.9 Engine</i>				Hydraulic	LH4903		Oil	LFP3000XL ¹⁴
	Air	LAF5868 ¹ LAF8145 ²		Trans	LP151	<i>RT980 Crane w/Caterpillar 3306 Engine</i>		
9304100217			<i>RT75S w/Detroit Diesel 6V-53N Engine</i>				Trans	LP151
9437100825	Hydraulic	LH11033V ⁶⁰⁷	9437100156	Hydraulic	LH4903	<i>RT980 Crane w/Cummins NT855C250 Engine</i>		
9414101712	Oil	LFP780	215502		LP132 ¹⁰⁹⁹		Trans	LP151
7437000873	Trans	LFH22034	<i>RT765 (w/Cummins QSB6.7 Engine</i>			<i>RT980 Crane w/Detroit Diesel 6-71T Engine</i>		
<i>RT600E w/Cummins QSB6.7 Engine</i>			(9414101756); Tier 3	Fuel	LFF5421		Trans	LP151
(90001159); Outer	Air	LAF6124	9437100825	Hydraulic	LH11033V ⁶⁰⁷	<i>Scissors Lift w/Wisconsin Engine</i>		
Inner		LAF6125 ¹	9414101679	Oil	LFP3970	LO-194A	Air	AF213
(9414101756); Tier 3	Fuel	LFF5421	7437000873	Trans	LFH22034	<i>SM 4688XT</i>		
9437100825	Hydraulic	LH11033V	<i>RT770 (w/Cummins QSB6.7 Engine</i>				Air	LAF8089
9414101679	Oil	LFP3970	(9414101756); Tier 3	Fuel	LFF5421	W/S	Fuel	LFF8062
<i>RT60S Crane w/Cummins V504C Engine</i>			9437100825	Hydraulic	LH11033V ⁶⁰⁷		Hydraulic	LH4235
	Air	LAF6587 ² LAF6587MXM ^{2, 268} LAF6834 ¹	9414101679	Oil	LFP3970		Oil	LFP2213
			7437000873	Trans	LFH22034	<i>SM3270 Manlift</i>		
<i>RT625, RT630 Cranes w/Caterpillar 3208 Engine</i>			<i>RT865 Crane w/Caterpillar 3306 Engine</i>			LO-194A	Air	AF213
	Air	LAF2605		Air	LAF2605	<i>TD500 Crane w/Cummins VT225 Engine</i>		
	Hydraulic	LH4903		Hydraulic	LH4903		Air	LAF2605
	Trans	LP151		Trans	LP151	<i>TD500 Crane w/Detroit Diesel 8.2L Engine</i>		
<i>RT625, RT630 Cranes w/Cummins V504 Engine</i>			<i>RT865 Crane w/Cummins N855C Engine</i>				Air	LAF2605
	Air	LAF2605		Air	LAF2605	<i>TM1150 Crane w/Caterpillar 3208 Engine</i>		
	Hydraulic	LH4903		Hydraulic	LH4903		Air	LAF241HD
	Trans	LP151		Trans	LP151	<i>TM1150 Crane w/Detroit Diesel 6V-53 Engine</i>		
<i>RT625, RT630 Cranes w/Detroit Diesel 4-53T Engine</i>			<i>RT865 Crane w/Detroit Diesel 6-71 Engine</i>				Air	LAF241HD
	Air	LAF2605		Hydraulic	LH4903	<i>TM1400 Crane w/Caterpillar 3208 Engine</i>		
	Hydraulic	LH4903		Trans	LP151		Air	LAF241HD
	Trans	LP151	<i>RT875E w/Cummins QSB6.7 Engine</i>			<i>TM1400 Crane w/Cummins V555C Engine</i>		
<i>RT630B Crane w/Cummins 6BT 5.9 Engine</i>				Air	LAF4503 ¹³¹² LAF4544 ² LAF4545 ¹ LAF6124 ² LAF6125 ¹		Air	LAF241HD
	Air	LAF1725 ¹ LAF9001 ²	90001159			<i>TM1400 Crane w/Detroit Diesel 6V-53 Engine</i>		
9437100309			(9414101756); Tier 3	Fuel	LFF5421		Air	LAF241HD
9437100156	Hydraulic	LH4903	(9414101755); F/W	Hydraulic	LFF5766	<i>TM1400 Crane w/M.A.N. D2566 Engine</i>		
	Trans	LP151	Sep.				Air	LAF241HD
<i>RT650E w/Cummins QSB 6.7L Engine</i>			9414101679	Oil	LFP3970	<i>TM200C Crane w/Cummins V378 Engine</i>		
(9414101756); Tier 3	Fuel	LFF5421	7437000873	Trans	LFH22034		Air	LAF237 ²
9437100825	Hydraulic	LH11033V ⁶⁰⁷	<i>RT890E w/Cummins QSB 5.9L Engine</i>				Hydraulic	LH4903
9414101679	Oil	LFP3970	9304100242	Air	LAF4503 ²	<i>TM200C Crane w/Ford 300 Engine</i>		
7437000873	Trans	LFH22034	9414101756	Fuel	LFF5421	<i>TM2500 w/Mann D2542 Engine</i>		
<i>RT65S w/Detroit Diesel 8V-71 Engine</i>			(9414101755); F/W	Hydraulic	LFF5766	9304100072	Air	LAF4347
	Air	LAF241HD	Sep.			<i>TM2500 w/Mann D2566 Engine</i>		
9437100156	Hydraulic	LH4903	4897897	Oil	LFP3970		Air	LAF241HD
	Power Steering	LP151	7437000873	Trans	LFH22034	<i>TM400 Truck Crane w/Caterpillar 1673C Engine</i>		
<i>RT700B</i>			<i>RT9130E w/Cummins QSL Engine</i>			4L9852	Air	LAF852
P181063	Air	LAF9001 ²	Sec.	Fuel	LFF5488			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 15-Standard 268-Extended/Severe service 607-Return 1099-Torque Converter 1312-Single air system

G

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GROVE (CRANE)			GROVE (CRANE)			GROVE (CRANE)		
TM400 Truck Crane w/Ford V8-534 Engine			TMS475 Crane w/Cummins NTCC240 Engine (cont'd)			TMS870, TTS870 w/Caterpillar 3306 Engine		
	Air	LAF16					Air	LAF1765 ¹ LAF6453 ² LAF6453MXM ^{2, 268}
TM550 Crane w/Cummins Engine				Air	LAF6769MXM ^{2, 268} LAF9373 ¹			
	Air	LAF8668		Hydraulic	LH4903	TMS9000E W/Cummins ISM Engine		
TM875 Crane w/Caterpillar 3406 Engine			TMS475 Crane w/Detroit Diesel 6-71N Engine				Air	LAF1765 ¹ LAF6453 ²
	Air	LAF6632 LAF6632MXM ²⁶⁸		Air	LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹	9304100176		LAF1765 ¹ LAF6453 ²
TM875 Crane w/Cummins NTC350 Engine				Hydraulic	LH4903	9437100825	Hydraulic	LH11033V
	Air	LAF6632 LAF6632MXM ²⁶⁸	TMS500 Crane w/Cummins VT225 Engine			LF9080	Oil	LFP9001 ²⁵⁰
TM875 Crane w/Cummins NTCC350 Engine				Air	LAF2605	LF9080		LFP9001XL ^{14, 250}
	Air	LAF6632 LAF6632MXM ²⁶⁸	TMS500 Crane w/Detroit Diesel 8.2L Engine			TMS9000E w/Cummins ISX11.9 Engine		
TM875 Crane w/Detroit Diesel 8V-71 Engine				Air	LAF2605	9304100037	Air	LAF1765 LAF6453
	Air	LAF6632 LAF6632MXM ²⁶⁸		Oil	PH1218	9304100176		LFW2126 ²⁵⁵
TMC540E (w/Cummins QSB3.3 Engine)			TMS528 w/Cummins Engine			9437100825	Hydraulic	LH11033V
9437100825	Hydraulic	LH11033V	P117439	Air	LAF6587 LAF6587MXM ²⁶⁸	LF9080	Oil	LFP9001 ²⁵⁰
TMS 875C w/Cummins ISM Engine			TMS700E w/Cummins ISX 11.9 Engine			LF9080		LFP9001XL ^{14, 250}
	Air	LAF1765 ¹ LAF6453 ² LAF6453MXM ^{2, 268}		Air	LAF6124 ¹³¹³ LAF6125 ¹	TMS9000E w/Cummins QSM Engine		
TMS1075			WF2126	Coolant	LFW2126 ²⁵⁵	9304100176	Air	LAF6453
P116446	Air	LAF1765 ¹ LAF6453 ² LAF6453MXM ^{2, 268}	9437100825	Hydraulic	LH11033V ⁶⁰⁷	(FS1003); W/S	Fuel	LFF1003 ²⁰⁹
P116453			LF9070	Oil	LFP9000 ⁷²³	9437100825		LH11033V
TMS185, TMS200, TMS250 Crane w/Caterpillar 3208 Engine			LF9070		LFP9000XL ^{14, 723}	LF9080	Oil	LFP9001 ²⁵⁰
	Air	LAF1765 ¹ LAF6453 ² LAF6453MXM ^{2, 268}	TMS700E w/Cummins QSM Engine			LF9080		LFP9001XL ^{14, 250}
	Hydraulic	LH4903		Air	LAF1765 ¹ LAF6453 ²	YB7722, YB7722XL w/Cummins QSB4.5 Engine		
TMS185, TMS200, TMS250 Crane w/Cummins VT225 Engine			9304100176		LFF1003 ²⁰⁹	9414101755	Fuel	LFF5421
	Air	LAF241HD	(4070801); W/S	Fuel	LFF1003 ²⁰⁹	(9414101756); W/S		LFF5766
	Hydraulic	LH4903	9437100825	Hydraulic	LH11033V ⁶⁰⁷	9414101679	Oil	LFP780
TMS300 Crane w/Detroit Diesel 6-71N Engine			LF9080	Oil	LFP9001 ²⁵⁰	YM4409, YM4409XL w/Cummins QSB3.3 Engine		
	Air	LAF241HD	LF9080		LFP9001XL ^{14, 250}		Oil	PH2835
	Hydraulic	LH4903	TMS760 Crane w/Cummins 300 Engine			YM4411 w/Cummins QSB3.3 Engine		
TMS185, TMS200, TMS250 Crane w/Cummins VT225 Engine			9304100072	Air	LAF4347	1003152	Hydraulic	LFH5013
	Air	LAF241HD	9437100	Hydraulic	LH4903		Oil	PH2835
	Hydraulic	LH4903	TMS800E (w/Cummins ISX11.9 Engine)			GVM (APPLICATOR & SPRAYER)		
TMS300 Crane w/Detroit Diesel 6-71N Engine			90001159	Air	LAF6124 LAF6125 ¹	MAKO 440, MAKO 450(w/Cummins QSB4.5 Engine)		
	Air	LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹	WF2126	Coolant	LFW2126 ²⁵⁵	P777639	Air	LAF5932 ¹ LAF8149 ²
	Hydraulic	LH4903	LF9070	Oil	LFP9000 ⁷²³	LF3970	Oil	LFP3970
TMS300, TMS300B Cranes w/Cummins NTCC240 Engine			LF9070		LFP9000XL ^{14, 723}	29539579	Trans	LFH8737 ⁵⁸⁷
	Air	LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹	TMS800E w/Cummins QSM Engine			Predator 6215 w/Cummins QSB6.7 Engine		
	Hydraulic	LH4903		Air	LAF1765 ¹ LAF6453 ²	(FS19596); W/S	Fuel	LFF1003 ²⁴⁴ LFF5421
TMS300LP Crane w/Cummins Engine			(4070801); W/S	Fuel	LFF1003 ²⁰⁹	4989106	Oil	LFP3970
	Air	LAF6769 LAF6769MXM ²⁶⁸	9437100825	Hydraulic	LH11033V ⁶⁰⁷	Predator 8275 w/Cummins QSB6.7 Engine		
	Hydraulic	LH4903	LF9070	Oil	LFP9000 ⁷²³	(FS19596); W/S	Fuel	LFF1003 ²⁴⁴ LFF5421
TMS425 Crane w/Cummins Engine			LF9070		LFP9000XL ^{14, 723}	4989106	Oil	LFP3970
	Air	LAF6769 ² LAF6769MXM ^{2, 268}	TMS865 Crane w/Caterpillar 3306 Engine			29540494	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²
7304100001	Air	LAF6769 ² LAF6769MXM ^{2, 268}		Hydraulic	LH4903	29540493		
TMS475 Crane w/Cummins NTCC240 Engine			TMS865 Crane w/Cummins NTC290, NTCC300 Engine			Predator 9504T w/6BTA5.9L Cummins Engine		
	Air	LAF2605 LAF6769 ²		Hydraulic	LH4903		Air	LAF8668 ²
P122605	Air	LAF2605 LAF6769 ²	TMS865 Crane w/Detroit Diesel 6-71T Engine			W/S	Fuel	LFF8000 ⁶²⁸
			9304100072	Air	LAF4347 LH4903	(29531007); Allison	Trans	LFH8737
				Hydraulic	LH4903	1000/2000		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 209-Square sensor port 244-Secondary 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 587-Spin-on 607-Return 628-Tall version of LFF8020 723-13.9" Hgt. 1313-Radial seal outer

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GVM (APPLICATOR & SPRAYER)			HAGIE (SPRAYERS)			HALLA (EQUIPMENT)		
<i>Predator 9504T w/6BTA5.9L Cummins Engine (cont'd)</i>			<i>472 w/Ford Engine (cont'd)</i>			<i>HA290, HA290LC Loaders w/Cummins 6CT8.3 Engine</i>		
(29537965); Allison 1000/2000	Trans	T951 ⁶	605602	Hydraulic	LFH4955	439203768	Air	LAF6587 ² LAF6587MXM ^{2, 268}
<i>Prowler 1148T, 1149T w/Cummins 6CTA8.3L Engine</i>			<i>473 w/Chrysler Engine</i>			<i>HA380 Loaders w/Cummins LTA10 Engine</i>		
P181046	Air	LAF6769 ² LAF6769MXM ^{2, 268}	P101222	Air	LAF222 ²	439203769		LAF6834 ¹
P119373		LAF9373 ¹	605602	Hydraulic	LFH4955	750131053	Hydraulic	LFH8595
(FS1212); W/S	Fuel	LFF8020 ¹³	<i>647 w/Perkins 6.354 Engine</i>			<i>HE50 Excavators w/Continental TM27 Engine</i>		
(FS1251); W/S		LFF8062	P101246	Air	LAF1246 ²	439202624	Air	LAF1787 ²
HF6641	Hydraulic	LFH4922		Fuel	L296F ⁴¹	439202623		LAF1790 ¹
LF3000	Oil	LFP3000	605602	Hydraulic	LFH4955	<i>HAMM (ROLLER INDUSTRIAL)</i>		
<i>Prowler 9275 Pro Series w/Cummins ISB 6.7L Engine</i>			<i>8380 w/Perkins 6.354 Engine</i>			<i>2210SD/SSD w/Deutz F3L912 Engine</i>		
AF26124	Air	LAF6124 ²		Oil	LFP2292	23G300102A	Air	LAF1793 ¹
AF26125		LAF6125 ¹		Fuel	L296F ⁴¹	23G300102A	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
(FS19596); W/S	Fuel	LFF1003 ²⁰⁹	<i>8400 w/Perkins 4.236 Engine</i>			<i>HGF20, HGL20, HGF25, HGL25, HGF30, HGL30 Forklifts w/Continental TM27 Engine</i>		
4989106		LFF5421		Fuel	LAF1246 ²		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Oil	LFP3970	605602	Hydraulic	L296F ⁴¹	HAMM (ROLLER INDUSTRIAL)		
<i>Prowler E350 w/Cummins 8.9L tier 4 Engine</i>			<i>STS10 w/Cummins ISB5.9L Engine</i>			<i>2320D, 2420D, 2422DS w/Deutz BF6M1012E Engine</i>		
(FF5580); Sec.	Fuel	LFF5488		Oil	PH4403	234567	Fuel	FP586F
	Oil	LFP3000XL ¹⁴	(FS19519); W/S				Oil	PH2819
<i>Row Cat 800G w/Cummins 6BTA5.9L Engine</i>			<i>STS10, STS12 w/Cummins QSB 6.7L Tier 3 Engine</i>			<i>2510SD, 2520D, 2522DS w/Deutz BF6M1013E Engine</i>		
P182045	Air	LAF234HD ^{2, 181}	P164378	Hydraulic	LAF6769 ² LAF9373 ¹	2320D	Air	LAF1736 ²
P181046		LAF6769 ² LAF6769MXM ^{2, 268}	605602	Hydraulic	LFH4990	385913	Air	LAF1720 ¹
P119373		LAF9373 ¹	3937736	Oil	LFH5068-10	234567	Fuel	FP586F
Pri.	Fuel	LFF3417	<i>STS14 w/Cummins QSB6.7L tier Engine</i>			282316	Hydraulic	LFH8594
Sec.		LFF3521	AF26124	Air	LFP3970	234486	Oil	LFP2222
	Oil	LFP780	AF26125			<i>3011D w/Deutz F4L913 Engine</i>		
HAGIE (SPRAYERS)			<i>STS12 w/Cummins ISB5.9L Engine</i>			<i>3012DS, DSB w/Deutz BF4L913 Engine</i>		
<i>2100 w/Cummins 6BTA5.9L Engine</i>			<i>STS12 w/Cummins ISB5.9L Engine</i>			<i>4011D w/Deutz BF6M1012 Engine</i>		
Pri.	Fuel	LFF3417	P181000	Air	LAF241HD LAF6769 ² LAF9373 ¹	234567	Air	LAF1714 ²
Sec.		LFF3521				234567	Fuel	FP586F
P164378	Hydraulic	LFH4990	(FS19519); W/S	Fuel	LFF9519		Oil	PH2819
K23018		LFH7355	P164378	Hydraulic	LFF9519	<i>3012DS, DSB w/Deutz BF4L913 Engine</i>		
3908615	Oil	LFP780 LFP780XL ¹⁴	605602	Hydraulic	LFF9519	234567	Fuel	FP586F
<i>254 w/Cummins 4BT3.9L Engine</i>			3937736	Oil	LFH5068-10		Hydraulic	LFH4224
Pri.	Fuel	LFF3417	<i>STS14 w/Cummins QSB6.7L tier Engine</i>			234486	Oil	LFP2222
(3903640); Sec.		LFF3521	AF26124	Air	LFP3970	<i>4011D w/Deutz BF6M1012 Engine</i>		
3908616	Oil	LFP3900	AF26125			234567	Fuel	FP586F
<i>284 w/Cummins 5.9L Engine</i>			(FS19732); W/S	Fuel	LFF9732	282316	Hydraulic	LFH8594
	Air	LAF1544 ²	SF6520	Hydraulic	LFF9732	234486	Oil	LFP2222
Pri.	Fuel	LFF3417	LF3970	Oil	LFH4209 ⁶⁰³	<i>4011D w/Deutz Engine</i>		
Sec.		LFF3521	<i>STS16 w/Cummins Engine</i>			385913	Air	LAF1720 ¹
K23018	Hydraulic	LFH7355		Air	LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹	385875		LAF2052 ²
	Oil	LFP780 LFP780XL ¹⁴	W/S	Fuel	LFF9519	234575	Fuel	FP586F
<i>470 w/Perkins 4.154 Engine</i>			<i>472 w/Ford Engine</i>			282316	Hydraulic	LFH8594
26560017	Fuel	L296F ⁴¹				234486	Oil	LFP2222
605602	Hydraulic	LFH4955				284491		LFP8590
2654403	Oil	PH4403	<i>DV10B w/Deutz Engine</i>			<i>DV10B w/Deutz Engine</i>		
<i>472 w/Ford Engine</i>							Air	LAF1714 ² LAF1715 ¹
	Fuel	G5/16 ²⁶³					Fuel	FP586F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 6-Shallow Pan 13-Optional Frame Mounted 14-Extended Life 41-Cartridge 181-Single 209-Square sensor port 263-Hoses and clamps included 268-Extended/Severe service 275-Primary 603-Tank Breather 1496-Alternate

G

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HAMM (ROLLER INDUSTRIAL)			HESSTON (FORAGE HARVESTER)			HESSTON (SWATHERS & WINDROWERS)		
<i>DV10B w/Deutz Engine (cont'd)</i>			<i>7725 (cont'd)</i>			<i>500, 600 w/Ford Diesel Engine</i>		
	Oil	LFP2222		Fuel	L3515F		Fuel	L296F ⁴¹
<i>DV8 w/Deutz F4M1012 Engine</i>				Oil	LFP2229		Oil	LFP2258
	Air	LAF8503		Trans	LFH4268	<i>500, 600 w/Wisconsin V461D Engine</i>		
234567	Fuel	FP586F	<i>7735 w/Fiat 8210.42/22 Engine</i>				Oil	LFP2252
282316	Hydraulic	LFH8594		Air	LAF1765 ¹	<i>6200, 6400 w/Gas Engine</i>		
	Oil	PH2819		LAF6453MXM ^{2, 268}		07211779	Air	LAF222 ²
<i>GRW10, GRW15, GRW20, GRW30 w/Deutz Engine</i>				Oil	LFP8982	70569300	Cabin Air	LAF6680
	Fuel	FP586F		Trans	LFH4268		Fuel	G1 ⁵³¹
	Oil	LFP2222	<i>Field Queen w/Caterpillar 3160 Engine</i>			71321111	Hydraulic	LFP1652
<i>HD 120, HD 130 w/Deutz BF4M1013 Engine</i>			(9L-9100); Sec.	Fuel	FP230F		Oil	PH253 ¹⁴⁹⁶
1209590	Air	LAF2342 ²	3294	Hydraulic	LP509	<i>6400 w/Diesel Engine</i>		
1209620		LAF2343 ¹	3293		LP50910	70243163	Air	LAF222 ²
1160341	Fuel	FP587F	<i>Field Queen w/Caterpillar 3208 Engine</i>			70569300	Cabin Air	LAF6680
1161341		LFF3518	3294	Hydraulic	LP509	70251397	Fuel	L296F ⁴¹
(FS1242); W/S		LFF9013	3293		LP50910	71321111	Hydraulic	LFP1652
1173430	Oil	LFP2222	HESSTON (SKID STEER LOADER)			700002503	Oil	PH4403
<i>HW2304S w/Deutz F4L912 Engine</i>			SL10			<i>6450, 6455, 6550, 6555, 6650, 6655 w/Gas Engine</i>		
	Air	LAF1714 ²	72097035	Air	LAF1275 ²	P101222	Air	LAF222 ²
234567	Fuel	FP586F	PM1220645	Oil	PH2835		Fuel	G1 ⁵³¹
	Oil	PH2819	SL20			8040461	Hydraulic	LFH4392 ¹²⁶²
<i>HW2501-S w/Deutz Engine</i>			72097035	Air	LAF1275 ²	7738743		LFH7355
	Air	LAF1736 ²	PM04166014	Fuel	LFF4295		Oil	PH253 ¹⁴⁹⁶
	Fuel	FP586F	PM04136017	Oil	PH253 ¹⁴⁹⁶			PH2835 ²⁷⁵
	Hydraulic	LH8599			PH2835 ²⁷⁵			PH400 ²⁷⁵
	Oil	LFP8590	SL30					PH8A ¹⁴⁹⁶
<i>RACO25 Mixer</i>			PM200638	Air	LAF1948 ¹	<i>6450, 6455, 6550, 6555, 6650, 6655 w/Perkins Diesel Engine</i>		
UCMX15914-10	Hydraulic	LFH4268	PM200637		LAF281 ²	6586580	Air	LAF1870
HARLO (LIFT TRUCK)			PM04166014	Fuel	LFF4295	P101222		LAF222 ²
<i>HP5000 w/Cummins 4B3.9 Engine</i>			PM04136017	Oil	PH253 ¹⁴⁹⁶	70251397	Fuel	L296F ⁴¹
	Air	LAF4544 ²			PH2835 ²⁷⁵	8040461	Hydraulic	LFH4392 ¹²⁶²
		LAF4545 ¹	HESSTON (SWATHERS & WINDROWERS)			7738743		LFH7355
	Oil	LFP3900	1010, 1014, 1014+2, 1160, 1170			700002503	Oil	PH4403
<i>HP6500 w/John Deere 4045 Engine</i>			7033616	Hydraulic	LP6005	<i>6600, 6610 w/Gas Engine</i>		
	Air	LAF4544 ²	<i>240, 260 w/Ford 144 Diesel Engine</i>			(6586580); 6610 only	Air	LAF1870
		LAF4545 ¹	C3TZ-9365-B	Fuel	L296F ⁴¹	P101222		LAF222 ²
<i>HESSTON (FORAGE HARVESTER)</i>			C5NN-6714-A	Oil	LFP2258		Fuel	G1 ⁵³¹
<i>4690 Baler</i>			<i>280 w/Ford 4-172 Gas Engine</i>			7033616	Hydraulic	LP6005
	Hydraulic	LFH4955		Oil	LFP2258		Oil	PH253 ¹⁴⁹⁶
<i>6650 w/Perkins 4.236 Engine</i>			<i>300 w/Ford 4-172 Diesel Engine</i>					PH2835 ²⁷⁵
P101222	Air	LAF222 ²		Fuel	L296F ⁴¹			PH400 ²⁷⁵
26560017	Fuel	L296F ⁴¹		Oil	LFP2258			PH8A ¹⁴⁹⁶
2654403	Oil	PH4403	<i>300 w/Ford 4-172 Gasoline Engine</i>			<i>6600, 6610 w/Perkins Diesel Engine</i>		
<i>7580 w/Detroit Diesel Engine</i>				Oil	LFP2258	(6586580); 6610 only	Air	LAF1870
	Air	LAF5518 ²				70243163		LAF222 ²
		LAF5518MXM ²	<i>420 w/Chrysler HB225 Engine</i>			70251397	Fuel	L296F ⁴¹
		LAF5526 ¹	07211779	Air	LAF222 ²	7033616	Hydraulic	LP6005
	Trans	LFH4268		Oil	PH253 ¹⁴⁹⁶	700002503	Oil	PH4403
<i>7650, 7680 w/Detroit Diesel 2-53 Engine</i>					PH2835 ²⁷⁵	<i>8100, 8200 w/Gas Engine</i>		
P117443	Air	LAF6632 ²	<i>420 w/Perkins AD4-235 Engine</i>			70243163	Air	LAF222 ²
		LAF6632MXM ^{2, 268}	07211779	Air	LAF222 ²	7723992	Fuel	G1 ⁵³¹
		LAF6641 ¹		Fuel	L296F ⁴¹	8040461	Hydraulic	LFH4392 ¹²⁶²
<i>7725</i>			<i>500, 600 w/Ford 4-172 Gasoline Engine</i>			7738743		LFP449
	Air	LAF8648 ¹		Oil	LFP2258	7724008	Oil	PH253 ¹⁴⁹⁶
		LAF8977 ²						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 275-Primary 531-Filter only 1262-Header Drive 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HESSTON (SWATHERS & WINDROWERS)			HESSTON (SWATHERS & WINDROWERS)			HITACHI (CRANE)		
<i>8100, 8200 w/Gas Engine (cont'd)</i>			<i>9240 w/Cummins 4.5L Engine (cont'd)</i>			<i>CX700HD, CX800HD, CX900 Series w/Mitsubishi 6D24-T Engine (cont'd)</i>		
	Oil	PH2835 ²⁷⁵	700723392	Oil	LFP3900	4337639	Air	LAF9373 ¹
<i>8100, 8200 w/Iveco Diesel Engine</i>			<i>9260 w/Cummins QSB 5.9L Engine</i>			4157882	Hydraulic	LH22019 ¹¹³⁷
700708235	Air	LAF1734 ²	700722567	Air	LAF8085 ²	<i>KH100-2, KH125-2 w/EL100 Engine</i>		
700708236		LAF1735 ¹	700722566		LAF8086 ¹	4509010	Air	LAF234HD ²
700710330		LAF1784 ¹	FS1022	Fuel	LFF1022	4206705	Hydraulic	LH8544
		LFH4909 ⁸⁵⁸	921999	Hydraulic	LFP1652	4143270	Oil	LP2256
70251397	Fuel	L296F ⁴¹		Oil	LFP3970	<i>KH125-3 w/EM100 Engine</i>		
8040461	Hydraulic	LFH4392 ¹²⁶²	HINSON (CAB)			4147010	Air	LAF9000
7738743		LFP449	<i>Some Models</i>			4206705	Hydraulic	LH8544
72093963	Oil	LFP2230	3000220	Air	LAF3407	4143270	Oil	LP2256
<i>8100, 8200, 8400 w/Cummins Engine</i>			300058-0		LAF5154	<i>KH150-2, KH180-2 w/Nissan PD604 Engine</i>		
31413	Air	LAF1544 ²	300340	Cabin Air	LAF6680	4206705	Hydraulic	LH8544
700708235		LAF1734 ²	HITACHI (CARRIER)			<i>KH150-3 w/BF10L513 Engine</i>		
700708236		LAF1735 ¹	<i>CH40-2 w/Isuzu C240 Engine</i>			(2165054); 387mm	Air	LAF1716 ²
700710330		LAF1784 ¹		Fuel	LFF4295	1168407	Fuel	L61F
700711907		LAF9410 ¹	<i>CHR70</i>			1174421	Oil	LFP2222
(72501531); Pri.	Fuel	LFF3417	Isuzu 6BG1T Engine	Air	LAF5761 ²	<i>KH150-3, KH180-3 w/EM100 Engine</i>		
(3903640); Sec.		LFF3521	Isuzu 6BG1T Engine		LAF5762 ¹	4147010	Air	LAF9000 ²
8040461	Hydraulic	LFH4392 ¹²⁶²	Isuzu 6BG1T Engine	Oil	LFP734	4143271	Fuel	LP5565
7738743		LFH7355	<i>EG40R w/Isuzu 4BG1T 4.3L Turbo Diesel Engine</i>			4206705	Hydraulic	LH8544
3908616	Oil	LFP3900	Pri.	Fuel	FP588F	4143270	Oil	LP2256
<i>8250, 8450 w/Cummins Diesel</i>			Sec.		LFF3553	<i>KH230-3 w/EM100 Engine</i>		
700716411	Air	LAF9542 ²	<i>EG70R w/Isuzu CC-6BG1T 6.4L Diesel Engine</i>			4147010	Air	LAF9000 ²
(72501531); Pri.	Fuel	LFF3417		Air	LAF5761 ²	4143271	Fuel	LP5565
(72501530); Sec.		LFF3521			LAF5762 ¹	4206705	Hydraulic	LH8544
8040461	Hydraulic	LFH4392 ¹²⁶²		Fuel	LFF3415	4143270	Oil	LP2256
7738743		LFP449 ⁶⁰⁷		Oil	LFP7217	<i>KH300, KH300-2, KH700 w/Isuzu 8MA1 Engine</i>		
72515699	Oil	LFP3900	HITACHI (CRANE)			4515089	Air	LAF241HD
<i>8400 w/Iveco Diesel Engine</i>			<i>CX1100 w/Isuzu 6RB1T Engine</i>			4041298	Fuel	L3528F
31413	Air	LAF1544 ²	4146898	Air	LAF6769 ²	<i>KH300-3 w/6RB1 Engine</i>		
700711907		LAF9410 ¹			LAF6769MXM ^{2, 268}	4515089	Air	LAF241HD
1174482	Fuel	FP587F	4085788		LAF9373 ¹	(4192631); W/S	Fuel	LFF4294
8040461	Hydraulic	LFH4392 ¹²⁶²	(4192631); W/S	Fuel	LFF4294	4266385	Oil	LFP8224
7738743		LFP449	4157882	Hydraulic	LH22019 ¹¹³⁷	4505384		LP5902
1930213	Oil	LFP2241	(4470167); By-Pass	Oil	LFP777B	<i>KH500 w/Isuzu 12PB1 Engine</i>		
<i>8500, 8550 w/Cummins Engine</i>			4430378		LFP8224	4515089	Air	LAF241HD
(3925274); Pri.	Fuel	LFF3417	<i>CX400, CX500, CX500S, CX550, CX550C w/Hino H07C-T Engine</i>			<i>KH500-3 w/6RB1T Engine</i>		
(3903640); Sec.		LFF3521	4206090	Fuel	LFP1101F	4146898	Air	LAF6769 ²
8040461	Hydraulic	LFH4392 ¹²⁶²	4157882	Hydraulic	LH22019 ¹¹³⁷			LAF6769MXM ^{2, 268}
7738743		LFP449	4325820		LH5953 ¹¹⁷¹	4085788		LAF9373 ¹
3908615	Oil	LFP780	4429729	Oil	LFP5760	(4192631); W/S	Fuel	LFF4294
		LFP780XL ¹⁴	(4470167); By-Pass		LFP777B ¹²	4266385	Oil	LFP8224
<i>9220 w/Cummins B3.3T Engine</i>			<i>CX650, CX700 w/Hino H07C-T Engine</i>			4S00485		LP5952
700716411	Air	LAF9542 ²	<i>CX700HD, CX800HD, CX900 Series w/Mitsubishi 6D24-T Engine</i>			<i>KH70, KH100, KH125 w/Hino DS50A Engine</i>		
700716412		LAF9543 ¹	4206090	Fuel	LFP1101F	4509010	Air	LAF234HD ²
7738743	Hydraulic	LFP449	4157882	Hydraulic	LH22019 ¹¹³⁷	4206705	Hydraulic	LH8544
700723604	Oil	PH2835	4325820		LH5953 ¹¹⁷¹	4507886	Oil	LP5903
<i>9240 w/Cummins 4.5L Engine</i>			4429729	Oil	LFP5760	<i>KH700-2, KH1000 w/Isuzu 12PB1 Engine</i>		
700716411	Air	LAF9542 ²	(4470167); By-Pass		LFP777B ¹²	4515089	Air	LAF241HD
700716412		LAF9543 ¹	<i>CX700HD, CX800HD, CX900 Series w/Mitsubishi 6D24-T Engine</i>			<i>KH850-3 w/6RB1T Engine</i>		
(700723393); W/S	Fuel	LFF9616 ²¹⁰	4146898	Air	LAF6769 ²	4146898	Air	LAF6769 ²
7738743	Hydraulic	LFH7355 ⁶⁰⁷			LAF6769MXM ^{2, 268}			LAF6769MXM ^{2, 268}
700721747		LFP2546 ¹²⁶²				4085788		LAF9373 ¹
7825516		PH253 ^{1314, 1496}				(4192631); W/S	Fuel	LFF4294
		PH2835 ^{275, 1314}						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 14-Extended Life 41-Cartridge 210-w/ Sensor 268-Extended/Severe service 275-Primary 607-Return 858-Hydraulic Tank 1137-Pilot 1171-Main 1262-Header Drive 1314-Reservoir 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HITACHI (CRANE)			HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)		
<i>KH850-3 w/6RB1T Engine (cont'd)</i>			<i>CX500, CX550, CX650 w/H07C-T Engine</i>			<i>EX1100, EX1100-3 w/Cummins KTTA19C Engine</i>		
4266385	Oil	LFP8224	4206090	Fuel	LFP1101F	4206272	Air	LAF8407 ²
4S00485		LP5952	4325820	Hydraulic	LH5953			LAF8407MXM ^{2, 268}
HITACHI (DUMP TRUCK)			(4285964); By-Pass			Oil LFP777B		
<i>EH1000 w/Cummins QSK19 Engine</i>			<i>EX100 MK1 w/Hino Engine</i>			<i>EX1100-3 w/QSK19 Engine</i>		
E4082222	Air	LAF5069 ²	4138076	Air	LAF6032 ²	4206272	Air	LAF8407 ²
		LAF5069MXM ^{2, 268}	4206080	Fuel	LFF3415	4206705	Hydraulic	LH8544
E4031215		LAF5070 ¹	4175914	Oil	LFP734	4206272	Air	LAF8407 ²
E12565210	Coolant	LFW4075 ⁶⁴⁴	<i>EX100 WD w/Hino Engine</i>			<i>EX1100-3 w/QSK19 Engine</i>		
(E4084262); Pri.	Fuel	LFF202	4138076	Air	LAF6032 ²	(4377880); W/S	Fuel	LFF1000
<i>EH1100 w/Detroit Diesel 12V 2000 Series Engine</i>			4206080	Fuel	LFF3415	4207841	Hydraulic	LH5719
E4042098	Air	LAF1464 ⁸⁵⁸	4175914	Oil	LFP734	4206705		LH8544
E4082222		LAF5069 ²	<i>EX1000 w/Isuzu 6RB1T Engine</i>			4228688	Oil	LFP3000
E4031215		LAF5070 ¹	4146898	Air	LAF6769 ²			LFP3000XL ¹⁴
E12975364		LAF8407MXM ²	4085788		LAF6769MXM ^{2, 268}	<i>EX12, EX15 w/Isuzu 3KC1 Engine</i>		
E12570267		LAF8408 ¹	(4192631); W/S	Fuel	LAF9373 ¹	4294842	Fuel	L3541F
E12967020	Coolant	LFW4072 ¹⁸²	3021593	Hydraulic	LFF4294	4294841	Oil	PH2867
E4084262	Fuel	LFF5740 ²⁰	3021593		LH5746 ¹¹³⁷	<i>EX120 w/Isuzu 4BD1, 4BD1T Engine</i>		
E12979440	Oil	LFP2248	4266385	Oil	LH5940	4138076	Air	LAF6032 ²
E12978827	Trans	LH4262	<i>EX1000-1 w/Isuzu 4BD1 Engine</i>			4247974		LAF8090 ¹
<i>EH1600, EH1700 w/Cummins QST30 Engine</i>			4206099	Air	LAF5750 ²	4206098	Fuel	LAF8091 ²
12975364	Air	LAF8407 ²	4247975		LAF5755 ¹	4183853	Oil	LFF3415
		LAF8407MXM ^{2, 268}	(4138076); Attached metal cap		LAF6032 ²	<i>EX1200-5, EX1200-5C w/Mitsubishi S6R-Y1T Engine</i>		
12570267		LAF8408 ¹	4206130	Fuel	FP588F	4240294	Air	LAF8634 ²
(12000206); Pri.	Fuel	LFF202	4206080		LFF3415	4240295		LAF8641 ¹
4084262		LFF5740 ²⁰	4207841	Hydraulic	LH5719 ¹¹³⁷	3256260300	Fuel	FP625
12000200	Oil	LFP670	4227353		LH8498 ⁶⁰⁷	4448737		L2020FN-30
		LFP670XL ¹⁴	4183853	Oil	LFP5748	4333469	Hydraulic	LH4742 ¹¹⁷¹
(82978467); By-Pass		LFP777B	<i>EX100-2, EX100-3, EX100M-2 w/Isuzu 4BD1 Engine</i>			4207841		LH5719 ¹¹³⁷
By-Pass		LFP777XL ¹⁴	4247975	Air	LAF5755 ¹	4448734	Oil	LFP734
E12968896	Trans	LH4262	4285623		LAF5759 ²	(4448735); By-Pass		LFP777B
<i>EH4000, EH4500 w/Detroit Diesel 16V4000 Engine</i>			4285643	Fuel	FP588F	4252563	Trans	LFH5939
23512631	Fuel	LFF4102D	4285577	Hydraulic	LH22007 ¹¹¹⁹	<i>EX1200-5D w/Cummins QSK23 Engine</i>		
23540000	Oil	LFP912	4207841		LH5719 ¹¹³⁷	4240294	Air	LAF8634 ²
<i>EH600, EH650 w/Volvo TD164KAE Engine</i>			4227353		LH8498 ⁶⁰⁷	4240295		LAF8641 ¹
12978856	Air	LAF8765 ²	4183853	Oil	LFP5748	4266063	Coolant	LFW4074 ⁶²⁷
12978857		LAF8766 ¹	<i>EX100-5, EX110-5 w/Isuzu 4BG1</i>			(4640732); W/S	Fuel	LFF1021
11007388	Cabin Air	LAF8628	4247975	Air	LAF5755 ¹	4333469	Hydraulic	LH4742
1699830	Coolant	LFW5141 ²⁸	4285623		LAF5759 ²	4207841		LH5719
466987	Fuel	FP585F	4285643	Fuel	FP588F	4085913	Oil	LFP670
466634	Oil	LFP3191	4326739		LFF5127			LFP670XL ¹⁴
466634		LFP3191TRT ³	4370435	Hydraulic	LH5719 ¹¹³⁷	<i>EX120-2 w/Cummins Engine</i>		
		LFP3191XL ¹⁴	4159319		LH8498 ⁶⁰⁷	4206272	Air	LAF8407 ²
(12978467); By-Pass		LFP777B	4183853	Oil	LFP5748			LAF8407MXM ^{2, 268}
By-Pass		LFP777XL ¹⁴	<i>EX100WD w/Isuzu 6BB1 Engine</i>			4206273		LAF8408 ¹
(477556); By-Pass		LFP8642	4247974	Air	LAF8090 ¹	4206705	Hydraulic	LH8544
29510910	Trans	LH5018	4206098		LAF8091 ²	<i>EX120-2, EX120-3 w/Isuzu 4BD1T Engine</i>		
<i>EH700, EH750 w/OSK19 Engine</i>			4206080	Fuel	LFF3415	4247974	Air	LAF8090 ¹
12975364	Air	LAF8407 ²	4175914	Oil	LFP734	4285619		LAF8091 ²
		LAF8407MXM ^{2, 268}	<i>EX100WD-2</i>			4285643	Fuel	FP588F
12570267		LAF8408 ¹	4285619	Air	LAF8091	4206080		LFF3415
12967020	Coolant	LFW4075 ⁶⁴⁴	4227353	Hydraulic	LH8498	4183853	Oil	LFP5748
(12977622); W/S	Fuel	LFF1000	By-Pass	Oil	LFP7164	By-Pass		LFP7164
12969457	Oil	LFP3000	<i>EX120-5 w/Isuzu 4BG1T Engine</i>			4247974	Air	LAF8090 ¹
		LFP3000XL ¹⁴						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 182-Contains 2 oz. of chemical 268-Extended/Severe service 607-Return 627-5 oz. of chemical 644-Contains 6 oz. of chemical 858-Hydraulic Tank 1119-Suction Line 1137-Pilot 1171-Main

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)		
<i>EX120-5 w/Isuzu 4BG1T Engine (cont'd)</i>			<i>EX150-5 w/Isuzu 4BG1T Engine (cont'd)</i>			<i>EX1800-3 w/Cummins QSK19C Engine (cont'd)</i>		
4285619	Air	LAF8091 ²	4285577	Hydraulic	LFH22007 ¹¹¹⁹	4206273	Air	LAF8408 ¹
4285643	Fuel	FP588F	4370435		LH5719 ¹¹³⁷	4206637		LAF8775
4370435	Hydraulic	LH5719	4227353		LH8498 ¹¹⁷¹	4228689	Coolant	LFW4075 ⁶⁴⁴
4159319		LH8498	4183853	Oil	LFP5748	(E12977622); W/S	Fuel	LFF1000
4183853	Oil	LFP5748	(4429725); By-Pass		LFP7164	315041	Hydraulic	LH5746
(4285642); By-Pass		LFP7164	<i>EX15-2 w/Kubota D1105-B Engine</i>			4219713		LH5751
<i>EX122</i>			15852-11082	Air	LAF8620 ²	4228688	Oil	LFP3000
D911519	Air	LAF6587	4294842	Fuel	L3541F	<i>EX1900-5 w/Hitachi S12AY1T Engine</i>		
		LAF6587MXM ²⁶⁸	4294839		L550F	4206272	Air	LAF8407 ²
4505384	Oil	LP5902	4294838	Oil	PH2808			LAF8407MXM ^{2, 268}
<i>EX125 w/Isuzu 6BD1T Engine</i>			<i>EX160-5 w/Isuzu 4BG1 Engine</i>			4206273		LAF8408 ¹
4208630	Air	LAF1813 ²	4247974	Air	LAF8090 ¹	4206637		LAF8775
4163738		LAF1814 ¹	4285643	Fuel	FP588F	4448736	Fuel	FP625
4206705	Hydraulic	LH8544	4227353	Hydraulic	LH8498	4448737		L2020FN-30
4206089	Oil	LFP734	4183853	Oil	LFP5748	4333469	Hydraulic	LH4742 ¹⁰⁷⁷
<i>EX125WD-5</i>			<i>EX160WD w/Isuzu 6BB1 Engine</i>			3501404		LH5747 ¹¹³⁷
P821938	Air	LAF5761	4247974	Air	LAF8090 ¹	(4448735); By-Pass	Oil	LFP777B
P821963		LAF5762 ¹	4206098		LAF8091 ²	<i>EX200 MK2</i>		
4370435	Hydraulic	LH5719	4206080	Fuel	LFF3415	4175914	Oil	LFP734
4227353		LH8498	4207841	Hydraulic	LH5719	(4175913); By-Pass		LFP777B
<i>EX130, EX135 w/Isuzu 4BG1T Engine</i>			4206705		LH8544	By-Pass		LFP777XL ¹⁴
4208630	Air	LAF1813 ²	4206079	Oil	LFP734	<i>EX200 w/Fiat Engine</i>		
4163738		LAF1814 ¹	<i>EX16-2 w/Kubota D722E Engine</i>			1930790	Air	LAF8663 ¹
4206705	Hydraulic	LH8544	4208630	Air	LAF1813 ²		Fuel	LFF3502
<i>EX130H-5 w/Isuzu 4BG1T Engine</i>			4163738		LAF1814 ¹	71416241	Hydraulic	LH8544
4247974	Air	LAF8090 ¹	4206705	Hydraulic	LH8544		Oil	LFP2241
4285619		LAF8091 ²	4294838	Oil	PH2808	<i>EX200 w/Isuzu 6BD1 Engine</i>		
4285643	Fuel	FP588F	<i>EX16-2B, EX17-2B w/Kubota D1105B Engine</i>			4129907	Air	LAF1804 ²
4326739		LFF5127	4294839	Fuel	L550F	D914453		LAF6834 ¹
4285577	Hydraulic	LFH22007	4294838	Oil	PH2808	4206080	Fuel	LFF3415
4227353		LH8498	<i>EX165 w/Isuzu 4BG1 Engine</i>			4178800		LFF3809
4183853	Oil	LFP5748	71405431	Air	LAF5785 ²	4180416	Hydraulic	LH8544
(4285642); By-Pass		LFP7164	4247974		LAF8090 ¹	4206089	Oil	LFP734
<i>EX135</i>			4285619		LAF8091 ²	<i>EX200 w/Isuzu 6BD1T Engine</i>		
71405431	Air	LAF5785 ²	1930825		LAF8618 ¹	4206099	Air	LAF1804 ²
71467926		LAF8618 ¹	4395946	Fuel	FP588F	4209590		LAF6834 ¹
71497007	Coolant	LFW4075 ⁶⁴⁴	4370435	Hydraulic	LH5719	4502565	Fuel	L3528F
1930010	Fuel	LFF3504	4227353		LH8498	4206080		LFF3415
71402469	Hydraulic	LH5719	5873105040	Oil	LFP5748		Oil	LFP2241
1930213	Oil	LFP2241	4429726		LFP734	4175914		LFP734
<i>EX135UR, EX135USR w/Isuzu 4BG1 Engine</i>			<i>EX17U w/3YB1 Engine</i>			4033983		LP2256
4285577	Hydraulic	LFH22007 ¹¹¹⁹	<i>EX1800, EX1800-2 w/Cummins KTA19 Engine</i>			<i>EX200-2, EX200-3 w/Isuzu 6BD1 Engine</i>		
4370435		LH5719 ¹¹³⁷	P822686	Air	LAF8388 ²	4287060	Air	LAF5732 ¹
4227353		LH8498 ¹¹⁷¹	<i>EX1800, EX1800-2 w/Cummins QSK19C Engine</i>			4283861		LAF5733 ²
4183853	Oil	LFP5748	4206272	Air	LAF8407 ²		Fuel	L3528F
(4429725); By-Pass		LFP7164	4206273		LAF8407MXM ^{2, 268}	4206080		LFF3415
<i>EX150 w/Isuzu 4BD1T Engine</i>			4206637		LAF8408 ¹	4325820	Hydraulic	LH5953
4247974	Air	LAF8090 ¹	4228689	Coolant	LAF8775	4033983	Oil	LP2256
4206098		LAF8091 ²	315041	Hydraulic	LFW4075 ⁶⁴⁴	<i>EX200-5</i>		
4206130	Fuel	FP588F	4219713		LH5746	4286128	Air	LAF5761 ²
4207841	Hydraulic	LH5719	3021593		LH5751	4286130		LAF5762 ¹
4227353		LH8498	<i>EX1800-3 w/Cummins QSK19C Engine</i>			4206080	Fuel	LFF3415
4183853	Oil	LFP5748	4206272	Air	LH5940	4326739		LFF5127
<i>EX150-5 w/Isuzu 4BG1T Engine</i>			<i>EX1800-3 w/Cummins QSK19C Engine</i>			4207841	Hydraulic	LH5719
4209588	Air	LAF5755 ¹			LAF8407 ²	4325820		LH5953
4285619		LAF8091 ²			LAF8407MXM ^{2, 268}			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 268-Extended/Severe service 644-Contains 6 oz. of chemical 1077-Hyd. Tank 1119-Suction Line 1137-Pilot 1171-Main

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.			
HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)					
<i>EX200-5 (cont'd)</i>			<i>EX220-3 w/Hino H06CT Engine (cont'd)</i>			<i>EX25-2 w/Kubota D1105KA Engine (cont'd)</i>					
4206079 (4283860); By-Pass	Oil	LFP734 LFP777B LFP777XL ¹⁴	4285963 (4285964); By-Pass	Oil	LFP5760 LFP777B	4294839	Fuel	L550F			
<i>EX200LC Series III</i>			<i>EX220-5, EX230-5 w/Hino H07CTD Engine</i>			<i>EX255, EX255EL, EX255LC w/Cummins 6CT8.3 Engine</i>					
4287060	Air	LAF5732 ¹	4286128	Air	LAF5761 ²	1930602 Air LAF6412 ² 1930792 LAF8648 ¹ 4228689 Coolant LFW4075 ⁶⁴⁴ 124300041 Fuel L3523F (76107829); Pri. LFF3417 (75208272); Sec. LFF3521 4207841 Hydraulic LH5719 ¹¹³⁷ 4325820 LH5953 ¹¹⁷¹ 4228688 Oil LFP3000 LFP3000XL ¹⁴					
4283861		LAF5733 ²	4286130		LAF5762 ¹						
4206080	Fuel	LFF3415	4326739	Fuel	LFF5127						
4325820	Hydraulic	LH5953	4206090		LFP1101F						
(4283860); By-Pass	Oil	LFP777B	4207841	Hydraulic	LH5719 ¹¹³⁷						
By-Pass		LFP777XL ¹⁴	4325820		LH5953 ⁶⁰⁷	<i>EX255, EX285 w/Isuzu 6BG1T Engine</i> 4286128 Air LAF5761 ² 4286130 LAF5762 ¹ 4206080 Fuel LFF3415 4370435 Hydraulic LH5719 ¹¹³⁷ 4325820 LH5953 ¹¹⁷¹ 4429726 Oil LFP734 (4470167); By-Pass LFP777B					
<i>EX200LC-5 w/6BG1T Engine</i>			<i>EX22-2 w/Kubota D1105 Engine</i>								
4286128	Air	LAF5761 ²	4311871	Air	LAF5835 ¹						
4286130		LAF5762 ¹	4294846		LAF8818 ²						
4206080	Fuel	LFF3415	(8970713480); Opt.	Fuel	L4103F						
4370435	Hydraulic	LH5719 ¹¹³⁷	4294839		L550F	<i>EX270 w/Hino H06C-T Engine</i> 4208630 Air LAF1813 ² 4286130 LAF5762 ¹ 4206080 Fuel LFF3415 4370435 Hydraulic LH5719 ¹¹³⁷ 4325820 LH5953 ¹¹⁷¹ 4429726 Oil LFP734 (4470167); By-Pass LFP777B					
4325820		LH5953 ⁶⁰⁷	4294838	Oil	PH2808						
(4283860); By-Pass	Oil	LFP6007 LFP777B	<i>EX22-2 w/Kubota D905E Engine</i>								
<i>EX215 w/veco Engine</i>			4208630	Air	LAF1813 ²						
71467031	Air	LAF8663 ¹	4163738		LAF1814 ¹						
71467030		LAF8822 ²	4294846		LAF8818 ²	<i>EX270-2 w/Hino H06C.T Engine</i> 4286128 Air LAF5761 ² 4286130 LAF5762 ¹ 4207841 Hydraulic LH5719 4287061 LH5953 4206705 LH8544 4285963 Oil LFP5760 (4470167); By-Pass LFP777B					
71402469	Hydraulic	LH5719	4294839	Fuel	L550F						
71448557		LH5953	4294838	Oil	PH2808						
1930213	Oil	LFP2241	<i>EX230-5, EX230LC-5, EX230LCH-5 w/Hino H07CTD Engine</i>								
<i>EX22 w/Isuzu 3KR1 Engine</i>			4286128	Air	LAF5761 ²				<i>EX270-5 w/Hino H07C-TD Engine</i> 4286128 Air LAF5761 ² 4286130 LAF5762 ¹ 4207841 Hydraulic LH5719 4287061 LH5953 4206705 LH8544 4285963 Oil LFP5760 (4470167); By-Pass LFP777B		
4311871	Air	LAF5835 ¹	4286130		LAF5762 ¹						
4294846		LAF8818 ²	4326739	Fuel	LFF5127						
S/N 536- (4294844); S/N 101-535; W/S	Fuel	L3541F LFF5950	4206090		LFP1101F						
4294135	Hydraulic	LH22019 ¹¹³⁷	4207841	Hydraulic	LH5719 ¹¹³⁷	<i>EX27U w/Isuzu 3LD1 Engine</i> 4417516 Air LAF8195 ² 4294838 Oil PH2808 <i>EX285 w/Isuzu 6BG1TRA06 Engine</i> 4286128 Air LAF5761 ² 4286130 LAF5762 ¹ 4206080 Fuel LFF3415 4370435 Hydraulic LH5719 4325820 LH5953 ⁶⁰⁷ 4429726 Oil LFP5760 (4429727); By-Pass LFP777B					
	Oil	PH2867	4325820		LH5953 ⁶⁰⁷						
<i>EX220, EX270 w/H06CT Engine</i>			4429729	Oil	LFP5760						
4147010	Air	LAF7315 ¹ LAF9000 ²	<i>EX25 w/Isuzu 3KR1 Engine</i>								
4206080	Fuel	LFF3415	4294846	Air	LAF8818 ²				<i>EX220-2, EX220-LC2, EX270-2 w/Hino H06CTT1 Engine</i> 4286128 Air LAF5761 ² 4286130 LAF5762 ¹ 4206090 Fuel LFP1101F 4207841 Hydraulic LH5719 ¹¹³⁷ 4325820 LH5953 ⁶⁰⁷ 4180416 LH8544 4285963 Oil LFP5760 (4285964); By-Pass LFP777B		
4206090		LFP1101F	(4294844); W/S	Fuel	LFF5950						
4207841	Hydraulic	LH5719 ¹¹³⁷	4294135	Hydraulic	LH22019 ¹¹³⁷	<i>EX2500 w/Cummins KTA50 Engine</i> 4286128 Air LAF5069 ² 4286130 LAF5069MXXM ^{2, 268} 4206090 Fuel LFP1101F 4370435 Hydraulic LH5719 ¹¹³⁷ 4325820 LH5953 ⁶⁰⁷ 4429729 Oil LFP5760 (4429727); By-Pass LFP777B					
4219713		LH5751 ⁶⁰⁷	4294841	Oil	PH2867						
4206089	Oil	LFP734	<i>EX2500-5 w/Cummins QSK45 Engine</i>								
<i>EX220-2, EX220-LC2, EX270-2 w/Hino H06CTT1 Engine</i>			4331923	Air	LAF5069 ²				<i>EX220-3 w/Hino H06CT Engine</i> 4286128 Air LAF5761 ² 4286130 LAF5762 ¹ 4206090 Fuel LFP1101F 4207841 Hydraulic LH5719 ¹¹³⁷ 4325820 LH5953 ⁶⁰⁷ 4180416 LH8544 4285963 Oil LFP5760 (4285964); By-Pass LFP777B		
4286128	Air	LAF5761 ²	4206637		LAF5069MXXM ^{2, 268}						
4286130		LAF5762 ¹	(4446815); W/S	Fuel	LAF5070 ¹						
4206090	Fuel	LFP1101F	4333469	Hydraulic	LH4742 ¹⁰⁷⁷						
4207841	Hydraulic	LH5719 ¹¹³⁷	3501404		LH5747 ¹¹³⁷	<i>EX25-2 w/Kubota D1105KA Engine</i> 4311871 Air LAF5835 ¹ 4294836 LAF8818 ²					
4325820		LH5953 ⁶⁰⁷	4460206	Oil	LFP9024						
4180416		LH8544	4252563	Trans	LPH5939						
4285963	Oil	LFP5760 LFP777B	<i>EX220-3 w/Hino H06CT Engine</i>								
(4285964); By-Pass		LFP777B	4286128	Air	LAF5761 ²						
<i>EX220-3 w/Hino H06CT Engine</i>			4286130		LAF5762 ¹	<i>EX285 w/Isuzu 6BG1TRA06 Engine</i> 4286128 Air LAF5761 ² 4286130 LAF5762 ¹ 4206080 Fuel LFF3415 4370435 Hydraulic LH5719 4325820 LH5953 4429726 Oil LFP734 (4470167); By-Pass LFP777B					
4286128	Air	LAF5761 ²	3501404		LFP9024						
4286130		LAF5762 ¹	4252563	Trans	LPH5939						
4206090	Fuel	LFP1101F	<i>EX25-2 w/Kubota D1105KA Engine</i>								
4207841	Hydraulic	LH5719 ¹¹³⁷	4311871	Air	LAF5835 ¹						
4325820		LH5953 ⁶⁰⁷	4294836		LAF8818 ²						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 268-Extended/Severe service 607-Return 644-Contains 6 oz. of chemical 1077-Hyd. Tank 1137-Pilot 1171-Main

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)		
<i>EX285, EX285LC w/Cummins 6CT8.3 Engine</i>			<i>EX300LC (cont'd)</i>			<i>EX355 w/Isuzu 6HK1XQA01 Engine (cont'd)</i>		
1930602	Air	LAF6412 ²	4175914	Oil	LFP734	(71455972); Sec.	Fuel	LFP440F
1930792		LAF8648 ¹	<i>EX300LC-3, EX300-3 w/Isuzu 6SD1T Engine</i>			4370435	Hydraulic	LH5719
4228689	Coolant	LFW4075 ⁶⁴⁴	4208630	Air	LAF1813 ²	4325820		LH5953
1243000H1 (76107829); Pri. (75208272); Sec.	Fuel	L3523F LFF3417 LFF3521	4163738 (4192631); W/S	Fuel	LAF1814 ¹ LFF4294	4484495	Oil	LFP7217
4370435	Hydraulic	LH5719 ¹¹³⁷	4325820	Hydraulic	LH5953	<i>EX355 w/Isuzu 6SD1T Engine</i>		
4325820		LH5953 ¹¹⁷¹	(4285964); By-Pass			(4192631); W/S	Fuel	LFF4294
4228688	Oil	LFP3000 LFP3000XL ¹⁴	<i>EX30-2, EX35-2 w/Kubota V1505 Engine</i>			4370435	Hydraulic	LH5719 ¹¹³⁷
<i>EX29UE w/Isuzu 3LD1 Spec PA41 Engine</i>			4208630	Air	LAF1813 ²	4325820	Oil	LH5953 ¹¹⁷¹
4417516	Air	LAF8195 ²	4163738		LAF1814 ¹	4429728	Oil	LFP6007
4341988	Oil	PH2808	4294839	Fuel	L550F	(4429727); By-Pass		LFP777B
<i>EX30, EX35 w/Isuzu 3KR2 Engine</i>			4294838	Oil	PH2808	<i>EX35U</i>		
4294846	Air	LAF8818 ²	<i>EX35 w/Kubota V1505E Engine</i>			P821575	Air	LAF8195 ²
4313065	Fuel	L4103F LFF5950	4129907	Air	LAF1804 ²	<i>EX370-5, EX370HD-5 w/Isuzu 6SD1T Engine</i>		
(4294844); W/S			D914453		LAF6834 ¹	4391205	Air	LAF1787 ²
4294135	Hydraulic	LH22019 ¹¹³⁷	4206705	Hydraulic	LH8544	4390060		LAF1790 ¹
4294841	Oil	PH2867	<i>EX3500, EX3500-2, EX3500-3 w/Cummins KT38C-900 engs.</i>			(4192631); W/S	Fuel	LFF4294
<i>EX300 w/EP100T Engine</i>			4206272	Air	LAF8407 ² LAF8407MXM ^{2, 268}	4326739		LFF5127
4208630	Air	LAF1813 ²	4206273		LAF8408 ¹	4370435	Hydraulic	LH5719 ¹¹³⁷
4163738		LAF1814 ¹	4206637		LAF8775	4325820	Oil	LH5953 ¹¹⁷¹
4206090	Fuel	LFP1101F	4294577	Coolant	LFW4073 ²⁵⁵	4429728	Oil	LFP6007
4207841	Hydraulic	LH5719	3501404	Hydraulic	LH5747 ¹¹³⁷	(4470167); By-Pass		LFP777B
4206089	Oil	LFP734	4219713		LH5751	<i>EX40 w/Isuzu Engine</i>		
<i>EX300 w/Hino H06CTI Engine</i>			4085913	Oil	LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴	4294846	Air	LAF8818 ²
4208630	Air	LAF1813 ²	(4204048); By-Pass			4254048	Oil	LFP2255
4163738		LAF1814 ¹	By-Pass			<i>EX40 w/Kubota V1505E Engine</i>		
4206090	Fuel	LFP1101F	<i>EX350H-5, EX350LCH-5, EX350LCK-5 w/Isuzu 6SD1-T Engine</i>			4129907	Air	LAF1804 ²
4207841	Hydraulic	LH5719	4391205	Air	LAF1787 ²	D914453		LAF6834 ¹
4206705		LH8544	4390060		LAF1790 ¹	4206080	Fuel	LFF3415
4206089	Oil	LFP734	(4192631); W/S	Fuel	LFF4294	4206705	Hydraulic	LH8544
<i>EX300-2 w/Isuzu 6SD1T Engine</i>			4326739		LFF5127	15521-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
4208630	Air	LAF1813 ²	4370435	Hydraulic	LH5719 ¹¹³⁷	<i>EX400-5 w/Isuzu Engine</i>		
4163738		LAF1814 ¹	4325820	Oil	LH5953 ¹¹⁷¹		Air	LAF6769 ²
		LAF1815 ⁶⁹⁸	4429728	Oil	LFP6007	(4192631); W/S	Fuel	LAF9373 ¹
		LAF2550 ⁶⁹⁸	(4470167); By-Pass		LFP777B	4326739		LFF4294
(4192631); W/S	Fuel	LFF4294	<i>EX35-2 w/Kubota V1505E Engine</i>			4333469	Hydraulic	LH4742
4325820	Hydraulic	LH5953	15401-11080	Air	LAF1275 ²	4207841	Oil	LH5719 ¹¹³⁷
		LFP6007	15221-43080	Fuel	FP590F	By-Pass		LFP777B
(4175913); By-Pass	Oil	LFP777B	4180416	Hydraulic	LH8544			LFP8224
By-Pass		LFP777XL ¹⁴		Oil	PH2808	<i>EX400LC, -LE, EX400LC-3 w/Isuzu 6RB1TPQ, 6RB1TPF Engine</i>		
<i>EX300-5, EX330-5, EX370-5 w/Isuzu 6SD1T Engine</i>			<i>EX355 w/Isuzu 6BG1T Engine</i>			4237663	Air	LAF6769 ²
4391205	Air	LAF1787	(4192631); W/S	Fuel	LFF4294	4085788		LAF6769MXM ^{2, 268}
4390060		LAF1790	4370435	Hydraulic	LH5719 ¹¹³⁷	(4192631); W/S	Fuel	LAF9373 ¹
(4192631); W/S	Fuel	LFF4294	4325820		LH5953 ¹¹⁷¹	4326739		LFF4294
4326739		LFF5127	4484495	Oil	LFP7217	4333469	Hydraulic	LH4742 ⁶⁰⁷
4370435	Hydraulic	LH5719	<i>EX355 w/Isuzu 6HK1XQA01 Engine</i>			4207841		LH5719 ¹¹³⁷
4325820		LH5953	4459549	Air	LAF8669 ² LAF8669MXM ^{2, 268}	4325820		LH5953 ¹⁰⁷⁷
4429728	Oil	LFP6007	4459548		LAF8670 ¹	4180416		LH8544
(4429727); By-Pass		LFP777B	(4192631); W/S	Fuel	LFF4294	4266385	Oil	LFP8224
<i>EX300LC</i>			<i>EX355 w/Isuzu 6BK1T Engine</i>			4S00485		LP5952
4163738	Air	LAF1814 ¹	<i>EX40-2, EX45-2 w/Kubota V2203-B Engine</i>			<i>EX400LC, -LE, EX400LC-3 w/Isuzu 6RB1TPQ, 6RB1TPF Engine</i>		
4206090	Fuel	LFF5	4294846	Air	LAF8818 ²	4237663	Air	LAF6769 ²
4050731	Hydraulic	LH8544	4366704	Fuel	L549F	4085788		LAF9373 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 255-Contains 3 oz. of chemical 268-Extended/Severe service 275-Primary 607-Return 644-Contains 6 oz. of chemical 698-With Metal End Cap 1077-Hyd. Tank 1137-Pilot 1171-Main 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)		
<i>EX40-2, EX45-2 w/Kubota V2203-B Engine (cont'd)</i>			<i>EX455BEH, EX455LCH w/Isuzu 6RB1T Engine (cont'd)</i>			<i>EX58MU w/Isuzu 4LE1 Engine</i>		
4366703	Oil	PH2808	4325820	Hydraulic	LH5953 ¹¹⁷¹	4311871	Air	LAF5835 ¹
<i>EX40U w/Isuzu 4LE1 Engine</i>			4430378	Oil	LFP8224	4294846	(970713480); Pri.	LAF8818 ²
4311871	Air	LAF5835 ¹	4470167		LP5952	4294135	Hydraulic	L4103F
4294846		LAF8818 ²	<i>EX456 w/Isuzu 6WG1 Engine</i>			4454526	Oil	LH22019 ¹¹³⁷
4376643	Fuel	L4103F	4297293	Air	LAF1465 ²	<i>EX60, EX60WD, EX60SR w/FD3302, FD3304 Engine</i>		
4341988	Oil	PH2808	4297294		LAF7313 ¹	4001430	Air	PH2808
<i>EX40UR w/Isuzu Engine</i>			(4192631); W/S	Fuel	LFF4294	4285643	Fuel	LAF222 ²
4294846	Air	LAF8818 ²	4326739		LFF5127 ¹²	4207841	Hydraulic	FP588F
4313065	Fuel	L4103F	4207841	Hydraulic	LH5719 ¹¹³⁷	4217497	Oil	LH5719 ¹¹³⁷
4294135	Hydraulic	LH22019	4206705		LH8544 ¹¹⁷¹	<i>EX600 w/Cummins N14 Engine</i>		
4294841	Oil	PH2867	<i>EX50 w/Isuzu 3AB1 Engine</i>			76580327	Air	LAF1465 ²
<i>EX450-3 w/Isuzu 6RB1 Engine</i>			4294846	Air	LAF8818 ²	46580326		LAF7313 ¹
4146898	Air	LAF6769 ²	4265247	Fuel	LFF4295	71495751	Coolant	LFW4074 ⁶²⁷
		LAF6769MXM ^{2, 268}	<i>EX50U w/Isuzu 4LE1 Engine</i>			(76580322); W/S	Fuel	LFF4294
4085788		LAF9373 ¹	4311871	Air	LAF5835 ¹	76580323	Hydraulic	LH4742
(4192631); W/S	Fuel	LFF4294	4313065	Fuel	L4103F	71402469		LH5719
4207841	Hydraulic	LH5719 ¹¹³⁷	<i>EX550, EX550-3, EX550-5 w/Cummins N14 Engine</i>			75285999	Oil	LFP3000
4325820		LH5953 ¹¹⁷¹	4297293	Air	LAF1465 ²	<i>LFP3000XL¹⁴</i>		
(4429727); By-Pass	Oil	LFP777B	4297294		LAF7313 ¹	<i>EX600-3 w/N14 or NTA855 Engine</i>		
4430378		LFP8224	4299640	Coolant	LFW4074 ⁶²⁷	4297293	Air	LAF1465 ²
4225367		LP5952	(4377880); W/S	Fuel	LFF1000	4297294		LAF7313 ¹
<i>EX450-5 w/Isuzu 6RB1T Engine</i>			(4921867); W/S		LFF8020	4299640	Coolant	LFW4074 ⁶²⁷
(4297293); 7794-UP	Air	LAF1465 ²	4333469	Hydraulic	LH4742	(4291867); W/S	Fuel	LFF8020
(4237663); -S/N 7794		LAF6769 ²	4207841		LH5719	4333469	Hydraulic	LH4742
-S/N 7794		LAF6769MXM ^{2, 268}	4228688	Oil	LFP3000	4207841		LH5719
(4297294); 7794-UP		LAF7313 ¹	<i>EX5500 w/2 KTA50C Engine</i>			4228688	Oil	LFP3000
(4337639); -S/N7794		LAF9373 ¹	W/S	Fuel	LFF1021	<i>LFP3000XL¹⁴</i>		
(4192631); W/S	Fuel	LFF4294 ¹⁸¹		Oil	LFP670	<i>EX60-2, EX60-3 w/BD3004 Engine</i>		
4326739		LFF5127	By-Pass		LFP670XL ¹⁴	4326841	Air	LAF8114 ¹
4333469	Hydraulic	LH4742 ¹¹⁷¹	By-Pass		LFP777B	4290940		LAF8143 ²
4207841		LH5719 ¹¹³⁷			LFP777XL ¹⁴	4285643	Fuel	FP588F
(4429727); By-Pass	Oil	LFP777B	<i>EX5500-5 w/Cummins QSK45 Turbo Diesel Engine</i>			4207841	Hydraulic	LH5719 ¹¹³⁷
4266385		LFP8224	4331923	Air	LAF5069 ²	4278859	Oil	PH400 ²⁷⁵
<i>EX455 w/Isuzu 6RB1T Engine</i>			4331920		LAF5070 ¹	4278859		PH8A ¹⁴⁹⁶
(4192631); W/S	Fuel	LFF4294	4206637		LAF8775 ¹³¹⁵	<i>EX60-5 w/BD3004 Engine</i>		
By-Pass	Oil	LFP777B	4460208	Coolant	LFW4075 ⁶⁴⁴	4326841	Air	LAF8114 ¹
By-Pass		LFP777XL ¹⁴	(4446815); W/S	Fuel	LFF1021	4290940		LAF8143 ²
<i>EX455-5 w/Isuzu 6RB1T Engine</i>			4252563	Hydraulic	LH5939	4395946	Fuel	FP588F
4237663	Air	LAF6769 ²	4287634		LH4742	7129280	Hydraulic	LFH7551
		LAF6769MXM ^{2, 268}	3501404		LH5747	4278859	Oil	PH400 ²⁷⁵
4337639		LAF9373 ¹	4460206	Oil	LFP9024	4278859		PH8A ¹⁴⁹⁶
(4192631); W/S	Fuel	LFF4294 ¹⁸¹	<i>EX55UR w/Nissan TD2340-10 Engine</i>			<i>EX60UR w/Isuzu 4JB1 Engine</i>		
4326739		LFF5127	4294846	Air	LAF8818 ²	4001430	Air	LAF222 ²
4333469	Hydraulic	LH4742 ¹¹⁷¹	4285643	Fuel	FP588F	4285643	Fuel	FP588F
4207841		LH5719 ¹¹³⁷	4278859	Oil	PH400 ²⁷⁵	4254048	Oil	LFP2255
(4429727); By-Pass	Oil	LFP777B	4278859		PH8A ¹⁴⁹⁶	<i>EX60WD-2 w/BD3004 Engine</i>		
4266385		LFP8224	<i>EX55UR-3 w/Isuzu 4LE1 Engine</i>			4285643	Fuel	FP588F
<i>EX455BEH, EX455LCH w/Isuzu 6RB1T Engine</i>			P821575	Air	LAF8195 ²	4278859	Oil	PH400 ²⁷⁵
4297293	Air	LAF1465 ²	4423981		LAF8690 ¹	4278859		PH8A ¹⁴⁹⁶
4297294		LAF7313 ¹	(970713480); Pri.	Fuel	L4103F	<i>EX700 w/Cummins 8.3L Engine</i>		
(4192631); W/S	Fuel	LFF4294	4454526	Oil	PH2808	4240294	Air	LAF8634 ²
4326739		LFF5127 ¹²				4240295		LAF8641 ¹
4207841	Hydraulic	LH5719 ¹¹³⁷				4252563	Hydraulic	LH5939
						71402469		LH5719

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 14-Extended Life 181-Single 268-Extended/Severe service 275-Primary 627-5 oz. of chemical 644-Contains 6 oz. of chemical 1137-Pilot 1171-Main 1315-Panel 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)		
<i>EX700 w/Cummins 8.3L Engine (cont'd)</i>			<i>EX95 w/Isuzu 4BG1T Engine</i>			<i>FH200.3, FH200W.3 (cont'd)</i>		
4206705	Hydraulic	LH8544	4247974	Air	LAF8090 ¹	71416241	Hydraulic	LH8544
<i>EX700, EX750-5 w/Cummins N14C, NTA855 Engine</i>			4285619		LAF8091 ²	1930213	Oil	LFP2241
4240294	Air	LAF8634 ²	4326739	Fuel	LFF5127	<i>FH220, FH300, FH300LC w/Fiat 8365SI 11 Engine</i>		
4240295		LAF8641 ¹	4285577	Hydraulic	LFH22007	1930857	Air	LAF6412 ²
4325820	Hydraulic	LH5953	4370435		LH5719 ¹¹³⁷			LAF8647 ²
4206705		LH8544 ^{57, 1094}	1132402321	Oil	LFP7217			LAF8648 ¹
<i>EX700-5 w/Cummins Engine</i>			<i>FH115W w/Perkins Engine</i>			1930549	Coolant	LFW4744 ⁴
4240294	Air	LAF8634 ²	151849134	Air	LAF8610 ²	1909103	Fuel	L3515F
4240295		LAF8641 ¹	1909964		LAF9410 ¹			LFF3502
(4377880); W/S	Fuel	LFF1000	<i>FH120 w/Fiat/Iveco Engine</i>			71416241	Hydraulic	LH8544 ¹¹⁷¹
4252563	Hydraulic	LHF5939	71405431	Air	LAF5785 ²	<i>FH220.3 w/8365SI II Engine</i>		
71402469		LH5719	1930825		LAF8618 ¹	1930857	Air	LAF8647 ²
4206705		LH8544		Fuel	LFF3504	1930792		LAF8648 ¹
4228688	Oil	LFP3000	4207841	Hydraulic	LH5719	1909103	Fuel	LFF3502
		LFP3000XL ¹⁴	4227353		LH8498	4207841	Hydraulic	LH5719
<i>EX75UR-3 w/Nissan BD3004 Engine</i>			1930823	Oil	LFP2241	1930542	Oil	LFP8982
4290940	Air	LAF8143 ²	<i>FH130, FH130.2</i>			<i>FH270.3 w/Cummins 6CT8.3L Engine</i>		
4395946	Fuel	FP588F	1930825	Air	LAF8618 ¹	1930602	Air	LAF6412 ²
4285577	Hydraulic	LFH22007 ¹¹¹⁹		Fuel	LFF3504	1930606		LAF8648
4370435		LH5719 ¹¹³⁷	4207841	Hydraulic	LH5719	75206848	Coolant	LFW4071 ²⁸
4278859	Oil	PH400 ²⁷⁵	4227353		LH8498	(76107829); Pri.	Fuel	LFF3417
4278859		PH8A ¹⁴⁹⁶	1930823	Oil	LFP2241	75208272		LFF3521
<i>EX75US-7 w/Isuzu 4JB1 Engine</i>			<i>FH130.3 w/Fiat/Iveco 8045SI25 Engine</i>			71402469	Hydraulic	LH5719
4326841	Air	LAF8114 ¹	1930824	Air	LAF5785 ²	71416241		LH8544
4290940		LAF8143 ²	1930825		LAF8618 ¹	4228688	Oil	LFP3000
4395946	Fuel	FP588F		Fuel	LFF3504	<i>FH300.3 w/Isuzu 6SD1T Engine</i>		
4207841	Hydraulic	LH5719 ¹¹³⁷	4207841	Hydraulic	LH5719	71426640	Air	LAF1834 ²
<i>EX8 w/Kubota Z482B Engine</i>			4227353		LH8498	71426641		LAF1835 ¹
4294839	Fuel	L550F	1930213	Oil	LFP2241	(71455185); W/S	Fuel	LFF8020
4294838	Oil	PH2808	<i>FH150, FH150W w/Fiat/Iveco Engine</i>			71402469	Hydraulic	LH5719
<i>EX800</i>			1930824	Air	LAF5785 ²	71448557		LH5953
4297293	Air	LAF1465 ²	1930825		LAF8618 ¹	71455273	Oil	LFP6007
4297294		LAF7313 ¹		Fuel	LFF3504	(76590121); By-Pass		LFP777B
71495751	Coolant	LFW4074 ⁶²⁷	4207841	Hydraulic	LH5719	<i>FH330, FH330.3 w/Isuzu 6SD1T Engine</i>		
(76580322); W/S	Fuel	LFF4294	4227353		LH8498	71426640	Air	LAF1834 ²
71497010	Hydraulic	LHF5939	1930823	Oil	LFP2241			LAF1835 ¹
4333469		LH4742	<i>FH150W-3 w/Cummins Engine</i>			(71455185); W/S	Fuel	LFF8020
4207841		LH5719		Air	LAF8663 ¹	71448557	Hydraulic	LH5953
71448557		LH5953	(76107829); Pri.	Fuel	LFF3417	4206705		LH8544
75285999	Oil	LFP3000	(75208272); Sec.		LFF3521	71455273	Oil	LFP6007
		LFP3000XL ¹⁴	4227353	Hydraulic	LH8498 ¹¹⁷¹	(71455205); By-Pass		LFP777B
<i>EX80-5 w/Nissan BD3004 Engine</i>			76192087	Oil	LFP780	By-Pass		LFP777XL ¹⁴
4326841	Air	LAF8114 ¹	<i>FH200, FH200LC w/Fiat 8065 SI25 ALL6 Engine</i>			<i>FH400 w/Fiat 8215 22 400 Engine</i>		
4290940		LAF8143 ²	1930790	Air	LAF8663 ¹		Air	LAF6769 ²
4395946	Fuel	FP588F	71415282		LAF8822 ²			LAF6769MXM ^{2, 268}
4207841	Hydraulic	LH5719 ¹¹³⁷	1930549	Coolant	LFW4744 ⁴	LAF9373 ¹		
4278859	Oil	PH400 ²⁷⁵	1909103	Fuel	LFF3502	1909107	Fuel	L3515F
4278859		PH8A ¹⁴⁹⁶	71416241	Hydraulic	LH8544	1909103		LFF3502
<i>EX90 w/Isuzu 4BD1 Engine</i>			1930213	Oil	LFP2241	71416241	Hydraulic	LH8544
4001430	Air	LAF222 ²	<i>FH200.3, FH200W.3</i>				Oil	LFP2229
4206130	Fuel	FP588F	1930790	Air	LAF8663 ¹	<i>FH450, FH450.3</i>		
4207841	Hydraulic	LH5719	1930603		LAF8822 ²	1930747	Air	LAF6769 ²
4227353		LH8498	1909103	Fuel	LFF3502	1930748		LAF6769MXM ^{2, 268}
4183853	Oil	LFP5748	4207841	Hydraulic	LH5719			LAF9373 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 14-Extended Life 28-Contains 1 oz. of chemical 57-Partial 268-Extended/Severe service 275-Primary 627-5 oz. of chemical 1094-For engine filters - see engine section. 1119-Suction Line 1137-Pilot 1171-Main 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)		
<i>FH450, FH450.3 (cont'd)</i>			<i>UE20 w/K3E Engine (cont'd)</i>			<i>UH04, UH04M, UH04S, UH04SS, UH04-2, UH04M-2, UH04S-2, UH04SS-2, UH04-5, UH04M-5, UH04S-5, UH04SS-5 (cont'd)</i>		
71455185; W/S	Fuel	LFF8020	MD031805	Oil	PH2808	4033983	Oil	LP2256
71402469	Hydraulic	LH5719	MD135737		PH2867	4041654		LP2263
71448557		LH5953	<i>UE30, UE40 w/Mitsubishi Engine</i>					
76561779	Oil	LFP8224	4001430	Air	LAF222 ²			
71452863		LP5952	4294838	Oil	PH2808			
<i>FL10E</i>			<i>UE50 w/Isuzu 4JC1 Engine</i>			<i>UH043, UH045 w/Isuzu 4BB1 Engine</i>		
	Air	LAF8668 ²	4001430	Air	LAF222 ²	4001430	Air	LAF222 ²
		LAF8674 ¹	8941434790	Fuel	LFF4295	4206130	Fuel	FP588F
	Fuel	LFF3502	8944309830	Oil	PH2863B	4041655		L3575F
	Oil	LFP2241	<i>UH0103 w/Hino EM100 Engine</i>			4183853	Oil	LFP5748
	Power Steering	LFP2229		Air	LAF7315 ¹	4041654		LP2263
<i>FL14E</i>					LAF9000 ²	<i>UH045-1, UH045-5 w/Isuzu 6BD1 Engine</i>		
	Air	LAF6587 ²	4206090	Fuel	LFF5	988972	Air	LAF1246 ²
		LAF6587MXM ^{2, 268}	4175914	Oil	LFP734		Fuel	L3528F
		LAF6834 ¹	4033983		LP2256	<i>UH045-7 w/Isuzu 6BBL Engine</i>		
	Coolant	LFW4744 ⁴	<i>UH02, UH02-2, UH03DM w/Isuzu C330 Engine</i>			4138076	Air	LAF6032 ²
	Fuel	L3515F	4001430	Air	LAF222 ²	4033983	Oil	LP2256
		LFF3502	4041655	Fuel	L3575F	<i>UH04-7 w/Isuzu 4BD1 Engine</i>		
	Oil	LFP8982	4106178	Oil	LP2277	4138076	Air	LAF6032 ²
<i>FR130 w/Fiat 8065T Engine</i>			<i>UH025-7 w/Nissan FD33 Engine</i>			4041655	Fuel	L3575F
1930790	Air	LAF8663 ¹	4001430	Air	LAF222 ²	4106178	Oil	LP2277
1930751		LAF8668 ²	4217497	Oil	LFP880	<i>UH051</i>		
1930820	Fuel	FP586F	<i>UH03 w/Isuzu 4BB1 Engine</i>			4122937	Air	LAF1246 ²
1930213	Oil	LFP2241	4001430	Air	LAF222 ²	4041298	Fuel	L3528F
79109089	Trans	LFH8595	4041655	Fuel	L3575F	4041654	Oil	LP2263
<i>FR160 w/Fiat 8365T Engine</i>			4041654	Oil	LP2263	<i>UH051D</i>		
71421048	Air	LAF8648 ¹	4106178		LP2277	988972	Air	LAF1246 ²
1930604		LAF8729 ²	<i>UH03, UH03D, UH03DM w/Isuzu DA220 Engine</i>			4041298	Fuel	L3528F
1930549	Coolant	LFW4744 ⁴	4001430	Air	LAF222 ²	4092039	Oil	LP2256
(1909107); Sec.	Fuel	L3515F		Fuel	L3528F	<i>UH052</i>		
		LFF3502	<i>UH030 w/Isuzu E120 Engine</i>			4122937	Air	LAF1246 ²
1930906	Oil	LFP8982	4055040	Air	LAF241HD ²	4041655	Fuel	L3575F
79109089	Trans	LFH8595	D911519		LAF6587 ²	4106178	Oil	LP2277
<i>U106, U112</i>					LAF6587MXM ^{2, 268}	<i>UH052 w/Isuzu 6BB1 Engine</i>		
4509010	Air	LAF234HD ²	(4514801); Sec.	Fuel	L61F	4122937	Air	LAF1246 ²
	Fuel	L3405F ¹⁰⁸	<i>UH03-1 w/Isuzu Engine</i>			4502565	Fuel	L3528F
Sec.		L61F	4001430	Air	LAF222 ²	4033983	Oil	LP2256
Pri.		LFF3507	4041655	Fuel	L3575F	<i>UH053</i>		
<i>UE004 w/MMC K3B Engine</i>			4106178	Oil	LP2277	4122937	Air	LAF1246 ²
MM510109	Air	LAF2745A ²	<i>UH03-3 w/Isuzu FD3304 Engine</i>			4138076		LAF6032 ²
MD135737	Oil	PH2867	4001430	Air	LAF222 ²	4041655	Fuel	L3575F
<i>UE005 w/MMC K3E Engine</i>				Oil	PH675	4206080		LFF3415
MD135737	Oil	PH2867	<i>UH035-7 w/Isuzu 4BB1 Engine</i>			4175914	Oil	LFP734
<i>UE014 w/Nissan Engine</i>			4001430	Air	LAF222 ²	4033983		LP2256
4001430	Air	LAF222 ²	4183853	Oil	LFP5748	4041654		LP2263
15209-J1800	Oil	PH561	<i>UH03M-2, UH04, UH05 w/Hino EC100A Engine</i>			4106178		LP2277
<i>UE10, UE20 w/MMC K3E Engine</i>			988972	Air	LAF1246 ²	<i>UH05-5 w/Isuzu Engine</i>		
MM510509	Air	LAF8818 ²		Fuel	L3528F	4122937	Air	LAF1246 ²
MD031805	Oil	PH2856A	4033983	Oil	LP2256	4502565	Fuel	L3528F
MD135737		PH2867	<i>UH04, UH04M, UH04S, UH04SS, UH04-2, UH04M-2, UH04S-2, UH04SS-2, UH04-5, UH04M-5, UH04S-5, UH04SS-5</i>			4041655		L3575F
<i>UE15 w/Isuzu 3KB1 Engine</i>			988972	Air	LAF1246 ²	4106178	Oil	LP2277
3214300200	Air	LAF2745A ²	4138076		LAF6032 ²	<i>UH06, UH06D, UH07 w/Isuzu DA640 Engine</i>		
4294838	Oil	PH2808		Fuel	L3528F	988972	Air	LAF1246 ²
<i>UE20 w/K3E Engine</i>					L3528F	4041298	Fuel	L3528F
MM510109	Air	LAF2745A ²	315041	Hydraulic	LH5940	4505384	Oil	LP5902
						<i>UH062 w/Isuzu Engine</i>		
						4122937	Air	LAF1246 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 4-Maintenance 1 oz. chemical 108-Eco-Finer 268-Extended/Severe service

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)		
<i>UH062 w/Isuzu Engine (cont'd)</i>			<i>UH08, UH081 w/Hino EL100 Engine</i>			<i>UH121, UH121LC w/Isuzu E120 Engine</i>		
4507885	Fuel	L3528F	4509010	Air	LAF234HD ²	D911519	Air	LAF6587 ²
4106178	Oil	LP2277	4507885	Fuel	L5945F			LAF6587MXM ^{2, 268}
<i>UH063 w/Hino Engine</i>			4033983	Oil	LP2256	4209590		LAF6834 ¹
4138076	Air	LAF6032 ²	4507886		LP5903	(4514801); Sec.	Fuel	L61F
4206080	Fuel	LFF3415	<i>UH082</i>			4505384	Oil	LP5902
4175914	Oil	LFP734	4092039	Oil	LP2256	<i>UH122LC w/Isuzu E120 Engine</i>		
<i>UH063 w/Isuzu 6BB1/6BD1 Engine</i>			<i>UH083 w/Isuzu 6BD1 Engine</i>			D911519	Air	LAF6587
4122937	Air	LAF1246 ²	4206099	Air	LAF1804 ²			LAF6587MXM ²⁶⁸
4502565	Fuel	L3528F	4209590		LAF6834 ¹	4505384	Oil	LP5902
4033983	Oil	LP2256	4502565	Fuel	L3528F	<i>UH123</i>		
<i>UH06-5 w/Isuzu 6BD1 Engine</i>			4033983	Oil	LP2256	4145213	Air	LAF7315 ¹
988972	Air	LAF1246 ²	<i>UH083 w/Isuzu 6DD1 Engine</i>			4147010		LAF9000 ²
4041298	Fuel	L3528F	4206099	Air	LAF1804 ²	4206090	Fuel	LFF5
<i>UH06DT, UH07 w/Perkins 6.354 Engine</i>			4209590		LAF6834 ¹			LFP1101F
26560017	Fuel	L296F ⁴¹	4206080	Fuel	LFF3415	4206089	Oil	LFP734
2654407	Oil	LFP2292	4175914	Oil	LFP734	<i>UH14 w/Detroit Diesel 6-71 Engine</i>		
26540153		P72 PH4403	<i>UH083LC w/Isuzu 6BD1 Engine</i>			4100806	Air	LAF6587
<i>UH07 w/Isuzu DA640 Engine</i>			4129907	Air	LAF1807 ²			LAF6587MXM ²⁶⁸
988972	Air	LAF1246 ²	4059818		LAF6834 ¹	<i>UH14, UH14-1, UH14-2, UH14D, UH14LC-2 w/Isuzu E120 Engine</i>		
4041298	Fuel	L3528F	<i>UH083LC w/Isuzu 6BDT1T Engine</i>			4515089	Air	LAF241HD
4505384	Oil	LP5902	4206099	Air	LAF1804 ²	4100806		LAF6587
<i>UH07, UH07-3, UH07S-3 w/Hino DS50A</i>			4206080	Fuel	LFF3415			LAF6587MXM ²⁶⁸
4509010	Air	LAF234HD ²	4175914	Oil	LFP734	4502565	Fuel	L3528F
4507885	Fuel	L5945F	<i>UH09 w/Hino DS50 Engine</i>			315041	Hydraulic	LH5940
4033983	Oil	LP2256	988972	Air	LAF1246 ²	4505384	Oil	LP5902
4507886		LP5903	4509010		LAF234HD ²	<i>UH143 w/Hino EP100 Engine</i>		
<i>UH071 w/Isuzu Engine</i>			4507885	Fuel	L5945F			LAF1813 ²
4122937	Air	LAF1246 ²	4143270	Oil	LP2256			LAF1814 ¹
4502565	Fuel	L3528F	4507886		LP5903			LFF5
4041655		L3575F	<i>UH09-2 w/Hino EL100 Engine</i>					LFP3191
4033983	Oil	LP2256	4509010	Air	LAF234HD ²			LFP3191TRT ³
4106178		LP2277	4507885	Fuel	L5945F			LFP3191XL ¹⁴
<i>UH073 w/Isuzu 6BBL Engine</i>			71402547	Hydraulic	LH8498			LFP734
4122937	Air	LAF1246 ²	4143270	Oil	LP2256			LFP8642
4138076		LAF6032 ²	4507886		LP5903			(4175913); By-Pass
4502565	Fuel	L3528F	<i>UH09-7, UH010-7 w/Hino EM100 Engine</i>			<i>UH143LC w/Hino Engine</i>		
4206080		LFF3415	4147010	Air	LAF9000			LAF1813 ²
4175914	Oil	LFP734	71402547	Hydraulic	LH8498			LAF1814 ¹
4033983		LP2256	4175914	Oil	LFP734			LFF5
<i>UH07-5, UH07S, UH07S-5, UH07LC, UH07LC-5 w/Hino EL100 eng.</i>			<i>UH10, UH10LC, UH10LC-2 w/Isuzu 120 Engine</i>					LFP734
	Air	LAF1804 ²	4515089	Air	LAF241HD			LFP777B
		LAF234HD ²	4100806		LAF6587			LFP777XL ¹⁴
		LAF6834 ¹		Fuel	L3528F	<i>UH16</i>		
	Fuel	L3528F	4505384	Oil	LP5902	4146898	Air	LAF6769 ²
	Hydraulic	LH8498	<i>UH101 w/Hino EL100 Engine</i>					LAF6769MXM ^{2, 268}
	Oil	LP2256	4509010	Air	LAF234HD ²	4085788		LAF9373 ¹
		LP5903	4033983	Oil	LP2256	(4192631); W/S	Fuel	LFF4294
<i>UH07-7 w/Isuzu 6BD1T Engine</i>			<i>UH12 w/B60 Engine</i>			<i>UH17 w/Isuzu E120 Engine</i>		
4129907	Air	LAF1804 ²	4100806	Air	LAF6587	4505384	Oil	LP5902
4178800	Fuel	LFF3415			LAF6587MXM ²⁶⁸	<i>UH171, UH171LC w/Isuzu E120 Engine</i>		
4508505	Hydraulic	LH8498	B605304A	Fuel	L23F	D911519	Air	LAF6587 ²
	Oil	LFP734	<i>UH12 w/Isuzu E120 Engine</i>					LAF6587MXM ^{2, 268}
			4505384	Oil	LP5902	4209590		LAF6834 ¹
			<i>UH12 w/Isuzu EP100 Engine</i>			4502565	Fuel	L3528F
			4147010	Air	LAF9000	(4514801); Sec.		L61F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 41-Cartridge 268-Extended/Severe service

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)		
<i>UH171, UH171LC w/Isuzu E120 Engine (cont'd)</i>			<i>WH051, WH051D w/Isuzu 6BBL Engine (cont'd)</i>			<i>Zaxis 370, 370MTH w/Isuzu 6HK1 Engine (cont'd)</i>		
315041	Hydraulic	LH5940		Fuel	L3528F	4622562	Oil	LFP7217
4505384	Oil	LP5902	4033983	Oil	LP2256	<i>Zaxis 460, Zaxis 460LCH w/Isuzu 6WG1T Engine</i>		
<i>UH181 w/Isuzu E120 Engine</i>			<i>WH052 w/Isuzu 6BBL Engine</i>			4466269	Air	LAF8150 ²
502826	Air	LAF6769	988972	Air	LAF1246 ²	4464697		LAF8693 ¹
		LAF6769MXM ²⁶⁸	4041298	Fuel	L3528F	(4192631); W/S	Fuel	LFF4294
502827		LAF9373 ¹		Oil	LP2263	4326739		LFF5127
(4192631); W/S	Fuel	LFF4294	<i>Zaxis 160 w/Isuzu 4BG1T Engine</i>			4333469	Hydraulic	LH4742 ¹⁰⁷⁷
315041	Hydraulic	LH5940	4616543	Fuel	FP588F	4207841		LH5719 ¹¹³⁷
4505384	Oil	LP5902	4183853	Oil	LFP5748	4622562	Oil	LFP7217
<i>UH20, UH23, UH30 w/2X Isuzu E120 Engine</i>			<i>Zaxis 180, Zaxis 180W w/Isuzu 4BG1X Engine</i>			<i>Zaxis 470 H-3, 470 LCH-3</i>		
4515089	Air	LAF241HD	AT280662	Air	LAF5761 ²		Air	LAF8634 ²
4100806		LAF6587 ²	AT280663		LAF5762 ¹			LAF8641 ¹
		LAF6587MXM ^{2, 268}	4622562	Oil	LFP7217	<i>Zaxis 470H-3 w/Isuzu AH-6WG1XYSA Turbo Diesel Engine</i>		
4059818		LAF6834 ¹	<i>Zaxis 190W-3 w/Isuzu AI 4HK1X Engine</i>				Air	LAF8634 ²
315041	Hydraulic	LH5940		Fuel	L7661F			LAF8641 ¹
4505384	Oil	LP5902	4676385		L8968F	<i>Zaxis 480MT, Zaxis 480MTH w/Isuzu 6WG1T Engine</i>		
<i>UH261 w/Two Isuzu E120 Engine</i>			4622562	Oil	LFP7217	4466269	Air	LAF8150 ²
4100806	Air	LAF6587 ²	<i>Zaxis 200, Zaxis 200 Forester w/Isuzu 6BG1T Engine</i>			4464697		LAF8693 ¹
		LAF6587MXM ^{2, 268}	4616545	Fuel	LFF3415	(4192631); W/S	Fuel	LFF4294
4059818		LAF6834 ¹	<i>Zaxis 22 w/Yanmar 3TNV76 Engine</i>			4326739		LFF5127
315041	Hydraulic	LH5940	4417516	Air	LAF8195 ²	4333469	Hydraulic	LH4742 ¹⁰⁷⁷
4266385	Oil	LFP8224	(4423981); Opt.		LAF8690 ¹	4207841		LH5719 ¹¹³⁷
4505384		LP5902	11981055650	Fuel	L4103F	4622562	Oil	LFP7217
<i>UH33, UH52, UH62 w/Isuzu Engine</i>			11900535151	Oil	PH2808	<i>Zaxis 500 LC-3, 520 LCH-3 w/Isuzu 6WG1X Engine</i>		
4502565	Fuel	L3528F	<i>Zaxis 230 w/Isuzu 6BG1T Engine</i>				Air	LAF8634 ²
4033983	Oil	LP2256	4616545	Fuel	LFF3415			LAF8641 ¹
<i>UH501</i>			<i>Zaxis 250 w/Isuzu 6BG1T Engine</i>			<i>Zaxis 500LC-3 w/Isuzu 6WG1XYSA Engine</i>		
4146898	Air	LAF6769	4616545	Fuel	LFF3415		Air	LAF8634 ²
		LAF6769MXM ²⁶⁸	<i>Zaxis 27U, Zaxis 35U w/Isuzu 3LD2 Engine</i>					LAF8641 ¹
4085788		LAF9373 ¹	4423981	Air	LAF8690 ¹		Air	LAF8634 ²
<i>UH80 w/2X Cummins KT1150 Engine</i>			4454529	Fuel	L4103F			LAF8641 ¹
4127340	Coolant	LFW4744 ⁴		Hydraulic	LFP5570 ¹⁰⁷⁷	4642641	Fuel	L8893F
<i>UH801 w/2X Cummins KT1150 Engine</i>			4626337	Oil	PH2808	4649267		L8968F
4085787	Air	LAF6769	<i>Zaxis 27U-3 w/Yanmar 3TNV88 Engine</i>			4658521	Oil	LFP7217
		LAF6769MXM ²⁶⁸	4417516	Air	LAF8195 ²	<i>Zaxis 50U w/Isuzu 4LE2 Engine</i>		
4085788		LAF9373 ¹	4423981		LAF8690 ¹	4423981	Air	LAF8690 ¹
4127340	Coolant	LFW4744 ⁴	M811031	Fuel	LFF8350	4454529	Fuel	L4103F
<i>UH81, UH81LC w/Hino EL100 Engine</i>			4454428	Oil	PH2808	8972093060	Oil	PH2808
4033983	Oil	LP2256	<i>Zaxis 30U, ZX30U w/Isuzu 3LD2 Engine</i>			<i>Zaxis 50U-2 w/Yanmar 4TNV88 Engine</i>		
<i>UH82, UH82LC</i>			4423981	Air	LAF8690 ¹	4417516	Air	LAF8195 ²
	Air	LAF234HD ²	4454529	Fuel	L4103F	4423981		LAF8690 ¹
<i>UHM14 w/Kubota D1301BH Engine</i>			<i>Zaxis 350 Series w/Isuzu AA6HK1 Engine</i>			4294838	Oil	PH2808
	Air	LAF1275 ²	AT175223	Air	LAF8669 ²	<i>Zaxis 520LCH-3 w/Isuzu 6WG1XYSA Engine</i>		
	Fuel	FP590F	AT175224		LAF8670 ¹		Air	LAF8634 ²
<i>WH03 w/Isuzu DA220 Engine</i>			(4192631); W/S	Fuel	LFF4294			LAF8641 ¹
4001430	Air	LAF222 ²	4326739		LFF5127	4642641	Fuel	L8893F
4041655	Fuel	L3575F	AT186554	Hydraulic	LH5719 ¹¹³⁷	4649267		L8968F
<i>WH04, WU04S, WU04D, WU04DS w/Isuzu 6BB1 Engine</i>			4622562	Oil	LFP7217	4658521	Oil	LFP7217
988972	Air	LAF1246 ²	<i>Zaxis 370, 370MTH w/Isuzu 6HK1 Engine</i>			<i>Zaxis 650 LC-3, 670 LCH-3 w/Isuzu 6WG1X Engine</i>		
4502565	Fuel	L3528F	AT308575	Air	LAF8150 ²		Air	LAF8634 ²
315041	Hydraulic	LH5940	TT220747		LAF8693 ¹			LAF8641 ¹
	Oil	LP2263	(4192631); W/S	Fuel	LFF4294	4642641	Fuel	L8893F
<i>WH051, WH051D w/Isuzu 6BBL Engine</i>			4326739		LFF5127	4649267		L8968F
4122937	Air	LAF1246 ²	4333469	Hydraulic	LH4742 ¹⁰⁷⁷	4658521	Oil	LFP7217
			AT186554		LH5719 ¹¹³⁷			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 268-Extended/Severe service 1077-Hyd. Tank 1137-Pilot

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)			HITACHI (EXCAVATOR)		
<i>Zaxis 75US-3 w/Isuzu 4LE2 Diesel Engine</i>			<i>ZX125US, ZX125US-E w/Isuzu 4BG1T Engine</i>			<i>ZX280LC, ZX280LCN w/Isuzu 6BG1 Engine</i>		
4684349	Air	LAF8148	(cont'd)			(cont'd)		
4684350		LAF9332 ¹	(4285619); S/N	Air	LAF8091 ²	4326739	Fuel	LFF5127
4616543	Fuel	FP588F	1001-10571			4333469	Hydraulic	LH4742 ¹¹⁷¹
	Oil	LFP2538	4326739	Fuel	LFF5127	4370435		LH5719 ¹¹³⁷
<i>Zaxis 8 w/Yanmar 3TNV70 Engine</i>			4285577	Hydraulic	LFH22007 ¹⁰⁷⁷	4484495	Oil	LFP7217
4661289	Oil	PH2876	4370435			<i>ZX330, ZX330LC, ZX350K, ZX350LCK, w/Isuzu</i>		
<i>Zaxis 870 H-3, 870 LCH-3 w/Isuzu 6WG1X Engine</i>			4484495	Oil	LFP7217	<i>6HK1 Engine</i>		
	Air	LAF8669 ²	<i>ZX130H, ZX130K w/Isuzu 4BG1T Engine</i>			(4192631); Pri.	Fuel	LFF4470
		LAF8670 ¹	4247974	Air	LAF8090 ^{1, 12}	4326739		LFF5127
4642641	Fuel	L8893F	4285619		LAF8091 ²	4370435	Hydraulic	LH5719 ¹¹³⁷
4649267		L8968F	4285577	Hydraulic	LFH22007 ¹⁰⁷⁷	4484495	Oil	LFP7217
4658521	Oil	LFP7217	4370435		LH5719 ¹¹³⁷	<i>ZX350H, ZX350LCH w/Isuzu 6HK1 Engine</i>		
<i>Zaxis 870H-3 w/Isuzu AH-6WG1XYSA Turbo Diesel Engine</i>			4484495	Oil	LFP7217	(4192631); Pri.	Fuel	LFF4470
	Air	LAF8669 ²	<i>ZX130W w/Isuzu 4BG1T Engine</i>			4326739		LFF5127
		LAF8670 ¹	4286128	Air	LAF5761 ²	4370435	Hydraulic	LH5719 ¹¹³⁷
	Fuel	L8893F	4286130		LAF5762 ^{1, 12}	4484495	Oil	LFP7217
		L8968F	4285577	Hydraulic	LFH22007 ¹⁰⁷⁷	<i>ZX450 Series, ZX500LC, ZX500LCH w/Isuzu</i>		
	Oil	LFP7217	4484495	Oil	LFP7217	<i>6WG1 Engine</i>		
<i>Zaxis EX120 w/Isuzu 4BG1T Engine</i>			<i>ZX160LC w/Isuzu 4BG1T Engine</i>			(4192631); W/S	Fuel	LFF4294
4616543	Fuel	FP588F	4285577	Hydraulic	LFH22007 ¹⁰⁷⁷	4326739		LFF5127
4183853	Oil	LFP5748	4484495	Oil	LFP7217	4333469	Hydraulic	LH4742 ¹¹⁷¹
<i>Zaxis EX135US w/Isuzu 4BG1T Engine</i>			<i>ZX160W w/Isuzu 4BG1T Engine</i>			4207841		LH5719 ¹¹³⁷
4616543	Fuel	FP588F	4286128	Air	LAF5761 ²	4484495	Oil	LFP7217
4183853	Oil	LFP5748	4286130		LAF5762 ^{1, 12}	<i>ZX600, ZX600LC, ZX650H, ZX650LCH w/Isuzu</i>		
<i>Zaxis ZX350LC-5, ZX350LCN-5 (w/Isuzu 6HK1X Engine)</i>			4285577	Hydraulic	LFH22007 ¹⁰⁷⁷	<i>6WG1 Engine</i>		
	Fuel	L8893F	4484495	Oil	LFP7217	(4192631); W/S	Fuel	LFF4294
	Oil	L8968F	<i>ZX17U-2 w/Yanmar 3TNV70 Engine</i>			4326739		LFF5127
4676385		L8968F	4673600	Air	LAF22056 ¹	4333469	Hydraulic	LH4742 ¹¹⁷¹
4448336	Oil	LFP7217	4383875		LAF8388 ²	4207841		LH5719 ¹¹³⁷
<i>ZX110, ZX110E, ZX110M w/Isuzu 4BG1 Engine</i>			11981055650	Fuel	L4103F	4484495	Oil	LFP7217
4247974	Air	LAF8090 ^{1, 12}	4461289	Oil	PH2876	<i>ZX650LCH w/BB6WG Engine</i>		
4285619		LAF8091 ²	<i>ZX200 Series, ZX210 Series w/Isuzu 6BG1 Engine</i>			76612497	Air	LAF8150 ²
4285577	Hydraulic	LFH22007 ¹⁰⁷⁷	4286128	Air	LAF5761 ²	76612496		LAF8693 ¹
4370435		LH5719 ¹¹³⁷	4286130		LAF5762 ¹	(76590663); W/S	Fuel	LFF4294
4484495	Oil	LFP7217	4206080	Fuel	LFF3415	76580323	Hydraulic	LH4742
<i>ZX120, ZX120-E w/Isuzu 4BG1T Engine</i>			4326739		LFF5127	71402469		LH5719
(4486002); S/N	Air	LAF4544 ²	4370435	Hydraulic	LH5719 ¹¹³⁷	<i>ZX650LCH w/Isuzu 6WG1X Engine</i>		
060120-			4484495	Oil	LFP7217	4466269	Air	LAF8150 ²
S/N 060120-		LAF4544MXM ^{2, 268}	<i>ZX225 Series w/Isuzu 6BG1 Engine</i>			4466268		LAF8693 ¹
(4486014); S/N		LAF4545 ¹	4286128	Air	LAF5761 ²	(4192631); W/S	Fuel	LFF4294
060120-			4286130		LAF5762 ¹	4326739		LFF5127
(4247974); S/N		LAF8090 ¹	4206080	Fuel	LFF3415	(113240044A); W/S		LFF8020
060001-060119			4326739		LFF5127	4333469	Hydraulic	LH4742 ¹¹⁷¹
(4285619); S/N		LAF8091 ²	4370435	Hydraulic	LH5719 ¹¹³⁷	4207841		LH5719 ¹¹³⁷
060001-060119			4484495	Oil	LFP7217	4484495	Oil	LFP7217
4326739	Fuel	LFF5127	<i>ZX230 Series, ZX240 Series w/Isuzu 6BG1 Engine</i>			<i>ZX650LCH w/Isuzu AH-6WG1XYSA Turbo Diesel Engine</i>		
4285577	Hydraulic	LFH22007 ¹⁰⁷⁷	4286128	Air	LAF5761 ²		Air	LAF8150 ²
4370435		LH5719 ¹¹³⁷	4286130		LAF5762 ^{1, 12}			LAF8693 ¹
4484495	Oil	LFP7217	4206080	Fuel	LFF3415	W/S	Fuel	LFF4294
<i>ZX125US, ZX125US-E w/Isuzu 4BG1T Engine</i>			4326739		LFF5127	W/S		LFF5127
(4486002); S/N 10572-	Air	LAF4544 ²	4370435	Hydraulic	LH5719 ¹¹³⁷	W/S		LFF8020
S/N 10572-		LAF4544MXM ^{2, 268}	4484495	Oil	LFP7217		Hydraulic	LH4742 ¹¹⁷¹
(4486014); S/N 10572-		LAF4545 ¹	<i>ZX280LC, ZX280LCN w/Isuzu 6BG1 Engine</i>					LH5719 ¹¹³⁷
(4247974); S/N		LAF8090 ¹	4286128	Air	LAF5761 ²		Oil	LFP7217
1001-10571			4286130		LAF5762 ^{1, 12}			
			4206080	Fuel	LFF3415			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 12-Optional 268-Extended/Severe service 1077-Hyd. Tank 1137-Pilot 1171-Main

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HITACHI (EXCAVATOR)			HITACHI (LOADER)			HITACHI (LOADER)		
ZX70, ZX70LC w/Isuzu 4JG1 Engine			LX130-7 w/Isuzu BB-6HK1T Turbo Diesel Engine (cont'd)			LX230-3, LX230-5 w/John Deere Engine (cont'd)		
4326841	Air	LAF8114 ¹	(1132400441); W/S			AT147496	Trans	LFH8499
4290940		LAF8143 ²				LFF8020		
4395946	Fuel	FP588F	LX145E, LX145E-2 w/Isuzu BB6BG1TRF Engine			4466269	Air	LAF8150 ²
4370435	Hydraulic	LH5719 ¹¹³⁷	1930751	Air	LAF8668 ²	4466268		LAF8693 ¹
8970497080	Oil	PH2801	502825		LAF8674 ¹	(4192631); W/S	Fuel	LFF4294
ZX800 w/Isuzu 6WG1T Engine			4206080	Fuel	LFF3415	4429728	Oil	LFP6007
4240294	Air	LAF8634 ²	1873100700	Oil	LFP6007	(4470167); By-Pass		LFP777B
4240295		LAF8641 ¹	LX150-2 w/John Deere 6081 Engine			LX290E-2 w/Isuzu 6SD1X Engine		
(4192631); W/S	Fuel	LFF4294	AR80653	Air	LAF1532 ¹	4466269	Air	LAF8150 ²
4207841	Hydraulic	LH5719 ¹¹³⁷	AR80652		LAF1533 ²	4466268		LAF8693 ¹
4325820		LH5953 ¹¹⁷¹	AT166805	Cabin Air	LAF5821 ⁸⁹⁸	(4192631); W/S	Fuel	LFF4294
4484495	Oil	LFP7217	(RE65431); Pri.	Fuel	L8138F	4429728	Oil	LFP6007
ZX80LCK w/Isuzu 4JG1 Engine			AR86745		LFF1129	(4470167); By-Pass		LFP777B
4326841	Air	LAF8114 ¹	T19044	Hydraulic	FP20 ⁷²⁴	LX300-7A w/Isuzu AH-6WG1XYSA Turbo Diesel Engine		
4290940		LAF8143 ²	AT140315		LFH8229 ⁶⁰⁷	1132402321		
4395946	Fuel	FP588F	AM39653		PH710 ⁶⁰³	Oil		LFP7217
4370435	Hydraulic	LH5719 ¹¹³⁷	RE57394	Oil	PH720	LX360E w/Isuzu 6WG1XQC-01 Engine		
8970497080	Oil	PH2801	AT168989	Trans	LFH8595	4082221	Air	LAF9155 ²
ZX8-2 w/Yanmar 3TNV70-V Engine			LX150-3, LX150-5 w/John Deere Engine			4012357		LAF9159 ¹
4607538	Air	LAF8388 ²	AT203050	Air	LAF8110 ²	(4192631); W/S	Fuel	LFF4294
4661289	Oil	PH2876	AT203051		LAF8111 ¹	4484495	Oil	LFP7217
ZX85USB-3 w/Isuzu 4LE2 Engine			(AT223226); S/N		LAF8669 ²	LX450-7 w/Mitsubishi S6A3 Engine		
4684349	Air	LAF8148 ²	58000-		LAF8670 ¹	2690237011	Air	LAF9159 ¹
4684350		LAF9332 ¹	(AT175224); S/N			LX50-7 w/Kubota V3300DIKA Engine		
4395946	Fuel	FP588F	58000-			4326841	Air	LAF8114 ¹
4326739		LFF5127	(RE65431); Pri.	Fuel	L8138F	4290940		LAF8143 ²
4463783	Oil	PH2808	AR86745		LFF1129	16631-43562	Fuel	LFF3553
HITACHI (LOADER)			AT209204	Hydraulic	LFH6812 ⁶⁰⁷	1C020-32431	Oil	PH253 ¹⁴⁹⁶
LX100-2, LX120-2 w/John Deere Engine			(AT228474); S/N		LFH9347 ⁶⁰⁷	PH2835 ²⁷⁵		
AR79680	Air	LAF414 ¹	58000-			LX70, LX80 w/Isuzu 4BD1 Engine		
AR79679		LAF926 ²	AM39653		PH710 ⁶⁰³	4137604	Air	LAF1544 ²
AT166805	Cabin Air	LAF5821	RE57394	Oil	PH720	4137605		LAF1933 ¹
(RE62419); Sec.	Fuel	L3887F	LX160-7 w/Isuzu BB-6HK1T Turbo Diesel Engine			4206637		LAF8775
(RE62424); Pri.		L8242F	20801-03161	Air	LAF6587 ²	4436863	Oil	LFP5748
T19044	Hydraulic	FP20	20801-03171		LAF6834 ¹	LX70-2, LX80-2 w/Hino W04CT Engine		
AT144879		LFH6812 ⁶⁰⁷	LX170, LX170E w/Isuzu 6BG1T Engine			4287060	Air	LAF5732 ¹
T19044	Oil	FP20	1930751	Air	LAF8668 ²	4283861		LAF5733 ²
AT168989	Trans	LFH8595	(4291867); W/S	Fuel	LFF8020	4285577	Hydraulic	LFH22007 ¹¹¹⁹
LX100-3, LX120-3 w/John Deere Engine			1132004872	Oil	LFP6007	4207841		LH5719 ¹¹³⁷
AR203470	Air	LAF5932 ¹	LX210, LX210E w/Isuzu 6H1KT Engine			4429729	Oil	LFP5760
T168220		LAF6029 ²	4100806	Air	LAF6587 ²	LX70-5, LX80-5 w/Isuzu 4BG1T Engine		
T156471		LAF6030 ²			LAF6587MXM ^{2, 268}		Air	LAF8090 ^{1, 12}
AR203469		LAF8149 ²	914453		LAF6834 ¹	4285619		LAF8091 ²
T156471	Cabin Air	CAF12001XL ^{183 554}	(4192631); W/S	Fuel	LFF4294	4285577	Hydraulic	LFH22007 ¹¹¹⁹
(RE62419); Sec.	Fuel	L3887F	4484495	Oil	LFP7217	4207841		LH5719 ¹¹³⁷
(RE62424); Pri.		L8242F	LX230-3, LX230-5 w/John Deere Engine			8943212191	Oil	LFP5748
T19044	Oil	FP20	T168220	Air	LAF6029 ²	LX80-2 w/Isuzu 3KR2 Engine		
(AT222005); S/N	Trans	LFH8490	T156471		LAF6030 ²	4287060	Air	LAF5732 ¹
573382-			AT203050		LAF8110 ²	4283861		LAF5733 ²
(AT147496); S/N			AT203051		LAF8111 ¹	4285577	Hydraulic	LFH22007 ¹¹¹⁹
-573382			T156471	Cabin Air	CAF12001XL ^{183 554}	4207841		LH5719 ¹¹³⁷
LX110-7 w/Isuzu 6BG1T Engine			RE502204	Fuel	LFF3550 ²⁴⁴	4429729	Oil	LFP5760
1132004872	Oil	LFP6007	(RE502203); W/S		LFF7415	HOBART (WELDER)		
LX130-7 w/Isuzu BB-6HK1T Turbo Diesel Engine			AT209204	Hydraulic	LFH6812	ARCSTAR 251 NT w/Onan P220 Engine		
20801-03161	Air	LAF6587 ²	AM39653		PH710 ⁶⁰³	64617	Air	LAF1782 ²
20801-03171		LAF6834 ¹	RE58935	Oil	LFP5723	66113	Fuel	G115

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 183-Dust and odor filter 244-Secondary 268-Extended/Severe service 275-Primary 554-Recirculation 603-Tank Breather 607-Return 724-Differential 898-Cabin fresh air filter 1119-Suction Line 1137-Pilot 1171-Main 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HOBART (WELDER)			HOBART (WELDER)			HURLIMANN (TRACTOR)		
ARCSTAR 251 NT w/Onan P220 Engine (cont'd)			PGC-350 w/Willys Engine			H496T		
65251	Oil	PH2816		Oil	P3	242491300	Air	LAF1544 ²
ARCSTAR 280 NT w/Onan Engine			HOTSY (PRESSURE WASHER)			242491302		
64617	Air	LAF1782 ²	1080BE w/B&S Vanguard 16 hp V-Twin Engine			243191301	Fuel	LFF3501
66113	Fuel	G115		Oil	PH3656	H5105		
65251	Oil	PH2816	4400 w/Kohler K301S Engine			243191301	Fuel	LFF3501
ARCSTAR 300 NT w/Kubota D722 Engine			277138	Air	AF214	H5110		
187441	Air	LAF8388 ²		Hydraulic	LFP1652	242491300	Air	LAF1544 ²
215984	Fuel	G115	BD-405039E w/Honda 20 hp V-Twin Engine					LAF8618 ¹
187442		L550F		Oil	PH2808			LAF8619 ²
187443	Oil	PH2808	BD-455039E w/Honda 24 hp V-Twin Engine			242491309		LAF9410 ¹
Champion 1000 w/Kohler CH23 Engine				Oil	PH2808		Fuel	FP587F
230016	Air	LAF5802	HOWARD PRICE (TRACTOR)			H5116		
215984	Fuel	G115	1260 w/Yanmar 4TN82E Engine			242491302	Air	LAF9410 ¹
66698	Oil	PH2814	129150-12510	Air	LAF1275 ²	243191301	Fuel	LFF3501
Champion 1000 w/Robin EH64 or EH65 Engine			05-364	Oil	PH2808	H606XA, H607XA w/Perkins Engine		
215984	Fuel	G115	HURLIMANN (TRACTOR)				Fuel	L296F ⁴¹
	Oil	PH2840	H1200SX, H1350SX, H1500SX, H1600SX, H1800SX w/Perkins 1000.6W Engine			4415670	Oil	PH4403
Champion Elite w/Kohler CH680 Engine			H305XE, H306XE, H307XE w/Perkins 1000.3 Engine			H6115T		
230016	Air	LAF5802				242491302	Air	LAF9410 ¹
215984	Fuel	G115	26561118	Fuel	LFF3504	243191301	Fuel	LFF3501
66698	Oil	PH2814	244193400	Oil	LFP2238	H6125, H6155		
Champion Elite w/Robin/Subaru EH64 or EH65 Engine						243191301	Fuel	LFF3501
215984	Fuel	G115	26561118	Fuel	LFF3504	244193400	Oil	LFP2238
	Oil	PH2840	4415670	Oil	PH4403	H6130		
Contractor 3225D/DX w/Deutz F3L1011F Engine			H345, H351			242492803	Air	LAF3714 ²
197676	Air	LAF8195 ²		Air	LAF1731			LAF6587
197679		LAF8690 ¹	244190601	Fuel	L296F ⁴¹			LAF6587MXM ²⁶⁸
192744	Fuel	FP587F		Oil	LFP2538			LAF8618 ¹
66217		LFF3518	H355, H360, H460, H465, H470, H480, H485			242492801		LAF8619 ²
67265	Oil	PH2816	244190601	Fuel	L296F ⁴¹			LAF8674 ¹
Contractor 5040P w/Perkins 104.22 Engine			04415540	Oil	LFP2258	243191301	Fuel	LFF3501
192938	Air	LAF8114 ¹	H356, H466, H466.4			244193400	Oil	LFP2238
192939		LAF8143 ²	244190601	Fuel	L296F ⁴¹	H6135 w/Perkins 1006.6WT Engine		
192744	Fuel	FP587F	04415540	Oil	LFP2258		Air	LAF8674 ¹
197997		FP588F	H35F DT				Fuel	LFF3501
197899	Oil	PH2814	244190601	Fuel	L296F ⁴¹		Oil	LFP2238
D-400, D-412, D-2300, DCC-510, DR-353 w/Hercules D4800 Engine			04415540	Oil	LFP2258	H6136		
(40-0002-512); Pri.			H361XF			242491300	Air	LAF1544 ²
(40-0002-510); Sec.			244190601	Fuel	L296F ⁴¹	242491302		LAF9410 ¹
40-0000-406			4415540	Oil	LFP2258	243191301	Fuel	LFF3501
GF-250 w/Ford 200 CID Engine			H476, H476XF			244193400	Oil	LFP2238
	Fuel	G6 ²⁷⁵	242491300	Air	LAF1544 ²	242491300	Air	LAF1544 ²
FL1A	Oil	PH400 ²⁷⁵	242491302		LAF9410 ¹	242491302		LAF9410 ¹
FL1A		PH8A ¹⁴⁹⁶	244190601	Fuel	L296F ⁴¹	243191301	Fuel	LFF3501
GR-303 w/Ford 170 CID Engine			4415540	Oil	LFP2258	244193400	Oil	LFP2238
	Fuel	G6	H490			H6155 w/Perkins Engine		
FL1A	Oil	PH400 ²⁷⁵		Air	LAF8618 ¹	243191301	Fuel	LFF3501
FL1A		PH8A ¹⁴⁹⁶			LAF8619 ²	244193400	Oil	LFP2238
Models w/Chrysler engs.				Fuel	L296F ⁴¹	H6160T		
(2406441); Gas	Fuel	G6	H491XF				Air	LAF3714 ²
	Oil	P7FF	242491300	Air	LAF1544 ²	243191301	Fuel	LFF3501
		PH400 ²⁷⁵	242491302		LAF9410 ¹	244193400	Oil	LFP2238
		PH8A ¹⁴⁹⁶	244190601	Fuel	L296F ⁴¹	H6165 Master		
			4415540	Oil	LFP2258	P772520	Air	LAF8977

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HURLIMANN (TRACTOR)			HYDRA-MAC (LOADER)			HYDRA-MAC (LOADER)		
<i>H6165 Master (cont'd)</i>			<i>12C Series II, 12C Series III, 14C w/Isuzu QD40 Engine (cont'd)</i>			<i>20C Series II w/Mazda M-121-G Gas Engine (cont'd)</i>		
243191301	Fuel	LFF3501				Isuzu	Oil	LFP2261
244193400	Oil	LFP2238		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	3408-305	Oil	LFP54
<i>H6170T</i>			<i>12C w/Perkins 4.108 Engine</i>			<i>20C Series III, 20C Series IV w/Isuzu QD60 Engine</i>		
242492803	Air	LAF3714 ²	4108-311	Air	LAF1275 ²			
242492801		LAF8674 ¹	34013303	Hydraulic	LFP449		Fuel	LFF4295
243191301	Fuel	LFF3501		Oil	PH4408	3410-307	Hydraulic	LFH4955
<i>H655XA, H656XA, H657XA w/Perkins Engine</i>			<i>1300 w/Isuzu 3KR1 Engine</i>				Oil	LFP2261
	Fuel	L296F ⁴¹		Oil	PH2867		Trans	LFH4988
4415670	Oil	PH4403	<i>14C Series V w/Isuzu Diesel Engine</i>			<i>20C Series V w/Diesel Engine</i>		
			Turbo	Air	LAF1275 ² LAF222 ²		Air	LAF222 ²
				Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Oil	PH2863B
<i>H706XN, H707XN, H708XN, H709XN w/Perkins Engine</i>			<i>1600 w/Isuzu QD40 Engine</i>			<i>20C Series V w/Gas Engine</i>		
	Fuel	L296F ⁴¹		Fuel	LFF4295		Air	LAF222 ²
4415670	Oil	PH4403		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>HF6190</i>			<i>1700 w/Isuzu QD40 Engine</i>			<i>2200 w/Continental TMD27 Engine</i>		
243191301	Fuel	LFF3501		Fuel	LFF4295		Fuel	L296F ⁴¹
244193400	Oil	LFP2238		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>Prince 325XV, 335, 345 w/Mitsubishi K3FD Engine</i>			<i>18, 18D, 20C, 20CD w/DF-172 Diesel Engine</i>			<i>2400 w/Isuzu QD60 Engine</i>		
P108736	Air	LAF8659	8151-245	Hydraulic	LFH5068-10 PH725		Fuel	LFF4295
	Oil	PH2867	3401-307	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Oil	LFP2261
<i>Prince 435, 445 w/Mitsubishi Engine</i>			<i>5, 5C w/Tecumseh Engine</i>			<i>2650D w/John Deere 4039 Engine</i>		
P108736	Air	LAF8659		Fuel	LFF4295	(RE62419); Sec.	Fuel	L3887F ¹⁷⁵
	Oil	PH2867		Hydraulic	LFH5068-10 PH725	(RE62418); W/S	Oil	LF8215 ¹³¹⁶
<i>T5200, T6200, T7700</i>			<i>1850 w/Isuzu C240 Engine</i>			<i>6C w/Onan Engine</i>		
	Fuel	FP586F		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Fuel	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Oil	LFP2221 LFP2538	P101222	Air	LAF222 ²		Oil	FP20
244191501			4209-106	Fuel	G1/4 ²⁷⁵ G6 ²⁴⁴	<i>8, 8A, 8B, 8C early w/Onan NH, NHC, NHCV Engine</i>		
<i>XT908, XT909, XT910.4 w/Perkins 1004.4 Engine</i>			<i>2050 w/Isuzu Engine</i>			<i>805</i>		
244190601	Fuel	L296F ⁴¹	FG1		LFF4295		Air	LAF8148 ² LAF9332 ¹
26561118		LFF3504	3401-307	Hydraulic	LFP2261		Fuel	LAF2745A ²
244193400	Oil	LFP2238	FL1A	Oil	LFF4295	32008	Air	AF213
<i>XT910.6, XT911, XT913 w/Perkins 1006.6W1 Engine</i>			<i>20C Series II w/Isuzu C-240 Diesel Engine</i>			(4209-106); Gas	Fuel	G1/4
243191301	Fuel	LFF3501	FL1A	Hydraulic	LFH4955	3401303	Hydraulic	LFH4955
26561118		LFF3504	FL1A	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	4209-146	Oil	PH400
4415670	Oil	PH4403				<i>9C w/Isuzu Engine</i>		
HYDRA-MAC (LOADER)			<i>18, 18D, 20C, 20CD w/Ford GF-172 Gas Engine</i>			<i>P101275</i>		
<i>10, 12C w/Ford GF-098 Engine</i>			<i>1850 w/Isuzu C240 Engine</i>			<i>4100-021</i>		
4108-311	Air	LAF1275 ²		Fuel	LFF4295	4209-106	Fuel	G1/4 ²⁷⁵
(4209-106); Gas	Fuel	G1/4		Oil	LFP2261		Hydraulic	LFH4967
3410-307	Hydraulic	LFH4955				3408-305	Hydraulic	LFP54
4209-146	Oil	PH561	<i>2050 w/Isuzu Engine</i>			<i>8, 8A, 8B, 8C late w/Onan NHCV Engine</i>		
<i>11C w/Isuzu QD27 Engine</i>			<i>20C Series II w/Isuzu C-240 Diesel Engine</i>			<i>P102745</i>		
	Fuel	LFF4295		Fuel	LFF4295	(4209-106); Gas	Fuel	G1/4
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Oil	LFP2261	3401303	Hydraulic	LFH4955
<i>12C Series II w/Chrysler H105 gas Engine</i>			<i>2050 w/Isuzu Engine</i>			4209-146	Oil	PH400
4108-311	Air	LAF1275 ²	4108311	Air	LAF1275 ²	<i>805</i>		
4209-106	Fuel	G1/4 ²⁷⁵	1309-108	Hydraulic	LFH4372		Air	LAF8148 ² LAF9332 ¹
3408-305	Oil	LFP54	8151-245		LFH5068-10 PH725	<i>8C late w/Onan NHCV Engine</i>		
<i>12C Series II w/Isuzu 3AB1 Diesel Engine</i>			<i>20C Series II w/Isuzu C-240 Diesel Engine</i>			<i>P102745</i>		
4108-311	Air	LAF1275 ²		Fuel	LFF4295	(4209-106); Gas	Fuel	LAF2745A ²
4209-106	Fuel	G1/4 ²⁷⁵		Oil	LFP2261		Hydraulic	LFH5068-10
3408-305	Oil	LFP54				4209-146	Oil	PH400
<i>12C Series II w/Isuzu 3AB1 Diesel Engine</i>			<i>20C Series II w/Mazda M-121-G Gas Engine</i>			<i>9C w/Isuzu Engine</i>		
4108-311	Air	LAF1275 ²		Air	LAF222 ²	P101275	Air	LAF1275 ²
4209-106	Fuel	G1/4 ²⁷⁵		Fuel	LAF222 ²		Hydraulic	LFH4988
3408-305	Oil	LFP54		Oil	LFP2261		Oil	LFP2270
<i>12C Series II, 12C Series III, 14C w/Isuzu QD40 Engine</i>			<i>20C Series II w/Mazda M-121-G Gas Engine</i>			<i>Big Mac Loader w/Ford Engine</i>		
	Fuel	LFF4295		Fuel	LAF222 ²		Air	LAF222 ²
				Hydraulic	LFH4955			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 41-Cartridge 175-6" Tall 244-Secondary 275-Primary 1316-5 1/4" Tall 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HYDRA-MAC (LOADER)			HYDRO-AX (LOGGING EQUIPMENT)			HYDRO-AX (LOGGING EQUIPMENT)		
<i>Big Mac Loader w/Ford Engine (cont'd)</i>			<i>410C w/John Deere Engine (cont'd)</i>			<i>ATL-425 w/John Deere 6076T Engine (cont'd)</i>		
3410307	Hydraulic	PH725 ¹³¹⁷		Air	LAF503 ¹		Air	LAF926
	Trans	LFH4955 ⁵⁹⁰		Fuel	P1130		Oil	PH720
				Oil	FP20	<i>ATL-625 w/Caterpillar 3306T Engine</i>		
HYDRO-AX (LOGGING EQUIPMENT)			<i>410D w/Cummins 6BT5.9 Engine</i>				Air	LAF1801
<i>180C w/Cummins 4BT3.9 Engine</i>				Air	LAF9001 ²		Trans	LFH4922
	Air	LAF1725 ¹	<i>410D w/John Deere 6059T Engine</i>			<i>ATL-625 w/Cummins 6CTA8.3 Engine</i>		
		LAF9001 ²		Air	LAF1917		Air	LAF241HD
<i>180C w/John Deere 4239T Engine</i>					LAF503 ¹		Trans	LFH4922
	Air	LAF1246 ²		Fuel	P1130	<i>CR-625 w/Cummins 6CTA8.3 Engine</i>		
	Fuel	P1130		Oil	FP20		Air	LAF241HD
	Oil	FP20	<i>410SP, 410SPA w/Cummins 6BT5.9 Engine</i>				Trans	LFH4922
<i>180C w/John Deere 4276D/SR Engine</i>				Air	LAF9001 ²	<i>RT-410 w/Detroit Diesel Engine</i>		
	Fuel	P1130	<i>410SP, 410SPA w/John Deere Engine</i>				Air	LAF6769
	Oil	FP20		Air	LAF1917			LAF6769MXM ²⁶⁸
<i>210 w/John Deere 4276D Engine</i>					LAF503 ¹	<i>RT-410B w/Detroit Diesel 4-71T Engine</i>		
	Fuel	P1130		Fuel	P1130		Air	LAF6632
	Oil	FP20		Oil	FP20			LAF6632MXM ²⁶⁸
<i>210C w/Cummins 4BT3.9 Engine</i>			<i>500 w/Detroit Diesel 4-53 Engine</i>			<i>RT-610, RT-610R w/Detroit Diesel 6V-53 Engine</i>		
	Air	LAF1544 ²		Air	LAF237 ²		Air	LAF6769
<i>210C w/Detroit Diesel 3-53 Engine</i>				Hydraulic	LFH4955			LAF6769MXM ²⁶⁸
Turbo	Air	LAF6587 ²	<i>511B, 511B Series 2 Timber Harvester w/Cummins 6BT5.9 Engine</i>			<i>T-180D w/Cummins 4BT3.9 Engine</i>		
Turbo		LAF6587MXM ^{2, 268}		Air	LAF237 ²		Air	LAF9001 ²
<i>210C w/Detroit Diesel 4-53 Engine</i>			<i>511E Timber Harvester w/Cummins 6BT5.9 Engine</i>			<i>T-180D w/John Deere 4239T, 4276D Engine</i>		
Turbo	Air	LAF6769 ²			LAF1787 ²		Air	LAF1246 ²
Turbo		LAF6769MXM ^{2, 268}		Air	LAF1787 ²		Fuel	P1130
<i>210C w/John Deere 4276T Engine</i>			<i>600B w/Cummins 6BT5.9 Engine</i>				Oil	FP20
	Air	LAF1246 ²			LAF1787 ²	<i>T-210D w/Cummins 4BT3.9 Engine</i>		
		LAF1394 ¹		Air	LAF1787 ²		Air	LAF9001 ²
	Fuel	P1130	-S/N 2136	Hydraulic	LFP449	<i>T-325 w/Cummins 4BT3.9 Engine</i>		
	Oil	FP20	<i>611B Series II w/Cummins 6BT5.9 Engine</i>				Air	LAF9001 ²
<i>210C w/John Deere 6414T Engine</i>				Air	LAF1787 ²	<i>T-325 w/John Deere 6059T, 6414T Engine</i>		
	Air	LAF1917	-S/N 2136	Hydraulic	LFP449		Air	LAF1801
		LAF503 ¹	<i>611E w/Cummins 6BT5.9 Engine</i>				Fuel	P1130
	Fuel	P1130		Air	LAF1787 ²		Oil	FP20
	Oil	FP20	<i>625 w/Caterpillar 3306T Engine</i>			<i>T-410D, T-410DX w/Cummins 4BT3.9 Engine</i>		
<i>221 w/John Deere Engine</i>				Air	LAF1801		Air	LAF9001 ²
	Fuel	P1130	<i>625 w/Cummins 6CT8.3 Engine</i>			<i>T-600B w/Detroit Diesel 6V-53 Engine</i>		
	Oil	FP20		Air	LAF241HD		Air	LAF6769
<i>321 w/Cummins 4BTA3.9 Engine</i>			<i>700 Series w/Caterpillar 3208 Engine</i>					LAF6769MXM ²⁶⁸
	Air	LAF1846 ²		Air	LAF237 ²	HYMAC (CONSTRUCTION EQUIPMENT)		
		LAF503 ¹		Hydraulic	LFH4955	<i>1290 w/Cummins Engine</i>		
<i>321 w/John Deere 4045T Engine</i>			<i>711 w/Cummins 6CT8.3 Engine</i>			2709026	Air	LAF6587
	Fuel	P1130		Coolant	LFW4071 ²⁸			LAF6587MXM ²⁶⁸
	Oil	FP20	<i>721, 721E w/Cummins 6CT8.3 Engine</i>			<i>181 Excavator w/Perkins 6.354 Engine</i>		
<i>410B w/Detroit Diesel 4-53 Engine</i>				Coolant	LFW4071 ²⁸		Hydraulic	LFH8535
Turbo	Air	LAF6769 ²	<i>ATL-425 w/Caterpillar 3208T Engine</i>			<i>35AWS w/Perkins Engine</i>		
Turbo		LAF6769MXM ^{2, 268}		Air	LAF6769	2707008	Air	LAF1246 ²
<i>410B w/John Deere 6414T Engine</i>					LAF6769MXM ²⁶⁸	2700072	Fuel	L296F ⁴¹
	Air	LAF1917	<i>ATL-425 w/Cummins 6CT8.3 Engine</i>				Oil	PH4403
		LAF503 ¹		Oil	LFP6007	<i>370, 370C Excavator w/Ford Engine</i>		
	Fuel	P1130	<i>ATL-425 w/Detroit Diesel 4-71T Engine</i>				Air	LAF1756
	Oil	FP20		Air	LAF6632	2700072	Fuel	L296F ⁴¹
<i>410C w/Cummins 6BT5.9 Engine</i>					LAF6632MXM ²⁶⁸	2460094	Oil	P72
	Air	LAF9001 ²	<i>ATL-425 w/John Deere 6076T Engine</i>			2700218		PH400 ²⁷⁵
<i>410C w/John Deere Engine</i>				Air	LAF414 ¹			
	Air	LAF1917						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 28-Contains 1 oz. of chemical 41-Cartridge 268-Extended/Severe service 275-Primary 590-Hydrostatic 1317-Bucket Control

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HYMAC (CONSTRUCTION EQUIPMENT)			HYMAC (CONSTRUCTION EQUIPMENT)			HYPAC (EQUIPMENT)		
370, 370C Excavator w/Ford Engine (cont'd)			590, 590C w/Perkins T6.354 Engine (cont'd)			350D w/Cummins 3.9L Engine		
2700218	Oil	PH8A ¹⁴⁹⁶	2700192	Oil	LFP2292	P165878	Hydraulic	LFH4902
370C Excavators w/Leyland Engine			590C w/Ford 2715E, 2713E Engine			C530A, C530AH w/Cummins 3.9L Engine		
	Air	LAF1756	3460094		P72	P165878	Hydraulic	LFH4902
	Coolant	LFW4744 ⁴	2707008	Air	LAF1246 ²	C747B w/Deutz F2L1011 Engine		
	Fuel	L296F ⁴¹			LAF8668		Air	LAF8623 ¹
	Oil	P52	2700072	Fuel	L296F ⁴¹		Fuel	FP586F
400 w/Cummins Engine					LFP8507		Oil	PH561
P-24-38	Air	LAF2438	3460094	Oil	P72	C778C w/Cummins 3.9L Engine		
P40		LAF4040	595, 596 w/Ford 2715E Engine			C812A w/Deutz F3L1011F Engine		
		LAF6587	2700177	Air	LAF8524		Air	LAF1784 ¹
		LAF6587MXM ²⁶⁸		Fuel	L296F ⁴¹			LAF9538 ²
		LAF6769		Oil	LFP8507			LAF9538MXM ^{2, 268}
		LAF6769MXM ²⁶⁸			P72		Fuel	FP586F
400 w/Gardner 180 Engine			595, 596 w/Perkins 6.354.4, T6.354 Engine				Oil	PH561
P-24-38	Air	LAF2438	2700177	Air	LAF1246 ²	C820A, C822A w/Cummins 3.9L Engine		
P32		LAF320			LAF8524		Air	LAF1544 ²
		LAF6587		Fuel	L296F ⁴¹	C832B w/Cummins 3.9L Engine		
		LAF6587MXM ²⁶⁸		Oil	P72	P165878	Hydraulic	LFH4902
(GFF310); Pri.	Fuel	LFF3512			PH4403	P164384		LFH4910
LW6252	Oil	LP8554	610C w/Ford 2703E, 2713E Engine			C850B w/Cummins 5.9L Engine		
400 w/Gardner 240 Engine				Air	LAF1246 ²	P165878	Hydraulic	LFH4902
P32	Air	LAF320			LAF265HD	P164384		LFH4910
		LAF6769		Fuel	L296F ⁴¹	HYSTER (COMPACTOR)		
		LAF6769MXM ²⁶⁸		Oil	P72	14300XL w/Perkins Engine		
(GFF310); Pri.	Fuel	LFF3512	610C w/Perkins 6.354 Engine			97310		
LW6252	Oil	LP8554	2707008	Air	LAF1246 ²	251755		
400 w/Rolls Royce 220 Eagle Engine					LAF689	340A-D, C350B-D w/Perkins 4-236 Diesel Engine		
P-24-38	Air	LAF2438		Fuel	L296F ⁴¹	P101246	Air	LAF1246 ^{2, 1318}
		LAF6587		Oil	LFP2292	K-10	Hydraulic	LFH4204 ¹⁰⁷⁷
		LAF6587MXM	3460094		P72	1551		LFP1652 ¹¹
OE42873	Fuel	LFF4036A	690 w/Perkins T6.354 Engine			3276		LP50910
400 w/Rolls Royce 280 Eagle Engine				Air	LAF8524	2654403	Oil	PH4403
P-32	Air	LAF2438		Fuel	L296F ⁴¹	C-250A, C-255A Roller Compactor w/Detroit Diesel 4-53N Engine		
		LAF320		Oil	LFP2292	T966133		
		LAF6587			P72	Sec.	Fuel	LAF237 ²
		LAF6587MXM ²⁶⁸	880C w/Volvo D70D Engine			Pri.		261F
		LAF6769	2709026	Air	LAF234HD ²	Pri.		L274F
		LAF6769MXM ²⁶⁸			LAF6587			L274F1
OE42873	Fuel	LFF4036A		Fuel	LAF6587MXM ²⁶⁸		Oil	LP132
580C, 580D w/Ford 2703E, 2713E Engine					FP586F	C-330A Roller w/Cummins Engine		
2707008	Air	LAF1246 ²			L296F ⁴¹	Pri.	Fuel	LFH3417
		LAF689		Oil	LFP2234	Sec.		LFF3521
2700072	Fuel	L296F ⁴¹	890 w/Perkins T6.354.4 Engine				Oil	LFP3900
	Oil	LFP8507	2709024	Air	LAF234HD ²	C-330A Roller w/Gas Engine		
3460094		P72	2700177		LAF8524		Air	LAF1275 ²
		P772		Fuel	L296F ⁴¹		Hydraulic	LFH4209
580C, 580D w/Perkins 6.354, T6.354 Engine				Oil	LFP2292		Oil	LFH4902 ¹³¹⁹
2707008	Air	LAF1246 ²	HYMAC 580C, HYMAC 580D w/Perkins 6.354, T6.354 Engine				Oil	PH1218
2707102		LAF1965 ²	2707008	Air	LAF1246 ²		Trans	LP50910
		LAF689	2707102		LAF1955 ²	C-330A w/General Motors 4-153 Gas Engine		
590, 590C w/Perkins T6.354 Engine					LAF689	Pri.	Hydraulic	LP50910
2700177	Air	LAF1246 ²	2700072	Fuel	L296F ⁴¹	127644	Oil	PH454
		LAF8524	2700192	Oil	LFP2292	C-340B w/Detroit Diesel 3-53 Engine		
		LAF8668	3460094		P72		Hydraulic	LFH4902 ¹³¹⁹
2700072	Fuel	L296F ⁴¹						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 11-Power Steering 41-Cartridge 268-Extended/Severe service 1077-Hyd. Tank 1318-C350B-D Only
1319-Pall Systems 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HYSTER (COMPACTOR)			HYSTER (COMPACTOR)			HYSTER (LIFT TRUCK)		
C-340B w/Detroit Diesel 3-53 Engine (cont'd)			C-530A w/Perkins 4-236 Engine (cont'd)			H-100, -C, H-120, -C, S-100, -B w/Continental F244 Engine (cont'd)		
	Hydraulic	L296F 41		Fuel	L23F			
		LFF1131		Oil	P771A		Oil	P3
C-340B w/Perkins 4.236 Engine			C-530A, -550A w/Detroit Diesel V6-230 Gas Engine				Trans	P2
W/S	Fuel	L296F 41		Fuel	G6	H-100C, H-120C, H-100RC, H-100SC, H-100TC, H-120RC, H-120SC, H-120TC w/Perkins 6.305 Engine		
	Hydraulic	LFH4902 1319	127644	Oil	PH454			
		LFH4988						
	Oil	PH4403	C-550A Pneumatic w/Detroit Diesel 3-53 Engine			235862	Air	LAF230
C-350A Roller w/Detroit Diesel 3-53 Engine			156954	Air	LAF234HD 2	(15100); Pri.	Fuel	L274F
149294	Air	LAF702	C-610A, C-610B, C-615A, C-615B, C-620B, C-625A, C-625B, C-627B w/Detroit Diesel 3-53 Engine			Pri.		L274F1
C-350A w/General Motors 6-230 Engine			K-10			(124217); Sec.		L296F 41
149294	Air	LAF702		Hydraulic	LFH4204 1077	(148497); Sec.		L93FP
	Fuel	G6			LP50910	75669	Hydraulic	LP163
3294	Hydraulic	LP509	3293			985651	Oil	LP70V
127644	Oil	PH454	C-610A, C-610B, C-615A, C-615B, C-620B, C-625A, C-625B, C-627B w/Perkins Diesel 4.236 Engine			235849	Trans	LP151
C-350A w/Perkins 4-236 Engine			C-610A, C-610B, C-615A, C-615B, C-620B, C-625A, C-625B, C-627B w/Perkins Diesel 4.236 Engine			H-100C, H-120C, H-110F, H-150F w/Perkins 4.236 Engine		
149294	Air	LAF702	32543	Fuel	L23F	149294	Air	LAF702
	Fuel	L23F	26560017		L296F 41	(155100); Pri.	Fuel	L274F
	Oil	P771A	2654407	Oil	LFP2292	Pri.		L274F1
C-350B Roller w/GM 6-250 Engine			26450153		P72	(124217); Sec.		L296F 41
	Air	LAF702	26560090		P771A	(148497); Sec.		L93FP
	Hydraulic	LFP1652	26540132		P772	75669	Hydraulic	LP163
		LP50910	2654403		PH4403	259964	Oil	PH4408
	Oil	PH1218	C-612B w/Detroit Diesel 3-53 Engine			235849	Trans	LP151
C-350C w/Perkins 4.236 Engine			K23018			H-100XL2, H-110XL2 w/GM V6 4.3L Gas Engine		
W/S	Fuel	L296F 41		Air	LAF234HD 2	1330342	Fuel	G481
		LFF1131		Hydraulic	LFH7355	1328692	Hydraulic	LFH4987
	Hydraulic	LFH4902 1319	C-727A w/John Deere 6466 Engine			1320000	Oil	PH51A
		LFH4988		Fuel	P1130	H-1050CH Challenger w/Perkins 2006 Engine		
	Oil	PH4403		Oil	PH725	1312208	Air	LAF694
C-440A Compactor w/Detroit Diesel 6V-53N Engine			Models with United filter 250C3-S			256226	Hydraulic	LH4994
K23018	Hydraulic	LFH7355	HYSTER (CRANE)			H-110, H-1150F w/General Motors 6.250 Engine		
C-450A, -451A Rollers w/Caterpillar D330C Engine			K360B w/Detroit Diesel 4-53 Engine			149294	Air	LAF702
W/S	Fuel	LFF1131	97116	Hydraulic	LP151	75669	Hydraulic	LP163
C-450A, -455A, -458 w/Two Caterpillar D-330B Engine			KD, KE w/Continental Engine			235849	Trans	LP132
	Air	LAF7727 1200	118643	Air	LAF71	H-110, H-150F Challenger w/Diesel Engine		
		LAF851	60518	Oil	P3	149294	Air	LAF702
147463	Hydraulic	LFH4210	(180282); By-Pass; KE only		PB50	124217	Fuel	L296F 41
		LP560	KE w/Perkins 4.203 Engine			75669	Hydraulic	LP163
	Oil	LFP55 1200	234719	Air	LAF863	990325	Oil	P771
C-450B, -451B, -455B w/Two Caterpillar 3304 Engine			(124217); Late models (148497); Early models	Fuel	L296F 41	195852		PH400 275
W/S	Fuel	LFF1131	133575		L93FP 244	195852		PH8A 1496
C-500A w/Caterpillar D311H Engine			HYSTER (LIFT TRUCK)			235849	Trans	LP132
	Air	LAF210	75, KB, KC			H-110FX, H-150F w/General Motors 6-250 Engine		
C-500A w/Continental F244 Engine				Oil	P3	127644	Oil	PH454
C-500A w/Perkins 6.354 Engine			B-177 w/Isuzu QD240 Engine			H-135, H-155XL Challenger w/General Motors Gas Engine		
985220	Fuel	L23F 12		Oil	P3	305080	Air	LAF222 2, 57
88127A		L296F 41	W/S			1330342	Fuel	G481
	Oil	P72		Fuel	FP941F	1320000	Oil	PH51A
C-530A w/Detroit Diesel 3-53 Engine			E25-40AR, E30-40CR, E30-E50ER Electric			H-135, H-155XL Challenger w/General Motors LPG Engine		
	Air	LAF702	2310104	Hydraulic	LFP1652	Engine		
C-530A w/Perkins 4-236 Engine			H-100, -C, H-120, -C, S-100, -B w/Continental F244 Engine			305080	Air	LAF222 2, 57
149294	Air	LAF702		Hydraulic	LP163	1330342	Fuel	G481
						1320000	Oil	PH51A

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 12-Optional 41-Cartridge 57-Partial 244-Secondary 275-Primary 1077-Hyd. Tank 1200-Starting Engine 1319-Pall Systems 1496-Alternate

H

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HYSTER (LIFT TRUCK)			HYSTER (LIFT TRUCK)			HYSTER (LIFT TRUCK)		
<i>H-150E, H-250E, H-250A, H-300A w/General Motors V6-305 or GM V8-350 Engine</i>			<i>H-150H, H-275H w/General Motors V8-350 Engine</i>			<i>H-20E, H-25E, H-30E w/Continental Gas Engine</i>		
97310	Air	LAF1246 ²	275285	Air	LAF1628	118643	Air	LAF71
141265		LAF66	97372	Fuel	G6	By-Pass	Oil	P3
97372	Fuel	G6	75669	Hydraulic	LP163		PH50	
75669	Hydraulic	LP163	258237	Oil	PH1218		PH253 ¹⁴⁹⁶	
97116	Oil	LP132	236090	Trans	P92		Trans	PH2835 ²⁷⁵
(258237); V-8 only (147037); V-6 only		PH1218	<i>H-150H, H-275H w/Perkins Diesel Engine</i>			<i>H-20E, H-30E w/Perkins 4.108 Engine</i>		
236090	Trans	P92	235862	Air	LAF230	118643	Air	LAF71
		PH24	156954		LAF234HD ²	180283	Trans	PH253 ¹⁴⁹⁶
			141265		LAF66			PH2835 ²⁷⁵
			75669	Hydraulic	LP163	<i>H-250XL2, H-280XL2 w/Perkins 1006-6 Engine</i>		
<i>H-150E, H-250E, H-250A, H-300A w/Perkins Engine</i>				Oil	LFP2292	1352666	Air	LAF1246 ²
97310	Air	LAF1246 ²		Trans	P771			LAF1394 ¹
235862		LAF230	236090		LP132	3000339		LAF2745A ¹⁸¹
141265		LAF66	<i>H-165XL2, H-190XL2, H-210XL2, H-230XL2, H-250XL2, H-280XL2 w/Perkins 1006-6 Engine</i>			Pri.	Fuel	L3101F
(155100); Pri.	Fuel	L274F	1352666	Air	LAF1246 ^{2,57}	Sec.		L3102F
Pri.		L274F1		Fuel	L3101F	1315621	Hydraulic	LFH22007 ⁶¹⁰
(124217); Sec.		L296F ⁴¹		Sec.	L3102F	376066		LH4369
(148497); Sec.		L93FP			PH4403		Oil	PH4403
75669	Hydraulic	LP163	<i>H-190XL</i>			<i>H-25XL, H-35XL, H-40XL, H-50XL, H-60XL w/Mazda M4-121G Engine</i>		
985651	Oil	P72	97310	Air	LAF1246 ²	326483	Air	LAF1275 ²
251755		PH4408			LAF1394 ¹	305080		LAF222 ²
236090	Trans	P92			LAF2745A ¹⁸¹	1304050	Fuel	G1 ⁵³¹
<i>H-150E, RC-150, SC-150, TC-150, RC-160, SC-160, TC-160, H-165E, TC-165, RC-180, H-180E, SC-180, TC-1</i>			3000339		FP587F	309112	Hydraulic	LFH4987
	Air	LAF210	1315621	Fuel	LFH22007 ⁶¹⁰	324692	Oil	LFP5522
Gas	Fuel	G124	376066	Hydraulic	LH4369	<i>H-25XL, H-35XL, H-40XL, H-60XL w/Perkins 4.203 Engine</i>		
	Oil	LP132	1327905	Oil	LFP2292	305080	Air	LAF222 ²
(57041); By-Pass		P122	<i>H-200E, M-200E, M-200F, RC-200, SC-200, TC-200, H-225E, TC-225, H-250F, H-300E, M-300E, M-300F w/G</i>			124217	Fuel	L296F ⁴¹
	Trans	P2		Air	LAF210	295025	Oil	PH4408
<i>H-150E, RC-150, SC-150, TC-150, RC-160, SC-160, TC-160, H165E, TC-165, RC-180, H-180E, SC-180, TC-1</i>				Fuel	G124	<i>H-25XM, H-40XM Challenger w/Mazda 2.0L Gas Engine</i>		
		L50F		Oil	P122	1369809	Air	LAF1275 ²
	Hydraulic	LP163	<i>H-200E, M-200E, M-200F, RC-200, SC-200, TC-200, H-225E, TC-225, H-250F, H-300E, M-300E, M-300F w/H</i>			2021461	Trans	PH253 ¹⁴⁹⁶
26540153	Oil	P72			LP132			PH2835 ²⁷⁵
<i>H-150E, RC-150, SC-150, TC-150, RC-160, SC-160, TC-160, TC-165, RC-180, H-180E, SC-180, TC-180, H-1</i>				Oil	P4	<i>H-25XM, H-40XM Challenger w/Mazda LPG Engine</i>		
(275285); SC-150 only	Air	LAF1628	<i>H-200E, M-200E, M-200F, RC-200, SC-200, TC-200, H-225E, TC-225, H-250F, H-300E, M-300E, M-300F w/P</i>			1369809	Air	LAF1275 ²
253862		LAF230		Fuel	L50F	2021461	Trans	PH253 ¹⁴⁹⁶
(156954); H-150E only		LAF234HD ²		Oil	LP163			PH2835 ²⁷⁵
		LAF240 ¹³²⁰			P72	<i>H300XL2, H3330XL2 w/Perkins 1006.6 Engine</i>		
		LAF240HD ²	<i>H-200E, M-200E, M-200F, RC-200, SC-200, TC-200, H-225E, TC-225, H-250F, H-300E, M-300E, M-300F</i>			1352666	Air	LAF1246 ^{2,57}
(P100890); 225 only	Hydraulic	LAF240HD			LAF240HD	Pri.	Fuel	L3101F
3294	Oil	LP509			LAF265HD	Sec.		L3102F
		LP38		Air	LAF1628		Oil	PH4403
<i>H-150H, H-275H w/Detroit Diesel 4-53N Engine</i>					LAF230	<i>H-30E, H-30UE, H-30YE, H-30HE, H-30F, H-60F, H-30H, H-60H, H-60B, H-90B, H-60C, H-90C, H-100B, H-12</i>		
155748	Air	LAF237 ²			LAF234HD ²	(118643); exc. P4	Air	LAF71
156947		LAF265HD			LAF240	234719		LAF863
(157854); Sec.	Fuel	261F			LAF240HD	(155100); Pri.	Fuel	L274F
(155100); Pri.		L274F			LAF265HD ¹³²¹	Pri.		L274F1
75669	Hydraulic	LP163	3294	Hydraulic	LP509	(124217); Sec.		L296F ⁴¹
236090	Trans	LP132		Oil	LP38	(148497); Sec.		L93FP
				Trans	P2	75669	Hydraulic	LP163
						133575	Oil	P772

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 57-Partial 181-Single 275-Primary 531-Filter only 610-Charge Pump 1320-Fram A240 Series 1321-225 only 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HYSTER (LIFT TRUCK)			HYSTER (LIFT TRUCK)			HYSTER (LIFT TRUCK)		
H-30E, H-30UE, H-30YE, H-30HE, H-30F, H-60F, H-30H, H-60H, H-60B, H-90B, H-60C, H-90C, H-100B, H-12 (cont'd)			H-40XM, H-50XM, H-60XM w/Isuzu 3.1L Diesel Engine			H-70XL2, H-80XL2, H-90XL2, H-100XL2, H110XL2, H-135XL2, H-155XL2 w/Perkins 1004-4 Engine		
259025	Oil	PH4408	305080	Air	LAF222 ²		Oil	LFP2292
235849	Trans	LP151	(1334350); W/S	Fuel	FP941F			
233134		P2	1328692	Trans	LFH4987	M200E, M300E, M200F, M300F w/Chrysler industrial Engine		
H-30H, H-60H w/Ford Engine			H-45XM, H-65XM Challenger w/2.2L General Motors Gas Engine			201558	Oil	LP38
(195852); block mtd. only	Oil	PH400 ²⁷⁵	305080	Air	LAF222 ²	M200H, M400H w/GM V6-305 Engine		
(195852); block mtd. only		PH8A ¹⁴⁹⁶	1330342	Fuel	G481	97372	Fuel	G6
H-360A, H-400A, H-460A w/Continental Diesel Engine			1328692	Trans	LFH4987	75669	Hydraulic	LP163
202951	Air	LAF240	H-45XM, H-65XM w/Isuzu 4JB1 or 4JG1 Engine			97116	Oil	LP132
(200790); Sec.	Fuel	262F	305080	Air	LAF222 ²	147037		PH24
75669	Hydraulic	LP163	1328692	Trans	LFH4987	(236090); w/oil clutch Trans P92		
235849	Trans	LP151	H-45XM, H-65XM w/Isuzu C240 Engine			M200H, M400H w/GM V8-350 Engine		
H-360A, H-400A, H-460A w/Continental gas Engine			305080	Air	LAF222 ²	97310	Air	LAF1246 ²
AF-50	Air	LAF240	360974	Hydraulic	LFP8244	97372	Fuel	G6
	Hydraulic	LP163	1328692	Trans	LFH4987	75669	Hydraulic	LP163
	Oil	P71	H-50XL, H-60XL w/Isuzu C240 Engine			258237	Oil	PH1218
H-360A, H-400A, H-460A w/Perkins 6.354 Engine			125846	Air	LAF1275 ²	236090	Trans	P92
202951	Air	LAF240	1328692	Hydraulic	LFH4987	M200H, M400H w/Perkins 6.354 Engine		
	Fuel	L296F ⁴¹	360974		LFP8244	(155100); Pri.	Fuel	L274F
	Hydraulic	LP163	H-60B, H-80B, H-60UE, H-60YE, H-60HE, H-60XA, H-60VA, H-60ZA, H-80UE, H-80YE, H-80HE, H-80XA, H-80V			Pri.		L274F1
	Oil	P72	(992248); Sec.	Fuel	L50F	(124217); Sec.		L296F ⁴¹
H40, H40XL, H50XL, H60XL w/Isuzu 51.820 Engine			990325	Oil	P771A	75669	Hydraulic	LP163
125846	Air	LAF1275 ²	H-60C, H-70C, H-80C, S-60B, S-70B, S-80B, VT-75 w/Continental F226 Engine			985651	Oil	P72
	Fuel	FP588F		Air	LAF863	251755		PH4408
324330	Oil	P52		Hydraulic	LP163	236090	Trans	P92
309112		PH253 ¹⁴⁹⁶		Oil	P3	M500A, M600A w/Continental Engine		
		PH2835 ²⁷⁵		Trans	P2	202951	Air	LAF1246 ²
1328692	Trans	LFH4987	H-60C, H-90C w/Perkins 4.2032 Engine			(200790); Diesel; Sec.	Fuel	262F
H-40F w/Continental G193 Engine			124217	Fuel	L296F ⁴¹	(200336); Gas	Oil	P71
149294	Air	LAF702	75669	Hydraulic	LP163	M500A, M600A w/Continental TD572 Diesel Engine		
	Oil	P3	97116	Oil	P122	202951	Air	LAF1246 ²
H-40JS, H-60JS w/Perkins Diesel Engine			133575		P772	(200790); Sec.	Fuel	262F
305080	Air	LAF222 ²	233134	Trans	P2	75669	Hydraulic	LP163
124217	Fuel	L296F ⁴¹	H-60C, -90C w/Continental F227 Engine			(235849); w/P/Shift.	Trans	LP151
259025	Oil	PH4408	234719	Air	LAF863	(75669); w/oil clutch		LP163
H-40XM, H-50XM, H-60XM w/General Motors 3.0L Gas Engine			75669	Hydraulic	LP163	N-30XMDR, N-50XMA Electric		
305080	Air	LAF222 ²	97116	Oil	P122	2310104	Hydraulic	LFP1652
1330342	Fuel	G481	60518		P3	P-125A, P-150A, P-165A, P-180A w/GM V6-305 Engine		
127644	Oil	PH454	233134	Trans	P2	97310	Air	LAF1246 ²
1328692	Trans	LFH4987	H-60E-H-110E w/General Motors 6.250 Engine			235862		LAF230
H-40XM, H-50XM, H-60XM w/Isuzu 2.0L Diesel Engine			1320263	Air	LAF222 ²	141265		LAF66
1361808	Oil	PH2808	149294		LAF702	97372	Fuel	G6
H-40XM, H-50XM, H-60XM w/Isuzu 2.4L & 2.8L Diesel Engine			195852	Oil	PH400 ²⁷⁵	75658	Hydraulic	LP560
305080	Air	LAF222 ²	127644		PH454	GM 5573014	Oil	LP132
(1334350); W/S	Fuel	FP941F	195852		PH8A ¹⁴⁹⁶	GM 5572286		P122
1328692	Trans	LFH4987	297865	Trans	HP1	GM 5574550		P141
			H-70XL, H-80XL, H-90XL w/GM 4.3L Gas Engine			147037		PH24
			305080	Air	LAF222 ²	236090	Trans	P92
			1330342	Fuel	G481	P-125A, P-180A, P-150B, P-200B w/GM V8-350 Engine		
			74184H	Oil	PH51A	156954	Air	LAF234HD ²
			1328691	Trans	HP1	141265		LAF66
						97372	Fuel	G6

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
2-Outer 41-Cartridge 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HYSTER (LIFT TRUCK)			HYSTER (LIFT TRUCK)			HYSTER (LIFT TRUCK)		
<i>P-125A, P-180A, P-150B, P-200B w/GM V8-350 Engine (cont'd)</i>			<i>S-135XL Spacesaver w/General Motors Gas Engine (cont'd)</i>			<i>S-30C, S-40C, S-50C w/Continental F163 Gas Engine (cont'd)</i>		
75669	Hydraulic	LP163		Fuel	G3/8 G481		Trans	PH2835 ²⁷⁵
258237	Oil	PH1218				<i>S-30C, S-40C, S-50C w/Perkins Engine</i>		
236090	Trans	P92	S446432	Hydraulic	HP1 LH4396	234719	Air	LAF863
<i>P-125A, P-180A, P-150B, P-200B w/Perkins Engine</i>				Oil	PH51A	124217 (148947); Sec.	Fuel	L296F ⁴¹ L93FP
(275285); P150B, P200B	Air	LAF1628	<i>S-155XL Spacersaver w/Gas Engine</i>			75669	Hydraulic	LP163
235862		LAF230		Air	LAF222 ²	133575	Oil	P772
156954		LAF234HD ²		Fuel	G3/8 G481	259025		PH4408
141265		LAF66	S446432	Hydraulic	HP1 LH4396	<i>S-30E, S-50E w/Chevrolet 4-153 Engine</i>		
(155100); Pri.	Fuel	L274F L274F1		Oil	PH51A	234719	Air	LAF863
(124217); Sec.		L296F ⁴¹	<i>S-155XL Spacesaver w/Perkins Diesel Engine</i>			127644	Oil	PH454
75669	Hydraulic	LP163		Air	LAF222 ²	297865	Power Steering	HP1
985651	Oil	P72		Fuel	FP587F	<i>S-30ES, S-40ES, S-50ES, S-60ES w/Perkins Engine</i>		
251755		PH4408	S446432	Hydraulic	HP1 LH4396	234719 (148947); Sec.	Air	LAF863
236090	Trans	P92		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	124217	Fuel	L93FP LFF1005
<i>P-200B w/Detroit Diesel 4-53 Engine</i>						75669	Hydraulic	LP163
75669	Hydraulic	LP163	<i>S-20A, H-20E, S-25A, H-25, -E, H-30A, S-30A w/Continental Engine</i>			251755	Oil	PH4408
<i>P-40A, P50A w/General Motors 4-153 gas Engine</i>			118643	Air	LAF71	<i>S30XL w/Mazda Engine</i>		
GM 5578108	Oil	PH454	60518 (180282); By-Pass	Oil	P3 PB50	1360557	Air	LAF1275 ²
GM 5651393	Fuel	G470		Trans	P92	313796	Hydraulic	LH5931
GM 7013404	Fuel	G22				324692	Oil	PH2808
234719	Air	LAF863				309112	Trans	LFH4987
127644	Oil	PH454	<i>S-20XM, S-25XM, S-30XM, S-35XM w/Mazda 2.0L Gas or LPG Engine</i>			<i>S-40F, S-50F w/General Motors 6.250 Engine</i>		
<i>P-40A, P-50A, w/Perkins Engine</i>			1369809	Air	LAF1275 ²	234719	Air	LAF863
234719	Air	LAF863	313796	Hydraulic	LH5931		Oil	PH454
124217	Fuel	L296F ⁴¹	2021461	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>S40XL, S50XL, S60XL w/Isuzu C240 Engine</i>		
75669	Hydraulic	LP163	<i>S-25XL, S-35XL, S-45XL w/Mazda Gas or LPG Engine</i>			125846	Air	LAF1275 ²
251755	Oil	PH4408	326483	Air	LAF1275 ²	360974	Oil	LFP2255
<i>P-60A, P-80A w/Continental Engine</i>			313796	Hydraulic	LH5931	309112		PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
234719	Air	LAF863	324692	Oil	PH2867	<i>S40XL, S50XL, S60XL w/Mazda M4-121G Engine</i>		
75669	Hydraulic	LP163	1328692	Trans	LFH4987	1360557	Air	LAF1275 ²
60518 (180282); By-Pass	Oil	P3 PB50	<i>S25XL, S35XL, S45XL, S60XL w/Isuzu C240 Engine</i>			1304950	Fuel	G1 ⁵³¹
<i>P-60A, P-80A w/Perkins Engine</i>			324692	Oil	PH2867	324692	Oil	PH2808
149294	Air	LAF863	1328692	Trans	LFH4987	1328692	Trans	LFH4987
(124217); Late models (148497); Early models	Fuel	L296F ⁴¹ L93FP ²⁴⁴	<i>S-30B, S-40B, S-50B w/Continental Engine</i>			<i>S-40XM, S-50XM, S-55XM, S-60SX w/General Motors 3.0L Gas Engine</i>		
75669	Hydraulic	LP163	118643	Air	LAF71	234719	Air	LAF863
133575	Oil	P772	75669	Hydraulic	LP163	1330342	Fuel	G481
259964		PH4408	60518 (180282); By-Pass	Oil	P3 PB50	127644	Oil	PH454
<i>R-30B, R-30BA Electric</i>				Trans	P2	1328692	Trans	LFH4987
180595	Hydraulic	LFP1652	<i>S-30C, S-40C, S-50C w/Continental F163 Gas Engine</i>			<i>S-40XM, S-50XM, S-60XM, S-65XM w/Mazda 2.0L Gas or LPG Engine</i>		
<i>S-125A, S-150A, S-60E, S-100E w/Perkins Engine</i>			118643	Air	LAF71	305080	Air	LAF222 ²
149294	Air	LAF702	75669	Hydraulic	LP163	324692	Oil	PH2867
124217 (148947); Sec.	Fuel	L296F ⁴¹ L93FP	60518 (180283); By-Pass	Oil	P3 PB50	<i>S-60B - S-100B w/Perkins Engine</i>		
75669	Hydraulic	LP163		Trans	PH253 ¹⁴⁹⁶	234719	Air	LAF863
990325	Oil	P771A PH4408	<i>S-135XL Spacesaver w/General Motors Gas Engine</i>			124217 (148947); Sec.	Fuel	L296F ⁴¹ L93FP
259964		LAF222 ²				75669	Hydraulic	LP163
	Air		180283	Trans	PH253 ¹⁴⁹⁶	133575	Oil	P772

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
2-Outer 41-Cartridge 244-Secondary 275-Primary 531-Filter only 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HYSTER (LIFT TRUCK)			HYUNDAI (EXCAVATOR)			HYUNDAI (EXCAVATOR)		
<i>S-60B - S-100B w/Perkins Engine (cont'd)</i>			<i>R290LC-7A w/Cummins QSB6.7 Diesel Engine (cont'd)</i>			<i>Robex 140LC-9 (w/Mitsubishi D04FD-TAA Engine)</i>		
259025	Oil	PH4408	11N870110	Oil	LFP3970		Air	LAF3781 ^{1, 241} LAF4498 ^{2, 208}
<i>S-60E, S-70E, S-80E, S-100E w/General Motors 6-250 Engine</i>			<i>R450LC w/Komatsu S6D125 Engine</i>			<i>Robex 145LCR-9A (w/Perkins 1204E Engine)</i>		
149294	Air	LAF702	(600-311-8282); W/S	Fuel	LFF4294	P780523	Air	LAF9543 ¹
297865	Hydraulic	HP1	706301142	Hydraulic	LH8543	P780522		LAF9547 ²
190786		LH4396 ¹³²²	600-211-1230	Oil	LFP670	<i>Robex 160LC-3, LCD-3 w/Cummins 4B3.9 Engine</i>		
228467		LH4914			LFP670XL ¹⁴	E2112103	Air	LAF8668 ²
127644	Oil	PH454	<i>R55W-3</i>			E2112104		LAF8674 ¹
<i>S-60XL2 w/General Motors Engine</i>			11S120111	Air	LAF8639 ²	31E30018	Hydraulic	LH22019 ¹¹³⁷
305080	Air	LAF222 ²	11900055600	Fuel	LFF8350	706301142		LH8543 ⁶⁰⁷
	Fuel	G1 ⁵³¹	12915035151	Oil	PH2808	<i>Robex 170W-9 (w/Cummins QSB6.7 Engine)</i>		
	Oil	PH454	<i>R55W-7 w/Yanmar 4TNV94 Engine</i>			11N627030	Air	LAF3781 ^{1, 241}
1328692	Trans	LFH4987	11M820110	Air	LAF8114 ¹	11N627040		LAF4498 ^{2, 208}
<i>UC-30, YC-40 w/Waukesha FC-260A Engine</i>			11M820120		LAF8143 ²	(11NA71041); W/S	Fuel	LFF7689
118643	Air	LAF71	XJAU00219	Fuel	LFF3396	118N70110	Oil	LFP3970
	Oil	P3	31E30018	Hydraulic	LH22019	<i>Robex 180LC-3, Robex 200LC-3 w/Cummins 6BT5.9 Engine</i>		
(180282); By-Pass		PB50	XJAU00153	Oil	PH2808	E2112103	Air	LAF8668 ²
<i>UE-30, H-50, S-30, -A, -B, S-40, YE-40, -B, S-50, -B, HE-50 w/Continental F162 Engine</i>			<i>R55W-7 w/Yanmar 4TNV94L 58.5 HP Diesel Engine</i>			E2112104		LAF8674 ¹
	Hydraulic	LP163		Air	LAF8114 ¹	(11E170210); Pri.	Fuel	LFF3417
60518	Oil	P3			LAF8143 ²	11E170010		LFF3521
(180282); By-Pass		PB50		Fuel	LFF3396		Hydraulic	LH22019 ¹¹³⁷
	Trans	P2		Hydraulic	LH22019			LH8543 ⁶⁰⁷
<i>UE-30, YE-40, HE-50 Series A</i>				Oil	PH2808	11E170140	Oil	LFP780
(118643); S/N	Air	LAF71	<i>Robex 120W, Robex 130LC, Robex 130W w/Cummins 4BTA3.9 Engine</i>					LFP780XL ¹⁴
3D-3848-				Air	LAF4169 ²	<i>Robex 180W-9A (w/Cummins QSB6.7 Engine)</i>		
<i>X-60XL2 w/General Motors Engine</i>					LAF4317 ¹	3937736	Oil	LFP3970
305080	Air	LAF222 ²	706301142	Hydraulic	LH8543	<i>Robex 200, Robex 200LC w/Cummins 6BT5.9 Engine</i>		
1304950	Fuel	G1 ⁵³¹	<i>Robex 130LC III w/Cummins Engine</i>			E2112103	Air	LAF8668 ²
1328692	Hydraulic	LFH4987		Air	LAF8668 ²	E2112104		LAF8674 ¹
127644	Oil	PH454	(11E170210); Pri.	Fuel	LFF3417	(11E170210); Pri.	Fuel	LFF3417
<i>XA-60 w/Hercules JX4C Engine</i>			11E170010		LFF3521	11E170010		LFF3521
<i>ZA-80 w/Hercules JX4D3 Engine</i>				Oil	LFP3900	31E30018	Hydraulic	LH22019
	Oil	P4					Oil	LFP780
HYSTER (WINCH)			<i>Robex 130LC, 130LC-3 Excavator w/Cummins 4BTA3.9 Engine</i>					LFP780XL ¹⁴
<i>W5A</i>				Air	LAF4169 ²	<i>Robex 210-7, Robex 210LC-7 w/Cummins B5.9 Engine</i>		
147463	Hydraulic	LFH4210			LAF4317 ¹	Pri.	Fuel	LFF3417
HYUNDAI (EXCAVATOR)			(11E170210); Pri.	Fuel	LFF3417	Sec.		LFF3521
<i>HX220L (w/Cummins QSB6.7L Engine)</i>			11E170010		LFF3521	31E30018	Hydraulic	LH22019 ¹¹³⁷
LF3970	Oil	LFP3970	706301142	Hydraulic	LH8543 ⁶⁰⁷		Oil	LFP780
<i>R110-7</i>				Oil	LFP3900			LFP780XL ¹⁴
E1112009	Air	LAF4169 ²	<i>Robex 140LC7 w/Cummins 4B3.9 Engine</i>			<i>Robex 210LC-3 Excavator w/Cummins 6BT5.9 Engine</i>		
11E32006		LAF4317 ¹	Pri.	Fuel	LFF3417	E211-2103	Air	LAF8668 ²
3436200101	Fuel	LFF3886	Tier II		LFF3521	E211-2104		LAF8674 ¹
31E00018	Hydraulic	LH22019		Hydraulic	LFF9608	(11E170210); Pri.	Fuel	LFF3417
<i>R290LC-7 w/Cummins QSB5.9-C Diesel Engine</i>					LH22019 ¹¹³⁷	11E170010		LFF3521
(FS1242); W/S	Fuel	LFF9013	<i>Robex 140LC-7, Robex 140LC-7 Tier 2</i>			31E30018	Hydraulic	LH22019 ¹¹³⁷
(FS19519); W/S		LFF9519	(11E170210); Pri.	Fuel	LFF3417	11E1-70140	Oil	LFP780
31E30018	Hydraulic	LH22019	11E170010		LFF3521	<i>Robex 220LC-9A (w/Cummins QSB6.7 Engine)</i>		
11N870110	Oil	LFP3970	(11N470210); Tier II		LFF9608	3937736	Oil	LFP3970
<i>R290LC-7A w/Cummins QSB6.7 Diesel Engine</i>			31E30018	Hydraulic	LH22019 ¹¹³⁷			
11LC70010	Fuel	LFF5421	11E170110	Oil	LFP3900			
To S/N 0285	Hydraulic	LH22019						
To S/N 0285		LP6005						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 208-19" Hgt. 241-17.5" Hgt. 531-Filter only 607-Return 1137-Pilot 1322-14.9" Tall Cartridge

H

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HYUNDAI (EXCAVATOR)			HYUNDAI (EXCAVATOR)			HYUNDAI (WHEEL LOADER)		
<i>Robex 250LC-3, 250NLC-3 w/Cummins 6B5.9 Engine</i>			<i>Robex 450LC-7 w/Cummins QSM11 Engine</i>			<i>HL35 w/Cummins Engine</i>		
Pri.	Fuel	LFF3417	WF2075	Coolant	LFW4075 ⁶⁴⁴	11L12004	Air	LAF1790 ¹
Sec.		LFF3521	(FS1000); W/S	Fuel	LFF1000		Coolant	LFW4744 ⁴
W/S		LFF8062 ¹²	31E30018	Hydraulic	LH22019	W/S	Fuel	LFF8020
31E30018	Hydraulic	LH22019		Oil	LFP9001 ²⁵⁰		Oil	LFP3000
	Oil	LFP780	<i>Robex 450LC-7A w/Cummins QSM 10.8L Diesel Engine</i>			<i>HL730-7 w/Cummins B3.9C Diesel Engine</i>		
		LFP780XL ¹⁴		Coolant	LFW4075 ⁶⁴⁴	(FS19608); W/S	Fuel	LFF9608
<i>Robex 250LC-7 (w/Cummins B5.9 Engine)</i>			W/S	Fuel	LFF1000	31E30018	Hydraulic	LH22019 ¹¹³⁷
(11E170210); Pri.	Fuel	LFF3417		Hydraulic	LH22019	3903224	Oil	LFP3900
11E170010		LFF3521		Oil	LFP9001 ²⁵⁰	750131061	Trans	LFH8490
31E30018	Hydraulic	LH22019 ¹¹³⁷			LFP9001XL ^{14, 250}	<i>HL730-9A (w/Cummins QSB4.5 Engine)</i>		
31E90126		LP6005	<i>Robex 500LC-7A w/Cummins QSM 10.8L Diesel Engine</i>			(11NA71041); W/S	Fuel	LFF7689
11E170140	Oil	LFP780	W/S	Fuel	LFF1000	11N870110	Oil	LFP3970
<i>Robex 280, Robex 280LC, Robex 280LC-3 w/Cummins 6CT8.3 Engine</i>				Hydraulic	LH22019	750131061	Trans	LFH8490
E2112103	Air	LAF8668 ²		Oil	LFP9001 ²⁵⁰	<i>HL730TM-3 w/Deutz BF4M1012 Engine</i>		
E2112104		LAF8674 ¹			LFP9001TRT ³	E2112103	Air	LAF8668 ²
31E30018	Hydraulic	LH22019 ¹¹³⁷			LFP9001XL ^{14, 250}	E2112104		LAF8674 ¹
<i>Robex 290, 290LC, 290LC-3 Excavator w/Cummins 6CT8.3 Engine</i>			<i>Robex 500LC-7A w/Cummins QSM11 Engine</i>			01180871		LAF9100 ¹
E2112104	Air	LAF8674 ¹	(FS1000); W/S	Fuel	LFF1000	01319258		LAF9101 ²
31E30018	Hydraulic	LH22019 ¹¹³⁷	31E30018	Hydraulic	LH22019	01180596	Fuel	LFF3518
	Oil	LFP2265		Oil	LFP9001 ²⁵⁰	31E3-0018	Hydraulic	LH22019 ¹¹³⁷
<i>Robex 290LC-7A w/Cummins QSB6.7 Engine</i>					LFP9001TRT ³	01174418	Oil	PH2819
11LC70010	Fuel	LFF5421			LFP9001XL ^{14, 250}	0750-131-060	Trans	LFH8595
118N70110	Oil	LFP3970	<i>Robex 55-3, Robex 55W-3 w/Yanmar 4TNE94 Engine</i>			<i>HL740-3 w/Cummins Engine</i>		
<i>Robex 360-3, 360LC-3 w/Cummins M11 Engine</i>			119000-55600	Fuel	LFF8350	E211-2103	Air	LAF8668 ²
W/S	Fuel	LFF1000	31E30018	Hydraulic	LH22019	E211-2104		LAF8674 ¹
	Oil	LFP3000		Oil	PH2808	(11E1-70210); Pri.	Fuel	LFF3417
		LFP3000XL ¹⁴	<i>Robex 55-9 (w/Yanmar 4TNV98 Tier 4 Engine)</i>			11E1-70010		LFF3521
<i>Robex 360LC-3 w/Cummins LTA-10 Engine</i>			11M820110	Air	LAF8114 ¹	31E3-0018	Hydraulic	LH22019 ¹¹³⁷
31E30018	Hydraulic	LH22019	11M820120		LAF8143 ²	11E1-70110	Oil	LFP3900
<i>Robex 420LC w/Komatsu S6D125 Engine</i>			XJAU00153	Oil	PH2808			LFP780
6001811600	Air	LAF1834 ²	HYUNDAI (SKID STEER LOADER)					LFP780XL ¹⁴
6001811600		LAF1835 ^{1, 1283}	<i>HSL610, HSL810 w/Yanmar 4TNE88, 4TNE98 Engine</i>			247052	Trans	LFH22007
	Coolant	LFW4073 ²⁵⁵		Fuel	L549F	<i>HL740-7A w/Cummins QSB6.7 Diesel Engine</i>		
W/S	Fuel	LFF4294		Oil	PH2808	11LC70010	Fuel	LFF5421
706301142	Hydraulic	LH8543	<i>HSL670-7 w/Kubota V2203M Engine</i>			31E0018	Hydraulic	LH22019
600-211-1230	Oil	LFP670		Oil	PH2840	11N870110	Oil	LFP3970
		LFP670XL ¹⁴	<i>HSL850-7 w/Kubota V3300DI Engine</i>			ZGAQ00001	Trans	LFH8490
<i>Robex 450-3, 450LC-3 w/Cummins M11 Engine</i>			160MA020BN	Hydraulic	LFH5015	<i>HL740-9 w/Cummins QSL Engine</i>		
W/S	Fuel	LFF1000	HYUNDAI (WHEEL LOADER)			WF2076	Coolant	LFW4075 ⁶⁴⁴
	Oil	LFP3000	<i>HL17 w/Cummins 6BT5.9 Engine</i>			(FF5580); Sec.	Fuel	LFF5488
		LFP3000XL ¹⁴	11L40079	Air	LAF8558 ¹	(FS19732); W/S		LFF9732
<i>Robex 450LC-3 w/Cummins LTA-10 Engine</i>					LAF8559 ²	LF9009	Oil	LFP3000XL ¹⁴
11L12004	Air	LAF1790 ¹	<i>HL25 w/Cummins 6CT8.3 Engine</i>			<i>HL750 w/Cummins 6BT5.9 Engine</i>		
6001811600		LAF1834 ²	11L40079		LAF8558 ¹	11L40079	Air	LAF8558 ¹
6001811600		LAF1835 ^{1, 1283}			LAF8559 ²	11L40078		LAF8559 ²
31E30018	Hydraulic	LH22019	247052	Hydraulic	LFH22007	31E30018	Hydraulic	LH22019 ¹¹³⁷
<i>Robex 450LC-7 w/Cummins QSM 10.8L Diesel Engine</i>			31E30018		LH22019	24752	Trans	LFH22007
	Air	LAF1790 ¹	<i>HL757-7 w/Cummins QSB5.9 Tier 2 Engine</i>			<i>HL757-7 w/Cummins QSB5.9 Tier 2 Engine</i>		
		LAF1834 ²	WF2074	Coolant	LFW2055	WF2074	Coolant	LFW2055
		LAF1835 ^{1, 1283}	(11EM21051); W/S	Fuel	LFF9608 ²⁴⁴	(11EM21051); W/S	Fuel	LFF9608 ²⁴⁴
	Hydraulic	LH22019	(FS19616); W/S		LFF9616 ²¹⁰	(FS19616); W/S		LFF9616 ²¹⁰
			31E30018	Hydraulic	LH22019 ¹¹³⁷	31E30018	Hydraulic	LH22019 ¹¹³⁷
			LF3970	Oil	LFP3970	LF3970	Oil	LFP3970
			750131061	Trans	LFH8490	750131061	Trans	LFH8490
			<i>HL757-7A w/Cummins QSB6.7 Diesel Engine</i>			<i>HL757-7A w/Cummins QSB6.7 Diesel Engine</i>		
			11LC70010	Fuel	LFF5421	11LC70010	Fuel	LFF5421

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 210-w/ Sensor 244-Secondary 250-11.9" Hgt. 255-Contains 3 oz. of chemical 644-Contains 6 oz. of chemical 1137-Pilot 1283-Kit

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HYUNDAI (WHEEL LOADER)			HYUNDAI (WHEEL LOADER)			IHI (CARRIER)		
<i>HL757-7A w/Cummins QSB6.7 Diesel Engine (cont'd)</i>			<i>HL770-7 (w/Cummins QSC8.3 Engine) (cont'd)</i>			<i>1C30 w/Isuzu 3LD1 Engine (cont'd)</i>		
W/S	Fuel	LFF9732	(FS1000); W/S	Coolant	LFW4074 ⁶²⁷	8970713480	Fuel	L4103F
11N870110	Oil	LFP3970	FS1022	Fuel	LFF1000	P170480	Hydraulic	LFH8454
<i>HL757-9 (w/Cummins QSB6.7 Engine)</i>			31E3-0018	Hydraulic	LH22019 ¹¹³⁷	294456641	Oil	PH2808
11Q820320	Air	LAF8669		Oil	LFP3000XL ¹⁴	<i>1C45 w/Mitsubishi 4D34 Engine</i>		
11Q820310		LAF8670	750131061	Trans	LFH8490		Air	LAF1246 ²
FF5612	Fuel	LFF5421	<i>HL770-9 w/Cummins QSL Engine</i>			ME016872	Fuel	LFF3527
11N870110	Oil	LFP3970	WF2076	Coolant	LFW4075 ⁶⁴⁴	ME215002	Oil	LFP3307
ZGAQ02400	Torque Converter	LFH8490	(FF5580); Sec. (FS19732); W/S	Fuel	LFF5488	<i>1C70 w/Mitsubishi 6D16TEI Engine</i>		
<i>HL760 w/Cummins 6CT8.3 Engine</i>			LF9009	Oil	LFP3000XL ¹⁴	ME015254	Fuel	LAF237 ²
11L1-2003	Air	LAF1787 ²	<i>HL780-3A</i>			ME130968	Oil	LFP2440
11L1-2004		LAF1790 ¹	11L601880	Air	LAF1765 ¹	<i>IC100-2 w/Isuzu AA-6HK1 Engine</i>		
11L40079		LAF8558 ¹	11L601870		LAF6453 ²		Air	LAF6769 ²
11L40078		LAF8559 ²			LAF6453MXM ^{2, 268}	897371337	Oil	LFP734
(11E1-70210); Pri.	Fuel	LFF3417	(11NB70010); W/S	Fuel	LFF1000	<i>IC30-2 w/Kubota V2203M Engine</i>		
11E1-70010		LFF3521	ZGAQ00001	Hydraulic	LFH8490	12968712510	Air	LAF8143 ²
31E3-0018	Hydraulic	LH22019 ¹¹³⁷	31E30018		LH22019	7000043170	Fuel	FP570F
11E1-70130	Oil	LFP3000	11NB70110	Oil	LFP9001 ²⁵⁰		Hydraulic	LFH8454
		LFP3000XL ¹⁴			LFP9001TRT ³	7000074035	Oil	PH253 ¹⁴⁹⁶
0750-131-053	Trans	LFH8595	11NB70110		LFP9001XL ^{14, 250}			PH2835 ²⁷⁵
<i>HL760-7 w/Cummins QSB5.9 Tier 2 Engine</i>			ZGAQ00001	Trans	LFH8490	<i>IC45-2 w/Mitsubishi S6SDT Engine</i>		
11L12003	Air	LAF1787 ²	<i>HL780-3A w/Cummins M11 Engine</i>				Air	LAF1246 ²
11L12004		LAF1790 ¹	11L601880	Air	LAF1765 ¹	(FE27); W/S	Fuel	FP941F
WF2074	Coolant	LFW2055	11L601870		LAF6453 ²	OE14	Oil	LFP5748
(FS19616); W/S	Fuel	LFF9616 ²¹⁰			LAF6453MXM ^{2, 268}	<i>IC70-2 w/Mitsubishi 6D16TLI Engine</i>		
LF3970	Oil	LFP3970	(11NB70010); W/S	Fuel	LFF1000		Air	LAF1834 ²
750131061	Trans	LFH8490	ZGAQ00001	Hydraulic	LFH8490			LAF1835 ¹
<i>HL760-9 w/Cummins QSB6.7L Engine</i>			31E30018		LH22019	ME056670	Fuel	LFF5127
11Q820320	Air	LAF8669	11NB70110	Oil	LFP9001 ²⁵⁰	ME130968	Oil	LFP2440
11Q820310		LAF8670			LFP9001TRT ³	IHI (EXCAVATOR)		
FF5612	Fuel	LFF5421			LFP9001XL ^{14, 250}	<i>12JX w/Isuzu 3YA1 Engine</i>		
11N870110	Oil	LFP3970	11NB70110		LFP9001XL ^{14, 250}		Air	LAF8620 ²
ZGAQ02400	Torque Converter	LFH8490	ZGAQ00001	Trans	LFH8490	587810269	Fuel	L3541F
<i>HL770 (w/Cummins M11 Engine)</i>			<i>HL780-7A w/Cummins QSM11 Diesel Engine</i>			140516250	Oil	PH2840
14L101560	Air	LAF4306 ²	11L601880	Air	LAF1765 ¹	<i>12NX w/Isuzu 3YA1 Engine</i>		
(11NB70010); W/S	Fuel	LFF1000	11L601870		LAF6453 ²	5878102690	Fuel	L3541F
(11E1-70240); W/S		LFF90013			LAF6453MXM ^{2, 268}	CSP-04-30	Hydraulic	PH2827
W/S		LFF9013	(11NB70010); W/S	Fuel	LFF1000	140516250	Oil	PH2840
31E3-0018	Hydraulic	LH22019 ¹¹³⁷	11NB70110	Oil	LFP9001 ²⁵⁰	<i>15NX-2 w/Yanmar 3TNV70 Engine</i>		
11E1-70130	Oil	LFP3000			LFP9001TRT ³	11965512560	Air	LAF8388 ²
		LFP3000XL ¹⁴	11NB70110		LFP9001XL ^{14, 250}	11981055650	Fuel	L4103F
750131063	Trans	LFH8593	ZGAQ00001	Trans	LFH8490	11930535150	Oil	PH2876
<i>HL770 w/Cummins LTA10 Engine</i>			<i>HL780-9 w/Cummins QSL Engine</i>			<i>17NE w/Isuzu 3LB1 Engine</i>		
11L1-2003	Air	LAF1787 ²	WF2076	Coolant	LFW4075 ⁶⁴⁴		Air	LAF8195 ²
11L12004		LAF1790 ¹	(FF5580); Sec. (FS19732); W/S	Fuel	LFF5488			LAF8690 ¹
(11E1-70220); W/S	Fuel	LFF8020 ⁶⁸⁹	LF9009	Oil	LFP3000XL ¹⁴	FE22	Fuel	L549F
(11E1-70240); W/S		LFF90013	IHI (CARRIER)			294456641	Oil	PH2808
W/S		LFF9013	<i>1C100 w/Mitsubishi 6D24TEI Engine</i>			<i>18J w/Isuzu 3LA1 Engine</i>		
31E3-0018	Hydraulic	LH22019 ¹¹³⁷		Air	LAF6769	CAK530	Air	LAF2745A ²
11E1-70130	Oil	LFP3000			LAF6769MXM ²⁶⁸	587810269	Fuel	L3541F
		LFP3000XL ¹⁴	ME056670	Fuel	LFF5127	294456641	Oil	PH2808
0750-131-053	Trans	LFH8595	ME064356	Oil	LP2545	<i>18J w/Isuzu 3LB1 Engine</i>		
<i>HL770-7 (w/Cummins QSC8.3 Engine)</i>			<i>1C30 w/Isuzu 3LD1 Engine</i>			CAK530	Air	LAF2745A ²
14L101560	Air	LAF4306 ²		Air	LAF8195 ²	587810269	Fuel	L3541F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 210-w/ Sensor 250-11.9" Hgt. 627-5 oz. of chemical 644-Contains 6 oz. of chemical 689-Bowless 1137-Pilot 1496-Alternate

268-Extended/Severe service 275-Primary

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
IHI (EXCAVATOR)			IHI (EXCAVATOR)			INGERSOLL-RAND (AIR COMPRESSOR)		
<i>18J w/Isuzu 3LB1 Engine (cont'd)</i>			<i>40JX w/Isuzu 4LC1 Engine (cont'd)</i>			<i>100-47 w/White Gasoline Engine</i>		
294456641	Oil	PH2808	587810269	Fuel	L3541F		Air	LAF281
<i>20JX w/Isuzu 3LA1 Engine</i>			294456641	Oil	PH2808		Fuel	G7
	Air	LAF2745A ²	<i>45NX w/Isuzu 4LE2 Engine</i>				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
587810269	Fuel	L3541F		Air	LAF8143 ²	<i>1300 Series Compressor w/Cummins N14 Engine</i>		
294456641	Oil	PH2808	FE22	Fuel	L549F	36864361	Air	LAF8733 ²
<i>20NX w/Isuzu 3LB1 Engine</i>			294456641	Oil	PH2808	36864379		LAF8734 ¹
	Air	LAF8195 ²	<i>55J w/Isuzu 4JA1 Engine</i>			W/S	Fuel	LFF1000
FE22	Fuel	L549F	CAK253	Air	LAF222 ²	36860336	Hydraulic	LFH5013
294456641	Oil	PH2808	587310335	Fuel	FP588F		Oil	LFP3000 LFP3000XL ¹⁴
<i>25NX-2 w/Yanmar 3TNV76 Engine</i>			897049708	Oil	PH2801	<i>160 w/Deutz Engine</i>		
	Air	LAF8195 ²	<i>55N w/Yanmar 4TNV94L Engine</i>				Fuel	FP586F
11981055650	Fuel	L4103F	P822769	Air	LAF8114 ¹		Hydraulic	LH4448
11930535150	Oil	PH2876	P822768		LAF8143 ²		Oil	PH2819
<i>28J w/Isuzu 3LB1 Engine</i>			11900055600	Fuel	LFF8350	<i>300</i>		
CAK530	Air	LAF2745A ²	12915035151	Oil	PH2808		Air	LAF22110
587810269	Fuel	L3541F	<i>55N-2 w/Yanmar 3TNV94L Engine</i>			<i>365</i>		
(FE22); S/N 5383-		L549F	11900512571	Air	LAF8114 ¹	35280825	Hydraulic	LH4434
294456641	Oil	PH2808	12968712510		LAF8143 ²	<i>7120 w/Kubota 31RJ5N Engine</i>		
<i>28N-2 w/Yanmar 3TNV76 Engine</i>			11980255800	Fuel	LFF8350		Air	LAF8749 ²
	Air	LAF8195 ²	12915035151	Oil	PH2808		Fuel	FP590F L3541F
		LAF8690 ¹	<i>65NX w/Yanmar 4TNV94L Engine</i>				Oil	PH2808
11981055650	Fuel	L4103F	11900512571	Air	LAF8114 ¹	<i>7126 w/31RL2N Engine</i>		
11930535150	Oil	PH2876	12968712510		LAF8143 ²		Air	LAF5749 ¹ LAF5771 ²
<i>30JX w/Isuzu 3LB1 Engine</i>			11980255800	Fuel	LFF8350		Fuel	G2978 ²⁷⁵ LFF8350
	Air	LAF2745A ²	12915035151	Oil	PH2808		Oil	PH2808
587810269	Fuel	L3541F	<i>70Z w/Isuzu AA4JG1 Engine</i>			<i>7126E w/31RH2NS Engine</i>		
294456641	Oil	PH2808		Air	LAF8148 ² LAF9332 ¹		Air	LAF5749 ¹ LAF5771 ²
<i>30NX, 35NX w/Isuzu 3LD1 Engine</i>			FE22	Fuel	L549F		Fuel	G2978 ²⁷⁵ LFF8350
P821575	Air	LAF8195 ²	897049708	Oil	PH2801		Oil	PH2808
897071348	Fuel	L4103F	<i>7GX w/Isuzu 2YA1 Engine</i>			<i>7126 w/31RL4N Engine</i>		
(FE22); S/N 669-		L549F	587810269	Fuel	L3541F		Air	LAF5749 ¹ LAF5771 ²
294456641	Oil	PH2808		Oil	PH2840		Fuel	G2978 ²⁷⁵ LFF8350
<i>30NX-2 w/Yanmar 3TNV84 Engine</i>			<i>7J w/Isuzu 2YA1 Engine</i>				Oil	PH2808
	Air	LAF8195 ²	587810269	Fuel	L3541F	<i>7126E w/31RH2NS Engine</i>		
11980255800	Fuel	LFF8350	CSP0530	Hydraulic	PH2827		Air	LAF5749 ¹ LAF5771 ²
12915035151	Oil	PH2808	OE28	Oil	PH2835		Fuel	G2978 ²⁷⁵ LFF8350
<i>35J w/Isuzu 3LD1 Engine</i>			<i>80NX w/Isuzu AA4JG1 Engine</i>				Oil	PH2808
	Air	LAF8630		Air	LAF8148 ² LAF9332 ¹	<i>7131 w/31RL4N Engine</i>		
587810269	Fuel	L3541F	FE22	Fuel	L549F		Air	LAF3947 ²
(FE22); S/N 8468-		L549F	897049708	Oil	PH2801		Fuel	LFF8350
294456641	Oil	PH2808	<i>9NX-2 w/Yanmar 2TNV70 Engine</i>				Oil	PH2808
<i>35N-2 w/Yanmar 3TDV84 Engine</i>			FE22	Fuel	L549F	<i>7131, 7131E (w/31RL8N Engine)</i>		
	Air	LAF8195 ²	897049708	Oil	PH2801		Air	LAF3947 ²
119802-55800	Fuel	LFF8350	<i>80NX-3 w/Isuzu AA-4JG1 Engine</i>				Fuel	LFF8350
12915035151	Oil	PH2808		Air	LAF8148 ² LAF9332 ¹		Oil	PH2808
<i>35NX-2 w/Yanmar 3TNV84 Engine</i>			FE22	Fuel	L549F	<i>7141 w/31RL8N Engine</i>		
	Air	LAF8195 ²	897049708	Oil	PH2801		Air	LAF3947 ²
11980255800	Fuel	LFF8350	<i>9NX-2 w/Yanmar 2TNV70 Engine</i>				Fuel	LFF8350
12915035151	Oil	PH2808	11965512560	Air	LAF8388 ²		Oil	PH2808
<i>40JX w/Isuzu 4JF1 Engine</i>			11981055650	Fuel	L4103F	<i>7141 w/31RL8N Engine</i>		
8941560520	Air	LAF1800	CSP0430	Hydraulic	PH2827		Air	LAF3947 ²
8944147961	Fuel	FP588F	11930535150	Oil	PH2876		Fuel	LFF8350
8944637150	Oil	LFP2261	<i>80NX-3 w/Isuzu AA-4JG1 Engine</i>				Oil	PH2808
8943604190		LFP2270 ⁶⁵		Air	LAF8148 ² LAF9332 ¹	<i>7141 w/31RL8N Engine</i>		
<i>40JX w/Isuzu 4LC1 Engine</i>			FE22	Fuel	L549F		Air	LAF3947 ²
	Air	LAF1275 ²	897049708	Oil	PH2801		Fuel	LFF8350
			<i>9NX-2 w/Yanmar 2TNV70 Engine</i>				Oil	PH2808

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 14-Extended Life 65-By-Pass 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INGERSOLL-RAND (AIR COMPRESSOR)			INGERSOLL-RAND (AIR COMPRESSOR)			INGERSOLL-RAND (AIR COMPRESSOR)		
<i>7171 w/41RJ7T Engine</i>			<i>DRA-125 w/Continental GD-193 Engine</i>			<i>M45 w/Deutz Engine</i>		
	Air	LAF9100 ¹ LAF9101 ²	Pri.	Fuel Oil	L3564F P4	39123211	Hydraulic Oil	LH4993 LFP2222
<i>85 w/International UC135B Engine</i>			<i>DRA-125, DRB-125, DR-150, GR-150 w/Continental GD-157 Engine</i>			<i>P100 w/Deutz F2L912 Engine</i>		
	Air	AF146	Sec.	Fuel	261F	Q1H4117	Fuel	FP586F
	Hydraulic	LH4448	Pri.		L3570F	A1H4123	Oil	PH2819
By-Pass	Oil	LFP2271		Oil	P4	<i>P175W w/Deutz Engine</i>		
<i>95WD w/Deutz F3L1011F Engine</i>			<i>DXL-1050 w/Cummins V-903 Engine</i>			P119538	Air	LAF9538 ² LAF9538MXM ^{2, 268}
	Fuel	LFF3806 ¹⁷⁰ LFF4806 ¹⁶⁹	35123520	Air	LAF1765 ¹ LAF6453 ² LAF6453MXM ^{2, 268}	1660243	Fuel	FP586F
	Oil	PH561	35123512			35296920	Hydraulic	LFH4933 ⁷⁸¹
<i>D750S w/Cummins U903 Engine</i>			P-32	Oil	LP32 ⁷⁸¹	35292358	Oil	PH2819
<i>DM25 w/Cummins Engine</i>			P-92		P92 ⁷⁸¹	<i>P185WJD w/John Deere 4.239 Engine</i>		
	Air	LAF4297	<i>DXL-175 w/Hercules D-2300 Engine</i>			35291970	Air	LAF9538 ² LAF9538MXM ^{2, 268}
P128408		LAF8407MXM ^{2, 148, 268}	35109099	Air	LAF234HD ²	35308048	Fuel	P1130
P119370		LAF9085 ^{1, 781}	Sec.	Fuel	L296F ⁴¹	35296920	Hydraulic	LFH4933 ⁷⁸¹
P181041		LAF9086 ^{2, 781} LAF9086MXM ^{2, 268, 781}		Oil	LFP3411	35308030	Oil	FP20
<i>DM25SP w/Detroit Diesel 6V-71 Engine</i>			<i>DXL-2500 w/Detroit Diesel 16V-71T Engine</i>			<i>P250 w/Deutz F4L912 Engine</i>		
50616416	Air	LAF9085 ¹ LAF9086 ² LAF9086MXM ^{2, 268}	35110527	Air	LAF64 ²	35318252	Air	LAF1544 ²
50616424				Hydraulic	LP32	51056604	Fuel	FP586F
<i>DR-1200, DXL-1200, DXL-1200S, L-1200 w/Detroit Diesel 12V-71 Engine</i>			<i>DXL-750, DXL-750-FT w/Detroit Diesel 6V-71 Engine</i>			35296920	Hydraulic	LFH4933 ⁷⁸¹
35109263	Air	LAF6632 ² LAF6632MXM ^{2, 268}	35109263	Air	LAF6632 ² LAF6632MXM ^{2, 268} LAF6641 ¹	35292358	Oil	PH2819
35109271		LAF6641 ¹	35109271			<i>P250WCU, HP300WCU w/Cummins B3.9 Engine</i>		
P-32	Oil	LP32 ⁷⁸¹	P-32	Oil	LP32 ⁷⁸¹	35326230	Air	LAF9001 ^{2, 781, 109}
P-92		P92 ⁷⁸¹	P-92		P92 ⁷⁸¹	<i>P375 WD w/Deutz F6L912 Engine</i>		
<i>DR125, DRA125 w/Detroit Diesel 2-53 Engine</i>			<i>DXL-900 w/Detroit Diesel 12V-71 Engine</i>			35326230	Air	LAF9001 ²
Sec.	Fuel	261F	12V-71	Air	LAF1765 ¹ LAF6453 ² LAF6453MXM ^{2, 268}		Hydraulic	LP2318
Pri.		L274F1	8V-71		LAF6632 ² LAF6632MXM ^{2, 268} LAF6641 ¹	<i>P375WCU w/Cummins 3.9L Engine</i>		
	Oil	LP2279	8V-71			35326230	Air	LAF9001 ^{148, 781}
<i>DR-600, L-600 w/Detroit Diesel 6-71 Engine</i>			<i>DXL-900 w/Detroit Diesel 8V-71 Engine</i>			(35374669); Pri.	Fuel	LFF3417
(P32-U); DR Series	Air	LAF320 LAF3709 ²	12V-71	Air	LAF1765 ¹ LAF6453 ² LAF6453MXM ^{2, 268} LAF6632 ² LAF6632MXM ^{2, 268} LAF6641 ¹	(35374677); Sec.		LFF3521
40070			8V-71			36860336	Hydraulic	LFH5013 ⁷⁸¹
<i>DR-900, DXL-900, L-900, XL-1100 w/Detroit Diesel Engine</i>			8V-71			35374651	Oil	LFP3900
35123520	Air	LAF1765 ¹ LAF290A LAF3709 ² LAF480 LAF6453 ² LAF6453MXM ^{2, 268} LAF6632 ² LAF6632MXM ^{2, 268} LAF6641 ¹	<i>GRR-85 w/International UC-135B Engine</i>			<i>P750WCU, HP750WCU w/Cummins LT10 Engine</i>		
P102090				Air	AF146	35355395	Air	LAF1810 ²
40070			<i>HKA-105, HKA-110, HKA-160, HKA-210, HKA-500, HKAC-8, HKAC-12, HKAC-16 w/Waukesha Engine</i>			<i>P900WCU w/Cummins LT10 Engine</i>		
P-48-U			096355	Oil	L26	35355395	Air	LAF1810 ²
(35123512); DXL-900, XL-1100 only			<i>IKA500 w/International UD24 Engine</i>			<i>PA125V</i>		
35109263			Pri.	Fuel	L664F L664F	35253921	Air	LAF9297
35109271			Sec.		LP146 LP155		Hydraulic	LH4992
P-32	Oil	LP32 ⁷⁸¹	S/N 2148- S/N 50-2147	Oil		<i>SP100 w/Hercules G1400 Engine</i>		
P-92		P92 ⁷⁸¹				35296920	Hydraulic	LFH4933 ⁷⁸¹
<i>Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.</i>			<i>1-Inner 2-Outer 41-Cartridge 148-Engine 169-1 Per Package 170-2 Per Package 268-Extended/Severe service 291-Extended/Severe service.</i>			<i>SSR</i>		
<i>781-Compressor 1094-For engine filters - see engine section.</i>						<i>SSR2000</i>		
						39708466	Air	LAF1469
						<i>VHP1050 Except T5VHP w/Caterpillar 3412 Engine</i>		
							Air	LAF8407 ^{2, 148} LAF8407MXM ^{2, 291} LAF8408 ¹ LAF9155 ^{2, 781}

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 148-Engine 169-1 Per Package 170-2 Per Package 268-Extended/Severe service 291-Extended/Severe service.

781-Compressor 1094-For engine filters - see engine section.

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INGERSOLL-RAND (AIR COMPRESSOR)			INGERSOLL-RAND (AIR COMPRESSOR)			INGERSOLL-RAND (AIR COMPRESSOR)		
<i>VHP1050 Except T5VHP w/Caterpillar 3412 Engine (cont'd)</i>			<i>XHP900 w/Caterpillar 3406B Engine (cont'd)</i>			<i>XP600WCU, HP600WCU w/Cummins LT10 Engine</i>		
	Air	LAF9155MXM ^{2, 291, 781} LAF9159 ¹	36867810	Air	LAF1854 ¹	35355395	Air	LAF1810 ² LAF1854 ¹
	Coolant	LFW4073 ²⁵⁵	<i>XL-1050 w/Detroit Diesel 12V-71N Engine</i>			35355353		
Pri.	Fuel	L3531F LFF2749 ²⁰		Air	LAF8407 ² LAF8407MXM ^{2, 268} LAF9155 ^{2, 1324, 291} LAF9155MXM ^{2, 291, 132}	35109263	Air	LAF6632 ² LAF6632MXM ^{2, 268}
50693886	Hydraulic	LP4373	50693886	Hydraulic	LP4373	35109271		LAF6641 ¹
1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	<i>XL-750 w/Caterpillar 3406 Engine</i>			<i>XP750WCU w/Cummins 6CTA8.3 Engine</i>		
<i>VHP1050 T5VHP w/Caterpillar 3412 Engine</i>				Air	LAF9085 ¹ LAF9086 ² LAF9086MXM ^{2, 268}	36867786	Air	LAF1810 ² LAF1854 ¹
	Air	LAF8407 ² LAF8407MXM ^{2, 291} LAF8408 ¹ LAF9085 ¹ LAF9086 ^{2, 148} LAF9086MXM ^{2, 148, 291} LAF9155 ^{2, 781} LAF9155MXM ^{2, 291, 781} LAF9159 ¹		Coolant	LFW4073 ²⁵⁵	36867810	Air	LAF1810 ² LAF1854 ¹
Pri.	Fuel	L3531F LFF2749 ²⁰	Pri.	Fuel	L3531F LFF2749 ²⁰	36867786	Air	LAF1810 ² LAF1854 ¹
50693886	Hydraulic	LP2297 LP4373	(1R-0749); Sec.	Hydraulic	LP4373	36867810		
1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	50693886	Hydraulic	LP4373	<i>XP750WJD w/John Deere 6076A Engine</i>		
<i>VHP400 w/Deutz Engine</i>			1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	<i>XP825WCU w/Cummins LT10 Engine</i>		
(92686922); 387mm	Air	LAF1716 ² LAF1717 ¹ LAF1718 ² LAF1719 ¹	<i>XL-750 w/Detroit Diesel 8V-71 Engine</i>			35355395	Air	LAF1810 ² LAF1854 ¹
92686930				Air	LAF9085 ¹ LAF9086 ² LAF9086MXM ^{2, 268}	35355353		
(92686948); 495mm			50693886	Hydraulic	LH4418 LH4903 LP4373	35296920	Hydraulic	LFH4933 ⁷⁸¹
92686955			<i>XL-850 w/Detroit Diesel Engine</i>			<i>XPH1170 w/Caterpillar C15 Engine</i>		
35312396	Coolant	LFW4744 ⁴	35109263	Air	LAF6632 ² LAF6632MXM ^{2, 268}	36864361	Air	LAF8733 ²
35292366	Fuel	FP586F	35109271		LAF6641 ¹	36860336	Hydraulic	LFH5004 ^{1094, 1279}
92118678	Oil	LFP2222	<i>XL-900 w/Detroit Diesel 12V-71N Engine</i>			1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
<i>VHP600 w/Cummins 6CTA 8.3L Engine</i>				Hydraulic	LH4430 LP4373	<i>INGERSOLL-RAND (BACKHOE LOADER)</i>		
36867786	Air	LAF1810 ² LAF1854 ¹	50693886	Oil	LFP911 LFP911XL ¹⁴	<i>BL275 w/Kubota Engine</i>		
36867810			<i>XL-900 w/Detroit Diesel 6-71 Engine</i>			6640801	Fuel	FP590F G1 ⁵³¹
<i>VHP900 w/Detroit Diesel 12V-71 Engine</i>			35109263	Air	LAF6632 ² LAF6632MXM ^{2, 268} LAF6641 ¹	6633977		PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
	Air	LAF8407 ^{2, 148} LAF8407MXM ^{2, 148, 291} LAF8408 ¹ LAF9085 ¹ LAF9086 ^{2, 781} LAF9086MXM ^{2, 291, 781}	35109271		LAF6641 ¹	6675517	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
50693886	Hydraulic	LP4373	<i>XL-1400 w/Detroit Diesel 8V-92T Engine</i>			<i>BL370, BL375 w/Kubota Engines</i>		
<i>XHP900 w/Caterpillar 3406B Engine</i>			P128407	Air	LAF8407 ² LAF8407MXM ^{2, 268}	6640801	Fuel	FP590F G1 ⁵³¹
36867786	Air	LAF1810 ²	Sec.	Fuel	L540F L552F	6633977		PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
			Pri.	Hydraulic	LH4430 LP4373	6675517	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
			50693886	Oil	LP132 LP32 ⁷⁸¹ P92	<i>BL470, BL475 w/Kubota Engine</i>		
			<i>XP1400 w/Detroit Diesel 8V-92T Engine</i>			6640801	Fuel	FP590F G1 ⁵³¹
						6633977		PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
						6675517		PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
			<i>XP1400 w/Detroit Diesel 8V-92T Engine</i>			<i>BL570, BL575 w/Kubota Engine</i>		
						6640801	Fuel	FP590F G1 ⁵³¹
						6633977		PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
						6675517		PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
			<i>XHP900 w/Caterpillar 3406B Engine</i>			<i>INGERSOLL-RAND (COMPACTOR ROLLER)</i>		
						<i>994DD110 w/Cummins 4BTA3.9L Engine</i>		
						59594846	Air	LAF234HD ²
						<i>BD130 w/Cummins 5.9L Engine</i>		
						58887936	Hydraulic	LFH4428
						<i>DA30 w/Deutz F2L912W Engine</i>		
						P119539	Air	LAF1784 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 14-Extended Life 20-High efficiency 148-Engine 255-Contains 3 oz. of chemical 268-Extended/Severe service 275-Primary 291-Extended/Severe service. 531-Filter only 781-Compressor 1094-For engine filters - see engine section. 1279-Compressor Lube 1324-Compressor and Engine 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INGERSOLL-RAND (COMPACTOR ROLLER)			INGERSOLL-RAND (COMPACTOR ROLLER)			INGERSOLL-RAND (COMPRESSOR)		
<i>DA30 w/Deutz F2L912W Engine (cont'd)</i>			<i>SD40 w/John Deere 4039 Engine</i>			<i>XHP1170WCAT (w/Caterpillar Engine) (cont'd)</i>		
59567255	Air	LAF9538 ² LAF9538MXM ^{2, 268}	59902882	Air	LAF1784 ¹ LAF8572 ² LAF9538 ² LAF9538MXM ^{2, 268}	36864379	Air	LAF8734
59560855	Fuel	FP587F	59902874			36758613	Hydraulic	LFH5013
K22002	Hydraulic	LFP1652	(RE62419); Sec.	Fuel	L3887F		Oil	LFP8469 ⁸⁷⁰
59532960		LP509		Oil	FP20	<i>XHP1170WCU (w/Cummins ISX Engine)</i>		
A1H4123	Oil	PH2819				36864361	Air	LAF8733
<i>DA40 w/Detroit Diesel 3-71 Engine</i>			<i>SD40D w/John Deere 3179 Engine</i>			36864379		LAF8734
59594846	Air	LAF234HD ²	59902882	Air	LAF1784 ¹ LAF8572 ² LAF9538 ² LAF9538MXM ^{2, 268}	(LF9070); W/S	Fuel	LFF1007 ²¹⁰
59587196	Hydraulic	LFH7355	59902874			36758613	Hydraulic	LFH5013
<i>DA50 w/Detroit Diesel Engine</i>						FS1007	Oil	LFP9000 ⁷²³
P118159	Air	LAF234HD ²		Fuel	P1130	FS1007		LFP9000XL ^{14, 723}
59587196	Hydraulic	LFH7355		Hydraulic	LFH7355	<i>XHP600SCAT (w/Caterpillar Engine)</i>		
<i>DD110, DD110HF w/Cummins 4B3.9 Engine</i>			55440	Hydraulic	LFH7355		Air	LAF6641 ¹³²³
59587196	Hydraulic	LFH7355		Oil	FP20	WF2071	Coolant	LFW4071 ²⁸
<i>DD22, DD24, DD32 w/Deutz F3L1011 Engine</i>			<i>SD70, SD70D, SD70F w/Cummins 4BT3.9L Engine</i>			1R0750	Fuel	LFF3347
59341560	Air	LAF222 ²				36758613	Hydraulic	LFH5013 ⁷⁸¹
59765511	Fuel	LFF3806 ¹⁷⁰ LFF4806 ¹⁶⁹	Pri.	Air	LAF8668 ² LAF8674 ¹	1R0739	Oil	LFP3191
	Hydraulic	LFP1652	Sec.	Fuel	LFF3417 LFF3521	INGERSOLL-RAND (DRILL INDUSTRIAL)		
59489583	Oil	PH561	59587916	Hydraulic	LFH5068-10 LFP3900	<i>CM350</i>		
<i>DD35</i>							Hydraulic	LH4914
	Air	LAF1784 ¹ LAF9538 ² LAF9538MXM ^{2, 268}	<i>SD70D, DA w/Cummins 4BT3.9 Engine</i>			<i>CM620D w/Deutz BF8L513 Engine</i>		
	Fuel	LFF3806 ¹⁷⁰ LFF4806 ¹⁶⁹	58887936	Hydraulic	LFH4428		Fuel	FP586F
	Hydraulic	LFP1652					Oil	LFP2222
<i>DD65 w/Deutz F4L913 Engine</i>			<i>SP42 w/Ford 2514 Engine</i>			<i>CM695D w/Caterpillar 3306 Engine</i>		
70334N	Air	LAF1544 ²	P101246	Air	LAF1246 ²	35355395	Air	LAF1810 ²
70333N		LAF9410 ¹	(7111/296); Pri.	Fuel	L296F ⁴¹	35355353		LAF1854 ¹
(59587916); -S/N 5079	Hydraulic	LFH5068-10 ¹¹¹⁹	1551	Hydraulic	LFP1652	<i>DM11 w/Cummins K19 Engine</i>		
<i>DD90 w/Cummins 4B3.9 Engine</i>				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	P181039	Air	LAF9155 ² LAF9155MXM ^{2, 268}
58887936	Hydraulic	LFH4428	<i>SP-54 w/Detroit Diesel 4-53 Engine</i>			P114931		LAF9159 ¹
55440	Hydraulic	LFH7355	P101237	Air	LAF237 ²	<i>DM225 w/Detroit 6V-71 Engine</i>		
<i>SD100 w/Deutz Engine</i>			<i>SP-56 w/Deutz F6L912 Engine</i>				Air	LAF1818 ^{2, 1280} LAF1818MXM ^{2, 291, 128}
70334N	Air	LAF1544 ²	P117431	Air	LAF237 ²		Hydraulic	LFH4204 ¹⁰⁷⁷
70333		LAF9410 ¹	1160243	Fuel	FP586F	<i>DM25 w/Cummins Engine</i>		
(59587916); -S/N 5079	Hydraulic	LFH5068-10 ¹¹¹⁹	01173430	Oil	LFP2222	P181042	Air	LAF8407 ^{2, 148}
<i>SD100, SD100D w/Cummins 3.9L Engine</i>			<i>SP56DH w/Caterpillar 3208 Engine</i>			P188408		LAF8408 ¹
70334N	Air	LAF1544 ²	P117431	Air	LAF237 ²	<i>DM25SD w/Detroit 6V-71 Engine</i>		
70333N		LAF9410 ¹	59587916	Hydraulic	LFH7355 ¹¹		Air	LAF9085 ¹ LAF9086 ² LAF9086MXM ^{2, 268}
58887936	Hydraulic	LFH4428	<i>SP60, SPF60 w/Detroit Diesel 6V-71 Engine</i>				Hydraulic	LH4903
55440	Hydraulic	LFH7355	P101240	Air	LAF241HD	<i>DM25SP w/Cummins NTA855 Engine</i>		
<i>SD110D w/Cummins 5.9L Engine</i>			3278	Hydraulic	LP509		Air	LAF9085 ¹ LAF9086 ² LAF9086MXM ^{2, 268} LAF9200 ¹²⁸⁰
58887936	Hydraulic	LFH4428	3276	Hydraulic	LP50910	<i>DM25SP w/Detroit Diesel 8V-92T Engine</i>		
<i>SD150F w/Deutz Engine</i>			<i>SPF48B w/Detroit Diesel 3-53 Engine</i>			P117435	Air	LAF9086 LAF9086MXM ²⁶⁸
	Air	LAF8668 ² LAF8674 ¹	P117431	Air	LAF237 ²		Breather	LA71 ⁸⁵⁸
	Fuel	FP586F	59587916	Trans	LFH5068-10		Hydraulic	LH4903
59587916	Hydraulic	LFH5068-10	INGERSOLL-RAND (COMPRESSOR)				Trans	LP151
	Oil	LFP8590	<i>HP915WCU (w/Cummins ISL9 Engine)</i>					
<i>SD170D, SD170F w/Cummins 6CT8.3 Engine</i>			36897346	Coolant	LFW4075 ⁶⁴⁴	<i>DM25SP w/Detroit Diesel 8V-92T Engine</i>		
58887936	Hydraulic	LFH4428	(35378546); W/S	Fuel	LFF8000 ⁶²⁸			
			WF2075	Hydraulic	LFH5659	<i>DM25SP w/Detroit Diesel 8V-92T Engine</i>		
			LF3000	Oil	LFP3000			
			<i>XHP1170WCAT (w/Caterpillar Engine)</i>					
			36864361	Air	LAF8733			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 14-Extended Life 28-Contains 1 oz. of chemical 41-Cartridge 148-Engine 169-1 Per Package 170-2 Per Package 210-w/ Sensor 268-Extended/Severe service 275-Primary 291-Extended/Severe service. 628-Tall version of LFF8020 644-Contains 6 oz. of chemical 723-13.9" Hgt. 781-Compressor 858-Hydraulic Tank 870-4.65" O.D. 1077-Hyd. Tank 1119-Suction Line 1280-Dust Collector 1323-Compressor Secondary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
INGERSOLL-RAND (DRILL INDUSTRIAL)			INGERSOLL-RAND (DRILL INDUSTRIAL)			INGERSOLL-RAND (GENERATOR)			
<i>DM30 w/Cummins K19 Engine</i>			<i>ECM680 w/Cummins 6CTA8.3 Engine (cont'd)</i>			<i>G40 w/Mitsubishi S4S 3.3L Diesel Engine (cont'd)</i>			
P181039	Air	LAF9155 ² LAF9155MXM ^{2, 268}	35355353	Air	LAF1854 ¹ LAF9001 ^{2, 781}	85400703	Air	LAF9332 ¹	
P114931		LAF9159 ¹	35326230		LFF1223 ¹²	3446200300	Fuel	LFF8307	
W/S	Fuel	LFF8020	35374677	Fuel	LFF3521	32A4000100	Oil	LFP3828	
By-Pass	Oil	LFP670 LFP777B	51302214	Hydraulic	LFH5013 ¹²⁷⁹	<i>G50 Power Source w/John Deere 4045DF Engine</i>			
<i>DM45, DM45HP w/Cummins 8.3L Engine</i>			51608503		LFH5876	P772580	Air	LAF4544 ²	
	Air	LAF9085 ^{1, 781} LAF9086 ^{2, 781} LAF9086MXM ^{2, 268, 781} LAF9155 ^{2, 148} LAF9155MXM ^{2, 148, 268} LAF9159 ^{1, 148}	35378546	Oil	LFP3000 LFP3000XL ¹⁴	P775302	(RE62418); W/S	Fuel	LFF8215
			<i>ECM690 w/Caterpillar 3306 Engine</i>			RE59754	Oil	LFP5757	
			<i>T4 w/Detroit Diesel 8V-71 Engine</i>			<i>G70 w/John Deere Engine</i>			
				Air	LAF262HD ^{781, 109} LAF263HD	P772580	Air	LAF4544 ²	
Pri.	Fuel	LFF3417 LFF3521	<i>T4BH w/Cummins KTA19C Engine</i>			P775302	(85400976); Sec.	Fuel	LAF4545 ¹
50343490	Hydraulic	LFH3990-03 LFH5013		Air	LAF8407 ² LAF8407MXM ^{2, 268} LAF8408 ¹ LAF9085 ¹ LAF9086 ² LAF9086MXM ^{2, 268, 781}	(RE62418); W/S	Oil	L8683F LFF8215	
50343490	Oil	LFP3000 LFP3000XL ¹⁴	<i>T4-VHP1050 w/Caterpillar J3412 Engine</i>			RE59754	Oil	LFP5757	
<i>DML Rotary Blast Hole w/Cummins QSK19C Engine</i>			<i>XL1400E</i>			INGERSOLL-RAND (LIGHT TOWER)			
W/S	Fuel	LFF1000	52146958	Air	LAF8407 ² LAF8407MXM ^{2, 268} LAF8408 ¹	<i>L5K w/Kubota Engine</i>			
	Hydraulic	LFH5013	52146966		LAF8408 ¹		Air	LAF2745A ^{2, 611} LAF8388 ²	
	Oil	LFP3000 LFP3000XL ¹⁴	<i>E20X w/John Deere 3179 Engine</i>				Fuel	FP590F	
<i>DMM3 w/Caterpillar 3412 Engine</i>			<i>XL1400E</i>				Oil	PH2808	
P181039	Air	LAF9155 ² LAF9155MXM ^{2, 268} LAF9159 ¹	36758613	Hydraulic	LFH5013	<i>L6A-4MH, L6B-4MH, L6C-4MH w/Kubota D905BG Engine</i>			
P119159		LAF9159 ¹	INGERSOLL-RAND (GENERATOR)				Air	LAF8388 ²	
<i>ECM360 w/Deutz Engine</i>			<i>E20X w/John Deere 3179 Engine</i>				Fuel	FP590F	
52196986	Air	LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹	35291970	Air	LAF9538 ² LAF9538MXM ^{2, 268}	<i>L6A-4MH, L6B-4MH, L6C-4MH w/Kubota D905BG Engine</i>			
90749193		LAF9373 ¹		Fuel	P1130		Fuel	FP590F	
<i>ECM370 w/Cummins Engine</i>				Oil	FP20	<i>L8A-4MH, L8B-4MH, L8C-4MH w/Kubota D1105B Engine</i>			
	Air	LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹	<i>G11, G12 w/Kubota Engine</i>				Oil	PH2808	
P165569	Hydraulic	LFH5013	85426815	Fuel	G2932	INGERSOLL-RAND (PAVER)			
<i>ECM450 w/Detroit Engine</i>			85426849	Oil	PH2876	<i>2200 w/Cummins KTA-19C Engine</i>			
K10	Hydraulic	LFH4204 ¹⁰⁷⁷	<i>G20</i>				Air	LAF8407 ² LAF8407MXM ^{2, 268} LAF8408 ¹	
<i>ECM490 w/Cummins Engine</i>			<i>G25 w/Mitsubishi S4Q2Y Engine</i>			<i>650P w/Perkins Engine</i>			
35318252	Air	LAF1544 ^{2, 781} LAF1810 ² LAF1854 ¹	85400679	Air	LAF5844 ¹		Hydraulic	LFH4988	
35355395		LAF1810 ²	85426815	Fuel	G2932	<i>660W w/Deutz Engine</i>			
35355353		LAF1854 ¹	85426849	Oil	PH2876		Air	LAF222 ²	
P165569	Hydraulic	LFH5013	<i>G40 Power Source w/Mitsubishi Engine</i>				Hydraulic	LFH4988	
51608503		LFH5876	P772579	Air	LAF8148 ² LAF9332 ¹	<i>ABG500 w/Deutz F6L913 Engine</i>			
<i>ECM590 w/Cummins 8.3L Engine</i>			P775300	Fuel	G2932		Fuel	FP586F	
51302214	Hydraulic	LFH5013	85426815	Fuel	G2932		Oil	LFP2222	
<i>ECM680 w/Cummins 6CTA8.3 Engine</i>			85426849	Oil	PH2876	<i>MT6520</i>			
35377696	Air	LAF1725 ^{1, 781} LAF1810 ²	<i>G25 w/Mitsubishi S4Q2Y Engine</i>				Hydraulic	LFH4988	
35355395		LAF1810 ²	85400679	Air	LAF8148 ² LAF9332 ¹	<i>MW250 w/Detroit Diesel 3-53 Engine</i>			
<i>G40 w/Mitsubishi S4S 3.3L Diesel Engine</i>			85400703	Air	LAF9332 ¹		Air	LAF234HD ²	
			85426823	Fuel	LFF8307		Hydraulic	LFH7355	
			85426856	Oil	PH2808	<i>Pro-Pav 2020W, Pro-Pav 1110W w/Cummins Engine</i>			
			<i>G40 Power Source w/Mitsubishi Engine</i>				Air	LAF8668 ² LAF8674 ¹	
			P772579	Air	LAF8148 ² LAF9332 ¹				
			P775300	Fuel	LFF8307				
			3446200300	Fuel	LFF8307				
			<i>G40 w/Mitsubishi S4S 3.3L Diesel Engine</i>						
			85400679	Air	LAF8148 ²				

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 14-Extended Life 148-Engine 268-Extended/Severe service 611-Axial Seal 781-Compressor 1077-Hyd. Tank 1094-For engine filters - see engine section. 1279-Compressor Lube

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INGERSOLL-RAND (TELESCOPIC HANDLER)			INTERNATIONAL HARVESTER (BACKHOE LOADER)			INTERNATIONAL HARVESTER (COMBINE)		
<i>VR518 w/Perkins 1004.40 Turbo Engine</i>			<i>3600 Series A w/International C-263 Engine (cont'd)</i>			<i>1400 w/International Diesel Engine (cont'd)</i>		
	Air	LAF9100 ¹ LAF9101 ²	279994-R91	Oil	P335	398080-R2	Oil	LFP54 PH2819
	Oil	LFP2292	<i>3600 Series A w/International D-282 Engine</i>			<i>141, 141 Hillside w/International BD-240 Engine</i>		
<i>VR518 w/Perkins 1104C-44T Engine</i>			383731-R93	Air	LAF2338 ²		Oil	P335
6910726	Air	LAF9100 ¹	(702254-C1); W/S	Fuel	LFP255F	<i>141, 141 Hillside w/International SD-240 Engine</i>		
6910725		LAF9101 ²	702256-C1		LFP3692F		Oil	L24A
	Oil	LFP2292	(702142-C1); Sec.		LFP440F	<i>1420 w/International D-358 Engine</i>		
<i>VR530C w/Perkins 1104C-44T Engine</i>			528507-R91	Hydraulic	LFH4636	529852-R5	Air	LAF1723 ¹
6910726	Air	LAF9100 ¹	279994-R91	Oil	P335	(3136187-R91); Pri.	Fuel	FP587F
6910725		LAF9101 ²	675616-C91		PH675	(3432438-R2); Sec.		FP587F
	Oil	LFP2292	INTERNATIONAL HARVESTER (COMBINE)			528250-R1	Oil	LFP54
759902	Trans	LFH4471 ⁵⁹⁰	<i>101 w/International BD-220 Engine</i>			<i>1440, 1460, 1470, 1480 w/International D-436 Engine</i>		
<i>VR638 w/Perkins 1101C-44T Engine</i>			<i>101 w/International D-236 Engine</i>				Air	LAF1879 LAF1959 ²
6910726	Air	LAF9100 ¹	Aux.	Fuel	L10F	(932391-C2); Exc.		
6910725		LAF9101 ²	Sec.	Oil	P335	1440		
	Oil	LFP2292	<i>105 w/International C-153 Engine</i>			(932390-C1); Exc.		LAF1996 ¹
759902	Trans	LFH4471 ⁵⁹⁰	389567-R91	Air	LAF1275 ²	1440		LAF6587 ²
<i>VR638 w/Perkins 1104C-44T Engine</i>			(538836-R1); By-Pass	Oil	LFP2271	(5231996); 1440		LAF6587MXM ^{2, 268}
	Air	LAF9100 ¹	376374-R91		P127	1440		LAF6834 ¹
		LAF9101 ²	<i>105 w/International D-206 Engine</i>			(530270-R2); 1440		
	Oil	LFP2292	204439-H1	Air	LAF222 ²	A-77544	Coolant	LFW4071 ²⁸
	Trans	LFH4471 ⁵⁹⁰	398080-R2	Oil	LFP54	(702143-C1); Pri.	Fuel	LFF4293
<i>VR642 w/Cummins 4B3.9 Engine</i>			<i>122, 123, 125 w/International GRD-233 Engine</i>			(674293-C1); Sec.		LFP925F
	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹	<i>127 w/SD-240 Engine</i>			386120-C91	Hydraulic	LFH4636
			<i>140 w/International C-164 Engine</i>			A-184775	Oil	PH675
	Oil		(538836-R1); By-Pass	Oil	LFP2271	<i>151, 151 Hillside w/International BD-264 Engine</i>		
	Trans		376374-R91		P127	-S/N 8412	Oil	P150
<i>VR723 w/Perkins 1104C-44T Engine</i>			<i>140 w/International C-175 Engine</i>			S/N 8413-		P335
6910726	Air	LAF9100 ¹	(538836-R1); By-Pass	Oil	LFP2271	<i>151, 151 Hillside w/International D-282 Engine</i>		
6910725		LAF9101 ²	376374-R91		P127	Aux.	Fuel	L10F
	Oil	LFP2292	<i>1400</i>			Sec.	Oil	L10F
759902	Trans	LFH4471 ⁵⁹⁰	529852-R4	Air	LAF1723 ¹			P335
INGERSOLL-RAND (WHEEL LOADER)			932391-C1		LAF1959 ²	<i>181 w/International BD-264 Engine</i>		
<i>WL350 w/Deutz BF4M2011 Engine</i>			690049-C1		LAF1987 ²		Oil	P335
17773920	Air	LAF3947 ²	<i>140 w/International C-169 Engine</i>			<i>181 w/International D-282 Engine</i>		
17773938		LAF3948 ¹	(538836-R1); By-Pass	Oil	LFP2271	383731-R93	Air	LAF2338 ²
<i>WL440 w/Deutz BF4M2011 Engine</i>			376374-R91		P127	Aux.	Fuel	L10F
17773920	Air	LAF3947 ²	<i>140 w/International C-175 Engine</i>			Sec.		L10F
17773938		LAF3948 ¹	(538836-R1); By-Pass	Oil	LFP2271	323827-R91	Oil	P335
INTERNATIONAL HARVESTER (BACKHOE LOADER)			376374-R91		P127	<i>203 w/International C-153 Engine</i>		
<i>2000, 3000</i>			<i>1400</i>			389567-R91	Air	LAF1275 ²
347944-R91	Hydraulic	P137	529852-R4		LAF1987 ²	(538836-R1); By-Pass	Oil	LFP2271
<i>2000</i>			690049-C1		LAF5154	376374-R91		P127
381257-R91	Hydraulic	LH4914		Coolant	LFW4071 ²⁸	<i>205 w/International C-221 Engine</i>		
<i>3020, 3120, 3121, 3130, 3131, 3140, 3141</i>			Pri.	Fuel	FP587F	384812-R93	Air	LAF222 ²
381256-R91	Hydraulic	P137	Sec.		FP587F	386120-R91	Hydraulic	LFH4636
<i>3050A Attachment</i>				Hydraulic	LFH4636	398080-R2	Oil	LFP54
541275-R1	Hydraulic	LP4453			LFP449	<i>303 w/International BD-220 Engine</i>		
<i>3100 Series</i>			3136046-R93	Oil	PH2819	384812-R93	Air	LAF222 ²
<i>3600 Series A w/International C-263 Engine</i>			<i>1400 w/International Diesel Engine</i>			279994-R91	Oil	P335
383731-R93	Air	LAF2338 ²	529852-R5	Air	LAF1723 ¹	<i>303 w/International C-221 Engine</i>		
528507-R91	Hydraulic	LFH4636		Fuel	FP587F	384812-R93	Air	LAF222 ²
398080-R2	Oil	LFP54	69149-C1	Hydraulic	LFP449	S/N 49916-	Oil	LFP54
						-S/N 49915		P335

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 28-Contains 1 oz. of chemical 268-Extended/Severe service 590-Hydrostatic

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (COMBINE)			INTERNATIONAL HARVESTER (COMBINE)			INTERNATIONAL HARVESTER (COMBINE)		
<i>315 w/International D-236 Diesel Engine</i>			<i>453 Hillside w/International D-360 Engine (cont'd)</i>			<i>715 w/International C-301 Engine (cont'd)</i>		
389263-R92	Air	LAF1246 ²	386120-R91	Hydraulic	LFH4636	386120-R1	Hydraulic	LFH4636
381256-R91	Hydraulic	P137	3055228-R92	Oil	LFP54	398080-R2	Oil	LFP54
323827-R91	Oil	P335	1808896-C1		LFP6241	<i>715 w/International D-282 Engine</i>		
386120-R91	Trans	LFH4636	675616-C91		PH675	922840-C91	Air	LAF1246 ²
<i>315 w/International Engine</i>			<i>503 w/International C-282 Engine</i>			61122-C1		LAF1987 ^{2, 698}
384812-R93	Air	LAF222 ²	384812-R93	Air	LAF222 ²	27999-R91	Oil	P335
	Hydraulic	P137	S/N 5706-	Oil	LFP54	<i>715 w/International D-301 Engine</i>		
398080-R2	Oil	LFP54	(323827-R91); -S/N		P335	389263-R92	Air	LAF1246 ²
386120-R91	Trans	LFH4636	5706			61122-C1		LAF1987 ^{2, 698}
<i>403 Hillside w/International D-360 Diesel Engine</i>			<i>503 w/International D-282 Diesel Engine</i>			<i>715 w/International D-310 Diesel Engine</i>		
1808896-C1	Oil	LFP6241	Aux.	Fuel	L10F	529852-R5	Air	LAF1723 ¹
<i>403, 403 Hillside w/International C-236 Engine</i>			Sec.		L10F	690049-C2		LAF1987 ²
384812-R93	Air	LAF222 ²	398080-R2	Oil	LFP54 ¹³²⁷		Fuel	FP587F
398080-R2	Oil	LFP54 ¹³²⁷			P335	405501-C1		G6
323827-R91		P335	<i>503 w/International D-301 Engine</i>			3044506-R93		L296F ⁴¹
<i>403, 403 Hillside w/International C-263 Gasoline Engine</i>			389263-R92	Air	LAF1246 ²	528493-R3	Hydraulic	LFH4636
384812-R93	Air	LAF222 ²	Aux.	Fuel	L10F	398080-R2	Oil	LFP54
398080-R2	Oil	LFP54	Sec.		L10F	3136046-R93		PH2819
279994-R91		P335	398080-R2	Oil	LFP54 ¹³²⁷	<i>76 w/International C-113 Engine</i>		
<i>403, 403 Hillside w/International C-282 Gasoline Engine</i>			323827-R91		P335	(538836-R1); By-Pass	Oil	LFP2271
384812-R93	Air	LAF222 ²	675616-C91		PH675	376374-R91		P127
398080-R2	Oil	LFP54	515			<i>76 w/International C-123 Engine</i>		
279994-R91		P335	61122-C1	Air	LAF1987 ^{2, 698}	(538836-R1); By-Pass	Oil	LFP2271
<i>403, 403 Hillside w/International D-282 Engine</i>			<i>52R, 64 w/International C-60 Engine</i>			376374-R91		P127
389263-R92	Air	LAF1246 ²	376373-R91	Hydraulic	LH8446	<i>76 w/International C-113 Engine</i>		
Aux.	Fuel	L10F	<i>606 w/International C-221 Engine</i>			(538836-R1); By-Pass	Oil	LFP2271
Sec.		L10F	389567-R91	Air	LAF1275 ²	376374-R91		P127
398080-R2	Oil	LFP54 ¹³²⁷	384812-R93		LAF222 ²	<i>76 w/International C-123 Engine</i>		
323827-R91		P335		Oil	LFP54	(538836-R1); By-Pass	Oil	LFP2271
<i>403, 403 Hillside w/International D-301 Engine</i>			323827-R91		P335	376374-R91		P127
389263-R91	Air	LAF1246 ²	<i>615 w/International D-263 Engine</i>			<i>815 w/International D-407 Engine</i>		
Aux.	Fuel	L10F	384812-R93	Air	LAF222 ²	401268-R1	Air	LAF1473 ¹
Sec.		L10F	(170349-C1); Gas	Fuel	G6	401270-R1		LAF1822 ²
398080-R2	Oil	LFP54 ¹³²⁷	386120-R1	Hydraulic	LFH4636	(625627-C1); Pri.	Fuel	FP251F
323827-R91		P335	3908080-R2	Oil	LFP54	(625626-C1); Pri.		FP625
<i>453 Hillside w/International C-301 Engine</i>			<i>615 w/International D-282 Engine</i>			Opt.		LFF8050
61122-C1	Air	LAF1987 ^{2, 57, 1331}	389263-R91	Air	LAF1246 ²	(702142-C1); Sec.		LFP440F
(384812-R93); -S/N		LAF222 ²	(304101-R91); Sec.	Fuel	L10F	381256-R91	Hydraulic	P137
610			(306353-R91); Pri.		L10F	323827-R91	Oil	P335
386120-R91	Hydraulic	LFH4636	386120-R1	Hydraulic	LFH4636	386120-R91	Trans	LFH4636 ⁵⁹⁰
398080-R2	Oil	LFP54	1808896-C1	Oil	LFP6241	<i>815 w/International D-414 Engine</i>		
<i>453 Hillside w/International D-301 Engine</i>			323827-R91		P335	P116286	Air	LAF4164
61122-C1	Air	LAF1987 ^{2, 698}	675616-C91		PH675	(625627-C1); Pri.	Fuel	FP251F
(304101-R2); Sec.	Fuel	L10F	<i>64 w/International C-113 Engine</i>			(672603-C1); Sec.		FP603
(306353-R91); Pri.		L10F	(538836-R1); By-Pass	Oil	LFP2271	(625626-C1); Pri.		FP625
675616-C91	Oil	PH675	376374-R91		P127	Opt.		LFF8050
<i>453 Hillside w/International D-360 Engine</i>			<i>715 w/International C-263 Engine</i>			386120-R91	Hydraulic	LFH4636
389263-R2	Air	LAF1246 ²	594686-R91	Air	LAF1275 ²	1808896-C1	Oil	LFP6241
61122-C1		LAF1987 ²	61122-C1		LAF1987 ^{2, 698}	675617-C91		PH675
626527-C1	Fuel	FP251F	3055228-R92	Oil	LFP54	381256-C91	Trans	P137
(672603-C1); Sec.		FP603	<i>715 w/International C-301 Engine</i>			<i>815 w/International Gasoline Engine</i>		
(625626-C1); Pri.		FP625	594686-R91	Air	LAF1275 ²	389263-R91	Air	LAF1246 ²
Opt.		LFF8050	61122-C1		LAF1987 ^{2, 698}	P116286		LAF4164
			384812-R93		LAF222 ²	(531546-R1); Gas;	Fuel	G6
			170349-C1	Fuel	G6	V-304, V-345 only		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 57-Partial 590-Hydrostatic 698-With Metal End Cap 1327-When converted using IH 538837-R91 kit. 1331-Outer With Metal End Cap

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (COMBINE)			INTERNATIONAL HARVESTER (COTTON PICKER)			INTERNATIONAL HARVESTER (COTTON PICKER)		
<i>815 w/International Gasoline Engine (cont'd)</i>			<i>214, 214A, 220, 220A w/International D-282 Engine</i>			<i>95 w/International Diesel Engine</i>		
	Hydraulic	P137				(3044506-R93); Sec.	Fuel	L296F ⁴¹
	Oil	LFP54	Aux.	Fuel	L10F	3132015-R92		L61F
	Trans	LFH4636	Sec.		L10F	381256-R92	Hydraulic	P137
<i>91 w/International C-135 Engine</i>			<i>398080-R2</i>			<i>3136046-R93</i>		
376374-R91	Oil	P127	S/N 308171-675018	Oil	LFP54 ¹³²⁷		Oil	PH2819
<i>915 w/International DT407 Engine</i>			<i>414, 416, 420, 422 w/International BD-264 Engine</i>			INTERNATIONAL HARVESTER (CRAWLER LOADER)		
(625627-C1); Pri.	Fuel	FP251F		Oil	P335	<i>100C, 100E w/International D-239 Engine</i>		
(702142-C1); Sec.		FP587F	<i>414, 416, 420, 422 w/International C-263 Engine</i>			625041-C1	Air	LAF1467 ²
(625626-C1); Pri.		FP625	384812-R93	Air	LAF222 ²	625042-C1		LAF1930 ¹
Opt.		LFF8050	368080-R2	Oil	LFP54 ¹³²⁷	(3316187-R1); Pri.	Fuel	FP587F
Sec.		LFP440F	323827-R91		P335	w/BR pump		FP587F ²⁴⁴
386120-R91	Hydraulic	LFH4636	(675616-C91); 416, 422 only		PH675	(3144477-R92); w/CR pump		L296F ^{41, 244}
323827-R91	Oil	P335				386120-R91	Hydraulic	LFH4636
381256-R91	Trans	P137 ⁵⁹⁰						LH22117
<i>915 w/International DT414 Diesel Engine</i>			<i>414, 416, 420, 422 w/International D-282 Engine</i>			<i>528250-R1</i>		
P116286	Air	LAF4164	389263-R92	Air	LAF1246 ²	615447-C1	Oil	LFP54
(672603-C1); Sec.	Fuel	FP603	Aux.	Fuel	L10F		Trans	P138
(625626-C1); Pri.		FP625	Sec.		L10F	<i>125, 125C, 125E w/International D-239 Engine</i>		
(625627-C1); Pri.		LFF4293	398080-R2	Oil	LFP54 ¹³²⁷	(625041-C1); 125C	Air	LAF1467 ²
386120-R91	Hydraulic	LFH4636	323827-R91		P335	(625042-C1); 125C		LAF1930 ¹
1808896-C1	Oil	LFP6241	<i>616, 622 w/International C-291 Engine</i>			631422-C1		LAF323 ¹
675617-C91		PH675	389263-R92	Air	LAF1246 ²	631421-C1		LAF8552 ²
381256-R91	Trans	P137	384812-R93		LAF222 ²	(3132428-R1); Sec.	Fuel	FP587F
<i>915 w/International V-345 Engine</i>			386122-R91	Hydraulic	LFH4636	(3136187-R1); Pri.		FP587F
(389263-R92); V-345	Air	LAF1246 ²	381256-R91		P137	(3144477-R92); Sec.		L296F ⁴¹
P116286		LAF4164		Oil	LFP54 ¹³²⁷	386120-R91	Hydraulic	LFH4636
		LAF4228 ²	<i>616, 622 w/International C-301 Engine</i>					LH22117
619651-C1		LAF4346 ¹	389263-R92	Air	LAF1246 ²	528250-R91	Oil	LFP54
	Hydraulic	P137	384812-R93		LAF222 ²	615447-C1	Trans	P138
	Oil	LFP54	386122-R91	Hydraulic	LFH4636	<i>150</i>		
	Trans	LFH4636	381256-R91		P137	610636-C91	Air	LAF320
<i>915 w/International V-392 Engine</i>			323827-R91		LFP54 ¹³²⁷	317702-R91		LAF702
(389263-R92); V-345	Air	LAF1246 ²	<i>616, 622 w/International D-310 Engine</i>			338744-R91		LAF744
P116286		LAF4164	389263-R92	Air	LAF1246 ²	Aux.	Fuel	L10F
		LAF4228 ²	(3132275-R1); Pri.	Fuel	FP587F	Sec.		L10F
619651-C1		LAF4346 ¹	(3132428-R1); Sec.		FP587F		Oil	P335
	Hydraulic	P137	3144477-R92		L296F ⁴¹		Trans	LP132
	Oil	LFP54	<i>386122-R91</i>			<i>165 w/International D-310 Engine</i>		
	Trans	LFH4636	381256-R91	Hydraulic	LFH4636	3044506-R93	Fuel	L296F ^{12, 41}
<i>93 w/International BD-154C Engine</i>			3059246-R91	Oil	LFP54	3144477-R92		L296F ⁴¹
3044506-R91	Fuel	L296F ⁴¹	<i>782 w/International D-310 Engine</i>			528250-R1	Oil	LFP54
376364-R91	Oil	P52	529852-R5	Air	LAF1723 ¹	<i>175</i>		
<i>93 w/International C-135 Engine</i>			690049-C2		LAF1987 ²	Aux.	Fuel	L10F
376374-R1	Oil	P127	(702142-C1); Pri.	Fuel	FP587F	Sec.		L10F
<i>93 w/International C-153 Engine</i>			(702253-C1); Sec.		FP587F		Oil	LP146-1
376374-R91	Oil	P127	69149-C1	Hydraulic	LFH4955			LP2217
INTERNATIONAL HARVESTER (COTTON PICKER)			3059249-R91	Oil	LFP54	<i>175B w/International D-361 Engine</i>		
<i>214, 214A, 220, 220A w/International BD-240 Engine</i>			<i>782 w/International D-358 Engine</i>			327491-R91	Air	LAF24
398080-R2	Oil	LFP54 ¹³²⁷	529852-R5	Air	LAF1723 ¹	34373		LAF4175 ²
323827-R91		P335	690049-C2		LAF1987 ²	4.5" O.D. Aux.	Fuel	L10F
			(1967094-C1); W/S	Fuel	LFF8062	Sec.		L10F
			69149-C1	Hydraulic	LFP449		Hydraulic	L664F ¹³²⁵
			528250-R1	Oil	LFP54		Oil	P137 ⁷⁸³
								LP146-1
								LP2217 ¹¹⁰⁶

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 41-Cartridge 244-Secondary 590-Hydrostatic 783-Pressure side 1106-9" Hgt. 1325-6.75" Tall 1327-When converted using IH 538837-R91 kit.

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (CRAWLER LOADER)			INTERNATIONAL HARVESTER (CRAWLER LOADER)			INTERNATIONAL HARVESTER (CRAWLER TRACTOR)		
<i>175B w/International D-361 Engine (cont'd)</i>			<i>500C, 500E w/D155 Dresser Engine (cont'd)</i>			<i>T14</i>		
	Oil	P335 ¹⁷²	528250-R1	Hydraulic	LFP54	376376-R91	Oil	LP155
<i>175B w/International UD-407 Engine</i>			398080-R2	Oil	LFP54	<i>T340, T340A</i>		
327491-R91	Air	LAF24	918266-R93	Trans	PH400 ²⁷⁵	313964-R91	Air	LAF131
34373-R91		LAF4175 ²	918266-R93		PH8A ¹⁴⁹⁶	376374-R91	Oil	P127
Pri.	Fuel	FP251F ⁷	<i>Also see Dresser</i>			<i>T4, T5</i>		
Pri.		FP625 ¹⁷²	610636-C91	Air	LAF320	376374-R91	Oil	P127
Opt.		LFF8050	317702-R91		LAF702	<i>T6</i>		
Sec.		LFP440F ¹³²⁶	338744-R91		LAF744		Oil	LP155
	Hydraulic	P137 ⁷⁸³	Aux.	Fuel	L10F			P335
	Oil	P335	Sec.		L10F	<i>T7, TD7, TD7C w/International D-206 Engine</i>		
<i>175C w/International DT429 Engine</i>				Oil	P335	625041-C1	Air	LAF1467 ²
(702251-C1); Pri.	Fuel	FP251F		Trans	LP132	625042-C1		LAF1930 ¹
(672603-C2); Sec.		FP603	INTERNATIONAL HARVESTER (CRAWLER TRACTOR)			(3132428-R1); Sec.	Fuel	FP587F
(631144-C2); S/N	Hydraulic	LP6061	<i>400</i>			386120-R91	Hydraulic	LH4636
2391-						623017-C1		LH4906
675617-C91	Oil	PH675				528250-R1	Oil	LFP54
<i>175C w/International DT466 Engine</i>						615447-C1	Trans	P138 ¹⁰⁸⁴
627934-C1	Air	LAF8547 ¹		Oil	P52	<i>T9</i>		
627935-C1		LAF8548 ²		Trans	PH400 ^{275, 1084}		Oil	P150
(625627-C1); Pri.	Fuel	FP251F			PH8A ^{1084, 1496}	<i>TD12, TD12C w/International D-466 Engine</i>		
(672603-C2); Sec.		FP603	<i>500 w/International Diesel Engine</i>			634269-C1	Air	LAF1917
(625626-C1); Pri.		FP625	675410-R91	Air	LAF4356	634270-C1		LAF503 ¹
Opt.		LFF8050	3144477-R92	Fuel	L296F ⁴¹	Pri.	Fuel	FP251F
(702256-C1); Pri.		LFP3692F		Oil	P52	Sec.		FP603
S/N 3501-	Hydraulic	LH4905		Trans	PH400 ^{275, 1084}	666219-C1	Hydraulic	LH4901
(631144-C2); S/N		LP6061	<i>500 w/International Gasoline Engine</i>			1811953-C1	Oil	LFP2244
2391-			376374-R91	Oil	P127	675617-C91		PH675
381256-R91		P137		Trans	PH400 ^{275, 1084}	1140079-C2	Trans	LH4905
675617-C91	Oil	PH675			PH8A ^{1084, 1496}	<i>TD14</i>		
<i>250A, 250B w/International DT429 Engine</i>			<i>500C w/International C-146 Engine</i>			Aux.	Fuel	L267F
P-32	Air	LAF320	384812-R93	Air	LAF222 ²	Aux.		L663F
(304101-R91); Sec.	Fuel	L10F	(538836-R1); By-Pass	Oil	LFP2271	Sec.		L663F
(306353-R91); Aux.		L10F	376374-R91		P127		Oil	LP146-1
Sec.		L664F	918266-R91	Trans	PH400 ²⁷⁵	376376-C91		LP155
w/IH pump		L664F ¹³²⁸	918266-R91		PH8A ¹⁴⁹⁶			LP2217
	Oil	LP146-1	<i>500C w/International D-155 Engine</i>			<i>TD14A</i>		
	Trans	LP2217	384812-R93	Air	LAF222 ²	Aux.	Fuel	L267F
		P137	(3132428-R1); Sec.	Fuel	FP587F	Sec.		L663F
<i>250C w/International DVT-573B Engine</i>			(3136187-R91); S/N		FP587F	w/Bosch injection pump		L664F
627128-C1	Air	LAF1780 ¹	2D002190; Pri.		L296F ⁴¹	S/N 33815-38237	Oil	LP146
627127-C1		LAF1811 ²	(3144477-R92); -S/N			S/N 26001-33814		LP146-1
(702251-C1); Pri.	Fuel	FP251F	2D002189; Pri.	Oil	LFP54	S/N 38238-39300		LP155
Opt.		LFF8050	398080-R2	Trans	PH400 ²⁷⁵	<i>TD15</i>		
702255-C1		LFP255F	818266-R91		PH8A ¹⁴⁹⁶	321585-R91	Air	LAF689
(359251-C1); Sec.		LFP925F	818266-R91	Trans		Aux.	Fuel	L664F
(631144-C2); S/N	Hydraulic	LP6061	<i>500E w/International D-155 Engine</i>			Sec.		L664F
12132-			384812-R93	Air	LAF222 ²		Hydraulic	P137
684206-C2	Oil	LFP4005SC ⁷¹¹	3144477-R92	Fuel	L296F ⁴¹		Oil	LP146-1
		LP146-1	528250-R1	Hydraulic	LFP54	323827-R91		P335
	Trans	LP2217	398080-R2	Oil	LFP54	<i>TD15B w/International DT361 Engine</i>		
		P137	918266-R92	Trans	PH400 ²⁷⁵	327491-R91	Air	LAF24
<i>500C, 500E w/D155 Dresser Engine</i>			918266-R92		PH8A ¹⁴⁹⁶	P-32		LAF320
	Air	LAF1907 ²	<i>Also see Dresser</i>			S/N 501-4622; Aux.	Fuel	L10F
	Fuel	FP587F		Oil	P52			
		L296F ⁴¹		Trans	PH400 ^{275, 1084}			
					PH8A ^{1084, 1496}			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 7-8" Tall 41-Cartridge 172-5.5" Tall 275-Primary 711-Short can version 783-Pressure side 1084-Power Shift 1326-6 7/8" Tall 1328-Auxiliary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (CRAWLER TRACTOR)			INTERNATIONAL HARVESTER (CRAWLER TRACTOR)			INTERNATIONAL HARVESTER (CRAWLER TRACTOR)		
<i>TD15B w/International DT361 Engine (cont'd)</i>			<i>TD20 (cont'd)</i>			<i>TD24 (cont'd)</i>		
Sec. S/N 4623-; Aux.	Fuel	L10F L664F L664F		Oil	LP146-1 LP2217		Oil	LP146-1 LP155 LP2217
Sec. 615447-C1	Hydraulic	P138	<i>TD20B</i>			S/N 6475-		
	Oil	LP146-1 LP2217 P335	702244-C1	Air	LAF1472 ¹⁸¹ LAF320 ¹² LAF8360 ¹	<i>TD25B w/International DT817 Engine</i>		
S/N 501-5383 S/N 5384-	Trans	P137	P-32			P17665	Air	LAF264 LAF3918
<i>TD15B w/International DT407 Engine</i>			606861C91			346777-R91	Fuel	L664F L664F
(327491-R91); S/N 22001-22975	Air	LAF24	S/N 3317-	Fuel	FP251F ¹³²⁸ L10F L10F L664F L664F LFF8050	684206-C2	Oil	LFP4005SC ⁷¹¹ LP146-1 LP2217
Pri.	Fuel	FP251F ⁷ FP625 ¹⁷²	S/N 510-2526; Aux.			602998-C91	Trans	LP132 ¹⁰⁸⁴
Opt.		LFF8050 LFP255F LFP440F ¹³²⁶	Sec.			Series B		
(702255-C1); W/S			S/N 2527-3316; Aux.			<i>TD25C, TD25E w/International DT817B Engine</i>		
Sec.			Sec.			(680587-C2); Chassis No. 6380-up	Air	LAF3716 ²
615447-C1	Hydraulic	P138	Opt.			606861-C91		LAF8360 ¹ LAF9085 ¹ LAF9086 ²
	Oil	P335	666219-C1	Hydraulic	LH4901	702753-C1		LAF9086MXM ^{2, 268}
	Trans	P137		Oil	LP146-1 LP2217	(702864-C1); Chassis No. 6379		
<i>TD15C</i>			<i>TD20C w/International DVT-573B Engine</i>			Chassis No. 6379		
627935-C1	Air	LAF8547 ¹	627128-C1	Air	LAF1780 ¹ LAF1811 ²	(625627-C1); Pri.	Fuel	FP251F LFF4293 LFF8050 LFP3692F
627934-C1		LAF8548 ²	(627127-C1); -S/N 27000			(674293-C1); Sec.		LP132 ¹⁰⁹⁹
1261387-H1	Coolant	LFW4071 ²⁸	672020-C1		LAF2542 ¹ LAF9726 ²	Opt.		LP6061 ¹⁰⁹⁹
(625627-C1); Pri.	Fuel	FP251F FP603 FP625 LFF8050 LFP3692F	(672019-C1); S/N 27001-			(702256-C1); Pri.		
(672603-C2); Sec.			(702251-C1); Pri.	Fuel	FP251F L664F	(319926-R91); -S/N 2916	Hydraulic	LP132 ¹⁰⁹⁹
(625626-C1); Pri.			w/Bosch injection pump		LFF8050 LFP255F LFP925F	(631144-C2); S/N 2916-		
Opt.			Opt.			684206-C2	Oil	LFP4005SC ⁷¹¹ LP146-1 LP2217 P92 ¹³³⁸
(702256-C1); Pri.			(702255-C1); W/S (359251-C1); Sec.			602998-C91		
(631144-C2); S/N 2430-	Hydraulic	LP6061	666219-C1	Hydraulic	LH4901 ¹²³⁹ LP6061	602998-C91		
615447-C1		P138	(631144-C2); S/N 27592-			603711-C92	Trans	P92
675617-C91	Oil	PH675	684206-C2	Oil	LFP4005SC ⁷¹¹ LP146-1 LP2217	<i>TD30</i>		
<i>TD18</i>				Trans	P137	P17665	Air	LAF264 LAF3535A
Aux.	Fuel	L664F	<i>TD20E w/International V-800 Engine</i>			346779-R91	Fuel	L664F L664F
Sec.		L664F	672020-C1	Air	LAF2542 ¹ LAF9726 ²	Aux.		LP146-1 LP2217 P92 ¹³³⁸
S/N 15001-22000	Oil	LP155	672019-C1			Sec.		LP132 ¹⁰⁸⁴
<i>TD18 w/International D691 Engine</i>			(674293-C1); Sec.	Fuel	LFF4293 LFP255F	603711-C92		
Aux.	Fuel	L664F L664F	(702255-C1); W/S			Series B	Trans	LP132 ¹⁰⁸⁴
Sec.			631144-C2	Hydraulic	LP6061 P137	<i>TD340, TD340A</i>		
182 Series	Oil	LP146-1 LP2217	381256-R91			313964-R91	Air	LAF131
<i>TD18A</i>			684206-C2	Oil	LFP4005SC ⁷¹¹ LP146-1 LP2217	Aux.	Fuel	L10F L10F P335
S/N 22001-25008;	Fuel	L664F	602998-C91			Sec.	Oil	
Aux.		L664F	602998-C91			<i>TD5, TD5B</i>		
Sec.			<i>TD22</i>				Fuel	L50F
S/N 25009-33132	Oil	LP146 LP146-1 LP155 LP2217	Aux.	Fuel	L10F L10F		Oil	P52
<i>TD18A</i>			Sec.			<i>TD6</i>		
S/N 33133-33649				Oil	LP146-1 LP2217	Aux.	Fuel	L10F L10F L267F
<i>TD20</i>			<i>TD24</i>			Sec.		
P-32	Air	LAF1472 LAF320	S/N 2554-6474; Aux.	Fuel	L664F L664F	Aux.		
Aux.	Fuel	L664F L664F	Sec.					
Sec.	Hydraulic	P137	S/N 506-2553	Oil	LP146			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 7-8" Tall 12-Optional 28-Contains 1 oz. of chemical 172-5.5" Tall 181-Single 268-Extended/Severe service 711-Short can version
1084-Power Shift 1099-Torque Converter 1239-All 1326-6 7/8" Tall 1328-Auxillary 1338-Sprocket Drive

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (CRAWLER TRACTOR)			INTERNATIONAL HARVESTER (CRAWLER TRACTOR)			INTERNATIONAL HARVESTER (HAULER INDUSTRIAL)		
<i>TD6 (cont'd)</i>			<i>TD9B w/International D-282 Engine (cont'd)</i>			<i>100B w/International DT817B Engine (cont'd)</i>		
S/N 31583-38950; Aux. Sec.	Fuel	L663F L663F	Aux. Sec.	Fuel	L10F L10F P335	Sec.	Fuel	L664F LP146-1 LP2217
S/N 501-31582 323863R91	Oil	LP155 LP2325 P335	302474-R91	Oil	LP151 P137	Allison	Trans	LP151
<i>TD640</i>			INTERNATIONAL HARVESTER (EXCAVATOR)			<i>140 w/International DT817 Engine</i>		
Aux. Sec.	Fuel	L10F L10F	<i>3964, 3964B, 3965B, 3966, 3984B w/International D358 Engine</i>			702672-C1	Air	LAF1227 ² LAF727 ¹
	Oil	P335				702673-C1	Fuel	L664F L664F
<i>TD7C, TD8C w/International Dresser D206 Engine</i>						Sec.	Oil	LP146-1 LP2217
625041-C1	Air	LAF1467 ² LAF1930 ¹				631144-C2	Trans	LP6061
625042-C1						<i>175 w/International DT1089 Engine</i>		
3132428-R2	Fuel	FP587F L296F ⁴¹				Aux. Sec.	Fuel	L664F L664F
3144477-R91							Oil	LP146-1 LP2217
386120-R91	Hydraulic	LHF4636 ¹³³⁴ LH22117 P138 ¹¹				<i>180 w/Detroit Diesel Engine</i>		
615447-C2						346779-R91	Air	LAF3535A
528250-R1	Oil	LFP54					Trans	LP146-1 LP2217
<i>TD7E w/International D-239 Engine</i>			<i>3964, 3964B, 3965B, 3966, 3984B w/International DT358 Engine</i>			<i>330, 340 w/International DT817 Engine</i>		
625041-C1	Air	LAF1467 ² LAF1930 ¹				(625627-C1); Sec.	Fuel	FP251F LFF4293 LFF8050
625042-C1						602998-C91	Oil	LP146-1 LP2217
(3132428-R1); Sec. (3136187-R91); Pri. 3144477-R92	Fuel	FP587F FP587F L296F ⁴¹				631444-C2	Trans	LP6061
386120-R91	Hydraulic	LHF4636 LH22117				<i>330, 340 w/International DT817B Engine</i>		
528250-R1	Oil	LFP54				702672-C1	Air	LAF1227 ² LAF727 ¹
615447-C1	Trans	P138				702673-C1	Fuel	L664F L664F
<i>TD8E w/International D-239 Engine</i>			<i>630, 640 w/International D358 Engine</i>			684206-C2	Oil	LFP4005SC ⁷¹¹
(3132428-R1); Sec. (3136187-R91); Pri. 3144477-R92	Fuel	FP587F FP587F L296F ⁴¹				<i>330, 340 w/International DT817C Engine</i>		
386120-R91	Hydraulic	LHF4636 LH22117				702672-C1	Air	LAF1227 ² LAF727 ¹
528250-R1	Oil	LFP54				702673-C1	Fuel	L664F L664F
615447-C1	Trans	P138				684206-C2	Oil	LFP4005SC ⁷¹¹
<i>TD9</i>			<i>Also see Dresser</i>			<i>350 w/Cummins VT-1710 Engine</i>		
Aux. S/N 49291-60300; Aux. Sec.	Fuel	L267F L663F L663F				P103535	Air	LAF3535A ²
S/N 501-49290	Oil	LP155				602998-C91	Hydraulic	LP146-1 ¹⁰⁹⁹ LP2217 ¹⁰⁹⁹
<i>TD9 w/International D335 Engine</i>			INTERNATIONAL HARVESTER (HAULER INDUSTRIAL)			615447-C1	Trans	P138
	Fuel	L663F				<i>350 w/Detroit Diesel 16V-71N Engine</i>		
	Oil	LP155 ⁶⁵ LP2325				P103535	Air	LAF3535A ²
323863R91						602998-C91	Hydraulic	LP146-1 ¹⁰⁹⁹ LP2217 ¹⁰⁹⁹
<i>TD9 w/International D350 Engine</i>						615447-C1	Trans	P138
	Fuel	L663F				<i>350B w/Cummins Engine</i>		
	Oil	LP155 ⁶⁵ LP2325				702672-C1	Air	LAF1227 ² LAF727 ¹
323863R91						702673-C1	Fuel	L664F L664F
<i>TD9B w/International D-282 Engine</i>						<i>350B w/Detroit Diesel Engine</i>		
610636-C91	Air	LAF320 LAF702 LAF744				702672-C1	Air	LAF1227 ² LAF727 ¹
317702-R91						702673-C1	Fuel	L664F L664F
338744-R91						<i>65 Series B w/International DVT-573 Engine</i>		
							Air	LAF1762
							Breather	LAF200 ⁶⁴⁵

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 41-Cartridge 65-By-Pass 645-Air Shift 711-Short can version 1099-Torque Converter 1334-Gear Drive

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (HAULER INDUSTRIAL)			INTERNATIONAL HARVESTER (HAULER INDUSTRIAL)			INTERNATIONAL HARVESTER (LOADER)		
<i>65 Series B w/International DVT-573 Engine (cont'd)</i>			<i>95 w/International DT817 Engine (cont'd)</i>			<i>100C, 100E w/D-206 Engine</i>		
Aux.	Fuel	L10F	Aux.	Fuel	L664F ¹³²⁹	(625041-C1); Also see Dresser	Air	LAF1467 ²
Sec.		L10F	Sec.		L664F ¹³²⁹	(625042-C1); Also see Dresser		LAF1930 ¹
	Oil	LP146-1 LP2217		Oil	LP146-1 LP2217	(3132275-R91); Also see Dresser; Pri.	Fuel	FP587F
	Trans	LP151 ¹⁰⁸⁴		Trans	LP151 ¹⁰⁸⁴	(3132428-R1); Also see Dresser; Sec.		FP587F
<i>65 Series C w/International DVT-573B Engine</i>			INTERNATIONAL HARVESTER (LIFT TRUCK)			(386120-R91); Also see Dresser		
627976-C1	Air	LAF1777 ¹	<i>4000, 5000, SP-4010, 5121</i>			(528250-R1); Also see Dresser		
627975-C1		LAF8211 ²	391852-R91	Air	LAF863	Hydraulic LFH4636		
(625627-C1); Pri.	Fuel	FP251F		Oil	P127	Oil LFP54		
(674293-C1); Sec.		LFF4293	<i>4500 w/International C-157 Gasoline Engine</i>			Dresser P138		
Opt.		LFF8050	391852-R91	Air	LAF863	280A w/International DT358 Engine		
(702255-C1); W/S		LFP255F	398080-R2	Oil	LFP54	529852-R5	Air	LAF1723 ¹
<i>65 w/Cummins NT-6 Engine</i>			<i>4500A w/International Diesel Engine</i>			(3136187-R91); Pri.		
	Fuel	LFP1101F	529854-R1	Air	LAF1756	3044506-R93	Fuel	FP587F
	Fuel	LFP1101F ¹³³³	(3132428-R1); Sec.	Fuel	FP587F	631144-C2	Hydraulic	LP6061
313709-R91	Air	LAF268	(3136187-R91); Pri.	FP587F		528250-R1	Oil	LFP54
	Breather	LAF200 ⁶⁴⁵	398080-R2	Oil	LFP54	<i>4120 w/Kohler K341 Gasoline Engine</i>		
H.D.	Fuel	L43F	<i>4500A, 4500B w/International C-153 Engine</i>			61606-C1		
Pri.		LFF5D	530144-R91	Hydraulic	LP214	4120 w/Tecumseh HH-160 Engine		
	Trans	LP151 ¹⁰⁸⁴	(538836-R1); By-Pass	Oil	LFP2271	32008	Air	AF213
<i>65 w/International D-817 Engine</i>				P127		4209-106	Fuel	G1/4
313709-R91	Air	LAF268	<i>4500B w/International C-157 Gasoline Engine</i>			<i>4125, 4135 w/International Gasoline Engine</i>		
(259480-R92); S/N 1001-; Aux.	Fuel	L664F ¹³²⁹	398080-R2	Oil	LFP54	D82571	Air	LAF2745A ²
(259480-R92); Sec.		L664F ¹³²⁹	<i>4500B w/International D-179 Engine</i>			72272-C1	Fuel	G1/4
	Oil	LP146-1 LP2217	529854-R2	Air	LAF1756	<i>4130 w/Onan NHCV Engine</i>		
<i>9000 w/International D-310 Diesel Engine</i>			(3136187-R91); Pri.	Fuel	FP587F	D48198	Air	LAF1275 ^{2, 57}
(3132428-R1); w/BR pump	Fuel	FP587F	(3144477-R92); Sec.	Oil	L296F ⁴¹	P102745	Fuel	LAF2745A ²
(3136187-R91); Pri.		FP587F	<i>7000 w/International BC-144 Engine</i>				Hydraulic	LFP449
(3144477-R92); CR pump		L296F ⁴¹	884879-C1	Hydraulic	LP212	69149-C1	Hydraulic	PH400
528250-R1	Oil	LFP54	388227-R1		PH400 ²⁷⁵	<i>4140</i>		
<i>95 w/Cummins NRTO-6 Engine</i>			388227-R1		PH8A ¹⁴⁹⁶	D48198	Air	LAF1275 ²
	Fuel	LFP1101F		Oil	P52	69149-C1	Hydraulic	LFP449
	Fuel	LFP1101F ¹³³³	<i>7000 w/International BD-154 Engine</i>			<i>4150 w/Ford GF172 Gasoline Engine</i>		
346779-R91	Air	LAF3535A	884879-C1	Hydraulic	LP212	P101222	Air	LAF222 ²
	Breather	LAF200 ⁶⁴⁵	388227-R1		PH400 ²⁷⁵		Fuel	G1/4 ²⁷⁵
Turbo	Oil	LFP152499B LP146-1	388227-R1		PH8A ¹⁴⁹⁶	FG-1		G6 ²⁴⁴
	Trans	LP151 ¹⁰⁸⁴		Oil	P52	69149-C1	Hydraulic	LFP449
<i>95 w/Cummins NT-335 Engine</i>			<i>8000</i>			FL-1A	Oil	PH400 ²⁷⁵
	Fuel	LFP1101F	313964-R91	Air	LAF131	FL-1A		PH8A ¹⁴⁹⁶
	Fuel	LFP1101F ¹³³³	3888084-R93	Hydraulic	LFH4636	<i>4150 w/International DF172 Diesel Engine</i>		
346779-R91	Air	LAF3535A	398080-R2	Oil	LFP54	P101222	Air	LAF222 ²
	Breather	LAF200 ⁶⁴⁵	<i>9000 w/International C-291 Engine</i>				Fuel	G1/4 ²⁷⁵
Turbo	Oil	LFP152499B LP146-1	384812-R93	Air	LAF222 ²	FG-1		G6 ²⁴⁴
	Trans	LP151 ¹⁰⁸⁴	279994-R91	Oil	P335	69149-C1	Hydraulic	LFP449
<i>95 w/International DT817 Engine</i>			<i>9000 w/International D-310 Engine</i>			FL-1A	Oil	PH400 ²⁷⁵
313709-R91	Air	LAF268	(3132428-R1); w/BR pump	Fuel	FP587F ²⁴⁴	FL-1A		PH8A ¹⁴⁹⁶
346779-R91		LAF3535A	(3136187-R91); Pri.		FP587F	<i>4150 w/Mazda Engine</i>		
	Breather	LAF200 ⁶⁴⁵	(3144477-R92); CR pump		L296F ⁴¹	72272-C1	Fuel	G1/4
			528250-R1	Oil	LFP54	69149-C1	Hydraulic	LFP449

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 57-Partial 244-Secondary 275-Primary 645-Air Shift 1084-Power Shift 1329-IH 279781-R1 Gskt. reqd. 1333-From 03/59
1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (LOADER)			INTERNATIONAL HARVESTER (LOADER)			INTERNATIONAL HARVESTER (LOGGING EQUIPMENT)		
<i>510, 510B w/International D-268 Engine</i>			<i>560 w/International DT817B Engine (cont'd)</i>			<i>S10 (cont'd)</i>		
529852-R5	Air	LAF1723 ¹	(680587-C2); S/N	Air	LAF3716 ²	561980-C1	Trans	LFH4922
(3132428-R1); Sec.	Fuel	FP587F	U001359-up exc.			<i>S11A w/International DT407 Engine</i>		
1103462-C2	Hydraulic	LFH8368	U001363, U001364,			Pri.	Fuel	FP251F
528250-R1	Oil	LFP54	U001368			(702143-C1); Pri.		FP625
<i>515 w/International D-360 Engine</i>			702673-C1		LAF727 ¹	Opt.		LFF8050
529852-R5	Air	LAF1723 ¹	(625627-C1); S/N	Fuel	FP251F	(702142-C1); Sec.	Oil	LFP440F
61122-C1		LAF1987 ²	U005875; Pri.		LFF4293			P335
(625627-C1); Pri.	Fuel	FP251F	(674293-C1); S/N		LFF8050	<i>S7B, S7C, S7D w/Detroit Diesel Engine</i>		
(672603-C2); Sec.		FP603	U005890; Sec.		LFF8050	214349-H1	Air	LAF2514
(625626-C1); Pri.		FP625	Opt.		LFF8050		Hydraulic	LH4914
Opt.		LFF8050	(896811-C1); -S/N	Hydraulic	LP712		Oil	LP2279
1103462-C2	Hydraulic	LFH8368	1464			<i>S8 w/Detroit Diesel 3-53 Engine</i>		
675616-C91	Oil	PH675	602998-C91	Oil	LP146-1	214349-H1	Air	LAF2514
(11400790-C2); Hsg.	Trans	LH4905 ¹³³²	602998-C91		LP2217		Oil	LP2279
w/o drain plug			<i>560 w/International DT817C Engine</i>			<i>S8A w/International D360 Engine</i>		
(930654-C1); Hsg.		LH4913 ¹³³²	(702672-C1); S/N	Air	LAF1227 ²	1105717-C1	Air	LAF1544 ²
w/drain plug			U001158, U001192,			529859-R4		LAF1723 ¹
<i>520B w/International DT358 Engine</i>			U001195, U001358,			561980-C1	Hydraulic	LFH4922
1105719-C1	Air	LAF1846 ²	U001363, U001364,			1M0079-C2		LH4905
634270-C1		LAF503 ¹	U001368			561980-C1	Trans	LFH4922
3132428-R2	Fuel	FP587F	(680587-C2); S/N		LAF3716 ²	<i>S8A w/International D-360 Engine</i>		
528250-R1	Oil	LFP54	U001359-up exc.			529852-R4	Air	LAF1723 ¹
(1140079-C2); Hsg.	Trans	LH4905 ¹³³²	U001363, U001364,			(672603-C1); Sec.	Fuel	FP603
w/o drain plug			U001368			(625626-C1); Pri.		FP625
(930654-C1); Hsg.		LH4913 ¹³³²	702673-C1	Fuel	FP251F	675616-C91	Oil	PH675
w/drain plug			(625627-C1); S/N		LFF4293	<i>S8A, S8B w/International D358 Engine</i>		
<i>530 w/International DT414 Engine</i>			U005875; Pri.		LFF8050		Air	LAF1544 ²
627935-C1	Air	LAF8547 ¹	(674293-C1); S/N		LFF8050		Fuel	LAF1723 ¹
627934-C1		LAF8548 ²	U005890; Sec.					FP587F
(672603-C2); Sec.	Fuel	FP603	Opt.			561980-C1	Hydraulic	LFH4922
(625626-C1); Pri.		FP625	(896811-C1); -S/N	Hydraulic	LP712	1140079-C2		LH4905
1103462-C2	Hydraulic	LFH8368	1464				Oil	LFP54
675617-C91	Oil	PH675	602998-C91	Oil	LP146-1	<i>S9A w/International D-310 Engine</i>		
(1140079-C2); Hsg.	Trans	LH4905 ¹³³²	602998-C91		LP2217	389263-R92	Air	LAF1246 ²
w/o drain plug			<i>560B w/Cummins Engine</i>			(3132275-R91); Pri.	Fuel	FP587F
(930654-C1); Hsg.		LH4913 ¹³³²		Air	LAF9155 ²	(3132428-R1); Sec.		FP587F
w/drain plug					LAF9155MXM ^{2, 268}	876941-C91	Hydraulic	LH4914
<i>540 w/International DT466B Engine</i>					LAF9159 ¹	3059246-R91	Oil	LFP54
935693-C1	Air	LAF1780 ¹	Pri.	Fuel	LFF202	884879-C1	Trans	LP212
935694-C1		LAF1811 ²	930654-C1	Hydraulic	LH4913	<i>S9B w/International DT360 Engine</i>		
1261387-H1	Coolant	LFW4071 ²⁸	940241-C2		LP4416	(672603-C2); Sec.	Fuel	FP603
(625627-C1); Pri.	Fuel	FP251F		Oil	LFP911	(625625-C1); Pri.		FP625
(672683-C2); Sec.		FP603	<i>H400C</i>			884879-R1	Hydraulic	LP212 ¹⁰⁹⁹
Opt.		LFF8050	930654-C1	Hydraulic	LH4913	675616-C91	Oil	PH675
940241-C2	Hydraulic	LP4416	<i>H60B, H60E w/International Engine</i>			884879-R1	Trans	LP212
675617-C91	Oil	PH675	924280-C1	Air	LAF6401 ¹	INTERNATIONAL HARVESTER (PLANTER)		
930654-C1	Trans	LH4913 ¹³³²	930654-C1	Hydraulic	LH4913	<i>400, 500 Fold & Flex</i>		
<i>560 w/International DT817B Engine</i>			INTERNATIONAL HARVESTER (LOGGING EQUIPMENT)			<i>528493-R3</i>		
(702672-C1); S/N	Air	LAF1227 ²	<i>S10</i>			(113465-C1); 540	Hydraulic	LFH4636 ¹⁰⁷⁷
U001158, U001192,			537337-R1	Air	LAF1796 ²	RPM		LH8755
U001195, U001358,			(672603-C1); Sec.	Fuel	FP603	<i>800, 900</i>		
U001363, U001364,			(625626-C1); Pri.		FP625	(528493-R3); 540	Hydraulic	LFH4636 ¹⁰⁷⁷
U001368			675616-C91	Oil	PH675	RPM-PTO		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 28-Contains 1 oz. of chemical 268-Extended/Severe service 1077-Hyd. Tank 1099-Torque Converter 1332-International Harvester 3042934-R1 O-ring

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (PLANTER)			INTERNATIONAL HARVESTER (SCRAPER)			INTERNATIONAL HARVESTER (SCRAPER)		
<i>800, 900 (cont'd)</i>			<i>431, 431B, 442, 422B (cont'd)</i>			<i>E-200, ET-200 w/International DT407 Engine (cont'd)</i>		
(113465-C1); 540 RPM	Hydraulic	LH8755	Opt. (702255-C1); W/S	Fuel	LFF8050 LFP255F	Pri.	Fuel	FP625 ¹⁷² LFF8050 LFP440F ¹³²⁶
INTERNATIONAL HARVESTER (SCRAPER)			684206-C2	Oil	LFP4005SC ⁷¹¹ LP146-1 LP2217	Opt.		
<i>180 w/Detroit Diesel 12V-71 Engine</i>			602998-C91			Sec.	Oil	P335
S/N 511-	Trans	LP146-1 LP2217	615447-C1	Trans	P138		Oil	P335
<i>270, E-270 w/International DVT-573 Engine</i>			<i>433, 433B, 444, 444B</i>			<i>E-200, ET-200 w/International DT414 Engine</i>		
627976-C1	Air	LAF1777 ¹ LAF8211 ² LAF926 ²	(680587-C1); Scrapers	Air	LAF3716 ² LAF3716 ²	627934-C1	Air	LAF8547 ¹ LAF8548 ²
627975-C1			680587-C1	Coolant	LPW4071 ²⁸	627935-C1	Fuel	FP251F FP603 FP625
627976-C1			(625627-C1); Pri.	Fuel	FP251F FP603 LFF4293 LFF8050 LFP255F	(702256-C1); Pri.	Fuel	FP251F FP603 FP625
(625627-C1); Pri. (304101-R91); Sec. (306353-R91); 4.5" O.D.	Fuel	FP251F L10F L10F	(672603-C2); Sec. (674293-C1); Sec.			(625626-C1); Pri.	Oil	PH675
323960-R92		L664F ¹³²⁵ L664F ¹³²⁹	Opt. (702251-C1); W/S			675617-C91	Oil	PH675
Pri.		LFF8050 LFP255F LFP925F	319549-R91	Hydraulic	LP32	<i>E-211 w/International D-407 Engine</i>		
Opt. (702255-C1); W/S (674293-C1); Sec.			(684206-C1); S/N 954-684206-C2	Oil	LFP4005SC ⁷¹¹ LFP4005SC ⁷¹¹	Pri.	Fuel	FP251F ⁷ FP625 ¹⁷²
602998-C91	Oil	LP146-1 LP2217	602998-C1 (602998-C1); -S/N 953; Tractors		LP146-1 LP2217	Opt.		LFF8050 LFP440F ¹³²⁶
602998-C91			675617-C91		PH675	Sec.	Oil	P335
(602998-C91); E-270	Trans	LP146-1 LP151 ¹⁰⁸⁴	<i>495 w/International DT817 Engine</i>			615447-C1	Trans	P138
613798-C91				Air	LAF3535A	<i>PD-105 w/International UD-817 Engine</i>		
<i>295, 295 Series B, E-295, 495 w/International DT817 Engine</i>			Pri.	Fuel	L664F L664F	Pri.	Fuel	FP251F ⁷ FP625 ¹⁷²
702672-C1	Air	LAF1227 ² LAF264 LAF3535A LAF727 ¹	Sec.	Oil	LP146-1	Aux.		L664F L664F LFF8050 LFP440F ¹³²⁶
P17665						Opt.		LFP440F ¹³²⁶
346779-R91			<i>495 w/International DT817B Engine</i>			Sec.	Oil	LP146-1 LP2217
702673-C1	Breather	LAF200 ⁶⁴⁵	Pri.	Air	LAF3535A	INTERNATIONAL HARVESTER (SPRAYERS)		
Pri.	Fuel	FP251F ⁷ FP625 ¹⁷² L664F L664F LFF8050 LFP440F ¹³²⁶	Sec.	Fuel	L664F L664F	<i>660 Hi-Clearance w/International C-146 Engine</i>		
Aux.				Oil	LP146-1 LP2217	201021-C1	Hydraulic	LFP1652
Sec.			<i>55 w/Cummins HR-6 Engine</i>			(538836-R1); By-Pass	Oil	LFP2271 P127
Opt.			Pri.	Fuel	LFF5D	376374-R91		
Sec.				Oil	LP146-1 LP2217	<i>770, 780 Hi-Clear w/International C-146 Engine</i>		
602998-C91	Oil	LP146-1 LP2217	<i>75 w/Cummins NT-6 Engine</i>			201021-C1	Hydraulic	LFP1652
602998-C91			Pri.	Fuel	LFF5D	(538836-R1); By-Pass	Oil	LFP2271 P127
	Trans	LP151 ¹⁰⁸⁴		Oil	LP146-1 LP2217	376374-R91		
<i>412, 412B w/International DT466 Engine</i>			<i>E-200, ET-200 w/International DT361 Engine</i>			INTERNATIONAL HARVESTER (SWATHERS & WINDROWERS)		
627935-C1	Air	LAF8547 ¹ LAF8548 ²	390642-R91	Air	LAF4311 ² LAF4350 ¹	<i>161 163 w/International C-123 Engine</i>		
627934-C1	Coolant	LPW4071 ²⁸	390643-R91	Fuel	FP251F ⁷ FP625 ¹⁷² L664F L664F LFF8050 LFP440F ¹³²⁶	(538836-R1); By-Pass	Oil	LFP2271 P127
(625627-C1); Pri. (672603-C2); Sec. (674293-C1); Sec.	Fuel	FP251F FP603 LFF4293 LFF8050 LFP255F	Pri.			376374-R91		
Opt. (702255-C1); W/S			Aux.			<i>161 163 w/International C-125 Engine</i>		
675617-C91	Oil	PH675	Sec.			(538836-R1); By-Pass	Oil	LFP2271 P127
<i>431, 431B, 442, 422B</i>			Opt. (702255-C1); W/S			376374-R91		
608587-C1	Air	LAF3716 ²	LFP255F			<i>201 w/International BD-144 Engine</i>		
	Coolant	LPW4071 ²⁸	LFP925F	Oil	P335	3044506-R91	Fuel	L296F ⁴¹ L663F L663F
(625627-C1); Pri. (674293-C1); Sec.	Fuel	FP251F LFF4293		Trans	P138	Aux.		
			<i>E-200, ET-200 w/International DT407 Engine</i>			Sec.		
			390642-R91	Air	LAF4311 ² LAF4350 ¹	376364-R91	Oil	P52 P771A
			390643-R91	Fuel	FP251F ⁷	705730-R91		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 7-8" Tall 28-Contains 1 oz. of chemical 41-Cartridge 172-5.5" Tall 645-Air Shift 711-Short can version 1084-Power Shift 1325-6.75" Tall 1326-6 7/8" Tall 1329-IH 279781-R1 Gskt. reqd.

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (SWATHERS & WINDROWERS)			INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)		
<i>201 w/International C-135 Engine</i>			<i>1026 w/International D-407 Diesel Engine (cont'd)</i>			<i>1466 w/International DT436 Engine (cont'd)</i>		
(538836-R1); By-Pass 376374-R91	Oil	LFP2271 P127	(702255-C1); W/S 386122-R92 323827-R91	Fuel Hydraulic Oil	LFP255F LFH4636 P335	392516-R91 67974-C1 67975-C1	Air	LAF1898 ¹ LAF936 ² LAF937 ¹
<i>210, 225, 230, 275, 375 w/International C-153 Engine</i>			<i>1066, 1086 w/International DT414 Engine</i>			(625627-C1); Pri. (672603-C2); Sec. (625626-C1); Pri. Opt.		
389567-R91 313964-R91 391852-R91	Air	LAF1275 ² LAF131 LAF863	537337-R1 537336-R1 143481C2 143481-C2 392516-R91 (67974-C3); S/N 25510- (67974-C4); United Hsg. 67975-C1	Air	LAF1796 ² LAF1857 ² LAF1870 LAF1879 LAF1898 ¹ LAF936 ² LAF937 ¹	528493-R3 1880896-C1 (677709-C91); w/85 Cotton Harvester 675617-C91	Hydraulic Oil	LFH4636 LFP6241 LFP880 PH675
<i>275, 375 w/International 6-232 Engine</i>			<i>1206, 1206D</i>			<i>1468 w/International DV550 Engine</i>		
313964-R91 417917-C91 381256-R91 384843-C2	Air Fuel Hydraulic Oil	LAF131 G5/16 ²⁶³ P137 PH24	A77544 462816-C1 (625627-C1); Pri. (672603-C1); Sec. (625626-C1); Pri. Opt. 528493-R3 1808896-C1 (677709-C91); w/85 Cotton Harvester 675616-C91	Coolant Fuel Hydraulic Oil	LFW4071 ²⁸ LFW4744 ⁴ FP251F FP603 FP625 LFF8050 LFH4636 LFP6241 LFP880 PH675	537337-R1 537336-R1	Air	LAF1796 ² LAF1857 ^{2, 12} LAF1870 LAF1898 ^{1, 12} LAF5154
<i>275, 375 w/International C-153 Engine</i>			<i>1206D</i>			(625627-C1); Pri. (672603-C2); Sec. (674293-C1); Sec. Opt.		
389567-R91 391852-R91 (538836-R1); By-Pass 376374-R91	Air Oil	LAF1275 ² LAF863 LFP2271 P127	392516-R91 (304101-R91); Sec. (306353-R91); 1206D (610309-C91); Pri. 1st Stage 528493-R3 323827-R91	Fuel Fuel Hydraulic Oil	FP251F FP603 FP625 LFF8050 LFH4636 P335	392516-R91 109215-C1 (625627-C1); Pri. (672603-C2); Sec. (674293-C1); Sec. Opt. 70432-C91 42707-C1	Fuel Fuel Hydraulic Oil	FP251F FP603 LFF4293 LFF8050 LFH4636 LFP880
<i>275, 375 w/International D-206 Engine</i>			<i>1256D w/International DT407 Engine</i>			<i>1486 w/International DT436 Engine</i>		
313964-R91 (3132275-R1); Pri. (3132428-R1); Sec. 3144477-R92 3132015-R92 (381256-R91); 375 only	Air Fuel Fuel Hydraulic Oil	LAF131 FP587F FP587F L296F ⁴¹ L61F P137 LFP54	392516-R91 (304101-R91); Sec. (306353-R91); 1206D (610309-C91); Pri. 1st Stage 528493-R3 323827-R91	Air Fuel Hydraulic Oil	LAF1898 ¹ L10F L10F L10F LFH4636 P335	537337-R1 143481-C2 67974-C1 67975-C1 A77544 (625627-C1); Pri. (672603-C2); Sec. (702143-C1); Pri. Opt. 528493R3 1880896-C1 675617-C91	Air Coolant Fuel Hydraulic Oil	LAF1796 ² LAF1879 LAF936 ² LAF937 ¹ LFW4071 ²⁸ FP251F FP603 FP625 LFF8050 LFH4636 LFP6241 PH675
<i>375 w/International C-175 Engine</i>			<i>1456 Turbo w/International DT407 Engine</i>			<i>1566 w/International DT436 Engine</i>		
313964-R91	Air Hydraulic Oil	LAF131 P137 LFP54	392516-R91 (625627-C1); Pri. (625626-C1); Pri. Opt. (702255-C1); W/S (702142-C1); Sec. 70432-C91	Fuel Fuel Hydraulic Oil	LAF1898 ¹ FP251F FP625 LFF8050 LFP255F LFP440F LFH4636 P335	67974-C2 67975-C1 A77544 (625627-C1); Pri. (702143-C1); Pri. (674293-C1); Sec. Opt. 528493R3 1880896-C1 675617-C91	Air Coolant Fuel Fuel Hydraulic Oil	LAF936 ² LAF937 ¹ LFW4071 ²⁸ FP251F FP625 LFF4293 LFF8050 LFH4636 LFP6241 PH675
<i>4000 w/International C-232 Engine</i>			<i>1466 w/International DT436 Engine</i>			<i>1568 w/International DV550 Engine</i>		
924779-C2 417917-C91 384843-C2	Air Fuel Oil	LAF1734 ² G5/16 ²⁶³ PH24	537337-R1 537336-R1	Air	LAF1796 ² LAF1857 ² LAF1870	537337-R1 (625627-C1); Pri. (672603-C2); Sec. Opt. 528493R3 427207-C1	Air Fuel Hydraulic Oil	LAF1796 ² FP251F FP603 LFF8050 LFH4636 LFP880
<i>5000 w/International HB-225 Engine</i>			<i>1566 Turbo w/International DT407 Engine</i>			<i>1568 w/International DV550 Engine</i>		
924779-C2 417917-C91	Air Fuel	LAF1734 ² G5/16 ²⁶³	392516-R91 (625627-C1); Pri. (625626-C1); Pri. Opt. (702255-C1); W/S (702142-C1); Sec. 70432-C91	Fuel Fuel Hydraulic Oil	LAF1898 ¹ FP251F FP625 LFF8050 LFP255F LFP440F LFH4636 P335	537337-R1 (625627-C1); Pri. (672603-C2); Sec. Opt. 528493R3 427207-C1	Air Fuel Hydraulic Oil	LAF936 ² LAF937 ¹ LFW4071 ²⁸ FP251F FP625 LFF4293 LFF8050 LFH4636 LFP6241 PH675
<i>5500 w/International D-239 Diesel Engine</i>			<i>1456 Turbo w/International DT407 Engine</i>			<i>1568 w/International DV550 Engine</i>		
398080-R2 (3132275-R91); Pri. (3132428-R1); Sec. 398080-R2	Air Fuel Oil	LAF1734 ² FP587F FP587F LFP54	392516-R91 (625627-C1); Pri. (625626-C1); Pri. Opt. (702255-C1); W/S (702142-C1); Sec. 70432-C91	Fuel Fuel Hydraulic Oil	LAF1898 ¹ FP251F FP625 LFF8050 LFP255F LFP440F LFH4636 P335	537337-R1 (625627-C1); Pri. (672603-C2); Sec. Opt. 528493R3 427207-C1	Air Fuel Hydraulic Oil	LAF1796 ² FP251F FP603 LFF8050 LFH4636 LFP880
INTERNATIONAL HARVESTER (TRACTOR)			<i>1456 Turbo w/International DT407 Engine</i>			<i>1568 w/International DV550 Engine</i>		
<i>100, 130, 140</i>			<i>1466 w/International DT436 Engine</i>			<i>1568 w/International DV550 Engine</i>		
404886-R1 (538836-R1); By-Pass 376374-R91	Hydraulic Oil	LFP2303 LFP2271 P127	537337-R1 537336-R1	Air	LAF1796 ² LAF1857 ² LAF1870	537337-R1 (625627-C1); Pri. (672603-C2); Sec. Opt. 528493R3 427207-C1	Air Fuel Hydraulic Oil	LAF1796 ² FP251F FP603 LFF8050 LFH4636 LFP880

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 12-Optional 28-Contains 1 oz. of chemical 41-Cartridge 263-Hoses and clamps included

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)		
<i>1586 w/International DT436 Engine</i>			<i>234 w/International Compact Engine (cont'd)</i>			<i>2412B w/International C153 Engine</i>		
537337-R1	Air	LAF1796 ²	1273082-C1	Fuel	L3556F	S/N 57581-; By-Pass	Oil	LFP2271
67974-C1		LAF936 ²	104079-A1	Oil	PH2808	-S/N 57581		P127
67975-C1		LAF937 ¹	1282528-C1	Trans	LFH4943	530144-R92	Trans	LP214
A151931	Coolant	LFW4744 ⁴	235			<i>2424 w/International Gasoline Engine</i>		
(625627-C1); Pri.	Fuel	FP251F	1273082-C1	Fuel	L3556F		Air	LAF863
(672603-C2); Sec.		FP603	1282528-C1	Hydraulic	LFH4943	(538836-R1); By-Pass	Oil	LFP2271
(702143-C1); Pri.		FP625	104079-A1	Oil	PH2808			P127
Opt.		LFF8050	240			<i>2424D w/A-1 Diesel Engine</i>		
528493R3	Hydraulic	LFH4636		Oil	L24A	391852-R91	Air	LAF863
1880896-C1	Oil	LFP6241			P128		Oil	P52
675617-C91		PH675			P138	<i>244 Compact Diesel</i>		
<i>184, Cub 185 Lo-Boy w/International C60 Engine</i>			<i>2400A, 2400B w/International C-157 Engine</i>			<i>1273134-C91</i>		
404886-R1	Hydraulic	LFP2303	967640-R21	Fuel	G7		Air	LAF1275 ²
376373-R91		LH8446	398080-R2	Oil	LFP54	1273082-C1	Fuel	L3556F
<i>200, 230, 240 w/International C-123 Gasoline Engine</i>			<i>2400A, 2400B w/International C-175 Engine</i>			<i>2444 w/International C-153 Engine</i>		
404886-R1	Hydraulic	LFP2303	967640-R21	Fuel	G7		Air	LAF863
(538836-R1); By-Pass	Oil	LFP2271	398080-R2	Oil	LFP54		Oil	P127
376374-R91		P127	<i>2400A, 2400B w/International D-179 Engine</i>			<i>2444D w/International BD-154 Engine</i>		
<i>2050A w/International C-157 Engine</i>			529854-R2	Air	LAF1756		Oil	P52
398080-R2	Oil	LFP54	(3132275-R91); Pri.	Fuel	FP587F	<i>245, 255</i>		
<i>2050A w/International C-175 Engine</i>			(3132428-R1); Sec.		FP587F	1273134-C91	Air	LAF1275 ²
398080-R2	Oil	LFP54	(3144477-R92); Sec.		L296F ⁴¹	1273082-C1	Fuel	L3556F
<i>2050A w/International D-179 Engine</i>			398080-R2	Oil	LFP54	1282528-C1	Hydraulic	LFH4943
(3132275-R91); Pri.	Fuel	FP587F	3136046-R93		LFP5853	104079-A1	Oil	PH2808
(3132428-R1); Sec.		FP587F	<i>2404 w/International C-135 Engine</i>			<i>2500, 2500D w/International C-153 Gasoline Engine</i>		
398080-R2	Oil	LFP54	w/2000 or 3000 Loader	Hydraulic	LH4914		Oil	P127
<i>21026 w/International DT407 Engine</i>			377012-R91		LP5731	<i>2500, 2500D w/International D-188 Diesel Engine</i>		
392516-R91	Air	LAF1898 ¹	(538836-R1); By-Pass	Oil	LFP2271	313964-R91	Air	LAF131
(625627-C1); Pri.	Fuel	FP251F	2404D			Sec.	Fuel	L10F
702255-C1		LFP255F	381257-R91	Hydraulic	LH4914	Oil	Oil	P335
(702256-C1); Pri.		LFP3692F		Oil	LP155	<i>2500A w/International C-157 Engine</i>		
Sec.		LFP440F	<i>2405B, 2410B, 2412B w/International C-157 Engine</i>			<i>2500A w/International C-175 Engine</i>		
70432-C91	Hydraulic	LFH4636	967640-R21	Fuel	G7	398080-R2	Oil	LFP54
323827-R91	Oil	P335	398080-R2	Oil	LFP54	<i>2500A w/International D-179 Engine</i>		
<i>21206 w/International DT361 Engine</i>			<i>2405B, 2410B, 2412B w/International C-175 Engine</i>			<i>529854-R2</i>		
392516-R91	Air	LAF1898 ¹	<i>Engine</i>			(3132275-R91); Pri.	Fuel	FP587F
Aux.	Fuel	L10F	967640-R21	Fuel	G7	(3132428-R1); Sec.		FP587F
Sec.		L10F	398080-R2	Oil	LFP54	398080-R2	Oil	LFP54
70432-C91	Hydraulic	LFH4636	<i>2405B, 2410B, 2412B w/International D-179 Engine</i>			<i>2500B w/International C-200 Gasoline Engine</i>		
323827-R91	Oil	P335	<i>Engine</i>			398080-R2	Oil	LFP54
<i>21256, 21456 w/International DT407 Engine</i>			529854-R2	Air	LAF1756	<i>2500B w/International D-239 Diesel Engine</i>		
392516-R91	Air	LAF1898 ¹	(3132428-R1); Sec.	Fuel	FP587F	529854-R2	Air	LAF1756
(625627-C1); Pri.	Fuel	FP251F	(3136187-R91); Pri.		FP587F	(3132428-R1); w/BR	Fuel	FP587F ²⁴⁴
702255-C1		LFP255F	3144477-R92		L296F ⁴¹	pump		
(702256-C1); Pri.		LFP3692F	398080-R2	Oil	LFP54	(3136187-R91); Pri.		FP587F
(702142-C1); Sec.		LFP440F	3136046-R93		LFP5853	(3144477-R91); w/CR		L296F ^{41, 244}
70432-C91	Hydraulic	LFH4636	240A, 250A			pump		
323827-R91	Oil	P335	529854-R2	Air	LAF1756	398080-R2	Oil	LFP54
2300A			1265510-C1		LAF1901	<i>2502B, 2510B, 2514B w/International C-200 Gasoline Engine</i>		
3066498-R1	Air	LAF1275 ²	530144-R92	Hydraulic	LP214	398080-R2	Oil	LFP54
(3044506-R92); Diesel	Fuel	L296F ⁴¹	(6311440-C3); 250A		LP6061			
376364-R91	Oil	P52		Oil	LFP54 ¹⁹			
<i>234 w/International Compact Engine</i>					LFP5853 ¹⁸			
1269652-C1	Air	LAF2745A ²	3136046-R93					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 4-Maintenance 1 oz. chemical 18-Short 19-Long 41-Cartridge 244-Secondary

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)		
<i>2504 w/International C-153 Gasoline Engine</i>			<i>2544D w/International D-239 Diesel Engine (cont'd)</i>			<i>2706 w/International Gasoline Engine</i>		
(388084-R93); w/o 17 Gpm Pump	Hydraulic	LH4942	530824-R2	Trans	LFP791 ⁵⁹⁰	384812-R92	Air	LAF222 ²
(612713-C92); w/2000 or 3000 Loader		LP468	<i>2606 w/International C-221 Gasoline Engine</i>			383732-R93		LAF4131
(612713-C91); w/2000 or 3000 Loader		P137	381343-R91	Air	LAF1275 ²	70432-C91	Hydraulic	LFH4636
(538836-R1); By-Pass	Oil	LFP2271 P127	(388084-R93); w/o 17 Gpm Pump	Hydraulic	LH4942	398080-R2	Oil	LFP54 ¹³²⁷ P335
<i>2504 w/International C-153 LPG Engine</i>			(612713-C92); w/2000 or 3000 Loader		LP468	<i>2706D w/International D-282 Diesel Engine</i>		
(388084-R93); w/o 17 Gpm Pump	Hydraulic	LH4942	(612713-C91); w/2000 or 3000 Loader		P137	383731-R93	Air	LAF2338 ²
(538836-R1); By-Pass	Oil	LFP2271 P127 ⁶⁵	323827-R91	Oil	P335	Aux.	Fuel	L10F
<i>2504D w/International D-188 Diesel Engine</i>			<i>2606D w/International D-236 Diesel Engine</i>			Sec.		L10F
313964-R91	Air	LAF131	381344-R92	Air	LAF1776 ²	70432-C91	Hydraulic	LFH4636
(304101-R91); Sec.	Fuel	L10F	(304101-R91); Sec.	Fuel	L10F	398080-R2	Oil	LFP54 ¹³²⁷ P335
(306353-R91); Pri.		L10F	(306353-R91); Pri.		L10F	<i>2706D w/International D-310 Diesel Engine</i>		
(388084-R93); w/o 17 Gpm Pump	Hydraulic	LH4942	(610309-C91); Pri. 1st Stage			383711-R93	Air	LAF1967
(612713-C92); w/2000 or 3000 Loader		LP468	(388084-R93); w/o 17 Gpm Pump	Hydraulic	LH4942	(3132275-R91); Pri.	Fuel	FP587F
(612713-C91); w/2000 or 3000 Loader		P137	(612713-C92); w/2000 or 3000 Loader		LP468	(3132428-R1); Sec.		FP587F
323827-R91	Oil	P335	(612713-C91); w/2000 or 3000 Loader		P137	3132015-R91		L61F
<i>2505B, 2510B, 2514B w/International C-200 Gasoline Engine</i>			323827-R91	Oil	P335	70432-C91	Hydraulic	LFH4636
398080-R2	Oil	LFP54	<i>260A</i>				Oil	LFP54
<i>2505B, 2510B, 2514B w/International D-239 Diesel Engine</i>			114596-C91	Air	LAF1756	<i>270A</i>		
529854-R2	Air	LAF1756	1265510-C1		LAF1901	1265510-C1	Air	LAF1907 ²
(3132428-R1); Sec.	Fuel	FP587F		Fuel	FP587F	631144-C3	Hydraulic	LP6061
(313687-R91); Pri.		FP587F		Hydraulic	LP6061	528250-R1	Oil	LFP54
3144477-R92		L296F ⁴¹	3136046-R93	Oil	LFP54 ¹⁹ LFP5853 ¹⁸	<i>274 w/International Diesel Engine</i>		
398080-R2	Oil	LFP54	<i>260A w/International D239 Diesel Engine</i>			(1058100-C1); Pri.	Fuel	FP588F
3136046-R93		LFP5853	3144477-R91	Fuel	L296F ⁴¹	1004366-C1	Hydraulic	LFP791
<i>254 w/International Compact Diesel Engine</i>			3136046-R92	Oil	P52	1062099-C1	Oil	PH561
1273134-C91	Air	LAF1275 ²	<i>2656 w/International C-263 Gasoline Engine</i>			<i>2756</i>		
1273082-C1	Fuel	L3556F	383731-R93	Air	LAF2338 ²	70432-C91	Hydraulic	LFH4636
104079-A1	Oil	PH2808	(70432-C91); w/Hydrostatic drive	Hydraulic	LFH4636	398080-R2	Oil	LFP54 ¹³²⁷ P335
<i>2544 w/International C-200 Gasoline Engine</i>			388084-R93		LH4942	<i>2756 w/International D-310 Engine</i>		
313964-R91	Air	LAF131		Oil	LFP54 ¹³²⁷ P335	(3132275-R91); Pri.	Fuel	FP587F
(70432-C91); w/Hydrostatic drive	Hydraulic	LFH4636			PH675	(3132428-R1); Sec.		FP587F
388084-R93		LH4942	675616-C91		LFH4636	3132015-R91		L61F
398080-R2	Oil	LFP54	386122-R91	Trans	LFH4636	70432-C91	Hydraulic	LFH4636
386122-R91	Trans	LFH4636	530824-R2		LFP791 ⁵⁹⁰		Oil	LFP54
530824-R2		LFP791 ⁵⁹⁰	<i>2656D w/International D-282 Diesel Engine</i>			<i>2806 w/International Gasoline Engine</i>		
<i>2544D w/International D-239 Diesel Engine</i>			383731-R93	Air	LAF2338 ²	383732-R93	Air	LAF4131
	Air	LAF4157	(304101-R91); Sec.	Fuel	L10F	70432-C91	Hydraulic	LFH4636
(3132275-R91); Pri.	Fuel	FP587F	(610309-C91); Pri. 1st Stage		L10F	398080-R2	Oil	LFP54 ¹³²⁷ P335
(3132428-R1); Sec.		FP587F	530824-R2	Hydraulic	LFP791	<i>2806D w/A-1 Diesel Engine</i>		
(70432-C91); w/Hydrostatic drive	Hydraulic	LFH4636	388084-R93		LH4942	383711-R93	Air	LAF1967
388084-R93		LH4942	398080-R2	Oil	LFP54	Aux.	Fuel	L10F
398080-R2	Oil	LFP54	323827-R91		P335	Sec.		L10F
<i>2544D w/International D-239 Diesel Engine</i>			675616-C91		PH675	70432-C91	Hydraulic	LFH4636
	Air	LAF4157	386122-R91	Trans	LFH4636		Oil	P335
(3132275-R91); Pri.	Fuel	FP587F	530824-R2		LFP791 ⁵⁹⁰	<i>280A w/International-358 Engine</i>		
(3132428-R1); Sec.		FP587F	<i>2656D w/International D-282 Diesel Engine</i>				Air	LAF1723 ¹
(70432-C91); w/Hydrostatic drive	Hydraulic	LFH4636	383731-R93	Air	LAF2338 ²	(3132428-R2); Sec.	Fuel	FP587F
388084-R93		LH4942	(304101-R91); Sec.	Fuel	L10F	(3136187-R91); Pri.		FP587F
398080-R2	Oil	LFP54	(610309-C91); Pri. 1st Stage		L10F	(3044506-R93); Sec.		L296F ⁴¹
<i>2544D w/International D-239 Diesel Engine</i>			530824-R2	Hydraulic	LFP791	(3144477-R92); w/CR Pump		L296F ^{41, 275}
	Air	LAF4157	388084-R93		LH4942			
(3132275-R91); Pri.	Fuel	FP587F	398080-R2	Oil	LFP54			
(3132428-R1); Sec.		FP587F	323827-R91		P335			
(70432-C91); w/Hydrostatic drive	Hydraulic	LFH4636	675616-C91		PH675			
388084-R93		LH4942	386122-R91	Trans	LFH4636			
398080-R2	Oil	LFP54	528493-R3		LFH4636 ⁵⁹⁰			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 18-Short 19-Long 41-Cartridge 65-By-Pass 275-Primary 590-Hydrostatic 1327-When converted using IH 538837-R91 kit.

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)		
<i>280A w/International-358 Engine (cont'd)</i>			<i>3300B w/Wisconsin VG-4D Engine</i>			<i>3444D w/International BD-154 Engine</i>		
631144-C4	Hydraulic	LFP6061	391852-R91	Air	LAF863		Fuel	L296F ⁴¹
528250-R1	Oil	LFP54	3388, 3588				Hydraulic	LH4969
<i>2826 w/International C-301 Gasoline Engine</i>			143481-C2	Air	LAF1879		Oil	P52
386122-R91	Hydraulic	LFH4636	67974-C1		LAF936 ²	388227-R91	Trans	PH400 ²⁷⁵
398080-R2	Oil	LFP54 ¹³²⁷	67975-C1		LAF937 ¹	388227-R91		PH8A ¹⁴⁹⁶
		P335	A77544	Coolant	LFW4071 ²⁸	3488, 3688		
<i>2826 w/International D-358 Diesel Engine</i>			(A184773); Pri.	Fuel	FP251F	529852-R5	Air	LAF1723 ¹
529852-R4	Air	LAF1723 ¹	(A184774); Sec.		FP603	143481-C91		LAF1879
401270-R1		LAF1822 ²	(133736-C1); Rear Frame	Hydraulic	LFH4968	71912-C1		LAF1986 ²
(3132275-R91); Pri.	Fuel	FP587F			LP214	A77544	Coolant	LFW4071 ²⁸
(3132428-R1); Sec.		FP587F	675617-C91	Oil	PH675	(A184773); Pri.	Fuel	FP251F
386122-R91	Hydraulic	LFH4636	<i>340 w/International C-135 Gasoline Engine</i>			(A184774); Sec.		FP603
528250-R1	Oil	LFP54	(381257-R91); w/2000 or 3000 Loader	Hydraulic	LH4914	528493-R3	Hydraulic	LFH4636
<i>284D</i>			w/o 17 Gpm Pump		LH4942 ¹³³⁰	A184775	Oil	PH675
(1058100-C1); Pri.	Fuel	FP588F	(538836-R1); By-Pass	Oil	LFP2271	<i>350 w/International Diesel Engine</i>		
1004366-C1	Hydraulic	LFP791	376374-R91		P127	(A57228); In-Line	Fuel	FP953F ²⁴⁴
1062099-C1	Oil	PH561	<i>3400 Series A w/International C-175 Engine</i>			(368248-R91); Pri.		L3564F
<i>2856 w/International C-301 Engine</i>			398080-R2	Oil	LFP54	376374-R91	Oil	P4
70432-C91	Hydraulic	LFH4636	<i>3400 Series A w/International D-179 Engine</i>			<i>350 w/International Gasoline Engine</i>		
398080-R2	Oil	LFP54 ¹³²⁷	529854-R2	Air	LAF1756	376374-R91	Oil	P127
		P335	(3132275-R91); Pri.	Fuel	FP587F	<i>3500 Series A w/International C-200 Engine</i>		
<i>2856D w/International D-407 Engine</i>			(3132428-R1); Sec.		FP587F	398080-R2	Oil	LFP54
401268-R1	Air	LAF1473 ¹	3144477-R91		L296F ⁴¹	<i>3500 Series A w/International D-179 Engine</i>		
401270-R91		LAF1822 ²	398080-R2	Oil	LFP54	529854-R2	Air	LAF1756
(702256-C1); Pri.	Fuel	LFP3692F	398080-R2	Oil	LFP54	(3132275-R91); Pri.	Fuel	FP587F
70432-C91	Hydraulic	LFH4636	<i>340D w/International D-166 Diesel Engine</i>			(3132428-R1); Sec.		FP587F
		P335	304101-R91	Fuel	L10F	3144477-R91		L296F ⁴¹
<i>300, 330 w/International C-135 Gasoline Engine</i>			(381257-R91); w/2000 or 3000 Loader	Hydraulic	LH4914	398080-R2	Oil	LFP54
(538836-R1); By-Pass	Oil	LFP2271	(388084-R93); w/o 17 Gpm Pump		LH4942 ¹³³⁰	<i>3500 Series A w/International D-239 Engine</i>		
376374-R91		P127	381256-R91		P137	529854-R2	Air	LAF1756
<i>3000 w/International German Diesel Engine</i>			323827-R91	Oil	P335	(3132275-R91); Pri.	Fuel	FP587F
(3132274-R91); Pri.	Fuel	FP587F	<i>3414 w/International BC-144 Gasoline Engine</i>			(3132428-R1); Sec.		FP587F
(3132428-R1); Sec.		FP587F		Hydraulic	LH4969	3144477-R91		L296F ⁴¹
<i>3088</i>			376364-R91	Oil	P52	398080-R2	Oil	LFP54
529852-R1	Air	LAF1723 ¹	(388227-R1); w/Hydra-Shuttle Trans.	Trans	PH400 ²⁷⁵	<i>3514 w/International C-153 Gasoline Engine</i>		
143481-C2		LAF1879	(388227-R1); w/Hydra-Shuttle Trans.		PH400 ²⁷⁵	381343-R91	Air	LAF1275 ²
71912-C1		LAF1986 ²	<i>3414D w/International BD-154 Diesel Engine</i>			70432-C91	Hydraulic	LFH4636
A77544	Coolant	LFW4071 ²⁸		Fuel	L296F ⁴¹	612713-C91		P137 ¹¹²⁹
(3132428-R2); Sec.	Fuel	FP587F		Hydraulic	LH4969	(538836-R1); By-Pass	Oil	LFP2271
528493-R3	Hydraulic	LFH4636		Oil	P52	376374-R91		P127
398080-R2	Oil	LFP54		Trans	PH400 ²⁷⁵	<i>3514 w/International C-175 Gasoline Engine</i>		
3136046-R93		PH2819			PH8A ¹⁴⁹⁶	389567-R91	Air	LAF1275 ²
<i>3200A w/Wisconsin VH4D Engine</i>					PH8A ¹⁴⁹⁶	70432-C91	Hydraulic	LFH4636
391852-R91	Air	LAF863					Oil	LFP54
<i>3200B w/Wisconsin VH4D Engine</i>						<i>3514 w/International D-188 Diesel Engine</i>		
529854-R2	Air	LAF1756				313964-R91	Air	LAF131
391852-R91		LAF863						LAF1776 ²
<i>3288</i>			388227-R1	Trans	PH400 ²⁷⁵	Aux.	Fuel	L10F
529852-R1	Air	LAF1723 ¹	388227-R1		PH8A ¹⁴⁹⁶	Sec.		L10F
143481-C2		LAF1879	<i>3444 w/International BC-144 Engine</i>			(70432-C91); w/Hydrostatic drive	Hydraulic	LFH4636
71912-C1		LAF1986 ²		Hydraulic	LH4969			P137
A77544	Coolant	LFW4071 ²⁸		Oil	P52			P335
(3132428-R2); Sec.	Fuel	FP587F	388227-R91	Trans	PH400 ²⁷⁵			
528493-R3	Hydraulic	LFH4636	388227-R91		PH8A ¹⁴⁹⁶			
3136046-R93	Oil	PH2819						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 28-Contains 1 oz. of chemical 41-Cartridge 244-Secondary 275-Primary 1129-External 1327-When converted using IH 538837-R91 kit.

1330-Strainer 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)		
<i>3514 w/International D-239 Diesel Engine</i>			<i>3800 w/International D-282 Diesel Engine</i>			<i>404D (cont'd)</i>		
(405916-R1); S/N 1706-	Air	LAF222 ²	383731-R93	Air	LAF2338 ²	Sec.	Fuel	L663F
(3132275-R91); Pri.	Fuel	FP587F	(625626-C1); Pri.	Fuel	FP625		Hydraulic	LH4914
(3132428-R1); Sec.		FP587F	625625-C1		FP625		Oil	LP5731
(70432-C91); w/Hydrostatic drive	Hydraulic	LFH4636	Pri.		L10F			LP155
381256-R91		P137	Sec.	(702142-C1); Sec.	L10F			
-S/N 1705	Oil	LFP54	613788-C91	Hydraulic	LFP440F	<i>4156 w/International DT429 Engine</i>		
3136046-R93		LFP5853		Oil	LP4378	(702251-C1); Pri.	Fuel	FP251F
<i>354 w/International BC-144 Engine</i>			<i>3820 Series A w/International D-310 Engine</i>			Pri.		FP625
3066498-R91	Air	LAF1275 ²	(3132275-R91); Pri.	Fuel	FP587F	Pri.		L664F
376364-R91	Oil	P52	(3132428-R1); Sec.		FP587F	Sec.		L664F
<i>354 w/International BD-144 Diesel Engine</i>			<i>384 w/International BD-154 Engine</i>			Opt.		LFF8050
33066498-R91	Air	LAF1275 ²	D48198	Air	LAF1275 ²	Sec.		LFP440F
3044506-R91	Fuel	L296F ⁴¹	3044506-R91	Fuel	L296F ⁴¹	390560-R91	Hydraulic	LFH4636
376374-R91	Oil	P52	376364-R91	Oil	P52		Oil	LP146-1
<i>3616 w/International C-221 Gasoline Engine</i>			<i>385 w/International BD155 Engine</i>					LP2217
381343-R91	Air	LAF1275 ²	1265510-C1	Air	LAF1907 ²	<i>4166, 4186 w/International DT436 Engine</i>		
(70432-C91); w/Hydrostatic drive	Hydraulic	LFH4636	3115569-R2		LAF8803 ¹	537268-R2	Air	LAF1870
		P137	1967094-C1	Fuel	FP587F	A151931	Coolant	LFW4744 ⁴
398080-R2	Oil	LFP54 ¹³²⁷		Hydraulic	LP214	(625627-C1); Pri.	Fuel	FP251F
		P335		Oil	LFP2221 ⁶⁷⁷	(672603-C2); Sec.		FP603
<i>3616 w/International D-236 Diesel Engine</i>			398080-R2		LFP54 ¹⁹	Opt.		LFF8050
381343-R91	Air	LAF1275 ²	3136046-R93		LFP5853 ¹⁸	528493-R3	Hydraulic	LFH4636
(625626-C1); Pri.	Fuel	LAF1776 ²	<i>3850 w/International C-263 Engine</i>			1880896-C1	Oil	LFP6241
625625-C1			384812-R92	Air	LAF222 ^{2, 1241}	675617-C91		PH675
Aux.			(967640-R91); Gas	Fuel	G7	<i>424, 444 w/International C-146 Gasoline Engine</i>		
Sec.			613788-C91	Hydraulic	LP4378	391852-R91	Air	LAF863
(702142-C1); Sec.			398080-R2	Oil	LFP54 ¹³²⁷	(538836-R1); By-Pass	Oil	LFP2271
(70432-C91); w/Hydrostatic drive	Hydraulic	LFH4636	279994-R91		P335	376374-R91		P127
		P137	<i>3850D w/International D-282 Engine</i>			<i>424D w/International BD-154 Engine</i>		
	Oil	P335	383731-R93	Air	LAF2338 ²	(259099-C91); Sec.	Fuel	LFF8258
<i>364</i>			(702251-C1); Pri.	Fuel	FP251F	376364-R91	Oil	P52
381343-R91	Air	LAF1275 ²	(702143-C1); Pri.		FP625	<i>4300 w/International D-817 Diesel Engine</i>		
3044506-R91	Fuel	L296F ⁴¹	625625-C1		FP625	313964-R91	Air	LAF131
376364-R91	Oil	P52	Pri.		L10F	172435-H1		LAF263HD
<i>3788 w/International Diesel Engine</i>			Sec.		L10F	346779-R91		LAF3535A
143481-C91	Air	LAF1879	Opt.		LFF8050	Aux.	Fuel	L664F
67974-C3		LAF936 ²	(702142-C1); Sec.		LFP440F	Sec.		L664F
67975-C1		LAF937 ¹	613788-C91	Hydraulic	LP4378		Oil	LP146-1
A77544	Coolant	LFW4071 ²⁸	279994-R91	Oil	P335			LP2217
(A184773); Pri.	Fuel	FP251F	<i>400 w/International Diesel Engine</i>			<i>4300 w/International DT817 Diesel Engine</i>		
(A184774); Sec.		FP603	Aux.	Fuel	L267F	313964-R91	Air	LAF131
137939-C1	Hydraulic	LFH4929	Sec.		L663F	172435-H1		LAF263HD
		LFH4968		Oil	LP155	346779-R91		LAF3535A
A184775	Oil	PH675	<i>400 w/International Gasoline Engine</i>			Aux.	Fuel	L664F
<i>3800 w/International C-263 Gasoline Engine</i>				Oil	P150	Sec.		L664F
384812-R92	Air	LAF222 ²	<i>404 w/International C-135 Gasoline Engine</i>				Oil	LP146-1
	Fuel	G7	381257-R91	Hydraulic	LH4914	<i>4366, 4386 w/International DT466 Engine</i>		
613788-C91	Hydraulic	LP4378			LP5731	702641-C1	Air	LAF4145 ²
398080-R2	Oil	LFP54 ¹³²⁷	(538836-R1); By-Pass	Oil	LFP2271	702642-C1		LAF4180 ¹
		P335	376374-R91		P127	A151931	Coolant	LFW4744 ⁴
<i>404D</i>			<i>404D</i>			(625627-C1); Pri.	Fuel	FP251F
Aux.	Fuel	L267F				(672603-C2); Sec.		FP603
						(625626-C1); Pri.		FP625
							Hydraulic	LFH4955
						1880896-C1	Oil	LFP6241

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 18-Short 19-Long 28-Contains 1 oz. of chemical 41-Cartridge 677-3/4" thread 1241-Dry 1327-When converted using IH 538837-R91 kit.

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)		
<i>4366, 4386 w/International DT466 Engine (cont'd)</i>			<i>454 w/International D-239 Engine (cont'd)</i>			<i>464 w/International D-175 Diesel Engine (cont'd)</i>		
675617-C91	Oil	PH675	3136046-R93	Oil	LFP5853	1502155-C91	Fuel	L296F ⁴¹
(70203-C2); 4366 only	Trans	LFP791	3136046-R91		PH2819	3136046-R93	Oil	LFP5853
<i>444 w/International C-153 Gasoline Engine</i>			<i>4568 w/International V-800 Engine</i>			<i>464 w/International D-179 Diesel Engine</i>		
391852-R91	Air	LAF863	627976-C1	Air	LAF1777 ¹	529854-R1	Air	LAF1756 ²
376374-R91	Oil	P127	627975-C1		LAF8211 ²	(3136187-R91); Pri.	Fuel	FP587F
101687		P7FF	627976-C1		LAF926 ²	1502155-C91		L296F ⁴¹
<i>444D w/International BD-154 Diesel Engine</i>			<i>A151931</i>			<i>3136046-R93</i>		
(259099-C91); Sec.	Fuel	LFF8258	(625627-C1); Pri.	Fuel	FP251F	<i>474</i>		
375374-R91	Oil	P127 ⁶⁵	(674293-C1); Sec.		LFF4293	529854-R1	Air	LAF1756 ²
705747-R91		P52	Opt.		LFF8050	1502155-C91	Fuel	L296F ⁴¹
<i>450 w/International Diesel Engine</i>			<i>(702255-C1); W/S</i>			<i>530144-C91</i>		
Aux.	Fuel	L267F		Hydraulic	LFP255F	3136046-R91	Oil	PH2819
Sec.		L663F			LFH4955	<i>484 w/International D-179 Engine</i>		
	Oil	LP155	684206-C2	Oil	LFP4005SC ⁷¹¹	529854-R2	Air	LAF1756
<i>450 w/International Gasoline Engine</i>			<i>602998-C91</i>			1265510-C1		LAF1907 ²
	Oil	P150	602998-C91		LP2217	3115569-R2		LAF8803 ¹
<i>4500A, 4500B w/International C157 Engine</i>			<i>4586, 4786 w/International V-800 Engine</i>			<i>(3132428-R1); Sec.</i>		
	Air	LAF1460	627976-C1	Air	LAF1777 ¹	(3136187-R91); Pri.	Fuel	FP587F
530144-R92	Hydraulic	LP214	627975-C1		LAF8211 ²	(3136187-R91); Pri.		FP587F
By-Pass	Oil	LFP2271	A151931	Coolant	LFW4744 ⁴	3144477-R92		L296F ⁴¹
		P127	(702251-C1); Pri.	Fuel	FP251F	(32187944-R91); W/S		LFF8062
<i>454 w/International C-157 Engine</i>			<i>(674293-C1); Sec.</i>			<i>398080-R2</i>		
529957-R1	Air	LAF1460	Opt.		LFF8050	3136046-R91	Oil	LFP54
529854-R1		LAF1756 ²	684206-C2	Oil	LFP4005SC ⁷¹¹	<i>500, 500C, 500E w/International BD-144C Engine</i>		
398080-R2	Oil	LFP54	<i>460 w/International C-221 Gasoline Engine</i>			384812-R93	Air	LAF222 ²
3136046-R93		LFP5853		Air	LAF2338 ²	398080-R2	Oil	LFP54
3136046-R91		PH2819	(304101-R91); Diesel;	Fuel	L10F	(3059246-R91); 500C		LFP880
<i>454 w/International C-175 Engine</i>			<i>(306353-R91); Diesel;</i>			<i>(376364-R91); 500</i>		
529957-R1	Air	LAF1460	Pri.		L10F	500C	Trans	PH400 ²⁷⁵
529854-R1		LAF1756 ²	(381257-R91); w/2000	Hydraulic	LH4914	918266-R93		PH400 ²⁷⁵
398080-R2	Oil	LFP54	or 3000 Loader		LH4942	500C		PH8A ¹⁴⁹⁶
3136046-R93		LFP5853	(388084-R93); w/o 17		P137	918266-R93		PH8A ¹⁴⁹⁶
3136046-R91		PH2819	Gpm Pump		LFP54 ¹³²⁷	<i>500, 500C, 500E w/International BD-154T Engine</i>		
<i>454 w/International C-200 Engine</i>			<i>381256-R91</i>			384812-R93	Air	LAF222 ²
529957-R1	Air	LAF1460	398080-R2	Oil	P335	398080-R2	Oil	LFP54
529854-R1		LAF1756 ²	323827-R91			(3059246-R91); 500C		LFP880
398080-R2	Oil	LFP54	<i>460D w/International D-236 Diesel Engine</i>			P127		P52
3136046-R93		LFP5853		Air	LAF2338 ²	(376364-R91); 500	Trans	PH400 ²⁷⁵
3136046-R91		PH2819	(304101-R91); Diesel;	Fuel	L10F	500C		PH400 ²⁷⁵
<i>454 w/International D-179 Engine</i>			<i>(306353-R91); Diesel;</i>			918266-R93		PH8A ¹⁴⁹⁶
529854-R2	Air	LAF1756	Pri.		L10F	500C		PH8A ¹⁴⁹⁶
(3132275-R91); Pri.	Fuel	FP587F	(381257-R91); w/2000	Hydraulic	LH4914	918266-R93		PH8A ¹⁴⁹⁶
(3132428-R1); Sec.		FP587F	or 3000 Loader		LH4942	500C		
3044506-R93		L296F ⁴¹	(388084-R93); w/o 17		P137	<i>500, 500C, 500E w/International C-135 Engine</i>		
530144-R92	Hydraulic	LP214	Gpm Pump		LFP54 ¹³²⁷		Air	LAF222 ²
398080-R2	Oil	LFP54	381256-R91		P335	500C	Oil	LFP54
3136046-R93		LFP5853	398080-R2	Oil		376374-R91		LFP880
3136046-R91		PH2819	323827-R91			500		P127
<i>454 w/International D-239 Engine</i>			<i>464 w/International C-175 Engine</i>			<i>500, 500C, 500E w/International C-146 Engine</i>		
529854-R2	Air	LAF1756	529957-R1	Air	LAF1460		Trans	PH400 ²⁷⁵
(3132275-R91); Pri.	Fuel	FP587F	530144-R92	Hydraulic	LP214	(918266-R93); 500C		PH400 ²⁷⁵
(3132428-R1); Sec.		FP587F	3136046R93	Oil	LFP5853	(918266-R93); 500C		PH8A ¹⁴⁹⁶
3044506-R93		L296F ⁴¹	<i>464 w/International D-175 Diesel Engine</i>			<i>500, 500C, 500E w/International C-146 Engine</i>		
530144-R92	Hydraulic	LP214	529854-R1	Air	LAF1756 ²		Air	LAF222 ²
398080-R2	Oil	LFP54	(3136187-R91); Pri.	Fuel	FP587F		Oil	LFP54

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 41-Cartridge 65-By-Pass 275-Primary 711-Short can version 1496-Alternate

1327-When converted using IH 538837-R91 kit.

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)		
<i>500, 500C, 500E w/International C-146 Engine (cont'd)</i>			<i>544, 544D (cont'd)</i>			<i>574 w/International D-239 Diesel Engine (cont'd)</i>		
500C	Oil	LFP880	(3132428-R1); Diesel; Sec.	Fuel	FP587F	(3132275-R91); Pri.	Fuel	FP587F
376374-R91		P127	(3044506-R93); Diesel; Pri.		L296F ⁴¹	(3132428-R1); Sec.		FP587F
500		P52	70432-C91	Hydraulic	LFH4636	3044506-R91	Hydraulic	L296F ⁴¹
(918266-R93); 500C	Trans	PH400 ²⁷⁵	530824-R2		LFP791 ⁶⁰⁷	401073-R2	Hydraulic	LP214
(918266-R93); 500C		PH400 ²⁷⁵	388084-R93		LH4942	398080-R2	Oil	LFP54 ¹⁹
		PH8A ¹⁴⁹⁶	3136046-R93	Oil	LFP54 ¹⁹	3136046-R93		LFP5853 ¹⁸
		PH8A ¹⁴⁹⁶	3136046-R91		LFP5853 ¹⁸	<i>584 w/International Diesel Engine</i>		
<i>500, 500C, 500E w/International D-155 Engine</i>			<i>5488 w/International DTI-466B Engine</i>			<i>585XL w/International D206 Engine</i>		
384812-R93	Air	LAF222 ²	143481-C91	Air	LAF1879	529854-R2	Air	LAF1756 ²
(3132275-R91); Pri.	Fuel	FP587F	67974-C3		LAF936 ²	1265510-C1		LAF1907 ²
(3132428-R1); Sec.		FP587F	67975-C1		LAF937 ¹	3115569-R2		LAF8803 ¹
398080-R2	Oil	LFP54	A77544	Coolant	LFW4071 ²⁸	(3044506-R93); -S/N	Fuel	L296F ⁴¹
918266-R93		PH400 ²⁷⁵	A151931		LFW4744 ⁴	318210		LFF8062
918266-R93		PH8A ¹⁴⁹⁶	(625627-C1); Pri.	Fuel	FP251F	(3218794-E91); W/S		LFF8062
			(672603-C2); Sec.		FP603	5030144-R92	Hydraulic	LP214
			Opt.		LFF8050	3136046-R93	Oil	LFP5853
				Hydraulic	LFH4968	3136046-R91		PH2819
				Oil	PH675	<i>600, 600D</i>		
<i>504 w/International C-153 Gas Engine</i>			<i>560, 560D</i>			<i>600D; Aux. Sec.</i>		
(388084-R93); w/o 17 Gpm Pump	Hydraulic	LH4942	(304101-R91); Sec.	Air	LAF2338 ²		Fuel	L663F
(538836-R1); By-Pass	Oil	LFP2271	(306353-R91); 560D	Fuel	L10F		Fuel	L663F
376374-R91		P127 ⁶⁵	(388084-R93); w/o 17 Gpm Pump	Hydraulic	LH4942		Oil	LP155
			(4F023); Turbo	Oil	LFP3413 ¹²	<i>606, 606D</i>		
<i>504D w/International D-188 Diesel Engine</i>			<i>574 w/International C-157 Gasoline Engine</i>			<i>389567-R91</i>		
313964-R91	Air	LAF131	398080-R2		LFP54 ¹³²⁷	529854-R2	Air	LAF1275 ²
313964-R91		LAF262HD	323827-R91		P335			LAF1756
304101-R91	Fuel	L10F	<i>574 w/International C-175 Gasoline Engine</i>					LAF1776 ²
w/o 17 Gpm Pump w/2000 or 3000 Loader	Hydraulic	LH4942	529957-R1	Air	LAF1460	(304101-R91); Sec.	Fuel	L10F
323827-R91	Oil	P335	401073-R2	Hydraulic	LP214	(306353-R91); Pri.		L10F
			398080-R2	Oil	LFP54 ¹⁹	(610309-C91); w/o 17 Gpm Pump		L10F
			3136046-R93		LFP5853 ¹⁸	388084-R93	Hydraulic	LH4942
<i>5088 w/International DT436B Engine</i>			<i>574 w/International C-175 Gasoline Engine</i>			<i>w/2000 or 3000 Loader</i>		
143481-C91	Air	LAF1879	529957-R1	Air	LAF1460	398080-R2	Oil	LFP54 ¹³²⁷
67974-C3		LAF936 ²	401073-R2	Hydraulic	LP214	323827-R91		P335
67975-C1		LAF937 ¹	398080-R2	Oil	LFP54 ¹⁹	<i>6388 w/International DT436B Engine</i>		
A77544	Coolant	LFW4071 ²⁸	3136046-R93		LFP5853 ¹⁸	143481-C91	Air	LAF1879
A151931		LFW4744 ⁴	<i>574 w/International C-200 Gasoline Engine</i>			67974-C1		LAF936 ²
(625627-C1); Pri.	Fuel	FP251F	529957-R1	Air	LAF1460	67975-C1		LAF937 ¹
(672603-C2); Sec.		FP603	401073-R2	Hydraulic	LP214	A151931	Coolant	LFW4744 ⁴
Opt.		LFF8050	398080-R2	Oil	LFP54 ¹⁹	(702251-C1); Pri.	Fuel	FP251F
137939-C1	Hydraulic	LFH4929	3136046-R93		LFP5853 ¹⁸	(672603-C1); Sec.		FP603
A184775	Oil	PH675	<i>574 w/International D-179 Diesel Engine</i>			Opt.		LFF8050
<i>5288 w/International DT436B Engine</i>			<i>529854-R2</i>			137939-C1	Hydraulic	LFH4929
143481-C91	Air	LAF1879	(3132275-R91); Pri.	Fuel	LAF1756	(133736-C1); Rear Frame		LP214
67974-C3		LAF936 ²	(3132428-R1); Sec.		FP587F	A184775	Oil	PH675
67975-C1		LAF937 ¹	3044506-R91		FP587F	<i>650 w/International C-350 Engine</i>		
A77544	Coolant	LFW4071 ²⁸	401073-R2	Hydraulic	L296F ⁴¹	<i>650 w/International D-350 Engine</i>		
A151931		LFW4744 ⁴	398080-R2	Oil	LP214	Aux.	Fuel	L663F
(625627-C1); Pri.	Fuel	FP251F	3136046-R93		LFP54 ¹⁹	Sec.		L663F
(672603-C2); Sec.		FP603	<i>574 w/International D-239 Diesel Engine</i>					
Opt.		LFF8050	529854-R2	Air	LAF1756			
137939-C1	Hydraulic	LFH4929	(3132275-R91); Pri.	Fuel	FP587F			
A184775	Oil	PH675	(3132428-R1); Sec.		FP587F			
<i>544, 544D</i>			3044506-R91		L296F ⁴¹			
(313964-R91); Gas	Air	LAF131	401073-R2	Hydraulic	LP214			
(3132275-R91); Diesel; Pri.	Fuel	LAF4157	398080-R2	Oil	LFP54 ¹⁹			
		FP587F	3136046-R93		LFP5853 ¹⁸			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 12-Optional 18-Short 19-Long 28-Contains 1 oz. of chemical 41-Cartridge 65-By-Pass 275-Primary 528-CAV Fuel System 607-Return 1327-When converted using IH 538837-R91 kit. 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)		
<i>650 w/International D-350 Engine (cont'd)</i>			<i>664 w/International D-239 Engine (cont'd)</i>			<i>685XL w/International D239 Engine (cont'd)</i>		
	Oil	LP155	(3136187-R91); Pri.	Fuel	FP587F	Sec.	Fuel	FP587F
650, 650D			3144477-R92		L296F ⁴¹			L296F ^{41, 528}
650D; Aux. Sec.	Fuel	L663F L663F	388084-R93	Hydraulic	LH4942	530144-R92	Hydraulic	LP214
70432-C91	Hydraulic	LFH4636 ⁶⁰⁷	398080-R2	Oil	LFP54		Oil	LFP54
	Oil	LP155	3136046-R93		LFP5853	686 w/International C-291 Gasoline Engine		
			3136046-R93		PH2819		Air	LAF1324
656 w/International C-263 Gasoline Engine			666 w/International Diesel Engine			<i>(625627-C1); Pri.</i>		
384812-R93	Air	LAF222 ²	537334-R1	Air	LAF1324	<i>(672603-C2); Sec.</i>		
383731-R93		LAF2338 ²	A77544	Coolant	LFW4071 ²⁸	<i>(528493-R3); w/Hydrostatic drive</i>		
70432-C91	Hydraulic	LFH4636	(A184773); Pri.	Fuel	FP251F	<i>388084-R93</i>		
530824-R2		LFP791 ⁶⁰⁷	(A184774); Sec.		FP603	<i>398080-R2</i>		
388084-R93		LH4942	70203-C2	Hydraulic	LFP791	<i>3136046-R93</i>		
398080-R2	Oil	LFP54	388084-R93		LH4942 ¹³³⁴	686 w/International D-310 Diesel Engine		
3136046-R93		LFP5853	A184775	Oil	PH675	<i>537334-R1</i>		
323827-R91		P335	528493-R3	Trans	LFH4636 ⁵⁹⁰	<i>A77544</i>		
3136046-R93		PH2819	666 w/International Gasoline Engine			<i>A151931</i>		
656 w/International D-282 Diesel Engine			<i>537334-R1</i>			<i>(528493-R3); w/Hydrostatic drive</i>		
383731-R93	Air	LAF2338 ²	70203-C2	Hydraulic	LFP791	<i>388084-R93</i>		
(304101-R91); Sec.	Fuel	L10F	388084-R93		LH4942 ¹³³⁴	<i>398080-R2</i>		
(306353-R91); Pri.		L10F	3136046-R93	Oil	LFP5853	<i>3136046-R93</i>		
(610309-C91); Pri. 1st Stage		L10F	3136046-R93		PH2819	<i>528493-R3</i>		
70432-C91	Hydraulic	LFH4636	528493-R3	Trans	LFH4636 ⁵⁹⁰	<i>671</i>		
70203-C2		LFP791 ⁶⁰⁷	674 w/International C-200 Gasoline Engine			686 w/International D-312 Diesel Engine		
388084-R93		LH4942	529957-R1	Air	LAF1460	<i>537334-R1</i>		
(4E023); Turbo	Oil	LFP3413 ¹²	401073-R2	Hydraulic	LP214	<i>(625627-C1); Pri.</i>		
398080-R2		LFP54	398080-R2	Oil	LFP54 ¹⁹	<i>(672603-C2); Sec.</i>		
323827-R91		P335	3136046-R93		LFP5853 ¹⁸	<i>Opt.</i>		
675616-C91		PH675	674 w/International D-239 Diesel Engine			<i>(528493-R3); w/Hydrostatic drive</i>		
6588, 6788 w/International DT466B Engine			<i>529854-R2</i>			<i>388084-R93</i>		
1434481-C91	Air	LAF1879	1265510-C1	Air	LAF1756	<i>3136046-R93</i>		
67974-C1		LAF936 ²	(3132428-R1); Sec.	Fuel	LAF1907 ²	<i>675616-C91</i>		
67975-C1		LAF937 ¹	(3136187-R91); Pri.		FP587F	706 w/International C-263 Engine		
A77544	Coolant	LFW4071 ²⁸	3144477-R92		FP587F	<i>384812-R93</i>		
A151931		LFW4744 ⁴	401073-R2	Hydraulic	L296F ⁴¹	<i>383732-R93</i>		
(702251-C1); Pri.	Fuel	FP251F	398080-R2	Oil	LP214	<i>386122-R91</i>		
(672603-C1); Sec.		FP603	3136046-R93		LFP54 ¹⁹	<i>(528493-R3); w/Hydrostatic drive</i>		
Opt.		LFF8050	684 w/International D-239 Engine			<i>388084-R93</i>		
137939-C1 (133736-C1); Rear Frame	Hydraulic	LFH4929	529854-R2	Air	LAF1756	<i>3136046-R93</i>		
A184775	Oil	LP214	(1265510-C1); S/N		LAF1907 ²	706 w/International C-291 Engine		
660			3709-		LAF1965 ²	<i>384812-R93</i>		
	Air	LAF2338 ²	3125342-R2		LAF8803 ¹	<i>383732-R93</i>		
(304101-R91); Diesel; Sec.	Fuel	L10F	3115569-R2		LFP587F	<i>386122-R91</i>		
(306353-R91); Diesel; Pri.		L10F	(3132428-R1); Sec.	Fuel	FP587F	<i>(528493-R3); w/Hydrostatic drive</i>		
(388084-R93); w/o 17 Gpm Pump	Hydraulic	LH4942	3144477-R92		L296F ⁴¹	<i>388084-R93</i>		
398080-R2	Oil	LFP54 ¹³²⁷	(3218794-R91); W/S		LFF8062	706D w/International D-310 Diesel Engine		
323827-R91		P335	401073-R2	Hydraulic	LP214	<i>383731-R93</i>		
675616-C91		PH675	398080-R2	Oil	LFP54 ¹⁹	<i>(3132275-R91); Pri.</i>		
664 w/International D-239 Engine			3136046-R93		LFP5853 ¹⁸	<i>(3132428-R1); Sec.</i>		
(3132428-R1); Sec.	Fuel	FP587F	685XL w/International D239 Engine			<i>3132015-R91</i>		
			1265510-C1	Air	LAF1907 ²	<i>70432-C91</i>		
			3115569-R2		LAF8803 ¹	<i>(4E023); Turbo</i>		
			Pri.	Fuel	FP587F	<i>3136046-R93</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 12-Optional 18-Short 19-Long 28-Contains 1 oz. of chemical 41-Cartridge 528-CAV Fuel System 590-Hydrostatic 607-Return 1327-When converted using IH 538837-R91 kit. 1334-Gear Drive 1335-C291 Engine

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)		
<i>706D w/International U-282 Engine</i>			<i>766 w/International C-301 Gasoline Engine (cont'd)</i>			<i>826 w/International C-301 Gasoline Engine</i>		
384812-R93	Air	LAF222 ²	3136046-R93	Oil	LFP5853	529851-R2	Air	LAF1905 ^{2, 698}
383731-R93		LAF2338 ²	279994-R91		P335	386122-R91	Hydraulic	LFH4636
Aux.	Fuel	L10F	3136046-R93		PH2819		Oil	LFP54
Sec.		L10F	<i>766 w/International D-360 Diesel Engine</i>					P335
70432-C91	Hydraulic	LFH4636	529852-R5	Air	LAF1723 ¹	<i>826D w/International D-358 Diesel Engine</i>		
	Oil	P335	529851-R2		LAF1905 ²	401268-R1	Air	LAF1473 ¹
<i>706D w/International UD-282 Engine</i>			(625627-C1); Pri.	Fuel	FP251F	529852-R5		LAF1723 ¹
384812-R93	Air	LAF222 ²	(672603-C1); Sec.		FP603	401270-R1		LAF1822 ²
383731-R93		LAF2338 ²	(A184772); Pri.		FP625	529851-R2		LAF1905 ²
Aux.	Fuel	L10F	Opt.		LFF8050	(3132275-R91); Pri.	Fuel	FP587F
Sec.		L10F	(70432-C91);	Hydraulic	LFH4636	(3132428-R1); Sec.		FP587F
70432-C91	Hydraulic	LFH4636	w/Hydrostatic drive			70432-C91	Hydraulic	LFH4636
	Oil	P335	1808896-C1	Oil	LFP6241	(4E023); Turbo	Oil	LFP3413 ¹²
<i>7288, 7488</i>			675616-C91		PH675	398080-R2		LFP54
143481-C91	Air	LAF1879	<i>784 w/International Diesel Engine</i>			3136046-R93		LFP5853
67974-C4		LAF936 ²	529854-R2	Air	LAF1756 ²	3136046-R93		PH2819
67975-C1		LAF937 ¹	1265510-C1		LAF1907 ²	<i>844, 844S</i>		
A151931	Coolant	LFW4744 ⁴	3125342-R2		LAF1965 ²	3144477-R92	Fuel	L296F ⁴¹
(A184773); Pri.	Fuel	FP251F	3125255-R1		LAF1971 ¹	376364-R91	Oil	P52
(A184774); Sec.		FP603	3115569-R2		LAF8803 ¹	<i>856 w/International 407 Diesel Engine</i>		
A184775	Oil	PH675	1967094-C1	Fuel	FP587F ¹⁹	401268-R1	Air	LAF1473 ¹
<i>756 w/International C-291 Gasoline Engine</i>			3144477-R92		L296F ⁴¹	401270-R1		LAF1822 ²
70432-C91	Hydraulic	LFH4636	(3218794-R91); W/S		LFF8062 ¹⁸	(625627-C1); Pri.	Fuel	FP251F
	Oil	LFP54	530144-R92	Hydraulic	LP214	(625626-C1); Pri.		FP625
		P335	398080-R2	Oil	LFP54 ¹⁹	Opt.		LFF8050
<i>756 w/International C-301 Gasoline Engine</i>			3136046-R91		PH2819 ¹⁸	(702255-C1); W/S		LFP255F
70432-C91	Hydraulic	LFH4636	<i>785 w/International D246 Engine</i>			(702256-C1); Pri.		LFP3692F
	Oil	LFP54	1265510-C1	Air	LAF1907 ²	(702142-C1); Sec.		LFP440F
		P335	3115569-R2		LAF8803 ¹	70432-C91	Hydraulic	LFH4636
<i>756 w/International D-310 Engine</i>			Pri.	Fuel	FP587F	(4E023); Turbo	Oil	LFP3413 ¹²
(3132275-R91); Pri.	Fuel	FP587F	Sec.		FP587F	3136046-R93		LFP5853
(3132428-R1); Sec.		FP587F	3144477-R92		L296F ⁴¹	<i>856 w/International C-301 Gasoline Engine</i>		
3144477-R92		L296F ⁴¹	3218794-R91		LFF3806 ¹⁷⁰	70432-C91	Hydraulic	LFH4636
3132015-C91		L61F			LFF4806 ¹⁶⁹		Oil	LFP54
70432-C91	Hydraulic	LFH4636	530144-R92	Hydraulic	LP214			P335
(4E023); Turbo	Oil	LFP3413 ¹²	398080-R2	Oil	LFP54	<i>884 w/International D-268 Engine</i>		
528250-R1		LFP54	<i>786 w/International D-358 Engine</i>				Air	LAF1965 ²
3136046-R93		LFP5853	529852-R5	Air	LAF1723 ¹	1967094C1	Fuel	FP587F
<i>766 w/International C-291 Gasoline Engine</i>			143481-C91		LAF1879	3144477-R92		L296F ⁴¹
537334-R1	Air	LAF1324 ²	529851-R2		LAF1905 ²	398080-R2	Oil	LFP54 ¹⁹
529852-R5		LAF1723 ¹	A77544	Coolant	LFW4071 ²⁸	3136046-R93		LFP5853 ¹⁸
529851-R2		LAF1905 ²	(3136187-R91); Pri.	Fuel	FP587F	<i>886 w/International D-358 Engine</i>		
(70432-C91);	Hydraulic	LFH4636	(3432428-R2); Sec.		FP587F	529852-R5	Air	LAF1723 ¹
w/Hydrostatic drive			528493-R3	Hydraulic	LFH4636	143481-C91		LAF1879
398080-R2	Oil	LFP54	398080-R2	Oil	LFP54 ¹⁹	529851-R2		LAF1905 ²
3136046-R93		LFP5853	3136046-R93		LFP5853 ¹⁸	A151931	Coolant	LFW4744 ⁴
279994-R91		P335	<i>806, 806D</i>			1967094C1	Fuel	FP587F
3136046-R93		PH2819	383732-R93	Air	LAF4131 ¹³³⁶	528493-R3	Hydraulic	LFH4636
<i>766 w/International C-301 Gasoline Engine</i>			Aux.	Fuel	L10F	398080-R2	Oil	LFP54 ¹⁹
537334-R1	Air	LAF1324 ²	Sec.		L10F	3136046-R93		LFP5853 ¹⁸
529852-R5		LAF1723 ¹	70432-C91	Hydraulic	LFH4636	<i>886 w/International D-360 Engine</i>		
529851-R2		LAF1905 ²	(4E023); Turbo	Oil	LFP3413 ¹²	529852-R5	Air	LAF1723 ¹
(70432-C91);	Hydraulic	LFH4636			LFP54	143481-C91		LAF1879
w/Hydrostatic drive					P335	529851-R2		LAF1905 ²
398080-R2	Oil	LFP54						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 12-Optional 18-Short 19-Long 28-Contains 1 oz. of chemical 41-Cartridge 169-1 Per Package 170-2 Per Package 698-With Metal End Cap 1336-C301 Engine

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)			INTERNATIONAL HARVESTER (TRACTOR)		
<i>886 w/International D-360 Engine (cont'd)</i>			<i>C w/International C-113 Engine</i>			<i>Hydro 70, Hydro 86 w/International D-312 Diesel Engine</i>		
A151931	Coolant	LFW4071 ²⁸	(538836-R91);	Oil	LFP2271	537334-R1	Air	LAF1324
(672603-C2); Sec.	Fuel	FP603	By-Pass		P127 ⁶⁵	529852-R1		LAF1723 ¹
(A184772); Pri.		FP625	376374-R91			A77544	Coolant	LFW4071 ²⁸
Opt.		LFF8050	<i>Cub, Cub 154, Cub Lo-Boy, Cub Hi-Boy</i>			(625627-C1); Pri.	Fuel	FP251F
528493-R3	Hydraulic	LFW4636	(405716-R1); -S/N	Air	LAF1915	(672603-C2); Sec.		FP603
675616-C91	Oil	PH675	20744			Opt.		LFF8050
<i>966 w/International D-414 Diesel Engine</i>			404886-R1	Hydraulic	LFP2303	70432-C91	Hydraulic	LFW4636
529852-R5	Air	LAF1723 ¹	376373-R91		LH8446	70203-C1		LFP791
529851-R2		LAF1905 ²	<i>FB-450</i>			675616-C91	Oil	PH675
A77544	Coolant	LFW4071 ²⁸		Oil	LP155	918266-R93	Trans	PH400 ²⁷⁵
(625627-C1); Pri.	Fuel	FP251F	<i>H, HV w/International C-152 Gasoline Engine</i>			918266-R93		PH8A ¹⁴⁹⁶
(672603-C2); Sec.		FP603	(538836-R1); By-Pass	Oil	LFP2271	<i>Hydro 84</i>		
(625626-C1); Pri.		FP625	(376374-R91); S/N		P127	(529854-R2); -S/N 787	Air	LAF1756 ²
Opt.		LFF8050	121022-		P150	(1265510-C1); S/N		LAF1907 ²
70432-C91	Hydraulic	LFW4636	-S/N 121021			787-		
1808896-C1	Oil	LFP6241	<i>H, HV w/International C-152 Kerosene Engine</i>			3125342-R2		LAF1965 ^{2, 1337}
(677709-C91); w/85		LFP880	(538836-R1); By-Pass	Oil	LFP2271	3125255-R1		LAF1971 ^{1, 1337}
Cotton Harvester		PH675	(376374-R91); S/N		P127	311556-R2		LAF8803 ¹
675617-C91			121022-		P150	3144477-R92	Fuel	L296F ⁴¹
<i>986 w/International D-436 Engine</i>			-S/N 121021			3218794-R91		LFF3806 ¹⁷⁰
529852-R5	Air	LAF1723 ¹	<i>Hydro 100</i>					LFF4806 ¹⁶⁹
143481-C2		LAF1879	529852-R4	Air	LAF1723 ¹	65126-C92	Hydraulic	LP214
71912C1		LAF1986 ²	529851-R2		LAF1905 ²	398080-R2	Oil	LFP54
A77544	Coolant	LFW4071 ²⁸	(A184773); Pri.	Fuel	FP251F	3136046-R93		LFP5853
(625627-C1); Pri.	Fuel	FP251F	(672603-C2); Sec.		FP603	<i>Hydro 86 w/International D310 Engine</i>		
(672603-C2); Sec.		FP603	(702143-C1); Pri.		FP625	537334-R1	Air	LAF1324
(702143-C1); Pri.		FP625	70432-C91	Hydraulic	LFW4636			LAF1879
Opt.		LFF8050	398080-R2	Oil	LFP54	A77544	Coolant	LFW4071 ²⁸
528493-R3	Hydraulic	LFW4636	1808896-C1		LFP6241		Fuel	FP587F
1808896-C1	Oil	LFP6241	(677709-C91); w/85		LFP880		Hydraulic	LFP791
(677709-C91); w/85		LFP880	Cotton Harvester			3136046-R93	Oil	LFP5853
Cotton Harvester		PH675	376374-R91		P127 ⁶⁵		Trans	LFW4636 ⁵⁹⁰
675617-C91			675617-C91		PH675	<i>M, MV</i>		
<i>A, AV, B, BN w/International C-113 Engine</i>			<i>Hydro 186 w/436 Diesel Engine</i>			<i>M, MV</i>		
(538836-R1); By-Pass	Oil	LFP2271	529852-R5	Air	LAF1723 ¹	-S/N 59393	Oil	LP155
376374-R91		P127 ⁶⁵	401270-R1		LAF1822 ²	S/N 59394-		P150
<i>AV w/International C-123 Engine</i>			A77544	Coolant	LFW4071 ²⁸	<i>MD, MDV, Super MD, MTAD, Super MDV, Super MD-TV</i>		
(538836-R1); By-Pass	Oil	LFP2271	625627-C1	Fuel	FP251F	Aux.	Fuel	L267F
376374-R91		P127 ⁶⁵	(672603-C2); Sec.		FP603	Sec.		L663F
<i>B-100 Imported</i>			Opt.		LFF8050		Oil	LP155
	Fuel	L296F ⁴¹	528493-R3	Hydraulic	LFW4636	<i>Super A, Super AV, Super A-1, C, Super C</i>		
	Oil	LP155	1808896-C1	Oil	LFP6241	(538836-R1); By-Pass	Oil	LFP2271
<i>B-275 Imported</i>			(1677709-C91); w/85		LFP880	376374-R91		P127 ⁶⁵
	Fuel	L50F	Cotton Harvester		P127	<i>Super H, Super HV</i>		
	Oil	P52	376374-R91		PH675		Oil	P127
<i>B-414</i>			675617-C91	Trans	LFW4636	<i>Super M, Super MV, Super M-TA</i>		
	Hydraulic	LH4914	<i>Hydro 70, Hydro 86 w/International C291 Gasoline Engine</i>				Oil	P150
	Oil	P52	537334-R1	Air	LAF1324	<i>Super W-4, Super O-4, Super I-4</i>		
<i>B-414D</i>			529852-R1		LAF1723 ¹		Oil	P127
	Fuel	L296F ⁴¹	398080-R92	Oil	LFP54	<i>Super W-6, Super W-9, Super O-6, Super O-9, Super I-6, Super I-9</i>		
w/2000 or 3000 Loader	Hydraulic	LH4914	316046-R93		LFP5853		Oil	P150
	Oil	P52						
<i>B-450 w/International BD-264 Engine</i>								
	Oil	LP155						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 28-Contains 1 oz. of chemical 41-Cartridge 65-By-Pass 169-1 Per Package 170-2 Per Package 275-Primary 590-Hydrostatic 1337-Coopers Housing 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (TRACTOR)			ISCO (EJECTALL HAULING VEHICLE)			JCB (ARTICULATED DUMP TRUCK)		
<i>W-4, O-4, I-4</i>			<i>Shuttle Wagon w/Detroit Diesel 4-53 Engine</i>			<i>712 w/Perkins 6.354 Engine (cont'd)</i>		
(376374-R91); S/N 4958- -S/N 4957	Oil	P127		Air	LAF320	581/05601	Hydraulic	LH5840
				Oil	PH725	02/100073	Oil	LFP2292
		P150	<i>Shuttle Wagon w/Ford 361EHD V-8 Engine</i>			02/100284		PH4403
<i>W-6, O-6, I-6</i>			S/N 541022-	Air	AF97	<i>714, 718 w/Cummins 6BTAA5.9 Engine</i>		
-S/N 4252	Oil	LP155		Oil	LAF320	Pri.	Fuel	LFF3417
S/N 4253-		P150			PH299	Sec.		LFF3521
					PH725	W/S		LFF8062
<i>W-9, O-9, I-9</i>			ISEKI (TRACTOR)			(3991350); W/S		LFF9608
	Oil	LP155	<i>HG650</i>			0750131061	Hydraulic	LFH8490
<i>WD-6, Super WD-6, OD-6, Super OD-6, WD-9, Super WD-9, OD-9, Super OD-9, ID-6, ID-9, Super ID-9</i>			14401012820	Air	LAF6032 ²	3914395	Oil	LFP780
			14151023290	Fuel	L3541F			LFP780XL ¹⁴
			69944309830	Oil	PH2801	<i>716 w/Perkins Engine</i>		
Aux.	Fuel	L267F	<i>HL1500 w/KE70 Engine</i>				Fuel	L296F ⁴¹
Sec.		L663F	14161010081	Air	LAF1275 ²	32/905501	Hydraulic	LFH4428
	Oil	LP155	56500409365	Oil	PH2808	581/05601		LH5840
ISCO (EJECTALL HAULING VEHICLE)			<i>T1085</i>			02/100284	Oil	PH4403
<i>IC-13, IC13R w/Detroit Diesel 4-71 Engine</i>			14401012820	Air	LAF6032 ²	<i>722 w/Cummins QSB 6.7 Tier 3 Engine</i>		
	Air	LAF241HD	56487810075	Oil	LP2256	32925284	Air	LAF6098 ²
	Oil	LP2854	<i>T5000, T6000 w/4BA1, 4BC1, 4BB1 Engine</i>			32925285		LAF6099 ¹
<i>IC-23, IC-23R w/Cummins N-855-E or Detroit Diesel 6-71 Engine</i>			15131022820	Air	LAF8078	32925932	Fuel	LFF5421
P117331	Air	LAF241HD	56988511191	Fuel	L3528F	(32925763); W/S		LFF9732
Cummins eng.	Coolant	LFW4744 ⁴	56989513106	Oil	LP2277	32925413	Oil	LFP3970
K-25	Hydraulic	LP2854	<i>T9000, T10520 w/6BB1 Engine</i>			32925905	Trans	LFH8490
	Trans	LP151	14401012820	Air	LAF6032 ²	<i>722 w/Cummins QSB5.9 Engine</i>		
<i>IC-235, IC-235 R, IC-240, IC240C, IC-245, IC-245R, IC250, IC-250C w/Cummins NTA-855-C Engine</i>			56988511191	Fuel	L3528F	32925284	Air	LAF6098 ²
			56487810075	Oil	LP2256	32925285		LAF6099 ¹
	Air	LAF9155	<i>TA207, TA215</i>			W/S	Fuel	LFF9519
		LAF9155MXM ²⁶⁸	15601032024	Air	LAF8823 ²		Oil	LFP3970
		LAF9159	68941673990	Oil	PH2840	32925905	Trans	LFH8490
	Coolant	LFW4744 ⁴	<i>TA295</i>			JCB (BACKHOE LOADER)		
<i>IC-235, IC-240 only</i>	Hydraulic	LH4914	15601032024	Air	LAF8823 ²	<i>1400, 1550, 1700 & 1700B w/Perkins Non-Turbo Engine</i>		
	Oil	LP151	68941673990	Oil	LFP2255	32/203702	Air	LAF1734 ²
		LP2854	<i>TL3200, TL4201 w/4FA1 Engine</i>			32/203703		LAF1735 ¹
		LP50910	14161010081	Air	LAF1275 ²	32/203702		LAF8517 ²
<i>IC-235, IC-235 R, IC-240, IC240C, IC-245, IC-245R, IC250, IC-250C w/Detroit Diesel 12V-71 Engine</i>			(14151020110); TL3200	Fuel	L3541F	32/203703		LAF8518 ¹
			(15131023290); TL4201		L549F	32/400701	Fuel	L296F ^{18, 41}
	Air	LAF9155	68942172720	Oil	PH2801	32/400502		LFF3501 ¹⁹
		LAF9155MXM ²⁶⁸	<i>TS3910 w/3AD1 Engine</i>			988/00038	Oil	P771A
		LAF9159	14161010081	Air	LAF1275 ²	02/100284		PH4403
	Coolant	LFW4744 ⁴	56913240804	Oil	LFP2294	<i>1400, 1550, 1700 & 1700B w/Perkins Turbo Engine</i>		
<i>IC-235, IC-240 only</i>	Hydraulic	LH4914	<i>TU1400 w/K3A Engine</i>			32/202602	Air	LAF1544 ²
	Oil	LP151	14271012840	Air	LAF2745A ²	32/202601		LAF9410 ¹
		LP2854	56500409365	Oil	PH2808	32/400701	Fuel	L296F ⁴¹
		LP50910	<i>TU2100 w/3AE1 Engine</i>			02/100073	Oil	LFP2292 ¹⁹
<i>IC-A22R w/Cummins NH-230 Engine</i>			148010420700	Air	LAF8630	988/00038		P771A
	Air	LAF241HD	14151020110	Fuel	L3541F	02/100284		PH4403 ¹⁸
		LAF5255	621324000100	Oil	PH2840	<i>1CX w/Perkins 404C22 Tier 3 Engine</i>		
	Coolant	LFW4744 ⁴	JCB (ARTICULATED DUMP TRUCK)			32905001	Air	LAF8588 ²
	Oil	LP151	<i>712 w/Perkins 6.354 Engine</i>			32905002		LAF8589 ¹
		LP509	32/202602	Air	LAF1544 ²	32401102	Fuel	L296F ⁴¹
		LP50910	32/206002		LAF8515 ²	32909200	Hydraulic	LFH4936
			32/202601		LAF9410 ¹	2630935A	Oil	PH2835
			32/401102	Fuel	L296F ⁴¹	<i>1CX w/Perkins 404D22 Tier 3 Engine</i>		
			32/905501	Hydraulic	LFH4428	32905001	Air	LAF8588 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 14-Extended Life 18-Short 19-Long 41-Cartridge 268-Extended/Severe service

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JCB (BACKHOE LOADER)			JCB (BACKHOE LOADER)			JCB (BACKHOE LOADER)		
<i>1CX w/Perkins 404D22 Tier 3 Engine (cont'd)</i>			<i>214, 214S 2WD & 4WD w/JCB 444 4.4L Dieselmex Engine (cont'd)</i>			<i>217, 217S 2Wd & 4Wd w/Perkins 1104C-44 Engine (cont'd)</i>		
32905002	Air	LAF8589 ¹	32913500	Hydraulic	LH4199 ¹⁰⁷⁷	(32/203703); w/o Turbo	Air	LAF8518 ¹
32401102	Fuel	L296F ⁴¹	02/100073	Oil	LFP2292	(32/903201); Turbo; w/A/C		LAF8586 ²
32909200	Hydraulic	LFH4936	32004133		LFP3050	(32/903202); Turbo; w/A/C		LAF8587 ¹
2630935A	Oil	PH2835	02/100284	Trans	PH4403	(32/903601); Turbo (32/202601); Turbo		LAF8603 ² LAF9410 ¹
<i>1CX w/Peugeot 1.9L Engine</i>			<i>214, 214S 2WD & 4WD w/Perkins 1004.4 Engine</i>			<i>2CX w/JCB 444 Dieselmex Engine</i>		
32401102	Fuel	L296F ⁴¹	(32/206002); w/o Turbo	Air	LAF8517 ²	32919001	Air	LAF8148 ²
<i>208S, 208SHF w/Perkins 104.22 Engine</i>			(32/203703); w/o Turbo		LAF8518 ¹	32919002		LAF9332 ¹
32/401102	Fuel	L296F ⁴¹	(32/903201); Turbo; w/A/C		LAF8586 ²	(32925694); Pri.	Fuel	L3924F
(32/905501); 208SHF	Hydraulic	LFH4428	(32/903202); Turbo; w/A/C		LAF8587 ¹	32004133	Oil	LFP3050
(32/909200); 208S		LFH4936	(32/903601); Turbo (32/202601); Turbo		LAF8603 ² LAF9410 ¹	02/100073	Oil	LFF3501
<i>208S, 208SHF w/Perkins 404C-22 Tier 2 Engine</i>					LFF3501	02/100284	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
32/401102	Fuel	L296F ⁴¹			LFP2292	02/100284		
(32/905501); 208SHF	Hydraulic	LFH4428	<i>214E w/Perkins 1104C-44 Engine</i>			<i>3CX w/JCB 444 Engine</i>		
(32/909200); 208S		LFH4936	(32/906802); -S/N 449591	Air	LAF8587 ¹	32925682	Air	LAF5934 ²
<i>208S, 208SHF w/Peugeot 1.9L Engine</i>			32/202601		LAF8802 ²	32925683		LAF5938 ²
32/905001	Air	LAF8588 ²	32/912001	Fuel	LFF3504	(32/925694); Pri.	Fuel	L3924F
32/905002		LAF8589 ¹	02/100284	Oil	PH4403	32913500	Hydraulic	LH4199 ¹⁰⁷⁷
32/400701	Fuel	L296F ⁴¹	(02/100284); -S/N 449591	Trans	PH400 ²⁷⁵	32004133	Oil	LFP3050
(32/905501); 208SHF	Hydraulic	LFH4428	(02/100284); -S/N 449591		PH8A ¹⁴⁹⁶	581M8564	Trans	LFP2303
(32/909200); 208S		LFH4936	<i>215, 215S 2WD & 4WD w/Perkins 1104C-44 Engine</i>			<i>4CX w/Perkins 1000 Series Engine</i>		
2630795	Oil	LFP2215	(32/206002); w/o Turbo	Air	LAF8517 ²	32/903601	Air	LAF8603 ²
<i>210S, SL, SU w/Perkins 1004-4 Engine</i>			(32/203703); w/o Turbo		LAF8518 ¹	32/202601		LAF9410 ¹
32/905001	Air	LAF8588 ²	(32/903201); Turbo; w/A/C		LAF8586 ²	32910100	Hydraulic	LH4199 ¹⁰⁷⁷
32/905002		LAF8589 ¹	(32/903202); Turbo; w/A/C		LAF8587 ¹	581/06301		LH5840
32/400701	Fuel	L296F ^{18, 41}	(32/903601); Turbo (32/202601); Turbo		LAF8603 ² LAF9410 ¹	02/100073	Oil	LFP2292
32/400502		LFF3501 ¹⁹			LFF3501	<i>4CX, 4CX Super w/JCB444 Dieselmex Engine</i>		
32/912101		LFF3504			LFP2292	32925682	Air	LAF5934 ²
(32/905501); -S/N 760734	Hydraulic	LFH4428			PH400 ²⁷⁵	32925683		LAF5938 ²
(32/913500); 761734-Turbo		LH4199 ¹⁰⁷⁷			PH8A ¹⁴⁹⁶	(32/925694); -S/N M973836; Pri.	Fuel	L3924F
(02/100284); w/o Turbo	Oil	LFP2292 ¹⁹				(32/925694); S/N M973836-on; Pri.		L4109F
02/100284	Trans	PH4403				32913500	Hydraulic	LH4199 ¹⁰⁷⁷
<i>212S, SL, SU w/Perkins 1004-4 Engine</i>						32004133	Oil	LFP3050
32/905001	Air	LAF8588 ²	<i>215E w/Perkins 1104C-44 Engine</i>			<i>MIDI CX w/Perkins 404C22 tier 3 Engine</i>		
32/905002		LAF8589 ¹	32/915802	Air	LAF3947 ²	32925349	Air	LAF5844 ¹
32/912001	Fuel	LFF3504	32/915801		LAF3948 ¹	32925348		LAF8147 ²
32/905501	Hydraulic	LFH4428	32/912001	Fuel	LFF3504	32912001A	Fuel	LFF3504
(32/913500); 761734-02/100284		LH4199 ¹⁰⁷⁷	32/913500	Hydraulic	LH4199 ¹⁰⁷⁷	32909200	Hydraulic	LFH4936
<i>214, 214S 2WD & 4WD w/JCB 444 4.4L Dieselmex Engine</i>			02/100073	Oil	LFP2292	2630935A	Oil	PH2835
32925682	Air	LAF5934 ²	<i>217, 217S 2Wd & 4Wd w/Perkins 1104C-44 Engine</i>			<i>MIDI CX w/Perkins 404D22 tier 3 Engine</i>		
32925683		LAF5938 ²	(32/2060002); w/o Turbo	Air	LAF8517 ²	32925349	Air	LAF5844 ¹
(32/206002); w/o Turbo		LAF8517 ²				32925348		LAF8147 ²
(32/203703); w/o Turbo		LAF8518 ¹				32912001A	Fuel	LFF3504
(32/903201); Turbo; w/A/C		LAF8586 ²				32909200	Hydraulic	LFH4936
(32/903202); Turbo; w/A/C		LAF8587 ¹				2630935A	Oil	PH2835
(32/903601); Turbo (32/202601); Turbo		LAF8603 ² LAF9410 ¹	<i>215E w/Perkins 1104C-44 Engine</i>			<i>Mini CX w/Perkins 103.10 Engine</i>		
(32/925694); Pri.	Fuel	L3924F	32/915802	Air	LAF3947 ²	140516190	Oil	PH2840
32/400502		LFF3501	32/915801		LAF3948 ¹			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 18-Short 19-Long 41-Cartridge 275-Primary 1077-Hyd. Tank 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JCB (CRAWLER LOADER)			JCB (EXCAVATOR)			JCB (EXCAVATOR)		
110, 110B, 110C w/Perkins 4.248 Engine			3, 3D, 3DS, 3DX w/Leyland 4.98TT Engine (cont'd)			4C w/Perkins T4.236 Engine (cont'd)		
32/200406	Air	LAF1246 ²		Air	LAF8515 ^{2, 57}	32/202601	Air	LAF9410 ¹
32/202602		LAF1544 ²			LAF8516 ¹	32/400701	Fuel	L296F ⁴¹
32/202002		LAF1591	988/00031		LAF8579	02/100284	Oil	PH4403
32/201602		LAF6587	32/202601		LAF9410 ¹	4CX w/Perkins 1000 Series Engine		
		LAF6587MXM ²⁶⁸	32/400701	Fuel	L296F ⁴¹	32/903201	Air	LAF8586 ²
32/202601		LAF9410 ¹	32/400502		LFF3501	32/903202		LAF8587 ¹
32/400701	Fuel	L296F ⁴¹	988/00038	Oil	P52	32/400502	Fuel	LFF3501
32/400502		LFF3501	02/301217		PH4408	21/00284	Trans	PH4403
02/100073	Oil	LFP2292	3C, 3D w/Leyland 10/60 Engine			5C w/Perkins 6.354 Engine		
112, 114 w/Perkins 6.354 Engine			32/203702	Air	LAF8517 ²	32/200406	Air	LAF1246 ²
32/201602	Air	LAF6587	32/203703		LAF8518 ¹		Fuel	L23F
		LAF6587MXM ²⁶⁸	32/400701	Fuel	L296F ⁴¹	32/400701		L296F ⁴¹
32/201601		LAF6834 ¹	3C, 3D w/Leyland 10/65 Engine				Oil	P72
32/400701	Fuel	L296F ⁴¹	32/203702	Air	LAF8517 ²	6 w/Perkins 4.236 Engine		
02/100073	Oil	LFP2292	32/203703		LAF8518 ¹	32/200406	Air	LAF1246 ²
32/300801	Trans	P2470	32/400701	Fuel	L296F ⁴¹		Fuel	L23F
JCB (EXCAVATOR)			988/00038	Oil	P52		Oil	P72
1 w/Bamford AC2 Engine			3C, 3D w/Perkins Engine			6C, 6D, 7B w/Perkins 6.354 Engine		
32/300801	Oil	P2470	32/202602	Air	LAF1544 ^{2, 57}	32/200406	Air	LAF1246 ²
2, 2B w/Leyland 28TD 3 cyl. Engine					LAF8515 ^{2, 57}	32/400701	Fuel	L296F ⁴¹
988/00031	Air	LAF8579			LAF8516 ¹		Oil	P72
32/400701	Fuel	L296F ⁴¹	32/202601		LAF9410 ¹	7 w/Ford 590E Engine		
988/00038	Oil	P52	32/400701	Fuel	L296F ⁴¹	32/200406	Air	LAF1246 ²
2, 2B, 3, 3C, 3D, 4, 4C w/Ford 957E Engine			02/100073	Oil	LFP2292	32/400701	Fuel	L296F ⁴¹
	Air	LAF8517 ^{2, 57}	21000284	Trans	PH4403		Oil	LP70V
988/00031		LAF8579	3C, 4C w/Leyland 38T 4 cyl. Engine			7C w/Perkins 6.354 Engine		
	Fuel	L23F	32/400701	Fuel	L296F ⁴¹	32/200406	Air	LAF1246 ²
	Oil	P772	988/00038	Oil	P52	32/400701	Fuel	L296F ⁴¹
2CX, 2CXL MKII w/Perkins 3.152 Engine			3CX w/Perkins 1004.4 Engine			02/100073	Oil	LFP2292
32/905001	Air	LAF8588 ²	32/903601	Air	LAF8603 ²			P72
32/905002		LAF8589 ¹	32/202601		LAF9410 ¹	801 & 803 w/Perkins 103/10 Engine		
32/400502	Fuel	LFF3501	32/400502	Fuel	LFF3501	32/905301	Air	LAF8832 ²
32/905501	Hydraulic	LFH4428	581/06301	Hydraulic	LH5840	32/905302		LAF8969 ¹
21/00284	Oil	PH4403	02/100073	Oil	LFP2292	32/401102	Fuel	L296F ⁴¹
02/100284	Trans	PH400 ²⁷⁵	21/00284	Trans	PH4403	(TXW3E-CC10); S/N	Hydraulic	LH22142
02/100284		PH8A ¹⁴⁹⁶	3CX, 3CX w/Perkins Engine			666001-765606		
2D, 3, 3C, 3D, 4D w/Leyland 38TD 4 cyl. Engine			32/202602	Air	LAF1544 ²	801 & 803 w/Perkins 103/5 Engine		
32/400701	Fuel	L296F ⁴¹	32/912902		LAF5932 ¹	32/905301	Air	LAF8832 ²
988/00031	Air	LAF8579	32/912901		LAF8149 ²	32/905302		LAF8969 ¹
988/00038	Oil	P52	32/206002		LAF8515 ²	32/401102	Fuel	L296F ⁴¹
2D, 3, 3C, 3D, 4D w/Leyland 4.98NT Engine			32/206003		LAF8516 ¹	(TXW3E-CC10); S/N	Hydraulic	LH22142
32/400701	Fuel	L296F ⁴¹	32/903201		LAF8586	666001-765606		
32/400502		LFF3501	32/202601		LAF9410 ¹	801.4 Excavator w/Perkins 103-10 Engine		
988/00038	Oil	P52	32/400701	Fuel	L296F ⁴¹	32-200406	Air	LAF1246 ¹⁸¹
3, 3D, 3DS, 3DX w/Leyland 4.98NT Engine			32/400502		LFF3501	32/905302		LAF8969 ¹
32/202602	Air	LAF1544 ^{2, 57}	02/100073	Oil	LFP2292	32/401102	Fuel	L296F ⁴¹
		LAF8515 ^{2, 57}	21/00284		PH4403	58106301	Hydraulic	LH5840
		LAF8516 ¹	2100284	Trans	PH4403	2630225	Oil	PH2840
988/00031		LAF8579	3CX, 4CX w/Leyland 4.98TT Engine			801.5, 801.5-2, 801.6, 801.7 w/Perkins 103-10 Engine		
32/202601		LAF9410 ¹	32/202602	Air	LAF1544 ²	Engine		
32/400701	Fuel	L296F ⁴¹	32/202601		LAF9410 ¹	32200406	Air	LAF1246 ²
32/400502		LFF3501	32/400701	Fuel	L296F ⁴¹	32/905302		LAF8969 ¹
988/00038	Oil	P52	32/400502		LFF3501	32/401102	Fuel	L296F ⁴¹
02/301217		PH4408	02/301217	Oil	PH4408	58106301	Hydraulic	LH5840
3, 3D, 3DS, 3DX w/Leyland 4.98TT Engine			4C w/Perkins T4.236 Engine			2100073	Oil	LFP2292
32/202602	Air	LAF1544 ^{2, 57}	32/303602	Air	LAF1544 ²	140516190		PH2840

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 57-Partial 181-Single 268-Extended/Severe service 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JCB (EXCAVATOR)			JCB (EXCAVATOR)			JCB (EXCAVATOR)		
<i>8014 w/Perkins 404C/D-22 Engine</i>			<i>805 w/Perkins 4.248 Engine</i>			<i>806, 807 w/Perkins 6.354 Engine (cont'd)</i>		
32919902	Air	LAF22056 ¹ LAF8388 ²	32/202602	Air	LAF1544 ² LAF9410 ¹	32/400701	Fuel	L296F ⁴¹
2630935A	Oil	PH2835	32/400701	Fuel	L296F ⁴¹	<i>8065RTS w/Isuzu 4LE1 Tier 3 Engine</i>		
<i>8016, 8018 w/Perkins 404C/D-22 Engine</i>			02/100284	Oil	PH4403	32917302	Air	LAF8114 ¹
32919902	Air	LAF22056 ¹ LAF8388 ²	<i>805.2 w/Perkins 103-10 Engine</i>			32917301	Air	LAF8143 ²
2630935A	Oil	PH2835	32/905301	Air	LAF8832 ² LAF8969 ¹	32926105	Fuel	FP588F
<i>802 Super, 803 Super w/Perkins 103-15 Engine</i>			32/905302	Fuel	L296F ⁴¹	32926119	Oil	LFP2538
32/400701	Fuel	L296F ⁴¹	32/401102	Fuel	L296F ⁴¹	<i>8065RTS w/Isuzu 4LE2 Tier 3 Engine</i>		
	Oil	PH2840	140516190	Oil	PH2840	32917302	Air	LAF8114 ¹
<i>8020 w/Perkins 403D-11 Engine</i>			<i>8052 w/Perkins Engine</i>			32917301	Fuel	FP588F
32919902	Air	LAF22056 ¹ LAF8388 ²	32917302	Air	LAF8114 ¹ LAF8143 ²	32926105	Fuel	FP588F
2630935A	Oil	PH2835	32401102	Fuel	L296F ⁴¹	32926119	Oil	LFP2538
<i>8025ZTS w/403C/D Engine</i>			<i>8055RTS, 8055ZTS w/Isuzu 4LE1 Tier 3 Engine</i>			<i>806B, 807B w/Ford 2715E Engine</i>		
2630935A	Oil	PH2835	32917302	Air	LAF8114 ¹ LAF8143 ²	32/202602	Air	LAF1544 ² LAF6587 LAF6587MXM ²⁶⁸ LAF6834 ¹ LAF9410 ¹
<i>8030ZTS w/Perkins 403C or 403D Engine</i>			32917301	Fuel	L296F ⁴¹	32/201602	Air	LAF1544 ² LAF6587 LAF6587MXM ²⁶⁸ LAF6834 ¹ LAF9410 ¹
32925894	Air	LAF4348 LAF4712	<i>8055ZTS w/Isuzu 4LE2 Tier 3 Engine</i>			32/201601	Fuel	LFF3501
32925894	Air	LAF4712	32917302	Air	LAF8114 ¹ LAF8143 ²	32/400502	Fuel	LFF3501
32925346	Hydraulic	LH4199	32917301	Fuel	FP588F	32/600117	Oil	LFP8507
2630935A	Oil	PH2835	<i>8055RTS w/Isuzu 4LE1 Engine</i>			<i>806B, 807B w/Perkins 6.354 Engine</i>		
<i>8032ZTS w/Perkins 403-15 Engine</i>			32917302	Air	LAF8114 ¹ LAF8143 ²	32/201602	Air	LAF6587 LAF6587MXM ²⁶⁸ LAF6834 ¹
32401102	Fuel	L296F ⁴¹	32917301	Fuel	FP588F	32/201601	Fuel	L296F ⁴¹
<i>8035ZTS w/Perkins 403C or 403D Series Engines</i>			32926105	Oil	LFP2538	32/400701	Fuel	L296F ⁴¹
32925894	Air	LAF4348 LAF4712	<i>8055ZTS w/Isuzu 4LE1 Engine</i>			02/100073	Oil	LFP2292
32925894	Air	LAF4712	32917302	Air	LAF8114 ¹ LAF8143 ²	<i>806B, 807B w/Perkins 6.354.4 Engine</i>		
32925346	Hydraulic	LH4199	32917301	Fuel	FP588F	32/202602	Air	LAF1544 ²
2630935A	Oil	PH2835	32926105	Fuel	FP588F	32/202601	Air	LAF9410 ¹
<i>804 Super</i>			32926119	Oil	LFP2538	32/400701	Fuel	L296F ⁴¹
32/905301	Air	LAF8832 ² LAF8969 ¹	<i>8055ZTS w/Isuzu 4LE2 Engine</i>			02/100073	Oil	LFP2292
32/905302	Air	LAF8832 ² LAF8969 ¹	32917302	Air	LAF8114 ¹ LAF8143 ²	<i>806C w/Perkins 6.354.4 Engine</i>		
32/401102	Fuel	L296F ⁴¹	32917301	Fuel	FP588F	32/202602	Air	LAF1544 ² LAF9410 ¹
(TXW3E-CC10); S/N 734402-	Hydraulic	LH22142	32926105	Fuel	FP588F	32/202601	Fuel	L296F ⁴¹
<i>8040ZTS w/Perkins 404C-22 Engine</i>			32926119	Oil	LFP2538	32/400701	Fuel	L296F ⁴¹
32917302	Air	LAF8114 ¹ LAF8143 ²	<i>805B w/Perkins 6.354 Engine</i>			02/100073	Oil	LFP2292
32917301	Air	LAF8114 ¹ LAF8143 ²	32/202602	Air	LAF1544 ² LAF9410 ¹	<i>807C, 807CL w/Perkins 6.354.4, T6.354.4 Engine</i>		
2630935A	Oil	PH2835	32/202601	Fuel	L296F ⁴¹	32/202602	Air	LAF1544 ² LAF9410 ¹
<i>8040ZTS w/Perkins 404D-22 Engine</i>			32/400701	Oil	LFP2292	32/202601	Fuel	L296F ⁴¹
32917302	Air	LAF8114 ¹ LAF8143 ²	<i>805B w/Perkins T4.236 Engine</i>			32/400701	Fuel	L296F ⁴¹
32917301	Air	LAF8114 ¹ LAF8143 ²	32/202602	Air	LAF1544 ² LAF9410 ¹	02/100073	Oil	LFP2292
2630935A	Oil	PH2835	32/202601	Fuel	L296F ⁴¹	<i>808 w/Perkins T6.354 Engine</i>		
<i>8045ZTS w/Perkins 404C-22 Engine</i>			32/400701	Fuel	L296F ⁴¹	P181054	Air	LAF1246 ² LAF6587 LAF6587MXM ²⁶⁸ LAF6834 ¹
32917302	Air	LAF8114 ¹ LAF8143 ²	02/100284	Oil	PH4403	32/201602	Air	LAF1246 ² LAF6587 LAF6587MXM ²⁶⁸ LAF6834 ¹
32917301	Air	LAF8114 ¹ LAF8143 ²	<i>806, 807 w/Ford Engine</i>			32/201601	Fuel	L296F ⁴¹
2630935A	Oil	PH2835	32/201602	Air	LAF6587 LAF6587MXM ²⁶⁸	32/400701	Fuel	L296F ⁴¹
<i>8045ZTS w/Perkins 404D-22 Engine</i>			32/400701	Fuel	L296F ⁴¹	02/100073	Oil	LFP2292
32917302	Air	LAF8114 ¹ LAF8143 ²	<i>806, 807 w/Perkins 4.248 Engine</i>			<i>8080ZTS w/Isuzu AA-4JG1 Engine</i>		
32917301	Air	LAF8114 ¹ LAF8143 ²	32/202002	Air	LAF1591	32917302	Air	LAF8114 ¹
2630935A	Oil	PH2835	32/400701	Fuel	L296F ⁴¹	32917301	Air	LAF8143 ²
<i>805 w/Ford 2711E Engine</i>			02/301217	Oil	PH4408	32926105	Fuel	FP588F
32/202602	Air	LAF1544 ² LAF1591	<i>806, 807 w/Perkins 6.354 Engine</i>			2800176	Oil	PH2863B
32/202002	Air	LAF1591	32/201602	Air	LAF6587 LAF6587MXM ²⁶⁸	<i>8085ZTS w/Isuzu 4LE2X Engine</i>		
32/202601	Fuel	LAF9410 ¹				32917302	Air	LAF8114 ¹
32/400701	Fuel	L296F ⁴¹				32917301	Air	LAF8143 ²
	Oil	LP70V						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JCB (EXCAVATOR)			JCB (EXCAVATOR)			JCB (EXCAVATOR)		
<i>808D w/Perkins T6.354 Engine</i>			<i>JS115 w/Isuzu 4BG1T Tier 2 Engine (cont'd)</i>			<i>JS160 w/Isuzu Engine (cont'd)</i>		
	Air	LAF6587 ² LAF6587MXM ^{2, 268} LAF6834 ¹	69000056 58118096	Hydraulic Oil	LH4246 LFP7217	2/800020 (2/800359); By-Pass	Oil	LFP5748 LFP7164
32/202501			<i>JS115 w/Isuzu 4JJ1X Tier 3 Engine</i>			<i>JS160, JS160W, JS180 w/Isuzu 4BG1T Tier 2 Engine</i>		
32/401102	Fuel	L296F ⁴¹	32917805 32917804 (32925838); Sec.	Air	LAF9100 ¹ LAF9101 ² L8893F	32917805 32917804 (32925760); Pri.	Air	LAF9100 ¹ LAF9101 ² L3924F
02/100073	Oil	LFP2292	69000056 58118096	Hydraulic Oil	LH4246 LFP7217	69000056 58118096	Hydraulic Oil	LH4246 LFP7217
<i>811, 812 w/Perkins 6.354 Engine</i>			<i>JS130 w/Isuzu 4BG1T 4.3L Tier 2 Turbo</i>			<i>JS175W w/Isuzu 4HK1X Tier 3 Engine</i>		
32/202602	Air	LAF1544 ² LAF9410 ¹	32917805 32917804 (32925760); Pri.	Air	LAF9100 ¹ LAF9101 ² L3924F	58012020 58012021 (32925838); Sec.	Air	LAF2342 ² LAF2343 ¹ L8893F
32/202601			69000056 58118096	Hydraulic Oil	LH4246 LFP7217	69000056 58118096	Hydraulic Oil	LH4246 LFP7217
32/400701	Fuel	L296F ⁴¹	<i>JS130, JS150 w/Isuzu Engine</i>			<i>JS175W w/Isuzu 6BG1T Tier 2 Engine</i>		
02/100073	Oil	LFP2292 PH4403	32/202602	Air	LAF1544 ² LAF8583 LAF9410 ¹	58012020 58012021 (32925760); Pri.	Air	LAF2342 ² LAF2343 ¹ L3924F
02/100284			8944537382	Fuel	FP588F LFF3415	69000056 58118096	Hydraulic Oil	LH4246 LFP7217
<i>814, 814S w/Perkins 6.354 Engine</i>			02/800001	Hydraulic	LFH7551	28/00020	Oil	LFP5748
32/202602	Air	LAF1544 ² LAF6587 ² LAF6587MXM ^{2, 268} LAF6834 ¹ LAF9410 ¹	<i>JS130W, JS150W w/Isuzu Engine</i>			<i>JS180 w/Isuzu 4JJ1X Tier 3 Engine</i>		
32/201602			KRH0787 KRH0786 JLH100 JLH101	Air	LAF1804 ² LAF6834 ¹ LAF8583 ² LAF9410 ¹	32917805 32917804 (32925838); Sec.	Air	LAF9100 ¹ LAF9101 ² L8893F
	Fuel	L296F ⁴¹	8944537382	Fuel	FP588F LFF3415	69000056 58118096	Hydraulic Oil	LH4246 LFP7217
02/100073	Oil	LFP2292 PH4403	02/800001	Hydraulic	LFH7551	<i>JS190 w/Isuzu 4HK1X Tier 3 Engine</i>		
<i>817, 818, 820 w/Perkins 6.354 Engine</i>			KNJ0288	Hydraulic	LFH7551	58012020 58012021 (32925838); Sec.	Air	LAF2342 ² LAF2343 ¹ L8893F
32/201602	Air	LAF6587 ² LAF6587MXM ^{2, 268} LAF6834 ¹	28/00020	Oil	LFP5748	69000056 58118096	Hydraulic Oil	LH4246 LFP7217
32/201601			<i>JS145 w/Isuzu 4BG1T Tier 2 Engine</i>			<i>JS190 w/Isuzu 6BG1T Tier 2 Engine</i>		
	Fuel	L296F ⁴¹	32917805 32917804 (32925760); Pri.	Air	LAF9100 ¹ LAF9101 ² L3924F	58012020 58012021 (32925838); Sec.	Air	LAF2342 ² LAF2343 ¹ L8893F
	Oil	PH4403	69000056 58118096	Hydraulic Oil	LH4246 LFP7217	69000056 58118096	Hydraulic Oil	LH4246 LFP7217
<i>8C, 8D w/Perkins 6.354 Engine</i>			8944537382	Fuel	FP588F LFF3415	<i>JS200 w/Isuzu Engine</i>		
988/00031	Air	LAF8579	02/800001	Hydraulic	LFH7551	KRP1230 02/800001	Air Fuel	LAF7315 ¹ LFF3415
32/400701	Fuel	L296F ⁴¹	KNJ0288	Hydraulic	LFH7551	KNJ0288	Hydraulic	LFH7551
02/100073	Oil	LFP2292	28/00020	Oil	LFP5748	1132401601 (02/800227); By-Pass	Oil	LFP6007 LFP777B
<i>JC150LC</i>			<i>JS145, JS145W w/Isuzu 4JJ1X Tier 3 Engine</i>			<i>JS220LC w/Isuzu Engine</i>		
JLH0100	Air	LAF8583 LAF9410	32917805 32917804 (32925760); Pri.	Air	LAF9100 ¹ LAF9101 ² L3924F	32912902 02/800001	Air Fuel	LAF5932 ¹ LFF3415
JLH0101			69000056 58118096	Hydraulic Oil	LH4246 LFP7217	KBJ1691 KRJ3836 KNJ0288	Hydraulic	LH22019 LH5953 LP6005
8944537382	Fuel	FP588F	<i>JS150LC</i>			<i>JS240 w/Isuzu 4HK1X Engine</i>		
8944160690	Oil	LFP5748	32/202602 BRH0282	Air	LAF1544 ² LAF1723 ¹	58012020 58012021 69000051	Air Hydraulic	LAF2342 ² LAF2343 ¹ LH4166
<i>JC200LC</i>			8944537382	Fuel	FP588F	<i>JS110 w/Isuzu Engine</i>		
KRP1230	Air	LAF7315 ¹ LAF9000 ²	28/00020	Oil	LFP5748	<i>JS115 w/Isuzu 4BG1T Tier 2 Engine</i>		
KRP1091			<i>JS160 w/Isuzu Engine</i>			<i>JS115 w/Isuzu 4BG1T Tier 2 Engine</i>		
02/800001	Fuel	LFF3415	32/917805 32/917804	Air	LAF9100 ¹ LAF9101 ²	32917805 32917804 (32925838); Sec.	Air	LAF9100 ¹ LAF9101 ² L8893F
KRJ2780	Hydraulic	LH8543	69000056 58118096	Hydraulic Oil	LH4246 LFP7217	69000056 58118096	Hydraulic Oil	LH4246 LFP7217
08/000001	Oil	LFP6007	<i>JS145, JS160 w/JCB 444 Duramax Engine</i>			<i>JS110 w/Isuzu Engine</i>		
<i>JS070 w/Isuzu 4JB1 2.8L Engine</i>			32917805 32917804 (32925760); Pri.	Fuel	LFF3415 LFH7551 ¹⁰⁷⁸ LH22019	58012020 58012021 69000051	Air Hydraulic	LAF2342 ² LAF2343 ¹ LH4166
KAP0727	Air	LAF5835 ¹	<i>JS150LC</i>			<i>JS110 w/Isuzu Engine</i>		
KEP0007	Fuel	FP588F LFF4295	32/202602 BRH0282	Air	LAF1544 ² LAF1723 ¹	58012020 58012021 69000051	Oil	LFP3050
8941434790			8944537382	Fuel	FP588F	<i>JS110 w/Isuzu Engine</i>		
69000056	Hydraulic	LH4246	28/00020	Oil	LFP5748	<i>JS110 w/Isuzu Engine</i>		
KNP0065	Oil	LFP2255	<i>JS160 w/Isuzu Engine</i>			<i>JS110 w/Isuzu Engine</i>		
<i>JS110 w/Isuzu Engine</i>			32/917805 32/917804	Air	LAF9100 ¹ LAF9101 ²	02/800226 (02/800227); By-Pass	Oil	LFP734 LFP777B
32/202602	Air	LAF1544 ² LAF8583 LAF9410	<i>JS160 w/Isuzu Engine</i>			<i>JS110 w/Isuzu Engine</i>		
JLH100			32/917805 32/917804	Air	LAF9100 ¹ LAF9101 ²	02/800226 (02/800227); By-Pass	Oil	LFP734 LFP777B
JLH101			32/917805 32/917804	Air	LAF9100 ¹ LAF9101 ²	02/800226 (02/800227); By-Pass	Oil	LFP734 LFP777B
<i>JS115 w/Isuzu 4BG1T Tier 2 Engine</i>			02/800001	Fuel	LFF3415	<i>JS110 w/Isuzu Engine</i>		
32917805	Air	LAF9100 ¹ LAF9101 ²	KNJ0288	Hydraulic	LFH7551 ¹⁰⁷⁸	<i>JS110 w/Isuzu Engine</i>		
32917804			KBJ1691	Hydraulic	LH22019	<i>JS110 w/Isuzu Engine</i>		
(32925760); Pri.	Fuel	L3924F	<i>JS110 w/Isuzu Engine</i>			<i>JS110 w/Isuzu Engine</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 1078-Drain

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JCB (EXCAVATOR)			JCB (EXCAVATOR)			JCB (EXCAVATOR)		
<i>JS240 w/Isuzu 4HK1X Engine (cont'd)</i>			<i>JS330 w/Isuzu 6SD1T Engine</i>			<i>Micro 8008 w/Perkins 403CD07 Engine</i>		
KRJ3836	Hydraulic	LH5953	KTH0284	Air	LAF1787 ²		Air	LAF22056 ¹
58118096	Oil	LFP7217	KSH0522		LAF1790 ¹	32919902		LAF8388 ²
<i>JS240, JS240LC w/Isuzu 6BG1T Engine</i>			02/800001	Fuel	LFF3415	2630935A	Oil	PH2835
KRP1230	Air	LAF7315 ¹	KNJ0288	Hydraulic	LFH7551	<i>Micro Plus T2 w/Perkins 403CD07 Engine</i>		
KRP1091		LAF9000 ²	KBJ1691		LH22019 ¹¹³⁷		Air	LAF22056 ¹
02/800001	Fuel	LFF3415	(1132401310);	Oil	LFP777B	32919902		LAF8388 ²
KNJ0288	Hydraulic	LFH7551	By-Pass			32401102	Fuel	L296F ⁴¹
<i>JS260 w/Isuzu 4HK1X Tier 3 Engine</i>			<i>JS360 w/Isuzu 6HK1 Tier 3 engine</i>			2630935A	Oil	PH2835
58012020	Air	LAF2342 ²	32925284	Air	LAF6098	JCB (GENERATOR)		
58012021		LAF2343 ¹	32925285		LAF6099	<i>G110, G110QX w/JCB 444 Dieselmax Tier 2 Engine</i>		
(32925838); Sec.	Fuel	L8893F	58118096		LFP7217	32925402	Air	LAF9543 ¹
69000051	Hydraulic	LH4166		Fuel	L3880F	32925401		LAF9547 ²
KRJ3836		LH5953	32925838		L8893F	(32925694); Pri.	Fuel	L3924F
58118096	Oil	LFP7217	KNJ0288	Hydraulic	LFH7551	32004133	Oil	LFP3050
<i>JS260, JS260NLC w/Isuzu 6BG1TPC01 Engine</i>			69000051		LH4166	<i>G440, G440Q w/Scania DC12 Engine</i>		
	Air	LAF5932 ¹	<i>JS360 w/Isuzu 6HK1XZ Tier 4 engine</i>			1117285	Oil	LFP3191
32912901		LAF8149 ²	32925284	Air	LAF6098	1117285		LFP3191TRT ³
	Fuel	LFF3415	32925285		LAF6099			LFP3191XL ¹⁴
1878116380	Oil	LFP734		Fuel	L3880F ⁴¹	<i>G55Q, G55QX w/JCB 444 Dieselmax Tier 2 Engine</i>		
(1878116390);		LFP777B	KNJ0288	Hydraulic	LFH7551 ⁴¹	32917805	Air	LAF9100 ¹
By-Pass			69000051		LH4166 ⁴¹	32917804		LAF9101 ²
<i>JS290 w/Isuzu 6HK1X Tier 3 Engine</i>			58118096	Oil	LFP7217	(32925694); Pri.	Fuel	L3924F
32920401	Air	LAF4601 ²	<i>JS450 w/Isuzu 6RB1TQB Engine</i>			32004133	Oil	LFP3050
32920402		LAF4602 ¹	KTH0284	Air	LAF1787 ²	<i>G63, G63Q w/JCB 444 Dieselmax Tier 2 Engine</i>		
(32925838); Sec.	Fuel	L8893F	KSH0522		LAF1790 ¹	32917805	Air	LAF9100 ¹
69000056	Hydraulic	LH4246	(1132400440); W/S	Fuel	LFF4294	32917804		LAF9101 ²
58118096	Oil	LFP7217	KNJ0288	Hydraulic	LFH7551	(32925694); Pri.	Fuel	L3924F
<i>JS300 w/Isuzu Engine</i>						32004133	Oil	LFP3050
KSH0522	Air	LAF1790 ¹	<i>JS460 w/Isuzu 6SD1X Engine</i>			<i>G80R, G88, G88Q w/JCB 444 Dieselmax Tier 2 Engine</i>		
	Fuel	LFF3415	32925284	Air	LAF6098 ²	32917805	Air	LAF9100 ¹
KNJ0288	Hydraulic	LFH7551	32925285		LAF6099 ¹	32917804		LAF9101 ²
(02/800003); By-Pass	Oil	LFP777B	(1132400440); W/S	Fuel	LFF4294	(32925694); Pri.	Fuel	L3924F
By-Pass	Trans	LH8539	69000051	Hydraulic	LH4166	32004133	Oil	LFP3050
			<i>JZ140 w/Isuzu 4BG1T 4.3L Engine</i>			JCB (LIFT TRUCK)		
<i>JS300LC w/Isuzu 6RB1T PE-01 Engine</i>			32917805	Air	LAF9100 ¹	<i>926 Rough Terrain w/JCB 444 Dieselmax Engine</i>		
KTH0284	Air	LAF1787 ²	32917804		LAF9101 ²	32915802	Air	LAF3947 ²
KSH0522		LAF1790 ¹	KNJ0288A	Hydraulic	LFH7551	32915801		LAF3948 ¹
(1132400440); W/S	Fuel	LFF4294	69000056		LH4246	(32925694); Pri.	Fuel	L3924F
(1132401310);	Oil	LFP777B	58118096	Oil	LFP7217	32004133	Oil	LFP3050
By-Pass			<i>JZ140 w/Isuzu 4J1X Tier 3 Engine</i>			<i>926 Rough Terrain w/Perkins 1104C-44 Engine</i>		
1132400450		LFP8224	32917805	Air	LAF9100 ¹	32/206002	Air	LAF8515 ²
<i>JS300LC w/Isuzu 6SD1T PB-01 Engine</i>			32917804		LAF9101 ²	32/206003		LAF8516 ¹
KTH0284	Air	LAF1787 ²	32925838	Fuel	L8893F	32/401102	Fuel	L296F ^{18, 41}
KSH0522		LAF1790 ¹	58118096	Oil	LFP7217	32/400502		LFF3501 ¹⁹
02/800001	Fuel	LFF3415	<i>JZ235, JZ255 w/Isuzu 4HK1X Tier 3 Engine</i>			32/912001		LFF3504
KNJ0288	Hydraulic	LFH7551	58012020	Air	LAF2342 ²	32/901701	Hydraulic	LFH4268
KBJ1691		LH22019 ¹¹³⁷	58012021		LAF2343 ¹	32/902301		LFH8534
08/000001	Oil	LFP6007	32925838	Fuel	L8893F	02/100284	Trans	PH4403
(02/800003); By-Pass		LFP777B	69000051	Hydraulic	LH4166	<i>930 Rough Terrain w/JCB 444 Dieselmax Engine</i>		
By-Pass		LFP777XL ¹⁴	KRJ3836		LH5953	32915802	Air	LAF3947 ²
<i>JS330 w/Isuzu 6HK1X Tier 3 Engine</i>			58118096	Oil	LFP7217	32915801		LAF3948 ¹
32920401	Air	LAF4601 ²	<i>JZ70 w/Isuzu 4JG1 Tier 2 Engine</i>			(32925694); Pri.	Fuel	L3924F
32920402		LAF4602 ¹	32925254	Air	LAF8749 ²			
32925838	Fuel	L8893F	32925255		LAF8750 ¹			
69000051	Hydraulic	LH4166	69000056	Hydraulic	LH4246			
58118096	Oil	LFP7217	2800176	Oil	PH2863B			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 18-Short 19-Long 41-Cartridge 1137-Pilot

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JCB (LIFT TRUCK)			JCB (ROLLER INDUSTRIAL)			JCB (SKID STEER LOADER)		
<i>930 Rough Terrain w/JCB 444 Dieselmex Engine (cont'd)</i>			<i>VM132 w/JCB 444 Dieselmex Tier 3 Engine (cont'd)</i>			<i>1110 Robot w/JCB 444 Dieselmex Engine</i>		
32004133	Oil	LFP3050	32004133	Oil	LFP3050	32/912001	Fuel	LFF3504
<i>930 Rough Terrain w/Perkins 1104C-44 Engine</i>			<i>VM146 w/JCB 444 Dieselmex Tier 3 Engine</i>			<i>1110, 1110 Series II w/JCB Dieselmex TC68 Engine</i>		
32/206002	Air	LAF8515 ²	58012020	Air	LAF2342 ²	32915701	Air	LAF4544 ²
32/206003		LAF8516 ¹	58012021		LAF2343 ¹	32915702		LAF4545 ¹
32/401102	Fuel	L296F ^{18, 41}	32004133	Oil	LFP3050	(32925915); Pri.	Fuel	L4109F
32/400502		LFF3501 ¹⁹	<i>VM166 w/Cummins QSB6.7 Tier 3 Engine</i>			58118020	Hydraulic	LFH4473
32/912001		LFF3504	32920401	Air	LAF4601 ²	32004133	Oil	LFP3050
32/901701	Hydraulic	LFH4268	32920402		LAF4602 ¹	<i>150 Robot w/Perkins 104-22 2.2L Engine</i>		
32/902301		LFH8534	(32925763); W/S	Fuel	LFF9732	32/401102	Fuel	L296F ⁴¹
02/100284	Trans	PH4403	32925413	Oil	LFP3970	<i>160 Robot, 170 Robot w/Perkins 404C-22 Engine</i>		
<i>940 Rough Terrain w/Perkins 1104C-44 Engine</i>			<i>VM200 w/Cummins QSB6.7 Tier 3 Engine</i>			32919001	Air	LAF8148 ²
32/206002	Air	LAF8515 ²	32920401	Air	LAF4601 ²	32919002		LAF9332 ¹
32/206003		LAF8516 ¹	32920402		LAF4602 ¹	32/401102	Fuel	L296F ⁴¹
32/401102	Fuel	L296F ^{18, 41}	(32925763); W/S	Fuel	LFF9732		Hydraulic	LFH4473
32/400502		LFF3501 ¹⁹	32925413	Oil	LFP3970	32/909200		LFH4936
32/912001		LFF3504	<i>VM75, VM75D w/JCB 444 Dieselmex Tier 3 Engine</i>			02/630995	Oil	LFP2215
32/901701	Hydraulic	LFH4268	58012020	Air	LAF2342 ²		Trans	LFH4910
32/902301		LFH8534	58012021		LAF2343 ¹	<i>160 Robot, 170 Robot w/Perkins 404C-22 Tier 3 Engine</i>		
02/100284	Trans	PH4403	(32925915); Pri.	Fuel	L4109F	32/919001	Air	LAF8148 ²
<i>940,950 Rough Terrain w/JCB 444 Dieselmex Engine</i>			32004133	Oil	LFP3000	32/919002		LAF9332 ¹
32915802	Air	LAF3947 ²	<i>VMT160 w/Kubota D1005 Tier 4 Engine</i>			32/400701	Fuel	L296F ⁴¹
32915801		LAF3948 ¹	32/925254	Air	LAF8749 ²	58118020	Hydraulic	LFH4473
(32925694); Pri.	Fuel	L3924F	32/925255		LAF8750 ¹		Oil	LFP2215
32004133	Oil	LFP3050	<i>VMT360 w/Kubota V2203 Engine</i>			2630935A		PH2835
<i>TLT25D Teletruk w/Perkins 404D.22 Tier 3 Engine</i>			32/925254	Air	LAF8749 ²	32910601	Trans	LFH4910
32917302	Air	LAF8114 ¹	32/925255		LAF8750 ¹	<i>160 Robot, 170 Robot w/Perkins 404C-22T Engine</i>		
32917301		LAF8143 ²		Fuel	G3/8	32919001	Air	LAF8148 ²
(32925694); Pri.	Fuel	L3924F	<i>VMT400 w/Kubota V2203 Engine</i>			32919002		LAF9332 ¹
2630935A	Oil	PH2835	32/925254	Air	LAF8749 ²	32/401102	Fuel	L296F ⁴¹
<i>TLT30D HL w/Perkins 404C.22T Tier 2 Engine</i>			32/925255		LAF8750 ¹		Hydraulic	LFH4473
32917302	Air	LAF8114 ¹	<i>VMT480 w/Kubota V2203 Engine</i>			32/909200		LFH4936
32917301		LAF8143 ²	32/925254	Air	LAF8749 ²	02/630995	Oil	LFP2215
32401102	Fuel	L296F ⁴¹	32/925255		LAF8750 ¹		Trans	LFH4910
(32925694); Pri.		L3924F		Fuel	G3/8	<i>160 Robot, 170 Robot w/Perkins 404C-22T Tier 3 Engine</i>		
21/00284	Oil	PH4403	<i>VMT500 w/Kubota V2203 Engine</i>			32/919001	Air	LAF8148 ²
<i>TLT30D Teletruk w/Perkins 404D.22 Tier 3 Engine</i>			32/925254	Air	LAF8749 ²	32/919002		LAF9332 ¹
32917302	Air	LAF8114 ¹	32/925255		LAF8750 ¹	32/400701	Fuel	L296F ⁴¹
32917301		LAF8143 ²		Fuel	G3/8	58118020	Hydraulic	LFH4473
(32925694); Pri.	Fuel	L3924F	<i>VW132 w/Cummins 6BTAA5.9L Engine</i>				Oil	LFP2215
2630935A	Oil	PH2835	58012020	Air	LAF2342 ²	2630935A		PH2835
<i>TLT35D w/Perkins 404C.22T Tier 2 Engine</i>			58012021		LAF2343 ¹	32910601	Trans	LFH4910
32917302	Air	LAF8114 ¹	(32925451); W/S	Fuel	LFF9608	<i>160HF w/Perkins 404C-22 Engine</i>		
32917301		LAF8143 ²	2910970	Oil	LFP780	32919001	Air	LAF8148
32401102	Fuel	L296F ⁴¹	<i>VW146 w/Cummins 6BTAA5.9L Engine</i>			32919002		LAF9332 ¹
(32925694); Pri.		L3924F	58012020	Air	LAF2342 ²	32/401102	Fuel	L296F ⁴¹
21/00284	Oil	PH4403	58012021		LAF2343 ¹	58118020	Hydraulic	LFH4473
JCB (ROLLER INDUSTRIAL)			(32925451); W/S	Fuel	LFF9608	32/910601		LFH4910
<i>VM115 w/JCB 444 Dieselmex Tier 3 Engine</i>			2910970	Oil	LFP780	21/00284	Oil	PH4403
58012020	Air	LAF2342 ²	<i>VW132 w/JCB 444 Dieselmex Tier 3 Engine</i>					
58012021		LAF2343 ¹	58012020	Air	LAF2342 ²			
32004133	Oil	LFP3050	58012021		LAF2343 ¹			
<i>VM132 w/JCB 444 Dieselmex Tier 3 Engine</i>			(32925451); W/S	Fuel	LFF9608			
58012020	Air	LAF2342 ²	2910970	Oil	LFP780			
58012021		LAF2343 ¹	<i>VW146 w/Cummins 6BTAA5.9L Engine</i>					
			58012020	Air	LAF2342 ²			
			58012021		LAF2343 ¹			
			(32925451); W/S	Fuel	LFF9608			
			2910970	Oil	LFP780			
					LFP780XL ¹⁴			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 14-Extended Life 18-Short 19-Long 41-Cartridge

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JCB (SKID STEER LOADER)			JCB (SKID STEER LOADER)			JCB (SKID STEER LOADER)		
<i>160HF w/Perkins 404C-22T Engine</i>			<i>180 w/Perkins 404C-22 Engine</i>			<i>225,225T,260, 260T, 280 w/TC-63 Engine</i>		
32919001	Air	LAF8148	32/919001	Air	LAF8148 ²	32915701	Air	LAF4544 ²
32919002		LAF9332 ¹	32/919002		LAF9332 ¹	32915702		LAF4545 ¹
32/401102	Fuel	L296F ⁴¹	32/400701	Fuel	L296F ⁴¹	(32925915); Pri.	Fuel	L4109F
581/18020	Hydraulic	LFH4473	58118020	Hydraulic	LFH4473	32004133	Oil	LFP3050
32/910601		LFH4910	2630935A	Oil	PH2835	<i>260,260T w/JCB EcoMax T4i Engine</i>		
21/00284	Oil	PH4403	32910601	Trans	LFH4910	(32925915); Pri.	Fuel	L4109F
<i>160HF w/Perkins 404D-22 Engine</i>			<i>180 w/Perkins 404C-22T Engine</i>			32004133	Oil	LFP3050
32919001	Air	LAF8148	32/919001	Air	LAF8148 ²	<i>280 w/JCB EcoMax T4i Engine</i>		
32919002		LAF9332 ¹	32/919002		LAF9332 ¹	(32925915); Pri.	Fuel	L4109F
32/401102	Fuel	L296F ⁴¹	32/400701	Fuel	L296F ⁴¹	32004133	Oil	LFP3050
581/18020	Hydraulic	LFH4473	58118020	Hydraulic	LFH4473	<i>300, 300T, 330, 330T w/TC-68 Engine</i>		
32/910601		LFH4910	2630935A	Oil	PH2835	(32925915); Pri.	Fuel	L4109F
21/00284	Oil	PH4403	32910601	Trans	LFH4910	32004133	Oil	LFP3050
<i>160HF w/Perkins 404D-22T Engine</i>			<i>180T Robot w/Perkins 404D-22 Engine</i>			<i>300T ECO w/JCB EcoMax 4Ti Engine</i>		
32919001	Air	LAF8148	32919001	Air	LAF8148	(32925915); Pri.	Fuel	L4109F
32919002		LAF9332 ¹	32919002		LAF9332 ¹	32004133	Oil	LFP3050
32/401102	Fuel	L296F ⁴¹	32/401102	Fuel	L296F ⁴¹	<i>320T ECO w/JCB EcoMax 4Ti Engine</i>		
581/18020	Hydraulic	LFH4473	581/18020	Hydraulic	LFH4473	(32925915); Pri.	Fuel	L4109F
32/910601		LFH4910	32/910601		LFH4910	32004133	Oil	LFP3050
21/00284	Oil	PH4403	32909200		LFH4936	<i>330ECO w/JCB EcoMax 4Ti Engine</i>		
<i>165, 165HF Robot w/Perkins Engine</i>			21/00284	Oil	PH4403	(32925915); Pri.	Fuel	L4109F
32/906802	Air	LAF8587 ¹	<i>185, 185HF Robot w/Perkins Engine</i>			32004133	Oil	LFP3050
32/905001		LAF8588 ²	32/912001	Fuel	LFF3504	JCB (TELESCOPIC HANDLER)		
32/905002		LAF8589 ¹	(32/909200); 185 only	Hydraulic	LFH4936	<i>3000</i>		
32/906801		LAF8802 ²	02/100284	Oil	PH4403	32/201001	Air	LAF689
32/400701	Fuel	L296F ⁴¹	<i>190 Robot w/Perkins 1004-4 Engine</i>			32/400701	Fuel	L296F ⁴¹
(32/909200); 165 only	Hydraulic	LFH4936	32915701	Air	LAF4544 ²	988/00038	Oil	P52
02/630795	Oil	LFP2215	32915702		LAF4545 ¹	<i>504B</i>		
<i>170HF ROBOT w/Perkins 404C-22 Diesel Engine</i>			32/912001	Fuel	LFF3504	32/903001	Air	LAF8584 ²
32919001	Air	LAF8148	32909200	Hydraulic	LFH4936	32/903002		LAF8585 ¹
32919002		LAF9332 ¹	2100073A	Oil	LFP2292	32/401102	Fuel	L296F ^{18, 41}
32/401102	Fuel	L296F ⁴¹	32910601	Trans	LFH4910	32/400502		LFF3501 ¹⁹
581/18020	Hydraulic	LFH4473	<i>190 Robot w/Perkins 1004-4T Engine</i>			32/912001		LFF3504
32/910601		LFH4910	32915701	Air	LAF4544 ²	32/913500	Hydraulic	LH4199 ¹⁰⁷⁷
21/00284	Oil	PH4403	32915702		LAF4545 ¹	02/100284	Oil	PH4403
<i>170HF Robot w/Perkins 404D-22 Engine</i>			32/912001	Fuel	LFF3504	02/100284	Trans	PH400 ²⁷⁵
32919001	Air	LAF8148	32909200	Hydraulic	LFH4936	02/100284		PH4403
32919002		LAF9332 ¹	2100073A	Oil	LFP2292	02/100284		PH8A ¹⁴⁹⁶
32/401102	Fuel	L296F ⁴¹	32910601	Trans	LFH4910	<i>505-19</i>		
581/18020	Hydraulic	LFH4473	<i>190 Robot w/Perkins 1104C-44 Engine</i>			32/903201	Air	LAF8586 ²
32/910601		LFH4910	32915701	Air	LAF4544 ²	32/906802		LAF8587 ¹
21/00284	Oil	PH4403	32915702		LAF4545 ¹	32/401102	Fuel	L296F ⁴¹
<i>170HF Robot w/Perkins 404D-22T Engine</i>				Base	LMB6926 ⁹⁴³	32/912001		LFF3504
32919001	Air	LAF8148		Fuel	LFF6925 ⁹⁴²	32/901701	Hydraulic	LFH4268
32919002		LAF9332 ¹	2100073A	Oil	LFP2292	32/902301		LFH8534
32/401102	Fuel	L296F ⁴¹	32910601	Trans	LFH4910	02/100073	Oil	LFP2292
581/18020	Hydraulic	LFH4473	<i>190,190T w/Dieselmex TC63 Engine</i>			02/100284	Trans	PH400 ²⁷⁵
32/910601		LFH4910	32915802	Air	LAF3947 ²	02/100284		PH8A ¹⁴⁹⁶
21/00284	Oil	PH4403	32915801		LAF3948 ¹	<i>505-22</i>		
<i>180 Robot w/Perkins 404C-22T Engine</i>			32915701		LAF4544 ²	32/903001	Air	LAF8584 ²
32919001	Air	LAF8148	32915702		LAF4545 ¹	32/903002		LAF8585 ¹
32919002		LAF9332 ¹	(32925915); Pri.	Fuel	L4109F	32/401102	Fuel	L296F ⁴¹
32/401102	Fuel	L296F ⁴¹	58118020	Hydraulic	LFH4473	32/912001		LFF3504
581/18020	Hydraulic	LFH4473	32004133	Oil	LFP3050	32/901701	Hydraulic	LFH4268
32/910601		LFH4910	32910601	Trans	LFH4910	32/902301		LFH8534
21/00284	Oil	PH4403				02/100284	Oil	PH4403

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 18-Short 19-Long 41-Cartridge 275-Primary 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1077-Hyd. Tank 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JCB (TELESCOPIC HANDLER)			JCB (TELESCOPIC HANDLER)			JCB (TELESCOPIC HANDLER)		
<i>505-22 (cont'd)</i>			<i>520 w/Perkins 1004-4 Engine</i>			<i>524-50 w/JCB 444 Dieselmex Engine</i>		
02/100284	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	32/202602	Air	LAF1544 ² LAF9410 ¹	32/915802	Air	LAF3947 ² LAF3948 ¹
02/100284			32/202601			32/915801		
<i>506-36, 508-10, 510-10</i>			32/400502	Fuel	LFF3501	(32925915); Pri.	Fuel	L4109F
32/903201	Air	LAF8586 ² LAF8587 ¹	988/00038	Oil	P52	58118020	Hydraulic	LFH4473
32/903202			02/301217		PH4408	32004133	Oil	LFP3050
32/401102	Fuel	L296F ⁴¹	<i>520-10</i>			<i>525 w/Perkins Engine</i>		
32/912001		LFF3504	32/903001	Air	LAF8584 ² LAF8585 ¹	32/205702	Air	LAF8517 ² LAF8518 ¹
32/901701	Hydraulic	LFH4268 LFH8534	32/903002			32/203703		
32/902301				Fuel	LFF3501	32/400701	Fuel	L296F ⁴¹
02/100073	Oil	LFP2292	02/100284	Oil	PH4403		Hydraulic	LFH8536
02/100284	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>520-40 w/Perkins 404C-22 Engine</i>			02/100284	Oil	PH4403
02/100284			32917302	Air	LAF8114 ¹	<i>525, 525-4</i>		
<i>506B Non-Turbo</i>			32917301		LAF8143 ²	32/203702	Air	LAF8517 ² LAF8518 ¹
32/903001	Air	LAF8584 ² LAF8585 ¹	32401102	Fuel	L296F ⁴¹	32/203703		
32/903002			58118020	Hydraulic	LFH4473	32/400701	Fuel	L296F ⁴¹ LFF3501
32/401102	Fuel	L296F ⁴¹	2630935A	Oil	PH2835	32/400502		
32/912001		LFF3504	<i>520-40 w/Perkins 404D-22 Engine</i>			988/00038	Oil	P52
(32/906501); S/N	Hydraulic	LFH8534	32917302	Air	LAF8114 ¹	02/301217		PH4408
57000-570980			32917301		LAF8143 ²	988/00038	Trans	P52
02/100284	Oil	PH4403	32401102	Fuel	L296F ⁴¹	<i>525-50</i>		
02/100284	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	58118020	Hydraulic	LFH4473	32/903001	Air	LAF8584 ² LAF8585 ¹ LAF8586
02/100284			2630935A	Oil	PH2835	32/903002		
<i>506B Turbo</i>			<i>520-50 w/Perkins 1004-4 Tier 1 Engine</i>			32/903201		
32/903201	Air	LAF8586 ² LAF8587 ¹	32/905002	Air	LAF8589 ¹	32/401102	Fuel	L296F ⁴¹
32/903202			32/912001	Fuel	LFF3504	32/902301	Hydraulic	LFH8534
32/401102	Fuel	L296F ⁴¹	02/100284	Oil	PH4403	02/100284	Oil	LFP2292
32/912001		LFF3504	02/100284	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>525-58, 525-67 w/Perkins 1004-4HR Engine</i>		
(32/902301); S/N	Hydraulic	LFH8534	02/100284			32/903001	Air	LAF8584 ² LAF8585 ¹ LAF8586
57000-570980			<i>520-50 w/Perkins 1104C-44 Tier 2 Engine</i>			32/903002		
02/100073	Oil	LFP2292	32/905002	Air	LAF8589 ¹	32/903201		
02/100284	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	32/912001	Fuel	LFF3504	32/401102	Fuel	L296F ⁴¹
02/100284			02/100284	Oil	PH4403	32/902301	Hydraulic	LFH8534
<i>506C, 508C w/Perkins Engine</i>			02/100284	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	02/100284	Oil	LFP2292
(32/903001); w/o	Air	LAF8584 ²	02/100284			2100284	Trans	PH4403
Turbo			<i>520-55 w/Perkins Engine</i>			<i>525-60 w/Kohler Tier 4 Engine</i>		
32/903002		LAF8585 ¹ LAF8586 ² LAF8587 ¹	32/903001	Air	LAF8584 ² LAF8585 ¹	32915701	Air	LAF4544 ¹³³⁹ LAF4544MXM ^{2, 268} LAF4545 ¹
(32/903201); Turbo			32/903002		LFF3501			
32/903202			02/100284	Fuel	LFF3501	32915702		
32/912001	Fuel	LFF3504	02/100284	Oil	PH4403	<i>525B, 525BHL w/Perkins Engine</i>		
02/100073	Oil	LFP2292 ⁶⁷⁷	02/100284	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	32/205702	Air	LAF8517 ² LAF8518 ¹
<i>508-40</i>			02/100284			32/205703		
32/903201	Air	LAF8586 ² LAF8587 ¹	<i>520HL, 520M w/Perkins Engine</i>			32/400701	Fuel	L296F ⁴¹
32/903202			32/205703	Air	LAF1784 ¹	32/901401	Hydraulic	LFH4268
32/401102	Fuel	L296F ⁴¹	32/203702		LAF8517 ² LAF8518 ¹	02/100284	Oil	PH4403
32/912001		LFF3504	32/203703		LAF8572 ²	02/100284A	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
32/901701	Hydraulic	LFH4268	32/205702			02/100284A		
02/100073	Oil	LFP2292	32/400701	Fuel	L296F ⁴¹	<i>526 w/JCB 444 4.4L Engine</i>		
<i>510-40</i>			02/100073	Oil	LFP2292	32/903201	Air	LAF8586 ² LAF8587 ¹
32/903201	Air	LAF8586 ² LAF8587 ¹	02/100284		PH4403	32/906802		
32/903202			<i>520M/2, 520M/4 w/Leyland 4.98NT Engine</i>			32/912001	Fuel	LFF3504
32/401102	Fuel	L296F ⁴¹	32/205702	Air	LAF8517 ² LAF8518 ¹	02/100073	Oil	LFP2292
32/901701	Hydraulic	LFH4268	32/205703			<i>526-56 w/JCB 444 Dieselmex Engine</i>		
02/100073	Oil	LFP2292	32/400701	Fuel	L296F ⁴¹	32917805	Air	LAF9100 ¹ LAF9101 ²
02/100284	Trans	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	32/400502		LFF3501	32917804		
02/100284			988/00038	Oil	P52	(32925694); Pri.	Fuel	L3924F
			02/301217		PH4408	(32925915); Pri.		L4109F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 275-Primary 677-3/4" thread 1339-Standard Life 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JCB (TELESCOPIC HANDLER)			JCB (TELESCOPIC HANDLER)			JCB (TELESCOPIC HANDLER)		
526-56 w/JCB 444 Dieselmax Engine (cont'd)			531-70 w/JCB 444 Dieselmax Tier 3 Engine (cont'd)			536-60 w/JCB 444 Dieselmax Tier 2 Engine (cont'd)		
32925346	Hydraulic	LH4199	(32/925624); Pri.	Fuel	L3924F	32/004133	Oil	LFP3050
32004133	Oil	LFP3050	(32925915); Pri.		L4109F	536-60 w/JCB 444 Dieselmax Tier 3 Engine		
58118063	Trans	LFP2303	32/004133	Oil	LFP3050	32/917805	Air	LAF9100 ¹
527-55 w/JCB 444 Dieselmax Engine			532 w/Perkins Engine			32/917804		LAF9101 ²
32/915802	Air	LAF3947 ²	(32/915802);	Air	LAF3947 ²	32/004133	Oil	LFP3050
32/915801		LAF3948 ¹	767000-771109			536-70 w/JCB 444 Dieselmax Tier 3 Engine		
(32925915); Pri.	Fuel	L4109F	32/915801		LAF3948 ¹	32/917805	Air	LAF9100 ¹
58118020	Hydraulic	LFH4473	32/917805		LAF9100 ¹	32/917804		LAF9101 ²
32004133	Oil	LFP3050	(32/917804); 771110-		LAF9101 ²	32/004133	Oil	LFP3050
527-55 w/Perkins 1104C-44 Engine			533-105 w/JCB 444 Dieselmax Engine			540 w/Perkins 4.236 Engine		
32/915802	Air	LAF3947 ²	32/912001	Fuel	LFF3504	(32/915802); 771065-771109	Air	LAF1734 ²
32/915801		LAF3948 ¹	32/913500	Hydraulic	LH4199 ¹⁰⁷⁷			LAF1735 ¹
	Base	LMB6926 ⁹⁴³	02/100073	Oil	LFP2292			LAF3947 ²
	Fuel	LFF6925 ⁹⁴²	533-105 w/JCB 444 Dieselmax Engine					LAF3948 ¹
58118020	Hydraulic	LFH4473	(32/917805); Turbo	Air	LAF3947 ²			LAF8517 ²
2100073A	Oil	LFP2292	(32/917804); Turbo		LAF3948 ¹			LAF8518 ¹
527-58 w/JCB444 DieselMax Engine			(32/925624); Pri.	Fuel	L3924F			LAF9100 ¹
32917805	Air	LAF9100 ¹	(32925915); Pri.		L4109F			LAF9101 ²
32917804		LAF9101 ²	32/004133	Oil	LFP3050			LAF9100 ¹
(32925915); Pri.	Fuel	L4109F	535-125 HiViz w/JCB 444 Dieselmax Engine				(32/917804); 771110-	
32004133	Oil	LFP3050	32/917805	Air	LAF9100 ¹	32/400701	Fuel	L296F ⁴¹
530 w/Perkins 4.236 Engine			32/917804		LAF9101 ²	32/912001		LFF3504
32/202602	Air	LAF1544 ²	(32925694); Pri.	Fuel	L3924F	32/902301	Hydraulic	LFH8534
32/202601		LAF9410 ¹	(32925915); Pri.		L4109F	02/100073	Oil	LFP2292
		LAF9538 ¹⁸¹	32/004133	Oil	LFP3050	02/100284		PH4403
		LAF9538MXM ^{181 291}	535-140 HiViz w/JCB 444 Dieselmax Engine			988/00038	Trans	P52
32/400701	Fuel	L296F ⁴¹	Turbo	Air	LAF3947 ²	540-140, 540-170 w/JCB 444 Dieselmax Tier 2 Engine		
32/902301	Hydraulic	LFH8534	Turbo		LAF3948 ¹	Except Turbo	Air	LAF3947 ²
02/100073	Oil	LFP2292	32/917805		LAF9100 ¹	Except Turbo		LAF3948 ¹
02/301217		PH4408	32/917804		LAF9101 ²	(32/917805); Turbo		LAF9100 ¹
530-70 w/Perkins 1004.40 Engine			(32925694); Pri.	Fuel	L3924F	(32/917804); Turbo		LAF9101 ²
32/912001	Fuel	LFF3504	(32925915); Pri.		L4109F	(32925694); Pri.	Fuel	L3924F
32/902301	Hydraulic	LFH8534	32/004133	Oil	LFP3050	(32925915); Pri.		L4109F
02/100073	Oil	LFP2292	535-95 w/444 DieselMax Tier 2 Engine			32925346	Hydraulic	LH4199 ¹³⁴⁰
530B			(32/915802); w/o	Air	LAF3947 ²	32/004133	Oil	LFP3050
(32/202602); Turbo	Air	LAF1544 ²	Turbo		LAF3948 ¹	540-140, 540-170 w/JCB 444 Dieselmax Tier 3 Engine		
32/202602		LAF1544 ²	(32/915801); w/o		LAF3948 ¹	Turbo	Air	LAF3947 ²
(32/203702); w/o		LAF8517 ²	Turbo		LAF9100 ¹	Turbo		LAF3948 ¹
Turbo		LAF8518 ¹	(32/917805); Turbo		LAF9101 ²	32/917805		LAF9100 ¹
(32/203703); w/o		LAF9410 ¹	(32/917804); Turbo		LAF9101 ²	32/917804		LAF9101 ²
Turbo		LAF9410 ¹	(32925694); Pri.	Fuel	L3924F	(32925694); Pri.	Fuel	L3924F
(32/202601); Turbo		LAF9410 ¹	Pri.		L4109F	(32925915); Pri.		L4109F
32/202601		LAF9410 ¹	32/004133	Oil	LFP3050	32/004133	Oil	LFP3050
32/400701	Fuel	L296F ⁴¹	535-95 w/JCB 444 Dieselmax Tier 3 Engine			540-170 w/Perkins 1004-40T Engine		
32/902301	Hydraulic	LFH8534	32/917805	Air	LAF9100 ¹	32/912001	Fuel	LFF3504
02/100284	Oil	PH4403	32/917804		LAF9101 ²	02/100073	Oil	LFP2292
02/100284	Trans	PH400 ²⁷⁵	32/004133	Oil	LFP3050	540B, 540BM w/Lister Petter Engine		
02/100284		PH8A ¹⁴⁹⁶	535-95 w/Perkins 1004-40 Engine			32/205703	Air	LAF1784 ¹
531-70 w/JCB 444 Dieselmax Tier 2 Engine			32/912001	Fuel	LFF3504	32/205702		LAF8572 ²
32/917805	Air	LAF9100 ¹	02/100073	Oil	LFP2292	540B2, 540B4 w/Perkins Engine		
32/917804		LAF9101 ²	536-60 w/JCB 444 Dieselmax Tier 2 Engine			(32/202602); 540B4	Air	LAF1544 ²
(32/925624); Pri.	Fuel	L3924F	32/917805	Air	LAF9100 ¹	(32/202601); 540B4		LAF9410 ¹
32/004133	Oil	LFP3050	32/917804		LAF9101 ²	32/400701	Fuel	L296F ⁴¹
531-70 w/JCB 444 Dieselmax Tier 3 Engine			(32/925624); Pri.	Fuel	L3924F	32/902301	Hydraulic	LFH8534
32/917805	Air	LAF9100 ¹						
32/917804		LAF9101 ²						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 181-Single 275-Primary 291-Extended/Severe service. 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1077-Hyd. Tank 1340-12 micron 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JCB (TELESCOPIC HANDLER)			JCB (TELESCOPIC HANDLER)			JCB (TRACTOR)		
<i>540B2, 540B4 w/Perkins Engine (cont'd)</i>			<i>908, 1500, 2000 w/Leyland 6.80 Engine</i>			<i>Fastrac 185 w/Cummins 6BTA5.9 Engine (cont'd)</i>		
2100284	Oil	LFP2292	32/201001	Air	LAF689	(02/910155); Sec.	Fuel	LFF3521
<i>541-70 w/JCB 444 Dieselmax Tier 2 Engine</i>			32/400701	Fuel	L296F ⁴¹	(TXW3E-CC10); S/N	Hydraulic	LH22142
32/917805	Air	LAF9100 ¹	<i>TM310, TM310 Agri, TM310S, TM310-WM w/JCB 444 DieselMax Engine</i>			636001-		
32/917804		LAF9101 ²	32004133	Oil	LFP3050	02/910140	Oil	LFP780
(32/925694); Pri.	Fuel	L3924F	JCB (TRACTOR)					LFP780XL ¹⁴
32/004133	Oil	LFP3050	Fastrac 1135			(32910601); S/N	Trans	LFH4910
<i>541-70 w/JCB 444 Dieselmax Tier 3 Engine</i>			<i>Fastrac 115, 1115 w/Perkins 1006.6 Engine</i>			636001-		
32/917805	Air	LAF9100 ¹	32/208303	Air	LAF8668 ²	<i>Fastrac 2115 w/Perkins 1006.6T Engine</i>		
32/917804		LAF9101 ²	32/208304		LAF8674 ¹	32/401102	Fuel	L296F ⁴¹
32/004133	Oil	LFP3050	32/401102	Fuel	L296F ⁴¹	(TXW3E-CC10); S/N	Hydraulic	LH22142
<i>541-70 w/JCB EcoMax Tier 4 Engine</i>			(TXW3E-CC10); S/N	Hydraulic	LH22142	738001-		
32004133	Oil	LFP3050	736000-			02/100073	Oil	LFP2292
<i>550 w/Perkins 1104C-44T Engine</i>			02/100284	Oil	PH4403	<i>Fastrac 2135, 2150 w/Perkins 1006.6 Engine</i>		
(32/915802);	Air	LAF3947 ²	(32910601); S/N	Trans	LFH4910	32/210101	Air	LAF5050 ²
767000-771109			636001-			32/912001	Fuel	LFF3504
(32/915801);		LAF3948 ¹	<i>Fastrac 125 w/Perkins 1006.6 Engine</i>			(TXW3E-CC10); S/N	Hydraulic	LH22142
767000-771109			32/202602	Air	LAF1544 ²	738001-		
(32/917805); 771110-		LAF9100 ¹	32/202601		LAF9410 ¹	32/910700	Oil	PH253 ¹⁴⁹⁶
(32/917804); 771110-		LAF9101 ²	32/401102	Fuel	L296F ⁴¹			PH2835 ²⁷⁵
FD7926	Base	LMB6926 ⁹⁴³	02/100073	Oil	LFP2292	32/910601	Trans	LFH4910
32/912001	Fuel	LFF3504	<i>Fastrac 130 w/Perkins 1006.6 Engine</i>			<i>Fastrac 2140 w/Cummins QSB 30 Engine</i>		
BF7925		LFF6925 ⁹⁴²	32/208303	Air	LAF8668 ²	32910700	Oil	LFP780
32/913500	Hydraulic	LH4199 ¹⁰⁷⁷	32/208304		LAF8674 ¹	<i>Fastrac 3185 w/Cummins 6BTA5.9 Engine</i>		
02/100073	Oil	LFP2292	32/401102	Fuel	L296F ⁴¹	32/210101	Air	LAF5050 ²
<i>550-80 w/JCB 444 DieselMax Interim Tier 4 Engine</i>			02/100073	Oil	LFP2292	Pri.	Fuel	LFF3417
32/917805	Air	LAF9100 ¹	02/100284	Oil	PH4403	Sec.	Fuel	LFF3521
32/917804		LAF9101 ²	<i>Fastrac 135, 155</i>			(TXW3E-CC10); S/N	Hydraulic	LH22142
32/004133	Oil	LFP3050	32/208303	Air	LAF8668 ²	640001-		
<i>560-80 (w/JCB Ecomax 4.8L Engine)</i>			32/208304		LAF8674 ¹	32/910700	Oil	LFP780
32004133	Oil	LFP3050	32/401102	Fuel	L296F ⁴¹			LFP780XL ¹⁴
<i>700 w/Leyland 231 Engine</i>			02/100073	Oil	LFP2292	(32/910601);	Trans	LFH4910
	Air	LAF131	02/100284	Oil	PH4403	S/N640001-		
32/400701	Fuel	L296F ⁴¹	<i>Fastrac 145 w/Perkins 1006.6 Turbo Engine</i>			<i>Fastrac 3190, Fastrac 3220 w/Cummins QSB Engine</i>		
988/00038	Oil	P52	32/201602	Air	LAF6587 ²	32/925335	Air	LAF8669
<i>702, 704 w/Perkins 4.236 Engine</i>					LAF6587MXM ^{2, 268}	32/925336		LAF8670
32/200406	Air	LAF1246 ²	32/202501		LAF6834 ¹	32/921001	Fuel	LFF3504
32/200102		LAF222 ²	32/401102	Fuel	L296F ⁴¹	(FS19519); W/S		LFF9519
Pri.	Fuel	L23F	(TXW3E-CC10); S/N	Hydraulic	LH22142	LF3970	Oil	LFP3970
(32/400701); Sec.		L296F ⁴¹	636001-; 155			<i>Fastrac 3200, Fastrac 3230 w/Cummins QSB 6.7 Engine</i>		
	Oil	P771A	02/100284	Oil	PH4403	32925335	Air	LAF8669 ²
<i>702, 704 w/Perkins 4.248 Engine</i>			(32910601); S/N	Trans	LFH4910	32925336		LAF8670 ¹
32/200406	Air	LAF1246 ²	636001-			(32925763); W/S	Fuel	LFF9732
32/400701	Fuel	L296F ⁴¹	<i>Fastrac 185 w/Cummins 6BTA5.9 Engine</i>			32925413	Oil	LFP6015
32/400502	Hydraulic	LP2219	32/208303	Air	LAF8668 ²	(32910601); -1270655	Trans	LFH4910
02/100284	Oil	PH4403	32/208304		LAF8674 ¹	<i>Fastrac 4160 (w/SISU 6.6L Tier 4 Final Engine)</i>		
<i>900, 902, 1000, 1250 w/Perkins 6.354 Engine</i>			32/401102	Fuel	L296F ⁴¹		Oil	LFP8501
32/200406	Air	LAF1246 ²	32/400502		LFF3501	<i>Fastrac 4190 (w/SISU 6.6 Tier 4 Final Engine)</i>		
32/200706		LAF66	02/100073	Oil	LFP2292		Oil	LFP8501
32/400701	Fuel	L296F ⁴¹	02/100284		PH4403	<i>Fastrac 4220 (w/SISU 6.6L Tier 4 Final Engine)</i>		
02/100073	Oil	LFP2292		Trans	LH4236		Oil	LFP8501
<i>907, 1750 w/Leyland UE400 Engine</i>			<i>Fastrac 185 w/Cummins 6BTA5.9 Engine</i>			<i>Fastrac 7170 (w/Cummins QSB6.7L Engine)</i>		
32/200706	Air	LAF66	32/209101	Air	LAF6769 ²		Air	LAF6889
32/400701	Fuel	L296F ⁴¹			LAF6769MXM ^{2, 268}	(32925763); W/S	Fuel	LFF9732
			32/209102		LAF9373 ¹	32925413	Oil	LFP6015
			Pri.	Fuel	LFF3417			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 268-Extended/Severe service 275-Primary 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1077-Hyd. Tank 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JCB (TRACTOR)			JCB (WHEEL LOADER)			JCB (WHEEL LOADER)		
<i>Fastrac 7170 (w/Cummins QSB6.7L Engine)</i>			<i>409B w/Perkins Engine</i>			<i>413, 418 w/Perkins 6.354 Engine</i>		
<i>(cont'd)</i>			32/203702	Air	LAF8517 ²	32/201602	Air	LAF6587
32910601	Trans	LFH4910	32/203703		LAF8518 ¹			LAF6587MXM ²⁶⁸
<i>Fastrac 7200, Fastrac 7230 (w/Cummins QSB 6.7L Engine)</i>			32/205702		LAF8572 ²	32/201601		LAF6834 ¹
	Air	LAF6889	32/912001	Fuel	LFF3504	32/400701	Fuel	L296F ⁴¹
(32925763); W/S	Fuel	LFF9732	02/100284	Oil	PH4403	02/100073	Oil	LFP2292
32925413	Oil	LFP6015	<i>410 w/Perkins 4.236 Engine</i>			<i>414S, 414S Agri w/Cummins QSB6.7 Engine</i>		
32910601	Trans	LFH4910	32/202602	Air	LAF1544 ²	32925335	Air	LAF8669 ¹
<i>Fastrac 7270 (w/Cummins QSB6.7L Engine)</i>			32/203702		LAF8517 ²	32925336		LAF8670 ¹
	Air	LAF6889	32/203703		LAF8518 ¹	(32925932); Sec.	Fuel	LFF5421
(32925763); W/S	Fuel	LFF9732	32/202601		LAF9410 ¹	(32925763); W/S		LFF9732 ²⁴⁴
32925413	Oil	LFP6015	32/400701	Fuel	L296F ^{18, 41}	58100012	Hydraulic	LH22142
32910601	Trans	LFH4910	32/400502		LFF3501 ¹⁹	32925413	Oil	LFP3970
<i>Fastrac 8250 w/Cummins QSC8.3 Engine</i>			02/100073	Oil	LFP2292	32925905	Trans	LFH8490
(32925762); Sec.	Fuel	LFF5488	02/100284		PH4403	<i>416, 416B w/Perkins Engine</i>		
(32925763); W/S		LFF9732	<i>411, 411B w/Perkins 1004.4 Tier 1 Engine</i>			32/903601	Air	LAF8603 ²
LF9009	Oil	LFP3000XL ¹⁴	32/903601	Air	LAF8603 ²	32/202601		LAF9410 ¹
<i>Fastrac 8280 (w/SISU 8.4L Engine)</i>			32/202601		LAF9410 ¹	32/912001	Fuel	LFF3504
	Air	LAF6889	32/912001	Fuel	LFF3504	(TXW3E-CC10); S/N	Hydraulic	LH22142
	Oil	LFP3354	(TXW3E-CC10); S/N	Hydraulic	LH22142	527000-		
<i>Fastrac 8310 (w/SISU 8.4L Engine)</i>			527000-			02/100073	Oil	LFP2292
	Oil	LFP3354	02/100073	Oil	LFP2292	<i>416HT w/JCB 444 Dieselmax Tier 2 Engine</i>		
JCB (WHEEL LOADER)			<i>411HT, 416HT w/JCB 444 Dieselmax Engine</i>			32925402	Air	LAF9543 ¹
<i>406 w/Deutz Bf4M2011 Engine</i>			32925402	Air	LAF9543 ¹	32925401		LAF9547 ²
32925349	Air	LAF5844 ¹	32925401		LAF9547 ²	58100012	Hydraulic	LH22142
32925348		LAF8147	(32925915); Pri.	Fuel	L4109F	32004133	Oil	LFP3050
1174416	Oil	PH2816	32925905	Hydraulic	LFH8490	32925905	Trans	LFH8490
32925876		PH453	32004133	Oil	LFP3050	<i>416HT w/JCB 444 Dieselmax Tier 3 Engine</i>		
<i>406, 408, 409 w/Perkins 1004.4 Engine</i>			<i>412, 415 w/Perkins 4.236 Engine</i>			32925402	Air	LAF9543 ¹
32/203702	Air	LAF8517 ²	32/202602	Air	LAF1544 ²	32925401		LAF9547 ²
32/203703		LAF8518 ¹	32/201602		LAF6587	58100012	Hydraulic	LH22142
32/401102	Fuel	L296F ⁴¹			LAF6587MXM ²⁶⁸	32004133	Oil	LFP3050
32/901701	Hydraulic	LFH4268			LAF9410 ¹	32925905	Trans	LFH8490
(02/100284); exc. 406	Oil	PH4403	32/202601		LAF9410 ¹	<i>416HT w/Perkins 1104C-44 Tier 2 Engine</i>		
(02/130142); 406		PH4408	32/400701	Fuel	L296F ⁴¹	32925402	Air	LAF9543 ¹
02/100284	Trans	PH4403	02/100284	Oil	PH4403	32925401		LAF9547 ²
<i>407 w/Perkins 1004.4 Engine</i>			<i>412E w/Perkins Engine</i>			32925423	Fuel	LFF6925 ⁹⁴²
32/203702	Air	LAF8517 ²	32/202602	Air	LAF1544 ²	58100012	Hydraulic	LH22142
32/203703		LAF8518 ¹	32/202601		LAF9410 ¹	2100073	Oil	LFP2292
32/401102	Fuel	L296F ⁴¹	32/401102	Fuel	L296F ⁴¹	32925905	Trans	LFH8490
32/902301	Hydraulic	LFH8534	581/06301	Hydraulic	LH5840	<i>420, 425 w/Perkins Engine</i>		
21/00284	Trans	PH4403	02/100073	Oil	LFP2292	32/202602	Air	LAF1544 ²
<i>407B</i>			<i>412S, 412S Agri w/ JCB 444 DieselMax Tier 2 Engine</i>			32/202601		LAF9410 ¹
32913602	Air	LAF8803 ¹	32925402	Air	LAF9543 ¹	32/401102	Fuel	L296F ⁴¹
32/912001	Fuel	L296F ⁴¹	32925401		LAF9547 ²	02/100073	Oil	LFP2292
(02/130142); S/N	Oil	PH4408	(32925915); Pri.	Fuel	L4109F	<i>423 w/Leyland UE680 Engine</i>		
755001-			58100012	Hydraulic	LH22142	32/202002	Air	LAF1591
02/100284	Trans	PH4403	32004133	Oil	LFP3050	32/400701	Fuel	L296F ⁴¹
<i>409 w/Deutz TD2011 L04I Engine</i>			32925905	Trans	LFH8490	<i>426, 426B w/Perkins Engine</i>		
32/203702	Air	LAF8517 ²	<i>412S, 412S Agri w/ JCB 444 DieselMax Tier 3 Engine</i>			32/201602	Air	LAF6587 ²
32/203703		LAF8518 ¹	<i>Engine</i>					LAF6587MXM ^{2, 268}
32/400701	Fuel	L296F ⁴¹	32925402	Air	LAF9543 ¹	32/202501		LAF6834 ¹
32/400502		LFF3501	32925401		LAF9547 ²	32/912001	Fuel	LFF3504
988/00038	Oil	P52	58100012	Hydraulic	LH22142	990/00090	Hydraulic	LH8742
02/301217		PH4408	32004133	Oil	LFP3050	02/100284	Oil	PH4403
			32925905	Trans	LFH8490	<i>426HT, 426ZT w/Cummins BTA45.9C Engine</i>		
						32925404	Air	LAF4620 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 18-Short 19-Long 41-Cartridge 244-Secondary 268-Extended/Severe service 942-Used with LMB6926 conversion kit

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JCB (WHEEL LOADER)			JCB (WHEEL LOADER)			JLG (AERIAL WORK PLATFORM)		
426HT, 426ZT w/Cummins BTAA5.9C Engine (cont'd)			436, 436B w/Perkins Engine (cont'd)			4013 w/Perkins Engine		
32925405	Air	LAF4621 ¹	32/202501	Air	LAF6834 ¹	P772580	Air	LAF4544 ²
(32925451); W/S	Fuel	LFF9608	32/912001	Fuel	LFF3504			LAF4544MXM ^{2, 268}
99000090	Hydraulic	LH8742	990/00090	Hydraulic	LH8742	P775302		LAF4545 ¹
2910970	Oil	LFP780	02/100284	Oil	PH4403	40RTS w/Ford VSG413 Engine		
32925905	Trans	LFH8490	436HT, 436ZX w/Cummins BTAA5.9L tier 2 Engine			P181052	Air	LAF222
426HT, 426ZX w/Cummins QB6.7 Engine			32925404	Air	LAF4620 ²	FL-400A	Oil	PH400
32925335	Air	LAF8669 ²	32925405		LAF4621 ¹	600, 600AJ w/Deutz F4M1011 Engine		
32925336		LAF8670 ¹	(32925451); W/S	Fuel	LFF9608	7012664	Air	LAF1458
32925932	Fuel	LFF5421	990/00090	Hydraulic	LH8742		Fuel	FP586F
(32925763); W/S		LFF9732	2910970	Oil	LFP780	2120149	Hydraulic	LFH7355 ⁶⁰⁷
99000090	Hydraulic	LH8742	436HT, 436ZX w/Cummins QSB6.7 tier 3 Engine			(2120210); S/N		LH11023V ¹³⁴³
32925413	Oil	LFP3970	32925335	Air	LAF8669 ²	300052850 -		LH95315V ¹³⁴³
32925905	Trans	LFH8490	P777414		LAF8670 ¹	(2120210); S/N		
426ZX w/Cummins 6BTAA5.9 Engine			32925932	Fuel	LFF5421	300052850	Oil	PH561
32925404	Air	LAF4620 ²	(32925763); W/S		LFF9732	600A, 600AJ, 600S, 600SJ w/Isuzu 4JB1 Engine		
32925405		LAF4621 ¹	99000090	Hydraulic	LH8742	7012664	Air	LAF1458
(32925451); W/S	Fuel	LFF9608	32925413	Oil	LFP3970		Fuel	FP588F
99000090	Hydraulic	LH8742	32925905	Trans	LFH8490	2120149	Hydraulic	LFH7355 ⁶⁰⁷
2910970	Oil	LFP780	437HT, 437ZX w/Cummins QSB6.7 Engine			(2120150); S/N		LH95315V ¹³⁴³
32925905	Trans	LFH8490	32925413	Oil	LFP3970	300052850		
427HT (w/Cummins QSB6.7 Engine)			446B, 456B w/Cummins 8.3L Engine			600A, 600AJ, 600S, 600SJ, 660SJ w/Continental TMD27 Engine		
(32/925763); W/S	Fuel	LFF9732	32/209101	Air	LAF6769 ²	7012664	Air	LAF1458
32925413	Oil	LFP3970			LAF6769MXM ^{2, 268}		Fuel	L296F ⁴¹
428, 428C w/Leyland UE690 Engine			32/209102		LAF9373 ¹	2120149	Hydraulic	LFH7355 ⁶⁰⁷
32/202002	Air	LAF1591	990/00090	Hydraulic	LH8742	(2120150); S/N		LH95315V ¹³⁴³
32/201602		LAF6587	02/910550	Oil	LFP3000	300052850	Oil	PH400 ²⁷⁵
		LAF6587MXM ²⁶⁸	456HT w/Cummins 8.3L Engine					PH8A ¹⁴⁹⁶
		LAF6834 ¹	P777409	Air	LAF8669 ²	600A, 600AJ w/Deutz TD2.9 Tier 4 Engine		
32/201601		LAF6834 ¹	P777414		LAF8670 ¹		Fuel	L296F ⁴¹
32/400701	Fuel	L296F ⁴¹			LFW4074 ⁶²⁷	2120149	Hydraulic	LFH7355 ⁶⁰⁷
	Oil	LP2237	2910155	Fuel	LFF3521	(2120210); S/N		LH95315V ¹³⁴³
430 w/Perkins T6.354.4 Engine			99000090	Hydraulic	LH8742	300052850	Oil	PH400 ²⁷⁵
32/201602	Air	LAF6587 ²			LFP3000			PH8A ¹⁴⁹⁶
		LAF6587MXM ^{2, 268}	456HT, 456ZX w/Cummins QSC 8.3L Tier 3 Engine			600A, 600AJ w/GMC Vortec 3.0 Engine		
		LAF6834 ¹	P777409	Air	LAF8669 ²		Fuel	L296F ⁴¹
32/202501		LAF6834 ¹	P777414		LAF8670 ¹	2120149	Hydraulic	LFH7355 ⁶⁰⁷
32/400701	Fuel	L296F ⁴¹	2912210	Coolant	LFW4071 ^{28, 205}	(2120210); S/N		LH95315V ¹³⁴³
02/301217	Oil	PH4408	2910150	Fuel	LFF3517	300052850	Oil	PH400 ²⁷⁵
434S, 434S w/Cummins QSB 6.7L Engine			2910155A	Fuel	LFF3521			PH8A ¹⁴⁹⁶
32925335	Air	LAF8669 ²	99000090	Hydraulic	LH8742	600A, 600AJ, 600S, 600SJ w/Ford LRG425 Engine		
P777414		LAF8670 ¹	32925413	Oil	LFP3970	91083218	Fuel	L3523F
32925932	Fuel	LFF5421	32925905	Trans	LFH8490	2120149	Hydraulic	LFH7355 ⁶⁰⁷
(32925763); W/S		LFF9732	457ZX (w/Cummins QSL8.9 Engine)			(2120210); S/N		LH11023V ¹³⁴³
99000090	Hydraulic	LH8742	(32925762); Sec.	Fuel	LFF5488	300052850 -		LH95315V ¹³⁴³
32925413	Oil	LFP3970		Oil	LFP3000XL ¹⁴	(2120150); S/N		
32925905	Trans	LFH8490	TM220 (w/Deutz D2011 Tier 3 Engine)			300052850	Oil	PH400 ²⁷⁵
435 w/Perkins Engine				Air	LAF3947 ²			PH8A ¹⁴⁹⁶
32/201602	Air	LAF6587 ²			LAF3948 ¹	600A, 600SJ w/Ford LRG423 Engine		
		LAF6587MXM ^{2, 268}		Fuel	LFF4806 ¹⁶⁹	7012664	Air	LAF1458
		LAF6834 ¹		Oil	PH2816		Fuel	L3523F
32/400701	Fuel	L296F ⁴¹	436, 436B w/Perkins Engine					
581/06301	Hydraulic	LH5840	32/201602	Air	LAF6587 ²			
02/100284	Oil	PH4403			LAF6587MXM ^{2, 268}			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 28-Contains 1 oz. of chemical 41-Cartridge 169-1 Per Package 205-Maintenance 268-Extended/Severe service 275-Primary 607-Return 627-5 oz. of chemical 1343-Pressure 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JLG (AERIAL WORK PLATFORM)			JLG (AERIAL WORK PLATFORM)			JLG (TELESCOPIC HANDLER)		
<i>600A, 600SJ w/Ford LRG423 Engine (cont'd)</i>			<i>800S, 860SJ w/Deutz F4M2011 Engine (cont'd)</i>			<i>534D9 w/John Deere 4045 Engine</i>		
2120149	Hydraulic	LFH7355 ⁶⁰⁷	(2120210); S/N	Hydraulic	LH11023V ¹³⁴³		Air	LAF5932 ¹
2120210		LH11023V ¹³⁴³	300140000 -					LAF8149 ¹³⁴¹
	Oil	PH400 ²⁷⁵	300141390			1101313		LAF9543 ¹
		PH8A ¹⁴⁹⁶		Oil	PH2816	1101312		LAF9547 ¹³⁴²
<i>660SJ w/Continental TMD27 Engine</i>			<i>800SJ, 860SJ w/Ford LRG425 Engine</i>			<i>In-Line (91534004); Sec.</i>		
	Fuel	L296F ⁴¹	7012664	Air	LAF1458	2120168	Hydraulic	L3523F
	Oil	PH400 ²⁷⁵	91083218	Fuel	L3523F	91534005	Oil	L3887F
		PH8A ¹⁴⁹⁶	2120168	Hydraulic	LFH5876 ⁶⁰⁷			L3523F
<i>660SJ w/Ford LRG425 Engine</i>			<i>800SJ, 860SJ w/Ford LRG425 Engine</i>			<i>G9-43, G9-43A w/John Deere 4045 Power Tech Engine</i>		
	Oil	PH400	2120150	Oil	LH95315V ¹³⁴³			L3523F
<i>660SJ w/GMC 3.0L Engine</i>			<i>80HX, 80HX6, 120HX w/Deutz F4L912 Engine</i>			<i>P780523</i>		
2120210	Hydraulic	LH11023V		Fuel	FP586F	P780522	Air	LAF9543 ¹
	Oil	PH454		Oil	PH2819	1340021	Breather	LAF9547 ²
<i>660SJ w/Isuzu 4JB1 Engine</i>			JLG (TELESCOPIC HANDLER)			<i>1340021</i>		
	Fuel	FP588F	<i>3508PS, 3509PS (w/Perkins 1104D Tier 3 Engine)</i>			Fuel L3523F		
<i>680S w/Deutz F4M2011 Engine</i>			<i>80273042</i>			LFF8215		
7012664	Air	LAF1458	2981124	Air	LAF4544 ²	(RE62418); W/S		LFF8215
2120210	Hydraulic	LH11023V			LAF4545 ¹	91143144	Hydraulic	LH5876
7016331	Oil	PH2816	7028655	Base	LMB6926 ⁹⁴³		Oil	LFP4836
<i>680S w/GMC Vortec 3.0 Engine</i>			<i>8006013</i>			<i>4209211</i>		
7012664	Air	LAF1458	8006013	Fuel	LFF6925 ⁹⁴²	JOHN DEERE (ALTERNATOR)		
2120210	Hydraulic	LH11023V		Oil	LFP2292	<i>4000W, 5000W</i>		
	Oil	PH454	<i>3512PS, 3513PS (w/Perkins 1104D Tier 3 Engine)</i>			AM31400 Air AF213		
<i>685 w/John Deere 4219 Engine</i>			<i>80273042</i>			JOHN DEERE (ARTICULATED DUMP TRUCK)		
P101222	Air	LAF222 ²	2981124	Base	LMB6926 ⁹⁴³	<i>250C w/Mercedes OM366LA Engine</i>		
AR50041	Fuel	P1130	7028655	Fuel	LFF6925 ⁹⁴²	<i>U44957</i>		
T19044	Oil	FP20	8006013	Oil	LFP2292	<i>U44956</i>		
<i>740AJ w/Deutz D2011 Engine</i>			<i>3614RS (w/Deutz TCD3.6 Tier 4 Engine)</i>			<i>AT260213</i>		
7012664	Air	LAF1458	1101313	Air	LAF9543 ¹	<i>250D Series II, 300D Series II w/6090 Tier 3 Engine</i>		
		LAF8148	1101312		LAF9547 ²	<i>AT308575</i>		
(2120168); S/N	Hydraulic	LFH5876 ¹³⁴³	91474250	Hydraulic	LFH22034	<i>TT220747</i>		
300052850			7016331	Oil	PH2816	<i>(AT223493); In-Line</i>		
(2120210); S/N			<i>4008PS, 4009PS (w/Perkins 1104D Tier 3 Engine)</i>			Fuel L7693F		
300052850 -			80273010	Air	LAF4544 ²	LFF6929 ¹⁰¹⁴		
2120150			80273042		LAF4545 ¹	<i>AT252815</i>		
	Oil	PH2816		Fuel	LFF6925 ⁹⁴²	<i>RE509672</i>		
<i>740AJ w/GMC Vortec 3.0 Engine</i>			<i>4012PS, 4013PS (w/Perkins 1104D Tier 4 Engine)</i>			<i>AT252815</i>		
7012664	Air	LAF1458	80273042	Air	LAF4544 ²	<i>RE509672</i>		
2120149	Hydraulic	LFH7355 ⁶⁰⁷	2981124		LAF4545 ¹	<i>TT2F210424</i>		
(2120210); S/N		LH11023V ¹³⁴³		Base	LMB6926 ⁹⁴³	<i>250D, 300D w/John Deere 6081H Engine</i>		
300052850 -			7028655	Fuel	LFF6925 ⁹⁴²	<i>TT220725</i>		
2120150			8006013	Oil	LFP2292	<i>TT220747</i>		
(2120150); S/N			<i>4013PS w/Perkins 1004.4 Engine</i>			<i>(RE522372); S/N</i>		
300052850	Oil	PH400	80273042	Air	LAF4544 ²	200000-		
<i>740AL w/Deutz F4L1011 Engine</i>			<i>2981124</i>			<i>(RE519608); S/N</i>		
2120149	Hydraulic	LFH7355 ⁶⁰⁷		Base	LMB6926 ⁹⁴³	<i>200000-; W/S</i>		
(2120210); S/N		LH11023V ¹³⁴³	7021191	Fuel	L296F ⁴¹	<i>(TT220735); -S/N</i>		
300052850 -			7028655		L296F ⁴¹	<i>200404</i>		
2120150				Hydraulic	LFF6925 ⁹⁴²	<i>(RE509672); S/N</i>		
(2120150); S/N			8006013	Oil	LFP2292	200000-		
300052850	Oil	PH2816	<i>4014PS, 4017PS (w/Deutz TCD3.6 Tier 4 Engine)</i>			<i>(RE57394); -S/N</i>		
<i>800S, 860SJ w/Deutz F4M2011 Engine</i>			<i>1101313</i>			<i>199999</i>		
7012664	Air	LAF1458	1101312	Air	LAF9543 ¹	<i>TTZF210424</i>		
	Fuel	FP587F	91474250	Hydraulic	LAF9547 ²	<i>300C w/Mercedes OM442 Engine</i>		
			7016331	Oil	LFH22034	<i>U44957</i>		
					PH2816	<i>U44956</i>		
						Air LAF6769 ²		
						LAF6769MXM ^{2, 268}		
						LAF9373 ¹		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 275-Primary 607-Return 858-Hydraulic Tank 937-Early Production 938-Late Production 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1014-Kit, cartridge and spin-on filter 1077-Hyd. Tank 1341-8" O.D. 1342-7.3" O.D. 1343-Pressure 1344-USA built 1345-With Sensor 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (ARTICULATED DUMP TRUCK)			JOHN DEERE (BACKHOE LOADER)			JOHN DEERE (BACKHOE LOADER)		
<i>300C w/Mercedes OM442 Engine (cont'd)</i>			<i>110TLB w/Yanmar 4TNV88 47.5 HP Engine (cont'd)</i>			<i>300D (cont'd)</i>		
(AT253935); Sec.	Fuel	L3405F ¹⁰⁸	M801419	Oil	PH2808	(AR50041); -S/N	Fuel	P1130
AT257430	Oil	LFF3507	RE45864	Trans	LFH5015	461565		
		LP2220Z				AT144879	Hydraulic	LFH6812
<i>350C w/Gas Engine</i>			<i>210C</i>			<i>T19044</i>		
AT253843	Air	LAF6632 ²	AR84228	Air	LAF1734 ²	<i>310 w/Diesel Engine</i>		
AT253844		LAF6641 ¹	AE31724		LAF1735 ¹	AT20728	Air	LAF222 ²
(AT253935); Sec.	Fuel	L3405F ¹⁰⁸	AR50041	Fuel	P1130	AT17387	Fuel	L296F ⁴¹
AT112393	Hydraulic	LFF3507	AT144879	Hydraulic	LFH6812	AR75603	Hydraulic	P346
AT253934	Oil	LFF3507	T19044	Oil	FP20	T19044	Oil	FP20
		LFF3507	<i>210E LL Landscape Loader</i>			<i>310A</i>		
		LFF3507	AT175344	Air	LAF3663 ²	AT20728	Air	LAF222 ²
		LFF3507	AT175344		LAF3663MXM ²	(AT17387); -S/N	Fuel	L296F ⁴¹
		LFF3507	AT175345		LAF3664 ¹	382507		
		LFF3507	(RE62418); W/S	Fuel	LFF8215	(AR50041); S/N		P1130
		LFF3507	RE59754	Oil	LFP5757	382508-		
		LFF3507	AT179323	Trans	LFH8728	AR75603	Hydraulic	P346
		LFF3507	<i>210K, 210K EP w/John Deere PowerTech E</i>			T19044	Oil	FP20
		LFF3507	<i>4045HT Interim 4 Engine</i>			<i>310B</i>		
		LFF3507	AT332908	Air	LAF5429 ^{2, 1349}	AR84228	Air	LAF1734 ²
		LFF3507	AT332909		LAF5430 ^{1, 1349}	AE31724		LAF1735 ¹
		LFF3507	AT308274	Hydraulic	LFH9367 ¹³⁴⁹	AR50041	Fuel	P1130
		LFF3507	RE504836	Oil	LFP4836 ¹³⁴⁹	AR75603	Hydraulic	P346
		LFF3507	<i>210LE w/John Deere 4045 Power Tech Engine</i>			T19044	Oil	FP20
		LFF3507	AT171853	Air	LAF4544 ²	AR75603	Trans	P346
		LFF3507			LAF4544MXM ^{2, 268}	<i>310C</i>		
		LFF3507	AT171854		LAF4545 ¹	(AT65296); Turbo	Air	LAF1163 ²
		LFF3507	(RE62418); W/S	Fuel	LFF8215	AT44378		LAF1394 ¹
		LFF3507	AT144879	Hydraulic	LFH6812	AT65088		LAF6032 ²
		LFF3507	AT179323		LFH8728	AR50041	Fuel	P1130
		LFF3507	RE59754	Oil	LFP5757	AT144879	Hydraulic	LFH6812
		LFF3507	<i>210LJ w/John Deere Power Tech E4045HT Tier 3 Engine</i>			T19044	Oil	FP20
		LFF3507	AT332908	Air	LAF5429 ²	<i>310D</i>		
		LFF3507	AT332909		LAF5430 ¹	(AT65296); Turbo	Air	LAF1163 ²
		LFF3507	AT101565	Breather	G3/8 ¹⁰⁷⁷	AT44378		LAF1394 ¹
		LFF3507	(RE522878); Sec.	Fuel	L8868F	AT65088		LAF6032 ²
		LFF3507	(RE529643); Pri.		L8872F	(RE62419); S/N	Fuel	L3887F
		LFF3507	AT308274	Hydraulic	LFH9347	461566; Sec.		
		LFF3507	RE504836	Oil	LFP4836	(AR50041); -S/N		P1130
		LFF3507	AT179323	Trans	LFH8728	461565		
		LFF3507	<i>300, 300B, 301, 301A, 302, 302A w/John Deere Engine</i>			AT144879	Hydraulic	LFH6812
		LFF3507	AR84228	Air	LAF1734 ²	T19044	Oil	FP20
		LFF3507	AE31724		LAF1735 ¹	<i>310E, 310SE</i>		
		LFF3507	AT20728		LAF222 ¹⁸¹	AT171853	Air	LAF4544 ²
		LFF3507	AT17387	Fuel	L296F ⁴¹			LAF4544MXM ^{2, 268}
		LFF3507	AR50041		P1130	AT171854		LAF4545 ¹
		LFF3507	AR75603	Hydraulic	P346	(RE62418); W/S	Fuel	LFF8215
		LFF3507	T19044	Oil	FP20	AT144879	Hydraulic	LFH6812
		LFF3507	AR75603	Trans	P346	RE59754	Oil	LFP5757
		LFF3507	<i>300D</i>			AT179323	Trans	LFH8728
		LFF3507	AT44378	Air	LAF1394 ¹	<i>310G, 310SG, 315SG</i>		
		LFF3507	AT65088		LAF6032 ²	AT171853	Air	LAF4544 ²
		LFF3507	(RE62419); S/N	Fuel	L3887F			LAF4544MXM ^{2, 268}
		LFF3507	461566; Sec.			AT171854		LAF4545 ¹
		LFF3507	<i>JOHN DEERE (BACKHOE LOADER)</i>			AT101565	Breather	G3/8 ¹⁰⁷⁷
		LFF3507	<i>110TLB w/Yanmar 4TNV88 47.5 HP Engine</i>			AT191102	Cabin Air	LAF5314
		LFF3507	(RE68049); S/N	Air	LAF8114 ¹	(RE509031); Sec.	Fuel	L8557F ⁶⁸²
		LFF3507	311033-		LAF8143 ²			
		LFF3507	(RE68048); S/N		LAF8195 ²			
		LFF3507	311033-		LAF8690 ¹			
		LFF3507	(M131802); S/N					
		LFF3507	-311032					
		LFF3507	(M131803); S/N					
		LFF3507	-311032					
		LFF3507	(T111383); S/N	Fuel	L549F			
		LFF3507	-310999		LFF8350			
		LFF3507	MIU800645					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 24-4" Sump 41-Cartridge 108-Eco-Finer 181-Single 254-Optional Racor 268-Extended/Severe service 603-Tank Breather 682-2 micron 1077-Hyd. Tank 1137-Pilot 1349-2012 up

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (BACKHOE LOADER)			JOHN DEERE (BACKHOE LOADER)			JOHN DEERE (BACKHOE LOADER)		
<i>310G, 310SG, 315SG (cont'd)</i>			<i>310L EP (w/PowerTech E4045 Engine) (cont'd)</i>			<i>315SJ w/John Deere 4045T Power Tech Tier 3 Engine</i>		
(RE62418); W/S	Fuel	LFF8215	AT308274	Hydraulic	LFH9367	AT332908	Air	LAF5429 ²
AT228474	Hydraulic	LFH9347	RE504836	Oil	LFP4836	AT332909	Air	LAF5430 ¹
RE504836	Oil	LFP4836	AT179323	Trans	LFH8728	AT101565	Breather	G3/8 ¹⁰⁷⁷
RE59754		LFP5757	<i>310SK, 310SK TC w/John Deere PowerTech E 4045HT063 Interim Tier 4 Engine</i>			AT191102	Breather	G3/8 ¹⁰⁷⁷
AT179323	Trans	LFH8728				AT191102	Cabin Air	LAF5314
<i>310J, 310SJ w/4045D Power Tech Engine</i>			AT332908	Air	LAF5429 ²	AT308274	Hydraulic	LFH9367
KV16429	Air	LAF4544 ²	AT332909	Air	LAF5430 ¹	RE504836	Oil	LFP4836
AT171854		LAF4545 ¹	AT101565	Breather	G3/8 ¹⁰⁷⁷	AT179323	Trans	LFH8728
AT101565	Breather	G3/8 ¹⁰⁷⁷	AT191102	Cabin Air	LAF5314	<i>315SL (w/PowerTech Plus E4045 Engine)</i>		
AT191102	Cabin Air	LAF5314	(RE544394); C219607- And D219607-; Sec. (RE522878); C219607- And D219607-; Sec.	Fuel	L8557F			
(RE509031); Sec.	Fuel	L8557F	AT308274	Hydraulic	LFH9367	AT332909	Air	LAF5430 ¹
AT308274	Hydraulic	LFH9367	RE504836	Oil	LFP4836	AT101565	Breather	G3/8 ¹⁰⁷⁷
RE504836	Oil	LFP4836	AT179323	Trans	LFH8728	AT191102	Cabin Air	LAF5314
AT179323	Trans	LFH8728	<i>310SL, 310SL HP (w/PowerTech Plus Engine)</i>			AT308274	Hydraulic	LFH9367
<i>310J, 310SJ w/4045HT Power Tech tier 3 Engine</i>			AT332908	Air	LAF5429 ²	RE504836	Oil	LFP4836
AT332908	Air	LAF5429 ²	AT332909	Air	LAF5430 ¹	AT179323	Trans	LFH8728
AT332909	Breather	G3/8 ¹⁰⁷⁷	AT101565	Breather	G3/8 ¹⁰⁷⁷	<i>400, 401, 401B, 401C, 401D w/John Deere Engine</i>		
AT101565	Breather	G3/8 ¹⁰⁷⁷	AT191102	Cabin Air	LAF5314			
AT191102	Cabin Air	LAF5314	(RE522878); Sec. Pri.	Fuel	L8868F	AE31724		LAF1735 ¹
(RE522878); Sec. Pri.	Fuel	L8868F	AT308274	Hydraulic	LFH9367	AT20728		LAF222 ¹⁸¹
AT308274	Hydraulic	LFH9367	RE504836	Oil	LFP4836	AR50041	Fuel	P1130
RE504836	Oil	LFP4836	AT179323	Trans	LFH8728	AR75603	Hydraulic	P346
AT179323	Trans	LFH8728	<i>310J, 310SJ w/4045T Power Tech Engine</i>			T19044	Oil	FP20
<i>310J, 310SJ w/4045T Power Tech Engine</i>			KV16429	Air	LAF4544 ²	<i>410 w/Gas Engine</i>		
AT171854		LAF4545 ¹	AT101565	Breather	G3/8 ¹⁰⁷⁷			
AT101565	Breather	G3/8 ¹⁰⁷⁷	AT191102	Cabin Air	LAF5314	AE31724		LAF1735 ¹
AT191102	Cabin Air	LAF5314	(RE509031); Sec.	Fuel	L8557F	AT20728		LAF222 ¹⁸¹
(RE509031); Sec.	Fuel	L8557F	AT308274	Hydraulic	LFH9367	AT17387	Fuel	L296F ⁴¹
AT308274	Hydraulic	LFH9367	RE504836	Oil	LFP4836	AR50041	Fuel	P1130
RE504836	Oil	LFP4836	AT179323	Trans	LFH8728	AR75603	Hydraulic	P346
AT179323	Trans	LFH8728	<i>315C</i>			T19044	Oil	FP20
<i>310K, 315K EP w/John Deere PowerTech E 4045HT072 Interim Tier 4 Engine</i>			AT332908	Air	LAF5429 ²	AR75603	Trans	P346
AT332908	Air	LAF5429 ²	AT332909	Air	LAF5430 ¹	<i>410 w/John Deere 4219D Engine</i>		
AT332909	Breather	G3/8 ¹⁰⁷⁷	AT101565	Breather	G3/8 ¹⁰⁷⁷			
AT101565	Breather	G3/8 ¹⁰⁷⁷	AT191102	Cabin Air	LAF5314	AE31724		LAF1735 ¹
AT191102	Cabin Air	LAF5314	AT308274	Hydraulic	LFH9367	AT20728		LAF222 ¹⁸¹
AT308274	Hydraulic	LFH9367	RE504836	Oil	LFP4836	AT17387	Fuel	L296F ⁴¹
RE504836	Oil	LFP4836	AT179323	Trans	LFH8728	AR50041	Fuel	P1130
AT179323	Trans	LFH8728	<i>315CH</i>			AR75603	Hydraulic	P346
<i>310L (w/PowerTech Plus E4045 Engine)</i>			(AT65296); Turbo	Air	LAF1163 ²	T19044	Oil	FP20
AT332908	Air	LAF5429 ²	AT44378		LAF1394 ¹	<i>410B, 410C</i>		
AT332909	Breather	G3/8 ¹⁰⁷⁷	AT65088		LAF6032 ²			
AT101565	Breather	G3/8 ¹⁰⁷⁷	AR50041	Fuel	P1130	AT44378		LAF1394 ¹
AT191102	Cabin Air	LAF5314	AT144879	Hydraulic	LFH6812	AT65088		LAF6032 ²
AT308274	Hydraulic	LFH9367	T19044	Oil	FP20	AR50041	Fuel	P1130
RE504836	Oil	LFP4836	<i>315D</i>			AR94510	Hydraulic	LFH1702
AT179323	Trans	LFH8728	(AT65296); Turbo	Air	LAF1163 ²	AT67957		LH4963 ¹⁰⁹⁹
<i>310L EP (w/PowerTech E4045 Engine)</i>			AT44378		LAF1394 ¹	AT19044	Oil	FP20
AT332908	Air	LAF5429 ²	AT65088		LAF6032 ²	<i>410D</i>		
AT332909	Breather	G3/8 ¹⁰⁷⁷	AR50041	Fuel	P1130			
AT101565	Breather	G3/8 ¹⁰⁷⁷	AT144879	Hydraulic	LFH6812	AT44378		LAF1394 ¹
AT191102	Cabin Air	LAF5314	T19044	Oil	FP20	AT65088		LAF6032 ²
AT308274	Hydraulic	LFH9367	<i>315SE</i>			AT65088		LAF6032 ²
RE504836	Oil	LFP4836	AT171853	Air	LAF4544 ²	(RE62419); Sec.	Fuel	L3887F
AT179323	Trans	LFH8728			LAF4544MXM ^{2, 268}	<i>410D</i>		
<i>310L EP (w/PowerTech E4045 Engine)</i>			AT171854	Air	LAF4545 ¹			
AT332908	Air	LAF5429 ²	(RE62418); W/S	Fuel	LFF8215	AT44378		LAF1394 ¹
AT332909	Breather	G3/8 ¹⁰⁷⁷	AT184206	Hydraulic	LFH5936	AT65088		LAF6032 ²
AT101565	Breather	G3/8 ¹⁰⁷⁷	RE59754	Oil	LFP5757	(RE62419); Sec.	Fuel	L3887F
AT191102	Cabin Air	LAF5314	AT179323	Trans	LFH8728	<i>410D</i>		
(RE522878); Pri.	Fuel	L8868F	<i>315L</i>					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 181-Single 268-Extended/Severe service 1077-Hyd. Tank 1099-Torque Converter

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (BACKHOE LOADER)			JOHN DEERE (BACKHOE LOADER)			JOHN DEERE (BACKHOE LOADER)		
<i>410D (cont'd)</i>			<i>410K, 410K TC w/John Deere 4045HT Engine (cont'd)</i>			<i>510D</i>		
AR50041	Fuel	P1130	(RE522878);	Fuel	L8868F	AT65296	Air	LAF1163 ²
AT144879	Hydraulic	LFH6812	C219607- And			AT44378		LAF1394 ¹
AT67957		LH4963 ¹⁰⁹⁹	D219607-; Sec.			(RE53400); Sec.	Fuel	L3887F
T19044	Oil	FP20	AT308274	Hydraulic	LFH9367	RE62419		LFF1129
<i>410E</i>			RE504836	Oil	LFP4836	AR50041		P1130
AT175344	Air	LAF3663 ²	AT179323	Trans	LFH8728	AT144879	Hydraulic	LFH6812
AT175344		LAF3663MXM ²	<i>410L (w/PowerTech Plus E4045 Engine)</i>			AT67957		LH4963 ¹⁰⁹⁹
AT175343		LAF3664 ¹	AT332908	Air	LAF5429 ²	T19044	Oil	FP20
AT171853		LAF4544 ²	AT332909		LAF5430 ¹	(T19044); S/N 796855-	Trans	FP20
		LAF4544MXM ^{2, 268}	AT101565	Breather	G3/8 ¹⁰⁷⁷	<i>600 w/A-1 Diesel Engine</i>		
AT171854		LAF4545 ¹	AT191102	Cabin Air	LAF5314	AR36044	Air	LAF234HD ²
(RE62418); W/S	Fuel	LFF8215	AT308274	Hydraulic	LFH9367		Fuel	L1168F
AT144879	Hydraulic	LFH6812	RE504836	Oil	LFP4836	W/S		LFF3540
RE59754	Oil	LFP5757	AT179323	Trans	LFH8728		Oil	P189
AT179323	Trans	LFH8728	<i>415, 415B w/John Deere Engine</i>				Trans	P346
<i>410G w/John Deere 4045T Engine</i>			AT44378	Air	LAF1394 ¹	<i>600 w/Gas Engine</i>		
(AT175344); S/N	Air	LAF3663 ²	AT65088		LAF6032 ²	AR36044	Air	LAF234HD ²
Before 926659			AR50041	Fuel	P1130		Fuel	L1168F
(AT175344); S/N		LAF3663MXM ²	AR94510	Hydraulic	LFH1702	W/S		LFF3540
Before 926659			AT67957		LH4963 ¹⁰⁹⁹		Oil	P189
(AT175345); S/N		LAF3664 ¹	T19044	Oil	FP20	AR75603	Trans	P346
Before 926659			<i>500 w/John Deere Engine</i>			<i>610B, 610C</i>		
(KV16429); S/n		LAF4544 ²	AR39798	Air	LAF1842 ²	AT65296	Air	LAF1163 ²
-926659			AR45097	Fuel	LFP1101F	AT44378		LAF1394 ¹
(AT171854);		LAF4545 ¹	AR50041		P1130	AR50041	Fuel	P1130
S/N-926659			AR26350	Oil	P189	T19044	Oil	FP20
AT101565	Breather	G3/8 ¹⁰⁷⁷	AR75603	Trans	P346	<i>700A</i>		
AT191102	Cabin Air	LAF5314	<i>500A, 500B</i>			AR45785	Air	LAF1785 ¹
(RE62418); W/S	Fuel	LFF8215	AR39798	Air	LAF1842 ^{2, 1147}	AR45784		LAF8668 ²
AT184206	Hydraulic	LFH5936 ¹³²⁸	AR46481		LAF6032 ²	AR44077	Fuel	L1168F
(AT195915); -S/N		LFH9347	AR45097	Fuel	L1168F	AR50041		P1130
905457			AR50041		P1130	AR75603	Trans	P346
(AT228474); S/N		LFH9347	AR75603	Hydraulic	P346	<i>710B, 710C</i>		
905458-			AR26350	Oil	P189	AT39124	Air	LAF1846 ²
RE59754	Oil	LFP5757	AR75603	Trans	P346	AT31227		LAF503 ¹
AT179323	Trans	LFH8728	<i>500C</i>			AR50041	Fuel	P1130
<i>410J w/John Deere 4045T Power Tech E tier 3 Engine</i>			AR46481	Air	LAF6032 ²	AT172912	Hydraulic	LFH8263
AT332908	Air	LAF5429 ²	AR50041	Fuel	P1130	T19044	Oil	FP20
AT332909		LAF5430 ¹	AR26350	Oil	P189	<i>710D</i>		
AT101565	Breather	G3/8 ¹⁰⁷⁷	AR75603	Trans	P346	AT39124	Air	LAF1846 ²
AT191102	Cabin Air	LAF5314	<i>510 w/John Deere 4045D Engine</i>			AT31227		LAF503 ¹
(RE522878); Sec.	Fuel	L8868F	AR46481	Air	LAF6032 ²	(RE62419); Sec.	Fuel	L3887F
Pri.		L8872F	AR50041	Fuel	P1130	AT140315	Hydraulic	LFH8229
AT308274	Hydraulic	LFH9347	AT34670	Hydraulic	P346 ¹¹	AT172912		LFH8263
RE504836	Oil	LFP4836	AR28110	Oil	P189	(T19044); -S/N 713823	Oil	FP20
AT179323	Trans	LFH8728	AT34670	Trans	P346	(RE59754); S/N		LFP5757
<i>410K, 410K TC w/John Deere 4045HT Engine</i>			<i>510B, 510C, 515B</i>			<i>710G</i>		
AT332908	Air	LAF5429 ²	(AT65296); Turbo	Air	LAF1163 ²	AT203470	Air	LAF5932 ¹
AT332909		LAF5430 ¹	AT44378		LAF1394 ¹	AT222722		LAF8149 ²
AT101565	Breather	G3/8 ¹⁰⁷⁷	AT65088		LAF6032 ²	AT101565	Breather	G3/8 ¹⁰⁷⁷
AT191102	Cabin Air	LAF5314	AR50041	Fuel	P1130	AT191102	Cabin Air	LAF5314
(RE544394);	Fuel	L8557F	AR94510	Hydraulic	LFH1702	(RE509031); Sec.	Fuel	L8557F
C219607- And			AT67957		LH4963 ¹⁰⁹⁹	AT228474	Hydraulic	LFH9347
D219607-; Sec.			T19044	Oil	FP20	RE504836	Oil	LFP4836
						AT179323	Trans	LFH8728

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 268-Extended/Severe service 1077-Hyd. Tank 1099-Torque Converter 1147-With Pre-Cleaner 1328-Auxillary

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (BACKHOE LOADER)			JOHN DEERE (COMBINE)			JOHN DEERE (COMBINE)		
<i>710K w/John Deere PowerTech E 6068HT Interim Tier 4 Engine</i>			<i>1075 German Combine (cont'd)</i>			<i>3300 w/John Deere 202G Engine (cont'd)</i>		
AT101565	Breather	G3/8 ¹⁰⁷⁷	AR50041	Fuel	P1130	AH76668	Hydraulic	LFH4203
(RE522878); Sec. Pri.	Fuel	L8868F L8872F	AZ22878	Hydraulic	LFP2222	T19044	Oil	FP20
AT308274	Hydraulic	LFH9367	T19044	Oil	FP20	<i>3300 w/John Deere 219 Engine</i>		
RE539279	Oil	LFP9279	AE43494	Trans	LFH3762 ⁵⁹⁰	AH0488H	Air	LAF1246 ²
AT179323	Trans	LFH8728	<i>111 Peanut Combine</i>			AH80920		LAF1872 ¹³⁵¹
JOHN DEERE (BRAZIL) (TRACTOR)			<i>114, 116W Hay Press w/EA92 Engine</i>			AT20728		LAF222 ²
<i>5605 w/John Deere 4045D Engine</i>			<i>1166, 1169H</i>			AT17387T	Fuel	L296F ⁴¹
AT171853	Air	LAF4544 ²	T19044	Oil	FP20	AH76668	Hydraulic	LFH4203
AT171854		LAF4545 ¹	<i>1177 German Combine</i>			T19044	Oil	FP20
RE45864	Hydraulic	LFH5015	AZ30758	Air	LAF1720 ¹	<i>400 Hay Cuber w/Detroit Diesel 6V-71 Engine</i>		
RE59754	Oil	LFP5757	AZ30757		LAF2052 ²	AE31258	Air	LAF241HD
<i>5705 w/John Deere 4045T Engine</i>			AR50041	Fuel	P1130	<i>4270D</i>		
AT171853	Air	LAF4544 ²	AZ22878	Hydraulic	LFP2222	AR50041	Fuel	P1130
AT171854		LAF4545 ¹	T19044	Oil	FP20	<i>4400 w/John Deere 219DH Engine</i>		
RE45864	Hydraulic	LFH5015	<i>1174 German Combine</i>			(AT44377); -S/N	Air	LAF1246 ²
RE59754	Oil	LFP5757	AZ30758	Air	LAF1720 ¹	250500		
<i>7715, 7815</i>			AZ30757		LAF2052 ²	AH80920		LAF1872 ¹³⁵¹
RE196945	Air	LAF9334 ²⁷⁵	AR50041	Fuel	LFF1129	(AR36044); S/N		LAF234HD ²
RE24619	Cabin Air	CAF1700 ¹⁸⁶	AZ22878	Hydraulic	LFP2222	250501-		
RE273801	Hydraulic	LFH8880G	T19044	Oil	FP20	(AT17387); w/219DH	Fuel	L296F ⁴¹
RE504836	Oil	LFP4836	AR101278		PH720	eng.		LFF1129
<i>7815 w/John Deere 6068 Power Tech Engine</i>			AZ36942	Trans	LFP2248 ⁵⁹⁰	(AR86745);		
RE24619	Cabin Air	CAF1700 ¹⁸⁶	<i>1188 German Combine</i>			w/6329DH-03 eng.		
(RE509032); Sec. Pri.	Fuel	L8557F L8867F ²⁷⁵	(AZ26091); 387mm	Air	LAF1716 ²	(AF50041);		P1130
RE198381	Hydraulic	LFH8880G	AZ26007		LAF1717 ¹	w/6329DH-02 eng.	Hydraulic	LFH4203
RE504836	Oil	LFP4836	AR86745	Fuel	LFF1129	AH76668	Oil	FP20
JOHN DEERE (COMBINE)			AZ22878	Hydraulic	LFP2222	<i>4400 w/John Deere 292 Gas Engine</i>		
<i>105</i>			AR101278	Oil	PH720	(AT44377); -S/N	Air	LAF1246 ²
(AR20488); S/N 14001-	Air	LAF1246 ²	AZ36942	Trans	LFP2248 ⁵⁹⁰	250500		
AR39798		LAF1842 ²	<i>12, 25, 30, 40, 45 w/EA92 Engine</i>			AH80920		LAF1872
AH66302		LAF22053	AH19847	Air	LAF1275 ²	(AR36044); S/N		LAF234HD ²
AR36044R		LAF234HD ²	AT20728		LAF222 ²	250501-		
(AR19853); -S/N 14000		LAF702	T19044	Oil	FP20	AH76668	Hydraulic	LFH4203
AT17387	Fuel	L296F ⁴¹	<i>1470 w/John Deere 6068HCQ82 Engine</i>			AH78769	Oil	PH454
AR50041		P1130	(RE522878); Sec.	Fuel	L8868F	<i>4400 w/John Deere 6329DH Engine</i>		
AR43634	Oil	PH725	RE504836	Oil	LFP4836	(AT44377); -S/N	Air	LAF1246 ²
<i>1055 German Combine</i>			<i>1570 w/John Deere 6068HCQ81 Engine</i>			250500		
AZ25867	Air	LAF1725 ¹	(RE522878); Sec.	Fuel	L8868F	AH80920		LAF1872 ¹³⁵¹
AZ20625		LAF9001 ²	RE504836	Oil	LFP4836	(AR36044); S/N		LAF234HD ²
AR50041	Fuel	P1130	<i>162</i>			250501-		
AZ22878	Hydraulic	LFP2222	AH20488H	Air	LAF1246 ²	(AT17387); w/219DH	Fuel	L296F ⁴¹
T19044	Oil	FP20	AH19853H		LAF702	eng.		LFF1129
<i>1065, 1068</i>			<i>215</i>			(AR86745);		
AZ30758	Air	LAF1720 ¹	AH19847	Air	LAF1275 ²	w/6329DH-03 eng.		
AZ30757		LAF2052 ²	T19044	Oil	FP20	(AF50041);		P1130
AR50041	Fuel	P1130	<i>3300 w/John Deere 202G Engine</i>			w/6329DH-02 eng.	Hydraulic	LFH4203
AZ22878	Hydraulic	LFP2222	AH80920	Air	LAF1872 ¹³⁵¹	AH76668	Oil	LFH4203
T19044	Oil	FP20	AT20728		LAF222 ²	T19044	Oil	FP20
<i>1075 German Combine</i>			<i>4420 w/John Deere Engine</i>			AH80920	Air	LAF1872
AZ30758	Air	LAF1720 ¹	<i>215</i>			AR36044		LAF234HD ²
AZ30757		LAF2052 ²	AH19847	Air	LAF1275 ²	AR86745	Fuel	LFF1129
Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.								
1-Inner 2-Outer 41-Cartridge 186-Dust filter 275-Primary 590-Hydrostatic 1077-Hyd. Tank 1351-Inside								

J

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (COMBINE)			JOHN DEERE (COMBINE)			JOHN DEERE (COMBINE)		
<i>4425, 4435 w/John Deere 6359 Engine</i>			<i>6600 Level Land Combine w/John Deere 6404DH Engine (cont'd)</i>			<i>6602 w/John Deere 6466D Engine (cont'd)</i>		
AZ30758	Air	LAF1720 ¹	(T19044); w/6329DH, GH, 303G	Oil	FP20	AH76668	Hydraulic	LFH4203
AZ30757		LAF2052 ²	(AR43634); w/6404DH		PH725	AT60645		LP6005 ¹³⁶⁰
AR86745	Fuel	LFF1129	AE43494	Trans	LFH3762 ⁵⁹⁰	AR43634	Oil	PH725
AR50041		P1130	<i>6600 Level Land Combine w/John Deere HD303G Engine</i>			AE43494	Trans	LFH3762 ⁵⁹⁰
AZ22878	Hydraulic	LFP2222	(AT44377); w/6329GH & 303G	Air	LAF1246 ²	<i>6620, 6622 w/John Deere 646A Engine</i>		
T19044	Oil	FP20	AH80920		LAF1872	AR79680	Air	LAF414 ¹
<i>45 w/ercules JX Engine</i>			(AR36044); w/6239DH & 6406DH		LAF234HD ²	AR79679		LAF926 ²
			AT17387	Fuel	L296F ⁴¹	AR86745	Fuel	LFF1129
			AR50041		P1130	AH91274	Hydraulic	LFH3756
<i>55 w/John Deere Engine</i>			AH76668	Hydraulic	LFH4203	AT60645		LP6005 ¹³⁶¹
AH20488	Air	LAF1246 ²	(AT60645); Power; RWD		LP6005	RE46380	Oil	PH720
AT20728		LAF222 ²	(T19044); w/6329DH, GH, 303G	Oil	FP20	AR43634		PH725
T19044	Oil	FP20	(AR43634); w/6404DH		PH725	AE43494	Trans	LFH3762 ⁵⁹⁰
		P144	AE43494	Trans	LFH3762 ⁵⁹⁰	<i>7000</i>		
<i>6600 Level Land Combine w/John Deere 6329DH Engine</i>			<i>6600 Side Hill</i>			AR61968	Air	LAF414 ¹
(AT44377); w/6329GH & 303G	Air	LAF1246 ²	AH80920	Air	LAF1872	AR61967		LAF926 ²
AH80920		LAF1872	(AR36044H); -S/N 305672		LAF234HD ²	AR50041	Fuel	P1130
(AR36044); w/6239DH & 6406DH		LAF234HD ²	AR79680		LAF414 ¹	AR43634	Oil	PH725
AT17387	Fuel	L296F ⁴¹	(AR79679); S/N 305673-		LAF926 ²	<i>7700 w/363G Engine</i>		
AR50041		P1130	AR50041	Fuel	P1130	AH80920	Air	LAF1872
AH76668	Hydraulic	LFH4203	AH76668	Hydraulic	LFH4203	AR36044R		LAF234HD ²
(AT60645); Power; RWD		LP6005	AR86745	Fuel	LFF1129	AH76668	Hydraulic	LFH4203
(T19044); w/6329DH, GH, 303G	Oil	FP20	AR50041		P1130	(AT60645); Power; RWD		LP6005
(AR43634); w/6404DH		PH725	AH76668	Hydraulic	LFH4203	T19044	Oil	FP20
AE43494	Trans	LFH3762 ⁵⁹⁰	AT60645		LP6005 ¹³⁶⁰	AE43494	Trans	LFH3762 ⁵⁹⁰
<i>6600 Level Land Combine w/John Deere 6329GH Engine</i>			<i>6602 w/John Deere 362G Engine</i>			<i>7700 w/John Deere 6404TH Engine</i>		
(AT44377); w/6329GH & 303G	Air	LAF1246 ²	AH80920	Air	LAF1872	AH80920	Air	LAF1872
AH80920		LAF1872	AR36044R		LAF234HD ²	(AR79679); -S/N 163901		LAF3711 ²
(AR36044); w/6239DH & 6406DH		LAF234HD ²	AR86745	Fuel	LFF1129	AR79680		LAF6401 ¹
AT17387	Fuel	L296F ⁴¹	AR50041		P1130	AR50041	Fuel	P1130
AR50041		P1130	AH76668	Hydraulic	LFH4203	AH76668	Hydraulic	LFH4203
AH76668	Hydraulic	LFH4203	AT60645		LP6005 ¹³⁶⁰	(AT60645); Power; RWD		LP6005
(AT60645); Power; RWD		LP6005	T19044	Oil	FP20	AR43634	Oil	PH725
(T19044); w/6329DH, GH, 303G	Oil	FP20	AH76991	Trans	LFH3762 ⁵⁹⁰	AE43494	Trans	LFH3762 ⁵⁹⁰
(AR43634); w/6404DH		PH725	<i>6602 w/John Deere 6404D Engine</i>			<i>7701</i>		
AE43494	Trans	LFH3762 ⁵⁹⁰	AH80920	Air	LAF1872	AH76668	Hydraulic	LFH4203
<i>6600 Level Land Combine w/John Deere 6404DH Engine</i>			AR79680		LAF414 ¹	<i>7720 w/John Deere 6466A Engine</i>		
(AT44377); w/6329GH & 303G	Air	LAF1246 ²	AR79679		LAF926 ²	AR79680	Air	LAF414 ¹
AH80920		LAF1872	AR86745	Fuel	LFF1129	AR79679		LAF926 ²
(AR36044); w/6239DH & 6406DH		LAF234HD ²	AR50041		P1130	AR86745	Fuel	LFF1129
AT17387	Fuel	L296F ⁴¹	AH76668	Hydraulic	LFH4203	AR50041		P1130
AR50041		P1130	AT60645		LP6005 ¹³⁶⁰	AH91274	Hydraulic	LFH3756
AH76668	Hydraulic	LFH4203	AR43634	Oil	PH725	AH76991		LFH3762
(AT60645); Power; RWD		LP6005	AE43494	Trans	LFH3762 ⁵⁹⁰	(AT60645); Power; RWD		LP6005
(T19044); w/6329DH, GH, 303G	Oil	FP20	<i>6602 w/John Deere 6466D Engine</i>			AR101278	Oil	PH720
(AR43634); w/6404DH		PH725	AH80920	Air	LAF1872	AR43634		PH725
AE43494	Trans	LFH3762 ⁵⁹⁰	AR79680		LAF414 ¹	<i>7721</i>		
<i>6600 Level Land Combine w/John Deere 6404DH Engine</i>			AR79679		LAF926 ²	AH91274	Hydraulic	LFH3756
(AT44377); w/6329GH & 303G	Air	LAF1246 ²	AR86745	Fuel	LFF1129	<i>7722</i>		
AH80920		LAF1872	AR50041		P1130	AR80653	Air	LAF1532 ¹
(AR36044); w/6239DH & 6406DH		LAF234HD ²	AH76668	Hydraulic	LFH4203	AR80652		LAF1533 ²
AT17387	Fuel	L296F ⁴¹	AT60645		LP6005 ¹³⁶⁰	AR82915		LAF1888 ^{2, 1370}
AR50041		P1130	AR43634	Oil	PH725			
AH76668	Hydraulic	LFH4203	AE43494	Trans	LFH3762 ⁵⁹⁰			
(AT60645); Power; RWD		LP6005	<i>6602 w/John Deere 6466D Engine</i>					
			AH80920	Air	LAF1872			
			AR79680		LAF414 ¹			
			AR79679		LAF926 ²			
			AR86745	Fuel	LFF1129			
			(AR50041); w/6404D		P1130			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 41-Cartridge 590-Hydrostatic 1360-Leveling System 1361-Level Land 1370-4.81" I.D.

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (COMBINE)			JOHN DEERE (COMBINE)			JOHN DEERE (COMBINE)		
<i>9560STS w/John Deere 6081 Power Tech Engine (cont'd)</i>			<i>965 German Combine</i>			<i>9660STS, 9760STS w/John Deere 6090 Tier 3 Engine (cont'd)</i>		
(RE522688); S/N 232463-; Sec.	Fuel	LFF6753	AZ25867	Air	LAF1725 ¹	RE525523	Fuel	LFF6929 ¹⁰¹⁴
AH128449	Hydraulic	LFH4990	AH80920		LAF1872 ¹³⁵¹	AH128449	Hydraulic	LFH4990
RE509672	Oil	LP5979	(AZ20625); S/N 15188-		LAF9001 ²	RE509672	Oil	LP5979
AH128449	Trans	LFH4990 ⁵⁹⁰	AR50041	Fuel	P1130	AH128449	Trans	LFH4990 ⁵⁹⁰
<i>9570STS w/John Deere 6068 Power Tech Engine</i>			T19044	Oil	FP20	<i>9670STS, 9770STS w/John Deere Plus 6090 Engine</i>		
AH222225	Air	LAF8889 ²	AZ22878		LFP2222	AH222225	Air	LAF8889 ²
AH115833	Cabin Air	LAF22106	<i>9650CTS, 9650STS w/John Deere 6081 Power Tech Engine</i>			AH115833	Cabin Air	LAF22106
(RE522878); Sec.	Fuel	L8868F	AH148880	Air	LAF1953 ²	RE525523	Fuel	LFF6929 ¹⁰¹⁴
AH128449	Hydraulic	LFH4990 ^{610, 1380}	(AH164062); Hi-Capacity		LAF1953MXM ²	AH128449	Hydraulic	LFH4990 ^{610, 1380}
RE504836	Oil	LFP4836	RE63932		LAF5720 ¹	RE509672	Oil	LP5979
<i>960 German Combine</i>			AH115836		LAF5819 ⁵⁵⁴	<i>975 German Combine</i>		
AR36044	Air	LAF234HD ²	AH115833	Cabin Air	LAF22106	(AZ26091); S/N 015188-; 387mm	Air	LAF1716 ²
AZ20625		LAF9001 ²	(AR86745); -S/N 19999	Fuel	LFF1129	(AZ23642); -S/N 015187		LAF1736 ²
AR50041	Fuel	P1130	(RE522687); S/N 232463-; Pri.		LFF5226	AH80920		LAF1872 ¹³⁵¹
T19044	Oil	FP20	(RE522688); S/N 232463-; Sec.		LFF6753	AR50041	Fuel	P1130
<i>9600 w/John Deere 6081 Power Tech Engine</i>			(RE522372); S/N 200000-232462		LFF6961 ²¹⁰	AZ22878	Hydraulic	LFP2222
(AR70106); S/N 645301-666172	Air	LAF1040 ²	(RE500186); W/S		LFF8064	(T19044); -S/N 15187	Oil	FP20
(AR95758); S/N 666173-		LAF1465 ²	AH128449	Hydraulic	LFH4990 ¹³⁸⁰	AE43494	Trans	LFH3762 ⁵⁹⁰
AR80653		LAF1532 ¹	RE509672	Oil	LP5979	<i>9750STS w/John Deere 6081 Engine</i>		
(AR80652); -S/N 695300		LAF1533 ²	RE57394		PH720	AH148880	Air	LAF1953 ²
AR81313		LAF1952 ¹	AH128449	Trans	LFH4990 ⁵⁹⁰	(AH164062); Hi-Capacity		LAF1953MXM ²
AH115836		LAF5819 ⁵⁵⁴	RE57394		PH720	RE63932		LAF5720 ¹
AR70107		LAF636 ²	AH128449		PH720	AH115836		LAF5819 ⁵⁵⁴
AR95759		LAF7313 ¹	<i>9660, 9660CTS w/John Deere 6081 Power Tech Engine</i>			AH115833	Cabin Air	LAF22106
AR86745	Fuel	LFF1129	AH148880	Air	LAF1953 ²	(AR86745); -S/N 19999	Fuel	LFF1129
(AT81478); W/S W/S		LFF8061	RE63932		LAF5720 ¹	(RE522687); S/N 232463-; Pri.		LFF5226
AH128449	Hydraulic	LFH4990	AH115836	Cabin Air	LAF5819 ⁵⁵⁴	(RE522688); S/N 232463-; Sec.		LFF6753
RE57394	Oil	PH720	RE522372	Fuel	LFF6961 ²¹⁰	(RE522372); S/N 200000-232462		LFF6961 ²¹⁰
AH128449	Trans	LFH4990 ⁵⁹⁰	AH128449	Hydraulic	LFH4990 ¹³⁸⁰	(RE500186); W/S		LFF8064
<i>9610</i>			RE509672	Oil	LP5979	AH128449	Hydraulic	LFH4990 ¹³⁸⁰
AR95758	Air	LAF1465 ^{2, 15}	AH128449	Trans	LFH4990 ⁵⁹⁰	RE509672	Oil	LP5979
AH148880		LAF1953 ²	<i>9660STS w/John Deere 6081 Engine</i>			RE57394		PH720
RE63932		LAF5720 ¹	AH115836	Air	LAF5819 ⁵⁵⁴	AH128449	Trans	LFH4990 ⁵⁹⁰
AH115836		LAF5819 ⁵⁵⁴	(AH212294); S/N 715401-		LAF8878 ²	<i>9760STS w/John Deere 6081 Power Tech Engine</i>		
AR95759		LAF7313 ^{1, 15}	AH115833	Cabin Air	LAF22106	AH115836	Air	LAF5819 ⁵⁵⁴
AH128449	Hydraulic	LFH4990	(RE522687); S/N 232463-; Pri.	Fuel	LFF5226	(AH212294); S/N 715501-		LAF8878 ²
RE57394	Oil	PH720	(RE522688); S/N 232463-; Sec.		LFF6753	AH115833	Cabin Air	LAF22106
AH128449	Trans	LFH4990 ⁵⁹⁰	(RE522372); S/N -232462		LFF6961 ²¹⁰	(RE522687); S/N 232463-; Pri.	Fuel	LFF5226
<i>9640WTS, 9660WTS, 9860WTS</i>			AH128449	Hydraulic	LFH4990	(RE522688); S/N 232463-; Sec.		LFF6753
AH148880	Air	LAF1953 ²	RE509672	Oil	LP5979	RE522372		LFF6961 ²¹⁰
		LAF1953MXM ^{2, 268}	AH128449	Trans	LFH4990 ⁵⁹⁰	AH128449	Hydraulic	LFH4990
RE63932		LAF5720 ¹	<i>9660STS, 9760STS w/John Deere 6090 Tier 3 Engine</i>			RE509672	Oil	LP5979
AH115836		LAF5819 ⁵⁵⁴	AH115836	Air	LAF5819 ⁵⁵⁴	AH128449	Trans	LFH4990 ⁵⁹⁰
AH115833	Cabin Air	LAF22106	AH212294		LAF8878 ²			
(RE522688); S/N 232463-; Sec.	Fuel	LFF6753	AH115833	Cabin Air	LAF22106			
(RE522372); S/N -232462		LFF6961 ²¹⁰						
AH128449	Hydraulic	LFH4990						
RE509672	Oil	LP5979						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 15-Standard 171-With Sensor Port 210-w/ Sensor 268-Extended/Severe service 554-Recirculation 590-Hydrostatic 610-Charge Pump 1014-Kit, cartridge and spin-on filter 1351-Inside 1380-Gear Case

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (COMBINE)			JOHN DEERE (COMBINE)			JOHN DEERE (COMBINE)		
<i>9860STS</i>			<i>S670 w/PSX 9.0L Tier 4 Engine</i>			<i>W550 w/John Deere 6068HZ Engine (cont'd)</i>		
(AH170798); S/N -715600	Air	LAF5568 ²	(AH222225); S/N -765000	Air	LAF8889 ²	RE504836	Oil	LFP4836
(AH174196); S/N -715600		LAF5569 ¹	(RE533910); Sec. (RE539465); Pri.	Fuel	LFF6963 LFF6964	<i>W650 w/John Deere 6090H2003L Engine</i>		
AH115836		LAF5819 ⁵⁵⁴	RE509672	Oil	LP5979	AH148880	Air	LAF1953 ^{2, 18}
(AH212294); S/N 715601-		LAF8878 ²	AH128449	Trans	LFH4990 ⁵⁹⁰	AH164063		LAF4510 ^{1, 19}
AH115833	Cabin Air	LAF22106	<i>S680, S690 w/PSX 13.5 Tier 4 Engine</i>			RE63932		LAF5720 ^{1, 18}
(RE507284); W/S	Fuel	LFF7284	(RE533910); Sec. (RE539465); Pri.	Fuel	LFF6963 LFF6964	AH115833	Cabin Air	LAF22106
AH128449	Hydraulic	LFH4990	RE530107	Oil	LFP6930	RE525523	Fuel	LFF6929 ¹⁰¹⁴
RE58935	Oil	LFP5723	AH128449	Trans	LFH4990 ⁵⁹⁰	AH128449	Hydraulic	LFH4990
AH128449	Trans	LFH4990 ⁵⁹⁰	<i>S690i w/John Deere 6135HH Engine</i>			RE509672	Oil	LP5979
<i>9870STS w/Power Tech Plus 6135 Engine</i>			AH222225	Air	LAF8889 ²	JOHN DEERE (COMPACTOR)		
AH222225	Air	LAF8889 ²	(RE533910); Sec. RE532952	Fuel	LFF6963 LFF6964	<i>646 w/John Deere Engine</i>		
AH115833	Cabin Air	LAF22106	AH128449	Hydraulic	LFH4990	AT31227	Air	LAF503 ¹
(RE533910); Sec. (RE532952); Pri.	Fuel	LFF6963 LFF6964	RE530107	Oil	LFP6930	AR44077	Fuel	L1168F
AH128449	Hydraulic	LFH4990 ^{610, 1380}	<i>T550, T550i w/John Deere 6068HZ Engine</i>			AR50041		P1130
RE530107	Oil	LFP6930	AH148880	Air	LAF1953 ^{2, 18}	AT34670	Hydraulic	P346 ¹¹
<i>C670 w/John Deere 6090H2 Engine</i>			RE63932	Fuel	L8868F	AR43634	Oil	PH725
AH148880	Air	LAF1953 ^{2, 18}	(RE522878); Sec. AH128449	Hydraulic	LFH4990	AT75603	Trans	P346
RE63932		LAF5720 ^{1, 18}	RE504836	Oil	LFP4836	<i>646B</i>		
RE525523	Fuel	LFF6929 ¹⁰¹⁴	<i>T560, T560i w/John Deere 6090HZ 9.0L Engine</i>			AE30507	Air	LAF1780 ¹
AH128449	Hydraulic	LFH4990	AH148880	Air	LAF1953 ^{2, 18}	AE30508		LAF1811 ²
RE509672	Oil	LP5979	RE63932	Fuel	LAF5720 ^{1, 18}	AR50041	Fuel	P1130
CTS			RE525523	Fuel	LFF6929 ¹⁰¹⁴	AT34670	Hydraulic	P346 ¹¹
(AR70106); -S/N 665400	Air	LAF1040 ²	AH128449	Hydraulic	LFH4990	AR101278	Oil	PH720
(AR95758); S/N 665401-		LAF1465 ²	RE509672	Oil	LP5979	AR43634	Trans	PH725
AH115836		LAF5819 ²¹⁹	<i>T660, T660i w/John Deere 6090HZ003B Engine</i>			AT75603	Trans	P346
AR70107		LAF636 ²	AH148880	Air	LAF1953 ²	AE30507	Air	LAF1780 ¹
AR95759		LAF7313 ¹	RE63932	Fuel	LAF1953MXM ^{2, 268}	AE30508		LAF1811 ²
AH115833	Cabin Air	LAF22106 ⁸⁹⁸	RE525523	Fuel	LAF5720 ¹	AR50041	Fuel	P1130
RE27091	Fuel	LFF1129	AH128449	Hydraulic	LFH4990 ⁶¹⁰	AT34670	Hydraulic	P346 ¹¹
(AT81478); W/S W/S		LFF8061 LFF8061U ¹⁷¹	RE509672	Oil	LP5979	AR101278	Oil	PH720
AR101278	Oil	PH720	<i>T670, T670i w/John Deere 6090HZ003D Engine</i>			AR43634	Trans	PH725
CTS II			AH148880	Air	LAF1953 ²	AT75603	Trans	P346
AH148880	Air	LAF1953 ²	RE63932	Fuel	LAF1953MXM ^{2, 268}	<i>646C</i>		
RE63932		LAF1953MXM ^{2, 268}	RE525523	Fuel	LAF5720 ¹	AE30507	Air	LAF1780 ¹
AH115836		LAF5819 ⁵⁵⁴	AH128449	Hydraulic	LFH4990 ⁶¹⁰	AE30508		LAF1811 ²
AR86745	Fuel	LFF1129	RE509672	Oil	LP5979	AR94650	Coolant	LFW4074 ⁶²⁷
(AT81478); W/S W/S		LFF8061 LFF8061U ¹⁷¹	<i>W540 w/John Deere 6068HZ Engine</i>			RE11992		LFW4685 ²⁴⁹
AH128449	Hydraulic	LFH4990	AH148880	Air	LAF1953 ^{2, 18}	LFW4685XL ^{14, 249}		
RE57394	Oil	PH720	RE63932	Fuel	LAF5720 ^{1, 18}	(AR86745); S/N 241583-	Fuel	LFF1129
AH128449	Trans	LFH4990 ⁵⁹⁰	(RE522878); Sec. AH128449	Fuel	L8868F	(AT81478); W/S W/S		LFF8061 LFF8061U ¹⁷¹
<i>S650, S660 (w/John Deere Power Tech PSX 9.0L Engine)</i>			AH128449	Hydraulic	LFH4990	AR50041		P1130
(RE533910); Sec. (RE539465); Pri.	Fuel	LFF6963 LFF6964	RE504836	Oil	LFP4836	AR75603	Hydraulic	P346 ¹¹
AH128449	Hydraulic	LFH4990	AH128449	Trans	LFH4990 ⁵⁹⁰	(RE57394); S/N 248524-	Oil	PH720
RE509672	Oil	LP5979	<i>W550 w/John Deere 6068HZ Engine</i>			(AR43634); -S/N 248523		PH725
AH128449	Trans	LFH4990 ¹³⁸²	AH148880	Air	LAF1953 ^{2, 18}	AR75603	Trans	P346
			RE63932	Fuel	LAF5720 ^{1, 18}	JOHN DEERE (COTTON PICKER)		
			(RE522878); Sec. AH128449	Fuel	L8868F	<i>299 w/John Deere 217 Engine</i>		
			AH128449	Hydraulic	LFH4990	AH20488H	Air	LAF1246 ²
							Fuel	L296F ⁴¹
							Oil	FP20

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 14-Extended Life 18-Short 19-Long 41-Cartridge 171-With Sensor Port 219-Air Conditioner 249-No chemical 268-Extended/Severe service 554-Recirculation 590-Hydrostatic 610-Charge Pump 627-5 oz. of chemical 898-Cabin fresh air filter 1014-Kit, cartridge and spin-on filter 1380-Gear Case 1382-Without ProDrive

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (COTTON PICKER)			JOHN DEERE (COTTON PICKER)			JOHN DEERE (COTTON PICKER)		
<i>299 w/John Deere 248 Diesel Engine</i>			<i>7445</i>			<i>9900 (cont'd)</i>		
AH20488H	Air	LAF1246 ²	AH92463	Air	LAF1873 ⁵⁵⁴	AE33293	Hydraulic	LFP1652
	Fuel	L296F ⁴¹	AR79680		LAF414 ¹	T19044	Oil	FP20
	Oil	FP20	AR79679		LAF926 ²	AE43494	Trans	LFH3762 ⁵⁹⁰
<i>482 w/219 Diesel Engine</i>			AR50041	Fuel	P1130	<i>9910 w/John Deere 6359 Engine</i>		
AH20488H	Air	LAF1246 ²	T19044	Oil	FP20	AH92463	Air	LAF1873 ⁵⁵⁴
AN112705	Cabin Air	LAF6680	AE43494	Trans	LFH3762 ⁵⁹⁰	AR79941		LAF3711 ²
AT17387	Fuel	L296F ⁴¹	<i>7450</i>			AR79942		LAF6401 ¹
T19044	Oil	FP20	AH92463	Air	LAF1873 ⁵⁵⁴	AR50041	Fuel	P1130
<i>482 w/329 Diesel Engine</i>			AR79680		LAF414 ¹	RE17380	Hydraulic	LFH4427
AH20488H	Air	LAF1246 ²	AR79679		LAF926 ²	AE33293		LFP1652
AN112705	Cabin Air	LAF6680	AR50041	Fuel	P1130	T19044	Oil	FP20
AT17387	Fuel	L296F ⁴¹	AH128449	Hydraulic	LFH4990	AE43494	Trans	LFH3762 ⁵⁹⁰
AR50041		P1130	T19044	Oil	FP20	<i>9920</i>		
T19044	Oil	FP20	AE43494	Trans	LFH3762 ⁵⁹⁰	AH92463	Air	LAF1873 ⁵⁵⁴
<i>484 w/John Deere 6329DN Engine</i>			<i>7455</i>			(AR79941); w/o Turbo		LAF3711 ²
AT33363	Air	LAF1831 ¹	AH92463	Air	LAF1873 ⁵⁵⁴	AR79680		LAF414 ¹
AH92463		LAF1873 ⁵⁵⁴	AR79680		LAF414 ¹	AR79942		LAF6401 ¹
(AR79941); w/6359DN eng.		LAF3711 ²	AR79679		LAF926 ²	(AR79679); Turbo		LAF926 ²
(AT33364); w/6329DN eng.		LAF5054A ²	(RE65431); Pri.	Fuel	L8138F	AR50041	Fuel	P1130
AR79942		LAF6401 ¹	(RE62418); W/S		LFF8215	T19044	Oil	FP20
AR50041	Fuel	P1130	AH128449	Hydraulic	LFH4990	AE43494	Trans	LFH3762 ⁵⁹⁰
AE33293	Hydraulic	LFP1652	RE59754	Oil	LFP5757	<i>9930</i>		
T19044	Oil	FP20	<i>7460</i>			AH92463	Air	LAF1873 ⁵⁵⁴
AE43494	Trans	LFH3762 ⁵⁹⁰	(RE65880); -SN30000	Air	LAF3532 ²	AR79680		LAF414 ¹
<i>499 w/219D Engine</i>			(RE34967); -SN30000		LAF3533 ¹	AR79679		LAF926 ²
AH20488H	Air	LAF1246 ²	AH115836		LAF5819 ⁵⁵⁴	AR50041	Fuel	P1130
AT17387	Fuel	L296F ⁴¹	AH115833	Cabin Air	LAF22106	T19044	Oil	FP20
T19044	Oil	FP20	(RE62419); Sec.	Fuel	L3887F	AE43494	Trans	LFH3762 ⁵⁹⁰
<i>499 w/219G Engine</i>			(RE508633); Pri.		L8138F	<i>9935</i>		
AT20728	Air	LAF222 ²	(RE508633); Sec.		L8868F	AH92463	Air	LAF1873 ⁵⁵⁴
T19044	Oil	FP20	T175002	Hydraulic	LFH4990	AR79680		LAF414 ¹
<i>699 w/303D Engine</i>			RE504836	Oil	LFP4836	AR79679		LAF926 ²
AH20488	Air	LAF1246 ²	RE59754		LFP5757	(RE65431); Pri.	Fuel	L8138F
AT17387	Fuel	L296F ⁴¹	<i>7660 w/PXV9.0L Tier 4 Engine</i>			(RE62418); W/S		LFF8215
AR50041		P1130	AH212294	Air	LAF8878 ²	AH128449	Hydraulic	LFH4990
T19044	Oil	FP20	AH115833	Cabin Air	LAF22106	RE59754	Oil	LFP5757
<i>699 w/303G Engine</i>			RE525523	Fuel	LFF6929 ¹⁰¹⁴	<i>9940</i>		
AH20488	Air	LAF1246 ²	AH128449	Hydraulic	LFH4990 ⁶¹⁰	AR80653	Air	LAF1532 ¹
T19044	Oil	FP20	RE509672	Oil	LP5979	AR79679		LAF1533 ²
<i>699 w/329D Engine</i>			LVA10419	Trans	LFH4959 ⁵⁹⁰	AH92463		LAF1873 ⁵⁵⁴
AH20488	Air	LAF1246 ²	<i>7760 w/John Deere Power Tech 13.5L Engine</i>			AR94650	Coolant	LFW4074 ⁶²⁷
AT17387	Fuel	L296F ⁴¹	AH212294	Air	LAF8878 ²	(AR86745); S/N	Fuel	LFF1129
AR50041		P1130	AH115833	Cabin Air	LAF22106	241583-		P1130
T19044	Oil	FP20	(RE533910); Sec.	Fuel	LFF6963	(AR87645); -S/N		
<i>699 w/329G Engine</i>			RE532952		LFF6964	241582		
AH20488	Air	LAF1246 ²	AH128449	Hydraulic	LFH4990 ⁶¹⁰	(AR101278); S/N	Oil	PH720
T19044	Oil	FP20	RE530107	Oil	LFP6930	298393-		PH725
<i>7440</i>			<i>99</i>			(AR43634); -S/N		
AH92463	Air	LAF1873 ⁵⁵⁴		Oil	FP20	298392		
AR77941		LAF3711 ²	<i>9900</i>			AE43494	Trans	LFH3762 ⁵⁹⁰
AR79942		LAF6401 ¹	AH20488R	Air	LAF1246 ²	<i>9950</i>		
AR50041	Fuel	P1130	AT33364		LAF1831 ¹	AR80653	Air	LAF1532 ¹
T19044	Oil	FP20	AT33363		LAF5054A ²	AR80652		LAF1533 ²
AE43494	Trans	LFH3762 ⁵⁹⁰	AN112705	Cabin Air	LAF6680	AH92463		LAF1873 ⁵⁵⁴
			AR50041	Fuel	P1130	AR86745	Fuel	LFF1129
						AR101278	Oil	PH720
						AE43494	Trans	LFH3762 ⁵⁹⁰

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 554-Recirculation 590-Hydrostatic 610-Charge Pump 627-5 oz. of chemical 1014-Kit, cartridge and spin-on filter

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (COTTON PICKER)			JOHN DEERE (COTTON PICKER)			JOHN DEERE (CRAWLER DOZER)		
<i>9960, 9965</i>			<i>9996 (cont'd)</i>			<i>450 w/A-1 Diesel Engine (cont'd)</i>		
AR70106	Air	LAF1040 ²	RE509672	Oil	LP5979	AT17387	Fuel	L296F ⁴¹
AH92463		LAF1873 ⁵⁵⁴	AH128449	Trans	LFH4990 ⁵⁹⁰	T19044	Hydraulic	FP20 ¹¹⁹³
AR70107		LAF636 ²	JOHN DEERE (CRAWLER DOZER)			T19044	Oil	FP20 ¹²¹⁸
RE27091	Fuel	LFF1129	<i>1050C w/Liebherr D9406 Engine</i>			<i>450 w/Gas Engine</i>		
AH128449	Hydraulic	LFH4990	AT277355	Air	LAF5743 ²	(AR39798); Diesel	Air	LAF1842 ²
AR101278	Oil	PH720	AT277119	Oil	LFP5084	(AT20728); Gas		LAF222 ²
AE43494	Trans	LFH3762 ⁵⁹⁰	<i>1050J w/Liebherr D946LA6 Engine</i>			AT17387	Fuel	L296F ⁴¹
<i>9970 w/John Deere 6068 Engine</i>				Air	LAF5973 ²	T19044	Hydraulic	FP20 ¹¹⁹³
AR70106	Air	LAF1040 ²			LAF5974 ²	T19044	Oil	FP20 ¹²¹⁸
AH92463		LAF1873 ⁵⁵⁴	W/S	Fuel	LFF8063	<i>450B</i>		
AR70107		LAF636 ²	W/S		LFF8063U ¹⁷¹	AT33364	Air	LAF1831 ¹
(RE509032); Sec.	Fuel	L8557F	W/S		LFF9897	AT33363		LAF5054A ²
(RE509036); Pri.		L8867F ²⁷⁵		Oil	LFP5084	AT17387	Fuel	L296F ⁴¹
AE43494	Hydraulic	LFH3762 ¹⁰⁷⁷	<i>1050K (w/John Deere Powertech PSS6135 Engine)</i>			T19044	Oil	FP20 ^{1193, 1218}
T175002		LFH4990		Cabin Air	LAF5314 ⁸⁹⁸	<i>450C</i>		
RE504836	Oil	LFP4836	RE539465	Fuel	LFF6964	AT33364	Air	LAF1831 ¹
<i>9970 w/John Deere 6076 Engine</i>			RE572785	Oil	LFP6930	AT33363		LAF5054A ²
AR70106	Air	LAF1040 ²	<i>350 w/Gas Engine</i>			AR50041	Fuel	P1130
AH92463		LAF1873 ⁵⁵⁴	AT20728	Air	LAF222 ²	T19044	Hydraulic	FP20 ¹¹⁹³
AR70107		LAF636 ²	AT17387	Fuel	L296F ⁴¹	(AT120444); S/N		LFH8324
AR86745	Fuel	LFF1129	T19044	Hydraulic	FP20 ¹¹⁹³	354074-		
AH128449	Hydraulic	LFH4990	AR26350		P189 ¹³⁵²	(AT45422); -S/N		P422
RE57394	Oil	PH720	T19044	Oil	FP20	354074		
AE43494	Trans	LFH3762 ⁵⁹⁰	<i>350B w/A-1 Diesel Engine</i>			T19044	Oil	FP20 ¹²¹⁸
<i>9970 w/John Deere 6081 Engine</i>			AT20728	Air	LAF222 ²	<i>450D</i>		
AR70106	Air	LAF1040 ²	(AR50041); S/N	Fuel	P1130	AT35155	Air	LAF1917
AH92463		LAF1873 ⁵⁵⁴	191714-			AT31227		LAF503 ¹
AR70107		LAF636 ²	<i>350B w/Gas Engine</i>			AT120444	Hydraulic	LFH8324
AR86745	Fuel	LFF1129	(AT17387); -S/N	Fuel	L296F ⁴¹	<i>450E</i>		
AH128449	Hydraulic	LFH4990	191713			(AT65296); w/o Turbo	Air	LAF1163 ²
RE57394	Oil	PH720	T19044	Hydraulic	FP20 ¹¹⁹³	AT44378		LAF1394 ¹
AE43494	Trans	LFH3762 ⁵⁹⁰	<i>350C w/A-1 Diesel Engine</i>			T19044	Hydraulic	FP20 ¹¹⁹³
<i>9976</i>			(AT20728); -S/N	Air	LAF222 ²	AT120444		LFH8324
AR95758	Air	LAF1465 ²	380005			T19044	Trans	FP20 ¹²¹⁸
AH92463		LAF1873 ⁵⁵⁴	(AR50041); Diesel	Fuel	P1130	<i>450G</i>		
AR95759		LAF7313 ¹	(AT120444); S/N	Hydraulic	LFH8324	(AT65296); w/o Turbo	Air	LAF1163 ²
(RE65431); Pri.	Fuel	L8138F	354079-			AT44378		LAF1394 ¹
AR86745		LFF1129	(AT45422); -S/N		P422	(AT39124); Turbo		LAF1846 ²
AH128449	Hydraulic	LFH4990	354079			AT31227		LAF503 ¹
RE57394	Oil	PH720	T19044	Oil	FP20	(RE60021); Sec.	Fuel	L8683F
AE43494	Trans	LFH3762 ⁵⁹⁰	<i>350D</i>			(AT81478); W/S		LFF8061
<i>9986</i>			AR50041	Fuel	P1130	W/S		LFF8061U ¹⁷¹
AR95758	Air	LAF1465 ²	T19044	Hydraulic	FP20 ¹¹⁹³	AR50041		P1130
AR95759		LAF3657 ¹	AT120444		LFH8324	AT120444	Hydraulic	LFH8324
AH115836		LAF5819 ⁵⁵⁴	T19044	Oil	FP20	T19044	Oil	FP20
AE43494	Hydraulic	LFH3762	AR26350	Trans	P189	RE59754		LFP5757
RE57394	Oil	PH720	<i>400G</i>			AT172912	Trans	LFH8263
AH128449	Trans	LFH4990 ⁵⁹⁰	AT65296	Air	LAF1163 ²	<i>450H, 450H LGP w/John Deere 4045D Engine</i>		
<i>9996</i>			AT44378		LAF1394 ¹	AT171853	Air	LAF4544 ²
AR95758	Air	LAF1465 ²	AR50041	Fuel	P1130			LAF4544MXM ^{2, 268}
AR95759		LAF3657 ¹	T19044	Hydraulic	FP20 ¹¹⁹³	AT171854		LAF4545 ¹
AH115836		LAF5819 ⁵⁵⁴	AT120444		LFH8324	(RE62424); S/N	Fuel	L8242F
AH115833	Cabin Air	LAF22106 ⁸⁹⁸	T19044	Oil	FP20 ¹²¹⁸	-910010; Pri.		
(RE522687); Pri.	Fuel	LFF5226	<i>450 w/A-1 Diesel Engine</i>			(RE60021); S/N		L8683F
(TR522688); Sec.		LFF6753 ⁶⁸²	(AR39798); Diesel	Air	LAF1842 ²	-910010; Sec.		
AE43494	Hydraulic	LFH3762	(AT20728); Gas		LAF222 ²	T175002	Hydraulic	LFH4990

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 171-With Sensor Port 268-Extended/Severe service 275-Primary 554-Recirculation 590-Hydrostatic 682-2 micron 898-Cabin fresh air filter 1077-Hyd. Tank 1193-Winch 1218-Oil Cooler 1352-Reverser

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (CRAWLER DOZER)			JOHN DEERE (CRAWLER DOZER)			JOHN DEERE (CRAWLER DOZER)		
<i>450H, 450H LGP w/John Deere 4045D Engine (cont'd)</i>			<i>550G (cont'd)</i>			<i>650G (cont'd)</i>		
RE59754	Oil	LFP5757	AT172912	Trans	LFH8263	RE59754	Oil	LFP5757
<i>450J w/John Deere Tier 2 Engine</i>			<i>550H, 550H LGP</i>			<i>650H, 650H LGP</i>		
AT171853	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹	AT175344	Air	LAF3663 ² LAF3663MXM ² LAF3664 ¹	AT175344	Air	LAF3663 ² LAF3663MXM ² LAF3664 ¹
AT171854 (AT191102); S/N 118111-	Cabin Air	LAF5314	AT175345 (RE62424); S/N -910010; Pri. (RE60021); S/N -910010; Sec.	Fuel	L8242F L8683F	AT175345 (RE62424); S/N -924717; Pri. (RE60021); S/N -924717; Sec.	Fuel	L8242F L8683F
(RE509031); Sec. (RE517181); S/N -114081; Pri. (RE509036); Pri. (RE509036); S/N 114081-; Pri.	Fuel	L8557F ⁶⁸² L8563F L8867F ²⁷⁵ L8867F ²⁷⁵	T175002	Hydraulic	LFH4990	T175002	Hydraulic	LFH4990
T175002	Hydraulic	LFH4990	RE59754	Oil	LFP5757	RE59754	Oil	LFP5757
RE504836	Oil	LFP4836	T175002	Trans	LFH4990	T175002	Trans	LFH4990
T175002	Trans	LFH4990 ⁵⁹⁰	<i>550J w/Tier 2 Engine</i>			<i>650J w/John Deere 4045H Tier 3 Engine</i>		
<i>450J w/John Deere Tier 3 Engine</i>			AT175344	Air	LAF3663 ² LAF3663MXM ² LAF3664 ¹	AT341498	Air	LAF9542 ²
AT171853	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹	AT175345	Cabin Air	LAF5314	AT191102	Cabin Air	LAF5314
AT171854 (AT191102); S/N 118111-	Cabin Air	LAF5314	(AT191102); S/N 118111-	Cabin Air	LAF5314	(RE522878); Sec.	Fuel	L8868F
(RE509031); Sec. (RE517181); S/N 114081-; Pri. (RE509036); S/N 114081-; Pri.	Fuel	L8868F	(RE509031); Sec. (RE517181); S/N 114081-; Pri. (RE509036); S/N 114081-; Pri.	Fuel	L8557F ⁶⁸² L8563F L8867F ²⁷⁵	T175002	Hydraulic	LFH4990
T175002	Hydraulic	LFH4990	T175002	Hydraulic	LFH4990	RE504836	Oil	LFP4836
RE504836	Oil	LFP4836	RE504836	Oil	LFP4836	T175002	Trans	LFH4990 ⁵⁹⁰
T175002	Trans	LFH4990 ⁵⁹⁰	T175002	Trans	LFH4990 ⁵⁹⁰	<i>650J w/John Deere Tier 2 Engine</i>		
<i>550, 550A</i>			<i>550K w/Tier 3 Engine</i>			AT175344	Air	LAF3663 ² LAF3663MXM ² LAF3664 ¹
AT35155	Air	LAF1917 LAF503 ¹	AT341498	Air	LAF9542 ²	AT175344	Air	LAF3663 ² LAF3663MXM ² LAF3664 ¹
AT31227	Fuel	P1130	AT191102 (RE522878); Sec.	Cabin Air	LAF5314 L8868F	AT175345	Cabin Air	LAF5314
AR50041	Fuel	P1130	T175002	Hydraulic	LFH4990	(AT191102); S/N 118111-	Fuel	L8557F ⁶⁸² L8563F L8867F ²⁷⁵
T19044	Hydraulic	FP20 ¹¹⁹³ LFH8324 P422	RE504836	Oil	LFP4836	(RE509031); Sec. (RE517181); S/N -114081; Pri. (RE509036); S/N 114081-; Pri.	Fuel	L8557F ⁶⁸² L8563F L8867F ²⁷⁵
AT120444 -S/N 354049	Hydraulic	FP20 ¹¹⁹³ LFH8324 P422	T175002	Trans	LFH4990 ⁵⁹⁰	T175002	Hydraulic	LFH4990
T19044	Oil	FP20	<i>550K w/John Deere 4045HT079 Tier 4 Engine</i>			RE504836	Oil	LFP4836
AR75603	Trans	P346	AT191102	Cabin Air	LAF5314	T175002	Trans	LFH4990 ⁵⁹⁰
<i>550B</i>			(AT367840); S/N -290936 (RE504836); S/N -290936	Hydraulic	LFH9347 LFP4836	<i>650K w/John Deere PowerTech 4045HT Engine</i>		
AT35155	Air	LAF1917 LAF503 ¹	AT191102	Cabin Air	LAF5314	AL150288	Air	LAF5454 ²⁴⁴
AT31227	Fuel	P1130	AT367840	Hydraulic	LFH9347	AT191102	Cabin Air	LAF5314
AR50041	Fuel	P1130	RE504836	Oil	LFP4836	AT367840	Hydraulic	LFH9347
T19044	Hydraulic	FP20 ¹¹⁹³ LFH8324	<i>550K w/John Deere PowerTech 4045HT Tier 3 Engine</i>			RE504836	Oil	LFP4836
AT120444	Oil	FP20	AL150288	Air	LAF5454 ²⁴⁴	<i>700H w/John Deere 6068T Engine</i>		
AR75603	Trans	P346	AT191102	Cabin Air	LAF5314	AT203470	Air	LAF5932 ¹ LAF8149 ²
<i>550G</i>			AT367840	Hydraulic	LFH9347	(RE62419); S/N -920838; Sec. (RE62424); S/N -920838; Pri. (RE509031); S/N 920839-; Sec. (RE517181); S/N 920839-; Pri.	Fuel	L3887F L8242F L8557F L8563F
(AT65296); w/o Turbo	Air	LAF1163 ² LAF1394 ¹ LAF1846 ² LAF503 ¹	RE504836	Oil	LFP4836	T175002	Hydraulic	LFH4990
AT44378 (AT39124); Turbo	Air	LAF1163 ² LAF1394 ¹ LAF1846 ² LAF503 ¹	<i>650G</i>			(RE59754); S/N -920838	Oil	LFP5757
AT31227 (RE60021); Sec. (AT81478); W/S W/S	Fuel	L8683F LFF8061 LFF8061U ¹⁷¹ P1130	(AT65296); w/o Turbo	Air	LAF1163 ² LAF1394 ¹ LAF1846 ² LAF503 ¹	T175002	Hydraulic	LFH4990
AR50041	Fuel	L8683F LFF8061 LFF8061U ¹⁷¹ P1130	AT44378 (AT39124); Turbo	Air	LAF1163 ² LAF1394 ¹ LAF1846 ² LAF503 ¹	(RE509031); S/N 920839-; Sec. (RE517181); S/N 920839-; Pri.	Fuel	LFP4836
T19044	Hydraulic	FP20 ¹¹⁹³ LFH8324	AT31227 (RE60021); Sec. (AT81478); W/S W/S	Fuel	L8683F LFF8061 LFF8061U ¹⁷¹ P1130	T175002	Hydraulic	LFH4990
AT120444	Oil	FP20	AR50041	Hydraulic	FP20 ¹¹⁹³ LFH8324	(RE504836); S/N 920839-	Oil	LFP4836
T19044	Oil	FP20	T19044	Hydraulic	FP20 ¹¹⁹³ LFH8324	(RE59754); S/N -920838	Trans	LFH4990
RE59754	Oil	LFP5757	AT120444	Oil	FP20	T175002	Trans	LFH4990

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 171-With Sensor Port 244-Secondary 268-Extended/Severe service 275-Primary 590-Hydrostatic 682-2 micron 1193-Winch

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (CRAWLER DOZER)			JOHN DEERE (CRAWLER DOZER)			JOHN DEERE (CRAWLER DOZER)		
<i>700J w/John Deere 6068T Engine</i>			<i>750C, 750C Series II (cont'd)</i>			<i>850B (cont'd)</i>		
AT203470	Air	LAF5932 ¹	(RE59754); S/N	Oil	LFP5757	(AT81478); W/S	Fuel	LFF8061
AT222722		LAF8149 ²	715798-			W/S		LFF8061U ¹⁷¹
(RE62424); SN	Fuel	L8242F	AT140315	Trans	LFH8229	AT120544	Hydraulic	LP2302
-910010; Pri.			<i>750J w/John Deere 6068H Tier 3 Engine</i>			AR101278	Oil	PH720
(RE509031); Sec.		L8557F	AT316335	Air	LAF5868 ¹	(AR43634); -S/N		PH725
(RE509036); Pri.		L8867F ²⁷⁵	AT316334		LAF8145 ²	248523		
T175002	Hydraulic	LFH4990	(AT191102); S/N	Cabin Air	LAF5314	(AR94510); S/N	Trans	LFH1702
RE504836	Oil	LFP4836	118111-			731274-		
<i>700K w/John Deere 6068HT108 FT4 Engine</i>			(RE509032); -S/N	Fuel	L8557F	(AT135800); -S/N		LFH5015
AT300487	Air	LAF6922 ²	141343; Sec.		L8867F ²⁷⁵	731273		
AT314583		LAF6923 ¹	(RE509036); -S/N			<i>850C w/John Deere 6076 Engine</i>		
AT191102	Cabin Air	LAF5314	141343; Pri.		LFF5226	AR80653	Air	LAF1532 ¹
RE539279	Oil	LFP9279	(RE522687); S/N		LFF6753	AR80652		LAF1533 ²
<i>700K w/John Deere PowerTech PVX6068 Interim Tier 4 Engine</i>			141344-; Pri.			(RE62424); Pri.	Fuel	L8242F
AT300487	Air	LAF6922 ²	(RE522688); S/N			(RE27091); Sec.		LFF1129
AT314583		LAF6923 ¹	141344 -; Sec.			AT140315	Hydraulic	LFH8229
AT191102	Cabin Air	LAF5314	T175002	Hydraulic	LFH4990	RE57394	Oil	PH720
(RE541925); Sec.	Fuel	L8868F	RE504836	Oil	LFP4836	<i>850C w/John Deere 6081 Engine</i>		
RE539279	Oil	LFP9279	AT318160	Trans	LFH9353	AT175223	Air	LAF8669 ²
<i>750 w/John Deere 4148T Engine</i>			<i>750K w/John Deere 6068HT099 T4F Engine</i>			AT175224		LAF8670 ¹
(AT39124); S/N	Air	LAF1846 ²	KV16429	Air	LAF4544 ²	(RE65431); Pri.	Fuel	L8138F
374000-			KV16429		LAF4544MXM ^{2, 268}	AR86745		LFF1129
AT31227		LAF503 ¹	AT171854		LAF4545 ¹	RE57394	Oil	PH720
(T46316); -S/N 373999		LAF8668 ²	AT191102	Cabin Air	LAF5314	<i>850J w/John Deere 6090HT 9.0L Engine</i>		
T46317		LAF8674 ¹	RE541746	Fuel	LFF6929 ¹⁰¹⁴	AT300487	Air	LAF6922 ²
AR50041	Fuel	P1130	AT318160	Hydraulic	LFH9353	AT314583		LAF6923 ¹
T19044	Oil	FP20	RE539279	Oil	LFP9279	AT223226		LAF8669 ²
AT135800	Trans	LFH5015	AT318160	Trans	LFH9353	AT175224		LAF8670 ¹
<i>750 w/John Deere 6068T Engine</i>			<i>750K w/John Deere PowerTech PVX6068HT074 T4I Engine</i>			(AT191102); S/N	Cabin Air	LAF5314
(AT39124); S/N	Air	LAF1846 ²	AT300487	Air	LAF6922 ²	118111-		
374000-			AT314583		LAF6923 ¹	(RE522687); Pri.	Fuel	LFF5226
AT31227		LAF503 ¹	AT191102	Cabin Air	LAF5314	(RE522688); Sec.		LFF6753
(T46316); -S/N 373999		LAF8668 ²	RE541746	Fuel	LFF6929 ¹⁰¹⁴	RE525523		LFF6929 ¹⁰¹⁴
T46317		LAF8674 ¹	AT318160	Hydraulic	LFH9353	T175002	Hydraulic	LFH4990
AR50041	Fuel	P1130	RE539279	Oil	LFP9279	(RE521420); S/N	Oil	LFP5214
T19044	Oil	FP20	AT318160	Trans	LFH9353	234689-		
AT135800	Trans	LFH5015	<i>850 w/John Deere 6619A Engine</i>			(RE57394); -S/N		PH720
<i>750B</i>			T52223	Air	LAF1834 ²	234688		
AT39124	Air	LAF1846 ²	T52224		LAF1835 ¹	<i>850K w/John Deere 6.8 Power Tech Tier 4 Engine</i>		
AT31227		LAF503 ¹	RE11992	Coolant	LFW4685 ²⁴⁹	AT191102	Cabin Air	LAF5314
AR50041	Fuel	P1130			LFW4685XL ^{14, 249}	RE541746	Fuel	LFF6929 ¹⁰¹⁴
AT120544	Hydraulic	LP2302	(RE11325); W/S	Fuel	L2021F	RE539279	Oil	LFP9279
T19044	Oil	FP20	AR86745		LFF1129	<i>850K w/John Deere 6068HT100 T4F Engine</i>		
(AT135800); -S/N	Trans	LFH5015	AT120544	Hydraulic	LP2302	KV16429	Air	LAF4544 ²
731273			(RE21748); By-Pass	Oil	LFP777B	KV16429		LAF4544MXM ^{2, 268}
<i>750C, 750C Series II</i>			AR101278		PH720	AT171854		LAF4545 ¹
AR79680	Air	LAF414 ¹	AT135800	Trans	LFH5015	AT191102	Cabin Air	LAF5314
AT225338		LAF6114 ²	<i>850B</i>			RE541746	Fuel	LFF6929 ¹⁰¹⁴
AT225339		LAF6115 ¹	(T52223); -S/N 778504	Air	LAF1834 ²	AT318160	Hydraulic	LFH9353
AR79679		LAF926 ²	T52224		LAF1835 ¹	RE539279	Oil	LFP9279
(RE62419); Sec.	Fuel	L3887F	AR79680		LAF414 ¹	AT318160	Trans	LFH9353
(RE62424); Pri.		L8242F	(AR79679); S/N		LAF926 ²	<i>950C w/Liebherr Engine</i>		
AT140315	Hydraulic	LFH8229	778505-			AT276209	Air	LAF8648 ¹
(T19044); -S/N 715797	Oil	FP20	(RE62424); Pri.	Fuel	L8242F	AT300538	Coolant	LFW4073 ²⁵⁵
			AR86745		LFF1129	AT274340	Oil	LFP8964

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 171-With Sensor Port 249-No chemical 255-Contains 3 oz. of chemical 268-Extended/Severe service 275-Primary 1014-Kit, cartridge and spin-on filter

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (CRAWLER DOZER)			JOHN DEERE (CRAWLER LOADER)			JOHN DEERE (CRAWLER LOADER)		
<i>950J w/Liebherr D936LA6 Engine</i>			<i>450B, 450C (cont'd)</i>			<i>555G (cont'd)</i>		
(LW10044302); W/S	Fuel	LFF8063	(AR50041); 450C	Fuel	P1130	(AT39124); Turbo	Air	LAF1846 ²
(LW10044302); W/S		LFF8063U	T19044	Hydraulic	FP20 ¹¹⁹³	AT31227		LAF503 ¹
(LW10044303); W/S		LFF9897 ²⁴⁴	AT120444		LFH8324	(AT81478); W/S	Fuel	LFF8061
AT277119	Oil	LFP5084	AT45422		P422	W/S		LFF8061U ¹⁷¹
JOHN DEERE (CRAWLER LOADER)			T19044	Oil	FP20 ¹²¹⁸	AR50041		P1130
<i>350 w/A-1 Diesel Engine</i>			<i>450D</i>			T19044	Hydraulic	FP20 ¹¹⁹³
AT20728	Air	LAF222 ²	AR50041	Fuel	P1130	AT120444		LFH8324
AT17387	Fuel	L296F ⁴¹	T19044	Hydraulic	FP20 ¹¹⁹³	T19044	Oil	FP20
T19044	Hydraulic	FP20 ¹¹⁹³	T19044	Oil	FP20 ¹²¹⁸	(RE59754); S/N		LFP5757
AR26350		P189 ¹³⁵²	<i>450E</i>			742460-		
T19044	Oil	FP20	(AT35155); Turbo	Air	LAF1917	AH128449	Trans	LFH4990
<i>350B w/A-1 Diesel Engine</i>			AT31227		LAF503 ¹	AT172912		LFH8263
(AT17387); -S/N	Fuel	L296F ⁴¹	AR50041	Fuel	P1130	<i>605C w/John Deere 4045TF278 Engine</i>		
191713			<i>455D</i>			AT203470	Air	LAF5932 ¹
T19044	Hydraulic	FP20 ¹¹⁹³	AT35155	Air	LAF1917	AT222722		LAF8149 ²
AR26350		P189 ¹³⁵²	AT31227		LAF503 ¹	(RE509208); Pri.	Fuel	L4109F
AT45422		P422	AR50041	Fuel	P1130	(RE509031); Sec.		L8557F
T19044	Oil	FP20	T19044	Hydraulic	FP20 ¹¹⁹³	T175002	Hydraulic	LFH4990
<i>350B w/Gas Engine</i>			AT120444		LFH8324	RE504836	Oil	LFP4836
AT20728	Air	LAF222 ²	T19044	Oil	FP20 ¹²¹⁸	<i>605K w/John Deere PWX4045 Interim Tier 4 Engine</i>		
(AR50041); S/N	Fuel	P1130	<i>455E</i>			AL150288	Air	LAF5454 ²⁴⁴
191714-			(AT65296); w/o Turbo	Air	LAF1163 ²	AT191102	Cabin Air	LAF5314
AR26350	Hydraulic	P189 ¹³⁵²	AT44378		LAF1394 ¹	RE539279	Oil	LFP9279
AT45422		P422	(AT35155); Turbo		LAF1917	<i>655 w/John Deere 6068T Engine</i>		
T19044	Oil	FP20	AT31227		LAF503 ¹	AT39124	Air	LAF1846 ²
<i>350C w/A-1 Diesel Engine</i>			AR50041	Fuel	P1130	AT31227		LAF503 ¹
AT20728	Air	LAF222 ²	T19044	Hydraulic	FP20 ¹¹⁹³	AR50041	Fuel	P1130
AR50041	Fuel	P1130	AT120444		LFH8324	AT120544	Hydraulic	LP2302
T19044	Hydraulic	FP20 ¹¹⁹³	T19044	Trans	FP20	T19044	Oil	FP20
AT120444		LFH8324	<i>455G</i>			AT135800	Trans	LFH5015
AT45422		P422	(AT65296); w/o Turbo	Air	LAF1163 ²	<i>655 w/John Deere 6414T Engine</i>		
AR26350	Trans	P189	AT44378		LAF1394 ¹	AT39124	Air	LAF1846 ²
<i>350C w/Gas Engine</i>			(AT39124); Turbo		LAF1846 ²	AT31227		LAF503 ¹
AT20728	Air	LAF222 ²	AT31227		LAF503 ¹	AR50041	Fuel	P1130
AR50041	Fuel	P1130	(AT81478); W/S	Fuel	LFF8061	AT120544	Hydraulic	LP2302
T19044	Hydraulic	FP20 ¹¹⁹³	W/S		LFF8061U ¹⁷¹	T19044	Oil	FP20
AT120444		LFH8324	AR50041		P1130	AT135800	Trans	LFH5015
AT45422		P422	T19044	Hydraulic	FP20 ¹¹⁹³	<i>655B</i>		
T19044	Oil	FP20	AT120444		LFH8324	AT39124	Air	LAF1846 ²
AR26350	Trans	P189	T19044	Oil	FP20	AT31227		LAF503 ¹
<i>355D</i>			(RE59754); S/N		LFP5757	AR50041	Fuel	P1130
AR50041	Fuel	P1130	742460-			AT120544	Hydraulic	LP2302
AT19044	Hydraulic	FP20 ¹¹⁹³	AT172912	Trans	LFH8263	T19044	Oil	FP20
AT120444		LFH8324	<i>555, 555A, 555B</i>			RE15472	Trans	LFH22114 ⁵⁹⁰
T19044	Oil	FP20	AT35155	Air	LAF1917	AT135800		LFH5015
AR26350	Trans	P189	AT31227		LAF503 ¹	<i>655C w/Liebherr D924T Engine</i>		
<i>450 w/A-1 Diesel Engine</i>			AR50041	Fuel	P1130	AT203470	Air	LAF5932 ¹
(AT17387); Diesel	Fuel	L296F ⁴¹	T19044	Hydraulic	FP20 ¹¹⁹³	AT222722		LAF8149 ²
AT45422	Hydraulic	P422	AT120444		LFH8324	AT300538	Coolant	LFW4073 ²⁵⁵
<i>450 w/Gas Engine</i>			(AT45422); -S/N		P422	AT274339	Hydraulic	LFH8596
(AT17387); Diesel	Fuel	L296F ⁴¹	354139; 555			AT274340	Oil	LFP8964
AT45422	Hydraulic	P422	T19044	Oil	FP20	<i>655K w/John Deere PVX6068 Interim Tier 4 Engine</i>		
<i>450B, 450C</i>			AR75603	Trans	P346	AT223226	Air	LAF8669 ²
AT33364	Air	LAF1831 ¹	<i>555G</i>			AT175224		LAF8670 ¹
AT33363		LAF5054A ²	(AT65296); w/o Turbo	Air	LAF1163 ²			
(AT17387); 450B	Fuel	L296F ⁴¹	AT44378		LAF1394 ¹			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 171-With Sensor Port 244-Secondary 255-Contains 3 oz. of chemical 590-Hydrostatic 1193-Winch 1218-Oil Cooler 1352-Reverser

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (CRAWLER LOADER)			JOHN DEERE (EXCAVATOR)			JOHN DEERE (EXCAVATOR)		
655K w/John Deere PVX6068 Interim Tier 4 Engine (cont'd)			110 (cont'd)			160CLC w/John Deere 4045 Power Tech Engine (cont'd)		
AT191102	Cabin Air	LAF5314	AT175344	Air	LAF3663MXM ²	(RE509036); Pri.	Fuel	L8867F ²⁷⁵
RE541746	Fuel	LFF6929 ¹⁰¹⁴	AT175345	(RE62419); Sec.	Fuel	L3887F	Hydraulic	LFH22007 ¹⁰⁷⁷
RE174130	Hydraulic	LFH8417	(RE62424); Pri.		L8242F	RE504836	Oil	LFP4836
RE539279	Oil	LFP9279	AT214263	Hydraulic	LH5719 ¹¹³⁷	160G G LC w/PowerTech PVX Interim Tier 4 Engine		
755 w/John Deere 6068T Engine			TH111010		LH8498	AT332908	Air	LAF5429 ²
T46316	Air	LAF8668 ²	RE59754	Oil	LFP5757	AT332909	(RE522878); Sec.	LAF5430 ¹
T46317		LAF8674 ¹	120			Pri.	Fuel	L8868F
AR50041	Fuel	P1130	AT175344	Air	LAF3663 ²	RE504836	Oil	L8872F
AT120544	Hydraulic	LP2302	AT175344	(RE62419); Sec.	LAF3663MXM ²	160LC		
T19044	Oil	FP20	AT175345	(RE62424); Pri.	LAF3664 ¹	AT175344	Air	LAF3663 ²
AT135800	Trans	LFH5015	(RE62419); Sec.	Fuel	L3887F	AT175344	(RE62419); Sec.	LAF3663MXM ²
755 w/John Deere 6414T Engine			(RE62424); Pri.		L8242F	AT175345	(RE62424); Pri.	LAF3664 ¹
T46316	Air	LAF8668 ²	AT214263	Hydraulic	LH5719 ¹¹³⁷	(RE62419); Sec.	Fuel	L3887F
T46317		LAF8674 ¹	TH111011		LH8498	(RE62424); Pri.	Fuel	L8242F
AR50041	Fuel	P1130	RE59754	Oil	LFP5757	AT214263	Hydraulic	LH5719 ¹¹³⁷
AT120544	Hydraulic	LP2302	120C w/John Deere 4045 Power Tech Engine			TH111010	Hydraulic	LH8498
T19044	Oil	FP20	AT175345	Air	LAF3664 ¹	RE59754	Oil	LFP5757
AT135800	Trans	LFH5015	(RE509031); Sec.	Fuel	L8557F	17D (w/Yanmar 3TNV70 Engine)		
755A, 755B w/Diesel Engine			(RE517181); Pri.		L8563F	M113621	Air	LAF8388
AT39124	Air	LAF1846 ²	(RE509036); Pri.		L8867F ²⁷⁵	M801101	Fuel	L4103F
AT31227		LAF503 ¹	AT186554	Hydraulic	LH5719 ¹¹³⁷	M806418	Oil	PH2876
AR50041	Fuel	P1130	RE504836	Oil	LFP4836	17G (w/Yanmar Engine)		
AT120544	Hydraulic	LP2302	120D w/John Deere 4045H Tier 3 Engine			M113621	Air	LAF8388
T19044	Oil	FP20	AT332908	Air	LAF5429 ²	M806418	Oil	PH2876
RE15472	Trans	LFH22114 ⁵⁹⁰	AT332909	(RE522878); Sec.	LAF5430 ¹	17ZTS		
AT135800		LFH5015	(RE522878); Sec.	Fuel	L8868F	M113621	Air	LAF8388 ²
755C w/Liebherr D926T Engine			Pri.		L8872F	180C W w/Isuzu 4BG1X Engine		
AT276209	Air	LAF8648 ¹	RE504836	Oil	LFP4836	AT280662	Air	LAF5761 ²
AT300538	Coolant	LFW4073 ²⁵⁵	130G w/John Deere PWX 4045H Interim Tier 4 Engine			AT280663		LAF5762 ¹
W/S	Fuel	LFF8020 ⁶⁸⁹	AT332908	Air	LAF5429 ²	4S00246	Fuel	FP588F
(AT279826); W/S		LFF9013	AT332909		LAF5430 ¹	AT308576	Oil	LFP7217
AT274339	Hydraulic	LFH8596	RE539279	Oil	LFP9279	180G LC w/PowerTech PVX Interim Tier 4 Engine		
AT274340	Oil	LFP8964	135CRTS w/Isuzu CC4BG1TC Engine			AT332908	Air	LAF5429 ²
755K w/John Deere PVX6068 Interim Tier 4 Engine			4484534	Air	LAF8090 ¹	AT332909	(RE522878); Sec.	LAF5430 ¹
AT223226	Air	LAF8669 ²	4S00246	Fuel	FP588F	(RE522878); Sec.	Fuel	L8868F
AT175224		LAF8670 ¹	4285577	Hydraulic	LFH22007 ¹⁰⁷⁷	Pri.	Fuel	L8872F
AT191102	Cabin Air	LAF5314	AT186554		LH5719 ¹¹³⁷	RE504836	Oil	LFP4836
RE541746	Fuel	LFF6929 ¹⁰¹⁴	4448336	Oil	LFP7217	190E		
RE174130	Hydraulic	LFH8417	135D w/Isuzu 4JJ1X Engine			CH18287	Air	LAF1544 ²
RE539279	Oil	LFP9279		Fuel	L7661F ¹³⁴⁶	CH18289	(RE62424); Pri.	LAF1933 ¹
855 w/John Deere 6619A Engine			135G w/Isuzu 4JJ1 Interim Tier 4 Engine			AR50041	Oil	P1130
T52223	Air	LAF1834 ²	4486002	Air	LAF5454 ²	T19044	Oil	FP20
T52224		LAF1835 ¹	4486014		LAF5455 ¹	190G W (w/Isuzu 4HK1X Engine)		
RE11992	Coolant	LFW4685 ²⁴⁹	8980742880	Fuel	L7661F	AT280662	Air	LAF5761
		LFW4685XL ^{14, 249}	4676385		L8968F	AT280663		LAF5762 ¹
AR86745	Fuel	LFF1129	1132402322	Oil	LFP7217		Fuel	L7661F
AT71582	Hydraulic	LP712	15 w/Yanmar Engine			4676385		L8968F
(RE21748); By-Pass	Oil	LFP777B	M801101	Fuel	L4103F	200 LC, 230 LC		
RE57394		PH720	AM101378	Oil	PH2808	T52223	Air	LAF1834 ²
AR43684		PH725	M806418		PH2876	T52224		LAF1835 ¹
AT135800	Trans	LFH5015	160CLC w/John Deere 4045 Power Tech Engine			T168220		LAF6029 ²
JOHN DEERE (EXCAVATOR)			AT175345	Air	LAF3664 ¹	T156471		LAF6030 ²
110			(RE509031); Sec.	Fuel	L8557F			
AT175344	Air	LAF3663 ²	(RE517181); Pri.		L8563F			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 249-No chemical 255-Contains 3 oz. of chemical 275-Primary 590-Hydrostatic 689-Bowless 1014-Kit, cartridge and spin-on filter 1077-Hyd. Tank 1137-Pilot 1346-2/09-

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (EXCAVATOR)			JOHN DEERE (EXCAVATOR)			JOHN DEERE (EXCAVATOR)		
<i>200 LC, 230 LC (cont'd)</i>			<i>250G LC (w/John Deere PowerTech PVX6.8 Interim 4 Engine) (cont'd)</i>			<i>330CLC, 370C w/John Deere 6081H Engine</i>		
(RE62419); Sec. (RE62424); Pri.	Fuel	L3887F L8242F	AT314583	Air	LAF6923 ¹	AR95758	Air	LAF1465 ² LAF7313 ¹
AT186554	Hydraulic	LH5719 ¹¹³⁷ LH8489G ⁶³²	(RE522878); Snap Lock	Fuel	L8868F	(R502778); Pri. RE522372	Fuel	LFF5226 LFF6961 ^{938, 1345} LFF6962 ⁹³⁷
RE59754	Oil	LFP5757	RE541746		LFF6929 ¹⁰¹⁴	(RE509596); W/S	Hydraulic	LH5719 ¹¹³⁷
<i>200C LC, 230C LC w/John Deere 6068H Engine</i>			RE539279	Oil	LFP9279	AT186554	Oil	PH720
T52223	Air	LAF1834 ² LAF1835 ¹	<i>270 LC (w/6068H Engine)</i>			<i>350G LC (w/John Deere Power Tech 6090HT Engine)</i>		
T52224	Fuel	L3887F	T52223	Air	LAF1834 ² LAF1835 ¹	AT330978	Air	LAF6124 ² LAF6125 ¹
(RE67901); Eng. -S/N 243651; Sec. (RE509032); Eng. S/N 243651-; Sec. (RE509036); Pri.		L8557F	(RE62419); Sec. (RE62424); Pri.	Fuel	L3887F L8242F	AT330980	Oil	LFP5214
AT186554	Hydraulic	L8867F ²⁷⁵	AT214263	Hydraulic	LH5719 ¹¹³⁷ LH8488	RE521420		
RE504836	Oil	LFP4836	AT147343	Oil	LFP5757	<i>35D w/Yanmar 3TNV88 Engine</i>		
<i>210C W w/Isuzu 6BG1T Engine</i>			RE59754	Oil	LFP5757	M131802	Air	LAF8195 ² LAF8690 ¹
AT280663	Air	LAF5761 ² LAF5762 ¹	<i>270C LC w/John Deere 6068H Engine</i>			M131803	Fuel	FP590F
AT280662	Fuel	LFF3415	T52223	Air	LAF1834 ² LAF1835 ¹	(MIU800645); Sec. M801002	Oil	PH2808
1132112110	Oil	LFP7217	T52224	Fuel	L3887F	<i>35G w/Yanmar 3TNCV88F-EPHB Final Tier 4 Engine</i>		
4485262			(RE67901); Sec.	Hydraulic	LH5719 ¹¹³⁷	MIU800650		PH2808
<i>210G, 210G LC w/John Deere PowerTech 6068 Interim Tier 4 Engine</i>			AT186554	Oil	LFP4836	<i>370 w/John Deere Engine</i>		
AT300487	Air	LAF6922 ² LAF6923 ¹	RE504836	Oil	LFP4836	AR95758	Air	LAF1465 ² LAF7313 ¹
AT314583	Fuel	L8868F	<i>27C, 35C</i>			AT201036	Fuel	L8138F LFF1129
(RE522878); Sec.	Oil	LFP9279	RG60690	Air	LAF8195 ² LAF8690 ¹	(RE65431); Pri. AR86745	Hydraulic	LH5719 ¹¹³⁷ LH8488
RE539279			4423981	Fuel	L4103F	AT186554	Oil	PH720
<i>225C LC RTS w/Isuzu 6BG1T Engine</i>			4454526	Oil	PH2808	AT147343		
AT280662	Air	LAF5761 ² LAF5762 ¹	<i>27D w/Yanmar 3TNV88 Engine</i>			RE57394		
AT280663	Fuel	LFF3415	RG60690	Air	LAF8195 ² LAF8690 ¹	<i>380GLC w/John Deere PowerTech 6090HT Engine</i>		
(4616545); Sec.	Hydraulic	LH5719 ¹¹³⁷	4423981	Fuel	LFF8350	AT330978	Air	LAF6124 ² LAF6125 ¹
AT186554	Oil	LFP7217	M811031	Oil	PH2808	(RE533910); Sec. (RE539465); Pri.	Fuel	LFF6963 LFF6964
1132402322			M801002	Oil	PH2808	RE521420	Oil	LFP5214
<i>225D LC w/Isuzu 4HK1XYS A02 Engine</i>			<i>290D</i>			<i>450 LC</i>		
	Fuel	L7661F ¹³⁵⁰	CH18287	Air	LAF1544 ² LAF1933 ¹	AT179371	Air	LAF8634 ² LAF8641 ¹
<i>230G W (w/Isuzu Engine)</i>			CH18289	Fuel	P1130	AT179370	Coolant	LFW2055 ⁶⁹⁹ LFW4685 ²⁴⁹ LFW4685XL ^{14, 249}
AT280662	Air	LAF6922 ² LAF6923 ¹	AR50041	Hydraulic	LH5719 ¹¹³⁷ LH8498	AR94652	Fuel	L8138F LFF1129
AT280663	Fuel	L7661F L8968F	AT147821	Oil	FP20	RE11992	Hydraulic	LH4742 LH5719 ¹¹³⁷
4676385			TH111010			(RE65431); Pri. RE27091	Oil	LFP3000 LFP3000XL ¹⁴
<i>240D LC w/John Deere 6068H Engine</i>			T19044			4333469		
AT300487	Air	LAF6922 ² LAF6923 ¹	<i>30, 50 w/Yanmar Engine</i>			AT147821		
AT314583	Fuel	L8868F	CH12767	Air	LAF1275 ² LAF5835 ¹	RE44647		
(RE522878); Sec.	Oil	LFP4836	CH12881	Fuel	L549F	<i>450C LC w/John Deere 6125H Engine</i>		
RE504836			T111383	Oil	PH2856A	4466269	Air	LAF8150 ² LAF8693 ¹
<i>245G LC (w/Isuzu 4HK1X Engine)</i>			M801209			4466268	Fuel	L5087F LFF3550 ²⁴⁴ LFF7284 ¹⁸¹
AT280662	Air	LAF5761 LAF5762 ¹	<i>300G LC (w/John Deere Power Tech 6068H Engine)</i>			RE506428	Hydraulic	LH4742 ¹⁰⁷⁷ LFP5723
AT280663	Fuel	L7661F LFP7217	AT330978	Air	LAF6124 ² LAF6125 ¹	(RE507284); W/S	Oil	
1132402322	Oil		RE539279	Oil	LFP9279	4333469		
<i>25 w/Yanmar Engine</i>			<i>330 LC</i>			RE58935		
CH12767	Air	LAF1275 ²	AR95758	Air	LAF1465 ² LAF7313 ¹	<i>450C LC w/John Deere 6125H Engine</i>		
T111383	Fuel	L549F	AT201036	Fuel	L8138F LFF1129	4466269	Air	LAF8150 ² LAF8693 ¹
M801209	Oil	PH2808	(RE65431); Pri. AR86745	Hydraulic	LH5719 ¹¹³⁷ LH8488	4466268	Fuel	L5087F LFF3550 ²⁴⁴ LFF7284 ¹⁸¹
<i>250G LC (w/John Deere PowerTech PVX6.8 Interim 4 Engine)</i>			AT186554	Oil	PH720	RE506428	Hydraulic	LH4742 ¹⁰⁷⁷ LFP5723
AT300487	Air	LAF6922 ²	AT147343	Oil	PH720	(RE507284); W/S	Oil	

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 181-Single 244-Secondary 249-No chemical 275-Primary 632-Clean Up 699-Initial Charge 937-Early Production 938-Late Production 1014-Kit, cartridge and spin-on filter 1077-Hyd. Tank 1137-Pilot 1345-With Sensor 1350-2/08-

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (EXCAVATOR)			JOHN DEERE (EXCAVATOR)			JOHN DEERE (EXCAVATOR)		
<i>450D LC w/Isuzu AH6WG1XYS Engine</i>			<i>595 w/John Deere 4045T Engine</i>			<i>690B, 693B (cont'd)</i>		
AT308576	Oil	LFP7217	AT39124	Air	LAF1846 ²	(AR43634); -S/N	Oil	PH725
<i>470G LC w/Isuzu 6UZ11T4 Engine</i>			AT31227		LAF503 ¹	588853		
AT308575	Air	LAF8150 ²	AR50041	Fuel	P1130	<i>690C</i>		
TT220747		LAF8693 ¹	TH111010	Hydraulic	LH8498	AR79680	Air	LAF414 ¹
4676385	Fuel	L8968F	T19044	Oil	FP20	AR79679		LAF926 ²
1132402322	Oil	LFP7217	<i>595D</i>			AR86745	Fuel	LFF1129
<i>490 w/John Deere 4039T Engine</i>			AT39124	Air	LAF1846 ²	AT79590	Hydraulic	LFH4943
AT31227		LAF503 ¹	AT31227		LAF503 ¹	AT78046		LH4435
AR50041	Fuel	P1130	AR50041	Fuel	P1130	AR101278	Oil	PH720
T19044	Oil	FP20		Hydraulic	LH8489G	<i>690D w/John Deere 6414T Engine</i>		
<i>490D</i>			T19044	Oil	FP20	AR79680	Air	LAF414 ¹
CH18287	Air	LAF1544 ²	<i>600C LC w/Isuzu BB-6WG1X Engine</i>			AR79679		LAF926 ²
CH18289		LAF1933 ¹	4466269	Air	LAF8150 ²	AR50041	Fuel	P1130
AR50041	Fuel	P1130	4466268		LAF8693 ¹	AT79590	Hydraulic	LFH4943
TH111011	Hydraulic	LH8498	(AT308578); W/S	Fuel	LFF4294	AT112393		LFH5659
T19044	Oil	FP20	(1132400441); W/S		LFF8020	T19044	Oil	FP20
<i>490E</i>			4333469	Hydraulic	LH4742 ¹⁰⁷⁷	<i>690E LC w/John Deere 6068T Engine</i>		
T46316	Air	LAF8668 ²	4448336	Oil	LFP7217	AR79680	Air	LAF414 ¹
T138857		LAF8674 ¹	<i>60G w/Yanmar 4TNV98C Engine</i>			AR79679		LAF926 ²
(RE62424); Pri.	Fuel	L8242F	MIU800650	Oil	PH2808	(RE62419); Sec.	Fuel	L3887F
AR86745		LFF1129	<i>650D LC w/Isuzu AH 6WG1XYS A-02 Engine</i>			(AT81478); W/S		LFF8061
TH111010	Hydraulic	LH8498	AT179371	Air	LAF8634 ²	W/S		LFF8061U ¹⁷¹
T19044	Oil	FP20	AT179370		LAF8641 ¹	AR50041		P1130
<i>495D</i>			8980088400	Fuel	L8893F	AT79590	Hydraulic	LFH4943
AT39124	Air	LAF1846 ²	4649267		L8968F	AT147496		LFH8499 ¹¹³⁷
AT31227		LAF503 ¹	AT308576	Oil	LFP7217	(T19044); -S/N 469373	Oil	FP20
AR50041	Fuel	P1130	<i>650D LC w/Isuzu BB-6WG1X Engine</i>			(RE59754); S/N		LFP5757
TH111010	Hydraulic	LH8498		Air	LAF8634 ²	469374-		
T19044	Oil	FP20			LAF8641 ¹	<i>70, 70D</i>		
<i>50C</i>				Fuel	L8893F	CH18287	Air	LAF1544 ²
RG60690	Air	LAF8195 ²		Oil	L8968F	CH18289		LAF1933 ¹
4454526	Oil	PH2808			LFP7217	AR50041	Fuel	P1130
<i>50D ZTS w/Yanmar 4TNV88 47.5 HP Engine</i>			<i>670G LC (w/Isuzu 6WG1 Engine)</i>			T19044	Oil	FP20
RG60690	Air	LAF8195 ²	AT179371	Air	LAF8634	<i>700</i>		
4423981		LAF8690 ¹	AT179370		LAF8641	AR86745	Fuel	LFF1129
M811031	Fuel	LFF8350	4719921	Fuel	L8893F	AR101278	Oil	PH720
M801002	Oil	PH2808	4676385		L8968F	<i>750 w/Cummins N14 Engine</i>		
<i>50G w/Yanmar 4TNV88C Tier 4 Engine</i>			4363399	Hydraulic	LFH4943	AT179371	Air	LAF8634 ²
MIU800650	Oil	PH2808	1132402322	Oil	LFP7217	AT179370		LAF8641 ¹
<i>550 LC</i>			<i>690, 690A w/John Deere 6404T Engine</i>			AT186554	Hydraulic	LH5719 ¹¹³⁷
AR95758	Air	LAF1465 ²	AR43605	Air	LAF8550			LH8488 ¹¹³⁷
AT201036		LAF7313 ¹	(AR28610R); -S/N	Fuel	L1168F	PMLF3000	Oil	LFP3000
PMWF2075	Coolant	LFW4075 ⁶⁴⁴	280000		P1130	<i>75D w/Isuzu 4LE2X Engine</i>		
(PMFS1212); W/S	Fuel	LFF8020	(AR50041); S/N			4684349	Air	LAF8148 ²
PMLF3000	Oil	LFP3000	280001-			4684350		LAF9332 ¹
		LFP3000XL ¹⁴	AR43634	Oil	PH725	8971725491	Fuel	FP588F
<i>590D</i>			<i>690B, 693B</i>			4463783	Hydraulic	PH2808 ¹⁰⁷⁷
AT39124	Air	LAF1846 ²	AT39124	Air	LAF1846 ²	<i>75G w/ Yanmar 4TNV98 Tier 4 engine</i>		
AT31227		LAF503 ¹	AT31227		LAF503 ¹			PH2808
AR50041	Fuel	P1130	AR86745	Fuel	LFF1129	<i>790, 792 w/Yanmar 3TNE84 Engine</i>		
AT147821	Hydraulic	LH5719 ¹¹³⁷	AT39361	Hydraulic	LP50910	AT81018	Air	LAF1813 ²
		LH8488 ¹¹³⁷	(AT71582); S/N		LP712	AT81019		LAF1814 ¹
TH111010		LH8498	006001-			RE11992	Coolant	LFW4685 ²⁴⁹
T19044	Oil	FP20	AT71582	Oil	LP712 ¹²¹⁸	<i>LFW4685XL^{14, 249}</i>		
			(AR101278); S/N		PH720			
			588854-					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 171-With Sensor Port 249-No chemical 644-Contains 6 oz. of chemical 1077-Hyd. Tank 1137-Pilot 1218-Oil Cooler

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (EXCAVATOR)			JOHN DEERE (EXCAVATOR)			JOHN DEERE (EXCAVATOR)		
<i>790, 792 w/Yanmar 3TNE84 Engine (cont'd)</i>			<i>850D LC w/Isuzu BB-6WG1X Engine (cont'd)</i>			<i>990 w/John Deere 6101 Engine (cont'd)</i>		
AR86745	Fuel	LFF1129	(4649267); Sec.	Fuel	L8968F	(AR86755); W/S	Fuel	LFF1131
TH111010	Hydraulic	LH8498 ¹⁰⁷⁷	1132402322	Oil	LFP7217		Hydraulic	LP4441
AR101278	Oil	PH720	<i>85D w/Isuzu 4LE2X Engine</i>			AT71582		LP712
<i>790D</i>			4684349	Air	LAF8148 ²	(RE21748); By-Pass	Oil	LFP777B
AT81018	Air	LAF1813 ²	4684350		LAF9332 ¹	AR101278		PH720
AT81019		LAF1814 ¹	8971725491	Fuel	FP588F	<i>992DLC</i>		
RE11992	Coolant	LFW4685 ²⁴⁹	4463783	Hydraulic	PH2808 ¹⁰⁷⁷	U44957	Air	LAF6769 ²
		LFW4685XL ^{14, 249}	<i>85G w/Yanmar 4TNV98 Tier 4 engine</i>					LAF6769MXM ^{2, 268}
AR86745	Fuel	LFF1129		Oil	PH2808	AT166136		LAF9373 ¹
AT147821	Hydraulic	LH5719 ¹¹³⁷	<i>890 w/John Deere 6619A Engine</i>			AR86745	Fuel	LFF1129
TH111010		LH8488	AT49022	Air	LAF8211 ²	AT147821	Hydraulic	LH5719 ¹¹³⁷
RE57394	Oil	PH720	RE11992	Coolant	LFW4685 ²⁴⁹	AT147343		LH8488 ¹¹³⁷
<i>790E LC</i>					LFW4685XL ^{14, 249}	(RE21748); By-Pass	Oil	LFP777B
T52223	Air	LAF1834 ²	AR86745	Fuel	LFF1129	AT101278		PH720
T52224		LAF1835 ¹		Hydraulic	LP4441	<i>992ELC</i>		
(RE62419); Sec.	Fuel	L3887F	AT71582		LP712	(AR95758); -S/N	Air	LAF1465 ²
(RE62424); Pri.		L8242F	(RE21748); S/N	Oil	LFP777B	007000		
AR50041		P1130	40932-; By-Pass			AT201036		LAF7313 ¹
AT147821	Hydraulic	LH5719 ¹¹³⁷	By-Pass		LFP777B	(AT179371); S/N		LAF8634 ²
		LH8488	(AR98329); S/N		PH720	007001-		
T19044	Oil	FP20	40932-		PH725	AT179370		LAF8641 ¹
<i>792D LC</i>			(AR43634); -S/N			RE11992	Coolant	LFW4685 ²⁴⁹
T52223	Air	LAF1834 ²	40932					LFW4685XL ^{14, 249}
T52224		LAF1835 ¹	<i>890A</i>			(RE62424); Pri.	Fuel	L8242F
RE27091	Fuel	LFF1129	AR70106	Air	LAF1040 ²	RE27091		LFF1129
AT147821	Hydraulic	LH5719 ¹¹³⁷	AR70107		LAF636 ²	AT147821	Hydraulic	LH5719 ¹¹³⁷
AT147343		LH8488 ¹⁰⁷⁷	RE11992	Coolant	LFW4685 ²⁴⁹	RE44647	Oil	LFP3000
RE57394	Oil	PH720			LFW4685XL ^{14, 249}			LFP3000XL ¹⁴
<i>80 w/Yanmar 4TNE98 Engine</i>			AR86745	Fuel	LFF1129	JOHN DEERE (FELLER BUNCHER)		
AP33330	Air	LAF8148 ²		Hydraulic	LP4441	<i>493D</i>		
AP33331		LAF9332 ¹	AT71582		LP712	CH18287	Air	LAF1544 ²
(RE62424); Pri.	Fuel	L8242F	(RE21748); By-Pass	Oil	LFP777B	CH18289		LAF1933 ¹
T113865		LFF8307	(RE57394); S/N		PH720	AR50041	Fuel	P1130
AT214263	Hydraulic	LH5719 ¹¹³⁷	040932-		PH725	TH111010	Hydraulic	LH8498
M801209	Oil	PH2856A	(AR43634); -S/N			T19044	Oil	FP20
<i>800C w/Isuzu BB-6WG1X Engine</i>			040931			<i>643 w/John Deere Engine</i>		
(1132400441); W/S	Fuel	LFF8020	<i>892D LC</i>			T46317	Air	LAF8663 ¹
		LFP7217	AT81018	Air	LAF1813 ²	T46316		LAF8668 ²
AT186554	Hydraulic	LH5719 ¹¹³⁷	AT81019		LAF1814 ¹	AR50041	Fuel	P1130
		LH8488 ¹⁰⁷⁷	AR86745	Fuel	LFF1129	AT140315	Hydraulic	LFH8229
<i>80C w/Isuzu 4JG1 48 hp Engine</i>			AT147821	Hydraulic	LH5719 ¹¹³⁷	T19044	Oil	FP20
4326841	Air	LAF8114 ¹	AT147343		LH8488	AT144879	Trans	LFH6812
4290940		LAF8143 ²	AR101278	Oil	PH720	<i>643D</i>		
4S00203	Fuel	LFF4295	<i>892E LC</i>			AR79680	Air	LAF414 ¹
AT186554	Hydraulic	LH5719 ¹¹³⁷	AR95758	Air	LAF1465 ²	AR79679		LAF926 ²
8970497081	Oil	PH2801	AT201036		LAF7313 ¹	AT166805	Cabin Air	LAF5821
<i>80C w/John Deere Engine</i>			(RE62424); Pri.	Fuel	L8242F	(AT81478); S/N	Fuel	LFF8061
4326841	Air	LAF8114 ¹	RE27091		LFF1129	775325-; W/S		
4290940		LAF8143 ²	AT147821	Hydraulic	LH5719 ¹¹³⁷	AR50041		LFF8061U ¹⁷¹
4S00203	Fuel	LFF4295	AT147343		LH8488			P1130
AT186554	Hydraulic	LH5719 ¹¹³⁷	RE57394	Oil	PH720	AT140315	Hydraulic	LFH8229
8970497081	Oil	PH2801	<i>990 w/John Deere 6101 Engine</i>			T19044	Oil	FP20
<i>850D LC w/Isuzu BB-6WG1X Engine</i>			AT69307	Air	LAF9085 ¹	AT144879	Trans	LFH6812
AT175223	Air	LAF8669 ²	RE11992	Coolant	LFW4685 ²⁴⁹	<i>643G</i>		
AT175224		LAF8670 ¹			LFW4685XL ^{14, 249}	AR79680	Air	LAF414 ¹
(8980088400); Pri.	Fuel	L8893F	(RE11325); W/S	Fuel	L2021F	AR79679		LAF926 ²
			AR86745		LFF1129			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 171-With Sensor Port 249-No chemical 268-Extended/Severe service 1077-Hyd. Tank 1137-Pilot

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (FELLER BUNCHER)			JOHN DEERE (FELLER BUNCHER)			JOHN DEERE (FELLER BUNCHER)		
<i>643G (cont'd)</i>			<i>693B</i>			<i>743A (cont'd)</i>		
AT166805	Cabin Air	LAF5821	AT39124	Air	LAF1846 ²	(AR101278); S/N	Oil	PH720
(RE62419); Sec.	Fuel	L3887F	AT31227		LAF503 ¹	248524-		PH725
(AT81478); W/S		LFF8061	AR86745	Fuel	LFF1129	(AR43634); -S/N		
W/S		LFF8061U ¹⁷¹	(AT79080); -S/N	Hydraulic	LP50910 ¹²¹⁸	248523		
(AT209204); S/N	Hydraulic	LFH6812	005994		LP50910	AR98098	Trans	LFH1702
849830-		LFH8229	AT35268		LP712	<i>753G, 753GL w/Cummins 6CT8.3L Engine</i>		
(AT140315); -S/N			(AT71582); S/N			841061600	Air	LAF1834 ²
849830			005995-			841061700		LAF1835 ¹
RE59754	Oil	LFP5757	(RE57394); S/N	Oil	PH720	F434679	Coolant	LFW4072 ¹⁸²
AT147496	Trans	LFH8499 ⁵⁹⁰	588854-		PH725	PMLF9009	Oil	LFP3000
<i>643H w/John Deere 6068T Power Tech Engine</i>			(AR43634); -S/N			LFP3000XL ¹⁴		
AR79680	Air	LAF414 ¹	588853			<i>753G, 753GL w/Cummins 6CTA8.3L Engine</i>		
AR79679		LAF926 ²	<i>693C</i>			AT175223	Air	LAF8669 ²
AT166805	Cabin Air	LAF5821	AR79680	Air	LAF414 ¹	AT175224		LAF8670 ¹
(RE62419); Sec.	Fuel	L3887F	AR79679		LAF926 ²	F434679	Coolant	LFW4072 ¹⁸²
(AT81478); W/S		LFF8061	AR86745	Fuel	LFF1129	PMLF9009	Oil	LFP3000
W/S		LFF8061U ¹⁷¹	AT79590	Hydraulic	LFH4943	LFP3000XL ¹⁴		
(AT209204)	Hydraulic	LFH6812	AR101278	Oil	PH720	<i>753G, 759G w/John Deere 6081H Engine</i>		
RE59754	Oil	LFP5757	<i>693D</i>			AT175223	Air	LAF8669 ²
AT147496	Trans	LFH8499	AR79680	Air	LAF414 ¹	AT175224		LAF8670 ¹
<i>643K w/John Deere 6068H Engine</i>			AR79679		LAF926 ²	(RE522687); Pri.	Fuel	LFF5226
AT191102	Cabin Air	LAF5314	AR50041	Fuel	P1130	(RE522688); Sec.		LFF6753
(RE509032); Sec.	Fuel	L8557F	AT79590	Hydraulic	LFH4943	RE509672	Oil	LP5979
(RE509036); Pri.		L8867F ²⁷⁵	AT112393		LFH5659	<i>753J w/PowerTech Plus 6090H Engine</i>		
AT147496	Hydraulic	LFH8499	T19044	Oil	FP20	AT175223	Air	LAF8669 ²
RE504836	Oil	LFP4836	<i>703G w/John Deere 6081H Diesel Engine</i>			AT175224		LAF8670 ¹
<i>643L w/John Deere Powertech PSS 6.8L Engine</i>			AT175223	Air	LAF8669 ²	RE525523	Fuel	LFF6925 ⁹⁴²
(AT223226); Standard	Air	LAF8669	AT175224		LAF8670 ¹	RE509672	Oil	LP5979
(AT223226); Extended		LAF8669MXM	(RE522687); S/N	Fuel	LFF5226	<i>753J, 759J w/John Deere 6081H Engine</i>		
life		LAF8670	244800-; Pri.		LFF6753	AT175223	Air	LAF8669 ²
(AT175224); in-tank			(RE522688); Sec.		LP5979	AT175224		LAF8670 ¹
F061786	Hydraulic	LH9403V	RE509672	Oil	LP5979	(RE522687); Pri.	Fuel	LFF5226
RE539279	Oil	LFP9279	<i>743 w/John Deere Engine</i>			(RE522688); Sec.		LFF6753
<i>653E</i>			AT44631	Air	LAF936 ²	RE509672	Oil	LP5979
AR79680	Air	LAF414 ¹	AT44632		LAF937 ¹	<i>793D</i>		
AR79679		LAF926 ²	(AR86745); S/N	Fuel	LFF1129	AT81018	Air	LAF1813 ²
(RE62419); Sec.	Fuel	L3887F	241583-		P1130	AT81019		LAF1814 ¹
(RE62424); Pri.		L8242F	(AR50041); -S/N			(AR86745); -S/N	Fuel	LFF1129
AT144879	Hydraulic	LFH6812	241582			346035		LFF1129
AT140315		LFH8229	(AR98098); S/N	Hydraulic	LFH1702	(RE27091); S/N		
T19044	Oil	FP20	228395-		P346	346036-		
<i>653G w/John Deere 6068 Engine</i>			(AR75603); -S/N		PH720	AT147821	Hydraulic	LH5719
AR79680	Air	LAF414 ¹	228394		PH725	AT147343		LH8488
AR79679		LAF926 ²	(RE57394); S/N	Oil	PH720	RE57394	Oil	PH720
AT166805	Cabin Air	LAF5821	248524-		PH725	<i>803M w/John Deere Powertech Plus 6090H Tier 3 Engine</i>		
(RE62419); Sec.	Fuel	L3887F	(AR43634); -S/N			AH148880	Air	LAF1953 ²
AT79590	Hydraulic	LP6005 ¹⁰⁷⁷	248523			AH148880		LAF1953MXM ¹³⁷³
RE59754	Oil	LFP5757	AR75603	Trans	P346	RE63932		LAF5720 ¹
<i>653G w/John Deere 6068T Engine</i>			<i>743A</i>			RE525523	Fuel	LFF6929 ¹⁰¹⁴
AR79680	Air	LAF414 ¹	AT44631	Air	LAF936 ²	F061786	Hydraulic	LH9403V ¹⁰⁷⁷
AR79679		LAF926 ²	AT44632		LAF937 ¹	RE521420	Oil	LFP5214
AT166805	Cabin Air	LAF5821	(AR86745); S/N	Fuel	LFF1129	<i>843G</i>		
(RE62419); Sec.	Fuel	L3887F	241583-		P1130	AR79680	Air	LAF414 ¹
AT79590	Hydraulic	LP6005 ¹⁰⁷⁷	(AR50041); -S/N			AR79679		LAF926 ²
RE59754	Oil	LFP5757	241582			AT166805	Cabin Air	LAF5821
			AR98098	Hydraulic	LFH1702			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 171-With Sensor Port 182-Contains 2 oz. of chemical 275-Primary 590-Hydrostatic 942-Used with LMB6926 conversion kit 1014-Kit, cartridge and spin-on filter 1077-Hyd. Tank 1218-Oil Cooler 1373-Outer extended life

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (FELLER BUNCHER)			JOHN DEERE (FELLER BUNCHER)			JOHN DEERE (FELLER BUNCHER)		
<i>843G (cont'd)</i>			<i>859M w/John Deere Powertech Plus 6090H Tier 3 Engine</i>			<i>953K w/John Deere 6090HT Tier 3 Engine (cont'd)</i>		
(RE62419); Sec. (AT81478); W/S W/S	Fuel	L3887F LFF8061 LFF8061U ¹⁷¹	AH148880	Air	LAF1953 ^{2, 1375}	AT191102	Cabin Air	LAF5314
(AT209204); S/N 849830- (AT140315); -S/N 849830	Hydraulic	LFH6812 LFH8229	AH148880		LAF1953MXM ¹³⁷³	RE525523	Fuel	LFF6929 ¹⁰¹⁴
RE59754	Oil	LFP5757	RE63932		LAF5720 ¹	RE509672	Oil	LP5979
AT147496	Trans	LFH8499 ⁵⁹⁰	RE525523	Fuel	LFF6929 ¹⁰¹⁴	<i>953M w/John Deere Powertech Plus 6090H Tier 3 Engine</i>		
<i>843H w/John Deere 6068H Engine</i>			F061786	Hydraulic	LH9403V ¹⁰⁷⁷	AH148880	Air	LAF1953 ²
AR79680	Air	LAF414 ¹	RE521420	Oil	LFP5214	AH148880		LAF1953MXM ¹³⁷³
AR79679		LAF926 ²	<i>903K/KH w/John Dere 6090HT Tier 3 Engine</i>			RE63932		LAF5720 ¹
AT166805	Cabin Air	LAF5821	AH148880	Air	LAF1953 ²	RE525523	Fuel	LFF6929 ¹⁰¹⁴
(RE62419); Sec. (AT81478); W/S W/S	Fuel	L3887F LFF8061 LFF8061U ¹⁷¹	RE63932		LAF5720 ¹	RE521420	Oil	LFP5214
AT209204	Hydraulic	LFH6812	RE525523	Fuel	LFF6929 ¹⁰¹⁴	<i>959K w/John Deere 6090HT Tier 3 Engine</i>		
RE59754	Oil	LFP5757	F061786	Hydraulic	LH9403V ¹⁰⁷⁷	AH148880	Air	LAF1953 ²
AT147496	Trans	LFH8499	RE521420	Oil	LFP5214	RE63932		LAF5720 ¹
<i>843K w/John Deere 6068H Engine</i>			<i>903M w/John Deere Powertech Plus 6090H Tier 3 Engine</i>			AT191102	Cabin Air	LAF5314
AT175223	Air	LAF8669 ²	AH148880	Air	LAF1953 ¹³⁷⁵	RE525523	Fuel	LFF6929 ¹⁰¹⁴
AT175224		LAF8670 ¹	AH148880		LAF1953MXM ¹³⁷³	RE509672	Oil	LP5979
AT191102	Cabin Air	LAF5314	RE63932		LAF5720 ¹	<i>959M w/John Deere Powertech Plus 6090H Tier 3 Engine</i>		
(RE509032); Sec. (RE509036); Pri.	Fuel	L8557F L8867F ²⁷⁵	RE525523	Fuel	LFF6929 ¹⁰¹⁴	AH148880	Air	LAF1953 ²
AT147496	Hydraulic	LFH8499	F061786	Hydraulic	LH9403V ¹⁰⁷⁷	AH148880		LAF1953MXM ¹³⁷³
RE504836	Oil	LFP4836	RE521420	Oil	LFP5214	RE63932		LAF5720 ¹
<i>843L w/John Deere Powertech PSS 6.8L Engine</i>			<i>909J w/John Deere 6081H Engine</i>			RE525523	Fuel	LFF6929 ¹⁰¹⁴
(AT223226); Standard (AT223226); Extended life	Air	LAF8669 LAF8669MXM	AH148880	Air	LAF1953 ²	F061786	Hydraulic	LH9403V ¹⁰⁷⁷
AT175224		LAF8670	RE63932		LAF1953MXM ^{2, 268}	RE521420	Oil	LFP5214
in-tank	Hydraulic	LH9403V	(RE522687); Pri. (RE522688); Sec.	Fuel	LFF5226 LFF6753	JOHN DEERE (FORAGE HARVESTER)		
RE539279	Oil	LFP9279	RE509672	Oil	LP5979	<i>1170E w/John Deere 6068HTJ Engine</i>		
<i>853G w/Cummins 6CTA8.3 Engine</i>			<i>909K/KH w/John Deere 6090HT Tier 3 Engine</i>			AL150288	Air	LAF5454 ²⁴⁴
(AT136708); -S/N 003083	Air	LAF1787 ²	AH148880	Air	LAF1953 ²	(RE522878); Sec.	Fuel	L8868F
RE51630 (RE51629); S/N 003084-		LAF3890 ¹ LAF3930 ²	AH148880		LAF1953MXM ¹³⁷³	(RE529643); Pri.		L8872F
F434679	Coolant	LFW4072 ¹⁸²	RE63932		LAF5720 ¹	F061786	Hydraulic	LH9403V ¹⁰⁷⁷
842710000	Hydraulic	LH8489G	RE525523	Fuel	LFF6929 ¹⁰¹⁴	RE504836	Oil	LFP4836
<i>853J, 903J w/John Deere 6081H Engine</i>			F061786	Hydraulic	LH9403V ¹⁰⁷⁷	<i>1458 Forwarder w/Cummins 6BTA5.9L Engine</i>		
AH148880	Air	LAF1953 ² LAF1953MXM ^{2, 268}	RE521420	Oil	LFP5214	F044978	Air	LAF4620 ²
(RE522687); Pri. (RE522688); Sec.	Fuel	LFF5226 LFF6753	<i>909M w/John Deere Powertech Plus 6090H Tier 3 Engine</i>			F044979		LAF4621 ¹
RE509672	Oil	LP5979	AH148880	Air	LAF1953 ²	F061786	Hydraulic	LH9403V ¹⁰⁷⁷
<i>853M w/John Deere Powertech Plus 6090H Tier 3 Engine</i>			<i>953G w/John Deere 6081T 8.1L Engine</i>			<i>5200</i>		
AH148880	Air	LAF1953 ¹³⁷⁵	RE51630	Air	LAF3890 ¹	AE30507	Air	LAF1780 ¹
AH148880		LAF1953MXM ¹³⁷³	F434679	Coolant	LFW4072 ¹⁸²	AE30508		LAF1811 ²
RE63932		LAF5720 ¹	842710000	Hydraulic	LH8489G	AH80920		LAF1872
RE525523	Fuel	LFF6929 ¹⁰¹⁴	<i>953J, 959J w/John Deere 6081H Engine</i>			AR50041	Fuel	P1130
F061786	Hydraulic	LH9403V ¹⁰⁷⁷	AH148880	Air	LAF1953 ²	AR43634	Oil	PH725
RE521420	Oil	LFP5214	RE63932		LAF1953MXM ^{2, 268}	AE43494	Trans	LFH3762 ⁵⁹⁰
<i>953K w/John Deere 6090HT Tier 3 Engine</i>			(RE522687); Pri. (RE522688); Sec.	Fuel	LFF5226 LFF6753	<i>5400 w/John Deere Diesel Engine</i>		
AH148880	Air	LAF1953 ²	RE509672	Oil	LP5979	AE30507	Air	LAF1780 ¹
RE63932		LAF5720 ¹	<i>953K w/John Deere 6090HT Tier 3 Engine</i>			AE30508		LAF1811 ²
(RE522687); Pri. (RE522688); Sec.	Fuel	LFF5226 LFF6753	AH148880	Air	LAF1953 ²	AH80920		LAF1872
RE509672	Oil	LP5979	RE63932		LAF5720 ¹	AR94652	Coolant	LFW2055
<i>953K w/John Deere 6090HT Tier 3 Engine</i>			(RE522687); Pri. (RE522688); Sec.	Fuel	LFF5226 LFF6753	RE11992		LFW4685 ²⁴⁹ LFW4685XL ^{14, 249}
AH148880	Air	LAF1953 ²	RE509672	Oil	LP5979	AR50041	Fuel	P1130
RE63932		LAF5720 ¹	<i>953K w/John Deere 6090HT Tier 3 Engine</i>			AR43634	Oil	PH725
(RE522687); Pri. (RE522688); Sec.	Fuel	LFF5226 LFF6753	AH148880	Air	LAF1953 ²	AE43494	Trans	LFH3762 ⁵⁹⁰
RE509672	Oil	LP5979	RE63932		LAF5720 ¹	<i>5440</i>		
<i>953K w/John Deere 6090HT Tier 3 Engine</i>			<i>953K w/John Deere 6090HT Tier 3 Engine</i>			AE30507	Air	LAF1780 ¹
AH148880	Air	LAF1953 ²	AH148880	Air	LAF1953 ²	AE30508		LAF1811 ²
RE63932		LAF5720 ¹	RE63932		LAF5720 ¹			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 171-With Sensor Port 182-Contains 2 oz. of chemical 244-Secondary 249-No chemical 268-Extended/Severe service
275-Primary 590-Hydrostatic 1014-Kit, cartridge and spin-on filter 1077-Hyd. Tank 1373-Outer extended life 1375-Outer standard

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (FORAGE HARVESTER)			JOHN DEERE (FORAGE HARVESTER)			JOHN DEERE (FORAGE HARVESTER)		
<i>5440 (cont'd)</i>			<i>5820 w/Diesel Engine</i>			<i>6710 w/Cummins Engine (cont'd)</i>		
AH80920	Air	LAF1872	AE30507	Air	LAF1780 ¹	(RE21748); -S/N	Oil	LFP670XL ¹⁴
AR94652	Coolant	LFW2055	AE30508		LAF1811 ²	500277; By-Pass		LFP777B
RE11992		LFW4685 ²⁴⁹	AH92463		LAF1873 ⁵⁵⁴			
AR50041	Fuel	P1130	AR96452	Coolant	LFW2055			
AT120444	Hydraulic	LFH8324	RE11992		LFW4685 ²⁴⁹			
AR43634	Oil	PH725			LFW4685XL ^{14, 249}			
AE43494	Trans	LFH3762 ⁵⁹⁰	AR87645	Fuel	LFF1129			
<i>5460</i>			(AR86755); W/S		LFF1131			
AE30507	Air	LAF1780 ¹	AE43494	Hydraulic	LFH3762			
AE30508		LAF1811 ²	(AE33293); -S/N		LFP1652			
AR94652	Coolant	LFW2055	651000					
RE11992		LFW4685 ²⁴⁹	(RE21748); By-Pass	Oil	LFP777B			
		LFW4685XL ^{14, 249}	(RE46380); S/N		PH720			
AR86745	Fuel	LFF1129	040124-		PH725			
AR50041		P1130	(AR43634); -S/N					
AT120444	Hydraulic	LFH8324	040123	Trans	LFH4922			
AR101278	Oil	PH720	AT69852					
AR43634		PH725	<i>5830 w/John Deere Diesel Engine</i>			(RE42051); By-Pass		
AE43494	Trans	LFH3762 ⁵⁹⁰	AE30507	Air	LAF1780 ¹	By-Pass		
<i>5720 w/John Deere 6466 Engine</i>			AE30508		LAF1811 ²	AH128449	Trans	LFH4990 ⁵⁹⁰
AE30507	Air	LAF1780 ¹	AH92463		LAF1873 ⁵⁵⁴	<i>6950 w/Cummins N14 Engine</i>		
AE30508		LAF1811 ²	AR94652	Coolant	LFW2055	AZ45868	Air	LAF22055 ²
AH92463		LAF1873 ⁵⁵⁴	RE11992		LFW4685 ²⁴⁹		Coolant	LFW4075 ⁶⁴⁴
AR87112	Coolant	LFW4074 ⁶²⁷			LFW4685XL ^{14, 249}	W/S	Fuel	LFF8020
RE11992		LFW4685 ²⁴⁹	AR86745	Fuel	LFF1129	AT120444	Hydraulic	LFH8324
		LFW4685XL ^{14, 249}	(AR86755); W/S		LFF1131		Oil	LFP3000
(AR86745); S/N	Fuel	LFF1129	AE43494	Hydraulic	LFH3762			LFP3000XL ¹⁴
242197-			AT120444		LFH8324	AH-128449	Trans	LFH4990 ⁵⁹⁰
(AR86755); W/S		LFF1131	RE21058	Oil	LFP670	<i>7180 w/PowerTech Plus 6090 Engine</i>		
(AR50041); -S/N		P1130	(RE21748); By-Pass		LFP670XL ¹⁴	AZ45868	Air	LAF22055
242196			AR101278		LFP777B	AH115833	Cabin Air	LAF22106
(AT120444); S/N	Hydraulic	LFH8324	(AR43634); -S/N		PH720	RE525523	Fuel	LFF6929 ¹⁰¹⁴
651000-			040123		PH725	RE539465	Hydraulic	LFF6964
(AE33293); -S/N		LFP1652	<i>6610 w/John Deere Engine</i>			AL203060	Hydraulic	LH4174
651000			AZ39761	Air	LAF8660 ²	RE509672	Oil	LP5979
AT101278	Oil	PH720	U44956		LAF9373 ¹	AH128449	Trans	LFH4990
AR43634		PH725	RE27091	Fuel	LFF1129	<i>7200 w/John Deere 6059 Engine</i>		
AE43494	Trans	LFH3762 ⁵⁹⁰	(AR86755); W/S		LFF1131	AZ45868	Air	LAF22055 ²
AT69852		LFH4922	AT120444	Hydraulic	LFH8324	AH115836		LAF5819 ⁵⁵⁴
<i>5730 w/John Deere Diesel Engine</i>			RE57394	Oil	PH720	AH115833	Cabin Air	LAF22106
AE30507	Air	LAF1780 ¹	<i>6650 w/John Deere 6081 Power Tech Engine</i>			RE522372	Fuel	LFF6961 ^{938, 1345}
AE30508		LAF1811 ²	AZ39761	Air	LAF8660 ²	(RE509596); W/S		LFF6962 ⁹³⁷
AH92463		LAF1873 ⁵⁵⁴	U44956		LAF9373 ¹	AH128449	Hydraulic	LFH4990
AR96452	Coolant	LFW2055	AR86745	Fuel	LFF1129	RE509672	Oil	LP5979
RE11992		LFW4685 ²⁴⁹	(AR86755); W/S		LFF1131	<i>7200 w/John Deere 6068T Engine</i>		
		LFW4685XL ^{14, 249}	AR120444	Hydraulic	LFH8324	AZ45868	Air	LAF22055 ²
(RE27091); S/N	Fuel	LFF1129	RE58935	Oil	LFP5723	AH115836		LAF5819 ⁵⁵⁴
800001-			<i>6710 w/Cummins Engine</i>			AH115833	Cabin Air	LAF22106
(AR86755); W/S		LFF1131	AR94651	Coolant	LFW4073 ²⁵⁵	RE522372	Fuel	LFF6961 ^{938, 1345}
AT120444	Hydraulic	LFH8324	RE27091	Fuel	LFF1129	(RE509596); W/S		LFF6962 ⁹³⁷
(AR101278); S/N	Oil	PH720	(AR86755); W/S		LFF1131	AH128449	Hydraulic	LFH4990
039997-			AT120444	Hydraulic	LFH8324	RE509672	Oil	LP5979
(AR43634); -S/N		PH725	(RE44647); S/N	Oil	LFP3000	<i>7200 w/John Deere 6081 Power Tech Engine</i>		
039996			500278-			AZ45868	Air	LAF22055 ²
AE43494	Trans	LFH3762 ⁵⁹⁰	RE21058		LFP3000XL ¹⁴	AH115836		LAF5819 ⁵⁵⁴
					LFP670	AH115833	Cabin Air	LAF22106

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 28-Contains 1 oz. of chemical 249-No chemical 255-Contains 3 oz. of chemical 554-Recirculation 590-Hydrostatic 627-5 oz. of chemical 628-Tall version of LFF8020 644-Contains 6 oz. of chemical 937-Early Production 938-Late Production 1014-Kit, cartridge and spin-on filter 1345-With Sensor

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (FORAGE HARVESTER)			JOHN DEERE (FORAGE HARVESTER)			JOHN DEERE (FORAGE HARVESTER)		
<i>7200 w/John Deere 6081 Power Tech Engine (cont'd)</i>			<i>7700 (cont'd)</i>			<i>8700 (w/Cummins QSK19 Engine)</i>		
RE522372 (RE509596); W/S	Fuel	LFF6961 ^{938, 1345} LFF6962 ⁹³⁷	AH128449	Hydraulic	LFH4990	AZ104111	Air	LAF1816
AH128449	Hydraulic	LFH4990	RE58935	Oil	LFP5723	AZ104110		LAF1818MXM
RE509672	Oil	LP5979	<i>7750 w/John Deere Power Tech Plus 13.5L Engine</i>			FS19763	Fuel	L9763FXL ¹⁴
<i>7250 w/John Deere Power Tech Plus 9.0L Engine</i>			AH115833	Cabin Air	LAF22106	LF9080	Oil	LFP9001 ²⁵⁰
AZ45868	Air	LAF22055 ²	(RE533910); Sec.	Fuel	LFF6963	LF9080		LFP9001XL ^{14, 250}
RE525523	Fuel	LFF6929 ¹⁰¹⁴	RE532952		LFF6964	<i>8800 (w/Cummins QSK19 Engine)</i>		
RE522372		LFF6961 ²¹⁰	(RE507284); W/S		LFF7284	AZ104111	Air	LAF1816
RE509672	Oil	LP5979	RE58935	Oil	LFP5723	AZ104110		LAF1818MXM
<i>7280 w/John Deere PowerTech Plus 13.5 Engine</i>			AH128449	Trans	LFH4990 ⁵⁹⁰	FS19763	Fuel	L9763FXL ¹⁴
AH115833	Cabin Air	LAF22106	<i>7780 w/John Deere PowerTech Plus 13.5 Engine</i>			LF9080	Oil	LFP9001 ²⁵⁰
(RE533910); Sec.	Fuel	LFF6963		Air	LAF8657	LF9080		LFP9001XL ^{14, 250}
RE539465		LFF6964			LAF8658	<i>Forage Harvester w/Continental Engine</i>		
RE530107	Oil	LFP6930	AH115833	Cabin Air	LAF22106		Oil	P3
<i>7300 w/John Deere 6125 12.5L Engine</i>			(RE533910); Sec.	Fuel	LFF6963	<i>Haybaler w/Willys 4 cyl. Engine</i>		
AZ45868	Air	LAF22055 ²	RE539465		LFF6964		Oil	P3
(RE507284); W/S	Fuel	LFF7284	RE530107	Oil	LFP6930	JOHN DEERE (GENERATOR)		
AH128449	Hydraulic	LFH4990 ¹¹⁵⁴	<i>7800LC w/Cummins QSX15 Engine</i>			<i>3000W</i>		
RE58935	Oil	LFP5723		Coolant	LFW2126 ²⁵⁵	AM116304	Fuel	G115
<i>7350 w/John Deere Power Tech Plus 13.5L Engine</i>			W/S	Fuel	LFF1007 ²¹⁰	<i>325, 328, 332 w/John Deere 5030 Power Tech Engine</i>		
AZ45868	Air	LAF22055 ¹	AH128449	Hydraulic	LFH4990	(AM38708); Gas	Fuel	G1/4
(RE533910); Sec.	Fuel	LFF6963		Oil	LFP9000 ⁷²³	<i>375</i>		
RE532952		LFF6964			LFP9000XL ^{14, 723}	(AM38708); Gas	Fuel	G1/4
AH128449	Hydraulic	LFH4990 ¹¹⁵⁴	<i>7850 w/Cummins QSX15 Engine</i>			<i>500</i>		
RE58935	Oil	LFP5723	AH115833	Cabin Air	LAF22106	(AM38708); Gas	Fuel	G1/4
RE530107		LFP6930		Coolant	LFW2126 ²⁵⁵	JOHN DEERE (GRADER)		
<i>7380 w/John Deere PowerTech Plus 13.5 Engine</i>			W/S	Fuel	LFF1007 ²¹⁰	<i>570, 570A</i>		
AH115833	Cabin Air	LAF22106		Oil	LFP9000 ⁷²³	AT33364	Air	LAF1831 ¹
(RE533910); Sec.	Fuel	LFF6963	AM128449	Trans	LFH4990 ⁵⁹⁰	(AT35155); Turbo		LAF1917
RE539465		LFF6964	<i>7950 w/Cummins QSK19 Engine</i>			AT31227		LAF503 ¹
RE530107	Oil	LFP6930	AH115833	Cabin Air	LAF22106	(AT33363); w/o Turbo		LAF5054A ²
<i>7400, 7500</i>			FS19763	Fuel	L9763FXL ¹⁴	(AT17387); -S/N	Fuel	L296F ⁴¹
(RE507284); W/S	Fuel	LFF7284	FF5644		LFF5644	002092		P1130
AH128449	Hydraulic	LFH4990 ¹¹⁵⁴	LF9080	Oil	LFP9001 ²⁵⁰	(AR50041); S/N		
RE58935	Oil	LFP5723	LF9080		LFP9001XL ^{14, 250}	002093-		
<i>7450, 7550 w/John Deere Power Tech Plus 13.5L Engine</i>			AH128449	Trans	LFH4990 ⁵⁹⁰	AR98098	Hydraulic	LFH1702
AZ104111	Air	LAF1816 ¹	<i>7980 w/Cummins QSK19 Engine</i>			T19044	Oil	FP20
AZ104110		LAF1818MXM ²	AH115833	Cabin Air	LAF22106	(M&W 4E-023); Turbo		LFP3413 ¹²
AH115833	Cabin Air	LAF22106	FF5644	Fuel	LFF5644	AR75603	Trans	P346
RE532952		LFF6964	(RE507284); W/S		LFF7284	<i>570B w/John Deere 6059D Engine</i>		
AH128449	Hydraulic	LFH4990 ¹¹⁵⁴	RE58935	Oil	LFP5723	AT39124	Air	LAF1846 ²
RE58935	Oil	LFP5723	<i>8400 (w/PowerTech 6135HZ Tier 4 Final Engine)</i>			AT31227		LAF503 ¹
RE530107		LFP6930	(RE533910); Sec.	Fuel	LFF6963	AR50041	Fuel	P1130
<i>7480 w/John Deere PowerTech Plus 13.5 Engine</i>			RE539465		LFF6964	AR98198	Hydraulic	LFH1702
AH115833	Cabin Air	LAF22106	RE572785	Oil	LFP6930	T19044	Oil	FP20
(RE533910); Sec.	Fuel	LFF6963	<i>8500 (w/PowerTech 6135HZ Tier 4 Final Engine)</i>			(AR75603); -S/N	Trans	P346
RE539465		LFF6964	(RE533910); Sec.	Fuel	LFF6963	011725		
AH128449	Hydraulic	LFH4990 ¹¹⁵⁴	RE539465		LFF6964	<i>670, 670A, 670B</i>		
RE58935	Oil	LFP5723	RE572785	Oil	LFP6930	AT39124	Air	LAF1846 ²
RE530107		LFP6930	<i>8600 (w/PowerTech 6135HZ Tier 4 Final Engine)</i>			AT31227		LAF503 ¹
<i>7580 w/John Deere PowerTech Plus 13.5 Engine</i>			(RE533910); Sec.	Fuel	LFF6963	AR50041	Fuel	P1130
AH115833	Cabin Air	LAF22106	RE539465		LFF6964	AR98098	Hydraulic	LFH1702
(RE533910); Sec.	Fuel	LFF6963	RE572785	Oil	LFP6930	T19044	Oil	FP20
RE539465		LFF6964	<i>8700 (w/John Deere 6081 Power Tech Engine (cont'd))</i>			AR98098	Trans	LFH1702
RE530107	Oil	LFP6930	AH128449	Trans	LFH4990 ⁵⁹⁰			
<i>7700</i>			(RE509672); W/S	Fuel	LFF7284			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 14-Extended Life 41-Cartridge 210-w/ Sensor 250-11.9" Hgt. 255-Contains 3 oz. of chemical 590-Hydrostatic 723-13.9" Hgt. 937-Early Production 938-Late Production 1014-Kit, cartridge and spin-on filter 1154-Pump 1345-With Sensor

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (GRADER)			JOHN DEERE (GRADER)			JOHN DEERE (GRADER)		
<i>670C, 670CH, 672CH w/John Deere 6068H Engine</i>			<i>672G, 672GP w/John Deere PSX6090HDW IT4 Engine (cont'd)</i>			<i>770G, 770GP w/John Deere 6090H Tier 3 Engine</i>		
AT178517	Air	LAF3781 ^{1, 241}	AT191102	Cabin Air	LAF5314	AT175223	Air	LAF8669 ²
AT178516		LAF4498 ^{2, 208}	(AT223493); In-Line	Fuel	L7693F	AT175224		LAF8670 ¹
(RE62419); Sec.	Fuel	L3887F	RE525523		LFF6929 ¹⁰¹⁴	AT191102	Cabin Air	LAF5314
AT120444	Hydraulic	LFH8324 ⁶⁰⁷	AT308274	Hydraulic	LFH9367	(AT223493); In-Line	Fuel	L7693F
AT147496		LFH8499	RE521420	Oil	LFP5214	RE525523		LFF6929 ¹⁰¹⁴
RE59754	Oil	LFP5757	AT335492	Trans	LFH9347	AT308274	Hydraulic	LFH9347
AT144879	Trans	LFH6812	<i>770 w/John Deere Engine</i>			AT308274		LFH9367
<i>670D w/John Deere 6068H Engine</i>			AE30507	Air	LAF1780 ¹	RE521420	Oil	LFP5214
AT178516	Air	LAF3781 ^{1, 241}	AE30508		LAF1811 ²	AT335492	Trans	LFH9347
AT178517		LAF4498 ^{2, 208}	AR50041	Fuel	P1130	<i>772A w/John Deere 6466 Engine</i>		
AT191102	Cabin Air	LAF5314	AT120544	Hydraulic	LP2302	(T52223); 6531 eng.	Air	LAF1834 ²
AT101565	Fuel	G3/8	AR101278	Oil	PH720	(T52224); 6531 eng.		LAF1835 ¹
(RE509032); Sec.		L8557F	AR43261		PH725	(AT75035); 6466 eng.		LAF7413 ²
(RE517180); Pri.		L8563F	AT120544	Trans	LP2302	AT5036		LAF7414 ¹
(RE509036); Pri.		L8867F ²⁴⁷	<i>770A</i>			AR86745	Fuel	LFF1129
AT308274	Hydraulic	LFH9367	(T52223); 6531 eng.	Air	LAF1834 ²	(AR50041); 6531 eng.		P1130
RE504836	Oil	LFP4836	(T52224); 6531 eng.		LAF1835 ¹	(AR50041); 6531 eng.	Hydraulic	LFH5015 ¹³⁶⁴
<i>670G, 670GP w/John Deere PSX6090HDW IT4 Engine</i>			(AT75035); 6466 eng.		LAF7413 ²	(AR50041); 6531 eng.		LFH8324 ¹³⁷¹
AT175223	Air	LAF8669 ²	AT5036		LAF7414 ¹	AT5036		LP2302
AT175224		LAF8670 ¹	(AR86745); 6466 eng.	Fuel	LFF1129	AT60645		LP6005 ¹³⁷²
AT191102	Cabin Air	LAF5314	(AR50041); 6531 eng.		P1130	(RE57394); 6466 eng.	Oil	PH720
(AT223493); In-Line	Fuel	L7693F	AT135800	Hydraulic	LFH5015 ¹³⁶⁴	(AR43634); 6531 eng.		PH725
RE525523		LFF6929 ¹⁰¹⁴	AT120544		LP2302	AT120544	Trans	LP2302
AT308274	Hydraulic	LFH9347	(RE57394); 6466, 6531 eng.	Oil	PH720	<i>772B w/John Deere 6466T Engine</i>		
AT308274		LFH9367	(AR43634); 6531 eng.		PH725	AT75035	Air	LAF7413 ²
RE521420	Oil	LFP5214	AT120544	Trans	LP2302	AT75036		LAF7414 ¹
AT335492	Trans	LFH9347	<i>770B</i>			AR86745	Fuel	LFF1129
<i>672A, 672B</i>			AT75035	Air	LAF7413 ²	AT135800	Hydraulic	LFH5015 ¹³⁶⁴
AT39124	Air	LAF1846 ²	AT5036		LAF7414 ¹	(AT172912); -S/N 543489		LFH8263
AT31227		LAF503 ¹	(RE62424); Pri.	Fuel	L8242F	(AT120444); S/N 529484-		LFH8324 ¹³⁶³
AR50041	Fuel	P1130	AR86745		LFF1129	(AT60645); -S/N 529484		LP6005 ¹³⁶³
AR98098	Hydraulic	LFH1702	AT140315	Hydraulic	LFH8229	AR101278	Oil	PH720
AT58368		LFH4955 ¹³⁶⁴	(AT172912); -S/N 543489		LFH8263	AT172912	Trans	LFH8263
(AT144879); S/N 529484-		LFH6812 ¹³⁶²	AR101278	Oil	PH720	<i>772G, 772GP w/John Deere 6090H Tier 3 Engine</i>		
AT120444		LFH8324 ⁶⁰⁷	AT172912	Trans	LFH8263	AT175223	Air	LAF8669 ²
(AT60645); -S/N 529483		LP6005 ¹³⁶³	<i>770C, 770CH, 772CH w/John Deere 6081H Engine</i>			AT175224		LAF8670 ¹
T19044	Oil	FP20	(AT175223); -S/N 582129	Air	LAF8669 ²	AT191102	Cabin Air	LAF5314
AR98098	Trans	LFH1702	AT175224		LAF8670 ¹	(AT223493); In-Line	Fuel	L7693F
<i>672D w/John Deere 6068H Engine</i>			AR86745	Fuel	LFF1129	RE525523		LFF6929 ¹⁰¹⁴
AT178516	Air	LAF3781 ^{1, 241}	AT140315	Hydraulic	LFH8229	AT308274	Hydraulic	LFH9367
AT178517		LAF4498 ^{2, 208}	AT147496		LFH8499	RE521420	Oil	LFP5214
AT191102	Cabin Air	LAF5314	RE57394	Oil	PH720	AT335492	Trans	LFH9347
AT101565	Fuel	G3/8	AT144879	Trans	LFH6812	<i>870, 870GP w/John Deere 6090HDW11 or 6090HDW18 T4F Engine</i>		
(RE509032); Sec.		L8557F	<i>770D, 772D w/John Deere 6081H Engine</i>			AT175223	Air	LAF8669 ¹³⁷⁶
(RE517180); Pri.		L8563F	RE51630	Air	LAF3890 ¹	(AT175224); 6090HDW11 Eng.		LAF8670 ¹
(RE509036); Pri.		L8867F ²⁴⁷	RE51629		LAF3930 ²	AT101565	Breather	G3/8 ¹⁰⁷⁷
AT308274	Hydraulic	LFH9367	AT191102	Cabin Air	LAF5314	AT191102	Cabin Air	LAF5314
RE504836	Oil	LFP4836	(RE522687); Pri.	Fuel	LFF5226	(RE533910); Sec.	Fuel	LFF6963
<i>672G, 672GP w/John Deere PSX6090HDW IT4 Engine</i>			(RE522688); Sec.		LFF6753	(RE539465); Pri.		LFF6964
AT175223	Air	LAF8669 ²	AT308274	Hydraulic	LFH9347	AT308274	Hydraulic	LFH9367
AT175224		LAF8670 ¹	RE521420	Oil	LFP5214	RE521420	Oil	LFP5214

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 208-19" Hgt. 241-17.5" Hgt. 247-30 Micron 607-Return 1014-Kit, cartridge and spin-on filter 1077-Hyd. Tank 1362-Front Wheel Drive Return Pump 1363-FWD Return 1364-Pump Case 1371-Front Wheel Drive 1372-Front axle 1376-6090HDW11 Outer

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (GRADER)			JOHN DEERE (INTEGRATED TOOLCARRIER)			JOHN DEERE (LIFT TRUCK)		
<i>870, 870GP w/John Deere 6090HDW11 or 6090HDW18 T4F Engine (cont'd)</i>			<i>TC54H (cont'd)</i>			<i>488E (cont'd)</i>		
AT335492	Trans	LFH9347	AT203469	Air	LAF8149 ²	RE39527	Hydraulic	LFH4990
<i>870D, 872D w/John Deere 6081H Engine</i>			T156471	Cabin Air	CAF12001XL ¹⁸³ ₅₅₄	RE59754	Oil	LFP5757
RE51630	Air	LAF3890 ¹	(RE62419); Sec.	Fuel	L3887F	AT179323	Trans	LFH8728
RE51629		LAF3930 ²	(RE62424); Pri.		L8242F	JOHN DEERE (LOADER)		
AT191102	Cabin Air	LAF5314	AT209204	Hydraulic	LFH6812	<i>304J w/John Deere 5030 Engine</i>		
(RE522687); Pri.	Fuel	LFF5226	RE59754	Oil	LFP5757	KV16429	Air	LAF4544 ²
(RE522688); Sec.		LFF6753	AT147496	Trans	LFH8499			LAF4544MXM ^{2, 268}
AT308274	Hydraulic	LFH9367	TC62H			AT199501		LAF4545 ¹
RE521420	Oil	LFP5214	T156471	Air	LAF6030 ²	(RE508202); Sec.	Fuel	L8569F
<i>870G, 870GP w/John Deere 6090H Tier 3 Engine</i>			AT178583		LAF8085 ²	(RE533026); Sec.		L8891F
AT175223	Air	LAF8669 ²	AT178584		LAF8086 ¹	RE518977	Oil	LFP8340
AT175224		LAF8670 ¹	T156471	Cabin Air	CAF12001XL ¹⁸³ ₅₅₄	<i>444K w/John Deere 4045H Engine</i>		
AT191102	Cabin Air	LAF5314	(RE62419); Sec.	Fuel	L3887F	AT300487	Air	LAF6922
(AT223493); In-Line	Fuel	L7693F	(RE62424); Pri.		L8242F	AT314583		LAF6923 ¹
RE525523		LFF6929 ¹⁰¹⁴	AT209204	Hydraulic	LFH6812	AM39653	Breather	PH710 ¹³⁵⁶
AT308274	Hydraulic	LFH9367	RE59754	Oil	LFP5757	AT191102	Cabin Air	LAF5314
RE521420	Oil	LFP5214	AT147496	Trans	LFH8499	(AT223493); In-Line	Fuel	L7693F
AT335492	Trans	LFH9347	JOHN DEERE (LIFT TRUCK)			(RE522878); Sec.		L8868F
<i>872, 872GP w/John Deere 6090HDW11 or 6090HDW18 T4F Engine</i>			<i>380, 480, 480A, 480B, 480C, 482C w/John Deere Engine</i>			(RE529643); Pri.		L8872F
AT175223	Air	LAF8669 ¹³⁷⁶	AR84228	Air	LAF1734 ²	RE504836	Oil	LFP4836
(AT175224); 6090HDW11 Eng.		LAF8670 ¹	AE31724		LAF1735 ¹	AT336140	Trans	LFH8490
AT101565	Breather	G3/8 ¹⁰⁷⁷	AT-20728		LAF222 ¹⁸¹	<i>524K w/John Deere 6068H Engine S/N -642246</i>		
AT191102	Cabin Air	LAF5314	AT17387	Fuel	L296F ⁴¹	AT300487	Air	LAF6922
(RE533910); Sec.	Fuel	LFF6963	(AR50041); Diesel		P1130	AT314583		LAF6923 ¹
(RE539465); Pri.		LFF6964	(AT144879); 482C only	Hydraulic	LFH6812	AM39653	Breather	PH710 ¹³⁵⁶
AT308274	Hydraulic	LFH9367	(AT38431); All (exc. 480, 482C)		LFP1652	AT191102	Cabin Air	LAF5314
RE521420	Oil	LFP5214	(AT45422); 480 only		P422	(AT223493); In-Line	Fuel	L7693F
AT335492	Trans	LFH9347	T19044	Oil	FP20	(RE522878); Sec.		L8868F
<i>872G, 872GP w/John Deere 6090H Tier 3 Engine</i>			AR75603	Trans	P346	(RE529643); Pri.		L8872F
AT175223	Air	LAF8669 ²	485E			RE504836	Oil	LFP4836
AT175224		LAF8670 ¹	AT171853	Air	LAF4544 ²	AT336140	Trans	LFH8490
AT191102	Cabin Air	LAF5314			LAF4544MXM ^{2, 268}	<i>524K w/John Deere 6068H Power Tech Engine S/N 642246 - up</i>		
(AT223493); In-Line	Fuel	L7693F	AT171854		LAF4545 ¹	AT178517	Air	LAF3781 ^{1, 241}
RE525523		LFF6929 ¹⁰¹⁴	(RE62418); W/S	Fuel	LFF8215	AT178516		LAF4498 ^{2, 208}
AT308274	Hydraulic	LFH9367	RE39527	Hydraulic	LFH4990	AM39653	Breather	PH710 ¹³⁵⁶
RE521420	Oil	LFP5214	RE59754	Oil	LFP5757	AT191102	Cabin Air	LAF5314
AT335492	Trans	LFH9347	AT179323	Trans	LFH8728	(RE541925); Sec.	Fuel	L8868F
JOHN DEERE (INTEGRATED TOOLCARRIER)			486E			RE539279	Oil	LFP9279
<i>TC44H</i>			AT171853	Air	LAF4544 ²	AT336140	Trans	LFH8490
AT203470	Air	LAF5932 ¹			LAF4544MXM ^{2, 268}	<i>544K w/John Deere PVS6068 Tier 4 Engine</i>		
T156471		LAF6030 ²	AT171854		LAF4545 ¹	AT300487	Air	LAF6922
AT203469		LAF8149 ²	(RE62418); W/S	Fuel	LFF8215	AT314583		LAF6923 ¹
T156471	Cabin Air	CAF12001XL ¹⁸³ ₅₅₄	RE39527	Hydraulic	LFH4990	AM39653	Breather	PH710 ¹³⁵⁶
(RE62419); Sec.	Fuel	L3887F	RE59754	Oil	LFP5757	AT191102	Cabin Air	LAF5314
(RE62424); Pri.		L8242F	AT179323	Trans	LFH8728	(AT223493); In-Line	Fuel	L7693F
AT209204	Hydraulic	LFH6812	488E			(RE522878); Sec.		L8868F
RE59754	Oil	LFP5757	AT171853	Air	LAF4544 ²	(RE529643); Pri.		L8872F
AT147496	Trans	LFH8499			LAF4544MXM ^{2, 268}	RE504836	Oil	LFP4836
<i>TC54H</i>			AT171854		LAF4545 ¹	AT336140	Trans	LFH8490
AT203470	Air	LAF5932 ¹	(RE62418); W/S	Fuel	LFF8215	<i>624K w/John Deere 6068H Engine</i>		
T156471		LAF6030 ²			LFF8215	AT300487	Air	LAF6922
<i>TC54H</i>					LFF8215	AT314583		LAF6923 ¹
AT203470	Air	LAF5932 ¹			LFF8215	AM39653	Breather	PH710 ¹³⁵⁶
T156471		LAF6030 ²			LFF8215	AT191102	Cabin Air	LAF5314

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 181-Single 183-Dust and odor filter 208-19" Hgt. 241-17.5" Hgt. 268-Extended/Severe service 554-Recirculation 1014-Kit, cartridge and spin-on filter 1077-Hyd. Tank 1356-Hydraulic system 1376-6090HDW11 Outer

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (LOADER)			JOHN DEERE (LOGGING EQUIPMENT)			JOHN DEERE (LOGGING EQUIPMENT)		
<i>624K w/John Deere 6068H Engine (cont'd)</i>			<i>1270D w/John Deere 6081H Engine</i>			<i>1490D w/John Deere 6068H Engine</i>		
(AT223493); In-Line (RE522878); Sec. (RE529643); Pri.	Fuel	L7693F L8868F L8872F	F434394 F434395	Air	LAF8669 ² LAF8670 ¹	F044978 F044979	Air	LAF4620 ² LAF4621 ¹
RE504836	Oil	LFP4836	RE522372 (RE519608); W/S	Fuel	LFF6961 ^{938, 1345} LFF6962 ⁹³⁷	(RE509031); Sec. RE504836	Fuel Oil	L8557F LFP4836
AT336140	Trans	LFH8490	RE509672	Oil	LP5979	<i>1510E w/John Deere 6068H Engine</i>		
<i>644K w/John Deere 6068H Engine</i>			<i>1270D w/John Deere 6090HT Engine</i>			AL150288		
AT300487	Air	LAF6922	F434394	Air	LAF8669 ²	(RE522878); Sec.	Fuel	L8868F
AT314583		LAF6923 ¹	F434395		LAF8670 ¹	(RE529643); Pri.		L8872F
AM39653	Breather	PH710 ¹³⁵⁶	RE525523	Fuel	LFF6929 ^{938, 1014}	F061786	Hydraulic	LH9403V ¹⁰⁷⁷
AT191102	Cabin Air	LAF5314	F061786	Hydraulic	LH9403V ¹⁰⁷⁷	RE504836	Oil	LFP4836
(AT223493); In-Line (RE522878); Sec. (RE529643); Pri.	Fuel	L7693F L8868F L8872F	RE509672	Oil	LP5979	<i>1710D w/John Deere 6081H Engine</i>		
RE504836	Oil	LFP4836	<i>1270E w/John Deere 6090HT Engine</i>			F061497		
AT336140	Trans	LFH8490	AL150288	Air	LAF5454 ²⁴⁴	RE522372	Fuel	LFF6961 ^{938, 1345}
JOHN DEERE (LOGGING EQUIPMENT)			F434394		LAF8669 ²	(RE519608); W/S		LFF6962 ⁹³⁷
<i>1010D w/John Deere 4045H Engine</i>			F434395		LAF8670 ¹	RE509672	Oil	LP5979
F052646	Air	LAF5932 ¹	RE525523	Fuel	LFF6929 ^{938, 1014}	<i>1910E Forwarder w/John Deere 6090T Engine</i>		
F434072		LAF8149 ²	(RE519608); W/S		LFF6962 ⁹³⁷	F071150	Air	LAF6889 ²⁷⁵
(RE509208); Pri. (RE509031); Sec.	Fuel	L4109F L8557F	F061786	Hydraulic	LH9403V ¹⁰⁷⁷	RE525523	Fuel	LFF6929 ¹⁰¹⁴
RE507522	Oil	LFP4836	RE509672	Oil	LP5979	F061786		LH9403V ¹⁰⁷⁷
<i>1010E Forwarder w/John Deere 4045T Engine</i>			<i>1270G, 1270G-W8 w/John Deere 6090HT Engine</i>			RE509672		
AL150288	Air	LAF5454 ²⁴⁴	F071150	Air	LAF6889 ²⁴⁴	<i>2054, 2554</i>		
(RE526557); Sec.	Fuel	L8892F	F071151		LAF8690 ¹	T52223	Air	LAF1834 ²
RE504836	Oil	LFP4836	(RE525523); Tier 3 (RE533910); Tier 4; Sec. (RE539465); Tier 4	Fuel	LFF6929 ¹⁰¹⁴ LFF6963 LFF6964	T52224		LAF1835 ¹
<i>1070D w/John Deere 6068H Engine</i>			F061786	Hydraulic	LH9403V ¹⁰⁷⁷	(RE67901); -S/N 248551; 2554 only (RE509032); S/N 243657-; Sec. (RE509036); Pri.	Fuel	L3887F L8557F L8563F
F044978	Air	LAF4620 ²	RE509672	Oil	LP5979	AT186554	Hydraulic	LH5719 ¹¹³⁷
F044978		LAF4621 ¹	<i>1410D Forwarder</i>			RE504836	Oil	LFP4836
(RE509031); Sec.	Fuel	L8557F	F044978	Air	LAF4620 ²	<i>2154D Loggers w/John Deere 6068 Power Tech Plus Tier 3 Engine</i>		
RE507522	Oil	LFP4836	F044979		LAF4621 ¹	AT300487	Air	LAF6922 ²
<i>1070E w/John Deere 6068HTJ Engine</i>			(RE509031); Sec. (RE517181); Pri.	Fuel	L8557F L8563F	AT314583		LAF6923 ¹
AL150288	Air	LAF5454 ²⁴⁴	RE507522	Oil	LFP4836	(RE509032); Sec.	Fuel	L8557F
(RE522878); Sec. (RE529643); Pri.	Fuel	L8868F L8872F	<i>1470D w/John Deere 6081H Engine</i>			RE504836	Oil	LFP4836
F061786	Hydraulic	LH9403V ¹⁰⁷⁷	F434394	Air	LAF8669 ²	<i>2454D, 2954D w/John Deere 6068H Engine</i>		
RE504836	Oil	LFP4836	F434395		LAF8670 ¹	AT300487	Air	LAF6922 ²
<i>1110D w/John Deere 6068H Engine</i>			(RE522687); Pri. (RE522688); Sec.	Fuel	LFF5226 LFF6753	AT314583		LAF6923 ¹
F052646	Air	LAF5932 ¹	RE509672	Oil	LP5979	(RE522878); Sec. Pri.	Fuel	L8868F L8872F
F434072		LAF8149 ²	<i>1470E w/John Deere 6090HT Engine</i>			RE504836	Oil	LFP4836
(RE509208); Pri. (RE509031); Sec.	Fuel	L4109F L8557F	AL150288	Air	LAF5454 ²⁴⁴	<i>335C w/John Deere 6068T Engine</i>		
RE507522	Oil	LFP4836	(RE522878); Sec. (RE529643); Pri.	Fuel	L8868F L8872F	T191321	Air	LAF4503 ²
<i>1110E w/John Deere 6068H Engine</i>			F061786	Hydraulic	LH9403V ¹⁰⁷⁷	F435742		LAF4504 ¹
AL150288	Air	LAF5454 ²⁴⁴	RE504836	Oil	LFP4836	(RE62419); Sec. (RE62424); Pri.	Fuel	L3887F L8242F
(RE522878); Sec. Pri.	Fuel	L8868F L8872F	<i>1470G w/John Deere 6090HT Engine</i>			RE59754	Oil	LFP5757
RE504836	Oil	LFP4836	F071150	Air	LAF6889 ²⁴⁴	<i>335D w/John Deere 6068H Engine</i>		
<i>1158 Forwarder w/Cummins 6BTA5.9L Engine</i>			F071151		LAF8690 ¹	AT300487	Air	LAF6922 ²⁷⁵
F044978	Air	LAF4620 ²	(RE525523); Tier 3 (RE533910); Tier 4; Sec. (RE539465); Tier 4	Fuel	LFF6929 ¹⁰¹⁴ LFF6963 LFF6964	AT314583		LAF6923 ¹
F044979		LAF4621 ¹	F061786	Hydraulic	LH9403V ¹⁰⁷⁷	(RE522878); Sec. (RE529643); Pri.	Fuel	L8868F L8872F
<i>1210E w/John Deere 6068H Engine</i>			RE509672	Oil	LP5979	F061786	Hydraulic	LH9403V ¹⁰⁷⁷
AL150288	Air	LAF5454 ²⁴⁴	<i>1470G w/John Deere 6090HT Engine</i>			RE541420	Oil	LFP5214
(RE522878); Sec. Pri.	Fuel	L8868F L8872F	F071150	Air	LAF6889 ²⁴⁴			
RE504836	Oil	LFP4836	F071151		LAF8690 ¹			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 244-Secondary 275-Primary 937-Early Production 938-Late Production 1014-Kit, cartridge and spin-on filter 1077-Hyd. Tank 1137-Pilot 1345-With Sensor 1356-Hydraulic system

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (LOGGING EQUIPMENT)			JOHN DEERE (SCRAPER)			JOHN DEERE (SCRAPER)		
<i>3554 w/John Deere 6081H Engine</i>			<i>760A</i>			<i>860, 860A w/Detroit Diesel Engine</i>		
AR95758	Air	LAF1465 ²	AR46003	Air	LAF6587 ²	U44957	Air	LAF6769 ²
AT201036		LAF7313 ¹			LAF6587MXM ^{2, 268}			LAF6769MXM ^{2, 268}
RE522372	Fuel	LFF6961 ²¹⁰	AR46004		LAF6834 ¹	U44956		LAF9373 ¹
AT186554	Hydraulic	LH5719 ¹¹³⁷	(AR44077); -S/N	Fuel	L1168F	(AU42727); -S/N	Fuel	262F
RE57394	Oil	PH720	280000			270885; Sec.		
<i>3754D w/John Deere 6090H Power Tech Engine</i>			(AR50041); S/N		P1130	(AU42728); -S/N		L552F
AT330980	Air	LAF6124 ²	280001-			270885		LFP815FN
AT330978		LAF6125 ¹	AR75603	Trans	P346	(AT41419); S/N		LFP816FN
RE525523	Fuel	LFF6929 ¹⁰¹⁴	<i>762 w/John Deere 6619A Engine</i>			270886-; Pri.		
Re57394	Oil	PH720	AT49022	Air	LAF8211 ²	(AT41420); S/N		
<i>437C w/John Deere 6068T Engine</i>			RE11992	Coolant	LFW4685 ²⁴⁹	270886-; Sec.		
T191321	Air	LAF4503 ²			LFW4685XL ^{14, 249}	AR75603	Hydraulic	P346 ¹²¹¹
F435742		LAF4504 ¹	AR86745	Fuel	LFF1129	AT45422		P422
(RE62419); Sec.	Fuel	L3887F	T19044	Hydraulic	FP20	AR29554	Oil	LP132
(RE62424); Pri.		L8242F	(AT135800); S/N		LFH5015 ⁷²⁴	AT79080	Trans	LP50910
RE59754	Oil	LFP5757	003661-			860B		
<i>437D w/John Deere 6068H Engine</i>			AT135800		LFH5015 ¹³⁶⁸	U44957	Air	LAF6769 ²
AT300487	Air	LAF6922 ²⁷⁵	RE57394	Oil	PH720			LAF6769MXM ^{2, 268}
AT314583		LAF6923 ¹	AR43634		PH725	U44956		LAF9373 ¹
(RE522878); Sec.	Fuel	L8868F	AT49249	Trans	LH4918	RE11992	Coolant	LFW4685 ²⁴⁹
(RE529643); Pri.		L8872F	762A					LFW4685XL ^{14, 249}
F061786	Hydraulic	LH9403V ¹⁰⁷⁷	AR70106	Air	LAF1040 ²	AR86745	Fuel	LFF1129
RE541420	Oil	LFP5214	AR70107		LAF636 ²	(AT135800); S/N	Hydraulic	LFH5015 ¹²¹¹
<i>437E w/John Deere PVS6068HT Engine</i>			RE11992	Coolant	LFW4685 ²⁴⁹	003095-		
AT203470	Air	LAF5932 ¹			LFW4685XL ^{14, 249}	(AR75603); -S/N		P346 ¹²¹¹
AT222722		LAF8149 ²	RE27091	Fuel	LFF1129	003094		
F061786	Hydraulic	LH9403V ¹⁰⁷⁷	(AR86755); W/S		LFF1131	AT45422		P422
RE539279	Oil	LFP9279	AT77587		LFP255F ¹¹⁴¹	AR101278	Oil	PH720
<i>770D Harvester</i>			T19044	Hydraulic	FP20	AR43634		PH725
AT203470	Air	LAF5932 ¹	AT135800		LFH5015 ^{724, 1368}	S/N 003081-	Trans	LH6147
F434072		LAF8149 ²	AT79080		LH6147	(AT79080); -S/N		LP50910
(RE509031); Sec.	Fuel	L8557F	(RE57394); S/N	Oil	PH720	003080		
(RE517181); Pri.		L8563F	248524-			<i>862 w/John Deere 6619A Engine</i>		
RE504836	Oil	LFP4836	(AR43634); -S/N		PH725	AR70106	Air	LAF1040 ²
<i>810D Forwarder w/4045HTJ Engine</i>			248523			AR70107		LAF636 ²
F052646	Air	LAF5932 ¹	AT79080	Trans	LP50910	RE11992	Coolant	LFW4685 ²⁴⁹
(RE509031); Sec.	Fuel	L8557F	762B					LFW4685XL ^{14, 249}
(RE517181); Pri.		L8563F	AR70106	Air	LAF1040 ²	AR86745	Fuel	LFF1129
RE507522	Oil	LFP4836	AR70107		LAF636 ²	(AR86755); W/S		LFF1131
<i>810E w/John Deere 4045T Engine</i>			AR86745	Fuel	LFF1129	AT77587		LFP255F ¹¹⁴¹
AL150288	Air	LAF5454 ²⁴⁴	AT77587		LFP255F ¹¹⁴¹	T19044	Hydraulic	FP20
(RE526557); Sec.	Fuel	L8892F	T19044	Hydraulic	FP20			LFH4955
RE504836	Oil	LFP4836	(AT135800); -S/N		LFH5015 ^{724, 1368}	AT79080		LP50910 ¹³⁶⁸
<i>970D Harvester w/John Deere 6068H Engine</i>			765909			(RE21748); By-Pass	Oil	LFP777B
F044978	Air	LAF4620 ²	(AT172912); S/N		LFH8263	RE57394		PH720
F044979		LAF4621 ¹	741499-			AT79080	Trans	LP50910
(RE522878); Sec.	Fuel	L8868F	(AT172912); S/N		LFH8263 ^{724, 1368}	862B		
RE504836	Oil	LFP4836	765910-			AR70106	Air	LAF1040 ²
JOHN DEERE (MOWER CONDITIONER)			(RE57394); S/N	Oil	PH720	AR70107		LAF636 ²
<i>1214, 1380, 1424, 1525, 1600, 1600A</i>			248224-			RE11992	Coolant	LFW4685 ²⁴⁹
AT120444	Hydraulic	LFH8324	(AR43634); -S/N		PH725			LFW4685XL ^{14, 249}
JOHN DEERE (SCRAPER)			248223			(AR86745); -S/N	Fuel	LFF1129
<i>760 w/John Deere Engine</i>			(AT172912); S/N	Trans	LFH8263	499999		LFF1129
AR36044	Air	LAF234HD ²	765910-			(RE27091); S/N		
(AR45097); W/S	Fuel	LFF3540	(AT79080); -S/N		LP50910	500000-		
AR75603	Trans	P346	765909			AT77587		LFP255F ¹¹⁴¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 210-w/ Sensor 244-Secondary 249-No chemical 268-Extended/Severe service 275-Primary 724-Differential 1014-Kit, cartridge and spin-on filter 1077-Hyd. Tank 1137-Pilot 1141-At Fuel Tank 1211-Brake 1368-Gearbox Elevator

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (SCRAPER)			JOHN DEERE (SKID STEER LOADER)			JOHN DEERE (SKID STEER LOADER)		
<i>862B (cont'd)</i>			<i>250 w/John Deere 3029 Power Tech Engine (cont'd)</i>			<i>318G w/Yanmar 2.1L FT4 Engine</i>		
T19044	Hydraulic	FP20	AP33331	Air	LAF9332 ¹	AT314164	Hydraulic	LFH8759G
AT172912		LFH4955	(RE60021); Sec.	Fuel	L8683F	MIU800650	Oil	PH2808
AT79080		LFH8263 ^{724, 1368}	KV12276	Hydraulic	LFH8759G	<i>319D w/John Deere 4024HT Engine</i>		
(RE21748); By-Pass	Oil	LP50910 ¹³⁶⁸	T19044	Oil	FP20	RE282286	Air	LAF5416 ²
RE57394		LFP777B	<i>250 w/John Deere 3029D 2.9L Engine</i>			AT191102	Cabin Air	LAF5314
(AT172912); S/N	Trans	PH720	KV16428	Air	LAF8148 ²	T257865	Fuel	G1 ⁵³¹
752607-		LFH8263	AP33331		LAF9332 ¹	(RE533026); Sec.		L8891F
AT79080		LP50910	(RE60021); Sec.	Fuel	L8683F	AT314164	Hydraulic	LFH8759G
JOHN DEERE (SKID STEER LOADER)			KV12276	Hydraulic	LFH8759G	RE519626	Oil	LFP8340
<i>14 w/Onan 25 hp Engine</i>			T19044	Oil	FP20	<i>319E w/Yanmar 4TNV98C Tier 4 engine</i>		
GG17031266	Hydraulic	LFP3191TRT ³	<i>260 w/John Deere 3029T Power Tech Engine</i>				Cabin Air	LAF5314
		LFP3191XL ¹⁴	KV16429	Air	LAF4544 ²		Oil	PH2808
GG17031266	Oil	LFP3191			LAF4544MXM ^{2, 268}	<i>320D w/John Deere 4024HT Engine</i>		
HE1220800		PH2835	(RE60021); Sec.	Fuel	L8683F	RE282286	Air	LAF5416 ²
<i>170 w/Wisconsin VG4D Engine</i>			KV12276	Hydraulic	LFH8759G	AT191102	Cabin Air	LAF5314
AH19847	Air	LAF1275 ²	T19044	Oil	FP20 ¹¹¹²	T257865	Fuel	G1 ⁵³¹
(GG42031259); Gas	Fuel	G5/16 ²⁶³	<i>270 w/John Deere 4045D Engine</i>			(RE533026); Sec.		L8891F
AE29824	Hydraulic	LP509	KV16428	Air	LAF8148 ²	AT314164	Hydraulic	LFH8759G
<i>240 w/John Deere 3029 Power Tech Engine</i>			AP33331		LAF9332 ¹	RE519626	Oil	LFP8340
KV16428	Air	LAF8148 ²	(RE60021); Sec.	Fuel	L8683F	<i>323D w/John Deere 4024HT Engine</i>		
AP33331		LAF9332 ¹	RE59754	Oil	LFP5757	RE282286	Air	LAF5416 ²
(RE60021); Sec.	Fuel	L8683F	<i>280 w/John Deere 4045T Power Tech Engine</i>			AT191102	Cabin Air	LAF5314
KV12276	Hydraulic	LFH8759G	KV16429	Air	LAF4544 ²	T257865	Fuel	G1 ⁵³¹
T19044	Oil	FP20			LAF4544MXM ^{2, 268}	(RE533026); Sec.		L8891F
<i>240 w/John Deere 3029D 2.9L Engine</i>			(RE62419); Sec.	Fuel	L3887F	AT314164	Hydraulic	LFH8759G
KV16428	Air	LAF8148 ²	RE59754	Oil	LFP5757	RE519626	Oil	LFP8340
AP33331		LAF9332 ¹	<i>313, 315 w/John Deere 4024T Engine</i>			<i>323E w/Yanmar 4TNV98CT Tier 4 engine</i>		
(RE60021); Sec.	Fuel	L8683F	AT191102	Cabin Air	LAF5314		Cabin Air	LAF5314
KV12276	Hydraulic	LFH8759G	AT322654	Fuel	G5/16 ²⁶³	<i>325, 328, 332 w/John Deere 5030 Power Tech Engine</i>		
T19044	Oil	FP20	(RE508202); Sec.		L8569F	KV16429	Air	LAF4544 ²
<i>24AD</i>			AT314164	Hydraulic	LFH8759G			LAF4544MXM ^{2, 268}
AH19847	Air	LAF1275 ²	RE519626	Oil	LFP8340	AT171854		LAF4545 ¹
GV10809	Fuel	FP588F	<i>314G w/Yanmar 2.1L FT4 Engine</i>			AE29052	Fuel	G5/16 ²⁶³
(AT13580); S/N	Hydraulic	LFH5015	AT314164	Hydraulic	LFH8759G	(RE508202); Sec.		L8569F
120001-		LFH5015	MIU800650	Oil	PH2808	AT314164	Hydraulic	LFH8759G
(AT135800); -S/N	Trans	LFH5015	<i>316G w/Yanmar 2.1L FT4 Engine</i>			RE519626	Oil	LFP8340
120000			AT314164	Hydraulic	LFH8759G	<i>326D w/John Deere 5030HT 3.0L Engine</i>		
<i>24AG</i>			MIU800650	Oil	PH2808	AT332908	Air	LAF5429 ²
AH19847	Air	LAF1275 ²	<i>316GR w/Yanmar 2.1L FT4 Engine</i>			AT332909		LAF5430 ¹
AE29052	Fuel	G5/16 ²⁶³	AT314164	Hydraulic	LFH8759G	AT191102	Cabin Air	LAF5314
AT135800	Hydraulic	LFH5015	<i>317, 320 w/John Deere 4024T Engine</i>			T257865	Fuel	G1 ⁵³¹
(HMF600L04340);	Oil	PB50	KV16428	Air	LAF8148 ²	(RE533026); Sec.		L8891F
By-Pass			AP33331		LAF9332 ¹	AT314164	Hydraulic	LFH8759G
(AT135800); -S/N	Trans	LFH5015	AE29052	Fuel	G5/16 ²⁶³	RE519626	Oil	LFP8340
120000			(RE508202); Sec.		L8569F	<i>326E (w/Yanmar 4TNV98CT Engine)</i>		
<i>24D</i>			AT314164	Hydraulic	LFH8759G	AT396132	Air	LAF5429 ²⁷⁵
AT17387	Fuel	L296F ⁴¹	RE519626	Oil	LFP8340	AT332909		LAF5430 ¹
AE29824	Hydraulic	LP509	<i>318D w/John Deere 4024HT Engine</i>			AT191102	Cabin Air	LAF5314 ¹¹⁶⁹
T19044	Oil	FP20	RE282286	Air	LAF5416 ²	T257865	Fuel	G1 ⁵³¹
<i>24G</i>			AT191102	Cabin Air	LAF5314	AT314164	Hydraulic	LFH8759G
AH19847	Air	LAF1275 ²	T257865	Fuel	G1 ⁵³¹	MIU800650	Oil	PH2808
AE29052	Fuel	G5/16 ²⁶³	(RE533026); Sec.		L8891F	<i>328D w/John Deere 5030HT Engine</i>		
AE29824	Hydraulic	LP509	AT314164	Hydraulic	LFH8759G	AT332908	Air	LAF5429 ²
<i>250 w/John Deere 3029 Power Tech Engine</i>			RE519626	Oil	LFP8340	AT332909		LAF5430 ¹
KV16428	Air	LAF8148 ²						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 41-Cartridge 263-Hoses and clamps included 268-Extended/Severe service 275-Primary 531-Filter only 724-Differential 1112-High Output 1169-Cabin Recirculation 1368-Gearbox Elevator

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (SKID STEER LOADER)			JOHN DEERE (SKID STEER LOADER)			JOHN DEERE (SKID STEER LOADER)		
<i>328D w/John Deere 5030HT Engine (cont'd)</i>			<i>333E w/Yanmar 4TNV94CHT Tier 4i engine (cont'd)</i>			<i>8875</i>		
AT191102	Cabin Air	LAF5314	MIU800650	Oil	PH2808	T19044	Oil	FP20
T257865 (RE533026); Sec.	Fuel	G1 ⁵³¹ L8891F	<i>333G w/Yanmar 4TNV94CHT Tier 4 engine</i>			<i>90 w/Onan 23 HP Engine</i>		
AT314164	Hydraulic	LFH8759G	KV16429	Air	LAF4544 ²	GG42031932	Air	LAF2745A ²
RE519626	Oil	LFP8340	AT171854		LAF4545 ¹	AM108243		LAF5852
<i>328E w/Yanmar 4TNV94CHT Interim Tier 4 Engine</i>			AT314164	Hydraulic	LFH8759G	(GG42031259); Gas	Fuel	G5/16 ²⁶³
AT396132	Air	LAF5429 ²⁷⁵	MIU800650	Oil	PH2808	AT58368	Hydraulic	LFP449
AT332909		LAF5430 ¹	<i>375, 3375</i>			<i>CT322 w/John Deere 4024T Engine</i>		
AT191102	Cabin Air	LAF5314 ¹¹⁶⁹	AM108243	Air	LAF5852	KV16428	Air	LAF8148 ²
T257865	Fuel	G1 ⁵³¹	M801101	Fuel	L4103F	AP33331		LAF9332 ¹
AT314164	Hydraulic	LFH8759G	MG9800098	Hydraulic	LH8755	(AT191102); S/N	Cabin Air	LAF5314 ²¹⁹
MIU800650	Oil	PH2808	AM101378	Oil	PH2808	118059 -		LAF5314 ¹³⁸¹
<i>329D w/John Deere 5030HT Engine</i>			<i>4475, 5575 w/Kubota Engine</i>			<i>120815 -</i>		
AT332908	Air	LAF5429 ²	MG86504143	Air	LAF1793 ¹	AE29052	Fuel	G5/16 ²⁶³
AT332909		LAF5430 ¹	MG86504145		LAF222 ²	(RE508202); Sec.		L8569F
AT191102	Cabin Air	LAF5314	T111383	Fuel	L549F	AT314164	Hydraulic	LFH8759G
T257865 (RE533026); Sec.	Fuel	G1 ⁵³¹ L8891F	M801209	Oil	PH2856A	RE519626	Oil	LFP8340
AT314164	Hydraulic	LFH8759G	<i>570 w/Gas Engine</i>			<i>CT332 w/John Deere 5030 Engine</i>		
RE519626	Oil	LFP8340	MG272744	Air	LAF1948 ¹	KV16429	Air	LAF4544 ²
<i>329E w/Yanmar 4TNV94CHT Tier 4i engine</i>			MG221406		LAF281 ²			LAF4544MXM ^{2, 268}
	Air	LAF5429 ²⁷⁵	(MG269212); Gas	Fuel	G1/4	AT171854		LAF4545 ¹
		LAF5430 ¹			LH8755	(AT191102); S/N	Cabin Air	LAF5314 ²¹⁹
	Cabin Air	LAF5314	MG9800098	Hydraulic	LH8755	118059 -		LAF5314 ¹³⁸¹
	Hydraulic	LFH8759G	MG508129	Oil	PH253 ¹⁴⁹⁶	(AT191102); S/N		LAF5314 ¹³⁸¹
	Oil	PH2808			PH2835 ²⁷⁵	120815 -		
<i>332D w/John Deere 5030HT Engine</i>			<i>575 w/Diesel Engine</i>			<i>AE29052</i>		
AT332908	Air	LAF5429 ²	MG221406	Air	LAF281 ²	(RE508202); Sec.		L8569F
AT332909		LAF5430 ¹	(AM116304); Gas	Fuel	G115	AT314164	Hydraulic	LFH8759G
AT191102	Cabin Air	LAF5314	AM101004		LFF1006	RE519626	Oil	LFP8340
T257865 (RE533026); Sec.	Fuel	G1 ⁵³¹ L8891F		Hydraulic	LH8755 ¹⁰⁷⁷	<i>w/125 Diesel Engine</i>		
AT314164	Hydraulic	LFH8759G	MG9800098		LH8755	AH19847	Air	LAF1275 ²
RE519626	Oil	LFP8340	M801209	Oil	PH2808	GV10809	Fuel	FP588F
<i>332E w/Yanmar 4TNV94CHT Interim Tier 4 Engine</i>			<i>60</i>			AT58368	Hydraulic	LH4955
AT396132	Air	LAF5429 ¹	AM37201	Air	AF215	GG17032672		LH8399
AT332909		LAF5430 ¹	(GG42031259); Gas	Fuel	G5/16 ²⁶³	<i>w/125 Gas Engine</i>		
AT191102	Cabin Air	LAF5314	<i>6675, 7775</i>			AH19847	Air	LAF1275 ²
T257865	Fuel	G1 ⁵³¹	MG86504143	Air	LAF1793 ¹	(GG42031259); Gas	Fuel	G5/16 ²⁶³
AT314164	Hydraulic	LFH8759G	MG86504145		LAF222 ²	AT58368	Hydraulic	LH4955
MIU800650	Oil	PH2808	T111383	Fuel	L549F	GG17032672		LH8399
<i>333D w/John Deere 5030HT Engine</i>			M801209	Oil	PH2856A	(HMF600L04340);	Oil	PB50
AT332908	Air	LAF5429 ²	<i>675, 675B w/Diesel Engine</i>			By-Pass		
AT332909		LAF5430 ¹	MG272744	Air	LAF1948 ¹	JOHN DEERE (SKIDDER)		
AT191102	Cabin Air	LAF5314	MG221406		LAF281 ²	<i>340D</i>		
T257865 (RE533026); Sec.	Fuel	G1 ⁵³¹ L8891F	MG680268		LAF909 ²	AT44377	Air	LAF1246 ²
AT314164	Hydraulic	LFH8759G	AM101004	Fuel	LFF1006	AT44378		LAF1394 ¹
RE519626	Oil	LFP8340	MG9800097	Hydraulic	LH4955	AR50041	Fuel	P1130
<i>333E w/Yanmar 4TNV94CHT Tier 4i engine</i>			MG9800098		LH8755	T19044	Oil	FP20
AT396132	Air	LAF5429	M801209	Oil	PH2856A	<i>360DC, 360DG w/John Deere 6068T Engine</i>		
AT332909		LAF5430 ¹	<i>70 w/Onan 25 HP Gas Engine</i>			(AR79680); -S/N	Air	LAF414 ^{1, 15}
AT191102	Cabin Air	LAF5314	GG42031932	Air	LAF2745A ²	583392		LAF5932 ¹
AT314164	Hydraulic	LFH8759G	AM108243		LAF5852	(AT203470); S/N		
	Oil	LFP8340	(GG42031259); Gas	Fuel	G5/16 ²⁶³	583392-586336		
<i>333G w/Yanmar 4TNV94CHT Tier 4i engine</i>			GG17031266	Hydraulic	LFP3191TRT ³	(AT225338); -S/N		LAF6114 ²
AT396132	Air	LAF5429			LFP3191XL ¹⁴	583530		
AT332909		LAF5430 ¹	GG17031266	Oil	LFP3191	(AT225339); -S/N		LAF6115 ¹
AT191102	Cabin Air	LAF5314	HE1220800		PH2835			
AT314164	Hydraulic	LFH8759G				583530		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 15-Standard 219-Air Conditioner 263-Hoses and clamps included 268-Extended/Severe service 275-Primary 531-Filter only 1077-Hyd. Tank 1169-Cabin Recirculation 1381-Cabin Heater 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (SKIDDER)			JOHN DEERE (SKIDDER)			JOHN DEERE (SKIDDER)		
<i>360DC, 360DG w/John Deere 6068T Engine (cont'd)</i>			<i>540, 540A</i>			<i>540G-III w/6068 Engine (cont'd)</i>		
(AT222722); S/N 583392-586336 (AR79679); -S/N 583392	Air	LAF8149 ²	AT44377 (AT17387); -S/N 160726 (AR50041); S/N 160727-	Air	LAF1246 ²	(AT196824); S/N 586337-	Air	LAF4620 ²
AT101565	Breather	G3/8 ¹⁰⁷⁷	(T19044); -S/N 28652	Fuel	L296F ⁴¹	AT196825		LAF4621 ¹
AT191102 (RE62419); Sec. (RE62424); Pri. (RE509031); Sec.	Cabin Air	LAF5314	AR75603	Oil	P1130	AT203470 (AT222722); S/N 583532-586336 (AR79679); -S/N 583531		LAF5932 ¹
AT308274	Fuel	L3887F	T19044	Hydraulic	FP20 ¹¹⁹³	583532-586336 (AR79679); -S/N 583531		LAF8149 ²
RE504836	Oil	L8242F	AR75603	Trans	P346	(RE62419); Sec. (RE62424); -S/N 586336; Pri. (RE509032); Sec. (RE517181); S/N 586337-; Pri. (AT193966); -S/N 596699 (AT308274); S/N 596700-		LAF926 ²
RE59754	Hydraulic	L8557F	T19044	Oil	FP20	(RE504836); S/N 586337-		L3887F
AT147496	Trans	LFH8499	AR75603	Trans	P346	(RE504836); S/N 586337-	Fuel	L8242F
<i>440, 440A, 440B</i>			<i>540B</i>					
AT20728 (T17387); -S/N 192321 (AR50041); S/N 192322-	Air	LAF222 ²	AT44377	Air	LAF1246 ²	(RE509032); Sec. (RE517181); S/N 586337-; Pri. (AT193966); -S/N 596699 (AT308274); S/N 596700-		L8557F
(T19044); -S/N 28662	Fuel	L296F ⁴¹	AT44378	Air	LAF1394 ¹	(RE504836); S/N 586337-		L8563F
AR75603	Oil	P1130	AR50041	Fuel	P1130	(RE59754); -S/N 586336		LFP4836
T19044	Hydraulic	FP20 ¹¹⁹³	(AR98098); S/N 315074-	Hydraulic	LFH1702	(AT147496)	Hydraulic	LFH6812 ⁶⁰⁷
AR75603	Trans	P346	(AR75603); -S/N 315073	Oil	FP20	AT147496	Trans	LFH9367 ¹⁰⁷⁷
<i>440C, 440D</i>			<i>540D</i>			<i>540H w/John Deere PowerTech Plus 6068H Engine</i>		
AT44377	Air	LAF1246 ²	AT44378	Air	LAF1394 ¹	AT300487	Air	LAF6922 ²
AT44378	Fuel	LAF1394 ¹	AT35155	Air	LAF1917	AT314583		LAF6923 ¹
AR50041	Hydraulic	P346	AT31227	Fuel	LAF503 ¹	AT101565	Breather	G3/8 ¹⁰⁷⁷
T19044	Trans	P346	AR50041	Fuel	P1130	AT191102 (RE522878); Sec. Pri.	Cabin Air	LAF5314
AR75603	Oil	FP20	T19044	Oil	FP20	(RE522878); Sec. Pri. (AT308274)	Fuel	L8868F
AR75603	Trans	P346	AR75603	Trans	P346	(RE522878); Sec. Pri. (AT308274)	Fuel	L8872F
<i>448D</i>			<i>540E</i>			<i>548D</i>		
AT44377	Air	LAF1246 ²	AR79680	Air	LAF414 ¹	AT308274	Hydraulic	LFH9367
AT44378	Fuel	LAF1394 ¹	T46317 (T46316); -S/N 539529 (AR79679); S/N 539530-	Air	LAF8663 ¹	RE504836	Oil	LFP4836
AR50041	Hydraulic	P346	(AT81478); W/S	Fuel	LAF8668 ²			
T19044	Oil	FP20	AR50041	Fuel	LAF926 ²			
AR75603	Trans	P346	AT144879	Fuel	LFF8061			
<i>460DC, 460DG w/John Deere 6068T Engine</i>			<i>540G</i>					
(AR79680); S/N -583028 (T191321); S/N 586337-	Air	LAF414 ¹	T19044	Fuel	P1130			
(F435742); S/N 586337-	Fuel	LAF4503 ²	AR79680	Fuel	LAF414 ¹			
(AT196824); S/N 583029-586336 (AT196825); S/N 583029-586336 (AR79679); S/N -583028	Hydraulic	LAF4503MXM ^{2, 268}	AR79679 (RE62424); Pri. (AT81478); W/S W/S	Fuel	LAF926 ²			
AT191102 (RE509032); Sec. (RE509036); Pri.	Oil	LAF4504 ¹	AR50041	Fuel	LFF8061U ¹⁷¹			
AT209204	Hydraulic	LAF4620 ²	AT144879	Hydraulic	LFH6812			
RE504836	Oil	LAF4621 ¹	T19044	Oil	FP20			
RE59754	Trans	LAF926 ²	<i>540G-II</i>					
AT147496	Cabin Air	LAF5314	AR79680	Air	LAF414 ¹			
			AT225338	Air	LAF6114 ²			
			AT225339	Air	LAF6115 ¹			
			AR79679 (RE62419); Sec. (RE62424); Pri.	Air	LAF926 ²			
			AT144879	Fuel	L3887F			
			RE59754	Fuel	L8242F			
			AT147496	Hydraulic	LFH6812			
			<i>540G-III w/6068 Engine</i>					
			AR79680	Hydraulic	LFF8061U ¹⁷¹			
			AR79679	Oil	FP20			
			<i>548E</i>					
			AR79680	Fuel	LAF414 ¹			
			T46317 (T46316); -S/N 539529 (AR79679); S/N 539530-	Fuel	LAF8663 ¹			
			(AT81478); W/S W/S	Fuel	LAF8668 ²			
			AR50041	Fuel	LAF926 ²			
			AT144879	Fuel	LFF8061			
			T19044	Fuel	LFF8061U ¹⁷¹			
			AR50041	Fuel	P1130			
			AT144879	Fuel	LFH6812			
			T19044	Fuel	FP20			
			<i>548G w/John Deere 6068H Engine</i>					
			AR79680	Fuel	LAF414 ¹			
			AR79679 (RE62424); S/N 490172-; Pri. (AT81478); -S/N 490171; W/S W/S	Fuel	LAF926 ²			
			AR50041	Fuel	L8242F			
			AR79679	Fuel	L8242F			
			RE59754	Fuel	L8242F			
			AT147496	Fuel	LFF8061			
			AT147496	Fuel	LFF8061U ¹⁷¹			
			AT147496	Fuel	P1130			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 15-Standard 41-Cartridge 171-With Sensor Port 268-Extended/Severe service 275-Primary 607-Return 810-M92 x 2.56H Thread 1077-Hyd. Tank 1117-1 1/2 x 16 Thread 1193-Winch

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (SKIDDER)			JOHN DEERE (SKIDDER)			JOHN DEERE (SKIDDER)		
<i>548G w/John Deere 6068H Engine (cont'd)</i>			<i>640 w/John Deere 6068T Engine</i>			<i>640G-III w/John Deere 6068 Engine (cont'd)</i>		
AT144879	Hydraulic	LFH6812	AT43870	Air	LAF1976 ²	(AT196824); S/N	Air	LAF4620 ²
T19044	Oil	FP20	AT31227		LAF503 ¹	582802-586336		
<i>548G w/John Deere 6068T Engine</i>			AR50041	Fuel	P1130	AT196825		LAF4621 ¹
AR79680	Air	LAF414 ¹	(AR98098); S/N	Hydraulic	LFH1702	(AT300487); S/N		LAF6922 ²
AR79679		LAF926 ²	315074-		P346	604614-		LAF6923 ¹
(RE62424); S/N	Fuel	L8242F	(AR75603); -S/N			(AT314583); S/N		
490172-; Pri.			315073			604614-		
(AT81478); -S/N		LFF8061	T19044	Oil	FP20	AT101565	Breather	G3/8 ¹⁰⁷⁷
490171; W/S			AR75603	Trans	P346	AT191102	Cabin Air	LAF5314
W/S		LFF8061U ¹⁷¹	<i>640 w/John Deere 6414T Engine</i>			(RE62419); S/N	Fuel	L3887F
AR50041		P1130	AT43870	Air	LAF1976 ²	-586336; Sec.		
AT144879	Hydraulic	LFH6812	AT31227		LAF503 ¹	(RE62424); S/N		L8242F
T19044	Oil	FP20	AR50041	Fuel	P1130	-586336; Pri.		
<i>548G-II</i>			(AR98098); S/N	Hydraulic	LFH1702	(RE509032); S/N		L8557F
AR79680	Air	LAF414 ¹	315074-		P346	586337-; Sec.		
AR79679		LAF926 ²	(AR75603); -S/N			(RE509036); S/N		L8563F
(RE62419); Sec.	Fuel	L3887F	315073			586337-; Pri.		
(RE62424); Pri.		L8242F	T19044	Oil	FP20	(RE522878); S/N		L8868F
AT144879	Hydraulic	LFH6812	AR75603	Trans	P346	604614-; Sec.		
RE59754	Oil	LFP5757	<i>640D, 648D</i>			(AT209204); S/N	Hydraulic	LFH6812 ⁶⁰⁷
AT147496	Trans	LFH8499	T46317	Air	LAF8663 ¹	576603-596699		LFH9367 ⁶⁰⁷
<i>548G-III w/John Deere 6068H Engine</i>			T46316		LAF8668 ²	(AT308274); S/N		
AR79680	Air	LAF414 ¹	AR50041	Fuel	P1130	596700-		LFP4836
(AT196824); S/N		LAF4620 ²	T19044	Oil	FP20	586337-		
586337-			<i>640E, 648E</i>			(RE59754); -S/N		LFP5757
AT196825		LAF4621 ¹	AR79680	Air	LAF414 ¹	586336		
AT203470		LAF5932 ¹	AR79679		LAF926 ²	AT147496	Trans	LFH8499
(AT222722); S/N		LAF8149 ²	(AT81478); W/S	Fuel	LFF8061	<i>640H w/John Deere 6081 Power Tech Engine</i>		
583532-586336			W/S		LFF8061U ¹⁷¹	AT300487	Air	LAF6922 ²
(AR79679); -S/N		LAF926 ²	AR50041		P1130	AT314583		LAF6923 ¹
583531			AT144879	Hydraulic	LFH6812	AT101565	Breather	G3/8 ¹⁰⁷⁷
(RE62419); Sec.	Fuel	L3887F	T19044	Oil	FP20	AT191102	Cabin Air	LAF5314
(RE62424); -S/N		L8242F	<i>640G</i>			(RE522878); Sec.	Fuel	L8868F
586336; Pri.			AR79680	Air	LAF414 ¹	Pri.		L8872F
(RE509032); Sec.		L8557F	AR79679		LAF926 ²	AT308274	Hydraulic	LFH9367
(RE517181); S/N		L8563F	(AT81478); W/S	Fuel	LFF8061	RE504836	Oil	LFP4836
586337-; Pri.			W/S		LFF8061U ¹⁷¹	AT147496	Trans	LFH8499
(AT193966); -S/N	Hydraulic	LFH6812 ⁶⁰⁷	AR50041		P1130	<i>640L w/John Deere PSS6068 FT4 Engine</i>		
596699			AT144879	Hydraulic	LFH6812	AT223226	Air	LAF8669 ²
(AT308274); S/N		LFH9367 ¹⁰⁷⁷	T19044	Oil	FP20	AT175224		LAF8670 ¹
596700-			RE59754		LFP5757	(RE522878); S/N	Fuel	L8868F
(RE504836); S/N	Oil	LFP4836	AT147496	Trans	LFH8499	C666893		
586337-		LFP5757	<i>640G-II, 648G-II</i>			F061786	Hydraulic	LH9406V ¹⁰⁷⁷
(RE59754); -S/N			AR79680	Air	LAF414 ¹	(RE504836); S/N	Oil	LFP4836
586336			AT225338		LAF6114 ²	C666893		
AT147496	Trans	LFH8499	AT225339		LAF6115 ¹	(RE539279); S/N		LFP9279
<i>548H w/John Deere PowerTech Plus 6068H Engine</i>			AR79679		LAF926 ²	F666893		
AT300487	Air	LAF6922 ²	(RE62419); Sec.	Fuel	L3887F	AT336140	Trans	LFH8490
AT314583		LAF6923 ¹	(RE62424); Pri.		L8242F	<i>640L w/PowerTech PSS 6.8 Tier 4 Final Engine</i>		
AT101565	Breather	G3/8 ¹⁰⁷⁷	AT144879	Hydraulic	LFH6812		Air	LAF8669MXM
AT191102	Cabin Air	LAF5314	RE59754	Oil	LFP5757	<i>640L, 648L w/6068HDW Engine</i>		
(RE522878); Sec.	Fuel	L8868F	AT147496	Trans	LFH8499		Air	LAF8669MXM
Pri.		L8872F	<i>640G-III w/John Deere 6068 Engine</i>			<i>643J</i>		
AT308274	Hydraulic	LFH9367	(T191321); S/N	Air	LAF4503 ²	AT175223	Air	LAF8669 ²
RE504836	Oil	LFP4836	586337-		LAF4504 ¹	AT175224		LAF8670 ¹
			F435742			AT166805	Cabin Air	LAF5821 ⁸⁹⁸

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 171-With Sensor Port 607-Return 898-Cabin fresh air filter 1077-Hyd. Tank

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (SKIDDER)			JOHN DEERE (SKIDDER)			JOHN DEERE (SKIDDER)		
<i>643J (cont'd)</i>			<i>648H w/John Deere 6081 Power Tech Engine (cont'd)</i>			<i>740G, 748G w/John Deere 6076 Engine (cont'd)</i>		
(RE509032); Sec.	Fuel	L8557F ⁶⁸²	RE504836	Oil	LFP4836	RE27091	Fuel	LFF1129
(RE509036); Pri.		L8867F ²⁴⁷	AT147496	Trans	LFH8499	(AT81478); -S/N		LFF8061
RE504836	Oil	LFP4836	<i>648L w/John Deere PSS6068 FT4 Engine</i>			552273; W/S		LFF8061U ¹⁷¹
AT147496	Trans	LFH8499 ⁵⁹⁰	AT223226	Air	LAF8669	W/S		
<i>643K w/John Deere 6068 PowerTech Engine</i>			AT175224		LAF8670	AT184206	Hydraulic	LFH5936
	Air	LAF8669MXM	F061786	Hydraulic	LH9403V ¹⁰⁷⁷	RE59754	Oil	LFP5757
<i>648G w/John Deere 6076 Engine</i>			RE539279	Oil	LFP9279	AT167763	Trans	LFH8263
AR79680	Air	LAF414 ¹	AT336140	Trans	LFH8490	<i>740G-II, 748G-II</i>		
AT225338		LAF6114 ²	<i>740 w/John Deere Engine</i>			AR80653	Air	LAF1532 ¹
AT225339		LAF6115 ¹	(AT31227); -S/N	Air	LAF503 ¹	AR80652		LAF1533 ²
AR79679		LAF926 ²	218116			(RE65431); Pri.	Fuel	L8138F
AT101565	Breather	G3/8 ¹⁰⁷⁷	(AT44631); S/N		LAF936 ²	AR86745		LFF1129
AR50041	Fuel	P1130	218117-			AT144879	Hydraulic	LFH6812
AT184206	Hydraulic	LFH5936	AT44632		LAF937 ¹	RE57394	Oil	PH720
(T19044); -S/N 701060	Oil	FP20	AR86745	Fuel	LFF1129	AT147496	Trans	LFH8499
(RE59754); S/N		LFP5757	(AR98098); S/N	Hydraulic	LFH1702	<i>748G-III w/John Deere 6081 Engine</i>		
701060-			291775-		P346	(AT175223); 586337-	Air	LAF8669 ²
AT167763	Trans	LFH8263	(AR75603); -S/N			(AT175224); 586337-		LAF8670 ¹
<i>648G-III</i>			291774			(RE65431); -199999;	Fuel	L8138F
(T191321); S/N	Air	LAF4503 ²	AR43634	Oil	PH725	Pri.		LFF5226
586337-			AR75603	Trans	P346	(R502778); S/N		
F435742		LAF4504 ¹	<i>740A</i>			201617; Pri.		
(AT196824); S/N		LAF4620 ²	AT44631	Air	LAF936 ²	AT209204	Hydraulic	LFH6812 ⁶⁰⁷
582802-586336			AT44632		LAF937 ¹	(RE509672); 201617-	Oil	LP5979
(AT196825); S/N		LAF4621 ¹	(AR86745); S/N	Fuel	LFF1129	(RE57394); -199999		PH720
582802-586336			241583-			AT147496	Trans	LFH8499
(AT300487); S/N		LAF6922 ²	(AR50041); -S/N		P1130	<i>748H w/John Deere Power Tech Plus 6081 Tier 3 Engine</i>		
604614-			241582			AT300487	Air	LAF6922 ²
(AT314583); S/N		LAF6923 ¹	AR98098	Hydraulic	LFH1702	AT314583		LAF6923 ¹
604614-			(AR101278); S/N	Oil	PH720	AT101565	Breather	G3/8 ¹⁰⁷⁷
AT101565	Breather	G3/8 ¹⁰⁷⁷	248524-		PH725	AT191102	Cabin Air	LAF5314
AT191102	Cabin Air	LAF5314	(AR43634); -S/N			(RE522878); Sec.	Fuel	L8868F
(RE62419); Sec.	Fuel	L3887F	248523			Pri.		L8872F
(RE62424); -S/N		L8242F	AR98098	Trans	LFH1702	AT308274	Hydraulic	LFH9367
586336; Pri.			<i>740E, 748E</i>			RE504836	Oil	LFP4836
(RE509032); Sec.		L8557F	AR79680	Air	LAF414 ¹	AT147496	Trans	LFH8499
(RE509036); S/N		L8563F	AR79679		LAF926 ²	<i>748L w/6068HDW Engine</i>		
586337; Pri.			RE27091	Fuel	LFF1129		Air	LAF8669MXM
(RE522878); S/N		L8868F	(AT81478); W/S		LFF8061	<i>748L w/John Deere PSS6068 Engine</i>		
604614; Sec.			W/S		LFF8061U ¹⁷¹	AT223226	Air	LAF8669
(AT209204); S/N	Hydraulic	LFH6812 ⁶⁰⁷	AT144879	Hydraulic	LFH6812	AT175224		LAF8670
576603-596699			RE57394	Oil	PH720	F061786	Hydraulic	LH9403V ¹⁰⁷⁷
(AT308274); S/N		LFH9367 ⁶⁰⁷	<i>740G, 748G w/John Deere 6076 Engine</i>			RE539279	Oil	LFP9279
596700-			(AR80653); S/N	Air	LAF1532 ¹	AT336140	Trans	LFH8490
(RE504836); S/N	Oil	LFP4836	559115-			<i>843J w/John Deere 6068H Engine</i>		
586337-		LFP5757	(AR80652); S/N		LAF1533 ²	AT175223	Air	LAF8669 ²
(RE59754); -S/N			559115-			AT175224		LAF8670 ¹
586336			(AR79680); -S/N		LAF414 ¹	AT166805	Cabin Air	LAF5821 ⁸⁹⁸
AT147496	Trans	LFH8499	559115			(RE509032); Sec.	Fuel	L8557F ⁶⁸²
<i>648H w/John Deere 6081 Power Tech Engine</i>			AT225338		LAF6114 ²	(RE509036); Pri.		L8867F ²⁴⁷
AT300487	Air	LAF6922 ²	At225339		LAF6115 ¹	RE504836	Oil	LFP4836
AT314583		LAF6923 ¹	(AR79679); -S/N		LAF926 ²	AT147496	Trans	LFH8499 ⁵⁹⁰
AT101565	Breather	G3/8 ¹⁰⁷⁷	559115			<i>848H w/John Deere 6081 Power Tech Tier 3 Engine</i>		
AT191102	Cabin Air	LAF5314				AT300487	Air	LAF6922 ²
(RE522878); Sec.	Fuel	L8868F						
Pri.		L8872F	(RE62424); S/N	Breather	G3/8 ¹⁰⁷⁷			
AT308274	Hydraulic	LFH9367	552273; Pri.	Fuel	L8242F			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 171-With Sensor Port 247-30 Micron 590-Hydrostatic 607-Return 682-2 micron 898-Cabin fresh air filter 1077-Hyd. Tank

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (SKIDDER)			JOHN DEERE (SOUTH AMERICA) (TRACTOR)			JOHN DEERE (SPRAYERS)		
<i>848H w/John Deere 6081 Power Tech Tier 3 Engine (cont'd)</i>			<i>6110J w/John Deere 4045T Power Tech M Engine</i>			<i>4720 w/John Deere 4024T Engine</i>		
AT314583	Air	LAF6923 ¹	AL172780	Air	LAF5453 ²	RE196945	Air	LAF9334 ²⁷⁵
AT101565	Breather	G3/8 ¹⁰⁷⁷	AL150288		LAF5454 ²⁴⁴	(RE509032); Sec.	Fuel	L8557F
AT191102	Cabin Air	LAF5314	AL177184	Cabin Air	LAF4340 ⁸⁹⁸	(RE517180); Pri.		L8563F
(RE522878); Sec.	Fuel	L8868F	RE59754	Oil	LFP5757	(RE509036); Pri.		L8867F ²⁷⁵
Pri.		L8872F	AL156625	Trans	LFH7221	RE504836	Oil	LFP4836
AT308274	Hydraulic	LFH9367	<i>6125J w/John Deere 6068T Engine</i>			<i>4720 w/John Deere 6068 Power Tech Engine</i>		
RE504836	Oil	LFP4836	AL172780	Air	LAF5453 ²	RE196945	Air	LAF9334 ²⁷⁵
AT147496	Trans	LFH8499	AL150288		LAF5454 ²⁴⁴	(RE509032); Sec.	Fuel	L8557F
<i>848L w/6068HDW Engine</i>			AL177184	Cabin Air	LAF4340 ⁸⁹⁸	(RE517180); Pri.		L8563F
	Air	LAF8669MXM	(RE62419); Sec.	Fuel	L3887F	(RE509036); Pri.		L8867F ²⁷⁵
<i>848L w/John Deere PSS6090 FT4 Engine</i>			AL156625	Hydraulic	LFH7221	RE504836	Oil	LFP4836
AT308575	Air	LAF8150 ²	RE59754	Oil	LFP5757	<i>4730, 4830 w/John Deere 6068 Power Tech Engine</i>		
		LAF8669MXM	<i>6145J w/John Deere 6068T Engine</i>			RE196945	Air	LAF9334 ²⁷⁵
		LAF8693 ¹	AL172781	Air	LAF5298 ²⁷⁵	AT101565	Breather	G3/8 ¹⁰⁷⁷
TT220747			AL150288		LAF5454 ²⁴⁴	(RE522878); Sec.	Fuel	L8868F
RE525523	Fuel	LFF6929 ¹⁰¹⁴	AL177184	Cabin Air	LAF4340 ⁸⁹⁸	RE504836	Oil	LFP4836
F061786	Hydraulic	LH9403V ¹⁰⁷⁷	(RE62419); Sec.	Fuel	L3887F	<i>4920 w/John Deere 6081 Power Tech Engine</i>		
RE521420	Oil	LFP5214	RE59754	Oil	LFP5757	RE164839	Air	LAF8151 ²
<i>948L w/6068HDW Engine</i>			AL156625	Trans	LFH7221	RE172447		LAF8152 ¹
	Air	LAF8669MXM	<i>6165J w/John Deere 6068T Engine</i>			AT101565	Breather	G3/8 ¹⁰⁷⁷
<i>948L w/John Deere PSS6090 FT4 Engine</i>			AL172781	Air	LAF5298 ²⁷⁵	RE187966	Cabin Air	CAF12000XL ^{183 554}
AT308575	Air	LAF8150	AL150288		LAF5454 ²⁴⁴	(RE522687); Pri.	Fuel	LFF5226
		LAF8669MXM	AL177184	Cabin Air	LAF4340 ⁸⁹⁸	(RE522688); Sec.		LFF6753
		LAF8693 ¹	(RE62419); Sec.	Fuel	L3887F	RE509672	Oil	LP5979
TT220747			RE59754	Oil	LFP5757	<i>4930 w/John Deere 6090 Engine</i>		
RE525523	Fuel	LFF6929 ¹⁰¹⁴	AL156625	Trans	LFH7221	RE210102	Air	LAF5354 ²
F061786	Hydraulic	LH9403V	<i>6405 w/John Deere 4045 Power Tech Engine</i>			RE525523	Fuel	LFF6929 ¹⁰¹⁴
RE521420	Oil	LFP5214	DQ24941	Air	LAF1714 ²	AH128449	Hydraulic	LFH4990
<i>JOHN DEERE (SOUTH AMERICA) (COMBINE)</i>			DQ24942		LAF1715 ¹	RE509672	Oil	LP5979
<i>1175 w/John Deere 6081 Engine</i>			(RE62419); Sec.	Fuel	L3887F	<i>4940</i>		
(DQ08521); 387mm	Air	LAF1716 ²	AL118036	Hydraulic	LFH4990	RE210102	Air	LAF5354 ²
DQ08522		LAF1717 ¹	RE59754	Oil	LFP5757	RE525523	Fuel	LFF6929 ¹⁰¹⁴
(RE62419); Sec.	Fuel	L3887F	<i>6605 w/John Deere 6068T Engine</i>			AH128449	Hydraulic	LFH4990
RE59754	Oil	LFP5757	(RE62419); Sec.	Fuel	L3887F	RE509672	Oil	LP5979
<i>1450 w/John Deere 6068 Engine</i>			AL118036	Hydraulic	LFH4990	AT314164	Trans	LFH8759G ⁵⁹⁰
(DQ08521); 387mm	Air	LAF1716 ²	RE59754	Oil	LFP5757	<i>600 Hy-Boy w/A-1 Diesel Engine</i>		
DQ08522		LAF1717 ¹	<i>7515 w/John Deere 6068T Engine</i>			(AH19847); Gas	Air	LAF1275 ²
(RE62419); Sec.	Fuel	L3887F	AL172781	Air	LAF5298 ²⁷⁵	(AT20728); Diesel		LAF222 ²
RE59754	Oil	LFP5757	AL150288		LAF5454 ²⁴⁴	AT17387	Fuel	L296F ⁴¹
<i>1470 w/John Deere 6068H Engine</i>			(RE62419); Sec.	Fuel	L3887F	T19044	Oil	FP20
(DQ08521); 387mm	Air	LAF1716 ²	RE59754	Oil	LFP5757	<i>600 Hy-Boy w/Gas Engine</i>		
DQ08522		LAF1717 ¹	JOHN DEERE (SPRAYERS)			(AH19847); Gas	Air	LAF1275 ²
(RE62419); Sec.	Fuel	L3887F	<i>4630 w/John Deere 6068 Power Tech Engine</i>			(AT20728); Diesel		LAF222 ²
AR86745		LFF1129	AL150288	Air	LAF5454 ²⁴⁴	AT17387	Fuel	L296F ⁴¹
RE59754	Oil	LFP5757	(RE522878); Sec.	Fuel	L8868F	T19044	Oil	FP20
<i>1550 w/John Deere 6081 Engine</i>			Pri.		L8872F	<i>6000 w/6-219 Engine</i>		
DQ43482	Air	LAF1810 ²	RE504836	Oil	LFP4836	(AN153119); S/N	Air	LAF1793 ¹
AR86745	Fuel	LFF1129	<i>4700 Sprayer w/John Deere 6068T Engine</i>			4806-		LAF222 ²
RE59754	Oil	LFP5757		Air	LAF3532	AT20728		LAF222 ²
<i>1570 w/John Deere 6081 Engine</i>					LAF3533 ¹	AR50041	Fuel	P1130
DQ43482	Air	LAF1810 ²		Fuel	L3524F	AE33293	Hydraulic	LFP1652
AR86745	Fuel	LFF1129			L3887F	T19044	Oil	FP20
RE59754	Oil	LFP5757		Hydraulic	LFH4471			
				Oil	LFP5757			
				Trans	LFH4471			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 183-Dust and odor filter 244-Secondary 275-Primary 554-Recirculation 590-Hydrostatic 898-Cabin fresh air filter 1014-Kit, cartridge and spin-on filter 1077-Hyd. Tank

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (SPRAYERS)			JOHN DEERE (SUGAR CANE HARVESTER)			JOHN DEERE (SWATHERS & WINDROWERS)		
<i>6500, 6600 w/John Deere 4039T Engine</i>			<i>3510 w/John Deere 6081 Engine (cont'd)</i>			<i>3830 WIndustrialrower w/John Deere 4239 Engine</i>		
AT44377	Air	LAF1246 ²	RE509672	Oil	LP5979		Air	LAF1394 ¹
AT44378		LAF1394 ¹						LAF6032
AH92463		LAF1873	JOHN DEERE (SWATHERS & WINDROWERS)				Hydraulic	LFH8324
RE12793	Cabin Air	LAF6680	<i>2250</i>				Oil	FP20
(RE62418); W/S	Fuel	LFF8215		Air	LAF1734	<i>4890 WIndustrialrower w/John Deere 4045T Engine</i>		
RE17380	Hydraulic	LFH4427			LAF1872		Air	LAF1878
T19044	Oil	FP20		Fuel	L296F ⁴¹			LAF3585 ¹
AE43494	Trans	LFH3762		Hydraulic	LFH4922			LAF3781 ^{1, 241}
<i>6500, 6600 w/John Deere 4045T</i>					LFH8324			LAF4498 ^{2, 208}
AT44377	Air	LAF1246 ²			LH4914			LAF5819
AT44378		LAF1394 ¹		Oil	PH400 ²⁷⁵		Cabin Air	LAF22106
AH92463		LAF1873			PH8A ¹⁴⁹⁶		Fuel	L8683F
RE12793	Cabin Air	LAF6680					Oil	LFP5757
(RE62418); W/S	Fuel	LFF8215	<i>2270</i>			<i>4895 WIndustrialrower w/John Deere 4045T Engine</i>		
RE17380	Hydraulic	LFH4427		Air	LAF1734		Air	LAF3781 ^{1, 241}
T19044	Oil	FP20			LAF1735 ¹			LAF4498 ^{2, 208}
AE43494	Trans	LFH3762			LAF1872		Cabin Air	LAF22106
<i>6700, 6700S</i>				Fuel	L296F ⁴¹		Fuel	L8683F
AT44377	Air	LAF1246 ²		Hydraulic	LFH4922		Hydraulic	LFH4990
AT44378		LAF1394 ¹			LFH8324		Oil	LFP5757
AH92463		LAF1873			LH4914	<i>4990 w/John Deere 6068 Power Tech Engine</i>		
(RE62419); Sec.	Fuel	L3887F		Oil	FP20		Air	LAF1878
RE17380	Hydraulic	LFH4427						LAF3585 ¹
RE59754	Oil	LFP5757						LAF3781 ^{1, 241}
AE43494	Trans	LFH3762	<i>2320</i>					LAF4498 ^{2, 208}
<i>700, 734 Sprayers</i>				Air	LAF1873			LAF5819
(AH19847); Gas	Air	LAF1275 ²			LAF222		Cabin Air	LAF22106
(AT20728); Diesel		LAF222 ²		Fuel	G5/16 ²⁶³		Fuel	L8683F
(AT17387); Diesel	Fuel	L296F ⁴¹		Hydraulic	LFH4922		Hydraulic	LFH4990
T19044	Oil	FP20			LFH8324		Oil	LFP5757
<i>80 w/G-248 Engine</i>				Oil	PH400 ²⁷⁵	<i>4995 w/John Deere 6068 Power Tech Engine</i>		
AT20488	Air	LAF1246 ²			PH8A ¹⁴⁹⁶		Air	LAF1878
T19044	Oil	FP20	<i>2360</i>					LAF3585 ¹
		P144		Air	LAF1784 ¹			LAF3781 ^{1, 241}
<i>R4030 w/Powertech PSS6.8L Engine</i>					LAF222			LAF4498 ^{2, 208}
(AN203010); Hydrostatic Pump	Hydraulic	LFH4471			LAF9538		Cabin Air	LAF22106
AT318160		LFH9353		Hydraulic	LAF9538MXM		Fuel	L3887F
RE539279	Oil	LFP9279		Oil	LFP1652		Hydraulic	LFH4990
<i>R4038 w/Powertech PSS 9.0L Engine</i>					PH253 ¹⁴⁹⁶	<i>800, 830</i>		
(RE533910); Tier 4; Sec.	Fuel	LFF6963	<i>2420</i>				Air	LAF222
(RE539465); Tier 4		LFF6964		Air	LAF1734		Fuel	G5/16 ²⁶³
AN203010	Hydraulic	LFH4471			LAF1735 ¹		Oil	PH400 ²⁷⁵
RE509672	Oil	LP5979			LAF1873			PH8A ¹⁴⁹⁶
<i>R4045 w/Powertech PSS 9.0L Engine</i>				Fuel	G5/16 ²⁶³	<i>880</i>		
RE541746	Fuel	LFF6929 ¹⁰¹⁴		Hydraulic	LFH4922		Air	LAF1275
AN203010	Hydraulic	LFH4471			LFH8324			LAF222
RE509672	Oil	LP5979		Oil	FP20 ¹²⁵⁷		W/S	Fuel
JOHN DEERE (SUGAR CANE HARVESTER)					PH400 ²⁷⁵			LFF3540
<i>3510 w/John Deere 6081 Engine</i>					PH8A ¹⁴⁹⁶		Hydraulic	LH4914
AH115836	Air	LAF5819 ⁵⁵⁴	<i>3430 WIndustrialrower w/John Deere 4239 Engine</i>				Oil	FP20
AH115833	Cabin Air	LAF22106 ¹³⁵³		Air	LAF1734	<i>D450 w/6068H Tier 3 eng.</i>		
(RE522687); Pri.	Fuel	LFF5226			LAF1735 ¹		Air	LAF6922
(RE522688); Sec.		LFF6753			LAF1873			LAF6923 ¹
				Hydraulic	LFH8324		Cabin Air	LAF22106
				Oil	FP20		Fuel	L8868F
								L8872F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 208-19" Hgt. 241-17.5" Hgt. 263-Hoses and clamps included 275-Primary 554-Recirculation 1014-Kit, cartridge and spin-on filter 1257-Diesel 1353-Round 1496-Alternate

J

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (SWATHERS & WINDROWERS)			JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)		
<i>D450 w/6068H Tier 3 eng. (cont'd)</i>			<i>1010, 1010C, 1010D, 1010L, 1010W (cont'd)</i>			<i>1050 w/Yanmar 3T90TJ Engine (cont'd)</i>		
	Hydraulic	LFH4990	(T19044); S/N 42001-42000	Oil	FP20 P144	(RE27284); S/N 011001-	Hydraulic	LFH8395G
	Oil	LFP4836				M801002	Oil	PH2808
<i>W110 (w/Cummins QSB4.5L Engine)</i>			AR15088	Trans	P189 P346	(TY9425); -S/N 011000	Trans	PH400 ^{275, 590}
	Air	LAF6922 LAF6923 ¹	AR75601			(TY9425); -S/N 011000		PH8A ^{590, 1496}
FF5421 (FS19732); W/S	Fuel	LFF5421 LFF9732	<i>1020 w/Diesel Engine</i>			<i>1070 w/Yanmar Engine</i>		
LF3970	Oil	LFP3970	AT20728	Air	LAF222 ²	CH12881	Air	LAF5835 ¹ LAF8225 ²
<i>W150 w/Cummins QSB4.5 Engine</i>			AT17387T	Fuel	L296F ⁴¹ P1130	M802606		
	Air	LAF6922 LAF6923 ¹	AR50041			T111383	Fuel	L549F
FF5421 (FS19732); W/S	Fuel	LFF5421 LFF9732	T19044	Oil	FP20	M801209	Oil	PH2856A
LF3970	Oil	LFP3970	AR75603	Trans	P346 ⁵⁹⁰	RE27284	Trans	LFH8395G
<i>W155 (w/John Deere PSS4045 FT4 Engine)</i>			<i>1020 w/Gas Engine</i>			<i>1120 w/John Deere Engine</i>		
RE504836	Oil	LFP4836	AT20728	Air	LAF222 ²	AR842228	Air	LAF1734 ² LAF222 ²
<i>W235 (w/John Deere PVS6068 FT4 Engine)</i>			AT17387T	Fuel	L296F ⁴¹ P1130	AT20728		
(RE533910); Sec.	Fuel	LFF6963 ⁵⁸⁷	AR50041			AR50041	Fuel	P1130
AH128449	Hydraulic	LFH4990	T19044	Oil	FP20	T19044	Oil	FP20
AT318160		LFH9353 ¹³⁸³	AR75603	Trans	P346 ⁵⁹⁰	(AR75603); wo/Hi-Lo Trans.	Trans	P346 ⁵⁹⁰
RE539279	Oil	LFP9279	<i>1023E w/Yanmar 3TNM72 Engine</i>			<i>1130 w/John Deere Engine</i>		
<i>W260 w/John Deere PVS6068 T4F Engine</i>			M123378	Air	LAF22056 ¹ LAF8388 ²	(AR84228); S/N 190320-	Air	LAF1734 ²
AT101565	Breather	G3/8 ¹⁰⁷⁷	M113621			AL27159		LAF1735 ¹ LAF222 ²
AH128449	Hydraulic	LFH4990 ¹³⁸⁴	AM116304	Fuel	G115 L4103F	(AT20728); -S/N 190319		
RE539279	Oil	LFP9279	M801011	Oil	PH2876	AR50041	Fuel	P1130
JOHN DEERE (TELESCOPIC HANDLER)			M806418	Oil	PH2876	T19044	Oil	FP20
<i>3200 w/John Deere 4045TF Engine</i>			<i>1025R w/Yanmar 3TNV80 Engine</i>			AR75603	Trans	P346
AZ55541	Air	LAF9100 ¹ LAF9101 ²	M131802	Air	LAF8195 ² LAF8690 ¹	<i>1250 w/John Deere Engine</i>		
AZ55542 (RE62418); W/S	Fuel	LFF8215	M131803			AR84228	Air	LAF1734 ² LAF1735 ¹
RE59754	Oil	LFP5757	AM116304	Fuel	G115 L4103F	AE37124		
<i>3220, 3420 w/John Deere 4045H Engine</i>			M801011	Oil	PH2876	CH20196	Fuel	FP570F FP590F
AZ55541	Air	LAF9100 ¹ LAF9101 ²	M806418	Oil	PH2876	CH16885		
AZ55542 (RE509031); Sec. (RE517181); Pri.	Fuel	L8557F L8563F	<i>1026R w/Yanmar 3TNV76 Engine</i>			T19044	Oil	FP20
RE504836	Oil	LFP4836	M123378	Air	LAF22056 ¹ LAF8388 ²	RE27284	Trans	LFH8395G
<i>3400 w/John Deere 4045TF Engine</i>			M113621			<i>1350 w/John Deere 3179D Engine</i>		
AZ55541	Air	LAF9100 ¹ LAF9101 ²	AM116304	Fuel	G115 L4103F	AR84228	Air	LAF1734 ² LAF1735 ¹
AZ55542 (RE62418); W/S	Fuel	LFF8215	M801011	Oil	PH2876	AE31724		
RE59754	Oil	LFP5757	M806418	Oil	PH2876	AR50041	Fuel	P1130
<i>3800 w/John Deere Engine</i>			<i>1030 w/John Deere Engine</i>			AR75603	Hydraulic	P346
AZ59702 (RE62419); Sec.	Air	LAF2342 ² L3887F	(AR84228); S/N 190320-	Air	LAF1734 ²	T19044	Oil	FP20
RE507522	Fuel	L3887F	AL27159			RE27284	Trans	LFH8395G
	Oil	LFP4836	(AT20728); -S/N 190319			<i>1450 w/John Deere 6068 Engine</i>		
JOHN DEERE (TRACTOR)			AR50041	Fuel	P1130	AR84228	Air	LAF1734 ² LAF1735 ¹
<i>1010, 1010C, 1010D, 1010L, 1010W</i>			T19044	Oil	FP20	CH20196	Fuel	FP570F FP590F
AT20728	Air	LAF222 ²	AR75603	Trans	P346	CH16885		
(AT17387); S/N 42001-42000	Fuel	L296F ⁴¹ L8287F	<i>1040, 1040V, 1140, 1140V</i>			T19044	Oil	FP20
			AR84228	Air	LAF1734 ² LAF1735 ¹	RE27284	Trans	LFH8395G
			AE31724			<i>1520 w/A-1 Diesel Engine</i>		
			AR50041	Fuel	P1130	AT20728	Air	LAF222 ²
			AR98098	Hydraulic	LFH1702	AT17387	Fuel	L296F ⁴¹ P1130
			T19044	Oil	FP20	AR50041		
			AR75603	Trans	P346	T19044	Oil	FP20
			<i>1050 w/Yanmar 3T90TJ Engine</i>			AR75603	Trans	P346
			CH12767	Air	LAF1275 ² LAF5835 ¹	<i>1520 w/Gas Engine</i>		
			CH12881			AT20728	Air	LAF222 ²
			M801101	Fuel	L4103F			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 275-Primary 587-Spin-on 590-Hydrostatic 1077-Hyd. Tank 1383-Draper manifold 1384-At Distribution Manifold 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)		
<i>1520 w/Gas Engine (cont'd)</i>			<i>1840 w/John Deere Engine</i>			<i>2030, 2130 (cont'd)</i>		
AT17387	Fuel	L296F ⁴¹	AR84228	Air	LAF1734 ²	T19044	Oil	FP20
AR50041		P1130	AL27159		LAF1735 ¹	AR75603	Trans	P346
T19044	Oil	FP20	AR50041	Fuel	P1130	<i>2032R (w/Yanmar 3TNV88 Engine)</i>		
AR75603	Trans	P346	AR75603	Hydraulic	P346	RG60690	Air	LAF8195 ²
<i>1530 Diesel</i>			T19044	Oil	FP20	RG60866		LAF8690 ¹
(AR84228); S/N	Air	LAF1734 ²	<i>1850 w/John Deere 3179D Engine</i>			MIU800645	Fuel	LFF8350
190320-			AZ20634	Air	LAF1714 ^{2, 1147}	M806419	Oil	PH2808
AE31724		LAF1735 ¹	(AR84228); -S/N		LAF1734 ²	<i>2040, 2040S</i>		
(AT20728); -S/N		LAF222 ²	621999			(AR84228); S/N	Air	LAF1734 ²
190319			AE31724		LAF1735 ¹	190320-		LAF1735 ¹
AR50041	Fuel	P1130	(AL65051); S/N 62000-		LAF8389 ^{2, 1301}	(AE31724); S/N		LAF1735 ¹
T19044	Oil	FP20	AR50041	Fuel	P1130	190320-		LAF1859 ^{2, 1348}
AR75603	Trans	P346 ⁵⁹⁰	AR75603	Hydraulic	P346	AL30394		LAF222 ²
<i>1550, 1570 w/John Deere 6068H Engine</i>			AR75603	Oil	FP20	(AT20728); -S/N		LAF222 ²
AZ20634	Air	LAF1714 ^{2, 1147}	<i>1950 w/John Deere 3179T Engine</i>			190319		LAF8643 ¹
(AR84228); -S/N		LAF1734 ²	AL65051	Air	LAF1734 ²	(AL30395); Mannheim		
621999			AE31724		LAF1735 ¹	Built		
(AE31724); -S/N		LAF1735 ¹	AR50041	Fuel	P1130	AR50041	Fuel	P1130
621999			AR75603	Hydraulic	P346	T19044	Oil	FP20
(AL65051); S/N 62000-		LAF8389 ^{2, 1301}	T19044	Oil	FP20	AR98098	Trans	LFH1702
AR50041	Fuel	P1130	<i>2010 w/Gas Engine</i>			AR75603	Trans	P346
AR75603	Hydraulic	P346	(AT17387); S/N	Fuel	L296F ⁴¹	<i>2120 w/John Deere 4219D Engine</i>		
T19044	Oil	FP20	42001-; Diesel			AR4228	Air	LAF1734 ²
<i>1630, 1630VU Spanish Manufactured</i>			S/N 42001-	Hydraulic	LH22001	AE31724		LAF1735 ¹
(AR84228); S/N	Air	LAF1734 ²	(T19044); S/N 42001-	Oil	FP20	AT20728		LAF222 ¹⁸¹
78186-			(AH1111RT); -S/N		P144	AT17387T	Fuel	L296F ⁴¹
AE31724		LAF1735 ¹	42000			T19044	Oil	FP20
(AT20728); -S/N		LAF222 ²	<i>2010 w/John Deere Engine</i>			AR75601	Trans	P346
78185			(AT17387); S/N	Fuel	L296F ⁴¹	<i>2140 Spanish Built</i>		
AR50041	Fuel	P1130	42001-; Diesel			AL30394	Air	LAF1859 ²
T19044	Oil	FP20	S/N 42001-	Hydraulic	LH22001	AL30395		LAF8643 ¹
AR75603	Trans	P346 ⁵⁹⁰	(T19044); S/N 42001-	Oil	FP20	AR50041	Fuel	P1130
<i>1640 Mannheim Built</i>			(AH1111RT); -S/N		P144	AR75603	Hydraulic	P346
AR84228	Air	LAF1734 ²	42000			T19044	Oil	FP20
AE31724		LAF1735 ¹	<i>2020 w/A-1 Diesel Engine</i>			(AR98098); S/N	Trans	LFH1702
AR50041	Fuel	P1130	AT20728	Air	LAF222 ²	430000-		
T19044	Oil	FP20	(AT17387); Diesel	Fuel	L296F ^{41, 1289}	<i>2150 w/Diesel Engine</i>		
AR98098	Trans	LFH1702	T19044	Oil	FP20	AR84228	Air	LAF1734 ²
AR75603		P346 ¹³⁴⁷	AR75603	Trans	P346 ⁵⁹⁰	AE31724		LAF1735 ¹
<i>1650 w/John Deere Engine</i>			<i>2020 w/Gas Engine</i>			AR50041	Fuel	P1130
CH18287	Air	LAF1544 ²	AT20728	Air	LAF222 ²	T19044	Oil	FP20
CH18289		LAF1933 ¹	(AT17387); Diesel	Fuel	L296F ^{41, 1289}	AR75603	Trans	P346
CH20196	Fuel	FP570F	T19044	Oil	FP20	<i>2155 w/John Deere 3179D Engine</i>		
CH16885		FP590F	AR75603	Trans	P346 ⁵⁹⁰	(AR84228); -S/N	Air	LAF1734 ²
T19044	Oil	FP20	<i>2025R (w/Yanmar 3TNV80F Engine)</i>			621999		
RE27284	Trans	LFH8395G	RG60690	Air	LAF8195 ²	AE31724		LAF1735 ¹
<i>1830 w/John Deere Engine</i>			RG60866		LAF8690 ¹	AR50041	Fuel	P1130
(AR84228); S/N	Air	LAF1734 ²	M801101	Fuel	L4103F	T19044	Oil	FP20
190320-			M806418	Oil	PH2876	AL56469	Trans	LFH8500
AL27159		LAF1735 ¹	<i>2030, 2130</i>			AR75603		P346
(AT20728); -S/N		LAF222 ²	(AR84228); S/N	Air	LAF1734 ²	<i>2210 w/Yanmar 3TNE74 Engine</i>		
190319			190320-			M807331	Air	LAF22056 ¹
AT17387	Fuel	L296F ⁴¹	(RE31724); S/N		LAF1735 ¹	M807332		LAF8388 ²
AR50041		P1130	190320-			M806418	Oil	PH2876
AR75603	Hydraulic	P346	AT20728		LAF222 ²	<i>2240, 2440</i>		
T19044	Oil	FP20	(AT17387T); Diesel	Fuel	L296F ^{41, 1289}	AE31723	Air	LAF1734 ²
			AR50041		P1130	AE31724		LAF1735 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 181-Single 590-Hydrostatic 1147-With Pre-Cleaner 1289-Some models use two filters. 1301-Without Pre-Cleaner 1347-Creepers 1348-Mannheim Built

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)		
<i>2240, 2440 (cont'd)</i>			<i>2510 w/John Deere Diesel Engine (cont'd)</i>			<i>2940 w/John Deere 6359D Engine</i>		
AH20728	Air	LAF222 ¹⁸¹	(AT17387); Diesel	Fuel	L296F ^{41, 1289}	AL30394	Air	LAF1859 ²
AR50041	Fuel	P1130	T19044	Oil	FP20	AL30395		LAF8643 ¹
T19044	Oil	FP20	AR28110		P189	AR50041	Fuel	P1130
75603	Trans	P346	AR75603	Trans	P346	T19044	Oil	FP20
<i>2250, 2450</i>			<i>2520 w/Gas Engine</i>			<i>2955 w/John Deere Engine</i>		
AZ20263	Air	LAF1714 ²	AH19848	Air	LAF1458 ¹¹⁴⁷	AR75603	Trans	P346
AR50041	Fuel	P1130	AR46481		LAF6032 ²	<i>2955 w/John Deere Engine</i>		
T19044	Oil	FP20	(AT17387); Diesel	Fuel	L296F ⁴¹	AZ20263	Air	LAF1714 ²
AR75603	Trans	P346	T19044	Oil	FP20	AR50041	Fuel	P1130
<i>2255 w/John Deere Engine</i>			<i>2520 w/John Deere 4276 Engine</i>			<i>2955 w/John Deere Engine</i>		
AR84228	Air	LAF1734 ²	AR75603	Trans	P346 ⁵⁹⁰	T19044	Hydraulic	LFH8500
AE31724		LAF1735 ¹	<i>2520 w/John Deere 4276 Engine</i>			T19044	Oil	FP20
AR50041	Fuel	P1130	AH19848	Air	LAF1458 ¹¹⁴⁷	AR75603	Trans	P346
T19044	Oil	FP20	AR46481		LAF6032 ²	<i>3005 w/Yanmar 3TNV82A Engine</i>		
AR75603	Trans	P346	(AT17387); Diesel	Fuel	L296F ⁴¹	RG60690	Air	LAF8195 ²
<i>2305 Compact w/Yanmar 24 hp Engine</i>			<i>2520 w/John Deere Diesel Engine</i>			RG25644		LAF8690 ¹
(RE68049); S/N	Air	LAF8114 ¹	T19044	Oil	FP20	MIU800645	Fuel	LFF8350
311033-		LAF8143 ²	AR75603	Trans	P346 ⁵⁹⁰	RE27284	Hydraulic	LFH8395G
(RE68048); S/N		LAF8195 ²	<i>2520 w/John Deere Diesel Engine</i>			M806419	Oil	PH2808
311033-		LAF8690 ¹	AH19848	Air	LAF1458 ¹¹⁴⁷	<i>3010</i>		
(RG60690); -S/N		LAF8690 ¹	AR46481		LAF6032 ²	AR46481	Air	LAF1246 ²
311032		LAF8690 ¹	(AT17387); Diesel	Fuel	L296F ⁴¹	(AH19848); Gas or LP		LAF1458
(RG25644); -S/N		LAF8690 ¹	T19044	Oil	FP20	(AR39798); Diesel		LAF1842 ²
311032		LAF8690 ¹	AR75603	Trans	P346 ⁵⁹⁰	AR46976		LAF398 ¹³⁰¹
MIU800645	Fuel	LFF8350	<i>2630, 2640 w/John Deere Diesel Engine</i>			AR39799		LAF5054A ²
RE45864	Hydraulic	LFH5015	AE31723	Air	LAF1734 ²	AR46481		LAF6032 ²
M806419	Oil	PH2808	AE31724		LAF1735 ¹	(AR44077); Diesel	Fuel	L1168F
<i>2350, 2550</i>			AR50041	Fuel	P1130	(AR15097); W/S		LFF3540 ⁷⁶³
AR84228	Air	LAF1734 ²	T19044	Oil	FP20	AR50041		P1130
AE37124		LAF1735 ¹	AR75603	Trans	P346	1553	Hydraulic	LFP1652
AR50041	Fuel	P1130	<i>2650, 2850 w/John Deere Engine</i>			T19044	Oil	FP20
T19044	Oil	FP20	AZ20623	Air	LAF1714 ²	(4E-023); Turbo		LFP3413 ¹²
AR75603	Trans	P346 ⁵⁹⁰	AR50041	Fuel	P1130	AR26350		P189
<i>2355, 2555</i>			T19044	Oil	FP20	AR75603	Trans	P346 ¹⁰⁸⁴
(AZ20623); -S/N	Air	LAF1714 ²	AR75603	Trans	P346	<i>3020</i>		
634102		LAF1735 ¹	<i>2750, 2950 w/John Deere 4039T Engine</i>			AR46481	Air	LAF1246 ²
(AE31724); S/N		LAF1735 ¹	AL30394	Air	LAF1859 ²	(AH19848); Gas or LP		LAF1458
634103-		LAF1735 ¹	AL30395		LAF8643 ¹	(AR39798); Diesel		LAF1842 ²
AR50041	Fuel	P1130	AR50041	Fuel	P1130	AR46976		LAF398 ¹³⁰¹
T19044	Oil	FP20	T19044	Oil	FP20	AR39799		LAF5054A ²
AL56469	Trans	LFH8500	AR75603	Trans	P346	AR46481		LAF6032 ²
AR75603	Trans	P346	<i>2755 w/John Deere Engine</i>			(AR44077); Diesel	Fuel	L1168F
<i>2355N</i>			AZ20623	Air	LAF1714 ²	(AR15097); W/S		LFF3540
AE31724	Air	LAF1735 ¹	AR50041	Fuel	P1130	AR50041		P1130
AL65051		LAF8389 ²	T19044	Oil	FP20	1553	Hydraulic	LFP1652
AR50041	Fuel	P1130	AL56469	Trans	LFH8500	T19044	Oil	FP20
AL56469	Hydraulic	LFH8500	AR75603	Trans	P346	(4E-023); Turbo		LFP3413 ¹²
T19044	Oil	FP20	<i>2840 w/John Deere 6239 Engine</i>			AR26350		P189
AR75603	Trans	P346	AL27158	Air	LAF5054A ²	AR75603	Trans	P346 ¹⁰⁸⁴
<i>2510 w/Gas Engine</i>			AR50041	Fuel	P1130	<i>3030, 3130 w/John Deere Engine</i>		
AH19848	Air	LAF1458	T19044	Oil	FP20	AL27158	Air	LAF5054A ²
(AT17387); Diesel	Fuel	L296F ^{41, 1289}	<i>2855N</i>			AR50041	Fuel	P1130
T19044	Oil	FP20	AZ20623	Air	LAF1714 ²	T19044	Oil	FP20
AR28110		P189	AL67195		LAF8354 ¹	<i>3032E w/Yanmar 3TNV88 Diesel Engine</i>		
AR75603	Trans	P346	AR50041	Fuel	P1130		Air	LAF8195 ²
<i>2510 w/John Deere Diesel Engine</i>			AL56469	Hydraulic	LFH8500			LAF8690 ¹
AH19848	Air	LAF1458	T19044	Oil	FP20		Oil	PH2808
			AR75603	Trans	P346			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 41-Cartridge 181-Single 590-Hydrostatic 763-w/ Drain 1084-Power Shift 1147-With Pre-Cleaner 1289-Some models use two filters. 1301-Without Pre-Cleaner

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)		
<i>3033R w/Yanmar X3 88CR Tier 4 engine</i>			<i>3135 (cont'd)</i>			<i>3650 w/John Deere 6359 Engine</i>		
	Air	LAF8114 ¹ LAF8143 ²	T19044 (AR75603); w/o Hi-Lo Trans.	Oil Trans	FP20 P346 ⁵⁹⁰	AZ30757 AR50041 T19044 AR75603	Air Fuel Oil Trans	LAF2052 ² P1130 FP20 P346
<i>3038E w/Yanmar 3TNV84T Engine</i>			<i>3150 w/John Deere 6359D Engine</i>			<i>3720 w/Yanmar 3TNV84HT 1.5L 44 HP Engine</i>		
	Air	LAF8195 ² LAF8690 ¹	AL30394 AL30395	Air	LAF1859 ² LAF8643 ¹	RE68049 RE68048 M811031 M806419	Air	LAF8114 ¹ LAF8143 ² LFF8350 PH2808
Pri.	Fuel	LFF8350	AR50041	Fuel	P1130			
	Oil	PH2808	T19044	Oil	FP20			
<i>3039R w/Yanmar 3TNV84T Tier 4 engine</i>			<i>3155 w/John Deere Engine</i>			<i>40 w/John Deere Engine</i>		
RE68049 RE68048	Air	LAF8114 ¹ LAF8143 ²	AZ20623 AL67195	Air	LAF1714 ² LAF8354 ¹		Oil	P144
	Oil	PH2808	AR50041	Fuel	P1130	<i>4000, 4020 w/Gas Engine</i>		
<i>3040, 3140 w/John Deere Diesel Engine</i>			<i>320, 330</i>			<i>(AR39798); Gas</i>		
AL30394 (AR79941); High altitude compensator	Air	LAF1859 ² LAF3711 ²	T19044	Oil	FP20	AR44774	Air	LAF1842 ² LAF2528 ¹³⁵⁴
AR79941 (AR79942); High altitude compensator		LAF3711 ² LAF6401 ¹	AR75603	Trans	P346	AR46976 (AT33363); Diesel		LAF398 ⁷⁹² LAF5054A LAF6032 ²
AR79942		LAF6401 ¹	AH1111RT	Oil	P144	AR46481		
AL30395		LAF8643 ¹	<i>3203 w/Yanmar 3TNV84 Engine</i>			<i>(AR44077); Diesel</i>		
AR50041	Fuel	P1130	RE68049	Air	LAF8114 ¹	<i>(AR45097); -S/N</i>		
AR98098	Hydraulic	LFH1702	RE68048		LAF8143 ²	<i>214999; Diesel; W/S</i>		
T19044	Oil	FP20	M806419	Oil	PH2808	<i>(AR50041); Diesel</i>		
(AR98098); -S/N	Trans	LFH1702	<i>3255 w/John Deere Engine</i>			AR28110	Oil	P189
429999		P346 ⁵⁹⁰	AZ30757	Air	LAF2052 ²	AR75603	Trans	P346 ⁵⁹⁰
AR28072		P346	AR50041	Fuel	P1130	<i>4000, 4020 w/John Deere 6404D Engine</i>		
AR75603		P346	AL56469	Hydraulic	LFH8500	<i>(AR39798); Gas</i>		
<i>3046R w/Yanmar 3TNV84HT Tier 4 engine</i>			T19044	Oil	FP20	AR44774	Air	LAF1842 ² LAF2528 ¹³⁵⁴
RE68049	Air	LAF8114 ¹ LAF8143 ²	AR75603	Trans	P346	AR46976 (AT33363); Diesel		LAF398 ⁷⁹² LAF5054A LAF6032 ²
RE68048	Oil	PH2808	<i>3320 w/Yanmar 3TNV88 Engine</i>			AR46481		
<i>3050 w/John Deere Engine</i>			RE68049	Air	LAF8114 ¹	<i>(AR44077); Diesel</i>		
AZ20623	Air	LAF1714 ²	RE68048		LAF8143 ²	<i>(AR45097); -S/N</i>		
AL67195		LAF8354 ¹	<i>(M811031); Sec.</i>			<i>214999; Diesel; W/S</i>		
AR50041	Fuel	P1130	M806419	Oil	PH2808	<i>(AR50041); Diesel</i>		
T19044	Oil	FP20	<i>3350 w/John Deere Engine</i>			AR28110	Oil	P189
AR75603	Trans	P346	AZ20623	Air	LAF1714 ²	AR75603	Trans	P346 ⁵⁹⁰
<i>3055 w/John Deere Engine</i>			AL67195		LAF8354 ¹	<i>4005 Compact w/Yanmar 4TNV84 Engine</i>		
AZ20623	Air	LAF1714 ²	AR50041	Fuel	P1130	RG60690	Air	LAF8195 ²
AL67195		LAF8354 ¹	T19044	Oil	FP20	RG25644		LAF8690 ¹
AR50041	Fuel	P1130	AR75603	Trans	P346	MIU800645	Fuel	LFF8350
T19044	Oil	FP20	<i>3520 w/Yanmar 3TNV84T 40.5 HP Engine</i>			RE27284	Hydraulic	LFH8395G
AL56469	Trans	LFH8500	AH115836	Air	LAF5568 ² LAF5569 ¹ LAF5819 ¹³⁵³	M806419	Oil	PH2808
AR75603		P346	AH115833	Cabin Air	LAF22106	<i>4010 Compact Diesel w/A-1 Diesel Engine</i>		
<i>3120, 3320 w/Yanmar 3TNV82A88 Engine</i>			RE525523	Fuel	LFF6929 ¹⁰¹⁴	M123378	Air	LAF22056 ¹
RE68049	Air	LAF8114 ¹ LAF8143 ²	RE509672	Oil	LP5979	M113621		LAF8388 ²
RE68048		LFF8350	<i>3520 w/Yanmar 3TNV84T Engine</i>			CH15553	Fuel	L3541F
(M811031); Sec.	Fuel	PH2808	RE68049	Air	LAF8114 ¹	M806418	Oil	PH2876
M806419	Oil	PH2808	RE68048		LAF8143 ²	<i>4010 w/Diesel Engine</i>		
<i>3135</i>			(M811031); Sec.	Fuel	LFF8350	<i>(AR44077); Diesel</i>		
(AL27160); S/N	Air	LAF1831 ¹	M806419	Oil	PH2808	AR75601	Hydraulic	P346
192100-		LAF5054A ²	<i>3640 w/John Deere Engine</i>			AR28110	Oil	P189
AL27158		L296F ⁴¹	AL30394	Air	LAF1859 ²	<i>4010 w/Gas Engine</i>		
AT17387	Fuel	P1130	AL30395		LAF8643 ¹	<i>(AR44077); Diesel</i>		
AR50041			AR50041	Fuel	P1130	AR75601	Hydraulic	P346
<i>3135</i>			T19044	Oil	FP20	AR28110	Oil	P189
<i>3135</i>			AR75603	Trans	P346	<i>4010 w/Yanmar 3TNE68 Engine</i>		
<i>3135</i>			<i>3640 w/John Deere Engine</i>			<i>(AR44077); Diesel</i>		
<i>3135</i>			<i>3640 w/John Deere Engine</i>			<i>(AR44077); Diesel</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 590-Hydrostatic 792-Without Fin 1014-Kit, cartridge and spin-on filter 1353-Round 1354-With Fin LPG Engine

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)		
<i>4010 w/Yanmar 3TNE68 Engine (cont'd)</i>			<i>4050 w/John Deere 6466 Engine (cont'd)</i>			<i>4100 Compact Diesel (cont'd)</i>		
AR75601	Hydraulic	P346	(AR86755); W/S	Fuel	LFF1131	AM101378	Oil	PH2808
AR28110	Oil	P189	AR50041		P1130	<i>4105 w/Yanmar 3TNV84T 40.5 HP Engine</i>		
<i>4030 w/Gas Engine</i>			(T19044); w/6359 eng.	Oil	FP20		Air	LAF8114 ¹
AR79941	Air	LAF3711 ²	(AR101278); w/6466 eng.		PH720		Fuel	LAF8143 ²
AR79942		LAF6401 ¹	AR94510	Trans	LFH1702		Oil	LFF8350
(AR86755); W/S	Fuel	LFF1131	<i>4050 w/John Deere 6466DR Engine</i>			<i>4105 w/Yanmar 4TNV84T-KJT Engine</i>		
(AR50041); Diesel		P1130	(AR79941); w/6359 eng.	Air	LAF3711 ²	RE68049	Air	LAF8114 ¹
AR75603	Hydraulic	P346	AR9680		LAF414 ¹	RE68048		LAF8143 ²
T19044	Oil	FP20	AR79942		LAF6401 ¹	MIU800645	Fuel	LFF8350
<i>4040 w/John Deere 404 Engine</i>			(AR79679); w/6466 eng.		LAF926 ²	M806419	Oil	PH2808
AR79941	Air	LAF3711 ²	AR86755	Fuel	LFF1129	<i>4110 Compact Diesel</i>		
AR79942		LAF6401 ¹	(AR86755); W/S		LFF1131	M123378	Air	LAF22056 ¹
(AR86755); W/S	Fuel	LFF1131	AR50041		P1130	M113621		LAF8388 ²
AR50041		P1130	(T19044); w/6359 eng.	Oil	FP20	CH15553	Fuel	L3541F
AR43634	Oil	PH725	(AR101278); w/6466 eng.		PH720	M806418	Oil	PH2876
AR94510	Trans	LFH1702	AR94510	Trans	LFH1702	<i>4115 Compact Diesel</i>		
<i>4044M, 4044R w/Yanmar 4TNV88C Tier 4 engine</i>			<i>4050 w/John Deere 6466TR Engine</i>			<i>4120 Compact w/John Deere 4024T Engine</i>		
	Air	LAF8114 ¹	(AR79941); w/6359 eng.	Air	LAF3711 ²	AP33330	Air	LAF8148 ²
		LAF8143 ²	AR79680		LAF414 ¹	AP33331		LAF9332 ¹
	Oil	LHF4959	AR79942		LAF6401 ¹	(RE508202); Sec.	Fuel	LB569F
		PH2808	(AR79679); w/6466 eng.		LAF926 ²	RE519626	Oil	LFP8340
<i>4050 w/John Deere 6359 Engine</i>			AR86755	Fuel	LFF1129	<i>420, 430 w/Detroit Diesel 2-53 Engine</i>		
(AR79941); w/6359 eng.	Air	LAF3711 ²	(AR86755); W/S		LFF1131	AH1111RT	Oil	P144
AR79680		LAF414 ¹	AR50041		P1130	<i>4200, 4300, 4400 Compact Diesel</i>		
AR79942		LAF6401 ¹	(T19044); w/6359 eng.	Oil	FP20	M131802	Air	LAF8195 ²
(AR79679); w/6466 eng.		LAF926 ²	(AR101278); w/6466 eng.		PH720	M131803		LAF8690 ¹
AR86755	Fuel	LFF1129	AR94510	Trans	LFH1702	M801101	Fuel	L4103F
(AR86755); W/S		LFF1131	<i>4052M, 4052R w/Yanmar 4TNV86C Tier 4 engine</i>			AM102723	Hydraulic	LHF8329
AR50041		P1130		Air	LAF8114 ¹	M806419	Oil	PH2808
(T19044); w/6359 eng.	Oil	FP20			LAF8143 ²	<i>4210 w/John Deere Engine</i>		
(AR101278); w/6466 eng.		PH720		Oil	LHF4959	M131802	Air	LAF8195 ²
AR94510	Trans	LFH1702			PH2808	M131803		LAF8690 ¹
<i>4050 w/John Deere 6359TR Engine</i>			<i>4055, 4255, 4455 w/John Deere 6076T Engine</i>			M801101	Fuel	L4103F
(AR79941); w/6359 eng.	Air	LAF3711 ²	AR79680	Air	LAF414 ¹	AM102723	Hydraulic	LHF8329
AR79680		LAF414 ¹	AR79679		LAF926 ²	M806419	Oil	PH2808
AR79942		LAF6401 ¹	RE27091	Fuel	LFF1129	LVA10419	Trans	LHF4959 ⁵⁹⁰
(AR79679); w/6466 eng.		LAF926 ²	(AR86755); W/S		LFF1131	<i>4230 w/John Deere 362 Gas Engine</i>		
AR86755	Fuel	LFF1129	AR101278	Oil	PH720	AR54336	Air	LAF3711 ²
(AR86755); W/S		LFF1131	AR94510	Trans	LFH1702	AR54337		LAF6401 ¹
AR50041		P1130	<i>4066M, 4066R w/Yanmar 4TNV86CHT Tier 4 engine</i>			(AR86755); W/S	Fuel	LFF1131
(T19044); w/6359 eng.	Oil	FP20		Air	LAF8114 ¹	(AR50041); Diesel		P1130
(AR101278); w/6466 eng.		PH720			LAF8143 ²	Gas	Oil	P189
AR94510	Trans	LFH1702		Oil	LHF4959	(AR43634); Diesel		PH725
<i>4050 w/John Deere 6466 Engine</i>					PH2808	AR70636	Trans	LFH1702
(AR79941); w/6359 eng.	Air	LAF3711 ²	<i>4100 Compact Diesel</i>			(AR75603); Gas and Diesel		P346
AR79680		LAF414 ¹	M807331	Air	LAF22056 ¹	<i>4230 w/John Deere 404 Diesel Engine</i>		
AR79942		LAF6401 ¹	M807332		LAF8388 ²	AR54336	Air	LAF3711 ²
(AR79679); w/6466 eng.		LAF926 ²	CH15553	Fuel	L3541F	AR54337		LAF6401 ¹
AR86755	Fuel	LFF1129	AM116156	Hydraulic	LHF8459	(AR86755); W/S	Fuel	LFF1131
						(AR50041); Diesel		P1130
						Gas	Oil	P189

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 590-Hydrostatic

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)		
<i>4230 w/John Deere 404 Diesel Engine (cont'd)</i>			<i>440 gasoline</i>			<i>4520 w/John Deere 404 Engine</i>		
(AR43634); Diesel	Oil	PH725		Oil	P144	(AR51431); S/N	Air	LAF1992 ²
AR70636	Trans	LFH1702	<i>4401, 4401C</i>			303518-		
(AR75603); Gas and Diesel		P346		Oil	P144	(AR61988); S/N		LAF7933 ¹
<i>4240 w/John Deere 404 Engine</i>			<i>4401D, 4401DC w/Detroit Diesel 2-53 Engine</i>			303519-		
AR79941	Air	LAF3711 ²		Oil	P70	(AR43941); -S/N		LAF8550 ²
AR79942		LAF6401 ¹	<i>4410 w/John Deere Engine</i>			303518		
(AR86755); W/S	Fuel	LFF1131	M131802	Air	LAF8195 ²	AR44077	Fuel	L1168F
AR50041		P1130	M131803		LAF8690 ¹	AR50041		P1130
AR94510	Hydraulic	LFH1702	M801101	Fuel	L4103F	AR43634	Oil	PH725
AR43634	Oil	PH725	M806419	Oil	PH2808	AR75603	Trans	P346
<i>4240 w/John Deere 466 Engine</i>			<i>4430 w/John Deere 404 Engine</i>			<i>4555 w/John Deere 6076A Engine</i>		
AR79941	Air	LAF3711 ²	AR61968	Air	LAF414 ¹	AR80653	Air	LAF1532 ¹
AR79942		LAF6401 ¹	AR79679		LAF926	AR80652		LAF1533 ²
(AR86755); W/S	Fuel	LFF1131	(AR86755); W/S	Fuel	LFF1131	AR103220	Fuel	L3524F
AR50041		P1130	AR50041		P1130	RE27091		LFF1129
AR94510	Hydraulic	LFH1702	AR43634	Oil	PH725	(AR86755); W/S		LFF1131
AR43634	Oil	PH725	AR70636	Trans	LFH1702	AR94510	Hydraulic	LFH1702
<i>4250 w/John Deere 6466T Engine</i>			<i>4440 w/John Deere 466 Engine</i>			AR101278	Oil	PH720
AR79680	Air	LAF414 ¹	AR75603		P346	<i>4560 w/John Deere 6076A Engine</i>		
AR79679		LAF926	<i>4440 w/John Deere 466 Engine</i>			RE46310	Air	LAF4631 ²
AR86745	Fuel	LFF1129	AR79680	Air	LAF414 ¹	RE46311		LAF8238 ¹
(AR86755); W/S		LFF1131	AR79679		LAF926	RE27091	Fuel	LFF1129
AR101278	Oil	PH720	AR89379	Coolant	LFW4074 ²⁰⁵	AR94510	Hydraulic	LFH1702
AR94510	Trans	LFH1702	(AR86755); W/S	Fuel	LFF1131	RE46380	Oil	PH720
<i>4310 w/John Deere Engine</i>			AR50041		P1130	<i>4620 w/John Deere Diesel Engine</i>		
M131802	Air	LAF8195 ²	AR94510	Hydraulic	LFH1702	AR51431	Air	LAF1992 ²
M131803		LAF8690 ¹	AR43634	Oil	PH725	AR61988		LAF7933 ¹
M801101	Fuel	L4103F	<i>4450 w/John Deere 6466T Engine</i>			AR50041	Fuel	P1130
M806419	Oil	PH2808	AR79680	Air	LAF414 ¹	AR43634	Oil	PH725
LVA10419	Trans	LFH4959 ⁵⁹⁰	AR79679		LAF926	AR75603	Trans	P346
<i>4320 Compact w/John Deere 4024T Engine</i>			AR86745	Fuel	LFF1129	<i>4630 w/John Deere 6068 Power Tech Engine</i>		
AP33330	Air	LAF8148 ²	(AR86755); W/S		LFF1131	AR82915	Air	LAF1888 ²
AP33331		LAF9332 ¹	AR50041		P1130	AR81313		LAF1952 ¹
(RE508202); Sec.	Fuel	L8569F	AR94510	Hydraulic	LFH1702	(AR86755); W/S	Fuel	LFF1131
RE519626	Oil	LFP8340	AR101278	Oil	PH720	AR50041		P1130
<i>4320 w/John Deere 4024T Engine</i>			<i>4500 w/Yanmar 3TNE84 Engine</i>			AR98098	Hydraulic	LFH1702
AR79680	Air	LAF414 ¹	AR44077	Fuel	L1168F	AR43634	Oil	PH725
AR79679		LAF926	<i>4500, 4600, 4700 Compact Diesel</i>			AR75603	Trans	P346
AR50041	Fuel	P1130	M131802	Air	LAF8195 ²	<i>4640, 4840</i>		
AR43634	Oil	PH725	M131803		LAF8690 ¹	AR80653	Air	LAF1532 ¹
AR75603	Trans	P346 ⁵⁹⁰	T111383	Fuel	L549F	AR80652		LAF1533 ²
<i>4320 w/John Deere Diesel Engine</i>			AM102723	Hydraulic	LFH8329	AR87112	Coolant	LFW4074 ⁶²⁷
AR79680	Air	LAF414 ¹	M801209	Oil	PH2856A	RE11992		LFW4685 ²⁴⁹
AR79679		LAF926	<i>4510, 4610, 4710 Compact Diesel</i>			(AR86755); W/S	Fuel	LFF1131
AR50041	Fuel	P1130	M131802	Air	LAF8195 ²	AR50041		P1130
AR43634	Oil	PH725	M131803		LAF8690 ¹	AR94510	Hydraulic	LFH1702
AR75603	Trans	P346 ⁵⁹⁰	T111383	Fuel	L549F	AR43634	Oil	PH725
<i>435, 440 w/Detroit Diesel 2-53 Engine</i>			M806419	Oil	PH2808	<i>4650, 4850</i>		
	Oil	P70	LVA10419	Trans	LFH4959 ⁵⁹⁰	AR80653	Air	LAF1532 ¹
<i>4350 w/John Deere Engine</i>			<i>4520 Compact w/John Deere 4024T Engine</i>			AR80652		LAF1533 ²
AR79680	Air	LAF414 ¹	AP33330	Air	LAF8148 ²	AR94650	Coolant	LFW4074 ⁶²⁷
AR79679		LAF926 ²	AP33331		LAF9332 ¹	RE11992		LFW4685 ²⁴⁹
AR86745	Fuel	LFF1129	(RE508202); Sec.	Fuel	L8569F	<i>4650, 4850</i>		
AR94510	Hydraulic	LFH1702	RE519626	Oil	LFP8340	AR86745	Fuel	LFF1129
AR101278	Oil	PH720				(AR86755); W/S		LFF1131

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 14-Extended Life 205-Maintenance 249-No chemical 590-Hydrostatic 627-5 oz. of chemical

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)			
<i>4650, 4850 (cont'd)</i>			<i>5045D, 5055D w/John Deere 3029 Power Tech Engine</i>			<i>5083E, 5083E Limited w/John Deere 4.5L Engine</i>			
AR50041	Fuel	P1130	RE28286	Air	LAF5416 ²	KV16429	Air	LAF4544 ² LAF4544MXM ^{2, 268}	
AR94510	Hydraulic	LFH1702	(RE60021); Sec.	Fuel	L8683F	AT171854		LAF4545 ¹ LAF5934 ²	
AR101278	Oil	PH720	RE45864	Hydraulic	LFH5015	RE253518	(RE522868); Sec.	Fuel	L8141F
<i>4700 w/Yanmar 4TNE88 Engine</i>			RE518977	Oil	LFP8340	RE45864	Hydraulic	LFH5015	
M131802	Air	LAF8195 ²	RE504836	Oil	LFP8340	RE504836	Oil	LFP4836	
M131803		LAF8690 ¹	<i>5045E, 5055E w/John Deere 3029 Series Engine</i>			<i>5083EN w/John Deere 4.5L Engine</i>			
T111383	Fuel	L549F	RE282286	Air	LAF5416 ²	KV16429	Air	LAF4544 ² LAF4544MXM ^{2, 268}	
AM102723	Hydraulic	LFH8329	(RE60021); Sec.	Fuel	L8683F	AT171854		LAF4545 ¹ LAF5934 ²	
M806419	Oil	PH2856A	RE45864	Hydraulic	LFH5015	RE253518		LAF5934 ²	
<i>4720 Compact w/John Deere 4024T Engine</i>			RE518977	Oil	LFP8340	AL177184	Cabin Air	LAF4340 ⁸⁹⁸	
AP33330	Air	LAF8148 ²	<i>5065E (w/3029 Series Engine)</i>			(RE522868); Sec.	Fuel	L8141F	
AP33331		LAF9332 ¹	RE282286	Air	LAF5416 ²	RE504836	Oil	LFP4836	
(RE508202); Sec.	Fuel	L8569F	(RE60021); Sec.	Fuel	L8683F	<i>5085E, 5100E w/ Powertech 4045 Interim Tier 4 Engine</i>			
RE519626	Oil	LFP8340	RE45864	Hydraulic	LFH5015	RE253519	Air	LAF5938	
<i>4755, 4955</i>			RE518977	Oil	LFP8340	RE504836		LFP4836	
(AR80653); -S/N 010000	Air	LAF1532 ¹	<i>5065M, 5075M w/John Deere 5030 Power Tech Engine</i>			<i>5085M w/John Deere 4045 Powertech M Interim 4 Engine</i>			
(AR80652); -S/N 010000		LAF1533 ²	RE253518	Air	LAF5934 ²	RE253519		LAF5938	
(RE46310); S/N 010001-		LAF4631 ²	(RE533026); Sec.	Fuel	L8891F	RE504836		LFP4836	
(RE46311); S/N 010001-		LAF8238 ¹	(RE526557); Sec.	Fuel	L8892F	<i>5085M w/John Deere 4045 Powertech M Interim 4 Engine</i>			
AR103220	Fuel	L3524F	RE519626	Oil	LFP8340	SU20768	Air	LAF5934 ²⁷⁵	
RE27091		LFF1129	<i>5070M, 5080M, 5090M w/John Deere 4045 Power Tech M Engine</i>			RE253519		LAF5938 ²⁴⁴	
(AR86755); W/S		LFF1131	RE504836	Oil	LFP4836	RE504836	Oil	LFP4836	
AR94510	Hydraulic	LFH1702	<i>5075E (w/3029 Series Engine)</i>			<i>5085M, 5095M, 5105M w/John Deere 4045 PowerTech Tier 3 Engine</i>			
AR101278	Oil	PH720	RE282286	Air	LAF5416 ²	AL119839	Air	LAF5453 ²	
<i>4760, 4960</i>			(RE60021); Sec.	Fuel	L8683F	AL150288		LAF5454 ²⁴⁴	
RE46310	Air	LAF4631 ²	RE45864	Hydraulic	LFH5015	(RE533026); Sec.	Fuel	L8891F	
RE46311		LAF8238 ¹	RE518977	Oil	LFP8340	(RE526557); Sec.	Fuel	L8892F	
RE27091	Fuel	LFF1129	<i>5075M w/John Deere 3029 Power Tech Engine</i>			RE504836	Oil	LFP4836	
RE46380	Oil	PH720	RE253518	Air	LAF5934 ²⁷⁵	<i>5093E, 5093E Limited w/John Deere 4.5L Engine</i>			
AR94510	Trans	LFH1702	RE253519		LAF5938 ²⁴⁴	KV16429	Air	LAF4544 ² LAF4544MXM ^{2, 268}	
<i>50</i>			RE504836	Oil	LFP4836	AT171854		LAF4545 ¹ LAF5934 ²	
AR28110	Oil	P189	<i>5075M w/John Deere 5030 Power Tech Turbo Diesel Engine</i>			RE253518		LAF5934 ²	
<i>5010 w/John Deere Diesel Engine</i>			RE282286	Air	LAF5416 ²	(RE522868); Sec.	Fuel	L8141F	
AR36044R	Air	LAF234HD ²	(RE60021); Sec.	Fuel	L8683F	RE45864	Hydraulic	LFH5015	
(AR45097); W/S	Fuel	LFF3540	RE45864	Hydraulic	LFH5015	RE504836	Oil	LFP4836	
AR50041		P1130	RE518977	Oil	LFP8340	<i>5093EN w/John Deere 4.5L Engine</i>			
AR75603	Hydraulic	P346	<i>5080G, 5090G, 5090GH w/John Deere 4045HAT Engine</i>			KV16429	Air	LAF4544 ² LAF4544MXM ^{2, 268}	
(4E-023); Turbo	Oil	LFP3413 ¹²	(RE522878); Sec.	Fuel	L8868F	AT171854		LAF4545 ¹ LAF5934 ²	
AR75603	Trans	P346	ER262825	Hydraulic	LH4252 ¹³⁵⁷	RE253518		LAF5934 ²	
<i>5020 Diesel</i>			ER262835		LH4252 ¹⁵	AL177184	Cabin Air	LAF4340 ⁸⁹⁸	
(AR45785); S/N 25001-	Air	LAF1785 ¹	RE504836	Oil	LFP4836	(RE522868); Sec.	Fuel	L8141F	
AR36044R		LAF234HD ^{2, 181}	<i>5080GF/GV, 5090GF/GV, 5100GF/GV w/John Deere 4045HAT Engine</i>			RE504836	Oil	LFP4836	
AR45784		LAF8668 ²	(RE522878); Sec.	Fuel	L8868F	<i>5100E (w/Powertech 4045HLV Tier 4 Final Engine)</i>			
(AR44077); S/N M24767-	Fuel	L1168F	ER262825	Hydraulic	LH4252 ¹³⁵⁷	RE253519	Air	LAF5938	
(AR45097); -S/N M24767; W/S		LFF3540	ER262835		LH4252 ¹⁵	RE541420	Oil	LFP4836	
AR50041		P1130	RE504836	Oil	LFP4836	<i>5100M, 5100MH w/John Deere 4.5L Power Tech M Engine</i>			
AR75603	Hydraulic	P346	<i>5080R/RN, 5090R/RN, 5100R/RN w/John Deere 4045 Power Tech E Engine</i>			RE253518	Air	LAF5934 ²	
(4E-023); Turbo	Oil	LFP3413 ¹²	(RE526557); Sec.	Fuel	L8892F				
AR75603	Trans	P346	AL118036	Hydraulic	LFH4990				
			RE504836	Oil	LFP4836				

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 15-Standard 181-Single 244-Secondary 268-Extended/Severe service 275-Primary 898-Cabin fresh air filter 1357-With Mechanical Transmission

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)		
5100M, 5100MH w/John Deere 4.5L Power Tech M Engine (cont'd)			520, 530, 620, 630, 720, 730 w/John Deere Engine (AR44077); Diesel			5303 w/John Deere 3029TF Power Tech Engine (cont'd)		
RE253519	Air	LAF5938 ²⁴⁴	AR28110	Fuel	L1168F	(RE60021); Sec.	Fuel	L8683F
RE504836	Oil	LFP4836		Oil	P189	RE45864	Hydraulic	LFH5015
5100ML w/John Deere PWX4.5 Tier 4 engine			5200, 5300			RE506575	Oil	FP20
RE253518	Air	LAF5934 ²	RE45826	Air	LAF1793 ¹	5400, 5400N		
RE253519		LAF5938 ²⁴⁴	RE45825		LAF222 ²	RE45828	Air	LAF8317 ¹
	Cabin Air	LAF4340 ⁸⁹⁸	(RE62418); W/S	Fuel	LFF8215	RE45827		LAF8429 ²
	Oil	LFP4836	RE45864	Hydraulic	LFH5015	RE45828		LAF8618 ¹
5101E, 5101E Limited w/John Deere 4045 Power Tech Engine			5205 w/John Deere 3029D 2.9L Engine			RE45827		LAF8619 ²
KV16429	Air	LAF4544 ²	(RE68049); S/N -521999	Air	LAF8114 ¹	(RE62418); W/S	Fuel	LFF8215
		LAF4544MXM ^{2, 268}	(RE68048); S/N -521999		LAF8143 ²	RE45864	Hydraulic	LFH5015
AT171854		LAF4545 ¹	(AP33330); S/N 522000-		LAF8148 ²	T19044	Oil	FP20
RE253518		LAF5934 ²	(AP33331); S/N 522000-		LAF9332 ¹	5403 w/John Deere 3029TF Power Tech Engine		
(RE522868); Sec.	Fuel	L8141F	(RE60021); Sec.	Fuel	L8683F	AT171853	Air	LAF4544 ²
RE45864	Hydraulic	LFH5015	RE45864	Hydraulic	LFH5015	AT171854		LAF4545 ¹
RE504836	Oil	LFP4836	T19044	Oil	FP20	(RE60021); Sec.	Fuel	L8683F
5101EN w/John Deere 4.5L Engine			5210, 5310, 5310N			RE45864	Hydraulic	LFH5015
KV16429	Air	LAF4544 ²	AT171853	Air	LAF4544 ²	RE519626	Oil	LFP8340
		LAF4544MXM ^{2, 268}			LAF4544MXM ^{2, 268}	5410, 5510, 5510N		
AT171854		LAF4545 ¹	AT171854		LAF4545 ¹	AT171853	Air	LAF4544 ²
RE253518		LAF5934 ²	RE45828		LAF8317 ¹			LAF4544MXM ^{2, 268}
AL177184	Cabin Air	LAF4340 ⁸⁹⁸	RE45827		LAF8429 ²	AT171854		LAF4545 ¹
(RE522868); Sec.	Fuel	L8141F	(RE60021); Sec.	Fuel	L8683F	RE45828		LAF8317 ¹
RE504836	Oil	LFP4836	RE45864	Hydraulic	LFH5015	RE45827		LAF8429 ²
5103, 5203 w/John Deere 3029 Power Tech Engine			5215, 5315 w/John Deere 3029TAT Engine			(RE60021); Sec.	Fuel	L8683F
(AT171853); S/N 001466-; 5203	Air	LAF4544 ²	(RE60021); Sec.	Fuel	L8683F	ER262825	Hydraulic	LH4252
S/N 001466-; 5203		LAF4544MXM ^{2, 268}	T19044	Oil	FP20	T19044	Oil	FP20
(AT171854); S/N 001466-; 5203		LAF4545 ¹	5220, 5320, 5420, 5520 w/John Deere 3029T Power Tech Engine			5415, 5515 w/John Deere 4045TAT70 Power Tech Engine		
RE68049		LAF8114 ¹	AT171853	Air	LAF4544 ²	(RE60021); Sec.	Fuel	L8683F
RE68048		LAF8143 ²	AT171854		LAF4545 ¹	ER262825	Hydraulic	LH4252
(RE60021); Sec.	Fuel	L8683F	(RE60021); Sec.	Fuel	L8683F	RE59724	Oil	LFP5757
RE45864	Hydraulic	LFH5015	RE45864	Hydraulic	LFH5015	5425, 5425N, 5525, 5525N w/John Deere 4045T Engine		
RE506575	Oil	FP20	(T19044); 5220, 5320 only	Oil	FP20	RE222242	Air	LAF4544 ²
5105 w/John Deere 3029D 2.9L Diesel Engine			(RE59754); 5420, 5520 only		LFP5757			LAF4544MXM ^{2, 268}
(RE68049); S/N -511999	Air	LAF8114 ¹	5225, 5325, 5325N w/John Deere 5030 Power Tech Engine			RE222243		LAF4545 ¹
(RE68048); S/N -511999		LAF8143 ²	RE222242	Air	LAF4544 ²	RE222243		LAF4545 ¹
(AP33330); S/N 512000-		LAF8148 ²	RE222243		LAF4545 ¹	(RE62419); Sec.	Fuel	L3887F
(AP33331); S/N 512000-		LAF9332 ¹	(RE508202); Sec.	Fuel	L8569F	RE519626	Oil	LFP8340
(RE60021); Sec.	Fuel	L8683F	RE519626	Oil	LFP8340	5500, 5500N		
RE45864	Hydraulic	LFH5015	5303 w/John Deere 3029TF Power Tech Engine			RE45828	Air	LAF8317 ¹
T19044	Oil	FP20	AT171853	Air	LAF4544 ²	RE45827		LAF8429 ²
5115M, 5115ML (w/John Deere PowerTech 4045 Interim Tier 4 Engine)					LAF4544MXM ^{2, 268}	RE45828		LAF8618 ¹
RE253518	Air	LAF5934 ²	570, 575 w/Yanmar Engine			RE45827		LAF8619 ²
RE253519		LAF5938 ²⁴⁴			LAF4545 ¹	(RE62418); W/S	Fuel	LFF8215
RE504836	Oil	LFP4836	RE519626	Oil	LFP8340	RE45864	Hydraulic	LFH5015
			60			T19044	Oil	FP20
			6030 w/John Deere 6531A			570, 575 w/Yanmar Engine		
			AR28110				Hydraulic	LFH4955
			AT171854			60		
			AR61988			AR28110	Oil	P189
			AR54404			6030 w/John Deere 6531A		
						AR61988	Air	LAF7933 ¹
						AR54404		LAF9961

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 244-Secondary 268-Extended/Severe service 898-Cabin fresh air filter

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)		
<i>6030 w/John Deere 6531A (cont'd)</i>			<i>6115M w/John Deere PowerTech PVX 4.5 Engine</i>			<i>6135E (w/4045PWS Final Tier 4 Engine)</i>		
AR50041	Fuel	P1130	AL177184	Cabin Air	LAF4340 ⁸⁹⁸	RE253519	Air	LAF5938
AR75603	Hydraulic	P346	RE504836	Oil	LFP4836	RE504836	Oil	LFP4836
AR43634	Oil	PH725		Trans	LFH7221	<i>6140D (w/John Deere 4.5L PWX iT4 Engine)</i>		
AR75601	Trans	P346 ⁵⁹⁰	<i>6115M w/John Deere PVX 4.5 Tier 4 engine</i>			RE253519	Air	LAF5934 ²⁴⁴
<i>6030 w/John Deere 6531D Engine</i>				Oil	LFP4836	RE504836	Oil	LFP4836
AR45785	Air	LAF1785 ¹		Trans	LFH7221	<i>6140D w/John Deere 4.5L Power Tech M Engine</i>		
AR45784		LAF8668 ²	<i>6115R, 6125R w/4045H Tier 4 Engine</i>			AL172780	Air	LAF5453 ²
(RE62419); Sec.	Fuel	L3887F	RE504836	Oil	LFP4836	AL150288		LAF5454 ²⁴⁴
AR50041		P1130	AL156625	Trans	LFH7221	AL177184	Cabin Air	LAF4340
AR75603	Trans	P346	<i>6120, 6220 w/John Deere 4045 Power Tech Engine</i>			(RE529643); Pri.	Fuel	L8872F
<i>6100D w/John Deere Power Tech 4.5L Engine</i>			AL119839	Air	LAF5453 ²	(RE526557); Sec.		L8892F
AL172780	Air	LAF5453 ²	AL150288		LAF5454 ²⁴⁴	RE504836	Oil	LFP4836
AL150288		LAF5454 ²⁴⁴	AL119096	Cabin Air	LAF4340 ⁸⁹⁸	AL156625	Oil	LFP4836
AL177184	Cabin Air	LAF4340	(RE62419); Sec.	Fuel	L3887F	<i>6140M w/John Deere PowerTech PVX 4045 Engine</i>		
(RE529643); Pri.	Fuel	L8872F	AL118036	Hydraulic	LFH4990	AL177184	Cabin Air	LAF4340 ⁸⁹⁸
(RE526557); Sec.		L8892F	RE504836	Oil	LFP4836	RE504836	Oil	LFP4836
RE504836	Oil	LFP4836	AL156625	Trans	LFH7221	AL156625	Trans	LFH7221 ¹³⁵⁸
<i>6105D (w/John Deere Power Tech 4.5L PWX iT4 Engine)</i>			<i>6120E (w/4045PWS Tier 4 Final Engine)</i>			<i>6140R (w/John Deere Power Tech PVX 6.8L Engine)</i>		
RE253519	Air	LAF5938 ²⁴⁴	RE253519	Air	LAF5938	AL156625	Hydraulic	LFH7221
RE504836	Oil	LFP4836	RE504836	Oil	LFP4836	RE539279	Oil	LFP9279
<i>6105E (w/4045PWS Tier 4 Final Engine)</i>			<i>6120L w/John Deere 4045 Power Tech Engine</i>			<i>6150M w/John Deere PowerTech PVX 6068 Engine</i>		
RE253519	Air	LAF5938	AL119839	Air	LAF5453 ²	AL177184	Cabin Air	LAF4340 ⁸⁹⁸
RE504836	Oil	LFP4836	AL150288		LAF5454 ²⁴⁴	RE539279	Oil	LFP9279
<i>6105M w/John Deere PVX 4.5 Tier 4 engine</i>			(RE62419); 4045LT70 or 4045LT71 engine only	Fuel	L3887F	AL156625	Trans	LFH7221 ¹³⁵⁸
	Cabin Air	LAF4340 ⁸⁹⁸	RE504836	Oil	LFP4836	<i>6150R (w/John Deere Power Tech PVX 6.8L Engine)</i>		
	Oil	LFP4836	<i>6125D w/John Deere 4.5L Power Tech M Engine</i>			AL115625	Hydraulic	LFH7221
	Trans	LFH7221	AL172780	Air	LAF5453 ²	RE539279	Oil	LFP9279
<i>6105R w/4045H Tier 4 Engine</i>			AL150288		LAF5454 ²⁴⁴	<i>6170M w/John Deere PowerTech PVX 6068 Engine</i>		
RE504836	Oil	LFP4836	Pri.	Fuel	L8872F	AL177184	Cabin Air	LAF4340 ⁸⁹⁸
AL156625	Trans	LFH7221	(RE526557); Sec.		L8892F	RE539279	Oil	LFP9279
6110, 6110L, 6210, 6210L, 6310, 6310L, 6310S, 6410, 6410L, 6410S, 6510, 6510S	Air	LAF5813 LAF8390	RE504836	Oil	LFP4836	AL156625	Trans	LFH7221 ¹³⁵⁸
		LFF8215	<i>6125D w/John Deere 4.5L PowerTech M Engine</i>			<i>6170M w/John Deere PowerTech PVX 6068 Engine</i>		
W/S	Fuel	LFF8215	AL177184	Cabin Air	LAF4340	AL177184	Cabin Air	LAF4340 ⁸⁹⁸
	Hydraulic	LFH4428 LFH4910	<i>6125M w/John Deere PowerTech PVX 4.5 Engine</i>			RE539279	Oil	LFP9279
	Oil	LFP5757	AL177184	Cabin Air	LAF4340 ⁸⁹⁸	AL156625	Trans	LFH7221 ¹³⁵⁸
<i>6110J w/John Deere 4045T Power Tech M Engine</i>			RE504836	Oil	LFP4836	<i>6170R (w/John Deere Power Tech PVX 6.8L Engine)</i>		
AL172780	Air	LAF5453 ²	<i>6130D (w/John Deere Power Tech 4.5L PWX iT4 Engine)</i>			AL115625	Hydraulic	LFH7221
AL150288		LAF5454 ²⁴⁴	RE253519	Air	LAF5934 ²⁴⁴	RE539279	Oil	LFP9279
Pri.	Fuel	L8872F	RE504836	Oil	LFP4836	AL156625	Trans	LFH7221
(RE526557); Sec.		L8892F	<i>6130D w/John Deere 4.5L Power Tech M Engine</i>			<i>6190R, 6210R w/PSX6068 Tier 4 Engine</i>		
RE504836	Oil	LFP4836	AL172780	Air	LAF5453 ²	RE539279	Oil	LFP9279
<i>6115D (w/John Deere Power Tech 4.5L PWX iT4 Engine)</i>			AL150288		LAF5454 ²⁴⁴	AL156625	Trans	LFH7221
RE253519	Air	LAF5934 ²⁴⁴	AL177184	Cabin Air	LAF4340	<i>6200, 6300, 6400 w/John Deere 4039T Engine</i>		
RE504836	Oil	LFP4836	(RE529643); Pri.	Fuel	L8872F	(AR84228); S/N	Air	LAF1734 ²
<i>6115D w/John Deere 4.5L Power Tech M Engine</i>			(RE526557); Sec.		L8892F	56700-		LAF1735 ¹
AL119839	Air	LAF5453 ²	RE504836	Oil	LFP4836	AE31724		LAF222 ²
AL150288		LAF5454 ²⁴⁴	<i>6130M w/John Deere PowerTech PVX 4045 Engine</i>			(AT20728); -S/N		
AL177184	Cabin Air	LAF4340	AL177184	Cabin Air	LAF4340	56699		
(RE529643); Pri.	Fuel	L8872F	(RE529643); Pri.	Fuel	L8872F	AL78223		LAF5813 ²
(RE526557); Sec.		L8892F	(RE526557); Sec.		L8892F	AL78224		LAF8390 ¹
RE504836	Oil	LFP4836				AL115625	Cabin Air	LAF4340 ⁸⁹⁸
<i>6115D w/John Deere 4.5L Power Tech M Engine</i>			AL177184	Cabin Air	LAF4340 ⁸⁹⁸	(RE53400); Sec.	Fuel	L3887F
AL177184	Cabin Air	LAF4340	RE504836	Oil	LFP4836	AR50041		P1130
(RE529643); Pri.	Fuel	L8872F		Trans	LFH7221 ¹³⁵⁸	RE34958	Hydraulic	LFH4910
(RE526557); Sec.		L8892F				T19044	Oil	FP20
RE504836	Oil	LFP4836						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 244-Secondary 590-Hydrostatic 898-Cabin fresh air filter 1358-Power Quad

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)		
6200, 6300, 6400 w/John Deere 4039T Engine (cont'd)			6330, 6330 Premium w/John Deere 4045 PowerTech Engine (cont'd)			6615, 6715 w/John Deere 6068T Engine (cont'd)		
(AR75603); w/o Hi-Lo Trans.	Trans	P346	(RE526557); Sec.	Fuel	L8892F	(RE62419); 6715 only	Fuel	L3887F
6210R, 6210RE (w/6068PVX Tier 4 Engine)			RE504836	Oil	LFP4836	RE507522	Oil	LFP4836
RE541746	Fuel	LFF6929 ¹⁰¹⁴	AL156625	Trans	LFH7221 ¹³⁵⁹	AL156625	Trans	LFH7221
RE539279	Oil	LFP9279	6403 w/John Deere 4045T			670 Compact Diesel		
6215, 6415 w/John Deere 4045 Power Tech Engine			AT171853	Air	LAF4544 ²	CH15553	Fuel	L3541F
AL119839	Air	LAF5453 ²	AT171854		LAF4544MXM ^{2, 268}	AM101378	Oil	PH2808
AL150288		LAF5454 ²⁴⁴	(RE62424); Pri.	Fuel	L8242F	RE27284	Trans	LFH8395G
AL119096	Cabin Air	LAF4340 ⁸⁹⁸	(RE504836); S/N 001348-	Oil	LFP4836	70, 70D		
(RE62419); 6215 only	Fuel	L3887F	(RE59754); -S/N 001347		LFP5757	AR44077	Fuel	L1168F
RE507522	Oil	LFP4836	6405 w/John Deere 4045 Power Tech Engine			AR28110	Oil	P189
AL156625	Trans	LFH7221	AL78223	Air	LAF5813 ²	7020		
6220L w/John Deere 4045 Power Tech Engine			AL78224		LAF8390 ¹	(AR51431); -S/N 002700	Air	LAF1992 ²
AL119839	Air	LAF5453 ²	(RE62418); W/S	Fuel	LFF8215	AR61988		LAF7933 ¹
AL150288		LAF5454 ²⁴⁴	RE59754	Oil	LFP5757	(AR54404); S/N 002700-		LAF9961 ²
(RE62419); 4045LT70 or 4045LT71 engine only	Fuel	L3887F	AL77061	Trans	LFH4428	AR50041	Fuel	P1130
RE504836	Oil	LFP4836	6430, 6430 Premium w/John Deere 4045 PowerTech Engine			AR43634	Oil	PH725
6230, 6230 Premium w/John Deere 4045 PowerTech Engine			AL172780	Air	LAF5453 ²	AR75603	Trans	P346 ⁵⁹⁰
AL150288		LAF5454 ²⁴⁴	AL150288		LAF5454 ²⁴⁴	710		
AL119095	Cabin Air	LAF4340 ⁸⁹⁸	AL119095	Cabin Air	LAF4340 ⁸⁹⁸	AT17387	Fuel	L296F ⁴¹
(RE526557); Sec.	Fuel	L8892F	(RE526557); Sec.	Fuel	L8892F	T19044	Oil	FP20
RE504836	Oil	LFP4836	RE504836	Oil	LFP4836	7130, 7130 Premium w/John Deere 6068 Power Tech Engine		
AL156625	Trans	LFH7221 ¹³⁵⁹	AL156625	Trans	LFH7221 ¹³⁵⁹		Air	LAF5453 ²
6230, 6330, 6430 w/John Deere 4045 Power Tech Engine			650				Cabin Air	LAF5454 ²⁴⁴
AL172780	Air	LAF5453 ²	CH15451	Air	LAF2745A ²		Fuel	L8868F
AL150288		LAF5454 ²⁴⁴	CH15553	Fuel	L3541F		Oil	L8872F
AL119095	Cabin Air	LAF4340 ⁸⁹⁸	CH10467	Oil	LFP5522		Trans	LFH7221
(RE526557); Sec.	Fuel	L8892F	M801002		PH2808	7130, 7130 Premium w/John Deere 6068 PowerTech E or PowerTech Plus 4045 Engine		
RE504836	Oil	LFP4836	655 Compact Diesel			AL172780	Air	LAF5453 ²
AL156625	Trans	LFH7221 ¹³⁵⁹	CH15451	Air	LAF2745A ²	AL150288		LAF5454 ²⁴⁴
6320, 6420 w/John Deere 4045 Power Tech Engine			AM108184		LAF8118 ²	AL119095	Cabin Air	LAF4340 ⁸⁹⁸
AL150285	Air	LAF5298 ²⁷⁵	AM108185		LAF8119 ¹	(RE522878); Sec.	Fuel	L8868F
AL150288		LAF5454 ²⁴⁴	M801101	Fuel	L4103F	Pri.		L8872F
AL119095	Cabin Air	LAF4340 ⁸⁹⁸	AM102723	Hydraulic	LFH8329	RE504836	Oil	LFP4836
(RE62419); S/N -799.99; Sec.	Fuel	L3887F	AM101378	Oil	PH2808	AL156625	Trans	LFH7221
(RE509208); S/N 800.00-; Pri.		L4109F	6603 w/John Deere 6068T Engine			7200, 7210		
(RE509031); S/N /11.00-; Sec.		L8557F	RE171236	Air	LAF9543 ¹	RE24619	Air	LAF1163 ^{2, 1365}
RE504836	Oil	LFP4836	RE171235		LAF9547 ²	AL78223		LAF5813 ²
AL118036	Trans	LFH4990 ¹³⁵⁸	(RE62424); Pri.	Fuel	L8242F	AL78224		LAF8390 ¹
AL156625		LFH7221 ¹³⁵⁹	(RE504836); S/N 001237-	Oil	LFP4836	AR103220	Fuel	L3524F
6330, 6330 Premium w/John Deere 4045 PowerTech Engine			(RE59754); -S/N 001236		LFP5757	RE39527	Hydraulic	LFH4990
AL172780	Air	LAF5453 ²	6605 w/John Deere 6068T Engine			T19044	Oil	FP20
AL150288		LAF5454 ²⁴⁴	AL78869	Air	LAF3901 ²	7200R, 7215R w/PSX 6.8L Tier 4 Engine		
AL119095	Cabin Air	LAF4340 ⁸⁹⁸	AL78870		LAF3902 ¹	RE541746	Fuel	LFF6929 ¹⁰¹⁴
(RE62419); S/N -799.99; Sec.	Fuel	L3887F	(RE64449); W/S	Fuel	LFF8215	RE539279	Oil	LFP9279
(RE509208); S/N 800.00-; Pri.		L4109F	RE59754	Oil	LFP5757	720D, 730D		
(RE509031); S/N /11.00-; Sec.		L8557F	AL77061	Trans	LFH4428	AR44077	Fuel	L1168F
RE504836	Oil	LFP4836	6615, 6715 w/John Deere 6068T Engine				Oil	P189
AL118036	Trans	LFH4990 ¹³⁵⁸	AL150285	Air	LAF5298 ²⁷⁵	7210R (w/Power Tech 6.8L PSS Tier 4 Engine)		
AL156625		LFH7221 ¹³⁵⁹	AL150288		LAF5454 ²⁴⁴	RE539279	Oil	LFP9279

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 244-Secondary 268-Extended/Severe service 275-Primary 590-Hydrostatic 898-Cabin fresh air filter 1014-Kit, cartridge and spin-on filter 1358-Power Quad 1359-Except Infinite Variable Transmission 1365-With Cab

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)		
<i>7220 w/John Deere 6068T Engine</i>			<i>7280R (w/John Deere PowerTech PVX 9.0L Engine) (cont'd)</i>			<i>7420 w/John Deere 6068 Engine (cont'd)</i>		
AL150285	Air	LAF5298 ²⁷⁵				AL119095	Cabin Air	LAF4340 ⁸⁹⁸
AL150288		LAF5454 ²⁴⁴		Oil	LP5979	(RE62419); S/N	Fuel	L3887F
AL119095	Cabin Air	LAF4340 ⁸⁹⁸	<i>7290R (w/PowerTech 9.0L PSS Tier 4 Engine)</i>			(RE509208); S/N		L4109F
(RE509208); S/N	Fuel	L4109F	(RE533910); Sec.	Fuel	LFF6963	012454-; Pri.		L8512F
(RE517180); S/N		L8512F	(RE539465); Pri.	Oil	LFF6964	(RE517180); S/N		L8512F
012451-; Pri.					LP5979	012451-; Pri.		L8557F
(RE509031); S/N		L8557F	<i>7320 w/John Deere 6068T Engine</i>			(RE509031); S/N		L8557F
012451-; Sec.		L8563F	AL150285	Air	LAF5298 ²⁷⁵	012454-; Sec.		L8563F
(RE517181); S/N		L8563F	AL150288		LAF5454 ²⁴⁴	(RE517181); S/N		L8563F
012451-; Pri.		L8867F ¹³⁶⁶	AL119095	Cabin Air	LAF4340 ⁸⁹⁸	012451-; Pri.		L8867F ²⁷⁵
(RE509036); S/N		LFF8215	(RE62419); S/N	Fuel	L3887F	(RE509036); S/N		
012451-; Pri.			-012450; Sec.		L4109F	012454-; Pri.		LFP4836
(RE62418); SN		LFP4836	(RE509208); S/N		L8512F	RE504836	Oil	LFP4836
-012450; W/S		LFP4836	012451-; Pri.		L8512F	AL118036	Trans	LFH4990 ¹³⁵⁸
RE504836	Oil	LFP4836	(RE509208); S/N		L8557F	AL156625	Trans	LFH7221 ¹³⁵⁸
AL118036	Trans	LFH4990 ¹³⁵⁸	(RE509031); S/N		L8563F	<i>7430 Premium w/John Deere 6068 Power Tech Engine</i>		
AL156625	Trans	LFH7221 ¹³⁵⁸	(RE517181); S/N		L8867F ¹³⁶⁶	AL172781	Air	LAF5298 ²⁷⁵
<i>7230, 7230 Premium w/PowerTech E or PowerTech Plus 6068 Engine</i>			012451-; Pri.			AL150288		LAF5454 ²⁴⁴
AL172781	Air	LAF5298 ²⁷⁵	(RE509036); S/N			AL119095	Cabin Air	LAF4340 ⁸⁹⁸
AL150288		LAF5454 ²⁴⁴	012451-; Pri.			(RE522878); Sec.	Fuel	L8868F
AL119095	Cabin Air	LAF4340 ⁸⁹⁸	RE504836	Oil	LFP4836	Pri.		L8872F
(RE522878); Sec.	Fuel	L8868F	AL118036	Trans	LFH4990 ¹³⁵⁸	RE504836	Oil	LFP4836
Pri.		L8872F	AL156625	Trans	LFH7221 ¹³⁵⁸	AL156625	Trans	LFH7221
RE504836	Oil	LFP4836	<i>7330, 7330 Premium w/John Deere Power Tech E Engine</i>			<i>750 Compact Diesel</i>		
AL156625	Trans	LFH7221	AL172781	Air	LAF5298 ²⁷⁵	CH15451	Air	LAF2745A ²
<i>7230R (w/PowerTech PSS 6.8L Tier 4 Engine)</i>			AL150288		LAF5454 ²⁴⁴	CH15553	Fuel	L3541F
RE541746	Fuel	LFF6929 ¹⁰¹⁴	AL119095	Cabin Air	LAF4340 ⁸⁹⁸	CH10467	Oil	LFP5522
RE539279	Oil	LFP9279	(RE522878); Sec.	Fuel	L8868F	M801002		PH2808
<i>7230R w/John Deere PowerTech PVX 9.0L Engine</i>			Pri.		L8872F	<i>7510 w/John Deere 6068T Engine</i>		
(RE533910); Sec.	Fuel	LFF6963	RE504836	Oil	LFP4836	RE264619	Air	LAF1163 ^{2, 1365}
RE539465		LFF6964	AL156625	Trans	LFH7221	AL78869		LAF3901 ²
RE509672	Oil	LP5979	<i>7330, 7330 Premium w/John Deere Power Tech Plus 6068 Engine</i>			AL78870		LAF3902 ¹
<i>7250R (w/John Deere Power Tech PSS 9.0L Engine)</i>			AL172781	Air	LAF5298 ²⁷⁵	(RE62419); Sec.	Fuel	L3887F
(RE533910); Sec.	Fuel	LFF6963	AL150288		LAF5454 ²⁴⁴	RE39527	Hydraulic	LFH4990
RE539465		LFF6964	AL119095	Cabin Air	LAF4340 ⁸⁹⁸	RE59754	Oil	LFP5757
RE509672	Oil	LP5979	(RE522878); Sec.	Fuel	L8868F	<i>7520 w/Cummins Engine</i>		
<i>7250R (w/PowerTech 6.8L PSS Tier 4 Engine)</i>			Pri.		L8872F	P117437	Air	LAF6769 ²
RE539279	Oil	LFP9279	RE504836	Oil	LFP4836			LAF6769MXM ^{2, 268}
<i>7260R w/PowerTech PVX 9.0L Engine</i>			AL156625	Trans	LFH7221	P119373		LAF9373 ¹
(RE533910); Sec.	Fuel	LFF6963	<i>7400, 7405, 7410</i>			AR75603	Trans	P346
RE539465		LFF6964	AL78869	Air	LAF3901 ²	<i>7520 w/John Deere 6068 Power Tech Engine</i>		
	Oil	LP5979	AL78870		LAF3902 ¹	AL150285	Air	LAF5298 ²⁷⁵
<i>7270R (w/John Deere Power Tech PSS 9.0L Engine)</i>			RE24619	Cabin Air	LAF1163	AL150288		LAF5454 ²⁴⁴
(RE533910); Sec.	Fuel	LFF6963	AR103220	Fuel	L3524F	AL119095	Cabin Air	LAF4340 ⁸⁹⁸
RE539465		LFF6964	(RE62419); Sec.		L3887F	(RE62419); S/N	Fuel	L3887F
RE509672	Oil	LP5979	RE39527	Hydraulic	LFH4990	-012453; Sec.		
<i>7270R (w/PowerTech 6.8L PSS Tier 4 Engine)</i>			RE45864	Oil	LFH5015	(RE509208); S/N		L4109F
RE539279	Oil	LFP9279	T19044		FP20	012454-; Pri.		L8512F
<i>7280R (w/John Deere PowerTech PVX 9.0L Engine)</i>			RE59754		LFP5757	(RE517180); S/N		L8512F
RE541746	Fuel	LFF6929 ¹⁰¹⁴	<i>7420 w/John Deere 6068 Engine</i>			012451-; Pri.		L8557F
			AL150285	Air	LAF5298 ²⁷⁵	(RE509031); S/N		L8557F
			AL150288		LAF5454 ²⁴⁴	012454-; Sec.		L8563F
						(RE517181); S/N		
						012451-; Pri.		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 244-Secondary 268-Extended/Severe service 275-Primary 898-Cabin fresh air filter 1014-Kit, cartridge and spin-on filter 1358-Power Quad 1365-With Cab 1366-7.7" Tall

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)		
<i>7520 w/John Deere 6068 Power Tech Engine (cont'd)</i>			<i>770 Compact Diesel (cont'd)</i>			<i>7810 w/John Deere 6081T Engine</i>		
(RE509036); S/N 012454-; Pri.	Fuel	L8867F ²⁷⁵	M801209	Oil	PH2856A	(RE24619); S/N 90000	Air	LAF1163 ^{2, 1365}
RE504836	Oil	LFP4836	RE27284	Trans	LFH8395G	up		
AL118036	Trans	LFH4990 ¹³⁵⁸	<i>7700, 7800</i>			(RE65880); S/N 90000	Air	LAF3532 ²
<i>7520 w/John Deere 6531A Engine</i>			RE34966	Air	LAF3532 ²	up		
AR61988	Air	LAF7933 ¹	RE34967		LAF3533 ¹	(RE34967); S/N 90000		LAF3533 ¹
AR54404		LAF9961 ²	AR103220	Fuel	L3524F	up		
AR50041	Fuel	P1130	(RE62419); 7700 only		L3887F	(RE522687); S/N 90000 up; Pri.	Fuel	LFF5226
AR50041	Oil	PH725	RE27091		LFF1129	(RE522688); S/N 90000 up; Sec.		LFF6753
AR75603	Trans	P346	(AR86755); W/S		LFF1131	(RE509608); S/N 90000 up; W/S		LFF6962 ⁹³⁷
<i>7530 Premium w/John Deere 6068 Power Tech Engine</i>			RE39527	Hydraulic	LFH4990	(RE509672); S/N 90000 up	Oil	LP5979
AL172781	Air	LAF5298 ²⁷⁵	RE57394	Oil	PH720	up		
AL150288		LAF5454 ²⁴⁴	<i>7710 w/John Deere 6081T Engine</i>			(RE509672); S/N 90000 up	Trans	LFH4990 ¹⁰⁸⁴
AL119095	Cabin Air	LAF4340 ⁸⁹⁸	(RE24619); S/N 90000 up	Air	LAF1163 ^{2, 1365}	up		
(RE522878); Sec. Pri.	Fuel	L8868F L8872F	(RE65880); S/N 90000 up		LAF3532 ²	(RE47313); S/N 90000 up	Trans	LFH4990 ¹⁰⁸⁴
RE504836	Oil	LFP4836	(RE34967); S/N 90000 up		LAF3533 ¹	<i>7820, 7920 w/8.1L Engine</i>		
AL156625	Trans	LFH7221	(RE522687); S/N 90000 up; Pri.	Fuel	LFF5226	RE196945	Air	LAF9334 ²⁷⁵
<i>755 Compact Diesel</i>			(RE522688); S/N 90000 up; Sec.		LFF6753	RE187966	Cabin Air	CAF12000XL ^{183 554}
CH15451	Air	LAF2745A ²	(RE522372); S/N 90000 up		LFF6961 ^{938, 1345}	RE24619	Fuel	LAF1163
AM108184		LAF8118 ²	(RE509608); S/N 90000 up; W/S		LFF6962 ⁹³⁷	(RE522687); Pri.		LFF5226
AM108185		LAF8119 ¹	(RE509672); S/N 90000 up	Oil	LP5979	(RE522688); Sec.	Fuel	LFF6753
M801101	Fuel	L4103F	(RE47313); S/N 90000 up	Trans	LFH4990 ¹⁰⁸⁴	RE522372		LFF6961 ²¹⁰
AM102723	Hydraulic	LFH8329	<i>7710, 7810 w/6081T Engine</i>			RE198381	Hydraulic	LFH8880G
AM101378	Oil	PH2808	(RE24619); S/N up to 89999	Air	LAF1163 ^{2, 1365}	RE509672	Oil	LP5979
<i>756 Compact Diesel</i>			(RE65880); S/N up to 89999		LAF3532 ²	<i>7830, 7930 w/John Deere Power Tech Plus 6081 Engine</i>		
CH15451	Air	LAF2745A ²	(RE34967); S/N up to 89999		LAF3533 ¹	RE196945	Air	LAF9334 ²⁷⁵
AM108184		LAF8118 ²	(RE65431); S/N up to 89999; Pri.	Fuel	L8138F	RE187966	Cabin Air	CAF12000XL ^{183 554}
AM108185		LAF8119 ¹	(AR86745); S/N up to 89999		LFF1129	RE24619	Fuel	LAF1163
M801101	Fuel	L4103F	(RE62418); S/N up to 89999; W/S		LFF8215	(RE522878); Sec. Pri.		L8868F L8872F
AM102723	Hydraulic	LFH8329	(RE57394); S/N up to 89999	Oil	PH720	RE198381	Hydraulic	LFH8880G
AM101378	Oil	PH2808	(RE39527); S/N up to 89999	Trans	LFH4990	RE504836	Oil	LFP4836
<i>7600, 7610</i>			<i>7720 w/John Deere 6.8L Engine</i>			<i>790 w/Yanmar 3TNV82A Engine</i>		
RE34962	Air	LAF1878 ²	RE196945	Air	LAF9334 ²⁷⁵	CH12881	Air	LAF5835 ¹
RE34963		LAF3585 ¹	RE187966	Cabin Air	CAF12000XL ^{183 554}	M802606		LAF8225 ²
RE24619	Cabin Air	LAF1163	RE24619		LAF1163	M801101	Fuel	L4103F
(RE62419); Sec. Pri.	Fuel	L3887F	(RE509032); Sec. (RE517180); Pri. (RE509036); Pri.	Fuel	L8557F L8563F L8867F ²⁷⁵	M801209	Oil	PH2856A
RE39527	Hydraulic	LFH4990	RE39527	Hydraulic	LFH4990	RE27284	Trans	LFH8395G
(T19044); 7600 only	Oil	FP20	RE198381		PH720	<i>790, 792 w/Yanmar 3TNE84 Engine</i>		
RE59754		LFP5757	RE504836	Oil	LFP4836	CH12881	Air	LAF5835 ¹
RE47313	Trans	LFH4990 ¹⁰⁸⁴	<i>8010, 8020 w/Detroit Diesel 6-71 Engine</i>			M802606		LAF8225 ²
<i>7630, 7730 w/John Deere Power Tech Plus 6081 Engine</i>			RE196945	Air	LAF9334 ²⁷⁵	M801101	Fuel	L4103F
RE196945	Air	LAF9334 ²⁷⁵	RE187966	Cabin Air	CAF12000XL ^{183 554}	M801209	Oil	PH2856A
RE187966	Cabin Air	CAF12000XL ^{183 554}	RE24619		LAF1163	RE27284	Trans	LFH8395G
RE24619		LAF1163	(RE509032); Sec. (RE517180); Pri. (RE509036); Pri.	Fuel	L8557F L8563F L8867F ²⁷⁵	<i>8010, 8020 w/Detroit Diesel 6-71 Engine</i>		
(RE522878); Sec. Pri.	Fuel	L8868F L8872F	RE39527	Hydraulic	LFH4990	Sec.	Fuel	262F
RE198381	Hydraulic	LFH8880G	RE198381		LFH8880G	Pri.		L274F
RE504836	Oil	LFP4836	RE504836	Oil	LFP4836		Hydraulic	LP132 LP151 P71 ¹⁰⁷⁷
<i>770 Compact Diesel</i>			<i>770 Compact Diesel</i>				Oil	LP132 P71
CH12881	Air	LAF5835 ¹	CH12881	Air	LAF5835 ¹	By-Pass		LP151
M802606		LAF8225 ²	M802606		LAF8225 ²		Trans	
M801101	Fuel	L4103F	M801101	Fuel	L4103F			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 183-Dust and odor filter 210-w/ Sensor 244-Secondary 275-Primary 554-Recirculation 898-Cabin fresh air filter 937-Early Production 938-Late Production 1077-Hyd. Tank 1084-Power Shift 1345-With Sensor 1358-Power Quad 1365-With Cab

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)		
<i>80D</i>			<i>8200, 8200T, 8210, 8210T w/John Deere 6068T Engine (cont'd)</i>			<i>8270R w/John Deere 6090 Tier 3 Engine (cont'd)</i>		
AR44077	Fuel	L1168F	RE57394	Oil	PH720	RE525523	Fuel	LFF6929 ¹⁰¹⁴
AT34670	Hydraulic	P346	RE57394	Oil	PH720	RE69054	Hydraulic	LFH4959 ¹¹
<i>8100, 8100T, 8110, 8110T w/John Deere 6068T Engine</i>			<i>8210, 8210T w/John Deere 6081T 8.1L 200 hp Engine</i>			<i>8250R w/John Deere 6090 Tier 3 Engine</i>		
RE51630	Air	LAF3890 ¹	RE51630	Air	LAF3890 ¹	RE210102	Air	LAF5354 ²
RE51629		LAF3930 ²	RE51629		LAF3930 ²	RE539465	Fuel	LFF6964
RE70742		LAF5820 ⁵⁵⁴	RE70742		LAF5820 ⁵⁵⁴	RE210857	Hydraulic	LFH5659
R119168	Cabin Air	LAF8112 ⁸⁹⁸	R119168	Cabin Air	LAF8112 ⁸⁹⁸	RE538245	Oil	LP5979
AR103220	Fuel	L3524F	(RE64531); Pri.	Fuel	L8138F	<i>8285R w/John Deere Power Tech PSX Engine</i>		
(RE64531); Pri.		L8138F	AR86745	Hydraulic	LFH4959 ^{11, 1374}	RE210102	Air	LAF5354 ²
AR86745		LFF1129	RE69054	Hydraulic	LFH8417	RE525523	Fuel	LFF6929 ¹⁰¹⁴
RE69054	Hydraulic	LFH4959 ¹¹	RE51797	Oil	PH720	RE69054	Hydraulic	LFH4959 ¹¹
RE51797		LFH8417	RE57394	Oil	PH720	RE210857	Hydraulic	LFH5659
RE57394	Oil	PH720	<i>8220, 8220T w/John Deere 6081T 8.1L 200 hp Engine</i>			RE509672	Oil	LP5979
<i>8120, 8120T w/John Deere 6081T 8.1L 200 hp Engine</i>			RE164839	Air	LAF8151 ²	<i>8295R w/John Deere 6090 Tier 3 Engine</i>		
RE164839	Air	LAF8151 ²	RE172447		LAF8152 ¹	RE210102	Air	LAF5354 ²
RE172447		LAF8152 ¹	RE24619	Cabin Air	LAF1163	RE525523	Fuel	LFF6929 ¹⁰¹⁴
RE24619	Cabin Air	LAF1163	RE522372	Fuel	LFF6961 ²¹⁰	RE69054	Hydraulic	LFH4959 ¹¹
(RE522687); Engine	Fuel	LFF5226	RE174130	Hydraulic	LFH8417	RE210857	Hydraulic	LFH5659
S/N 232463 -; Pri.		LFF6961 ²¹⁰	RE509672	Oil	LP5979	RE509672	Oil	LP5979
(RE522372); - Engine		LFF6961 ²¹⁰	<i>8225R w/John Deere 6090 Tier 3 Engine</i>			<i>8300, 8300T, 8310, 8310T w/John Deere 6081T 8.1L 200 hp Engine</i>		
S/N 232463		LFF6961 ²¹⁰	RE210102	Air	LAF5354 ²	RE51630	Air	LAF3890 ¹
RE69054	Hydraulic	LFH4959 ¹¹	RE525523	Fuel	LFF6929 ¹⁰¹⁴	RE51629		LAF3930 ²
RE174130		LFH8417	RE210857	Hydraulic	LFH5659	RE70742		LAF5820 ⁵⁵⁴
RE509672	Oil	LP5979	RE509672	Oil	LP5979	R119168	Cabin Air	LAF8112 ⁸⁹⁸
<i>8130, 8230, 8330, 8430, 8530</i>			<i>8230T, 8330T, 8430T</i>			AR103220	Fuel	L3524F
RE210102	Air	LAF5354 ²	RE210102	Air	LAF5354 ²	(RE65431); Pri.		L8138F
RE187966	Cabin Air	CAF12000XL ^{183 554}	RE187966	Cabin Air	CAF12000XL ^{183 554}	AR86745		LFF1129
RE24619		LAF1163	R119168		LAF8112 ⁸⁹⁸	RE51797	Hydraulic	LFH8417
RE525523	Fuel	LFF6929 ¹⁰¹⁴	(RE522687); Pri.	Fuel	LFF5226	RE57394	Oil	PH720
RE210857	Hydraulic	LFH5659	(RE522688); Sec.		LFF6753	<i>8310, 8310T</i>		
RE509672	Oil	LP5979	RE69054	Hydraulic	LFH4959 ⁶¹⁰	RE51630	Air	LAF3890 ¹
<i>820, 830 Utility</i>			RE174130		LFH8417	RE51629		LAF3930 ²
S/N 190320-; 830	Air	LAF1734 ²	RE509672	Oil	LP5979	RE70742		LAF5820 ⁵⁵⁴
AT20728		LAF1735 ¹	<i>8235R w/John Deere Power Tech PSX Engine</i>			R119168	Cabin Air	LAF8112 ⁸⁹⁸
(AT17387); -S/N	Fuel	L296F ⁴¹	RE210102	Air	LAF5354 ²	(RE64531); Pri.	Fuel	L8138F
173884		LAF222 ²	(RE533910); Sec.	Fuel	LFF6963	AR86745		LFF1129
(AR50041); S/N		P1130	RE539465	Hydraulic	LFF6964	RE69054	Hydraulic	LFH4959 ^{11, 1374}
17885-		FP20	RE210857	Hydraulic	LFH5659	RE51797		LFH8417
T19044	Oil	FP20	RE538245	Oil	LP5979	RE57394	Oil	PH720
AR75603	Trans	P346	<i>8245R w/John Deere 6090 Tier 3 Engine</i>			<i>8310R, 8310RT w/John Deere PSX 9.0L Tier 4 Engine</i>		
<i>820, 830 w/John Deere 2cyl. Engine</i>			RE210102	Air	LAF5354 ²	RE210102	Air	LAF5354 ²
AR44077	Fuel	L1168F	RE525523	Fuel	LFF6929 ¹⁰¹⁴	(RE533910); Sec.	Fuel	LFF6963
AR26350	Oil	P189	RE69054	Hydraulic	LFH4959 ¹¹	RE539465		LFF6964
<i>8200, 8200T, 8210, 8210T w/John Deere 6068T Engine</i>			RE210857	Hydraulic	LFH5659	RE210857	Hydraulic	LFH5659
RE51630	Air	LAF3890 ¹	RE509672	Oil	LP5979	RE538245	Oil	LP5979
RE51629		LAF3930 ²	<i>8260R w/John Deere Power Tech PSX 9.0L Engine</i>			<i>8320, 8320T w/John Deere 6081T 8.1L 200 hp Engine</i>		
RE70742		LAF5820 ⁵⁵⁴	RE210102	Air	LAF5354 ²	RE164839	Air	LAF8151 ²
R119168	Cabin Air	LAF8112 ⁸⁹⁸	(RE533910); Sec.	Fuel	LFF6963	RE172447		LAF8152 ¹
AR103220	Fuel	L3524F	RE539465	Hydraulic	LFF6964	RE24619	Cabin Air	LAF1163
(RE65431); Pri.		L8138F	RE210857	Hydraulic	LFH5659	RE522372	Fuel	LFF6961 ²¹⁰
AR86745		LFF1129	RE538245	Oil	LP5979	RE69054	Hydraulic	LFH4959 ^{11, 1374}
RE51797	Hydraulic	LFH8417	<i>8270R w/John Deere 6090 Tier 3 Engine</i>					
			RE210102	Air	LAF5354 ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 41-Cartridge 183-Dust and odor filter 210-w/ Sensor 554-Recirculation 610-Charge Pump 898-Cabin fresh air filter 1014-Kit, cartridge and spin-on filter 1374-T-Series

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)		
<i>8320, 8320T w/John Deere 6081T 8.1L 200 hp Engine (cont'd)</i>			<i>8345R, 8345RT w/John Deere 6090 PowerTech Engine (cont'd)</i>			<i>8420, 8420T w/John Deere 6081T 8.1L 200 hp Engine (cont'd)</i>		
RE174130	Hydraulic	LFH8417	RE69054	Hydraulic	LFH4959 ¹¹	RE174130	Hydraulic	LFH8417
RE509672	Oil	LP5979	RE210857		LFH5659	RE509672	Oil	LP5979
<i>8320R w/6090 Tier 3 Engine</i>			<i>8345T w/John Deere 6090 Tier 3 Engine</i>			8430		
RE525523	Fuel	LFF6929 ¹⁰¹⁴	RE210102	Air	LAF5354 ²	AR70106	Air	LAF1040 ²
<i>8320R, 8320RT w/John Deere 6090PWRTECH 9.0L Turbo Diesel Engine</i>			RE525523	Fuel	LFF6929 ¹⁰¹⁴	AR70107		LAF636 ²
RE210102	Air	LAF5354 ²	RE69054	Hydraulic	LFH4959 ¹¹	AR94650	Coolant	LFW4074 ⁶²⁷
RE525523	Fuel	LFF6929 ¹⁰¹⁴	RE210857		LFH5659	(AR86755); W/S	Fuel	LFF1131
RE69054	Hydraulic	LFH4959 ¹¹	RE509672	Oil	LP5979	AR50041		P1130
RE210857		LFH5659	<i>8360R, 8360RT w/John Deere PSX 9.0L Tier 4 Engine</i>			AR94510	Hydraulic	LFH1702
RE509672	Oil	LP5979	RE210102	Air	LAF5354 ²	AR43634	Oil	PH725
<i>8320T w/John Deere 6090 Tier 3 Engine</i>			(RE533910); Sec.	Fuel	LFF6963	AR75603	Trans	P346 ⁵⁹⁰
RE210102	Air	LAF5354 ²	RE539465		LFF6964	<i>8440 w/John Deere 6466A Engine</i>		
RE525523	Fuel	LFF6929 ¹⁰¹⁴	RE210857	Hydraulic	LFH5659	AR70106	Air	LAF1040 ²
RE69054	Hydraulic	LFH4959 ¹¹	RE538245	Oil	LP5979	AR80653		LAF1532 ¹
RE210857		LFH5659	<i>8370R, 8370RT (w/John Deere 6090 PSS Tier 4 Engine)</i>			AR80652		LAF1533 ²
RE509672	Oil	LP5979	RE210102	Air	LAF5354 ²	AR70107		LAF636 ²
<i>8330 w/John Deere 6090PWRTECH Engine</i>			(RE533910); Sec.	Fuel	LFF6963	AR94650	Coolant	LFW4074 ⁶²⁷
RE210102	Air	LAF5354 ²	RE539465		LFF6964	AR86745	Fuel	LFF1129
RE187966	Cabin Air	CAF12000XL ^{183 554}	RE210857	Hydraulic	LFH5659	(AR86755); W/S		LFF1131
R119168		LAF8112 ⁸⁹⁸	RE538245	Oil	LP5979	AR50041		P1130
(RE525523); S/N 090001 -	Fuel	LFF6929 ¹⁰¹⁴	<i>8400, 8400T</i>			AR70636	Hydraulic	LFH1702
RE210857	Hydraulic	LFH5659	RE51630	Air	LAF3890 ¹	AR43634	Oil	PH725
RE538245	Oil	LP5979	RE51629		LAF3930 ²	AR70636	Trans	LFH1702
	Power Steering	LFH4959	RE70742		LAF5820 ⁵⁵⁴	AR75601		P346
<i>8330T w/John Deere 6090 PWRTECH Engine</i>			R119168	Cabin Air	LAF8112 ⁸⁹⁸	8450		
RE210102	Air	LAF5354 ²	AR103220	Fuel	L3524F	AR70106	Air	LAF1040
RE187966	Cabin Air	CAF12000XL ^{183 554}	(RE65431); Pri.		L8138F	AR70107		LAF636 ²
R119168		LAF8112 ⁸⁹⁸	AR86745		LFF1129	AR87113	Coolant	LFW4018 ¹⁸²
(RE525523); S/N 090001 -	Fuel	LFF6929 ¹⁰¹⁴	RE51797	Hydraulic	LFH8417	AR94650		LFW4074 ⁶²⁷
RE210857	Hydraulic	LFH5659	RE57394	Oil	PH720	(RE11325); W/S	Fuel	L2021F
RE538245	Oil	LP5979	<i>8410, 8410T w/John Deere 6081T 8.1L 200 hp Engine</i>			AR86745		LFF1129
	Power Steering	LFH4959	RE51630	Air	LAF3890 ¹	AR99406	Hydraulic	LFH1702 ⁶³²
<i>8335R, 8335RT w/John Deere PSX 9.0L Tier 4 Engine</i>			RE51629		LAF3930 ²	AR101278	Oil	PH720
(RE525523); S/N 090001 -	Fuel	LFF6929 ¹⁰¹⁴	RE70742		LAF5820 ⁵⁵⁴	<i>850 w/John Deere 6081T 8.1L Engine</i>		
(RE533910); S/N -090000; Sec.		LFF6963	R119168	Cabin Air	LAF8112 ⁸⁹⁸	CH12767	Air	LAF1275 ²
RE539465		LFF6964	(RE64531); Pri.	Fuel	L8138F	M801101	Fuel	L4103F
RE210857	Hydraulic	LFH5659	AR86745		LFF1129	(RE27284); S/N 016001-	Hydraulic	LFH8395G
RE538245	Oil	LP5979	RE69054	Hydraulic	LFH4959 ^{11, 1374}	M801002	Oil	PH2808
	Power Steering	LFH4959	RE51797		LFH8417	(TY9425); -S/N 016000	Trans	PH400 ^{275, 590}
<i>8345R w/John Deere 6090 Tier 3 Engine</i>			RE57394	Oil	PH720	(TY9425); -S/N 016000		PH8A ^{590, 1496}
RE525523	Fuel	LFF6929 ¹⁰¹⁴	<i>8420, 8420T w/John Deere 6081T 8.1L 200 hp Engine</i>			<i>8520, 8520T w/John Deere 6081T 8.1L 200 hp Engine</i>		
<i>8345R, 8345RT w/John Deere 6090 PowerTech Engine</i>			RE164839	Air	LAF8151 ²	RE164839	Air	LAF8151 ²
RE210102	Air	LAF5354 ²	RE172447		LAF8152 ¹	RE172447		LAF8152 ¹
(RE525523); S/N -912000	Fuel	LFF6929 ¹⁰¹⁴	RE24619	Cabin Air	LAF1163	RE24619	Cabin Air	LAF1163
			(RE522687); S/N 232463-; Pri.	Fuel	LFF5226	RE522372	Fuel	LFF6961 ²¹⁰
<i>8345R, 8345RT w/John Deere 6090 PowerTech Engine</i>			(RE522688); S/N 232463-; Sec.		LFF6753	RE69054	Hydraulic	LFH4959 ^{11, 1374}
RE210102	Air	LAF5354 ²	(RE522372); -S/N 232462		LFF6961 ²¹⁰	RE174130		LFH8417
(RE525523); S/N -912000	Fuel	LFF6929 ¹⁰¹⁴	RE69054	Hydraulic	LFH4959 ^{11, 1374}	RE509672	Oil	LP5979
			<i>855, 856 w/Yanmar Engine</i>			<i>855, 856 w/Yanmar Engine</i>		
			AM108184	Air	LAF8118 ²	AM108184	Air	LAF8118 ²
			AM108185		LAF8119 ¹	AM108185		LAF8119 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 182-Contains 2 oz. of chemical 183-Dust and odor filter 210-w/ Sensor 275-Primary 554-Recirculation 590-Hydrostatic 627-5 oz. of chemical 632-Clean Up 898-Cabin fresh air filter 1014-Kit, cartridge and spin-on filter 1374-T-Series 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)			
<i>855, 856 w/Yanmar Engine (cont'd)</i>			<i>8640 w/John Deere 6466 Engine (cont'd)</i>			<i>8770 w/John Deere 6101A Engine (cont'd)</i>			
AM102746	Air	LAF8659	(RE21748); By-Pass	Oil	LFP777B	RE38965	Trans	LFH8398	
M801101	Fuel	L4103F	(AR101278); S/N		PH720	8850			
AM102723	Hydraulic	LFH8329	6161-		PH725	AR95758	Air	LAF1465 ²	
M801002	Oil	PH2808	(AR43634); -S/N 6160		LFH1702	AR95759		LAF3657 ¹	
8560			AR94510	Trans		(RE11325); W/S	Fuel	L2021F	
AR70106	Air	LAF1040 ²	8640 w/John Deere 6619A Engine			AR86745	(RE21748); By-Pass	Oil	LFF1129
AR70107		LAF636 ²	AR70106	Air	LAF1040 ²	AR101278		PH720	
RE24619	Cabin Air	LAF1163	AR70107		LAF636 ²	8870 w/John Deere 6101A Engine			
(RE11325); W/S	Fuel	L2021F	AR94650	Coolant	LFW4074 ⁶²⁷	AR95758	Air	LAF1465 ²	
RE27091		LFF1129	AR86745	Fuel	LFF1129	AR95759		LAF3657 ¹	
(RE34040); -S/N	Hydraulic	LFH4209	(AR86755); W/S		LFF1131	RE24619	Cabin Air	LAF1163	
001703			AR94510	Hydraulic	LFH1702	RE11992	Coolant	LFW4685 ²⁴⁹	
AR101278	Oil	PH720	(RE21748); By-Pass	Oil	LFP777B	LFW4685XL^{14, 249}			
RE38965	Trans	LFH8398	(AR101278); S/N		PH720	AR86745	Fuel	LFF1129	
8570 w/John Deere 6068T Engine			6161-		PH725	RE38965	Hydraulic	LFH8398	
AR70106	Air	LAF1040 ²	(AR43634); -S/N 6160		LFH1702	RE44647	Oil	LFP3000	
AR70107		LAF636 ²	AR94510	Trans		LFP3000XL¹⁴			
RE24619	Cabin Air	LAF1163	8650 w/Cummins Repower Engine			8960 w/Cummins NTA855 Engine			
RE11992	Coolant	LFW4685 ²⁴⁹	P185069	Air	LAF1849 ²	AR95758	Air	LAF1465 ²	
		LFW4685XL ^{14, 249}			LAF1956 ¹	AR95759		LAF3657 ¹	
AR86745	Fuel	LFF1129	8650 w/John Deere 6619A Engine			RE24619	Cabin Air	LAF1163	
RE46380	Oil	PH720	AR70106	Air	LAF1040 ²	RE42052	Coolant	LFW4071 ²⁸	
RE38965	Trans	LFH8398	AR70107		LAF636 ²	(RE11325); W/S	Fuel	L2021F	
8570 w/John Deere 6076H Engine			AR94650	Coolant	LFW4074 ⁶²⁷	(RE42050); W/S		LFF8000 ⁶²⁸	
AR70106	Air	LAF1040 ²	(RE11325); W/S	Fuel	L2021F	(RE34040); -S/N	Hydraulic	LFH4209	
AR70107		LAF636 ²	AR86745		LFF1129	001814			
RE24619	Cabin Air	LAF1163	(RE21748); By-Pass	Oil	LFP777B	(RE44647); S/N	Oil	LFP3000	
RE11992	Coolant	LFW4685 ²⁴⁹	AR101278		PH720	002528-			
		LFW4685XL ^{14, 249}	870, 970 w/Yanmar Engine			(RE21058); -S/N		LFP3000XL ¹⁴	
AR86745	Fuel	LFF1129	CH12881	Air	LAF5835 ¹	002527		LFP670	
RE46380	Oil	PH720	M802606		LAF8225 ²			LFP670XL ¹⁴	
RE38965	Trans	LFH8398	T111383	Fuel	L549F	(RE42051); By-Pass		LFP777B	
85F w/VMD704LTE Engine			M801209	Oil	PH2856A	By-Pass		LFP777XL ¹⁴	
FG6340591	Air	LAF5934 ²	RE27284	Trans	LFH8395G	RE38965	Trans	LFH8398	
FGV45310071	Fuel	FP587F	8760			8960 w/John Deere 6135 13.5L Engine			
8630			AR95758	Air	LAF1465 ²	AR95758	Air	LAF1465 ²	
AR70106	Air	LAF1040 ²	AR95759		LAF3657 ¹	AR95759		LAF3657 ¹	
AR70107		LAF636 ²	RE24619	Cabin Air	LAF1163	RE24619	Cabin Air	LAF1163	
AR94650	Coolant	LFW4074 ⁶²⁷	AR94650	Coolant	LFW4074 ⁶²⁷	RE42052	Coolant	LFW4071 ²⁸	
AR86745	Fuel	LFF1129	(RE11325); W/S	Fuel	L2021F	(RE11325); W/S	Fuel	L2021F	
(AR86755); W/S		LFF1131	RE27091		LFF1129	(RE42050); W/S		LFF8000 ⁶²⁸	
AR94510	Hydraulic	LFH1702	(RE34040); -S/N	Hydraulic	LFH4209	(RE34040); -S/N	Hydraulic	LFH4209	
(RE21748); By-Pass	Oil	LFP777B	002751			001814			
AR101278		PH720	RE21058	Oil	LFP670	(RE44647); S/N	Oil	LFP3000	
AR43634		PH725	(RE21748); By-Pass		LFP670XL ¹⁴	002528-			
(AR94510); S/N	Trans	LFH1702	RE38965	Trans	LFP777B	(RE21058); -S/N		LFP3000XL ¹⁴	
007637-		P346 ⁵⁹⁰			LFH8398	002527		LFP670	
(AR75603); -S/N			8770 w/John Deere 6101A Engine			(RE42051); By-Pass		LFP670XL ¹⁴	
007636			AR95758	Air	LAF1465 ²	By-Pass		LFP777B	
8640 w/John Deere 6466 Engine			AR95759		LAF3657 ¹	RE38965	Trans	LFH8398	
AR70106	Air	LAF1040 ²	RE24619	Cabin Air	LAF1163	8970 w/John Deere 6135 13.5L Engine			
AR70107		LAF636 ²	RE11992	Coolant	LFW4685 ²⁴⁹	AR95758	Air	LAF1465 ²	
AR94650	Coolant	LFW4074 ⁶²⁷	AR86745	Fuel	LFF1129	AR95759		LAF3657 ¹	
AR86745	Fuel	LFF1129	RE44647	Oil	LFP3000	LFP3000XL¹⁴			
(AR86755); W/S		LFF1131			LFP3000XL ¹⁴				
AR94510	Hydraulic	LFH1702							

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 28-Contains 1 oz. of chemical 249-No chemical 590-Hydrostatic 627-5 oz. of chemical 628-Tall version of LFF8020

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)			JOHN DEERE (TRACTOR)		
<i>8970 w/John Deere 6135 13.5L Engine (cont'd)</i>			<i>9200, 9300, 9400, 9200T, 9300T, 9400T (cont'd)</i>			<i>940 w/John Deere Engine (cont'd)</i>		
RE24619	Cabin Air	LAF1163	(RE507284); Tractor	Fuel	LFF7284 ¹⁸¹	AR75603	Trans	P346
RE42052	Coolant	LFW4071 ²⁸	S/N 3714 -; W/S			<i>9410R w/PowerTech PSX 13.5L Engine</i>		
(RE160384); W/S	Fuel	LFF1000	(RE502203); S/N		LFF7415	(RE533910); Sec.	Fuel	LFF6963
RE44647	Oil	LFP3000	007567-; W/S		LFF8038 ⁶³	(RE532952); Pri.		LFF6964
		LFP3000XL ¹⁴	(RE500186); -S/N		LFF8064	RE539465		LFF6964
RE38965	Trans	LFH8398	007566			RE530107	Oil	LFP6930
<i>90 w/Onan Engine</i>			(RE500186); -S/N			RE174130	Trans	LFH8417 ¹³⁷⁸
	Hydraulic	LFH4955	007566; W/S			<i>9420R w/PSS13.5L Engine</i>		
<i>900HC</i>			AL77061	Hydraulic	LFH4428 ⁶⁷⁹	(RE533910); Sec.	Fuel	LFF6963
CH12767	Air	LAF1275 ²	RE34958		LFH4910 ¹³⁷⁷	(RE532952); Pri.		LFF6964
M801101	Fuel	L4103F	RE69054		LFH4959 ^{11, 1374}	RE530107	Oil	LFP6930
M801002	Oil	PH2808	RE51797		LFH8417	<i>9430T, 9530T, 9630T w/Power Tech 13.5L Engine</i>		
<i>9100, 9100T w/John Deere 6081 8.1L Engine</i>			RE58935	Oil	LFP5723	AT101565	Breather	G3/8 ¹⁰⁷⁷
RE63931	Air	LAF1953 ²	RE51797	Trans	LFH8417	RE187966	Cabin Air	CAF12000XL ^{183 554}
		LAF1953MXM ^{2, 268}	<i>9220, 9320, 9420, 9520, 9320T, 9420T, 9520T</i>			RE24619		LAF1163
RE63932		LAF5720 ¹	RE63931	Air	LAF1953 ²	(RE533910); Sec.	Fuel	LFF6963
RE24619	Cabin Air	LAF1163			LAF1953MXM ^{2, 268}	(RE532952); Pri.		LFF6964
(RE65431); Pri.	Fuel	L8138F	RE63932		LAF5720 ¹	RE69054	Hydraulic	LFH4959 ¹¹
(AR86745); Sec.		LFF1129	AT101565	Breather	G3/8 ¹⁰⁷⁷	AL156625		LFH7221 ¹³⁷⁹
(RE500186); W/S		LFF8064	RE24619	Cabin Air	LAF1163	RE174130		LFH8417
AL77061	Hydraulic	LFH4428 ⁶⁷⁹	RE506428	Fuel	LFF3550 ²⁴⁴	RE530107	Oil	LFP6930
RE34958		LFH4910 ¹³⁷⁷	(RE507284); W/S		LFF7284	<i>9460R/RT, 9510R/RT, 9560R/RT w/PSX13.5L tier 4 Engine</i>		
RE51797		LFH8417	RE69054	Hydraulic	LFH4959 ^{11, 1374}	(RE533910); Sec.	Fuel	LFF6963
RE57394	Oil	PH720	RE174130		LFH8417	(RE532952); Pri.		LFF6964
RE51797	Trans	LFH8417	RE58935	Oil	LFP5723	RE539465		LFF6964
<i>9120 w/John Deere 6081T 8.1L 200 hp Engine</i>			RE174130	Trans	LFH8417	RE530107	Oil	LFP6930
RE63931	Air	LAF1953 ²	<i>930</i>			RE174130	Trans	LFH8417 ¹³⁷⁸
		LAF1953MXM ^{2, 268}	AT17387	Fuel	L296F ⁴¹	<i>9470R, 9470RT w/PSS13.5L Engine</i>		
RE63932		LAF5720 ¹	AR75603	Hydraulic	P346	(RE533910); Sec.	Fuel	LFF6963
RE24619	Cabin Air	LAF1163	T19044	Oil	FP20	(RE532952); Pri.		LFF6964
RE522372	Fuel	LFF6961 ²¹⁰	<i>9330, 9430, 9530, 9630 w/Power Tech Plus 13.5L Engine</i>			RE530107	Oil	LFP6930
RE51797	Hydraulic	LFH8417	AT101565	Breather	G3/8 ¹⁰⁷⁷	<i>950 Compact Diesel</i>		
RE509672	Oil	LP5979	RE187966	Cabin Air	CAF12000XL ^{183 554}	CH12767	Air	LAF1275 ²
RE51797	Trans	LFH8417	RE24619		LAF1163	M801101	Fuel	L4103F
<i>920 w/John Deere Engine</i>			(RE533910); Sec.	Fuel	LFF6963	(RE27284); S/N	Hydraulic	LFH8395G
AT20728	Air	LAF222 ²	(RE532952); Pri.		LFF6964	020001-		PH400 ²⁷⁵
AT17387T	Fuel	L296F ⁴¹	T175002	Hydraulic	LFH4990 ¹¹¹⁵	(TY9425); -S/N 20000		PH8A ¹⁴⁹⁶
T19044	Oil	FP20	RE174130		LFH8417	(TY9425); -S/N 20000		PH2808
<i>9200, 9300, 9400, 9200T, 9300T, 9400T</i>			RE530107	Oil	LFP6930	M801002	Oil	PH2808
RE63931	Air	LAF1953 ²	RE174130	Trans	LFH8417	<i>9520R, 9520RT w/PSS13.5L Engine</i>		
		LAF1953MXM ^{2, 268}	<i>9360R w/John Deere 6090RW403 Engine</i>			(RE533910); Sec.	Fuel	LFF6963
RE63932		LAF5720 ¹	(RE533910); Sec.	Fuel	LFF6963	(RE532952); Pri.		LFF6964
RE70742		LAF5820 ⁵⁵⁴	RE539465		LFF6964	RE530107	Oil	LFP6930
RE24619	Cabin Air	LAF1163	RE509672	Oil	LP5979	<i>955 Compact Diesel</i>		
RE11992	Coolant	LFW4685 ²⁴⁹	RE174130	Trans	LFH8417 ¹³⁷⁸	AM108184	Air	LAF8118 ²
		LFW4685XL ^{14, 249}	<i>9370R w/PSS9.0L Engine</i>			AM108185		LAF8119 ¹
(RE507284); S/N	Fuel	L5087F	(RE533910); Sec.	Fuel	LFF6963	AM102746		LAF8659 ¹⁸¹
3714-; Pri.			(RE532952); Pri.		LFF6964	T11383	Fuel	L549F
(RE501113); -S/N		LFF3291	RE509672	Oil	LP5979	AM102723	Hydraulic	LFH8329
007566; Sec.			<i>940 w/John Deere Engine</i>			M801209	Oil	PH2856A
(RE506428); S/N		LFF3550 ²⁴⁴	AR84228	Air	LAF1734 ²	<i>9570R, 9570RT w/Cummins QSX15 Engine</i>		
007567-			AE31724		LAF1735 ¹		Oil	LFP9001 ²⁵⁰
(RE506428); Tractor		LFF3550 ²⁴⁴	AR50041	Fuel	P1130			LFP9001TRT ³
S/N 3714-			AR98098	Hydraulic	LFH1702			LFP9001XL ^{14, 250}
			T19044	Oil	FP20			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 28-Contains 1 oz. of chemical 41-Cartridge 63-9/16"
 Thread Sensor Port 181-Single 183-Dust and odor filter 210-w/ Sensor 244-Secondary 249-No chemical 250-11.9" Hgt. 268-Extended/Severe service
 275-Primary 554-Recirculation 679-Axle 1077-Hyd. Tank 1115-High Flow 1374-T-Series 1377-Axle Clean Up 1378-Manual Shift 1379-Motor Seal Drain
 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (TRACTOR)			JOHN DEERE (WHEEL LOADER)			JOHN DEERE (WHEEL LOADER)		
9620, 9620T w/John Deere 6125 12.5L Engine			244H (cont'd)			344K (w/John Deere Power Tech 4045T Engine)		
RE63931	Air	LAF1953 ²	AT147821	Trans	LH5719	AT203469	Air	LAF8149 ²
RE63932	Breather	LAF1953MXM ^{2, 268}	244J w/John Deere 4024T Engine			RE504836	Oil	LFP4836
		LAF5720 ¹	KV16429	Air	LAF4544 ²	444 w/John Deere 6329D Engine		
RE187966	Cabin Air	CAF12000XL ^{183 554}	AT199501		LAF4545 ¹	AT35155	Air	LAF1917
RE24619		LAF1163	(RE508202); Sec.	Fuel	L8569F	AT31227		LAF503 ¹
RE515345	Fuel	L5087F	RE518977	Oil	LFP8340	AR50041	Fuel	P1130
RE506428		LFF3550 ²⁴⁴	244K (w/Yanmar 4TNV98C Interim Tier 4 Engine)			AT78414	Hydraulic	LP8232
T175002	Hydraulic	LFH4990	KV16429	Air	LAF4544 ²	AR75603		P346 ¹¹
RE174130		LFH8417	AT171854		LAF4545 ¹	T19044	Oil	FP20
RE58935	Oil	LFP5723	M801002	Oil	PH2808	AR75603	Trans	P346
9620R w/Cummins QSX15 Engine			304H w/Yanmar 4TNE98 Engine			444C, 444CH		
	Oil	LFP9001 ²⁵⁰	AT262566	Air	LAF4544 ²	AT35155	Air	LAF1917
		LFP9001TRT ³			LAF4544MXM ^{2, 268}	AT31227		LAF503 ¹
		LFP9001XL ^{14, 250}	AT199501		LAF4545 ¹	(AT81478); W/S	Fuel	LFF8061
990 w/Yanmar 4TNE84 Engine			T113865	Fuel	LFF8307	W/S		LFF8061U ¹⁷¹
RG60690	Air	LAF8195 ²	M806419	Oil	PH2808	AR50041		P1130
RG60866		LAF8690 ¹	304K (w/Yanmar 4TNV98 Interim Tier 4 Engine)			AT78414	Hydraulic	LP8232
T111383	Fuel	L549F	KV16429	Air	LAF4544 ²	AR75603		P346 ¹¹
RE27284	Hydraulic	LFH8395G	AT171854		LAF4545 ¹	T19044	Oil	FP20
M801209	Oil	PH2856A	MIU800645	Fuel	LFF8350	AR75603	Trans	P346
A, AN, ANH, AR, AO, AW, AWH			M806419	Oil	PH2808	444D		
	Oil	P189	324H, 344H w/John Deere 4045DF Engine			AT35155	Air	LAF1917
B, BNH, BR, BO, BW, BWH, CN			AT203470	Air	LAF5932 ¹	AT31227		LAF503 ¹
	Oil	P189	AT203469		LAF8149 ²	(AT81478); W/S	Fuel	LFF8061
D, G, GM Series			(RE60021); Sec.	Fuel	L8683F	W/S		LFF8061U ¹⁷¹
	Oil	P189	RE59754	Oil	LFP5757	AR50041		P1130
H, HM, M, MC, MT			324J w/PowerTech 5030T Interim Tier 4 Engine			AT103193	Hydraulic	LFH8412
	Oil	P144	KV16429	Air	LAF4544 ²	T19044	Oil	FP20
Models w/Gresen hydraulic filter			AT171854		LAF4545 ¹	AT103193	Trans	LFH8412
1567	Hydraulic	LP509	(RE533026); Sec.	Fuel	L8891F	444E		
1509		LP50910	RE519626	Oil	LFP8340	AT39124	Air	LAF1846 ²
R Diesel			344E			AT31227		LAF503 ¹
	Fuel	L1168F	CH18287	Air	LAF1544 ²	AT116077		LAF8775
	Oil	P189	CH18289		LAF1923 ¹	AR86745	Fuel	LFF1129
JOHN DEERE (WHEEL LOADER)			AT116077		LAF8775	(AT81478); W/S		LFF8061
204K (w/Yanmar 4TNV98 Interim Tier 4 Engine)			AR86745	Fuel	LFF1129	W/S		LFF8061U ¹⁷¹
KV16429	Air	LAF4544 ²	(AT81478); W/S		LFF8061	T19044	Oil	FP20
KV16429		LAF4544MXM ^{2, 268}	W/S		LFF8061U ¹⁷¹	444G		
AT171854		LAF4545 ¹	T19044	Oil	FP20	(RE62419); Sec.	Fuel	L3887F
MIU800645	Fuel	LFF8350	344G			(RE62424); Pri.	Hydraulic	L8242F
MIU800650	Oil	PH2808	AT204029	Air	LAF5732 ¹	TH111011	Hydraulic	LH8498
244E			AT204019		LAF5732 ²	T19044	Oil	FP20
(AT44377); Turbo	Air	LAF1246 ²	(RE64219); Sec.	Fuel	L3887F	444H, 444HTC		
AT44378		LAF1394 ¹	(RE62424); Pri.		L8242F	AT203470	Air	LAF5932 ¹
AN153119		LAF1793 ¹	TH111011	Hydraulic	LH8498	AT203469		LAF8149 ²
(AT20728); w/o Turbo		LAF222 ²	T19044	Oil	FP20	(RE62419); Sec.	Fuel	L3887F
T113883	Oil	LFP5522	AT147821	Trans	LH5719	(RE62424); Pri.		L8242F
AT147821	Trans	LH5719	344J w/John Deere 4045 Power Tech Engine			AT209204	Hydraulic	LFH6812
244H			AT203470	Air	LAF5932 ¹	RE59754	Oil	LFP5757
AN153119	Air	LAF1793 ¹	AT222722		LAF8149 ²	AT210148	Trans	LFH6812
AT20728		LAF222 ²	(RE62419); Sec.	Fuel	L3887F	444J w/John Deere 4045H Engine		
T113865	Fuel	LFF8307	RE504836	Oil	LFP4836	T168220	Air	LAF6029 ²
M806419	Oil	PH2808	344K (w/John Deere Power Tech 4045T Engine)			T156471		LAF6030 ²
M801209		PH2856A	AT203470	Air	LAF5932 ¹	AT300487		LAF6922 ²
						AT300488		LAF6923 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 171-With Sensor Port 183-Dust and odor filter 244-Secondary 250-11.9" Hgt. 268-Extended/Severe service 554-Recirculation 1077-Hyd. Tank

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (WHEEL LOADER)			JOHN DEERE (WHEEL LOADER)			JOHN DEERE (WHEEL LOADER)		
624E (cont'd)			644, 644A (cont'd)			644H		
(AT81478); W/S	Fuel	LFF8061	AR75603	Hydraulic	P346 ¹¹	AT203050	Air	LAF8110 ²
W/S		LFF8061U ¹⁷¹	AR75603	Oil	PH720	AT203051		LAF8111 ¹
AR50041		P1130	AR43634		PH725	(RE65431); Pri.	Fuel	L8138F
AT140315	Hydraulic	LFH8229	AT75603	Trans	P346	AR86745		LFF1129
T19044	Oil	FP20	644B			AT209204	Hydraulic	LFH6812
AT168989	Trans	LFH8595	AE30507	Air	LAF1780 ¹	(RE521420); 500 hr.	Oil	LFP5214
624G			AE30508		LAF1811 ²	(RE57394); 250 hr.		PH720
AR79680	Air	LAF414 ¹	AR50041	Fuel	P1130	AT147496	Trans	LFH8499
AR79679		LAF926 ²	AT78414	Hydraulic	LP8232	644J w/John Deere 6081H Engine		
AT166805	Cabin Air	LAF5821	AT75603		P346 ¹¹	AT168220	Air	LAF6029 ²
(RE62419); Sec.	Fuel	L3887F	AR101278	Oil	PH720	T156471		LAF6030 ²
(RE62424); Pri.		L8242F	AR43634		PH725	AT223226		LAF8669 ²
AT140030	Hydraulic	LFH8595	AT75603	Trans	P346	AT175224		LAF8670 ¹
T19044	Oil	FP20	644C			T156471	Cabin Air	CAF12001XL ^{183 554}
624H			AE30507	Air	LAF1780 ¹	(RE522687); S/N	Fuel	LFF5226
AT178583	Air	LAF8085 ²	AE30508		LAF1811 ²	0249017-; Pri.		LFF6753
AT178584		LAF8086 ¹	RE11992	Coolant	LFW4685 ²⁴⁹	(RE522688); SN		LFF6961 ²¹⁰
(RE62419); Sec.	Fuel	L3887F			LFW4685XL ^{14, 249}	0249017-; Sec.		LFF9347
(RE62424); Pri.		L8242F	AR86745	Fuel	LFF1129	(RE522372); To SN		PH710 ¹³⁵⁵
AT209204	Hydraulic	LFH6812	(AT81478); W/S		LFF8061	249017		LFP5214
AM39653		PH710 ⁶⁰³	W/S		LFF8061U ¹⁷¹	AT228474	Hydraulic	PH710 ¹³⁵⁵
RE59754	Oil	LFP5757	AT78414	Hydraulic	LP8232	(RE521420); S/N	Oil	LFP5214
AT147496	Trans	LFH8499	AR75603		P346 ¹¹	234689-		PH720
624J			(AR101278); S/N	Oil	PH720	(RE57394); -S/N		LFH8490
AT168220	Air	LAF6029 ²	248524-		PH725	234688	Trans	
T156471		LAF6030 ²	(AR43634); -S/N			AT222005		
AT300487		LAF6922 ²	248523	Trans	P346	644K Hybrid w/PowerTech 6068HDW85 Interim Tier 4 Engine		
AT300488		LAF6923 ¹	AR75603			AT223226	Air	LAF8669 ²
(AT227936); In-Line	Fuel	L7693F	644D			AT175224		LAF8670 ¹
(RE509032); S/N -		L8557F	AE30507	Air	LAF1780 ¹	AT191102	Cabin Air	LAF5314
611796; Sec.			AE30508		LAF1811 ²	RE541746	Fuel	LFF6929 ¹⁰¹⁴
(RE517180); S/N -		L8563F	AR86745	Fuel	LFF1129	RE539279	Oil	LFP9279
611796; Pri.			(AT81478); W/S		LFF8061	AT367840	Trans	LFH9347
(RE509036); Pri.		L8867F ²⁷⁵	W/S		LFF8061U ¹⁷¹	644K w/John Deere 6068HDW80 Engine		
(RE522878); S/N		L8868F ⁶⁸²	AT172912	Hydraulic	LFH8263	AT300487	Air	LAF6922 ²
611797-; Sec.			RE57394	Oil	PH720	AT314583		LAF6923 ¹
AT228474	Hydraulic	LFH9347	AT103193	Trans	LFH8412	AT191102	Cabin Air	LAF5314
AM39653		PH710 ¹³⁵⁵	644E, 644ER			(AT223493); In-Line	Fuel	L7693F
RE504836	Oil	LFP4836	AE30507	Air	LAF1780 ¹	(RE522878); Sec.		L8868F
(AT222005); S/N	Trans	LFH8490	(AE30508); -S/N		LAF1811 ²	Pri.		L8872F
-620144			536537			AM39653	Hydraulic	PH710 ⁶⁰³
(AT336140); S/N		LFH8490	AR79680		LAF414 ¹	RE504836	Oil	LFP4836
620145			(AR79679); S/N		LAF926 ²	AT336140	Trans	LFH8490
624KR			536538-			644K w/John Deere 6068HDW83 Engine		
AT300487	Air	LAF6922 ²	RE27091	Fuel	LFF1129	AT223226	Air	LAF8669 ²
AT314583		LAF6923 ¹	(AT81478); W/S		LFF8061	AT175224		LAF8670 ¹
AT191102	Cabin Air	LAF5314	W/S		LFF8061U ¹⁷¹	AT191102	Cabin Air	LAF5314
(RE522878); Sec.	Fuel	L8868F	RE57394	Oil	PH720	(AT223493); In-Line	Fuel	L7693F
Pri.		L8872F	AT168989	Trans	LFH8595	(RE522878); Sec.		L8868F
RE504836	Oil	LFP4836	644G			Pri.		L8872F
AT336140	Trans	LFH8490	AR80653	Air	LAF1532 ¹	AM39653	Hydraulic	PH710 ⁶⁰³
644, 644A			AR80652		LAF1533 ²	RE504836	Oil	LFP4836
AT27824	Air	LAF4186 ²	AT166805	Cabin Air	LAF5821	AT336140	Trans	LFH8490
AT31227		LAF503 ¹	(RE62419); Sec.	Fuel	L3887F	644K w/John Deere 6068HDW83 Engine		
AR44077	Fuel	L1168F		Hydraulic	FP20 ¹⁰⁹⁸	AT223226	Air	LAF8669 ²
AR50041		P1130	AT140030		LFH8595	AT175224		LAF8670 ¹
AT78414	Hydraulic	LP8232	RE57394	Oil	PH720	AT191102	Cabin Air	LAF5314
						(AT223493); In-Line	Fuel	L7693F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 14-Extended Life 171-With Sensor Port 183-Dust and odor filter 210-w/ Sensor 249-No chemical 275-Primary 554-Recirculation 603-Tank Breather 682-2 micron 1014-Kit, cartridge and spin-on filter 1098-Return Differential 1355-S/O at tank

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOY (AIR COMPRESSOR)			JOY (AIR COMPRESSOR)			JOY (AIR COMPRESSOR)		
<i>D100S, D100V w/Ford 172D Engine (cont'd)</i>			<i>EXTMF2 Drill</i>			<i>RPQ800 w/Bedford 220 Engine (cont'd)</i>		
	Hydraulic	LFP1652 ⁷⁸¹	P130747	Air	LAF1881		Oil	P72
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>G100QP w/International C196 Engine</i>			<i>RPQ800 w/Detroit 6V71N Engine</i>		
<i>D1100QP w/Detroit Diesel 8V-71 Engine</i>			<i>G100V w/International UC153 Engine</i>			00519002	Air	LAF2517 ¹ LAF8627 ²
P116446	Air	LAF1765 ¹		Hydraulic	LFP1652 ⁷⁸¹	<i>RPQ850, RPS850 w/Caterpillar 3306 Engine</i>		
P116453		LAF6453 ² LAF6453MXM ^{2, 268}	<i>G150V, G185S w/International UC200 Engine</i>			3606283-21	Air	LAF2517 ¹ LAF8627 ²
<i>D1300QP w/Caterpillar 3208 Engine</i>			<i>G185P w/International C196 Engine</i>			<i>RPS1200, RPQ1200 w/Caterpillar Engine</i>		
P117623	Air	LAF1785 ¹		Hydraulic	LFP1652 ⁷⁸¹	5L1203	Air	LAF203
P111858		LAF1858 ²	<i>G185QP w/John Deere 4219D Engine</i>			3606283-21		LAF2517 ¹
<i>D1300QP w/Detroit 8V-92T Engine</i>				Fuel	P1130	4L9853		LAF853
P117623	Air	LAF1785 ¹		Hydraulic	LFP1652 ⁷⁸¹	00519002		LAF8627 ²
P111858		LAF1858 ²		Oil	FP20		Oil	LP32 ⁷⁸¹
<i>D1300QP w/Detroit Diesel 8V-71 Engine</i>			<i>GPV160G21 w/Continental Engine</i>			<i>RPS1300, RPQ1300 w/Caterpillar 3406 Diesel Engine</i>		
	Air	LAF1785 ¹ LAF1858 ²		Oil	P141 P3 ¹⁴⁸	P107702	Air	LAF1937 ² LAF2517 ¹
<i>D150V, D185S w/John Deere 4219D Engine</i>			<i>HD Continuous Miner</i>			<i>RPS175 w/Hercules D-2300 Engine</i>		
AR50041	Fuel	P1130	K-10	Hydraulic	LFH4204 ¹⁰⁷⁷	<i>RPS175 w/Hercules D-2300 Engine</i>		
	Hydraulic	LFP1652 ⁷⁸¹	<i>RP1200, RPS1200 w/Detroit Diesel Engine</i>			Sec.	Fuel	L296F ⁴¹
T19044	Oil	FP20		Oil	LP32 ⁷⁸¹		Oil	LFP3411 P141
<i>D185 w/John Deere 4039 Engine</i>			<i>RP125G w/Continental FA162 Engine</i>			<i>RPS175 w/VC-200 Engine</i>		
AR50041	Fuel	P1130		Oil	P3		Oil	LFP54
T19044	Oil	FP20	<i>RP250D w/Hercules DD-339 Engine</i>			<i>RPS650</i>		
<i>D275QP w/John Deere 4276T Engine</i>			Sec.	Fuel	261F	1224974	Air	LAF1937 ²
P124861	Air	LAF1810 ²	290283-DS	Oil	LP132	3606283-21		LAF2517 ¹
P124860		LAF1854 ¹	285253-BS		LP38	00519002		LAF8627 ²
	Oil	PH725 ⁷⁸¹	<i>RP315 w/International UD-525 Engine</i>			<i>RPS750 w/Caterpillar D333T Engine</i>		
<i>D450QP w/Caterpillar 3208 Engine</i>				Oil	P92 ⁷⁸¹	A-222049	Oil	LP32 ⁷⁸¹
3606283-21	Air	LAF2517 ¹	<i>RP365D, RP365D30 w/Detroit Diesel 4-71 Engine</i>			<i>RPS900, RPQ900, RPS1050, RPQ1050 w/Detroit Diesel 8V-71N Engine</i>		
P108578		LAF8627 ²		Oil	LP32 ⁷⁸¹	1224974	Air	LAF1937 ² LAF2517 ¹
<i>D450QP w/Caterpillar 3304 Engine</i>			<i>RP600D, RPS600 w/Detroit Diesel Engine</i>			360628321	Oil	LP32 ⁷⁸¹
P124861	Air	LAF1810 ²	3606283-21	Air	LAF2517 ¹	<i>RPS900D20, RPS900D30 w/Detroit Diesel 6-110 Engine</i>		
P124860		LAF1854 ¹			LAF4289			
	Hydraulic	LP509 ⁷⁸¹	1225129		LAF8627 ²			
<i>D450QP w/Detroit Diesel 4-71 Engine</i>				Oil	LP32 ⁷⁸¹	<i>RP900 w/Cummins NRT0-6 Engine</i>		
P124861	Air	LAF1810 ²	<i>RP900 w/Cummins NRT0-6 Engine</i>				Oil	LP32 ⁷⁸¹
P124860		LAF1854 ¹	<i>RPQ100S w/International UC153 Engine</i>			<i>RPV100G20, RPV160G21 w/Continental Engine</i>		
	Hydraulic	LP509 ⁷⁸¹	3606797	Air	LAF1246 ²		Oil	P141
<i>D450S w/Detroit Diesel 4-71 Engine</i>				Oil	P141	<i>RR125G w/Continental FA162 Engine</i>		
3606283-21	Air	LAF2517 ¹	<i>RPQ150 w/Bedford 220 Engine</i>				Oil	P3
P108578		LAF8627 ²		Fuel	L23F			P92 ⁷⁸¹
<i>D600QP w/Caterpillar 3208 Engine</i>				Oil	P141	<i>RR360 w/Caterpillar 1674 Engine</i>		
P124861	Air	LAF1810 ²			P72	AF-1012	Air	LAF1012HD
P124860		LAF1854 ¹	<i>RPQ150 w/International UC200 Engine</i>			<i>WK-80H, WL-80 w/Continental F-140 Engine</i>		
	Hydraulic	LP509 ⁷⁸¹	P181000	Air	LAF241HD			P3
<i>D800QP w/Caterpillar 3306 Engine</i>				Oil	P141	<i>WK-80H, WL-80 w/Continental F-226 Engine</i>		
P116446	Air	LAF1765 ¹	<i>RPQ1600, RPS1600, RPS1750 w/Detroit Diesel 12V-71 Engine</i>				Oil	P3
P116453		LAF6453 ² LAF6453MXM ^{2, 268}	P107702	Air	LAF1937 ²			P92 ⁷⁸¹
<i>D800QP w/Detroit Diesel 6V-71 Engine</i>			3606283-21		LAF2517 ¹	<i>WN102 w/Detroit Diesel 6-71 Engine</i>		
P116446	Air	LAF1765 ¹	<i>RPQ800 w/Bedford 220 Engine</i>				Air	LAF263HD
P116453		LAF6453 ² LAF6453MXM ^{2, 268}		Air	LAF234HD ²			
<i>DPL1R Jumbo Drill</i>				Fuel	L23F			
	Hydraulic	LFP1652		Oil	P141			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 148-Engine 268-Extended/Severe service 275-Primary 781-Compressor 1077-Hyd. Tank 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KALMAR (LIFT TRUCK)			KALMAR (LIFT TRUCK)			KATO (EQUIPMENT)		
<i>DCD100-6 w/Volvo Engine</i>			<i>DCD180-6 w/Cummins 6BTA5.9 Engine (cont'd)</i>			<i>HD307 w/Isuzu 4JB1 Engine (cont'd)</i>		
466987	Fuel	FP585F	9231100142	Air	LAF8648 ¹	8944147961	Fuel	FP588F
9210970001	Hydraulic	LH4918	920130002	Breather	LH8755	6598903	Hydraulic	LFH4936
466634	Oil	LFP3191	Pri.	Fuel	LFF3417	<i>HD512 w/Mitsubishi 4D34T Engine</i>		
466634		LFP3191TRT ³	Sec.		LFF3521	30830-11200	Air	LAF1246 ²
(477556); By-Pass		LFP3191XL ¹⁴		Oil	LFP780	6598903	Hydraulic	LFH4936
		LFP8642			LFP780XL ¹⁴	<i>HD550SEII w/Mitsubishi 6D14C Engine</i>		
<i>DCD100-6, DCD100-12 w/Cummins 6BTA5.9 Engine</i>			9210970001	Trans	LH4918	P118159	Air	LAF234HD ²
			<i>DCD90-6 w/Cummins 6BTA5.9 Engine</i>			ME015254	Fuel	LFF3527
9234680054	Air	LAF6412 ²	9234680054	Air	LAF6412 ²	ME034611	Oil	LP5912
9231100142		LAF8648 ¹	9231100142		LAF8648 ¹	<i>HD550SEV w/Mitsubishi 6D31T Engine</i>		
920130002	Breather	LH8755	920130002	Breather	LH8755	P118166	Air	LAF8668 ²
Pri.	Fuel	LFF3417	Pri.	Fuel	LFF3417	P119375		LAF8674 ¹
Sec.		LFF3521	Sec.		LFF3521	ME015254	Fuel	LFF3527
	Oil	LFP780		Oil	LFP780	ME014838	Oil	LFP5010
		LFP780XL ¹⁴			LFP780XL ¹⁴	ME088519		LFP6007
9210970001	Trans	LH4918	9210970001	Trans	LH4918	<i>HD550SEVII w/Mitsubishi 6D3T Engine</i>		
<i>DCD120-6, DCD120-12 w/Cummins 6BTA5.9 Engine</i>			KATO (EQUIPMENT)			P118166	Air	LAF8668 ²
			<i>HD1023 w/Mitsubishi 6D16T Engine</i>			P119375		LAF8674 ¹
9234680054	Air	LAF6412 ²	P118166	Air	LAF8668 ²	ME015254	Fuel	LFF3527
9231100142		LAF8648 ¹	P119375		LAF8674 ¹	ME088532	Oil	LFP8752
920130002	Breather	LH8755	ME015254	Fuel	LFF3527	<i>HD700G, HD770SE w/Mitsubishi 6D11C Engine</i>		
Pri.	Fuel	LFF3417	ME074013	Oil	LFP2440	30030-76801	Air	LAF234HD ²
Sec.		LFF3521	ME034611		LP5912	<i>HD700SELV</i>		
	Oil	LFP780	<i>HD1100Q, HD1500G, HD1800G w/Komatsu NH220-CI Engine</i>			119-61202000	Air	LAF8668
		LFP780XL ¹⁴		Air	LAF1759 ¹	<i>HD700SEV, HD700SEVII w/Mitsubishi 6D31T Engine</i>		
9210970001	Trans	LH4918			LAF1775 ¹	P118166	Air	LAF8668 ²
<i>DCD136-6 w/Cummins 6BTA5.9 Engine</i>			31230-12700		LAF6769	P119375		LAF8674 ¹
					LAF6769MXM ²⁶⁸	ME015254	Fuel	LFF3527
9234680054	Air	LAF6412 ²		Fuel	L3519F	ME014838	Oil	LFP5010
9231100142		LAF8648 ¹		Oil	LP5100	ME088519		LFP6007
920130002	Breather	LH8755	<i>HD1250SELV w/Mitsubishi 6D22T Engine</i>			<i>HD750G, HD850G</i>		
Pri.	Fuel	LFF3417	119-60502000	Air	LAF6587	30030-76801	Air	LAF234HD ²
Sec.		LFF3521			LAF6587MXM ²⁶⁸	<i>HD850G, HD880SE, HD1200G, HD1220SE w/Mitsubishi 6D22C Engine</i>		
	Oil	LFP780		Fuel	LFF5127	31930-35100	Air	LAF237 ²
		LFP780XL ¹⁴		Oil	LP2545	<i>NK160 16Ton, MK200 20Ton, NK250 25Ton, NK300 30Ton, NK350 35Ton, NK400 40Ton, NK450 45Ton</i>		
9210970001	Trans	LH4918	ME-064356		LP2545	ME-063140	Air	LAF1834 ²
<i>DCD150-12 w/Cummins 6BTA5.9 Engine</i>			<i>HD1250SEV w/Mitsubishi 6D22T Engine</i>			ME-056670	Fuel	LFF5127
			119-60502000	Air	LAF6587	ME-064356	Oil	LP2545
9234680054	Air	LAF6412 ²		Fuel	LFF5127	KAWASAKI (GENERATOR)		
9231100142		LAF8648 ¹		Oil	LP2545	<i>GE4000-AS</i>		
920130002	Breather	LH8755	<i>HD180G w/Mitsubishi 4D31 Engine</i>			49065-2071 Oil PH2840		
Pri.	Fuel	LFF3417		Fuel	LFF5127	<i>GE4500-AS</i>		
Sec.		LFF3521		Oil	LP2545	49065-2071 Oil PH2840		
	Oil	LFP780	<i>HD300GS, HD400G, HD400GL, HD400GS, HD450G, HD500G, HD550G, HD550GS w/Mitsubishi 6DS70C Engine</i>			<i>GE5000-AS</i>		
		LFP780XL ¹⁴			LFP2545	49065-2071 Oil PH2840		
9210970001	Trans	LH4918	ME-064356	Oil	LP2545	<i>POWERPARTNER 6000-A1</i>		
<i>DCD160-6, DCD160-9, DCD160-12 w/Cummins 6BTA5.9 Engine</i>			<i>HD1880SE w/Mitsubishi 8DC81C Engine</i>			49065-2071 Oil PH2840		
			31230-12700	Air	LAF6769 ²	KAWASAKI (WHEEL LOADER)		
9234680054	Air	LAF6412 ²			LAF6769MXM ^{2, 268}	<i>115 ZIII w/Cummins KT19C Diesel Engine</i>		
9231100142		LAF8648 ¹	31230-80500	Oil	LAF9373 ¹	30981-70100 Air LAF1787 ²		
920130002	Breather	LH8755			LP2545			
Pri.	Fuel	LFF3417	<i>HD307 w/Isuzu 4JB1 Engine</i>					
Sec.		LFF3521	8941560520	Air	LAF1800			
	Oil	LFP780						
		LFP780XL ¹⁴						
9210970001	Trans	LH4918						
<i>DCD180-6 w/Cummins 6BTA5.9 Engine</i>								
9234680054	Air	LAF6412 ²						

K

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 268-Extended/Severe service

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KAWASAKI (WHEEL LOADER)			KAWASAKI (WHEEL LOADER)			KAWASAKI (WHEEL LOADER)		
<i>115 ZIII w/Cummins KT19C Diesel Engine (cont'd)</i>			<i>70ZV w/Cummins QSB5.9L engine</i>			<i>95 ZIII, 95 ZIV w/Cummins NTA855 Engine</i>		
30981-70090	Air	LAF1790 ¹		Air	LAF1813 ² LAF1814 ¹		Air	LAF8634 ² LAF8641 ¹
3318319	Coolant	LFW2055						
3318201 (3308638); W/S	Fuel	LFF8020	Sec. W/S	Fuel	LFF5421 LFF9732 ²⁷⁵	<i>95ZV w/Cummins QSX15 engine</i>		
30981-70080	Hydraulic	LFH4910		Oil	LFP3970		Air	LAF1787 ² LAF1790 ¹
LF670SC	Oil	LFP670	<i>80 ZII, 80 ZIII, 80 ZIV w/Cummins 6CT8.3 Engine</i>				Coolant	LFW2127 ^{14, 249}
LF670SC (3304232); By-Pass By-Pass		LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴	30980-70060	Air	LAF1813 ² LAF1814 ¹	W/S	Fuel	LFF1007 ²¹⁰
30981-70080	Trans	LFH4910	30980-70050	Coolant	LFW4071 ²⁸		Hydraulic	LH8544
<i>115 ZIV, 115 ZIV-2 w/Cummins QSK19 Engine</i>			Pri.	Fuel	LFF3417		Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723}
3098170100	Air	LAF1787 ²	Sec.		LFF3521	<i>KLD 60Z w/Isuzu 6BB1 Engine</i>		
3098170090		LAF1790 ¹	30981-70020	Hydraulic	LFH4972		Fuel	L3528F
WF2075	Coolant	LFW4075 ⁶⁴⁴		Oil	LFP3000 LFP3000XL ¹⁴	1878100751	Oil	LP2256
(FS1000); W/S	Fuel	LFF1000	<i>80 ZIV w/Cummins LT10 Engine</i>			<i>KLD 65Z w/Isuzu 6BD1 Engine</i>		
3318853	Oil	LFP3000 LFP3000XL ¹⁴	30980-70060	Air	LAF1813 ² LAF1814 ¹		Fuel	L3528F
3098170080	Trans	LFH4910	30980-70050			<i>KLD 65Z w/Isuzu DA640 Engine</i>		
<i>50 ZIV w/Cummins 4BT3.9 Engine</i>			<i>80ZV w/Cummins 6CTAA8.3 engine</i>				Air	LAF8668
	Air	LAF4544 LAF4545		Air	LAF1787 ² LAF1790 ¹		Fuel	L3528F
	Fuel	L3523F LFF3417 LFF3521 LFF9608		Coolant	LFW4071 ²⁸	<i>KLD 70 w/Isuzu DA640T Engine</i>		
(FS19608); W/S		LFF9608	Pri.	Fuel	LFF3417		Air	LAF8668 ² LAF8674 ¹
	Oil	LFP3900	Sec.		LFF3521		Fuel	L3528F
<i>50ZV w/B4.5T Engine</i>				Oil	LFP3000XL ¹⁴	<i>KLD 70B w/Isuzu 6BD1T Engine</i>		
	Fuel	L3523F LFF9608	<i>80ZV-2 w/Cummins QSC8.3 engine</i>				Fuel	L3528F
(FS19608); W/S		LFP3900	W/S	Fuel	LFF1022 LFF9732		Oil	LP2256
	Oil	LFP3900		Oil	LFP3000XL ¹⁴	<i>KLD 80 w/Isuzu E120 Engine</i>		
<i>60 Z w/Cummins 5.9L Engine</i>			<i>85 ZII, 85 ZIV w/Cummins LT10C Engine</i>			P106587	Air	LAF6587 ² LAF6587MXM ^{2, 268}
ZZP181191	Air	LAF1768 ² LAF8392 ¹	YYP106769	Air	LAF6769 ² LAF6769MXM ^{2, 268}	P106834		LAF6834 ¹
3098170390			YYP106775		LAF9373 ¹	<i>KLD 80Z</i>		
<i>60 ZII w/Isuzu 6BD1 Engine</i>			P171298	Hydraulic	LFH5079G		Air	LAF8668 ² LAF8674 ¹
	Air	LAF1544 ² LAF1933 ¹	<i>90 ZII, 90 ZIII w/Cummins LTA10C Engine</i>			<i>KLD 85Z w/Isuzu PD604 Engine</i>		
	Fuel	L3528F	30981-70100	Air	LAF1787 ² LAF1790 ¹	P106769	Air	LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹
	Oil	LP2256	30981-70090					
<i>65 ZII w/Isuzu 6BG1 Engine</i>			(3098170080); 90 ZIII Only	Hydraulic	LFH5079G	<i>KSS 110 Z w/Cummins KT1150 Engine</i>		
YYP1086668	Air	LAF8668 ² LAF8674 ¹	<i>90ZV w/Cummins QSM 10.8L Diesel Engine</i>				Air	LAF64 ²
YYP108674				Air	LAF8634 ² LAF8641 ¹	<i>KSS 110 ZII w/Cummins KT1150 Engine</i>		
	Fuel	L3528F	W/S	Fuel	LFF1000	YYP128356	Air	LAF9155 ² LAF9155MXM ^{2, 268}
30981-70020	Hydraulic	LFH4972		Hydraulic	LH8544	YYP128355		LAF9159 ¹
	Oil	LP2256		Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	<i>KSS 50 Z w/Deutz F4L912 Engine</i>		
<i>65 ZIII, 65 ZIV w/Isuzu 6BG1 Engine</i>				Trans	LFH5079G		Fuel	FP586F
ZZP181191	Air	LAF1768 ² LAF8392 ¹	<i>90ZV-2 w/Cummins QSM 10.8L Diesel Engine</i>				Oil	PH2819
3098170390				Air	LAF8634 ² LAF8641 ¹	<i>KSS 60 Z w/Isuzu 6BB1 Engine</i>		
	Fuel	LFF3415	W/S	Fuel	LFF1000	YYP112212	Air	LAF1933 ¹ LAF234HD ²
	Oil	LFP734		Hydraulic	LH8544	YYP101234		
<i>70 ZII, 70 ZIII, 70 ZIV w/Cummins 6BTA5.9 Engine</i>				Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	<i>KSS 65 Z w/Isuzu DA640 Engine</i>		
30980-70060	Air	LAF1813 ² LAF1814 ¹					Air	LAF234HD ²
30980-70050						<i>KSS 65 Z, KSS 65 ZB w/Isuzu 6DB1 Engine</i>		
Sec.	Fuel	LFF3417					Air	LAF234HD ²
Sec.		LFF3521					Fuel	L3528F
30981-70020	Hydraulic	LFH4972					Oil	LP2256
	Oil	LFP780						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 28-Contains 1 oz. of chemical 182-Contains 2 oz. of chemical 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 268-Extended/Severe service 275-Primary 644-Contains 6 oz. of chemical 723-13.9" Hgt.

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KAWASAKI (WHEEL LOADER)			KIOTI (TRACTOR)			KIOTI (TRACTOR)		
<i>KSS 70 B, C, D w/Cummins V504 Engine</i>			<i>CK2554 (cont'd)</i>			<i>DK45SE w/4A220LW Engine</i>		
	Air	LAF8668 ² LAF8674 ¹	84612-43160 E6201-32443	Fuel Oil	L549F PH2856A	E7230-11081 E7230-11081	Air	LAF8114 ¹ LAF8143 ²
<i>KSS 70 D w/Isuzu 6BD1T Engine</i>			<i>CK27 w/3A139LWM Engine</i>			<i>DK50, DK50C w/4A200T Engine</i>		
YYP108668 YYP108674	Air	LAF8668 ² LAF8674 ¹	P822768 84612-43160 E6201-32443	Air Fuel Oil	LAF8114 ¹ LAF8143 ² L549F PH2856A	84612-43160 E6201-32443	Fuel Oil	L549F PH2856A
<i>KSS 80 B w/E120 Engine</i>			<i>CK30 w/3A150LXD/E Engine</i>			<i>DK55, DK55C w/4A220T Engine</i>		
	Fuel Oil	L3528F LP2256	E6300-11081 84612-43160 E6201-32443	Air Fuel Oil	LAF8212 ² L549F PH2801	P822768 E6201-32443	Air Oil	LAF8143 ² PH2856A
<i>KSS 80 C w/Cummins NH 220 Engine</i>			<i>CK3510 (w/Daedong 3F183 Engine)</i>			<i>DK55, DK55C w/Daedong 4A220T Engine</i>		
	Air	LAF6587 ² LAF6587MXM ^{2, 268} LAF6834 ¹	E7230-11081 T2185-38031 E6201-32443	Air Hydraulic Oil	LAF8143 ² LAF8143 ² LAF8143 ² LAF8143 ² PH2856A	E7230-11081 E7230-11081 E6201-32443	Air Air Oil	LAF8114 ¹ LAF8143 ² LAF8143 ² PH2856A
<i>KSS 80 CT, KSS 85 ZIIC w/Cummins NT06 Engine</i>			<i>CK4010 (w/Daedong 3F183 Engine)</i>			<i>DK551 w/Daedong 4 cyl. 2.2L 55 hp Turbo Diesel Engine</i>		
	Air	LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹	E7230-11081 T2185-38031 E6201-32443	Air Hydraulic Oil	LAF8143 ² LAF8143 ² LAF8143 ² LAF8143 ² PH2856A	E7230-11081 E7230-11081 E6201-32443	Air Air Oil	LAF8114 ¹ LAF8143 ² PH2801
<i>KSS 80 ZII w/Cummins V504C Engine</i>			<i>CS2210 (w/Shibaura S773L Engine)</i>			<i>DK5510 (w/Daedong 3F183T Engine)</i>		
	Air	LAF7315 ¹ LAF9000 ²		Air Oil	LAF8388 PH2835	E6201-32443	Oil	PH2856A
<i>KSS 80 ZII w/PD604 Engine</i>			<i>CS2410 (w/Shibaura S773L Engine)</i>			<i>DK55SE, DK55SE HST (w/Kioti 4B243LWH Engine)</i>		
15274-90225 15274-99325	Oil	LP5899 LP8708		Air Oil	LAF8388 PH2835	P822768 P822768	Air	LAF8114 ¹ LAF8143 ²
<i>KSS 85 ZII w/Cummins NTO-6C1 Engine</i>			<i>CS2510 (w/Shibaura S773L Engine)</i>			<i>DK65 w/903-27 Engine</i>		
YYP106769 YYP106775	Air	LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹		Air Oil	LAF8388 PH2835	E6201-32443	Oil	PH2856A
<i>KSS 95 ZII w/Cummins Engine</i>			<i>DK35 w/3B165 Engine</i>			<i>DK65 w/903-27 Engine</i>		
	Air	LAF9155 ² LAF9155MXM ^{2, 268} LAF9159 ¹	E6300-11081 84612-43160 76KD-10331 E6201-32443	Air Fuel Oil	LAF8212 ² L549F L550F PH2856A		Air Fuel Oil	LAF1394 ¹ LAF6032 L296F ⁴¹ LFF6925 ⁹⁴² LMB6926 ⁹⁴³
<i>KSS 95 ZIIC w/Cummins NT855 Engine</i>			<i>DK35SE w/3B183LXM Engine</i>			<i>DK751 w/Perkins 1104C-44 Diesel Engine</i>		
	Air	LAF480	E7230-11081 84612-43160 E6201-32443	Air Fuel Oil	LAF8143 ² L549F PH2856A	E7200-32431	Oil	PH4403
KENDALL (EQUIPMENT)			<i>DK40 w/4A200 Engine</i>			<i>DK751 w/Perkins 1104C-44 Diesel Engine</i>		
<i>690 Cutter w/Cummins 6CT8.3 Engine</i>			<i>DK40SE w/4A200LXM Engine</i>			<i>DK751 w/Perkins 1104C-44 Diesel Engine</i>		
	Air	LAF8668 ² LAF8674 ¹	E6300-11081 84612-43160 76KD-10331 E6201-32443	Air Fuel Fuel Oil	LAF8212 ² L549F L550F PH2856A	Tier 2 Eng.	Oil	LFF6925 ⁹⁴² LMB6926 ⁹⁴³ LFP2292
P163555 P550388	Hydraulic	LFH4431 LFH7355	<i>DK45 w/4A200 Engine</i>			<i>DK902C w/Perkins 1104C-44T Engine</i>		
			E7230-11081 84612-43160 E6201-32443	Air Fuel Oil	LAF8143 ² L549F PH2856A		Air Fuel Oil	LAF4544 ² LAF4545 ¹ LFF6925 ⁹⁴² LMB6926 ⁹⁴³ LFP2292
KIOTI (TRACTOR)			<i>DK45 w/4A200 Engine</i>			<i>DK902C w/Perkins 1104C-44T Engine</i>		
<i>CK20, CK20S w/3C093 Engine</i>			<i>DK45 w/4A200 Engine</i>			<i>DK90C w/Perkins 1104C-44T Engine</i>		
T2350-11641 76KD-10331 E5205-32091	Air Fuel Oil	LAF8388 ² L550F PH2808	E6300-11081 84612-43160 E6201-32443	Air Fuel Oil	LAF8212 ² L549F PH2856A	Tier 2 Eng.	Oil	LFF6925 ⁹⁴² LMB6926 ⁹⁴³ LFP2292
<i>CK25, CK25H w/TD1300LXA Engine</i>			<i>DK45, DK45S DK45HST w/Daedong 4A200 Engine</i>			<i>DK90C w/Perkins 1104C-44T Engine</i>		
E7230-11081 84612-43160 E6201-32443	Air Fuel Oil	LAF8114 ¹ LAF8143 ² L549F PH2801	E7230-11081 E6201-32443	Air Oil	LAF8143 ² PH2856A	Tier 2 Eng.	Oil	LFF6925 ⁹⁴² LMB6926 ⁹⁴³ LFP2292
<i>CK2554</i>			<i>DK4510 (w/Daedong 3F183T Engine)</i>			<i>DS3510 w/3A165LWD tier 4 Engine</i>		
15307-11081 E6300-11081	Air	LAF1275 ¹⁸¹ LAF8212 ²	E6201-32443	Oil	PH2856A		Air	LAF8114 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 181-Single 268-Extended/Severe service 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1386-with tier 3 engine

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KIOTI (TRACTOR)			KIOTI (TRACTOR)			KOBELCO (EQUIPMENT)		
<i>DS3510 w/3A165LWD tier 4 Engine (cont'd)</i>			<i>LB1714, LB1914 (cont'd)</i>			<i>645 w/Allis Chalmers 3500 Engine</i>		
P822768	Air	LAF8143 ²	E520532091	Oil	PH2808	660360	Air	LAF8668
	Oil	L549F	<i>LB2202, LB2204, LB2214</i>			662609		LAF8674 ¹
E6201-32443		PH2856A	8461243161	Fuel	L549F	<i>670S w/Mitsubishi 6DC20C Engine</i>		
<i>DS4110 w/4A200LWM Tier 4 Engine</i>			1530132431	Oil	PH2856A	3113002300	Air	LAF234HD ²
P822768	Air	LAF8114 ¹	<i>LB2614</i>			<i>745 w/Allis Chalmers 1100 Engine</i>		
	Oil	LAF8143 ²	1530111081	Air	LAF1275 ²	659533	Air	LAF6769
E6201-32443		L549F	8461243161	Fuel	L549F			LAF6769MXM ²⁶⁸
		PH2856A	1530132431	Oil	PH2856A	4371021	Oil	LP132
<i>DS4510 w/4A220LWM Tier 4 Engine</i>			<i>LK30 w/Daedong 3A150 Engine</i>			<i>745D w/Cummins Engine</i>		
P822768	Air	LAF8114 ¹	E6300-11081	Air	LAF8212 ²	2446U177S3	Air	LAF6632
	Oil	LAF8143 ²	84612-43160	Fuel	L549F			LAF6632MXM ²⁶⁸
E6201-32443		L549F	E6201-32443	Oil	PH2856A	2446U177S2		LAF6641
		PH2856A	<i>LK3054</i>			<i>745N w/Nissan PD6T04 Engine</i>		
<i>DX100 w/Perkins 1104C-44T Engine</i>			(1530111081); -S/N	Air	LAF1275 ²	659533	Air	LAF6769
	Air	LAF4544 ²	0265-0070		LAF8212 ²			LAF6769MXM ²⁶⁸
		LAF4545 ¹	(E6300-11081); S/N			<i>995A w/UHRS6-1 Engine</i>		
	Fuel	LFF6925 ⁹⁴²	1265-00001-				Air	LAF46
		LMB6926 ⁹⁴³	8461243161	Fuel	L549F		Fuel	L43F
Tier 2 Eng.	Oil	LFP2292	1530132431	Oil	PH2856A		Oil	LP566
		LFP2698 ¹³⁸⁶	<i>NX4510 (w/Daedong 3F183T Engine)</i>			<i>H350, H350L w/Mitsubishi 6DS30C Engine</i>		
<i>DX7510 w/Perkins 1104C-44T Engine</i>			T4710-11081	Air	LAF8148	3083011200	Air	LAF1246 ²
	Air	LAF4544 ²	E6201-32443	Oil	PH2856A	<i>H750 w/Isuzu DA640 Engine</i>		
		LAF4545 ¹	<i>NX5010 (w/Daedong 3F183T Engine)</i>			9142151350	Air	LAF1246 ²
	Fuel	LFF6925 ⁹⁴²	T4710-11081	Air	LAF8148	<i>MD120 w/Kobelco Engine</i>		
		LMB6926 ⁹⁴³	E6201-32443	Oil	PH2856A	2451U2063	Air	LAF234HD ²
Tier 2 Eng.	Oil	LFP2292	<i>NX5510 (w/Daedong 3F183T Engine)</i>			ME016823	Fuel	LFF3527
		LFP2698 ¹³⁸⁶	T4710-11081	Air	LAF8148	2451U3031	Oil	LFP2255 ⁶⁵
<i>DX9010 w/Perkins 1104C-44T Engine</i>			E6201-32443	Oil	PH2856A	ME014838		LFP5010
	Air	LAF4544 ²	<i>NX6010 (w/Daedong 3F183T Engine)</i>			<i>MD140 w/Kobelco Engine</i>		
		LAF4545 ¹	T4710-11081	Air	LAF8148	3123012700	Air	LAF6769 ²
	Fuel	LFF6925 ⁹⁴²	E6201-32443	Oil	PH2856A			LAF6769MXM ^{2, 268}
		LMB6926 ⁹⁴³	<i>PX9020 (w/Perkins 1104-44T Engine)</i>			2446U154S2		LAF8674 ¹
Tier 2 Eng.	Oil	LFP2292	2654407	Oil	LFP2292	<i>MD180 w/Kobelco Engine</i>		
		LFP2698 ¹³⁸⁶	<i>REMOVE NO LISTING</i>			6260800200	Air	LAF6769 ²
<i>EX35 w/Daedong 3CYL Diesel 1.8L 38 hp Engine</i>				Base	LMB6926 ⁹⁴³			LAF6769MXM ^{2, 268}
	Air	LAF8114 ¹		Fuel	LFF6925 ⁹⁴²			LAF8674 ¹
P822768		LAF8143 ²	<i>RX6010 (w/Kioti 4B243TLWM Engine)</i>			ME035393	Fuel	LFF3886
E6201-32443	Oil	L549F		Air	LAF8143 ²	24046Z18	Hydraulic	LH8544
		PH2856A	E6201-32443	Oil	PH2856A	<i>MD200 w/Kobelco Engine</i>		
<i>EX40 w/Daedong 4CYL Diesel 2.0L 41 hp Engine</i>			<i>RX6620 (w/Daedong 4F243T Engine)</i>			<i>MD200 w/Kobelco Engine</i>		
P822768	Air	LAF8114 ¹	T4710-11081	Air	LAF8148	2446U242S2	Air	LAF1804 ²
		LAF8143 ²	E6201-32443	Oil	PH2856A	ME035393	Fuel	LFF3886
E6201-32443	Oil	L549F	<i>RX7320 (w/Daedong 4F243T Engine)</i>			ME084530	Oil	LFP6007
		PH2856A	T4710-11081	Air	LAF8148	<i>MD240 w/Kobelco Engine</i>		
<i>EX45 w/Daedong 4CYL Diesel 2.2L 45 hp Engine</i>			E6201-32443	Oil	PH2856A	2446U249S1	Air	LAF1532 ¹
P822768	Air	LAF8114 ¹	KOBELCO (EQUIPMENT)			2446R312S2		LAF1768 ²
		LAF8143 ²	<i>315, 320H, 325, 335AS, 440S, 540S w/Mitsubishi 6BD10C Engine</i>			3113016400		LAF6587 ²
E6201-32443	Oil	L549F	<i>545H w/Allis Chalmers 3400 Engine</i>					LAF6587MXM ^{2, 268}
		PH2856A	3003076801	Air	LAF234HD ²	2446U141S2	Hydraulic	LP6005
<i>EX50 w/Daedong 4 cyl. 2.4L 50 hp Diesel Engine</i>			<i>545H w/Allis Chalmers 3400 Engine</i>			<i>MD240C w/Mitsubishi 6D15T Engine</i>		
P822768	Air	LAF8114 ¹	654409	Air	LAF6587	ME035393	Fuel	LFF3886
		LAF8143 ²			LAF6587MXM ²⁶⁸	24064Z18	Hydraulic	LH8544 ⁶⁰⁷
E6201-32443	Oil	L549F	662608		LAF6834 ¹	2446U141S2		LP6005 ¹⁰⁷⁸
		PH2856A	<i>550S, 645N, LK700 w/Nissan PD604 Engine</i>			ME074013	Oil	LFP2440
<i>LB1714, LB1914</i>			660360	Air	LAF8668	<i>MD300 w/Kobelco Engine</i>		
76KD10331	Fuel	L550F	662609		LAF8674 ¹	3113016400	Air	LAF6587 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 65-By-Pass 268-Extended/Severe service 607-Return 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1078-Drain 1386-with tier 3 engine

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOBELCO (EQUIPMENT)			KOBELCO (EXCAVATOR)			KOBELCO (EXCAVATOR)		
<i>MD300 w/Kobelco Engine (cont'd)</i>			<i>CK550 w/Mitsubishi 6D15T Engine (cont'd)</i>			<i>K903C w/Isuzu 4JB1 Engine (cont'd)</i>		
	Air	LAF6587MXM ^{2, 268}	2446U141S2	Hydraulic	LP6005 ¹⁰⁷⁸	2451U1543N	Air	LAF8639 ²
3003083100		LAF6834 ¹	VAME064356	Oil	LP2545	2451U2212	Fuel	FP588F
ME056670	Fuel	LFF5127	<i>CK800 w/Mitsubishi 6D24TEB Engine</i>			R36P0019	Hydraulic	LH5942 ¹¹³⁷
ME064356	Oil	LP2545	2446U191S3	Air	LAF1834 ²	2446U215S5		PH2827 ¹⁰⁷⁸
<i>MD320, MD400 w/Kobelco Engine</i>			VAME056670	Fuel	LFF5127	2451U3031	Oil	LFP2255
2446U19153	Air	LAF1834 ²	2446U141S2	Hydraulic	LP6005 ¹⁰⁷⁸	<i>K904 II, K904LC II w/Isuzu 4BD1 Engine</i>		
2446U19152		LAF1835 ¹	VAME064356	Oil	LP2545	2451R1243A	Air	LAF1544 ²
<i>MD450 w/Kobelco Engine</i>			<i>CK850 w/Mitsubishi 6D16000000 Engine</i>			2451R1243B		LAF1933 ¹
2446U25053	Air	LAF1787 ²	EZ11P00003S002	Air	LAF1813 ²	2451U3092	Fuel	FP588F
2446U25052		LAF1790 ¹	VAME056670	Fuel	LFF5127	R36P0019	Hydraulic	LH5942
<i>R904A, R904L w/Mitsubishi 6DS70C Engine</i>			VAME130968	Oil	LFP2440	2446U215S5		PH2827
3083011200	Air	LAF1246 ²	<i>ED150 w/Isuzu 4BG1 Engine</i>			2451U3091	Oil	LFP5748
<i>R904B, R904BL, R907A w/Mitsubishi 6D10C Engine</i>			LP02P000043	Air	LAF4544 ²	<i>K904C w/Mitsubishi 6D14C Engine</i>		
3003076801	Air	LAF234HD ²	LP11P01013P1		LAF4544MXM ^{2, 268}	2451U2063	Air	LAF8674 ¹
<i>R907 w/Deutz F6L912 Engine</i>			EN02P000012	Fuel	LAF4545 ¹	2451U1722A	Fuel	LFF3886
22201640	Air	LAF1246 ²	2451U3091	Oil	FP588F	(24046Z2); S/N	Hydraulic	LH8543
<i>R907B w/Mitsubishi 6D11C Engine</i>			(V18970261342);		LFP5748	K13609 only		
3003076801	Air	LAF234HD ²	By-Pass		LFP7164	2451U1721A	Oil	LP5912
KOBELCO (EXCAVATOR)			<i>ED180 w/Cummins 4BTA3.9 Engine</i>			<i>K904D w/Isuzu 4BD1 Engine</i>		
<i>140SR Acera w/Mitsubishi D04FR Tier 3 engine</i>			2446R277S6	Air	LAF1725 ¹	2451U1253	Air	LAF1246 ²
	Air	LAF5429	2446R277S5		LAF9001 ²	R36P0019	Hydraulic	LH5942
		LAF5430 ¹	(YN50VU0001D2); Pri.	Fuel	LFF3417	2446U215S5		PH2827
	Oil	LFP5120B	YN50VU0001D3		LFF3521	2451U2001	Oil	LP2277
<i>17SR-3 Acera w/Mitsubishi L3EW231KBS Engine</i>			W/S		LFF8020 ⁶⁸⁹	<i>K904E w/Isuzu 4BD1 Engine S/N LW7801-</i>		
PM11P00006S002	Air	LAF8388 ²	(YN02PU1010P1);		LFF9013	2451U1253	Air	LAF1246 ²
MM32088601	Fuel	L3541F	W/S		LFP3900	R36P0019	Hydraulic	LH5942
VA30A400103	Oil	PH2867	YN50VU0001D9	Oil	LFP3900	2446U215S5		PH2827
<i>30SR Acera, 35SR Acera w/Yanmar</i>			<i>ED190 w/Mitsubishi 4D342CT-YJ01 Engine</i>			2451U2001	Oil	LP2277
<i>3TNV88-BPYB Tier 4 Engine</i>			2446R277S6	Air	LAF1725 ¹	<i>K904SS w/Isuzu 6BB1 Engine</i>		
11980255801	Fuel	FP590F	2446R277S5		LAF9001 ²	1142151350	Air	LAF222 ²
12915035152	Oil	PH2808	VAME016872D	Fuel	LFF3527	<i>K905, K905LC w/Isuzu 6BB1 Engine</i>		
<i>50SR, 50SR-3, 50SR-5 w/4TNV88 Engine</i>			VAME215002	Oil	LFP3307	2451U1253	Air	LAF1246 ²
11980255801	Fuel	FP590F	<i>ED195-8 Blade Runner w/F4GE9484DJ6 Tier 3 Engine</i>			2451U1862	Fuel	L3528F
12915035160	Oil	PH2808	YM11P01032P1	Air	LAF5932 ¹	R36P0019	Hydraulic	LH5942
<i>80CS Acera w/Isuzu 4JB1T or 4LE2X Tier 3/4 Engine</i>			YM11P01033P1		LAF8149 ²	2446U215S5		PH2827
YT11P00009S002	Air	LAF8148 ²	87646724	Fuel	FP587F	2451U1861	Oil	LP2256
YW11P01021P1		LAF9332 ¹	87646666	Oil	LFP6015	<i>K905A/ALC w/Isuzu 4BD1 Engine</i>		
8971725491	Fuel	FP588F	<i>K903 II w/Isuzu 4JB1 Engine</i>			2446U154S3	Air	LAF8668 ²
<i>CK1000 w/Mitsubishi 6D24TEB Engine</i>			2446U299S2	Air	LAF1793 ¹	R36P0019	Hydraulic	LH5942
244U191S3	Air	LAF1834 ²	2451U1543N		LAF8639 ²	2446U215S5		PH2827
VAME056670	Fuel	LFF5127	EN02P000012	Fuel	FP588F	2451U2001	Oil	LP2277
VAME064356	Oil	LP2545	R36P0019	Hydraulic	LH5942	<i>K905LC II w/Isuzu 4BD1T Engine</i>		
<i>CK1750 w/Mitsubishi 6D24TEB Engine</i>			2446U215S5		PH2827	2446U154S3	Air	LAF8668 ²
2446U185S3	Air	LAF6769 ²	2451U3031	Oil	LFP2255	2451U1803B		LAF8674 ¹
		LAF6769MXM ^{2, 268}	<i>K903A w/Isuzu 4BB1 Engine</i>			2451U3092	Fuel	FP588F
VAME056670	Fuel	LFF5127		Air	LAF222 ²	R36P0019	Hydraulic	LH5942
VAME064356	Oil	LP2545	<i>K903B w/Isuzu C240 Engine</i>			2446U215S5		PH2827
<i>CK2500 w/Mitsubishi 6D24TCEC Engine</i>			2451U2213	Air	LAF1275 ²	2451U3091	Oil	LFP5748
2446U191S3	Air	LAF1834 ²	2451U221L	Fuel	FP588F	<i>K907B w/Detroit Diesel 4-71 Engine</i>		
VAME056670	Fuel	LFF5127	R36P0019	Hydraulic	LH5942	2451U1243A	Air	LAF6587 ²
<i>CK550 w/Mitsubishi 6D15T Engine</i>			2446U215S5		PH2827			LAF6587MXM ^{2, 268}
2451U324-3	Air	LAF1768 ²	8970246071	Oil	LFP8416	2451U1243B		LAF6834 ¹
VAME015254	Fuel	LFF3886	<i>K903C w/Isuzu 4JB1 Engine</i>			25020959	Fuel	LFP936F
				Air	LAF1793 ¹	R36P0019	Hydraulic	LH5942
						5573014	Oil	LP132

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 268-Extended/Severe service 689-Bowless 1078-Drain 1137-Pilot

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOBELCO (EXCAVATOR)			KOBELCO (EXCAVATOR)			KOBELCO (EXCAVATOR)		
<i>K907B-2 w/Mitsubishi 6D15C Engine</i>			<i>K909LC II w/Mitsubishi 6D15T Engine</i>			<i>K914 w/Mitsubishi 8DC8 Engine (cont'd)</i>		
3003084100	Air	LAF8668 ²	2446U312S2	Air	LAF1768 ²	2451U1243B	Air	LAF6834 ¹
3003084200		LAF8674 ¹	2446U249S1		LAF8392 ¹	2451U1662	Fuel	L61F
2451U1722A	Fuel	LFF3886	2451U1722A	Fuel	LFF3886	2451U1802N		LFF5127
<i>K907C, K907CLC w/Kubota 6D15C, 6D15T Engine</i>			R36P0019	Hydraulic	LH5942 ¹¹³⁷	24046Z141	Hydraulic	LH5751 ⁶⁰⁷
2451U2063	Air	LAF8674 ¹	2446U252S2		LP6005 ¹⁰⁷⁸	R36P0019		LH5942 ¹¹³⁷
2451U1722A	Fuel	LFF3886	2451U3241	Oil	LFP2440	24046Z18		LH8544
R3690019	Hydraulic	LH5942	2451U1721A		LP5912	2446U215S5		PH2827 ¹⁰⁷⁸
2446U215S5		PH2827	<i>K912A w/Mitsubishi 6D22T Engine</i>			2451U1801	Oil	LP2545
2451U1721A	Oil	LP5912	2446U191S3	Air	LAF1834 ²	<i>K916LC II w/Mitsubishi 6D22TC Engine</i>		
<i>K907D, K907DLC w/Mitsubishi 6D14T</i>			2446U191S2		LAF1835 ¹	2446U250S3	Air	LAF1787 ²
2446U154S3	Air	LAF8668 ²	2451U1802N	Fuel	LFF5127	2446U250S2		LAF1790 ¹
2451U1803B		LAF8674 ¹	24046Z141	Hydraulic	LH5751 ⁶⁰⁷	2451U1802N	Fuel	LFF5127
2451U1722A	Fuel	LFF3886	R36P0019		LH5942 ¹¹³⁷	24046Z141	Hydraulic	LH5751 ⁶⁰⁷
24046Z141	Hydraulic	LH5751	24046Z18		LH8544 ⁶⁰⁷	R36P0019		LH5942 ¹¹³⁷
R36P0019		LH5942	2446U141S2		LP6005 ¹⁰⁷⁸	24046Z18		LH8544
2446U215S5		PH2827	VAME064356	Oil	LP2545	2451U1801	Oil	LP2545
2451U1721A	Oil	LP5912	<i>K912A/ALC w/Mitsubishi 6D22C T Engine</i>			<i>K916LC w/Mitsubishi 6D22T Engine</i>		
<i>K907LC II w/Mitsubishi 6D31T Engine</i>			2451U1243A	Air	LAF6587 ²	2446U191S3	Air	LAF1834 ²
2446U242S2	Air	LAF1804 ²			LAF6587MXM ^{2, 268}	2446U191S2		LAF1835 ¹
2451U1243B		LAF6834 ¹	2451U1243B		LAF6834 ¹	ME056670	Fuel	LFF5127
2451U1722A	Fuel	LFF3886	VAME056670	Fuel	LFF5127	24046Z141	Hydraulic	LH5751 ⁶⁰⁷
24046Z141	Hydraulic	LH5751 ⁶⁰⁷	24046Z141	Hydraulic	LH5751 ⁶⁰⁷	24046Z18		LH8544 ⁶⁰⁷
R36P0019		LH5942 ¹¹³⁷	R36P0019		LH5942 ¹¹³⁷	2446U141S2		LP6005 ¹⁰⁷⁸
24046Z18		LH8544 ⁶⁰⁷	24046Z18		LH8544 ⁶⁰⁷	2451U1801	Oil	LP2545
2446U215S5		PH2827 ¹⁰⁷⁸	2446U141S2		LP6005 ¹⁰⁷⁸	<i>K935 w/Detroit Diesel 6-71 Engine</i>		
VAME014838	Oil	LFP5010	2451U1801	Oil	LP2545	2446U185S3	Air	LAF6769 ²
2451U3331		LFP6007	<i>K912LC II w/Mitsubishi 6D22CT Engine</i>					LAF6769MXM ^{2, 268}
<i>K907LCII w/Mitsubishi 6D31T Engine</i>			2446U191S3	Air	LAF1834 ²	2460U1964		LAF9373 ¹
	Air	LAF1804 ²	2446U191S2		LAF1835 ¹	5574508	Fuel	L540F
		LAF6834 ¹	2451U1802N	Fuel	LFF5127	R36P0019	Hydraulic	LH5942 ¹¹³⁷
	Fuel	LFF3886	24046Z141	Hydraulic	LH5751 ⁶⁰⁷	24046Z2		LH8543 ⁶⁰⁷
	Hydraulic	LH5751 ⁶⁰⁷	R36P0019		LH5942 ¹¹³⁷	5573014	Oil	LP132
		LH5942 ¹¹³⁷	24046Z18		LH8544 ⁶⁰⁷	(5572425); By-Pass		P71
		LH8544 ⁶⁰⁷	2446U141S2		LP6005 ¹⁰⁷⁸	<i>K935 w/Mitsubishi 6D22C Engine</i>		
		PH2827 ¹⁰⁷⁸	2451U1801	Oil	LP2545	2451U1243A	Air	LAF6587 ²
	Oil	LFP5010	<i>K914 w/Detroit Diesel 8V-71 Engine</i>					LAF6587MXM ^{2, 268}
		LFP6007	2446U212S3	Air	LAF6632 ²	2451U1243B		LAF6834 ¹
<i>K909 w/Detroit Diesel 6-71 Engine</i>					LAF6632MXM ^{2, 268}	2451U1802	Fuel	L5949F
2446U185S3	Air	LAF6769 ²	2446U212S2		LAF6641 ¹	2451U1802N		LFF5127
		LAF6769MXM ^{2, 268}	(25010778); Sec.	Fuel	LFP816FN	R36P0019	Hydraulic	LH5942 ¹¹³⁷
2460U1964		LAF9373 ¹	24046Z141	Hydraulic	LH5751 ⁶⁰⁷	24046Z2		LH8543 ⁶⁰⁷
5574058	Fuel	L540F	R36P0019		LH5942 ¹¹³⁷	2446U141S2		LP6005 ¹⁰⁷⁸
R36P0019	Hydraulic	LH5942 ¹¹³⁷	24046Z18		LH8544 ⁶⁰⁷	2446U215S5		PH2827 ¹⁰⁷⁸
24046Z2		LH8543 ⁶⁰⁷	2446U215S5		PH2827 ¹⁰⁷⁸	2451U1801	Oil	LP2545
5573014	Oil	LP132	25010495	Oil	LFP911	<i>K975 w/Mitsubishi 8DC8T Engine</i>		
<i>K909A w/Mitsubishi 6D22C Engine</i>					LFP911XL ¹⁴	VA3193082400	Air	LAF6641 ¹
2446U191S3	Air	LAF1834 ²	<i>K914 w/Mitsubishi 8DC6 Engine</i>			ME056670	Fuel	LFF5127
2446U191S2		LAF1835 ¹	2451U1243A	Air	LAF6587 ²	24046Z141	Hydraulic	LH5751 ⁶⁰⁷
2446U154S3		LAF8668 ²			LAF6587MXM ^{2, 268}	24046Z18		LH8544 ⁶⁰⁷
2451U1803B		LAF8674 ¹	VA3116209012	Fuel	L549F	ME064356	Oil	LP2545
2451U1802	Fuel	L5949F	24046Z141	Hydraulic	LH5751 ⁶⁰⁷	<i>KW904 w/Isuzu 6BB1 Engine</i>		
VAME056670		LFF5127	VAME064356	Oil	LP2545	2451U1253	Air	LAF1246 ²
R36P0019	Hydraulic	LH5942 ¹¹³⁷	<i>K914 w/Mitsubishi 8DC8 Engine</i>			2451U1862	Fuel	L3528F
2446U141S2		LP6005 ¹⁰⁷⁸	2451U1243A	Air	LAF6587 ²	R36P0019	Hydraulic	LH5942 ¹¹³⁷
2451U1801	Oil	LP2545			LAF6587MXM ^{2, 268}	2446U215S5		PH2827 ¹⁰⁷⁸

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 268-Extended/Severe service 607-Return 1078-Drain 1137-Pilot

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOBELCO (EXCAVATOR)			KOBELCO (EXCAVATOR)			KOBELCO (EXCAVATOR)		
<i>KW904 w/Isuzu 6BB1 Engine (cont'd)</i>			<i>MD240BLC w/Mitsubishi 6D15T Engine (cont'd)</i>			<i>SK024 w/3TN84L-RTBA/B Engine</i>		
2451U1861	Oil	LP2256	2451U1721A	Oil	LP5912	VY12112012901	Air	LAF1275 ²
<i>MD120LC w/Mitsubishi 4D31T Engine</i>			<i>MD240CLC, SK220LC III w/Mitsubishi 6D15T Engine</i>			VY12910055650	Fuel	L549F
2446U154S3	Air	LAF8668 ²				VY12915035151	Oil	PH2808
VAME016872D	Fuel	LFF3527	2451U3243	Air	LAF1768 ²	<i>SK025 w/Yanmar 3TNE78-LRTBA Engine</i>		
R36P0019	Hydraulic	LH5942 ¹¹³⁷	2446U249S1		LAF8392 ¹	11981055650	Fuel	L4103F
2446U215S5		PH2827 ¹⁰⁷⁸	2451U1722A	Fuel	LFF3886	S19100650011	Oil	PH2808
VAME014833	Oil	LFP2255	240462141	Hydraulic	LH5751 ⁶⁰⁷	<i>SK025-2 w/Yanmar 3TNE78AYB Engine</i>		
VAME014838		LFP5010	R36P0019		LH5942 ¹¹³⁷	VY11981055650	Fuel	L4103F
<i>MD140BLC w/Mitsubishi 4D31T Engine</i>			24046Z18		LH8544 ⁶⁰⁷	S19100650011	Oil	PH2808
2446U154S3	Air	LAF8668 ²	2446U141S2		LP6005 ¹⁰⁷⁸	<i>SK025SR w/Yanmar 3TNE78AYBB Engine</i>		
2451U1803B		LAF8674 ¹	ME074013	Oil	LFP2440	VY12935012900	Air	LAF8630 ²
VAME016872D	Fuel	LFF3527	2451U1721A		LP5912	VY12910055650	Fuel	L549F
R36P0019		LH5942 ¹¹³⁷	<i>MD300LC w/Mitsubishi 6D22CT Engine</i>			VY12915035151	Oil	PH2808
2446U215S5	Hydraulic	PH2827 ¹⁰⁷⁸	2451U1243A	Air	LAF6587 ²	<i>SK030 w/Yanmar 3TN84L-RTBB/C Engine</i>		
2451U3031		LFP2255	2451U1243B		LAF6587MXM ^{2, 268}	12112012901	Air	LAF1275 ²
VAME014838	Oil	LFP5010	VAME056670	Fuel	LFF5127	12910055650	Fuel	L549F
<i>MD140CLC w/Isuzu 4BD1T Engine</i>			24046Z141	Hydraulic	LH5751 ⁶⁰⁷	S19100650011	Oil	PH2808
2446U242S2	Air	LAF1804 ²	R36P0019		LH5942 ¹¹³⁷	<i>SK030-2, SK035-2 w/Yanmar 3TNE84-YBB/C Engine</i>		
2451U1243B		LAF6834 ¹	24046Z18		LH8544 ⁶⁰⁷	12112012901	Air	LAF1275 ²
2451U3092	Fuel	FP588F	2446U141S2		LP6005 ¹⁰⁷⁸	12910055650	Fuel	L549F
2446U215S5	Hydraulic	PH2827 ¹⁰⁷⁸	VAME064356	Oil	LP2545	S19100650011	Oil	PH2808
2451U3091		LFP5748	<i>MD320BLC w/Mitsubishi 6D22CT Engine</i>			<i>SK035 w/Yanmar 3TN84L-RTBB/C Engine</i>		
<i>MD180LC w/Mitsubishi 6D14T Engine</i>			2446U191S3	Air	LAF1834 ²	12112012901	Air	LAF1275 ²
2446U154S3	Air	LAF8668	2446U191S2		LAF1835 ¹	11981055650	Fuel	L4103F
2451U1722A		LFF3886	VAME056670	Fuel	LFF5127	S19100650011	Oil	PH2808
24046Z141	Hydraulic	LH5751 ⁶⁰⁷	24046Z141	Hydraulic	LH5751 ⁶⁰⁷	<i>SK035SR w/Yanmar 3TNE82A Engine</i>		
R36P0019		LH5942 ¹¹³⁷	R36P0019		LH5942 ¹¹³⁷	12935012900	Air	LAF8630 ²
2446U215S5	Hydraulic	PH2827 ¹⁰⁷⁸	2446U141S2		LP6005 ¹⁰⁷⁸	12910055650	Fuel	L549F
2451U1721A		Oil	LP5912	VAME064356	Oil	LP2545	12915035151	Oil
<i>MD200BLC, MD200CLC w/Mitsubishi 6D31T Engine</i>			<i>MD400LC w/Mitsubishi 6D22T Engine</i>			<i>SK035SR w/Yanmar 3TNE84 Engine</i>		
2446U242S2	Air	LAF1804 ²	2446U191S3	Air	LAF1834 ²	11980812520	Air	LAF8195 ²
2451U1243B		LAF6834 ¹	2446U191S2		LAF1835 ¹	12910055650	Fuel	L549F
2451U1722A	Fuel	LFF3886	VAME056670	Fuel	LFF5127	12915035151	Oil	PH2808
24046Z141	Hydraulic	LH5751 ⁶⁰⁷	24046Z141	Hydraulic	LH5751 ⁶⁰⁷	<i>SK045SR w/Yanmar 4TNE88 Engine</i>		
R36P0019		LH5942 ¹¹³⁷	2446U141S2			LP6005 ¹⁰⁷⁸	11980812520	Air
2446U215S5	Hydraulic	PH2827 ¹⁰⁷⁸	VAME064356	Oil	LP2545	12910055650	Fuel	L549F
VAME014838		Oil	LFP5010	<i>MD450BLC w/Mitsubishi 6D22TC Engine</i>			VY12915035151	Oil
2451U3331	LFP6007		2446U250S3	Air	LAF1787 ²	<i>SK100 ACERA w/Isuzu 4BD1 Engine</i>		
<i>MD200CLC w/Mitsubishi 6D31T Engine</i>			2446U250S2		LAF1790 ¹	W11P01021P1	Air	LAF9332 ¹
2446U242S2	Air	LAF1804 ²	VAME056670	Fuel	LFF5127	2451U3092	Fuel	FP588F
2446R255S5		LAF22013 ²	24046Z141	Hydraulic	LH5751 ⁶⁰⁷	2451U3091	Oil	LFP5748
2451U1243B	LAF6834 ¹	R36P0019	LH5942 ¹¹³⁷		<i>SK100 w/Isuzu 4BD1 Engine</i>			
2451U1722A	Fuel	LFF3886	VAME064356	Oil	LP2545	2446U242S2	Air	LAF1804 ²
24046Z141	Hydraulic	LH5751 ⁶⁰⁷	<i>SK007, SK007-2 w/Yanmar 2TN66L-UTBA Engine</i>			2451U1243B		LAF6834 ¹
R36P0019		LH5942 ¹¹³⁷	VY17102212530	Air	LAF2745A ²	2451U3092	Fuel	FP588F
2446U215S5	Hydraulic	PH2827 ¹⁰⁷⁸	12455055700	Fuel	L4103F	R36P0019	Hydraulic	LH5942 ¹¹³⁷
2451U3331		Oil	LFP6007	VY11930535150	Oil	PH2876		2446U215S5
VAME088532D	LFP8752		<i>SK015 w/Yanmar 3TNA72L-UTBB Engine</i>			2451U3091	Oil	LFP5748
<i>MD240BLC w/Mitsubishi 6D15T Engine</i>			171022-12530	Air	LAF2745A ²	<i>SK100IV w/Cummins 4BT3.9 Engine</i>		
2451U3243	Air	LAF1768 ²	12455055700	Fuel	L4103F	2446R277S6	Air	LAF1725 ¹
2446U249S1		LAF8392 ¹	11930535150	Oil	PH2876	2446R277S5		LAF9001 ²
2451U1722A	Fuel	LFF3886	<i>SK015SR w/Yanmar 3TNE72L Engine</i>			(YNNY50VU0001D2);	Fuel	LFF3417
R36P0019	Hydraulic	LH5942 ¹¹³⁷	171022-12530	Air	LAF2745A ²	Pri.		
2446U141S2		LP6005 ¹⁰⁷⁸	12455055700	Fuel	L4103F	YN50VU0001D3		LFF3521
VAME074013	Oil	LFP2440	11930535150	Oil	PH2876	YN50VU0001D9	Oil	LFP3900

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 268-Extended/Severe service 607-Return 1078-Drain 1137-Pilot

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOBELCO (EXCAVATOR)			KOBELCO (EXCAVATOR)			KOBELCO (EXCAVATOR)		
SK115DZLC w/Cummins 4BT3.9 Engine			SK135SR-1E w/Isuzu 4BG1 Engine (cont'd)			SK200-3 ACERA w/Mitsubishi 6D34T Engine		
2446R277S6	Air	LAF1725 ¹ LAF9001 ²		Air	LAF4544MXM ^{2, 268} LAF4545 ¹	YN11P01013P1	Air	LAF5732 ¹ LAF5733 ²
2446R277S5			LP11P01013P1			YN02P000013		
YN50VU0001D3	Fuel	LFF3521 LFF8020 ⁶⁸⁹ LFF9013	EN02P000012	Fuel	FP588F	2451U1722A	Fuel	LFF3886
W/S (YN02PU1010P1); W/S			2451U3091	Oil	LFP5748 LFP7164	VAME056670		LFF5127
YN50VU0001D9	Oil	LFP3900	(VI8970261342); By-Pass			YN50V00004F3	Hydraulic	LH5953 ⁶⁰⁷
SK115SR w/Isuzu 4BG1 Engine			SK13SR w/Yanmar 3TNE68-YB Engine			SK200LC w/Mitsubishi 6D31T Engine		
LP02P000043	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹	S19100660012A	Fuel	L4103F	2446R332D4	Fuel	LFF3886
LP11P01013P1			PA33H01040P1	Hydraulic	LPH7551 ⁶⁰⁷	24046Z18	Hydraulic	LH8544 ¹³⁸⁷
2451U3091	Oil	LFP5748 LFP7164	VV11930535150	Oil	PH2876	SK200LCIII w/Mitsubishi 6D31T Engine		
(VI8970261342); By-Pass			SK150LCIII w/Isuzu 4BD1T 3.9L Engine			246U242S2	Air	LAF1804 ² LAF22013 ² LAF6834 ¹
SK120 IV w/Cummins 4BT3.9L Engine			2446U242S2	Air	LAF1804 ²	2446R255S5		LFF3886
2446R277S6	Air	LAF1725 ¹ LAF9001 ²	2451U1243B		LAF6834 ¹	2446U16252		LFF3886
2446R277S5			2451U3092	Fuel	FP588F	2446R332D4	Fuel	LFF3886
SK120LC III w/Isuzu 4DB1T Engine			2451U3091	Oil	LFP5748	24046Z141	Hydraulic	LH5751 ⁶⁰⁷ LH5942 ¹¹³⁷ LH8544 ⁶⁰⁷ PH2827 ¹⁰⁷⁸
2446R277S6	Air	LAF1725 ¹ LAF1804 ² LAF6834 ¹ LAF9001 ²	SK150LCIV w/Cummins 4BTA3.9 Engine			R36P0019		LH5942 ¹¹³⁷
2446U242S2			2446R277S6	Air	LAF1725 ¹ LAF9001 ²	24046Z18		LH8544 ⁶⁰⁷
2451U1243B			2446R277S5			2446U215S5		PH2827 ¹⁰⁷⁸
2446R277S5			(YN50VU0001D2); Pri.	Fuel	LFF3417 LFF3521 LFF8020 ⁶⁸⁹ LFF9013	VAME014838	Oil	LFP5010
2451U3092	Fuel	FP588F	YN50VU0001D3			2446R332D8		LFP6007
R36P0019	Hydraulic	LH5942 ¹¹³⁷ PH2827 ^{1078, 1212}	W/S (YN02PU1010P1); W/S			VAME088532D		LFP8752
2446U215S5			YN50VU0001D9	Oil	LFP3900	SK200LCIV w/Cummins 6BT5.9 Engine		
2451U3091	Oil	LFP5748	SK15SR w/Yanmar 3TNE72L-UYBB			2446R255S5	Air	LAF22013 ²
SK120LC w/Isuzu 4BD1T Engine			VV17102212530	Air	LAF2745A ²	(YN50VU0001D2); Pri.	Fuel	LFF3417 LFF3521
246U242S2	Air	LAF1804 ² LAF6834 ¹	S19100660012A	Fuel	L4103F	YN50VU0001D3		LFF3521
2446U16252			VV11930535150	Oil	PH2876	24046Z141	Hydraulic	LH5751 ⁶⁰⁷
SK120LCIV w/Cummins 4BT3.9 Engine			SK160 VI w/Mitsubishi 4D342CT-YJ0X Engine			YN50VU0001DA	Oil	LFP780 LFP780XL ¹⁴
2446R277S6	Air	LAF1725 ¹ LAF9001 ²	2446R277S6	Air	LAF1725 ¹ LAF9001 ²	SK200LCIV w/Cummins 6BTA5.9 Engine		
2446R277S5			2446R277S5			2446R255S5	Air	LAF22013 ²
(YN50VU0001D2); Pri.	Fuel	LFF3417 LFF3521 LFF8020 ⁶⁸⁹ LFF9013	VAME016872D	Fuel	LFF3527	YN50VU0001D3	Fuel	LFF3521
YN50VU0001D3			VAME215002	Oil	LFP3307	W/S (YN02PU1010P1); W/S		LFF8020 ⁶⁸⁹ LFF9013
W/S (YN02PU1010P1); W/S			SK160 VI w/Mitsubishi 4D34-TEG Engine			24046Z141	Hydraulic	LH5751 ⁶⁰⁷
YN50VU0001D9	Oil	LFP3900	2446R277S6	Air	LAF1725 ¹ LAF9001 ²	YN50VU0001DA	Oil	LFP780 LFP780XL ¹⁴
SK130LCIV w/Cummins 4BT3.9 Engine			2446R277S5			SK200SR w/Isuzu Engine		
2446R277S6	Air	LAF1725 ¹ LAF9001 ²	VAME016823	Fuel	LFF3527	YN02P000013B	Air	LAF5732 ¹ LAF5733 ²
2446R277S5			VAME215002	Oil	LFP3307	YN02P000013		
YN50VU0001D3	Fuel	LFF3521 LFF8020 ⁶⁸⁹ LFF9013	SK170 Acera Mark 8 w/Iveco F4GE948DJ6 Tier 3 Engine			VI2906549100	Fuel	FP588F
W/S (YN02PU1010P1); W/S			YM11P01032P1	Air	LAF5932 ¹ LAF8149 ²	YN50V00004F3	Hydraulic	LH5953 ⁶⁰⁷
YN50VU0001D9	Oil	LFP3900	YM11P01033P1			VI8941609641	Oil	LFP5748 LFP7164
SK135SR w/Isuzu 4BG1 Engine			87646724	Fuel	FP587F	(VI8970261342); By-Pass		
LP02P000043	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹	87646666	Oil	LFP6015	SK210 Acera Mark 8 w/F4GE9684E-J6 Tier 3 Engine		
LP11P01013P1			SK170 Acera Mark 9 w/F4HFE413H Tier 4 Engine			LQ11P00023S002	Air	LAF3781 ^{1, 241} LAF4498 ^{2, 208}
EN02P000012	Fuel	FP588F	YM11P01032P1	Air	LAF5932 ¹ LAF8149 ²	GG11P00008S002		
2451U3091	Oil	LFP5748 LFP7164	YM11P01033P1			2830348	Fuel	FP587F
(VI8970261342); By-Pass			4897897	Fuel	LFF5421	4897898	Oil	LFP6015
SK135SR-1E w/Isuzu 4BG1 Engine			4897898	Oil	LFP6015	SK210 Acera Mark 9 w/F4HFE6135 Tier 4 Engine		
LP02P000043	Air	LAF4544 ²	SK200-2 Acera w/Mitsubishi 6D31T Engine			LQ11P00023S002	Air	LAF3781 ^{1, 241} LAF4498 ^{2, 208}
			YN11P01013P1	Air	LAF5732 ¹ LAF5733 ²	GG11P00008S002		
			YN02P000013			87646722	Fuel	LFF5421
			2451U1722A	Fuel	LFF3886	4897898	Oil	LFP6015
			YN50V00004F3	Hydraulic	LH5953 ⁶⁰⁷			
			VAME074013	Oil	LFP2440			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 208-19" Hgt. 241-17.5" Hgt. 268-Extended/Severe service 607-Return 689-Bowless 1078-Drain 1137-Pilot 1212-Drive 1387-Return Partial

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOBELCO (EXCAVATOR)			KOBELCO (EXCAVATOR)			KOBELCO (EXCAVATOR)		
<i>SK2106 w/Mitsubishi 6D341CT-YJ0X Engine</i>			<i>SK260LC-8 w/FPT Tier 3 Engine (cont'd)</i>			<i>SK330-6 w/Mitsubishi 6D163CT-YJ0X Engine</i>		
2446R255S5	Air	LAF22013 ²	LS21P01013R100	Fuel	L8968F	LC11PU0001S008	Air	LAF4173 ¹
VAME015254	Fuel	LFF3886	15607-2190	Oil	LFP2190	VAME056670	Fuel	LFF5127
YN50V00001P1	Hydraulic	LH8544 ⁶⁰⁷	<i>SK270LCIV w/Cummins 6BTA5.9 Engine</i>			YN50V00004F3	Hydraulic	LH5953 ⁶⁰⁷
VAME088532D	Oil	LFP8752	(YN50VU0001D2); Pri.	Fuel	LFF3417	VAME130968	Oil	LFP2440
<i>SK2106 w/Mitsubishi 6D34CT Engine</i>			YN50VU0001D3		LFF3521	<i>SK330-6 w/Mitsubishi 6D16CT Engine</i>		
2446R255S5	Air	LAF22013 ²	W/S		LFF8020 ⁶⁸⁹	LC11PU0001S008	Air	LAF4173 ¹
VAME015254	Fuel	LFF3886	(YN02PU1010P1);		LFF9013	VAME056670	Fuel	LFF5127
YN50V00001P1	Hydraulic	LH8544 ⁶⁰⁷	W/S			YN50V00004F3	Hydraulic	LH5953 ⁶⁰⁷
VAME088532D	Oil	LFP8752	24046Z141	Hydraulic	LH5751 ⁶⁰⁷	VAME130968	Oil	LFP2440
<i>SK210LC-6E</i>			YN50VU0001DA	Oil	LFP780	<i>SK350 Acera Mark 9 w/Hino JO8E-UV Tier 4 Engine</i>		
2446R255S5	Air	LAF22013 ²			LFP780XL ¹⁴	LC11P000185003	Air	LAF4503 ²
<i>SK210LC-8 W/Hino JO5E Engine</i>			<i>SK275SR-3 w/Yanmar 3TN82A Engine</i>			LC11P000185002	Air	LAF4504 ¹
YN11P00029S003	Air	LAF5761 ²	11980255800	Fuel	LFF8350	15607-2190	Oil	LFP2190
		LAF5762 ¹	12915035152	Oil	PH2808	<i>SK350LC Acera Mark 8 w/Hino JO8E-TM Tier 3 Engine</i>		
LS21P01013R100	Fuel	L8968F	<i>SK290-6 w/Mitsubishi 6D16CT Engine</i>			LC11P00018S002	Air	LAF4503 ²
15607-2190	Oil	LFP2190	VAME056670	Fuel	LFF5127	LC11P00018S003	Air	LAF4504 ¹
<i>SK220LCIV w/Cummins 6BTA5.9 Engine</i>			YN50V00004F3	Hydraulic	LH5953 ⁶⁰⁷	LS21P01013R100	Fuel	L8968F
2446R277S6	Air	LAF1725 ¹	VAME130968	Oil	LFP2440	156072190A	Oil	LFP2190
2446R277S5		LAF9001 ²	<i>SK290-6 w/Mitsubishi 6D16-TLEG Engine</i>			<i>SK350LC-8 w/Hino JO8ETM-KSDA Tier 3 Engine</i>		
(YN50VU0001D2); Pri.	Fuel	LFF3417	LC11PU001S0008	Air	LAF4173 ¹	LC11P00018S002	Air	LAF4503 ²
YN50VU0001D3		LFF3521	VAME056670	Fuel	LFF5127	LC11P00018S003	Air	LAF4504 ¹
W/S		LFF8020 ⁶⁸⁹	YN50V00004F3	Hydraulic	LH5953 ⁶⁰⁷	LS21P01013R100	Fuel	L8968F
(YN02PU1010P1);		LFF9013	VAME130968	Oil	LFP2440	156072190A	Oil	LFP2190
W/S			<i>SK295LC-8 w/FPT Tier 3 Engine</i>			<i>SK355SR w/Yanmar 3TNE82A-YBB Engine</i>		
24046Z141	Hydraulic	LH5751 ⁶⁰⁷	LW11P000235002	Air	LAF3781 ^{1, 241}	VV12910055650	Fuel	L549F
YN50VU0001DA	Oil	LFP780	GG11P000085002		LAF4498 ^{2, 208}	12913035151	Oil	PH2808
		LFP780XL ¹⁴	2358548	Fuel	LFF5421	<i>SK355SR w/Yanmar 3TNE84-YBD Engine</i>		
<i>SK235SR w/Mitsubishi 6D34TEA Engine</i>			87646666	Oil	LFP6015	PY02P000073	Air	LAF8195 ²
YN11P01013P1	Air	LAF5732 ¹	<i>SK300LCII w/Mitsubishi 6D22CT Engine</i>			S19100650011	Oil	PH2808
YN02P000013		LAF5733 ²	2446U191S3	Air	LAF1834 ²	<i>SK400LC IV w/Cummins MTA11 Engine</i>		
VAME015254	Fuel	LFF3886	2446U191S2		LAF1835 ¹	YN50VU0001D6	Coolant	LFW4073 ²⁵⁵
YN50V00004F3	Hydraulic	LH5953 ⁶⁰⁷	2451U1802N	Fuel	LFF5127	(YN50VU0001D7);	Fuel	LFF8020
VAME088532	Oil	LFP8752	24046Z141	Hydraulic	LH5751 ⁶⁰⁷	W/S		
<i>SK250-6 w/Mitsubishi 6D340CT-YJ0X Engine</i>			R36P0019		LH5942 ¹¹³⁷	24046Z141	Hydraulic	LH5751 ⁶⁰⁷
2446R277S6	Air	LAF1725 ¹	24064Z18		LH8544 ⁶⁰⁷	YN50VU0001D5	Oil	LFP3000
2446R277S5		LAF9001 ²	2446U141S2		LP6005 ¹⁰⁷⁸			LFP3000XL ¹⁴
VAME015254	Fuel	LFF3886	2451U1801	Oil	LP2545	<i>SK400LC Mark IV w/Cummins M11 Engine</i>		
VAME088532D	Oil	LFP8752	<i>SK300LCIII, SK300LCIV w/Mitsubishi 6D22T Engine</i>			YN50VU0001D6	Coolant	LFW4073 ²⁵⁵
<i>SK250-6 w/Mitsubishi 6D34CT Engine</i>			2446U191S3	Air	LAF1834 ²	(YN50VU0001D7);	Fuel	LFF8020
VAME015254	Fuel	LFF3886	2446U191S2		LAF1835 ¹	W/S		
YN50V00004F3	Hydraulic	LH5953 ⁶⁰⁷	2451U1802N	Fuel	LFF5127	24046Z141	Hydraulic	LH5751 ⁶⁰⁷
VAME088532	Oil	LFP8752	24046Z141	Hydraulic	LH5751 ⁶⁰⁷	24046Z18		LH8544 ⁶⁰⁷
<i>SK25SR w/Yanmar 3TNE78A-YBB Engine</i>			24046Z18		LH8544 ⁶⁰⁷	YN50VU0001D5	Oil	LFP3000
S19100650011	Oil	PH2808	2451U1801	Oil	LP2545	<i>SK400LC, SK400LCII w/Mitsubishi 6D22TC Engine</i>		
<i>SK25SR-2 w/Yanmar 3TNE74-NYYB Engine</i>			<i>SK300LCIV w/Cummins 6CTA Engine</i>			2446R352S3	Air	LAF1787 ²
PM11P00006S002	Air	LAF8388 ²	LC11PU0001S008	Air	LAF4173 ¹	2446R274S1		LAF1790 ¹
VV12455055700	Fuel	L4103F	YN50VU0001D8	Coolant	LFW4071 ²⁸	2451U1802N	Fuel	LFF5127
VV11930535150	Oil	PH2876	(YN50VU0001D2); Pri.	Fuel	LFF3417	24046Z141	Hydraulic	LH5751 ⁶⁰⁷
<i>SK260 Acera Mark9 w/F4HFE613R Tier 4 Engine</i>			YN50VU0001D3		LFF3521	R36P0019		LH5942 ¹¹³⁷
LQ11P00023S002	Air	LAF3781 ^{1, 241}	24046Z141	Hydraulic	LH5751 ⁶⁰⁷	24046Z18		LH8544 ⁶⁰⁷
GG11P00008S002		LAF4498 ^{2, 208}	24046Z18		LH8544 ⁶⁰⁷	2451U1801	Oil	LP2545
84412164	Fuel	LFF5421	YN50VU0001D5	Oil	LFP3000	<i>SK260LC-8 w/FPT Tier 3 Engine</i>		
87646666	Oil	LFP6015			LFP3000XL ¹⁴	LC11P00018S003	Air	LAF4503
<i>SK260LC-8 w/FPT Tier 3 Engine</i>						LC11P00018S002	Air	LAF4504 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 28-Contains 1 oz. of chemical 208-19" Hgt. 241-17.5" Hgt. 255-Contains 3 oz. of chemical 607-Return 689-Bowless 1078-Drain 1137-Pilot

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOBELCO (EXCAVATOR)			KOBELCO (EXCAVATOR)			KOBELCO (WHEEL LOADER)		
<i>SK400LCIII, SK400LCIV w/Mitsubishi 6D22TC Engine</i>			<i>SK850 Acera Mark 9 w/SAA6D140E-5 Tier 3 Engine</i>			<i>LK500A w/Nissan FD6T14 Turbo Engine</i>		
2446U250S3	Air	LAF1787 ²	LV11P00002S003	Air	LAF8669 ²	2446U154S2	Air	LAF8668 ² LAF8674 ¹
2446R274S1		LAF1790 ¹	LV11P00002S002		LAF8670 ¹	<i>LK550 II w/Hino W06E Engine</i>		
2451U1802N	Fuel	LFF5127	6004111171	Coolant	LFW4074 ⁶²⁷	2451U3243	Air	LAF1768 ²
24046Z141	Hydraulic	LH5751 ⁶⁰⁷	(6003193440); W/S	Fuel	LFF5357	15607-1630	Oil	LFP5930
2451U1801	Oil	LP2545	6003193520		LFF6924	<i>LK600, LK700 w/Detroit Diesel 6-71 Engine</i>		
<i>SK400LCIV w/Mitsubishi 6D22TC Engine</i>			6002111340	Oil	LFP9001 ²⁵⁰		Air	LAF6632 ² LAF6632MXM ^{2, 268} LAF6641 ¹
	Fuel	FP588F			LFP9001TRT ³			
	Oil	LFP5748	6002111340		LFP9001XL ^{14, 250}	<i>LK600A w/Nissan NE6T04 Turbo Engine</i>		
<i>SK40SR w/Yanmar 4TNE88 Engine</i>			<i>SK850LC Super Acera w/Kubota SAA6D140E-5 Tier 3 Engine</i>			<i>LK600A w/Nissan PD604 Engine</i>		
PW11P000045002	Air	LAF8195 ²	LV11P00002S003	Air	LAF8669 ²	2446U242S2	Air	LAF8668 ² LAF8674 ¹
PW11P01019P1		LAF8690 ¹	LV11P00002S002		LAF8670 ¹	2446U154S2	Oil	LP5899 LP5922
12910055650	Fuel	L549F	6004111171	Coolant	LFW4074 ⁶²⁷	<i>LK600A w/Nissan PD604 Engine</i>		
12913035151	Oil	PH2808	(6003193440); W/S	Fuel	LFF5357		Air	LAF8668 ² LAF8674 ¹
<i>SK45SR w/Yanmar 4TNE88-YBB Engine</i>			6003193520		LFF6924		Oil	LP5899 LP5922
PY02P000073	Air	LAF8195 ²	6002111340	Oil	LFP9001 ²⁵⁰			
VV12910055650	Fuel	L549F			LFP9001TRT ³			
12913035151	Oil	PH2808	6002111340		LFP9001XL ^{14, 250}	<i>LK650 II w/Hino H06C-TE Engine</i>		
<i>SK480 w/Mitsubishi 6D24-TL Engine</i>			<i>SS60 w/Kawasaki FG200G-CB19 Engine</i>			<i>LK700 w/Nissan PE604 Engine</i>		
2446U250S3	Air	LAF1787 ²	S19100650011	Oil	PH2808	3098070060	Air	LAF1813 ² LAF1814 ¹
2446U250S2		LAF1790 ¹	KOBELCO (WHEEL LOADER)			3098070050		
<i>SK480 w/Mitsubishi 6D24-TLU2C Engine</i>			<i>LF600 w/Nissan PD604 Engine</i>			234011410	Fuel	FP588F
2446U250S3	Air	LAF1787 ²		Air	LAF8668 ² LAF8674 ¹	24046Z2	Hydraulic	LH8543
2446U250S2		LAF1790 ¹		Oil	LP5899 LP5922	156071600	Oil	LFP734
<i>SK485 Acera Mark 8 w/Hino P11C-UP Tier 3 Engine</i>			1527490225	Oil	LP5899 LP5922	<i>LK700 w/Nissan PE604 Engine</i>		
LS11P00014S002	Air	LAF8150 ²	1527499227			2446U212S3	Air	LAF6632 ² LAF6632MXM ^{2, 268} LAF6641 ¹
LS11P00014S003		LAF8693 ¹	<i>LK1500A w/Detroit Diesel 12V-71</i>			2446U212S2	Oil	LP5899 LP5922
<i>SK485 Acera Mark 9 w/Hino P11C-VC Tier 4 Engine</i>			24046218	Hydraulic	LH8544	<i>LK700A w/Nissan PE604, PE6T04 engs.</i>		
LS11P00014S002	Air	LAF8150 ²	<i>LK200 w/Nissan FD3304 Engine</i>			2451U1803A	Air	LAF8668 ² LAF8674 ¹
LS11P00014S003		LAF8693 ¹	2446U196S2	Air	LAF222 ²	2451U1803B	Oil	LP5899 LP5922
<i>SK55SRX-6E (w/Yanmar 4TNV88 Engine)</i>			VG16403Z7000	Fuel	FP588F	<i>LK850 II w/Nissan PD6T04 Engine</i>		
(11980255801); After S/N NBTN 5505	Fuel	FP590F	<i>LK300A w/Mitsubishi 6DR5C Engine</i>				Air	LAF1787 ² LAF1790 ¹
	Oil	PH2808	2451R1243A	Air	LAF1544 ²		Oil	LP5899 LP5922
<i>SK60, SK60IV w/Isuzu 4JB1 Engine</i>			2451R1243B		LAF1933 ¹	<i>LK900, LK950II w/Nissan PE6T04 Engine</i>		
2446U299S2	Air	LAF1793 ¹	ME016823	Fuel	LFF3527	2446U185-S3	Air	LAF6769 ² LAF6769MXM ^{2, 268}
2451U2212	Fuel	FP588F	<i>LK350 II w/Isuzu 4BD1T Engine</i>			2451R131-1F	Oil	LP5899 LP5922
R36P0019	Hydraulic	LH5942 ¹¹³⁷	2451R1243A	Air	LAF1544 ²	2451R131-1B		
2446U215S5		PH2827 ¹⁰⁷⁸	2451R1243B		LAF1933 ¹	<i>TLD750, TLK760 w/Perkins 1004.4 Engine</i>		
2451U3031	Oil	LFP2255	2451U3092	Fuel	FP588F		Oil	LFP2292
<i>SK70SR, SK75UR w/Isuzu 4JB1 Engine</i>			2451U3091	Oil	LFP5748	<i>TLK860 w/Perkins 1004.4 Engine</i>		
LE02P000023	Air	LAF8143 ²	<i>LK400 w/Nissan FD614 Turbo Engine</i>				Oil	LFP2292
EN02P000012	Fuel	FP588F	2446U154S2	Air	LAF8668 ² LAF8674 ¹	<i>TLK965 w/Perkins 1004.4 Engine</i>		
V18970497081	Oil	PH2801	(VG16403Z9000); Sec.	Fuel	FP588F	<i>WKL20 w/Deutz F6L913 Engine</i>		
LE02P000021		PH2863B	<i>LK450 II w/Isuzu 4BD1 Engine</i>				Air	LAF1720 ¹ LAF2052 ²
<i>SK80CS, SK80MSR w/Isuzu 4JG1 Engine</i>			2451R1243A	Air	LAF1544 ²			
LE11P01016P1	Air	LAF8114 ¹	2451R1243B		LAF1933 ¹	<i>LK500 w/Nissan FD6T04 Engine</i>		
LE11P00002S002		LAF8143 ²	2451U3092	Fuel	FP588F			
EN02P000012	Fuel	FP588F	2451U3091	Oil	LFP5748	<i>LK500 w/Nissan FD6T04 Engine</i>		
8970497081	Oil	PH2801	<i>LK500 w/Nissan FD6T04 Engine</i>					
<i>SK80MSR-2 w/Isuzu 4LE2 Diesel Engine</i>			2446U154S2	Air	LAF8668 ² LAF8674 ¹			
YW11P01021P1	Air	LAF9332 ¹		Oil	LP2256			
8980756760	Oil	LFP2538 ²						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 250-11.9" Hgt. 268-Extended/Severe service 607-Return 627-5 oz. of chemical 1078-Drain 1137-Pilot

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOBELCO (WHEEL LOADER)			KOEHRING (EQUIPMENT)			KOEHRING (EQUIPMENT)		
<i>WKL35 w/Deutz BF6M1013 Engine</i>			<i>4025, 5025 Sky Trak w/Ford Engine (cont'd)</i>			<i>6605 w/Isuzu C240PE13 Engine</i>		
495mm	Air	LAF1718 ² LAF1719 ¹	8273234	Air	LAF281	7304539	Air	LAF1275 ²
	Fuel	FP586F		Fuel	L296F ⁴¹	<i>6608 w/Isuzu 4JB1 Engine</i>		
	Oil	LFP2222		Oil	LFP2258	730-4539	Air	LAF1275 ²
<i>WKL45 w/Cummins LT10 Engine</i>			<i>405 Crane w/Detroit Diesel 4-71 Engine</i>			730-9075	Fuel	FP588F
	Air	LAF6769 ² LAF6769MXM ^{2, 268}		Air	LAF237 ²	730-9077	Oil	LFP2255
<i>WKL9 w/Deutz BF4L1011 Engine</i>			<i>440 Crane</i>			<i>6625 Excavator w/Cummins 6BTA 5.9L Engine</i>		
	Air	LAF1712 ²		Air	LAF237 ²		Air	LAF237 ²
<i>WLK10 w/Deutz BF4L1011 Engine</i>			<i>4460, 4465, 4470, 4475 Teleskoops w/4-53,-T Detroit Diesel Engine</i>			<i>6625 Excavator w/Detroit Diesel 8.2L Engine</i>		
	Air	LAF1712 ² LAF1713 ¹	901V1097	Air	LAF241HD	124348	Air	LAF237 ²
<i>WLK25 w/Deutz BF6L913 Engine</i>			7086449	Hydraulic	LH8489G	7086449	Hydraulic	LH8489G
387mm	Air	LAF1716 ² LAF1717 ¹	<i>4460, 4465, 4470, 4475 Teleskoops w/8.2L Detroit Diesel Engine</i>			<i>6625 Excavator w/Isuzu 6SA1T Engine</i>		
			901V1097	Air	LAF241HD	124348	Air	LAF237 ²
KOCKUM-LANDSVERK (EQUIPMENT)			7086449	Hydraulic	LH8489G	7086449	Hydraulic	LH8489G
<i>K290 w/Scania DS11 Engine</i>			<i>4460, 4465, 4470, 4475 w/Isuzu QD145 Engine</i>			<i>6627 Excavator w/Cummins 6CT 8.3L Engine</i>		
	Air	LAF234HD ²	901V1097	Air	LAF241HD	124348	Air	LAF237 ²
	Fuel	FP586F L3405F ¹⁰⁸ L61F LFF3507	7086449	Hydraulic	LH8489G	<i>6633 Excavator w/Isuzu 6SA1 Engine</i>		
Sec.			<i>455 Excavator w/Caterpillar D330A Engine</i>				Air	LAF6587
Pri.			9006-073	Hydraulic	LP32		Fuel	LAF6587MXM ²⁶⁸
Turbo	Oil	LFP2221	<i>466D Crane</i>			1132400741	Hydraulic	LFF3415
<i>KL121, KL121B w/Volvo D70 Engine</i>				Air	LAF241HD		Oil	LFH4943
	Air	AF112		Hydraulic	LP32	1132004870		LFP6007
	Fuel	FP586F L3405F ¹⁰⁸ L61F LFF3507	<i>5030 Sky Trak</i>			(X013201011);		LFP777B
Sec.				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	By-Pass		LFP777XL ¹⁴
Pri.				Trans	LFP2258	By-Pass		
	Oil	LFP2234		Air	LAF3710 ¹ LAF3717 ²	<i>6644, 6644L Excavator w/Cummins LTA10 Engine</i>		
KOEHRING (EQUIPMENT)				Fuel	L296F ⁴¹	901V1243	Air	LAF6632
<i>1066 Skooper w/Detroit Diesel 12V-71 Engine</i>				Hydraulic	LFH4988		Fuel	LAF6632MXM ²⁶⁸
	Air	LAF222 ¹⁸¹ LAF8407 ² LAF8407MXM ^{2, 268} LAF8408 ¹		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	7086449	Hydraulic	LH8489G
				Trans	LFP2258	<i>6644, 6644L Excavator w/Detroit Diesel 6V-71SAT Engine</i>		
						901V1243	Air	LAF6632
							Fuel	LAF6632MXM ²⁶⁸
						7086449	Hydraulic	LH8489G
						<i>6644, 6644L Excavator w/Isuzu 6RB1T Engine</i>		
						206409	Air	LAF6769 ²
							Fuel	LAF6769MXM ^{2, 268}
						901V2992	Air	LAF9373 ¹
						7086449	Hydraulic	LH8489G
						<i>666 Crane</i>		
							Air	LAF241HD
							Hydraulic	LP32
						<i>7038 Sky Trak w/Ford Engine</i>		
							Air	LAF1544 ²
							Fuel	LAF9410 ¹
							Fuel	L296F ⁴¹
							Hydraulic	LFH4915
							Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
							Trans	LFP1652
						<i>7038 Sky Trak w/Perkins Engine</i>		
							Air	LAF1544 ²
							Fuel	LAF9410 ¹
							Fuel	L296F ⁴¹
							Hydraulic	LFH4915
							Oil	PH4403

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 14-Extended Life 41-Cartridge 108-Eco-Finer 181-Single 268-Extended/Severe service 275-Primary 959-On models with triangular base bracket, make certain that mounting bolts do not contact filter 1496-Alternate

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOEHING (EQUIPMENT)			KOHLER (GENERATOR)			KOMATSU (AIR COMPRESSOR)		
8038 Sky Trak w/Ford Diesel Engine			14.5CCO w/Yanmar Engine			EC170V-1		
	Hydraulic	LFH4915		Air	LAF1275 ²	661-050-5100	Oil	LP5100
		LFP1652	129740-55700	Fuel	FP570F	EC170Z-1 w/S6D105-1 Engine		
844, 1044, 1244, 1266, 1644			129150-35150			613-671-6120		
288B1212	Hydraulic	LP4433	15NO81			613-651-5120	Oil	LFP5120B
9038 Sky Trak w/Ford Engine			Pri.			EC210Z-1 w/S6D110-1 Engine		
8273237	Air	LAF1544 ²		Fuel	L3567F ¹²⁶⁴	(600-311-8291); W/S		
8273238		LAF9410 ¹	15RO63, 17RO63			613-651-5120	Oil	LFP5120B
	Fuel	L296F ⁴¹	Sec.			EC260Z-1 w/S6D125 Engine		
	Hydraulic	LFH4915		Fuel	L296F ⁴¹	(600-311-8291); W/S		
	Oil	LFP2258	16CCO, 20CCO w/Yanmar Engine			EC35Z-3 w/4D94 Engine		
	Trans	LFH4922	129740-55700	Fuel	FP570F	600-311-6220	Fuel	FP588F
9038 w/Deutz Engine			129150-35150	Oil	PH2808	600-211-5240	Oil	LFP2312
(8273237); Turbo	Air	LAF1544 ²	30ROZ, 40ROZ, 50ROZ, 60ROZ w/Cummins 3.9L Engine			EC50Z, EC50Z-3 w/Komatsu 4D94-2 Engine		
(8273271); w/o Turbo		LAF1784 ¹	253107	Air	LAF1827		Air	LAF4176 ¹
(8273238); Turbo		LAF9410 ¹	35RO81			600-311-6220	Fuel	FP588F
(8273267); Turbo		LAF9538 ²	Pri.			600-211-5240	Oil	LFP2312
Turbo		LAF9538MXM ^{2, 268}		Fuel	L3567F ¹²⁶⁴	EC75Z w/4D105-3 Engine		
8320237	Hydraulic	LFH4922		Oil	P4		Air	LAF4176 ¹
9038 w/Ford Engine			4CCO w/Yanmar Engine				Fuel	LAF4183 ²
(8273237); Turbo	Air	LAF1544 ²	124450-35100	Oil	PH2808	600-311-8220	Fuel	LFF4296
(8273271); w/o Turbo		LAF1784 ¹	5A61			600-211-5240	Oil	LFP54
(8273238); Turbo		LAF9410 ¹	Pri.			EC75Z-2, EC75ZS-3 w/Komatsu 4D105-5 Engine		
(8273267); Turbo		LAF9538 ²		Fuel	L3567F ¹²⁶⁴	600-311-8220	Fuel	LFF4296
Turbo		LAF9538MXM ^{2, 268}		Oil	P4	613-651-5120	Oil	LFP5120B
8825123	Fuel	L296F ⁴¹	7.5C21			KOMATSU (BACKHOE LOADER)		
8320237	Hydraulic	LFH4922	231847	Air	AF211	WB140-2, WB150-2 w/Komatsu S4D106 Engine		
8320244	Oil	PH4403	80ROZ, 100ROZ w/Cummins 6BT 5.9L Engine			848101155	Air	LAF1544 ²
9038 w/John Deere Engine			253107			848101104	Fuel	LAF9410 ¹
(8273237); Turbo	Air	LAF1544 ²	8CCO w/Yanmar Engine			119-000-55600	Fuel	LFF8350
(8273271); w/o Turbo		LAF1784 ¹	124450-35110	Oil	LFP5522	119-005-35100	Oil	PH2808
(8273238); Turbo		LAF9410 ¹	9CCO w/Yanmar Engine			WB142-5 w/Komatsu 4D102LE-2 Engine		
(8273267); Turbo		LAF9538 ²		Air	LAF1275 ²	42n0211960	Air	LAF4544 ²
Turbo		LAF9538MXM ^{2, 268}	129740-55700	Fuel	FP570F		Fuel	LAF4544MXM ^{2, 268}
8320238	Fuel	P1130	129150-35150	Oil	PH2808	42n0211970	Fuel	LAF4545 ¹
	Hydraulic	LFH4915	Fast Response 100RZ			6731525130	Oil	LFP3900
8320237		LFH4922		Air	LAF9001 ²	WB146-5, WB146PS-5 w/Komatsu S4D102LE-2 Engine		
8320239	Oil	FP20		Oil	PH400 ²⁷⁵	42n0211960	Air	LAF4544 ²
9038 w/Perkins Engine			Fast Response 20RZ, 33RZ, 45RZ, 50RZ, 60RZ, 70RZ				Fuel	LAF4544MXM ^{2, 268}
(8273237); Turbo	Air	LAF1544 ²		Oil	PH8A ¹⁴⁹⁶	42n0211970	Fuel	LAF4545 ¹
(8273271); w/o Turbo		LAF1784 ¹	Fast Response 80RZ			(6731726220); W/S	Fuel	LFF9608
(8273238); Turbo		LAF9410 ¹		Oil	PH400 ²⁷⁵	6731525130	Oil	LFP3900
(8273267); w/o Turbo		LAF9538 ²		Oil	PH8A ¹⁴⁹⁶	WB150-2, WB150-2N, WB150AWS-2N w/Komatsu S4D106-1FA Diesel Engine		
w/o Turbo		LAF9538MXM ^{2, 268}	Fast Response ROZJ Models w/John Deere Engine			848101155	Air	LAF1544 ²
8320237	Hydraulic	LFH4922		Air	LAF8375	848101144	Fuel	LAF4544 ²
Models with Marvel hydraulics				Fuel	P1130	848101145	Fuel	LAF4545 ¹
576366-5110	Hydraulic	LP712	T19044	Oil	FP20	848101104	Fuel	LAF9410 ¹
KOHLER (GENERATOR)			KOMATSU (AIR COMPRESSOR)			11900055600	Fuel	LFF8350
10RO61, 10RO63			EC105Z-1 w/S4D105-5 Engine			119005-35100	Oil	PH2808
Pri.	Fuel	L3567F ¹²⁶⁴	600-311-6220	Fuel	LFF4296	WB156-5, WB156PS-5 w/Komatsu S4D102LE-2 Engine		
	Oil	P4	613-651-5120	Oil	LFP5120B	42n0211960	Air	LAF4544 ²
12.5CCO w/Yanmar Engine								
	Air	LAF1275 ²						
129740-55700	Fuel	FP570F						
129150-35150	Oil	PH2808						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 275-Primary 1264-Fram 1103 Housing 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (BACKHOE LOADER)			KOMATSU (CRANE)			KOMATSU (CRAWLER DOZER)		
<i>WB156-5, WB156PS-5 w/Komatsu S4D102LE-2 Engine (cont'd)</i>			<i>LW200L-1 (cont'd)</i>			<i>D135A-2 w/Komatsu S6D140 Engine</i>		
	Air	LAF4544MXM ^{2, 268}	600-311-8220	Coolant	LFW4071 ²⁸	612-881-7042	Air	LAF2821 ²
42n0211970		LAF4545 ¹		Fuel	LFF4296			LAF6641 ¹
6731525130	Oil	LFP3900		Hydraulic	LH8544	(600-311-8291); W/S	Fuel	LFF4294
<i>WB91R-2 w/4D106-1FA Engine</i>				Oil	LFP5120B	175-491-1580	Hydraulic	LFH4212 ¹¹
	Air	LAF1544 ²		Trans	LH8541	600-211-12300	Oil	LFP670
		LAF9410 ¹	<i>LW250L-1</i>					LFP670XL ¹⁴
119-000-55600	Fuel	LFF8350	611-581-7602	Air	LAF1755 ²	175-491-1580	Trans	LFH4212
119-005-35100	Oil	PH2808			LAF1759 ¹	<i>D150A-1, D155A-1, D155A-2 w/Komatsu S6D155 Engine</i>		
<i>WB93R-2 w/S4D106-1FA Engine</i>				Coolant	LFW4071 ²⁸	612-881-7320	Air	LAF2821 ²
	Air	LAF1544 ²	(600-311-8291); W/S	Fuel	LFF4294	612-781-7311		LAF6632 ²
		LAF9410 ¹	205-605-1430	Hydraulic	LH8544			LAF6632MXM ^{2, 268}
119-000-55600	Fuel	LFF8350		Oil	LFP670	612-781-7412		LAF6641 ¹
119-005-35100	Oil	PH2808	KOMATSU (CRAWLER DOZER)			671-061-8113	Coolant	LFW4073 ²⁵⁵
<i>WB97S-2 w/Komatsu S4D106-1FA Diesel Engine</i>			<i>D10A-1, D10S-1, D10S-2 w/Komatsu 2D94 Engine</i>			612-771-6090	Fuel	L61F
848101155	Air	LAF1544 ²	600-211-5240	Oil	LFP2312	(600-311-8291); W/S		LFF4294
848101104		LAF9410 ¹	<i>D12</i>			175-491-1580	Hydraulic	LFH4213 ¹¹
119-005-35100	Fuel	LFF8350	661-581-7031	Air	LAF8127 ²	175-602-7380		LH4912
119-005-35100	Oil	PH2808		Coolant	LFW4073 ²⁵⁵	600-211-1230	Oil	LFP670
KOMATSU (CARRIER)				Fuel	L3519F			LFP670XL ¹⁴
<i>CD110R-2 w/Komatsu SAA6D114E-2 Engine</i>			661-072-8600	Fuel	L3519F	612-050-5103		LP161
6001855110	Air	LAF4503 ²	600-211-5240	Hydraulic	LFP2312	612-751-5040		LP163
6001855120		LAF4504 ¹	175-602-7380		LH4912	175-491-1580	Trans	LFH4213
6003118321	Fuel	LFF5	154-191-2130		LP161	175-602-7380		LH8539
4241611140	Hydraulic	LP2307	175-431-4130	Trans	LP2854	<i>D155 AX-3 w/Komatsu S6D140 Engine</i>		
6742014540	Oil	LFP3000XL ¹⁴	<i>D120</i>			612-881-7320	Air	LAF2821 ²
<i>D60R-1A w/Komatsu S6D102E1A Engine</i>				Coolant	LFW4073 ²⁵⁵	612-781-7412		LAF6641 ¹
6001816740	Air	LAF1768 ²		Fuel	L3519F	600-411-1151	Coolant	LFW4073 ²⁵⁵
6001816740		LAF8392 ¹	175-431-4130	Oil	LP161	(600-311-7132); Pri.	Fuel	LFF202
	Fuel	LFF3521		Trans	LP2854	706-301-100	Hydraulic	LH4912
4241611140	Hydraulic	LP2307	<i>D120A-18 w/Cummins NRT06CI Engine</i>			600-211-1231	Oil	LFP670
6736515141	Oil	LFP780	661-072-8600	Fuel	L3519F			LFP670XL ¹⁴
		LFP780XL ¹⁴	175-431-4130	Hydraulic	LP2854 ¹¹	<i>D155 AX-5 w/Komatsu S6D140-1 Engine</i>		
KOMATSU (COMPACTOR)			661-050-5100	Oil	LP5100	612-881-7320	Air	LAF2821 ²
<i>WF22A-2, WF22T-2 w/Cummins NTC743 Engine</i>			175-431-4130	Trans	LP2854	612-781-7412		LAF6641 ¹
	Fuel	L3519F	<i>D125, D125A w/Cummins Engine</i>			600-411-1151	Coolant	LFW4073 ²⁵⁵
(600-311-8291); W/S		LFF4294	611-213-8640	Breather	LAF190 ¹³⁸⁸	(600-311-7132); Pri.	Fuel	LFF202
281-16-11290	Hydraulic	LFH4212 ¹¹	671-061-8112	Coolant	LFW4073 ²⁵⁵	706-301-100	Hydraulic	LH4912
		LH4912	661-072-8600	Fuel	L3519F	600-211-1231	Oil	LFP670
611-050-5100	Oil	LP5100	(668-581-9910); Turbo	Oil	LFP152499B			LFP670XL ¹⁴
KOMATSU (CRANE)					LP161	<i>D155AX-6, D155AX-6SL w/Komatsu SAA6D140E-5 Engine</i>		
<i>LW160-1</i>					LP163	6001856110	Air	LAF8150 ²
600-181-3800P	Air	LAF6769 ²	<i>D125A-18</i>			6001856120		LAF8693 ¹
		LAF6769MXM ^{2, 268}	661-070-8603	Fuel	L3519F	2049796261	Cabin Air	LAF5327 ¹³⁸⁹
600-181-3800S		LAF9373 ¹	175-431-4130	Hydraulic	LP2854 ¹¹	17M9113530		LAF8791
	Coolant	LFW4071 ²⁸	661-050-5100	Oil	LP5100	(6003194540); W/S	Fuel	LFF5357
600-311-8220	Fuel	LFF4296	<i>D135-1 w/Komatsu S6D125 Engine</i>			(6003193550); Sec.		LFF6924
205-605-1430	Hydraulic	LH8544	600-181-3800P	Air	LAF6769 ²	6002111340	Oil	LFP9001 ²⁵⁰
613-651-5120	Oil	LFP5120B			LAF6769MXM ^{2, 268}			LFP9001TRT ³
	Trans	LH8541	600-181-3800S		LAF9373 ¹			LFP9001XL ^{14, 250}
<i>LW200L-1</i>			(600-311-8293); W/S	Fuel	LFF5926	<i>D155C-1, D155S-1 w/Komatsu S6D155 Engine</i>		
	Air	LAF6769 ²	706301100	Hydraulic	LH4912	6002111340		
		LAF6769MXM ^{2, 268}	600-211-1231	Oil	LFP670	612-881-7320	Air	LAF2821 ²
		LAF9373 ¹			LFP670XL ¹⁴	612-708-17311		LAF6632
			175-491-1580	Trans	LFH4213			LAF6632MXM ²⁶⁸
						612-781-7412		LAF6641 ¹

K

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 28-Contains 1 oz. of chemical 250-11.9" Hgt.
 255-Contains 3 oz. of chemical 268-Extended/Severe service 1388-Rocker Arm 1389-Cabin Air Conditioner

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (CRAWLER DOZER)			KOMATSU (CRAWLER DOZER)			KOMATSU (CRAWLER DOZER)		
<i>D155C-1, D155S-1 w/Komatsu S6D155 Engine (cont'd)</i>			<i>D21A-3 w/Komatsu 4D92 Engine (cont'd)</i>			<i>D30A-15, D30P-15, D30Q-15, D30S-15 w/Komatsu 4D105 Engine (cont'd)</i>		
671-061-8112	Coolant	LFW4073 ²⁵⁵	101-601-5171	Hydraulic	LFH4211	130-604-8210	Hydraulic	LH8545
600-411-1420		LFW4074 ⁶²⁷	<i>D21A-6, D21E-6, D21P-6, D21Q-6, D21S-6 w/Komatsu 4D95S Engine</i>			600-211-5240	Oil	LFP2312
612-771-6090 (600-811-8291); W/S	Fuel	L61F LFF4294	600-181-7400	Air	LAF1793 ¹ LAF8639 ²		Trans	LFH4211
175-491-1580	Hydraulic	LFH4213 ¹¹	600-311-6220	Fuel	FP588F	<i>D31-20 w/S4D102E-1 Engine</i>		
144-601-1160		LH8540	(600-211-6240); S/N	Oil	LFP6240	600-181-6550	Air	LAF1804 ²
130-604-8210		LH8545	60001-			600-181-6560		LAF6834 ¹
600-211-1230	Oil	LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴ LP161 LP163	<i>D21A-7, D21P-7 w/Komatsu 4D94E Engine</i>			673-271-6111	Fuel	LFF3521
By-Pass			W/S	Fuel	FP941F	673-251-5140	Oil	LFP3900
By-Pass				Oil	PH2808	<i>D31A-15, D31P-15, D31Q-15, D31S-15 w/Komatsu 4D105 Engine</i>		
(612-050-5103); S/N			<i>D21A-8, D21P-8 w/Komatsu 4D94LE-2 Engine</i>			600-181-9320	Air	LAF4176 ¹
15182-19999			11900512571	Air	LAF8114 ¹	600-181-9220		LAF4183 ²
(612-751-05040); S/N			12968712510		LAF8143 ²	130-604-8210	Hydraulic	LH8545
20000-25483			<i>D21P-3 w/Komatsu 4D92 Engine</i>			600-211-5240	Oil	LFP2312
175-491-1580	Trans	LFH4213	600-181-7310	Air	LAF4332		Trans	LFH4211
<i>D20 w/4D95-S Engine S/N 75001-up</i>			600-181-7210		LAF4361	<i>D31A-16, D31P-16, D31Q-16, D31S-16, w/4D-92, 4D105-1 engs.</i>		
600-181-400	Air	LAF8226 ¹	(600-311-6200); Sec.	Fuel	L4367F ¹³⁹⁰	600-181-9320	Air	LAF4176 ¹
600-181-7400		LAF8639 ²	101-601-5171	Hydraulic	LFH4211	600-181-9220		LAF4183 ²
600-311-7441	Fuel	FP588F	<i>D275A-2, D275-2D w/S6D170 Engine</i>			600-311-8220	Fuel	LFF4296
600-211-6242	Oil	LFP6240	612-881-7320	Air	LAF2821 ²	113-602-3160	Hydraulic	LFH4386 ¹⁰⁷⁷
<i>D20, D20A, D20P, D20Q, D20S, D21, D21A, D21P, D21Q, D21S w/4D94 Engine</i>			612-781-7412		LAF6641 ¹	600-211-6230	Oil	PH2819
600-181-7310	Air	LAF4332 ²	(600-311-8293); W/S	Fuel	LFF5926	<i>D31A-17, D31P-17, D31PL-17, D31Q-17, D31S-17 4D105 Engine</i>		
600-181-7210		LAF4361 ²	706301100	Hydraulic	LH4912	600-181-9240	Air	LAF1544 ²
600-311-6620	Fuel	FP588F	600-211-1231	Oil	LFP670 LFP670XL ¹⁴			LAF1933 ¹
600-211-5240	Oil	LFP2312	<i>D275AX-5 Tier 3 w/Komatsu SAA6D140E-5 Engine</i>			600-311-8220	Fuel	LFF4296
<i>D20A-2, D20P-2, D20S-2 w/Isuzu C221 Engine</i>			6001856110	Air	LAF8150 ²	(113-602-3160);	Hydraulic	LFH4386
101-601-5171	Hydraulic	LFH4211	6001856120		LAF8693 ¹	D31A-17, D31P-17,		
	Oil	P52	17M9113530	Cabin Air	LAF8791	D31PL-17		
<i>D20A-3, D20P-3, D20Q-3, D20S-3, D20PL-3, D21A-3, D21P-3, D21Q-3, D21S-3, D21PL-3 w/Komatsu 4D92 Engine</i>			6004111191	Coolant	LFW4072 ^{182, 205}	613-651-5121	Oil	LFP5120B
600-181-7310	Air	LAF4332 ²	(6003193400); W/S	Fuel	LFF5357	<i>D31E-18, D31P-18, D31S-18 w/6D95L Engine</i>		
600-181-7210		LAF4361 ²	6003193550		LFF6924		Air	LAF1544 ²
(600-311-6200); Sec.	Fuel	L4367F ¹³⁹⁰	(2076071181);	Hydraulic	LH9351 ¹⁰⁷⁷			LAF1933 ¹
101-601-6171	Hydraulic	LFH4211	30001-30085			600-211-6220	Fuel	FP588F
600-211-5240	Oil	LFP2312	6002111340	Oil	LFP9001 ²⁵⁰	600-211-6240	Oil	LFP6240
<i>D20A-5, D20P-5, D20PL-5, D20Q-5, D20S-5, D21A-5, D21P-5, D21PL-5, D21Q-5, D21S-5 4D94 Engine</i>			6002111340		LFP9001TRT ³	<i>D31E-20, D31EX, D31P-20, D31P-20A w/S4D102E Engine</i>		
	Air	LAF1793 ¹	<i>D275AX-5, D275AX-5SL w/SDA6D140E-3 Engine</i>			600-181-6540	Air	LAF1804 ²
600-181-7300		LAF222 ²	6001856110	Air	LAF8150 ²	673-271-6110	Fuel	LFF3521
600-181-7400		LAF8639 ²	6001856120		LAF8693 ¹	W/S		LFF8062
600-311-6620	Fuel	FP588F	17M9113530	Cabin Air	LAF8791	673-251-5140	Oil	LFP3900
600-211-5240	Oil	LFP2312	6004111191	Coolant	LFW4072 ^{182, 205}	<i>D31E-20, D31P-20A w/Komatsu 6D95L Engine</i>		
<i>D21-6, D21-7 w/4D95S Engine</i>			S/N 20001-20060; W/S	Fuel	LFF1021		Air	LAF1544 ²
600-181-7360	Air	LAF8226 ¹	(6003193550); S/N		LFF6924			LAF1804 ²
600-181-7400		LAF8639 ²	20153-			600-211-6220	Fuel	FP588F
600-311-7441	Fuel	FP588F	2076071180	Hydraulic	LH9351	600-211-6240	Oil	LFP6240
600-211-6242	Oil	LFP6240	6002111340	Oil	LFP9001 ²⁵⁰	<i>D31EX-21, D31PX-31 w/SAA4D102E Engine</i>		
<i>D21A-3 w/Komatsu 4D92 Engine</i>			6002111340		LFP9001TRT ³		Air	LAF5756
600-181-7310	Air	LAF4332	7063011000	Trans	LH4912	6001852520		LAF9543 ¹
600-181-7210		LAF4361	<i>D30A-15, D30P-15, D30Q-15, D30S-15 w/Komatsu 4D105 Engine</i>			6001852510		LAF9547 ²
(600-311-6200); Sec.	Fuel	L4367F ¹³⁹⁰	600-181-7310	Air	LAF4332 ²	6004111151	Coolant	LFW4073 ²⁵⁵
			600-181-7210		LAF4361 ²	6732716112	Fuel	LFF3521
			<i>D31EX-22 w/Komatsu SAA4D95LE-5 Engine</i>			6001852520	Air	LAF9543 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 182-Contains 2 oz. of chemical 205-Maintenance 250-11.9" Hgt. 255-Contains 3 oz. of chemical 627-5 oz. of chemical 1077-Hyd. Tank 1390-5 Micron

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (CRAWLER DOZER)			KOMATSU (CRAWLER DOZER)			KOMATSU (CRAWLER DOZER)		
<i>D31EX-22 w/Komatsu SAA4D95LE-5 Engine (cont'd)</i>			<i>D375A-1 w/Komatsu S6D170-1 Engine (cont'd)</i>			<i>D39E-1, D39P-1 w/S4D102E Engine (cont'd)</i>		
6001852510	Air	LAF9547 ²	070-630-1142	Hydraulic	LH8543	1266751H2	Hydraulic	LFH4428
6002112110	Oil	PH2835	600-211-1230	Oil	LFP670	<i>D39EX-21, D39PX-21 w/Komatsu SAA4D102E Engine</i>		
<i>D31PX-22 w/Komatsu SAA4D95LE-5 Engine</i>			070-630-1142	Trans	LH8543	6001852520	Air	LAF9543 ¹
6001852520	Air	LAF9543 ¹	<i>D375A-2 w/SA6D170 Komatsu Engine</i>			6001852510	Cabin Air	LAF9547 ²
6001852510		LAF9547 ²	612-881-7042	Air	LAF2821 ²			LAF5756
6002112110	Oil	PH2835			LAF6641 ¹	6004111151	Coolant	LFW4073 ²⁵⁵
<i>D32P w/Komatsu 4D120E Engine</i>			600-411-1040	Coolant	LFW2055	6732716112	Fuel	LFF3521
1105717C1	Air	LAF1544 ²	(600-311-8291); W/S	Fuel	LFF4294	<i>D39EX-22, D39PX-22 w/SAA4D107E-1 Engine</i>		
673-271-6110	Fuel	LFF3521	195-601-6320	Hydraulic	LH8543	6001853120	Air	LAF5932 ¹
W/S		LFF8062	600-211-230	Oil	LFP670	6001853110		LAF8149 ²
1266751H2	Hydraulic	LFH4428			LFP670XL ¹⁴	6754796140	Fuel	LFF3802
673-251-5140	Oil	LFP3900	070-630-1142	Trans	LH8543	(6003193610); W/S		LFF7689
<i>D355A-1 w/S6D155 Engine</i>			<i>D375A-5, D375A-5SL w/SA6D170E Engine</i>			6736515142	Oil	LFP7181
612-781-7311	Air	LAF6632 ²	6001856110	Air	LAF8150 ²	<i>D40A-1, D40P-1, D40PL-1 w/S4D105 Engine</i>		
		LAF6632MXM ^{2, 268}	6001856120		LAF8693 ¹		Air	LAF1723 ¹
612-781-7411		LAF6641 ¹	14X9117750	Cabin Air	LAF8971	600-181-8210		LAF4298 ²
612-771-6090	Fuel	L61F	6004111171	Coolant	LFW4074 ⁶²⁷	600-181-8310		LAF4329 ¹
175-491-1580	Hydraulic	LFH4213 ¹¹	(6003193111); W/S	Fuel	LFF1021	600-311-8220	Fuel	LFF4296
		LH4912	195-601-6320	Hydraulic	LH8543	101-601-5171	Hydraulic	LFH4211 ¹¹
175-431-4130		LP2854	6002111231	Oil	LFP670	130-604-8210	Oil	LH8545
612-050-5103	Oil	LP161	070-630-1142	Trans	LH8543			LFP2312
<i>D355A-3, D355C-3 w/Komatsu SA6D155 Engine</i>			<i>D37E-1, D37P-1 w/4D105 Engine</i>			<i>D40A-3, D40P-3, D40PL-3 w/6D105 Engine</i>		
600-181-4400	Air	LAF2821 ²	600-181-9240	Air	LAF1544 ²	600-181-8300	Air	LAF8668
		LAF6632 ²	600-181-9340		LAF1933 ¹	600-181-8360		LAF8674 ¹
		LAF6632MXM ^{2, 268}	600-311-6221	Fuel	FP588F	613-461-8110	Coolant	LFW4018 ¹⁸²
612-781-7412		LAF6641 ¹	613-651-5121	Oil	LFP5120B	613-671-6120	Fuel	LFF4296
671-061-8112	Coolant	LFW4073 ²⁵⁵	<i>D37E-2, D37P-2 w/6D95L Engine</i>			154-601-2170	Hydraulic	LH8541
(600-311-8290); W/S	Fuel	LFF4294	600-181-9240	Air	LAF1544 ²	613-651-5120	Oil	LFP5120B
144-601-1160	Hydraulic	LH8540	600-181-9340		LAF1933 ¹	<i>D41A-3, D41E-3, D41P-3, D41Q-3, D41S-3 w/6D105-1 Engine</i>		
130-604-8210	Hydraulic	LH8545	600-311-6221	Fuel	FP588F	600-181-8300	Air	LAF8668 ²
	Oil	LFP670		Oil	LFP6240	600-181-8360		LAF8674 ¹
		LFP670XL ¹⁴	<i>D37EX-21, D37PX-21 w/Komatsu SAA4D102E Engine</i>			613-461-8110	Coolant	LFW4018 ¹⁸²
612-751-5040		LP163	6001852520	Air	LAF9543 ¹	613-671-6120	Fuel	LFF4296
175-491-1580	Trans	LFH4213	6001852510		LAF9547 ²	613-651-5120	Oil	LFP5120B
<i>D355A-5 w/Komatsu SA6D155 Engine</i>				Cabin Air	LAF5756	154-601-2170	Trans	LH8541
612-881-7320	Air	LAF2821 ²	6004111151	Coolant	LFW4073 ²⁵⁵	<i>D41A6, D41E6, D41P6 w/Komatsu S6D102E-1 Engine</i>		
612-781-7412		LAF6641 ¹	6732716112	Fuel	LFF3521	600-181-6050	Air	LAF1804 ²
600-411-1150	Coolant	LFW4073 ²⁵⁵	<i>D37EX-22 w/Komatsu SAA4D95LE-5 Engine</i>			600-181-6050		LAF6834 ¹
(600-311-8291); W/S	Fuel	LFF5926	6001852520	Air	LAF9543 ¹	S/N B20001-	Cabin Air	LAF5756
175-491-1580	Hydraulic	LFH4213	6001852510		LAF9547 ²	673-271-6111	Fuel	LFF3521
195-601-6320		LH8543	6002112110	Oil	PH2835	673-551-5141	Oil	LFP780
600-211-1230	Oil	LFP670	<i>D37PX-22 w/Komatsu SAA4D95LE-5 Engine</i>					LFP780XL ¹⁴
		LFP670XL ¹⁴	6001852520	Air	LAF9543 ¹	<i>D41E-6C, D41P-6C w/SA6D102E Engine</i>		
<i>D37-5 w/S4D102E-1 Engine</i>			6001852510		LAF9547 ²	6001853120	Air	LAF5932 ¹
600-181-6050	Air	LAF1804 ²	6002112110	Oil	PH2835	6001853110		LAF8149 ²
600-181-6050		LAF6834 ¹	<i>D38P-1, D38P-1A w/Komatsu S4D102E Engine</i>			20Y9796261	Cabin Air	LAF5327 ¹³⁸⁹
673-271-6111	Fuel	LFF3521	848101155	Air	LAF1544 ²	14X9117750		LAF8791
673-251-5140	Oil	LFP3900	848101104		LAF9410 ¹	6732716111	Fuel	LFF3521
<i>D375A-1 w/Komatsu S6D170-1 Engine</i>			(1240619H2); W/S	Fuel	LFF8062	6736515142	Oil	LFP7181
(600-181-4400); S/N 15001-	Air	LAF2821 ²	1266751H2	Hydraulic	LFH4428	<i>D455A-1 w/Cummins VTA1710 Engine</i>		
612-781-7412		LAF6641 ¹	<i>D39E-1, D39P-1 w/S4D102E Engine</i>				Air	LAF2821 ²
600-411-1040	Coolant	LFW2055	1105717C1	Air	LAF1544 ²	612-781-7412		LAF6641 ¹
(600-311-8291); W/S	Fuel	LFF4294	529852R5		LAF1723 ¹	CUWF 2016	Coolant	LFW2055
			(1240619H2); W/S	Fuel	LFF8062			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 14-Extended Life 182-Contains 2 oz. of chemical 255-Contains 3 oz. of chemical 268-Extended/Severe service 627-5 oz. of chemical 1389-Cabin Air Conditioner

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (CRAWLER DOZER)			KOMATSU (CRAWLER DOZER)			KOMATSU (CRAWLER DOZER)		
<i>D455A-1 w/Cummins VTA1710 Engine (cont'd)</i>			<i>D50A-11, D50P-11, D50S-11</i>			<i>D53A-16, D53P-16, D53S-16 w/Komatsu 4D130 Engine</i>		
(CUFF 202); Pri.	Fuel	L3519F LFF202	611-070-6201	Fuel	L61F	600-181-2461	Air	LAF8819 ¹
154-601-2170	Hydraulic	LH8541 ¹³⁹¹	130-601-8790	Hydraulic	LP560	600-181-2500		LAF8821 ²
(195-601-6320); S/H 1502 - 195-601-6320		LH8543	612-050-5103	Oil	LP161	671-061-8112	Coolant	LFW4073 ²⁵⁵
CULF 516	Oil	LP566	<i>D50A-15, D50P-15, D50S-15 w/4D120 Engine</i>			(600-311-8291); W/S	Fuel	LFF4294
(195-601-6320); S/N 1502 -	Trans	LH8543	600-300-0121	Air	LAF8655 ¹	101-601-5171	Hydraulic	LFH4211 ¹¹
			600-300-0110		LAF8656 ²	130-604-8210		LH8545
				Fuel	L3519F	613-651-5120	Oil	LFP5120B
			130-604-8210	Hydraulic	LH8545	611-450-5100		LP161
			130-601-8790		LP560	281-161-1290	Trans	LFH4212
			612-050-5103	Oil	LP161	<i>D53A-17, D53P-17 w/6D125-1 Engine</i>		
<i>D45A-1, D45E-1, D45P-1, D45S-1 w/S4D105 Engine</i>			<i>D50A-16, D50P-16, D50PL-16, D50S-16 w/Komatsu 4D130 Engine</i>			600-181-2461	Air	LAF8819 ¹
600-181-8210	Air	LAF4298 ²		Air	LAF8819 ¹	600-181-2500		LAF8821 ²
600-181-8310		LAF4329 ¹			LAF8821 ²		Coolant	LFW4071 ²⁸
600-311-8220	Fuel	LFF4296				(600-311-8291); W/S	Fuel	LFF4294
101-601-5171	Hydraulic	LFH4211 ¹¹	671-061-8112	Coolant	LFW4073 ²⁵⁵	101-601-5171	Hydraulic	LFH4211 ¹¹
130-604-8210		LH8545	611-070-6202	Fuel	L61F	141-601-8270		LH8539
600-211-5240	Oil	LFP2312	(600-311-8291); W/S		LFF4294 ¹⁹	130-604-8210		LH8545
101-601-5171	Trans	LFH4211	(600-311-8293); W/S		LFF5926 ¹⁸	613-651-5120	Oil	LFP5120B
			101-601-5171	Hydraulic	LFH4211 ¹¹	281-161-1290	Trans	LFH4212
			141-601-8270		LH4912	<i>D53S-17 w/4D130 Engine</i>		
			141-601-8270		LH8539	600-181-2461	Air	LAF8819 ¹
			130-604-8210		LH8545	600-181-2500		LAF8821 ²
			613-651-5120	Oil	LFP5120B	671-061-8112	Coolant	LFW4073 ²⁵⁵
			611-450-5100		LP161	(600-311-8291); W/S	Fuel	LFF4294
<i>D475A-1 w/Komatsu SA8V170-1 Engine</i>			<i>D50A-17, D50F-17, D50P-17 w/6D125 Engine</i>			101-601-5171	Hydraulic	LFH4211 ¹¹
612-881-7320	Air	LAF2821 ²		Air	LAF8819 ¹	070-630-1100		LH4912
612-781-7412		LAF6641 ¹			LAF8821 ²	141-601-8270		LH8539
600-411-1030	Coolant	LFW4018 ¹⁸²		Coolant	LFW4071 ²⁸	613-651-5120	Oil	LFP5120B
(600-311-7110); Pri.	Fuel	LFF202	(600-311-8291); W/S	Fuel	LFF4294	611-450-5100		LP161
070-630-1210	Hydraulic	LH8544	101-601-5171	Hydraulic	LFH4211 ¹¹	281-161-1290	Trans	LFH4212
600-211-1230	Oil	LFP670 LFP670XL ¹⁴	(070-630-1054); D50F		LH8541	<i>D55</i>		
			130-604-8210		LH8545	(662-021-7550); S/N 1031	Breather	LAF190 ¹³⁸⁸
			613-651-5120	Oil	LFP5120B	131-604-8210	Hydraulic	LP560
			<i>D50F-16 w/S4D130 Engine</i>			661-050-5100	Oil	LP5100
			600-181-2300	Air	LAF1755 ²	145-493-2430	Trans	LP2854
			600-181-2350		LAF1759 ¹	<i>D55S, D55S-3 w/Cummins Engine</i>		
			671-061-8113	Coolant	LFW4073 ²⁵⁵	600-181-2300	Air	LAF1755 ²
			(600-311-8291); W/S	Fuel	LFF4294	600-181-2350		LAF1759 ¹
<i>D475A-2, D475A-3 w/Komatsu SA12V140 Engine</i>			101-601-5171	Hydraulic	LFH4211 ¹¹	611-213-8640		LAF190
612-881-7320	Air	LAF2821 ²	(070-630-1054); D50F		LH8541		Coolant	LFW4073 ²⁵⁵
612-781-7412		LAF6641 ¹	613-651-5120	Oil	LFP5120B			L3519F
600-421-1170	Coolant	LFW4075 ⁶⁴⁴	611-450-5100		LP161	661-072-8600	Hydraulic	LFH4212 ¹¹
(600-311-7130); Pri.	Fuel	LFF202	<i>D51EX-22, D51PX-22 w/SAA6D107E-1 Engine</i>			281-161-1290		LH8539
070-630-1210	Hydraulic	LH8544	(6754796130); Sec.	Fuel	LFF3802	141-601-8270		LH8545
600-211-1230	Oil	LFP670 LFP670XL ¹⁴	(6003193610); W/S		LFF7689	131-604-8210		LH8546 ¹¹
			6736515142	Oil	LFP7181	145-493-2430		LP2854 ¹¹
			<i>D50A, D50S-15</i>			145-493-2430		LP2854 ¹¹
600-300-0121	Air	LAF8655 ¹	611-283-7610	Air	LAF1755 ²	612-050-5103	Oil	LP161
600-300-0110		LAF8656 ²	611-283-7620		LAF1759 ¹	661-051-4400		LP5100
	Breather	LAF190 ¹³⁸⁸			L61F	281-161-1290	Trans	LFH4212
661-072-8600	Fuel	L3519F	130-604-8210	Hydraulic	LH8545	145-493-2430		LH8546
130-604-8210	Hydraulic	LH8545	145-493-2430		LH8546	<i>D55S-2</i>		
	Oil	LFP54 ¹² LP161	612-050-5103	Oil	LP161	131-604-8210	Hydraulic	LH8545
			281-161-1290	Trans	LFH4212	145-493-2430		LH8546 ¹¹
						661-050-5100	Oil	LP5100

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 12-Optional 14-Extended Life 18-Short 19-Long 28-Contains 1 oz. of chemical 182-Contains 2 oz. of chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 627-5 oz. of chemical 644-Contains 6 oz. of chemical 1388-Rocker Arm 1389-Cabin Air Conditioner 1391-Oil Cooler Fan Drive 1392-USA

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.		
KOMATSU (CRAWLER DOZER)			KOMATSU (CRAWLER DOZER)			KOMATSU (CRAWLER DOZER)				
<i>D55S-3 w/S4D120 Engine</i>			<i>D60 (cont'd)</i>			<i>D60A-8, D60E-8, D60F-8, D60P-8, D60PL-8, D60S-8 w/Komatsu 6D125 Engine (cont'd)</i>				
611-283-7610	Air	LAF1755 ²	-S/N 146124	Air	LAF6632MXX ^{2, 268}	600-181-2350	Air	LAF1759 ¹		
611-283-7620		LAF1759 ¹			LAF6632MXX ^{2, 268}	600-411-1020	Coolant	LFW4744 ⁴		
600-300-0121		LAF8655 ¹			LAF6641 ¹	(600-311-8291); W/S	Fuel	LFF4294		
600-300-0110		LAF8656 ²			LAF190 ¹³⁸⁸	281-161-1290	Hydraulic	LFH4212 ¹¹		
281-161-1290	Hydraulic	LFH4212 ¹¹			(662-021-7550); S/N 7186, 7193, 12406, 12407	Breather		(141-601-8270); D60S-8		LH8539
141-601-8270		LH8539	661-072-8600	Fuel	L3519F			144-601-1160		LH8540
131-604-8210		LH8545	281-161-1290	Trans	LFH4212			613-651-5120	Oil	LFP5120B
281-161-1290		LH8546 ¹¹	<i>D60A-3, D60A-6, D60P, D60P-3, D60P-6, D60PL-6, D60S, D60S-3, D60S-6, D65A-6, D65S-6 w/Cummins NH220-C1 Engine</i>			<i>D60F-7 w/Cummins NT0-6-C1 Engine</i>				
612-050-5103	Oil	LP161	(667-581-7030); D60P-3, D60S-3	Air	LAF2503 ²	600-181-3800P	Air	LAF6769 ²		
281-161-1290	Trans	LFH4212	(611-283-7610); D60A-6	Air	LAF6632 ²	600-181-3800S		LAF6769MXX ^{2, 268}		
145-493-2430		LH8546	D60A-6			LAF6632MXX ^{2, 268}	671-061-8113	Coolant	LFW4073 ²⁵⁵	
<i>D575A-2 w/SA12V170 Engine</i>			<i>w/Cummins NH220-C1 Engine</i>			<i>(600-311-8291); W/S Fuel LFF4294</i>				
612-881-7042	Air	LAF2821 ²	611-283-7620	Breather	LAF6641 ¹	281-161-1290	Hydraulic	LFH4212 ¹¹		
		LAF6641 ¹	662-021-7550	Coolant	LAF190 ¹³⁸⁸	154-601-2170		LH8541		
600-411-1171	Coolant	LFW4074 ⁶²⁷	671-061-8112	Fuel	LFW4073 ²⁵⁵	600-211-1230	Oil	LFP670		
(600-311-7111); Pri.	Fuel	LFF202	661-072-8600	Hydraulic	LH8540			LFP670XL ¹⁴		
7063-01210	Hydraulic	LH8544 ¹⁰⁷⁷	40001-		LP560	<i>D60F-8A w/Komatsu S6D125 Engine</i>				
600-211-1231	Oil	LFP670	131-604-8210		LFP152499B	600-181-3800P	Air	LAF6769 ²		
		LFP670XL ¹⁴	(668-581-9910); Turbo	Oil	LP5100	600-181-3800S		LAF6769MXX ^{2, 268}		
		LFP777B	661-050-5100		LP5100	600-411-1020	Coolant	LFW4744 ⁴		
(600-212-1511);		LFP777B	281-161-1290	Trans	LFH4212	(600-311-8291); W/S	Fuel	LFF4294		
By-Pass		LFP777XL ¹⁴	145-493-2430		LP2854	281-161-1290	Hydraulic	LFH4212 ¹¹		
By-Pass		LH8544	<i>D60A-6, D60P-6, D60PL-6, D65A-6, D65P-6, D65PL-6 w/NH220C1 Engine</i>			154-601-2170		LH8541		
7063-01210	Trans	LH8544	<i>w/Cummins NH220-C1 Engine</i>			600-211-1230	Oil	LFP670		
<i>D575A-3SD w/SA12V170E Engine</i>			<i>w/Cummins NH220-C1 Engine</i>					LFP670XL ¹⁴		
(6003117111); Pri.	Fuel	LFF202	667-581-7031	Air	LAF1755 ²	<i>D60P-3, D60S-3 w/Cummins NH220C1 Engine</i>				
1016015171	Hydraulic	LFH4211 ¹²¹²		Fuel	LAF1759 ¹	141-601-8270	Hydraulic	LH8539		
7063-01210		LH8544 ¹⁰⁷⁷			LAF8127 ²	661-050-5100	Oil	LP5100		
(6002121511);		LFP777B	281-161-1290		L3519F	<i>D60S-8, D65S-8 w/6D125 Engine</i>				
By-Pass		LH8544	145-493-2430	Hydraulic	LFH4212 ¹¹	600-181-2311	Air	LAF1755 ²		
7063-01210	Trans	LH8544			LH8540	600-181-2350		LAF1759 ¹		
<i>D57S-1 w/S4D130 Engine</i>					LH8546 ¹¹	671-061-8112	Coolant	LFW4073 ²⁵⁵		
600-181-2300	Air	LAF1755 ²	281-161-1290	Hydraulic	LP5100	(600-311-8291); W/S	Fuel	LFF4294		
600-181-2350		LAF1759 ¹	144-601-1160		LFH4212	281-161-1290	Hydraulic	LFH4212 ¹¹		
671-061-8112	Coolant	LFW4073 ²⁵⁵	145-493-2430		LH8546	(144-601-8270); S/N 45001-		LH8539		
		L3519F			LH8540	613-651-5120	Oil	LFP5120B		
		L61F	<i>D60A-7, D60E-7, D60P-7, D60PL-7, D60S-7 w/Cummins NH220-C1 Engine</i>			<i>D61EX-12, D61PX-12 w/S6D114E Engine</i>				
(600-311-8291); W/S		LFF4294	600-181-2311	Air	LAF1755 ²	6001854120	Air	LAF3781 ^{1, 241}		
101-601-5171	Hydraulic	LFH4211 ¹¹	600-181-2350		LAF1759 ¹	6001854110		LAF4498 ^{2, 208}		
141-601-8270		LH8539	600-411-1020	Coolant	LFW4744 ⁴	7729700010		LAF5756		
613-651-5120	Oil	LFP5120B	(600-311-8291); W/S	Fuel	LFF4294	17M9113530	Cabin Air	LAF8791 ²¹⁹		
611-450-5100		LP161	281-161-1290	Hydraulic	LFH4212 ¹¹	6742013970	Coolant	LFW4072 ¹⁸²		
281-161-1290	Trans	LFH4212	(141-601-8270); D60S-7		LH8539	(6732716112); Sec.	Fuel	LFF3521		
<i>D58E-1, D58P-1 w/Komatsu 6D125 Engine</i>			144-601-1160		LH8540	6742014120	Oil	LFP3000		
	Air	LAF8819 ¹	600-211-1230	Oil	LFP670			LFP3000XL ¹⁴		
		LAF8821 ²			LFP670XL ¹⁴	706301054	Trans	LH8541		
600-411-1020	Coolant	LFW4744 ⁴	281-161-1290	Trans	LFH4212	<i>D61EX-15E0 w/SAAD107E-1 Engine</i>				
(600-311-8291); W/S	Fuel	LFF4294	<i>D60A-8, D60E-8, D60F-8, D60P-8, D60PL-8, D60S-8 w/Komatsu 6D125 Engine</i>			6001854120	Air	LAF3781 ^{1, 241}		
101-601-5171	Hydraulic	LFH4211 ¹¹	600-181-2311	Air	LAF1755 ²	6001854110		LAF4498 ^{2, 208}		
141-601-8270		LH8539				20Y9796261	Cabin Air	LAF5327 ¹³⁹³		
130-604-8210		LH8545				14X9117750		LAF8791		
(613-651-5120); S/N 80588-	Oil	LFP5120B								
281-161-1290	Trans	LFH4212								
<i>D60</i>										
(611-283-7610); -S/N 146124	Air	LAF6632 ²								
P117443		LAF6632 ²								

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 11-Power Steering 14-Extended Life 182-Contains 2 oz. of chemical 208-19" Hgt. 219-Air Conditioner 241-17.5" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 627-5 oz. of chemical 1077-Hyd. Tank 1212-Drive 1388-Rocker Arm 1393-Cabin

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (CRAWLER DOZER)			KOMATSU (CRAWLER DOZER)			KOMATSU (CRAWLER DOZER)		
<i>D61EX-15EO w/SAA6D107E-1 Engine (cont'd)</i>			<i>D65A-7, D65E-7, D65P-7, D65PL-7, D65S-7 w/Cummins NH220-C1 Engine (cont'd)</i>			<i>D65EX, D65EX-12, D65P-12, D65PX-12 w/S6D125-1, S6D125E-2 Engine (cont'd)</i>		
6004111191	Coolant	LFW4072 ¹⁸²	281-161-1290	Hydraulic	LFH4212 ¹¹	070-630-1054	Trans	LH8541
(6754796130); Sec.	Fuel	LFF3802	(141-601-8270);		LH8539	<i>D65EX-15, D65PX-15 w/Komatsu SA6D125E-3 Engine S/N 67001-69000</i>		
(6003193610); W/S		LFF7689	D65S-7		LH8540	6001855110	Air	LAF4503 ²
14X49327450	Hydraulic	LH8541 ¹²¹⁸	144-601-1160		LFP670			LAF4503MXM ^{2, 268}
6736515142	Oil	LFP7181	600-211-1230	Oil	LFP670XL ¹⁴	6001855120		LAF4504 ¹
<i>D61EX-23, D61EXi-23 (w/Komatsu SAA6D107E-2 Engine)</i>			281-161-1290	Trans	LFH4212	6004111151	Coolant	LFW4073 ²⁵⁵
6001854120	Air	LAF3781 ^{1, 241}	<i>D65A-8, D65E-8, D65F-8, D65P-8, D65PL-8, D65S-8 w/Komatsu 6D125 Engine</i>			(6003193400); S/N	Fuel	LFF5357
6001856110		LAF4498 ^{2, 208}	600-181-2311	Air	LAF1755 ²	67001-67013; W/S		LFF6924
6003193750	Fuel	LFF5488	600-181-2350		LAF1759 ¹	(6003193520); S/N		
(6003193610); W/S		LFF7689	600-411-1020	Coolant	LFW4744 ⁴	67589-		
6736515142	Oil	LFP7181	(600-311-8291); W/S	Fuel	LFF4294	14X4932750	Hydraulic	LH8541
<i>D61PX-23, D61PXi-23 (w/Komatsu SAA6D107E-2 Engine)</i>			281-161-1290	Hydraulic	LFH4212 ¹¹	6002111340	Oil	LFP9001 ²⁵⁰
6001854120	Air	LAF3781 ^{1, 241}	(141-601-8270);		LH8539			LFP9001TRT ³
6001856110		LAF4498 ^{2, 208}	D65S-8		LH8540	6002111340		LFP9001XL ^{14, 250}
6003193750	Fuel	LFF5488	144-601-1160		LFP5120B	<i>D65EX-15, D65PX-15 w/SAA6D114E Engine S/N 67001-69000</i>		
(6003193610); W/S		LFF7689	613-651-5120	Oil	LFH4212	6001855110	Air	LAF4503 ²
6736515142	Oil	LFP7181	281-161-1290	Trans	LFH4212	6001855120		LAF4504 ¹
<i>D63E-1 w/Komatsu 6D125-1 Engine</i>			<i>D65E-12, D65P-12 w/6D125-1, -2 Engine</i>			20Y9796261	Cabin Air	LAF5327 ¹³⁹³
600-411-1020	Coolant	LFW4744 ⁴	600-181-3800P	Air	LAF6769 ²	14X9117750		LAF8791
(600-311-8291); W/S	Fuel	LFF4294	600-181-2460		LAF6769MXM ^{2, 268}	6004111151	Coolant	LFW4073 ²⁵⁵
101-601-5171	Hydraulic	LFH4211 ¹¹	600-181-2450		LAF8819 ¹	(6003193520); 67589-	Fuel	LFF6924
141-601-8270		LH8539	600-181-3800S		LAF8821 ²	14X7932750	Hydraulic	LH8541
130-604-8210		LH8545	600-411-1151	Coolant	LAF9373 ¹	6002111340	Oil	LFP9001 ²⁵⁰
(613-651-5120); S/N	Oil	LFP5120B	(600-311-8293); W/S	Fuel	LFW4073 ²⁵⁵			LFP9001TRT ³
1001-			706-301-100	Hydraulic	LFF5926	6002111340		LFP9001XL ^{14, 250}
281-161-1290	Trans	LFH4212	612-651-5121	Oil	LH4912	<i>D65EX-15, D65PX-15 w/SAA6D114E Engine S/N 69000-</i>		
<i>D65A, D65A-6, D65S-6 w/Cummins NH220-C1 Engine</i>			706-301-054	Trans	LH8541	6001855110	Air	LAF4503 ²
(611-283-7610); -S/N	Air	LAF1735 ¹	<i>D65E-6 w/Cummins NH220-CL Engine</i>			6001855120		LAF4504 ¹
146124			662-021-7550	Breather	LAF190 ¹³⁸⁸	20Y9796261	Cabin Air	LAF5327 ¹³⁹³
611-283-7620		LAF1759 ¹	571-061-8112	Coolant	LFW4073 ²⁵⁵	14X9117750		LAF8791
669-184-7310		LAF8558 ¹	661-072-8600	Fuel	L3519F	60004111191	Coolant	LFW4072 ¹⁸²
(669-181-7210); S/N		LAF8559 ²	(145-493-2430); S/N	Hydraulic	LP2854 ¹⁰⁹⁹	6754796130	Fuel	LFF3802
146124-; D65E-6			20006-		LP2854 ¹¹	(6003193610); W/S		LFF7689
662-021-7550	Breather	LAF190 ¹³⁸⁸	145-493-2430		LP560	14X49327450	Hydraulic	LH8541 ¹²¹⁸
671-061-8112	Coolant	LFW4073 ²⁵⁵	131-604-8210		LFP152499B	6742014540	Oil	LFP3000XL ¹⁴
661-072-8600	Fuel	L3519F	(668-581-9910); S/N	Oil	LP5100	<i>D65EX-15EO, D65PX-15EO w/SAA6D114E-3 Engine</i>		
(144-601-1160); S/N	Hydraulic	LH8540	1007-; Turbo			6001855110	Air	LAF4503 ²
40001-			(661-050-5100); S/N			6001855120		LAF4504 ¹
(145-493-2430); S/N		LP2854 ¹⁰⁹⁹	146124-			20Y9796261	Cabin Air	LAF5327 ¹³⁹³
20006-			281-161-1290	Trans	LFH4212	17M9113530		LAF8791
145-493-2430		LP2854 ¹¹	(145-493-2430); S/N		LP2854	6004111191	Coolant	LFW4072 ¹⁸²
131-604-8210		LP560	28629			(6754796130); Sec.	Fuel	LFF3802
(668-581-9910); S/N	Oil	LFP152499B	<i>D65EX, D65EX-12, D65P-12, D65PX-12 w/S6D125-1, S6D125E-2 Engine</i>			(6003193610); W/S		LFF7689
1007-; Turbo			600-181-3800P	Air	LAF6769 ²	14X4932750	Hydraulic	LH8541
661-050-5100		LP5100	600-181-3800S		LAF6769MXM ^{2, 268}	6742014540	Oil	LFP3000XL ¹⁴
281-161-1290	Trans	LFH4212	600-411-1151	Coolant	LAF9373 ¹	<i>D65EX-17 (w/Komatsu SAA6D114E-5 Interim Tier 4 Engine)</i>		
(145-493-2430); S/N		LP2854	(600-311-8293); W/S	Fuel	LFW4073 ²⁵⁵	6001855110	Air	LAF4503 ²
28629			076-063-01100	Hydraulic	LFF5926	6001855110		LAF4503MXM
<i>D65A-7, D65E-7, D65P-7, D65PL-7, D65S-7 w/Cummins NH220-C1 Engine</i>			600-211-1231	Oil	LH4912	6001855120		LAF4504 ¹
600-181-2311	Air	LAF1755 ²			LFP670	20Y9796261	Cabin Air	LAF5327
600-181-2350		LAF1759 ¹			LFP670XL ¹⁴			
(600-311-8291); W/S	Fuel	LFF4294						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 11-Power Steering 14-Extended Life 182-Contains 2 oz. of chemical 208-19" Hgt. 241-17.5" Hgt. 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 1099-Torque Converter 1218-Oil Cooler 1388-Rocker Arm 1393-Cabin

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (CRAWLER DOZER)			KOMATSU (CRAWLER DOZER)			KOMATSU (CRAWLER DOZER)		
<i>D65EX-17 w/Komatsu SAA6D114E-5 Interim Tier 4 Engine (cont'd)</i>			<i>D75A-1 w/Komatsu S6D125-1 Engine (cont'd)</i>			<i>D80A-18, D80E-18, D80F-18, D80P-18 w/Cummins NT855 Engine (cont'd)</i>		
6003193750	Fuel	LFF5488	281-161-1290	Trans	LFW4073	612-781-7412	Air	LAF6641 ¹
(6003193610); W/S		LFF7689				671-061-8113	Coolant	LFW4073 ²⁵⁵
6742014540	Oil	LFP3000XL ¹⁴	D75S, D75S-2 w/Cummins NH220-C1 Engine	Air	LAF8558 ¹	(600-311-8291); W/S	Fuel	LFF4294
<i>D65WX-15 w/SAA6D114E-3 Engine</i>			669-181-7310		LAF8559 ²	175-491-1580	Hydraulic	LFH4212 ¹¹
6001855110	Air	LAF4503 ²	(669-181-7210);			175-491-1580		LFH4213 ¹¹
6001855120		LAF4504 ¹	D75S-2 only	Coolant	LFW4073 ²⁵⁵	175-602-7380		LH4912
17M9113530	Cabin Air	LAF8791	671-061-8112	Fuel	L3519F	600-211-1230	Oil	LFP670
6004111191	Coolant	LFW4072 ¹⁸²	175-491-1580	Hydraulic	LFH4212 ¹¹			LFP670XL ¹⁴
(6754796130); Sec.	Fuel	LFF3802	141-601-8270		LH8539	175-491-1580	Trans	LFH4212
(6003193610); W/S		LFF7689	131-604-8210	Oil	LP560	175-491-1580		LFH4213
14X4932750	Hydraulic	LH8541	(668-581-9910); Turbo		LFP152499B	<i>D83E-1, D83P-1 w/Komatsu S6D125 Engine</i>		
6742014540	Oil	LFP3000	175-491-1580	Trans	LFH4212	600-181-3800P	Air	LAF6769 ²
<i>D65WX-16 w/Komatsu SAAD6114E-3 Engine</i>			(145-493-2430); S/N 1004-		LP2854			LAF6769MXM ^{2, 268}
6001855110	Air	LAF4503 ²	<i>D75S-3 w/Cummins, NT0-6-C1 Engine</i>			600-181-3800S		LAF9373 ¹
6001855120		LAF4504 ¹	600-181-3800P	Air	LAF6769 ²	(600-311-8291); W/S	Fuel	LFF4294
17M9113530	Cabin Air	LAF8791			LAF6769MXM ^{2, 268}	144-601-1160	Hydraulic	LH8540
(6754796130);	Fuel	LFF3802	600-181-3800S		LAF9373 ¹	600-211-1230	Oil	LFP670
80001-80086; Sec.		LFF5488	671-061-8112	Coolant	LFW4073 ²⁵⁵			LFP670XL ¹⁴
(6003193750); 80087-;		LFF7689	661-072-8600	Fuel	L3519F	<i>D85</i>		
Sec.		LFF7689	(600-311-8291); W/S		LFF4294	(668-581-9910); Turbo	Oil	LFP152499B
(6003193610); W/S		LH8541	175-491-1580	Hydraulic	LFH4213 ¹¹	<i>D85A-12, D85E-12 w/Cummins NH220-C1 Engine</i>		
14X4932750	Hydraulic	LH8541	141-601-8270		LH4912	669-181-7310	Air	LAF8558 ¹
6742014540	Oil	LFP3000	141-601-8270		LH8539	669-181-7210		LAF8559 ²
<i>D66S-1 w/Komatsu SA6D110 Engine</i>			(600-211-1230); S/N 178567-	Oil	LFP670		Coolant	LFW4071 ²⁸
600-181-3800P	Air	LAF6769 ²	(661-050-5100); S/N 134677-178566		LFP670XL ¹⁴	661-072-8600	Fuel	L3519F
		LAF6769MXM ^{2, 268}	175-491-1580	Trans	LP5100	154-601-2170	Hydraulic	LH8541
600-181-3800S		LAF9373 ¹			LFH4213	661-050-5100	Oil	LP5100
(600-311-8291); W/S	Fuel	LFF4294	<i>D75S-5 w/S6D125-1 Engine</i>			175-491-1580	Trans	LFH4212
(600-311-8293); W/S		LFF5926	600-181-3800P	Air	LAF6769 ²	175-431-4130		LP2854
141-601-8270	Hydraulic	LH8539			LAF6769MXM ^{2, 268}	<i>D85A-18, D85E-18, D85F-18, D85P-18 w/Cummins NT855 Engine</i>		
613-651-5120	Oil	LFP5120B	600-181-3800S		LAF9373 ¹	612-881-7320	Air	LAF2821 ²
101-601-5171	Trans	LFH4211	600-411-1020	Coolant	LFW4744 ⁴	612-781-7412		LAF6641 ¹
<i>D68E-1, D68P-1, D70LE w/Komatsu 6D125 Engine</i>			(600-311-8291); W/S	Fuel	LFF4294	671-061-8113	Coolant	LFW4073 ²⁵⁵
600-181-2311	Air	LAF1755 ²	175-491-1580	Hydraulic	LFH4213 ¹¹	(600-311-8291); W/S	Fuel	LFF4294
600-181-2350		LAF1759 ¹	144-601-8270		LH4912	175-491-1580	Hydraulic	LFH4212 ¹¹
D70LE		LAF6769 ^{2, 57}	600-211-1230	Oil	LFP670	175-491-1580		LFH4213 ¹¹
D70LE		LAF6769MXM ^{2, 57, 291}	175-491-1580	Trans	LFH4213	175-602-7380		LH4912
		LAF9373 ^{1, 57}				600-211-1230	Oil	LFP670
600-411-1020	Coolant	LFW4744 ⁴	<i>D80A-12, D85A-12 w/Cummins Engine</i>					LFP670XL ¹⁴
(600-311-8291); W/S	Fuel	LFF4294	671-061-8112	Coolant	LFW4073 ²⁵⁵	175-491-1580	Trans	LFH4212
(600-311-8293); W/S		LFF5926	661-072-8600	Fuel	L3519F	175-491-1580		LP2854
281-161-1290	Hydraulic	LFH4212 ¹¹	(668-581-9910); Turbo	Oil	LFP152499B	<i>D85A-21, D85E-21, D85P-21 w/Komatsu S6D125 Engine</i>		
144-601-1160		LH8540	(661-050-5100);		LP5100	600-181-3800P	Air	LAF6769 ²
613-651-5120	Oil	LFP5120B	D80A-12					LAF6769MXM ^{2, 268}
281-161-1290	Trans	LFH4212	661-053-5120	Power Steering	LP161	600-181-3800S		LAF9373 ¹
<i>D75A-1 w/Komatsu S6D125-1 Engine</i>			154-191-2130		LP164	600-411-1150	Coolant	LFW4073 ²⁵⁵
S/N 50001-	Air	LAF1755 ²	(145-493-2430); S/N 1004-	Trans	LP2854	(600-311-8291); W/S	Fuel	LFF4294
611-581-7602		LAF1759 ¹				175-491-1580	Hydraulic	LFH4213 ¹¹
(600-311-8291); W/S	Fuel	LFF4294	<i>D80A-18, D80E-18, D80F-18, D80P-18 w/Cummins NT855 Engine</i>			070-630-1100		LH4912
(600-311-8293); W/S		LFF5926	612-881-7320	Air	LAF2821 ²	600-211-1230	Oil	LFP670
144-601-1160	Hydraulic	LH8540						LFP670XL ¹⁴
600-211-1230	Oil	LFP670				175-491-1580	Trans	LFH4213
		LFP670XL ¹⁴						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 11-Power Steering 14-Extended Life 28-Contains 1 oz. of chemical 57-Partial 182-Contains 2 oz. of chemical 255-Contains 3 oz. of chemical 268-Extended/Severe service 291-Extended/Severe service.

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (CRAWLER DOZER)			KOMATSU (DUMP TRUCK)			KOMATSU (DUMP TRUCK)		
<i>D85EX, D85PX w/Komatsu SA6D125E-3 Engine</i>			<i>HA250, HA270 w/Komatsu S6D125 Engine (cont'd)</i>			<i>HD1600M-1 w/Cummins KTA3067 Engine (cont'd)</i>		
6001855100	Air	LAF4503 ²	600-411-1150	Coolant	LFW4073 ²⁵⁵	By-Pass	Oil	LFP777XL ¹⁴
6001855120	Fuel	LAF4504 ¹	(600-311-8291); W/S	Fuel	LFF4294	205-605-1430	Trans	LH8544
(6003113410); S/N 1001-1024; W/S		LFF5357	600-211-1230	Oil	LFP670	<i>HD180-2 w/Cummins NTO-6 Engine</i>		
2076071181	Hydraulic	LH9351 ¹⁰⁷⁷			LFP670XL ¹⁴	661-072-8600	Fuel	L3519F
6002111340	Oil	LFP9001 ²⁵⁰	<i>HD1200M-1 w/Cummins KTA2300 Engine</i>			101-601-5170	Hydraulic	LFH4211 ¹³⁹⁵
		LFP9001TRT ³	581-021-2130	Air	LAF1816 ¹	287-161-1510		LFH4212
		LFP9001XL ^{14, 250}	581-021-2120		LAF1818 ²	661-050-5100	Oil	LP5100
<i>D85EX-15, D85EX-15SL, D85PX-15 w/Komatsu SAA6D125E-5 Engine</i>					LAF1818MXM ^{2, 268}	<i>HD180-4 w/Cummins NTO-6 Engine</i>		
6001855110	Air	LAF4503 ²	(299202); Pri.	Fuel	LFF202	600-181-3800P	Air	LAF6769 ²
6001855120		LAF4504 ¹	(205-605-1430); S/N 1005-1099	Hydraulic	LH8544			LAF6769MXM ^{2, 268}
20Y9796261	Cabin Air	LAF5327 ¹³⁸¹	(205-605-1430); S/N 1101-		LH8544	600-181-3800S		LAF9373 ¹
6004111151	Coolant	LFW4073 ²⁵⁵			LAK1 ¹⁵⁰⁶	3305367	Coolant	LFW4071 ²⁸
(6003193520); S/N 11001-11192	Fuel	LFF6924			LFP670	671-061-8113		LFW4073 ²⁵⁵
(6003193550); S/N 11193-		LFF6924	299670	Oil	LFP670XL ¹⁴	661-072-8600	Fuel	L3519F
2076071181	Hydraulic	LH9351 ¹⁰⁷⁷	(3304232); By-Pass		LFP777B	(600-311-8291); W/S		LFF4294
6002111340	Oil	LFP9001 ²⁵⁰	By-Pass		LFP777XL ¹⁴	287-161-1510	Hydraulic	LFH4212
		LFP9001TRT ³	(205-605-1430); S/N 1005-1099	Trans	LH8544	600-211-1230	Oil	LFP670
		LFP9001XL ^{14, 250}	(205-605-1430); S/N 1101-		LH8544	661-050-5100		LFP670XL ¹⁴
<i>D95S-1 w/Komatsu S4D155-4 Engine</i>						101-601-5171	Trans	LFH4211
600-181-3800P	Air	LAF6769 ²	<i>HD1200M-1 w/Komatsu SA12V170-1 Engine</i>			<i>HD200-2 w/Cummins NTC743 Engine</i>		
		LAF6769MXM ^{2, 268}	581-021-2130	Air	LAF1816 ¹	600-181-3800P	Air	LAF6769 ²
600-181-3800S		LAF9373 ¹	581-021-2120		LAF1818 ²			LAF6769MXM ^{2, 268}
671-061-8112	Coolant	LFW4073 ²⁵⁵			LAF1818MXM ^{2, 268}	600-181-3800S		LAF9373 ¹
(611-070-6202); S/N 10287-50158	Fuel	L61F	620-411-1170	Coolant	LFW2055	671-061-8113	Coolant	LFW4073 ²⁵⁵
175-602-7380	Hydraulic	LH4912	(600-311-7110); Pri.	Fuel	LFF202	661-072-8600	Fuel	L3519F
612-050-5103	Oil	LP161	205-605-1430	Hydraulic	LH8544	(600-311-8291); W/S		LFF4294
154-191-2130	Trans	LP161	600-211-1230	Oil	LFP670	101-601-5171	Hydraulic	LFH4211 ¹¹
<i>D95S-2 w/Cummins NT-855 Engine</i>					LFP670XL ¹⁴	287-161-1510		LFH4212
612-881-7320	Air	LAF2821 ²	205-605-1430	Trans	LH8544	600-211-1230	Oil	LFP670
612-781-7412		LAF6641 ¹				661-050-5100		LP5100
671-061-8113	Coolant	LFW4073 ²⁵⁵	<i>HD1500-5 w/Komatsu SDA12V160 Engine</i>			287-161-1510	Trans	LFH4212
(600-311-8291); W/S	Fuel	LFF4294	VS2186	Air	LAF5069MXM ²	<i>HD200D-3, HD205-3 w/Komatsu S6D125-1 Engine</i>		
175-491-1580	Hydraulic	LFH4213 ¹¹	VS2185		LAF5070 ¹	600-181-3800P	Air	LAF6769 ²
175-602-7380		LH4912	(XA3387); W/S	Fuel	LFF1007 ²¹⁰			LAF6769MXM ^{2, 268}
600-211-1230	Oil	LFP670	XA3386		LFF5644	600-181-3800S		LAF9373 ¹
		LFP670XL ¹⁴	(BF5209);	Oil	LFP9024	600-411-1150	Coolant	LFW4073 ²⁵⁵
		LFH4213	A30039-A30070			(600-311-8291); W/S	Fuel	LFF4294
<i>WD600-1 Wheel Dozers w/Komatsu S6D170-1 Engine</i>			<i>HD1500-7 w/Komatsu SDA12V160 Engine</i>			195-601-6320	Hydraulic	LH8543
612-881-7320	Air	LAF2821 ²	VS2186	Air	LAF5069MXM ²	600-211-1230	Oil	LFP670
612-781-7412		LAF6641 ¹	VS2185		LAF5070 ¹			LFP670XL ¹⁴
(600-311-8291); W/S	Fuel	LFF4294	(XA3387); W/S	Fuel	LFF1007 ²¹⁰	195-601-6320	Trans	LH8543
070-630-1142	Hydraulic	LH8543	XA3386		LFF5644	<i>HD255-5 w/SA6D125E Engine</i>		
600-211-1230	Oil	LFP670	<i>HD1600M-1 w/Cummins KTA3067 Engine</i>			(600-181-1580); S/N 1001-	Air	LAF1834 ²
		LFP670XL ¹⁴	581-021-2130	Air	LAF1816 ¹	600-181-1680		LAF1835 ¹
KOMATSU (DUMP TRUCK)			581-021-2120		LAF1818 ²	600-411-1151	Coolant	LFW4073 ²⁵⁵
<i>HA250, HA270 w/Komatsu S6D125 Engine</i>					LAF1818MXM ^{2, 268}	(600-311-8292); W/S	Fuel	LFF5926
600-181-4311	Air	LAF6769 ²	3305367	Coolant	LFW4071 ²⁸	706301142	Hydraulic	LH8543
		LAF6769MXM ^{2, 268}	(299202); Pri.	Fuel	LFF202	600-211-1231	Oil	LFP670
600-181-4212		LAF9373 ¹	205-605-1430	Hydraulic	LH8544			LFP670XL ¹⁴
			3307885	Oil	LFP670	424-161-1140	Trans	LP2307
			(3304232); By-Pass		LFP670XL ¹⁴			
					LFP777B			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 28-Contains 1 oz. of chemical 210-w/ Sensor 250-11.9"

Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 1077-Hyd. Tank 1381-Cabin Heater 1395-Clutch Booster 1506-Inner and outer air filter kit

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (DUMP TRUCK)			KOMATSU (DUMP TRUCK)			KOMATSU (DUMP TRUCK)		
<i>HD320-2, HD320-3 w/Cummins NTA855 Engine</i>			<i>HD405-6 w/Komatsu SAA6D140E-2 Engine</i>			<i>HD465-7 w/Komatsu SAA6D170E-5 Engine (cont'd)</i>		
600-181-3800P	Air	LAF6769 ² LAF6769MXM ^{2, 268}	(600-311-7132); Pri.	Fuel	LFF202	(6003193550); Sec.	Fuel	LFF6924
600-181-3800S		LAF9373 ¹	706-301-142	Hydraulic	LH8543	4241611140	Trans	LP2307
671-061-8113	Coolant	LFW4073 ²⁵⁵	600-211-1231	Oil	LFP670 LFP670XL ¹⁴	<i>HD465-7 w/SAA6D170E Engine</i>		
661-072-8600	Fuel	L3519F LFF4294	<i>HD405-7 w/Komatsu SAA6D140E-5 Engine</i>			6001856110	Air	LAF8150 ²
(600-311-8291); W/S			6001855110	Air	LAF4503 ² LAF4503MXM ^{2, 268}	6001856120	Cabin Air	LAF8693 ¹
(141-601-8270); S/N	Hydraulic	LH4912	6001855120		LAF4504 ¹	4270722120	Coolant	LFW4074 ⁶²⁷
1005-2499			(6003113410); W/S	Fuel	LFF5357	6004111171	Coolant	LFW4074 ⁶²⁷
141-601-8270		LH4912 ¹¹	6003193550		LFF6924	(6003113110); W/S	Fuel	LFF1021
(195-601-6320); S/N		LH8543	706351142	Hydraulic	LH8543 ¹⁰⁷⁷	706351210	Hydraulic	LH8544 ¹⁰⁷⁷
2501-			6002111340	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	6002111231	Oil	LFP670 LFP670XL ¹⁴
600-211-1230	Oil	LFP670 LFP670XL ¹⁴	6002111340			4241611140	Trans	LP2307
141-601-8270	Trans	LH4912	5691681160	Trans	LP2307	<i>HD465-7E0 w/Komatsu SAA6D170E-5 Engine</i>		
<i>HD325-2, HD325-3 w/Cummins KT1150 Engine</i>			<i>HD460-1 w/Cummins VT1710 Engine</i>			6001856110	Air	LAF8150 ²
600-181-3800P	Air	LAF6769 ² LAF6769MXM ^{2, 268}	612-781-7311	Air	LAF6632 ² LAF6632MXM ^{2, 268}	6001856120	Coolant	LAF8693 ¹
600-181-3800S		LAF9373 ¹	612-781-7042		LAF6641 ¹	6004111171	Coolant	LFW4074 ⁶²⁷
WF-2051	Coolant	LFW4744 ⁴	WF-2016	Coolant	LFW4073 ²⁵⁵	(6003193400); W/S	Fuel	LFF5357
(600-311-8291); W/S	Fuel	LFF4294	(FF-202); Pri.	Fuel	LFF202	6003193550		LFF6924
(141-601-8270); S/N	Hydraulic	LH4912	(141-601-8270); S/N	Hydraulic	LH4912	6002111340	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
1005-1499			1002-1113			6002111340		
141-601-8270		LH4912 ¹¹	141-601-8270		LH4912 ¹¹	5691681160	Trans	LP2307
(195-601-6320); S/N		LH8543	(195-601-6320); S/N		LH8543	<i>HD605 w/SAA6D170E2 Engine</i>		
1501-			1114-			600-411-1170	Coolant	LFW2055
600-211-1230	Oil	LFP670 LFP670XL ¹⁴	299670	Oil	LFP670 LFP670XL ¹⁴	(600-311-8293); W/S	Fuel	LFF5926
141-601-8270	Trans	LH4912	141-601-8270	Trans	LH4912	600-211-1231	Oil	LFP670 LFP670XL ¹⁴
<i>HD325-5 w/Komatsu SA6D140-1 Engine</i>			<i>HD465-2 w/Cummins VTA1710 Engine</i>			<i>HD605-5 w/SA6D170E, SAA6D170E Engine</i>		
600-181-3800P	Air	LAF6769 ² LAF6769MXM ^{2, 268}	561-021-2330	Air	LAF8634 ²	5610262530	Air	LAF1465 ²
600-181-3800S		LAF9373 ¹	561-021-2320		LAF8641 ¹	5610262520		LAF7313 ¹
WF-2051	Coolant	LFW4744 ⁴	3305367	Coolant	LFW4071 ²⁸	6004111171	Coolant	LFW4074 ⁶²⁷
(600-311-8291); W/S	Fuel	LFF4294	(299202); Pri.	Fuel	LFF202	(6003118293); W/S	Fuel	LFF5926
(141-601-8270); S/N	Hydraulic	LH4912	195-601-6320	Hydraulic	LH8543	706301210	Hydraulic	LH8544
1005-1499			299670	Oil	LFP670 LFP670XL ¹⁴	6002111231	Oil	LFP670 LFP670XL ¹⁴ LFP777B
141-601-8270		LH4912 ¹¹				(6002121511); By-Pass		
(195-601-6320); S/N		LH8543	<i>HD465-3 w/Komatsu SA6D170-1 Engine</i>			<i>HD605-7 w/Komatsu SAA6D170E Tier 3 Engine</i>		
1501-			561-021-2330	Air	LAF8634 ²	6001856100	Air	LAF8150 ²
600-211-1230	Oil	LFP670 LFP670XL ¹⁴	561-021-2320		LAF8641 ¹	(6003193400); W/S	Fuel	LFF5357
195-601-6320	Trans	LH8543	600-411-1040	Coolant	LFW4073 ²⁵⁵	6003193550		LFF6924
<i>HD325-6 w/SA6D140 Engine</i>			(600-311-8291); W/S	Fuel	LFF4294	6002111340	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
(600-311-7132); Pri.	Fuel	LFF202	195-601-6320	Hydraulic	LH8543	6002111340		
706-301-142	Hydraulic	LH8543	600-211-1231	Oil	LFP670 LFP670XL ¹⁴	<i>HD605-7 w/SA6D170E Engine</i>		
600-211-1231	Oil	LFP670 LFP670XL ¹⁴	424-161-1140	Trans	LP2307	5610262530	Air	LAF1465 ²
<i>HD325-7 w/Komatsu SAA6D140E-5 Engine</i>			<i>HD465-5 w/SA6D170-1 Engine</i>			5610262520		LAF7313 ¹
600-185-5110	Air	LAF4503 ² LAF4503MXM ^{2, 268}	561-026-2530	Air	LAF1465 ²	6004111171	Coolant	LFW4074 ⁶²⁷
600-185-5120		LAF4504 ¹	561-026-2520		LAF7313 ¹	(6003118293); W/S	Fuel	LFF5926
(6003113410); W/S	Fuel	LFF5357 LFF6924	(600-311-8293); W/S	Fuel	LFF5926	706301210	Hydraulic	LH8544
6003193550			706-301-142	Hydraulic	LH8543	6002111231	Oil	LFP670 LFP670XL ¹⁴ LFP777B
706351142	Hydraulic	LH8543 ¹⁰⁷⁷	424-161-1140	Trans	LP2307	(6002121511); By-Pass		
6002111340	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	<i>HD465-7 w/Komatsu SAA6D170E-5 Engine</i>			<i>HD605-7 w/SA6D170E Engine</i>		
6002111340			6001856110	Air	LAF8150 ²	5610262530	Air	LAF1465 ²
5691681160	Trans	LP2307	6001856120		LAF8693 ¹	5610262520		LAF7313 ¹
			(6003193400); W/S	Fuel	LFF5357	6004111171	Coolant	LFW4074 ⁶²⁷

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 11-Power Steering 14-Extended Life 28-Contains 1 oz. of chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 627-5 oz. of chemical 1077-Hyd. Tank

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (DUMP TRUCK)			KOMATSU (DUMP TRUCK)			KOMATSU (DUMP TRUCK)		
HD680-2 w/Cummins VTA1710 Engine			HD785-7 w/Komatsu SAA12V140E-3 Engine			HM400-2 w/Komatsu SAA6D140E-5 Engine		
612-881-7320	Air	LAF2821 ²	6001856110	Air	LAF8150 ²		Cabin Air	LAF5327
612-781-7412		LAF6641 ¹	6001856120		LAF8693 ¹	HM400-3 (w/Komatsu SAA6D140E-6 Engine)		
3305371	Coolant	LFW4744 ⁴	4260732441	Cabin Air	LAF5482 ²¹⁹	6001856110	Air	LAF4638
FF-108 (299202); Pri.	Fuel	L43F LFF202	6004111171	Coolant	LFW4074 ⁶²⁷	6001856100		LAF8693 ¹
299670	Oil	LFP670	(6003113410); S/N	Fuel	LFF5357	4260732441	Cabin Air	LAF5482
LF-516		LFP670XL ¹⁴ LP566	7001-7168; W/S			2076071182	Hydraulic	LH9351 ¹⁰⁷⁷
HD780-1 w/Cummins VTA1710 Engine			6002111340	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	6002111340	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
561-021-2330	Air	LAF8634 ²	6002111340	Trans	LP2307	KOMATSU (EXCAVATOR)		
561-021-2320		LAF8641 ¹	HM300-2 w/Komatsu SAA6D125E-5 Engine			10-HT, 10-HQ, 10-HW-1 w/4D92 Engine		
3305371	Coolant	LFW4744 ⁴	20Y9796261	Cabin Air	LAF5327	101-601-5171	Hydraulic	LHF4211
(299202); Pri.	Fuel	LFF202	6004111151	Coolant	LFW4073 ²⁵⁵	600-211-6240	Oil	LFP6240
299670	Oil	LFP670	(6003113410); S/N	Fuel	LFF5357	10-HT, 10-HQ-2, 10-HW-2 w/4D94 Engine		
		LFP670XL ¹⁴	2001-2429; W/S			600-181-7300	Air	LAF222 ²
HD785-1 w/Cummins KT2300 Engine			706351142	Hydraulic	LH8543 ¹⁰⁷⁷	154-601-2170	Hydraulic	LH8541
561-021-2330	Air	LAF8634 ²	6002111340	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	600-211-5240	Oil	LFP54
561-021-2320		LAF8641 ¹	HM300-3 (w/Komatsu SAA6D125E-6 Engine)			12-HT, 12-HL, 12-HD-2 w/S4D105 Engine		
3305367	Coolant	LFW4071 ²⁸	6001856110	Air	LAF4638	600-181-8360	Air	LAF8674 ¹
(299202); Pri.	Fuel	LFF202	6001856100		LAF8693 ¹	600-311-8220	Fuel	LFF4296
205-605-1430	Hydraulic	LH8544	4260732441	Cabin Air	LAF5482	20-HT-1 w/4D130 Engine		
299670	Oil	LFP670	2076071182	Hydraulic	LH9351 ¹⁰⁷⁷	611-450-5100	Oil	LP161
(3304232); By-Pass		LFP670XL ¹⁴	6002111340	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	210LC w/Cummins 5.9L Engine		
By-Pass		LFP777B LFP777XL ¹⁴	HM350-1 w/Komatsu SAA6D140E-3 Engine			205-017-3570	Air	LAF5878 ²
070-630-1142	Trans	LH8543	6001856110	Air	LAF8150 ²	(673-271-6120); Pri.	Fuel	LFF3417
HD785-2 w/Komatsu SA8V170-1 Engine			6001856120		LAF8693 ¹	673-271-6110		LFF3521
561-021-2330	Air	LAF8634 ²	6004111161	Coolant	LFW4074 ⁶²⁷	706-301-210	Hydraulic	LH8544
561-021-2320		LAF8641 ¹	23W6024140	Hydraulic	LH4256 ¹²¹¹	673-651-5140	Oil	LFP780 LFP780XL ¹⁴
600-411-1160	Coolant	LFW4074 ⁶²⁷	6002111340	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	C128uu-1 w/S4AD102E Engine		
(600-311-7110); Pri.	Fuel	LFF202	HM350-2 w/Komatsu SAA6D140E-5 Engine			600-181-19460	Air	LAF5863
205-605-1430	Hydraulic	LH8544	6001856110	Air	LAF8150 ²	600-411-1191	Coolant	LFW4072 ¹⁸²
600-211-1230	Oil	LFP670	6001856120		LAF8693 ¹	673-271-6111	Fuel	LFF3521
		LFP670XL ¹⁴	6004111161	Coolant	LFW4074 ⁶²⁷	706-301-142	Hydraulic	LH8543
070-630-1142	Trans	LH8543	23W6024140	Hydraulic	LH4256 ¹²¹¹	673-251-5140	Oil	LFP3900
HD785-3 w/Komatsu SA12V140 Engine			6002111340	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	613-451-5121		LFP8320
561-126-2520	Air	LAF1465 ²	HM350-1 w/Komatsu SAA6D140E-3 Engine			HB215LC-1 Hybrid w/Komatsu SAA4D1077EIA Engine		
(600-311-7110); Pri.	Fuel	LFF202	6001856110	Air	LAF8150 ²	(6003113620); W/S	Fuel	LFF7689
070-630-1210	Hydraulic	LH8544	6001856120		LAF8693 ¹	6736515142	Oil	LFP7181
(600-211-1230); S/N	Oil	LFP670	20Y9796261	Cabin Air	LAF5327	PC01-1 w/Honda GX160K1 Engine		
2001-		LFP670XL ¹⁴	6004111161	Coolant	LFW4074 ⁶²⁷		Fuel	L3541F
42416-11140	Trans	LP2307	(6003113410); S/N	Fuel	LFF5357		Oil	PH2808
HD785-5 w/Komatsu SAA12V140ZE-2 Engine			(6003193550); S/N		LFF6924	PC02 Series I w/2D94 Engine		
5610262530	Air	LAF1465 ²	2215-			130-604-8210	Hydraulic	LH8545
5610262520		LAF7313 ¹	(23W6024140); S/N	Hydraulic	LH4256 ¹²¹¹	600-211-5240	Oil	LFP2312
6004111171	Coolant	LFW4074 ⁶²⁷	2001-2214			PC02-1 w/2D92 Engine		
(6003117111); Pri.	Fuel	LFF202	6002111340	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	130-604-8210	Hydraulic	LH8545
706301210	Hydraulic	LH8544	HM400-1 w/Komatsu SAA6D140E-3 Engine			600-211-6240	Oil	LFP6240
6002111231	Oil	LFP670	6001856110	Air	LAF8150 ²	PC03 w/Yanmar 2TN66E Engine		
		LFP670XL ¹⁴	6001856120		LAF8693 ¹	600-181-7300	Air	LAF222 ²
(6002121511);		LFP777B	23W6024140	Hydraulic	LH4256 ¹²¹¹	7063-01054	Hydraulic	LH8541
By-Pass		LFP777XL ¹⁴	6002111340	Oil	LFP9001 ²⁵⁰	119660-35150	Oil	PH2808
By-Pass		LP2307	HM400-2 w/Komatsu SAA6D140E-5 Engine			PC03-2 w/1D84 Engine		
4241611140	Trans	LP2307	6001856110	Air	LAF8150 ²	(124550-55700); S/N	Fuel	L4103F
			6001856120		LAF8693 ¹	15001-		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 14-Extended Life 28-Contains 1 oz. of chemical 182-Contains 2 oz. of chemical 219-Air Conditioner 250-11.9" Hgt. 255-Contains 3 oz. of chemical 627-5 oz. of chemical 1077-Hyd. Tank 1211-Brake

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (EXCAVATOR)			KOMATSU (EXCAVATOR)			KOMATSU (EXCAVATOR)		
PC04-1 w/2D94-1, 2D94-2 Engine			PC100-3, PC100L-3 w/Komatsu 6D95L-1 Engine			PC120-3 w/Komatsu 4D95L-1 Engine		
600-181-7300	Air	LAF222 ²	600-181-9200	Air	LAF1544 ²	600-181-9500	Air	LAF1544 ²
154-601-2170	Hydraulic	LH8541	600-411-1010	Coolant	LFW4018 ¹⁸²			LAF1933 ¹
130-604-8210		LH8545	600-311-6220	Fuel	FP588F	600-411-1140	Coolant	LFW4072 ¹⁸²
600-211-5240	Oil	LFP2312	175-602-7380	Hydraulic	LH4912	600-311-6220	Fuel	FP588F
PC05-1 w/Komatsu 3D72-1 Engine			600-211-6241	Oil	LFP6240	175-602-7380	Hydraulic	LH4912
YM124066-12510	Air	LAF2745A ²	PC100-5 w/Komatsu S4D95L Engine			600-211-6240	Oil	LFP6240
YM171056-35110	Oil	LFP5522	600-181-9460	Air	LAF5863	PC120-5 w/Komatsu S4D95L Engine		
PC05-5 w/3D84-1 Engine			600-311-8222	Fuel	LFF5784 ¹²	600-181-19460	Air	LAF5863
121120-12901	Air	LAF1275 ²	070-630-1100	Hydraulic	LH4912	600-311-8221	Fuel	LFF4296
124550-55700	Fuel	L4103F	070-630-1100		LH8539	070-630-1100	Hydraulic	LH4912
20M-60-31230	Hydraulic	LFP2267	600-211-5242	Oil	LFP2312	(600-211-5240); S/N 30451-	Oil	LFP2312
171056-35110	Oil	PH2808	PC100-6 w/Komatsu S4D95L Engine			PC120-6 w/S4D102E Engine		
PC05-5 w/Yanmar 3D72-2B Engine			600-181-9460	Air	LAF5863	600-181-6550	Air	LAF1804 ²
119860-12510	Air	LAF8620 ²	600-411-1180	Coolant	LFW4072 ¹⁸²	600-181-6050		LAF6834 ¹
	Fuel	L4103F	600-311-8221	Fuel	LFF4296	673-271-6110	Fuel	LFF3521
	Oil	PH2808	706-301-100	Hydraulic	LH4912	070-630-1100	Hydraulic	LH4912
PC05-6 w/Yanmar 3D72-2 Engine			600-211-5241	Oil	LFP2312	673-251-5140	Oil	LFP3900
119860-12510	Air	LAF8620 ²	PC100-6 w/S4D102E Engine			PC120-6 w/S4D95L Engine		
124-550-55700	Fuel	L4103F	600-181-6060	Air	LAF1804 ²	600-181-9460	Air	LAF5863
119-660-35150	Oil	PH2808	600-181-6050		LAF6834 ¹	600-411-1180	Coolant	LFW4073 ²⁵⁵
PC05-7 w/3D72-2 Engine			600-411-1191	Coolant	LFW4072 ¹⁸²	600-311-8221	Fuel	LFF5784 ¹²
(12146512510); S/N 10617-	Air	LAF2745A ²	706-301-100	Hydraulic	LH4912	070-630-1100	Hydraulic	LH4912
124-550-55700	Fuel	L4103F	673-251-5140	Oil	LFP3900	600-211-5241	Oil	LFP2312
119-660-35150	Oil	PH2808	PC10-1 w/Komatsu 2D94-2 Engine			PC122uu-2 w/S4D102E Engine		
119-305-35150		PH2876	600-211-5240	Oil	LFP2312	673-271-6111	Fuel	LFF3521
PC07-2			PC10-2, PC10-3 w/Komatsu 3D72-1 Engine			PC1250-8 w/SAA6D170E-5 Engine		
	Air	LAF2745A ²	YM171056-35110	Oil	LFP5522	(6003193400); W/S	Fuel	LFF5357
YMR-000-603	Fuel	L4103F	PC10-2, PC10-3 w/Komatsu 3D75-1 Engine			4241611140	Hydraulic	LP2307 ¹¹³⁷
YMR-000-604	Oil	PH2808		Oil	LFP5522	6002111340	Oil	LFP9001 ²⁵⁰
PC09-1 w/2D70E Engine			PC10-5 w/Komatsu 3D75-2 Engine					LFP9001TRT ³
11965512560	Air	LAF8388 ²	YM119810-55650	Fuel	L4103F			LFP9001XL ^{14, 250}
11981055650	Fuel	L4103F	070-630-1054	Hydraulic	LH8541	PC12-8, PC12R-8 w/3D68E-36 Engine		
11930535151	Oil	PH2876	YM129150-35150	Oil	PH2856A	119655-12560	Air	LAF8388 ²
PC1000-1 w/Komatsu SA6D170-B-1 Engine			PC10-6 w/Komatsu 3D75-2 Engine			119-810-55650	Fuel	L4103F
612-881-7320	Air	LAF2821 ²	YM119810-55650	Fuel	L4103F	119-305-35150	Oil	PH2876
612-781-7412		LAF6641 ¹	YM129150-35150	Oil	PH2856A	PC128uu-1 w/S4AD102E Engine		
600-411-1040	Coolant	LFW2055	PC10-7 w/3D78N-1 Engine			600-181-9460	Air	LAF5863 ²
(600-311-8291); W/S	Fuel	LFF4294	129-350-12900	Air	LAF8630	673-271-6111	Fuel	LFF3521
205-605-1430	Hydraulic	LH8544	119-810-55650	Fuel	L4103F	673-251-5140	Oil	LFP3900
600-211-1230	Oil	LFP670	129-150-35150	Oil	PH2856A	PC128uu-1 w/S4D95L Engine		
		LFP670XL ¹⁴	193-053-5150		PH2876	600-181-9460	Air	LAF5863
PC100-1, PC100L-1, PW100-1, PC120-1 w/Komatsu S4D105-5 Engine			PC1100-1, PC1100-6, PC1100LC-6 w/SAA6D170 Engine			600-311-8222	Fuel	LFF5784 ¹²
600-181-8300	Air	LAF8668 ²		Air	LAF2821 ²	070-630-1100	Hydraulic	LH4912
600-181-8360		LAF8674 ¹			LAF6641 ¹	600-211-5242	Oil	LFP2312
600-311-6220	Fuel	FP588F	600-411-1171	Coolant	LFW4074 ⁶²⁷	PC130-5K		
175-602-7380	Hydraulic	LH4912	(600-311-8293); W/S	Fuel	LFF5926	203-01K-1130	Air	LAF8583 ²
613-651-5120	Oil	LFP5120B	706301383	Hydraulic	LH4742	203-01K-1290		LAF9410 ¹
PC100-2, PC100L-2, PC100U-2, PC120-2 w/Komatsu S4D105-5 Engine			600-211-1230	Oil	LFP670	070-630-1100	Hydraulic	LH4912
600-181-8300	Air	LAF8668 ²			LFP670XL ¹⁴	2654407	Oil	LFP2292
600-181-8360		LAF8674 ¹	PC120-1, PC120-2 w/Komatsu S4D105-5 Engine			PC130-6 w/S4D102E Engine		
600-311-6220	Fuel	FP588F	600-181-8300	Air	LAF8668	600-181-6550	Air	LAF1804 ²
175-602-7380	Hydraulic	LH4912	600-181-8360		LAF8674	600-181-9460		LAF5863
613-651-5120	Oil	LFP5120B	600-311-6220	Fuel	FP588F	600-181-6560		LAF6834 ¹
			175-602-7380	Hydraulic	LH4912	600-411-1191	Coolant	LFW4072 ¹⁸²
			613-651-5120	Oil	LFP5120B	600-311-8221	Fuel	LFF5784 ¹²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 182-Contains 2 oz. of chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 627-5 oz. of chemical 1137-Pilot

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (EXCAVATOR)			KOMATSU (EXCAVATOR)			KOMATSU (EXCAVATOR)		
<i>PC130-6 w/S4D102E Engine (cont'd)</i>			<i>PC150-3, PC150LC-3, PC180LC-3 w/Komatsu S6D95L-1 Engine (cont'd)</i>			<i>PC160-6K (cont'd)</i>		
070-630-1100	Hydraulic	LH4912	175-690-27380	Hydraulic	LH4912	673-271-6110	Fuel	LFF3521
600-211-5242	Oil	LFP2312	600-211-6241	Oil	LFP6240	(673-271-6310); W/S		LFF8062
673-351-5140		LFP3900				706301100	Hydraulic	LH4912
<i>PC130-8 w/SAA4D95LE-5 Engine</i>			<i>PC150-5 w/S6D95L-1 Engine</i>			<i>PC160LC-7 Tier 3 w/SAA4D107E-1 Engine</i>		
6001852100	Air	LAF4544 ² LAF4545 ¹	(600-181-6540); S/N 6001-	Air	LAF1804 ²	6001852500	Air	LAF9543 ¹ LAF9547 ²
2089797620	Cabin Air	CAF1751 ^{186, 554}	600-311-8221	Fuel	LFF4296	2089797620	Cabin Air	CAF1751 ^{186, 554}
6002116110	Oil	PH2835	175-690-27380	Hydraulic	LH4912	17M9113530		LAF8791
<i>PC138US-8 w/Komatsu SAA4D95LE-5 3.2L Turbo Diesel Engine</i>			<i>PC150-6, PC150LC-6 w/S4D120E Engine</i>			<i>PC160LC-7 w/SAA4D102E Engine</i>		
6001852100 (6001852210); 6001852100	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹		Fuel	LFF3521	2076071180	Hydraulic	LH9351 ¹⁰⁷⁷
				Hydraulic	LH4912	6736515142	Oil	LFP7181
				Oil	LFP3900	<i>PC160LC-7 w/SAA4D102E Engine</i>		
17M9113530	Cabin Air	LAF8791 ⁵⁵⁴	<i>PC150-AV w/S495L Engine</i>			6001852520	Air	LAF9543 ¹
6002112110	Oil	PH2835	600-181-6540	Air	LAF1804 ²	6001852510		LAF9547 ²
<i>PC138USLC-10 w/SAA4D95LE-6A Engine</i>			600-311-8221	Fuel	LFF4296	20Y9796261	Cabin Air	LAF5327 ¹³⁹³
17M9113530	Cabin Air	LAF8791 ²¹⁹	175-690-27380	Hydraulic	LH4912	17M9113530		LAF8791
6736515142	Oil	LFP7181	600-211-5242	Oil	LFP2312	6732716112	Fuel	LFF3521
<i>PC138USLC-8 w/SAA4D95LE Engine</i>			<i>PC15-1 w/Komatsu 3D78-1 Engine</i>			130-604-8210	Hydraulic	LH8545
6001852100	Air	LAF4544 ² LAF4544MXM ^{2, 268}	070-630-1054	Hydraulic	LH8541	2076071181		LH9351 ¹⁰⁷⁷
(6001852210); 6001852100 6001852100			YM129150-35150	Oil	PH2856A	<i>PC160LC-8 w/Komatsu SAA4D107E1D Engine</i>		
17M9113530	Cabin Air	LAF8791 ⁵⁵⁴	<i>PC15-2 w/Komatsu 3D78-1 Engine</i>			6001852500	Air	LAF9543 ¹
6002112110	Oil	PH2835	121-120-12901	Air	LAF1275 ²	6001852500		LAF9547 ²
<i>PC1500, PC1500-1 w/2Komatsu S6D170-1 Engine</i>			129-100-55650	Fuel	L549F	2089797620	Cabin Air	CAF1751 ^{186, 554}
600-181-440	Air	LAF2821 ² LAF6641 ¹	070-630-1054	Hydraulic	LH8541	17M9113530		LAF8791
612-781-7412			129-150-35151); S/N 6222-	Oil	PH2867	6004111191	Coolant	LFW4072 ¹⁸²
600-411-1040	Coolant	LFW2055	<i>PC15-3 w/3D82E-3 Engine</i>			6754796140	Fuel	LFF3802
(600-311-8291); W/S	Fuel	LFF4294	(12112012900); 7.75 Hgt.	Air	LAF22037	(6003193750); Sec. W/S		LFF5488
205-605-1430	Hydraulic	LH8544	119-810-55650	Fuel	L4103F	6736515142	Oil	LFP7181
600-211-1230	Oil	LFP670 LFP670XL ¹⁴	(129-150-35151); S/N 6222-	Oil	PH2867	<i>PC170LC-10 (w/Komatsu SAAD107E-2 Iterm Tier 4 Engine)</i>		
<i>PC1500-1 w/2X Cummins KT1150 Engine</i>			<i>PC15-3 w/3D84N Engine</i>			17M9113530	Cabin Air	LAF8791 ²¹⁹
600-181-4400	Air	LAF2821 ² LAF6641 ¹	(12112012900); 7.75 Hgt.	Air	LAF22037 ²	6736515142	Oil	LFP7181
612-781-7412			129-100-55650	Fuel	L549F	<i>PC180 w/Perkins 1004-4T Engine</i>		
CUWF 2055	Coolant	LFW2055	(129-150-35150); S/N 5001-6221	Oil	PH2856A	203-01K-11300	Air	LAF8583 ²
CUWF 2051	Fuel	LFW4744 ⁴	<i>PC15-8, PC15R-8 w/3D68E-3 Engine</i>			26560608	Fuel	LFF3504
(600-311-8291); W/S	Fuel	LFF4294	119-655-12560	Air	LAF8388 ²	070-630-1100	Hydraulic	LH4912
CULF 670	Oil	LFP670 LFP670XL ¹⁴	119-810-55650	Fuel	L4103F	2654407	Oil	LFP2292
<i>PC150-1, PC200-1, PC200-2, PC200LC-2 w/Komatsu 6D105-1 Engine</i>			848101172	Hydraulic	LH22016	<i>PC180L, PC180L-LC3 w/S6D95L-1P Engine</i>		
600-181-8300	Air	LAF8668 LAF8674 ¹	119-305-35150	Oil	PH2867	600-181-9200	Air	LAF1544 ²
600-181-8360			<i>PC1600, PC1600-1 w/Komatsu SA6D140, SA6D140-1 Engine</i>			600-181-9340		LAF1933 ¹
671-061-8131	Coolant	LFW4073 ²⁵⁵	612-881-7320	Air	LAF2821 ² LAF6641 ¹	600-311-6220	Fuel	FP588F
613-671-6120	Fuel	LFF4296	612-781-7412			706301100	Hydraulic	LH4912
205-605-1430	Hydraulic	LH8544	600-411-1040	Coolant	LFW2055	600-211-6240	Oil	LFP6240
613-651-5120	Oil	LFP5120B	(600-311-7130); Pri.	Fuel	LFF202	<i>PC180L-3, PC180L-LC3 w/S6D95L-1P Engine</i>		
<i>PC150-3, PC150LC-3, PC180LC-3 w/Komatsu S6D95L-1 Engine</i>			113-60-23160	Hydraulic	LH4386 LH8544	600-181-9500P	Air	LAF1544 ²
600-181-9200	Air	LAF1544 ² LAF1933 ¹	205-605-1430			600-181-9500S		LAF1933 ¹
			600-211-1230	Oil	LFP670 LFP670XL ¹⁴	600-311-6220	Fuel	FP588F
600-411-1010	Coolant	LFW4018 ¹⁸²	<i>PC160-6K</i>			175-602-7380	Hydraulic	LH4912
600-311-6220	Fuel	FP588F	203-01K-1130	Air	LAF8583 ² LAF9410 ¹	600-211-6240	Oil	LFP6240
			203-01K-1290			<i>PC180LC-6K</i>		
						203-01K-11300	Air	LAF8583 ² LAF9410 ¹
						203-01K-1290		LAF9410 ¹
						6732716112 (6732716310); W/S	Fuel	LFF3521 LFF8062

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 14-Extended Life 182-Contains 2 oz. of chemical 186-Dust filter 219-Air Conditioner 255-Contains 3 oz. of chemical 268-Extended/Severe service 554-Recirculation 1077-Hyd. Tank 1393-Cabin

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (EXCAVATOR)			KOMATSU (EXCAVATOR)			KOMATSU (EXCAVATOR)		
<i>PC180LC-6K (cont'd)</i>			<i>PC200-6 w/S6D102E-1 Engine (cont'd)</i>			<i>PC20-7, PC20-8 w/3D82E-3 Engine (cont'd)</i>		
	Oil	LFP7181	673-551-5141	Oil	LFP780 LFP780XL ¹⁴	(129-150-35151); S/N 42355-	Oil	PH2867
<i>PC18MR-2 w/3D67E-5 Engine</i>			<i>PC200-6, PC200LC-6 w/S6D95L-1 Engine</i>			119-305-35150		PH2876
162714356	Fuel	L4103F	600-181-6820	Air	LAF1768 ²	<i>PC20MR-2 w/3D76E-5NBA Engine</i>		
22F9817220	Oil	PH2876	600-181-6730		LAF8392 ¹	11965512560	Air	LAF8388 ²
<i>PC20, PC30 w/Yanmar 3TN84 Engine</i>			600-411-1140	Coolant	LFW4018 ¹⁸²	11981055650	Fuel	L4103F
121-120-12901	Air	LAF1275 ²	600-311-8221	Fuel	LFF4296	22F9817220	Oil	PH2876
124-550-55700	Fuel	L549F	205-605-1430	Hydraulic	LH8544	<i>PC20R-8 w/3D84E Engine</i>		
706301054	Hydraulic	LH8541	6002116140	Oil	LFP2312	119-655-12560	Air	LAF8388 ²
171-056-35110	Oil	LFP5522	<i>PC2000-8 w/SAA12V140E-3 Engine</i>			119-810-55650	Fuel	L4103F
<i>PC200-1 w/6D105-1 Engine</i>			<i>PC200-7, PC200LC-7, PC200LL-7 w/SAA6D102E Engine</i>			119-305-35150	Oil	PH2876
	Air	LAF8150 ² LAF8693 ¹	6001854120	Air	LAF3781 ^{1, 241}	<i>PC210</i>		
6004111171	Coolant	LFW4074 ⁶²⁷	6001854110		LAF4498 ^{2, 208}	205-017-3570	Air	LAF5878 ²
6003193550	Fuel	LFF6924	6001853120		LAF5932 ¹	<i>PC210, PC220</i>		
1136023160	Hydraulic	LFH4386 ¹⁰⁷⁶	6001853110		LAF8149 ²	205-017-3570	Air	LAF5878 ²
6002111340	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	6732-71-6112	Fuel	LFF3521	<i>PC210-3 w/Isuzu Engine</i>		
<i>PC200-2 w/6D105-1 Engine</i>			2076071180	Hydraulic	LH9351	600-181-6820	Air	LAF1768 ²
671-061-8131	Coolant	LFW4073 ²⁵⁵	6735-51-5143	Oil	LFP7181	613-671-6120	Fuel	LFF5784 ¹²
613-671-6120	Fuel	LFF4296	<i>PC200-8, PC200LC-8 w/Komatsu SAA6D107E Engine</i>			195-601-6320	Hydraulic	LH8543
205-605-1430	Hydraulic	LH8544	6001854120	Air	LAF3781 ^{1, 241}	613-451-5120	Oil	LFP8320
613-651-5120	Oil	LFP5120B	6001854110		LAF4498 ^{2, 208}	<i>PC210-3 w/Perkins Engine</i>		
<i>PC200-2, PC200LC-2 w/6D105-1 Engine</i>			17M9113530	Cabin Air	LAF8791	205-017-3570	Air	LAF5878 ²
600-181-8300	Air	LAF8668 ²	6004111191	Coolant	LFW4072 ¹⁸²	26561118	Fuel	LFF3504
600-181-8360		LAF8674 ¹	(6754796130); Sec. (6003193610); W/S	Fuel	LFF3802 LFF7689	070-630-1142	Hydraulic	LH8543
671-061-8131	Coolant	LFW4073 ²⁵⁵	2076071181	Hydraulic	LH9351	2654403	Oil	PH4403
613-671-6120	Fuel	LFF4296	6736515142	Oil	LFP7181	<i>PC210-5K w/Perkins Engine</i>		
205-605-1430	Hydraulic	LH8544	<i>PC20-1 w/Komatsu 2D94-2 Engine</i>			205-017-3570	Air	LAF5878 ²
613-651-5120	Oil	LFP5120B	600-211-5240	Oil	LFP2312	26561118	Fuel	LFF3504
<i>PC200-3, PC200LC-3 w/Komatsu S6D105-1 Engine</i>			<i>PC20-2, PC20-3 w/Komatsu 3D75-1, 3D84-1 Engine</i>			070-630-1210	Hydraulic	LH8544
600-181-2311	Air	LAF1755 ²	(121-120-12901); 10.5 Hgt.	Air	LAF1275 ²	2654407	Oil	LFP2292
600-181-2350		LAF1759 ¹	(12112012900); 7.75 Hgt.		LAF22037 ²	<i>PC210-6 w/S6D102E-1 Engine</i>		
(600-181-6820); S/N 78805-		LAF1768 ²	124-550-55700	Fuel	L4103F	(600-181-6820); S/N 30980-	Air	LAF1768 ²
600-181-6730		LAF8392 ¹	706301054	Hydraulic	LH8541	600-181-6730		LAF8392 ¹
600-411-1010	Coolant	LFW4018 ¹⁸²		Oil	PH2808	600-411-1151	Coolant	LFW4073 ²⁵⁵
(600-311-9120); W/S	Fuel	LFF4294 ¹²	<i>PC20-5, PC20-6 w/3D84 Engine</i>			673-271-6110	Fuel	LFF3521
613-671-6120		LFF4296	121-120-12901	Air	LAF1275 ²	673-551-5141	Oil	LFP780 LFP780XL ¹⁴
195-601-6320	Hydraulic	LH8543	124-550-55700	Fuel	L4103F	<i>PC210-6, PC210LC-6 w/S6D95L-1 Engine</i>		
613-651-5120	Oil	LFP5120B	706301054	Hydraulic	LH8541	(600-181-6820); S/N 3001-	Air	LAF1768 ²
6134515121		LFP8320	171-056-35110	Oil	PH2808	600-181-6730		LAF8392 ¹
<i>PC200-5, PC200LC-5 w/Komatsu S6D95L Engine</i>			<i>PC20-7 w/3D84-2 Engine</i>			600-411-1140	Coolant	LFW4018 ¹⁸²
600-181-6540	Air	LAF1804 ²	(YMR000463); S/N 35001-42354; 10.5 Hgt.	Air	LAF1275 ²	600-311-8221	Fuel	LFF4296
600-181-6560		LAF6834 ¹	(12112012900); 7.75 Hgt.		LAF22037 ²	205-605-1430	Hydraulic	LH8544
600-311-8221	Fuel	LFF4296	129-100-55650	Fuel	L549F	600-211-5242	Oil	LFP2312
070-630-1210	Hydraulic	LH8544	129-150-35150	Oil	PH2856A	<i>PC210-7, PC210LC-7 w/SAA6D102E Engine</i>		
(600-211-5240); S/N 45001-	Oil	LFP2312	<i>PC20-7, PC20-8 w/3D82E-3 Engine</i>			6732-71-6112	Fuel	LFF3521
<i>PC200-6 w/S6D102E-1 Engine</i>			(12112012900); 7.75 Hgt.	Air	LAF22037 ²	2076071180	Hydraulic	LH9351
(600-181-6820); S/N 96514-	Air	LAF1768 ²	119-810-55650	Fuel	L4103F	6735-51-5143	Oil	LFP7181
600-181-6730		LAF8392 ¹	<i>PC210LC-10, PC210LCi-10 (w/Komatsu SAA6D107E-2E Interim Tier 4 Engine)</i>			6001853100	Air	LAF5932 ¹
600-411-1151	Coolant	LFW4073 ²⁵⁵				6001853100		LAF8149 ²
673-271-6110	Fuel	LFF3521				17M9113530	Cabin Air	LAF8791
						2076071182	Hydraulic	LH9351 ¹⁰⁷⁷

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 182-Contains 2 oz. of chemical 208-19" Hgt. 241-17.5" Hgt.

250-11.9" Hgt. 255-Contains 3 oz. of chemical 627-5 oz. of chemical 1076-Case Drain 1077-Hyd. Tank

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (EXCAVATOR)			KOMATSU (EXCAVATOR)			KOMATSU (EXCAVATOR)		
<i>PC27R-8 w/3D82AE Engine</i>			<i>PC300-3, PC300LC-3, PC300-N3, PC400-3, PC400LC-3 w/Komatsu S6D125-1 Engine (cont'd)</i>			<i>PC300N3</i>		
119-808-12520	Air	LAF8195 ²					Air	LAF6769 ²
119-655-12560		LAF8388 ²		Oil	LFP670XL ¹⁴			LAF6769MXM ^{2, 268}
119-811-55650	Fuel	L4103F	<i>PC300-5, PC300LC-5, PC300AV w/Komatsu SA6D108 Engine</i>					LAF9373 ¹
129-150-35151	Oil	PH2808				(600-311-8291); W/S	Fuel	LFF5926
<i>PC280-3, PC280LC-3, PC280NLC-3 w/Komatsu S6D110 Engine</i>			600-181-8270	Air	LAF1813 ²	205-605-1430	Hydraulic	LH8544
			600-181-8370		LAF1814 ¹		Oil	LFP670
(600-181-6820); S/N 10001-	Air	LAF1768 ²	(600-311-8291); W/S	Fuel	LFF4294 ¹⁹			LFP670XL ¹⁴
600-411-1140	Coolant	LFW4072 ¹⁸²	(600-311-8293); W/S		LFF5926 ¹⁸	<i>PC30-6 w/3D84-1G Komatsu Engine</i>		
600-311-8291	Fuel	LFF4296	070-630-1210	Hydraulic	LH8544		Air	LAF1275 ²
195-601-6320	Hydraulic	LH8543	613-451-3120	Oil	LFP8320		Fuel	L4103F
613-451-5120	Oil	LFP8320	<i>PC300-6, PC300LC-6 w/SAA6D108E-2 Engine</i>			070-630-1054	Hydraulic	LH8541
<i>PC28UU-1, PC28UU-2 w/Yanmar Engine</i>			600-181-8270	Air	LAF1813 ²		Oil	PH2808
	Air	LAF1275 ²	600-181-8370		LAF1814 ¹	<i>PC30-7 w/3D84-2 Engine</i>		
(119-810-55650); S/N 10801-	Fuel	L4103F	600-311-8221	Fuel	LFF4296	(121-120-12901); -S/N 26423	Air	LAF1275 ²
			(600-311-8293); W/S		LFF5926	129-100-55650	Fuel	L549F
129-100-55650		L549F	205-605-1430	Hydraulic	LH8544	070-630-1054	Hydraulic	LH8541
129-150-35150	Oil	PH2808	613-651-5120	Oil	LFP5120B	129-150-35151	Oil	PH2808
<i>PC290 w/S6D102 Engine</i>			<i>PC300HD-7, PC300LC-7 w/Komatsu SAA6D114E Engine</i>			<i>PC30-7, PC30-8 w/3D84E-3 Engine</i>		
	Air	LAF5878 ²	600-185-5110	Air	LAF4503 ²	121-120-12901	Air	LAF1275 ²
	Oil	LFP780			LAF4503MXM ^{2, 268}			LAF8195 ²
<i>PC290LC-10 w/Komatsu SAA6D107E-2 Engine</i>			600-185-5120		LAF4504 ¹	129-100-55650	Fuel	L549F
6001854100	Air	LAF3781 ^{1, 241}	2089797620	Cabin Air	CAF1751 ^{186, 554}	070-630-1054	Hydraulic	LH8541
6001854100		LAF4498 ^{2, 208}	17M9113530		LAF8791	(129-150-35151); S/N 26423-	Oil	PH2867
(6003193750); Sec. (6003193610); W/S	Fuel	LFF5488	6004111191	Coolant	LFW4072 ¹⁸²	<i>PC308USLC-3EO</i>		
6736515142	Oil	LFP7181	600-311-8321	Fuel	LFF5	6001854120	Air	LAF3781 ^{1, 241}
<i>PC30, PC30-1, PC30-3, PC30-5 W/3D84-1 Engine</i>				Oil	LFP3000	6001854110		LAF4498 ^{2, 208}
					LFP3000XL ¹⁴	(6754796140); Sec. (6003193610); W/S	Fuel	LFF3802
121-120-12901	Air	LAF1275 ²	<i>PC300HD-7EO, PC300LC-7EO, PC300LL-7EO w/Komatsu SAA6D114E-3 Engine</i>			2076071181	Hydraulic	LH9351
(121-120-12900); PC30-1, PC30-3		LAF22037 ²	6001856110	Air	LAF8150 ²	6736515142	Oil	LFP7181
	Fuel	L4103F	6001856120		LAF8693 ¹	<i>PC30R-8 w/Yanmar 3D84E-3 Engine</i>		
154-601-2170	Hydraulic	LH8541	2089797620	Cabin Air	CAF1751 ^{186, 554}	119-808-12520	Air	LAF8195 ²
	Oil	PH2808	17M9113530		LAF8791	129-051-12530		LAF8690 ¹
<i>PC300-1, 300LC-1, PC300-2, PC300LC-2 w/Cummins N-855 Engine</i>			6004111191	Coolant	LFW4072 ¹⁸²	129-100-55650	Fuel	L549F
662-021-7550	Air	LAF190	6754796140	Fuel	LFF3802	706301054	Hydraulic	LH8541
600-181-3800P		LAF6769 ²	(6003193610); W/S		LFF7689	129-150-35151	Oil	PH2808
		LAF6769MXM ^{2, 268}	2076071181	Hydraulic	LH9351	<i>PC340-6</i>		
600-181-3800S		LAF9373 ¹	6742014540	Oil	LFP3000XL ¹⁴	207-01K-1190	Air	LAF1834 ²
671-061-8113	Coolant	LFW4073 ²⁵⁵	<i>PC300HD-8, PC300LC-8 w/SAA6D114E-3 Engine</i>			207-01K-1290		LAF1835 ¹
(600-311-8291); W/S	Fuel	LFF4294	6001856110	Air	LAF4638 ²	1295263H1	Coolant	LFW4074 ⁶²⁷
205-605-1430	Hydraulic	LH8544	6001856120		LAF8693 ¹	(1240619H2); W/S	Fuel	LFF8062
600-211-1230	Oil	LFP670	2089797620	Cabin Air	CAF1751 ^{186, 554}	<i>PC340-6K</i>		
		LFP670XL ¹⁴	17M9113530		LAF8791	207-01K-1190	Air	LAF1834 ²
<i>PC300-3, PC300LC-3, PC300-N3, PC400-3, PC400LC-3 w/Komatsu S6D125-1 Engine</i>			6004111191	Coolant	LFW4072 ¹⁸²	207-01K-1290		LAF1835 ¹
			(6003193610); W/S	Fuel	LFF7689	673-271-6110	Fuel	LFF3521
600-181-3800P	Air	LAF6769 ²	2076071181	Hydraulic	LH9351 ¹⁰⁷⁷	(1240619-H1); W/S		LFF8062
		LAF6769MXM ^{2, 268}	6742014540	Oil	LFP3000XL ¹⁴	706301210	Hydraulic	LH8544
600-181-3800S		LAF9373 ¹	<i>PC300LC-6 w/SA6D114 Engine</i>			1294153-H1	Oil	LFP3000
600-411-1020	Coolant	LFW4744 ⁴	600-181-1660	Air	LAF1834 ²			LFP3000XL ¹⁴
(600-311-8291); W/S	Fuel	LFF4294 ¹⁹	600-181-1680		LAF1835 ¹	<i>PC340LC/NLC-7K w/Komatsu SAA6D114E-2A Engine</i>		
(600-311-8293); W/S		LFF5926 ¹⁸		Coolant	LFW4071 ²⁸	6004111191	Coolant	LFW4072 ¹⁸²
205-605-1430	Hydraulic	LH8544	6732-71-6111	Fuel	LFF3521	6003118321	Fuel	LFF5
600-211-1230	Oil	LFP670	W/S		LFF8062	2076071181	Hydraulic	LH9351
			07063-01210	Hydraulic	LH8544			
			1295155H1	Oil	LFP2265			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 14-Extended Life 18-Short 19-Long 28-Contains 1 oz. of chemical 182-Contains 2 oz. of chemical 186-Dust filter 208-19" Hgt. 241-17.5" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 554-Recirculation 627-5 oz. of chemical 1077-Hyd. Tank

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (EXCAVATOR)			KOMATSU (EXCAVATOR)			KOMATSU (EXCAVATOR)		
<i>PC340LC/NLC-7K w/Komatsu SAA6D114E-2A Engine (cont'd)</i>			<i>PC360LC-10 w/Komatsu SAA6D114E-5 Interim Tier 4 Engine</i>			<i>PC400-6, PC400LC-6 w/SA6D125E-2 Engine</i>		
6742014540	Oil	LFP3000XL ¹⁴	6001855110	Air	LAF4503 ²	(669-180-7210); S/N 30001-	Air	LAF6769 ²
<i>PC350-6, PC350LC-6 w/SAA6D108E-2 Engine</i>			6001855120		LAF4504 ¹	S/N 30001-		LAF6769MXM ^{2, 268}
(600-181-8270); S/N 1001-	Air	LAF1813 ²	17M9113530	Cabin Air	LAF8791			LAF9373 ¹
600-181-8370		LAF1814 ¹	(6003193750); Sec. (6003193610); W/S	Fuel	LFF5488 LFF7689	600-411-1150	Coolant	LFW4073 ²⁵⁵
600-311-8221	Fuel	LFF4296	2076071182	Hydraulic	LH9351 ¹⁰⁷⁷	(600-311-8291); W/S	Fuel	LFF4294
(600-311-8293); W/S		LFF5926	6742014540	Oil	LFP3000XL ¹⁴	208-606-1150	Hydraulic	LH4742
205-605-1430	Hydraulic	LH8544	<i>PC360LC-5</i>			600-211-1230	Oil	LFP670 LFP670XL ¹⁴
613-651-5120	Oil	LFP5120B	600-181-8230	Air	LAF1813 ²	<i>PC400LC-6, PC400HD-6 w/Cummins M11 Engine</i>		
<i>PC350HD-8 w/Komatsu SAA6D114E-3 Engine</i>			600-181-8600		LAF1814 ¹	20801-68480	Air	LAF9086MXM ²
6001856110	Air	LAF8150 ²	(600-311-8291); W/S	Fuel	LFF5926	<i>PC400LC-7, PC400LC-7MH w/Komatsu SAA6D125E-3 Engine</i>		
6001856120		LAF8693 ¹	613-451-5120	Oil	LFP8320	2089797620	Air	LAF1751
2089797620	Cabin Air	CAF1751 ^{186, 554}	<i>PC390LC-10 w/Komatsu SAA6D114E-5 Interim Tier 4 Engine</i>			6001856110		LAF8150 ²
17M9113530		LAF8791	6001855110	Air	LAF4503 ²	6001856120		LAF8693 ¹
(6754796140); Sec. (6003193610); W/S	Fuel	LFF3802 LFF7689	17M9113530	Cabin Air	LAF8791	17M9113530	Cabin Air	LAF8791
2076071182	Hydraulic	LH9351 ¹⁰⁷⁷	(6003193750); Sec. (6003193610); W/S	Fuel	LFF5488 LFF7689	(6003193400); W/S	Fuel	LFF5357 LFF6924 ⁷⁰²
6742014540	Oil	LFP3000XL ¹⁴	2076071182	Hydraulic	LH9351 ¹⁰⁷⁷	6003193520		LFP9001 ²⁵⁰
<i>PC350LC-8 w/Komatsu SAA6114E-3 Engine</i>			6742014540	Oil	LFP3000XL ¹⁴	6002111340	Oil	LFP9001TRT ³ LFP9001XL ^{14, 250}
6001856110	Air	LAF8150 ²	<i>PC40 w/Yanmar Engine</i>			<i>PC400LC-8 w/Komatsu SAA6D125E-5 Engine</i>		
6001856120		LAF8693 ¹	121-120-12901	Air	LAF1275 ²	2089797620	Air	LAF1751
2089797620	Cabin Air	CAF1751 ^{186, 554}	129-100-55650	Fuel	L549F	6001856110		LAF8150 ²
17M9113530		LAF8791	129-150-35150	Oil	PH2856A	6001856120		LAF8693 ¹
(6003193750); Sec. (6003193610); W/S	Fuel	LFF5488 LFF7689	<i>PC400-1, PC400LC-1 w/Cummins NT-855 Engine</i>			17M9113530	Cabin Air	LAF8791
2076071182	Hydraulic	LH9351 ¹⁰⁷⁷	612-781-7311	Air	LAF6632 ²	6004111571	Coolant	LFW4071 ^{28, 205}
6742014540	Oil	LFP3000XL ¹⁴	612-781-7412		LAF6632MXM ^{2, 268}	(6003194540); W/S	Fuel	LFF5357 LFF6924
<i>PC35-8 w/3D84E-3F Engine</i>			671-061-8113	Coolant	LFW4073 ²⁵⁵	6003193550		LFP9001 ²⁵⁰
119-808-12520	Air	LAF8195 ²	(600-311-8291); W/S	Fuel	LFF4294	6002111340	Oil	LFP9001TRT ³ LFP9001XL ^{14, 250}
129-051-12530		LAF8690 ¹	205-605-1430	Hydraulic	LH8544	<i>PC40-1, PC40-2, PC40-3 w/Komatsu 3D94-2 Engine</i>		
129-100-55650	Fuel	L549F	600-211-1230	Oil	LFP670 LFP670XL ¹⁴	600-181-7300	Air	LAF222 ²
706351054	Hydraulic	LH8541	<i>PC400-3, 400LC-3 w/Komatsu S6D125 Engine</i>			600-311-6220	Fuel	FP588F
129-150-35151	Oil	PH2867	600-181-3800P	Air	LAF6769 ²	070-630-1054	Hydraulic	LH8541
<i>PC35MR Turbo w/Yanmar S3D84E Engine</i>					LAF6769MXM ^{2, 268}	600-211-5240	Oil	LFP2312
11980255800	Fuel	LFF8350	600-181-3800S		LAF9373 ¹	<i>PC40-5 w/Komatsu 3D95S-W-1 Engine</i>		
<i>PC35MR-2 w/3D88E Engine</i>			(600-311-8291); W/S	Fuel	LFW4744 ⁴	070-630-1054	Hydraulic	LH8541
11980812520	Air	LAF8195 ²	(600-311-8291); W/S	Fuel	LFF4294 ¹⁹ LFF5926 ¹⁸	600-211-5240	Oil	LFP2312
<i>PC35MRx-1 w/3D84 Engine</i>			320-560-51430	Hydraulic	LH8544	<i>PC40-6 w/3D95S Komatsu Engine</i>		
124550-55700	Fuel	L4103F	600-211-1230	Oil	LFP670 LFP670XL ¹⁴		Air	LAF1275 ²
171056-35110	Oil	LFP5522	<i>PC400-5, PC400LC-5 w/Komatsu S6D125 Engine</i>			600-311-6220	Fuel	FP588F
<i>PC35R-8 w/Yanmar 3D84E-3 Engine</i>			600-181-1580	Air	LAF1834 ²	070-630-1054	Hydraulic	LH8541
119-808-12520	Air	LAF8195 ²	600-181-1680		LAF1835 ¹	<i>PC40-7 w/4D84-2, 4D84E-3 Engine</i>		
129-051-12530		LAF8690 ¹	600-411-1150	Coolant	LFW4073 ²⁵⁵	121-120-12901	Air	LAF1275 ²
129-100-55650	Fuel	L549F	(600-311-8291); W/S	Fuel	LFF4294 ¹⁹ LFF5926 ¹⁸	129-100-55650	Fuel	L549F
706301054	Hydraulic	LH8541	(600-311-8291); W/S	Fuel	LFF4294 ¹⁹ LFF5926 ¹⁸	706301054	Hydraulic	LH8541
129-150-35151	Oil	PH2808	070-630-1142	Hydraulic	LH8543	129-150-35151	Oil	PH2867
<i>PC360-3, PC360LC-3 w/Komatsu S6D125 Engine</i>			600-211-1230	Oil	LFP670 LFP670XL ¹⁴	<i>PC40-8 w/4D84M Engine</i>		
600-181-3800P	Air	LAF6769 ²	<i>PC400-5, PC400LC-5 w/Komatsu S6D125 Engine</i>				Air	LAF8195 ² LAF8690 ¹
		LAF6769MXM ^{2, 268}	600-181-1580	Air	LAF1834 ²	129-100-55650	Fuel	L549F
		LAF9373 ¹	600-181-1680		LAF1835 ¹	706301054	Hydraulic	LH8541
600-181-3800S		LAF9373 ¹	600-411-1150	Coolant	LFW4073 ²⁵⁵			PH2867
600-411-1150	Coolant	LFW4073 ²⁵⁵	(600-311-8291); W/S	Fuel	LFF4294 ¹⁹ LFF5926 ¹⁸	<i>PC40-8 w/4D84M Engine</i>		
(600-311-8291); W/S	Fuel	LFF4294	(600-311-8291); W/S	Fuel	LFF4294 ¹⁹ LFF5926 ¹⁸		Air	LAF8195 ² LAF8690 ¹
205-605-1430	Hydraulic	LH8544	070-630-1142	Hydraulic	LH8543		Fuel	L549F
600-211-1230	Oil	LFP670 LFP670XL ¹⁴	600-211-1230	Oil	LFP670 LFP670XL ¹⁴		Hydraulic	LH8541

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 14-Extended Life 18-Short 19-Long 28-Contains 1 oz. of chemical 186-Dust filter 205-Maintenance 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 554-Recirculation 702-1 5/8" Thread 1077-Hyd. Tank

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (EXCAVATOR)			KOMATSU (EXCAVATOR)			KOMATSU (EXCAVATOR)		
<i>PC40-8 w/4D84M Engine (cont'd)</i>			<i>PC45-8 w/4D84E-3D Engine</i>			<i>PC600LC-8 w/Komatsu SAA6D140E-5 Engine (cont'd)</i>		
129-150-35151	Oil	PH2808		Air	LAF8195 ²	6003193520	Fuel	LFF6924
<i>PC40MR-2 w/4D88E-5 Engine</i>			129-100-55650	Fuel	L549F	6002111340	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}
11980812520	Air	LAF8195 ²	0706301054	Hydraulic	LH8541			
12905112530		LAF8690 ¹	129-150-35151	Oil	PH2867	6002111340		
<i>PC410AV w/S6D125 Engine</i>			<i>PC45R-8 4D84 Engine</i>			<i>PC60-2, PC60L-2, PC60U-2 w/Komatsu 4D94-3 Engine</i>		
	Air	LAF1834 ² LAF1835 ¹	119-808-12520	Air	LAF8195 ²	600-181-7300	Air	LAF222 ²
600-411-1150	Coolant	LFW4073 ²⁵⁵	129-051-12530		LAF8690 ¹	600-311-6220	Fuel	FP588F
(600-311-8290); W/S	Fuel	LHF5926	129-100-55650	Fuel	L549F	070-630-1054	Hydraulic	LH8541
706301142	Hydraulic	LH8543	706301054	Hydraulic	LH8541	600-211-5240	Oil	LFP2312
600-211-1230	Oil	LFP670 LFP670XL ¹⁴	129-150-35151	Oil	PH2808	<i>PC60-5, PC60-6 w/Komatsu 4D95L-1 Engine</i>		
<i>PC45 w/Yanmar 4TNE84 Engine</i>			<i>PC490LC-10 w/Komatsu SAA6D125E Engine</i>			600-181-7300	Air	LAF222 ²
121-120-12901	Air	LAF1275 ²	6001856100	Air	LAF8150 ²	600-181-6340		LAF8072 ² LAF8077 ¹
129-100-55650	Fuel	L549F	6001856100		LAF8693 ¹			
706301054	Hydraulic	LH8541	17M9113530	Cabin Air	LAF8791	600-311-7440	Fuel	FP588F
129-150-35151	Oil	PH2867	<i>PC50MR-2 w/4D88E Engine</i>			070-630-1054	Hydraulic	LH8541
<i>PC450-6, PC450LC-6 w/SA6D125E-2 Engine</i>			600-181-7300	Air	LAF222 ²	600-211-6240	Oil	LFP6240
(669-180-7210); S/N	Air	LAF6769 ²		Fuel	FP588F	<i>PC60-7 w/4D95L-1 Engine</i>		
1001-		LAF6769MXM ^{2, 268}	070-630-1054	Hydraulic	LH8541	600-181-6340	Air	LAF8072 ² LAF8077 ¹
S/N 1001-		LAF6769MXM ^{2, 268}	<i>PC50UU-2 w/4D84 or 4D88E Engine</i>			673-271-6110	Fuel	LFF3521
600-411-1150	Coolant	LFW4073 ²⁵⁵	121-120-12901	Air	LAF1275 ²	706301054	Hydraulic	LH8541
(600-311-8291); W/S	Fuel	LFF4294 ¹⁹	129-100-55650	Fuel	L549F	673-251-5140	Oil	LFP3900
(600-311-8291); W/S	Fuel	LFF5926 ¹⁸	706301054	Hydraulic	LH8541	<i>PC60-7 w/Cummins Engine</i>		
208-606-1150	Hydraulic	LH4742	129-150-35151	Oil	PH2808	600-311-7440	Fuel	FP588F
600-211-1230	Oil	LFP670 LFP670XL ¹⁴	<i>PC55MR-3 w/Yanmar 4D88E-3 Engine</i>			706301054	Hydraulic	LH8541
<i>PC450-6K, PC450LC-6K</i>				Air	LAF8143 ²	600-211-5241	Oil	LFP2312
600-411-1150	Coolant	LFW4073 ²⁵⁵	<i>PC58UU-3 w/4D88E Engine</i>			<i>PC650-1 w/Cummins KT-1150 Engine</i>		
(600-311-9211); W/S	Fuel	LFF4294	11980812520	Air	LAF8195 ²	600-181-3800P	Air	LAF6769 ² LAF6769MXM ^{2, 268}
674-201-4120	Oil	LFP3000 LFP3000XL ¹⁴	12905112530		LAF8690 ¹	600-181-3800S		LAF9373 ¹
<i>PC450-7 w/Komatsu SAA6D125E-5 Turbo Diesel Engine</i>			706301054	Hydraulic	LH8541	(600-311-8291); W/S	Fuel	LFF4294
	Air	LAF4638 LAF8693 ¹	<i>PC58UUx w/Yanmar 4TNE88 Engine</i>			113-602-3160	Hydraulic	LFH4386 ¹⁰⁷⁸ LH8544
	Cabin Air	CAF1751 ^{186, 554} LAF8791		Fuel	L549F	205-605-1430		LFP670 LFP670XL ¹⁴
	Coolant	LFW4073 ²⁵⁵		Oil	PH2867	600-211-1230	Oil	LFP670 LFP670XL ¹⁴
S/N 20322-; W/S	Fuel	LFF5357 LFF6924 ⁷⁰²	<i>PC60, PC60-1, PC60L-1, PC60U-1, PW60-1, PW60N-1 w/Komatsu 4D94-2 Engine</i>			<i>PC650-1 w/Komatsu S6D170-1 Engine</i>		
S/N 20322-		LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	600-181-7300	Air	LAF222 ²	600-181-3800P	Air	LAF6769 ² LAF6769MXM ^{2, 268}
<i>PC450-8 w/Komatsu SAA6D125E-5F engine</i>			600-311-6220	Fuel	FP588F	600-181-3800S		LAF9373 ¹
	Air	LAF4638 LAF8693 ¹	070-630-1054	Hydraulic	LH8541	(600-311-8291); W/S	Fuel	LFF4294
	Cabin Air	CAF1751 ^{186, 554} LAF8791	600-211-5240	Oil	LFP2312	113-602-3160	Hydraulic	LFH4386 ¹⁰⁷⁸ LH8544
	Coolant	LFW4073 ²⁵⁵	<i>PC600LC-7, PC600LC-7MH w/Komatsu SA6D140E-3 Engine</i>			205-605-1430		LFP670 LFP670XL ¹⁴
S/N 20322-; W/S	Fuel	LFF5357 LFF6924 ⁷⁰²	20897977620	Air	LAF1751 LAF8150 ² LAF8693 ¹	600-211-1230	Oil	LFP670 LFP670XL ¹⁴
S/N 20322-		LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	6001856110		LAF8791	<i>PC650-3 w/Komatsu SA6D140-1 Engine</i>		
<i>PC600LC-8 w/Komatsu SAA6D140E-5 Engine</i>			6001856120		LFW4073 ²⁵⁵	(612-881-7320); S/N	Air	LAF2821 ²
	Air	LAF4638 LAF8693 ¹	17M9113530	Cabin Air	LAF8791	10051-		LAF6641 ¹
	Cabin Air	CAF1751 ^{186, 554} LAF8791	6004111151	Coolant	LFW4073 ²⁵⁵	612-781-7412		LFF202
	Coolant	LFW4073 ²⁵⁵	6002111370	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	(600-311-7130); Pri.	Fuel	LFF202
S/N 20322-; W/S	Fuel	LFF5357 LFF6924 ⁷⁰²	<i>PC600LC-8 w/Komatsu SAA6D140E-5 Engine</i>			113-602-3160	Hydraulic	LFH4386 LFP5120B ¹⁰⁷⁸ LH8544
S/N 20322-		LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	2089797620	Cabin Air	CAF1751 ^{186, 554} LAF8791	113-602-3160		LH8544
	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	17M9113530		LAF8791	205-605-1430		LFP670
			6004111151	Coolant	LFW4073 ²⁵⁵	600-211-1230	Oil	LFP670
			(6003193400); S/N	Fuel	LFF5357			
			30001-55114; W/S					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 18-Short 19-Long 186-Dust filter 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 554-Recirculation 702-1 5/8" Thread 1078-Drain

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (EXCAVATOR)			KOMATSU (EXCAVATOR)			KOMATSU (EXCAVATOR)		
<i>PC650-3 w/Komatsu SA6D140-1 Engine (cont'd)</i>			<i>PC750LC-7 w/Komatsu SAA6D140E Engine (cont'd)</i>			<i>PC800SE-6 w/SAA6D140E Engine (cont'd)</i>		
	Oil	LFP670XL ¹⁴		Cabin Air	LAF8791	(600-311-7132); Pri.	Fuel	LFF202
<i>PC650-3, PC650LC-3 w/Cummins KT19-C Engine</i>				Coolant	LFW4074 ⁶²⁷	706301210	Hydraulic	LH8544
612-881-7042	Air	LAF2821 ²	6004111171	Hydraulic	LP2307	600-211-1231	Oil	LFP670
612-881-7042		LAF6641 ¹	4241611140					LFP670XL ¹⁴
(600-311-7130); Pri.	Fuel	LFF202	<i>PC75R-2 w/Komatsu 4D98 Engine</i>			<i>PC80-1 w/Komatsu 4D105-5 Engine</i>		
113-602-3160	Hydraulic	LH4386	11900055600	Fuel	LFF8350	600-181-9200	Air	LAF1544 ²
070-630-1210		LH8544	1291535151	Oil	PH2808	600-311-6220	Fuel	FP588F
600-211-1230	Oil	LFP670	<i>PC75UU-2 w/4D95L Engine</i>			(613-651-5120); S/N	Oil	LFP5120B
<i>PC650-5, PC650LC-5, PC650SE-5 w/SA6D140-1 Engine</i>			600-311-7440	Fuel	FP588F	1001-		
(612-881-7042); S/N	Air	LAF2821 ²	706301054	Hydraulic	LH8541	<i>PC80-3, PC80LC-3 w/4D95L-1 Engine</i>		
20001-		LAF6641 ¹	600-211-5241	Oil	LFP2312	600-181-7300	Air	LAF222 ²
600-411-1040	Coolant	LFW2055	<i>PC75UU-3 w/4D102E Engine</i>			600-311-6220	Fuel	FP588F
(600-311-7130); Pri.	Fuel	LFF202	600-181-6340	Air	LAF8072	070-630-1054	Hydraulic	LH8541
113-602-3160	Hydraulic	LH4386	600-181-6330	Fuel	LAF8077	(600-211-6241); S/N	Oil	LFP6240
205-605-1430		LH8544		Oil	LFP3900	2001-		
600-211-1230	Oil	LFP670	<i>PC78MR w/54D95LE-3 Engine</i>			<i>PC88MR-8 w/Komatsu SAA4D95LE-5 Engine</i>		
By-Pass		LFP670XL ¹⁴	6002112110	Oil	PH2835	6001852210	Air	LAF8148
By-Pass		LFP777B	<i>PC78MR-6 w/S4D95LE-3 Engine</i>			6001852220	Fuel	LAF9332 ¹
		LFP777XL ¹⁴	6002112110	Oil	PH2835			FP588F
<i>PC70 w/4D95L Engine</i>			<i>PC78US-6 w/S4D95LE-3 Engine</i>			6002112110	Oil	PH2835
600-181-6340	Air	LAF8072	6003117460	Fuel	FP588F	<i>PC90-1 w/Komatsu 4D95L Engine</i>		
600-311-7440	Fuel	FP588F	6002112110	Oil	PH2835	600-181-6340	Air	LAF8072 ²
706301054	Hydraulic	LH8541	<i>PC78US-8, PC78UU-8 w/Komatsu SAA4D95LE engine</i>					LAF8077 ¹
<i>PC710, PC710-5, PC710SE-5 w/SA6D140-1 Engine</i>				Cabin Air	LAF8791	600-311-7440	Fuel	FP588F
(612-881-7042); S/N	Air	LAF2821 ²	<i>PC8000 w/2 SDA16V160 Engines</i>			070-630-1054	Hydraulic	LH8541
11019-		LAF6641 ¹		Oil	PH2835	600-211-6241	Oil	LFP6240
600-411-1150	Coolant	LFW4073 ²⁵⁵		Air	LAF5069MXM ²	<i>PC95, PC95-1 w/Perkins 1004-4 Engine</i>		
(600-311-7130); Pri.	Fuel	LFF202			LAF5070 ¹		Air	LAF1246 ²
113-602-3160	Hydraulic	LH4386	(76999473); W/S	Fuel	LFF1021		Fuel	LAF4155 ¹
205-605-1430		LH8544		Oil	LFP670	26561118	Fuel	LFF3504
600-211-1230	Oil	LFP670	<i>PC800-7 w/Komatsu SAA6D140E-3N engine</i>			2654403	Oil	PH4403
By-Pass		LFP670XL ¹⁴		Air	LAF4638 ²	<i>PC95R-2 w/Komatsu 4D106 Engine</i>		
By-Pass		LFP777B			LAF8693 ¹	848101144	Air	LAF4544 ²
		LFP777XL ¹⁴		Cabin Air	LAF5327	848101145		LAF4545 ¹
<i>PC75</i>					LAF8791	11900055600	Fuel	LFF8350
600-311-7440	Fuel	FP588F		Coolant	LFW4073 ²⁵⁵	11900535100	Oil	PH2808
706301054	Hydraulic	LH8541	S/N 113935-117730	Fuel	LFF6924	<i>PF55L-1 w/S6D105 Engine</i>		
600-211-5241	Oil	LFP2312		Oil	LFP9001 ²⁵⁰	671-061-8131	Coolant	LFW4073 ²⁵⁵
<i>PC750-6, PC750LC-6, PC750SE-6 w/QSK19 Engine</i>					LFP9001XL ^{14, 250}	(600-311-9120); W/S	Fuel	LFF4294
612-881-7042	Air	LAF2821 ²	<i>PC800LC-8 w/Komatsu SAA6D140E-5 Engine</i>			600-311-8221		LFF5784 ¹²
600-411-1171	Coolant	LFW4074 ⁶²⁷	6001856100	Air	LAF4638 ²	195-610-6320	Hydraulic	LH8543
(600-311-7132); Pri.	Fuel	LFF202	6001856100		LAF8693 ¹	643-451-5120	Oil	LFP8320
706301210	Hydraulic	LH8544	17M9113530	Cabin Air	CAF1751 ^{186, 554}	<i>PW05-1 w/Yanmar Engine</i>		
600-211-1230	Oil	LFP670			LAF8791 ⁵⁵⁴		Fuel	L4103F
By-Pass		LFP670XL ¹⁴	55102- Up	Coolant	LFW4074 ⁶²⁷		Oil	PH2808
By-Pass		LFP777B	55102- Up; W/S	Fuel	LFF5357	<i>PW100-3, PW100N-3 w/Komatsu S6D95L-1 Engine Serial No. 1601-up</i>		
		LFP777XL ¹⁴	6003193550		LFF6924	600-181-9500	Air	LAF1544 ²
<i>PC750LC-7 w/Komatsu SAA6D140E Engine</i>				Oil	LFP9001 ²⁵⁰	600-181-9500		LAF1933 ¹
6001856100	Air	LAF8150 ²			LFP9001TRT ³	600-311-6220	Fuel	FP588F
6001856100		LAF8693 ¹			LFP9001XL ^{14, 250}	175-602-7380	Hydraulic	LH4912
<i>PC800SE-6 w/SAA6D140E Engine</i>						600-211-6241	Oil	LFP6240
(612-881-7320); S/N	Air	LAF2821 ²	<i>PC800SE-6 w/SAA6D140E Engine</i>			<i>PW150-1 w/6D95L-1 Engine</i>		
30001-		LAF6641 ¹	6001856100	Air	LAF2821 ²	600-181-9500	Air	LAF1544 ²
612-0781-7412			612-0781-7412		LAF6641 ¹			LAF1933 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 182-Contains 2 oz. of chemical 186-Dust filter 250-11.9" Hgt. 255-Contains 3 oz. of chemical 554-Recirculation 627-5 oz. of chemical

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (EXCAVATOR)			KOMATSU (EXCAVATOR)			KOMATSU (GRADER)		
<i>PW150-1 w/6D95L-1 Engine (cont'd)</i>			<i>PW60-1, PW60-3 w/4D94 Engine</i>			<i>GD22AC-1, GD28AC-1 w/Komatsu 4D105-3 Engine (cont'd)</i>		
600-311-6220	Fuel	FP588F	(600-181-7300); S/N 1501-, S/N 2001-	Air	LAF222 ²	613-671-6120	Fuel	LFF4296
175-602-7380	Hydraulic	LH8539	600-311-6220	Fuel	FP588F	101-601-5171	Hydraulic	LH4211
600-211-6240	Oil	LFP6240	154-601-2170	Hydraulic	LH8541	600-211-5240	Oil	LFP2312
<i>PW170-1 w/Perkins 1004-4T Engine</i>			<i>PW75</i>			<i>GD22H-1 w/Komatsu 4D105-1 Engine</i>		
	Air	LAF8583 ² LAF9410 ¹	600-211-5240	Oil	LFP2312	600-181-9320	Air	LAF4176 ¹
	Fuel	LFF3504	600-211-6240	Oil	LFP6240	600-181-9220		LAF4183 ²
	Hydraulic	LH4912	<i>PW95</i>			101-601-5171	Hydraulic	LH4211
	Oil	LFP2292	119-000-55600	Fuel	LFF8350	600-211-5240	Oil	LFP2312
<i>PW170ES-6 w/Komatsu SA4D102E Engine</i>			<i>PW95</i>			<i>GD28AC-1 w/4D105-3 Engine</i>		
	Air	LAF8583 ² LAF9410 ¹		Air	LAF1246 ² LAF4155 ¹	600-181-9320	Air	LAF4176 ¹
6004111140	Coolant	LFW4072 ¹⁸²	26561118	Fuel	LFF3504	600-181-9220		LAF4183 ²
	Oil	LFP3900	2654403	Oil	PH4403	613-671-6120	Fuel	LFF4296
							Hydraulic	LH4211
<i>PW180-10 w/Komatsu SAA6D170E-2 engine</i>			KOMATSU (GENERATOR)			600-211-5240	Oil	LFP2312
	Air	LAF5932 ¹ LAF8149 ²	<i>EG125-1 84/100 KW w/S6D105-1 Engine</i>			<i>GD305A-1A w/Komatsu 6D95L-1 Engine</i>		
	Cabin Air	CAF1751 ^{186, 554} LAF5327 ¹³⁹³ LAF8791	613-671-6120	Fuel	LFF4296	600-181-9500P	Air	LAF1544 ²
			613-651-5120	Oil	LFP5120B	600-181-9500S		LAF1933 ¹
Sec. W/S	Fuel	LFF5488 LFF9013	<i>EG150-3 97/116 KW w/SA6D110-1 Engine</i>			600-411-1191	Coolant	LFW4072 ¹⁸²
S/N K40057-	Oil	LFP7181	(600-311-8291); Pri.	Fuel	LFF5D	600-311-6221	Fuel	FP588F
<i>PW180-7 w/Komatsu SAA6D102E engine</i>			<i>EG200-2 144/165 KW w/Cummins NTC743-GC Engine</i>			<i>GD30-5M w/Komatsu 4D120-11 Engine</i>		
	Air	LAF5932 ¹ LAF8149 ²	(600-311-8291); W/S	Fuel	LFF4294	600-300-0121	Air	LAF8655 ¹
	Cabin Air	CAF1751 ^{186, 554} LAF5327 ¹³⁹³ LAF8791	661-050-5100	Oil	LP5100	600-300-0110		LAF8656 ²
	Fuel	LFF3521	<i>EG50-2 31/38.8 KW w/4D105-5 Engine</i>			611-070-6202	Fuel	L61F
	Hydraulic	LH9351 ¹⁰⁷⁷	600-311-6220	Fuel	FP588F	130-604-8210	Hydraulic	LH8545
S/N K40057-	Oil	LFP7181	613-651-5120	Oil	LFP5120B	612-050-5103	Oil	LP161
S/N K40001-K40056		LFP780 LFP780XL ¹⁴	<i>EG550-1 400/440 KW w/SA6D170A-1 Engine</i>			<i>GD31-3H w/Komatsu S4D120-11 Engine</i>		
<i>PW200-7 w/Komatsu SAA6D102E Engine</i>			(600-311-8291); W/S	Fuel	LFF4294	611-283-7610	Air	LAF1755 ²
6001853120	Air	LAF5932 ¹ LAF8149 ²	<i>EG65-2 42.7/50.4 KW w/S4D105-5 Engine</i>			611-283-7620		LAF1759 ¹
6001853110			613-671-6120	Fuel	LFF4296	611-070-6202	Fuel	L61F
20Y9796261	Cabin Air	LAF5327 ¹³⁹³ LAF8791	613-651-5120	Oil	LFP5120B	130-604-82100	Hydraulic	LH8545
17M9113530			<i>KOMATSU (GRADER)</i>			612-050-5103	Oil	LP161
6732716112	Fuel	LFF3521	<i>GD200A-1, GD300A-1 w/Komatsu 4D105-5 Engine</i>			<i>GD31RC-3A, GD310RC-3A w/Komatsu 4D130-1 Engine</i>		
2076071180	Hydraulic	LH9351 ¹⁰⁷⁷	<i>EG80-1 56/64 KW w/6D105-1 Engine</i>			<i>GD37-4, GD40 w/Cummins NH220-CL Engine</i>		
(6736515142); S/N K40057-	Oil	LFP7181	613-671-6120	Fuel	LFF4296	662-021-7550	Breather	LAF190 ¹³⁸⁸
(6736515141); S/N K40001-K40056		LFP780 LFP780XL ¹⁴	613-651-5120	Oil	LFP5120B	671-061-8112	Coolant	LFW4073 ²⁵⁵
<i>PW20-1, PW30-1 w/Komatsu 3D84-1 Engine</i>			<i>GD22-1 w/4D-92 Engine</i>			131-604-8210	Hydraulic	LP560
121-120-12901	Air	LAF1275 ²	<i>GD200A-1, GD300A-1 w/Komatsu 4D105-5 Engine</i>			(668-581-9910); Turbo	Oil	LFP152499B
124-550-55700	Fuel	L4103F		Air	LAF1544 ² LAF1933 ¹	(145-493-2430); S/N 1004-	Trans	LP2854
YM171056-35110	Oil	LFP5522	600-311-6220	Fuel	FP588F	<i>GD37-5H w/Komatsu S4D120-11 Engine</i>		
<i>PW210-1 w/Komatsu S6D105 Engine</i>			101-601-5171	Hydraulic	LH4211	600-181-2311	Air	LAF1756 ²
600-181-6820	Air	LAF1768 ²	613-651-5120	Oil	LFP5120B	600-181-2350		LAF1759 ¹
600-411-1140	Coolant	LFW4072 ¹⁸²	<i>GD22AC-1, GD28AC-1 w/Komatsu 4D105-3 Engine</i>			611-070-6202	Fuel	L61F
613-671-6120	Fuel	LFF4296	600-181-9320	Air	LAF4176 ¹	130-604-8210	Hydraulic	LH8545
195-601-6320	Hydraulic	LH8543	600-181-9220		LAF4183 ²	612-050-5103	Oil	LP161
613-451-5120	Oil	LFP8320	<i>GD22AC-1, GD28AC-1 w/Komatsu 4D105-3 Engine</i>			<i>GD37-6H w/Cummins NH220 Engine</i>		
			600-181-9320	Air	LAF4176 ¹	667-581-7231	Air	LAF5877
			600-181-9220		LAF4183 ²	600-181-2461		LAF8819 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 182-Contains 2 oz. of chemical 186-Dust filter 255-Contains 3 oz. of chemical 554-Recirculation 1077-Hyd. Tank 1388-Rocker Arm 1393-Cabin

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (GRADER)			KOMATSU (GRADER)			KOMATSU (GRADER)		
<i>GD37-6H w/Cummins NH220 Engine (cont'd)</i>			<i>GD500R-2 w/Komatsu S6D105-1 Engine (cont'd)</i>			<i>GD530, GD530-2A, GD530-2B, GD530-2C, GD530A-2E (cont'd)</i>		
600-181-2500	Air	LAF8821 ²		Trans	LFH4212	(161623); Pri.	Fuel	LFF3417
667-106-18113	Coolant	LFW4073 ²⁵⁵	<i>GD500R-5</i>			(161624); Sec.	Fuel	LFF3521
661-072-8600	Fuel	L3519F	600-181-2311	Air	LAF1755 ²	1266751-H2	Hydraulic	LFH4428
101-801-5171	Hydraulic	LFH4211	600-181-2350		LAF1759 ¹	1281327-H1		LFH4910
130-604-8210		LH8545	600-411-1420	Coolant	LFW4074 ⁶²⁷	1240388-H1	Oil	LFP780
661-050-5100	Oil	LP5100	613-671-6120	Fuel	LFF4296			LFP780XL ¹⁴
<i>GD40-2 w/Cummins NHY220-C1 Engine</i>			130-604-8210	Hydraulic	LH8545	<i>GD555-3 w/SA6D102E Engine</i>		
669-181-7310	Air	LAF8558 ¹	613-651-5120	Oil	LFP5120B	6001813120	Air	LAF5932 ¹
669-181-7210		LAF8559 ²	<i>GD505A-2, GD505R-2 w/Komatsu S6D105-1 Engine</i>			6001853110		LAF8149 ²
671-061-8113	Coolant	LFW4073 ²⁵⁵	600-181-2311	Air	LAF1755 ²	6732-71-6112	Fuel	LFF3521
101-601-5171	Hydraulic	LFH4211	600-181-2350		LAF1759 ¹	6732-71-6120; W/S		LFF8062
661-050-5100	Oil	LP5100	600-411-1420	Coolant	LFW4074 ⁶²⁷	6735-51-5143	Oil	LFP780
<i>GD405A-1 w/Komatsu 6D105-1 Engine</i>			613-671-6120	Fuel	LFF4296			LFP780XL ¹⁴
600-181-8260	Air	LAF8668 ²	281-161-1290	Hydraulic	LFH4212 ¹³⁹⁴	<i>GD555-5 w/Komatsu SAA6D107E-1 Engine</i>		
600-181-8360		LAF8674 ¹	130-604-8210		LH8545 ⁷⁸⁶	6001855110	Air	LAF4503 ²
600-411-1150	Coolant	LFW4073 ²⁵⁵	613-651-5120	Oil	LFP5120B	6001855120		LAF4504 ¹
613-671-6120	Fuel	LFF4296	281-161-1290	Trans	LFH4212	17M9113530	Cabin Air	LAF8791
(281-161-1290); S/N 50113-	Hydraulic	LFH4212	<i>GD510R-1, GD510R-2 w/Komatsu S6D95L-1 Engine</i>			(6754796140); Sec.	Fuel	LFF3802
(130-604-8210); S/N 50002-50112		LH8545	600-181-6740	Air	LAF1768 ²	(6003113610); W/S		LFF7689
613-651-5120	Oil	LFP5120B	600-181-6730		LAF8392 ¹	6736515142	Oil	LFP7181
281-161-1290	Trans	LFH4212	600-411-1140	Coolant	LFW4072 ¹⁸²	<i>GD600R-1, GD600R-2, GD650R-1 w/Cummins NH220 Engine</i>		
<i>GD40HT-2 w/Cummins NH220 Engine</i>			600-311-6220	Fuel	FP588F	600-181-2311	Air	LAF1755 ²
671-061-8113	Coolant	LFW4073 ²⁵⁵	070-630-1054	Hydraulic	LH8541	600-181-2350		LAF1759 ¹
661-072-8600	Fuel	L3519F	600-211-6241	Oil	LFP6240	671-061-8113	Coolant	LFW4073 ²⁵⁵
101-601-5171	Hydraulic	LFH4211	<i>GD511A-1, GD511R-1, GD513A-1, GD513R-1 w/Komatsu S6D95L-1 Engine</i>			661-072-8600	Fuel	L3519F
661-050-5100	Oil	LP5100	600-181-6740	Air	LAF1768 ²	(600-311-8291); W/S		LFF4294
<i>GD461A-1 w/Komatsu S6D95L-1 Engine</i>			600-411-1010	Coolant	LFW4018 ¹⁸²	281-161-1290	Hydraulic	LFH4212 ¹³⁹⁴
600-181-6740	Air	LAF1768 ²	600-311-6220	Fuel	FP588F	130-604-8210		LH8545 ⁷⁸⁶
600-181-6740		LAF8392 ¹	070-630-1054	Hydraulic	LH8541	600-211-1230	Oil	LFP670
600-411-1140	Coolant	LFW4072 ¹⁸²	600-211-6241	Oil	LFP6240			LFP670XL ¹⁴
600-311-6220	Fuel	FP588F	281-161-1290	Trans	LFH4212	661-050-5100		LP5100
600-211-6240	Oil	LFP6240	<i>GD515A-1 w/Komatsu S6D105-1 Engine</i>			<i>GD600R-3, GD600R-5 w/Komatsu 6D125-1 Engine</i>		
281-161-1290	Trans	LFH4212	600-181-6740	Air	LAF1768 ²	600-181-2311	Air	LAF1755 ²
<i>GD500R-1 w/Komatsu S4D130-1 Engine</i>			600-411-1140	Coolant	LFW4072 ¹⁸²	600-181-2350		LAF1759 ¹
600-181-2311	Air	LAF1755 ²	613-671-6120	Fuel	LFF4296	(600-311-8293); W/S	Fuel	LFF5926
600-181-2350		LAF1759 ¹	070-630-1054	Hydraulic	LH8541	(600-311-8291); Pri.		LFF5D
671-061-8113	Coolant	LFW4073 ²⁵⁵	(613-451-5120); S/N 50001-	Oil	LFP5120B	281-161-1290	Hydraulic	LFH4212
611-070-6202	Fuel	L61F	281-161-1290	Trans	LFH4212	613-651-5120	Oil	LFP5120B
130604821	Hydraulic	LH8545	<i>GD521A-1, GD521R-1, GD523A-1, GD523R-1, GD525A-1 w/Komatsu S6D105-1 Engine</i>			<i>GD605A-1, GD605A-2, GD605R-1, GD605R-2, GD655A-1, GD655R-1, GD655A-2, GD655R-2 w/Cummins NH220 Engine</i>		
611-450-5100	Oil	LP161	600-181-2311	Air	LAF1755 ²	600-181-2311	Air	LAF1755 ²
<i>GD500R-2 w/Cummins NH220-C1 Engine</i>			600-181-2350		LAF1759 ¹	600-181-2350		LAF1759 ¹
600-181-2311	Air	LAF1755 ²	600-411-1140	Coolant	LFW4072 ¹⁸²	671-061-8113	Coolant	LFW4073 ²⁵⁵
600-181-2350		LAF1759 ¹	613-671-6120	Fuel	LFF4296	661-072-8600	Fuel	L3519F
662-021-7550		LAF190	070-630-1054	Hydraulic	LH8541	600-311-8291		LFF4296
671-061-8113	Coolant	LFW4073 ²⁵⁵	613-651-5120	Oil	LFP5120B	(600-311-8293); W/S		LFF5926
130-604-8210	Hydraulic	LH8545	281-161-1290	Trans	LFH4212	281-161-1290	Hydraulic	LFH4212 ¹³⁹⁴
<i>GD500R-2 w/Komatsu S6D105-1 Engine</i>			<i>GD530, GD530-2A, GD530-2B, GD530-2C, GD530A-2E</i>			130-604-8210		LH8545 ⁷⁸⁶
600-181-2311	Air	LAF1755 ²	1298058-H1	Air	LAF1888 ²	600-211-1230	Oil	LFP670
600-181-2350		LAF1759 ¹	1298059-H1		LAF1952 ¹			LFP670XL ¹⁴
600-411-1420	Coolant	LFW4074 ⁶²⁷	1257937-H1	Coolant	LFW4072 ¹⁸²	661-050-5100		LP5100
613-671-6120	Fuel	LFF4296	<i>GD530A-2E</i>			281-161-1290	Trans	LFH4212
	Hydraulic	LFH4212						
130-604-8210		LH8545						
613-651-5120	Oil	LFP5120B						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 182-Contains 2 oz. of chemical 255-Contains 3 oz. of chemical 627-5 oz. of chemical 786-11.9" Tall 1394-9.2" Tall

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (GRADER)			KOMATSU (GRADER)			KOMATSU (GRADER)		
<i>GD605A-1, GD655A-1, GD605R-1, GD655R-1 w/Cummins NH220-C1 Engine</i>			<i>GD625A-1 w/6D125A-1 Engine (cont'd)</i>			<i>GD670-2A, GD670-2B, GD670-2C, GD670A-2E, GD670AW-2B, GD670AW-2C (cont'd)</i>		
600-181-2311	Air	LAF1755 ²	070-630-1054	Hydraulic	LH8541	(161623); Pri.	Fuel	LFF3417
600-181-2350		LAF1759 ¹	281-161-1290	Trans	LFH4212	(161624); Sec.	Fuel	LFF3521
662-021-7550		LAF190	<i>GD650R-2 w/Cummins NH220-C1 Engine</i>			1281327-H1	Hydraulic	LFH4910
671-061-8113	Coolant	LFW4073 ²⁵⁵	600-181-2311	Air	LAF1755 ²	1294153-H1	Oil	LFP3000
281-161-1290	Hydraulic	LFH4212	600-181-2350		LAF1759 ¹			LFP3000XL ¹⁴
130-604-8210		LH8545	662-021-7550		LAF190	1266751-H1	Trans	LFH4428
<i>GD605A-3, GD650R-3, GD655A-3, GD655R-3, GD705R-4 w/Komatsu 6D125-1 Engine</i>			671-061-8113	Coolant	LFW4073 ²⁵⁵	<i>GD675-3 w/Komatsu SAA6D114E Engine</i>		
600-181-2311	Air	LAF1755 ²	130-604-8210	Hydraulic	LH8545	6001855110	Air	LAF4503 ²
600-181-2350		LAF1759 ¹	<i>GD650R-3, GD655R-3 w/Komatsu 6D125 Engine</i>			6001855120		LAF4504 ¹
600-411-1150	Coolant	LFW4073 ²⁵⁵	611-581-7602	Air	LAF1755 ²	6742013980	Coolant	LFW4073 ²⁵⁵
(600-311-8291); W/S	Fuel	LFF4294		Coolant	LFW4074 ⁶²⁷	(6754796130); Sec.	Fuel	LFF3802
281-161-1290	Hydraulic	LFH4212	(600-311-8291); W/S	Fuel	LFF4294	6754796140		LFF3802
613-651-5120	Oil	LFP5120B	281-161-1290	Hydraulic	LFH4212	6742014540	Oil	LFP3000XL ¹⁴
281-161-1290	Trans	LFH4212	613-651-5120	Oil	LFP5120B	<i>GD675-3EO w/Komatsu SAA6D114E-3 Engine</i>		
<i>GD611A-1, GD611R-1, GD613R-1, GD621A-1, GD621R-1, GD623R-1 w/Komatsu S6D105-1 Engine</i>			<i>GD655-3 w/Komatsu S6D114E Engine</i>			6001855110	Air	LAF4503 ²
600-181-2311	Air	LAF1755 ²	6001855110		LAF4503 ²	6001855120	Coolant	LFW4073 ²⁵⁵
600-181-2350		LAF1759 ¹	6001855120		LAF4504 ¹	6742013980	Fuel	LFF3802
600-411-1010	Coolant	LFW4018 ¹⁸²	6004111191	Coolant	LFW4072 ¹⁸²	6754796140	Oil	LFP3000XL ¹⁴
613-671-6120	Fuel	LFF4296	(6754796130); Sec.	Fuel	LFF3802	6742014540		LFP3000XL ¹⁴
070-630-1054	Hydraulic	LH8541	6754716140		LFF3802	<i>GD705A-3 w/Cummins NTO-6 Engine</i>		
613-651-5120	Oil	LFP5120B	6003118321		LFF5	600-181-3800P	Air	LAF6769 ²
281-161-1290	Trans	LFH4212	6742014540	Oil	LFP3000XL ¹⁴			LAF6769MXM ^{2, 268}
<i>GD613A-1, GD623A-1 w/Komatsu 6D125-1 Engine</i>			<i>GD655-3EO w/Komatsu SAA6D114E-3 Engine</i>			600-181-3800S		LAF9373 ¹
600-181-2311	Air	LAF1755 ²	6001855110	Air	LAF4503 ²	671-061-8113	Coolant	LFW4073 ²⁵⁵
600-181-2350		LAF1759 ¹	6001855120		LAF4504 ¹	(600-311-8291); W/S	Fuel	LFF4294
(600-311-8293); W/S	Fuel	LFF5926	6004111191	Coolant	LFW4072 ¹⁸²	(6003118293); W/S		LFF5926
(600-311-8291); Pri.		LFF5D	6754716140	Fuel	LFF3802	600-211-1230	Oil	LFP670
070-630-1054	Hydraulic	LH8541	6003118321		LFF5			LFP670XL ¹⁴
613-651-5120	Oil	LFP5120B	6742014540	Oil	LFP3000XL ¹⁴	281-161-1290	Trans	LFH4212
281-161-1290	Trans	LFH4212	<i>GD655-5 w/Komatsu SAA6D107E-1 Engine</i>			<i>GD705A-4 w/Komatsu S6D125-1 Engine</i>		
<i>GD615A-1 w/Komatsu S6D110 Engine</i>			6001855110	Air	LAF4503 ²	600-181-3800P	Air	LAF6769 ²
600-181-6740	Air	LAF1768 ²	6001855120		LAF4504 ¹			LAF6769MXM ^{2, 268}
600-411-1140	Coolant	LFW4018 ¹⁸²	6754716140	Fuel	LFF3802	600-181-3800S		LAF9373 ¹
613-671-6120	Fuel	LFF4296	(6003113620); W/S		LFF7689	600-411-1150	Coolant	LFW4073 ²⁵⁵
070-630-1054	Hydraulic	LH8541		Oil	LFP7181	(600-311-8291); W/S	Fuel	LFF4294
613-451-5120); S/N 50001-	Oil	LFP5120B	<i>GD655A-1, GD655R-1 w/Cummins Engine</i>			(600-311-8293); W/S		LFF5926
281-161-1290	Trans	LFH4212	600-181-2311	Air	LAF1755 ²	600-211-1230	Oil	LFP670
<i>GD623A-1 w/Komatsu 6D125-1 Engine</i>			600-181-2350		LAF1759 ¹			LFP670XL ¹⁴
600-181-2311	Air	LAF1755 ²		Coolant	LFW4073 ²⁵⁵	281-161-1290	Trans	LFH4212
600-181-2350		LAF1759 ¹	145-493-2430	Hydraulic	LH8546	<i>GD705R-2 w/Cummins NH220 Engine</i>		
600-411-1020	Coolant	LFW4744 ⁴		Oil	LP5100	662-021-7550	Air	LAF190
(600-311-8291); W/S	Fuel	LFF4294		Trans	LFH4212	669-181-7310		LAF8558 ¹
070-630-1054	Hydraulic	LH8545	<i>GD663A-1 w/6D125-1 Engine</i>			669-181-7210		LAF8559 ²
613-651-5120	Oil	LFP5120B	600-181-2311	Air	LAF1755 ²	671-061-8113	Coolant	LFW4073 ²⁵⁵
281-161-1290	Trans	LFH4212	600-181-2350		LAF1759 ¹	661-072-8600	Fuel	L3519F
<i>GD625A-1 w/6D125A-1 Engine</i>			600-411-1150	Coolant	LFW4073 ²⁵⁵	101-601-5171	Hydraulic	LFH4211
600-181-2311	Air	LAF1755 ²	(600-311-8291); W/S	Fuel	LFF4294	661-050-5100	Oil	LP5100
600-181-2350		LAF1759 ¹	070-630-1054	Hydraulic	LH8541	145-493-2430	Trans	LH8546
600-411-1150	Coolant	LFW4073 ²⁵⁵	613-651-5120	Oil	LFP5120B	<i>GD705R-4 w/6D125-1 Engine</i>		
W/S	Fuel	LFF4294	281-161-1290	Trans	LFH4212	611-283-7610	Air	LAF1755 ²
						611-283-7620		LAF1759 ¹
						(600-311-8293); W/S	Fuel	LFF5926
						101-601-5171	Hydraulic	LFH4211
						281-161-1290		LFH4212

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 14-Extended Life 182-Contains 2 oz. of chemical 255-Contains 3 oz. of chemical 268-Extended/Severe service 627-5 oz. of chemical

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (GRADER)			KOMATSU (LIFT TRUCK)			KOMATSU (LIFT TRUCK)		
<i>GD705-R4 w/6D125-1 Engine (cont'd)</i>			<i>FD20/30-7; FD20/30L-8 w/Isuzu Engine</i>			<i>FG10/19-12; FG10/18-14 w/Toyota Engine</i>		
281-161-1290	Trans	LFH4212	37Z-020-F201	Air	LAF1275 ²	37Z-02A-F331	Air	AF342
<i>GD725A-1 w/Komatsu S6D125-1 Engine</i>			37Z-02F-F161			Fuel FP588F		
600-181-3800P	Air	LAF6769 ²	37Z-020-F105	Oil	LFP2255	37Z-02-OF301	Oil	PH253 ¹⁴⁹⁶
		LAF6769MXM ^{2, 268}	<i>FD200-4 w/Komatsu Engine</i>			PH2835 ²⁷⁵		
600-181-3800S		LAF9373 ¹	613-671-6120	Fuel	FP588F	<i>FG20, FG25, FG30-11, FG20S, FG25S, FG30S-11 w/4D95S Engine</i>		
600-411-1150	Coolant	LFW4073 ²⁵⁵	613-651-5120	Oil	LFP5120B	3EC-011-1630	Air	LAF5891
(600-311-8291); W/S	Fuel	LFF4294	<i>FD20-10, FD30-10, FD20-5, FD30S-5</i>			600-311-9650	Fuel	FP889F
070-630-1100	Hydraulic	LH4912	600-311-9620	Fuel	FP887F	600-211-6140	Oil	LFP2312
600-211-1230	Oil	LFP670	600-211-6140	Oil	LFP2312	<i>FG20/20-7; FG20/25L-8; FG20/30-8; FG20/30S-3; FG20/30S-4 w/Nissan Engine</i>		
		LFP670XL ¹⁴	<i>FD20SV, FD25SV, FD30SV-11, FD20V, FD25V, FD30-11, FD30V-11 w/4D95S Engine</i>			37Z-02A-F931	Air	LAF1275 ²
281-161-1290	Trans	LFH4212	3EC-011-1630	Air	LAF5891	37Z-020-F201	Oil	PH2827
<i>GD750A-1</i>			600-311-9650	Fuel	FP889F	<i>FG28, FG30-4 w/H20 Engine</i>		
(1240483H1); W/S	Fuel	LFF8020	600-211-6140	Oil	LFP2312	37Z-02A-F931	Air	LAF1275 ²
1266751H2	Hydraulic	LFH4428	<i>FD25S, FD25SV, FD20S, FD20SV</i>			37Z-02A-F234	Air	LAF1974
1214275H4		LFH5937	3EC-011-1630	Air	LAF5891	37Z-020-F201	Oil	PH2827
6742012430	Oil	LFP3000	600-311-9650	Fuel	FP889F	<i>FG30-11, FG30S-11 w/Isuzu G201, GL201 Engine</i>		
		LFP3000XL ¹⁴	600-211-6140	Oil	LFP2312	3EB0225550	Air	LAF1793 ¹
<i>GD825-1, GD825-4 w/Komatsu S6D140-1</i>			<i>FD25ST-5, FD25S-5 w/4D95 Engine</i>			3EC0-111630		LAF5891 ²
612-881-7320	Air	LAF2821 ²	3EB-02-19840	Air	LAF5835 ¹	6003119650	Fuel	FP889F
612-781-7412		LAF6641 ¹	3EA-01-18130		LAF8818 ²	6002116140	Oil	LFP2312
671-061-8113	Coolant	LFW4073 ²⁵⁵	600-311-9650	Fuel	FP889F	37Z020F102		P52
600-411-1020		LFW4744 ⁴	600-211-6140	Oil	LFP2312	<i>FG33, FG33N w/Nissan P40 Engine</i>		
(600-311-7130); Pri.	Fuel	LFF202	<i>FD28, FD30 w/C240 Engine</i>			3EC-01-11730	Air	LAF222 ²
600-211-1230	Oil	LFP670	37Z-02A-F931	Air	LAF1275 ²	15208-W1120	Oil	PH400 ²⁷⁵
		LFP670XL ¹⁴	<i>FD28-10, FD30-10 w/4D95 Engine</i>			15208-W1120		PH8A ¹⁴⁹⁶
281-161-1290	Trans	LFH4212	3EA-011-8130	Air	LAF8818 ²	<i>FG40, FG40Z, FG45, FG45-4, FG45-5 w/Nissan P40 Engine</i>		
<i>GD825A-2 w/Komatsu S6D140E-2 Engine</i>			600-311-9650	Fuel	FP889F	3EC-01-11730	Air	LAF222 ²
6128817330	Air	LAF2821 ²	600-211-6140	Oil	LFP2312	15208-W1120	Oil	PH400 ²⁷⁵
6127817031		LAF6641 ¹	<i>FD30 w/Yanmar 4.094E Engine</i>			15208-W1120		PH8A ¹⁴⁹⁶
6004111151	Coolant	LFW4073 ²⁵⁵	3EB-022-5550	Air	LAF1793 ¹	<i>FG70-8US w/Nissan TB45 Gas Engine</i>		
(6003117132); Pri.	Fuel	LFF202	(129-901-55850); W/S	Fuel	FP941F		Oil	PH2867
6002111231	Oil	LFP670	129-150-35151	Oil	PH2808	<i>Graylift 25 w/Nissan H20 Engine</i>		
		LFP670XL ¹⁴	<i>FD35/40-3 w/Mitsubishi Engine</i>				Oil	PH8862
4241611140	Trans	LP2307	37Z-02F-F461	Fuel	FP570F	KOMATSU (LOADER)		
KOMATSU (LIFT TRUCK)			<i>FD35/45-4; FD35/45Z-4 w/Komatsu Engine</i>			<i>505 w/4D105 Engine</i>		
<i>AX Series w/Nissan H20 II Engine</i>			600-311-6220	Fuel	FP588F	600-311-8220	Fuel	LFF4296
	Oil	PH2827	600-211-6140	Oil	LFP2312	600-211-5213	Oil	LFP54
<i>DX Series w/Cummins 6B5.9 Engine</i>			<i>FD40 w/Nissan Engine</i>			<i>510 w/4D92 Engine</i>		
	Oil	LFP780	15208-W1120	Oil	PH400 ²⁷⁵		Air	LAF4176 ¹
<i>DX Series w/Perkins 1004.4 Engine</i>			15208-W1120		PH8A ¹⁴⁹⁶	600-181-9300		LAF4183 ²
	Oil	LFP2292 ¹⁹	<i>FD50/60-3; FD50/60-4 w/Komatsu Engine</i>			613-070-8010	Fuel	L3528F
		PH4403 ¹⁸	600-311-6220	Fuel	FP588F	600-311-8220		LFF4296
<i>EX Series w/Isuzu 6BG1T Engine</i>			613-651-5120	Oil	LFP5120B	385-101-00021	Hydraulic	LP2307
	Fuel	LFF3415	<i>FD70H</i>			600-211-5240	Oil	LFP2312
<i>EX Series w/Perkins 1006-6TW Engine</i>			600-181-7600	Air	LAF8639	<i>515-2 w/Komatsu 6D105 Engine</i>		
	Oil	PH4403	600-311-9650	Fuel	FP889F	600-181-8260	Air	LAF8674 ¹
<i>FD100, 115, 135 w/Komatsu Engine</i>			600-211-61406	Oil	LFP2312	600-311-8220	Fuel	LFF4296
613-671-6120	Fuel	FP588F	<i>FG10, FG14 w/Datsun-Nissan Engine</i>			613-651-5120	Oil	LFP5120B
613-651-5120	Oil	LFP5120B	15208-13212	Oil	PH2827	<i>530 w/S6D105 Engine</i>		
<i>FD105, 180 w/Komatsu Engine</i>			<i>FG10/15/18 H-1: FG10/15/18 H-14; FG10/15/18 S-2; FG10/15/18-2 w/Nissan Engine</i>			381-627-9351	Air	LAF8547 ¹
613-671-6120	Fuel	FP588F	37Z-02A-F931	Air	LAF1275 ²	381-627-9341		LAF8548 ²
613-651-5120	Oil	LFP5120B	37Z-020-F201	Oil	PH2827	671-061-8131	Coolant	LFW4073 ²⁵⁵
<i>FD14, FD15, FD18, FD18D, FD18L w/4FE1 Engine</i>			<i>FG10/15-10; FG10/15-11 w/Nissan Engine</i>			613-671-6120	Fuel	LFF4296
37Z-02-AF932	Air	LAF2745A ²	37Z-020-F201	Oil	PH2827			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 14-Extended Life 18-Short 19-Long 255-Contains 3 oz. of chemical 268-Extended/Severe service 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (LOADER)			KOMATSU (LOADER)			KOMATSU (SCRAPER)		
530 w/S6D105 Engine (cont'd)			JH90EH w/IHC DVT573B Engine (cont'd)			WS16S-2 w/Cummins NTA-855 Engine (cont'd)		
613-651-5120	Oil	LFP5120B	W/S	Fuel	LFP255F	195-601-6320	Hydraulic	LH8543
540 w/SA6D110-1 Engine				Oil	LFP4005SC ⁷¹¹	600-211-1230	Oil	LFP670
(600-311-8291); W/S	Fuel	LFF4294			LP146-1			LFP670XL ¹⁴
613-651-5120	Oil	LFP5120B	JH90EV w/Cummins V903 Engine				Trans	LH4912
JH30B w/Isuzu DA220 Engine			CUWF 2013	Coolant	LFW4744 ⁴	141-601-8270		LH8539
380-890-3211	Air	LAF234HD ^{2, 57}	CUFF 108	Fuel	L43F	WS16S-3 w/Komatsu S6D140 Engine		
381-924-2791		LAF8668	CULF 516	Oil	LP566	612-881-7042	Air	LAF2821 ²
	Fuel	L3528F	KOMATSU (PILE DRIVER)			612-881-7042		LAF6641 ¹
380-185-5311	Trans	LP212	BP500 w/S6D105 Engine			600-411-1150	Coolant	LFW4073 ²⁵⁵
JH63 w/Isuzu DA220 Engine			613-671-6120	Fuel	LFF4296	(600-311-7130); Pri.	Fuel	LFF202
381-924-2791	Air	LAF8668	613-651-5120	Oil	LFP5120B	195-601-6320	Hydraulic	LH8543
	Fuel	L3528F	KOMATSU (PIPELAYER)			600-211-1230	Oil	LFP670
JH63-2 w/S6D105 Engine			D155C-1, D355C-3 w/S6D165-4 Engine					LFP670XL ¹⁴
600-181-8360	Air	LAF8668 ²	671-061-8112	Coolant	LFW4073 ²⁵⁵	141-601-8270	Trans	LH4912
		LAF8674 ¹	600-211-1210	Oil	LP163	WS23-1 w/Cummins NTA-855 Engine		
671-061-8131	Coolant	LFW4073 ²⁵⁵	D65C-6, D85C-12 w/Cummins NH220-C1 Engine			612-881-7320	Air	LAF2821 ²
613-671-6120	Fuel	LFF4296	671-061-8113	Coolant	LFW4073 ²⁵⁵	612-781-7412		LAF6641 ¹
613-651-5120	Oil	LFP5120B	661-050-5100	Oil	LP5100	(600-311-8291); W/S	Fuel	LFF4294
JH65C w/Isuzu DA640			KOMATSU (ROLLER INDUSTRIAL)			195-601-6320	Hydraulic	LH8543
381-980-7021	Air	LAF503 ¹	JV100-1 w/S6D105 Engine			600-211-1230	Oil	LFP670
381-976-3261		LAF6587 ²		Air	LAF1755 ²			LFP670XL ¹⁴
		LAF6587MXM ^{2, 268}			LAF1759 ¹	141-601-8270	Trans	LH4912
381-976-3251		LAF6834 ¹		Coolant	LFW4071 ²⁸			LH8539
	Fuel	L3528F		Fuel	LFF4296	WS23-2 w/Komatsu S6D140-1 Engine		
JH65C-2 w/Isuzu DA640 Engine				Hydraulic	LFH4211 ⁶⁰⁷	612-881-7320	Air	LAF2821 ²
381-980-7021	Air	LAF503 ¹		Oil	LFP5120B			LAF6587 ²
	Fuel	L3528F	JV100CWA, JV100DWA, JV100DWB w/Deutz Engine					LAF6587MXM ^{2, 268}
JH65CH w/IHC DT414 Engine					FP586F	612-781-7412		LAF6641 ¹
381-982-8121	Air	LAF1959 ²		Fuel	FP586F	(600-311-7130); Pri.	Fuel	LFF202
381-625-6271	Coolant	LFW4744 ⁴		Oil	LFP2222	195-601-6320	Hydraulic	LH8543
(381-672-6032); Sec.	Fuel	FP603				600-211-1230	Oil	LFP670
381-675-6171	Oil	PH675	JV60CWA, JV80A, JV80WA, JC80A, JC80CWA w/Deutz Engine					LFP670XL ¹⁴
JH65CN w/Cummins C464 Engine				Fuel	FP586F	141-601-8270	Trans	LH4912
380-888-3991	Air	LAF237 ²		Oil	PH2819	141-601-8270		LH8539
381-980-7021		LAF503 ¹	KOMATSU (SCRAPER)			WS23S-1 w/Cummins KT1150 Engine		
381-976-3261		LAF6587 ²	WS16-2 w/Cummins NTO-6 Engine				Air	LAF2821 ²
		LAF6587MXM ^{2, 268}		Coolant	LFW4071 ²⁸			LAF6641 ¹
381-976-3251		LAF6834 ¹		Hydraulic	LH8539		Coolant	LFW4071 ²⁸
CUFF 108	Fuel	L43F	(141-601-8270); S/N			Pri.	Fuel	LFF5D
CULF 516	Oil	LP566	1008-		LH8539 ¹¹	195-601-6320	Hydraulic	LH8543
JH65CV w/Cummins V504 Engine			141-601-8270	Oil	LP5100		Oil	LFP670
381-980-7021	Air	LAF503 ¹	WS16S-1 w/Cummins NTA-855 Engine					LFP670XL ¹⁴
CUWF 2012	Coolant	LFW4071 ²⁸		Air	LAF2821 ²			LH4912
	Fuel	LFF5			LAF6641 ¹	WS23S-2 w/Komatsu SA6D140-1 Engine		
CULF 613	Oil	LP613	W/S	Fuel	LFF4294	612-881-7320	Air	LAF2821 ²
JH80B w/International DT466 Engine			(195-601-6320); S/N	Hydraulic	LH8543	612-781-7412		LAF6641 ¹
381-982-8121	Air	LAF1959 ²	1005-	Oil	LFP670	(600-311-7130); Pri.	Fuel	LFF202
381-625-6271	Coolant	LFW4744 ⁴			LFP670XL ¹⁴	195-601-6320	Hydraulic	LH8543
381-675-6171	Oil	PH675	WS16S-2 w/Cummins NTA-855 Engine			600-211-1230	Oil	LFP670
JH80C w/Nissan PD6T04 Engine			612-881-7320	Air	LAF2821 ²			LFP670XL ¹⁴
381-982-8121	Air	LAF1959 ²	612-781-7412		LAF6641 ¹	141-601-8270	Trans	LH4912
JH90E, JH90EA w/Isuzu V170 Engine			600-411-1020	Coolant	LFW4073 ²⁵⁵	141-601-8270		LH8539
988-511-1911	Fuel	L3528F	(600-311-8291); W/S	Fuel	LFF4294	WS360 w/Cummins NTA855 Engine		
JH90EH w/IHC DVT573B Engine			(600-311-8293); W/S		LFF5926		Air	LAF2821 ²
Sec.	Fuel	LFF4293						LAF6641 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 11-Power Steering 14-Extended Life 28-Contains 1 oz. of chemical 57-Partial 255-Contains 3 oz. of chemical 268-Extended/Severe service 607-Return 711-Short can version

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (SCRAPER)			KOMATSU (WHEEL LOADER)			KOMATSU (WHEEL LOADER)		
<i>WS360 w/Cummins NTA855 Engine (cont'd)</i>			<i>W20-1, W30-1 w/4D105 Engine</i>			<i>WA120-1 w/Komatsu 6D95L-1 Engine (cont'd)</i>		
WS	Fuel	LFF4294		Fuel	FP588F	600-211-6240	Oil	LFP6240
	Oil	LFP670	613-651-5120	Oil	LFP5120B	<i>WA120-1 w/Komatsu Dresser 410T Engine</i>		
		LFP670XL ¹⁴	<i>W260-1 w/Cummins KT1150 Engine</i>			600-181-9500	Air	LAF1544 ²
KOMATSU (SKID STEER LOADER)				Coolant	LFW4071 ²⁸	(161624); Sec.	Fuel	FP586F
<i>CK30, CK35 w/Komatsu S4D98E-2NFE Engine</i>				Fuel	LFF5	(161623); Pri.	Fuel	LFF3417
12993512520	Air	LAF8148 ² LAF9332 ¹	195-601-6320	Hydraulic	LH8543	154-601-2170	Hydraulic	LH8541
12390755801	Fuel	LFF3396		Oil	LFP670 LFP670XL ¹⁴	161625	Oil	LFP3900
12915035153	Oil	PH2808	<i>W60-1, W60-2 w/Komatsu 6D105-1 Engine</i>			424-161-1140	Trans	LP2307
<i>SK1020-5 w/Komatsu 4D98E-1FD, S4D98E-1FD Engine</i>			600-181-8260	Air	LAF8668 ²	<i>WA120-2</i>		
119005-12571	Air	LAF8114 ¹	600-181-8360		LAF8674 ¹	600-181-6050	Air	LAF1804 ² LAF6834 ¹
129062-12560		LAF8143 ²	613-671-6120	Fuel	LFF4296 LFF5D	674-201-3790	Fuel	LFF3521
12915035151	Oil	PH2808	(600-311-9120); Pri.			706301054	Hydraulic	LH8541
<i>SK1026-5 w/Komatsu S4D98E-2NFE Engine</i>			195-601-6320	Hydraulic	LH8543	424-161-1140	Trans	LP2307
129935-12520	Air	LAF8148 ²	613-651-5120	Oil	LFP5120B	<i>WA120-3 w/6D95L Engine</i>		
<i>SK714-5 w/Komatsu 4D88E-5KFD Engine</i>			424-161-1140	Trans	LP2307	600-181-9500	Air	LAF1544 ² LAF1933 ¹
119005-12571	Air	LAF8114 ¹	<i>W70-1, W70-2, W70-3 w/Komatsu 6D105-1 Engine</i>			600-411-1191	Coolant	LFW4072 ¹⁸²
129687-12510		LAF8143 ²	600-181-8260	Air	LAF8668 ²	600-311-7441	Fuel	FP588F
<i>SK815-5 w/Komatsu S4D84E-1FD Engine</i>			600-181-8360		LAF8674 ¹	706301054	Hydraulic	LH8541
11900512571	Air	LAF8114 ¹	613-671-6120	Fuel	LFF4296 LFF5D	600-211-5242	Oil	LFP2312
12968712510		LAF8143 ²	(600-311-9120); Pri.			424-161-1140	Trans	LP2307
12910055650	Fuel	L549F	195-601-6320	Hydraulic	LH8543	<i>WA150-1, WA180-1 w/Komatsu S6D95L-1 Engine</i>		
<i>SK818-5 w/Komatsu 4D88E-5KFD Engine</i>			613-651-5120	Oil	LFP5120B	600-181-8260	Air	LAF8668 ²
(119005-12571); S/N 37BF50111-	Air	LAF8114 ¹	424-161-1140	Trans	LP2307	600-181-8360		LAF8674 ¹
(129687-12510); S/N 37BF50111-		LAF8143 ²	<i>W90-1 w/Cummins V504 Engine</i>			600-411-1010	Coolant	LFW4018 ¹⁸²
(119808-12520); S/N 37BF50003-37BF50111		LAF8195 ²		Coolant	LFW4744 ⁴	600-311-6220	Fuel	FP588F
(129051-12530); S/N 37BF50003-37BF50111		LAF8690 ¹		Oil	LFP670	154-601-2170	Hydraulic	LH8541
<i>SK820-5 w/Komatsu S4D84E-1FD Engine</i>			<i>W90-2, W90-3 w/6D105 Engine</i>			600-211-6241	Oil	LFP6240
11900512571	Air	LAF8114 ¹	627934C1	Air	LAF8548	424-161-1140	Trans	LP2307
12968712510		LAF8143 ²	671-061-8131	Coolant	LFW4073 ²⁵⁵	<i>WA150-5 w/SA4D102E-2 Engine</i>		
<i>SK820-5 w/Komatsu S4D84E-1FD Engine</i>			613-671-6120	Fuel	LFF4296	6001852500	Air	LAF9543 ¹ LAF9547 ²
11900512571	Air	LAF8114 ¹	195-601-6320	Hydraulic	LH8543	4270722120	Cabin Air	LAF5482
12968712510		LAF8143 ²	613-651-5120	Oil	LFP5120B	6732716112	Fuel	LFF3521
KOMATSU (WHEEL LOADER)			424-161-1140	Trans	LP2307	(6003119121); W/S		LFF4294 ⁹⁴⁴
<i>W120-2, W120-3 w/Komatsu SA6D110 Engine</i>			<i>WA100-1, WA120, WR11-1 w/Komatsu 6D95L-1 Engine</i>			<i>WA180-1 w/Komatsu Dresser 610T Engine</i>		
671-061-8131	Coolant	LFW4073 ²⁵⁵	600-181-9240	Air	LAF1544 ²	1249057H1	Air	LAF1813 ²
(600-311-8291); W/S	Fuel	LFF4294	600-181-9340		LAF1933 ¹	1249058H1		LAF1814 ¹
195-601-6320	Hydraulic	LH8543	600-411-1010	Coolant	LFW4018 ¹⁸²	(161624); Sec.	Fuel	FP586F
613-651-5120	Oil	LFP5120B	600-311-6220	Fuel	FP588F	(161623); Pri.	Fuel	LFF3417
38510100021	Trans	LP2307	154-601-2170	Hydraulic	LH8541	154-601-2170	Hydraulic	LH8541
<i>W170-1 w/Cummins V903 Engine</i>			600-211-6241	Oil	LFP6240	1240388H1	Oil	LFP780 LFP780XL ¹⁴
	Coolant	LFW4075 ⁶⁴⁴	424-161-1140	Trans	LP2307	424-161-1140	Trans	LP2307
	Fuel	L43F	<i>WA100M-5 w/S4D95-LE3 Engine</i>			<i>WA180-3 w/Komatsu S6D95L-1 Engine</i>		
	Oil	LP566		Air	LAF4544 ² LAF4545 ¹	(600-181-8260); S/N 137124-	Air	LAF8668 ²
<i>W170-2 w/Cummins NT855 Engine</i>			<i>WA1200-3 w/Cummins QSK60 Engine</i>			600-181-8360		LAF8674 ¹
(600-311-8291); W/S	Coolant	LFW4073 ²⁵⁵	(3089916); W/S	Fuel	LFF1021		Cabin Air	LAF5756
	Fuel	LFF4294	LF9024	Oil	LFP9024	600-311-6220	Fuel	FP588F
	Oil	LFP670 LFP670XL ¹⁴	<i>WA120-1 w/Komatsu 6D95L-1 Engine</i>			154-601-2170	Hydraulic	LH8541
<i>W180-1 w/Cummins NT855 Engine</i>			600-181-9500	Air	LAF1544 ²	600-211-5242	Oil	LFP2312
600-181-4400	Air	LAF2821 ² LAF6641 ¹	600-181-9340		LAF1933 ¹	<i>WA200-1 w/Komatsu 6D105-1 Engine</i>		
(600-311-8291); W/S	Fuel	LFF4294	600-411-1140	Coolant	LFW4072 ¹⁸²	600-181-8260	Air	LAF8668 ²
195-601-6320	Hydraulic	LH8543	600-311-6220	Fuel	FP588F	600-181-8360		LAF8674 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 14-Extended Life 28-Contains 1 oz. of chemical 182-Contains 2 oz. of chemical 255-Contains 3 oz. of chemical 644-Contains 6 oz. of chemical 944-1"-14 Thread

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (WHEEL LOADER)			KOMATSU (WHEEL LOADER)			KOMATSU (WHEEL LOADER)		
<i>WA480-5, WA480-5SL w/Komatsu SAA6D125E-3 Engine (cont'd)</i>			<i>WA600-1 w/Komatsu S6D170-1 Engine (cont'd)</i>			<i>WA70-1 w/Komatsu 4D95L-W-1 Engine (cont'd)</i>		
6003113111; W/S	Fuel	LFF1021	600-211-1230	Oil	LFP670 LFP670XL ¹⁴	600-311-6220	Fuel	FP588F
6003193550		LFF6924	424-161-1140	Trans	LP2307	600-211-6241	Oil	LFP6240
6002111340	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	<i>WA600-3 w/Komatsu S6D170E-2 S/N 50001-up</i>			<i>WA70-2 w/6B155 Engine</i>		
6002111340			612-881-7320	Air	LAF2821 ² LAF6641 ¹	671-061-8131	Coolant	LFW4073 ²⁵⁵
<i>WA480-6 w/Komatsu SAA6D125E-5 Engine</i>				Coolant	LFW4074 ⁶²⁷	(613-671-6120); W/S	Fuel	LFF4294
6001855110	Air	LAF4503 ² LAF4504 ¹	(600-311-8293); W/S	Fuel	LFF5926	38511066432	Hydraulic	LHF5071
6001855120			600-211-1230	Oil	LFP670 LFP670XL ¹⁴	195-601-6320	Oil	LH8543
6003193550	Fuel	LFF6924	<i>WA600-6 w/Komatsu SAA6D170E-5 Engine</i>			613-651-5120	Oil	LFP5120B
2076071181	Hydraulic	LH9351	6004111171	Coolant	LFW4074 ⁶²⁷	38510100021	Trans	LP2307
6002111340	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	<i>WA65-3, WA75-3 w/Yanmar 4D94E Engine</i>			<i>WA70-5 w/4D95-LE3 Engine</i>		
<i>WA500 Series 3 w/Cummins M11 Engine</i>			6001856100	Air	LAF8150 ² LAF8693 ¹		Air	LAF8148 ² LAF9332 ¹
			6001856100			(600311210); W/S	Fuel	LFF9594
			6004111171	Coolant	LFW4074 ⁶²⁷	6002112110	Oil	PH2835
421-071-2312	Cabin Air	LAF5866	(6003113410); W/S	Fuel	LFF5357 LFF6924	<i>WA800-1 w/Komatsu SA8V170-1 Engine</i>		
	Coolant	LFW4073 ²⁵⁵	6003193550	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	612-881-7320	Air	LAF2821 ² LAF6641 ¹
W/S	Fuel	LFF8020	6002111340			612-781-7412	Coolant	LFW2055
	Oil	LFP3000 LFP3000XL ¹⁴	4241611140	Trans	LP2307	600-411-1170	Coolant	LFW2055
<i>WA500-1 w/Komatsu S6D140-1 Engine</i>			<i>WA65-5 w/4D95-LE3 Engine</i>			(600-311-7110); Pri.	Fuel	LFF202
612-881-7320	Air	LAF2821 ² LAF6641 ¹	42U01HOP02	Air	LAF8148 ² LAF9332 ¹	070-630-1142	Hydraulic	LH8543
612-781-7412			YM12915035151	Oil	PH2808	600-211-1230	Oil	LFP670 LFP670XL ¹⁴
600-411-1150	Coolant	LFW4073 ²⁵⁵	<i>WA700-1 w/Komatsu SA6D170 Engine</i>			424-161-1140	Trans	LP2307
(600-311-7130); Pri.	Fuel	LFF202	612-881-7042	Air	LAF2821 ² LAF6641 ¹	<i>WA800-2 w/Komatsu SA12V140 Engine</i>		
070-630-1142	Hydraulic	LH8543	612-881-7042			612-881-7042	Air	LAF2821 ² LAF6641 ¹
600-211-1230	Oil	LFP670 LFP670XL ¹⁴	600-411-1040	Coolant	LFW2055	600-411-1170	Coolant	LFW2055
424-161-1140	Trans	LP2307	(600311210); W/S	Fuel	LFF9594	(600-311-7130); Pri.	Fuel	LFF202
<i>WA500-6 w/SAA6D140E-5 Engine</i>			6002112110	Oil	PH2835	070-630-1142	Hydraulic	LH8543
6001856110	Air	LAF8150 ² LAF8693 ¹	<i>WA700-3 w/SAA6D170E-3 Engine</i>			600-211-1230	Oil	LFP670 LFP670XL ¹⁴
6001856120			6001814401	Air	LAF2821 ² LAF6641 ¹	<i>WA800-3 w/SA12V140 Engine</i>		
6004111171	Coolant	LFW4074 ⁶²⁷	6127817412			6001814401	Air	LAF2821 ² LAF6641 ¹
(6003113410); W/S	Fuel	LFF5357	6001856110			6127817412	Coolant	LFW4074 ⁶²⁷
6002111340	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	6001856120			(600-311-7132); Pri.	Fuel	LFF202
<i>WA500-7 (w/Komatsu SAA6D140E-6 Engine)</i>			6003118321	Fuel	LFF5 LFF5926	600-211-1231	Oil	LFP670 LFP670XL ¹⁴
6001856110	Air	LAF4638 ² LAF8693 ¹	(600-311-8293); W/S			<i>WA80-5 w/4D95-LE3 Engine</i>		
6001856120			706351383	Hydraulic	LH4742	P772579	Air	LAF8148 ² LAF9332 ¹
6002111340	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	600-211-1231	Oil	LFP670 LFP670XL ¹⁴	P775300		LAF2821 ² LAF6641 ¹
<i>WA50-3 w/S3084E Engine</i>			<i>WA700-1 w/Komatsu 4D95L-W-1 Engine</i>			(600311210); W/S	Fuel	LFF9594
YM17105812510	Air	LAF1275 ²	600-181-7300	Air	LAF222 ²	6002112110	Oil	PH2835
1627143560	Fuel	L4103F	600-411-1140	Coolant	LFW4018 ¹⁸²	<i>WA85-3, WA95-3 w/4D106E Engine</i>		
3631831470	Oil	LFP5522	<i>WA600-1 w/Komatsu S6D170-1 Engine</i>			42U01HOP02	Air	LAF8148 ² LAF9332 ¹
<i>WA600-1 w/Komatsu S6D170-1 Engine</i>			612-881-7320	Air	LAF2821 ² LAF6641 ¹	42U01HOP01		PH2808
612-881-7320			612-781-7412			YM12915035151	Oil	PH2808
612-781-7412			<i>WA70-1 w/Komatsu 4D95L-W-1 Engine</i>			<i>WA900-1, WA900-3 w/Komatsu SA12V140 Engine</i>		
600-411-1040	Coolant	LFW2055	(600-212-1511);			600-181-4400	Air	LAF2821 ² LAF6641 ¹
(600-311-8291); W/S	Fuel	LFF4294 LFF5926	By-Pass			612-881-7042		LAF5866
(600-311-8293); W/S			By-Pass			421-071-2312	Cabin Air	LAF5866
070-630-1142	Hydraulic	LH8543						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 182-Contains 2 oz. of chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 627-5 oz. of chemical

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KUBOTA (EXCAVATOR)			KUBOTA (EXCAVATOR)			KUBOTA (EXCAVATOR)		
<i>KH50, KH51, KH55 w/Kubota D950 Engine (cont'd)</i>			<i>KX080-3 w/Kubota V3800DIE2BH Engine (cont'd)</i>			<i>KX161-3 w/Kubota V2203-M-E3 Engine</i>		
15241-32090	Oil	PH2808	3A111-19130	Air	LAF9332 ¹	R2401-42280	Air	LAF8114 ¹
			15221-43170	Fuel	FP590F	R1401-42270		LAF8143 ²
<i>KH60 w/Kubota D1302-BH Engine</i>			HH1C0-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	15221-43170	Fuel	FP590F
15401-11080	Air	LAF1275 ²	<i>KX080-3T w/Kubota V3307DT3BH Engine</i>			70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
15221-43080	Fuel	FP590F	59800-26110	Air	LAF8148 ²	<i>KX161-3ST w/Kubota V2403ME2BH1 Engine</i>		
70000-11081	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	3A111-19130		LAF9332 ¹	R2401-42280	Air	LAF8114 ¹
70000-32091		PH400 ²⁷⁵	15221-43170	Fuel	FP590F	R1401-42270		LAF8143 ²
70000-32091		PH8A ¹⁴⁹⁶	HH1C0-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	15221-43170	Fuel	FP590F
<i>KH61 w/Kubota D950 Engine</i>			<i>KX101 w/Kubota V1902-BH5 Engine</i>			70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
70000-11221	Air	LAF2745A ²	17351-11083	Air	LAF4514	<i>KX251 w/Kubota V3300 Engine</i>		
70000-43081	Fuel	FP590F	15221-43080	Fuel	FP590F	R2401-42280	Air	LAF8114 ¹
70000-74034	Oil	PH2808	13351-43010		G1 ⁵³¹	R1401-42270		LAF8143 ²
70000-15241		PH2903	70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	16631-43560	Fuel	FP591F
<i>KH66 w/Kubota D1402 Engine</i>			<i>KX121-2 w/Kubota V2203BH-4 Engine</i>			1C020-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
(15401-11080); Eng. D1402-BH4	Air	LAF1275 ²	15612-11180	Air	LAF1793 ¹	<i>KX35-3 w/Kubota Engine</i>		
15221-43080	Fuel	FP590F	70000-11080		LAF222 ²	1C020-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
15521-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(15221-43170); Sec.	Fuel	FP590F	<i>KX36 w/Kubota D662-BH Engine</i>		
<i>KH7</i>			17321-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	15852-11080	Air	LAF8620 ²
15231-43560	Fuel	L550F	<i>KX121-2S w/Kubota V2203-EBH-4 Engine</i>			15221-43080	Fuel	FP590F
70000-74034	Oil	PH2808	15612-11180	Air	LAF1793 ¹	13351-43010		G1 ⁵³¹
<i>KH70</i>			70000-11080		LAF222 ²	16271-32090	Oil	PH2808
70000-11081	Air	LAF1275 ²	70000-43081	Fuel	FP590F	<i>KX41</i>		
70000-43081	Fuel	FP590F	16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	15852-11080	Air	LAF8620 ²
70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>KX121-3 w/V2203-M-EBH-2 Engine</i>			15221-43170	Fuel	FP590F
<i>KH8</i>			R2401-42280	Air	LAF8114 ¹	12581-43012		G1 ⁵³¹
15231-43560	Fuel	L550F	R1401-42270		LAF8143 ²	16271-32092	Oil	PH2808
15241-32090	Oil	PH2808	HH151-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>KX41-2, KX41-25U</i>		
<i>KH90</i>			<i>KX121-3S w/Kubota V2203ME2BH-2N Engine</i>			(15221-43170); Sec.	Fuel	FP590F
70000-11081	Air	LAF222 ²	R2401-42280	Air	LAF8114 ¹	16271-32092	Oil	PH2808
70000-43081	Fuel	FP590F	R1401-42270		LAF8143 ²	<i>KX41-2SV w/Kubota D1105-EBH-6 Engine</i>		
70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	15221-43170	Fuel	FP590F	70000-43081	Fuel	FP590F
<i>KH91</i>			HH151-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	16271-32092	Oil	PH2808
70000-11081	Air	LAF1275 ²	<i>KX151 w/Kubota V1902 Engine</i>			<i>KX41-3 w/Kubota D902-EBH Engine</i>		
70000-43081	Fuel	FP590F	17351-11080	Air	LAF4514	6C060-99410	Air	LAF4629 ²
70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	15221-43170	Fuel	FP590F	15853-32430	Oil	PH2808
<i>KX018-4 (w/D902E3BH3 Engine)</i>			17321-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>KX41-3SV w/Kubota D902-EBH Engine</i>		
RG158-42920	Air	LAF22056 ¹	<i>KX151-H w/Kubota V1902-BH6 Engine</i>			6A100-82630	Air	LAF8388 ²
RG158-42930		LAF8388	17351-11083	Air	LAF4514	15853-32430	Oil	PH2808
15221-43170	Fuel	FP590F	15221-43170	Fuel	FP590F	<i>KX41H w/Kubota D1105 Engine</i>		
HH150-32430	Oil	PH2876	13351-43010		G1 ⁵³¹	15852-11080	Air	LAF8620 ²
<i>KX040-4 (w/D1803CRTE4 Engine)</i>			70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(15221-43080); Pri.	Fuel	FP590F
HH1C0-32430	Oil	LFP2253 ¹³⁹⁷	<i>KX161-2, KX161-2S w/Kubota V2203-BH-5 Engine</i>			13351-43010		G1 ⁵³¹
HH1C0-32430		PH253 ^{1396, 1496} PH2835 ^{275, 1507}	15612-11180	Air	LAF1793 ¹	16271-32090	Oil	PH2808
<i>KX057-4 w/Kubota V2607 DI-E3 Engine</i>			70000-11080		LAF222 ²	<i>KX61-2 w/Kubota D1105 Engine</i>		
15221-43170	Fuel	FP590F	(15221-43170); Sec.	Fuel	FP590F	(15221-43170); Sec.	Fuel	FP590F
HH1C0-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	17321-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	16271-32092	Oil	PH2808
<i>KX080-3 w/Kubota V3800DIE2BH Engine</i>			<i>KX161-2, KX161-2S w/Kubota V2203-BH-5 Engine</i>			<i>KX61-2 w/Kubota D1105 Engine</i>		
59800-26110	Air	LAF8148 ²	15612-11180	Air	LAF1793 ¹	(15221-43170); Sec.	Fuel	FP590F
			70000-11080		LAF222 ²	16271-32092	Oil	PH2808

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 275-Primary 531-Filter only 1396-3.2" Tall 1397-3.7" Tall 1496-Alternate 1507-"3.2" Tall"

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KUBOTA (LOADER)			KUBOTA (LOADER)			KUBOTA (TRACTOR)		
<i>R310 Loader w/Kubota V1305-RP Engine (cont'd)</i>			<i>RW25 w/Kubota V1500-BDW Engine</i>			<i>B21 w/Kubota D1005 Engine</i>		
68841-62280	Hydraulic	LFH7551	15401-11080	Air	LAF1275 ²	6C060-99410	Air	LAF4629 ²
16271-32090	Oil	PH2808	15402-32090	Oil	LFP2213	15231-43560	Fuel	L550F
<i>R400, R400B</i>			<i>RW30 w/Kubota V1902-BDW Engine</i>			<i>33960-82630</i>		
68335-43620	Air	LAF1793 ¹	15606-11080	Air	LAF222 ²	15241-32099	Oil	PH2808
70000-11081		LAF222 ²	15601-43170	Fuel	FP570F	66021-36060	Trans	PH2827 ⁵⁹⁰
70000-43081	Fuel	FP590F	15402-32090	Oil	LFP2213	<i>B2100</i>		
70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>SLV75 Skid Steer w/Kubota V3307-DI TE3 Engine</i>			15231-43560	Fuel	L550F
<i>R410 Loader w/Kubota V1902 Engine</i>			5980026110	Air	LAF8148 ²	15241-32099	Oil	PH2808
70000-11080	Air	LAF222 ²	3A11119130		LAF9332 ¹	<i>B2150, B2150HST w/Kubota V1200 5B Engine</i>		
70000-43081	Fuel	FP590F		Fuel	LFF3553	15741-11083	Air	LAF8823 ²
68841-62280	Hydraulic	LFH7551		Hydraulic	LH22019	15231-43560	Fuel	L550F
70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	HH1C032430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	32701-37950	Hydraulic	LFH7551
<i>R420</i>			<i>SLV90 Skid Steer w/Kubota V3800-DI TE3 Engine</i>			70000-15241	Oil	PH2903
17381-11080	Air	LAF1793 ^{1, 1399}	5980026110	Air	LAF8148 ²	<i>B2301 (w/Kubota D1105 E4 Engine)</i>		
70000-11080		LAF222 ^{2, 1399}	5523126150		LAF9332 ¹	6C060-99410	Air	LAF4629 ²
R1401-42280		LAF8114 ^{1, 1400}		Fuel	LFF3553	HH150-32094	Oil	PH2808
R1401-42270		LAF8143 ^{2, 1400}		Hydraulic	LH22019	<i>B2320, B2620 w/Kubota D1105-ED22 Engine</i>		
70000-43081	Fuel	FP590F	HH1C032430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	6C060-99410	Air	LAF4629 ²
17321-32439	Oil	PH2904 ²⁷⁵	<i>SVL75 w/Kubota V3307DI Engine</i>			HH150-32094	Oil	PH2808
<i>R420S w/Kubota D1503 Engine</i>				Air	LAF8148 ² LAF9332 ¹	<i>B2400, B2400DT, B2400HSD</i>		
70000-74035	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Fuel	LFF3553	6C060-99410	Air	LAF4629 ²
<i>R420S2 w/Kubota D1503MTERP1 Engine</i>				Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	15521-43160	Fuel	L550F
R1411-64930	Hydraulic	LH22019				15241-32099	Oil	PH2808
70000-74035	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>SVL90 w/Kubota V3800DI-T</i>			<i>B2410 w/Kubota 1105 Engine</i>		
<i>R510 Loader w/Kubota V2203 Engine</i>				Air	LAF8148 ² LAF9332 ¹	6C060-99410	Air	LAF4629 ²
68335-43620	Air	LAF1793 ¹		Fuel	LFF3553	15241-32094	Oil	PH2808
70000-11080		LAF222 ²		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	66021-36060	Trans	PH2827 ⁵⁹⁰
70000-43081	Fuel	FP590F	KUBOTA (TRACTOR)			<i>B2601 (w/Kubota D1105 E4 Engine)</i>		
68841-62280	Hydraulic	LFH7551	<i>Also See Kubota Lawn & Garden</i>			6C060-99410	Air	LAF4629 ²
70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	15852-11080	Air	LAF8620 ²	HH150-32094	Oil	PH2808
<i>R520</i>			15231-43560	Fuel	L550F	<i>B2630 w/Kubota D1105E2 Engine</i>		
17381-11080	Air	LAF1793 ^{1, 1399}	70000-15241	Oil	PH2903	6C060-99410	Air	LAF4629 ²
70000-11080		LAF222 ^{2, 1399}	66021-36060	Trans	PH2827 ⁵⁹⁰	15241-32090	Oil	PH2808
R1401-42280		LAF8114 ^{1, 1400}	<i>B1550, B1550HST</i>			66021-36060	Trans	PH2827 ⁵⁹⁰
R1401-42270		LAF8143 ^{2, 1400}	15852-11080	Air	LAF8620 ²	<i>B2650 (w/D1305E4D26Q Engine)</i>		
70000-43081	Fuel	FP590F	15231-43560	Fuel	L550F	HH160-32093	Oil	PH2808
17321-32439	Oil	PH2904 ²⁷⁵	70000-15241	Oil	PH2903	HH660-36060	Trans	PH2827 ⁵⁹⁰
<i>R520S w/Kubota V2203M Engine</i>			66021-36060	Trans	PH2827 ⁵⁹⁰	<i>B2710 w/Kubota V1305 Engine</i>		
R2401-42280	Air	LAF8114 ¹	<i>B1700DT, B1700HSD w/Kubota D905-D10 Engine</i>			6C060-99410	Air	LAF4629 ²
R1401-42270		LAF8143 ²	15231-43560	Fuel	L550F	15241-32099	Oil	PH2808
R1411-64930	Hydraulic	LH22019	15241-32099	Oil	PH2808	66021-36060	Trans	PH2827 ⁵⁹⁰
15831-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>B1750, B1750HST</i>			<i>B2910 w/Kubota V1505 Engine</i>		
<i>R520S2 w/Kubota V2203MERP Engine</i>			15852-11080	Air	LAF8620 ²	6C060-99410	Air	LAF4629 ²
R2401-42280	Air	LAF8114 ¹	15231-43560	Fuel	L550F	16271-32090	Oil	PH2808
R1401-42270		LAF8143 ²	70000-15241	Oil	PH2808	66021-36060	Trans	PH2827 ⁵⁹⁰
R1411-64930	Hydraulic	LH22019	66021-36060	Trans	PH2827 ⁵⁹⁰	<i>B2920 w/Kubota V1505-ED16 Engine</i>		
15402-32430	Oil	LFP2221	<i>B20 w/Kubota D950-A-T Engine</i>			6C060-99410	Air	LAF4629 ²
15831-32430		PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	15852-11080	Air	LAF8620 ²	HH160-32093	Oil	PH2808
			15231-43560	Fuel	L550F	66021-36060	Trans	PH2827 ⁵⁹⁰
			15241-32099	Oil	PH2808			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 181-Single 275-Primary 590-Hydrostatic 1119-Suction Line 1399-With Metal Housing 1400-With Plastic Housing 1496-Alternate

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KUBOTA (TRACTOR)			KUBOTA (TRACTOR)			KUBOTA (TRACTOR)		
B3000 w/V1505E3 21 Tier 3 Engine			B6200, B6200HST, B7200, B7200HST (cont'd)			BX1850 w/Kubota D722E2 BX2 Engine (cont'd)		
(6C060-99410); Also see Kubota Lawn & Garden section	Air	LAF4629 ²	70000-15241	Oil	PH2903		Fuel	G5/16CP ¹⁰⁹⁶
(HH160-32093); Also see Kubota Lawn & Garden section	Oil	PH2808	B7300HSD w/Kubota D722 D10SP Engine			15853-32430	Oil	PH2876
(66021-36060); Also see Kubota Lawn & Garden section	Trans	PH2827 ⁵⁹⁰	6C060-99410	Air	LAF4629 ¹	BX1860 w/Kubota D722-E3-BX2 Engine		
			15231-43560	Fuel	L550F	K1211-82320	Air	LAF8388 ²
			HH150-32430	Oil	PH2876	12581-43012	Fuel	G1 ⁵³¹
			HH660-36060	Trans	PH2827 ⁵⁹⁰			G5/16CP ¹⁰⁹⁶
			B7400, B7500, B7500HSD w/Kubota D722 Engine			HH150-32430	Oil	PH2876
			6C060-99410	Air	LAF4629 ²	HHK20-36990	Trans	LFH6201 ⁵⁹⁰
			15241-32090	Oil	PH2808	BX1870 w/Kubota D722-E3-BX3 Engine		
			HH660-36060	Trans	PH2827 ⁵⁹⁰	K1211-82320	Air	LAF8388 ²
			B7410 w/Kubota D782-E Engine			12581-43012	Fuel	G1 ⁵³¹
			6C060-99410	Air	LAF4629 ²			G5/16CP ¹⁰⁹⁶
			15853-32430	Oil	PH2808	HH150-32430	Oil	PH2876
			66021-36060	Trans	PH2827 ⁵⁹⁰	HHK20-36990	Trans	LFH6201 ⁵⁹⁰
			B7510 w/Kubota D1005-E Engine			BX22 w/D905-E Engine		
			6C060-99410	Air	LAF4629 ²	K1211-82320	Air	LAF8388 ²
			15853-32430	Oil	PH2808	12581-43012	Fuel	G1 ⁵³¹
			66021-36060	Trans	PH2827 ⁵⁹⁰	70000-74034	Oil	PH2808
			B7610 w/Kubota D1105-E Engine			BX2200D w/Kubota D905E Diesel Engine		
			6C060-99410	Air	LAF4629 ²	K1211-82320	Air	LAF8388 ²
			15853-32430	Oil	PH2808	12581-43012	Fuel	G5/16 ²⁶³
			66021-36060	Trans	PH2827 ⁵⁹⁰	15241-32090	Oil	PH2808
			B7800 w/V1505 Engine			BX2230 w/Kubota 902-E-BX Engine		
			6C060-99410	Air	LAF4629 ²	K1211-82320	Air	LAF8388 ²
			16271-32090	Oil	PH2808	12581-43012	Fuel	G5/16 ²⁶³
			66021-36060	Trans	PH2827 ⁵⁹⁰	15853-32430	Oil	PH2808
			B8200, B8200HSD, B8200HSE, B8200HST			BX23 w/Kubota D905 E-BX-OPC Engine		
			70000-11221	Air	LAF2745A ²	K1211-82320	Air	LAF8388 ²
			15231-43560	Fuel	L550F	12581-43012	Fuel	G5/16 ²⁶³
			32701-37950	Hydraulic	LFH7551	12581-43012		G5/16CP ¹⁰⁹⁶
			70000-15241	Oil	PH2903	15241-32090	Oil	PH2808
			B9200, B9200HST			BX2350 w/Kubota D902E2 BX2 Engine		
			15741-11080	Air	LAF8823 ²	K1211-82320	Air	LAF8388 ²
			15231-43560	Fuel	L550F	12581-43012	Fuel	G1 ⁵³¹
			32701-37950	Hydraulic	LFH7551	70000-74034	Oil	PH2808
			15241-32099	Oil	PH2808	BX2360 w/Kubota D902-E3-BX2 Engine		
			BX1500 w/2602E Engine			K1211-82320	Air	LAF8388 ²
			K1211-82320	Air	LAF8388 ²	12581-43012	Fuel	G1 ⁵³¹
			12581-43012	Fuel	G1 ⁵³¹			G5/16 ²⁶³
			15853-32430	Oil	PH2808	HH150-32430	Oil	PH2876
			BX1550D, BX1550E w/Kubota D850-5B Engine			HHK20-36990	Trans	LFH6201 ⁵⁹⁰
			15231-43560	Fuel	L550F	BX2370 (w/D902-E3-BX3 Engine)		
			15241-32090	Oil	PH2808	K1211-82320	Air	LAF8388 ²
			BX1800 w/Kubota D722 Engine			12581-43012	Fuel	G1 ⁵³¹
			K1211-82320	Air	LAF8388 ²			G5/16 ²⁶³
			12581-43012	Fuel	G5/16 ²⁶³	HH150-32430	Oil	PH2876
			12581-43012	Fuel	G5/16CP ¹⁰⁹⁶	HHK20-36990	Trans	LFH6201 ⁵⁹⁰
			15241-32090	Oil	PH2808	BX24 w/Kubota D902-E2-BX2 Engine		
			BX1830 w/Kubota D722-E-BX Engine			K1211-82320	Air	LAF8388 ²
			K1211-82320	Air	LAF8388 ²	12581-43012	Fuel	G1 ⁵³¹
			12581-43012	Fuel	G5/16 ²⁶³	15853-32430	Oil	PH2876
			12581-43012	Fuel	G5/16CP ¹⁰⁹⁶	BX25 w/Kubota D902-E3-BX2 Engine		
			15853-32430	Oil	PH2808	K1211-82320	Air	LAF8388 ²
			BX1850 w/Kubota D722E2 BX2 Engine			12581-43012	Fuel	G1 ⁵³¹
			K1211-82320	Air	LAF8388 ²	HH150-32430	Oil	PH2876
			12581-43012	Fuel	G1 ⁵³¹	HHK20-36990	Trans	LFH6201 ⁵⁹⁰

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 263-Hoses and clamps included 531-Filter only 590-Hydrostatic 1096-Clear Plastic

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KUBOTA (TRACTOR)			KUBOTA (TRACTOR)			KUBOTA (TRACTOR)		
<i>BX2660 w/Kubota D1005-E3-BX Engine</i>			<i>L200, L210 (cont'd)</i>			<i>L2650DT, L2650GST (cont'd)</i>		
K1211-82320	Air	LAF8388 ²	70000-32431	Oil	PH561	70000-32091	Oil	PH253 ¹⁴⁹⁶
12581-43012	Fuel	G1 ⁵³¹	<i>L2050F, L2050DT w/Kubota D1102 AE Engine</i>					PH2835 ²⁷⁵
HH150-32094	Oil	PH2808	70000-11221	Air	LAF2745A ²			PH400 ²⁷⁵
HHK20-36990	Trans	LFH6201 ⁵⁹⁰	70000-43081	Fuel	FP590F			PH8A ¹⁴⁹⁶
<i>BX2670 (w/D1005E3BX2 Engine)</i>			70000-32091	Oil	PH253 ¹⁴⁹⁶	<i>L275</i>		
K1211-82320	Air	LAF8388 ²			PH2835 ²⁷⁵	70000-11081	Air	LAF1275 ²
12581-43012	Fuel	G1 ⁵³¹	<i>L225 w/Kubota D-1100 Diesel Engine</i>			15521-43160	Fuel	L549F
HH150-32094	Oil	PH2808	15222-11222	Air	LAF2745A ²	70000-32091	Oil	PH253 ¹⁴⁹⁶
HHK20-36990	Trans	LFH6201 ⁵⁹⁰	70000-43081	Fuel	FP590F			PH2835 ²⁷⁵
<i>G1700</i>			15213-32091	Oil	PH561	<i>L2800 w/Kubota D1403-M Engine</i>		
15852-11080	Air	LAF8620 ²	<i>L2250F, L2250DT w/Kubota D1302 DI A Engine</i>			TA040-93230	Air	LAF8195 ²
12581-43012	Fuel	G1 ⁵³¹	70000-11081	Air	LAF1275 ^{2, 181}	TA140-93220		LAF8690 ¹
15241-32099	Oil	PH2808	15287-11490		LAF5835 ¹	70000-74035	Oil	PH253 ¹⁴⁹⁶
<i>G1800 w/Kubota D662 Diesel Engine</i>			15521-43160	Fuel	L549F			PH2835 ²⁷⁵
15852-11080	Air	LAF8620 ²	70000-32091	Oil	PH253 ¹⁴⁹⁶	<i>L285</i>		
13351-43010	Fuel	G1 ⁵³¹			PH2835 ²⁷⁵	70000-11081	Air	LAF1275 ²
70000-15241	Oil	PH2903	<i>L2250F, L2250DT w/Kubota D1402 DL Engine</i>			70000-43081	Fuel	FP590F
<i>G1900, G1900S, F1900</i>			70000-11081	Air	LAF1275 ²	70000-32091	Oil	PH253 ¹⁴⁹⁶
15852-11080	Air	LAF8620 ²	15521-43160	Fuel	L549F			PH2835 ²⁷⁵
13351-43010	Fuel	G1 ⁵³¹	30401-37580	Hydraulic	PH2808	<i>L2850DT, L2850F, L2850GST w/Kubota Diesel Engine</i>		
15841-32430	Oil	PH2808	70000-32091	Oil	PH253 ¹⁴⁹⁶	70000-11080	Air	LAF222 ²
70000-15241		PH2903			PH2835 ²⁷⁵	15521-43160	Fuel	L549F
<i>G2000</i>			17321-32430		PH2904 ²⁷⁵	17321-32430	Oil	PH2904 ²⁷⁵
15852-11080	Air	LAF8620 ²	<i>L235</i>			<i>L2900 w/Kubota D1503-LA Engine</i>		
13351-43010	Fuel	G1 ⁵³¹	70000-11221	Air	LAF2745A ²		Oil	PH400 ²⁷⁵
70000-15241	Oil	PH2903	15521-43160	Fuel	L549F			PH8A ¹⁴⁹⁶
<i>G3200 w/Kubota Z400 Diesel Engine</i>			70000-32091	Oil	PH253 ¹⁴⁹⁶	<i>L2900F, L2900DT, L2900GST w/Kubota D1503-LA Engine</i>		
15852-11080	Air	LAF8620 ²			PH2835 ²⁷⁵	TA040-93230	Air	LAF8195 ²
15231-43560	Fuel	L550F	<i>L2350 w/Kubota D1102-AE Engine</i>			TA040-93220		LAF8690 ¹
70000-15241	Oil	PH2903	70000-11221	Air	LAF2745A ²	T0070-16323		LAF8772 ¹⁸¹
<i>G4200, G4200H w/Kubota Z430 Diesel Engine</i>			70000-43081	Fuel	FP590F	15521-43160	Fuel	L549F
15852-11080	Air	LAF8620 ²	70000-32091	Oil	PH253 ¹⁴⁹⁶	70000-32091	Oil	PH253 ¹⁴⁹⁶
15231-43560	Fuel	L550F			PH2835 ²⁷⁵			PH2835 ²⁷⁵
15841-32430	Oil	PH2808	17321-32430		PH2904 ²⁷⁵	<i>L295, L295DT</i>		
70000-15241		PH2903	<i>L245FP, L245TP, L245DTP, L245HC</i>			70000-11081	Air	LAF1275 ²
<i>G5200H w/Kubota D600 Diesel Engine</i>			15222-11221	Air	LAF2745A ²	70000-43081	Fuel	FP590F
15852-11080	Air	LAF8620 ²	70000-43081	Fuel	FP590F	70000-32431	Oil	PH561
15231-43560	Fuel	L550F	<i>L2500</i>			70000-32431	Oil	PH561
15841-32430	Oil	PH2808	T0070-16323	Air	LAF8772	<i>L2950DT, L2950GST w/Kubota Diesel Engine</i>		
70000-15241		PH2903	70000-43081	Fuel	FP590F	70000-11081	Air	LAF1275 ²
<i>G6200H</i>			70000-74035	Oil	PH253 ¹⁴⁹⁶	15521-43160	Fuel	L549F
15852-11080	Air	LAF8620 ²			PH2835 ²⁷⁵	70000-32091	Oil	PH253 ¹⁴⁹⁶
15231-43560	Fuel	L550F	<i>L2550DT, L2550GST</i>					PH2835 ²⁷⁵
15841-32430	Oil	PH2808	70000-11081	Air	LAF1275 ²			PH400 ²⁷⁵
70000-15241		PH2903	15521-43160	Fuel	L549F			PH8A ¹⁴⁹⁶
<i>L175</i>			70000-32091	Oil	PH253 ¹⁴⁹⁶	<i>L3010DT, L3010GST, L3010HST (w/D1503 Engine)</i>		
15222-11222	Air	LAF2745A ²			PH2835 ²⁷⁵	70000-11081	Air	LAF1275 ²
70000-43081	Fuel	FP590F	17321-32430		PH2904 ²⁷⁵	TA040-93230		LAF8195 ²
15213-3209-1	Oil	PH561	<i>L260</i>			TA040-93220		LAF8690 ¹
<i>L185, L185DT, L185TP/FP</i>			(15213-32091); Sec.	Fuel	261F	15521-43160	Fuel	L549F
15222-11222	Air	LAF2745A ²	70000-32431	Oil	PH561	32701-37950	Hydraulic	LFH7551
70000-43081	Fuel	FP590F	<i>L2650DT, L2650GST</i>			70000-74035	Oil	PH253 ¹⁴⁹⁶
70000-32431	Oil	PH561	70000-11081	Air	LAF1275 ²			PH2835 ²⁷⁵
<i>L200, L210</i>			15287-11490		LAF5835 ¹			
(70000-14630); Sec.	Fuel	261F	15521-43160	Fuel	L549F			
70000-14361	Oil	P52						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 181-Single 275-Primary 531-Filter only 590-Hydrostatic 1496-Alternate

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KUBOTA (TRACTOR)			KUBOTA (TRACTOR)			KUBOTA (TRACTOR)		
L305			L3430DT, L3430GST, L3430HST w/Kubota D1703-MA-E Engine			L3650DT, GST w/Kubota V1900DI XA Engine (cont'd)		
70000-11081	Air	LAF1275 ²	TA040-93230	Air	LAF8195 ²	15521-43160	Fuel	L549F
70000-43081	Fuel	FP590F	TA040-93220		LAF8690 ¹	30401-37580	Hydraulic	PH2808
70000-32431	Oil	PH561	15521-43160	Fuel	L549F	70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
L3130, L3130DT, L3130HST w/Kubota 1503-MAE Engine			TA040-37710	Hydraulic	LFH22003 ¹¹¹⁹	L3650DT-GST w/Kubota V1902 Engine		
TA040-93230	Air	LAF8195 ²	16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Air	LAF1275 ²
TA040-93220		LAF8690 ¹	L345, L345DT				Fuel	L549F
15521-43160	Fuel	L549F	70000-11081	Air	LAF1275 ²		Hydraulic	PH2808
TA040-37710	Hydraulic	LFH22003 ¹¹¹⁹	70000-43081	Fuel	FP590F		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	L3700 w/Kubota D1803M-E3-LB3 Engine		
L3200 w/Kubota D1503ME3 Engine			L3450DT, L3450GST w/Kubota Engine			TA040-93230	Air	LAF8195 ²
TA040-93230	Air	LAF8195 ²	70000-11081	Air	LAF1275 ²	TA140-93220		LAF8690 ¹
TA040-93220		LAF8690 ¹	15287-11490		LAF5835 ¹	HH164-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
Hh160-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	15521-43160	Fuel	L549F	L3710DT, L3710GST, L3710HST		
L3240 w/Kubota D1703-M-E2 Engine			30401-37580	Hydraulic	PH2808	TA040-93230	Air	LAF8195 ²
TA040-93230	Air	LAF8195 ²	70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	TA040-93220		LAF8690 ¹
TA040-93220		LAF8690 ¹	L35 w/Kubota D1703TLB Engine			15521-43160	Fuel	L549F
TA040-37710	Hydraulic	LFH22003	T0070-16323	Air	LAF8772	32701-37950	Hydraulic	LFH7551
16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	15521-43160	Fuel	L549F	70000-74035	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
L3250, L3250F, L3250DT w/Kubota V1902 Diesel Engine			32590-38380	Hydraulic	LFH22003	L3750, L4150		
15606-11080	Air	LAF222 ²	33960-82630		LFH22003 ¹¹¹⁹	68335-43620	Air	LAF1793 ¹
15521-43160	Fuel	L549F	66021-36060		PH2827	70000-11080		LAF222 ²
17321-32430	Oil	PH2904 ²⁷⁵	70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	15521-43160	Fuel	L549F
L3300 w/Kubota D1703-A Engine			L3540 w/Kubota D1803-M-E2 Engine			36330-82630	Hydraulic	LFP1652
TA040-93230	Air	LAF8195 ²	TA040-93230	Air	LAF8195 ²	70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
TA040-93220		LAF8690 ¹	TA040-93220		LAF8690 ¹	17321-32430		PH253 ¹⁴⁹⁶ PH2904 ²⁷⁵
T0070-16323		LAF8772 ¹⁸¹	TA040-37710	Hydraulic	LFH22003	L3800 w/Kubota D1803ME3 Engine		
15521-43160	Fuel	L549F	16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	TA040-93230	Air	LAF8195 ²
33960-82630	Hydraulic	LFH22003	L355, L355S			TA040-93220		LAF8690 ¹
17321-32430	Oil	PH2904 ²⁷⁵ PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	70000-11081	Air	LAF1275 ²	Hh160-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
L3350 F/DT w/Kubota V1902 Engine			15521-43160	Fuel	L549F	L3830 w/D1803 Engine		
68335-43620	Air	LAF1793 ¹	36330-82630	Hydraulic	LFP1652	TA040-93230	Air	LAF8195 ²
70000-11080		LAF222 ²	70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	TA040-93220		LAF8690 ¹
15521-43160	Fuel	L549F	L3560 (w/D1803CRE4 Engine)			15521-43160	Fuel	L549F
36330-82630	Hydraulic	LFP1652	TA040-93230	Air	LAF8195 ²	TA040-37710	Hydraulic	LFH22003 ¹¹¹⁹
70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	TA040-93220		LAF8690 ¹	70000-74035	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
L3400 w/Kubota D1703-MA Engine			TA040-37710	Hydraulic	LFH22003	L3830F, L3830DT, L3830GST, L3830HST w/Kubota D1803-M-E Engine		
TA040-93230	Air	LAF8195 ²	16414-32430	Oil	LFP2253 ¹³⁹⁷	TA040-93230	Air	LAF8195 ²
TA140-93220		LAF8690 ¹	16414-32430		PH253 ^{1396, 1496} PH2835 ^{275, 1507}	TA040-93220		LAF8690 ¹
70000-74035	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	L3600DT, L3600GST w/Kubota V1903 Engine			15521-43160	Fuel	L549F
L3410DT, L3410GST, L3410HST			TA040-93230	Air	LAF8195 ²	TA040-37710	Hydraulic	LFH22003 ¹¹¹⁹
70000-11080	Air	LAF1275 ²	TA040-93220		LAF8690 ¹	16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
TA040-93230		LAF8195 ²	T0070-16323		LAF8772 ¹⁸¹	L39 w/Kubota D1803-ME2 Engine		
TA040-93220		LAF8690 ¹	15521-43160	Fuel	L549F	TA040-93230	Air	LAF8195 ²
15521-43160	Fuel	L549F	3468037710	Hydraulic	LFH22003	TA040-93220		LAF8690 ¹
32701-37950	Hydraulic	LFH7551	70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	15521-43160	Fuel	L549F
70000-74035	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	L3650DT, GST w/Kubota V1900DI XA Engine			T0070-37710	Hydraulic	LFH22003
			7000-11081	Air	LAF1275 ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 181-Single 275-Primary 1119-Suction Line 1396-3.2" Tall 1397-3.7" Tall 1496-Alternate 1507-3.2" Tall"

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KUBOTA (TRACTOR)			KUBOTA (TRACTOR)			KUBOTA (TRACTOR)		
<i>L39 w/Kubota D1803-ME2 Engine (cont'd)</i>			<i>L4350 (cont'd)</i>			<i>L4850MDT, HDT-W w/Kubota F2503-DI Engine</i>		
16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	70000-74035	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	17351-11083	Air	LAF4514 ²
<i>L3940 w/Kubota V2006-E-M2 Engine</i>			<i>L4350MDT, HDT, HDT-W w/Kubota V2203-01 Engine</i>			TA040-37710	Hydraulic	LFH22003 ¹¹¹⁹
TA040-93230	Air	LAF8195 ²	17351-11083	Air	LAF4514 ²	70000-74035	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ PH2904 ²⁷⁵
TA040-93220		LAF8690 ¹	15521-43160	Fuel	L549F	<i>L5030, L5030GST, L5030HST w/Kubota V2403-MA-E Engine</i>		
TA040-37710	Hydraulic	LFH22003	TA040-37710	Hydraulic	LFH22003 ¹¹¹⁹	R2401-42280	Air	LAF8114 ¹ LAF8143 ²
16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	70000-74035	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ PH2904 ²⁷⁵	15521-43160	Fuel	L549F
<i>L4060 (w/V2403CRE4 Engine)</i>			<i>L4400 w/Kubota D1703-MA Engine</i>			TA040-37710	Hydraulic	LFH22003 ¹¹¹⁹
TA040-93220	Air	LAF8749 ^{2, 1259} LAF8750 ^{1, 786}	TA040-93230	Air	LAF8195 ²	16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
TA040-93220		LAF8750 ^{1, 786}	TA140-93220		LAF8690 ¹	<i>L5040 w/Kubota V2403-M-E2 Engine</i>		
TA040-37710	Hydraulic	LFH22003	70000-74035	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	59800-26110	Air	LAF8148 ² LAF9332 ¹
16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>L45 w/Kubota V2203-M-TE3 Engine</i>			TA040-37710	Hydraulic	LFH22003 ¹¹¹⁹
<i>L4200 w/Kubota V2203A Engine</i>			TA040-93230	Air	LAF8195 ²	16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
TA040-93230	Air	LAF8195 ²	TA040-93220	Air	LAF8195 ²	<i>L5060 (w/V2403CRT4 Engine)</i>		
TA040-93220		LAF8690 ¹	R0070-16323		LAF8772 ¹⁸¹	TD270-93230	Air	LAF8749 ^{2, 1259} LAF8750 ^{1, 786}
15521-43160	Fuel	L549F	15521-43160	Fuel	L549F	TA040-37710	Hydraulic	LFH22003
70000-32091	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ PH2904 ²⁷⁵	TA040-37710	Hydraulic	LFH22003	16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
17321-32430		PH2904 ²⁷⁵	16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>L5240 w/Kubota V2403-M-TE2 Engine</i>		
<i>L4240 w/Kubota V2203-M-E2 Engine</i>			<i>L4610 w/V2203 VHA Engine</i>			59800-26110	Air	LAF8148 ² LAF9332 ¹
TA040-93230	Air	LAF8195 ²	TA040-93230	Air	LAF8195 ²	3A111-19130		LAF9332 ¹
TA040-93220		LAF8690 ¹	TA040-93220		LAF8690 ¹	TA040-37710	Hydraulic	LFH22003 ¹¹¹⁹
TA040-37710	Hydraulic	LFH22003	15521-43160	Fuel	L549F	16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	T0070-37710	Hydraulic	LFH22003	<i>L5450DT w/Kubota F2803-DI Engine</i>		
<i>L4300 w/Kubota V2203 Engine</i>			70000-74035	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	-S/N 60314 (70000-11080); -S/N 60314 (17351-11083); S/N 60315-	Air	LAF1793 ¹ LAF222 ² LAF4514 ²
TA040-93230	Air	LAF8195 ²	<i>L4630, L4630DT, L4630GST, L4630HST w/Kubota V2203-MA-E Engine</i>			15521-43160	Fuel	L549F
TA040-93220		LAF8690 ¹	TA040-93230	Air	LAF8195 ²	32590-32380	Hydraulic	LFH22003
T0070-16323		LAF8772 ¹⁸¹	TA040-93220		LAF8690 ¹	17321-32430	Oil	PH2904 ²⁷⁵
15521-43160	Fuel	L549F	15521-43160	Fuel	L549F	<i>L5460 (w/V2403CRT4 Engine)</i>		
33960-82630	Hydraulic	LFH22003	TA040-37710	Hydraulic	LFH22003 ¹¹¹⁹	TD270-93230	Air	LAF8749 ^{2, 1259} LAF8750 ^{1, 786}
70000-74036	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	TA040-37710	Hydraulic	LFH22003
<i>L4310DT, L4310GST, L4310HST</i>			<i>L4740 w/Kubota V2403-ME2 Engine</i>			16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
TA040-93230	Air	LAF8195 ²	59800-26110	Air	LAF8148 ²	<i>L5460 (w/V2403CRT4 Engine)</i>		
TA040-93220		LAF8690 ¹	3A111-19130		LAF9332 ¹	TD270-93220		LAF8750 ^{1, 786}
15521-43160	Fuel	L549F	TA040-37710	Hydraulic	LFH22003	TA040-37710	Hydraulic	LFH22003
32701-37950	Hydraulic	LFH7551	16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
70000-74035	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ PH2904 ²⁷⁵	<i>L4760 (w/V2403CRE4 Engine)</i>			<i>L5740 w/Kubota V2403-M-TE2 Engine</i>		
17321-32430		PH2904 ²⁷⁵	TD270-93230	Air	LAF8749 ^{2, 1259} LAF8750 ^{1, 786}	59800-26110	Air	LAF8148 ² LAF9332 ¹
<i>L4330DT, L4330GST, L4330HST w/Kubota V2203-MA-E Engine</i>			TD270-93220		LAF8750 ^{1, 786}	3A111-19130		LAF9332 ¹
TA040-93230	Air	LAF8195 ²	TA040-37710	Hydraulic	LFH22003	TA040-37710	Hydraulic	LFH22003
TA040-93220		LAF8690 ¹	16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
15521-43160	Fuel	L549F	<i>L48 w/Kubota V2403 Engine</i>			<i>L6060 (w/Kubota V2403CRE Engine)</i>		
TA040-37710	Hydraulic	LFH22003 ¹¹¹⁹	R2401-42280	Air	LAF8114 ¹	TD270-93230	Air	LAF8749 ^{2, 1259} LAF8750 ^{1, 786}
16414-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	R1401-42270		LAF8143 ²	TD270-93220		LAF8750 ^{1, 786}
<i>L4350</i>			15521-43160	Fuel	L549F	<i>L5740 w/Kubota V2403-M-TE2 Engine</i>		
17351-11083	Air	LAF4514 ²	32590-38380	Hydraulic	LFH22003	59800-26110	Air	LAF8148 ² LAF9332 ¹
15521-43160	Fuel	L549F	33960-82630		LFH22003 ¹¹¹⁹	3A111-19130		LAF9332 ¹
33960-82630	Hydraulic	LFH22003	17321-32430	Oil	PH2904 ²⁷⁵	TA040-37710	Hydraulic	LFH22003

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 181-Single 275-Primary 786-11.9" Tall 1119-Suction Line 1259-12.63" Tall 1496-Alternate

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KUBOTA (TRACTOR)			KUBOTA (TRACTOR)			KUBOTA (TRACTOR)		
<i>M4700, M4700DT</i>			<i>M5400 w/Kubota F2803 EA Engine (cont'd)</i>			<i>M6060 (w/Kubota V33DIE2 Engine) (cont'd)</i>		
17381-11180	Air	LAF1793 ¹	3396082630	Hydraulic	LFH22003		Oil	PH2835 ^{275, 1507}
15606-11081		LAF222 ²	70000-74035	Oil	PH253 ¹⁴⁹⁶	<i>M6800DT M6800DT w/Kubota V3300 Engine</i>		
		LAF8143 ²	70000-74035		PH2835 ²⁷⁵	P82-7653	Air	LAF8148 ²
15521-43160	Fuel	L549F	17321-32439		PH2904 ²⁷⁵	3A111-19130		LAF9332 ¹
17321-32439	Oil	PH2904 ²⁷⁵	<i>M5500, M5500DT w/Kubota D3000A Engine</i>			16631-43560	Fuel	FP591F
<i>M4800SU w/Kubota V2403 Engine</i>			70000-14632	Fuel	L296F ⁴¹	33960-82630	Hydraulic	LFH22003
R2401-42280	Air	LAF8114 ¹	1654399170	Oil	LFP2238	1C010-32430	Oil	PH253 ¹⁴⁹⁶
R1401-42270		LAF8143 ²	<i>M5640 w/Kubota V2403MTE3 engine</i>					PH2835 ²⁷⁵
15521-43160	Fuel	L549F		Air	LAF8114 ¹	<i>M6950, M6950DT, M6950DTS</i>		
33960-82630	Hydraulic	LFH22003			LAF8143 ²	70000-14632	Fuel	L296F ⁴¹
70000-74035	Oil	PH253 ¹⁴⁹⁶		Oil	PH253 ¹⁴⁹⁶	35861-82630	Hydraulic	LFH5718
		PH2835 ²⁷⁵			PH2835 ²⁷⁵	16121-32430	Oil	LFP2430
<i>M4900 w/F2803 Engine</i>			<i>M5660SU (w/Kubota V2403CR TE4 Engine)</i>			70000-15451		LFP3411
R2401-42280	Air	LAF8114 ¹	RD452-42280	Air	LAF8114 ¹	<i>M7030, M7030F, M7030DT, M7030MDT, M7030SU</i>		
R1401-42270		LAF8143 ²	RD452-42270		LAF8143 ²	17301-11180	Air	LAF22096 ¹
16631-43560	Fuel	FP591F	HHTA0-37710	Hydraulic	LFH22003	17301-11080		LAF5360 ²
15521-43160		L549F	1C020-32430	Oil	LFP2253 ¹³⁹⁷	70000-14632	Fuel	L296F ⁴¹
33960-82630	Hydraulic	LFH22003	HH164-32430		PH253 ¹⁴⁹⁶	35861-82630	Hydraulic	LFH5718
70000-74035	Oil	PH253 ¹⁴⁹⁶	<i>M5700 w/Kubota F2803 EA Engine</i>			70000-15451	Oil	LFP3411
		PH2835 ²⁷⁵	R2401-42280	Air	LAF8114 ¹	<i>M7040 w/Kubota V3307DI-E2 Engine</i>		
<i>M4950, M4950DT w/Kubota S2800A Engine</i>			R1401-42270		LAF8143 ²	59800-26110	Air	LAF8148 ²
70000-43170	Fuel	FP570F	16631-43560	Fuel	FP591F	3A111-19130		LAF9332 ¹
70000-14632		L296F ⁴¹	15521-43160		L549F	33960-38380	Hydraulic	LFH22003
36330-82630	Hydraulic	LFP1652	33960-82630	Hydraulic	LFH22003	1C020-32430	Oil	PH253 ¹⁴⁹⁶
16121-32430	Oil	LFP2430	16416-32430	Oil	PH253 ¹⁴⁹⁶			PH2835 ²⁷⁵
70000-32091		PH253 ¹⁴⁹⁶	<i>M59 w/Kubota V2403-MTE3 Engine</i>			<i>M7060 (w/Kubota V3307CRTE4 Engine)</i>		
		PH2835 ²⁷⁵	59800-26110	Air	LAF8148 ²	59800-26110	Air	LAF8148 ²
<i>M5030F/DT/SU w/Kubota S2802-DI-A Engine</i>			3A111-19130		LAF9332 ¹	3A111-19130		LAF9332 ¹
17301-11180	Air	LAF22096 ¹	HHTA0-37710	Hydraulic	LFH22003	33960-38380	Hydraulic	LFH22003
17301-11080		LAF5360 ²	HH164-32430	Oil	PH253 ¹⁴⁹⁶	1C020-32430	Oil	LFP2253 ¹³⁹⁷
70000-43170	Fuel	FP570F			PH2835 ²⁷⁵	1C020-32430		PH253 ^{1396, 1496}
35861-82630	Hydraulic	LFH5718	<i>M5950 w/Kubota D3200 Engine</i>					PH2835 ^{275, 1507}
70000-32091	Oil	PH253 ¹⁴⁹⁶	70000-14632	Fuel	L296F ⁴¹	<i>M7500DR, 7500DT, 7500ACL</i>		
		PH2835 ²⁷⁵	36330-82630	Hydraulic	LFP1652	70000-14632	Fuel	L296F ⁴¹
<i>M5040 w/Kubota V3007DI-E2 Engine</i>			16121-32430	Oil	LFP2430	70000-15451	Oil	LFP3411
59800-26110	Air	LAF8148 ²	70000-15451		LFP3411	<i>M7580DT</i>		
3A111-19130		LAF9332 ¹	<i>M6030, M6030F, M6030DT</i>			70000-14632	Fuel	L296F ⁴¹
33960-38380	Hydraulic	LFH22003	17301-11180	Air	LAF22096 ¹	16121-32430	Oil	LFP2430
1C020-32430	Oil	PH253 ¹⁴⁹⁶	17301-11080		LAF5360 ²	<i>M7950, M7950DT, M7950DTS</i>		
		PH2835 ²⁷⁵	70000-14632	Fuel	L296F ⁴¹	70000-14632	Fuel	L296F ⁴¹
<i>M5140 w/V2403M TE3 Interim Tier 4 Engine</i>			35861-82630	Hydraulic	LFH5718	35861-82630	Hydraulic	LFH5718
	Air	LAF8114 ¹	70000-15451	Oil	LFP3411	16121-32430	Oil	LFP2430
		LAF8143 ²	<i>M6040 w/Kubota V3307DI-E2 Engine</i>			70000-15451		LFP3411
(HHTA0-37710); Also see Kubota Lawn & Garden section	Hydraulic	LFH22003	59800-26110	Air	LAF8148 ²	<i>M8030, 8030F, M8030DT</i>		
(HH164-32430); Also see Kubota Lawn & Garden section			3A111-19130		LAF9332 ¹	70000-14632	Fuel	L296F ⁴¹
Also see Kubota Lawn & Garden section	Oil	PH253 ¹⁴⁹⁶	33960-38380	Hydraulic	LFH22003	35861-82630	Hydraulic	LFH5718
		PH2835 ²⁷⁵	1C020-32430	Oil	PH253 ¹⁴⁹⁶	70000-15451	Oil	LFP3411
			<i>M6060 (w/Kubota V33DIE2 Engine)</i>			<i>M8200 w/Kubota V3300TE Diesel Engine</i>		
<i>M5400 w/Kubota F2803 EA Engine</i>			59800-26110	Air	LAF8148 ²	59700-26112	Air	LAF4544 ²
17381-11180	Air	LAF1793 ¹	3A111-19130		LAF9332 ¹			LAF4544MXM ^{2, 268}
15606-11081		LAF222 ²	33960-38380	Hydraulic	LFH22003	55231-26150		LAF4545 ¹
		LAF8114 ¹	1C020-32430	Oil	LFP2253 ¹³⁹⁷	16631-43560	Fuel	FP591F
		LAF8143 ²	1C020-32430		PH253 ^{1396, 1496}	33960-82630	Hydraulic	LFH22003
15521-43160	Fuel	L549F				1C010-32430	Oil	PH253 ¹⁴⁹⁶

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 275-Primary 1396-3.2" Tall 1397-3.7" Tall 1496-Alternate 1507-3.2" Tall"

K

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KUBOTA (TRACTOR)			KUBOTA (TRACTOR)			KWIET (GENERATOR)		
<i>M8200 w/Kubota V3300TE Diesel Engine (cont'd)</i>			<i>M95X w/Kubota V3800DI-T (cont'd)</i>			<i>DGK25C w/Isuzu 4LE1-DA04 Engine (cont'd)</i>		
	Oil	PH2835 ²⁷⁵	55231-26150	Air	LAF4545 ¹	2906549100	Fuel	FP588F
<i>M8540 w/Kubota V3800DI-TE2 Engine</i>			1C020-32430	Oil	PH253 ¹⁴⁹⁶	2944566410	Oil	PH2808
59700-26112	Air	LAF4544 ²	<i>M96S w/Kubota V3800DI-T</i>			<i>DGK45A w/Isuzu 4BG1-PD06 Engine</i>		
55231-26150		LAF4545 ¹	59700-26112	Air	LAF4544 ²	9142151521	Air	LAF222 ²
33960-38380	Hydraulic	LFH22003			LAF4544MXM ^{2, 268}	2906549100	Fuel	FP588F
1C020-32430	Oil	PH253 ¹⁴⁹⁶			LAF4545 ¹	8943212191	Oil	LFP5748
		PH2835 ²⁷⁵	55231-26150			<i>DGK45C</i>		
<i>M8560 w/Kubota V3800 Engine</i>			33960-38380	Hydraulic	LFH22003	P535770	Air	LAF4526
	Air	LAF4544 ²	HH1C0-32430	Oil	PH253 ¹⁴⁹⁶	8970497081	Oil	PH2801
		LAF4545 ¹	<i>M9960 w/Kubota V3800 Engine</i>			<i>DGK60A w/Isuzu 4BG1T-TPD04 Engine</i>		
	Hydraulic	LFH22003		Air	LAF4544 ²	9142151351	Air	LAF1246 ²
	Oil	PH253 ¹⁴⁹⁶			LAF4545 ¹	2906549100	Fuel	FP588F
		PH2835 ²⁷⁵			LAF4545 ¹	8973212191	Oil	LFP5748
<i>M8580, M8580DT</i>				Hydraulic	LFH22003	<i>DGK70B w/Isuzu 4BG1T-TRD03 Tier 2 Engine</i>		
16631-99540	Fuel	FP588F		Oil	LFP2253 ¹³⁹⁷	P828889	Air	LAF4544 ²
70000-14632		L296F ⁴¹	<i>MX4700 w/Kubota V2430M Engine</i>			1132400791	Fuel	LFF3415
3396082630	Hydraulic	LFH22003	R1401-42280	Air	LAF8114 ¹	1132402321	Oil	LFP7217 ¹⁹
16121-32430	Oil	LFP2430	R1401-42270		LAF8143 ²	w/electric governor		LFP947 ¹⁸
<i>M8950S, M8950DTS</i>			15521-43160	Fuel	L549F	<i>DGW400dm w/Kubota D1005 Engine</i>		
15484-11210	Air	LAF1800 ²	HHTA0-37710	Hydraulic	LFH22003	15741-1108-3	Air	LAF8283
70000-14632	Fuel	L296F ⁴¹	HH164-32430	Oil	PH253 ¹⁴⁹⁶	15521-4316-0	Fuel	L549F
35861-82630	Hydraulic	LFH5718			PH2835 ^{275, 1507}	16271-3209-2	Oil	PH2808
16121-32430	Oil	LFP2430	<i>MX5000 w/V2403 Engine</i>			LAMBORGHINI (TRACTOR)		
70000-15451		LFP3411	R2401-42280	Air	LAF8114 ¹	<i>Agile 660 w/Same 1000.3W Engine</i>		
<i>M8970 w/Kubota D4300TA Engine</i>			R1401-42270		LAF8143 ²	242491309	Air	LAF8583 ²
15484-11210	Air	LAF1800	15521-43160	Fuel	L549F	242493104		LAF9410 ¹
<i>M9000 w/Kubota V3300TE Diesel Engine</i>			TA040-37710	Hydraulic	LFH22003	243190601	Fuel	L296F ⁴¹
P82-8889	Air	LAF4544 ²	16414-32430	Oil	PH253 ¹⁴⁹⁶	4415540	Oil	LFP2258
		LAF4544MXM ^{2, 268}	<i>MX5100 w/Kubota V2403 MTE3 Engine</i>			<i>Agile 770, Agile 880 w/Same 1000.3W, 1000.4W Engine</i>		
		LAF4545 ¹	R2401-42280	Air	LAF8114 ¹	242491309	Air	LAF8583 ²
P829333			R1401-42270		LAF8143 ²	242493104		LAF9410 ¹
16631-43560	Fuel	FP591F	15521-43160	Fuel	L549F	243190601	Fuel	L296F ⁴¹
33960-82630	Hydraulic	LFH22003	TA040-37710	Hydraulic	LFH22003	4415540	Oil	LFP2258
1C010-32430	Oil	PH253 ¹⁴⁹⁶	HH164-32430	Oil	PH253 ¹⁴⁹⁶	<i>C352, C352L, C352S, C352SL w/DA982 Engine</i>		
		PH2835 ²⁷⁵			PH2835 ²⁷⁵	242495001	Air	LAF1734 ²
<i>M9540 w/Kubota V3800DI-TE2 Engine</i>					L549F	59901104		LAF1735 ¹
59700-26112	Air	LAF4544 ²			L549F	243190601	Fuel	L296F ⁴¹
55231-26150		LAF4545 ¹			L549F	244191401	Oil	LFP2221
33960-38380	Hydraulic	LFH22003	<i>PX2100</i>			<i>C353L</i>		
1C020-32430	Oil	PH253 ¹⁴⁹⁶	15741-11080	Air	LAF8823 ²	243190601	Fuel	L296F ⁴¹
		PH2835 ²⁷⁵	15231-43560	Fuel	L550F	244191501	Oil	LFP2538
<i>M9580 w/Kubota V4702TA Engine</i>			15241-32090	Oil	PH2808	<i>C503, C603 w/FL1003/1 Engine</i>		
15484-11210	Air	LAF1800 ²	KWIET (GENERATOR)			242495001	Air	LAF1734 ²
16631-43562	Fuel	FP591F	<i>DGK100B w/Isuzu 6BG1TC-TRD03 Tier 2 Engine</i>			59901104		LAF1735 ¹
70000-15451	Oil	LFP3411	9142151321	Air	LAF234HD ²	243190601	Fuel	L296F ⁴¹
<i>M95S w/Kubota V3800DI Engine</i>			1132402321	Oil	LFP7217	244191501	Oil	LFP2538
59700-26112	Air	LAF4544 ²	<i>DGK150D w/Isuzu 6HK1TC Engine</i>			<i>C553LL, C503C, C553S, CL653, CL653L, w/DA1053/2 Engine</i>		
		LAF4544MXM ^{2, 268}	1142150340	Air	LAF9373	242495001	Air	LAF1734 ²
		LAF4545 ¹	(8980088400); Sec.	Fuel	L8893F	59901104		LAF1735 ¹
16631-43560	Fuel	FP591F	1132402322	Oil	LFP7217	243190601	Fuel	L296F ⁴¹
33960-82630	Hydraulic	LFH22003 ¹¹¹⁹	<i>DGK25A/B w/Isuzu 4LE1-DA07 Engine</i>			244191501	Oil	LFP2538
1C020-32430	Oil	PH253 ¹⁴⁹⁶	8970713480	Fuel	L4103F	<i>C553LL, C503C, C553S, CL653, CL653L, w/DA983/2 Engine</i>		
		PH2835 ²⁷⁵	2944566410	Oil	PH2808	242495001	Air	LAF1734 ²
<i>M95X w/Kubota V3800DI-T</i>			<i>DGK25C w/Isuzu 4LE1-DA04 Engine</i>			<i>C553LL, C503C, C553S, CL653, CL653L, w/DA983/2 Engine</i>		
59700-26112	Air	LAF4544 ²	5142150140	Air	LAF1275 ²	242495001	Air	LAF1734 ²
		LAF4544MXM ^{2, 268}						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 18-Short 19-Long 41-Cartridge 268-Extended/Severe service 275-Primary 1119-Suction Line 1396-3.2" Tall 1397-3.7" Tall 1496-Alternate 1507-"3.2" Tall"

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
LAMBORGHINI (TRACTOR)			LANDINI (TRACTOR)			LANDINI (TRACTOR)		
C553LL, C503C, C553S, CL653, CL653L, w/DA983/2 Engine (cont'd)			Advantage 95GT w/Perkins T4.236 Engine (cont'd)			Legend 180 w/Perkins 1006-60TA Engine		
59901104	Air	LAF1735 ¹	P917x	Fuel	L296F ⁴¹	P777639	Air	LAF5932 ¹
243190601	Fuel	L296F ⁴¹	W940/24	Oil	PH4403	P781039		LAF8149 ²
244191501	Oil	LFP2538	Alpine 65				Oil	LFP2292
R235, R235DT w/DA982 Engine			P772579	Air	LAF8148 ²	Legend II 120, 120DT, 130, 130DT, 140, 140DT w/Perkins 1006-60T Engine		
	Air	LAF8659	P775300		LAF9332 ¹	W950/7	Oil	LFP2292
243190601	Fuel	L296F ⁴¹	Atlantis 100HC w/Perkins 1004-4T Engine			Legend II 160, 160DT w/Perkins 1006-60TWT Engine		
244191401	Oil	LFP2221	P772580	Air	LAF4544 ²	W950/7	Oil	LFP2292
R904, R904DT w/1154/2 Engine					LAF4544MXM ^{2, 268}	M-6800		
	Air	LAF1722 ²	P775302	Oil	LAF4545 ¹	P827653	Air	LAF8148 ²
		LAF1723 ¹	Atlas 70, 80, 90, 100			1447048-M1	Oil	PH4403
243195001	Fuel	FP586F	26561118	Fuel	LFF3504	Mistral 40, 45, 50 w/Yanmar Engine		
Runner 250, 350, 450 w/Mitsubishi Engine			2654403	Oil	PH4403	P775298	Air	LAF5844 ¹
P108736	Air	LAF8626	Blizzard 65 w/Perkins Engine			P772578		LAF8147 ²
	Oil	PH2867		Air	LAF8145 ²		Fuel	L549F
LANDINI (TRACTOR)					LAF8145MXM ^{2, 268}		Oil	PH2808
5505, 5830/DT, 6530, 6650/2, 6840, 7530, 7550, 7580, 8830/4, C6830/2 & 4, C6860, C7800, C7830, R883					LAF9332 ¹	Mythos 100HC w/Perkins 1004-40T Engine		
	Air	LAF8610 ²	Blizzard 75, 85 w/Perkins AD4.236, AD4.248 Engine			P772580	Air	LAF4544 ²
		LAF8803 ¹	C14200/1	Air	LAF8148 ²			LAF4544MXM ^{2, 268}
		LAF8804 ²	CF850		LAF9332 ¹	P775302		LAF4545 ¹
		LAF9410 ¹	P917x	Fuel	L296F ⁴¹		Fuel	LFF3504
7860 w/Perkins 4.236 Engine			W940/24	Oil	PH4403		Oil	PH4403
	Air	LAF8148 ²	Blizzard 95 w/Perkins AT4.236C Engine			Mythos 90, 100, 110		
		LAF9332 ¹	P917x	Fuel	L296F ⁴¹	26561117	Fuel	L296F ⁴¹
	Fuel	L296F ⁴¹	W940/24	Oil	PH4403	26561118		LFF3504
	Oil	PH4403	Climber 65, Climber 85 w/Deutz BF4L1011, BF4L1011 Turbo Engine			2654403	Oil	PH4403
8860 w/Perkins A4.248 Engine				Fuel	LFF3518	PowerFarm 105 w/1104C-44T Engine		
P772579	Air	LAF8148 ²		Oil	PH561		Air	LAF4544 ²
P775300		LAF9332 ¹	Discovery, Multitrac 65, 85; Climber 65, 85 w/Deutz F4L1011, BF4L1011 Engine					LAF4545 ¹
	Oil	PH4403	1174482	Fuel	LFF3504		Oil	LFP2292 ¹⁹
9880 w/Perkins 4.236 Engine			1174696		LFF3518			PH4403 ¹⁸
P772550	Air	LAF8583 ²	1174417	Oil	PH561	Powerfarm 85 w/Perkins 1104C-44 Diesel Engine		
P119410		LAF9410 ¹	Evolution 6865 w/Perkins 1104C-44 Engine			P772579	Air	LAF8148 ²
	Fuel	L296F ⁴¹	P772579	Air	LAF8148 ²	P775300		LAF9332 ¹
	Oil	PH4403	P775300		LAF9332 ¹		Oil	LFP2292
Advantage 55F/V, 60F/V w/Perkins 3.152 Engine			FD7926	Base	LMB6926 ⁹⁴³	R-DT 1000, R-DT 12500		
P917x	Fuel	L296F ⁴¹	BF7925	Fuel	LFF6925 ⁹⁴²	1093682-M91	Air	LAF1544 ²
W723/3	Oil	PH4408	Ghibli 80, 90, 100 w/Perkins Engine			109368-M91		LAF9410 ¹
Advantage 65V/GT w/Perkins 4.236 Engine			P772579	Air	LAF8148 ²		Fuel	L296F ⁴¹
C14200/1	Air	LAF8148 ²	P775300		LAF9332 ¹	1447031-M1	Oil	LFP2292
CF850		LAF9332 ¹	26561118	Fuel	LFF3504	R-DT 14500		
P917x	Fuel	L296F ⁴¹	2654403	Oil	PH4403		Fuel	L296F ⁴¹
W940/24	Oil	PH4403	Globus 50, 60, 70, 75, 80			1447048-M1	Oil	PH4403
Advantage 75F/FGTV w/Perkins AD4.236 Engine			P772579	Air	LAF8148 ²	R-DT 6530		
P917x	Fuel	L296F ⁴¹	P775300		LAF9332 ¹		Air	LAF1835 ¹
W940/24	Oil	PH4403	26561117	Fuel	L296F ⁴¹		Fuel	L296F ⁴¹
Advantage 85F/GT w/Perkins 4.248 Engine			26561118		LFF3504	1447048-M1	Oil	PH4403
C14200/1	Air	LAF8148 ²	2654403	Oil	PH4403	R-DT 8550		
CF850		LAF9332 ¹	Legend 105, Legend 115, Legend 130, Legend 145, Legend 165 w/Perkins 1006.6 Engine			1055493-M91	Air	LAF1734 ²
P917x	Fuel	L296F ⁴¹		Fuel	L296F ⁴¹			LAF1835 ¹
W940/24	Oil	PH4403		Oil	PH4403		Fuel	L296F ⁴¹
Advantage 95GT w/Perkins T4.236 Engine						1447048-M1	Oil	PH4403
C17337	Air	LAF4544 ²						
CF990		LAF4545 ¹						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 18-Short 19-Long 41-Cartridge 268-Extended/Severe service 942-Used with LMB6926 conversion kit 943-Spin-on conversion base

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
LANDINI (TRACTOR)			LEEBOY (PAVER)			LEXION (COMBINE)		
Rex 60V, 60F, 60L, 60GE, 65V, 70F, 70GE, 70GT, 80F, 80L, 80GE, 80GT, 90F, 90GE, 90GT, 100GE, 100GT			1000D w/Hatz 2L41C Engine (cont'd)			750/760 (w/Caterpillar C13 Engine)		
			310070	Oil	HP1	7962130	Fuel	LFF3292 ⁶³ LFF5804
			700, 700B w/Hatz Engine			7983030	Oil	LFP4005RN ⁵⁹⁹
P770181	Air	LAF8803 ¹	952900	Air	LAF8089	770 (w/Mercedes OM502LA Engine)		
P772549		LAF8804 ²	50251500	Fuel	LFF3518	773671	Air	LAF8657 ²
26561117	Fuel	L296F ⁴¹	290030	Hydraulic	LFH4972	773821		LAF8686 ¹
26561118		LFF3504	40065300	Oil	LFP2538	687090	Fuel	L8994F ²⁵ LFF3292 ⁶³
2654403	Oil	PH4403	LEEBOY (SWEEPER INDUSTRIAL)			7962130	Oil	LP8995
Trekker 70 w/Perkins 1004-40 Engine			RB48 w/Cummins 3.3L Engine			LIEBHERR (BACKHOE LOADER)		
P772579	Air	LAF8148 ²		Air	LAF1544 ²	911		
P775300		LAF9332 ¹			LAF9410 ¹			
	Fuel	FP587F		Fuel	FP588F	925		
	Oil	PH4403			L3523F		Air	LAF222 ²
Trekker 70F w/Yanmar 4TNE98 Engine			W/S		LFF9594	945		
P772579	Air	LAF8148 ²		Hydraulic	LFH4990	P130768	Air	LAF8668 ²
P775300		LAF9332 ¹		Oil	PH2835	P131350		LAF8674 ¹
	Oil	PH2808	LEXION (COMBINE)			S/N 503/145- S/N 503/145-		
Trekker 80 Series w/Perkins 1004-42 Engine			560 w/3126B Engine					LAF6587 ² LAF6587MXM ^{2, 268}
P772579	Air	LAF8148 ²	7962880	Air	LAF6998 ²			LAF6834 ¹
P775300		LAF9332 ¹		Oil	LFP3191	S/N 503/145- P130768		LAF8668 ^{2, 1402} LAF8674 ^{1, 1402}
	Fuel	FP587F			LFP3191TRT ³			
	Oil	L296F ⁴¹			LFP3191XL ¹⁴			
	Oil	PH4403	570, 580 w/Caterpillar C12 Engine			945B w/Deutz BF6L913 Engine		
Trekker 85				Air	LAF8657 ²		Air	LAF6587 ² LAF6587MXM ^{2, 268}
		LAF9332 ¹			LAF8686 ¹			LAF6834 ¹
Vision 105 w/Perkins 1104C-44T Engine				Fuel	LFF2749 ²⁰		Fuel	FP586F
P772580	Air	LAF4544 ²		Hydraulic	LFH4473		Oil	LFP8590
		LAF4544MXM ^{2, 268}	1R0716	Oil	LFP4005	LIEBHERR (CRANE)		
		LAF4545 ¹			LFP4005TRT ³	HS843HD w/M.A.N. D9408T1 Engine		
	Oil	LFP2292			LFP4005XL ¹⁴	7381111		
	Oil	PH4403	580 (w/Mercedes OM502LA Engine)			7381111		
Vision 80, Vision 90 w/Perkins 1004-42, 1104-40T Engine			773671	Air	LAF8657 ²	HS852 w/M.A.N. D9306T1 Engine		
	Fuel	LFF3504	773821		LAF8686 ¹	7381111		
	Oil	PH4403	(687090); Sec.	Fuel	L8994F	LG1130 w/Mercedes-Benz-Benz OM401 crane Engine		
Vision 95 w/Perkins 1104C-44T Engine			(687110); W/S		LFF2040N ¹⁴⁰¹	7360753		
P772580	Air	LAF4544 ²	687101	Oil	LFF5766	Air		
		LAF4544MXM ^{2, 268}	590R, 595R w/Caterpillar C13 Engine			Fuel		
		LAF4545 ¹		Air	LAF8657 ²	L3401F ¹⁰⁸		
	Oil	LFP2292	CF2100		LAF8686 ¹	LFF3403		
	Oil	PH4403	(R90T); W/S	Fuel	LFF2749 ²⁰	LFF3403		
LEEBOY (GRADER)			1R0716	Oil	LFF8957 ¹³⁹	LP815		
635B w/Lambardini Engine					LFP4005	LG1140, LG1180, LG1200, LT1120		
500150	Fuel	LFF4806 ¹⁶⁹	670 (w/Caterpillar C9 Engine)			w/Mercedes OM404 truck eng.		
800019A	Hydraulic	LFH4933	7962130	Fuel	LFF3292 ⁶³	7002914		
700380	Oil	PH2903	(3632040); Sec.		LFF5804	Oil		
685, 685B w/Cummins 3.9 Turbo Diesel Engine			7983030	Oil	LFP4005RN ⁵⁹⁹	LP815		
Pri.	Fuel	LFF3417	670 (w/Caterpillar C9.3 Engine)			LG1250, LG1280, LG1300, LG1350, LR1300		
Sec.		LFF3521	7983030	Oil	LFP4005RN ⁵⁹⁹	w/Detroit Diesel 12V71T truck Engine		
	Hydraulic	LFH4902	730/740 (w/Caterpillar C9 Engine)			Air		
	Oil	LFP3900	7962130	Fuel	LFF3292 ⁶³	LAF1720 ¹		
LEEBOY (PAVER)			(3632040); Sec.		LFF5804	LG1250, LG1280, LG1300, LG1350, LR1300		
1000D w/Hatz 2L41C Engine			7983030	Oil	LFP4005RN ⁵⁹⁹	w/Mercedes-Benz-Benz OM403 crane Engine		
500150	Fuel	LFF4806 ¹⁶⁹	730/740 (w/Caterpillar C9.3 Engine)			7360753		
290030	Hydraulic	LFH4972	7983030	Oil	LFP4005RN ⁵⁹⁹	Air		
						Fuel		
						L3515F		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 25-Engine mounted 41-Cartridge 63-9/16" Thread Sensor Port 108-Eco-Finer 139-Bowl 169-1 Per Package 268-Extended/Severe service 599-High capacity 1401-Optional Racor housing 1402-Early

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
LIEBHERR (CRANE)			LIEBHERR (CRANE)			LIEBHERR (CRAWLER LOADER)		
LG1250, LG1280, LG1300, LG1350, LR1300 w/Mercedes-Benz-Benz OM403 crane Engine (cont'd)			LTM1150 w/M.A.N. D9408TI Engine			LR621B, LR621BM (cont'd)		
	Oil	LP2235	7381111	Oil	LFP5084		Fuel	L60F
LG1550 w/M.A.N. 9408TIE Engine			LTM1160 Mobile Crane			LR622 w/D924T eng.		
7381111	Oil	LFP5084		Air	LAF1714 ^{2, 1311} LAF2052 ^{2, 1311} LAF8657 ¹³¹⁰		Air	LAF5932 ¹ LAF8149 ² LAF8664 ² LAF8674
LI1010, LI1012 w/Deutz F3L912 Engine				Fuel	L3401F ¹⁰⁸ L3405F ¹⁰⁸ LFF3403 LFF3507 ¹³¹⁰		Coolant	LFW4073 ²⁵⁵
5502896	Fuel	FP586F		Oil	LP2235 ¹³¹⁰ LP815 ¹³¹¹		Fuel	FP586F
5502455	Oil	PH2819					Hydraulic	LFH8596
LR634 Litronic w/Liebherr D934L Diesel Engine							Oil	LFP8964
5106180	Air	LAF1712 ² LAF1714 ^{2, 1311}	LTM1160/1, LTM1160/2 w/M.A.N. D9408TI, TIE Engine			LR631 w/Mercedes-Benz OM401 eng.		
5106182		LAF1714 ² LAF1715 ¹	7381111	Oil	LFP5084		Air	LAF1544
387mm		LAF1716 ² LAF1717 ¹ LAF1726 ^{2, 1311} LAF1727 ^{1, 1311} LAF2052 ^{2, 1311} LAF2052 ²	LTM1200/1, LTM1250/1, LTM1500, LTM1800 w/M.A.N. D9408TIE Engine				Fuel	L3401F LFF3403
(7360753); w/Deutz BF6L913 truck eng.		LAF8657 ¹³¹⁰		Air	LAF1726 ^{2, 57} LAF8657	LR631B		
7001261	Fuel	FP586F L3401F ¹⁰⁸ LFF3403	7381111	Oil	LFP5084	7360972	Air	LAF3714 ² LAF8674 ¹
7001037	Oil	LFP8590 LP2211 ⁶⁵ LP2235 ¹³¹⁰ LP2235 ¹⁴⁸ LP815 ¹³¹¹ PH2819	LTM1300, LTM1400 Mobile Crane w/Mercedes-Benz OM444A Engine			6425550	Fuel	L61F
5602073				Air	LAF1714 ^{2, 1311} LAF1726 ^{2, 1311} LAF1727 ^{1, 1311} LAF2052 ^{2, 1311} LAF8657 ¹³¹⁰	7402855	Fuel	L61F
5502455				Oil	LP2235 ¹³¹⁰ LP815 ¹³¹¹	7004209	Hydraulic	LFH8596
LTL1160 w/M.A.N D9408TIE Engine			LIEBHERR (CRAWLER DOZER)			7002915	Oil	LP2235
7381111	Oil	LFP5084	L542 2PLUS1 w/Liebherr D934SAG Diesel Engine			LR632 w/D926T eng.		
LTM1030 w/Mercedes-Benz OM402 Engine				Air	LAF4620 ² LAF4621 ¹		Air	LAF8647 LAF8648
7360753	Air	LAF1720 ¹ LAF2052 ²	W/S	Fuel	LFF9897		Coolant	LFW4073 ²⁵⁵
7002914	Fuel	LFF3403		Oil	LFP5084	W/S	Fuel	LFF8020 LFF9013
LTM1030-1, LTM1040-1			L550 2PLUS1 w/Liebherr D934SAG Diesel Engine			W/S	Hydraulic	LFH8596
S/N 0017793-	Air	LAF1726 ²		Air	LAF5932 ¹ LAF8149 ²		Oil	LFP8964
571039808	Fuel	LFF8103	W/S	Fuel	LFF9897	LR641 w/Mercedes OM421A eng.		
500509208	Hydraulic	LFH8595		Oil	LFP5084		Air	LAF8647 LAF8648
5700043	Oil	LFP8964	LIEBHERR (CRAWLER TRACTOR)				Fuel	L61F LP2235
LTM1045 w/Mercedes-Benz OM422LA Engine			LR611, LR611M w/D924T eng.			LIEBHERR (CRAWLER TRACTOR)		
	Air	LAF1726 ² LAF1727 ¹		Air	LAF1725 LAF8617 LAF8663 LAF8664 ²	PR711, PR711M		
500509208	Fuel	LFF3507		Fuel	FP587F		Air	LAF1725 LAF8617
5602073	Hydraulic	LFH8595		Oil	LFP2222	PR712 Litronic		
LTM1060 w/M.A.N D9306TI Engine							Fuel	L60F LFF3504
7381111	Oil	LFP5084	LR612, LR614 w/John Deere CD4045TF/HF eng.				Hydraulic	LFH8593
LTM1080/1, LTM1090/2 w/M.A.N. D9406TIE Engine							Oil	LFP8964
7381111	Oil	LFP5084		Pri.	L8868F L8872F	PR721 w/Mercedes OM352 eng.		
LTM1100/2 w/M.A.N. D9408TIE Engine			LR621B, LR621BM				Air	LAF1544 LAF9410
7381111	Oil	LFP5084		Air	LAF1725 LAF8617 LAF8663 LAF8664 ²		Fuel	L3405F L61F ⁸⁶² LFF3507 ⁸⁶¹
						PR721C, PR721CM, PR722		
							Oil	LP2210
							Air	LAF1725 LAF8617

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 57-Partial 65-By-Pass 108-Eco-Finer 148-Engine 255-Contains 3 oz. of chemical 861-Felt media 862-Paper media 1310-Carrier 1311-Crane

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
LIEBHERR (CRAWLER TRACTOR)			LIEBHERR (CRAWLER TRACTOR)			LIEBHERR (EXCAVATOR)		
<i>PR721C, PR721CM, PR722 (cont'd)</i>			<i>PR741C w/Mercedes eng.</i>			<i>A900, A900B, R900 Litronic w/Deutz Engine (cont'd)</i>		
	Air	LAF8663 LAF8664 ²		Air	LAF1040 LAF636	7361346	Air	LAF1715 ¹
	Fuel	L3401F L60F ⁸⁶² LFF3403 ⁸⁶¹		Fuel	L3405F L61F ⁸⁶² LFF3507 ⁸⁶¹	7008775	Fuel	FP587F
	Oil	LFP8964		Hydraulic	LFH8596	7366101	Hydraulic	LH8522
<i>PR722, PR722B Litronic w/D924T eng.</i>				Oil	LP2235	5502096	Oil	LFP2222
	Air	LAF5932 ¹ LAF8149 ² LAF8664 ² LAF8674	<i>PR742, PR742B w/D926T eng.</i>			5507989	Air	LAF1544 ²
	Coolant	LFW4074 ⁸²⁷		Air	LAF8647 LAF8648	5106180		LAF1712 ²
	Fuel	FP586F LFF8103	S/N 3000 On	Coolant	LFW4073 ²⁵⁵	7002402		LAF1713 ¹
	Hydraulic	LFH8593 LFH8596		Fuel	FP586F LFF8103	1753731		LAF1714 ²
	Oil	LFP8964	S/N 3027 On	Hydraulic	LFH8596 LH95315	5106525		LAF1715 ¹
<i>PR731, PR731B, PR732 w/Liebherr D904/6 eng.</i>			S/N -3027	Oil	LFP8964	7211197		LAF222 ^{2, 57}
	Air	LAF1544 LAF9410	<i>PR751 w/Cummins KT1150 eng.</i>			7002639		LAF9410 ¹
	Fuel	LFF3504		Air	LAF3714 LAF8674	5502896	Fuel	FP586F
	Hydraulic	LFH8593		Coolant	LFW4071 ²⁸	7211191	Hydraulic	LH8521
	Oil	LFP8964		Hydraulic	LFH8596	5502455	Oil	PH2819
<i>PR731, PR731B, PR732 w/Mercedes OM401 eng.</i>			<i>PR752 Litronic w/D9406T1-E eng.</i>			<i>A901C, R901C w/Deutz F4L912 Engine</i>		
	Air	LAF1544 LAF9410		Coolant	LFW4073 ²⁵⁵		Air	LAF1714 ² LAF1715 ¹
	Fuel	L3401F L60F ⁸⁶² LFF3403 ⁸⁶¹		Fuel	FP586F	5502896	Fuel	FP586F
	Hydraulic	LFH8593		Hydraulic	LH95315	7002504	Hydraulic	LH8521
	Oil	LP815		Oil	LFP5084	5502455	Oil	PH2819
<i>PR731C w/Mercedes eng.</i>			LIEBHERR (EXCAVATOR)			<i>A902, R902 w/Deutz Engine</i>		
	Air	LAF3714 LAF8674	<i>900C w/Deutz Engine</i>			5507989	Air	LAF1544 ²
	Fuel	L3405F L61F ⁸⁶² LFF3507 ⁸⁶¹	70005286	Air	LAF8668 ² LAF8674 ¹	7002639		LAF9410 ¹
	Hydraulic	LFH8596	7005287	Fuel	FP587F	7002504	Hydraulic	LH8521
	Oil	LP815		Hydraulic	LH8521	5502029	Oil	LFP2222
<i>PR732, C, M, PR742, M w/D9306T eng.</i>			7002504	Hydraulic	LH8521	5106133		PH2819
	Oil	LFP5084	5502096	Oil	LFP2222	<i>A902, R902 w/Liebherr D904NA Engine</i>		
<i>PR732, PR732B w/D916T eng.</i>			<i>A300, A400, A500, A500S, R400, R500, R500S w/Deutz F3/4L812, F3/4L812D Engine</i>			6425723	Air	LAF6587 ² LAF6587MXM ^{2, 268} LAF6834 ¹
	Air	LAF8647 LAF8648	7002504	Hydraulic	LH8521	7002504	Hydraulic	LH8521
S/N 3000-3040	Coolant	LFW4073 ²⁵⁵	5502096	Oil	LFP2222	5700043	Oil	LFP8964
	Fuel	FP586F LFF8103	<i>A310, R310 w/Deutz BF4L1011 Engine</i>			<i>A902, R902, R912 Litronics w/Deutz Engine</i>		
	Hydraulic	LFH8596	7002403	Air	LAF1712 ² LAF1713 ¹	7360733	Air	LAF1720 ¹ LAF2052 ²
	Oil	LFP8964	7002402	Fuel	LFF3518	7360753	Fuel	LFF3504
<i>PR741, PR741B w/Mercedes-Benz OM402 eng.</i>				Hydraulic	LH8522	7008766	Hydraulic	LH8522
	Air	LAF1544 LAF9410	7366101	Hydraulic	LH8522	7366101	Oil	LFP2222
	Fuel	L3401F L60F ⁸⁶² LFF3403 ⁸⁶¹	7616297	Oil	PH561	<i>A902C, R902C w/Deutz F4L912, F5L912 Engine</i>		
	Oil	LP815	<i>A314, A316 Litronic w/BF4M 4013 GC Engine</i>			7000524	Air	LAF1544 ² LAF6587 ² LAF6587MXM ^{2, 268} LAF6834 ¹ LAF9410 ¹
			7026330	Air	LAF2342 ² LAF2343 ¹	7009285		
			7026329	Fuel	FP586F LFP2222	7009286		
				Oil	LFP2222	7360230		
			<i>A900 166 w/Deutz Engine</i>			7000712	Fuel	FP587F
			7361347	Air	LAF1714 ² LAF1715 ¹ LAF8663 ¹ LAF8664 ²	7002504	Hydraulic	LH8521
			7005287			<i>A911, R911 w/Deutz F3L912 Engine</i>		
			7002504	Hydraulic	LH8521	5502896	Fuel	FP586F
			<i>A900, A900B, R900 Litronic w/Deutz Engine</i>			7002504	Hydraulic	LH8521
			7361347	Air	LAF1714 ²	5502455	Oil	PH2819

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 28-Contains 1 oz. of chemical 57-Partial 255-Contains 3 oz. of chemical 268-Extended/Severe service 627-5 oz. of chemical 861-Felt media 862-Paper media

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
LIEBHERR (EXCAVATOR)			LIEBHERR (EXCAVATOR)			LIEBHERR (EXCAVATOR)		
<i>A911, R911, A911B, R911B w/Deutz F4L912 Engine</i>			<i>R912 Speeder w/904NA Engine</i>			<i>R941B w/Deutz BFL913 Engine (cont'd)</i>		
7211197	Air	LAF222 ²	7009285	Air	LAF6587 ² LAF6587MXM ^{2, 268}	7211198	Hydraulic	LFH8593
5502896	Fuel	FP586F	7009286	Fuel	LAF6834 ¹ LFF3504	5502096	Oil	LFP2222
7360470	Hydraulic	LH8520 LH8521	(7008776); Pri.	Hydraulic	LH8520	5601056	(5502266); By-Pass	LFP8590 LP2210
7002504			5502096	Oil	LFP2222	R942 Litronics		
5502096	Oil	LFP2222 PH2819	5700043	Oil	LFP8964	(7367183); 495mm	Air	LAF1718 ² LAF1719 ¹
5502455			R922 Litronic			7367182	Fuel	LFF3504
<i>A911C, R911C, R911CLC, A912, R912HD, R912LC w/Deutz F5L912, F6L912 Engine</i>			7360733	Air	LAF1720 ¹ LAF2052 ²	5502096	Oil	LFP2222
7000524	Air	LAF1544 ² LAF9410 ¹	7360753	Fuel	FP587F LFF3504	R942 w/Liebherr D906T Engine		
7360230	Fuel	FP586F FP587F	7008775	Hydraulic	LH8522	7362686	Air	LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹
5502896	Hydraulic	LH8520 ¹⁰⁷⁷	7366101	Oil	LFP2222	7362687	Fuel	LFF3504
7360470	Oil	LFP2222	5502096	Oil	LFP2222	7008776	Hydraulic	LH8522
<i>A912, R912 Litronic w/Deutz Engine</i>			R922LC w/Deutz F6L912 Engine			7211188	Oil	LFP2222
7360733	Air	LAF1720 ¹ LAF2052 ²	6425549	Air	LAF8668 LAF8674 ¹	5502096	Oil	LFP2222
7360753	Fuel	LFF3504	6425550	Fuel	FP587F	R942, R942HD, R942LC w/Deutz BF6L913B Engine		
7008776	Hydraulic	LH8522	7000712	Hydraulic	LH8523	7362686	Air	LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹
7366101	Oil	LFP2222	7211198	Oil	LFP2222	7362687	Fuel	FP587F LFF3504
5502096	Oil	LFP2222	5507547	Oil	LFP2222	7008776	Hydraulic	LH8522 LH8523
<i>A921, R921 w/Deutz F4L912 Engine</i>			R925, R925B w/Deutz F6L912 Engine			7211188	Oil	LFP2222
7211197	Air	LAF222 ²	6425550	Air	LAF8668 ² LAF8674 ¹	7211198	Oil	LFP2222
5502896	Fuel	FP586F FP587F		Fuel	FP586F LFP2222	R944C w/Liebherr D936L 10.5L Diesel Engine		
	Hydraulic	LH8521	R932 Litronic w/Liebherr D914 Engine.			(10044303); W/S	Fuel	LAF6124 LAF6125 ¹ LFF9897
5502455	Oil	PH2819	(5601964); 387mm	Air	LAF1716 ² LAF1717 ¹ LAF1718 ² LAF1719 ¹	R945, R945B		
<i>A921B, R921B, A921C, R921B, R921C w/Deutz F6L912 Engine</i>			5601963	Fuel	FP587F	(6425723); R945B	Air	LAF6587 ² LAF6587MXM ^{2, 268}
7000524	Air	LAF1544 ² LAF9410 ¹	(7367183); 495mm	Oil	LFP2222	R945B		LAF6834 ¹ LAF8668 ² LAF8674 ¹
7360230	Fuel	FP586F	7367182	Fuel	FP587F	(6425724); R945B		LAF6834 ¹ LAF8668 ² LAF8674 ¹
5502896	Hydraulic	LH8520	7008775	Hydraulic	LH8523	(6425549); R945		LAF6834 ¹ LAF8668 ² LAF8674 ¹
7360470	Oil	LFP2222	5502096	Oil	LFP2222	(6425550); R945		LAF6834 ¹ LAF8668 ² LAF8674 ¹
<i>A924, R924 w/D924 Engine</i>			R932 w/Deutz BF6L913 Engine.			5502896	Fuel	FP586F
(5601964); 387mm	Air	LAF1716 ² LAF1717 ¹	7360733	Air	LAF1720 ¹ LAF2052 ²	5601056	Oil	LFP8590
5601963	Coolant	LFW4071 ²⁸	5106189	Fuel	FP587F	(5502266); By-Pass		LFP8590 LP2210
7367045	Fuel	L8721F	7000712	Hydraulic	LH8523	R952 w/Cummins L10 Engine		
(7381645); Sec.	Fuel	LFP2222	7211198	Oil	LFP8590	7364115	Air	LAF6632 ² LAF6632MXM ^{2, 268} LAF6641 ¹
5502096	Oil	LFP2222	5601056	Oil	LFP2222	7364116		LAF6641 ¹
<i>A932, R932 w/Liebherr D914 Engine</i>			R934 Litronics w/Liebherr D924T1-E Engine			R954, R954B Litronic w/Liebherr D926TI Engine		
(5601964); -S/N 147; 387mm	Air	LAF1716 ² LAF1717 ¹ LAF1718 ² LAF1719 ¹	(7367183); 495mm	Air	LAF1718 ² LAF1719 ¹	7368216	Air	LAF8657 LAF8686 ¹
(5601963); -S/N 147			7367182	Fuel	LFF8020 ⁶⁸⁹ LFF9013	7368215	Fuel	FP587F LFF8020
(7367183); S/N 147-; 495mm			W/S	Oil	LFP2222	7008775		LFF8020
(7367182); S/N 147-; 7008775	Fuel	FP587F	(7381816); W/S			(7364111); W/S	Hydraulic	LH8520 ¹¹⁵⁴ LH8522 ¹⁰⁷⁷
	Oil	LFP2222	5502096	Oil	LFP2222	7364108	Oil	LFP2222
<i>R308 w/Deutz BF4M1011F Engine</i>			R941, MR941 w/Deutz F6L912 Engine			7366101	Hydraulic	LH8522 ¹⁰⁷⁷
C15165/3	Air	LAF1712 ² LAF1713 ¹ LAF1714 ²	5502896	Fuel	FP586F	5502096	Oil	LFP2222
CF700			7211198	Hydraulic	LH8523	R954C w/Liebherr D936L 10.5L Diesel Engine		
7361347	Fuel	LFF3518	5502096	Oil	LFP2222		Air	LAF8765 ² LAF8766 ¹
7616296	Hydraulic	LFH8596	R941B w/Deutz BFL912 Engine			W/S	Fuel	LFF9897
7004209			7360150	Air	LAF1725 ¹ LAF9001 ²			
			7360149	Hydraulic	LH8523			
			7211198	Oil	LFP2222			
			5502096	Oil	LFP2222			
			R941B w/Deutz BFL913 Engine					
			7360733	Air	LAF1720 ¹ LAF2052 ²			
			7360753					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 28-Contains 1 oz. of chemical 268-Extended/Severe service 689-Bowless 1077-Hyd. Tank 1154-Pump

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
LIEBHERR (EXCAVATOR)			LIEBHERR (EXCAVATOR)			LIEBHERR (WHEEL LOADER)		
<i>R954C w/Liebherr D936L 10.5L Diesel Engine (cont'd)</i>			<i>R974 w/Cummins NTA855C (cont'd)</i>			<i>L521, L522 w/D904 eng. (cont'd)</i>		
	Oil	LFP5084		Air	LAF9155MXM ^{2, 268}		Air	LAF1725
<i>R961 w/Deutz F6L413 Engine</i>			7361354		LAF9159 ¹			LAF8617
7211178	Air	LAF1246 ²	7363259	Hydraulic	LFH8593		Fuel	LFF3504
7360230		LAF9410 ¹	7211198		LH8523		Oil	LFP8964
5502896	Fuel	FP586F	<i>R981 w/Deutz BF6L913 Engine</i>			<i>L524 2 Plus 1 w/Liebherr D934SAG Diesel Engine</i>		
7211198	Hydraulic	LH8523		Air	LAF1720 ¹		Air	LAF4620 ²
5502094	Oil	LFP950	5106189		LAF2052 ²			LAF4621 ¹
<i>R961 w/Deutz F8L413 Engine</i>			5502896	Fuel	FP586F	W/S	Fuel	LFF9897
	Air	LAF1246 ²	7211198	Hydraulic	LH8523		Oil	LFP5084
		LAF9410 ¹	5601056	Oil	LFP8590	<i>L528 2Plus1 w/ D504TI eng.</i>		
	Fuel	FP586F	(5502266); By-Pass		LP2210		Air	LAF5932 ¹
	Hydraulic	LH8523	<i>R982HD, R982LC w/Cummins NTA855C Engine</i>					LAF8149 ²
	Oil	LFP950		Air	LAF9085 ¹	<i>L531, L541 w/Deutz BF6L913 eng.</i>		
<i>R961B w/Deutz F8L813 Engine</i>					LAF9086 ²		Air	LAF8647
5601514	Fuel	LFF8092			LAF9086MXM ^{2, 268}			LAF8648
7211188	Hydraulic	LH8522	7361354		LAF9159 ¹		Fuel	FP586F
5502096	Oil	LFP2222	7361501	Coolant	LFW4071 ^{28, 205}		Hydraulic	LFH4268
<i>R962, R972, R982 w/Cummins NTT855C Engine</i>			7363259	Hydraulic	LFH8593			LH8520
5604683	Air	LAF9085 ¹	7211188		LH8522		Oil	LFP2222
5604682		LAF9086 ²	<i>R984 Litronic w/Cummins KTA19C Engine</i>			<i>L534 w/D504TL eng.</i>		
		LAF9086MXM ^{2, 268}	7211188	Hydraulic	LH8522		Air	LAF4620
7361355		LAF9155 ²	<i>R984 Litronics w/Cummins KTA19L Engine</i>					LAF4621 ¹
		LAF9155MXM ^{2, 268}	7211188	Hydraulic	LH8522		Fuel	L8683F
		LAF9159 ¹	<i>R991 w/Cummins NTA855C Engine</i>				Oil	LFP5757
7361354		LH8522	7361355	Air	LAF9155 ²	<i>L538 2 Plus 1 w/Liebherr D934SAG Diesel Engine</i>		
7211188	Hydraulic	LH8522			LAF9155MXM ^{2, 268}		Air	LAF4620 ²
7363259	Trans	LFH8593	7361354		LAF9159 ¹			LAF4621 ¹
<i>R964B, R964 Litronics w/D9406 Engine</i>			7363259	Hydraulic	LFH8593	W/S	Fuel	LFF9897
7362686	Air	LAF6769 ²	7211188		LH8522		Oil	LFP5084
		LAF6769MXM ^{2, 268}	<i>R992</i>			<i>L538 w/D924T-EA1 eng.</i>		
7362687		LAF9373 ¹		Fuel	LFF5		Air	LAF4620
(7364111); W/S	Fuel	LFF8020	7363259	Hydraulic	LFH8593			LAF4621 ¹
5502096	Oil	LFP2222	7211188		LH8522	S/N 8508 On; Sec.	Fuel	L8557F
<i>R965B w/Deutz F8L413 Engine</i>			By-Pass	Oil	LFP8642			L8721F
6425549	Air	LAF8668 ²	LIEBHERR (WHEEL LOADER)				Oil	LFP8964
64255550		LAF8674 ¹	<i>L506 w/Deutz F4L1011 eng.</i>			<i>L550 w/D934SAG eng.</i>		
5601514	Fuel	LFF8092		Air	LAF1733		Air	LAF4620 ²
5502096	Oil	LFP2222		Fuel	LFF3518			LAF4621 ¹
<i>R971 w/Deutz F8L413 Engine</i>				Hydraulic	LFH4268	(R90T); W/S	Fuel	LFF3292 ^{63, 756}
7211178	Air	LAF1246 ²		Oil	PH561	W/S		LFF8957
7000524		LAF1544 ²	<i>L507, L509 w/Deutz BF4L1011FT eng.</i>					LFF9897
7360230		LAF9410 ¹		Fuel	LFF3504		Oil	LFP5084
5502896	Fuel	FP586F		Oil	PH3656	<i>L551 w/Liebherr D906TB eng.</i>		
7211188	Hydraulic	LH8522	<i>L508, L510 w/Deutz F3L913 eng.</i>				Air	LAF6769
5502094	Oil	LFP950		Air	LAF8610 ²			LAF6769MXM
<i>R972HD w/Cummins NTA855C Engine</i>					LAF9410			LAF9373
	Air	LAF9085 ¹		Fuel	LFF3518		Fuel	LFF3504
		LAF9086 ²		Hydraulic	LFH4268		Hydraulic	LH8520
		LAF9086MXM ^{2, 268}		Oil	PH561		Oil	LFP2222
7361354		LAF9159 ¹	<i>L511, L512, L521, L522 w/D904 eng.</i>			<i>L554 w/ D924TI EA2 eng.</i>		
7361501	Coolant	LFW4071 ^{28, 205}		Fuel	LFF3504		Air	LAF8150
7211188	Hydraulic	LH8522		Oil	LFP8964			LAF8693 ¹
7363259	Trans	LFH8593	<i>L521, L522 w/D904 eng.</i>				Coolant	LFW4073 ²⁵⁵
<i>R974 w/Cummins NTA855C</i>				Air	LAF1714		Oil	LFP8964
7361355	Air	LAF9155 ²			LAF1715	<i>L564, L574 w/D926TI-EA2 eng.</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 28-Contains 1 oz. of chemical 63-9/16" Thread Sensor Port 205-Maintenance 255-Contains 3 oz. of chemical 268-Extended/Severe service 756-2007 On

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
LIEBHERR (WHEEL LOADER)			LINCOLN ELECTRIC (WELDER)			LINCOLN ELECTRIC (WELDER)		
<i>L576 w/D936L eng.</i>			<i>Classic 300D w/Perkins 404D.22 Engine (cont'd)</i>			<i>Pipeliners 200D w/Kubota V2203M or V2403M Engine</i>		
	Air	LAF8150 LAF8693 ¹	140517050	Oil	PH2835			
	Fuel	LFF3292 ⁶³ LFF8957	<i>Commander 400 w/Deutz F3L912 Engine</i>			P821575	Air	LAF8195 ²
(R90T); W/S	Fuel	LFF8957		Air	LAF222 ²	1663143560	Fuel	FP591F
	Oil	LFP5084		Fuel	FP586F	1641432430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
				Oil	PH2819			
<i>L580 w/D926TI-EA2 eng.</i>			<i>D300e Red-D-Arc w/Kubota D722 Engine</i>			<i>Pipeliners 200D w/Perkins 404.22 Engine</i>		
	Air	LAF8150 LAF8693 ¹	P822686	Air	LAF8388 ²	P821575	Air	LAF8195 ²
	Coolant	LFW4072 ¹⁸²	1258143012	Fuel	G1 ⁵³¹	130366120	Fuel	FP588F
	Fuel	LFF3292 ⁶³ LFF8957	1523143560		L550F	140517050	Oil	PH2835
(R90T); W/S	Fuel	LFF8957	7000015241	Oil	PH2903	<i>Ranger 10000 Plus w/Honda Engine</i>		
	Oil	LFP8964	<i>D300K 3+3 Red-D-Arc w/Kubota V1903 Engine</i>				Oil	PH2808 ⁶¹⁷ PH2867 ⁶¹⁶
			P821575	Air	LAF8195 ²			
			1663143562	Fuel	LFF3553	<i>Ranger 10000 Plus w/Kohler CH23S Engine</i>		
			1C010-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Air	AF217
LINCOLN ELECTRIC (WELDER)			<i>D300K 3+3 Red-D-Arc w/Kubota V2003 Engine</i>			1205001	Oil	PH2814
<i>225 GTX w/Kohler CH23S Engine</i>			P821575	Air	LAF8195 ²	<i>Ranger 10000 Plus w/Robin Engine</i>		
4708303	Air	AF217	1663143562	Fuel	LFF3553	248650100	Oil	PH2840
1205001	Oil	PH2814	1C010-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>Ranger 10LX w/Kubota DH850G Engine</i>		
<i>250 GXT w/Kohler CH23S Engine</i>			<i>D503K 5+3 HO Red-D-Arc w/Kubota V3300 Engine</i>				Air	LAF2745A ²
4708303	Air	AF217	P821575	Air	LAF8195 ²		Oil	PH2808
1205001	Oil	PH2814	1663143562	Fuel	FP591F	<i>Ranger 250 LPG w/Kohler CH730S Engine</i>		
			1C010-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Air	AF217
<i>250 w/Kohler CH20S Engine</i>			<i>DX450 Red-D-Arc w/Kubota V2403 Engine</i>				Oil	PH2814
4708303	Air	AF217	P821575	Air	LAF8195 ²	<i>Ranger 275 w/Kohler CH20S Engine</i>		
	Fuel	G2900	1663143562	Fuel	FP591F		Air	AF217
1205001	Oil	PH2814	1C010-32430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Fuel	G2900
<i>250 w/Robin EH64 or EH65 Engine</i>			<i>DX500e Red-D-Arc w/Perkins 404D.22T Engine</i>				Oil	PH2814
2486580100	Oil	PH2840	P821575	Air	LAF8195 ²	<i>Ranger 300D, Ranger 300DLX w/Kubota DH905 Engine</i>		
<i>Air Advantage 500 w/Cummins 3.3B Engine</i>			<i>Eagle 10000 Plus w/Kohler CH23S Engine</i>			P148970	Air	LAF2745A ²
	Air	LAF8143 ²		Air	AF217	1258143012	Fuel	G1 ⁵³¹
W/S	Fuel	LFF9594	2505002	Fuel	G2900	1523143560		L550F
	Oil	PH2835		Oil	PH2814	7000015241	Oil	PH2903
<i>Air Vantage 500 w/Kubota V3600 Engine</i>			<i>Eagle 10000 w/Kohler CH20S Engine</i>				Air	AF217
P822768	Air	LAF8143 ²		Air	AF217	<i>Ranger 305D w/Kubota D722 Engine</i>		
1663143562	Fuel	LFF3553		Fuel	G2900	P822686	Air	LAF8388 ²
HH1C032430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Oil	PH2814	1258143012	Fuel	G1 ⁵³¹
<i>Big Red 500 w/Deutz D2011L03i Engine</i>			<i>GX271 Red-D Arc w/Kohler CH20 Engine</i>			1523143560		L550F
P822768	Air	LAF8143 ²		Air	AF217	7000015241	Oil	PH2903
1174482	Fuel	FP586F L8679F		Fuel	G2900	<i>Ranger 305G w/Kohler Engine</i>		
(M16890C); Pri.		L8679F		Oil	PH2814		Air	AF217
1174416	Oil	PH2816				2505002	Fuel	G2900
<i>Big Red 600 w/Deutz F3L912 Engine</i>			<i>GX271 Red-D-Arc w/Honda Engine</i>				Oil	PH2814
P822768	Air	LAF8143 ²		Fuel	G1/4	<i>Ranger 8 w/Kohler CH18F, CH20S Engine</i>		
	Fuel	FP586F L8679F		Oil	PH2808		Air	AF217
(M16890C); Pri.		L8679F					Fuel	G1/4
1174418	Oil	PH2819					Oil	PH2814
<i>Classic 300D w/Kubota V2203M or V2403M Engine</i>			<i>GX300 Red-D-Arc w/Kohler CH22 Engine</i>					
P821575	Air	LAF8195 ²		Air	AF217	<i>Ranger 9 w/Onan P218G Engine</i>		
1663143560	Fuel	FP591F		Fuel	G2900		Oil	PH2835
1641432430	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Oil	PH2814			
<i>Classic 300D w/Perkins 104.22 Engine</i>								
70206N	Air	LAF1275 ²						
140517050	Oil	PH2835						
<i>Classic 300D w/Perkins 404D.22 Engine</i>								
P821575	Air	LAF8195 ²						
2656613	Fuel	L296F ⁴¹						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 63-9/16" Thread Sensor Port 182-Contains 2 oz. of chemical 275-Primary 531-Filter only 616-2.5" O.D. 617-3.12" O.D.

1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
LINCOLN ELECTRIC (WELDER)			LINCOLN ELECTRIC (WELDER)			LINK BELT (EQUIPMENT)			
<i>SA-200 w/Continental F162 Engine</i>			<i>Vantage 520 SD w/Deutz D2.9 Engine</i>			<i>6000Q Scrapmaster w/Cummins M11 Engine (cont'd)</i>			
	Oil	P3		Oil	PH2816		Oil	LFP3000	
<i>SA-250 w/Perkins D3.152 Engine</i>			<i>Vantage 575 w/Cummins B3.3 Engine</i>			<i>HSP8018 w/Detroit Diesel 4-71N Engine</i>			
26560110	Air	LAF1275 ²	P181052	Air	LAF222 ^{2, 611}			LFP3000XL ¹⁴	
26510148	Fuel	L296F ⁴¹	P822768		LAF8143 ²	<i>6000Q Scrapmaster w/Cummins M11 Engine (cont'd)</i>			
2654408	Oil	PH4408	3826094	Fuel	L3523F	P120022	Air	LAF9001 ²	
<i>SAE-250 w/Continental GD157 Engine</i>			C6002112110	Oil	PH2835		Hydraulic	LFH4204 ¹⁰⁷⁷	
Sec.	Fuel	261F	<i>Vantage 580 w/Perkins 404D.22T Engine</i>					P141 ¹⁰⁹⁹	
	Oil	P4	P821575	Air	LAF8195 ²	<i>HTC1040 w/Cummins 6CTA8.3 Engine</i>			
<i>SAE-250 w/Hercules DIXD-4 Engine</i>			130366120	Fuel	FP588F		Trans	LP151	
Sec.	Fuel	L23F	140517050	Oil	PH2835	<i>LS1600CI, LS1600CII w/Isuzu 4JB1 Engine</i>			
		L93FP	LINDE (LIFT TRUCK)			KAP0482	Air	LAF8818 ²	
<i>SAE-300 w/Continental F244 Engine</i>			<i>25, 30 Series w/Deutz F3L913G Engine</i>			KAP0332	Fuel	LFF4295	
	Oil	P4		Air	LAF1710 ²	<i>LS2650 w/4BD1T Engine</i>			
<i>SAE-300 w/Hercules QXLD-3 Engine</i>				Fuel	FP586F		Fuel	LFF3415	
	Oil	P4		Hydraulic	LFH8596	KNH0324	Oil	LFP5748	
<i>SAE-300 w/Perkins 404D.22 Engine</i>				Oil	PH561	<i>LS2650CII, LS2650II w/Isuzu 4BD1T Engine</i>			
130366120	Fuel	FP588F	<i>25, 30 Series w/Deutz F4L912 Engine</i>			KNH0137	Air	LAF1937 ²	
140517050	Oil	PH2835		Air	LAF1712 ²	KNH0150		LAF6032 ²	
<i>SAE-400 w/Hercules JXD Engine</i>				Fuel	FP586F		Fuel	L3575F	
	Oil	P4		Hydraulic	LFH5896			LFF4295	
<i>SAE-500 w/Kubota V3300T Engine</i>				Oil	PH2819	KNJ0288	Hydraulic	LFH4943	
P822768	Air	LAF8143 ²	<i>50, 60, 70, 80 Series w/Deutz BF6M1012 Engine</i>				Oil	LP2277	
1663143562	Fuel	LFF3553		Air	LAF1720 ¹	<i>LS2800, LS2800A w/Detroit Diesel 3-71N Engine</i>			
HH1C032430	Oil	PH253 ¹⁴⁹⁶			LAF2052 ²	BRH0575	Air	LAF8668 ²	
		PH2835 ²⁷⁵		Fuel	FP586F	BRH0576		LAF8674 ¹	
<i>SAE-600 w/Hercules G339 Engine</i>				Oil	LFP2222	<i>LS2800C, LS2800CII w/Isuzu 6BD1T Engine</i>			
	Oil	LP38			LP8741 ¹⁰²	KRP1230	Air	LAF7315 ¹	
<i>Vantage 300 w/Deutz D2008L4 Engine</i>			<i>H40D, H45D (w/Volkswagen Engine)</i>			3H1758		LAF9000 ²	
P8212686	Air	LAF8388 ²		Fuel	LFF3504		Fuel	LFF3415	
4112261	Oil	PH453		Oil	P3040 ¹⁴⁰⁴	KNJ0288	Hydraulic	LFH4943	
<i>Vantage 300 w/Kubota V1505 Engine</i>					P856 ¹⁴⁰³	3H1748	Oil	LFP6007	
P8212686	Air	LAF8388 ²	LINK BELT (EQUIPMENT)			3H1741		LP2256 ²⁴⁴	
1258143012	Fuel	G1 ⁵³¹	<i>130 X2, 160 X2 w/Isuzu AJ-4J1X Engine</i>			<i>LS3400C, LS3400CII w/Isuzu 6BG1T Engine</i>			
1627132090	Oil	PH2808	8980088400	Fuel	L8893F ¹⁴⁰⁵	KRP1230	Air	LAF7315 ¹	
<i>Vantage 400 w/Perkins 404D.22 Engine</i>			KHH12030		L8968F ¹⁴⁰⁶	3H1758		LAF9000 ²	
P821575	Air	LAF8195 ²	1132402322	Oil	LFP7217	3H1750	Fuel	LFF3415	
130366120	Fuel	FP588F	<i>1600Q Quantum w/Isuzu 4JB1 Engine</i>			KNJ0288	Hydraulic	LFH7551	
140517050	Oil	PH2835	KAP0482	Air	LAF8818 ²		Oil	LFP5919	
<i>Vantage 500 w/Cummins B3.3 Engine</i>			KAP0332	Fuel	LFF4295	3H1748		LFP6007	
P181052	Air	LAF222 ^{2, 611}	KBJ1691	Hydraulic	LH22019 ¹¹³⁷	<i>LS3400Q</i>			
P822768		LAF8143 ²	<i>2600Q Quantum w/Isuzu 4BG1T Engine</i>				Fuel	LFF3415	
3826094	Fuel	L3523F	KNH0136	Air	LAF1544 ²	KNJ0288	Hydraulic	LFH7551 ¹⁰⁷⁸	
C6002112110	Oil	PH2835	KRH0787		LAF1804 ²	KRH0642	Oil	LFP734	
<i>Vantage 500 w/Deutz F3L912 Engine</i>					LAF1933 ¹	(KRH0643); By-Pass		LFP777B	
P181052	Air	LAF222 ^{2, 611}	KRH0786		LAF6834 ¹	<i>LS4300 Quantum w/Cummins M11 Engine</i>			
1174482	Fuel	FP587F	KBJ1691	Hydraulic	LH22019 ¹¹³⁷	W/S	Fuel	LFF1000	
1174418	Oil	PH2819	E3J0265		LP6005 ¹⁰⁷⁷		Oil	LFP3000	
<i>Vantage 500 w/Deutz F4L2011 Engine</i>			(8970261342);	Oil	LFP7164			LFP3000XL ¹⁴	
P822768	Air	LAF8143 ²	By-Pass	<i>6000Q Scrapmaster w/Cummins M11 Engine</i>				Air	LAF1834 ²
1174482	Fuel	FP587F	3H1989	Air	LAF1787		Fuel	LFF3415	
1174416	Oil	PH2816	E3H0146		LAF8669	3H1748	Oil	LFP6007	
<i>Vantage 500 w/Perkins 404D.22 Engine</i>			E3H0147		LAF8670	(3H1749); By-Pass		LFP777B	
P821575	Air	LAF8195 ²	(C6H0279); W/S	Fuel	LFF8020	By-Pass		LFP777XL ¹⁴	
130366120	Fuel	FP588F	KBJ1691	Hydraulic	LH22019 ¹¹³⁷	<i>LS5800A, LS5800C w/Isuzu 6RB1T Engine</i>			
140517050	Oil	PH2835	E3J0265		LP6005	3W0913	Air	LAF1834 ²	

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 102-8.31" Tall 244-Secondary 275-Primary 531-Filter only 611-Axial Seal 1077-Hyd. Tank 1078-Drain 1099-Torque Converter 1137-Pilot 1403-BEU or BJC engine code 1404-CB, BMF engine code 1405-5.47" tall 1406-6.41" tall 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
LINK BELT (EQUIPMENT)			LINK BELT (EXCAVATOR)			LINK BELT (EXCAVATOR)		
<i>LS5800A, LS5800C w/Isuzu 6RB1T Engine (cont'd)</i>			<i>2650 Quantum w/Isuzu 4BG1T 4.3L Turbo Diesel Engine (cont'd)</i>			<i>460 X2 w/Isuzu AH-6UZ1X Engine (cont'd)</i>		
KNJ0288	Hydraulic	LHF7551 ¹⁰⁷⁸	KRH0786	Air	LAF6834 ¹	1132402322	Oil	LFP7217
	Oil	LFP8224	KNH0404	Fuel	FP588F	<i>5800Q Quantum (w/Cummins M11 Engine)</i>		
<i>LS7400, LS7400A w/Detroit Diesel 12V-71 Engine</i>			KBj1691	Hydraulic	LH22019 ¹¹³⁷	3H1989	Air	LAF1787
	Air	LAF241HD	E3J0265		LP6005 ¹¹³⁷	E3H0146		LAF8669
<i>RTC8035, RTC8050, RTC8060, RTC8065 w/Cummins 6CT8.3 Engine</i>			(8970246071); By-Pass	Oil	LFP7164	E3H0147		LAF8670
(243622); RTC8050; Pri.	Fuel	LFF3417	<i>2700 Quantum w/Isuzu 4BG1T 4.3L Turbo Diesel Engine</i>			(C6H0279); W/S	Fuel	LFF8020
(243622); RTC8050; Sec.		LFF3521	KNH0136	Air	LAF1544 ²	KBj1691	Hydraulic	LH22019 ¹¹³⁷
(243622); RTC8050	Hydraulic	LFH1832	KRH0787		LAF1804 ²	E3J0265	Oil	LP6005
(243622); RTC8050	Oil	LFP3000 ³¹³			LAF1933 ¹			LFP3000
(243622); RTC8050		LFP734 ¹⁴¹⁰	KRH0786		LAF6834 ¹	<i>700 X2 w/Isuzu AH-6WG1XYSA Engine</i>		
LINK BELT (EXCAVATOR)			KBj1691	Hydraulic	LH22019 ¹¹³⁷	KWH0029	Air	LAF9155 ¹
<i>210 X2 w/Isuzu AH-AHK1X, AI-4HK1X Engine</i>			E3J0265		LP6005 ¹⁰⁷⁷	KWH0050		LAF9159 ²
KBH0921	Air	LAF5761 ²	(8970261342); By-Pass	Oil	LFP7164	KHH12560	Fuel	L7661F ²
KBH0922		LAF5762 ¹	<i>2800Q Quantum (w/Isuzu 6BG1T Engine)</i>			8980088400		L8893F
8980088400	Fuel	L8893F	KRH0787	Air	LAF1804 ²	1132402322	Oil	LFP7217
1132402322	Oil	LFP7217	KRH0786		LAF6834 ¹	<i>700LX w/Isuzu AH-6WG1XYSA Engine</i>		
<i>210LX w/Isuzu BB-6BG1T Engine</i>			KBj1691	Hydraulic	LH22019 ¹¹³⁷	KWH0029	Air	LAF9155 ¹
KRH1320	Air	LAF5732 ¹	KRj3836		LH5953 ⁶⁰⁷	KWH0050		LAF9159 ²
KRH0652		LAF5733	E3J0265		LP6005 ¹⁰⁷⁷	8980088400	Fuel	L8893F
KBH0921		LAF5761	2906548400 (1132402090); By-Pass	Oil	LFP734	KBj1691		LH22019 ¹¹³⁷
KBH0922		LAF5762 ¹			LFP777B	1132402322	Oil	LFP7217
3H1750	Fuel	LFF3415	<i>290 X2 w/Isuzu AH-6HK1X Engine</i>			<i>800 X2 w/Isuzu AH-6WG1XYSA Turbo Diesel Engine</i>		
KHH10030		LFF5127	E3H0146	Air	LAF8669 ²	KWH0029	Air	LAF9155 ¹
KBj1691	Hydraulic	LH22019 ¹¹³⁷	E3H0147		LAF8670 ¹	KWH0050		LAF9159 ²
KRj3836		LH5953 ⁶⁰⁷	1132402322	Oil	LFP7217	KHH12560	Fuel	L7661F ²
1132402322	Oil	LFP7217 ¹⁴⁰⁸	<i>350 X2 w/Isuzu AH-6HK1X Engine</i>			8980088400		L8893F
1132400622		LFP734 ¹⁴⁰⁷	E3H0146	Air	LAF8669 ²	1132402322	Oil	LFP7217
By-Pass		LFP777B	E3H0147		LAF8670 ¹	<i>LS1600 w/Isuzu 4BB1 Engine</i>		
<i>225 SA w/Isuzu AI-4HK1X Engine</i>			8980088400	Fuel	L8893F ¹⁴⁰⁵	3H1759	Air	LAF222 ²
	Air	LAF9543 ¹	KHH12030		L8968F ¹⁴⁰⁶		Fuel	L3575F
8980088400	Fuel	L8893F ¹⁴⁰⁵	1132402322	Oil	LFP7217		Oil	LP2277
KHH12030		L8968F ¹⁴⁰⁶	<i>3900Q Quantum (w/Cummins 6CT8.3 Engine)</i>			<i>LS2650 w/Isuzu 6BB1 Engine</i>		
1132402322	Oil	LFP7217	3H1989	Air	LAF1787	3H1757	Air	LAF1246 ²
<i>225 SA w/Isuzu BB-6BG1T Turbo Diesel Engine</i>			3A15894	Fuel	LFF3521		Oil	LP2256
KRH1320	Air	LAF5732 ¹	KBj1691	Hydraulic	LH22019 ¹¹³⁷	<i>LS2700 w/Isuzu 4BD1T Engine</i>		
KRH0652		LAF5733 ²	KRj3836		LH5953 ¹⁰⁷⁷	KNH0324	Oil	LFP5748
KHj1493	Hydraulic	LH22002 ¹¹³⁷	E3J0265		LP6005 ¹⁰⁷⁷	<i>LS2800B w/Isuzu 6BD1T Engine</i>		
1132402322	Oil	LFP7217	C8H0076	Oil	LFP3000	3H1758	Air	LAF9000
1132400622		LFP734	<i>4300Q Quantum (w/Cummins M11 Engine)</i>				Fuel	L3528F
(1-13240-163-2); By-Pass		LFP777B	3H1989	Air	LAF1787			LFF3553
<i>240 X2 w/Isuzu AH-4HK1X Engine</i>			E3H0146		LAF8669	3H1741	Oil	LP2256 ²⁴⁴
KBH0921	Air	LAF5761 ²	E3H0147		LAF8670	<i>LS3400 w/Detroit Diesel 4-71N Engine</i>		
KBH0922		LAF5762 ¹	(C6H0279); W/S	Fuel	LFF8020	3U0165	Air	LAF6587 ²
8980088400	Fuel	L8893F ¹⁴⁰⁵	KBj1691	Hydraulic	LH22019 ¹¹³⁷			LAF6587MXM ^{2, 268}
KHH12030		L8968F ¹⁴⁰⁶	E3J0265		LP6005	3U0166		LAF6834 ¹
1132402322	Oil	LFP7217		Oil	LFP3000	3H1758		LAF9000
<i>2650 Quantum w/Isuzu 4BG1T 4.3L Turbo Diesel Engine</i>					LFP3000XL ¹⁴	<i>LS3400A w/Isuzu 6BG1T Engine</i>		
KNH0136	Air	LAF1544 ²	<i>460 X2 w/Isuzu AH-6UZ1X Engine</i>			3H1750	Air	LAF9000
KNH0137		LAF1723 ¹	E3H0179	Air	LAF8693 ¹		Fuel	LFF3415
KRH0787		LAF1804 ²	8980088400	Fuel	L8893F		Oil	LFP5919
			KBj1691	Hydraulic	LH22019 ¹¹³⁷			LFP6007
						<i>LS4300CII w/Isuzu 6SA1T Engine</i>		
						3W0913	Air	LAF1813 ²
						KSH0353		LAF1814 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 244-Secondary 268-Extended/Severe service 313-2 1/4" Thread 607-Return 1077-Hyd. Tank 1078-Drain 1137-Pilot 1405-5.47" tall 1406-6.41" tall 1407-Full Flow used with by-pass filter 1408-with single oil filter 1410-1 1/2" thread

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
LINK BELT (EXCAVATOR)			LONG (TRACTOR)			LONG (TRACTOR)		
<i>LS4300CII w/Isuzu 6SA1T Engine (cont'd)</i>			<i>3/45 (cont'd)</i>			<i>680 DTC (cont'd)</i>		
KNJ0288	Hydraulic	LFH4943	1553	Hydraulic	LFP1652	739540	Oil	PH8A ¹⁴⁹⁶
3H1748	Oil	LFP6007	8G200	Oil	P52	900		
(3H1749); By-Pass		LFP777B	344			UR10004	Fuel	L60F
By-Pass		LFP777XL ¹⁴	TX10314	Fuel	L296F ⁴¹	<i>Farmtrac 45, 60</i>		
<i>LS5800 w/Detroit Diesel Engine</i>			GFE-104	Oil	P52	D5NN-9B618-A	Air	LAF3717 ²
	Air	LAF5255	350				Fuel	L296F ⁴¹
	Hydraulic	LH4903 ¹⁴⁰⁹	TX10314	Fuel	L296F ⁴¹	739540	Oil	PH400 ²⁷⁵
		PH400 ^{275, 1099}	TX10234	Oil	PH400 ²⁷⁵	739540		PH8A ¹⁴⁹⁶
		PH8A ^{1099, 1496}	TX10234		PH8A ¹⁴⁹⁶	<i>Farmtrac 80</i>		
<i>LS5800CII w/Cummins LTA10C Engine</i>			<i>360 w/3 cyl. Diesel Engine</i>				Oil	PH4403
C6H0280	Coolant	LFW4072 ¹⁸²	TX10314	Fuel	L296F ⁴¹	<i>Hydraulic Spin-on Filter</i>		
KNJ0288	Hydraulic	LHF7551 ¹⁰⁷⁸	739540	Oil	PH400 ²⁷⁵	730449	Hydraulic	LP6005
<i>LS5800CII w/Isuzu 6RB1T Engine</i>			739540		PH8A ¹⁴⁹⁶	<i>Long Trac 480, 520, 680</i>		
3H1989	Air	LAF1787 ²	<i>384 w/Leyland Engine</i>			7111-296	Fuel	L296F ⁴¹
KNJ0288	Hydraulic	LHF7551 ¹⁰⁷⁸	TX10314	Fuel	L296F ⁴¹	<i>R9500 Special</i>		
LIUGONG (WHEEL LOADER)			GFE-104	Oil	P52	7111/296	Fuel	L296F ⁴¹
<i>835 II w/Cummins QSB5.9L Engine</i>			<i>4/25</i>			739540	Oil	PH400 ²⁷⁵
W/S	Fuel	LFF8063	Torq. Conv.	Hydraulic	LFH4209	739540		PH8A ¹⁴⁹⁶
W/S		LFF9616 ²¹⁰			P2470	LS TRACTOR (TRACTOR)		
	Oil	LFP780XL ¹⁴	<i>4/65</i>			<i>C3030 w/Mitsubishi S4L Engine</i>		
<i>842 II w/Cummins QSB5.9L Engine</i>			TX10314	Fuel	L296F ⁴¹	P821575	Air	LAF8195 ²
W/S	Fuel	LFF8063	1553	Hydraulic	LFP1652	MM32088601	Fuel	L3541F
W/S		LFF9616 ²¹⁰	8G200	Oil	P52	40056451	Oil	PH2876
	Oil	LFP780XL ¹⁴	<i>410 DTC, 450, 450 DTC, 470, 470 DTC</i>			<i>C3035 (w/Mitsubishi S4L2 Engine)</i>		
LOADMASTER (WASTE DISPOSAL)			<i>w/Mitsubishi Engine</i>			P821575	Air	LAF8195 ²
<i>300</i>			P822768	Air	LAF8143 ²	MM32088601	Fuel	L3541F
	Hydraulic	LP509	3446200300	Fuel	LFF8307		Hydraulic	LFH8207
		LP50910		Oil	PH2808	40056451	Oil	PH2876
<i>316</i>			<i>445</i>			<i>C3040 (w/Mitsubishi S4L2 Engine)</i>		
	Hydraulic	LP509	TX10314	Fuel	L296F ⁴¹	P821575	Air	LAF8195 ²
		LP50910	TX10234	Oil	PH400 ²⁷⁵	MM32088601	Fuel	L3541F
<i>318</i>			TX10234		PH8A ¹⁴⁹⁶	40056451	Oil	PH2876
	Hydraulic	LP509	<i>460, 460-DT w/3 cyl. Diesel Engine</i>			<i>G3033 w/LS L3AL Engine</i>		
		LP50910	TX10314	Fuel	L296F ⁴¹	P821575	Air	LAF8195 ²
<i>320</i>			739540	Oil	PH400 ²⁷⁵	40049447		LAF8690 ¹
	Hydraulic	LP509	739540		PH8A ¹⁴⁹⁶	(40006997); W/S	Fuel	FP941F
		LP50910	<i>465</i>				Hydraulic	LFH8207
<i>320T</i>			TX10314	Fuel	L296F ⁴¹	40056451	Oil	PH2876
	Hydraulic	LP509	GFE-104	Oil	P52	<i>G3038 w/LS L3AL Engine</i>		
		LP50910	<i>550 diesel</i>			P821575	Air	LAF8195 ²
LONG (TRACTOR)			TX10314	Fuel	L296F ⁴¹	40049447		LAF8690 ¹
<i>2360, 2460</i>			TX10234	Oil	PH400 ²⁷⁵	W/S	Fuel	FP941F
7111/296	Fuel	L296F ⁴¹	TX10234		PH8A ¹⁴⁹⁶		Hydraulic	LFH8207
739540	Oil	PH400 ²⁷⁵	<i>560, 560-DT w/cyl. Diesel Engine</i>			40056451	Oil	PH2876
739540		PH8A ¹⁴⁹⁶	TX10314	Fuel	L296F ⁴¹	<i>I3030, I3030H w/Mitsubishi S4L Engine</i>		
<i>2510, 2610</i>			739540	Oil	PH400 ²⁷⁵	P821575	Air	LAF8195 ²
7111/296	Fuel	L296F ⁴¹	739540		PH8A ¹⁴⁹⁶	40049447		LAF8690 ¹
739540	Oil	PH400 ²⁷⁵	<i>5-N-1 Super 15, Super 16</i>				Hydraulic	LFH8207
739540		PH8A ¹⁴⁹⁶	739472	Air	LAF131	40056451	Oil	PH2876
<i>280 DTC, 300 DTC, 360 DTC w/Mitsubishi Engine</i>			733017	Hydraulic	LP229	<i>I3040, I3040H w/Mitsubishi S4L2 Engine</i>		
P821575	Air	LAF8195 ²	GFE-104	Oil	P52	P821575	Air	LAF8195 ²
		LAF8690 ¹	739540	Trans	PH400 ²⁷⁵	40049447		LAF8690 ¹
LG2659	Oil	PH2867	739540		PH8A ¹⁴⁹⁶		Hydraulic	LFH8207
<i>3/45</i>			<i>680 DTC</i>			40056451	Oil	PH2876
TX10314	Fuel	L296F ⁴¹	TX10314	Fuel	L296F ⁴¹	<i>J2020 w/Mitsubishi S3L Engine</i>		
			739540	Oil	PH400 ²⁷⁵	40049450	Air	LAF8388 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 182-Contains 2 oz. of chemical 210-w/ Sensor 275-Primary 1078-Drain 1099-Torque Converter 1409-Low Pressure 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
LS TRACTOR (TRACTOR)			LS TRACTOR (TRACTOR)			M.A.N. (GENERATOR)		
<i>J2020 w/Mitsubishi S3L Engine (cont'd)</i>			<i>XR3037, XR3037H (w/Shibaura N843T Engine)</i>			<i>D 2566MTE 224kw</i>		
40056451	Oil	PH2876		Air	LAF8195 ² LAF8690 ¹	50083040005	Air	LAF6769 LAF6769MXM ²⁶⁸
<i>J2030 w/Mitsubishi 3SL2 Engine</i>				Oil	PH2835	(81125030042); Sec.	Fuel	L61F
40049450	Air	LAF8388 ²	<i>XR4040 (w/Shibaura ISM844L Engine)</i>			81055040041	Oil	LP2235
40056451	Oil	PH2876		Air	LAF8143 ²	<i>D2566ME 128kw</i>		
<i>K5055 (w/Mitsubishi S4S Engine)</i>				Oil	PH2835	(81125030042); Sec.	Fuel	L61F
	Air	LAF8114 ¹ LAF8143 ²	<i>XR4046 (w/Shibaura ISMN844L Engine)</i>			81055040041	Oil	LP2235
	Oil	LFH8207 PH2808		Air	LAF8143 ²	<i>D2566MTE 173kw</i>		
				Oil	PH2835	50083040003	Air	LAF8668
<i>K5057 (w/Mitsubishi S4QL Engine)</i>			LULL (EQUIPMENT)			(81125030042); Sec.	Fuel	L61F
	Air	LAF8114 ¹ LAF8143 ²	<i>1044C-54 w/John Deere 4045TF Engine</i>			81055040041	Oil	LP2235
	Oil	PH2808		Air	LAF9543 ¹ LAF9547 ²	MACDON (SWATHERS & WINDROWERS)		
<i>R3039 (w/Mitsubishi S4L2 Engine)</i>			Sec.	Fuel	L3887F	<i>7000 Swather w/4B3.9 Engine</i>		
	Air	LAF8195 ² LAF8690 ¹		Hydraulic	LH22033		Air	LAF1784 ¹ LAF9538 ² LAF9538MXM ^{2, 268}
	Oil	PH2876		Oil	LFP4836			
<i>R4010 (w/Mitsubishi S4QL Engine)</i>				Trans	LFH8728	Pri.	Fuel	LFF3417
	Air	LAF8195 ² LAF8690 ¹	<i>2044B, 3044 w/Caterpillar 3208 Engine</i>			Sec.	Hydraulic	LFP1652
W/S	Fuel	FP941F		Air	LAF334 ² LAF334MXM ^{2, 268} LAF335 ¹		Oil	LFP3900
40006977	Oil	PH2808	<i>225 w/Ford 4-172 Engine</i>					
<i>R4020 (w/Mitsubishi S4QL Engine)</i>				Oil	LFP2258	<i>9300 Windrower w/Cummins 4B3.9 Engine</i>		
	Air	LAF8195 ² LAF8690 ¹	<i>644 High Lift</i>			P828889	Air	LAF4544 ² LAF4544MXM ^{2, 268}
W/S	Fuel	FP941F	P-24315	Hydraulic	LH22033	P829333		LAF4545 ¹
40006977	Oil	PH2808	<i>644E-42 w/Cummins QSB4.5 Engine</i>			Pri.	Fuel	LFF3417
<i>R4041 (w/Mitsubishi S4QL Engine)</i>			1101313	Air	LAF9543 ¹ LAF9547 ²	Sec.	Oil	LFF3521
	Air	LAF8195 ² LAF8690 ¹	1101312					LFP3900
(40006997); W/S	Fuel	FP941F	(3973233); W/S	Fuel	LFF9732	<i>9350 Windrower w/Cummins 4BT3.9 Engine</i>		
	Hydraulic	LFP1652	3937736	Oil	LFP3970	P119778	Air	LAF1725 ¹
40006977	Oil	PH2808	<i>944E-42 w/Cummins QSB4.5 Engine</i>			P181063		LAF9001 ²
<i>R4047 (w/Mitsubishi S4QL Engine)</i>			1101313	Air	LAF9543 ¹ LAF9547 ²	Pri.	Fuel	LFF3417
4007575	Air	LAF8195 ² LAF8690 ¹	1101312			Sec.	Oil	LFF3521
(40006997); W/S	Fuel	FP941F	(3973233); W/S	Fuel	LFF9732			LFP3900
	Hydraulic	LFP1652	3937736	Oil	LFP3970	<i>9352 C Turbo w/Cummins 4.5L Turbo Engine</i>		
40006977	Oil	PH2808	<i>D 2530MTE 227kw</i>			P780523	Air	LAF9543 ¹
40056451	Oil	PH2876	50083040005	Air	LAF6769 LAF6769MXM ²⁶⁸ LAF8674 ¹	P780522		LAF9547 ²
<i>S3010 (w/Mitsubishi S4L Engine)</i>			(81125030042); Sec.	Fuel	L61F	<i>9352 Windrower w/Cummins 4B3.9T Engine</i>		
	Air	LAF8388	<i>D 2538MTE 157kw, 239kw</i>			P119778	Air	LAF1725 ¹
	Oil	PH2876	50083040003	Air	LAF8668	P181063		LAF9001 ²
<i>U5020 (w/Mitsubishi S4S Engine)</i>			(81125030042); Sec.	Fuel	L61F	Pri.	Fuel	LFF3417
	Air	LAF8143 ²	81055040041	Oil	LP2235	Sec.	Oil	LFF3521
	Fuel	LFF8307 LFP3828	<i>D 2542ME 239kw</i>					LFP3900
<i>U5030 (w/Mitsubishi S4S Engine)</i>			50083040005	Air	LAF6769 LAF6769MXM ²⁶⁸ LAF8674 ¹	<i>9352i w/Isuzu 4BG1T 4.3L Turbo Engine</i>		
	Air	LAF8143 ²				P780523	Air	LAF9543 ¹
	Fuel	LFF8307 LFP3828	(81125030042); Sec.	Fuel	L61F	P780522		LAF9547 ²
<i>XR3032 (W/Shibaura N843T Engine)</i>			<i>D 2565ME 102kw, 143kw</i>			2906549100	Fuel	FP901F
	Air	LAF8195 ² LAF8690 ¹					Hydraulic	LFH4959
	Oil	PH2835	(81125030051); Sec. (81125030050); Pri.	Fuel	L3401F ¹⁰⁸ L60F LFF3403	45205		LFP1652 ¹²⁶²
						1132402321	Oil	LFP7217
			<i>M100 w/Cummins QSB3.3 Engine</i>			P780523	Air	LAF9543 ¹
						P780522		LAF9547 ²
						6002112110	Oil	PH2835

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 108-Eco-Finer 268-Extended/Severe service 1262-Header Drive

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACDON (SWATHERS & WINDROWERS)			MAGNUM (EQUIPMENT)			MAHINDRA (TRACTOR)		
<i>M105 w/Cummins QSB4.5L Engine</i>			<i>65G Saw w/Wisconsin V465D Engine</i>			<i>1533 (w/Tier 4 Engine)</i>		
	Air	LAF6922 LAF6923 ¹		Air	LAF1948 ¹ LAF281 ²	19642509000	Hydraulic	LFH8835
	Cabin Air	LAF5154		Oil	LFP2252	006000789B91	Oil	PH2811
	Fuel	LFF5421 LFF9732	<i>Hydro-Ryder Saw w/Deutz BF4L1011 Engine</i>			19682581000	Trans	LP6005 ⁵⁹⁰
W/S				Air	LAF1544 ² LAF9410 ¹	<i>1538 (w/Tier 4 Engine)</i>		
151975	Hydraulic	LFP1652	AE10	Hydraulic	LFP1652	006000789B91	Oil	PH2811
111974	Oil	LFP3970		Oil	PH561	19682581000	Trans	LP6005 ⁵⁹⁰
<i>M150 w/Cummins QSB 4.5L Engine</i>			<i>PS6585 w/Wisconsin V465D1 Engine</i>			<i>1815 w/Mitsubishi L3E Engine</i>		
	Air	LAF6922 ² LAF6923 ¹		Air	LAF1948 ¹ LAF281 ²	35460501800	Air	LAF4629 ¹
(FS19732); W/S	Fuel	LFF9732		Oil	LFP2252	MM404879	Fuel	L3556F
	Hydraulic	LFH4959	<i>Stripper SS Saw w/Deutz BF4M1012 Engine</i>			31A4002100	Oil	PH2876
	Oil	LFP3970		Air	LAF1878 ² LAF3585 ¹	<i>1816 HST w/Mitsubishi L3E Engine</i>		
<i>M155 w/Cummins QSB4.5L Engine</i>				Fuel	LFF3518	35460501800	Air	LAF4629
151975	Hydraulic	LFP1652	544379	Hydraulic	LFH4471	MM404879	Fuel	L3556F
111974	Oil	LFP3970		Oil	LFP2222	31A4002100	Oil	PH2876
<i>M200 w/Caterpillar C6.6 Engine</i>			<i>X38 Special w/Wisconsin VG4D2 Engine</i>			<i>2216 w/Mitsubishi S3L Engine</i>		
	Air	LAF6922 ² LAF6923 ¹		Air	LAF1948 ¹ LAF281 ²	35460501800	Air	LAF4629
2998229	Fuel	LFF5088 ²⁰		Oil	LFP2271	MM404879	Fuel	L3556F
	Oil	LFP2698		By-Pass		19642509000	Hydraulic	LFH5939
<i>M205 w/Cummins QSB6.7L Engine</i>			<i>XPS72T92, X72D92UC w/Deutz F4L1011 Engine</i>			30A4000103	Oil	PH2867 ¹³⁰³
AF26124	Air	LAF6124 ² LAF6125 ¹		Air	LAF1544 ² LAF9410 ¹	31A4002100	Oil	PH2876 ¹³⁰²
2998229	Fuel	LFF5088 ²⁰		Fuel	FP586F	<i>2310 w/TD1300 Engine</i>		
112419	Hydraulic	LFH4959	AE10	Hydraulic	LFP1652	14161010081	Air	LAF1275 ²
3937736	Oil	LFP3970		Oil	PH561	(14571000010); Pri.	Fuel	L3541F
<i>Prairie Star 4952 (Isuzu Engine)</i>			MAGNUM (LIGHT TOWER)			14501673990	Oil	PH253 ¹⁴⁹⁶
P780523	Air	LAF9543 ¹ LAF9547 ²	<i>MLT3060 w/L3E Engine</i>				Trans	LFH8329 ⁵⁹⁰
P780522			16444	Air	LAF8388 ²	<i>2415,2415 HST w/Mitsubishi S3L2 Engine</i>		
(1-3240-018); Sec.	Fuel	LFF3553	(17647); 1003181;	Fuel	L3881F	35460501800	Air	LAF4629 ¹
112419	Hydraulic	LFH4959 ¹¹⁷¹	Sec.			31A6200317	Fuel	L3541F
45205		LFP449 ¹⁴¹¹	16691	Oil	PH2867	31A402100	Oil	PH2876
1132402322	Oil	LFP7217	<i>MLT3060, MLT3080 w/Kubota D905-E2BG Engine</i>			<i>2516 w/Mitsubishi S3L Engine</i>		
<i>Prairie Star4952 (w/Cummins Engine)</i>			16444	Air	LAF8388 ²	35460501800	Air	LAF4629
P119778	Air	LAF1725 LAF9001 ²	15146	Oil	PH2808	MM404879	Fuel	L3556F
P182063			<i>MLT3080 w/Kubota D1105 Engine</i>			31A402100	Oil	PH2876
112419	Hydraulic	LFH4959 ¹¹⁷¹	16444	Air	LAF8388 ²	<i>2538 (w/Tier 4 Engine)</i>		
45205		LFP449 ¹⁴¹¹	15146	Oil	PH2808	P822769	Air	LAF8114 ¹
3908616	Oil	LFP3900	<i>MLT4060, MLT4080 w/L3E Engine</i>			P822768		LAF8143 ²
<i>Premier 2952 w/Cummins 4B3.9 Engine</i>			16444	Air	LAF8388 ²	006000789B91	Oil	PH2811
P119778	Air	LAF1725 LAF9001 ²	(17647); 1003181;	Fuel	L3881F	<i>2540 (w/Tier 4 Engine)</i>		
P182063			Sec.			P822769	Air	LAF8114 ¹
112419	Hydraulic	LFH4959	16691	Oil	PH2867	P822768		LAF8143 ²
45205		LFP449 ¹⁴¹¹	<i>MLT5150 w/Mitsubishi S4L2 Engine</i>			006000789B91	Oil	PH2811
3908616	Oil	LFP3900	(17647); 1003181;	Fuel	L3881F	<i>2555 (w/2.7L Tier 4 Engine)</i>		
<i>Premier 2952 w/Isuzu 4BG1T 4.3L Turbo Diesel Engine</i>			Sec.			P822769	Air	LAF8114 ¹
P780523	Air	LAF9543 ¹ LAF9547 ²	16691	Oil	PH2867	P822768		LAF8143 ²
P780522			<i>MLT5200 w/Isuzu 4LE1 Engine</i>			<i>2615 w/Mitsubishi S3L2 Engine</i>		
(1-3240-018); Sec.	Fuel	LFF3553	16691	Oil	PH2808 ⁶¹⁷ PH2867 ⁵⁹⁸	35530501800	Air	LAF1275
112419	Hydraulic	LFH4959 ¹¹⁷¹	MAHINDRA (TRACTOR)			MM404879	Fuel	L3556F
45205		LFP449 ¹⁴¹¹	<i>1526 (w/Tier 4 Engine)</i>			19632558000	Hydraulic	LP6005 ⁶⁰⁷
1132402322	Oil	LFP7217	31A4002100	Oil	PH2876	30A4000103	Oil	PH2867
						<i>2810 w/3A139 Engine</i>		
						14161010081	Air	LAF1275 ¹⁸¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 20-High efficiency 181-Single 275-Primary 590-Hydrostatic 598-2.67" O.D. 607-Return 617-3.12" O.D. 1171-Main 1302-2.51" Hgt. 1303-3.35" Height 1411-Header 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MAHINDRA (TRACTOR)			MAHINDRA (TRACTOR)			MAHINDRA (TRACTOR)		
<i>2810 w/3A139 Engine (cont'd)</i>			<i>4535 (cont'd)</i>			<i>6530</i>		
(14571000010); Pri.	Fuel	L3541F ⁹³⁸	006000455F1	Air	LAF8143 ²	006000456F1	Air	LAF8114 ¹
14501673990	Oil	PH2856A		Oil	PH2811	006000455F1		LAF8143 ²
14722302100	Trans	LFH8329 ⁵⁹⁰	<i>4540 (w/Tier 4 Engine)</i>			<i>C27 w/MDM 1895COM Engine</i>		
<i>2816 w/Mitsubishi S3L2 Engine</i>			006000456F1	Air	LAF8114 ¹	005557147R91	Oil	PH2801
14161010081	Air	LAF1275	006000455F1		LAF8143 ²	<i>C35 w/MDI 1895E Engine</i>		
MM404879	Fuel	L3556F	005557147R91	Oil	PH400 ²⁷⁵	005557147R91	Oil	PH2801
19642509000	Hydraulic	LFH8835	005557147R91		PH8A ¹⁴⁹⁶	<i>E350-DI w/MDI 1895E Engine</i>		
31A402100	Oil	PH2876	<i>4550 (w/Tier 4 Engine)</i>			5557147R91	Oil	PH2801
<i>3015 w/Mitsubishi K3M-D Engine</i>			006000456F1	Air	LAF8114 ¹	<i>eMax 22</i>		
35530501800	Air	LAF8772	006000455F1		LAF8143 ²	14571000010	Fuel	L3541F
19632558000		LP6005	005557147R91	Oil	PH400 ²⁷⁵	E520532091	Oil	PH2808
MM404879	Fuel	L3556F	005557147R91		PH8A ¹⁴⁹⁶	<i>eMax 25</i>		
19642509000	Hydraulic	LFH8835	<i>4565 (w/Tier 4 Engine)</i>			14571000010	Fuel	L3541F
MD162326	Oil	PH2808 ⁶¹⁷	005557147R91	Miscellaneous	PH400 ²⁷⁵	E520532091	Oil	PH2808
31A402100		PH2876 ⁶²⁴	005557147R91		PH8A ¹⁴⁹⁶	<i>Max 25 (w/Mitsubishi S3L2 Engine)</i>		
<i>3535 w/CE35 Engine</i>			<i>5010 w/2.4L Engine</i>			35460501800	Air	LAF4629
006000456F1	Air	LAF8114 ¹	15131023290	Fuel	L549F	31A4002100	Oil	PH2876
006000455F1		LAF8143 ²	14501673990	Oil	PH2856A	<i>Max 28XL (w/Mitsubishi S3L2 Engine)</i>		
<i>3540 (w/Mahindra 2.7L Engine)</i>			<i>5035 w/CE50 Engine</i>			35460501800	Air	LAF4629
006000456F1	Air	LAF8114 ¹	006000456F1	Air	LAF8114 ¹	31A4002100	Oil	PH2876
006000455F1		LAF8143 ²	006000455F1		LAF8143 ²	<i>Max22 (w/Mitsubishi S3L Engine)</i>		
<i>3550(w/Mahindra 2.7L Engine)</i>			14501673990	Oil	PH2856A	35460501800	Air	LAF4629
006000456F1	Air	LAF8114 ¹	<i>5500 w/NE452R Engine</i>			31A4002100	Oil	PH2876
006000455F1		LAF8143 ²	006000456F1	Air	LAF8114 ¹	MANITOU (EQUIPMENT)		
<i>4010 w/Mahindra 4A200 Engine</i>			006000455F1		LAF8143 ^{2, 762}	<i>4RE 25HP-30HP</i>		
15001023290	Fuel	L4103F	<i>5520 w/NE452 Engine</i>			27205	Air	LAF1246 ²
15645153410	Hydraulic	LFH8217	006000456F1	Air	LAF8114 ¹	129010	Oil	LFP2213
14501673991	Oil	PH2856A	006000455F1		LAF8143 ²	129009		PH253 ¹⁴⁹⁶
<i>4025 w/MD12700R2 Tier 4 Engine</i>			<i>5525 w/NE452R Engine</i>					PH2835 ²⁷⁵
006000456F1	Air	LAF8114 ¹	006000456F1	Air	LAF8114 ¹	<i>4RE 30HP-60HP</i>		
006000455F1		LAF8143 ²	006000455F1		LAF8143 ²	27205	Air	LAF1246 ²
5557147R91	Oil	PH400 ²⁷⁵	<i>5530 w/NE352 Engine</i>			49660	Fuel	L296F ⁴¹
5557147R91		PH8A ¹⁴⁹⁶	006000456F1	Air	LAF8114 ¹	88669	Hydraulic	LFH8536
<i>4035 w/CE40 Engine</i>			006000455F1		LAF8143 ²	129010	Oil	LFP2213
006000456F1	Air	LAF8114 ¹	<i>5545 (w/Tier 4 Engine)</i>			<i>4RE20, 4RE25CL</i>		
006000455F1		LAF8143 ²	006000456F1	Air	LAF8114 ¹	9853	Air	LAF222 ²
<i>4110 w/4A200 Engine</i>			006000455F1		LAF8143 ²	49660	Fuel	L296F ⁴¹
15001023290	Fuel	L4103F	<i>6000 w/NE457R Engine</i>			49445	Oil	P52
15645153410	Hydraulic	LFH8217	006000456F1	Air	LAF8114 ¹	<i>4RE30HP, 4RE40HP, 4RE50HP, 4RE60HP</i>		
14501673991	Oil	PH2856A	006000455F1		LAF8143 ^{2, 762}	<i>w/Perkins Diesel Engine</i>		
<i>4500 w/NE342 Engine</i>			<i>6025</i>			27205	Air	LAF1246 ²
006000456F1	Air	LAF8114 ¹	006000456F1	Air	LAF8114 ¹	49660	Fuel	L296F ⁴¹
006000455F1		LAF8143 ^{2, 762}	006000455F1		LAF8143 ²	88669	Hydraulic	LFH8536
<i>4510 w/4A220-DY Engine</i>			<i>6025 w/Mahindra 4 cylinder 3.2L 59 HP Diesel Engine</i>			105548	Oil	PH4403
15131023290	Fuel	L549F	006000456F1	Air	LAF8114 ¹	<i>4RE30RHF w/Perkins Diesel Engine</i>		
14501673991	Oil	PH2856A	006000455F1		LAF8143 ²	27205	Air	LAF1246 ²
<i>4525 w/MDI2700R1 Engine</i>			<i>6030 w/NE357 Engine</i>			49660	Fuel	L296F ⁴¹
006000456F1	Air	LAF8114 ¹	006000456F1	Air	LAF8114 ¹	105548	Oil	PH4403
006000455F1		LAF8143 ²	006000455F1		LAF8143 ²	<i>4RM20, 4RM25B</i>		
5557147R91	Oil	PH400 ²⁷⁵	<i>6500 w/NE465 Engine</i>			9865	Air	LAF1275 ²
5557147R91		PH8A ¹⁴⁹⁶	006000456F1	Air	LAF8114 ¹	9853		LAF222 ²
<i>4530 w/NE342 Engine</i>			006000455F1		LAF8143 ^{2, 762}	49660	Fuel	L296F ⁴¹
006000456F1	Air	LAF8114 ¹	<i>6520 w/NE462 Engine</i>			133755	Oil	PH4403
006000455F1		LAF8143 ²	006000456F1	Air	LAF8114 ¹	<i>4RM20B, 4RM20-25D, 4RM20-25S w/Deutz Engine</i>		
<i>4535</i>			006000455F1		LAF8143 ²	2339813	Air	LAF1733 ²
006000456F1	Air	LAF8114 ¹						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 275-Primary 590-Hydrostatic 617-3.12" O.D. 624-2.65" O.D. 762-Donaldson Housing 938-Late Production 1496-Alternate

M

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MANITOU (EQUIPMENT)			MANITOU (EQUIPMENT)			MANITOU (EQUIPMENT)		
4RM20B, 4RM20-25D, 4RM20-25S w/Deutz Engine (cont'd)			KF50 (cont'd)			MCE20H GPL, MCE25H GPL, MCE30H GPL, MCE40H GPL (cont'd)		
137147	Fuel	FP586F	49660	Fuel	L296F ⁴¹	107580	Oil	LFP2215
137183	Oil	PH2819	88669	Hydraulic	LFH8536	133755		PH4403
4RM20F, 4RM25F, 4RM30F			M2/M4 26-30HE HMV, M2/M4 26-30HE Rousseau			MCE20H, MCE25H, MCE30H, MCL20H, MCL25H, MCL30H		
9853	Air	LAF222 ²	177130	Air	LAF8602	27205	Air	LAF1246 ²
49660	Fuel	L296F ⁴¹	49660	Fuel	L296F ⁴¹	177130		LAF8602
129009	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	133755	Oil	PH4403	49660	Fuel	L296F ⁴¹
4RM20GA			M30-2/ M40-2/ M50-2 w/Perkins Engine			109985		
27205	Air	LAF1246 ²	563416	Air	LAF3951 ²	107167	Oil	LFP2241
129009	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	563415		LAF3952 ¹	MCE40H, MCE50H, MCL40H, MCL50H		
4RM26 w/Perkins Engine			M440CP			27205		
177130	Air	LAF8602	177130	Air	LAF8602	49660	Fuel	L296F ⁴¹
177179		LAF8605 ¹	177179		LAF8605 ¹	133755	Oil	PH4403
49660	Fuel	L296F ⁴¹	49660	Fuel	L296F ⁴¹	MI205, MI255, MI305		
133755	Oil	PH4403	133755	Oil	PH4403	9853	Air	LAF222 ²
177634	Trans	LFP2275	177634	Trans	LFP2275	49660	Fuel	L296F ⁴¹
4RM26NC, 4RM26PC, 4RM30NC			MA460, MA470 w/Perkins 1004-40T Engine			133755		
27205	Air	LAF1246 ²		Fuel	L296F ⁴¹	106387	Oil	PH4403
49660	Fuel	L296F ⁴¹		Oil	LFP2292	2754362M1	Trans	LFH8596
105548	Oil	PH4403	MB20TC, MB25TC, MB30TC			MI205GPL, MI305GPL, MI255GPL		
136163	Trans	LFP2258	27205	Air	LAF1246 ²	27205	Air	LAF1246 ²
4RM26NPE, 4RM30NPE			49660			2754362M1	Trans	LFH8596
177130	Air	LAF8602	105548	Fuel	L296F ⁴¹	MI220, MI420		
49660	Fuel	L296F ⁴¹	105548	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	27205	Air	LAF1246 ²
133755	Oil	PH4403	136163	Trans	LFP2258	129009	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
177634	Trans	LFP2275	MB21JC, MB26JC, MB30JC			MI235, MI240		
4RM30, 4RM40			27205			2754362M1	Trans	LFH8596
129009	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	49660	Fuel	L296F ⁴¹	MI355, MI405, MI455		
4RM35, 4RM35R, 4RM40B			105548			49660	Fuel	L296F ⁴¹
49660	Fuel	L296F ⁴¹	105548	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	133755	Oil	PH4403
129009	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	136163	Trans	LFP2258	2754362M1	Trans	LFH8596
BT420			MB25M, 30M, 25TC, 30TC, 25PF; MC40TC, 50TC; 4ARM26F w/Ford 2512E Engine			MI50C, MI60C		
177129	Air	LAF8637	9853	Air	LAF222 ²	9853	Air	LAF222 ²
W/S	Fuel	LFF8062	49660	Fuel	L296F ⁴¹	49660	Fuel	L296F ⁴¹
475643	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	105548	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	133755	Oil	PH4403
Buggy MC20DM			MB25XF, MB26XF, MB30XF			2754362M1		
137147	Fuel	FP586F	27205	Air	LAF1246 ²	MI70C, MI80C, MI90C, MI100C		
63234	Oil	LFP2538	49660	Fuel	L296F ⁴¹	49660	Fuel	L296F ⁴¹
C1225H, C1250H, C1275H			49660			2754362M1	Trans	LFH8596
9853	Air	LAF222 ²	105548	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	MLA628 Wheel Loader		
49660	Fuel	L296F ⁴¹	105548	Oil	PH8A ¹⁴⁹⁶	563416	Air	LAF3951 ²
49445	Oil	P52	136163	Trans	LFP2258	476954	Oil	LFP2292
Chariotrac 80B, ML1200			MC120P			MLT523 w/Perkins 1103C-33 Engine		
27205	Air	LAF1246 ²	49660	Fuel	L296F ⁴¹	227959	Air	LAF8148 ²
49660	Fuel	L296F ⁴¹	88669	Hydraulic	LFH8536	227960		LAF9332 ¹
88669	Hydraulic	LFH8536	129010	Oil	LFP2213	49660	Fuel	L296F ⁴¹
133755	Oil	PH4403	MC40H, MB60H			133755	Oil	PH4403
KF50			27205			189195	Trans	LFP2275
27205	Air	LAF1246 ²	27205	Air	LAF1246 ²	MLT626/ MLT628/ MLT629/ MLT633TLS w/Perkins 1004 series Engine		
177130		LAF8602	49660	Fuel	L296F ⁴¹	185578	Air	LAF1544 ²
177179		LAF8605 ¹	88669	Hydraulic	LFH8536	177130		LAF8602
			129010			177129		LAF8637
			MCE20H GPL, MCE25H GPL, MCE30H GPL, MCE40H GPL			484952		LAF9410
			27205					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 41-Cartridge 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MANITOU (EQUIPMENT)			MANITOU (EQUIPMENT)			MANITOU (LIFT TRUCK)		
MLT626/ MLT628/ MLT629/ MLT633TLS w/Perkins 1004 series Engine (cont'd)			MT450CP (cont'd)			MH25-4T Series 2 (w/Kubota V2403 Engine) (cont'd)		
49660	Fuel	L296F ⁴¹	133755	Oil	PH4403		Oil	PH253 ¹⁴⁹⁶
133755	Oil	PH4403	108668	Trans	LFH8799			PH2835 ²⁷⁵
189195	Trans	LFP2275	MT626, MT626UK, MT626 Turbo			MH25-4Turbo (w/Perkins 903-27 Engine)		
MLT630/ MLT634 Turbo w/Perkins 1104C-44T Engine			177130	Air	LAF8602	227959	Air	LAF8148
563416	Air	LAF3951 ²	177179		LAF8605 ¹	227960		LAF9332 ¹
563415		LAF3952 ¹	49660	Fuel	L296F ⁴¹		Fuel	L296F ⁴¹
	Fuel	LMB6926 ⁹⁴³	133755	Oil	PH4403	133755	Oil	PH4403
	Oil	LFF6925 ⁹⁴²	189195	Trans	LFP2275	TMT55HT, TMT55XT (w/Kubota V2403 Engine)		
476954		LFP2292	MT830, MT930 w/Cummins Engine				Fuel	L549F
MLT730 Turbo w/Perkins 1004.40/42 Engine			177130	Air	LAF8602		Oil	PH253 ¹⁴⁹⁶
185578	Air	LAF1544 ²	177179		LAF8605 ¹			PH2835 ²⁷⁵
177130		LAF8602	(473728); Pri.	Fuel	LFF3417	MANITOU (TELESCOPIC HANDLER)		
177129		LAF8637	473729		LFF3521	MLT625 w/Kubota V3307 Engine)		
484952		LAF9410	474730	Oil	LFP3900	563416	Air	LAF3951 ²
49660	Fuel	L296F ⁴¹	108668	Trans	LFH8799	563415		LAF3952 ¹
133755	Oil	PH4403	189195		LFP2275	W/S	Fuel	FP941F
189195	Trans	LFP2275	MT830CP, MT840CP, MT930CP, MT930SCP, MT1230SCP Turbo, MT833, MT933CP Turbo w/Perkins Engine				Oil	PH253 ¹⁴⁹⁶
MLT735 w/Perkins 1104D-44 Engine			177130	Air	LAF8602			PH2835 ²⁷⁵
563416	Air	LAF3951 ²	49660	Fuel	L296F ⁴¹	MLT627 TURBO w/Perkins 1104C-44T Engine		
563415		LAF3952 ¹	133755	Oil	PH4403		Base	LMB6926 ⁹⁴³
	Oil	PH4403	108668	Trans	LFH8799		Fuel	LFF6925 ⁹⁴²
561749	Trans	LFH8876	189195		LFP2275		Oil	LFP2292
MLT741-120 Telehandler w/Perkins Turbo Diesel			MVT1130L w/Perkins 1004.4 Engine			MLT634 w/Perkins 1104D-44TA Engine)		
563416	Air	LAF3951 ²	Pri.	Fuel	L3101F	563416	Air	LAF3951 ²
563415		LAF3952 ¹	Sec.		L3102F	563415		LAF3952 ¹
	Oil	LFP2292		Oil	PH4403		Fuel	LMB6926 ⁹⁴³
561749	Trans	LFH8876	MVT1340L w/Perkins 1004.4 Engine				Oil	LFF6925 ⁹⁴²
MLT940 L120 Turbo w/Perkins 1104D-44T Engine			Pri.	Fuel	L3101F	476954		LFP2292
563416	Air	LAF3951 ²	Sec.		L3102F	561749	Trans	LFH8876
563415		LAF3952 ¹		Oil	PH4403	MRT1432 w/Perkins 1104C-44T Engine		
	Oil	LFP2292	SK100, SK150			504507	Air	LAF1544
MT220FC, MT222FC, MT225FC, MT420FC, MT422FC, MT425FC			49660	Fuel	L296F ⁴¹	514161		LAF9410
27205	Air	LAF1246 ²	129010	Oil	LFP2213		Fuel	LFF6925 ⁹⁴²
105615	Fuel	L296F ⁴¹	133755		PH4403			LMB6926 ⁹⁴³
136163	Oil	LFP2258	88669	Trans	LFH8536	476954	Oil	LFP2292
MT222CP, MT225CP, MT231CP, MT422CP, MT425CP, MT431CP			TMT320, TMT320FC w/Lister Petter Engine			MRT1440 (w/Perkins 1104D E44T Engine)		
272050	Air	LAF222 ²	(751-18100); W/S	Fuel	LFF8060	504507	Air	LAF1544
177130		LAF8602	32811500	Oil	LFH8507	514161		LAF9410
177179		LAF8605 ¹	MANITOU (LIFT TRUCK)				Fuel	LFF6925 ⁹⁴²
49660	Fuel	L296F ⁴¹	MH20-4 Turbo (w/Perkins 903-27 Engine)					LMB6926 ⁹⁴³
133755	Oil	PH4403	227959	Air	LAF8148	476954	Oil	LFP2292
177634	Trans	LFP2275	227960		LAF9332 ¹	MRT1640 (w/Perkins 1104D E44T Engine)		
MT430CP, MT430CPC, MT430CPL, MT430CPS, MT430CPLC, MT430CPDS, MT440DCP, MT440SCP			49660	Fuel	L296F ⁴¹	504507	Air	LAF1544
455044	Air	LAF1722 ²	133755	Oil	PH4403	514161		LAF9410
49660	Fuel	L296F ⁴¹	88669	Trans	LFH8536		Fuel	LFF6925 ⁹⁴²
133755	Oil	PH4403	MH20-4T Series 2 (w/Kubota V2403 Engine)					LMB6926 ⁹⁴³
108668	Trans	LFH8799	227959	Air	LAF8148	476954	Oil	LFP2292
MT450CP			227960		LAF9332 ¹	MRT1840 (w/Perkins 1104D E44T Engine)		
448037	Air	LAF1544 ²	748087	Fuel	L549F	504507	Air	LAF1544
49660	Fuel	L296F ⁴¹		Oil	PH253 ¹⁴⁹⁶	514161		LAF9410
					PH2835 ²⁷⁵		Fuel	LFF6925 ⁹⁴²
			MH25-4T Series 2 (w/Kubota V2403 Engine)					LMB6926 ⁹⁴³
				Air	LAF8148	476954	Oil	LFP2292
					LAF9332 ¹	MRT2150 w/Perkins 1104C-44T Engine		
				Fuel	L549F		Fuel	LFF6925 ⁹⁴²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 275-Primary 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1496-Alternate

M

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MANITOU (TELESCOPIC HANDLER)			MASSEY FERGUSON (BRAZIL) (TRACTOR)			MASSEY FERGUSON (COMBINE)		
<i>MRT2150 w/Perkins 1104C-44T Engine (cont'd)</i>			<i>640 w/Perkins 1006-6 Engine</i>			<i>410, 510 w/Diesel Engine</i>		
	Fuel	LMB6926 ⁹⁴³	055129R1	Air	LAF2342 ²	1025569-M91	Air	LAF1246 ²
	Hydraulic	LH22129 ¹⁰⁷⁷	055130R1		LAF2343 ¹	(1030542-M1); S/N 35901		LAF6032 ²
476954	Oil	LFP2292	1896287M1	Fuel	LFF3501	250982-M1	Cabin Air	LAF1012
<i>MT1840A (w/Perkins 1104D-44TA Engine)</i>			034391T1	Hydraulic	LFH8197	1031885-M1		LAF237
563416	Air	LAF3951	1447031M1	Oil	LFP2292	835994-M92	Fuel	L296F ⁴¹
563415		LAF3952 ¹	<i>660, 680 w/Perkins 1006.6 Engine</i>			577491-M91	Hydraulic	LP50910
476954	Oil	LFP2292	387mm	Air	LAF1716 ²	228529-M1		LP8451 ¹⁰⁷⁷
<i>MT6642 (w/John Deere 4045 Engine)</i>					LAF1717 ¹	1447031-M1	Oil	LFP2292
CF400	Air	LAF9100 ¹		Fuel	LFF3501	836980-M91		P72
C16400		LAF9101	034391T1	Hydraulic	LFH8197	<i>410, 510 w/GM 6-292 Gas Engine</i>		
(RE62418); W/S	Fuel	LFF8215	1447048M1	Oil	PH4403	1025569-M91	Air	LAF1246 ²
RE504836	Oil	LFP4836	<i>660, 680 w/Perkins 1006.6T Engine</i>			(1030542-M1); S/N 35901		LAF6032 ²
<i>MTA5519 (w/Yanmar 4TNNV98C Tier 4 Engine)</i>			055129R1	Air	LAF2342 ²	250982-M1	Cabin Air	LAF1012HD
216848	Air	LAF8148 ²	055130R1		LAF2343 ¹	1031885-M1		LAF237
216849		LAF9332 ¹	034391T1	Hydraulic	LFH8197	Gas	Fuel	G5/16 ²⁶³
	Fuel	FP587F ⁵⁸⁷	1447048M1	Oil	PH4403		Hydraulic	LP50910
074830	Hydraulic	LFH4972	MASSEY FERGUSON (COMBINE)			228529-M1		LP8451 ¹⁰⁷⁷
	Oil	PH2808	<i>20 w/Continental F-226 Engine</i>				Oil	PH1218
MASSEY FERGUSON (BRAZIL) (TRACTOR)				Oil	P3	<i>410, 510 w/GM V8-327 Gas Engine</i>		
<i>233 w/Perkins AD3.152 Engine</i>					P7FF	1025569-M91	Air	LAF1246 ²
	Air	LAF1710 ²	205			250982-M1	Cabin Air	LAF1012HD
	Fuel	L296F ⁴¹	1031436-M91	Air	LAF1275 ²	1031885-M1		LAF237
	Oil	PH4408	(836064-M91); S/N 1398000201-	Oil	PH400 ²⁷⁵	Gas	Fuel	G5/16 ²⁶³
<i>435 w/Perkins P-4000 Engine</i>			(836064-M91); S/N 1398000201-		PH8A ¹⁴⁹⁶		Hydraulic	LP50910
	Air	LAF3947 ²	<i>21, 60, 70, 80, 82, 90 Harvester w/Chrysler Engine</i>			228529-M1		LP8451 ¹⁰⁷⁷
		LAF3948 ¹		Oil	P3		Oil	P141
	Hydraulic	LFH8197	<i>26, 27 Canadian</i>			<i>440 w/Perkins A4.248 Engine</i>		
	Oil	PH4403			P7FF	1851890-M1	Fuel	L296F ⁴¹
<i>5650 w/Cummins 6BT5.9 Engine</i>			<i>27 w/Chrysler Engine</i>			1447048-M1	Oil	PH4403
	Air	LAF1735 ¹				<i>530, 535 w/Perkins A6.354.4 Engine</i>		
		LAF4601 ²	<i>300 w/Gas Engine</i>			1896096-M1	Fuel	L296F ⁴¹
	Fuel	LFF1223	(1024947-M91); S/N 1167003153-	Air	LAF222 ²	1446675-M91	Oil	PH4403
034391T1	Hydraulic	LFH8197	1030542-M1		LAF6032 ²	<i>540 w/Perkins 4.318 Engine</i>		
	Oil	LFP780	250982-M1	Cabin Air	LAF1012HD	258566-M91	Air	LAF1784 ¹
		LFP780XL ¹⁴	1031885-M1		LAF237	1040764-M91		LAF9538 ²
<i>5650 w/Perkins 6.354 Engine</i>			Gas	Fuel	G5/16 ²⁶³		Cabin Air	LAF1012
387mm	Air	LAF1716 ²	228529-M1	Hydraulic	LP8451 ¹⁰⁷⁷	835994-M92	Fuel	L296F ⁴¹
		LAF1717 ¹	Early Production	Oil	P76	228529-M1	Hydraulic	LP8451 ¹⁰⁷⁷
	Fuel	L296F ⁴¹	1447048-M1		PH4403	1447048-M1	Oil	PH4403
	Oil	LFP2292	<i>300, 300SP w/Diesel Engine</i>			<i>550 w/Perkins 6.354 Engine</i>		
<i>610 w/P-4000T Engine</i>			1024947-M91	Air	LAF222 ²	1093682-M91	Air	LAF1544 ²
055125R	Air	LAF9100 ⁹⁰⁷	1030542-M1		LAF6032 ²	1093683-M92		LAF9410 ¹
055124R		LAF9101 ^{2, 907}	250982-M1	Cabin Air	LAF1012	250982-M1	Cabin Air	LAF1012
1447048M1	Oil	PH4403	1031885-M1		LAF237	835994-M92	Fuel	L296F ⁴¹
<i>620 w/P-4000T Engine</i>			8359944-M92	Fuel	L296F ⁴¹		Hydraulic	LFP1652
387mm	Air	LAF2342 ²	835568-M92	Oil	P772	228529-M1		LP8451 ¹⁰⁷⁷
		LAF2343 ¹	1447082-M1		PH4408	1447031-M1	Oil	LFP2292
	Fuel	LFF3501	<i>35SP, 72 w/Continental Engine</i>			<i>565, 665 w/Perkins AT6.354.4 Engine</i>		
034391T1	Hydraulic	LFH8197		Oil	P3	1896096-M1	Fuel	L296F ⁴¹
	Oil	PH4403			P7FF	1447048-M1	Oil	PH4403
<i>6360 w/Perkins 1006.6T Engine</i>						<i>5650</i>		
						1447048-M1	Oil	PH4403

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 263-Hoses and clamps included 268-Extended/Severe service 275-Primary 587-Spin-on 907-Plastic Housing
943-Spin-on conversion base 1077-Hyd. Tank 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MASSEY FERGUSON (COMBINE)			MASSEY FERGUSON (COMBINE)			MASSEY FERGUSON (COMBINE)		
<i>60PT w/Continental Engine</i>			<i>8460 w/Mercedes OM366LA Engine</i>			<i>8570 w/Cummins 6CTA 8.3 Engine (cont'd)</i>		
	Oil	P3 P7FF	(CL643169C0); 495mm	Air	LAF1718 ²	(1076750-M1); -S/N M00292	Oil	LFP734
<i>60SP, 72SP, 82SP, 90SP, 92SP w/Chrysler Engine</i>			<i>8460 w/Mercedes OM421 Engine</i>			<i>8590, 9720 w/Perkins 8.640 Engine</i>		
1508998-M91	Breather	LAF200	CL643331C0		LAF1719 ¹	7761680-W1	Air	LAF1872
	Oil	P3 P7FF	CL657288C0	Fuel	LFF3513	1089774-M91		LAF6769 ²
			CL133633C0	Oil	LP2220			LAF6769MXM ^{2, 268}
			CL131420C1	Trans	LFH8596	1089937-M91		LAF9373 ¹
<i>750 w/AT6 354.4 Diesel Engine</i>			<i>850 w/Perkins A6 354 Engine</i>			<i>860 w/Perkins 6.354 Engine</i>		
1093682-M91	Air	LAF1544 ²	CL942084C0	Air	LAF1720 ¹	283743-M91	Air	LAF1725 ¹
273743-M91		LAF1725 ¹	CL677434C0		LAF2052 ²	1042412-M91		LAF9001 ²
1042412-M91		LAF9001 ²	CL1333529C0	Oil	LP815	1896096-M1	Fuel	L296F ⁴¹
	Fuel	L296F ⁴¹	CL131420C1	Trans	LFH8596	228529-M1	Hydraulic	LP8451 ¹⁰⁷⁷
228529-M1	Hydraulic	LP8451 ¹⁰⁷⁷	<i>850 w/Perkins A6 372 Engine</i>			1447048-M1	Oil	PH4403
1447048-M1	Oil	PH4403	525446-M1	Air	LAF1461	<i>860 w/Perkins V8-540 Engine</i>		
<i>750 w/Gas Engine</i>			283743-M91		LAF1725 ¹	283743-M91	Air	LAF1725 ¹
(1040764-M91); -S/N 169619596	Air	LAF1784 ¹ LAF9538 ²	1851890-M1	Fuel	L296F ⁴¹	1042412-M91		LAF9001 ²
-S/N 169619596		LAF9538MXM ^{2, 268}	228529-M1	Hydraulic	LP8451 ¹⁰⁷⁷	1896202-M91	Fuel	L8269F
(8000848-M91); Gas	Fuel	G5/16 ²⁶³	1447048-M1	Oil	PH4403	228529-M1	Hydraulic	LP8451 ¹⁰⁷⁷
228529-M1	Hydraulic	LP8451 ¹⁰⁷⁷	<i>850 w/Perkins A6 372 Engine</i>			1447048-M1	Oil	LFP2292
	Oil	PH1218 PH454	525446-M1	Air	LAF1461	<i>865 w/Perkins AV8-540 Engine</i>		
1025280-M91					LAF1544 ²	283743-M91	Air	LAF1725 ¹
<i>750 w/Perkins A6.372 Engine</i>					LAF9410 ¹	1042412-M91		LAF9001 ²
525446-M1	Air	LAF1461	1851890-M1	Fuel	L296F ⁴¹	1896202-M91	Fuel	L296F ⁴¹
1093682-M91		LAF1544 ²	228529-M1	Hydraulic	LP8451 ¹⁰⁷⁷	228529-M1	Hydraulic	LP8451 ¹⁰⁷⁷
1093683-M92		LAF9410 ¹	(1447031-M1); -S/N 1696027-544	Oil	LFP2292		Oil	LFP2292
228529-M1	Hydraulic	LP8451 ¹⁰⁷⁷	<i>855 w/Perkins Engine</i>			1896202-M91		LFP2292
1447031-M91	Oil	LFP2292	283743-M910	Air	LAF1725 ¹	<i>8680 w/Cummins Engine</i>		
1883288-M91		P72	1042412-M91		LAF9001 ²	71368962	Air	LAF1465 ²
<i>760 w/AT6 354 Engine</i>			1896096-M1	Fuel	L296F ⁴¹	(74394407); Pri. (72501530); Sec.	Fuel	LFF3417
525446-M1	Air	LAF1461	1052067-M91	Hydraulic	LFP1652	72501533	Oil	LFP3000
273743-M91		LAF1725 ¹	1447048-M1	Oil	PH4403			LFP3000XL ¹⁴
1042412-M91		LAF9001 ²	<i>8560 w/Cummins Engine</i>			<i>8780 w/Cummins Engine</i>		
228529-M1	Hydraulic	LP8451 ¹⁰⁷⁷		Air	LAF6769 ²	1070229-M1	Air	LAF6769 ²
1447031-M1	Oil	LFP2292			LAF6769MXM ^{2, 268}			LAF6769MXM ^{2, 268}
1447048-M1		PH4403			LAF9373 ¹	1070230-M1		LAF9373 ¹
<i>760 w/AV8 540 Engine</i>				Fuel	LFF3417	(1076748-M2); Pri. (1076749-M1); Sec.	Fuel	LFF3417
525446-M1	Air	LAF1461			LFF3521	104309W-91	Hydraulic	LFH4915
273743-M91		LAF1725 ¹		Oil	LFP780	1077749-M1	Oil	LFP3000
1042412-M91		LAF9001 ²			LFP780XL ¹⁴			LFP3000XL ¹⁴
1896202-M91	Fuel	L8269F	<i>8570 w/Cummins 6CTA 8.3 Engine</i>			<i>8780XP</i>		
228529-M1	Hydraulic	LP8451 ¹⁰⁷⁷	7761680-W1	Air	LAF1872	1070229-M1	Air	LAF6769 ²
1447031-M1	Oil	LFP2292	1070229-M1		LAF6769 ²			LAF6769MXM ^{2, 268}
<i>8450 w/Mercedes OM352A Engine</i>					LAF6769MXM ^{2, 268}	1070230-M1		LAF9373 ¹
CL942084C0	Air	LAF1720 ¹	1070230-M1		LAF9373 ¹	72511906	Fuel	LFF1022
CL677434C0		LAF2052 ²	(1076748-M2); Pri. (1076749-M1); Sec. W/S	Fuel	LFF3417	104309W-91	Hydraulic	LFH4915
CL656501C0	Fuel	FP585F			LFF3521	72501533	Oil	LFP3000
CL131420C1	Trans	LFH8596			LFF8062			LFP3000XL ¹⁴
<i>8450 w/Perkins Engine</i>				Hydraulic	LFH4915	<i>890 w/Perkins P6 Engine</i>		
CL942084C0	Air	LAF1720 ¹	S/N N12701- (577491-M91); -S/N N12701		LP50910		Fuel	L50F
CL677434C0		LAF2052 ²	(1077749-M91); S/N M00293-	Oil	LFP3000		Oil	P771A
1077260-M91	Fuel	L296F ⁴¹			LFP3000XL ¹⁴	<i>9690, 9790 w/Cummins 8.3L Engine</i>		
1447031-M1	Oil	LFP2292				(71368962); S/N HN87101-	Air	LAF1465 ²
CL131420C1	Trans	LFH8596						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 263-Hoses and clamps included 268-Extended/Severe service 1077-Hyd. Tank

M

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MASSEY FERGUSON (COMBINE)			MASSEY FERGUSON (CONSTRUCTION EQUIPMENT)			MASSEY FERGUSON (CONSTRUCTION EQUIPMENT)		
<i>9690, 9790 w/Cummins 8.3L Engine (cont'd)</i>			<i>20</i>			<i>22C, 22X w/Perkins A4.248 Engine (cont'd)</i>		
(1070229-M1); -S/N HN87101	Air	LAF6769 ²	523419-M92	Air	LAF1977 ¹	836064-M91	Oil	LFP2292
-S/N HN87101		LAF6769MXM ^{2, 268}	1032762-M91		LAF8659	<i>24, 25 Handler w/Diesel Engine</i>		
(1070230-M1); -S/N HN87101		LAF9373 ¹	835994-M92	Fuel	L296F ⁴¹	1026131-M91	Air	LAF131 ²
71372880	Coolant	LFW2055	835568-M93	Oil	P772	1897152-M1		LAF1823 ¹
72511906	Fuel	LFF1022	1447082-M1		PH4408	1077260-M91	Fuel	L296F ⁴¹
104309-W91	Hydraulic	LFH4915	<i>200, 200B w/Perkins A3.152UA Engine</i>			1896287-M91		LFF3501
72516560	Oil	LFP3000	1428739-M91	Air	LAF1722 ²	1881842-M1	Oil	P772
		LFP3000XL ¹⁴	1037735-M91		LAF1723 ¹	1447082-M1		PH4408
			(1850450-M1); Pri. Sec.	Fuel	L23F		Trans	LH4252
					L296F ⁴¹	<i>250, 250W w/Perkins A4.248 Engine</i>		
					LFF3501	1428739-M91	Air	LAF1722 ²
			852251-M91	Oil	P772	1037735-M91		LAF1723 ¹
			1447082-M1		PH4408	1094269-M91		LAF1828
			<i>200, 300, 400 Crawler</i>				Fuel	L296F ⁴¹
				Fuel	L23F		Hydraulic	LP163
					L296F ⁴¹	1881442-M1	Oil	P771A
			1447031-M1	Oil	LFP2292	1447048-M1		PH4403
			1881442-M1		P771A	<i>30 w/Perkins 4.203, 4.212 Engine</i>		
					P772	1026131-M91	Air	LAF131
			<i>202 Workbull, 204 Workbull, 202 Industrial, 204 Industrial w/Perkins AD4-236 Engine</i>			1094269-M91		LAF1828
			(1752177-M1); -S/N 306837	Hydraulic	P3	1508948-M91	Breather	LAF200
					P3	835994-M92	Fuel	L296F ⁴¹
				Oil	P7FF	835568-M93	Oil	P772
			671018-M91	Power Steering	P3	1447082-M1		PH4408
			<i>202, 203, 204, 205</i>			1019235-M91	Power Steering	LP176
			Diesel; Pri.	Fuel	L23F	191855-M4	Trans	LFH4933
			Diesel; Sec.		L296F ⁴¹	<i>30 w/Perkins AG4.212 Engine</i>		
			S/N 659100568-	Hydraulic	LFH4933 ¹¹	1026131-M91	Air	LAF131
			Gas	Oil	P3		Fuel	G16
			Diesel		P772	1882916-M91	Oil	LP8221
			<i>20C w/Continental Z145 Gas Engine</i>					P771A
				Air	LAF1793 ^{1, 1412}	1447048-M1		PH4403
			1094056-M91		LAF1823 ¹	1447082-M1		PH4408
					LAF1910 ²	1019235-M91	Power Steering	LP176
				Hydraulic	LP1653 ¹¹	191855-M4	Trans	LFH4933
			By-Pass	Oil	PB50	<i>302 w/Gas or Diesel Engine</i>		
			<i>20C w/Diesel Engine</i>			(1026131-M91); S/N 9A11490-	Air	LAF131
				Air	LAF1793 ^{1, 1412}	Diesel; Pri.	Fuel	L296F ⁴¹
			1094056-M91		LAF1823 ¹	Diesel; Sec.		L296F ⁴¹
			1896287-M91	Fuel	LAF1910 ²	Diesel	Oil	P772
					L296F ⁴¹	1447082-M1		PH4408
					LFF3501	(1019235-M91); Diesel	Power Steering	LP176
			1447082-M1	Oil	PH4408	<i>303</i>		
			<i>20D, 20E, 20F, 20TL</i>			Sec.	Fuel	261F
			1670260-M1	Air	LAF1979 ²		Oil	P3
			3610942-M91		LAF8218 ¹	1052262-M91	Trans	LP1653
			1851890-M1	Fuel	L296F ⁴¹	<i>303 Workbull</i>		
			1447082-M1	Oil	PH4408		Oil	P3
			<i>22C, 22X w/Perkins A4.248 Engine</i>					P7FF
			1428739-M91	Air	LAF1722 ²	1052262-M91	Trans	LP1653
			1037735-M91		LAF1723 ¹			
				Fuel	L296F ⁴¹			
MASSEY FERGUSON (CONSTRUCTION EQUIPMENT)			MASSEY FERGUSON (CONSTRUCTION EQUIPMENT)			MASSEY FERGUSON (CONSTRUCTION EQUIPMENT)		
<i>11 Loader w/Perkins A4.248 Diesel Engine</i>			<i>22C, 22X w/Perkins A4.248 Diesel Engine</i>			<i>22C, 22X w/Perkins A4.248 Diesel Engine</i>		
1025569-M91	Air	LAF1246 ²	1428739-M91	Air	LAF1722 ²	1428739-M91	Air	LAF1722 ²
1024947-M91		LAF222 ²	1037735-M91		LAF1723 ¹	1037735-M91		LAF1723 ¹
	Hydraulic	LP151		Fuel	L296F ⁴¹			L296F ⁴¹
835995-M92	Oil	P771A						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 41-Cartridge 171-With Sensor Port 268-Extended/Severe service 599-High capacity 1412-Turf

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MASSEY FERGUSON (CONSTRUCTION EQUIPMENT)			MASSEY FERGUSON (CONSTRUCTION EQUIPMENT)			MASSEY FERGUSON (CONSTRUCTION EQUIPMENT)		
<i>30B w/Perkins AD3.152 Engine</i>			<i>34</i>			<i>44B w/Perkins 6.354 Engine (cont'd)</i>		
	Fuel	LFF3501		Breather	LAF200	1447982-M1	Oil	PH4408
1447082-M1	Oil	PH4408		Fuel	L296F ⁴¹		Trans	P771A ⁵⁹⁰
<i>30D</i>			1022883-M1	Hydraulic	LP509	<i>44C, 44C Loader w/Perkins 6.254 Engine</i>		
1094269-M91	Air	LAF1823 ¹	835568-M91	Oil	P772	273743-M91	Air	LAF1275 ¹
1094056-M91		LAF1910 ²	<i>350D</i>			1042412-M91		LAF9001 ²
1896287-M91	Fuel	LFF3501		Fuel	L296F ⁴¹	2871513-M1	Fuel	FP586F
1447082-M1	Oil	PH4408	835995-M91	Oil	P771A	1896096-M91		L296F ⁴¹
1053870-M91	Trans	LFH4935	<i>350S, W350C w/Perkins A4.248 Engine</i>			000922604	Oil	LFP2292
<i>30E</i>			1428739-M91	Air	LAF1722 ²	<i>44C, 44C w/Hanomag D963B Engine</i>		
1688092-M2	Air	LAF1979 ²	1037735-M91		LAF1723 ¹	3074308-M1	Air	LAF1725 ¹
3610942-M91		LAF8218 ¹		Fuel	L296F ⁴¹	2871513-M1	Fuel	FP586F
1077260-M91	Fuel	L296F ⁴¹	1447048-M1	Oil	PH4403	2871492-M1		L296F ⁴¹
1693715-M91	Hydraulic	LH4252 ¹¹	<i>40</i>			2871722-M1	Oil	LFP2222
1051137-M91		LH4939		Air	LAF1823 ¹	<i>450, 450S Excavator w/Perkins A6.354 Engine</i>		
1447082-M1	Oil	PH4408	1094056-M91		LAF1910 ²	1093682-M91	Air	LAF1544 ²
<i>30F</i>			1024947-M91		LAF222 ²	1093683-M91		LAF9410 ¹
(1688092-M2); -S/N	Air	LAF1979 ²			LAF863		Fuel	L296F ⁴¹
5102D1524			1508998-M91	Breather	LAF200	881416-M91	Oil	LFP2292
3610942-M91		LAF8218 ¹		Fuel	G16			P72
3595519-M1		LAF8803 ¹			L296F ⁴¹	881304-M91		PH400 ²⁷⁵
3595518-M1		LAF8804 ²	1022883-M1	Hydraulic	LP509	1447048-M1		PH4403
1077260-M91	Fuel	L296F ⁴¹		Oil	P772	881304-M91		PH8A ¹⁴⁹⁶
1051139-M91	Hydraulic	LH4939	1447082-M1		PH4408	<i>470 Shovel w/Diesel Engine</i>		
1447082-M1	Oil	PH4408	<i>4000 Log Retriever w/Perkins AD3-152 Engine</i>			1026131-M91	Air	LAF131
<i>30H, 30H-TL</i>			1094056-M91	Air	LAF1910 ²	Sec.	Fuel	L23F
1688092-M2	Air	LAF1979 ²	1850450-M1	Fuel	L23F		Oil	P771A
3610942-M91		LAF8218 ¹	1447082-M1	Oil	PH4408		Torque Converter	P92
1896287-M91	Fuel	LFF3501	<i>404 Workbull</i>					
1693715-M91	Hydraulic	LH4252 ¹¹⁵⁴		Oil	P90	<i>50, 50A</i>		
MF-30H-TL		LH4252 ¹¹	<i>406</i>				Air	LAF131
1051139-M91		LH4939		Oil	P3 ¹⁴¹⁶	1094269-M91		LAF1823 ¹
1447082-M1	Oil	PH4408			P772	1508998-M91	Breather	LAF200
<i>31 w/Perkins 4.236 Engine</i>					P7FF		Fuel	L296F ⁴¹
1026131-M91	Air	LAF131	<i>40B w/Diesel Engine</i>			(191855-M4); MF-50A	Hydraulic	LFH4933
1094269-M91		LAF1823 ¹	1094269-M91	Air	LAF1823 ¹	only		
835994-M92	Fuel	L296F ⁴¹	1094056-M91		LAF1910 ²	(1028208-M1); Gas		LP1653 ¹¹
835995-M93	Oil	P771A	1896287-M91	Fuel	LFF3501	1851766-M1	Oil	P772
1447048-M1		PH4403	1053870-M91	Hydraulic	LFH4935	1447082-M91		PH4408
<i>320 w/Perkins A4.318 Diesel Engine</i>			1447082-M1	Oil	PH4408	1019235-M91	Power Steering	LP176
1896096-M91	Fuel	L296F ⁴¹	<i>40E, 40E-TL, 40EL</i>			<i>500, 500B, 500D Crawler w/Perkins AV8-510 Engine</i>		
1039161-M91	Hydraulic	LP509	1688092-M2	Air	LAF1979 ^{2, 1130}	1428745-M91	Air	LAF8668 ²
1034065-M91	Oil	LFP2292	3610942-M91		LAF8218 ¹	1428747-M91		LAF8674 ¹
<i>330 w/Perkins A4.248 Engine</i>			1077260-M91	Fuel	L296F ⁴¹	1896096-M1	Fuel	L296F ⁴¹
	Air	LAF1722 ²	1693715-M91	Hydraulic	LH4252 ¹¹	1896202-M91		L8269F
1037735-M91		LAF1723 ¹	1447082-M1	Oil	PH4408	1447031-M1	Oil	LFP2292
	Fuel	L296F ⁴¹	<i>44, 44B w/Perkins A6.354 Engine</i>					P72
1881442-M1	Oil	P771A	835994-M92	Fuel	L296F ⁴¹	<i>50B w/Perkins 4.236 Engine</i>		
1447048-M1		PH4403	1087415-M91	Oil	LP151		Air	LAF131
	Trans	P771A	1447982-M1		PH4403		Fuel	L296F ⁴¹
<i>33C, 33X w/Perkins A6.354.4 Engine</i>			<i>44B w/Perkins 6.354 Engine</i>			Gas	Hydraulic	LP1653 ¹¹
1093682-M91	Air	LAF1544 ²	1093682-M91	Air	LAF1544 ²		Oil	P771A
1093683-M92		LAF9410 ¹	1093683-M92		LAF9410 ¹	1447082-M91		PH4408
1896287-M91	Fuel	LFF3501	835994-M92	Fuel	L296F ⁴¹			
1447082-M1	Oil	PH4408	1087415-M91	Oil	LP151			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 41-Cartridge 275-Primary 590-Hydrostatic 1130-2 Wheel Drive 1154-Pump 1416-Continental Engine 1496-Alternate

M

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MASSEY FERGUSON (CONSTRUCTION EQUIPMENT)			MASSEY FERGUSON (CONSTRUCTION EQUIPMENT)			MASSEY FERGUSON (CONSTRUCTION EQUIPMENT)		
<i>50B w/Perkins 4.236 Engine (cont'd)</i>			<i>600, 600C (cont'd)</i>			<i>77 Loader w/Cummins NH250 Engine</i>		
	Power Steering	LP176	2871513-M1	Fuel	FP586F	525611-M91	Air	LAF190
			2889829-M91	Power Steering	LH8504			
<i>50C, 50D w/Perkins AD4.236 Engine</i>			<i>60H, 60H-S</i>				Coolant	LFW4071 ^{28, 205}
1094269-M91	Air	LAF1823 ¹	1897151-M1	Air	LAF131 ²	Pri.	Fuel	LFF5D
1094056-M91		LAF1910 ²	1897152-M1		LAF1823 ¹	1087415-M91	Oil	LP151
1896287-M91	Fuel	LFF3501	1896287-M91	Fuel	LFF3501			LP566
1053870-M91	Hydraulic	LFH4935	1693715-M91	Hydraulic	LH4252	<i>77 Loader w/Detroit Diesel 6V-71 Engine</i>		
1447048-M1	Oil	PH4403	1447048-M1	Oil	PH4403	1089774-M91	Air	LAF6769
<i>50E</i>			<i>60TDL</i>					LAF6769MXM ²⁶⁸
1678295-M1	Air	LAF8606 ^{1, 57}	1096469-M91	Air	LAF1971 ¹	Pri.	Fuel	LFP815FN
1678294-M1		LAF8607 ^{2, 57}	1896287-M91	Fuel	LFF3501	Sec.		LFP816FN
1896287-M91	Fuel	LFF3501	1053870-M91	Hydraulic	LFH4935	1087415-M91	Oil	LP132
1693715-M91	Hydraulic	LH4252 ¹¹	1447048-M1	Oil	PH4403		Trans	LP151
1447048-M1	Oil	PH4403	191855-M4	Trans	LFH4933	<i>77C Loader w/Hanomag D963A2 Engine</i>		
<i>50F</i>			<i>65 w/Gas or Diesel Engine</i>				Air	LAF268
1897151-M1	Air	LAF131 ²	Diesel; Pri.	Fuel	L23F	1096416-M91		LAF6632 ²
1897152-M1		LAF1823 ^{1, 938}	Diesel		L296F ⁴¹			LAF6632MXM ^{2, 268}
1887575-M91		LAF8972 ^{1, 1402}	Diesel; Sec.		L50F	1096417-M91		LAF6641 ¹
1896287-M91	Fuel	LFF3501	(1052262-M91); Gas	Hydraulic	LP1653 ¹¹			LAF9155 ²
1447048-M1	Oil	PH4403	Gas	Oil	P3			LAF9155MXM ^{2, 268}
191855-M4	Trans	LFH4933	Diesel		P772			LAF9159 ¹
<i>50H</i>			(1019235-M91); Diesel			Power Steering	LP176	
1897151-M1	Air	LAF131 ²	<i>66 Loader w/Cummins NH250 Engine</i>			2871513-M1	Fuel	FP586F
1897152-M1		LAF1823 ¹	525611-M91	Air	LAF6587	2998553-M1	Oil	LFP2222
1896287-M91	Fuel	LFF3501			LAF6587MXM ²⁶⁸	<i>80 Loader w/Perkins 6.354 Engine</i>		
1693715-M91	Hydraulic	LH4252 ¹¹		Coolant	LFW4071 ^{28, 205}		Air	LAF1544 ²
1447048-M1	Oil	PH4403	1087415-M91	Oil	LP151		Fuel	LAF9410 ¹
<i>55 Loader w/Perkins AV8.510 Engine</i>					LP566		Oil	L296F ⁴¹
2872920-M1	Air	LAF234HD ²	<i>66 Loader w/Detroit Diesel 6V-53 Engine</i>					LFP2292
Pri.	Fuel	L296F ⁴¹	1089774-M91	Air	LAF6769	<i>811 w/Perkins 4.108 Engine</i>		
(1896287-M91); Sec.		LFF3501			LAF6769MXM ²⁶⁸	1031436-M91	Air	LAF1275 ²
1034065-M92	Oil	LFP2292	Sec.	Fuel	261F	1640997-M91	Fuel	L296F ⁴¹
		P72	(1015840-M1); Pri.		L274F	1033356-M1	Hydraulic	LFP1652
<i>55C, 55C Loader w/Perkins V8-540 Engine</i>			1755206-M1	Oil	LP132	14447048-M1	Oil	PH4403
	Air	LAF234HD ²	1755206-M1	Trans	LP151	<i>88 Loader w/Cummins NT855 Engine</i>		
1896096-M91	Fuel	L296F ⁴¹	<i>66C Loader w/Hanomag D963A1 Engine</i>			1090118-M91	Air	LAF263HD
	Oil	P72	197946201	Air	LAF3702 ²		Coolant	LFW4071 ^{28, 205}
<i>55C, 55C w/Hanomag D962B Engine</i>			2871513-M1	Fuel	FP586F	Pri.	Fuel	LFF5D
3074305-M1	Air	LAF3714 ²	2998553-M1	Oil	LFP2222	1022883-M1	Hydraulic	LP509
		LAF8674 ¹	<i>66D</i>				Oil	LFP670
2871492-M1	Fuel	L296F ⁴¹		Air	LAF1040 ²	1087415-M91		LFP670XL ¹⁴
2998553-M1	Oil	LFP2222			LAF636 ²			LP151
<i>60 w/Perkins AD4-236 Diesel Engine</i>			<i>70 Loader w/Perkins Engine</i>			<i>88 Loader w/Detroit Diesel 6-71 Engine</i>		
26560017	Fuel	L296F ⁴¹				1090118-M91	Air	LAF263HD
2654407	Oil	LFP2292		Air	LAF222 ²	Pri.	Fuel	LFP815FN
<i>60, 60TDL</i>				Fuel	L296F ⁴¹	Sec.		LFP816FN
1096468-M91	Air	LAF1455 ²	825664-M1	Oil	P771A	1022883-M1	Hydraulic	LP50910
1096469-M91		LAF1971 ¹	836064-M91		PH4403	1087415-M91	Oil	LP132
1077260-M91	Fuel	L296F ⁴¹	<i>700C</i>			1087415-M91		LP151
1053870-M91	Hydraulic	LFH4935	P-24	Air	LAF24	<i>W-450C</i>		
2753082-M1		LP8214 ⁶⁰⁷	<i>711, 711B w/Wisconsin VH4D Engine</i>			000922783	Fuel	FP586F
1447048-M1	Oil	PH4403	250C3	Air	LAF863	971238001	Oil	PH2819
<i>600, 600C</i>								
3074305-M1	Air	LAF3714 ²						
		LAF8674 ¹						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 14-Extended Life 28-Contains 1 oz. of chemical 41-Cartridge 57-Partial 205-Maintenance 268-Extended/Severe service 607-Return 938-Late Production 1402-Early

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MASSEY FERGUSON (LIFT TRUCK)			MASSEY FERGUSON (MEXICO) (TRACTOR)			MASSEY FERGUSON (SWATHERS & WINDROWERS)		
<i>2200, 2500 w/Gas or Diesel Engine</i>			<i>5300 (cont'd)</i>			<i>885 Diesel (cont'd)</i>		
1026131-M91	Air	LAF131	883786M91	Fuel	L296F ⁴¹	1052067-M91	Hydraulic	LFP1652
Gas	Fuel	G16	1447048M1	Oil	PH4403	1447048-M1	Oil	PH4403
1850450-M1		L23F	<i>5310</i>			<i>885 Gasoline</i>		
1851890-M1		L296F ⁴¹	055119R1	Air	LAF3947 ²	1024947-M91	Air	LAF222 ²
191855-M4	Hydraulic	LHF4933	055120R1		LAF3948 ¹	1052067-M91	Hydraulic	LFP1652
1039161-M91		LP509	883786M91	Fuel	L296F ⁴¹	1447048-M1	Oil	PH4403
Continental Gas	Oil	P3	1447048M1	Oil	PH4403	<i>9220 w/Cummins B3.3T Engine</i>		
1447082-M1		P772	<i>5320 w/Perkins 1006-6 Engine</i>			700716411	Air	LAF9542 ²
		PH4408		Air	LAF2342 ^{2, 268}	700716412		LAF9543 ¹
<i>4500</i>					LAF2343 ^{1, 291}	7738743	Hydraulic	LFH7355 ⁶⁰⁷
1094269-M91	Air	LAF1823 ¹	055125R1		LAF9100 ¹	700721747		LFP2546 ¹²⁶²
1094056-M91		LAF1910 ²	055124R1		LAF9101 ²	7825516		PH253 ^{1314, 1496}
Diesel	Fuel	LFF3501	1851890M91	Fuel	L296F ⁴¹	700723604	Oil	PH2835
	Hydraulic	LP1653 ¹¹	1447031M1	Oil	LFP2292	<i>9225 w/Cummins B3.3T Engine</i>		
1039161-M91		LP509	<i>620, 630 w/Perkins 1006-6 Engine</i>			700716411	Air	LAF9542 ²
(1447082-M1); Diesel	Oil	PH4408	1447031M1	Oil	LFP2292	700716412		LAF9543 ¹
<i>6500 w/Perkins 4.236 Gas or Diesel Engine</i>			<i>6350, 6360</i>			8022345	Cabin Air	CAF1700 ¹⁸⁶
1094269-M91	Air	LAF1823 ¹	055135R1	Air	LAF1735 ¹	7738743	Hydraulic	LFP449
1094056-M91		LAF1910 ²	055134R1		LAF4601 ²	700723604	Oil	PH2835
Gas	Fuel	G16	(CM3930942); Pri.	Fuel	LFF3417	<i>9420 w/Cummins 4.5L Engine</i>		
(1896287-M91); Diesel		LFF3501	(CM3931063); Sec.		LFF3521	700716411	Air	LAF9542 ²
1052262-M91	Hydraulic	LP1653 ¹¹	CM3919562	Oil	LFP2265	700716412		LAF9543 ¹
3293		LP50910	MASSEY FERGUSON (SWATHERS & WINDROWERS)			(700723393); W/S	Fuel	LFH7355 ⁶⁰⁷
1447048-M1	Oil	PH4403	<i>34SP</i>			7738743	Hydraulic	LFP2546 ¹²⁶²
<i>6800H</i>			<i>36</i>			700721747		PH253 ^{1314, 1496}
1897151-M1	Air	LAF131 ²	1031436-M91	Air	LAF1275 ²	7825516		PH2835 ^{275, 1314}
1897152-M1		LAF1823 ¹	1447048-M1	Oil	PH4403	700723392	Oil	LFP3900
1077260-M91	Fuel	L296F ⁴¹	<i>655</i>			<i>9425 w/Cummins Engine</i>		
1052067-M91	Hydraulic	LFP1652	1031436-M91	Air	LAF1275 ²	700716411	Air	LAF9542 ²
1693715-M91		LH4252	1052067-M91	Hydraulic	LFP1652	700716412		LAF9543 ¹
1447048-M1	Oil	PH4403	836064-M91	Oil	PH400 ²⁷⁵	(700723393); W/S	Fuel	LFF9616 ²¹⁰
MASSEY FERGUSON (MEXICO) (TRACTOR)			836064-M91		PH8A ¹⁴⁹⁶	7738743	Hydraulic	LFP449
<i>465, 475</i>			<i>775</i>			700723392	Oil	LFP3900
055119R1	Air	LAF3947 ²	1031436-M91	Air	LAF1275 ²	<i>9430 w/Sisu Engine</i>		
055120R1		LAF3948 ¹	(1052067-M91); Diesel	Hydraulic	LFP1652	700716411	Air	LAF9542 ²
883786M91	Fuel	L296F ⁴¹	1447048-M1	Oil	PH4403	700716412		LAF9543 ¹
1447048M1	Oil	PH4403	<i>775 w/Chrysler H225 Engine</i>			(700723393); W/S	Fuel	LFF9616 ²¹⁰
<i>5275</i>			P101275	Air	LAF1275 ²	7738743	Hydraulic	LFP449
055119R1	Air	LAF3947 ²	800848-M91	Fuel	G5/16 ²⁶³	700723392	Oil	LFP3900
055120R1		LAF3948 ¹	1033356-M1	Hydraulic	LFP1652	<i>9435 w/Sisu 4.4CTA Engine</i>		
883786M91	Fuel	L296F ⁴¹		Oil	PH400 ²⁷⁵	700716411	Air	LAF9542 ²
1447048M1	Oil	PH4403			PH8A ¹⁴⁹⁶	700716412		LAF9543 ¹
<i>5285</i>			<i>785</i>			(V836867595); Sec.	Fuel	L3880F
055119R1	Air	LAF3947 ²	1031436-M91	Air	LAF1275 ²	700721747	Hydraulic	LFP2546 ⁶¹⁰
055120R1		LAF3948 ¹	(1052067-M91); Diesel	Hydraulic	LFP1652	7738743		LFP449
883786M91	Fuel	L296F ⁴¹	1447048-M1	Oil	PH4403	V836662580	Oil	LFP8501
1447048M1	Oil	PH4403	<i>885 Diesel</i>			<i>9465 w/Sisu 6.6CTA Engine</i>		
<i>5290</i>			1040764-M91	Air	LAF9538 ²	700727341	Air	LAF4503 ²
055119R1	Air	LAF3947 ²			LAF9538MXM ^{2, 268}	700727340		LAF4504 ¹
055120R1		LAF3948 ¹	<i>885 Diesel</i>			(V836867595); Sec.	Fuel	L3880F
883786M91	Fuel	L296F ⁴¹	1851890-M1	Fuel	L296F ⁴¹	700721747	Hydraulic	LFP2546 ⁶¹⁰
1447048M1	Oil	PH4403	<i>5300</i>			7738743		LFP449
<i>5300</i>			<i>5300</i>			<i>5300</i>		
055119R1	Air	LAF3947 ²	<i>5300</i>			<i>5300</i>		
055120R1		LAF3948 ¹	<i>5300</i>			<i>5300</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 41-Cartridge 186-Dust filter 210-w/ Sensor 263-Hoses and clamps included 268-Extended/Severe service 275-Primary 291-Extended/Severe service. 607-Return 610-Charge Pump 1262-Header Drive 1314-Reservoir 1496-Alternate

M

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MASSEY FERGUSON (SWATHERS & WINDROWERS)			MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)		
<i>9465 w/Sisu 6.6CTA Engine (cont'd)</i>			<i>1035 Compact Series (cont'd)</i>			<i>1130 (cont'd)</i>		
V836662580	Oil	LFP8501	3282454-M91	Fuel	FP590F		Fuel	L296F ⁴¹
<i>9635 w/Sisu Diesel 6.6 CTA Engine</i>				Hydraulic	LFH8366	516069-M94	Hydraulic	LP2313
700727341	Air	LAF4503 ²		Oil	PH561		Oil	LFP2292
700727340		LAF4504 ¹	<i>1040 Compact Series</i>			(4E023); Turbo		LFP3413
(V836867595); Sec.	Fuel	L3880F	1031436-M91	Air	LAF1275 ²	1447048-M1		PH4403
700721747	Hydraulic	LFP2546 ⁶¹⁰	3282454-M91	Fuel	FP590F	<i>1135</i>		
7738743		LFP449	3437036-M1	Hydraulic	LFH4926 ¹¹¹³	1041846-M91	Air	LAF1778 ¹
V836662580	Oil	LFP8501		Oil	PH561	1041845-M91		LAF1794 ²
<i>WR9725 w/Cummins 3.3L Engine</i>			<i>1045 Compact Series</i>			529760-M1	Fuel	L296F ⁴¹
700721747	Hydraulic	LFP2546 ⁶¹⁰	3438718-M1	Air	LAF222 ²	516069-M94	Hydraulic	LP2313
<i>WR9735, WR9740, WR9760 w/Agco 49CTA Engine</i>			1077260-M91	Fuel	L296F ⁴¹		Oil	LFP2292
V836662580	Oil	LFP8501	3437036-M1	Hydraulic	LFH4926 ¹¹¹³	<i>1140, 1145 Compact Series</i>		
<i>WR9770 w/Agco 66CTA Engine</i>					LFH8366	3702815-M1	Fuel	L549F
V836662580	Oil	LFP8501	<i>1080</i>			3704178-M1	Oil	PH2835
<i>WR9840 (w/AGCO 4.9CTA Engine)</i>			1039044-M91	Air	LAF1836 ²	<i>1150 w/Perkins V8-510 Engine</i>		
700721747	Hydraulic	LFP2546	1039045-M92		LAF1949 ¹	1041911M91	Air	LAF4163 ¹
V836679586	Oil	LFP8501	1640997-M91	Fuel	L296F ⁴¹	1038944M91	Fuel	LAF4171 ²
<i>WR9860 (w/AGCO 4.9CTA Engine)</i>				Hydraulic	LH4235		Fuel	L296F ⁴¹
700721747	Hydraulic	LFP2546			LH4247 ¹³⁹⁰	1896202-M91		L8269F
V836679586	Oil	LFP8501	1881442-M1	Oil	P771A	516069-M94	Hydraulic	LP2313
<i>WR9870 (w/AGCO 6.6CTA Engine)</i>			1447048-M1		PH4403	1852331-M1	Oil	P72
700721747	Hydraulic	LFP2546	(1019235-M91); -S/N	Power Steering	LP176	<i>1155 w/Perkins AV8-540 Engine</i>		
V836679586	Oil	LFP8501	9B28272			1041846-M91	Air	LAF1778 ¹
MASSEY FERGUSON (TRACTOR)			<i>1085 w/Perkins A4.318 Diesel Engine</i>			1041845-M91		LAF1794 ²
<i>1001 Workbull</i>			529760-M1	Air	LAF1876			LAF1876
175177-M1	Hydraulic	P3	1039045-M91		LAF1949 ¹	1896202-M91	Fuel	L8269F
835817-M91	Oil	P3	1640997-M91	Fuel	L296F ⁴¹	516069-M94	Hydraulic	LP2313
<i>1005 w/Perkins ATC6.354D Engine</i>			1881442-M1	Oil	P771A	1446675-M91	Oil	LFP2292
1041846-M91	Air	LAF1778 ¹	1447048-M1		PH4403	<i>1165</i>		
1041845-M91		LAF1794 ²	<i>1094</i>			3702815M1	Fuel	L549F
1640997-M91	Fuel	L296F ⁴¹	1094269-M91	Air	LAF1823 ¹	3705452M1	Hydraulic	LFH8217
1446675-M91	Oil	LFP2292	1094056-M91		LAF1910 ²	3757038M2	Oil	PH2814
<i>1010 Compact Series</i>			<i>1100 w/Perkins A6-354 Engine</i>			<i>1195</i>		
3281825-M1	Air	LAF2745A ²	(1038946-M91); S/N	Air	LAF8296 ²		Air	LAF1714 ²
3283343-M1	Fuel	L3541F	9B24396-				Fuel	L50F
3283341-M1	Oil	PH2808	1640997-M91	Fuel	L296F ⁴¹		Oil	PH2819
<i>1014, 1114, 1134, 1520, 1720</i>			516069M94	Hydraulic	LP2313	<i>1200 w/Perkins A6.354 Engine</i>		
1640997-M91	Fuel	L296F ⁴¹	1446675-M91	Oil	LFP2292	1093682-M91	Air	LAF1544 ²
	Oil	LFP2292	<i>1105</i>			1093683-M91		LAF9410 ¹
<i>1020 Compact Series</i>			1041846-M91	Air	LAF1778 ¹	16409970-M91	Fuel	L296F ⁴¹
3281825-M1	Air	LAF2745A ²	1041845-M91		LAF1794 ²	1446675-M91	Oil	LFP2292
3283343-M1	Fuel	L3541F	529760-M1		LAF1876	1852331-M1		P72
	Hydraulic	LFH8366	1851890-M1	Fuel	L296F ⁴¹	1447048-M92		PH4403
3435171-M1	Oil	LFP2294	516069-M94	Hydraulic	LP2313	<i>1205, 1215, 1225 Compact</i>		
<i>1030, 1030L Compact Series</i>			1034065-M91	Oil	LFP2292	3283343M1	Fuel	L3541F
1031436-M91	Air	LAF1275 ²	<i>1120 compact</i>			3710280-M1	Oil	LFP8176
(3282454-M91); MF-1030L	Fuel	FP590F	3283343M1	Fuel	L3541F	<i>1210 Compact</i>		
(3283343-M1); MF-1030		L3541F	3435446M1	Hydraulic	LFH8366	3710280-M1	Oil	LFP8176
	Hydraulic	LFH8366	3710280-M1	Oil	LFP8176		Trans	LFH22120
3435171-M1	Oil	LFP2294	<i>1125 Compact Series</i>			<i>1220 Compact</i>		
<i>1035 Compact Series</i>			3702815-M1	Fuel	L549F	3709215-M1	Hydraulic	LFH4926
1031436-M91	Air	LAF1275 ²		Hydraulic	LFH22120	3710280-M1	Oil	LFP8176
			3704178-M1	Oil	PH2835	<i>1230 Compact</i>		
			<i>1130</i>			3580724-M1	Air	LAF8648 ¹
			1038946-M91	Air	LAF8296 ²	3709215-M1	Hydraulic	LFH4926

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 41-Cartridge 610-Charge Pump 1113-Lift 1390-5 Micron

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)		
<i>1230 Compact (cont'd)</i>			<i>139, 139A, 142 Mk II, 142A Mk II w/Eicher EDK 3 Engine</i>			<i>150</i>		
3710280-M1	Oil	LFP8176				1026131-M92	Air	LAF131 ²
3703386M1	Trans	LFH22120	1621210-M1	Air	LAF1710 ²	1094269-M91		LAF1823 ¹
(3906567M1); Hydrostatic		LFP5570	2871492-M1	Fuel	L296F ⁴¹	1077260-M91	Fuel	L296F ⁴¹
<i>1233 Compact</i>				Oil	PH400 ²⁷⁵		Hydraulic	LH4235
3608255-M1	Fuel	L3541F	<i>1417, 1423</i>			(835817-M91); Gas	Oil	P3
3710280-M2	Oil	LFP8176	3608255M1	Fuel	L3541F	(837595-M91); Diesel		P772
<i>1235 Compact</i>			3710280-M1	Oil	LFP8176	1447082-M1		PH4408
3608255-M1	Fuel	L3541F	<i>142</i>			<i>1500, 1800 w/Caterpillar 3150, 3160 Engine</i>		
3710280-M2	Oil	LFP8176	(153187002); Sec.	Fuel	L60F		Air	LAF1461
<i>1240, 1250, 1260 Compact</i>			(153187003); Pri.		L60F	1040830-M1		LAF6587
3703703-M91	Air	LAF6008 ²	1447048-M1	Oil	PH4403			LAF6587MXM ²⁶⁸
3702815-M1	Fuel	L549F	<i>142 w/Eicher Engine</i>			1040919-M1		LAF6834 ¹
3703386-M1	Hydraulic	LFH22120	1621210-M1	Air	LAF1710 ²	Sec.	Fuel	FP230F
3703386-M1		LFH4926		Fuel	L3401F ¹⁰⁸	577492-M91	Hydraulic	LP509
3710280-M2	Oil	LFP8176	(153187002); Sec.		L60F	537491-M91		LP50910
3757038-M2		PH2814	(153187003); Pri.		LFF3403		Oil	LFP791
3704178-M1		PH2840	<i>1428V</i>			<i>1505, 1805, 1855 w/Caterpillar 3208 Engine</i>		
<i>130</i>			3608255-M1	Fuel	L3541F	525446-M1	Air	LAF1461
	Fuel	L296F ⁴¹	3703386-M1	Hydraulic	LFH22120	1040830-M1		LAF6587 ²
	Oil	P772	3710280-M1	Oil	LFP8176			LAF6587MXM ^{2, 268}
<i>130 w/Perkins A4-107 Engine</i>			<i>1429</i>			1040919-M1		LAF6834 ¹
	Fuel	L23F	3703703-M91	Air	LAF6008 ²	Sec.	Fuel	LFP440F
32578	Oil	LP70V	3702815-M1	Fuel	L549F	9N-5570	Oil	LFP5570
1896149-M91		P771A	3710280-M1	Oil	LFP8176	9L-9200		LFP791
<i>132 w/Eicher EDK2 Engine</i>			<i>1431</i>			<i>152 UK</i>		
1621210-M1	Air	LAF1710 ²	3608255-M1	Fuel	L3541F	1806088-M91	Air	LAF8615
1640997-M91	Fuel	L296F ⁴¹	3703386-M1	Hydraulic	LFH22120	1640997-M91	Fuel	L296F ⁴¹
<i>133 Super</i>			3710280-M2	Oil	LFP8176	1640996-M91	Oil	P772
1806088-M91	Air	LAF8615	<i>1433, 1433V</i>			1447082-M1		PH4408
1447082-M1	Oil	PH4408	3702815-M1	Fuel	L549F	1883318-M1	Power Steering	LP176
<i>133 w/Perkins A3.144 Engine</i>			3710280-M1	Oil	LFP8176	<i>1523</i>		
1026131-M91	Air	LAF131	<i>1440, 1440V</i>			3608255-M1	Fuel	L3541F
1806088-M91		LAF8615	3702815-M1	Fuel	L549F	72201898	Oil	LFP8176
1640997-M91	Fuel	L296F ⁴¹	3757038-M2	Oil	PH2814	<i>1529, 1532 w/Iseki E3CD Engine</i>		
1640996-M91	Oil	P772	<i>1445, 1455, 1455V</i>			3608255M1	Fuel	L3541F
<i>133S w/Perkins A3.144 Engine</i>			3702815-M1	Fuel	L549F	72201898	Oil	LFP8176
1806088-M91	Air	LAF8615	3757038-M2	Oil	PH2814	<i>1533 w/Iseki E3CD-VB40 Engine</i>		
1640997-M91	Fuel	L296F ⁴¹	<i>145</i>			3608255-M1	Fuel	L3541F
1881442-M1	Oil	P771A	1043327-M91	Air	LAF1793 ¹	3710280-M2	Oil	LFP8176
		PH4408	1806088-M91		LAF8615	<i>1540</i>		
<i>134 w/Perkins AD3.152 Engine</i>				Fuel	LFF3501	3608255-M1	Fuel	L3541F
1640997-M91	Fuel	L296F ⁴¹	<i>147 w/Perkins AD3.152 Engine</i>			3757038-M2	Oil	PH2814
1640996-M91	Oil	P772	1640997-M91	Fuel	L296F ⁴¹	<i>154-4 w/Perkins Diesel Engine</i>		
<i>135 w/Gas or Diesel Engine</i>			1447082-M1	Oil	PH4408	1070329-M91	Air	LAF1734 ²
1026131-M92	Air	LAF131	<i>148 w/Perkins AD3.152 Engine</i>			1073508-M91		LAF1735 ¹
523419-M92		LAF1977 ¹	1026131-M91	Air	LAF131	35935119-M1		LAF8803 ¹
10299450-M92		LAF1983	1806088-M91		LAF8615	3310358-M1		LAF8804 ²
1886637-M91		LAF1983	1640997-M91	Fuel	L296F ⁴¹	1640997-M91	Fuel	L296F ⁴¹
1886637-M91		LAF8626 ²	1640996-M91	Oil	P772	1640996-M91	Oil	P772
1032762-M91		LAF8659 ²	1447082-M1		PH4408	1447082-M1		PH4408
(1640997-M91); Diesel	Fuel	L296F ⁴¹	<i>15,281,531</i>			<i>1547, 1552</i>		
Gas	Oil	P3	3608255-M1	Fuel	L541F	3702815-M1	Fuel	L549F
1640996-M91		P772	3703386-M1	Hydraulic	LFH22120	3757038M2	Oil	PH2814
		PH4408	3703386-M1		LFH4926			
			3609410M1	Oil	LFP8176			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 108-Eco-Finer 268-Extended/Severe service 275-Primary 1390-5 Micron 1496-Alternate

M

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)		
<i>154C w/Perkins AD3.152C Engine</i>			<i>174-S, 174-4S (cont'd)</i>			<i>210, 220 (cont'd)</i>		
1640997-M91	Fuel	L296F ⁴¹	3595519-M1	Air	LAF8803 ¹	3282454-M91	Fuel	FP590F
1447082-M1	Oil	PH4408	3310358-M1		LAF8804 ²	<i>2135</i>		
<i>155 w/Perkins AD4.203 Engine</i>			1077260-M91	Fuel	L296F ⁴¹	1029945-M92	Air	LAF1983
1026131-M91	Air	LAF131	1447048-M1	Oil	PH4403	(1032762-M91); S/N		LAF8626
1806088-M91		LAF8615	<i>175, 180 w/Continental G206 Engine</i>			9A103111-		
1640997-M91	Fuel	L296F ⁴¹	1026131-M92	Air	LAF131	(1032762-M91); S/N		LAF8659
1018121-M1	Oil	P52		Hydraulic	LH4235	9A103111-		
1881442-M1		P771A			LH4247 ¹³⁹⁰	Pri.	Fuel	L296F ⁴¹
1447082-M1		PH4408	-S/N 9A21900		LP1653 ¹¹	Sec.	Fuel	L296F ⁴¹
<i>1560</i>			835984-M91	Oil	P76	(835817-M91); Gas	Oil	P3
3702815M1	Fuel	L549F	<i>175, 180 w/Perkins Diesel</i>			(837595-M91); Diesel		P772
3757038M2	Oil	PH2814		Air	LAF131 ¹⁸¹	<i>2155</i>		
<i>158 w/Perkins AD4.203 Engine</i>			1026131-M92		LAF131 ²	1026131-M91	Air	LAF131
1026131-M91	Air	LAF131	1094269-M91		LAF1823 ¹	1029945-M92		LAF1983
GB		LAF1712 ²	1077260-M91	Fuel	L296F ⁴¹	<i>220</i>		
1640997-M91	Fuel	L296F ⁴¹		Hydraulic	LH4235	1851890-M1	Fuel	L296F ⁴¹
1640996-M91	Oil	P772			LH4247 ¹³⁹⁰	1039161-M91	Hydraulic	LP509
1447082-M1		PH4408	1447048-M1	Oil	PH4403	835995-M91	Oil	P771A
<i>1635 w/Iseki E3CG Tier 4 Engine</i>			S/N 9A117975-	Power Steering	LP176	<i>2203, 2205 w/Perkins 3.152 Engine</i>		
3608255M1	Fuel	L3541F	191855-M4	Trans	LFH4933 ¹³²⁸	1851890-M1	Fuel	L296F ⁴¹
3757038M2	Oil	PH2814	<i>177 w/Perkins A4.236 Engine</i>			1881482-M1	Oil	P772
<i>1643</i>			1640997-M91	Fuel	L296F ⁴¹	<i>220II, 220XL</i>		
3757038M2	Oil	PH2814	1881442-M1	Oil	P771A	700718076	Air	LAF9332 ¹
<i>1648, 1652, 1655, 1660 w/Iseki Tier 4 Engine</i>			<i>177, 178 w/Perkins A4.248 Engine</i>			3638291-M1	Fuel	LF3504
3702815M1	Fuel	L549F	1026131-M91	Air	LAF131	3726771-M1	Hydraulic	LFH4990
3757038M2	Oil	PH2814	1640997-M91	Fuel	L296F ⁴¹	7738743		LFH7355
<i>165</i>			1881442-M1	Oil	P771A	1447048-M1	Oil	PH4403
1026131-M92	Air	LAF131 ^{2, 181}	1883318-M1	Power Steering	LP176	<i>2210, 2220</i>		
1094269-M91		LAF1823 ¹	<i>184-4</i>			P772579	Air	LAF8148 ²
(1077260-M91); Diesel	Fuel	L296F ⁴¹	1640997-M91	Fuel	L296F ⁴¹	P775300		LAF9332 ¹
191855-M4	Hydraulic	LFH4933 ¹³²⁸	1881442-M1	Oil	P771A	1640997-M91	Fuel	L296F ⁴¹
		LH4235	1640996-M91		P772	4223058-M1	Oil	PH4403
		LH4247 ¹³⁹⁰	1447048-M1		PH4403	<i>2244 w/Perkins AD3-152 Engine</i>		
					PH4408	(1801714-M1); Pri.	Fuel	L23F
(835817-M91); w/Continental Gas eng.	Oil	P3	<i>185, 188</i>			(1640997-M91); Sec.	Hydraulic	LP509
(1882916-M91); w/Perkins Gas eng.		P771A	1026131-M91	Air	LAF131	1640996-M91	Oil	P772
(837595-M91); w/Perkins Diesel eng.		P772		Hydraulic	LH4235	1447082-M1		PH4408
1447048-M1		PH4403	<i>193</i>			<i>225</i>		
(1447082-M1); Diesel		PH4408	1029945-M92	Air	LAF1983 ⁷⁹²	1094056-M91	Air	LAF1823 ¹
1019235-M92	Power Steering	LP176	1032762-M91		LAF8659		Fuel	LAF1910 ²
<i>168 Mk III w/Perkins AD4.236 Engine</i>			<i>194 w/Perkins A4.248 Engine</i>			1447048-M1	Oil	PH4403
1026131-M91	Air	LAF131	1026131-M92	Air	LAF131	1447082-M1		PH4408
		LAF1823 ¹	1640997-M91	Fuel	L296F ⁴¹	<i>225 w/Perkins AD4-203 Diesel Engine</i>		
1640997-M91	Fuel	L296F ⁴¹	1881442-M1	Oil	P771A	1447082-M1	Oil	PH4408
1447082	Oil	PH4408	1447048-M1		PH4403	<i>225 w/Perkins Gas Engine</i>		
<i>174C w/Perkins AD4.212 Engine</i>			1883318-M1	Power Steering	LP176	1447048-M1	Oil	PH4403
1640997-M91	Fuel	L296F ⁴¹	<i>205</i>			<i>230, 235, 245 w/Gas Engine</i>		
1881442-M1	Oil	P771A	3281825-M1	Air	LAF2745A ²	1043327-M91	Air	LAF1793 ¹
1447048-M1		PH4403	3282454-M91	Fuel	FP590F	1094269-M91		LAF1823 ¹
<i>174-S, 174-4S</i>			3281019-M1	Oil	LFP2294		Hydraulic	LAF1910 ^{2, 1413}
1070329-M91	Air	LAF1734 ²	<i>210, 220</i>			(1032015-M91);	Oil	LP1653 ¹¹
1073508-M91		LAF1735 ¹	1031436-M91	Air	LAF1275 ²	By-Pass		PB50

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 41-Cartridge 181-Single 792-Without Fin 1328-Auxillary 1390-5 Micron 1413-Orchard

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)			
<i>230, 235, 245 w/Perkins AD3-152 Diesel Engine</i>			<i>260, 260/4, 260/8 w/Perkins Engine (cont'd)</i>			<i>2745 w/Perkins AV8-540 Engine</i>			
1043327-M91	Air	LAF1793 ^{1, 1415}	1447082-M1	Oil	PH4408	3038997M1	Air	LAF4145 ²	
1094269-M91		LAF1823 ^{1, 1413}	261					LAF4167	
1094056-M91		LAF1910 ^{2, 1413}	3405419-M91	Fuel	LFF3501			LAF4180 ¹	
1896287-M91	Fuel	LFF3501 ¹⁴¹⁴	1447048-M1	Oil	PH4403		1896287-M91	Fuel	LFF3501
1447082-M91	Oil	PH4408	<i>2620, 2680</i>				3322234-M2	Hydraulic	LFH8758
<i>231</i>			1640997-M91	Fuel	L296F ⁴¹	2654407	Oil	LFP2292	
	Fuel	L296F ⁴¹	1446675-M91	Oil	LFP2292	<i>275</i>			
1447082-M1	Oil	PH4408	<i>2625, 2645 w/Perkins A6.354.4 Engine</i>			1042216-M92	Air	LAF1712 ²	
<i>231S w/Perkins 2.7 Engine</i>			1640997-M91	Fuel	L296F ⁴¹	1309045-M92		LAF1949 ¹	
	Fuel	L296F ⁴¹	1447048-M92	Oil	PH4403	Gas	Fuel	G16	
	Oil	PH4403	<i>263</i>			(1896287-M91); Diesel		LFF3501	
<i>240, 240S</i>			3595519M1	Air	LAF8803 ¹	1447048-M91	Oil	PH4403	
(1688092-M2); -S/N	Air	LAF1979 ²	3595518M1		LAF8829 ²	<i>2770, 2775, 2800, 2805, 2880 w/Perkins AV8-640 Engine</i>			
559105			836218M91	Fuel	L296F ^{41, 528}	1044274-M91	Air	LAF1789 ¹	
3610942-M91		LAF8218 ¹	883786M91		LFF3511	(3038997M1); 2775,		LAF4167	
1077260-M91	Fuel	L296F ⁴¹	4223058M1	Oil	PH4403	2805 only			
1447082-M1	Oil	PH4408	<i>2640</i>			1057951-M1	Fuel	FP587F	
<i>243</i>			1633458-M1	Air	LAF8075 ²	1896287-M91		LFF3501	
1077260M91	Fuel	L296F ⁴¹	1640997-M91	Fuel	L296F ⁴¹	3322234-M2	Hydraulic	LFH8758	
4223058M1	Oil	PH4403	1446675-M91	Oil	LFP2292	1447031-M1	Oil	LFP2292	
<i>250 w/Perkins AD3.152 Engine</i>			<i>264C, 264T w/Perkins T3.152 Engine</i>			<i>281</i>			
1688092-M2	Air	LAF1979 ²	1640997-M91	Fuel	L296F ⁴¹	1077260M91	Fuel	L296F ⁴¹	
3610942-M91		LAF8218 ¹	1447082-M1	Oil	PH4408	(1447031M1); S/N	Oil	LFP2292	
1640997-M91	Fuel	L296F ⁴¹	<i>265 w/Perkins 4.236 Gas or Diesel Engine</i>			-G23600			
1447082-M1	Oil	PH4408	1094269-M91	Air	LAF1823 ¹	(1447048M1); S/N		PH4403	
<i>251XE w/Perkins 2.7L Engine</i>			1094056-M91		LAF1910 ²	G236000-			
C14200	Air	LAF8749 ²	(1896287-M91); Diesel	Fuel	LFF3501	<i>281X, 281XE</i>			
CF200		LAF8750 ¹	1447048-M1	Oil	PH4403	055119-R1	Air	LAF3947 ²	
1013890-M1	Fuel	L296F ⁴¹	<i>2675, 2705 w/Perkins 6.354 Engine</i>			055120-R1		LAF3948 ¹	
1447048-M1	Oil	PH4403	3038997M1	Air	LAF4167	1013890-M1	Fuel	L296F ⁴¹	
<i>253</i>			(1644334-M1); -S/N		LAF4307 ¹	034391-T1	Hydraulic	LFH8197 ¹¹	
3595519-M1	Air	LAF8803 ¹	9R11890		LAF8353 ²	1447048-M1	Oil	PH4403	
3595518-M1		LAF8829 ²	(1644333-M1); -S/N			<i>282</i>			
1077260M91	Fuel	L296F ⁴¹	9R11890			1851890-M1	Fuel	L296F ⁴¹	
836218M1		L296F ^{41, 528}	26560017	Fuel	L296F ⁴¹	1896287-M91		LFF3501	
3405419-M91		LFF3501	3322234-M2	Hydraulic	LFH8758	1447048-M1	Oil	PH4403	
883786M91		LFF3511	2654407	Oil	LFP2292	<i>283 Brazil</i>			
4223058M1	Oil	PH4403	<i>2685, 2720, 2725 w/Perkins AT6.354.4 Engine</i>			2710804M2	Air	LAF1712 ²	
1447082-M1		PH4408	1640997-M91	Fuel	L296F ⁴¹	2710805M1		LAF1713 ¹	
<i>254-4, 274-4</i>			1447048-M92	Oil	PH4403	1896287M91	Fuel	LFF3501	
1698684-M1	Air	LAF8667 ¹	<i>270 w/Perkins AD4.236 Engine</i>			1447048M1	Oil	PH4403	
1698683-M1		LAF8800 ²	1896287-M91	Fuel	LFF3501	<i>283 UK</i>			
1077260-M91	Fuel	L296F ⁴¹	1447048-M1	Oil	PH4403	271080-M2	Air	LAF1712 ²	
1447082-M1	Oil	PH4408	<i>271</i>			1678295-M1		LAF8606 ¹	
<i>255 w/Diesel Engine</i>			1077260-M91	Fuel	L296F ⁴¹	1678294-M1		LAF8607 ²	
1094269-M91	Air	LAF1823 ¹	3595175M1	Hydraulic	LFH8192 ¹¹	1678308-M91		LAF8608 ²	
1094036-M91		LAF1910 ²	(1447031M1); S/N	Oil	LFP2292	3405419-M91	Fuel	LFF3501	
(1896287-M91); Diesel	Fuel	LFF3501	-G23600			1447048-M1	Oil	PH4403	
1447082-M91	Oil	PH4408	(1447048M1); S/N		PH4403	<i>285 w/Perkins A4.318 Diesel Engine</i>			
<i>255 w/Gas Engine</i>			G23600-			1042216-M91	Air	LAF1712 ²	
1094269-M91	Air	LAF1823 ¹	<i>271X, 271XE</i>			1039045-M91		LAF1949 ¹	
1094056-M91		LAF1910 ²	055119-R1	Air	LAF3947 ²		Fuel	L296F ⁴¹	
	Fuel	G16	055120-R1		LAF3948 ¹	1882916-M91	Oil	P771	
1447048-M1	Oil	PH4403	1013890-M1	Fuel	L296F ⁴¹	1447048-M1		PH4403	
<i>260, 260/4, 260/8 w/Perkins Engine</i>			034391-T1	Hydraulic	LFH8197 ¹¹				
1640997-M91	Fuel	L296F ⁴¹	1447048-M1	Oil	PH4403				

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 41-Cartridge 528-CAV Fuel System 1413-Orchard 1414-Vineyard Only 1415-Std. Clearance

M

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)		
290			3120, 3120T, 3125			3350, 3355		
1678295-M1	Air	LAF8606 ¹	1062501-M91	Air	LAF8610 ²	72270878	Air	LAF8583 ²
1678294-M1		LAF8607 ²	1093683-M92		LAF9410 ¹	1077260-M91	Fuel	L296F ⁴¹
1678308-M91		LAF8608 ²	1640997-M91	Fuel	L296F ⁴¹	1447031-M1	Oil	PH4403
3405419-M91	Fuel	LFF3501	1447031-M1	Oil	LFP2292	3366 w/Perkins 4A-300 Engine		
1447048-M1	Oil	PH4403	3125 w/Perkins 1006.6 Engine			1093682-M91	Air	LAF1544 ²
294-4			3385734-M1	Air	LAF22086 ¹	1093683-M91	Fuel	L296F ⁴¹
	Air	LAF8667 ¹	3385733-M1		LAF2547 ²		Oil	P72
1698683-M1		LAF8800 ²	3405418-M1	Fuel	L296F ⁴¹	835995-M92		P771A
1077260-M91	Fuel	L296F ⁴¹	3638291-M1		LFF3504	340, 350		
1447048-M1	Oil	PH4403	1447031-M1	Oil	LFP2292	1640997-M91	Fuel	L296F ⁴¹
298 w/Perkins Engine			1447048-M1		PH4403	1896287-M91		LFF3501
1698375-M2	Air	LAF8665 ¹	3615949-M2	Power Steering	LH4254 ⁷	1447082-M91	Oil	PH4408
1698374-M2		LAF8666 ²	3140			3425		
1640997-M91	Fuel	L296F ⁴¹	3385734-M1	Air	LAF22086 ¹	72257757	Air	LAF9410 ¹
1447048-M1	Oil	PH4403	3385733-M1		LAF2547 ²	1447048-M1	Oil	PH4403
30, 35 w/Perkins Diesel Engine			1077260-M91	Fuel	L296F ^{41, 937}	3435, 3445, 3455		
1026131M92	Air	LAF131 ¹⁸¹	3638291-M1		LFF3504 ⁹³⁸	72257757	Air	LAF9410 ¹
1094269M91		LAF1823 ¹	1447048-M1	Oil	PH4403		Base	LMB6926 ⁹⁴³
1688092M2		LAF1979 ²	3165 w/Perkins AD4-203 Engine				Fuel	LFF6925 ⁹⁴²
3610942M91		LAF8218	1029945-M92	Air	LAF1983	1447031-M1	Oil	LFP2292
3595519M1		LAF8803 ¹	Pri.	Fuel	L296F ⁴¹	35 w/Continental Z-134 Engine		
1094056M91		LAF9410 ¹	Sec.	Fuel	L296F ⁴¹		Oil	P3
	Fuel	L296F ^{18, 41}	Gas	Oil	P3			P7FF
		LFF3501 ¹⁹	Diesel		P772	3505, 3525, 3545		
1051139M91	Hydraulic	LH4939	Gas		P7FF	1644333-M1	Air	LAF8353 ²
1052262M91		LP1653 ¹¹	1447082-M1		PH4408	1896287-M91	Fuel	LFF3501
837595M91	Oil	P772	1019235-M91	Power Steering	LP176	1447031-M1	Oil	LFP2292 ¹⁹
1447082M1		PH4408	3210, 3225, 3235			1447048-M1		PH4403 ¹⁸
(1053870M91); Instant Reverse	Trans	LFH4935	3540046-M1	Air	LAF8148 ²	354S, 364S		
30,30GR, 30K w/gas Engine			3540047-M1		LAF9332 ¹	3599519-M1	Air	LAF8803 ¹
	Oil	P3	3541160-M1	Fuel	L296F ⁴¹	3310358-M1		LAF8804 ²
		P7FF	3540049-M91	Oil	LFP2292	1077260-M91	Fuel	L296F ⁴¹
3050, 3060, 3065, 3070			3245, 3255			1447082-M91	Oil	PH4408
1062501-M91	Air	LAF8610 ²	3540051-M1	Air	LAF4544 ²	356 w/Diesel Engine		
1093683-M92		LAF9410 ¹			LAF4544MXM ^{2, 268}	S/N 670001015-; Pri.	Fuel	L296F ⁴¹
1896287-M91	Fuel	LFF3501	3540052-M1		LAF8148 ²	Sec.		L296F ⁴¹
1447048-M1	Oil	PH4403	3541160-M1	Fuel	L296F ⁴¹	-S/N 670001015; Pri.		P2470
3615949-M2	Power Steering	LH4254	3540049-M91	Oil	LFP2292	1039161-M91	Hydraulic	LP509
3075			3303, 3305 w/Perkins 4.203, 4.212 Engine				Oil	P772
1062501-M91	Air	LAF8610 ²	1026131-M1	Air	LAF131	1008553-M1	Power Steering	LP176
1093683-M92		LAF9410 ¹	1851890-M1	Fuel	L296F ⁴¹	360 w/Perkins AT3 152.4 Engine		
1447031-M1	Oil	LFP2292	1447082-M1	Oil	PH4408	3595519-M1	Air	LAF8803 ¹
3615949-M2	Power Steering	LH4254	1019235-M91	Power Steering	LP176	3595518-M1		LAF8829 ²
3080, 3085, 3090, 3095 w/Perkins Engine			3306 w/Perkins 4.300 Engine			3595519-M1	Fuel	L296F ⁴¹
1062501-M91	Air	LAF8610 ²	1093682-M91	Air	LAF1544 ²	1896287-M91		LFF3501
1093683-M92		LAF9410 ¹	1093683-M91		LAF9410 ¹	3595175-M1	Hydraulic	LFH8192
1077260-M91	Fuel	L296F ⁴¹	1851890-M1	Fuel	L296F ⁴¹	1447082-M91	Oil	PH4408
1447031-M1	Oil	LFP2292	1447048-M1	Oil	PH4403	3610 w/6.354.4 Engine		
3115 w/Perkins 1006.6 Engine			3315, 3330, 3340			3385733-M1	Air	LAF22086 ¹
1093682-M91	Air	LAF1544 ²	72270878	Air	LAF8583 ²	3405418-M1	Fuel	L296F ⁴¹
1093683-M92		LAF9410 ¹	(1077260-M91); Pri.	Fuel	L296F ⁴¹	1447031-M1	Oil	LFP2292
3405418-M1	Fuel	L296F ⁴¹	1447048-M1	Oil	PH4403	362 w/Perkins A4 236 Engine		
1447031-M1	Oil	LFP2292				3595519-M1	Air	LAF8803 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 7-8" Tall 11-Power Steering 18-Short 19-Long 41-Cartridge 181-Single 268-Extended/Severe service 937-Early Production 938-Late Production 942-Used with LMB6926 conversion kit 943-Spin-on conversion base

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)		
362 w/Perkins A4 236 Engine (cont'd)			390, 390T w/Perkins A4 248 Engine			4225, 4233, 4235, 4240		
3595518-M1	Air	LAF8829 ²	3595501-M1	Air	LAF8828 ¹	(3901464-M1); 4233	Air	LAF3947 ²
1077260-M91	Fuel	L296F ⁴¹	3595503-M1		LAF8830 ²	(3901465-M1); 4233		LAF3948 ¹
1896287-M91		LFF3501	3595500-M1		LAF8973 ²	3901462-M1		LAF8749 ²
3595175-M1	Hydraulic	LFH8192	1896287-M91	Fuel	LFF3501	39014263-M1		LAF8750 ¹
1447048-M1	Oil	PH4403	3595175-M1	Hydraulic	LFH8192	3901476-M1		LAF9100 ¹
3625, 3635, 3645 w/33DT/33DTA Tier 3 Engine (V836867595); Sec.			1447048-M1	Oil	PH4403	3901475-M1		LAF9101 ²
	Fuel	L3880F	393			1077260-M91	Fuel	L296F ⁴¹
3630, 3645, 3650 w/Perkins Engine			3595501-M1	Air	LAF8828 ¹	3595175-M1	Hydraulic	LFH8192
	Air	LAF22086 ¹	3595500-M1		LAF8973 ²	1447031-M1	Oil	LFP2292 ¹⁹
3385733-M1		LAF2547 ²	3405419-M91	Fuel	LFF3501	1447048-M1		PH4403 ¹⁸
1896287-M91	Fuel	LFF3501	3595175-M1	Hydraulic	LFH8192	4243, 4245, 4253, 4255		
	Oil	PH4403	1447048-M1	Oil	PH4403	3901464-M1	Air	LAF3947 ²
364S, 374S, 384S, 394-S			396			3901465-M1		LAF3948 ¹
359519-M1	Air	LAF8803 ¹	3595501-M1	Air	LAF8828 ¹	3901476-M1		LAF9100 ¹
3310358-M1		LAF8804 ²	3595500-M1		LAF8973 ²	3901475-M1		LAF9101 ²
1077260-M91	Fuel	L296F ⁴¹	1077260-M91	Fuel	L296F ⁴¹	1077260-M91	Fuel	L296F ⁴¹
1447048-M1	Oil	PH4403	3595175-M1	Hydraulic	LFH8192	3595175-M1	Hydraulic	LFH8192
365			1447031-M1	Oil	LFP2292	1447031-M1	Oil	LFP2292 ¹⁹
3595501M1	Air	LAF8828 ¹	398 w/Perkins AT4 236 Turbo Engine			1447048-M1		PH4403 ¹⁸
3595503M1		LAF8830 ²	3595501-M1	Air	LAF8828 ¹	4255A, 4260A, 4270A w/Perkins 1000 Series Engine		
3595500M1		LAF8973 ^{2, 792}	3595503-M1		LAF8830 ²		Fuel	L296F ⁴¹
3405419M1	Fuel	LFF3501	3595500-M1		LAF8973 ²			LFF3504
3595175M1	Hydraulic	LFH8192 ¹³⁷²		Fuel	LFF3501		Oil	LFP2292
1447048M1	Oil	PH4403	3595175-M1	Hydraulic	LFH8192	4260, 4263, 4270		
3660 w/Perkins			1447048-M1	Oil	PH4403	3901476-M1	Air	LAF9100 ¹
	Air	LAF22086 ¹	399 w/Perkins A6 354.4 Engine			3901475-M1		LAF9101 ²
3385733-M1		LAF2547 ²	3595501-M1	Air	LAF8828 ¹	1077260-M91	Fuel	L296F ⁴¹
1062501-M91		LAF8610 ²	3595503-M1		LAF8830 ²	3595175-M1	Hydraulic	LFH8192
1896287-M91	Fuel	LFF3501	3595500-M1		LAF8973 ²	1447031-M1	Oil	LFP2292 ¹⁹
1447048-M1	Oil	PH4403		Fuel	L296F ⁴¹	1447048-M1		PH4403 ¹⁸
3670			3595175-M1	Hydraulic	LFH8192	431		
3580724-M1	Air	LAF8648 ¹	1447031-M1	Oil	LFP2292	3595175M1	Hydraulic	LFH8192 ¹¹
3580723-M1		LAF8977 ²	40 w/Perkins Diesel Engine			1447048M1	Oil	PH4403
3405419-M1	Fuel	LFF3501	1026131M92	Air	LAF131 ¹⁸¹	4325, 4335, 4345, 4355, 4360, 4370		
3618662-M2	Hydraulic	LH4166	1094269M91		LAF1823 ¹	3901464-M1	Air	LAF3947 ²
V836647133	Oil	LFP8501	1688092M2		LAF1979 ²	3901465-M1		LAF3948 ¹
3680, 3690			3610942M91		LAF8218	3901476-M1		LAF9100 ¹
3580724-M1	Air	LAF8648 ¹	3595519M1		LAF8803 ¹	3901475-m1		LAF9101 ²
3580723-M1		LAF8977 ²	1094056M91		LAF9410 ¹	1077260-M91	Fuel	L296F ⁴¹
1896287-M91	Fuel	LFF3501		Fuel	L296F ^{18, 41}			LFF3504
3637652-M1	Oil	LFP8462			LFF3501 ¹⁹	3595175-M1	Hydraulic	LFH8192
375 w/Perkins A4 236 Engine			1051139M91	Hydraulic	LH4939	1447031-M1	Oil	LFP2292 ¹⁹
3595501-M1	Air	LAF8828 ¹	1052262M91		LP1653 ¹¹	1447048-M1		PH4403 ¹⁸
3595503-M1		LAF8830 ²	837595M91	Oil	P772	451		
3595500-M1		LAF8973 ²	1447082M1		PH4408	055113-R1	Air	LAF8749 ²
	Fuel	LFF3501	(1053870M91); Instant Reverse	Trans	LFH4935	05514-R1		LAF8750 ¹
3595175-M1	Hydraulic	LFH8192	4215, 4220 w/Perkins 903.27 Engine			1077260-M91	Fuel	L296F ⁴¹
1447048-M1	Oil	PH4403	3901462-M1	Air	LAF8749 ²	3638291-M1		LFF3504
383 w/Perkins A4 248 Engine			26560608	Fuel	LFF3504	10447048-M1	Oil	PH4403
3595501-M1	Air	LAF8828 ¹	3621101-M1	Oil	PH4403	461		
3595503-M1		LAF8830 ²	4225 w/Perkins 4.41 Engine			3595175-M1	Hydraulic	LFH8192 ¹¹
3595500-M1		LAF8973 ^{2, 792}	3901462-M1	Air	LAF8749 ²	3771122-M92		LFH8192
1896287-M91	Fuel	LFF3501	26560608	Fuel	LFF3504	1447048-M1	Oil	PH4403
3595175-M1	Hydraulic	LFH8192 ⁶¹⁰			LFF3511	471, 481		
1447048-M1	Oil	PH4403	3621101-M1	Oil	PH4403	055119-R1	Air	LAF3947 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 18-Short 19-Long 41-Cartridge 181-Single 610-Charge Pump 792-Without Fin 1372-Front axle

M

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)		
<i>471, 481 (cont'd)</i>			<i>5200</i>			<i>563 w/Perkins 1103C-33T Engine</i>		
055120-R1	Air	LAF3948 ¹	3633059-M1	Air	LAF4306 ²	3595519M1	Air	LAF8803 ¹
1077260-M91	Fuel	L296F ⁴¹	536836-M2		LAF8303	3595175M1	Hydraulic	LFH8192
034391-T1	Hydraulic	LFH8197	1051137-M91	Hydraulic	LH4939 ¹¹	1447048M1	Oil	PH4403
1447031-M1	Oil	LFP2292	(3632567-M1);	Oil	LFP777B	<i>565, 575, 590</i>		
1447048-M1		PH4403	By-Pass		LFP777XL ¹⁴	1678295-M1	Air	LAF8606 ¹
<i>471, 481 w/Perkins Tier 2 Engine</i>			By-Pass			1678308-M91		LAF8608 ²
055119-R1	Air	LAF3947 ²	<i>533, 543 w/Perkins 1103C-33 Engine</i>			1640997-M91	Fuel	L296F ⁴¹
3901465M1		LAF3948 ¹	3595519M1	Air	LAF8803 ¹			LFF3501
	Base	LMB6926 ⁹⁴³	3595175M1	Hydraulic	LFH8192	1447048-M1	Oil	PH4403
	Fuel	LFF6925 ⁹⁴²	1447048M1	Oil	PH4403	<i>573, 583 w/Perkins 1104C-44 Engine</i>		
3595175M1	Hydraulic	LFH8192	<i>5425, 5435, 5445, 5455 w/Perkins 1104C 44 Engine</i>			055119R1	Air	LAF3947 ²
034391-T1		LFH8197	3901464-M1	Air	LAF3947 ²	055120R1		LAF3948 ¹
1447031-M1	Oil	LFP2292	3901465-M1		LAF3948 ¹		Base	LMB6926 ⁹⁴³
<i>4800, 4840</i>			3901476-M1		LAF9100 ¹		Fuel	LFF6925 ⁹⁴²
536836-M1	Air	LAF8303	3901475-M1		LAF9101 ²	3595175M1	Hydraulic	LFH8192
WF-2014	Coolant	LFW4744 ⁴		Base	LMB6926 ⁹⁴³	1447031M2	Oil	LFP2292
(1055915-M2); Pri.	Fuel	LFF5D		Fuel	LFF6925 ⁹⁴²	<i>593, 596 w/Perkins 1104C-44T Engine</i>		
1051137-M91	Hydraulic	LH4939 ^{11, 242}	1447031-M1	Oil	LFP2292	055125R1	Air	LAF9100 ¹
1055914-M1	Oil	LFP670	3615949-M2	Power Steering	LH4254	055124R1		LAF9101 ²
		LFP670XL ¹⁴			LH5461		Base	LMB6926 ⁹⁴³
(771308-M1); By-Pass		LFP777B	3792287-M1	Trans	LH5461		Fuel	LFF6925 ⁹⁴²
By-Pass		LFP777XL ¹⁴	<i>5445, 5450, 5455 w/Perkins 1104D 44T Tier 3 Engine</i>			3595175M1	Hydraulic	LFH8192
1051399-M92	Trans	LP2318	4270033M1	Air	LAF4544 ²	1447031M2	Oil	LFP2292
<i>4880, 4900</i>			4270034M1		LAF4545 ¹	<i>595, 595 Mk II, 595 Mk III w/Perkins A4.318 Engine</i>		
1051373-M92	Air	LAF1867 ¹		Base	LMB6926 ⁹⁴³		Air	LAF8665 ¹
1051374-M92		LAF1955 ²		Fuel	LFF6925 ⁹⁴²			LAF8666 ²
536836-M1		LAF8303	1447031M1	Oil	LFP2292	1640997-M91	Fuel	L296F ⁴¹
WF-2014	Coolant	LFW4744 ⁴	<i>5460 w/Perkins 1104C 44T Engine</i>			1852331-M1	Oil	P72
(1055915-M2); Pri.	Fuel	LFF5D	4270033-M1	Air	LAF4544 ²	1447048-M1		PH4403
1051137-M91	Hydraulic	LH4939 ^{11, 242}	4270034-M1		LAF4545 ¹	1019235-M91	Power Steering	LP176
1055914-M1	Oil	LFP670		Base	LMB6926 ⁹⁴³	<i>6110, 6120</i>		
		LFP670XL ¹⁴	1447031-M1	Oil	LFP2292	1062501-M91	Air	LAF8610 ²
(771308-M1); By-Pass		LFP777B	3615949-M2	Power Steering	LH4254	1093683-M92		LAF9410 ¹
By-Pass		LFP777XL ¹⁴	3792287-M1	Trans	LH4594	3638291-M1	Fuel	LFF3504
1051399-M92	Trans	LP2318	<i>5460, 5460SA w/Perkins 1104 Tier 3 Engine 2008-</i>			1447048-M1	Oil	PH4403
<i>491, 492</i>			4270033M1	Air	LAF4544 ²	<i>6130, 6140, 6150, 6160, 6170, 6180</i>		
055124-R1	Air	LAF9101 ²	4270034M1		LAF4545 ¹	1062501-M91	Air	LAF8610 ²
1077260-M91	Fuel	L296F ⁴¹	1447031M1	Oil	LFP2292	1093683-M91		LAF9410 ¹
034391-T1	Hydraulic	LFH8197 ¹¹	<i>5470SA, 5475SA w/Sisu CT44 Engine</i>			1896287-M91	Fuel	LFF3501
1447031-M1	Oil	LFP2292	4270035M1	Air	LAF9543 ¹	3638291-M1		LFF3504
<i>491, 492 w/Perkins Tier 2 Engine</i>			4270035M1		LAF9547 ²	1447031-M1	Oil	LFP2292
055125R1	Air	LAF9100 ¹	(836862600); Pri.	Fuel	L4109F	<i>6190</i>		
055124R1		LAF9101 ²	V836662580	Oil	LFP8501	3385734-M1	Air	LAF22086 ¹
	Base	LMB6926 ⁹⁴³	<i>560</i>			3385733-M1		LAF2547 ²
	Fuel	LFF6925 ⁹⁴²		Air	LAF8667 ¹	3638291-M1	Fuel	LFF3504
3595175M1	Hydraulic	LFH8192	1640997-M91	Fuel	L296F ⁴¹	3618662-M1	Hydraulic	LH4166
034391-T1		LFH8197	1447082-M1	Oil	PH4408	1447031-M1	Oil	LFP2292
1447031-M1	Oil	LFP2292	<i>5609 (w/Agco 33AWI Engine)</i>			3615949-M2	Power Steering	LH4254
<i>50 Diesel</i>			V836662580	Oil	LFP8501	<i>6235, 6245 w/1004-40T Engine</i>		
1850450-M2	Fuel	L23F	<i>5610 (w/Agco 33AWI Engine)</i>			3901464-M1	Air	LAF3947 ²
1077260-M91		L296F ⁴¹	V836662580	Oil	LFP8501	3901465-M1		LAF3948 ¹
837595-M1	Oil	P772	<i>5610 (w/Agco 33AWI Engine)</i>			3405418-M1	Fuel	L296F ⁴¹
<i>50 Gas/ LP Gas</i>			V836662580	Oil	LFP8501	(3780931-M1); Pri.		L3919F
1052262-M91	Hydraulic	LP1653 ¹¹	<i>5610 (w/Agco 33AWI Engine)</i>					
835817-M91	Oil	P3	<i>5610 (w/Agco 33AWI Engine)</i>					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 11-Power Steering 14-Extended Life 41-Cartridge 242-10 Micron 942-Used with LMB6926 conversion kit 943-Spin-on conversion base

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)		
<i>6235, 6245 w/1004-40T Engine (cont'd)</i>			<i>6445, 6455 w/Perkins 1104D E44TA Engine (cont'd)</i>			<i>65 Diesel (cont'd)</i>		
3638291-M1	Fuel	LFF3504	3792287-M1	Trans	LH4594	1447082-M1	Oil	P772 PH4408
3618662-M1	Hydraulic	LH4166	<i>6460, 6470 w/Sisu 44CTA Engine</i>			<i>65 w/Continental G65 Engine</i>		
1447031-M1	Oil	LFP2292	4270033-M1	Air	LAF4544 ²		Oil	P3 P7FF
3615949-M2	Power Steering	LH4254	4270034-M1		LAF4545 ¹			
3792287-M1	Trans	LH4594		Base	LMB6926 ⁹⁴³	<i>6614 (w/Agco 49AWI Engine)</i>		
<i>6255, 6265 w/1004-40T/W Engine</i>				Fuel	LFF6925 ⁹⁴²	V836679586	Oil	LFP8501
3901476-M1	Air	LAF9100 ¹	3618662-M2	Hydraulic	LH4166 ¹⁴¹⁸	<i>6615 (w/Agco 49AWI Engine)</i>		
3901475-M1		LAF9101 ²	3615949-M2		LH4254 ¹⁴¹⁷	V836679586	Oil	LFP8501
1077260-M91	Fuel	L296F ⁴¹	1447031-M1	Oil	LFP2292	<i>6616 (w/Agco 49AWI Engine)</i>		
3618662-M1	Hydraulic	LH4166	3615949-M2	Power Steering	LH4254	V836679586	Oil	LFP8501
1447031-M1	Oil	LFP2292	3792287-M1	Trans	LH4594	<i>670</i>		
3615949-M2	Power Steering	LH4254	<i>6465, 6475, 6480</i>			(1678295M1); S/N	Air	LAF8606 ¹
3792287-M1	Trans	LH4594	4271467-M1	Air	LAF8149 ²	-L162019		LAF8607 ²
<i>6260 w/Perkins 1004-6NA Engine</i>			(4224701-M1); Sec.	Fuel	L3102F	(1678294M1); S/N		
3901476M1	Air	LAF9100 ¹	(3780299-M1); Pri.		L3921F	-L162019		
3901475M1		LAF9101 ²	3618662-M2	Hydraulic	LH4166 ¹⁴¹⁸	1640997-M91	Fuel	L296F ⁴¹
(3780931-M1); Pri.	Fuel	L3919F	3615949-M2		LH4254 ¹⁴¹⁷	1447048-M1	Oil	PH4403
(3780299M1); Pri.		L3921F	1447048-M1	Oil	PH4403	<i>675, 690, 698T w/Perkins AD4.236, AD4.248 Engine</i>		
3638291-M1		LFF3504	3615949-M2	Power Steering	LH4254		Air	LAF8606 ¹
1447031-M1	Oil	LFP2292 ¹⁹	3792287-M1	Trans	LH4594	1640997-M91	Fuel	L296F ⁴¹
3615949-M2	Power Steering	LH4254	<i>6465, 6475, 6480 w/Perkins 1106D E66TA</i>			1447048-M1	Oil	PH4403
3792287-M1	Trans	LH4594	3618662M2	Hydraulic	LH4166 ¹⁴¹⁸	<i>698 w/Perkins A4.318.2 Engine</i>		
<i>6260 w/Perkins 1006-60NA Engine</i>			<i>6485, 6490 w/Sisu 66ETA Tier 3 Engine</i>				Air	LAF8665 ¹
	Air	LAF9100 ¹	4286473M1	Air	LAF6889 ²⁷⁵	1698374-M2		LAF8666 ²
		LAF9101 ²	(V836867595); Sec.	Fuel	L3880F	1640997-M91	Fuel	L296F ⁴¹
Pri.	Fuel	L3919F	(836866575); Pri.		L4109F	1447048-M1	Oil	PH4403
Pri.		L3921F	3618662M2	Hydraulic	LH4166 ¹⁴¹⁸	<i>699, 699-4</i>		
		LFF3504	V836662580	Oil	LFP8501	1062501-M91	Air	LAF8610 ²
	Oil	LFP2292 ¹⁹	3792287M1	Trans	LH4594 ¹⁰⁸⁵	1093683-M92		LAF9410 ¹
	Power Steering	LH4254	<i>6485, 6490, 6495 (w/Agco 66CTA Tier 4i Engine)</i>			1640997-M91	Fuel	L296F ⁴¹
	Trans	LH4594	3782386-M1	Air	LAF4501 ²	1446675-M91	Oil	LFP2292
<i>6270, 6280, 6290 w/Perkins 1006-60T Engine</i>			3782387-M1		LAF4502 ¹	<i>7465, 7475, 7480 w/Perkins 1106C-E60TA Engine</i>		
3901477M1	Air	LAF2342 ²	3618662-M2	Hydraulic	LH4166 ¹⁴¹⁸	4271467-M1	Air	LAF8149 ²
3901477M2		LAF2343 ¹	3615949-M2		LH4254 ¹⁴¹⁷	(4224701-M1); Sec.	Fuel	L3102F
(3780931-M1); Pri.	Fuel	L3919F	836662111	Oil	LFP8501	(3780299-M1); Pri.		L3921F
3638291-M1		LFF3504	3615949-M2	Power Steering	LH4254	14407048-M1	Oil	PH4403
3618662-M1	Hydraulic	LH4166	3792287-M1	Trans	LH4594	<i>7485, 7490, 7495 w/Sisu 66ETA Engine</i>		
1447031-M1	Oil	LFP2292 ¹⁹	<i>6497, 6499 w/Sisu 74 CTA Tier 3 Engine</i>			3782386-M1	Air	LAF4501 ²
3615949-M2	Power Steering	LH4254	3902783-M1	Air	LAF4601 ²	3782387-M1		LAF4502 ¹
<i>6445, 6455 w/Perkins 1104D E44TA Engine</i>			(836866575); Pri.	Fuel	L4109F	(836866575); Pri.	Fuel	L4109F
3901464-M1	Air	LAF3947 ²	3618662-M2	Hydraulic	LH4166 ¹⁴¹⁸	836662111	Oil	LFP8501
3901465-M1		LAF3948 ¹	836662111	Oil	LFP8501	<i>7497 (w/SISU 74CTA Engine)</i>		
3901476-M1		LAF9100 ¹	3792287-M1	Trans	LH4594	4286473M1	Air	LAF6889 ²⁷⁵
3901475-M1		LAF9101 ²	<i>65 Diesel</i>			V836867595	Fuel	L3880F
	Base	LMB6926 ⁹⁴³	Regular diesel; Pri.	Fuel	L23F	V836662580	Oil	LFP8501
	Fuel	LFF6925 ⁹⁴²	Direct fuel injection; Pri.		L296F ⁴¹	<i>7499 (w/SISU 74CTA Engine)</i>		
3618662-M2	Hydraulic	LH4166 ¹⁴¹⁸	S/N 2804593; Sec.		L296F ⁴¹	4286473M1	Air	LAF6889 ²⁷⁵
3615949-M2		LH4254 ¹⁴¹⁷	Sec.		L296F ⁴¹	V836867595	Fuel	L3880F
1447031-M1	Oil	LFP2292	-S/N 2804593; Sec.		L50F	V836662580	Oil	LFP8501
3615949-M2	Power Steering	LH4254	185551-M92	Hydraulic	P3	<i>7614 (w/Agco 66CTA Engine)</i>		
						3792287M1	Hydraulic	LH11015V ¹²⁶¹
						V836662580	Oil	LFP8501

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 18-Short 19-Long 41-Cartridge 275-Primary 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1085-Power Shuttle 1261-Wet Clutch 1417-Left Hand 1418-Right Hand Centrifugal

M

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)			
<i>7615 (w/Agco 66CTA Engine)</i>			<i>8240, 8245, 8250, 8260 (cont'd)</i>			<i>9240 w/Cummins 8.3L Engine (cont'd)</i>			
3792287M1	Hydraulic	LH11015V ¹²⁶¹	V836339370	Fuel	LFF3501	30-3506819	Hydraulic	LFH4990	
V836662580	Oil	LFP8501	3618662-M1	Hydraulic	LH4166	(72509129); -S/N 0067		LH4985	
<i>7616 (w/Agco 66CTA Engine)</i>			V836662111	Oil	LFP8501	S/N JAN97-	Oil	LFP2265	
3792287M1	Hydraulic	LH11015V ¹²⁶¹	<i>8270, 8280</i>			(72501533); -S/N		LFP3000	
V836662580	Oil	LFP8501	5016603-M1	Air	LAF1819 ²	DEC96		LFP3000XL ¹⁴	
<i>7624 w/74CTA Engine</i>			5016604-M1		LAF1922 ¹	<i>95 w/M-MD504-6 Engine</i>			
4286473M2	Air	LAF6889 ²⁷⁵	V836339370	Fuel	LFF3501	<i>95 w/M-MD504-6 Engine</i>			
V836662580	Oil	LFP8501	3618662-M1	Hydraulic	LH4166	-S/N 17300001; Sec.	Fuel	261F	
<i>7626 (w/Agco 74CTA Engine)</i>			3902287-M1		LH4594 ¹⁴²⁰	1851890-M1		L296F ⁴¹	
4286473M2	Air	LAF6889 ²⁷⁵	V836859108	Oil	LFP3354	S/N 17300001-	Oil	LFP2258	
3792287M1	Hydraulic	LH11015V ¹⁴¹⁹	<i>8450, 8460, 8470, 8480</i>			<i>968</i>			
V836662580	Oil	LFP8501	4278631-M1	Air	LAF1819 ²	1640997-M91	Fuel	L296F ⁴¹	
<i>7714 w/Agco 6.6L Engine</i>			4270018-M1		LAF1922 ¹	1447048-M1	Oil	PH4403	
V836679586	Oil	LFP8501	(836862600); Pri.	Fuel	L4109F	<i>97 w/M-MD504-6 Engine</i>			
<i>7715 w/Agco 6.6L Engine</i>			(836859108); 8470,	Oil	LFP3354	Sec.	Fuel	261F	
V836679586	Oil	LFP8501	8480		LFP8501	Sec.		L296F ⁴¹	
<i>7716 w/Agco 6.6L Engine</i>			(836662111); 8450,				Oil	LFP2258	
V836679586	Oil	LFP8501	8460	<i>85 Diesel, 88 Diesel w/Continental HD-297 Engine</i>			<i>98</i>		
<i>7718 w/Agco 6.6L Engine</i>			<i>85 Diesel, 88 Diesel w/Continental HD-297 Engine</i>			Sec.	Fuel	261F	
V836679586	Oil	LFP8501	Pri.	Fuel	L23F	Pri.		L274F	
<i>7719 (w/Agco 66CTA Engine)</i>			Sec.		L50F	Pri.		L274F1	
4286473M1	Air	LAF6889	1087415-M91	Hydraulic	LP151		Oil	P71	
3792287M1	Hydraulic	LH11015V ¹²⁶¹	(1022883-M1); MF88		LP509	<i>FC23</i>			
V836679586	Oil	LFP8501		Oil	LP132	(3608255-M1); Sec.	Fuel	L3541F	
<i>7720 (w/Agco 66CTA Engine)</i>			<i>85, 88 w/Continental E-223, E-242 Engine</i>			3710280M2	Oil	LFP8176	
4286473M1	Air	LAF6889	1087415-M91	Hydraulic	LP151	<i>FC33</i>			
3792287M1	Hydraulic	LH11015V ¹²⁶¹		Oil	P3	(3608255-M1); Sec.	Fuel	L3541F	
V836679586	Oil	LFP8501			P7FF	3703386-M1	Hydraulic	LFH4926	
<i>8110, 8120</i>			<i>8650, 8660, 8670 w/Sisu 8.4CTA e Engine</i>			3710280M2	Oil	LFP8176	
	Air	LAF22086 ¹	(V836867595); Sec.	Fuel	L3880F	<i>FE35</i>			
3385733-M1		LAF2547 ²	V836862582	Oil	LFP3354	Diesel; Sec.	Fuel	L23F	
3385734-M1		LAF503 ¹	<i>8680, 8690 w/Sisu 8.4CTA e Engine</i>			Diesel; Pri.		L50F	
3638291-M1	Fuel	LFF3504	(V836867595); Sec.	Fuel	L3880F		Hydraulic	LP1653 ¹¹	
1447031-M1	Oil	LFP2292 ¹⁹	V836862582	Oil	LFP3354	Gas	Oil	P3	
1447048-M1		PH4403 ¹⁸	<i>8727 (w/Agco 84CTA Engine)</i>			Diesel		P52	
<i>8140, 8150, 8160 w/Valmet 620DS Engine</i>			V836862582	Oil	LFP3354	Diesel		P772 ¹⁴²¹	
3580724-M1	Air	LAF8648 ¹	<i>8732 (W/Agco 8.4CTA Engine)</i>			<i>GC1705</i>			
3580723-M1		LAF8977 ²	V836862582	Oil	LFP3354	3608255M91	Fuel	L3541F	
1896287-M91	Fuel	LFF3501	<i>8735 (w/Agco 8.4CTA Engine)</i>			3710280M2	Oil	LFP8176	
3618662-M1	Hydraulic	LH4166	V836862582	Oil	LFP3354	<i>GC1710</i>			
836647133	Oil	LFP8501	<i>8737 (w/Agco 8.4CTA Engine)</i>			3608255M91	Fuel	L3541F	
<i>8170 w/Valmet 645TCC Engine</i>			V836862582	Oil	LFP3354	3710280M2	Oil	LFP8176	
	Fuel	LFF3501	<i>8925, 8935 w/1004.40 Engine</i>			<i>GC1715</i>			
<i>8210, 8220 w/1006-6TW Engine</i>				Air	LAF3947 ²	3608255M91	Fuel	L3541F	
3901477-M1	Air	LAF2342 ²			LAF3948 ¹	3710280M2	Oil	LFP8176	
3901478-M1		LAF2343 ¹	3638291-M1	Fuel	LFF3504	<i>GC1720</i>			
1077260-M1	Fuel	L296F ⁴¹	1447031-M1	Oil	LFP2292 ¹⁹	3608255M91	Fuel	L3541F	
(3780931-M1); Pri.		L3919F	1447048-M1		PH4403 ¹⁸	3710280M2	Oil	LFP8176	
(3780299-M1); Pri.		L3921F	<i>8937, 8939 w/1004.40T Engine</i>			<i>GC2300, GC2310</i>			
3618662-M1	Hydraulic	LH4166 ^{1086, 1418}		Air	LAF3947 ²	3608255-M1	Fuel	L3541F	
1447031-M1	Oil	LFP2292			LAF3948 ¹	3710280-M2	Oil	LFP8176	
1447048-M1		PH4403	3638291-M1	Fuel	LFF3504	<i>GC2400, GC2410 w/Iseki E3112-WB01 Engine</i>			
3792287-M1	Trans	LH4594	1447031-M1	Oil	LFP2292 ¹⁹	3608255M1	Fuel	L3541F	
<i>8240, 8245, 8250, 8260</i>			1447048-M1		PH4403 ¹⁸	72201898	Oil	LFP8176	
5016603-M1	Air	LAF1819 ²	<i>9240 w/Cummins 8.3L Engine</i>			<i>GC2600, GC2610 w/Iseki E3112-WB Engine</i>			
5016604-M1		LAF1922 ¹	(74394407); Pri.	Fuel	LFF3417	3608255M1	Fuel	L3541F	

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 14-Extended Life 18-Short 19-Long 41-Cartridge 275-Primary 1086-Load Sensing 1261-Wet Clutch 1418-Right Hand Centrifugal 1419-Wet Clutch Power Shuttle 1420-Right Hand 1421-Perkins

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MASSEY FERGUSON (TRACTOR)			MASSEY FERGUSON (TRACTOR)			MCCORMICK (TRACTOR)		
<i>GC2600, GC2610 w/Iseki E3112-WB Engine (cont'd)</i>			<i>Super 90 w/Diesel Engine</i>			<i>C80, C90, C100</i>		
72201898	Oil	LFP8176	(191855-M4); Late production	Fuel	L296F ⁴¹	427471A1	Air	LAF4544 ²
<i>MH-101, 102</i>				Hydraulic	LFH4933	222422A1		LAF4544MXM ^{2, 268}
	Hydraulic	P3			LH4235	218100A1	Fuel	LFF3504
<i>MH-11 Pony Part, 16 Pacer, Pacemaker, Colt, Mustang</i>				Oil	LH4247 ¹³⁹⁰	3214797R1	Oil	LFP2292
	Oil	P3	<i>Super 90 w/Gas Engine</i>			<i>C90 MAX w/1104D-44T Tier 3 Engine</i>		
		P7FF	(191855-M4); Late production	Hydraulic	LFH4933	3540046M1	Air	LAF8148 ²
<i>MH-11 Pony, 16 Pacer, 20K partial</i>					LH4235	3540047M1		LAF9332 ¹
	Oil	P7FF			LH4247 ¹³⁹⁰	701900A1	Fuel	LFF3504
<i>MH-20, MH-20K partial, 21 Colt, 22, 22GR, 22K, 23</i>				Oil	P3	2654407	Oil	LFP2292
	Oil	P3	<i>TE20, TO20</i>			<i>C95MAX, C105MAX</i>		
		P7FF	835817-M91	Oil	P3	3540052M1	Air	LAF4544 ²
<i>MH-200 w/Continental Z-134 Engine</i>			<i>TEA-20 standard gas Engine</i>			3540051M1		LAF4545 ¹
	Hydraulic	LP176		Oil	P771A	S/N JJE2052376-	Base	LMB6926 ⁹⁴³
	Oil	P3	<i>TO30</i>			S/N JJE2052376-	Fuel	LFF6925 ⁹⁴²
<i>MH-33</i>				Hydraulic	LP1653 ¹⁸	E3541580M1	Oil	LFP2292
Diesel; Sec.	Fuel	261F	<i>TO35</i>			<i>CTJ27 w/Mitsubishi S3L2 Engine</i>		
1052262-M91	Hydraulic	LP1653 ¹¹		Oil	P3	P822686	Air	LAF8388 ²
	Oil	P3			P7FF		Oil	PH2876
		P7FF	<i>TO35</i>			<i>CX100 T3 w/1104D-44TA Tier 3 Engine</i>		
<i>MH-33 w/Perkins Diesel Engine</i>				Fuel	L296F ⁴¹	427471A1	Air	LAF4544 ²
1024947-M91	Air	LAF222 ²	1052262-M91	Hydraulic	LP1653 ¹¹			LAF4544MXM ^{2, 268}
	Fuel	L296F ⁴¹	Gas	Oil	P3 ¹⁴²¹	222422A1		LAF4545 ¹
1087415-M91	Hydraulic	LP151	Diesel		P772 ¹⁴²¹		Base	LMB6926 ⁹⁴³
	Oil	P771A	Continental Gas; By-Pass		PB50		Fuel	LFF6925 ⁹⁴²
<i>MH-333</i>			MCCORMICK (TELESCOPIC HANDLER)			701899A1	Oil	LFP2292
Sec.	Fuel	261F	<i>TeleTrac w/Sisu 44CWA Tier 3 Engine</i>			<i>CX110 T3 w/114D-44TA Tier 3 Engine</i>		
1026197-M1	Oil	P90	836662580	Oil	LFP8501	427471A1	Air	LAF4544 ²
<i>MH-44, MH-44 Special</i>			MCCORMICK (TRACTOR)					LAF4544MXM ^{2, 268}
Diesel; Sec.	Fuel	261F	<i>C100 MAX T3 w/1104D-44T Tier 3 Engine</i>			222422A1	Base	LMB6926 ⁹⁴³
	Oil	P90	3540046M1	Air	LAF8148 ²		Fuel	LFF6925 ⁹⁴²
<i>MH-444</i>			3540047M1		LAF9332 ¹	701899A1	Oil	LFP2292
Diesel; Sec.	Fuel	261F	701900A1	Fuel	LFF3504	<i>CX50, CX60 w/Perkins 903-27 Engine</i>		
	Oil	P90	2654407	Oil	LFP2292		Fuel	L296F ⁴¹
<i>MH-55 w/Diesel Engine</i>			<i>C105 MAX T3 w/1104D-44T Tier 3 Engine</i>				Oil	PH4403
Sec.	Fuel	261F	3540051M1	Air	LAF4544 ²	<i>CX70 w/Perkins 1004-42 Engine</i>		
1052262-M91	Hydraulic	LP1653			LAF4544MXM ^{2, 268}	427471A1	Air	LAF4544 ²
1004894-M91	Oil	P71	3540052M1		LAF4545 ¹			LAF4544MXM ^{2, 268}
840750-M91		P90	701900A1	Fuel	LFF3504	222422A1		LAF4545 ¹
<i>MH-555G, MH-555</i>			2654407	Oil	LFP2292	218100A1	Fuel	LFF3504
(1005435M91); Sec.	Fuel	261F	<i>C70</i>			3118119R1	Oil	PH4403
(1006543M91); Pri.		L3570F	427471A1	Air	LAF4544 ²	<i>CX75, CX85, CX95, CX105 w/Perkins Engine</i>		
1008553M1	Hydraulic	LP1653			LAF4544MXM ^{2, 268}	427471A1	Air	LAF4544 ²
1004894-M91	Oil	P71	222422A1		LAF4545 ¹			LAF4544MXM ^{2, 268}
840750-M91		P90	218100A1	Fuel	LFF3504	222422A1		LAF4545 ¹
<i>Pitbull</i>			3118119R1	Oil	PH4403	S/N JJE2052376-	Base	LMB6926 ⁹⁴³
	Oil	P3	<i>C80 MAX w/1104D-44 Tier 3 Engine</i>			(218100A1);	Fuel	LFF3504
		P7FF	3540046M1	Air	LAF8148 ²	-S/NJJE2052376		LFF6925 ⁹⁴²
<i>Pitbull w/Diesel Engine</i>			3540047M1		LAF9332 ¹	S/N JJE2052376-	Oil	LFP2292
Sec.	Fuel	261F	701900A1	Fuel	LFF3504	701899A1		
	Oil	P3	2654407	Oil	LFP2292	<i>CX80, CX90, CX100 w/Perkins 1004-40T Engine</i>		
		P7FF	<i>C80 MAX w/1104D-44 Tier 3 Engine</i>			427471A1	Air	LAF4544 ²
<i>Some Models</i>								LAF4544MXM ^{2, 268}
	Oil	P76						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 18-Short 41-Cartridge 268-Extended/Severe service 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1390-5 Micron 1421-Perkins

M

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MCCORMICK (TRACTOR)			MCCORMICK (TRACTOR)			MCCORMICK (TRACTOR)		
<i>CX80, CX90, CX100 w/Perkins 1004-40T Engine (cont'd)</i>			<i>GX55, GX55H (cont'd)</i>			<i>MTX120, MTX135, MTX150 w/6.7L Cummins Engine</i>		
222422A1	Air	LAF4545 ¹	VP125395	Air	LAF8147 ²	701603A1	Air	LAF5932 ¹
D139225	Fuel	L3523F	3653390M1	Fuel	L549F	433893A1		LAF8149 ²
218100A1		LFF3504	<i>MC105 w/1104D-44TA Tier 3 Engine</i>			705137A1	Fuel	FP587F
3214797R1	Oil	LFP2292		Base	LMB6926 ⁹⁴³	7043851A1	Hydraulic	LFH8740G
<i>CX90 T3 w/1104D-44T Tier 3 Engine</i>				Fuel	LFF6925 ⁹⁴²	707209A1	Oil	LFP6023
427471A1	Air	LAF4544 ²	704385A1	Hydraulic	LFH8740G	<i>MTX135, MTX150, MTX165, MTX185 w/Perkins engine</i>		
		LAF4544MXM ^{2, 268}	701899A1	Oil	LFP2292	<i>MTX155 w/Perkins 1006-60TW Engine</i>		
222422A1		LAF4545 ¹	<i>MC115 T3 w/1104D-44TA Engine</i>			3214797R1	Oil	LFP2292
	Base	LMB6926 ⁹⁴³		Base	LMB6926 ⁹⁴³	P3150515X	Air	LAF5932 ¹
	Fuel	LFF6925 ⁹⁴²	704385A1	Hydraulic	LFH8740G	433893A1		LAF8149 ²
701899A1	Oil	LFP2292	701899A1	Oil	LFP2292	(26560141); Sec.	Fuel	L3102F
<i>F100, F105 F/GE/XL T3 w/1104D-44T Tier 3 Engine</i>			<i>MC115 w/Tier 2 Engine S/N JJE2023519-</i>			452332A1	Hydraulic	LFH8740G
3540051A1	Air	LAF8148 ²	S/N JJE2052376-	Base	LMB6926 ⁹⁴³	3214797R1	Oil	LFP2292
3540052A1		LAF9332 ¹	D139225	Fuel	L3523F	<i>MTX165, MTX185 w/6.7L Cummins Engine</i>		
	Base	LMB6926 ⁹⁴³	S/N JJE2052376-	Fuel	LFF6925 ⁹⁴²	707363A1	Fuel	FFF5485
	Fuel	LFF6925 ⁹⁴²	704385A1	Hydraulic	LFH8740G	707209A1	Oil	LFP6023
2654403	Oil	PH4403	701899A1	Oil	LFP2292	<i>MTX175 w/Perkins 1006-60TW Engine</i>		
<i>F60, F70, F80</i>			<i>MC120, MC135 Power 6</i>			450160A1	Air	LAF5868 ¹
3540046M1	Air	LAF8148 ²	(442555A1); Sec.	Fuel	L3102F	450159A1		LAF8145 ²
3540047M1		LAF9332 ¹	D139225		L3523F			LAF8145MXM ^{2, 268}
2185777A1	Fuel	L296F ⁴¹	704385A1	Hydraulic	LFH8740G	(26560141); Sec.	Fuel	L3102F
3118119R1	Oil	PH4403	701898A1	Oil	PH4403	452332A1	Hydraulic	LFH8740G
<i>F90 F/GE/XL w/1104D-44T Tier 3 Engine</i>			<i>MC125, MC135 Power 6 w/Perkins engine</i>			701899A1	Oil	LFP2292
3540051A1	Air	LAF8148 ²	416473A1	Hydraulic	LFH8740G	<i>MTX200 w/Cummins 5.9L Engine</i>		
3540052A1		LAF9332 ¹	3118119R1	Oil	PH4403	D139225	Fuel	L3523F
	Base	LMB6926 ⁹⁴³	<i>MC130 T3 w/1104D-44TA Tier 3 Engine</i>			(702618A1); W/S		FFF9519
	Fuel	LFF6925 ⁹⁴²		Base	LMB6926 ⁹⁴³	452332A1	Hydraulic	LFH8740G
2654403	Oil	PH4403	704385A1	Hydraulic	LFH8740G	702619A1	Oil	LFP3970
<i>F90, F100</i>			701899A1	Oil	LFP2292	<i>T90 Max, T100 Max, T110 Max w/Perkins 1104D-44T Engine</i>		
3540051M1	Air	LAF4544 ²	<i>MC80, MC90, MC100, MC115 w/Perkins 1004-40T/W Engine</i>			701899A1	Oil	LFP2292
		LAF4544MXM ^{2, 268}	427471A1	Air	LAF4544 ²	<i>TTX 190 (w/Beta Power 6.7L Engine)</i>		
3540052M1		LAF4545 ¹			LAF4544MXM ^{2, 268}	713044A1	Air	LAF6889
2185777A1	Fuel	L296F ⁴¹	222422A1		LAF4545 ¹	711853A1	Fuel	FFF5421
3118119R1	Oil	PH4403	218100A1	Fuel	LFF3504	704385A1	Hydraulic	LFH8740G
<i>G25</i>			416473A1	Hydraulic	LFH8740G	707209A1	Oil	LFP6023
220013	Fuel	L550F	3214797R1	Oil	LFP2292	<i>TTX210 (w/BetaPower 6.7L Engine)</i>		
220014	Oil	PH2808	<i>MC95, MC105 w/Tier 2 Engine S/N JJE2023579-</i>			713044A1	Air	LAF6889 ²⁷⁵
<i>G30</i>			427471A1	Air	LAF4544 ²	711853A1	Fuel	FFF5421
130366120	Fuel	FP588F	222422A1		LAF4545 ¹	704385A1	Hydraulic	LFH8740G
220753	Oil	PH2814	S/N JJE2052376-	Base	LMB6926 ⁹⁴³	707209A1	Oil	LFP6023
<i>GM40, GM45, GM50, GM55 w/Yanmar Engine 2004-</i>			D139225	Fuel	L3523F	<i>TTX230 (w/BetaPower 6.7L Engine)</i>		
VP125396	Air	LAF5844 ¹	S/N JJE2052376-	Fuel	LFF6925 ⁹⁴²	713044A1	Air	LAF6889 ²⁷⁵
VP125395		LAF8147 ²	704385A1	Hydraulic	LFH8740G	711853A1	Fuel	FFF5421
3653390M1	Fuel	L549F	701899A1	Oil	LFP2292	704385A1	Hydraulic	LFH8740G
	Oil	PH2808	<i>MTX110, MTX125, MTX140 w/Perkins 1006-60T Engine</i>			707209A1	Oil	LFP6023
<i>GX, GX40H, GX45, GX45H, GX50, GX50H</i>			P3150515X	Air	LAF5932 ¹	<i>V60, V65, V70, V80 w/Perkins engines</i>		
VP125396	Air	LAF5844 ¹	433893A1		LAF8149 ²	3310357M1	Air	LAF8803 ¹
VP125395		LAF8147 ²	(26560141); Sec.	Fuel	L3102F	3310358M1		LAF8804 ²
3653390M1	Fuel	L549F	416473A1	Hydraulic	LFH8740G		Fuel	L296F ⁴¹
3653459M1	Oil	PH2808	3214797R1	Oil	LFP2292		Oil	LFF3504
<i>GX55, GX55H</i>								PH4403 ¹⁸
VP125396	Air	LAF5844 ¹				<i>w/C60 MAX Perkins Engine</i>		
						3540046M1	Air	LAF8148 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 18-Short 41-Cartridge 268-Extended/Severe service 275-Primary 942-Used with LMB6926 conversion kit 943-Spin-on conversion base

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MCCORMICK (TRACTOR)			MCNEILUS (TRASH PAK)			MDI/YUTANI (EXCAVATOR)		
<i>w/C60 MAX Perkins Engine (cont'd)</i>			<i>Kann (cont'd)</i>			<i>MD300LC (cont'd)</i>		
3540047M1	Air	LAF9332 ¹	140.00436	Hydraulic	LFH8399		Air	LAF6587MXM ^{2, 268}
2654403	Oil	PH4403	<i>Labrie</i>			3003083100		LAF6834 ¹
<i>w/C75MAX, C85MAX MaxPerkins Engine</i>			ABF-3/10F	Breather	LFH4909WA ⁸⁵⁸	ME056670	Fuel	LFF5127
3540046M1	Air	LAF8148 ²	MDI/YUTANI (EXCAVATOR)			24046Z18	Hydraulic	LH8544 ⁶⁰⁷
3540047M1		LAF9332 ¹	<i>MD120LC w/Mitsubishi 4D31T Engine</i>			2446U141S2		LP6005
S/N JJE2052376-	Base	LMB6926 ⁹⁴³	3003076801	Air	LAF234HD ²	ME064356	Oil	LP2545
S/N JJE2052376-	Fuel	LFF6925 ⁹⁴²	ME016823	Fuel	LFF3527	<i>MD320LC w/Mitsubishi 6D22T Engine</i>		
E3541580M1	Oil	LFP2292	ME014833	Oil	LFP2255	2446U252S2	Air	LAF1834 ²
<i>X1.45 w/2.3L Engine</i>			ME014838		LFP5010	2446U191S2		LAF1835 ¹
P822768	Air	LAF8114 ¹	<i>MD140BLC w/Mitsubishi 4D31T Engine</i>			ME056670	Fuel	LFF5127
P822768		LAF8143 ²	2446U154S3	Air	LAF8668 ²	2446U141S2	Hydraulic	LP6005 ¹⁰⁷⁸
(P822768); Pri.	Fuel	L4103F	2451U1803B		LAF8674 ¹	ME0643556	Oil	LP2545
HRA11102000A3	Oil	PH2808	ME-014833	Oil	LFP2255	<i>MD400LC</i>		
<i>X4.40 (w/Deutz C4DT74 Engine)</i>			ME-014838		LFP5010	2446U191S3	Air	LAF1834 ²
P772580	Air	LAF4544 ²	<i>MD140CIC w/Isuzu 4BD1T Engine</i>			2446U191S2		LAF1835 ¹
P775302		LAF4545 ¹	2446U1243B	Air	LAF1804 ²	ME056670	Fuel	LFF5127
<i>X5.50 (w/Perkins 854E-E34TA Engine)</i>			2451U1243B		LAF6834 ¹	24046218	Hydraulic	LH8544 ⁶⁰⁷
P772580	Air	LAF4544 ²	2451U3092	Fuel	FP588F	ME064356	Oil	LP2545
P775302		LAF4545 ¹	2451U3091	Oil	LFP5748	<i>MD450LC</i>		
<i>X6.430 (w/Betapower 4.5L Engine)</i>			<i>MD140LC</i>			2446U250S2	Air	LAF1790 ¹
P780523	Air	LAF9543 ¹	6260800200	Air	LAF8668 ²	ME056670	Fuel	LFF5127
P780522		LAF9547 ²	3003084200		LAF8674	24046Z18	Hydraulic	LH8544 ⁶⁰⁷
<i>XTX 215 w/QSB5.9 Tier 2 Engine</i>			ME016823	Fuel	LFF3527	ME064356	Oil	LP2545
D139225	Fuel	L3523F	ME014838	Oil	LFP5010	MIDLAND (PAVER)		
709173A1	Hydraulic	LFH5876	<i>MD180LC w/Mitsubishi 6D14T Engine</i>			<i>426 w/Caterpillar 3304 Engine</i>		
702619A1	Oil	LFP3970	6260800200	Air	LAF8668 ²	S-59	Hydraulic	LFP449
<i>ZTX230 Tier 3, ZTX260 Tier 3, ZTX280 Tier 3</i>			3003084200		LAF8674 ¹	MILLER ELECTRIC (ARC WELDER)		
713044A1	Air	LAF6889	ME035393	Fuel	LFF3886	<i>2DA-300L w/Hercules Engine</i>		
707155A1	Coolant	LFW4074 ⁶²⁷	24046Z18	Hydraulic	LH8544 ⁶⁰⁷		Air	AF5HD
(715507A1); W/S	Fuel	LFF9732	<i>MD200LC w/Mitsubishi 6D31T Engine</i>			<i>AEA & AEAD w/Onan CCKA Engine</i>		
707154A1	Oil	LFP3000	2446U242S2	Air	LAF1804 ²	Grey eng.	Air	AF215
707154A1		LFP3000XL ¹⁴	2446R255S5		LAF22013 ²	Black eng.		LAF1782
<i>ZTX230, ZTX260, ZTX280 w/Cummins QSC 24 Valve 8.3L Engine 2004-07</i>			2451U1243B		LAF6834 ¹	<i>Big 20 w/Cont. Y112 Engine</i>		
707155A1	Coolant	LFW4074 ⁶²⁷	ME035393	Fuel	LFF3886		Air	LAF1275 ²
D139225	Fuel	L3523F	24046Z18	Hydraulic	LH8544 ⁶⁰⁷	By-Pass	Oil	LFP3404A ¹⁹
FS1022		LFF1022	ME014838	Oil	LFP5010	By-Pass		PB50 ¹⁸
707154A1	Oil	LFP3000	ME088519		LFP6007	<i>Big 20 w/Continental F163 Engine</i>		
MCNEILUS (TRASH PAK)			<i>MD240BLC w/Mitsubishi 6D15T Engine</i>				Air	LAF222 ²
<i>Dempster Packer</i>			2446U249S1	Air	LAF1532 ¹	By-Pass	Oil	LFP3404A ¹⁹
ABF-3/10F	Breather	LFH4909WA ⁸⁵⁸	2451U3243		LAF1768 ²	By-Pass		PB50 ¹⁸
1108780	Hydraulic	LFH4929	2451U1722A	Fuel	LFF3886	<i>Big 25 w/Continental TMD20 Diesel Engine</i>		
140.00436		LFH8399	2446U141S2	Hydraulic	LP6005 ¹⁰⁷⁸		Air	LAF222 ²
1108711		LH95277V	2451U3241	Oil	LFP2440	w/Standyne/Roosa	Fuel	LFP255F ²⁷⁵
<i>E-Z Pack</i>			<i>MD240CLC w/Mitsubishi 6D15T Engine</i>			F/inj.		PH400 ²⁷⁵
ABF-3/10F	Breather	LFH4909WA ⁸⁵⁸	2446U249S1	Air	LAF1532 ¹		Oil	PH8A ¹⁴⁹⁶
SBF880016Z3B	Trans	LH4262	2451U3243		LAF1768 ²	<i>Big 40 w/Continental F163 Engine</i>		
<i>G & H Roll Off</i>			2451U1722A	Fuel	LFF3886		Air	LAF222 ²
140.00436	Hydraulic	LFH8399	24046Z18	Hydraulic	LH8544 ⁶⁰⁷	By-Pass	Oil	LFP3404A ¹⁹
<i>Galbrath Roll Off</i>			2446U141S2		LP6005 ¹⁰⁷⁸	By-Pass		PB50 ¹⁸
ABF-3/10F	Breather	LFH4909WA ⁸⁵⁸	2451U3241	Oil	LFP2440	<i>Big 40 w/TM27 Diesel Engine</i>		
140.00436	Hydraulic	LFH8399	<i>MD240LC</i>				Air	LAF222 ²
140.121403		LH5006	ME035393	Fuel	LFF3886	Sec.	Fuel	L296F ⁴¹
<i>Kann</i>			2446U141S2	Hydraulic	LP6005 ¹⁰⁷⁸	W/S		LFP255F
			ME074013	Oil	LFP2440		Oil	PH400 ²⁷⁵
			<i>MD300LC</i>					
ABF-3/10F	Breather	LFH4909WA ⁸⁵⁸	3113016400	Air	LAF6587 ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 18-Short 19-Long 41-Cartridge 268-Extended/Severe service 275-Primary 607-Return 627-5 oz. of chemical 858-Hydraulic Tank 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1078-Drain 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MILLER ELECTRIC (ARC WELDER)			MILLER ELECTRIC (ARC WELDER)			MILLER ELECTRIC (ARC WELDER)		
<i>Big 40 w/TM27 Diesel Engine (cont'd)</i>			<i>Blue Star 2, 2E w/Kohler 341 Engine</i>			<i>Trail Blazer Pro 350 w/Kubota DH905 or D1105 Engine (cont'd)</i>		
	Oil	PH8A ¹⁴⁹⁶		Air	AF215	192744	Fuel	FP587F G1 ⁵³¹
<i>Big Blue 250D w/Deutz F2L912 Engine</i>			<i>Blue Star 2, 2E w/Tecumseh OH120 Engine</i>			196428	Oil	PH2808
	Air	LAF222 ²		Air	AF213	<i>WD5 w/White D2000 Engine</i>		
Sec. Pri.	Fuel	FP586F FP625	<i>D-250L w/Hercules Engine</i>			Sec. Pri.	Fuel	FP230F FP625
<i>Big Blue 251D w/Deutz F3L1011 Engine</i>			<i>D-250WC w/Hercules Engine</i>				Oil	LFP3411
P101275	Air	LAF1275 ²		Air	AF5HD	<i>Wildcat 350D w/Waukesha VRD155 Engine</i>		
85254A	Fuel	FP587F LFF3518	<i>D-250WE w/Hercules Engine</i>				Air	LAF222 ²
1174696	Oil	PH2816		Air	AF5HD	Pri. Sec.	Fuel	FP625 P1130
<i>Big Blue 300D, Pro300D w/Deutz 2008L04 Engine</i>			<i>DAH-350L w/Hercules Engine</i>			By-Pass	Oil	LFP3404A ¹⁹ PB50 ¹⁸
197676	Air	LAF8195 ² LAF8690 ¹		Air	AF5HD	By-Pass		
197679			<i>Del200 w/Deutz F1L210D Engine</i>				Air	LAF222 ²
213858	Fuel	G2978 ²⁷⁵	Gas	Fuel	G1/4	By-Pass	Oil	LFP3404A ¹⁹ PB50 ¹⁸
4112261	Oil	PH453		Oil	PH2814	<i>Wildcat 350G w/Waukesha VRG155 Engine</i>		
<i>Big Blue 300P w/Perkins 403-15 Engine</i>			<i>Kool-Kat w/John Deere Engine</i>				Oil	LFP3404A ¹⁹ PB50 ¹⁸
197676	Air	LAF8195 ² LAF8690 ¹	AR50041	Fuel	P1130	MILLER ELECTRIC (GENERATOR/WELDER)		
197679			AR43634	Oil	PH725	<i>Bobcat 250 w/Kohler 20 hp V-Twin Gasoline</i>		
197997	Fuel	FP588F G2978 ²⁷⁵	<i>Legend w/Onan P218 Engine</i>			1205001	Oil	PH2814
213858				Oil	PH2835	<i>Trailblazer 275 DC w/Kohler 20 hp V-Twin Gasoline</i>		
4112261	Oil	PH453	<i>Roughneck 1, 1E w/Kohler 301 Engine</i>			1205001	Oil	PH2814
<i>Big Blue 302D, Big Blue402D w/Deutz F3L2011 Engine</i>			<i>Roughneck 2, 2E w/Tecumseh OH140 Engine</i>			<i>Traiblazer 302 w/Kohler 20 hp V-Twin Gasoline</i>		
192939	Air	LAF8114 ¹ LAF8143 ²		Air	AF213	1205001	Oil	PH2814
192938			<i>Star Fire 2, 2E w/Tecumseh OH120 Engine</i>			MILLER ELECTRIC (WELDER)		
192744	Fuel	FP587F		Air	AF213	<i>Trailblazer 301 G w/Kohler 20 hp V-Twin</i>		
067265	Oil	PH2816	<i>Trail Blazer 250G w/Onan P220XSL</i>			1205001	Oil	PH2814
<i>Big Blue 302P, Big Blue 452P w/Perkins 404.22 Engine</i>			<i>Trail Blazer 44D w/Continental TMD27 Engine</i>			<i>Trailblazer 325 EFI w/Kohler Command Pro Engine</i>		
192939	Air	LAF8114 ¹ LAF8143 ²		Air	LAF222 ²	1205001	Oil	PH2814
192938			w/Standyne/Roosa F/inj.	Fuel	L296F ^{41, 244}	MILLER TECHNOLOGIES (APPLICATOR & SPRAYER)		
192744	Fuel	FP587F			LFP255F ²⁷⁵	<i>4215 w/Cummins QSB6.7L Engine</i>		
197997		FP588F	w/CAV F/inj.	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	AF26124	Air	LAF6124 ² LAF6125 ¹
197899	Oil	PH453	<i>Trail Blazer 44D w/Perkins 4.154 Engine</i>			3978040	Fuel	LFF5421 LFF9732
<i>Big Blue 400D w/Deutz F3L912 Engine</i>				Air	LAF222 ²	SF6520	Hydraulic	LFH4209 ⁶⁰³
	Air	LAF222 ²		Fuel	L296F ⁴¹	3937736	Oil	LFP3970
Sec. Pri.	Fuel	FP586F FP625		Oil	PH299	<i>4240 w/Cummins QSB6.7L Engine</i>		
<i>Big Blue 452D, Big Blue 602D w/Deutz F3L2011 Engine</i>			<i>Trail Blazer 44G, 55G w/Continental F163 Engine</i>			AF26124	Air	LAF6124 ² LAF6125 ¹
192939	Air	LAF8114 ¹ LAF8143 ²		Air	LAF1275 ²	3978040	Fuel	LFF5421 LFF9732
192938			By-Pass	Oil	LFP3404A ¹⁹ PB50 ¹⁸	SF6520	Hydraulic	LFH4209 ⁶⁰³
192744	Fuel	FP587F	By-Pass			3937736	Oil	LFP3970
067265	Oil	PH2816	<i>Trail Blazer 55D w/Continental TMD27 Engine</i>			<i>4275 w/Cummins QSB6.7L Engine</i>		
<i>Big D2 w/Perkins 4.108 Engine</i>				Air	LAF22056 ¹ LAF8388 ²	AF26124	Air	LAF6124 ² LAF6125 ¹
	Air	LAF1275 ²		Fuel	FP587F G1 ⁵³¹	3978040	Fuel	LFF5421 LFF9732
	Fuel	L296F ⁴¹		Oil	PH2808	(3973233); W/S		
	Oil	PH4403	<i>Trail Blazer 55D w/Perkins 4.154 Engine</i>			SF6520	Hydraulic	LFH4209 ⁶⁰³
<i>Big D4 w/Perkins 4.154 Engine</i>				Air	LAF222 ²	3937736	Oil	LFP3970
	Air	LAF222 ²		Fuel	L296F ⁴¹	<i>4275 w/Cummins QSB6.7L Engine</i>		
	Fuel	L296F ⁴¹		Oil	PH299	AF26124	Air	LAF6124 ² LAF6125 ¹
	Oil	PH299	<i>Trail Blazer Pro 350 w/Kubota DH905 or D1105 Engine</i>			3978040	Fuel	LFF5421 LFF9732
<i>Blue Star 180K w/Kohler Commercial 12.5 hp Engine</i>			202102	Air	LAF22056 ¹ LAF8388 ²	(3973233); W/S		
	Oil	PH2814	187441			SF6520	Hydraulic	LFH4209 ⁶⁰³

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 18-Short 19-Long 41-Cartridge 244-Secondary 275-Primary 531-Filter only 603-Tank Breather 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MILLER TECHNOLOGIES (APPLICATOR & SPRAYER)			MINNEAPOLIS-MOLINE (LIFT TRUCK)			MINNEAPOLIS-MOLINE (TRACTOR)		
4275 w/Cummins QSB6.7L Engine (cont'd)			Mo-Trac, Mobil-Tow 40, Mobilift E, Mobilift F w/206M-4 Engine			G1000 (cont'd)		
3937736	Oil	LFP3970		Oil	LFP2258	10A-10423	Hydraulic	LFH4210
4365 w/Cummins QSL8.9L Engine			MSA w/Wisconsin RV-405 Engine				Oil	LP224
	Air	LAF6124 ² LAF6125 ¹	10A-16904	Air	AF70		Trans	LP509
(FF5580); Sec. W/S	Fuel	LFF5488 LFF9732	MY40, MY60			G1000 Vista		
	Oil	LFP3000 LFP3000XL ¹⁴	10A-16904	Air	AF70	10P-2913	Air	LAF1246 ²
Atlas 3654 w/Cummins ISL8.9L Engine				Oil	LFP2258	(159044-AS); Diesel	Fuel	L296F ⁴¹
(FF5580); Sec. (FS19732); W/S	Fuel	LFF5488 LFF9732	S-24, S-24 diesel				Hydraulic	LP50910
	Hydraulic	LFP1652 ¹³⁵⁵	Diesel; Sec.	Fuel	261F	10A-10423	Oil	LP224
3401544	Oil	LFP3000 LFP3000XL ¹⁴		Oil	LFP2258		Trans	LP509
Conдор G40 w/Cummins QSB 6.7L Engine			SP-168			G1050		
AF26124	Air	LAF6124 ² LAF6125 ¹		Oil	P3		Air	LAF1246 ²
(FS19732); W/S	Fuel	LFF9732	MINNEAPOLIS-MOLINE (TRACTOR)			Diesel	Fuel	L296F ⁴¹
SF6520	Hydraulic	LFH4209 ⁶⁰³	335, 445				Hydraulic	LP50910
LF3970	Oil	LFP3970	Diesel; Sec.	Fuel	261F	10A-10423	Oil	LP224
Conдор G75 w/Cummins ISB 6.7L Engine			10R1322	Oil	LP2314		Trans	LP509
AF26124	Air	LAF6124 ² LAF6125 ¹	5 Star			G1350		
(FS19732); W/S	Fuel	LFF9732	(10A-3366); Diesel; Sec.	Fuel	261F	Diesel	Fuel	L296F ⁴¹
SF6520	Hydraulic	LFH4209 ⁶⁰³	10A-1042	Oil	LP224		Hydraulic	LP50910
LF3970	Oil	LFP3970	A4T-1400, A4T-1600 w/Diesel Engine			10A-10423	Oil	LP224
MILLER TECHNOLOGIES (SPRAYERS)			A4T-1400, A4T-1600 w/LP504B Engine			G1355		
Nitro 3275HT (w/Cummins QSB6.7 Engine)			10A31255	Air	LAF190	Diesel	Fuel	P1130
3978040	Fuel	LFF5421	30-3108724		LAF1959 ²		Hydraulic	LP50910
(3973233); W/S		LFF9732	30-3108716		LAF1996 ¹			PH253 ^{1423, 1496} PH2835 ^{275, 1423}
3937736	Oil	LFP3970	10P2652		LAF237 ¹⁸¹		Oil	LFP54 LP224
MINNEAPOLIS-MOLINE (LIFT TRUCK)			20-7000316		LAF4163 ¹	G705, G706, G707, G708		
MBS w/Ford V-4 Engine			20-7000317		LAF4171 ²	10P-2529	Air	LAF1246 ²
(C1DZ-9155-A); Gas	Fuel	G1 ⁵³¹ G6	20-7000331		LAF5154	Sec.	Fuel	261F
(C4AZ-9365-A); Gas		PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	20-7100980	Fuel	L296F ⁴¹	Sec.		L296F ⁴¹
MM-600			20-0006803		P1130		Oil	LFP2258
Sec.	Fuel	261F	30-3119175		LP50910	G900 w/D-451-6 Engine		
	Oil	LFP2258	10A-10423	Oil	LFP791 LP224	20-7002178	Air	LAF1246 ²
Mobilift E, Mobilift F, Mobile-Tow 40			A4T-1600 w/LP800 Engine			(10A-3366); Sec.	Fuel	261F
	Trans	P2 ¹⁹	10P2652	Air	LAF237 ¹⁸¹ LAF6587 ² LAF6587MXM ^{2, 268} LAF6834 ¹	Sec.		L296F ⁴¹
Mobilift MA30, MA40, MA50			BF, BFG, BG, V				Hydraulic	LP509
	Hydraulic	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	Big Mo 500, 600 power pack			10A-10423	Oil	LP224
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	Diesel; Sec.	Fuel	261F	G950, G955 w/LP gas Engine		
Mo-Trac				Oil	LFP2258 LP132	Diesel	Fuel	L296F ⁴¹
	Trans	LP151 ¹⁴²⁴	G, GB, GT			Diesel		P1130
Mo-Trac, Mobil-Tow 40, Mobilift E, Mobilift F w/206A-4 Engine			(10A-3366); Sec.				Hydraulic	LP50910
Sec.	Fuel	261F	G1000			10A-10423	Oil	LP224
	Oil	LFP2258	10P-2913	Air	LAF1246 ²		Trans	LP50910
			Diesel	Fuel	L296F ⁴¹	G-VI		
						Sec.	Fuel	261F
							Oil	LFP2258
						Jet Star 3 w/diesel Engine		
							Air	LAF1246 ²
						Sec.	Fuel	261F
							Hydraulic	LP2296
							Oil	LFP2258
						Jet Star, 4 Star, 4 Star Super w/D-206-4 Engine		
						Sec.	Fuel	261F
							Hydraulic	LP2296
							Oil	LFP2258

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 19-Long 41-Cartridge 181-Single 268-Extended/Severe service 275-Primary 531-Filter only 603-Tank Breather 1355-S/O at tank 1423-Hydra-Power Drive 1424-Clark 1496-Alternate

M

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MINNEAPOLIS-MOLINE (TRACTOR)			MITSUBISHI (CONSTRUCTION EQUIPMENT)			MITSUBISHI (CONSTRUCTION EQUIPMENT)		
<i>M5</i>			<i>MS04M</i>			<i>MS230-2, MS230-3 w/6D20C Engine</i>		
(10P-2170); Diesel; Sec.	Fuel	261F		Air	LAF222 ²	3113016400	Air	LAF6587
	Hydraulic	LP2296	<i>MS062 w/4DR50C Engine</i>					LAF6587MXM ²⁶⁸
10A-10423	Oil	LP224	3083019200	Air	LAF222 ²	3003083100		LAF6834 ¹
<i>M-602, M-604 w/336-4 LP gas Engine</i>			<i>MS070, MS070L, MS070-2, MS070L-2, MS070D w/4D30C Engine</i>			ME971550	Fuel	L5949F
10P-2529	Air	LAF1246 ²	3083019200	Air	LAF222 ²	3124053015	Oil	LP2545
	Hydraulic	LP2296	ME023835	Fuel	L5944F	<i>MS270 w/8DC20C Engine</i>		
10A-10423	Oil	LP224	<i>MS110, MS110L, MS110W, MS110-2 w/6DS70C Engine</i>			3123012700	Air	LAF6769
<i>M-602D, M-604D w/336-4 Diesel Engine</i>			<i>MS110-3, MS110L-3 w/6DS70C Engine</i>					LAF6769MXM ²⁶⁸
(10A-3366); Sec.	Fuel	261F	3083011200	Air	LAF1246 ²	ME971550	Fuel	L5949F
	Hydraulic	LP2296	ME023835	Fuel	L5944F	<i>MS280 w/8DC20C Engine</i>		
10A-10423	Oil	LP224	ME021074	Oil	LP5900	3123012700	Air	LAF6769
<i>M670</i>			<i>MS110-5, MS110L-5 w/4D30CT Engine</i>					LAF6769MXM ²⁶⁸
10P-2665	Air	LAF222 ²	ME060219	Air	LAF234HD ²	3123080500		LAF9373 ¹
(10P-2832); Diesel	Fuel	L296F ⁴¹	ME016823	Fuel	LFF3527	ME971550	Fuel	L5949F
	Hydraulic	LP50910	<i>MS120 w/6DS70C Engine</i>			3124053015	Oil	LP2545
10A-10423	Oil	LP224	3083011200	Air	LAF1246 ²	<i>MS280-2 w/6D22CT Engine</i>		
	Trans	LP509	ME016823	Fuel	LFF3527	3113016400	Air	LAF6587 ²
<i>U-302 Diesel</i>			<i>MS120-2, MS140-2 w/6D14C Engine</i>					LAF6587MXM ^{2, 268}
Sec.	Fuel	261F	ME060219	Air	LAF234HD ²	3003083100		LAF6834 ¹
Sec.		L296F ⁴¹	ME016823	Fuel	LFF3527	ME971550	Fuel	L5949F
	Hydraulic	LP2296	<i>MS120-8, MS140-8, MS180-8, MS210-8, MS240-8 Excavators w/6D14C Engine</i>			3124053015	Oil	LP2545
	Oil	LFP2258	3083011200	Air	LAF1246 ²	<i>MS380 Excavator w/8DC60C Engine</i>		
<i>U-302 Gas</i>			ME023835	Fuel	L5944F	3123012700	Air	LAF6769
10P-2665	Air	LAF222 ²	ME016823	Fuel	LFF3527			LAF6769MXM ²⁶⁸
	Hydraulic	LP2296	ME034481	Oil	LP5900	3123080500		LAF9373 ¹
	Oil	LFP2258	<i>MS120-2, MS140-2 w/6D14C Engine</i>			ME064356	Oil	LP2545
<i>Unitrac</i>			ME060219	Air	LAF234HD ²	<i>MS380, MS380F Excavator w/8DC61C Engine</i>		
	Oil	P70	ME035829	Fuel	LFF3886	3123012700	Air	LAF6769
<i>Unitractor w/206N-4 Engine</i>			ME074235	Oil	LFP2440			LAF6769MXM ²⁶⁸
	Oil	LFP2258	<i>MS140 w/6DS70C Engine</i>			3123080500		LAF9373 ¹
<i>Unitractor w/D206-B3 Engine</i>			ME035393	Fuel	LFF3886	ME971550	Fuel	L5949F
Sec.	Fuel	261F	ME074235	Oil	LFP2440	3124053015	Oil	LP2545
	Oil	LFP2258	ME034611	Oil	LP5912	<i>MS380-2, MS450-8 w/6D22T, TC Engine</i>		
MITSUBISHI (CONSTRUCTION EQUIPMENT)			<i>MS160, MS160L w/6DS70C Engine</i>			ME056670	Fuel	LFF5127
<i>FK115J20 Excavator</i>			3083011200	Air	LAF1246 ²	3124053015	Oil	LP2545
ME035393	Fuel	LFF3886	ME023835	Fuel	L5944F	<i>MS580 w/Komatsu S6A Engine</i>		
<i>FL230 Excavator</i>			ME016823	Fuel	LFF3527	4722031800	Air	LAF6632
4722012810	Air	LAF6587 ²	ME034481	Oil	LP5900			LAF6632MXM ²⁶⁸
		LAF6587MXM ^{2, 268}	<i>MS180 w/6D11C Engine</i>			4722032800		LAF6641 ¹
3003083100		LAF6834 ¹	3003076801	Air	LAF234HD ²	4730200292	Fuel	L61F
ME056670	Fuel	LFF5127	ME023835	Fuel	L5944F	3254001600	Oil	LFP5120B
<i>FL330 Excavator</i>			ME034481	Oil	LP5900	<i>WS200A Loader</i>		
6060800800	Air	LAF6769 ²	<i>MS180-2 w/6D15C Engine</i>			3446200300	Fuel	LFF8307
		LAF6769MXM ^{2, 268}	3003084100	Air	LAF8668	3064050300	Oil	LFP791
6190800100		LAF9373 ¹	ME023835	Fuel	L5944F	<i>Y55 w/6DS10C Engine</i>		
ME056670	Fuel	LFF5127	ME034481	Oil	LP5900	3083011200	Air	LAF1246 ²
<i>FM215 w/6D14C Engine</i>			<i>MS20 w/KE31 Engine</i>			<i>Y55A w/6DS30C Engine</i>		
ME035393	Fuel	LFF3886		Air	LAF1275 ²	3083011200	Air	LAF1246 ²
ME074235	Oil	LFP2440	<i>MS230 w/6DB10C Engine</i>			MITSUBISHI (CRANE)		
<i>HB770 Backhoe</i>			3003076801	Air	LAF234HD ²	<i>K-202 w/6D20 Engine</i>		
ME035393	Fuel	LFF3886				3124053015	Oil	LP2545
<i>MS02, MS03, MS010, MS035</i>						<i>K252 w/8DC4 Engine</i>		
	Oil	PH2808				3123002900	Air	LAF8668
						3124053015	Oil	LP2545

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MITSUBISHI (CRANE)			MITSUBISHI (LIFT TRUCK)			MITSUBISHI (LIFT TRUCK)		
<i>K400 w/8DC6 Engine</i>			<i>FD30 w/Mitsubishi S4E, S4S Engine</i>			<i>FG10, FG15, FG18 w/4G33 Engine (cont'd)</i>		
3123002900	Air	LAF8668	9136113300	Air	LAF8776	9122000500	Oil	PH2856A
3124053015	Oil	LP2545	(32A6201020); W/S	Fuel	FP941F	<i>FG14, FG15 w/4G41 Engine</i>		
<i>K-K1302 w/8DC9 Engine</i>			3446200300		LFF8307	MD603014	Air	AF109
3123002900	Air	LAF8668	(32A4000100); S4S	Oil	LFP3828	MA141491	Fuel	G180
3116209012	Fuel	L5949F	eng.			MD031805	Oil	PH2856A
3124053015	Oil	LP2545	(3444022100); S4E		PH2819	<i>FG15, FG25 w/KG33 Engine</i>		
<i>K-K203 w/6D22 Engine</i>			eng.			91361-01900	Air	LAF222 ²
ME063130	Air	LAF1834 ²	<i>FD30 w/Mitsubishi S4S 3.3L Diesel Engine</i>			91261-08200		LAF8425
ME971550	Fuel	L5949F		Air	LAF8776	<i>FG20, FG25 w/4G52 Engine</i>		
3124053015	Oil	LP2545	W/S	Fuel	FP941F	914611500	Air	LAF222 ²
<i>K-K253 w/8DC8 Engine</i>					LFF8307	9122000500	Oil	PH2856A
ME063130	Air	LAF1834 ²	S4S eng.	Oil	LFP3828	<i>FG25B w/4G54 Engine</i>		
ME971550	Fuel	L5949F	S4E eng.		PH2819	9146111400	Air	LAF8226 ¹
3124053015	Oil	LP2545	<i>FD30N, FD30NT, FD33N, FD35N w/Mitsubishi S4S Engine</i>			<i>FG30, FG35A, w/4G54 Engine</i>		
<i>K-K401 w/8DC9 Engine</i>				Air	LAF8226 ¹	9146111500	Air	LAF222 ²
ME063130	Air	LAF1834 ²	(32A6201020); W/S	Fuel	FP941F	9122000500	Oil	PH2856A
ME971550	Fuel	L5949F	3446200300		LFF8307	<i>FG40K, FG45K w/Nissan TB42 Gas Engine</i>		
3124053015	Oil	LP2545		Hydraulic	LH22126 ¹⁰⁷⁷		Air	LAF222 ²
MITSUBISHI (GRADER)				Oil	LFP3828		Hydraulic	LP6005
<i>MG100</i>			32A4000100				Oil	PH253 ¹⁴⁹⁶
	Air	LAF1544 ²	<i>FD35, FD40 w/S6E Diesel Engine</i>				Trans	PH2835 ²⁷⁵
<i>MG150</i>			3063056800	Air	LAF1275 ²	<i>FGC10, FGC15 w/4G33 Engine</i>		
	Air	LAF6769 ²	9186101600		LAF22084 ²	9126100700	Air	LAF1275 ²
		LAF6769MXM ^{2, 268}	9146111500		LAF222 ²	9122000500	Oil	PH2856A
		LAF8674 ¹	9186100700		LAF8549 ¹	<i>FGC15N w/4G52 Engine</i>		
	Oil	LFP3712	3446200300	Fuel	LFF8307	9126100700	Air	LAF1275 ²
<i>MG300</i>			3474000100	Oil	LFP950		Hydraulic	LH22126 ¹⁰⁷⁷
	Air	LAF6769 ²	<i>FD45, FD50, FD50C, FD60, FD70 w/S6E, S6E2 Engine</i>			9122000500	Oil	PH2856A
		LAF6769MXM ^{2, 268}	9186101600	Air	LAF22084 ²	<i>FGC20, FGC25 w/4G52 Engine</i>		
		LAF8674 ¹	3446200300	Fuel	LFF8307	9126100700	Air	LAF1275 ²
<i>MG400, MG500</i>			3474000100	Oil	LFP950		Hydraulic	LH22126 ¹⁰⁷⁷
	Fuel	LFF5127	<i>FD45, FD50, FD50C, FD60, FD70 w/S6S Engine</i>			9122000500	Oil	PH2856A
	Oil	LP2545	34462-00300	Fuel	LFF8307	<i>FGC25K w/4G54 Engine</i>		
MITSUBISHI (LIFT TRUCK)			32B4-000100	Oil	LFP5748	91361-13300	Air	LAF8776
<i>FD100</i>			<i>FD80 w/6d16 Engine</i>			<i>FGC28N w/4G54 Engine</i>		
	Air	LAF234HD ²		Air	LAF234HD ^{2, 181}	9126100700	Air	LAF1275 ²
<i>FD20, FD23, FD25, FD28, FD30 w/S4S Engine</i>					LAF6769 ²		Hydraulic	LH22126 ¹⁰⁷⁷
(32A6201020); W/S	Fuel	FP941F			LAF9373 ¹	9122000500	Oil	PH2856A
3446200300		LFF8307		Oil	LFP2440	<i>FGC30, FGC30N w/4G54 Engine</i>		
32A4000100	Oil	LFP3828	<i>FD90 w/6d16 Engine</i>			9126100700	Air	LAF1275 ²
<i>FD25, FD30, FD35A w/S4E, S4E-2 Engine</i>				Air	LAF234HD ^{2, 181}		Hydraulic	LH22126 ¹⁰⁷⁷
3063056800	Air	LAF1275 ²			LAF6769 ²	9122000500	Oil	PH2856A
9146111500		LAF222 ²			LAF9373 ¹	<i>FGC35K w/GM 4.3L Gas Engine</i>		
(MB220900); W/S	Fuel	FP941F		Oil	LFP2440		Air	LAF8226 ¹
<i>FD25, FG25 w/Mitsubishi Engine</i>			<i>FDC20, FDC25 w/S4E Engine</i>				Oil	PH47
91261-06200	Air	LAF8072 ²	9126100700	Air	LAF1275 ²	<i>FGC40K, FGC45K w/GM 4.3L Gas Engine</i>		
		LAF8077 ¹		Fuel	LFF8307		Air	LAF8226 ¹
34440-22100	Oil	PH2819		Oil	LFP791		Oil	PH47
<i>FD25N, NFD25NT, FD28N w/Mitsubishi S4S Engine</i>			<i>FDC30 w/S4E Engine</i>			<i>FGC55K w/GM 4.3L Gas Engine</i>		
	Air	LAF8226 ¹	9126100700	Air	LAF1275 ²		Air	LAF8226 ¹
(32A6201020); W/S	Fuel	FP941F		Fuel	LFF8307		Oil	PH47
3446200300		LFF8307	<i>FG10, FG15, FG18 w/4G33 Engine</i>			<i>FGC60K w/GM 4.3L Gas Engine</i>		
	Hydraulic	LH22126 ¹⁰⁷⁷	9126100700	Air	LAF1275 ²		Air	LAF8226 ¹
32A4000100	Oil	LFP3828	9146111500		LAF222 ²		Oil	PH47

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 181-Single 268-Extended/Severe service 275-Primary 1077-Hyd. Tank 1496-Alternate

M

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MITSUBISHI (LIFT TRUCK)			MITSUBISHI (TRACTOR)			MOFFETT (LIFT TRUCK)		
<i>FGC70K w/GM 4.3L Gas Engine</i>			<i>MT2801 w/4DQ30 Engine</i>			<i>M50 w/Kubota V2203 Engine (cont'd)</i>		
	Air	LAF8226 ¹	19700034000	Air	LAF1275 ²		Oil	PH2835 ²⁷⁵
	Oil	PH47	3046272000	Fuel	L296F ⁴¹	<i>M5000HF w/Kubota V2203E engine</i>		
<i>LD150 w/6D11 Engine</i>			3444022100	Oil	PH2819		Air	LAF222
ME034481	Oil	LP5900	<i>MT372 w/Diesel Engine</i>			15224-43010	Fuel	G5/16CP ¹⁰⁹⁶
MITSUBISHI (LOADER)				Oil	PH2808	15224-43010	Hydraulic	L549F
<i>WS210-2 w/Mitsubishi K4F Diesel Engine</i>			<i>MT5501 w/S4E Engine</i>				Oil	LFH4268
91361-10900	Air	LAF8776	11910511120	Air	LAF1246 ²		Oil	PH253 ¹⁴⁹⁶
<i>WS210-3 w/Mitsubishi K4F Diesel Engine</i>			3444022100	Oil	PH2819		Oil	PH2835 ²⁷⁵
91361-10900	Air	LAF8776	<i>MTE1800 w/K3D Engine</i>			<i>M5500BS w/Kubota V2203E engine</i>		
MITSUBISHI (TRACTOR)			MM404879	Fuel	L3556F		Air	LAF222
<i>D1550 w/K3B Engine</i>			K9665400	Oil	PH2808	15224-43010	Fuel	G5/16CP ¹⁰⁹⁶
MM404879	Fuel	L3556F	<i>MTE2000 w/K3F Engine</i>			15224-43010	Hydraulic	L549F
K9665400	Oil	PH2808	19700034000	Air	LAF1275 ²	16414-32430	Hydraulic	LFH4268
<i>D1650, D1850 w/K4A Engine</i>			MM404879	Fuel	L3556F		Oil	PH253 ¹⁴⁹⁶
19700034000	Air	LAF1275 ²	K9665400	Oil	PH2808		Oil	PH2835 ²⁷⁵
MM404879	Fuel	L3556F	<i>MTX15</i>			<i>M55P w/Kubota V2203 Engine</i>		
K9665400	Oil	PH2808	10300511200	Air	LAF8620 ²	15221-43170	Fuel	FP590F
<i>D2650 w/KE140 Engine</i>			MM404879	Fuel	L3556F	12581-43012		G1 ⁵³¹
19700034000	Air	LAF1275 ²	MD134953	Oil	PH2808	15224-43010		L4103F
MM404879	Fuel	L3556F	<i>MTX225</i>			16414-32430	Hydraulic	LFH4268
MD031805	Oil	PH2856A	10300511200	Air	LAF8620 ²	16414-32430	Oil	PH253 ¹⁴⁹⁶
<i>H1900 w/K3D Engine</i>			MM320886	Fuel	L3541F		Oil	PH2835 ²⁷⁵
19700034000	Air	LAF1275 ²	MD134953	Oil	PH2808	<i>TM55 w/Kubota V2003 Engine</i>		
MM404879	Fuel	L3556F	<i>S370 Beaver w/Diesel Engine</i>				Air	LAF8148 ²
K9665400	Oil	PH2808		Air	LAF2745A ²		Oil	LAF9332 ¹
<i>H3001 w/KE135 Engine</i>				Oil	PH2808	MONTANA (TRACTOR)		
MM200571	Air	LAF8630	<i>S373 Beaver III w/Diesel Engine</i>			<i>2740 w/Daedong 3A139LG Engine</i>		
MM404879	Fuel	L3556F		Air	LAF2745A ²	A1190168	Air	LAF8388 ²
K9665400	Oil	PH2808		Oil	PH2808	84612-43160	Fuel	L549F
<i>MC13, MC15, MC20</i>			<i>S470 Buck w/Diesel Engine</i>			A1823132	Hydraulic	LFH8207
10250511200	Air	LAF2745A ²		Air	LAF2745A ²	E6201-32443	Oil	PH2801
MM320886	Fuel	L3541F		Oil	PH2808	<i>3040 w/Mitsubishi S4L Engine</i>		
MD134953	Oil	PH2808	<i>S630 Bull w/Diesel Engine</i>			A1190111	Air	LAF8195 ²
<i>MC1300 w/C70 Engine</i>				Air	LAF1275 ²	A1190112	Oil	LAF8690 ¹
19700034000	Air	LAF1275 ²		Oil	PH2808	A1823132	Hydraulic	LFH8207
MM320886	Fuel	L3541F	<i>S670 Bison w/Diesel Engine</i>			A0653039	Oil	PH2876
K9665400	Oil	PH2808		Oil	PH2808	<i>3240 w/Daedong 3A165LG Engine</i>		
<i>MC3000 w/KE135 Engine</i>			<i>S750 Stallion w/Diesel Engine</i>			A1190168	Air	LAF8388 ²
MM200571	Air	LAF8630		Oil	PH2808	84612-43160	Fuel	L549F
MM404879	Fuel	L3556F	<i>ST1520 w/K3B Engine</i>			A1823132	Hydraulic	LFH8207
MD134953	Oil	PH2808	MM404879	Fuel	L3556F	E6201-32443	Oil	PH2801
<i>MT1401, MT1801, MT2000, MT2001</i>			K9665400	Oil	PH2808	<i>3440 w/Daedong 3A165LG Engine</i>		
MM320886	Fuel	L3541F	<i>ST2040 w/K4C Engine</i>			A1190111	Air	LAF8195 ²
K9665400	Oil	PH2808	19700034000	Air	LAF1275 ²	A1190112	Oil	LAF8690 ¹
<i>MT15, MT20, MT25</i>			MM404879	Fuel	L3556F	84612-43160	Fuel	L549F
10250511200	Air	LAF2745A ²	MD031805	Oil	PH2856A	A1823315	Hydraulic	LFH8207
MM404879	Fuel	L3556F	<i>ST3240 w/4DQ30 Engine</i>			E6201-32443	Oil	PH2801
K9665400	Oil	PH2808	19700034000	Air	LAF1275 ²	A1270003	Trans	LFH8329 ⁵⁹⁰
<i>MT180, MT210, MT250, MT372</i>			MM404879	Fuel	L3556F	<i>3840 w/Mitsubishi S4L2 Engine</i>		
K9665400	Oil	PH2808	MOFFETT (LIFT TRUCK)			A1190111	Air	LAF8195 ²
<i>MT2201, MT2501 w/K4D, K4E Engine</i>			<i>M50 w/Kubota V2203 Engine</i>			A1190112	Oil	LAF8690 ¹
19700034000	Air	LAF1275 ²	15224-43010	Air	LAF8772	A1823132	Hydraulic	LFH8207
MM320886	Fuel	L3541F	15221-43170	Fuel	FP590F	A0653039	Oil	PH2876
K9665400	Oil	PH2808	12581-43012		G1 ⁵³¹	<i>3940 w/Mitsubishi S4L2 Engine</i>		
			16414-32430	Hydraulic	LFH4268	A1190111	Air	LAF8195 ²
			16414-32430	Oil	PH253 ¹⁴⁹⁶	A1190112	Oil	LAF8690 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 41-Cartridge 275-Primary 531-Filter only 590-Hydrostatic 1096-Clear Plastic 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MONTANA (TRACTOR)			MORBARK (CHIPPER INDUSTRIAL)			MORBARK (CHIPPER INDUSTRIAL)		
3940 w/Mitsubishi S4L2 Engine (cont'd)			20/36 E-Z Chipper w/Ford 444 Engine			RSI Tubgrinder w/Cummins KT450, KT525 Engine		
A1823315	Hydraulic	LFH8207		Air	LAF1544 ²	2683-8085	Hydraulic	LFH4915
A0653039	Oil	PH2876		Fuel	L296F ⁴¹	Wolverine Tractor w/JD 4239T Engine		
A1270003	Trans	LFH8329 ⁵⁹⁰	29118684	Oil	PH400 ²⁷⁵	2932-1288	Air	LAF1246 ²
4320, 4320C, 4340, 4340C w/Mitsubishi S4QS Engine			29118684		PH8A ¹⁴⁹⁶	2932-1022		LAF1394 ¹
A1190109			20/36 E-Z Chipper w/John Deere Engine			MOXY (ARTICULATED DUMP TRUCK)		
A1190108			2932-1288			3216 w/Ford Engine		
(Q1250003); W/S			2922-9329				Fuel	LFF3501
A1823315			2683-8071				Hydraulic	LFH4268
Q1400001			2922-9328				Oil	PH6714
4540 w/Mitsubishi S4QS Engine			20/36 E-Z Chipper w/Perkins 4.236, 4.236T Engine			5222B, 6222B w/Scania Engine		
A1190111			2923-4527				Air	LAF6587 ²
A1190112								LAF6587MXM ^{2, 268}
(Q1250003); W/S			2923-4526					LAF6834 ¹
Q140001			2683-8710			Turbo	Oil	PH2840
4920, 4920C, 4940, 4940C w/Mitsubishi S4QL Engine			2923-4525				Trans	LFH8595
A1190109			22RXL Chipper w/Cummins Engine			6200S w/Scania Engine		
A1190108							Air	LAF6587 ²
(Q1250003); W/S								LAF6587MXM ^{2, 268}
A1823315			2400 Chipper					LAF6834 ¹
Q1400001							Fuel	FP586F
5720, 5720C, 5740, 5740C w/Mitsubishi S4SD Engine			2400 Hurrigan Debarker w/Cummins 5.9L Engine				Hydraulic	LFH8593
A1190109			Pri.			Turbo	Oil	PH2840
A1190108			Sec.				Power Steering	LH8504
(Q1250003); W/S			W/S			6225B, 6227B w/Scania Engine		
A1823315			26838085			151571	Air	LAF6769 ²
Q1400001								LAF6769MXM ^{2, 268}
R3644HST w/S4L2 Engine			2755 Chipharvester w/Caterpillar 3412 Engine					LAF9373 ¹
P822768			Air			151570	Oil	PH2840
			LAF8143 ²			6225S, 6227S w/Scania Engine		
			PH2876				Air	LAF6769 ²
T7074 w/John Deere 3029T Engine			4300 w/Caterpillar C15 Engine					LAF6769MXM ^{2, 268}
(RE60021); Sec.			P181045				Fuel	FP585F
T19044						Turbo	Oil	LFP2221
			9700810			Turbo		PH2840
U5784C w/Mitsubishi S4SD Engine			1R0716			7235S w/Scania Engine		
P822768						151692	Air	LAF9155 ²
3446200300								LAF9155MXM ^{2, 268}
MORBARK (CHIPPER INDUSTRIAL)			75 Chipper w/Cummins Engine			151693	Fuel	FP585F
10/20 E-Z Chipper w/Cummins Engine			Air			D15S w/Scania Engine		
2932-1209			LAF1765 ¹					FP586F
2932-1210			LAF6453 ²			Turbo	Oil	L296F ⁴¹
			LAF6453MXM ^{2, 268}				Power Steering	LH8504
1000 Tub Grinder w/Caterpillar 3406 Engine			Hydraulic			D16B w/Scania Engine		
			LP50910				Air	LAF6587 ²
A1190109			LAF1765 ¹					LAF6587MXM ^{2, 268}
A1190108			LAF6453 ²					LAF6834 ¹
(Q1250003); W/S			LAF6453MXM ^{2, 268}				Fuel	FP586F
Q1400001							Hydraulic	LFH8593
17 w/John Deere Engine			75 Chipper w/Detroit Diesel Engine			Turbo	Oil	PH2840
Air			Air					
LAF1544 ²			LAF4040					
LAF9410 ¹			Hydraulic					
Fuel			LP50910					
P1130			Beever M20R					
Oil			P777868					
FP20			P777869					
1848 w/Caterpillar 3412 Engine			26838085					
Air			Hydraulic					
LAF1765 ¹			LAF8150 ²					
LAF6453 ²			LAF8693 ¹					
LAF6453MXM ^{2, 268}			LFH4915					
			Eeger Beever w/Cummins 4BT 3.9 Engine					
			P111054					
			Air					
			LAF1246 ²					
			P119363					
			LAF1544 ²					
			AE-10					
			Hydraulic					
			LFP1652					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 275-Primary 590-Hydrostatic 1496-Alternate

41-Cartridge 268-Extended/Severe service

M

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MOXY (ARTICULATED DUMP TRUCK)			MULTIQUIP (EQUIPMENT)			MUSTANG (SKID STEER LOADER)		
<i>D16B w/Scania Engine (cont'd)</i>			<i>DF0270I Generator w/Isuzu C240 Engine</i>			<i>1650R (w/Yanmar 4TNV98C Engine) (cont'd)</i>		
	Power Steering	LH8504	P821575 (P822858); Opt.	Air	LAF8195 ² LAF8690 ¹	074830 195568	Hydraulic Oil	LFH4972 PH2808
<i>MT26 w/Scania DC9 Engine</i>				Fuel	LFF3553	<i>1700 w/Ford V4-104 Engine</i>		
	Air	LAF6998 ² LAF6999 ¹		Oil	LFP8416	P101275	Air	LAF1275 ² LAF8114 ¹ LAF8143 ²
	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	<i>Rammax P33/24H w/Hatz 2G40 Engine</i>					
				Air	LAF1732 ²		Fuel	L549F
			<i>VR-36H Roller w/Honda GX610 18 hp Engine</i>				Hydraulic	LFH4922
				Oil	PH2808			LP509
<i>MT30S, MT30S-3</i>			MUSTANG (EXCAVATOR)			3294		
151571	Air	LAF6769 ² LAF6769MXM ^{2, 268}	<i>ME12002</i>			C5NN-6714-B	Oil	LFP2258 PH2808
			42536115	Fuel	LFF8350	<i>1700 w/Perkins 4.108 Engine</i>		
151570		LAF9373 ¹	42534635	Oil	PH2808		Air	LAF1275 ²
	Cabin Air	AF298	<i>ME1402, ME1502 w/Yanmar 3TNE68 Engine</i>				Hydraulic	LP509
	Coolant	LFW4073 ²⁵⁵		Fuel	L4103F	420-21419		LP509
	Fuel	FP586F		Oil	PH2808	2654403	Oil	PH4403
Turbo	Oil	PH2840	<i>ME1902, ME2202 w/Yanmar 3TNE74 Engine</i>			<i>1750RT (w/Yanmar 4TNV98C Engine)</i>		
<i>MT31 w/Scania DC9 Engine</i>				Fuel	L4103F	184146	Air	LAF3947 ²
	Air	LAF6998 ² LAF6999 ¹		Oil	PH2808	184195		LAF3948 ¹
	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	<i>ME2503, ME3003</i>			074830	Hydraulic	LFH4972
			165294	Air	LAF5844 ¹	195568	Oil	PH2808
			165293		LAF8147 ²	<i>1900R (w/Yanmar 4TNV98C Engine)</i>		
			42534636	Fuel	L549F	184146	Air	LAF3947 ²
MUIR HILL (TRACTOR)			<i>ME2702, ME2902 w/Yanmar 3TNE88 Engine</i>			184195		LAF3948 ¹
<i>MH101 w/Ford 361 Diesel Engine</i>				Fuel	L549F	(104045); W/S	Fuel	LFF8062
	Air	LAF1246 ²		Oil	PH2808	074830	Hydraulic	LFH4972
<i>MH101, MH110 w/Perkins Engine</i>			<i>ME3402, ME3602, ME5002 w/Yanmar 4TNE88 Engine</i>			195568	Oil	PH2808
	Fuel	L296F ⁴¹		Fuel	L549F	<i>2012 w/Yanmar 3TNV82 Engine</i>		
	Hydraulic	P72		Oil	PH2808	241216	Hydraulic	LFH22150
	Oil	LP70V	<i>ME3503, ME3703 w/Yanmar 4TNV88 Engine</i>			195568	Oil	PH2808
<i>MH111 w/Perkins 6.354 diesel Engine</i>			<i>ME6002, ME6502, ME8002 w/Yanmar 4TNE98 Engine</i>			<i>2022, 2032 w/Yanmar 3TNE88 Engine</i>		
26560017	Fuel	L296F ⁴¹	165294	Air	LAF5844 ¹	420-36075	Air	LAF8195 ²
2654407	Oil	LFP2292	165293		LAF8147 ²	420-36076		LAF8690 ¹
26540153		P72	42534636	Fuel	L549F		Fuel	L549F
2654403		PH4403	<i>ME6002, ME6502, ME8002 w/Yanmar 4TNE98 Engine</i>			170-33635	Hydraulic	LFH8324
<i>MH121 w/Ford 2715E diesel Engine</i>				Fuel	L549F		Oil	PH2808
P108158	Air	LAF1472		Oil	PH2808	<i>2026 (w/Yanmar 3TNV88 Tier 3 Engine)</i>		
C5NE-9176A	Fuel	L296F ⁴¹	MUSTANG (SKID STEER LOADER)			420-36075	Air	LAF8195 ²
2703E-6731A	Oil	P72	<i>1000, 1200, 1700 w/Wisconsin Engine</i>			420-36076		LAF8690 ¹
MULTIQUIP (EQUIPMENT)			<i>125 Welder w/Komatsu S6B105 Engine</i>				Fuel	L549F
	Air	LAF8668	P101275	Air	LAF1275 ²	170-33635	Hydraulic	LFH8324
	Coolant	LFW4744 ⁴	170-16722	Hydraulic	LFH4209		Oil	PH2808
	Fuel	LFF4296	3294		LP509	<i>2040 w/Yanmar 3TNA72E Engine</i>		
	Oil	LFP5120B	<i>1350R (w/Yanmar 4TNV88C Engine)</i>			420-35599	Air	LAF8114 ¹
<i>25 Welder w/Isuzu C240 Engine</i>			184146	Air	LAF3947 ²	420-35598		LAF8143 ²
	Air	LAF1275 ²	184195		LAF3948 ¹	425-34636	Fuel	L549F
	Fuel	LFF4295	074830	Hydraulic	LFH4972	170-33635	Hydraulic	LFH4922
	Oil	LP2277	195568	Oil	PH2808	425-34635	Oil	PH2808
<i>40 Welder w/Isuzu 4BD1 Engine</i>			<i>1500R (w/Yanmar 4TNV88C Engine)</i>			<i>2040 w/Yanmar 4TNE84 Engine</i>		
	Fuel	L3575F	184146	Air	LAF3947 ²	42035599	Air	LAF8114 ¹
	Oil	LP2277	184195		LAF3948 ¹	42035598		LAF8143 ²
<i>45 Welder w/Isuzu 4BD1 Engine</i>			074830	Hydraulic	LFH4972	42534636	Fuel	L549F
	Air	LAF222 ²	195568	Oil	PH2808	17033635	Hydraulic	LFH4922 ⁶⁰⁷
	Fuel	L3575F	<i>1650R (w/Yanmar 4TNV98C Engine)</i>			42534635	Oil	PH2808
	Oil	LP2277	184146	Air	LAF3947 ²	<i>2041 w/Yanmar 4TNV88 Engine</i>		
			184195		LAF3948 ¹	188814	Air	LAF8749 ²
						188817		LAF8750 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 14-Extended Life 41-Cartridge 255-Contains 3 oz. of chemical 268-Extended/Severe service 607-Return

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MUSTANG (SKID STEER LOADER)			MUSTANG (SKID STEER LOADER)			MUSTANG (SKID STEER LOADER)		
2041 w/Yanmar 4TNV88 Engine (cont'd)			2076, 2086 w/Cummins B3.3 Engine (cont'd)			330 w/Onan NHMS Engine (cont'd)		
425-34635	Oil	PH2808	74830	Hydraulic	LFH4972		Trans	PH2835 ^{275, 590}
2042, 2044 w/Yanmar 4TNE84 Engine			2095, 2105 w/Yanmar 4TNE106 Engine			332 w/Kubota D950B Engine		
42035599	Air	LAF8114 ¹	137501	Air	LAF9100 ¹	170-33635	Hydraulic	LFH4922
42035598		LAF8143 ²	137498		LAF9101 ²	170-32342		LFH4955
42534636	Fuel	L549F	42536115			332 w/Onan Gas Engine		
17033635	Hydraulic	LFH4922 ⁶⁰⁷	074830	Hydraulic	LFF8350	420-18567	Air	LAF1275 ²
425-34635	Oil	PH2808	137359		LFH5659	170-33635	Hydraulic	LFH4922
2044 w/Yanmar 4TNV88 Tier 2 Engine			137500	Oil	PH2808	425-32250	Oil	PH400
420-35599	Air	LAF8114 ¹	2099, 2109 w/Perkins 1104C Engine			342 w/Ford 2274E Engine		
420-35598		LAF8143 ²	137501	Air	LAF9100 ¹		Air	LAF1275 ²
170-33635	Hydraulic	LFH4922	137498		LAF9101 ²	345 w/Deutz F/2L.511D Engine		
425-34635	Oil	PH2808	FD7926	Base	LMB6926 ⁹⁴³		Air	LAF222 ²
2050 w/Yanmar 4TNE88 Engine			BF7925	Fuel	LFF6925 ⁹⁴²	345 w/Ford Diesel Engine		
42035599	Air	LAF8114 ¹	079756	Oil	LFP2292		Air	LAF1275 ²
42035598		LAF8143 ²	2100RT (w/Yanmar 4TNV98CT Engine)				Oil	PH400
42534636	Fuel	L549F	184146	Air	LAF3947 ²	440 w/Ford 4 cyl. 98 Engine		
17033635	Hydraulic	LFH8324 ⁶⁰⁷	184195		LAF3948 ¹	420-18567	Air	LAF1275 ²
42534635	Oil	PH2808	074830	Hydraulic	LFH4972	170-32375	Hydraulic	LFH4955 ¹⁰⁷⁷
2054 w/Yanmar 4TNE88 Engine			195568	Oil	PH2808		Oil	PH400
420-35599	Air	LAF8114 ¹	2200R (w/Yanmar 4TNV98C Engine)			440 w/Perkins 4.108 Engine		
420-35598		LAF8143 ²	184146	Air	LAF3947 ²		Air	LAF1275 ²
129100-55650	Fuel	L549F	184195		LAF3948 ¹	441 w/Ford 4-98 Engine		
170-33635	Hydraulic	LFH8324	(104045); W/S	Fuel	LFF8062		Air	LAF1275 ²
425-34635	Oil	PH2808	074830	Hydraulic	LFH4972		Oil	PH400
2054 w/Yanmar 4TNV88 Tier 2 Engine			195568	Oil	PH2808	441 w/Perkins 4.108 Engine		
420-35599	Air	LAF8114 ¹	2600R (w/Yanmar 4TNV98C Engine)				Air	LAF1275 ²
420-35598		LAF8143 ²	184146	Air	LAF3947 ²	445 w/Ford 498 Engine		
170-33635	Hydraulic	LFH8324	184195		LAF3948 ¹		Air	LAF1275 ²
425-34635	Oil	PH2808	(104045); W/S	Fuel	LFF8062		Oil	PH400
2056 Series II (w/Yanmar 4TNV98 IT4 Engine)			074830	Hydraulic	LFH4972	445 w/Perkins 4.108 Engine		
425-34635	Oil	PH2808	195568	Oil	PH2808		Air	LAF1275 ²
2060 w/Isuzu 4JB1 Engine			2700V w/Yanmar 4TN98T Engine			545 w/Perkins 4.154 Engine		
42035599	Air	LAF8114 ¹	184146	Air	LAF3947 ²		Air	LAF222 ²
42035598		LAF8143 ²	184195		LAF3948 ¹	552 w/Isuzu Engine		
42034746	Fuel	L3525F	(104045); W/S	Fuel	LFF8062	42034252	Air	LAF1784 ¹
		LFF4295	074830	Hydraulic	LFH4972	420-34252		LAF1784 ¹
170-33635	Hydraulic	LFH4922	195568	Oil	PH2808	42034257		LAF9538 ²
425-34584	Oil	LFP2255	275 w/Ford 6 cyl. diesel Engine			420-34257		LAF9538 ²
2066 w/Cummins B3.3 Engine			P101275	Air	LAF1275 ²			LAF9538MXM ^{2, 268}
184146	Air	LAF3947 ²		Oil	PH400 ²⁷⁵	42034746	Fuel	L3525F
184195		LAF3948 ¹	310 w/Kohler K321A Engine			420-34746		L3525F
(186933); W/S	Fuel	LFF9594	235116	Air	AF213	17033635	Hydraulic	LFH4922
74830	Hydraulic	LFH4972	320 w/Onan Engine			170-33635		LFH4922
186931	Oil	PH2835	P101275	Air	LAF1275 ²	42534584	Oil	LFP2255
2070, 2074 w/Isuzu 4JB1T Engine			N.F.P. S-58	Hydraulic	LFH4955	425-34584		LFP2255
420-35885	Air	LAF8148 ²	K22001		LFP1652	770 w/Ford 172 Diesel Engine		
420-35886		LAF9332 ¹	122A-323	Oil	PH400	420-18567	Air	LAF1275 ²
42034746	Fuel	L3525F	330 w/Onan NHMS Engine			3294	Hydraulic	LP509
17033635	Hydraulic	LFH4922 ⁶⁰⁷	P101275	Air	LAF2745A ²	C5NN-6714-B	Oil	LFP2258
42534584	Oil	LFP2255	(3294); Gas	Fuel	G5/16 ²⁶³	780 w/Perkins 4.236 Engine		
425-36003		PH2863B		Hydraulic	LFH4955		Fuel	L296F ⁴¹
2076, 2086 w/Cummins B3.3 Engine			3294		LP509	2654403	Oil	PH4403
184146	Air	LAF3947 ²	122A-323	Oil	PH400	880 w/Ford 256 Diesel Engine		
184195		LAF3948 ¹	1551	Trans	PH253 ^{590, 1496}	420-32381	Air	LAF222 ²
(186933); W/S	Fuel	LFF9594				125-32607	Fuel	L296F ⁴¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 263-Hoses and clamps included 268-Extended/Severe service 275-Primary 590-Hydrostatic 607-Return 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1077-Hyd. Tank 1496-Alternate

M

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MUSTANG (SKID STEER LOADER)			MUSTANG (SKID STEER LOADER)			NAGANO (EQUIPMENT)		
<i>880 w/Ford 256 Diesel Engine (cont'd)</i>			<i>MTL25 w/Yanmar 4TNE106 Engine</i>			<i>NS25 Excavator w/Isuzu 3AB1 Engine</i>		
425-32521	Hydraulic	LP509	L99453	Air	LAF4544 ²	8941560520	Air	LAF1800
C9NN-6714-A	Oil	LFP2258			LAF4544MXM ^{2, 268}	8944147961	Fuel	FP588F
425-32521	Trans	LP509	L99967		LAF4545 ¹	<i>NS25-2 Excavator w/Isuzu 3LD1 Engine</i>		
<i>880 w/Perkins 4.236 Engine</i>			137499	Fuel	LFF8350	8941560520	Air	LAF1800
P101222	Air	LAF222 ²	137500	Oil	PH2808	8944147961	Fuel	FP588F
425-32607	Fuel	L296F ⁴¹	180324	Trans	LH4256 ⁵⁹⁰	<i>NS35-2 Excavator w/Isuzu 3LD1 Engine</i>		
170-28719	Hydraulic	LP509	MUSTANG (TELESCOPIC HANDLER)			8941560520	Air	LAF1800
2654403	Oil	PH4403	<i>1155 w/4045T Tier 3 John Deere Engine S/N 40071-</i>			8944147961	Fuel	FP588F
<i>880 w/Perkins 4.248 Engine</i>			105070	Air	LAF2342	<i>NS45 Excavator w/Isuzu 4JE1 Engine</i>		
420-32831	Air	LAF222 ²	105071		LAF2343 ¹	8941560520	Air	LAF1800
425-32607	Fuel	L296F ⁴¹	102173	Oil	LFP4836	8944147961	Fuel	FP588F
425-32521	Hydraulic	LP509	L99440	Trans	LFP2546	<i>NS45-2 Backhoe w/Isuzu 4LE1 Engine</i>		
425-32606	Oil	P771A	<i>744 w/4045T Tier 3 John Deere Engine S/N 20132-</i>			P812610	Air	LAF5891
26540132		P772	102173	Oil	LFP4836	<i>NS75-2 Backhoe w/Isuzu 4JB1 Engine</i>		
425-32521	Trans	LP509	L99440	Trans	LFP2546		Fuel	FP588F
<i>910 w/Yanmar 3TN82E Engine</i>			<i>944 w/4045T Tier 3 John Deere Engine S/N 30083-</i>			NEW HOLLAND (BACKHOE LOADER)		
420-31932	Air	LAF2745A ²	102173	Oil	LFP4836	<i>675E</i>		
3294	Hydraulic	LP509	L99440	Trans	LFP2546	1930765	Air	LAF8583 ²
425-34635	Oil	PH2808	<i>RS6-42 w/John Deere 4045T Tier 3 Engine S/N 14235-</i>			1909964		LAF9410 ¹
<i>920, 920E w/Yanmar 3TNA72E Engine</i>			102173	Oil	LFP4836	(87801285); Sec.	Fuel	L8680F
420-18567	Air	LAF1275 ²	L99440	Trans	LFP2546	85802793	Hydraulic	LFH5659
	Fuel	L4103F	<i>RS-42 w/John Deere 4045T Tier 3 Engine S/N 14235-</i>			87800083	Oil	PH4403
170-33635	Hydraulic	LFH4922 ¹¹²⁸	(137501); 99 H.P.	Air	LAF9100 ¹	9969450	Trans	LFH8876
425-35259	Oil	PH2808	(137498); 99 H.P.		LAF9101 ²	<i>775</i>		
<i>930, 930A, 930E w/Yanmar Diesel Engine</i>			L97489	Hydraulic	LFH3990-03	151849148	Air	LAF4544 ²
42034601	Air	LAF1948 ¹	102173	Oil	LFP4836			LAF4544MXM ^{2, 268}
420-34599		LAF281 ²	L99184	Trans	LFH22034	151849149		LAF4545 ¹
129100-55650	Fuel	L549F	<i>RS8-42, RS8-44 w/John Deere 4045T Tier 3 Engine S/N 16766-</i>			F2NN6714AB	Oil	LFP950
170-33635	Hydraulic	LFH4922	(137501); 99 H.P.	Air	LAF9100 ¹	<i>B110, B115 w/445TM2 Engine</i>		
425-34635	Oil	PH2808	(137498); 99 H.P.		LAF9101 ²	87418364	Air	LAF4544 ²
<i>940, 940E w/Yanmar Diesel Engine</i>			L97489	Hydraulic	LFH3990-03	87418365		LAF4545 ¹
42034601	Air	LAF1948 ¹	102173	Oil	LFP4836	1930010	Fuel	LFF3504
420-34599		LAF281 ²	L99184	Trans	LFH22034	86989733	Hydraulic	LFH8294
129100-55650	Fuel	L549F	MUSTANG (WHEEL LOADER)			87803260	Oil	LFP6015
170-33635	Hydraulic	LFH4922	<i>ML360 (w/Deutz D2011 Engine)</i>			85817004	Trans	LFH8876 ¹⁰⁸⁵
425-34635	Oil	PH2808	132024	Fuel	FP587F	<i>B95, B95LR, B95TC w/445TM2 Engine</i>		
<i>960 w/Isuzu Diesel Engine</i>			132023	Oil	PH2816	87418364	Air	LAF4544 ²
420-34252	Air	LAF1784 ¹	<i>ML460 (w/Duetz D2011 Engine)</i>			87418365		LAF4545 ¹
420-34257		LAF9538 ²		Air	LAF8148	1930010	Fuel	LFF3504
		LAF9538MXM ^{2, 268}			LAF9332 ¹	86989733	Hydraulic	LFH8294
42034746	Fuel	L3525F	132024	Fuel	FP587F	87803260	Oil	LFP6015
170-33635	Hydraulic	LFH4922	132023	Oil	PH2816	85817004	Trans	LFH8876 ¹⁰⁸⁵
425-34584	Oil	LFP2255	NAGANO (EQUIPMENT)			<i>B95C, B95CLR, B95CTC w/Tier 4 Engine</i>		
<i>MTL16 w/Yanmar 4TNE98 Engine</i>				Air	LAF8148	82981152	Air	LAF4544 ²
171880	Air	LAF8114 ¹			LAF9332 ¹	82981153		LAF4545 ¹
181878		LAF8143 ²	132024	Fuel	FP587F	87803192	Fuel	FP587F ¹⁴²⁸
137499	Fuel	LFF8350	132023	Oil	PH2816	(87803197); 4V		LFF5421
137500	Oil	PH2808	<i>NS15 Excavator w/Isuzu 3LA1 Engine</i>			Electronic Controlled Eng.		
180324	Trans	LH4256 ⁵⁹⁰	8941560520	Air	LAF1800	<i>G55E</i>		
<i>MTL20 w/Isuzu 4JG1T Engine</i>			8944147961	Fuel	FP588F	1930765	Air	LAF8583 ²
L99453	Air	LAF4544 ²	<i>NS15-2 Excavator w/Isuzu 3YC1 Engine</i>			1909964		LAF9410 ¹
L99967		LAF4545 ¹	8941560520	Air	LAF1800	(87801285); Sec.	Fuel	L8680F
182134	Fuel	FP588F	8944147961	Fuel	FP588F	85802793	Hydraulic	LFH5659
182136	Oil	PH2863B	NAGANO (EQUIPMENT)			8700083	Oil	PH4403
180324	Trans	LH4256 ⁵⁹⁰	<i>NS15 Excavator w/Isuzu 3AB1 Engine</i>			9969450	Trans	LFH8876 ¹⁰⁸⁵

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 590-Hydrostatic 1085-Power Shuttle 1128-Rear 1428-2 Valve Electronic Controlled Engine

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (BACKHOE LOADER)			NEW HOLLAND (BALE WAGON)			NEW HOLLAND (BALE WAGON)		
LB110			1048, 1049 Hay Hauler w/Ford 361HD Engine (cont'd)			1089, 1095		
1930765	Air	LAF8583 ^{2, 1435}	C4AZ9365B	Fuel	G6	279627	Air	LAF1888 ²
1909964		LAF9410 ^{1, 1435}	270565	Hydraulic	LH4914	279628		LAF1952 ¹
85802793	Hydraulic	LFH5659 ¹⁴³⁵	511063		LH4914 ¹⁴²⁵	9672301	Coolant	LFW4071 ^{28, 205}
87800083	Oil	PH4403 ¹⁴³⁵	129804		LP4379 ¹¹³²	(87801341); Pri.	Fuel	L3891F
1930765	Air	LAF8583 ²	FL-20	Oil	P2	(87840136); W/S		LFF1223
1909964		LAF9410 ¹	E7NN6714AA		PH400 ²⁷⁵	W/S		LFF8063
85802793	Hydraulic	LFH5659	E7NN6714AA		PH8A ¹⁴⁹⁶	636843	Hydraulic	LFH4955
87800083	Oil	PH4403	E7NN6714AA			F2NN6714AB	Oil	LFP950
1930765	Air	LAF8583 ^{2, 1434}	1052 Stack Retriever			591689	Trans	LFP1652
1909964		LAF9410 ^{1, 1434}	591689	Hydraulic	LFP1652	591689		LFP1652
85802793	Hydraulic	LFH5659 ¹⁴³⁴	E7NN6714FA		LP6005	8500 w/Perkins 6.354 Engine		
87800083	Oil	PH4403 ¹⁴³⁴	1065 Stack-Cruizer			373376	Air	LAF1544 ²
LB115			75495	Air	LAF1246 ²	376826		LAF9410 ¹
1930765	Air	LAF8583 ²	C4AZ9365B	Fuel	G6	EDPN9N074AA	Fuel	L296F ⁴¹
1909964		LAF9410 ¹	129804	Hydraulic	LP4379	505062	Oil	LFP2292
(87801285); Sec.	Fuel	L8680F	E7NN6714AA	Oil	PH400 ²⁷⁵	BW28, BW38		
87800083	Oil	PH4403	E7NN6714AA		PH8A ¹⁴⁹⁶	87803192	Fuel	FP587F
LB115B			1068, 1069, 1075 Stack-Cruizer			87027973	Hydraulic	LFH4955
1930765	Air	LAF8583 ^{2, 1435}	75495	Air	LAF1246 ¹⁸¹	87803260	Oil	LFP6015
1909964		LAF9410 ^{1, 1435}	373376		LAF1544 ²	(87023616); Allison	Trans	LFH8737
85802793	Hydraulic	LFH5659 ¹⁴³⁵	376826		LAF9410 ¹	1000/2000		
87800083	Oil	PH4403 ¹⁴³⁵	134692	Cabin Air	LAF6680	Allison 1000/2000		T951 ⁶
1930765	Air	LAF8583 ²	(C4AZ936B); Gas	Fuel	G6	H9870, H9880		
1909964		LAF9410 ¹	(EDPN9N074AA);		L296F ⁴¹	8488375	Air	LAF4601 ²
85802793	Hydraulic	LFH5659	Diesel			8488374		LAF4602 ¹
87800083	Oil	PH4403	1069 only	Hydraulic	LFH4955	87803192	Fuel	FP587F
1930765	Air	LAF8583 ^{2, 1434}	129804		LP4379	87027973	Hydraulic	LFH4955
1909964		LAF9410 ^{1, 1434}	(505062); Diesel	Oil	LFP2292	86632018		LFP449
85802793	Hydraulic	LFH5659 ¹⁴³⁴	(E7NN6714AA); Gas		PH400 ²⁷⁵	87803260	Oil	LFP6015
87800083	Oil	PH4403 ¹⁴³⁴	(E7NN6714AA); Gas		PH8A ¹⁴⁹⁶	(87023616); Allison	Trans	LFH8737
LB75			1078, 1079			1000/2000		T951 ⁶
1930587	Air	LAF8148 ²	375272	Air	LAF1725 ¹	Allison 1000/2000		
1930588		LAF9332 ¹	9809615		LAF9001 ²	NEW HOLLAND (BALER)		
1930010	Fuel	FP587F	9613344	Fuel	LFF3806 ¹⁷⁰	1280, 1281, 1290 w/Ford 172 Diesel Engine		
		LFF3504			LFF4806 ¹⁶⁹		Fuel	L296F ⁴¹
85802793	Hydraulic	LFH5659	636843	Hydraulic	LFH4955	1280, 1281, 1290 w/Ford 172 gas Engine		
1909102	Oil	LFP2238	3958647	Oil	LFP8239		Oil	P2
85817004	Trans	LFH8876	1085			1280, 1281, 1290 w/Wisconsin V461D Engine		
LB85, LB90, LB95			375272	Air	LAF1725 ¹		Oil	LFP2252
1930765	Air	LAF8583 ²	9809615		LAF9001 ²	1283 w/Ford Engine		
1909964		LAF9410 ¹	E5NN8A424AA	Coolant	LFW4071 ^{28, 205}	221409	Air	LAF9538 ²
87800083	Oil	PH4403	861361		LFW4074 ⁶⁹⁹			LAF9538MXM ^{2, 268}
85817004	Trans	LFH8876	9613344	Fuel	LFF3806 ¹⁷⁰	C4AZ9365B	Fuel	G6
NEW HOLLAND (BALE WAGON)					LFF4806 ¹⁶⁹	E7NN6714AA	Oil	PH400 ²⁷⁵
1037			636843	Hydraulic	LFH5068-10	E7NN6714AA		PH8A ¹⁴⁹⁶
80591689	Hydraulic	LFP1652	3958647	Oil	LFP8239	1425 w/Ford 6 cyl. Engine		
1045, 1046 w/Wisconsin V-460D, V-461D Engine			1085 w/Ford 666H Engine			266222	Air	LAF1784 ¹
	Hydraulic	LFH4943	375272	Air	LAF1725 ¹	221409		LAF9538 ²
129804		LP4379	9809615		LAF9001 ²			LAF9538MXM ^{2, 268}
	Oil	LFP2252	E5NN8A424AA	Coolant	LFW4071 ^{28, 205}	134692	Cabin Air	LAF6680
1047 Hay Stacker w/Ford 240 Engine			861361		LFW4074 ⁶⁹⁹	C4AZ9365B	Fuel	G6
C4AZ-9365-A	Fuel	G6	9613344	Fuel	LFF3806 ¹⁷⁰	E7NN6714AA	Oil	PH400 ²⁷⁵
C1AZ-6731-A	Oil	PH400 ²⁷⁵			LFH4806 ¹⁶⁹	E7NN6714AA		PH8A ¹⁴⁹⁶
C1AZ-6731-A		PH8A ¹⁴⁹⁶	636843	Hydraulic	LFH5068-10	E7NN6714AA		
1048, 1049 Hay Hauler w/Ford 361HD Engine			3958647	Oil	LFP8239	1426 w/Perkins 4.236 Engine		
75495	Air	LAF1246 ²				266222	Air	LAF1784 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 6-Shallow Pan 28-Contains 1 oz. of chemical 41-Cartridge 169-1 Per Package 170-2 Per Package 171-With Sensor Port 181-Single 205-Maintenance 268-Extended/Severe service 275-Primary 699-Initial Charge 1132-4" O.D. 1425-2 7/8" O.D. 1434-From 10/00 1435-To 03/03 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (BALER)			NEW HOLLAND (COMBINE)			NEW HOLLAND (COMBINE)		
<i>1426 w/Perkins 4.236 Engine (cont'd)</i>			<i>1400 w/Gas Engine (cont'd)</i>			<i>985, 990, 995 (cont'd)</i>		
221409	Air	LAF9538 ² LAF9538MXM ^{2, 268}	181212	Hydraulic	LP50910	(E7NN6714AA); Gas	Oil	PH8A ¹⁴⁹⁶
134692	Cabin Air	LAF6680	(753F6731BA1A); Diesel	Oil	P72	181212	Trans	LP50910 ⁵⁹⁰
(703631); W/S	Fuel	LFF1131	(E7NN6714AA); Gas		PH400 ²⁷⁵	CR6.80 (w/FPT Cursor 9 Engine)		
591689	Hydraulic	LFP1652	(E7NN6714AA); Gas		PH8A ¹⁴⁹⁶	84305930	Air	LAF8889 ²
50511	Oil	PH4403	1500			87682993	Cabin Air	LAF4544
425 Hayliner w/Wisconsin Engine			(373376); Gas	Air	LAF1544 ²	84226258	Hydraulic	LFH4972
RV-38	Oil	LFP2252	(227456); Diesel		LAF6587 ²	84346773	Oil	LFP7174
500 Hayliner w/Deutz F3L912 Engine			Diesel		LAF6587MXM ^{2, 268}	CR6.90 (w/FPT Cursor 9 Engine)		
P120281	Air	LAF281	(227671); Diesel		LAF6834 ¹	84305930	Air	LAF8889 ²
P119838		LAF9538 ² LAF9538MXM ^{2, 268}	(376826); Gas		LAF9410 ¹	84217229	Cabin Air	LAF4544
Q1H4117	Fuel	FP586F	134692	Cabin Air	LAF6680	84226258	Hydraulic	LFH4972
A1H4123	Fuel	PH2819	(174547); Gas	Fuel	G6	84346773	Oil	LFP7174
515 Hay Baler w/Deutz F3L912 Engine			Diesel; Sec.		LFP440F	CR9040 w/8.3L Engine		
	Hydraulic	LFH4955	181212	Hydraulic	LP50910	86998333	Air	LAF8769 ²
66, S-66, 68, SI-68, SI-69, 166, 271, 272 w/Wisconsin THD Engine			Diesel	Oil	LFP791	86998332		LAF8770 ¹
	Oil	P3	(E7NN6714AA); Gas		PH400 ²⁷⁵	84036676	Cabin Air	LAF4544
79, 290 w/Wisconsin VG-4D Engine			(E7NN6714AA); Gas		PH8A ¹⁴⁹⁶	(87360572); Sec.	Fuel	LFF5488
	Oil	P70	181212	Hydraulic	LP50910	(87340334); Pri.		LFF8981
8500			Diesel		LFP791	F0NN6714CA12H	Hydraulic	LFH4990 ⁶¹⁰
373376	Air	LAF1544 ²	(373376); Gas	Air	LAF1544 ²	CR9040, CR9060 w/Cursor 9L Engine		
376826		LAF9410 ¹	(227456); Diesel		LAF6587 ²	86998333	Air	LAF8769 ²
EDPN9N074A	Fuel	L296F ⁴¹	Diesel		LAF6587MXM ^{2, 268}	86998332		LAF8770 ¹
505062	Oil	LFP2292	(227671); Diesel		LAF6834 ¹	84036676	Cabin Air	LAF4544
S-69, 78, S-78, 87, 178, 271, 272, 275, 280, 281 w/Wisconsin VH-4D Engine			(376826); Gas		LAF9410 ¹	(86990977); 1- PIN	Coolant	LFW4071 ^{28, 205}
	Oil	P70	134692	Cabin Air	LAF6680	-HAJ 111001		
NEW HOLLAND (COMBINE)			(174547); Gas	Fuel	G6	(87360572); - PIN	Fuel	LFF5488
1400			Diesel; Sec.		LFP440F	HAI111001; Sec.		LFF8101
(373376); Diesel	Air	LAF1544 ²	181212	Hydraulic	LP50910	(504199551); PIN		
(376826); Diesel		LAF9410 ¹	Diesel	Oil	LFP791	HAI111001-		LFF8981
134692	Cabin Air	LAF6680	(E7NN6714AA); Gas		PH400 ²⁷⁵	(87340334); Pri.	Hydraulic	LFH4910
(174547); Gas	Fuel	G6	(E7NN6714AA); Gas		PH8A ¹⁴⁹⁶	84074777		LFH4990 ¹⁴²⁹
181212	Hydraulic	LP50910	1500 w/A-1 Diesel Engine			81863799		LFH8417
(753F6731BA1A); Diesel	Oil	P72	1500 w/Gas Engine			86525899		
Diesel		PH400 ²⁷⁵	(373376); Gas	Air	LAF1544 ²	CR9070 (w/Iveco Cursor 10 Engine)		
(E7NN6714AA); Gas		PH8A ¹⁴⁹⁶	(227456); Diesel		LAF6587 ²	86998333	Air	LAF8769 ²
(E7NN6714AA); Gas			Diesel		LAF6587MXM ^{2, 268}	86998332		LAF8770 ¹
1400 w/A-1 Diesel Engine			(227671); Diesel		LAF6834 ¹		Cabin Air	LAF4544
(373376); Diesel	Air	LAF1544 ²	(376826); Gas		LAF9410 ¹	(87340334); Pri.	Fuel	LFF8981
(376826); Diesel		LAF9410 ¹	134692	Cabin Air	LAF6680	(87592171); W/S		LFF9772
134692	Cabin Air	LAF6680	(174547); Gas	Fuel	G6	81863799	Hydraulic	LFH4990 ⁶⁰⁷
(174547); Gas	Fuel	G6	Diesel; Sec.		LFP440F	84036676	Oil	LFP7174
181212	Hydraulic	LP50910	181212	Hydraulic	LP50910	84074777	Trans	LFH4910
(753F6731BA1A); Diesel	Oil	P72	Diesel	Oil	LFP791	CR9080 Combine, CR9090 Combine w/Iveco Cursor 13 Engine		
Diesel		PH400 ²⁷⁵	(E7NN6714AA); Gas		PH400 ²⁷⁵	84432503	Air	LAF5568
(E7NN6714AA); Gas		PH8A ¹⁴⁹⁶	(E7NN6714AA); Gas		PH8A ¹⁴⁹⁶	84432504		LAF5569 ¹
(E7NN6714AA); Gas			975, 980			81863799	Hydraulic	LFH4990 ⁶⁰⁷
1400 w/Gas Engine			(174547); Gas	Fuel	G6	1931099	Oil	LFP7174
(373376); Diesel	Air	LAF1544 ²	E7NN6714AA	Oil	PH400 ²⁷⁵	CR920, CR940 w/7.5L Diesel Engine		
(376826); Diesel		LAF9410 ¹	E7NN6714AA		PH8A ¹⁴⁹⁶	(84069017); 584mm	Air	LAF8765 ²
134692	Cabin Air	LAF6680	985, 990, 995			Long		
(174547); Gas	Fuel	G6	134692	Cabin Air	LAF6680	84069018		LAF8766 ¹
			(174547); Gas	Fuel	G6	84036676	Cabin Air	LAF4544
			(785F6714AA3A); Diesel	Oil	LFP8507			LAF4544MXM ^{291 898}
			Diesel				Fuel	LFF1223
			(E7NN6714AA); Gas		PH400 ²⁷⁵	(87840136); W/S		LFF8063

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 28-Contains 1 oz. of chemical 41-Cartridge 205-Maintenance 268-Extended/Severe service 275-Primary 291-Extended/Severe service.

590-Hydrostatic 607-Return 610-Charge Pump 898-Cabin fresh air filter 1429-15 Micron 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (COMBINE)			NEW HOLLAND (COMBINE)			NEW HOLLAND (COMBINE)		
<i>CR920, CR940 w/7.5L Diesel Engine (cont'd)</i>			<i>CX-880 w/Ford Engine (cont'd)</i>			<i>TR75, TR85 w/Caterpillar 3208 Engine (cont'd)</i>		
W/S	Fuel	LFF8063U ¹⁷¹	84069018	Air	LAF8766 ¹	591689	Hydraulic	LFP1652
84074777	Hydraulic	LFH4910		Cabin Air	LAF4544		Oil	LFP791
9821387		LFH4990 ⁶⁰⁷	(87840136); W/S	Fuel	LFF8063	681786	Trans	LFP449 ⁵⁹⁰
86525899		LFH8217 ⁹²⁷	W/S		LFF8063U ¹⁷¹	181212		LP50910 ⁵⁹⁰
					LFF8101	<i>TR86 w/Caterpillar 3208 Engine</i>		
<i>CR-960</i>			86525899	Hydraulic	LFH4990	9623788	Air	LAF6769 ²
84069017	Air	LAF8765 ²	86525899		LFH8217			LAF6769MXM ^{2, 268}
84069018		LAF8766 ¹	<i>TR70 w/Caterpillar 3208 Engine</i>			276767		LAF9373 ¹
	Cabin Air	LAF4544	227456	Air	LAF6587 ²	134692	Cabin Air	LAF6680
84989840	Fuel	LFF1223			LAF6587MXM ^{2, 268}	Sec.	Fuel	LFP440F
1931100		LFH8101	227671		LAF6834 ¹	636843	Hydraulic	LFH4955
86525899	Hydraulic	LFH4990	134692	Cabin Air	LAF6680		Oil	LFP791
86525899		LFH8217	Sec.	Fuel	LFP440F	681786	Trans	LFP449 ⁵⁹⁰
1931099	Oil	LFP7174	591689	Hydraulic	LFP1652	<i>TR86, TR87 w/Ford 678HT Engine</i>		
84074777	Trans	LFH4910	E7NN6714FA		LP6005	279627	Air	LAF1888 ²
<i>CR-970</i>				Oil	LFP791	279628		LAF1952 ¹
84069017	Air	LAF8765 ²	181212	Trans	LP50910 ⁵⁹⁰	134692	Cabin Air	LAF6680
84069018		LAF8766 ¹	<i>TR70 w/Ford 361 Gas Engine</i>			9613344	Fuel	LFF3806 ¹⁷⁰
	Cabin Air	LAF4544	134692	Cabin Air	LAF6680			LFH4806 ¹⁶⁹
84989840	Fuel	LFF1223	174547	Fuel	G6	636843	Hydraulic	LFH4955
86525899	Hydraulic	LFH4990	591689	Hydraulic	LFP1652	E9HN6714BA	Oil	PH6715
86525899		LFH8217	E7NN6714FA		LP6005	(636843); S/N	Trans	LFP449 ⁵⁹⁰
1931099	Oil	LFP7174	E7NN6714AA	Oil	PH400 ²⁷⁵	529301-530055		
84074777	Trans	LFH4910	E7NN6714AA		PH8A ¹⁴⁹⁶	<i>TR88 w/Ford 7.5L Engine</i>		
<i>CR-970</i>			181212	Trans	LP50910 ⁵⁹⁰	279627	Air	LAF1888 ²
84069017	Air	LAF8765 ²	<i>TR70 w/Ford 363 Diesel Engine</i>			279628		LAF1952 ¹
84069018		LAF8766 ¹	227456	Air	LAF6587 ²		Fuel	LFF1223
	Cabin Air	LAF4544			LAF6587MXM ^{2, 268}	(87840136); W/S		LFF8063
84989840	Fuel	LFF1223	227671		LAF6834 ¹	W/S		LFF8063U ¹⁷¹
86525899	Hydraulic	LFH4990	134692	Cabin Air	LAF6680		Hydraulic	LFH4955
86525899		LFH8217		Fuel	L296F ⁴¹	F2NN6714AB	Oil	LFP950
1931099	Oil	LFP7174	591689	Hydraulic	LFP1652	<i>TR89</i>		
84074777	Trans	LFH4910	E7NN6714FA		LP6005	279627	Air	LAF1888 ²
<i>CX720, CX740, CX760, CX780, CX820</i>			753F6714AA3A	Oil	LFP8507	279628		LAF1952 ¹
84036676	Cabin Air	LAF4544	181212	Trans	LP50910 ⁵⁹⁰	9672301	Coolant	LFW4071 ^{28, 205}
		LAF4544MXM ^{291 898}	<i>TR70 w/Ford 363 Diesel Engine</i>				Fuel	LFF1223
	Fuel	LFF1223	227456	Air	LAF6587 ²	(87840136); W/S		LFF8063
		LFF8063			LAF6587MXM ^{2, 268}	W/S		LFF8063U ¹⁷¹
		LFF8063U ¹⁷¹	227671		LAF6834 ¹		Hydraulic	LFH4955
(87840136); W/S		LFF8063	134692	Cabin Air	LAF6680			
W/S		LFF8063U ¹⁷¹		Fuel	L296F ⁴¹	<i>TR89</i>		
81863799	Hydraulic	LFH4990	591689	Hydraulic	LFP1652	279627	Air	LAF1888 ²
81879134	Oil	LFP950	E7NN6714FA		LP6005	279628		LAF1952 ¹
<i>CX8070, CX8080 w/9.0L Engine</i>			753F6714AA3A	Oil	LFP8507	9672301	Coolant	LFW4071 ^{28, 205}
84493612	Air	LAF8765 ²	181212	Trans	LP50910 ⁵⁹⁰		Fuel	LFF1223
87682986		LAF8766 ¹	<i>TR75 w/Ford 363 Diesel Engine</i>			(87840136); W/S		LFF8063
84036676	Cabin Air	LAF4544	227456	Air	LAF6587 ²	W/S		LFF8063U ¹⁷¹
504199551	Fuel	LFF8101			LAF6587MXM ^{2, 268}	86542664	Hydraulic	LFH4955
81863799	Hydraulic	LFH4990 ⁶¹⁰	227671		LAF6834 ¹	F2NN-6714-AB	Oil	LFP950
<i>CX-860</i>			134692	Cabin Air	LAF6680	<i>TR95 w/Caterpillar 3208 Engine</i>		
84069017	Air	LAF8765 ²		Fuel	L296F ⁴¹	9623788	Air	LAF6769 ²
84069018		LAF8766 ¹	634958	Hydraulic	LFH4929 ¹⁴⁴⁴			LAF6769MXM ^{2, 268}
	Cabin Air	LAF4544	681786		LFH4955 ¹⁴⁴⁵	276767		LAF9373 ¹
(87840136); W/S	Fuel	LFF8063	591689		LFP1652	134692	Cabin Air	LAF6680
W/S		LFF8063U ¹⁷¹	753F6731BA1A	Oil	P72	9672301	Coolant	LFW4071 ^{28, 205}
		LFF8101	681786	Trans	LFP449 ⁵⁹⁰		Fuel	LFF1223
86525899	Hydraulic	LFH4990	181212		LP50910 ⁵⁹⁰	(87840136); W/S		LFF8063
86525899		LFH8217	<i>TR75, TR85 w/Caterpillar 3208 Engine</i>			W/S		LFF8063U ¹⁷¹
1931099	Oil	LFP7174	227456	Air	LAF6587 ²	Sec.		LFP440F
<i>CX880 (w/Iveco 10.3 L Engine)</i>					LAF6587MXM ^{2, 268}	636843	Hydraulic	LFH4955
84069017	Air	LAF5568	227671		LAF6834 ¹	591689		LFP1652
84069018		LAF5569 ¹	134692	Cabin Air	LAF6680	634958		LH8755 ¹⁴⁴⁴
	Cabin Air	LAF4544	Sec.	Fuel	LFP440F		Oil	LFP6007
9821387	Hydraulic	LFH4990 ⁶⁰⁷	634958	Hydraulic	LFH4929 ¹⁴⁴⁴	F2NN-6714AB		LFP950
1931099	Oil	LFP7174	681786		LFH4955 ¹⁴⁴⁵	636843	Trans	LFH4955 ⁵⁹⁰
84074777	Trans	LFH4910	<i>TR75, TR85 w/Caterpillar 3208 Engine</i>					
<i>CX-880 w/Ford Engine</i>			227456	Air	LAF6587 ²			
84069017	Air	LAF8765 ²			LAF6587MXM ^{2, 268}			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 28-Contains 1 oz. of chemical 41-Cartridge 169-1 Per Package 170-2 Per Package 171-With Sensor Port 205-Maintenance
 268-Extended/Severe service 275-Primary 291-Extended/Severe service. 590-Hydrostatic 607-Return 610-Charge Pump 898-Cabin fresh air filter 927-In-line
 1444-Reel Drive 1445-Rice Model 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (COMBINE)			NEW HOLLAND (COMBINE)			NEW HOLLAND (CRAWLER DOZER)		
<i>TR95 w/Caterpillar 3208 Engine (cont'd)</i>			<i>TX66 w/New Holland 7.5L Diesel Engine (cont'd)</i>			<i>DC75, DC85 (cont'd)</i>		
9826688	Trans	LFH5015 ⁵⁹⁰	(753486); 495mm	Air	LAF1718 ²	87413810	Hydraulic	LFH4990
181212		LP50910 ⁵⁹⁰	84032106		LAF8669 ²	87803260	Oil	LFP6015
<i>TR96 w/Caterpillar 3208 Engine</i>			84031480		LAF8670 ¹	<i>DC80</i>		
9623788	Air	LAF6769 ²	9613344	Fuel	LFF1223	(83977314); Pri.	Fuel	LFF3417
		LAF6769MXM ^{2, 268}			LFF3806 ¹⁷⁰	83977315		LFF3521
276767		LAF9373 ¹			LFF4806 ¹⁶⁹	V88835	Oil	LFP3900
Sec.	Fuel	LFP440F	(87840136); W/S		LFF8063	NEW HOLLAND (EXCAVATOR)		
634958	Hydraulic	LFH4929 ¹⁴⁴⁴	W/S		LFF8063U	<i>E130 w/Isuzu 4BG1T Engine</i>		
636843		LFH4955	457412	Hydraulic	LFH4268	LP02P000043	Air	LAF4544 ²
	Oil	LFP6007	81879134	Oil	LFP950	LP11P01013P1		LAF4545 ¹
<i>TR-96 w/Ford 678HTA Engine</i>			84031880	Trans	LFH4910 ⁵⁹⁰	8944147963	Fuel	FP588F
279627	Air	LAF1888 ²	<i>TX68 w/New Holland 6/580 Diesel Engine</i>			8941609641	Oil	LFP5748
279628		LAF1952 ¹	(9811231); -S/N	Air	LAF1727 ¹	(8970261342);		LFP7164
134692	Cabin Air	LAF6680	831076999		LAF8150 ²	By-Pass		
	Fuel	LFF3806 ¹⁷⁰	84032107		LAF8693 ¹	<i>E15</i>		
		LFF4806 ¹⁶⁹	84031482		LFW4744 ⁴	12455055700	Fuel	L4103F
634958	Hydraulic	LFH4929 ¹⁴⁴⁴	1930549	Coolant	LFF3502	PA33H01040P1	Hydraulic	LFH7551 ⁶⁰⁷
636843		LFH4955	1909103	Fuel	LFH4268 ¹⁴⁴⁸	VV11930535150	Oil	PH2876
E9HN6714BA	Oil	PH6715	(457412); -S/N	Hydraulic	LFH4910	<i>E160 w/Mitsubishi 4D34T Engine</i>		
636843	Trans	LFP449 ⁵⁹⁰	8319999		LFH8535 ¹⁴⁴⁸	2446R277S6	Air	LAF1725 ¹
<i>TR-97 w/Ford 678HTA Engine</i>			84031880		LFH8535 ¹⁴⁴⁸	2446R277S5		LAF9001 ²
279627	Air	LAF1888 ²	(457405); S/N			ME016823	Fuel	LFF3527
279628		LAF1952 ¹	8320001-		LFP950	2446R332D12P	Oil	LFP3307
	Fuel	LFF3806 ¹⁷⁰	F2NN6714AB	Oil		<i>E215 w/Mitsubishi 4D34T Engine</i>		
		LFF4806 ¹⁶⁹	NEW HOLLAND (CRAWLER DOZER)			2446R255S5	Air	LAF22013 ²
634958	Hydraulic	LFH4929 ¹⁴⁴⁴	<i>D75LT, D75WT, D75LGP, D85LT, D85WT,</i>			73176005		LAF5932 ¹
636843		LFH4955	<i>D85LGP w/445T/M2 Engine</i>			73175974		LAF8149 ²
E9HN-6714BA	Oil	PH6715	82981152	Air	LAF4544 ²	ME015254	Fuel	LFF3886
<i>TR98 w/Ford 7.5L Engine</i>			82981153		LAF4545 ¹	ME088532	Oil	LFP8752
9672301	Coolant	LFW4071 ^{28, 205}	87803260	Oil	LFP6015	<i>E27, E27SR w/Yanmar 3TNV82 Engine</i>		
	Fuel	LFF1223	87413810	Trans	LFH4990	11980255800	Fuel	LFF8350
(87840136); W/S		LFF8063	<i>D85B, D95B w/445TA/E66 Tier 3 Engine.</i>			12915035152	Oil	PH2808
W/S		LFF8063U ¹⁷¹	82981152	Air	LAF4544 ²	<i>E27BSR w/Yanmar 3TNV82A Engine</i>		
634958	Hydraulic	LH8755 ¹⁴⁴⁴	82981153		LAF4545 ¹	11980255800	Fuel	LFF8350
F2NN-6714AB	Oil	LFP950	(87803444); Pri.	Fuel	L3444F	12915035152	Oil	PH2808
636843	Trans	LFH4955 ⁵⁹⁰	87803260	Oil	LFP6015	<i>E30, E35</i>		
9826688		LFH5015 ⁵⁹⁰	87413810	Trans	LFH4990	11980255800	Fuel	LFF8350
<i>TR99 w/7.5L Engine</i>			<i>D95LT, D95WT, D95LGP w/667T/M2 Engine</i>			12915035152	Oil	PH2808
9672301	Coolant	LFW4071 ^{28, 205}	86993192	Air	LAF5932 ¹	<i>E30SR, E35SR</i>		
	Fuel	LFF1223	86993191		LAF8149 ²	11980255800	Fuel	LFF8350
(87840136); W/S		LFF8063	87803192	Fuel	FP587F	12915035152	Oil	PH2808
W/S		LFF8063U ¹⁷¹	87803260	Oil	LFP6015	<i>E35BSR w/Yanmar 3TNV88 Engine</i>		
86542664	Hydraulic	LFH4955	87413810	Trans	LFH4990	11980255801	Fuel	FP590F
634958		LH8755 ¹⁴⁴⁴	<i>DC180</i>			11980255800		LFF8350 ¹⁴³⁰
F2NN-6714-AB	Oil	LFP950	1930606	Air	LAF8648 ¹	12915035152	Oil	PH2808
9826688	Trans	LFH5015 ⁵⁹⁰	1930604		LAF8729 ²	<i>E50, E50SR, E50BSR w/Yanmar 4TNV88 Engine</i>		
<i>TX34, TX36 w/Ford 678HTA Engine</i>			86597473	Fuel	L3523F	11980255801	Fuel	FP590F
(753486); 495mm	Air	LAF1718 ²	83977315		LFF3521	11980255800		LFF8350 ¹⁴³⁰
430287		LAF1719 ¹	(73175965); W/S		LFF8062	12915035152	Oil	PH2808
9613344	Fuel	LFF3806 ¹⁷⁰	76042658	Hydraulic	LFH5079G	<i>E55BX w/Yanmar 4TNV88 Engine</i>		
		LFF4806 ¹⁶⁹	9703112	Oil	LFP3000	(11980255801); S/N	Fuel	FP590F
457405	Hydraulic	LFH8535			LFP3000XL ¹⁴	PS02-00110 -		
E9HN6714BA	Oil	PH6715	<i>DC75, DC85</i>			12915035160	Oil	PH2808
457412	Trans	LFH4268 ⁵⁹⁰	82981152	Air	LAF4544 ²	<i>E70, E80 w/Isuzu A-4JB1 Engine</i>		
<i>TX66 w/New Holland 7.5L Diesel Engine</i>			82981153		LAF4545 ¹	LE11P01016P1	Air	LAF8114 ¹
430287	Air	LAF1717 ¹	87803192	Fuel	FP587F	LE11P00002S002		LAF8143 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 14-Extended Life 28-Contains 1 oz. of chemical 169-1 Per Package 170-2 Per Package 171-With Sensor Port 205-Maintenance 268-Extended/Severe service 590-Hydrostatic 607-Return 1430-3 3/4" O.D. 1444-Reel Drive 1448-Tank Bottom

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (EXCAVATOR)			NEW HOLLAND (FORAGE HARVESTER)			NEW HOLLAND (FORAGE HARVESTER)		
<i>EC70, EC80 w/Isuzu A-4JB1 Engine (cont'd)</i>			<i>1895 w/Caterpillar Engine (cont'd)</i>			<i>9080 w/Caterpillar C18 Engine</i>		
8944147963	Fuel	FP588F	703631	Oil	LFP3191	1R0716	Oil	LFP4005
<i>EC130, EC160 w/Cummins 3.9L Engine</i>			703631		LFP3191TRT ³			LFP4005TRT ³
73176005	Air	LAF5932 ¹			LFP3191XL ¹⁴			LFP4005XL ¹⁴
73175974		LAF8149 ²	181212	Trans	LP50910 ⁵⁹⁰	<i>Crop Cruiser w/Caterpillar 3150 Engine</i>		
86597473	Fuel	L3523F	<i>1900 w/Caterpillar 3306 Engine</i>			P101237	Air	LAF237 ²
83977315		LFF3521	703409	Air	LAF5518 ²	<i>Crop Cruiser w/Caterpillar 3160 Engine</i>		
(73175965); W/S		LFF8062	703409		LAF5518MXM ²	P117439	Air	LAF6587 ²
73177276	Oil	LFP3900	703408		LAF5526 ¹			LAF6587MXM ^{2, 268}
<i>EC215 w/Cummins 5.9L Engine</i>			134692	Cabin Air	LAF6680	P119374		LAF6834 ¹
P777639	Air	LAF5932 ¹	E5NN8424AA	Coolant	LFW4071 ²⁸	<i>FR9040 w/Iveco Cursor 10 Engine</i>		
P777638		LAF8149 ²	(703631); W/S	Fuel	LFF1131	84432503	Air	LAF5568 ²
(73175965); W/S	Fuel	LFF8062	E7NN6714FA	Hydraulic	LP6005	84432504		LAF5569 ¹
76192087	Oil	LFP780	703631	Oil	LFP3191	9821387	Hydraulic	LFH4990
		LFP780XL ¹⁴	703631		LFP3191TRT ³	1931099	Oil	LFP7174
					LFP3191XL ¹⁴	<i>FR9050 FR9060 w/Iveco Cursor 13 Engine</i>		
<i>EC270</i>			181212	Trans	LP50910 ⁵⁹⁰	84432503	Air	LAF5568 ²
V104040	Coolant	LFW4073 ²⁵⁵	<i>1915 w/Caterpillar 3306 Engine</i>			84432504		LAF5569 ¹
86597473	Fuel	L3523F	703409	Air	LAF5518 ²	9821387	Hydraulic	LFH4990
(73175965); W/S		LFF8062	703409		LAF5518MXM ²	1931099	Oil	LFP7174
<i>EC35, EC45 w/Mitsubishi S4L2, S4Q2 Engine</i>			703408		LAF5526 ¹	81863799	Trans	LFH4990
P775298	Air	LAF5844 ¹	134692	Cabin Air	LAF6680	<i>FR9050, FR9060 w/Iveco Cursor 13 Engine</i>		
P772578		LAF8147 ²	(703631); W/S	Fuel	LFF1131	84432503	Air	LAF5568 ²
<i>EC45 w/Mitsubishi S4Q2 Engine</i>			E7NN6714FA	Hydraulic	LP6005	84432504		LAF5569 ¹
P775298	Air	LAF5844 ¹	703631	Oil	LFP3191	1931099	Oil	LFP7174
P772578		LAF8147 ²	703631		LFP3191TRT ³	<i>FR9080 (w/Caterpillar C18 Engine)</i>		
<i>EC450, EC600</i>					LFP3191XL ¹⁴	84432503	Air	LAF5568 ²
P777639	Air	LAF5932 ¹	181212	Trans	LP50910 ⁵⁹⁰	84432504		LAF5569 ¹
P777638		LAF8149 ²	<i>2100 w/Caterpillar 3406 Engine</i>			1R0749	Fuel	LFF2749 ²⁰
V26206	Coolant	LFW4073 ²⁵⁵	614104	Air	LAF1777 ¹	9821387	Hydraulic	LFH4990
(V79080); W/S	Fuel	LFF8020	614103		LAF8211 ²	1R0716	Oil	LFP4005 ⁶²⁶
9703112	Oil	LFP3000	134692	Cabin Air	LAF6680	1R0716		LFP4005XL ¹⁴
<i>W50C (w/FPT F5HFL463 Engine)</i>			E5NN8424AA	Coolant	LFW4071 ^{28, 205}	81863799	Trans	LFH4990
P772579	Air	LAF8148	(703631); W/S	Fuel	LFF1131	<i>FX25, FX45</i>		
P775300		LAF9332 ¹	E7NN6714FA	Hydraulic	LP6005	89835747	Air	LAF8657 ²
(87803444); Pri.	Fuel	L3444F	1R0716	Oil	LFP4005	1902096	Fuel	L3515F
NEW HOLLAND (FORAGE HARVESTER)					LFP4005TRT ³	1909103		LFF3502
<i>1880 w/Caterpillar 3160 Engine</i>					LFP4005XL ¹⁴	457412	Hydraulic	LFH4268 ¹⁰⁷⁷
P117439	Air	LAF6587 ²	181212	Trans	LP50910 ⁵⁹⁰	89811117		LFH8534
		LAF6587MXM ^{2, 268}	<i>2115 w/Caterpillar 3406 Engine</i>			1930906	Oil	LFP8982
		LAF6834 ¹	614104	Air	LAF1777 ¹	<i>FX28, FX38</i>		
P119374		LAF6834 ¹	614103		LAF8211 ²	89835747	Air	LAF8657 ²
3294	Hydraulic	LP509	134692	Cabin Air	LAF6680	89835746		LAF8686 ¹
3293		LP50910	E5NN8424AA	Coolant	LFW4071 ^{28, 205}	1909107	Fuel	L3515F
<i>1890 w/Caterpillar 3208 Engine</i>			(703631); W/S	Fuel	LFF1131	1909103		LFF3502
134692	Cabin Air	LAF6680	E7NN6714FA	Hydraulic	LP6005	457412	Hydraulic	LFH4268 ¹⁰⁷⁷
(703631); W/S	Fuel	LFF1131	1R0716	Oil	LFP4005	89811117		LFH8534
591689	Hydraulic	LFP1652			LFP4005TRT ³	1903629	Oil	LFP8982
	Oil	LFP791			LFP4005XL ¹⁴	0750131008	Trans	LFH4268 ⁵⁹⁰
181212	Trans	LP50910 ⁵⁹⁰	181212	Trans	LP50910 ⁵⁹⁰	<i>FX30, FX40</i>		
<i>1895 w/Caterpillar Engine</i>			<i>600, 601 w/Wisconsin VP4D Engine</i>			84432503	Air	LAF5568 ²
703409	Air	LAF5518 ²		Oil	P4	84432504		LAF5569 ¹
703409		LAF5518MXM ²	<i>800, 818 w/Chevrolet V8-348 Engine</i>			84989840	Fuel	LFF1223
703408		LAF5526 ¹		Oil	P141	504082382	Oil	LFP7174
134692	Cabin Air	LAF6680	<i>800, 818 w/Continental FA-244 Engine</i>			89811117	Trans	LFH8534 ⁵⁹⁰
(703631); W/S	Fuel	LFF1131		Oil	P3			
591689	Hydraulic	LFP1652						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 205-Maintenance 255-Contains 3 oz. of chemical 268-Extended/Severe service 590-Hydrostatic 626-Standard efficiency 1077-Hyd. Tank

N

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (FORAGE HARVESTER)			NEW HOLLAND (GRADER)			NEW HOLLAND (SKID STEER LOADER)		
<i>FX48</i>			<i>RG200B (cont'd)</i>			<i>L140 w/New Holland N843 Engine</i>		
89835747	Air	LAF8657 ²				87035489	Air	LAF1793 ¹
89835746		LAF8686 ¹				87035488		LAF222 ²
457412	Hydraulic	LFH4268 ¹⁰⁷⁷	73119795	Air	LAF1544 ²	9842392	Hydraulic	LFH8759G
89811117		LFH8534	1909964		LAF9410 ¹	86546618	Oil	PH253 ¹⁴⁹⁶
1931048	Oil	LFP8982	(87801285); Sec.	Fuel	L8680F			PH2835 ²⁷⁵
0750131008	Trans	LFH4268 ⁵⁹⁰	87800083	Oil	PH4403	<i>L140 w/New Holland N843H Engine</i>		
<i>FX58 w/Caterpillar 3406E Engine</i>			73161629	Trans	LH8544	87035489	Air	LAF1793 ¹
84432503	Air	LAF5568 ²	NEW HOLLAND (SKID STEER LOADER)			87035488		LAF222 ²
84432504		LAF5569 ¹	<i>C185 w/334T/M2 Engine</i>			9842392	Hydraulic	LFH8759G
	Fuel	LFF2749 ²⁰	86982522	Air	LAF8148 ²	86546618	Oil	PH253 ¹⁴⁹⁶
457412	Hydraulic	LFH4268 ¹⁰⁷⁷	86982523		LAF9332 ¹			PH2835 ²⁷⁵
1R0716	Oil	LFP4005	86504784	Cabin Air	AF602	<i>L150 w/N843H Engine</i>		
		LFP4005TRT ³	(87803264); W/S	Fuel	LFF7688	87035489	Air	LAF1793 ¹
		LFP4005XL ¹⁴	87010592	Hydraulic	LFH4473 ¹¹⁶⁵	87035488		LAF222 ²
89811117	Trans	LFH8534 ⁵⁹⁰	9842392		LFH8759G	86504784	Cabin Air	AF602
<i>FX60 w/Caterpillar C15 Engine</i>			<i>C190 w/445/M2 Engine</i>			9611973	Fuel	G1 ⁵³¹
84432503	Air	LAF5568 ²	86982522	Air	LAF8148 ²	(87036044); W/S		LF8060
84432504		LAF5569 ¹	86982523		LAF9332 ¹	9842392	Hydraulic	LFH8759G
	Fuel	LFF2749 ²⁰	86504784	Cabin Air	AF602	87415600	Oil	PH2835
457412	Hydraulic	LFH4268 ¹⁰⁷⁷	87803192	Fuel	FP587F	<i>L160 w/ISM N844 Engine</i>		
1R0716	Oil	LFP4005	87010592	Hydraulic	LFH4473 ¹¹⁶⁵	87035489	Air	LAF1793 ¹
		LFP4005TRT ³	9842392		LFH8759G	87035488		LAF222 ²
		LFP4005XL ¹⁴	87803260	Oil	LFP6015	86504784	Cabin Air	AF602
89811117	Trans	LFH8534 ⁵⁹⁰	<i>C227 w/F5CE9454 Engine</i>			9611973	Fuel	G1 ⁵³¹
NEW HOLLAND (GRADER)			84217229	Air	LAF4544 ²	(87036044); W/S		LF8060
<i>G140 w/Cummins 6.7L Tier 3 Engine s/n NA8F00625 -</i>			87682999		LAF4545 ¹	9842392	Hydraulic	LFH8759G
71102624	Fuel	LFF5421		Hydraulic	LFH4972	87415600	Oil	PH2835
71101552	Oil	LFP3970	F/W Sep.	Oil	LFF7688	<i>L180, L185 w/334M2 or 334TM2 Engine</i>		
<i>G140VP w/Tier 3 ISB5.9L Engine</i>			<i>C232, C238 w/F5CE9454 Engine</i>			86982522	Air	LAF8148 ²
71102624	Fuel	LFF5421	84217229	Air	LAF4544 ²	86982523		LAF9332 ¹
71101552	Oil	LFP3970	87682999		LAF4545 ¹	86504784	Cabin Air	AF602
<i>G170, G170VP</i>				Hydraulic	LFH4972	(87803264); W/S	Fuel	LFF7688
71101552	Oil	LFP3970	F/W Sep.	Oil	LFF7688	87010592	Hydraulic	LFH4473 ¹¹⁶⁵
<i>G170VP w/Cummins Tier 3 QSB5.9 Engine</i>			<i>C234 (w/F5B-FL413E engine)</i>			9842392		LFH8759G
71102624	Fuel	LFF5421	84217229	Air	LAF4544 ²	<i>L190 w/445M2 Engine</i>		
71101552	Oil	LFP3970	87682999		LAF4545 ¹	86982522	Air	LAF8148 ²
<i>RG140B w/Cummins 6BTA5.9 Engine</i>			F/W Sep.	Hydraulic	L3444F	86982523		LAF9332 ¹
(75248729); 387mm	Air	LAF1716 ²		Oil	LFF5485	86504784	Cabin Air	AF602
75248730		LAF1717 ¹	<i>L120 w/Onan Engine</i>			87803192	Fuel	FP587F
	Oil	LFP780	217490	Air	LAF1275 ^{2, 173}	87010592	Hydraulic	LFH4473 ¹¹⁶⁵
		LFP780XL ¹⁴	507139		LAF1782	9842392		LFH8759G
<i>RG170, RG200 w/Cummins 6CT8.3 Engine</i>			634958	Hydraulic	LFH4929	87803260	Oil	LFP6015
(75248729); 387mm	Air	LAF1716 ²	507631	Oil	PH400	<i>L213 w/FPT ISM844 Engine</i>		
75248730		LAF1717 ¹	<i>L140</i>			87035489	Air	LAF1793 ^{1, 611}
9672301	Coolant	LFW4071 ²⁸	87035489	Air	LAF1793 ¹	87035488		LAF222 ^{2, 611}
(83977314); Pri.	Fuel	LFF3417	87035488		LAF222 ²	86982522		LAF8148 ²
83977315		LFF3521	9842392	Hydraulic	LFH8759G	86982523		LAF9332 ¹
9703112	Oil	LFP3000	86546618	Oil	PH253 ¹⁴⁹⁶	9611973	Fuel	G5/16CP ¹⁰⁹⁶
		LFP3000XL ¹⁴			PH2835 ²⁷⁵	W/S		LFF7688
<i>RG170B w/Cummins 6CT8.3 Engine</i>			<i>L140 w/Cummins ISM 3/91 Engine</i>			87415600	Oil	PH2835
75285999	Oil	LFP3000	87035489	Air	LAF1793 ¹	<i>L216 w/ISM N844LT engine</i>		
		LFP3000XL ¹⁴	87035488		LAF222 ²		Air	LAF1793 ^{1, 611}
<i>RG200B</i>			9842392	Hydraulic	LFH8759G			LAF8148 ²
75285999	Oil	LFP3000	86546618	Oil	PH253 ¹⁴⁹⁶			LAF9332 ¹
					PH2835 ²⁷⁵		Fuel	G5/16CP ¹⁰⁹⁶

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 173-Heavy Duty 275-Primary 531-Filter only 590-Hydrostatic 611-Axial Seal 1077-Hyd. Tank 1096-Clear Plastic 1165-Mega Flow 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (SKID STEER LOADER)			NEW HOLLAND (SKID STEER LOADER)			NEW HOLLAND (SKID STEER LOADER)		
<i>L216 w/ISM N844LT engine (cont'd)</i>			<i>L35 w/Wisconsin VG4D Engine (cont'd)</i>			<i>L465 (cont'd)</i>		
W/S	Fuel	LFF7688	221406	Air	LAF281 ²	86504784	Cabin Air	AF602
	Oil	PH2835	269212	Fuel	G1/4		Fuel	G1 ⁵³¹
<i>L218, L220 w/ISM N844LT Engine</i>			<i>L425 w/Wisconsin VH4D Engine</i>			<i>L465 w/Cummins ISM 3/91 Engine</i>		
86982522	Air	LAF8148 ²	164471	Hydraulic	LH4914 ^{1431, 1432}	9842392	Hydraulic	LFH8759G
86982523		LAF9332 ¹	86545943	Oil	P106	E9NN6714AA	Oil	PH253 ¹⁴⁹⁶
F/W Sep.		LFF7688						PH2835 ²⁷⁵
9611973	Fuel	G1 ⁵³¹	<i>L445 w/Wisconsin VH4D Engine</i>					
87415600	Oil	PH2835	217490	Air	LAF1275 ²	<i>L465 w/Cummins ISM 3/91 Engine</i>		
<i>L223, L225 w/F5CE9454 Engine</i>			<i>L445 w/Wisconsin VH4D Engine</i>					
84217229	Air	LAF4544 ²	269212	Fuel	G1/4	86504143	Air	LAF1793 ¹
87682999	Hydraulic	LAF4545 ¹	636843	Hydraulic	LFH4955 ⁶⁰⁷	86504145		LAF222 ²
		LFH4972	86545943	Oil	P106	86504784	Cabin Air	AF602
F/W Sep.	Oil	LFF7688					Fuel	G1 ⁵³¹
<i>L225 w/Wisconsin TJD Engine</i>			<i>L445, L451 w/Deutz F2L411 & F2L511 Engine</i>			<i>L552, L553 w/Kubota V1902-B Engine</i>		
270227	Air	LAF1915	272744	Air	LAF1948 ¹	272744	Air	LAF1948 ¹
269212	Fuel	G1/4	221406		LAF281 ²	221406		LAF281 ²
636843	Hydraulic	LFH4955 ⁶⁰⁷	276515	Fuel	FP587F	(680268); Heavy Duty		LAF909
636843		LFP449 ⁶¹⁰	(783733); L-451 only	Hydraulic	LFH4209 ⁶¹⁰	Air Option		
<i>L230 w/F5CE9454 Engine</i>			<i>L452 w/Wisconsin VH4D Engine</i>			<i>L554 w/Continental Engine</i>		
84217229	Air	LAF4544 ²	217490	Air	LAF1275 ²	(269212); w/1/4 in.	Fuel	G1/4
87682999	Hydraulic	LAF4545 ¹	269212	Fuel	G1/4	Fittings		
		LFH4972	636843	Hydraulic	LFH4209 ⁶¹⁰	EDPN9N074AA		L296F ⁴¹
F/W Sep.	Oil	LFF7688	276514	Oil	PH561	634958	Hydraulic	LFH4929 ⁶¹⁰
<i>L250 w/Onan B43G Engine</i>			<i>L454 w/Continental TM13 Engine</i>			<i>L554 w/Continental Engine</i>		
507139	Air	AF128	272744	Air	LAF1948 ¹	272744	Air	LAF1948 ¹
(217490); Heavy Duty		LAF1275 ²	221406		LAF281 ²	221406		LAF281 ²
Air Option			269212	Fuel	G1/4	(680268); Heavy Duty		LAF909
269212	Fuel	G1/4	634958	Hydraulic	LFH4929 ⁶¹⁰	Air Option		
634958	Hydraulic	LFH4929	507107	Oil	PH400	(269212); w/1/4 in.	Fuel	G1/4
507107	Oil	PH400	<i>L454 w/Ford VSG-411 Engine</i>			<i>L555 w/Kubota V1902-B Engine</i>		
<i>L250 w/Onan P218G Engine</i>			<i>L454 w/Ford VSG-411 Engine</i>			<i>L555 w/Kubota V1902-B Engine</i>		
507139	Air	AF128	692F9486AA	Fuel	G475	272744	Air	LAF1948 ¹
(217490); Heavy Duty		LAF1275 ²	634958	Hydraulic	LFH4929 ⁶¹⁰	221406		LAF281 ²
Air Option			636843	Hydraulic	LFH4955 ⁶⁰⁷	(680268); Heavy Duty		LAF909
634958	Hydraulic	LFH4929	E4FZ6731A	Oil	PH400	Air Option		
507631	Oil	PH2835	<i>L-455 w/Kubota D1402B Engine</i>			<i>L555 w/Perkins 4.108 Engine</i>		
<i>L255</i>			<i>L-455 w/Kubota D1402B Engine</i>			<i>L555 w/Perkins 4.108 Engine</i>		
634958	Hydraulic	LFH4929	272744	Air	LAF1948 ¹	272744	Air	LAF1948 ¹
FONN6714BA	Oil	PH2840	221406		LAF281 ²	221406		LAF281 ²
<i>L325 w/Kohler K582 Engine</i>			<i>L-455 w/Kubota D1402B Engine</i>			<i>L555 w/Perkins 4.108 Engine</i>		
270227	Air	LAF1915	EDPN9N074AA	Fuel	L296F ⁴¹	(680268); Heavy Duty		LAF909
269212	Fuel	G1/4	634958	Hydraulic	LFH4929 ⁶¹⁰	Air Option		
636843	Hydraulic	LFH4955 ⁶⁰⁷	636843	Hydraulic	LFH4955 ⁶⁰⁷	(269212); w/1/4 in.	Fuel	G1/4
276513	Oil	PH2835	503202	Oil	PH253 ¹⁴⁹⁶	Fittings		
<i>L325 w/Wisconsin VH4D Engine</i>			<i>L464 w/Ford VSG-413 Engine</i>			<i>L555 w/Perkins 4.108 Engine</i>		
217490	Air	LAF1275 ²	86504143	Air	LAF1793 ¹	EDPN9N074AA		L296F ⁴¹
269212	Fuel	G1/4	86504145		LAF222 ²	634958	Hydraulic	LFH4929 ⁶¹⁰
636843	Hydraulic	LFH4955 ⁶⁰⁷	E4FZ6731A	Oil	PH400	636843		LFH4955 ⁶⁰⁷
86545943	Oil	P106	<i>L465</i>			503202	Oil	PH253 ¹⁴⁹⁶
<i>L35 w/Deutz F3L912 Engine</i>			<i>L465</i>			<i>L555 w/Perkins 4.108 Engine</i>		
P119538	Air	LAF9538 ²	86504143	Air	LAF1793 ¹	272744	Air	LAF1948 ¹
		LAF9538MXM ^{2, 268}	86504145		LAF222 ²	221406		LAF281 ²
			E4FZ6731A	Fuel	G1 ⁵³¹	(680268); Heavy Duty		LAF909
923070	Hydraulic	P137	<i>L465</i>			Air Option		
<i>L35 w/Wisconsin VG4D Engine</i>			<i>L465</i>			EDPN9N074AA	Fuel	L296F ⁴¹
272744	Air	LAF1948 ¹	86504143	Air	LAF1793 ¹	634958	Hydraulic	LFH4929 ⁶¹⁰
			86504145		LAF222 ²	636843		LFH4955 ⁶⁰⁷

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 275-Primary 531-Filter only 607-Return 610-Charge Pump 1431-Return Cessna 1432-Vickers Charge Pump 1496-Alternate

N

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (SKID STEER LOADER)			NEW HOLLAND (SKID STEER LOADER)			NEW HOLLAND (SKID STEER LOADER)		
<i>L555 w/Perkins 4.108 Engine (cont'd)</i>			<i>L778 w/Ford 192 Gas or Diesel Engine (cont'd)</i>			<i>L785 w/Ford Diesel Engine</i>		
505511	Oil	PH4403	501547	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	266222	Air	LAF1784 ¹
<i>L565</i>			<i>L779 w/Ford 6-200 Gas Engine</i>			221409		LAF9538 ² LAF9538MXM ^{2, 268}
86504143	Air	LAF1793 ¹	266222	Air	LAF1784 ¹	3937061	Fuel	L296F ⁴¹
86504145		LAF222 ²	221409		LAF9538 ² LAF9538MXM ^{2, 268}	634958	Hydraulic	LFH4929
9611973	Fuel	G1/4	(500660); Gas	Fuel	G6	636843		LFH4955 ⁶⁰⁷
(86504140); W/S		LFF8060	634958	Hydraulic	LFH4929	E7NN6714AA	Oil	PH400 ²⁷⁵
9842392	Hydraulic	LFH8759G	636843		LFH4955 ⁶⁰⁷	E7NN6714AA		PH8A ¹⁴⁹⁶
86546618	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	501547	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>L785 w/Perkins 4.203 Engine</i>		
<i>L565 w/New Holland N843 Engine</i>			<i>L779 w/Perkins 4.203 Engine</i>			266222	Air	LAF1784 ¹
86504143	Air	LAF1793 ¹	266222	Air	LAF1784 ¹	221409		LAF9538 ² LAF9538MXM ^{2, 268}
86504145		LAF222 ²	221409		LAF9538 ² LAF9538MXM ^{2, 268}	500625	Fuel	L296F ⁴¹
9611973	Fuel	G1/4	634958	Hydraulic	LFH4929	634958	Hydraulic	LFH4929
(86504140); W/S		LFF8060	636843		LFH4955 ⁶⁰⁷	505260	Oil	PH4408
9842392	Hydraulic	LFH8759G	505260	Oil	PH4408	<i>L865</i>		
86546618	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>L781 w/Deutz Engine</i>			86555826	Air	LAF4544 ² LAF4544MXM ^{2, 268}
<i>L565 w/New Holland NH843 Engine</i>			266222	Air	LAF1784 ¹	86555827		LAF4545 ¹
86504143	Air	LAF1793 ¹	221409		LAF9538 ² LAF9538MXM ^{2, 268}	86529587		LAF8429 ²
86504145		LAF222 ²	276515	Fuel	FP586F	86512355		LAF8618 ¹
9611973	Fuel	G1/4	634958	Hydraulic	LFH4929	86504784	Cabin Air	AF602
(86504140); W/S		LFF8060	636843		LFH4955 ⁶⁰⁷	(9611973); Gas	Fuel	G1 ⁵³¹
9842392	Hydraulic	LFH8759G	276516	Oil	PH2819	(87801434); Sec.		L3893F
86546618	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>L783 w/Ford Diesel Engine</i>			(87801285); Sec.		L8680F
<i>L600 w/Onan Engine</i>			266222	Air	LAF1784 ¹	D8NN9176AA		LFF3501
279180	Air	LAF222 ²	221409		LAF9538 ² LAF9538MXM ^{2, 268}	9842392	Hydraulic	LFH8759G
EDPN9M074AA	Fuel	L296F ⁴¹	3937061	Fuel	L296F ⁴¹	87800068	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ PH4403
634958	Hydraulic	LFH4929 ⁶¹⁰	634958	Hydraulic	LFH4929	87800083		
636843		LFH4955 ⁶⁰⁷	636843		LFH4955 ⁶⁰⁷	<i>L885</i>		
507407	Oil	LFP2267	E7NN6714AA	Oil	PH400 ²⁷⁵	86555826	Air	LAF4544 ² LAF4544MXM ^{2, 268}
<i>L775 w/Deutz F3L912 Engine</i>			E7NN6714AA		PH8A ¹⁴⁹⁶	86555827		LAF4545 ¹
266222	Air	LAF1784 ¹	<i>L783 w/Perkins 4.203 Engine</i>			86529587		LAF8429 ²
221409		LAF9538 ² LAF9538MXM ^{2, 268}	266222	Air	LAF1784 ¹	86512355		LAF8618 ¹
276515	Fuel	FP586F	221409		LAF9538 ² LAF9538MXM ^{2, 268}	Gas	Fuel	G1 ⁵³¹
164471	Hydraulic	LH4914 ^{1431, 1432}	500625	Fuel	L296F ⁴¹	(87801434); Sec.		L3893F
E7NN6714FA		LP6005 ¹⁴³³	634958	Hydraulic	LFH4929	(87801285); Sec.		L8680F
276516	Oil	PH2819	636843		LFH4955 ⁶⁰⁷	(D8NN9176AA); Diesel		LFF3501
<i>L775 w/Wisconsin V-465D Engine</i>			505260	Oil	PH4408	9842392	Hydraulic	LFH8759G
272744	Air	LAF1948 ¹	<i>L784 w/Ford Gas Engine</i>			87800068	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ PH4403
221406		LAF281 ¹	266222	Air	LAF1784 ¹	E8NN6714AA		
269212	Fuel	G1/4	221409		LAF9538 ² LAF9538MXM ^{2, 268}	<i>LB620 w/Onan Engine</i>		
164471	Hydraulic	LH4914 ^{1431, 1432}	266222	Air	LAF1784 ¹	279180	Air	LAF222 ²
75127	Oil	LFP2252	221409		LAF9538 ² LAF9538MXM ^{2, 268}	EDPN9N074AA	Fuel	L296F ⁴¹
<i>L778 w/Ford 192 Gas or Diesel Engine</i>			C4AZ9365B	Fuel	G6		Hydraulic	LFH4955 ⁶⁰⁷
266222	Air	LAF1784 ¹	634958	Hydraulic	LFH4929	507407	Oil	LFP2267
221409		LAF9538 ² LAF9538MXM ^{2, 268}	636843		LFH4955 ⁶⁰⁷	<i>LS120 w/Onan Engine</i>		
(C4AZ9365B); Gas	Fuel	G6	501547	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	254521	Air	LAF1275 ²
(EDPN9N074AA); Diesel		L296F ⁴¹	<i>L784 w/Ford Gas Engine</i>			9611973	Fuel	G5/16CP ¹⁰⁹⁶
634958	Hydraulic	LFH4929	266222	Air	LAF1784 ¹			
636843		LFH4955 ⁶⁰⁷	221409		LAF9538 ² LAF9538MXM ^{2, 268}			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 275-Primary 531-Filter only 607-Return 610-Charge Pump 1096-Clear Plastic 1431-Return Cessna 1432-Vickers Charge Pump 1433-Cessna Charge Pump 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (SKID STEER LOADER)			NEW HOLLAND (SKID STEER LOADER)			NEW HOLLAND (SOUTH AMERICA) (TRACTOR)		
<i>LS120 w/Onan Engine (cont'd)</i>			<i>LX465, LX485 (cont'd)</i>			<i>TS6030 w/New Holland 4.5L Engine (cont'd)</i>		
634958	Hydraulic	LFH4929	86504784	Cabin Air	AF602	2854749	Oil	LFP6023
507631	Oil	PH400		Fuel	G1 ⁵³¹	NEW HOLLAND (SPRAYERS)		
<i>LS125</i>			(86504140); W/S		LFF8060	<i>SF550 w/Cummins 6BT5.9L Engine</i>		
9611973	Fuel	G1 ⁵³¹	9842392	Hydraulic	LFH8759G	86597477	Air	LAF7315 ¹
(86504140); W/S		LFF8060	E9NN6714AA	Oil	PH253 ¹⁴⁹⁶	86597481		LAF9000 ²
634958	Hydraulic	LFH4929			PH2835 ²⁷⁵	86597473	Fuel	L3523F
FONN6714BA	Oil	PH2840	<i>LX565, LX665</i>			(83977314); Pri.		LFF3417
<i>LS140, LS150</i>			86504143	Air	LAF1793 ¹	83977315		LFF3521
86504143	Air	LAF1793 ¹	86504145		LAF222 ²	86597475	Hydraulic	LFH4990 ⁶⁰⁷
86504145		LAF222 ²	86504784	Cabin Air	AF602	86597476	Oil	LFP780
9611973	Fuel	G1 ⁵³¹	9611973	Fuel	G1 ⁵³¹	<i>SP.240R, SP.275R w/Cummins QSB6.7L Engine</i>		
(86504140); W/S		LFF8060	(86504140); W/S		LFF8060	MLR2122423	Oil	LFP3970
9842392	Hydraulic	LFH8759G	9842392	Hydraulic	LFH8759G	<i>SP.295F, SP.300F (w/Cummins QSB6.7 Engine)</i>		
86546618	Oil	PH253 ¹⁴⁹⁶	E9NN6714AA	Oil	PH253 ¹⁴⁹⁶	84226258	Hydraulic	LFH4972
		PH2835 ²⁷⁵			PH2835 ²⁷⁵	MLR2122423	Oil	LFP3970
<i>LS160, LS170</i>			<i>LX865, LX885</i>			<i>SP240F, SP240FXP w/Cummins QSB 6.7 Tier 3 Engine</i>		
86504143	Air	LAF1793 ¹	86555826	Air	LAF4544 ²	MLR2122423	Oil	LFP3970
86504145		LAF222 ²			LAF4544MXM ^{2, 268}	MLR4404361	Trans	LFH8737
86504784	Cabin Air	AF602	86555827		LAF4545 ¹	<i>SP333F (w/Cummins QSL8.3 Engine)</i>		
9611973	Fuel	G5/16CP ¹⁰⁹⁶	86529587		LAF8429 ²	84226258	Hydraulic	LFH4972
(86504140); W/S		LFF8060	86512355		LAF8618 ¹	84485647	Oil	LFP3000XL ¹⁴
9842392	Hydraulic	LFH8759G	86504784	Cabin Air	AF602	<i>SP345F (w/Cummins QSL8.9 Engine)</i>		
86546618	Oil	PH253 ¹⁴⁹⁶	9611973	Fuel	G1 ⁵³¹	84226258	Hydraulic	LFH4972
		PH2835 ²⁷⁵	(83937061); Diesel		L296F ⁴¹	84485647	Oil	LFP3000XL ¹⁴
<i>LS180, LS190</i>			(87801434); Sec.		L3893F	<i>SP365F (w/Cummins QSL8.9 Engine)</i>		
86555826	Air	LAF4544 ²	9842392	Hydraulic	LFH8759G	84485647	Oil	LFP3000XL ¹⁴
		LAF4544MXM ^{2, 268}	87800068	Oil	PH253 ¹⁴⁹⁶	<i>SP400F (w/Cummins QSL 8.9 Engine)</i>		
86555827		LAF4545 ¹			PH2835 ²⁷⁵	84226258	Hydraulic	LFH4972
86504784	Cabin Air	AF602	87800083		PH4403	84485647	Oil	LFP3000XL ¹⁴
(87801434); Sec.	Fuel	L3893F	<i>LX985</i>			NEW HOLLAND (SWATHERS & WINDROWERS)		
(86504140); W/S		LFF8060	86555826	Air	LAF4544 ²	<i>1048 w/Ford Engine</i>		
9842392	Hydraulic	LFH8759G			LAF4544MXM ^{2, 268}	184753	Air	LAF222 ²
(87800068); LS180 only	Oil	PH253 ¹⁴⁹⁶	86555827		LAF4545 ¹		Oil	PH400 ²⁷⁵
LS180 only		PH2835 ²⁷⁵	86504784	Cabin Air	AF602	<i>1090</i>		
(87800083); LS190 only		PH4403	9611973	Fuel	G1 ⁵³¹	217490	Air	LAF1275 ²
<i>LS185B, LT185B w/334TM2 Engine</i>			(87801434); Sec.		L3893F		Oil	PH400 ²⁷⁵
86982522	Air	LAF8148 ²	9842392	Hydraulic	LFH8759G			PH8A ¹⁴⁹⁶
86982523		LAF9332 ¹	F2NN6714AB	Oil	LFP950 ¹²⁶⁶	<i>1100 w/Ford 200 Gas Engine</i>		
86504784	Cabin Air	AF602	87800083		PH4403 ¹²⁶⁵	272744	Air	LAF1948 ¹
(87803264); W/S	Fuel	LFF7688	NEW HOLLAND (SOUTH AMERICA) (TRACTOR)			221406		LAF281 ²
87010592	Hydraulic	LFH4473 ¹¹⁶⁵	<i>TS6020 w/New Holland 4.5L Engine</i>			C4AZ9365B	Fuel	G6
9842392		LFH8759G	82988916	Air	LAF5934 ²		Oil	PH400 ²⁷⁵
<i>LS190B, LT190B w/445M2 Engine</i>			82988917		LAF5938 ²	<i>1100 w/Perkins 236 Diesel Engine</i>		
86982522	Air	LAF8148 ²	8602996		LAF9543 ¹	266222	Air	LAF1784 ¹
86982523		LAF9332 ¹	8602995		LAF9547 ²	221409		LAF9538 ²
86504784	Cabin Air	AF602	87803192	Fuel	FP587F			LAF9538MXM ^{2, 268}
(87803264); W/S	Fuel	FP587F	2854749	Oil	LFP6023	134692	Cabin Air	LAF6680
87010592	Hydraulic	LFH4473 ¹¹⁶⁵	<i>TS6030 w/New Holland 4.5L Engine</i>			W/S	Fuel	LFF1131
9842392		LFH8759G	82988916	Air	LAF5934 ²	505511	Oil	PH4403
87803260	Oil	LFP6015	82988917		LAF5938 ²			
<i>LX465, LX485</i>			8602996		LAF9543 ¹			
86504143	Air	LAF1793 ¹	8602995		LAF9547 ²			
86504145		LAF222 ²	87803192	Fuel	FP587F			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 268-Extended/Severe service 275-Primary 531-Filter only 607-Return 1096-Clear Plastic 1165-Mega Flow 1265-With Oil Cooler 1266-Without Oil Cooler 1496-Alternate

N

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (SWATHERS & WINDROWERS)			NEW HOLLAND (SWATHERS & WINDROWERS)			NEW HOLLAND (SWATHERS & WINDROWERS)		
<i>1110 w/Ford 200 Diesel Engine</i>			<i>1495 w/Ford Engine (cont'd)</i>			<i>909 w/Ford 256 Gas & Diesel Engine (cont'd)</i>		
266222	Air	LAF1784 ¹	E7NN6714AA	Oil	PH8A ¹⁴⁹⁶	E7NN6714AA	Oil	PH8A ¹⁴⁹⁶
221409		LAF9538 ²	511063	Trans	LH4914 ⁵⁹⁰	164471	Trans	LH4914 ⁵⁹⁰
		LAF9538MXM ^{2, 268}	<i>1495 w/Perkins 4.236 Engine</i>			<i>910, 912 w/Ford 200 Gas Engine</i>		
134692	Cabin Air	LAF6680	266222	Air	LAF1784 ¹	221406	Air	LAF281
174547	Fuel	L296F ⁴¹	221409		LAF9538 ²	E7NN6714AA	Oil	PH400 ²⁷⁵
E7NN6714AA	Oil	PH400 ²⁷⁵			LAF9538MXM ^{2, 268}	E7NN6714AA		PH8A ¹⁴⁹⁶
E7NN6714AA		PH8A ¹⁴⁹⁶	134692	Cabin Air	LAF6680	164471	Trans	LH4914 ⁵⁹⁰
<i>1110 w/Ford 200 Gas Engine</i>			(703631); W/S	Fuel	LFF1131	<i>910, 912 w/Ford 250, 256 Gas Engine & 256 Diesel Engine</i>		
266222	Air	LAF1784 ¹	505511	Oil	PH4403	266222	Air	LAF1784 ¹
P119538		LAF9538 ²	511063	Trans	LH4914 ⁵⁹⁰	221409		LAF9538 ²
		LAF9538MXM ^{2, 268}	<i>1496 w/Perkins 4.236 Engine</i>					LAF9538MXM ^{2, 268}
C4AZ9365A	Fuel	G6	266222	Air	LAF1784 ¹	(174547); Gas	Fuel	G6
	Oil	PH400 ²⁷⁵	221409		LAF9538 ²	E7NN6714AA	Oil	PH400 ²⁷⁵
		PH8A ¹⁴⁹⁶			LAF9538MXM ^{2, 268}	E7NN6714AA		PH8A ¹⁴⁹⁶
<i>1112, 1114</i>			134692	Cabin Air	LAF6680	164471	Trans	LH4914 ⁵⁹⁰
266222	Air	LAF1784 ¹	EDPN9N074AA	Fuel	L296F ⁴¹	<i>H8040 w/445T/M3 Engine</i>		
221409		LAF9538 ²	(703631); W/S		LFF1131	8602986	Air	LAF5932 ¹
		LAF9538MXM ^{2, 268}	634958	Hydraulic	LFH4929	8602985		LAF8149 ²
134692	Cabin Air	LAF6680	505511	Oil	PH4403	(87592171); W/S	Fuel	LFF9772
Diesel	Fuel	L296F ⁴¹	<i>1499 w/Ford 268 Engine</i>			86632018	Hydraulic	LFH8268
	Oil	PH400 ²⁷⁵	266222	Air	LAF1784 ¹	87803260	Oil	LFP6015
		PH8A ¹⁴⁹⁶	221409		LAF9538 ²	<i>H8060, H8080 w/667TA Engine</i>		
		PH8A ¹⁴⁹⁶			LAF9538MXM ^{2, 268}	87013225	Air	LAF8669 ²
164471 & 511063	Trans	LH4914 ⁵⁹⁰	134692	Cabin Air	LAF6680	87042094		LAF8670 ¹
<i>1116 w/Perkins 4-236 Engine</i>			(EDPN9N074AA); -S/N	Fuel	L296F ⁴¹	(87592171); W/S	Fuel	LFF9772
266222	Air	LAF1784 ¹	540289		L296F ⁴¹	86632018	Hydraulic	LFH8268
221409		LAF9538 ²	(D8NN9176AA); S/N		LFF3501	87803260	Oil	LFP6015
		LAF9538MXM ^{2, 268}	540289-		LFF3501	<i>HW300, HW320</i>		
	Fuel	L296F ⁴¹	634958	Hydraulic	LFH4929	373376	Air	LAF1544 ²
W/S		LFF1131	E7NN6714AA	Oil	PH400 ²⁷⁵	376826		LAF9410 ¹
634958	Hydraulic	LFH4929	E7NN6714AA		PH8A ¹⁴⁹⁶	(87801341); Pri.	Fuel	L3891F
2654403	Oil	PH4403	<i>2450, 2550 w/Ford 304 Engine</i>			(87840591); Pri.		L8679F
<i>1118 w/Ford 268 Diesel</i>			373376	Air	LAF1544 ²	(87840590); Sec.		L8680F
373376	Air	LAF1544 ²	376826		LAF9410 ¹	86542664	Hydraulic	LFH4955
376826		LAF9410 ¹	F0NN9176BA	Fuel	LFF3504	F2NN6714AB	Oil	LFP950
EDPN9N074AA	Fuel	L296F ⁴¹	636843	Hydraulic	LFH4955	<i>HW305, HW305S</i>		
634958	Hydraulic	LFH4929	F2NN6714AB	Oil	LFP950	(87033518); 8" Hsg.	Air	LAF4544 ²
(E8NN6714BA); -Date Code 7H23	Oil	PH253 ¹⁴⁹⁶	<i>900, 901 w/Wisconsin F460D Engine</i>			(87033519); 8 in. Hsg.		LAF4545 ¹
-Date Code 7H23		PH2835 ²⁷⁵		Oil	LFP2252	(86993192); 10 in. Hsg.		LAF5932 ¹
(E7NN6714AA); Date Code 7H24-		PH400 ²⁷⁵	<i>900, 901 w/Wisconsin VG4D Engine</i>			(86993191); 10 in. Hsg.		LAF8149 ²
		PH400 ²⁷⁵		Oil	P4	86555246	Fuel	LFF3504
(E7NN6714AA); Date Code 7H24-		PH4403	<i>903, 905, 907, 909 w/Ford 172 Gas & Diesel Engine</i>			86632018	Hydraulic	LFP449
		PH8A ¹⁴⁹⁶	Diesel	Fuel	L296F ⁴¹	2854749	Oil	LFP6023
		PH8A ¹⁴⁹⁶	C5NN6714B	Oil	LFP2258	<i>HW325</i>		
<i>1469</i>			(E7NN6714AA); Use w/(CPN6882A) adaptor		PH400 ²⁷⁵	87033518	Air	LAF4544 ²
(703631); W/S	Fuel	LFF1131	(E7NN6714AA); Use w/(CPN6882A) adaptor		PH8A ¹⁴⁹⁶	87033519		LAF4545 ¹
505511	Oil	PH4403		Trans	LH4914 ⁵⁹⁰	86555246	Fuel	LFF3504
511063	Trans	LH4914 ⁵⁹⁰	<i>909 w/Ford 256 Gas & Diesel Engine</i>			86632018	Hydraulic	LFH4955
<i>1495 w/Ford Engine</i>			E7NN6714AA	Oil	PH400 ²⁷⁵	87803260	Oil	LFP6015
134692	Cabin Air	LAF6680	<i>909 w/Ford 256 Gas & Diesel Engine</i>			<i>HW325 w/New Holland 4.5L Engine</i>		
174547	Fuel	G6	E7NN6714AA	Oil	PH400 ²⁷⁵	87033518	Air	LAF4544 ²
E7NN6714AA	Oil	PH400 ²⁷⁵				87033519		LAF4545 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 275-Primary 590-Hydrostatic 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (SWATHERS & WINDROWERS)			NEW HOLLAND (TELESCOPIC HANDLER)			NEW HOLLAND (TRACTOR)		
<i>HW325 w/New Holland 4.5L Engine (cont'd)</i>			<i>LM6.32, LM6.35 w/NEF 4.5L Turbo Engine</i>			<i>4130 (cont'd)</i>		
8655246	Fuel	LFF3504	82034604	Air	LAF9543 ¹	86546614	Oil	PH2835 ^{18, 275}
86632018	Hydraulic	LFH4955	82034607		LAF9547 ²	86546614		PH400 ^{19, 275}
87803260	Oil	LFP6015	84412164	Fuel	LFF5421			PH8A ^{19, 1496}
<i>HW340</i>			84228488	Oil	LFP6023	<i>4630</i>		
279627	Air	LAF1888 ²	<i>LM630, LM640 w/Iveco 8045 Engine</i>			D1NN9R500A	Air	LAF8551 ¹
279628		LAF1952 ¹	(85814174); Turbo	Air	LAF3951 ²	E9NN8A424BB	Coolant	LAF8552 ²
(87801341); Pri.	Fuel	L3891F	(85814175); Turbo		LAF3952 ¹	E8NN8A424BB		LFW4072 ¹⁸²
(87840591); Pri.		L8679F	1930010	Fuel	FP587F	83937061	Fuel	L296F ^{18, 41}
(87840590); Sec.		L8680F			LFF3504	(87801434); Sec.		L3893F
81879134	Oil	LFP950	1907567	Oil	LFP2238	86570171		LFF3501 ¹⁹
<i>HW345 SP, HW365 SP</i>			(1931047); Turbo		LFP2241	D8NNB486CA	Hydraulic	LFH4926
87013225	Air	LAF8669 ²	1931018		LFP2258	86546614	Oil	PH400 ²⁷⁵
87042094		LAF8670 ¹	<i>LM7.35, LM7.42 w/NEF 4.5L Turbo Engine</i>			86546614		PH8A ¹⁴⁹⁶
(87803441); Sec.	Fuel	L3441F	82034604	Air	LAF9543 ¹	<i>4835, 5635</i>		
(87803444); Pri.		L3444F	82034607		LAF9547 ²	47128154	Air	LAF8148 ²
86632018	Hydraulic	LFP449	84412164	Fuel	LFF5421	47135975		LAF9332 ¹
86605897	Oil	LFP950	84228488	Oil	LFP6023	47135706	Fuel	LFF3504
<i>Speedrower 200, Speedrower 240 w/FPT 6.7L Engine</i>			<i>LM840, LM850, LM860 Telehandler</i>			1909101	Oil	LFP2230 ¹⁹
	Air	LAF8669MXM	85814174	Air	LAF3951 ²	1909102		LFP2238 ¹⁸
<i>Speedrower 220, Speedrower 260 w/FPT 6.7L Tier 4 final Engine</i>			85814175		LAF3952 ¹	<i>5640</i>		
	Air	LAF8669MXM	83937061	Fuel	L296F ⁴¹	82008601	Air	LAF8082 ¹
NEW HOLLAND (TELESCOPIC HANDLER)			87800083	Oil	PH4403	82008600		LAF8083 ²
<i>LM430 w/Iveco Engine</i>			85817004	Trans	LFH8876	F0NN9176BA	Fuel	FP587F
(85814174); Turbo	Air	LAF3951 ²	<i>LM9.35 w/NEF 4.5L Turbo Engine</i>			71930010		LFF3504
(85814175); Turbo		LAF3952 ¹	82034604	Air	LAF9543 ¹	9821387	Hydraulic	LFH4990 ⁶¹⁰
1930010	Fuel	FP587F	82034607		LAF9547 ²	F0NNB486AA		LFH8243 ¹²⁹⁶
		LFF3504	84412164	Fuel	LFF5421	82005016		LFH8726
1909102	Oil	LFP2238	84228488	Oil	LFP6023	F0NN-3N976AA		LFH9499 ¹¹
(1931047); Turbo		LFP2241	<i>M427, M428 w/4.5L Engine</i>			F0NN6714AA	Oil	LFP781
85817004	Trans	LFH8876 ¹⁰⁸⁵	1930589	Air	LAF4544 ²	F2NN6714AB		LFP950
<i>LM435A</i>			1930590		LAF4545 ¹	<i>6610S, 6810S</i>		
85814174	Air	LAF3951 ²	2830348	Fuel	FP587F	82981152	Air	LAF4544 ^{2, 1426}
85814175		LAF3952 ¹	85802793	Hydraulic	LFH5659	w/Don. Hsg.		LAF4544MXM ^{2, 268}
87803192	Fuel	FP587F	504074043	Oil	LFP6015	(82981153); w/Don. Hsg.		LAF4545 ¹
87803260	Oil	LFP6015	NEW HOLLAND (TRACTOR)			87840509	Fuel	FP587F
<i>LM445A</i>			<i>3415</i>					LFF3504
85814174	Air	LAF3951 ²	86512889	Air	LAF8212	D8NN-B486-CA	Hydraulic	LFH4926
85814175		LAF3952 ¹	SBA130366060	Fuel	L549F	F2NN-6714-AB	Oil	LFP950
87803192	Fuel	FP587F	SBA340500410	Hydraulic	LFH4953	<i>6635, 7635</i>		
87803260	Oil	LFP6015	86546618	Oil	PH253 ¹⁴⁹⁶	1930589	Air	LAF4544 ²
<i>LM5040, LM5060, LM5080 w/F4B40484F Tier 3 Engine</i>			87415600		PH2835 ²⁷⁵			LAF4544MXM ^{2, 268}
1930589	Air	LAF4544 ²	<i>3930</i>			1930590		LAF4545 ¹
		LAF4544MXM ^{2, 268}	D1NN9R500A	Air	LAF8551 ¹	1930010	Fuel	LFF3504
1930590		LAF4545 ¹	E9NN9601AA		LAF8552 ²	1909102	Oil	LFP2238
2830348	Fuel	FP587F	83937061	Fuel	L296F ^{18, 41}	<i>6640</i>		
87803192		FP587F ¹¹³⁹	86570171		LFF3501 ¹⁹	82008601	Air	LAF8082 ¹
85802793	Hydraulic	LFH5659	86546614	Oil	PH400 ²⁷⁵	82008600		LAF8083 ²
4897898	Oil	LFP6015	86546614		PH8A ¹⁴⁹⁶	F0NN9176BA	Fuel	LFF3504
76086226	Trans	LFH8484 ¹⁴³⁶	<i>4130</i>			(86555246); W/S		LF8062
			D6NN-9R500-B	Air	LAF3710 ¹	F0NN6714CA12H	Hydraulic	LFH4990 ⁶¹⁰
			E9NN-9B618-AA		LAF3717 ²	F0NNB486AA		LFH8243 ¹²⁹⁶
			E8NN-8A424-BB	Coolant	LFW4072 ¹⁸²	F0NNB-486-BB		LFH8726 ¹¹¹³
			D8NN-B486-CA	Hydraulic	LFH4926	F0NN-3N976AA		LFH9499 ¹¹
			87800068	Oil	PH253 ^{18, 1496}	F2NN6714AB	Oil	LFP950

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 18-Short 19-Long 41-Cartridge 182-Contains 2 oz. of chemical 268-Extended/Severe service 275-Primary 610-Charge Pump 1085-Power Shuttle 1113-Lift 1139-Optional Cold Start 1296-Auxillary Pump 1426-Donaldson Hsg. 1436-6/07- 1496-Alternate

N

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (TRACTOR)			NEW HOLLAND (TRACTOR)			NEW HOLLAND (TRACTOR)		
<i>7.250 w/6.75L Tier 4A Engine</i>			<i>9184, 9384, 9484</i>			<i>Boomer 25 w/Mitsubishi S3L2 engine</i>		
87517153	Air	LAF5929 ²	V30927	Air	LAF9085 ¹		Air	LAF8388
(4897897); Sec.	Fuel	LFF5421	V30924		LAF9086 ²		Hydraulic	LFP1652 ⁵⁹⁰
<i>7610S, 7810S</i>					LAF9086MXM ^{2, 268}		Oil	PH2876
82981152	Air	LAF4544 ²	9672301	Coolant	LFW4071 ²⁸	<i>Boomer 30 w/Mitsubishi S4L engine</i>		
		LAF4544MXM ^{2, 268}	(V88834); 9184 only	Fuel	LFF3521		Air	LAF8195 ²
82981153		LAF4545 ¹	(V79080); W/S		LFF8000 ⁶²⁸		Hydraulic	LFP1652 ⁵⁹⁰
87840509	Fuel	FP587F	9703112	Oil	LFP3000		Oil	PH2876
		LFF3504			LFP3000XL ¹⁴	<i>Boomer 3050, 3045 w/Shibaura Diesel Engine</i>		
D8NN-B486-CA	Hydraulic	LFH4926	<i>9282, 9482</i>			87300178	Air	LAF8195 ²
9821387		LFH4990 ¹¹¹³	9706161	Hydraulic	LFH8880G ¹⁴²⁷	87300180		LAF8690 ¹
F2NN-6714-AB	Oil	LFP950	9706161	Hydraulic	LFH8880G ⁴²⁹	87300041	Fuel	L549F
<i>7740, 7840</i>			V30927	Air	LAF9085 ¹	(SBA340500920); exc.	Hydraulic	LFH4386
82008601	Air	LAF8082 ¹	V30924		LAF9086 ²	CVT tran.		
82008600		LAF8083 ²			LAF9086MXM ^{2, 268}	87415600	Oil	PH2835
E8NN8A424AA	Coolant	LFW4072 ¹⁸²	9672301	Coolant	LFW4071 ^{28, 205}	<i>Boomer 33 (w/Shibaura N843T Engine)</i>		
F0NN9176BA	Fuel	LFF3504	(V88834); Sec.	Fuel	LFF3521	87682998	Air	LAF8195 ²
F0NN6714CA12H	Hydraulic	LFH4990 ⁶¹⁰	(V79080); W/S		LFF8000	84539215		LAF8690 ¹
F0NNB486AA		LFH8243 ¹²⁹⁶	9703112	Oil	LFP3000	MT40007638	Hydraulic	LFH8207
F0NNB-486-BB		LFH8726 ¹¹¹³			LFP3000XL ¹⁴	MT40283380	Oil	PH2835
F0NN-3N976AA		LFH9499 ¹¹	<i>9682, 9882</i>			<i>Boomer 35 w/Mitsubishi S4L2 engine</i>		
F2NN6714AB	Oil	LFP950	9706161	Hydraulic	LFH8880G ¹⁴²⁷		Air	LAF8195 ²
<i>8160, 8260, 8360, 8560 1995-00</i>			9706161	Hydraulic	LFH8880G ⁴²⁹			LAF8690 ¹
(82008601); w/o Turbo	Air	LAF8082 ¹	V95611	Air	LAF1465 ²		Hydraulic	LFP1652 ⁵⁹⁰
(82008600); w/o Turbo		LAF8083 ²	V95612		LAF1854 ¹		Oil	PH2876
82034439		LAF8767 ²	9672301	Coolant	LFW4071 ^{28, 205}	<i>Boomer 37 (w/Shibaura N843T Engine)</i>		
82034441		LAF8768 ¹	(V88834); Sec.	Fuel	LFF3521		Air	LAF8195 ²
E8NN8A424AA	Coolant	LFW4072 ¹⁸²	(V79080); W/S		LFF8000		Hydraulic	LAF8690 ¹
(87801341); S/N	Fuel	L3891F	9703112	Oil	LFP3000		Oil	PH2835
085156B-; Pri.		L8679F	<i>9684, 9884</i>			<i>Boomer 40 w/Mitsubishi S4Q2 engine</i>		
(87840591); S/N		L8680F	V95611	Air	LAF1465 ²		Air	LAF8195 ²
-085156B; Pri.			V95612		LAF1854 ¹			LAF8690 ¹
(87840590); Sec.			9672301	Coolant	LFW4071 ²⁸		Fuel	FP941F
9821387	Hydraulic	LFH4990	(86021254); W/S	Fuel	LFF1000		Hydraulic	LFP1652 ⁵⁹⁰
82005016		LFH8726 ¹¹¹³	(V79080); W/S		LFF8000 ⁶²⁸		Oil	PH2808
F2NN-6714-AB	Oil	LFP950	9703112	Oil	LFP3000	<i>Boomer 4055 w/Shibaura Diesel Turbo Engine</i>		
<i>8240, 8340, 8340SL, 8340SLE</i>					LFP3000XL ¹⁴	87300041	Fuel	L549F
E8NN8A424AA	Coolant	LFW4072 ¹⁸²	<i>Boomer 1030 w/Shibaura Diesel Engine</i>			86546618	Oil	PH253 ¹⁴⁹⁶
F0NN9176BA	Fuel	LFF3504	SBA314531174	Air	LAF4629 ²			PH2835 ²⁷⁵
F0NN6714CA12H	Hydraulic	LFH4990 ⁶¹⁰	87415600	Oil	PH2835	<i>Boomer 41 (w/Shibaura N844L Engine)</i>		
(F0NNB486AA); 8240 only		LFH8243 ¹²⁹⁶	<i>Boomer 20 w/Mitsubishi S3L engine</i>				Air	LAF8195 ²
F0NNB-486-BB		LFH8726 ¹¹¹³		Air	LAF8388			LAF8690 ¹
F0NN-3N976AA		LFH9499 ¹¹		Hydraulic	LFP1652 ⁵⁹⁰		Hydraulic	LFP1652
F2NN6714AB	Oil	LFP950		Oil	PH2876	MT40283380	Oil	PH2835
<i>8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A 1999-</i>			<i>Boomer 2035 w/Shibaura Diesel Engine</i>			<i>Boomer 45D (w/Shibaura N844L Engine)</i>		
9823782	Air	LAF1771 ¹³⁵¹	87300178	Air	LAF8195 ²	87682998	Air	LAF8195 ²
9846494		LAF3655 ²	87300180		LAF8690 ¹	84539215		LAF8690 ¹
E7HT-8A424-BA	Coolant	LFW4072 ¹⁸²	87300039	Fuel	L3556F	84477366	Fuel	L549F
861361		LFW4074 ⁶²⁷	87300043	Hydraulic	LFH22003	84475542	Oil	PH2835
	Fuel	LFF1223	87415600	Oil	PH2835	<i>Boomer 46D (w/FPT R753IE4 Engine)</i>		
(87840136); W/S		LFF8063	<i>Boomer 24 w/Mitsubishi S3L engine</i>			87682991	Air	LAF8114 ¹
W/S		LFF8063U ¹⁷¹	MT40049450	Air	LAF8388	47794488		LAF8143 ²
9821388	Hydraulic	LFH5659 ¹¹⁶⁵	MT40007683	Hydraulic	LFH8207	<i>Boomer 47 (w/Shibaura N844L Engine)</i>		
86605897	Oil	LFP950	MT40056451	Oil	PH2876		Air	LAF8195 ²
								LAF8690 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 14-Extended Life 28-Contains 1 oz. of chemical 171-With Sensor Port 182-Contains 2 oz. of chemical 205-Maintenance 268-Extended/Severe service 275-Primary 429-From 01/96 590-Hydrostatic 610-Charge Pump 627-5 oz. of chemical 628-Tall version of LFF8020 1113-Lift 1165-Mega Flow 1296-Auxillary Pump 1351-Inside 1427-To 11/97 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (TRACTOR)			NEW HOLLAND (TRACTOR)			NEW HOLLAND (TRACTOR)		
<i>Boomer 47 (w/Shibaura N844L Engine) (cont'd)</i>			<i>T1510 w/Shibaura Engine</i>			<i>T4040, T4050</i>		
	Hydraulic	LFP1652		Air	LAF8195 ²	87356351	Air	LAF5934 ²
MT40283380	Oil	PH2835			LAF8690 ¹	87356353		LAF5938 ²
<i>Boomer 50 w/Mitsubishi S4Q2 engine</i>				Fuel	L3556F	87803187	Fuel	LFF3800
	Air	LAF8195 ²		Hydraulic	LFH22003	2854749	Oil	LFP6023
		LAF8690 ¹		Oil	PH2835	<i>T4040F, T4040V w/F5C 3.2 Diesel Engine</i>		
W/S	Fuel	FP941F	<i>T1520 w/Shibaura Engine</i>			87356351	Air	LAF5934 ²
	Hydraulic	LFP1652 ⁵⁹⁰		Air	LAF8195 ²	87356353		LAF5938 ²
	Oil	PH2808			LAF8690 ¹		Cabin Air	LAF8149 ²
<i>Boomer 50D (w/Shibaura N844L Engine)</i>				Fuel	L3556F	Sec.	Fuel	FP587F
87682998	Air	LAF8195 ²		Hydraulic	LFH22003	5178100	Trans	LH4252
84539215		LAF8690 ¹		Oil	PH2835	<i>T4050F, T4050V w/NEF 4.5 Diesel Engine</i>		
84477366	Fuel	L549F	<i>T2210, T2220</i>			87356351	Air	LAF5934 ²
84475542	Oil	PH2835	87300178	Air	LAF8195 ²	87356353		LAF5938 ²
<i>Boomer 54D (w/FPT R753IE4 Engine)</i>			87300180		LAF8690 ¹		Cabin Air	LAF8149 ²
87682991	Air	LAF8114 ¹	87300039	Fuel	L3556F	87803187	Fuel	LFF3800
47794488		LAF8143 ²	87415600	Oil	PH2835	5178100	Trans	LH4252
<i>Boomer 8N</i>			(87300043);	Trans	LFH22003	<i>T5.105, T5.115 (w/FPT F5D 3.4L Tier 4A Engine)</i>		
87300178	Air	LAF8195 ²	Hydrostatic			84248043	Hydraulic	LFH8726
87300180		LAF8690 ¹	<i>T2310, T2320, T2330</i>			5178100	Power Steering	LH4252
87300041	Fuel	L549F	87300178	Air	LAF8195 ²	<i>T5.95 (w/FPT F5D3.4L Tier 4A Engine)</i>		
87415600	Oil	PH2835	87300180		LAF8690 ¹	84248043	Hydraulic	LFH8726
<i>LV80, LV80T</i>			87300041	Fuel	L549F	5178100	Power Steering	LH4252
82981152	Air	LAF4544 ^{2, 1437}	SBA340500920	Hydraulic	LFH4386	<i>T5040, T5050, T5060, T5070</i>		
82981153		LAF4545 ¹	87415600	Oil	PH2835	87356351	Air	LAF5934 ²
86982522		LAF8148 ^{2, 1438}	<i>T2410, T2420</i>			87356353		LAF5938 ²
86982523		LAF9332 ¹	87547606	Air	LAF8114 ¹	87803187	Fuel	LFF3800
(194199A1); In-Line	Fuel	L7693F	87547605		LAF8143 ²	2854749	Oil	LFP6023
(73175965); W/S		LFF8062	87300041	Fuel	L549F	47128161	Trans	LH4252 ^{1157, 1440}
9821387	Hydraulic	LFH4990	86546618	Oil	PH253 ¹⁴⁹⁶	<i>T6.120, T6.140 w/4.5L Tier 4 Engine</i>		
86990960	Oil	LFP3900			PH2835 ²⁷⁵	82028976	Air	LAF9543 ¹
<i>M100, M100DT, M115, M115DT</i>			<i>T4.55, T4.65, T4.75 PowerStar (w/FPT Tier 3 Engine)</i>			(4897897); Sec.	Fuel	LFF5421
82008601	Air	LAF8082 ¹		Air	LAF8148	504084161	Oil	LFP6023
82008600		LAF8083 ²			LAF9332 ¹	<i>T6.145 (w/FPT 4.5L Tier 4B Engine)</i>		
82008606		LAF8767 ²	<i>T4.65 Powerstar (w/FPT F5C Interim Tier 4 Engine)</i>			87683000	Air	LAF5932 ¹
82008607		LAF8768 ¹	87037984	Air	LAF5934	87682990		LAF8149 ²
(87840591); Pri.	Fuel	L8679F	87037985		LAF5938	(4897897); Sec.	Fuel	LFF5421
(87840590); Sec.		L8680F	<i>T4.65V, T4.75V, T4.85V (w/FPT F5C Tier 3 Engine)</i>			87588814	Hydraulic	LFH4959 ¹⁴⁴¹
81863799	Hydraulic	LFH4990	87037984	Air	LAF5934	84226258		LFH4972
88605897	Oil	LFP950	87037985		LAF5938	504084161	Oil	LFP6023
<i>M135, M135DT, M160, M160DT</i>			84565884	Fuel	FP587F	<i>T6.150, T6.160 w/4.5L Tier 4 Engine</i>		
82008606	Air	LAF8767 ²	<i>T4.75 Powerstar (w/FPT F5C Interim Tier 4 Engine)</i>			82028976	Air	LAF9543 ¹
82008607		LAF8768 ¹	87037984	Air	LAF5934	(4897897); Sec.	Fuel	LFF5421
(87840591); Pri.	Fuel	L8679F	87037985		LAF5938	504084161	Oil	LFP6023
(87840590); Sec.		L8680F	<i>T4020, T4030 w/3.2l Turbo Eng</i>			<i>T6.155, T6.165, T6.175 w/6.7L Tier 4 Engine</i>		
81863799	Hydraulic	LFH4990	47135972	Air	LAF8148 ²	82028151	Air	LAF5932 ¹
88605897	Oil	LFP950	47135975		LAF9332 ¹	82028150		LAF8149 ²
<i>T1010 w/Shibaura S753 Engine</i>			<i>T4030F, T4030V w/F5C 3.2 Diesel Engine</i>			(4897897); Sec.	Fuel	LFF5421
	Oil	LAF4629	87356351	Air	LAF5934 ²	504084161	Oil	LFP6023
		PH2835	87356353		LAF5938 ²	<i>T6010, T6020</i>		
<i>T1030 w/Shibaura S773L Engine</i>			Sec.	Fuel	FP587F	82034607	Air	LAF9543 ¹
	Air	LAF4629	5178100	Trans	LH4252	82034604		LAF9547 ²
	Hydraulic	LFH6201				87803187	Fuel	LFF3800 ¹⁸¹
	Oil	PH2835						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 181-Single 275-Primary 590-Hydrostatic 1157-24 x 24 1437-6.45" O.D. 1438-5.4" O.D. 1440-12 x 12 1441-CVT transmission manifold 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (TRACTOR)			NEW HOLLAND (TRACTOR)			NEW HOLLAND (TRACTOR)		
<i>T6010, T6020 (cont'd)</i>			<i>T7.190 (w/FPT NEF6.7L Tier 4B Engine)</i>			<i>T7030 w/Cummins 6.7L Turbo Engine (cont'd)</i>		
87803197 (87803180); W/S	Fuel	LFF5421 LFF9772	87683000 87682990	Air	LAF5932 ¹ LAF8149 ²	87803197 (87803180); W/S	Fuel	LFF5421 LFF9772 ¹⁸¹
81863799	Hydraulic	LFH4990 ⁶¹⁰	84412164	Fuel	LFF5421	(86018758); Charge Pump	Hydraulic	LFH8294
2854749	Oil	LFP6023	84228488	Oil	LFP6023	2854749	Oil	LFP6023
<i>T6030 w/Cummins 6.7L Turbo Engine</i>			<i>T7.210 (w/FPT NEF6.7L Tier 4 Engine)</i>			<i>T7040 w/Cummins 6.7L Turbo Engine</i>		
82034607	Air	LAF9543 ¹	87683000	Air	LAF5932 ¹	87517153	Air	LAF5929 ²
82034604		LAF9547 ²	87682990		LAF8149 ²	87803197	Fuel	LFF5421
87803187	Fuel	LFF3800 ¹⁸¹	84412164	Fuel	LFF5421	(87803180); W/S		LFF9772 ¹⁸¹
87803197		LFF5421	(87682682); with Auto Command	Hydraulic	LFH4959	(86018758); Charge Pump	Hydraulic	LFH8294
81863799	Hydraulic	LFH4990 ⁶¹⁰	84228488	Oil	LFP6023	2854749	Oil	LFP6023
86018758		LFH8294	<i>T7.220 (w/FPT 6.7L Tier 4A Engine)</i>			<i>T7050 w/Cummins 6.7L Turbo Engine</i>		
2854749	Oil	LFP6023	87517153	Air	LAF5929	87517153	Air	LAF5929 ²
<i>T6040 w/Cummins 4.5L Turbo Engine</i>			4897897	Fuel	LFF5421	87803197	Fuel	LFF5421
82034607	Air	LAF9543 ¹	(87682682); with Auto Command	Hydraulic	LFH4959	(87803180); W/S		LFF9772 ¹⁸¹
82034604		LAF9547 ²	504084161	Oil	LFP6023	(86018758); Charge Pump	Hydraulic	LFH8294
87803187	Fuel	LFF3800 ¹⁸¹	<i>T7.230 (w/FPT NEF6.7L Tier 4B Engine)</i>			2854749	Oil	LFP6023
87803197		LFF5421		Air	LAF5929	<i>T7060 w/Cummins 6.7L Turbo Engine</i>		
(81863799); Charge Pump	Hydraulic	LFH4990	84412164	Fuel	LFF5421	87517153	Air	LAF5929 ²
81863799		LFH4990 ⁶¹⁰	84228488	Oil	LFP6023	87803197	Fuel	LFF5421
86018758		LFH8294	87588814	Trans	LFH4959	(87803180); W/S		LFF9772 ¹⁸¹
2854749	Oil	LFP6023	<i>T7.245 (w/FPT NEF6.7L Tier 4B Engine)</i>			(86018758); Charge Pump	Hydraulic	LFH8294
<i>T6050, T6070</i>				Air	LAF5929	2854749	Oil	LFP6023
82034622	Air	LAF5932 ¹	84412164	Fuel	LFF5421	<i>T8.275 w/Iveco Cursor 9 Tier 4A Engine</i>		
82034619		LAF8149 ²	84228488	Oil	LFP6023	(84348883); Pri.	Fuel	LFF8981
87303187	Fuel	LFF3800	87588814	Trans	LFH4959	<i>T8.330 (w/Iveco Cursor 9 Tier 4A Engine)</i>		
87803197		LFF5421	<i>T7.250 (w/FPT 6.7L Tier 4 Engine)</i>			(84348883); Pri.	Fuel	LFF8981
(87803180); W/S		LFF9772 ¹⁸¹	87517153	Air	LAF5929	<i>T8010, T8020, T8030, T8040, T8050</i>		
81863799	Hydraulic	LFH4990 ⁶¹⁰	4897897	Fuel	LFF5421	(87360572); Sec.	Fuel	LFF5488
2854749	Oil	LFP6023	(87682682); with Auto Command	Hydraulic	LFH4959	(87356194); W/S		LFF9732 ²⁴⁴
<i>T6070, T6080</i>			504084161	Oil	LFP6023	87413810	Hydraulic	LFH4972
82028151	Air	LAF5932 ¹	<i>T7.260 (w/FPT NEF6.7L Tier 4 Engine)</i>			87413810		LFH4990 ⁶¹⁰
82028977		LAF8149 ²		Air	LAF5929	87349593	Oil	LFP2265
87803197	Fuel	LFF5421	84412164	Fuel	LFF5421	<i>T9030, T9040, T9050 w/Cummins 12.9L Engine</i>		
(87803180); W/S		LFF9772	84228488	Oil	LFP6023	W/S	Fuel	LFF90013
2854749	Oil	LFP6023	87588814	Trans	LFH4959	(87413717); W/S		LFF9013
<i>T7.170 (w/FPT 6.7L Tier 4A Engine)</i>			<i>T7.270 (w/FPT NEF6.7L Tier 4 Engine)</i>			86989735	Hydraulic	LFH4447
87683000	Air	LAF5932 ¹		Air	LAF5929	504082382	Oil	LFP7174
87682990		LAF8149 ²	84412164	Fuel	LFF5421	86989735	Trans	LFH4910
84412164	Fuel	LFF5421	84228488	Oil	LFP6023	<i>TB100, TB110, TB120</i>		
(87682682); with Auto Command	Hydraulic	LFH4959	87588814	Trans	LFH4959	82981152	Air	LAF4544 ²
84228488	Oil	LFP6023	<i>T7.290 (w/FPT 6.7L Engine)</i>					LAF4544MXM ^{2, 268}
<i>T7.175 (w/FPT NEF6.7L Tier 4B Engine)</i>			87517153	Air	LAF5929	82981153		LAF4545 ¹
87683000	Air	LAF5932 ¹	84412164	Fuel	LFF5421	(87801285); Sec.	Fuel	L8680F
87682990		LAF8149 ²	87588814	Hydraulic	LFH4959 ¹¹⁶²	86555246		LFF3504
84412164	Fuel	LFF5421	84228488	Oil	LFP6023	D8NN-B486-CA	Hydraulic	LFH4926 ²⁵
84228488	Oil	LFP6023	<i>T7.315 (w/FPT 6.7L Engine)</i>			82005016		LFH8726
87588814	Trans	LFH4959	87517153	Air	LAF5929	86605897	Oil	LFP950
<i>T7.185 (w/FPT 6.7L Tier 4A Engine)</i>			84412164	Fuel	LFF5421	<i>TC18</i>		
87683000	Air	LAF5932 ¹	84228488	Oil	LFP6023	SBA314531174	Air	LAF4629 ²
87682990		LAF8149 ²	<i>T7030 w/Cummins 6.7L Turbo Engine</i>			SBA360720020	Fuel	L3556F
84412164	Fuel	LFF5421	87517153	Air	LAF5929 ²	(87300043); S/N UD33666-	Hydraulic	LFH22003
(87682682); with Auto Command	Hydraulic	LFH4959						
84228488	Oil	LFP6023						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 25-Engine mounted 181-Single 244-Secondary 268-Extended/Severe service 610-Charge Pump 1162-Vane pump 1442-Van Pump

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (TRACTOR)			NEW HOLLAND (TRACTOR)			NEW HOLLAND (TRACTOR)		
<i>TC18 (cont'd)</i>			<i>TC31DA, TC34DA (cont'd)</i>			<i>TG210, TG230 w/8.3L Diesel Engine (cont'd)</i>		
(SBA340500800); S/N -UD33666	Hydraulic	LP6005	87415600	Oil	PH2835	86990980	Oil	LFP2265
86546623	Oil	PH2840	SBA340500890	Trans	LFH6201 ⁵⁹⁰	<i>TG215</i>		
SBA340500890	Trans	LFH6201 ⁵⁹⁰	<i>TC35, TC40, TC45</i>			(87360572); Sec.	Fuel	LFF5488
<i>TC21</i>			87300178	Air	LAF8195 ²	(87356194); W/S		LFF9732
87300189	Air	LAF4629 ²	87300180		LAF8690 ¹	87413810	Hydraulic	LFH4990
87300039	Fuel	L3556F	87300041	Fuel	L549F	87349593	Oil	LFP2265
SBA340500900	Hydraulic	LP6005	87300046	Hydraulic	LFP6007	<i>TG245, TG275</i>		
86546623	Oil	PH2840	SBA140517020	Oil	PH2835	(87360572); Sec.	Fuel	LFF5488
<i>TC21D</i>			<i>TC35A, TC35D, TC35DA, TC40A, TC40D, TC40DA, TC45A, TC45D, TC45DA 1999-</i>			(87356194); W/S		LFF9732
87300189	Air	LAF4629 ²	87300178	Air	LAF8195 ²	87413810	Hydraulic	LFH4990 ⁶¹⁰
87300039	Fuel	L3556F	87300180		LAF8690 ¹	87349593	Oil	LFP2265
(87300043); S/N UF33357-	Hydraulic	LFH22003	87300041	Fuel	L549F	<i>TG255, TG285 w/8.3L Diesel Engine</i>		
(SBA340500900); S/N -UF33357		LP6005	87300046	Hydraulic	LFP6007	9672301	Coolant	LFW4071 ²⁸
86546623	Oil	PH2840	87415600	Oil	PH2835	(87400496); In-Line	Fuel	L7693F
87300195	Trans	LFH6201 ⁵⁹⁰	87300195	Trans	LFH6201 ⁵⁹⁰	(86991015); W/S		LFF1000
<i>TC21DA, TC23DA, TC24DA, TC26DA</i>			<i>TC48DA, TC55DA</i>			87413810	Hydraulic	LFH4990
SBA314531174	Air	LAF4629 ²	87300041	Fuel	L549F	86990980	Oil	LFP2265
SBA360720020	Fuel	L3556F	87415600	Oil	PH2835	<i>TG305</i>		
87300043	Hydraulic	LFH22003	<i>TD5010, TD5030 w/3.2L Tier 3 Engine</i>			(87360572); Sec.	Fuel	LFF5488
87415600	Oil	PH2835	47137832	Air	LAF4544 ²	(87356194); W/S		LFF9732
SBA340500890	Trans	LFH6201 ⁵⁹⁰	5080445		LAF4545 ¹	87413810	Hydraulic	LFH4990
<i>TC24D</i>			<i>TD60D w/3.9L Engine</i>			87349593	Oil	LFP2265
87300189	Air	LAF4629 ²	5080756	Air	LAF8148 ²	<i>TJ275, TJ325</i>		
87300039	Fuel	L3556F	5080755		LAF9332 ¹	9672301	Coolant	LFW4071 ^{28, 205}
87300043	Hydraulic	LFH22003	(47135706); Sec.	Fuel	LFF3504	(87400496); In-Line	Fuel	L7693F
87415600	Oil	PH2835	47135703	Oil	LFP7075	86989735	Hydraulic	LFH4910 ^{15, 1165}
87300195	Trans	LFH6201 ⁵⁹⁰	<i>TD70D</i>			441703A1	Oil	LFP3000XL ¹⁴
<i>TC25, TC29, TC33</i>			1930587	Air	LAF8148 ²	<i>TJ280, TJ330</i>		
86519866	Air	LAF8195 ²	1930537		LAF8516 ¹	J100307	Coolant	LFW4074 ⁶²⁷
86519867		LAF8690 ¹	1930588		LAF9332 ¹	(87360572); Sec.	Fuel	LFF5488
SBA360720020	Fuel	L3556F	47135706	Fuel	LFF3504	(87356194); W/S		LFF9732
87300043	Hydraulic	LFH22003	5149813	Hydraulic	LFP6007	87349593	Oil	LFP2265
SBA140517020	Oil	PH2835	47135703	Oil	LFP7075	<i>TJ375, TJ425, TJ450</i>		
<i>TC25D, TC27D, TC29D, TC29DA, TC33D, TC33DA</i>			<i>TD70D w/3.9L Engine</i>			87408712	Air	LAF5973 ²
87300178	Air	LAF8195 ²	5080756	Air	LAF8148 ²	87408713		LAF5974 ²
87300180		LAF8690 ¹	5080755		LAF9332 ¹	441702A1	Coolant	LFW2126 ²⁵⁵
87300039	Fuel	L3556F	(47135706); Sec.	Fuel	LFF3504	(441701A1); W/S	Fuel	LFF1007 ²¹⁰
87300043	Hydraulic	LFH22003	47135703	Oil	LFP7075	86989735	Hydraulic	LFH4910 ^{15, 1165}
87415600	Oil	PH2835	<i>TD80D w/3.9L Engine</i>			441700A1	Oil	LFP9000 ⁷²³
87300195	Trans	LFH6201 ⁵⁹⁰	5080756	Air	LAF8148 ²	441700A1		LFP9000XL ^{14, 723}
<i>TC30</i>			5080755		LAF9332 ¹	<i>TJ380, TJ430</i>		
SBA314531176	Air	LAF8195 ²	(47135706); Sec.	Fuel	LFF3504	441702A1	Coolant	LFW2126 ²⁵⁵
SBA314531177		LAF8690 ¹	47135703	Oil	LFP7075	504082382	Oil	LFP7174
SBA360720020	Fuel	L3556F	<i>TD90D, TD95D w/TTF Tier 2 Engine</i>			<i>TJ480, TJ530</i>		
87300043	Hydraulic	LFH22003	47137832	Air	LAF4544 ²	441702A1	Coolant	LFW2126 ²⁵⁵
SBA140517020	Oil	PH2835	5080445		LAF4545 ¹	86989735	Hydraulic	LFH4910 ¹¹⁶⁵
SBA340500890	Trans	LFH6201 ⁵⁹⁰	1930825		LAF8618 ^{1, 15}	441700A1	Oil	LFP9000 ⁷²³
<i>TC31DA, TC34DA</i>			47135706	Fuel	LFF3504	441700A1		LFP9000XL ^{14, 723}
87300178	Air	LAF8195 ²	47135703	Oil	LFP7075	<i>TK4030V (w/FPT 5FC Engine)</i>		
87300180		LAF8690 ¹	<i>TG210, TG230 w/8.3L Diesel Engine</i>			87356351	Air	LAF5934 ²⁷⁵
87300039	Fuel	L3556F	9672301	Coolant	LFW4071 ²⁸	87356353		LAF5938 ²⁴⁴
87300043	Hydraulic	LFH22003	(87400496); In-Line	Fuel	L7693F	47367180	Fuel	FP587F
			(83977314); Pri.		LFF3417		Hydraulic	LFP6007 ¹¹¹³
			(83977315); Sec.		LFF3521	<i>TK4050, TK4050M w/NEF 4.5L Engine</i>		
			87413810	Hydraulic	LFH4990	87356351	Air	LAF5934 ²
						87356353		LAF5938 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 15-Standard 28-Contains 1 oz. of chemical 205-Maintenance 210-w/ Sensor 244-Secondary 255-Contains 3 oz. of chemical 275-Primary 590-Hydrostatic 610-Charge Pump 627-5 oz. of chemical 723-13.9" Hgt. 1113-Lift 1165-Mega Flow

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (TRACTOR)			NEW HOLLAND (TRACTOR)			NEW HOLLAND (TRACTOR)		
<i>TK4050, TK4050M w/NEF 4.5L Engine (cont'd)</i>			<i>TM120, TM130, TM140, TM155 w/7.5L Diesel Engine (cont'd)</i>			<i>TN60A, TN60DA, TN60SA, TN70A, TN70DA, TN70SA, TN75A, TN75DA, TN75FA, TN75SA 2003-</i>		
87803187	Fuel	LFF3800	(87803441); S/N	Fuel	L3441F	47135972	Air	LAF8148 ²
2854749	Oil	LFP6023	FA097480-; Sec.			47135975		LAF9332 ¹
<i>TK4060 w/NEF 4.5 Engine</i>			(87803444); Pri.		L3444F	47135706	Fuel	LFF3504
87356351	Air	LAF5934 ²	(87802332); Pri.		L3891F	47135703	Oil	LFP7075
87356353		LAF5938 ²	(87802926); S/N		L3925F	47128161	Trans	LH4252 ¹⁰⁸⁵
87803187	Fuel	LFF3800	-HD091599; Sec.			<i>TN60VA, TN70VA, TN75VA</i>		
2854749	Oil	LFP6023	(87840590); S/N		L8680F	47135972	Air	LAF8148 ²
<i>TK80A, TK80MA</i>			HD091599-FA097480; Sec.			47135975		LAF9332 ¹
47135972	Air	LAF8148 ²	9821387	Hydraulic	LFH4990	47135706	Fuel	LFF3504
47135975		LAF9332 ¹	82005016		LFH8726	47128161	Trans	LH4252 ¹⁰⁸⁵
47135706	Fuel	LFF3504	86605897	Oil	LFP950	<i>TN65F, TN70S, TN75, TN75F</i>		
1909130	Hydraulic	LFP6007	<i>TM125, TM135, TM150, TM165</i>			1930587	Air	LAF8148 ²
47135703	Oil	LFP7075	(82034445);	Air	LAF8767 ²	47135975		LAF9332 ¹
<i>TK85, TK85M w/3.9L Engine Crawler Tractors</i>			w/Pre-cleaner			47135706	Fuel	LFF3504
1930587	Air	LAF8148 ²	82034439		LAF8767 ²	1931018	Oil	LFP2258
1930537		LAF8516 ^{1, 1147}	(82034441);		LAF8768 ¹	47128161	Trans	LH4252 ¹¹⁴⁸
47135975		LAF9332 ¹	w/Pre-cleaner			<i>TN65V, TN75V</i>		
47135706	Fuel	LFF3504	82034441		LAF8768 ¹	1930587	Air	LAF8148 ²
1909130	Hydraulic	LFP6007	(87802332); Pri.	Fuel	L3891F	47135975		LAF9332 ¹
1931018	Oil	LFP2258	(87840590); Sec.		L8680F	47135706	Fuel	LFF3504
<i>TK90A, TK100A w/3.9L Turbo Engine</i>			81863799	Hydraulic	LFH4990 ¹¹⁵⁴	5178100	Hydraulic	LH4252
71405431	Air	LAF5785 ²	82005016		LFH8726 ¹¹⁵⁴	<i>TN70F, TN80F</i>		
1909117		LAF8618 ¹	86605897	Oil	LFP950	1930587	Air	LAF8148 ²
47135706	Fuel	LFF3504	<i>TM175, TM190 w/7.5L Diesel Engine</i>			47135975		LAF9332 ¹
1909130	Hydraulic	LFP6007	(87803441); S/N	Fuel	L3441F	47135706	Fuel	LFF3504
47135703	Oil	LFP7075	FA097480-; Sec.			5178100	Hydraulic	LH4252
<i>TL70, TL80</i>			(87803444); Pri.		L3444F	47135703	Oil	LFP7075
1930587	Air	LAF8148 ²	(87802332); Pri.		L3891F	<i>TN75FA, TN85FA</i>		
47135975		LAF9332 ¹	(87802728); S/N		L3925F	47135972	Air	LAF8148 ²
47135706	Fuel	LFF3504	-HD091599; Sec.			47135975		LAF9332 ¹
1930918	Hydraulic	LFP6007	(87840590); S/N		L8680F	47135706	Fuel	LFF3504
1909102	Oil	LFP2238	HD091599-FA097480; Sec.			47135703	Oil	LFP7075
<i>TL80A, TL90A, TL100A</i>			86605897	Oil	LFP950	47128161	Trans	LH4252 ¹⁰⁸⁵
47132343	Air	LAF4544 ²	<i>TN55, TN65, TN70</i>			<i>TN85A, TN85DA w/4.5L Engine</i>		
47132346		LAF4545 ¹	1930587	Air	LAF8148 ²	47132343	Air	LAF4544 ²
(2855756); Sec.	Fuel	L3880F	47135975		LAF9332 ¹			LAF4544MXM ^{2, 268}
87803205	Oil	LFP6023	47135706	Fuel	LFF3504	47132349		LAF4545 ¹
47128161	Trans	LH4252 ¹⁰⁸⁵	1909102	Oil	LFP2238	87803187	Fuel	LFF3800
<i>TL90, TL100</i>			1931018		PH253 ¹⁴⁹⁶	87803205	Oil	LFP6023
47128157	Air	LAF4544 ²	47128161	Trans	LH4252 ¹⁴⁴³	<i>TN90, TN95</i>		
		LAF4544MXM ^{2, 268}	<i>TN55D, TN55S, TN65D, TN65S, TN70D, TN75D, TN75S</i>			1931027	Air	LAF5785 ²
47128156		LAF4545 ¹	1930587	Air	LAF8148 ²	1909117		LAF8618 ¹
47135706	Fuel	LFF3504	47135975		LAF9332 ¹	1930010	Fuel	FP587F
1930918	Hydraulic	LFP6007	47135706	Fuel	LFF3504	5178100	Hydraulic	LH4252
1909102	Oil	LFP2238	1931018	Oil	LFP2258	1931018	Oil	PH253 ¹⁴⁹⁶
<i>TM115</i>			<i>TN-60A, TN-60DA, TN-60SA w/New Holland 3/179 Engine</i>			<i>TN90F</i>		
82008601	Air	LAF8082 ¹		Air	LAF8148 ²	87342507	Air	LAF5785 ²
882027152		LAF8083 ²			LAF9332 ¹	87342481		LAF8618 ¹
(87802332); Pri.	Fuel	L3891F		Fuel	LFF3504	47135706	Fuel	LFF3504
(87840590); Sec.		L8680F		Oil	LFP2258	47128161	Trans	LH4252 ¹¹⁴⁸
81863799	Hydraulic	LFH4990				<i>TN95F</i>		
82005016		LFH8726				87342507	Air	LAF5785 ²
86605897	Oil	LFP950						
<i>TM120, TM130, TM140, TM155 w/7.5L Diesel Engine</i>				Fuel	LFF3504			
82034441	Air	LAF8768 ¹		Oil	LFP7075			
				Trans	LH4252 ¹⁰⁸⁵			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 268-Extended/Severe service 275-Primary 1085-Power Shuttle 1147-With Pre-Cleaner 1148-Hi/Low 1154-Pump 1443-8 x 8 Power Shift 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (TRACTOR)			NEW HOLLAND (TRACTOR)			NEW HOLLAND (TRACTOR)		
<i>TN95F (cont'd)</i>			<i>TS125A, TS135A (cont'd)</i>			<i>TT55, TT75 (cont'd)</i>		
87342481	Air	LAF8618 ¹	87803197	Fuel	LFF5421		Air	LAF4544MXM ^{2, 268}
47135706	Fuel	LFF3504	(87803180); W/S		LFF9772	82981153		LAF4545 ¹
5178100	Hydraulic	LH4252	818663799	Hydraulic	LFH4990 ⁶¹⁰	47135706	Fuel	LFF3504
<i>TN95FA, TN95VA</i>			87803205	Oil	LFP6023	<i>TT60A, TT75A</i>		
87342507	Air	LAF5785 ²	<i>TS6.110 w/FPT NEF4.5L Tier 3 Engine</i>			1930587	Air	LAF8148 ²
87342481		LAF8618 ¹	8602996	Air	LAF9543 ¹	1930588		LAF9332 ¹
47135706	Fuel	LFF3504	87704244		LAF9547 ²	47135706	Fuel	LFF3504
	Oil	LFP7075	(83918631); Also see	Hydraulic	LFH4926	47135703	Oil	LFP7075
47128161	Trans	LH4252 ¹⁰⁸⁵	Ford			<i>TV140</i>		
<i>TS-100 w/New Holland 5.0L Turbo Diesel Engine</i>			(84228488); Also see	Oil	LFP6023	82008606	Air	LAF8767 ²
82008601	Air	LAF8082 ¹	Ford			82008607		LAF8768 ¹
82027153		LAF8083	<i>TS6.120, TS6.125 w/FPT NEF6.7L Tier 3 Engine</i>			E8NN8A424DA	Coolant	LFW4072 ¹⁸²
(87801341); Pri.	Fuel	L3891F	87704244	Air	LAF9547 ²	86597473	Fuel	L3523F
(87801285); Sec.		L8680F	(83918631); Also see	Hydraulic	LFH4926	(87801341); Pri.		L3891F
(9821387); Charge	Hydraulic	LFH4990	Ford			(87840590); Sec.		L8680F
(F0NNB486AA); Aux		LFH8243	(84228488); Also see	Oil	LFP6023	F2NN6714AB	Oil	LFP950
(82005016); Intake		LFH8726	Ford			<i>TZ24DA</i>		
86605897	Oil	LFP950	<i>TS6.140 w/FPT NEF6.7 Tier 3 Engine</i>			87300189	Air	LAF4629 ²
(F0NN-3N976AA); Aux	Power Steering	LFH9499	8602996	Air	LAF9543 ¹	87300039	Fuel	L3556F
(82003166); 24 x 24	Trans	LFH4428	87704244		LAF9547 ²	SBA340500900	Hydraulic	LP6005
<i>TS-110 w/New Holland 5.0L Turbo Diesel Engine</i>			(83918631); Also see	Hydraulic	LFH4926	87415600	Oil	PH2835
82008601	Air	LAF8082 ¹	Ford			87300195	Trans	LFH6201 ⁵⁹⁰
82027153		LAF8083	(84228488); Also see	Oil	LFP6023	<i>U80 w/439 Engine</i>		
(87801341); Pri.	Fuel	L3891F	Ford			82981152	Air	LAF4544 ²
(87801285); Sec.		L8680F	<i>TS6000</i>			82981153		LAF4545 ¹
(9821387); Charge	Hydraulic	LFH4990	8602996	Air	LAF9543 ¹	(73175965); W/S	Fuel	LFF8062
(F0NNB486AA); Aux		LFH8243	8602995		LAF9547 ²	9821387	Hydraulic	LFH4990
(82005016); Intake		LFH8726	87803192	Fuel	FP587F	86990960	Oil	LFP3900
86605897	Oil	LFP950	2854749	Oil	LFP6023	<i>U80C w/FTP F5HFL413D Engine</i>		
(F0NN-3N976AA); Aux	Power Steering	LFH9499	<i>TS6020 w/New Holland 4.5L Engine</i>			82981152	Air	LAF4544 ²
(82003166); 24 x 24	Trans	LFH4428	82988916	Air	LAF5934 ²	(82981153); Also see		LAF4545 ¹
<i>TS110A</i>			82988917		LAF5938 ²	Ford		
82034604	Air	LAF9543 ¹	8602996		LAF9543 ¹	(87803192); Also see	Fuel	FP587F
82034613		LAF9547 ^{2, 1147}	8602995		LAF9547 ²	Ford		
87803187	Fuel	LFF3800	87803192	Fuel	FP587F	(84475948); Also see	Trans	LFH5074G
F0NN6714CA12H	Hydraulic	LFH4990 ⁶¹⁰	2854749	Oil	LFP6023	Ford		
82005016		LFH8726	<i>TS6030 w/New Holland 4.5L Engine</i>			<i>Workmaster 33 w/Shibaura N843T engine</i>		
87803205	Oil	LFP6023	82988916	Air	LAF5934 ²		Air	LAF8195 ²
<i>TS115 (w/ 6.7L Engine)</i>			82988917		LAF5938 ²			LAF8690 ¹
82008601	Air	LAF8082 ¹	8602996		LAF9543 ¹	W/S	Fuel	G2920
82027153		LAF8083	8602995		LAF9547 ²		Hydraulic	LFH8207
(87801341); Pri.	Fuel	L3891F	87803192	Fuel	FP587F		Oil	PH2835
(87801285); Sec.		L8680F	2854749	Oil	LFP6023	<i>Workmaster 35 w/LS L3BL engine</i>		
(9821387); Charge	Hydraulic	LFH4990	<i>TS90, TS100, TS110 1997-03</i>				Air	LAF8195 ²
(F0NNB486AA); Aux		LFH8243	82008601	Air	LAF8082 ¹			LAF8690 ¹
(82005016); Intake		LFH8726	(87802332); Pri.	Fuel	L3891F	W/S	Fuel	FP941F
86605897	Oil	LFP950	(87801285); Sec.		L8680F		Hydraulic	LFH8207
(F0NN-3N976AA); Aux	Power Steering	LFH9499	82005016	Hydraulic	LFH8726 ¹¹¹³		Oil	PH2808
(82003166); 24 x 24	Trans	LFH4428	F0NN3N976AA		LFH9499 ¹¹	<i>Workmaster 40 w/LS engine</i>		
<i>TS125A, TS135A</i>			FZNN6714AB	Oil	LFP950		Air	LAF8195 ²
82034622	Air	LAF5932 ¹	82003166	Trans	LFH4428 ¹¹⁵⁷			LAF8690 ¹
82034619		LAF8149 ²	9821387		LFH4990 ¹⁴⁴⁶	W/S	Fuel	FP941F
82034628		LAF8149 ^{2, 1147}	F0NNB486AA		LFH8243 ¹⁴⁴⁷		Hydraulic	LFH8207
			<i>TT45A, TT50A</i>				Oil	PH2808
			87415600	Oil	PH2835	<i>Workmaster 45 w/Shibaura 4 cyl. 2.2L Engine</i>		
			<i>TT55, TT75</i>				Air	LAF8114 ¹
			82981152	Air	LAF4544 ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 182-Contains 2 oz. of chemical 268-Extended/Severe service 590-Hydrostatic 610-Charge Pump 1085-Power Shuttle 1113-Lift 1147-With Pre-Cleaner 1157-24 x 24 1446-16 x 16 1447-8 x 2 and 16 x 4

N

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (TRACTOR)			NEW HOLLAND (WHEEL LOADER)			NEW HOLLAND (WHEEL LOADER)		
<i>Workmaster 45 w/Shibaura 4 cyl. 2.2L Engine (cont'd)</i>			<i>LW270 w/Cummins M11 Engine</i>			<i>W130B w/Tier 2 Engine (cont'd)</i>		
	Air	LAF8143 ²	(76570088); - C3895	Air	LAF2821 ^{2, 581}	86993191	Air	LAF8149 ^{2, 1449}
	Fuel	L549F	(79114569); D3895 -		LAF5838 ^{1, 581}	87803192	Fuel	FP587F ¹⁴⁴⁹
	Oil	PH2835	(75590430); - C3895		LAF6641 ^{1, 581}	85802793	Hydraulic	LFH5659 ¹⁴⁴⁹
			D3895 -		LAF8649 ^{2, 581}	87803260	Oil	LFP6015 ¹⁴⁴⁹
<i>Workmaster 55 w/Shibaura 4 cyl. 2.2L Engine</i>			W/S	Fuel	LFF1000 ⁵⁸¹	87519452	Trans	LFH8490 ¹⁴⁴⁹
	Air	LAF8114 ¹	P164381	Hydraulic	LFH4428 ⁵⁸¹	86993192	Air	LAF5932 ¹
		LAF8143 ²		Oil	LFP3000 ⁵⁸¹	86993191		LAF8149 ²
	Fuel	L549F			LFP3000XL ^{14, 581}	87803192	Fuel	FP587F
	Oil	PH2835	(76570088); - C3895	Air	LAF2821 ²	85802793	Hydraulic	LFH5659
<i>Workmaster 65 w/3.2L engine</i>			(79114569); D3895 -		LAF5838 ¹	87803260	Oil	LFP6015
Sec.	Air	FP587F	(75590430); - C3895		LAF6641 ¹	87519452	Trans	LFH8490
		LAF8148 ²	D3895 -		LAF8649 ²	86993192	Air	LAF5932 ^{1, 237}
		LAF9332 ¹	76193174	Coolant	LFW4075 ⁶⁴⁴	86993191		LAF8149 ^{2, 237}
<i>Workmaster 75 w/3.2L Engine</i>			W/S	Fuel	LFF1000	87803192	Fuel	FP587F ²³⁷
Sec.	Air	FP587F	P164381	Hydraulic	LFH4428	85802793	Hydraulic	LFH5659 ²³⁷
		LAF8148 ²		Oil	LFP3000	87803260	Oil	LFP6015 ²³⁷
		LAF9332 ¹			LFP3000XL ¹⁴	87519452	Trans	LFH8490 ²³⁷
NEW HOLLAND (TRENCHER INDUSTRIAL)			(76570088); - C3895	Air	LAF2821 ^{2, 523}	<i>W130B, W130BLR, B130BTC w/667TA/EDB Tier 3 Engine</i>		
<i>T-220</i>			(79114569); D3895 -		LAF5838 ^{1, 523}	87430512	Air	LAF8085 ²
178562	Trans	PH710 ⁵⁹⁰	(75590430); - C3895		LAF6641 ^{1, 523}	87430511		LAF8086 ¹
<i>T-330</i>			D3895 -		LAF8649 ^{2, 523}	87803197	Fuel	LFF5421
270227	Air	LAF1915	76193174	Coolant	LFW4075 ¹⁴³⁹	85802793	Hydraulic	LFH5659
<i>T-550</i>			W/S	Fuel	LFF1000 ⁵²³	87803260	Oil	LFP6015
221406	Air	LAF281	P164381	Hydraulic	LFH4428 ⁵²³	87519452	Trans	LFH8490
E7NN6714FA	Hydraulic	LP6005 ⁶¹⁰		Oil	LFP3000 ⁵²³	<i>W170B, W170BTC w/667TA/EB3 Engine</i>		
					LFP3000XL ^{14, 523}	87430512	Air	LAF8085 ²
NEW HOLLAND (WHEEL LOADER)			<i>LW50, LW50B w/Perkins 700 Series Engine</i>			87430511		LAF8086 ¹
<i>EW160</i>			P772579	Air	LAF8148 ²	4897897	Fuel	LFF5421
73176005	Air	LAF5932 ¹	P775300		LAF9332 ¹	87803260	Oil	LFP6015
73175974		LAF8149 ²		Fuel	L296F ⁴¹	87519452	Trans	LFH8490
(73175965); W/S	Fuel	LFF8062	<i>LW80 w/Perkins Engine</i>			<i>W190B w/667TA/EB3 Engine</i>		
73177276	Oil	LFP3900	P772579	Air	LAF8148 ²	87430512	Air	LAF8085 ²
<i>LW110, LW130 w/Iveco 8065 Engine</i>			P775300		LAF9332 ¹	87430511		LAF8086 ¹
70684732	Air	LAF8663 ¹		Oil	PH4403	4897897	Fuel	LFF5421
1902158	Fuel	LAF8668 ²	<i>W110, W110TC w/445M2 Engine</i>			87803260	Oil	LFP6015
(1930992); Pri.			8602996	Air	LAF9543 ¹	87519452	Trans	LFH8490
P164381	Hydraulic	LFH4428	8602995		LAF9547 ²	<i>W50B TC w/FPT Tier 3 F5C Engine</i>		
1903628	Oil	LFP2241	87803192	Fuel	FP587F	47135972	Air	LAF8148 ²
<i>LW170, LW190 w/Cummins 8.3L Engine</i>			85802793	Hydraulic	LFH5659	47135975		LAF9332 ¹
	Air	LAF3654 ¹	87803205	Oil	LFP6023	<i>W80B TC w/FPT Tier 3 F5C Engine</i>		
		LAF8729 ²	<i>W110B, W110BLR, W110BTC w/445TA/EGE Engine</i>			47135972	Air	LAF8148 ²
(76107829); Pri.	Fuel	LFF3417	8602996	Air	LAF9543 ¹	47135975		LAF9332 ¹
(75208272); Sec.		LFF3521	8602995		LAF9547 ²	<i>W80C (w/FPT F5HFL463 Engine)</i>		
9703112	Oil	LFP3000	87803197	Fuel	LFF5421	P772579	Air	LAF8148
		LFP3000XL ¹⁴	85802793	Hydraulic	LFH5659	P775300		LAF9332 ¹
	Trans	LFH4428	87803260	Oil	LFP6015	(87803444); Pri.	Fuel	L3444F
<i>LW230, LW230B w/Cummins 8.3L Engine</i>			<i>W130 w/668TA/M2 Engine</i>			NEW IDEA (FARM EQUIPMENT)		
1930901	Air	LAF8130 ¹	86993192	Air	LAF5932 ¹	<i>5830, 5830x Windrowers</i>		
1930900		LAF8831 ²	86993191		LAF8149 ²	700716411	Air	LAF9542 ²
(83977314); Pri.	Fuel	LFF3417	87803192	Fuel	FP587F	700716412		LAF9543 ¹
83977315		LFF3521	85802793	Hydraulic	LFH5659		Breather	LFH4909WA ⁸⁵⁸
9703112	Oil	LFP3000	87803260	Oil	LFP6015	(72501531); Pri.	Fuel	LFF3417
		LFP3000XL ¹⁴	<i>W130B w/Tier 2 Engine</i>			(72501530); Sec.		LFF3521
	Trans	LFH4428	86993192	Air	LAF5932 ^{1, 1449}	700723795	Hydraulic	LFH4392 ⁶¹⁰
								LFP449

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 237-From 09/03 523-From 01/99 581-To 01/02 590-Hydrostatic 610-Charge Pump 644-Contains 6 oz. of chemical 858-Hydraulic Tank 1439-1/99 - 1/02 1449-To 01/06

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW IDEA (FARM EQUIPMENT)			NEW IDEA (FARM EQUIPMENT)			NISSAN (CRANE)		
<i>5830, 5830x Windrowers (cont'd)</i>			<i>800, 802 w/Cummins Engine (cont'd)</i>			<i>20t Series K-KW30H w/PE6 Engine</i>		
72515699	Oil	LFP3900	(72501530); Sec.	Fuel	LFF3521	16546-96016	Air	LAF6587 ²
<i>700 w/Minn.-Moline 4 cyl. 206 Gas Engine</i>			707648	Hydraulic	LP50910	16546-96010		LAF6587MXM ²
	Oil	LFP2258	72501532	Oil	LFP780			LAF6834 ¹
<i>701, 703 w/Chevrolet 6-292 Engine</i>			<i>801 w/Allis-Chalmers Engine</i>			<i>25t Series K-KG30R w/PE6 Engine</i>		
P101246	Air	LAF1246 ²	730760	Air	LAF936 ²	16546-96016	Air	LAF6587 ²
Gas	Fuel	G5/16 ²⁶³	730761		LAF937 ¹	16546-96010		LAF6587MXM ^{2, 268}
703	Hydraulic	LP50910	(74028945); Sec.	Fuel	FP230F			LAF6834 ¹
	Oil	PH1218	707648	Hydraulic	PH50910	<i>30t Series K-KG50T, K-KG51TV w/RD8 Engine</i>		
		PH454	74037047	Oil	PH52	16546-96017	Air	LAF6769 ²
<i>702, 704 w/General Motors Gas Engine</i>			<i>802 w/Allis-Chalmers Engine</i>			16546-96014		LAF6769MXM ^{2, 268}
P101246	Air	LAF1246 ²	730760	Air	LAF936 ²			LAF9373 ¹
Gas	Fuel	G5/16 ²⁶³	730761		LAF937 ¹	NISSAN (EXCAVATOR)		
	Hydraulic	LP50910	(74028945); Sec.	Fuel	FP230F	<i>N-06</i>		
	Oil	LP132	(30-3073165); Sec.		FP603	440-03010	Air	LAF2745A ²
<i>702, 705 w/General Motors Diesel Engine</i>			4321716		LFF8714	438-20003	Oil	PH2856A
706049	Air	LAF234HD ²	(74394407); W/S		LFP255F	<i>N-11</i>		
18786	Fuel	P1130	707648	Hydraulic	LP50910	440-03010	Air	LAF2745A ²
	Hydraulic	LP50910	74037047	Oil	PH52	430-01000	Oil	PH2808
	Oil	LP132	<i>803 w/Allis-Chalmers Engine</i>			<i>N-120</i>		
<i>706 w/Ford Engine</i>			730761	Air	LAF937 ¹	440-03010	Air	LAF2745A ²
P101246	Air	LAF1246 ²	(30-3073165); Sec.	Fuel	FP603	438-20003	Oil	PH2856A
70251397	Fuel	L296F ⁴¹	4321716		LFF8714	<i>N-1502</i>		
707648	Hydraulic	LP50910	(74394407); W/S		LFP255F	440-03010	Air	LAF2745A ²
10A14373	Oil	LFP2258	707648	Hydraulic	LP50910	438-20003	Oil	PH2856A
<i>706D w/Perkins 6.354 Diesel Engine</i>			74037047	Oil	PH52	<i>N-21</i>		
730755	Fuel	L296F ⁴¹	<i>803 w/Cummins Engine</i>			440-06010	Air	LAF1275 ²
707648	Hydraulic	LP50910	(738140); Pri.	Fuel	LFF3417	430-01000	Oil	PH2808
730341	Oil	LFP2292	(72501530); Sec.		LFF3521	<i>N-220</i>		
<i>707D w/Diesel Engine</i>			707648	Hydraulic	LP50910	440-03010	Air	LAF2745A ²
730760	Air	LAF936 ²	30-3436861	Oil	LFP734	430-01000	Oil	PH2808
730761		LAF937 ¹	<i>839 Cornharvester w/Cummins 6BT5.9 Engine</i>			<i>N-2302</i>		
70251397	Fuel	L296F ⁴¹		Hydraulic	LFH4955	440-03010	Air	LAF2745A ²
707648	Hydraulic	LP50910	<i>882 Cornharvester w/Cummins 6BT5.9 Engine</i>			<i>N-260</i>		
730341	Oil	LFP2292		Hydraulic	LFH4955	440-06010	Air	LAF1275 ²
<i>708, 709 w/Allis-Chalmers 3500 Engine</i>			NEW IDEA (SWATHERS & WINDROWERS)			438-20003	Oil	PH2856A
730760	Air	LAF936 ²	<i>5840 Windrower w/Cummins 4B3.9 Engine</i>			<i>N-2602</i>		
730761		LAF937 ¹	700716411	Air	LAF9542 ²	440-06010	Air	LAF1275 ²
(732501); Sec.	Fuel	FP230F	700716412		LAF9543 ¹	<i>N-31</i>		
707648	Hydraulic	LP50910		Breather	LFH4909WA ⁸⁵⁸	440-06010	Air	LAF1275 ²
74037047	Oil	PH52	(72501531); Pri.	Fuel	LFF3417	<i>N-41</i>		
<i>708, 709 w/Perkins 6.354 Engine</i>			(72501530); Sec.		LFF3521	440-07010	Air	LAF222 ²
730760	Air	LAF936 ²	700723795	Hydraulic	LFH4392 ⁶¹⁰	<i>N-45</i>		
730761		LAF937 ¹			LFP449	<i>N-450</i>		
730755	Fuel	L296F ⁴¹	72515699	Oil	LFP3900	440-07010	Air	LAF222 ²
707648	Hydraulic	LP50910	NICHOLS (EQUIPMENT)			438-20005	Oil	PH2801
730341	Oil	LFP2292	<i>Hydra-Trac</i>			<i>N-80</i>		
<i>800 w/Perkins Engine</i>			1551	Hydraulic	LFP1652	430-01000	Oil	PH2808
730760	Air	LAF936 ²	NISSAN (CRANE)			<i>N-802</i>		
730761		LAF937 ¹	<i>10t Series K-KK30H, K-KK31H w/PE6 Engine</i>			440-03010	Air	LAF2745A ²
70251397	Fuel	L296F ⁴¹	16546-96016	Air	LAF6587 ²	430-01000	Oil	PH2808
707648	Hydraulic	LP50910			LAF6587MXM ^{2, 268}	<i>S-2B25, S-2B30</i>		
70237000	Oil	PH4403	16546-96010		LAF6834 ¹	440-07010	Air	LAF222 ²
<i>800, 802 w/Cummins Engine</i>						438-20005	Oil	PH2801
730761	Air	LAF937 ¹						
(738140); Pri.	Fuel	LFF3417						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 263-Hoses and clamps included 268-Extended/Severe service 610-Charge Pump 858-Hydraulic Tank

N

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NISSAN (LIFT TRUCK)			NISSAN (LIFT TRUCK)			NISSAN (LIFT TRUCK)		
<i>50 Optima</i>			<i>CD4000 (cont'd)</i>			<i>DF02 w/H20 Engine (cont'd)</i>		
16546-00H03B	Air	LAF1725 ¹	15209-J1800	Oil	PH561	15208-H8911	Oil	PH2827
58396-47601B	Hydraulic	LFH4207	31725-L1000	Trans	PH2840	<i>DF05</i>		
15208-55Y00	Oil	PH2827 ¹⁹	<i>CD50 w/RD8 Engine</i>			16546-L9010	Air	LAF1246 ²
15208-01B02		PH8862 ¹⁸	16546-L3000	Air	AF376	16403-Z9000	Fuel	FP591F
<i>60</i>			16403-Z7000	Fuel	FP588F	58396-47601	Hydraulic	LFH4207
16546-00H10	Air	LAF8630	58396-47601	Hydraulic	LFH4207	15208-29007	Oil	LFP8235
<i>AEH02</i>			<i>CD5000</i>			<i>ED005 w/SD33 Engine</i>		
16546-00H10	Air	LAF8630	16546-L3000	Air	AF376	16546-74200	Air	LAF1974
16403-Z7000	Fuel	FP588F	58396-47601	Hydraulic	LFH4207	16403-47525	Fuel	L4367F
58396-47601	Hydraulic	LFH4207	15209-J1800	Oil	PH561	15209-J2000	Oil	LFP880
	Oil	PH561	31725-L1000	Trans	PH2840	<i>EF02A20, 25V, EGF02A30V w/SD25 Engine</i>		
<i>AH01, APH02 w/A15, H20 Engine</i>			<i>CEF02 w/SD25 Engine</i>				Air	AF376
16546-00H10H	Air	LAF8630	16403-Z7000B	Fuel	FP588F		Fuel	FP588F
58396-47601B	Hydraulic	LFH4207	58396-47601B	Hydraulic	LFH4207		Oil	PH561
15208-H8911	Oil	PH2827	152099-J1800	Oil	PH561	<i>EH02 w/SD25 Engine</i>		
			31725-L1000	Trans	PH2835	16546-00H10	Air	LAF8630
<i>B01, B02</i>			<i>CEH01, CEH02 w/SD25 Engine</i>			16405-T9005	Fuel	FP889F
58396-47601	Hydraulic	LFH4207	16546-00H10	Air	LAF8630	58396-47601B	Hydraulic	LFH4207
<i>BF03, BGF03 w/TB42 Engine</i>			58396-47601B	Hydraulic	LFH4207		Oil	PH561
52396-47601B	Hydraulic	LFH4207		Oil	PH561	<i>F02</i>		
15208-W1103	Oil	PH253 ¹⁴⁹⁶	<i>CF01</i>			16546-L3000	Air	AF376
		PH2835 ²⁷⁵	16546-L3000	Air	AF376	<i>F302</i>		
<i>BF05A50, 60, 70V</i>			<i>CF01, CPF01, CF02, CPF02 w/H20, J15 Engine</i>			16546-L3000	Air	AF376
	Air	LAF1246 ²	16546-L3000	Air	AF376			LAF863
<i>C2000-3500 w/J15 Engine</i>			16546-L3200	Air	AF92	58396-47601	Hydraulic	LFH4207
58396-47601	Hydraulic	LFH4207	58396-47601B	Hydraulic	LFH4207	<i>FD105</i>		
15208-H8911	Oil	PH2827	15208-55Y00	Oil	PH2827	250C3-S	Air	LAF863
31725-L1000	Trans	PH2840	31725-L1000	Trans	PH2835	<i>FG001, FG002, FG003 w/D11 Engine</i>		
<i>C3, P3 w/Datsun D11 4 cyl. OHV 1138cc Engine</i>			<i>CF02</i>			58396-47601	Hydraulic	LFH4207
16546-48200	Air	LAF1974	16546-L3000	Air	AF376	15208-H8911	Oil	PH2827
15208-13210	Oil	PH2827	<i>CFG003, CFG103 w/D11 Engine</i>			<i>FG004, FG104 w/H20 Engine</i>		
<i>C4000-6000 w/H20 Engine</i>			58396-47601B	Hydraulic	LFH4207	16546-00H10	Air	LAF8630
58396-47601	Hydraulic	LFH4207		Oil	PH2827		Oil	PH561
15208-H8911	Oil	PH2827	<i>CFG005 w/H20 Engine</i>			<i>FG005, FG105 w/H20 Engine</i>		
31725-L1000	Trans	PH2840	16546-00H10	Air	LAF8630	16546-00H10	Air	LAF8630
<i>C5, P5 w/Datsun H20 4 cyl. OHV 1982cc Engine</i>			58396-47601B	Hydraulic	LFH4207	15208-H8911	Oil	PH2827
16546-48200	Air	LAF1974		Oil	PH2827	<i>FG006, FG007 w/H30 Engine</i>		
15208-13210	Oil	PH2827	<i>CFG101, CFG102, CFG103</i>			16400-E5200	Fuel	G243
<i>C50K, C50KLP, CD50K w/SD25 Engine</i>			16546-19900	Air	LAF1448	15208-H8911	Oil	PH2827
	Fuel	FP887F	<i>CH01, CH02, CPH01, CPH02 w/H20 Engine</i>			<i>FG101, FG102, FG103 w/D11 Engine</i>		
	Oil	PH2827	16546-00H10	Air	LAF8630	16546-L3200	Air	AF92
<i>C6000-80000</i>				Oil	PH2827	16400-H8501	Fuel	G241
16403-Z7000	Fuel	FP588F	<i>CHF03</i>			15208-H8903	Oil	PH2827
58396-47601	Hydraulic	LFH4207	58396-47601B	Hydraulic	LFH4207	<i>FO3 w/Nissan P40 Gas Engine</i>		
(15208-H8903);	Oil	LP2256		Oil	PH2827	15208-W1123	Oil	PH400 ²⁷⁵
SD33T eng.		PH2827	<i>CQF01, CQF02 w/SD22 Engine</i>			15208-W1123		PH8A ¹⁴⁹⁶
H30 eng.			16403-Z7000B	Fuel	FP588F	<i>FO3 w/Nissan SD33 Engine</i>		
31725-L1000	Trans	PH2840	58396-47601B	Hydraulic	LFH4207	16403-Z7000	Fuel	FP588F
<i>C60K, C60KLP w/H25 Engine</i>			152099-J1800	Oil	PH561	<i>FO5 w/Nissan P40 Gas Engine</i>		
15208-01B01	Oil	PH2840	31725-L1000	Trans	PH2835	15208-W1123	Oil	PH400 ²⁷⁵
<i>CD40 w/SD25 Engine</i>			<i>CRHOG w/Z24 Engine</i>			15208-W1123		PH8A ¹⁴⁹⁶
16546-00H10	Air	LAF8630	16546-00H10	Air	LAF8630	<i>H01 10-18, 20-35</i>		
58396-47601	Hydraulic	LFH4207		Oil	PH2827	SD25 eng.	Fuel	FP588F
	Oil	PH561	<i>DF02 w/H20 Engine</i>			58396-47601	Hydraulic	LFH4207
<i>CD4000</i>			16546-05H10	Air	LAF8630	H20 eng.	Oil	PH2827
16546-L3000	Air	AF376	16400-H8501	Fuel	G180	SD25 eng.		PH561
58396-47601	Hydraulic	LFH4207						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 18-Short 19-Long 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NISSAN (LIFT TRUCK)			NISSAN (LIFT TRUCK)			NITRO (SPRAYERS)		
<i>H01, H02 w/H20, Z24 Engine</i>			<i>PF01 w/J15 Engine</i>			<i>N2XP w/Cummins QSB 6.7L Engine (cont'd)</i>		
16546-00H10	Air	LAF8630	16546-L3000B	Air	AF376	AF26125	Air	LAF6125 ¹
	Hydraulic	LFH4207	58396-47601	Hydraulic	LFH4207	(FS19732); W/S	Fuel	LFF9732
15208-H8903	Oil	PH2827	15208-55Y00	Oil	PH2827	SF6520	Hydraulic	LFH4209 ⁶⁰³
<i>H25K</i>			<i>PF02 w/H20 Engine</i>			LF3970	Oil	LFP3970
	Air	LAF22029 ² LAF8195 ² LAF8690 ¹	16546-00H10	Air	LAF8630	<i>Nitro 200HT w/Cummins 5.9L Engine</i>		
			58396-47601	Hydraulic	LFH4207		Fuel	LFF3521
				Oil	PH2827	W/S	Oil	LFF8020
<i>J02A25U</i>			<i>PH01, PH02 w/H20 Engine</i>					LFP780
16405-W3405	Fuel	FP889F	16546-00H10	Air	LAF8630			LFP780XL ¹⁴
15208-W3401	Oil	PH400 ²⁷⁵	58396-47601	Hydraulic	LFH4207	<i>Nitro 2200 Series w/Cummins 6BTA5.9 Engine</i>		
15208-W3401		PH8A ¹⁴⁹⁶		Oil	PH2827		Fuel	LFF3521
<i>M01, M02</i>			<i>QF02 w/SD22 Engine</i>			W/S	Oil	LFF8020
58396-47601	Hydraulic	LFH4207	16546-L3000B	Air	AF376			LFP780
<i>MF05 w/SD33T Engine</i>			16403-Z7000B	Fuel	FP588F			LFP780XL ¹⁴
16546-L9010	Air	LAF1246 ²	58396-47601	Hydraulic	LFH4207	<i>Nitro 2275HT, Nitro N2 w/Cummins QSB5.9 Tier 2 Engine</i>		
16403-Z7000B	Fuel	LFF3553	15209-J1800	Oil	PH561	(FS19519); W/S	Fuel	LFF9519
58396-47601B	Hydraulic	LFH4207	<i>RGH02 w/Z24 Engine</i>				Oil	LFP3970
	Oil	LP2256	16546-00H10	Air	LAF8630	<i>Nitro XB w/Cummins Engine</i>		
<i>P11000-14000</i>			58396-47601	Hydraulic	LFH4207	AF26124	Air	LAF6124 ²
16403-Z7000	Fuel	FP588F	15208-55400	Oil	PH2827	AF26125		LAF6125 ¹
58396-47601	Hydraulic	LFH4207	<i>SD22</i>			(FS19732); W/S	Fuel	LFF9732
15208-65011	Oil	PH400 ²⁷⁵		Air	LAF863	LF3970	Oil	LFP3970
15208-65011		PH8A ¹⁴⁹⁶	<i>SD25</i>			NORTHERN LIGHTS (GENERATOR)		
31725-L1000	Trans	PH2840	16546-L3000	Air	AF376	<i>100, 130 KW w/John Deere 6466T Diesel Engine</i>		
<i>P2000-3500</i>			16403-Z7000	Fuel	FP588F	AR50041	Fuel	P1130
13403-Z7000	Fuel	FP588F	58396-47601	Hydraulic	LFH4207	AR43634	Oil	PH725
58396-47601	Hydraulic	LFH4207	15209-J1800	Oil	PH561	<i>175, 200 w/Volvo 120 Diesel Engine</i>		
J15 eng.	Oil	PH2827	<i>Some Models</i>			423135	Oil	LFP791
SD22 eng.		PH561	31725-L1000	Trans	PH2840	<i>20 KW, 30 KW w/John Deere 4219 Diesel Engine</i>		
31725-L1000	Trans	PH2840	<i>UF03, UGF03 w/P40 Engine</i>			AR50041	Fuel	P1130
<i>P4000-6000</i>				Hydraulic	LFH4207	T19044	Oil	FP20
	Fuel	FP588F		Oil	PH2827	<i>20Q, 30 w/John Deere 4219 Diesel Engine</i>		
58396-47601	Hydraulic	LFH4207	<i>UF05 w/P40 Engine</i>			AR50041	Fuel	P1130
H20 eng.	Oil	PH2827		Air	LAF1246 ²	T19044	Oil	FP20
SD22 eng.		PH561		Hydraulic	LFH4207	<i>300 KW w/John Deere 8955 Diesel Engine</i>		
31725-L1000	Trans	PH2840		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	AR87112	Coolant	LFW4074 ⁶²⁷
<i>P5</i>			<i>WFO3, WGF03 w/TD42 Engine</i>			AR50041	Fuel	P1130
16546-76015	Air	AF376	58396-47601	Hydraulic	LFH4207	AR43261	Oil	PH725
16546-48200		LAF1974		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>30Q, 40, 50, 55 KW w/John Deere 4276 Diesel Engine</i>		
15208-13210	Oil	PH2827	<i>YF03, YGF03 w/P40 Engine</i>			AR50041	Fuel	P1130
<i>P5 w/H20 Engine</i>			16403-Z7000B	Fuel	FP588F	T19044	Oil	FP20
16546-00H10	Air	LAF8630	58396-47601B	Hydraulic	LFH4207	<i>33, 50 KW w/John Deere 4239 Diesel Engine</i>		
	Oil	PH2827	NITRO (SPRAYERS)			AR50041	Fuel	P1130
<i>P7000-9000</i>			<i>Express w/Cummins 5.9L Engine</i>			T19044	Oil	FP20
16546-K4046	Air	LAF8190	P134353	Air	LAF1834 ²	<i>40Q, 60, 75, 85 KW w/John Deere 6414 Diesel Engine</i>		
16403-Z7000	Fuel	FP588F	P134354		LAF1835 ¹	AR50041	Fuel	P1130
58396-47601	Hydraulic	LFH4207		Fuel	LFF3521	T19044	Oil	FP20
P40 eng.	Oil	PH400 ²⁷⁵	(FS1212); W/S		LFF8020	<i>6.5 w/IHI Diesel Engine</i>		
P40 eng.		PH8A ¹⁴⁹⁶		Oil	LFP780		Oil	PH2865
31725-L1000	Trans	PH2840			LFP780XL ¹⁴	<i>80, 105, 120, 130, 180, 220 KW w/Komatsu 6125 Diesel Engine</i>		
<i>P8 w/Datsun H30 6 cyl. OHV 2974cc Engine</i>			<i>N2XP w/Cummins QSB 6.7L Engine</i>			(600-311-8291); Pri.	Fuel	LFF5D
15208-32250	Oil	P52	AF26124	Air	LAF6124 ²			
<i>PF01</i>								
16546-L3000	Air	AF376						
16403-Z7000	Fuel	FP588F						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 14-Extended Life 275-Primary 603-Tank Breather 627-5 oz. of chemical 1496-Alternate

N

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NORTHERN LIGHTS (GENERATOR)			NORTHERN LIGHTS (GENERATOR)			NORTHERN LIGHTS (GENERATOR)		
80, 105, 120, 130, 180, 220 KW w/Komatsu 6125 Diesel Engine (cont'd)			NL488, NL488K			NL6466		
600-211-1230	Oil	LFP670 LFP670XL ¹⁴		Fuel	L549F		Fuel	LFF1129
ISM 753 w/ISM Diesel engine			NL495D				Oil	FP20 PH725
18786	Fuel	P1130		Air	LAF222 ⁶²⁵	NL659T		
140516180	Oil	PH2840	Sec.	Fuel	FP588F FP588F		Air	LAF1917 ² LAF1917 LAF503 ¹
ISM 843 w/ISM Diesel engine			NL6108A				Oil	FP20
18786	Fuel	P1130		Air	LAF1813 ²⁷⁵ LAF1813 LAF1814 ²⁴⁴ LAF1814	NL668D		
140516130	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Coolant	LFW4074 ⁶²⁷		Air	LAF8487
M-4239Q, M-4276Q, QT, M-6414Q, QT				Fuel	LFF4294		Fuel	LFF1129
AR50041	Fuel	P1130	W/S	Oil	LFP5120B		Oil	FP20
T19044	Oil	FP20				NL668T		
M-6125A, Q, QT			NL6108T				Air	LAF1917 LAF503
(600-311-8291); Pri.	Fuel	LFF5D		Air	LAF1768 ² LAF8392 ²⁴⁴ LAF8392		Fuel	LFF1129
600-211-1230	Oil	LFP670 LFP670XL ¹⁴		Coolant	LFW4074 ⁶²⁷	NL668T2		
NL368				W/S	Fuel		Air	LAF414 ¹ LAF926 ² LAF926
	Fuel	L4103F PH2808		Oil	LFP5120B ²⁷⁵		Oil	LFP5757
	Oil	PH2808	NL6125A, NL6125T			NL673		
NL374				Air	LAF6769 ² LAF6769MXM ² LAF9373 ¹		Fuel	L3556F
	Fuel	L4103F PH2808		Coolant	LFW4074 ⁶²⁷		Oil	PH2840
	Oil	PH2808		W/S	Fuel	NL676T, NL676A, NL676AB		
NL4219				Oil	LFP670 LFP670XL ¹⁴		Fuel	LFF1129
	Fuel	LFF1129					Oil	PH720
	Oil	FP20	NL6140A			NL681H		
NL4239D, NL4239T				Air	LAF6632 LAF6632MXM ²⁶⁸ LAF6632MXM LAF6641		Fuel	LFF1129
	Fuel	LFF1129		Coolant	LFW2055	NL681T, NL681A, NL681AB		
	Oil	FP20		Pri.	Fuel		Air	LAF503 ¹
NL4276				Oil	LFP670 LFP670XL ¹⁴		Fuel	LFF1129
	Fuel	LFF1129					Oil	PH720
	Oil	FP20	NL6170A			NL695D, NL695T		
NL439D				Air	LAF6632 LAF6632MXM LAF6641 LAF6769 LAF6769MXM ²⁶⁸ LAF9373		Air	LAF1544
	Air	LAF8487		Oil	LFP670 LFP670XL ¹⁴	Sec.	Fuel	FP588F FP588F
	Fuel	LFF1129					Oil	LFP6240
	Oil	FP20	NL61414			NL753, NL753G, NL753K		
NL439T				Air	LAF6632 LAF6632MXM LAF6641 LAF6769 LAF6769MXM ²⁶⁸ LAF9373		Air	LAF2745A
	Air	LAF1246		Coolant	LFW2055	S/N 4430-	Fuel	FP588F FP588F LFF1129
	Fuel	LFF1129		Pri.	Fuel		Oil	PH2840
	Oil	FP20		W/S	Fuel	NL843N, NL843NK		
NL445D				Oil	LFP670 LFP670XL ¹⁴		Air	LAF2745A
	Fuel	LFF1129					Fuel	FP588F FP588F
	Oil	FP20				S/N 4430-	Oil	LFP2215
NL445T			NL6414			NL844, NL844L, NL844K, NL844LK		
	Air	LAF1246 LAF1394 ¹		Fuel	LFF1129		Fuel	FP588F FP588F
	Fuel	LFF1129		Oil	FP20	S/N 4430-	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
	Oil	FP20	NL643					
NL445T1, NL445T2				Fuel	L3556F			
	Air	LAF5932 ¹ LAF8149 ²		Oil	PH2840			
	Oil	LFP5757						
NL484, NL484K								
	Fuel	L549F						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 244-Secondary 268-Extended/Severe service 275-Primary 625-Standard filter 627-5 oz. of chemical 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NORTHERN LIGHTS (GENERATOR)			O & K (EXCAVATOR)			O & K (POWER SHOVEL AG & INDUSTRIAL)		
NL854B			RH75 w/2 Cummins NTA855C Engine			MH4, MH4AZ, RH4 w/Deutz F4L912 Engine		
	Fuel	FP588F LFF1129	P117441	Air	LAF9155 ² LAF9155MXM ^{2, 268}	0145166	Air	LAF222 ²
	Oil	PH561	P114931		LAF9159 ¹	0583135		LAF9001 ²
O & K (DUMP TRUCK)			755014	Hydraulic	LH8519	MH6, RH6		
D40			RH9, RH12 w/Deutz BF6L913 Engine			0145166	Air	LAF222 ²
P777868	Air	LAF8150 ²	1160243	Fuel	FP586F	RH10 w/Deutz F.6L.912 Engine		
P777869		LAF8693 ¹	RH9LC w/Deutz F6L912 Engine				Air	LAF1246 ²
O & K (EQUIPMENT)				Air	LAF1725 ¹ LAF9001 ²	RH25 w/Deutz F.8L.413 Engine		
K40/45 w/Cummins Engine			O & K (GRADER)			C21317 Air LAF234HD ²		
1413768	Air	LAF8407 ² LAF8407MXM ^{2, 268}	G12, G15 w/Deutz BF6L913 Engine			RH9 Shovel w/Deutz F.6L.912 Engine		
1413767		LAF8408 ¹	0773605	Air	LAF1720 ¹ LAF2052 ²	L25 w/Deutz F6L413 Engine		
L20 Tropen w/Deutz BF6L913 Engine			G12, G16 w/Deutz F.6L.413 Engine			0718023	Air	LAF6587 ² LAF6587MXM ^{2, 268}
0718023	Air	LAF6587 ² LAF6587MXM ^{2, 268}	MANN C16190	Air	LAF1246 ²	0714024		LAF6834 ¹
0718024		LAF6834 ¹	G12, G16 w/Deutz F.8L.714 Engine			L25 w/Deutz F8L413 Engine		
L20 w/Deutz BF6L913 Engine			MANN C16190	Air	LAF1246 ²	0718058	Air	LAF1544 ² LAF6587 ² LAF6587MXM ^{2, 268}
0202551	Air	LAF8668 ²	O & K (LOADER)			0718023		LAF1544 ² LAF6587 ² LAF6587MXM ^{2, 268}
8000250	Fuel	FP586F	L10 w/Deutz F4L912 Engine			0714024		LAF6834 ¹ LAF8668 ² LAF8674 ¹
0204025	Oil	LFP8590	0490328	Air	LAF1722 ² LAF1723 ¹	0124909		LAF8674 ¹
L25 w/Deutz F6L413 Engine			0576975			0202550		LAF8674 ¹
0718058	Air	LAF1544 ²	L10.5 w/Perkins 1004.42 Engine			0047737	Fuel	FP586F
0718059		LAF9410 ¹		Air	LAF8148 ² LAF9332 ¹	0046826	Oil	LFP2222
L25 w/Deutz F8L413 Engine				Fuel	FP587F	204205		LFP8590 LP2210
0718059	Air	LAF9410 ¹		Oil	PH4403	By-Pass	Trans	LFH8595
L35 Tropen w/Deutz F10L413F Engine			L15 w/Deutz F5L912 Engine			L6 w/Deutz F3L912 Engine		
0718023	Air	LAF6587 ² LAF6587MXM ^{2, 268}	0773604	Air	LAF1720 ¹ LAF2052 ²	0490328	Air	LAF1722 ² LAF1723 ¹
0714024		LAF6834 ¹	0773605			0576975		LAF1722 ² LAF1723 ¹
L4 w/Deutz F2L411 Engine			0047737	Fuel	FP586F	RH4, RH4E, RH4LC, RH4		
0145166	Air	LAF222 ²	0046826	Oil	LFP2222	0583136	Air	LAF1725 ¹ LAF9001 ²
MH3B, MH3Bt			L4 w/Deutz F.2 L.912 Engine			0583135		LAF9001 ²
0490328	Air	LAF1722 ²	0145166	Air	LAF222 ²	8000250	Fuel	FP586F
0576975		LAF1723 ¹	L5.5 Loader w/Perkins 704-30 Engine			0044667	Oil	PH2819
MH4AS, MH4E, MH4-600				Air	LAF8148 ² LAF9332 ¹	OLIVER (COMBINE)		
0490328	Air	LAF1722 ²		Fuel	L296F ⁴¹	430, 431, 522, 525, 535, 542, 545 w/Chrysler 265 Engine		
0576975		LAF1723 ¹		Oil	PH4403	2710837	Air	AF14 LAF222 ²
O & K (EXCAVATOR)			L6			By-Pass	Oil	P76 P7FF
RH30 w/Cummins VT903 Engine			0145166	Air	LAF222 ²	5542, 5555 w/Chrysler V8-318 Engine		
P117441	Air	LAF9155 ² LAF9155MXM ^{2, 268}	L6.5 Loader w/Perkins 704-30 Engine			2710837	Oil	700 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
P114931		LAF9159 ¹		Air	LAF8148 ² LAF9332 ¹	674351-A		PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
RH40 w/Cummins KTA1150C Engine				Fuel	L296F ⁴¹	674351-A		PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
P117441	Air	LAF9155 ² LAF9155MXM ^{2, 268}		Oil	PH4403	7300 w/Chrysler V8-318 Engine		
RH6 w/Deutz F5L912 Engine			L8.5 w/Perkins 704-30 Engine			157985-A	Air	LAF1246 ²
1160243	Fuel	FP586F		Air	LAF8148 ² LAF9332 ¹		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
1160024	Oil	PH2819		Fuel	L296F ⁴¹	7300 w/Perkins 6.354 Engine		
RH6, RH6B				Oil	PH4403	P101246	Air	LAF1246 ²
0145166	Air	LAF222 ²	O & K (POWER SHOVEL AG & INDUSTRIAL)			(32327); Pri.	Fuel	L23F
8000250	Fuel	FP586F	MH3, RH3 w/Deutz F.4L.912 Engine					
0046826	Oil	LFP2222	0145166	Air	LAF222 ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
OLIVER (COMBINE)			OLIVER (TRACTOR)			OLIVER (TRACTOR)		
<i>7300 w/Perkins 6.354 Engine (cont'd)</i>			<i>1555 w/Gasoline Engine</i>			<i>1750 w/Diesel Engine (cont'd)</i>		
(26560017); Sec.	Fuel	L296F ⁴¹	159012-A	Air	LAF1886	(70251397); Sec.	Fuel	L296F ⁴¹
2654343	Oil	PH400 ²⁷⁵	156513-A	Hydraulic	PH253 ^{1423, 1496}	(163956-AS); Pri.		L3569F
2654343		PH8A ¹⁴⁹⁶	(104397-A); By-Pass	Oil	PH2835 ^{275, 1423}	156513-A	Hydraulic	PH253 ^{1423, 1496}
<i>7600 w/Chrysler V8 gasoline Engine</i>					PB50			PH2835 ^{275, 1423}
P101246	Air	LAF1246 ²	<i>1600 w/Gasoline Engine</i>			Gas	Oil	LFP2292
	Fuel	G5/16 ²⁶³	159012-A	Air	LAF222 ²	<i>1750 w/Gasoline Engine</i>		
	Oil	PH400 ²⁷⁵		Hydraulic	PH253 ^{1423, 1496}	Gas	Air	LAF1866 ²
		PH8A ¹⁴⁹⁶			PH2835 ^{275, 1423}	(159013-AS); Diesel		LAF2338 ²
<i>7600 w/Perkins 6.354 Engine</i>				Oil	LFP2292	(70251397); Sec.	Fuel	L296F ⁴¹
P118166	Air	LAF8668		Trans	PH400 ^{275, 1450}	156513-A	Hydraulic	PH253 ^{1423, 1496}
26560017	Fuel	L296F ⁴¹			PH8A ^{1450, 1496}			PH2835 ^{275, 1423}
26540153	Oil	P72	<i>1600D</i>			Gas	Oil	LFP2292
<i>7800 w/Chrysler Engine</i>			159013-A	Air	LAF2338 ²	<i>1755 w/Diesel Engine</i>		
	Fuel	G5/16 ²⁶³	S/N 124420-147568;	Fuel	L274F	30-3003477	Air	LAF4155 ¹
674351-A	Oil	PH400 ²⁷⁵	Pri.		L274F1	70251397	Fuel	L296F ⁴¹
674351-A		PH8A ¹⁴⁹⁶	Pri.	Hydraulic	PH253 ^{1423, 1496}	18786		P1130
<i>7800 w/Perkins T6.354 Engine</i>					PH2835 ^{275, 1423}	30-3024725	Hydraulic	LP50910
P118166	Air	LAF8668		Oil	LFP2292	156513-A		PH253 ^{1423, 1496}
2650017	Fuel	L296F ⁴¹		Trans	PH400 ^{275, 1450}			PH2835 ^{275, 1423}
26540153	Oil	P72			PH8A ^{1450, 1496}	<i>1755 w/Gasoline Engine</i>		
OLIVER (TRACTOR)			<i>1650 w/Gasoline Engine</i>			159013-A	Air	LAF2338 ²
<i>1250 w/Diesel Engine</i>			159012-A	Air	LAF222 ²		Hydraulic	LP50910
	Fuel	L296F ⁴¹	156513-A	Hydraulic	PH253 ^{1423, 1496}	156513-A		PH253 ^{1423, 1496}
	Oil	P3			PH2835 ^{275, 1423}			PH2835 ^{275, 1423}
<i>1250A</i>			155618-A	Oil	LFP2292	155618-A	Oil	PH299
	Fuel	L296F ⁴¹		Trans	PH400 ^{275, 1450}	<i>1800 Series B w/Gasoline Engine</i>		
159015-A	Oil	PH400 ²⁷⁵			PH8A ^{1450, 1496}	1577985-A	Air	LAF1246 ²
159015-A		PH8A ¹⁴⁹⁶	<i>1650 w/Waukashaw Engine</i>			156513-A	Hydraulic	PH253 ^{1423, 1496}
<i>1255, 1265, 1355, 1365</i>			159013-A	Air	LAF2338 ²			PH2835 ^{275, 1423}
70251397	Fuel	L296F ⁴¹	Pri.	Fuel	L274F	<i>1800 Series C w/Gasoline Engine</i>		
159045-A	Oil	PH400 ²⁷⁵	Pri.		L274F1	1577985-A	Air	LAF1246 ²
159045-A		PH8A ¹⁴⁹⁶		Hydraulic	PH253 ^{1423, 1496}	156513-A	Hydraulic	PH253 ^{1423, 1496}
<i>1450</i>					PH2835 ^{275, 1423}			PH2835 ^{275, 1423}
675073-A	Oil	LP2225		Trans	PH400 ^{275, 1450}	<i>1800A w/Gasoline Engine</i>		
159045-A		PH400 ²⁷⁵			PH8A ^{1450, 1496}		Air	LAF1246 ²
159045-A		PH8A ¹⁴⁹⁶	<i>1655 w/Diesel Engine</i>			156513-A	Hydraulic	PH253 ^{1423, 1496}
<i>1465, 1470</i>			159013-A	Air	LAF2338 ²			PH2835 ^{275, 1423}
1909103	Fuel	LFF3502	(156287-AS); Pri.	Fuel	L274F	By-Pass	Oil	PB50
159045-A	Oil	PH400 ²⁷⁵	Pri.		L274F1	<i>1800A, B, & C Diesel</i>		
159045-A		PH8A ¹⁴⁹⁶	(70251397); Sec.		L296F ⁴¹	1577985-A	Air	LAF1246 ²
<i>1550</i>			(163956-AS); Pri.		L3569F	Sec.	Fuel	L274F
20-7002181	Air	LAF1866 ²	18786	Hydraulic	P1130	Pri.		L274F1
Diesel; Pri.	Fuel	L274F	156513-A		PH253 ^{1423, 1496}		Hydraulic	PH253 ^{1423, 1496}
Pri.		L274F1		Trans	PH2835 ^{275, 1423}			PH2835 ^{275, 1423}
	Hydraulic	PH253 ^{1423, 1496}			PH400 ^{275, 1450}	<i>1850 w/Gasoline Engine</i>		
		PH2835 ^{275, 1423}			PH8A ^{1450, 1496}	159013-AS	Air	LAF2338 ²
By-Pass	Oil	PB50	<i>1655 w/Gasoline Engine</i>			30-3024725	Hydraulic	LP509
<i>1555 w/Diesel Engine</i>			159012-A	Air	LAF222 ²	175331-AS	Torque Converter	P92
(156289-AS); Pri.	Fuel	LAF1866 ²	156513-A	Hydraulic	PH253 ^{1423, 1496}	156513-AS	Trans	PH253 ¹⁴⁹⁶
Pri.		L274F			PH2835 ^{275, 1423}			PH2835 ²⁷⁵
		L274F1		Trans	PH400 ^{275, 1450}	<i>1850 w/Perkins 6-354 Engine</i>		
		P1130			PH8A ^{1450, 1496}	159089-A	Air	LAF1544 ²
156513-A	Hydraulic	PH253 ^{1423, 1496}	<i>1750 w/Diesel Engine</i>					PH400 ^{275, 1450}
(104397-A); By-Pass	Oil	PH2835 ^{275, 1423}	Gas	Air	LAF1866 ²			PH8A ^{1450, 1496}
		PB50	(159013-AS); Diesel		LAF2338 ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 263-Hoses and clamps included 275-Primary 1423-Hydra-Power Drive 1450-Reverse-O-Trac 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
OLIVER (TRACTOR)			OLIVER (TRACTOR)			OLIVER (TRACTOR)		
<i>1850 w/Perkins 6-354 Engine (cont'd)</i>			<i>1950 w/Detroit Diesel Engine (cont'd)</i>			<i>2455, 2655 w/Diesel Engine (cont'd)</i>		
165807-A	Air	LAF1933 ¹		Oil	LP132	10A10423	Oil	LP224
159013-AS		LAF2338 ²		Trans	PH400 ^{275, 1450}	<i>2455, 2655 w/LP504B Engine</i>		
30-3002136		LAF503 ¹			PH8A ^{1450, 1496}	3293	Hydraulic	LP50910
(156289-AS); Pri.	Fuel	L274F	<i>1950 w/Gasoline Engine</i>				Oil	LP224
Pri.		L274F1	157985-A	Air	LAF1246 ²	440		
Sec.		L296F ⁴¹		Hydraulic	PH253 ^{1423, 1496}		Oil	P3
(163956-AS); S/N		L3569F			PH2835 ^{275, 1423}	500D		
232175; Pri.				Oil	LP132	Pri.	Fuel	L23F
155618-A	Oil	LFP2292	<i>1950T w/White Engine</i>			Sec.	Oil	L50F
175331-AS	Torque Converter	P92	159012-A	Air	LAF222 ²		Oil	P820
156513-AS	Trans	PH253 ¹⁴⁹⁶	(867014); Sec.	Fuel	L296F ⁴¹	550		
		PH2835 ²⁷⁵	(163953-AS); Pri.		L3569F		Oil	156
		PH400 ^{275, 1450}	156513-AS	Trans	PH253 ¹⁴⁹⁶	66, 77, 88		
		PH8A ^{1450, 1496}			PH2835 ²⁷⁵	Gas	Oil	156
<i>1855 w/Diesel Engine</i>			<i>1955 w/Diesel Engine</i>			Diesel	Oil	700
30-3002136	Air	LAF503 ¹		Air	LAF1467 ²	660		
(163953-AS); Sec.	Fuel	L296F ⁴¹	30-3002136		LAF503 ¹		Oil	156
(163956-AS); Pri.		L3569F	(163953-AS); Sec.	Fuel	L296F ⁴¹	770, 880		
20-0006803		P1130	(163956-AS); S/N		L3569F	302702-E	Hydraulic	P92
			232175; Pri.		P1130		Oil	700
156513-A	Hydraulic	LP50910	18786			<i>99 w/Gasoline Engines</i>		
		PH253 ^{1423, 1496}	30-3024725	Hydraulic	LP50910		Oil	700
		PH2835 ^{275, 1423}	156513-A		PH253 ^{1423, 1496}	AG-6, AG-6H		
40-0000406	Oil	PH444			PH2835 ^{275, 1423}		Oil	P71
<i>1855 w/Gasoline Engine</i>			<i>2050, 2150 w/Hercules D-4800 Engine</i>			B, HB-25		
159013-A	Air	LAF2338 ²		Air	LAF8663 ¹		Oil	P71
	Hydraulic	LP50910	30-3070352		LAF8668 ²	BD, AD		
156513-A		PH253 ^{1423, 1496}	(30-3073157); Pri.	Fuel	FP251F	Sec.	Fuel	261F
		PH2835 ^{275, 1423}	(30-3073165); Sec.		FP603	OC-12G		
<i>1865</i>			(40-0000406); 2150	Oil	PH444		Oil	P71
163953-AS	Fuel	L296F ⁴¹	only			OC-15		
30-3024725	Hydraulic	LP509	156513-A	Trans	PH253 ¹⁴⁹⁶	(109271); Pri.	Fuel	L43F
	Oil	LP224			PH2835 ²⁷⁵	Sec.	Oil	L93FP
<i>1870</i>			<i>2155 w/Diesel Engine</i>			OC-156		
Diesel	Fuel	L296F ⁴¹	163953-AS	Fuel	L296F ⁴¹	Sec.	Fuel	L93FP
		P1130			P1130	(109271); Pri.	Fuel	L43F
	Hydraulic	LP50910	156513-A	Hydraulic	PH253 ^{1423, 1496}	OC-18		
10A-10423	Oil	LP224			PH2835 ^{275, 1423}	(109271); Pri.	Fuel	L43F
	Trans	PH253 ¹⁴⁹⁶		Oil	LP224	OC-46 w/Hercules DD-130 Engine		
		PH2835 ²⁷⁵	<i>2250, 2255 w/Caterpillar 3150 Engine</i>			Sec.	Fuel	261F
<i>1900D, Series B, Series C w/Diesel Engine</i>			30-3090620	Air	LAF7933 ¹	Pri.	Oil	P7FF
157985-A	Air	LAF1246 ²	30-3089258		LAF9961 ²	OC-46 w/Hercules GO-130 Engine		
Sec.	Fuel	261F	Sec.	Fuel	FP230F		Oil	P7FF
Pri.		L274F	195694-A	Hydraulic	LP50910	OC-46-3G		
Pri.		L274F1	156513-A		PH253 ^{1423, 1496}	By-Pass	Oil	PB50
	Hydraulic	PH253 ^{1423, 1496}			PH2835 ^{275, 1423}	OC-4D, OC-4-3D		
		PH2835 ^{275, 1423}		Oil	LFP791	Sec.	Fuel	261F
	Oil	LP132	<i>2455, 2655 w/Diesel Engine</i>			OC-6D, OC-6G		
	Trans	PH400 ²⁷⁵	30-3108724	Air	LAF1959 ²		Oil	700
		PH8A ¹⁴⁹⁶	30-3108716		LAF1996 ¹	OC-96D		
<i>1950 w/Detroit Diesel Engine</i>			10P2652		LAF237 ¹⁸¹	By-Pass	Oil	PB50
157985-A	Air	LAF1246 ²	20-7000316		LAF4163 ¹		Trans	P92
Sec.	Fuel	261F	20-7100980	Fuel	L296F ⁴¹	OC-9D		
Pri.		L274F	20-0006803		P1130	By-Pass	Oil	L296F ⁴¹
	Hydraulic	PH253 ^{1423, 1496}	30-3024725	Hydraulic	LP50910		Oil	PB50
		PH2835 ^{275, 1423}	303119175	Oil	LFP791			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 181-Single 275-Primary 1423-Hydra-Power Drive 1450-Reverse-O-Trac 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
OLIVER (TRACTOR)			ONAN (GENERATOR)			ONAN (GENERATOR)		
<i>OC-9D (cont'd)</i>			65 MDDA, 76 MDDM w/Cummins 6BT5.9G1 Engine			<i>CCK-MS (cont'd)</i>		
	Trans	P92					Oil	PH400
<i>Super 44</i>			3903640	Fuel	LFF3521	Commercial 4500 w/Onan P218 Engine		
	Oil	P3	3903264	Oil	LFP780	1402379	Air	LAF1909 ²
<i>Super 55</i>					LFP780XL ¹⁴	1491353	Fuel	G16
Gas	Oil	156	78 MDDB, 98 MDDB w/Cummins 6BT5.9G2 Engine			1492333		LFF3676
<i>Super 66</i>						1220836	Oil	PH2875
Gas	Oil	156	3903640	Fuel	FP586F	Commercial 6500 w/Onan P224 Engine		
Diesel		700	3903264	Oil	LFP780	1402379	Air	LAF1909 ²
<i>Super 77, 78</i>					LFP780XL ¹⁴	1491353	Fuel	G16
Gas	Oil	156	AJ 2.7			1492333		LFF3676
Diesel		700	122-0681 KIT	Air	AF211	1220836	Oil	PH2875
<i>Super 99 w/4 cyl. General Motors Diesel Engine</i>				Fuel	G16	CW		
	Hydraulic	L274F1	AJ 3.0			140-0495	Air	LAF73
	Oil	P71	122-0681 KIT	Air	AF211	DB 620-900 w/Cummins KV16-G2 Engine		
<i>Super 99 w/6 cyl. Diesel Engine</i>				Fuel	G16		Coolant	LFW4072 ¹⁸²
Sec.	Fuel	261F	BF			DC 620-900 w/Cummins KV16-G2 Engine		
	Oil	P71		Air	AF215		Coolant	LFW4072 ¹⁸²
<i>Super 99 w/Gasoline Engine</i>				Oil	PH2835	DDB 40		
	Oil	700	BF, BFA, BGA, BGAL 4.0			140-1089	Air	AF5HD
ONAN (GENERATOR)			140-1216	Air	AF215 ⁶⁰⁶	DEB		
<i>10KW HDKCA, 12KW HDKCB</i>			122-0679 KIT		LAF73	Pri.	Fuel	L3567F
1403071	Air	LAF8388 ²	122-0645	Oil	PH2835	DEF		
1492513	Fuel	FP888	BGA			140-1089	Air	AF5HD
1220893	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Air	LAF73	Pri.	Fuel	L3567F
<i>15.0 JC3CR</i>			BGD			DEG		
122-0185	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	140-2379	Air	LAF1909 ² LAF73	140-1089	Air	AF5HD
<i>25, 30 MDL6</i>			1492333	Fuel	LFF3676	Pri.	Fuel	L3567F
149-1802	Fuel	LFF1129	122-0645	Oil	PH2835	DEH		
122-0550	Oil	PH2867	BGDL			Pri.	Fuel	L3567F
<i>29 MDBA, 33 MDBA w/Cummins 4B3.9G Engine</i>			140-2379	Air	LAF1909 ²	DFN 290, 330, 350, 400 w/Cummins KTA19-G2 Engine		
3903640	Fuel	LFF3521	1492333	Fuel	LFF3676	140-1376	Air	LAF7797 ²
3903224	Oil	LFP3900	122-0645	Oil	PH2835	DFP 165, 190, 200, 230 w/Cummins NTA 855-G2 Engine		
<i>3.0 Aux. w/MDJA Diesel Engine</i>			BGE			140-1376	Air	LAF7797 ²
(149-0428); Sec.	Fuel	261F	140-2379	Air	LAF1909 ²	DFV, DFW w/Cummins VTA 1710 Engine		
122-B185	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	1492333	Fuel	LFF3676	140-1376	Air	LAF7797 ²
<i>4.0 Aux. w/BFA Gasoline Engine</i>			122-0645	Oil	PH2835	DFY 450, 500, 550, 600 w/Cummins VTA28-G2 Engine		
140-0495	Air	LAF73	140-2379	Air	LAF1909 ²	140-1376	Air	LAF7797 ²
122-0338	Oil	PH2840	1492333	Fuel	LFF3676	DJA, DJB, DJC w/DJ60 Engine		
<i>40 MDCA, 47 MDCA w/Cummins 4BT3.9G1 Engine</i>			122-0645	Oil	PH2835	(122-B325); Pri.	Fuel	LFF3536
3903640	Fuel	LFF3521	BGM			122-P185	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
3903224	Oil	LFP3900	140-2379	Air	LAF1909 ²	122-P193		
<i>48 MDDM, 56 MDDM w/Cummins 6B5.9G Engine</i>			1492333	Fuel	LFF3676	122-P193		
3903640	Fuel	LFF3521	122-0645	Oil	PH2835	DKC, DKD Spec. A-B		
3903264	Oil	LFP780 LFP780XL ¹⁴	CCK			185-2090	Air	LAF2745A ²
<i>54 MDCB w/Cummins 4BT3.9G2 Engine</i>				Air	LAF73	185-2123	Oil	PH2808 PH2903
3903640	Fuel	LFF3521		Oil	PH2840 PH400	DKG		
3903224	Oil	LFP3900		Air	AF215	1402680	Air	LAF4162
<i>6.5 Aux. w/NH Gasoline Engine</i>				Oil	PH400	(1492106); W/S	Fuel	LFF8255
140-0495	Air	LAF73	CCK-MS			1220827	Oil	PH2808
122-B323	Oil	PH400	140-0495	Air	LAF73	DL3		
				Hydraulic	LFP1652		Air	LAF2745A
				Oil	P3			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 14-Extended Life 182-Contains 2 oz. of chemical 275-Primary 606-6" x 3" 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ONAN (GENERATOR)			ONAN (GENERATOR)			ONAN (GENERATOR)		
<i>DL3 (cont'd)</i>			<i>HDKAJ w/7500 Quiet Diesel Engine</i>			<i>NHE, NHEL</i>		
149-1759	Fuel	LFF1005	1492513	Fuel	FP888		Oil	PH400
	Oil	PH561	1220833	Oil	PH2808	<i>NHL</i>		
<i>DLS</i>			<i>HDKAK w/8000 Quiet Diesel Engine</i>				Oil	PH400
140-0495	Air	LAF73	1492513	Fuel	FP888	<i>Pro 6000 E w/Elite 140 Engine</i>		
<i>DMDJC</i>			1220833	Oil	PH2808	122-0737	Oil	PH2840
Pri. (122-B326); Sec.	Fuel	LFF3536 LFF3540	<i>HDKBA w/5500 Quiet Diesel Engine</i>			<i>Quiet Diesel HDKCD w/Kubote D1703M Engine</i>		
	Oil	P3 PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	1492513	Fuel	FP888	1403071	Air	LAF8388 ²
122-0185			1857444	Oil	PH2876	1492513	Fuel	FP888
			<i>JA, JB, JC</i>			1220893	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
			122-0185	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>RDJC</i>		
<i>EK 25, 30 w/Ford CSG-6491 Engine</i>			<i>JC</i>			Pri.	Fuel	LFF3536
140-1089	Air	AF5HD		Air	LAF1275	122-B185	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
122-0193	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>RV QG 5500 w/Onan EH65V Engine</i>		
122-0193			<i>Marquis 5000</i>				Air	LAF8388
<i>EM 37.5, 40 w/Ford CSG-6491 Engine</i>			140-2379	Air	LAF1909 ²		Oil	PH2875
140-1089	Air	AF5HD	122-0645	Oil	PH2835	<i>RV QG 7000 w/Onan EH65V Engine</i>		
122-0193	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>Marquis 6500, 7000</i>				Air	LAF8388
122-0193			140-2379	Air	LAF1909 ²		Oil	PH2875
<i>Emerald Advantage HGJAA, HGJAB, HGJAC w/Onan EH65V Engine</i>			122-0800	Oil	PH400	<i>RV QG Marquis Gold HGJAA</i>		
1403116	Air	LAF1483	<i>MCCK</i>			1403116	Air	LAF1483
1220836	Oil	PH2875	122-0323	Oil	PH400	1220836	Oil	PH2875
<i>Emerald I</i>			<i>MDJA, MDJB, MDJC, MDJE, MDJF</i>			<i>SK 25, 30 w/Chrysler HB-225 Engine</i>		
140-2379	Air	LAF1909 ²	(149-0428); Sec. (122-0325); Pri.	Fuel	261F LFF3536	140-1089	Air	AF5HD
122-0645	Oil	PH2835	122-0185	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	122-0193	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>Emerald III</i>			<i>MDKC, MDKD</i>			OSHKOSH (OFF HIGHWAY TRUCK)		
140-2379	Air	LAF1909 ²	<i>MDL3, MDL4</i>			<i>HT2723 (w/Caterpillar C13 Engine)</i>		
122-0800	Oil	PH400	149-1758	Fuel	LFF1005	1R0749 (R90P); W/S R90P R90P (R90P); W/S	Fuel	LFF2749 ²⁰ LFF5766 LFF5849U ⁶⁴⁹ LFF8038 ⁶³ LFF8064
<i>Emerald Plus 4000, 5000</i>			<i>MDL6</i>			1R0716 1R1808	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
140-2379	Air	LAF1909 ²	149-1802	Fuel	LFF1129	29540493	Trans	LH4589G ²³ LH4591G ²²
122-0645	Oil	PH2835	<i>MDTA</i>			<i>Models with Vickers hydraulic system</i>		
<i>Emerald Plus 6300, 6500</i>			140-0765	Air	LAF1275 ^{2, 12}	228467	Hydraulic	LH4914
140-2379	Air	LAF1909 ²	<i>MJA, MJB, MJC</i>			<i>S Series (w/Caterpillar C10 Engine)</i>		
122-0800	Oil	PH400	122-0325	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	1R0749	Fuel	LFF2749 ²⁰
<i>EN 50, 55, 60, 65, 70 w/Ford LSG-875-6005A Engine</i>			<i>NH, NHD, NHD, NHE, NHEL, NHM Emerald series</i>			1R0716 1R1808	Oil	LFP4005 LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
140-1089	Air	AF5HD	140-2379	Air	LAF1909 ²	29540494 29540493	Trans	LH4582G ²⁴ LH4589G ²³ LH4591G ²²
122-0193	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	1492333	Fuel	LFF3676	<i>S Series (w/Cummins ISM Engine)</i>		
122-0193			122-0800	Oil	PH400	(3406889); W/S 3800394	Fuel	LFF1003 ²⁰⁹ LFF1022
<i>ENT 56, 75 w/Ford LSG-875-6005A Engine</i>			<i>NHDFD w/Onan P224 Engine</i>					
140-1089	Air	AF5HD	1402379	Air	LAF1909 ²			
122-0193	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	1491353	Fuel	G16 LFF3676			
122-0193			1492333					
<i>ENTX 80, 100 w/Ford LSG-875-6005A Engine</i>			1220836	Oil	PH2875			
140-1089	Air	AF5HD						
140-0765	Air	LAF1275 ²						
122-0193	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶						
122-0193								
<i>HDKAH w/6000 Quiet Diesel Engine</i>								
1492513	Fuel	FP888						
1220833	Oil	PH2808						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 63-9/16" Thread Sensor Port 209-Square sensor port 275-Primary 599-High capacity 649-1/2" Thread Sensor Port 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
OSHKOSH (OFF HIGHWAY TRUCK)			OWATONNA (SWATHERS & WINDROWERS)			PEL-JOB (EQUIPMENT)		
<i>S Series (w/Cummins ISM Engine) (cont'd)</i>			<i>35 w/Ford Engine</i>			<i>EB10, EB11, EB12, EB14</i>		
LF9080	Oil	LFP9001 ²⁵⁰	C5NN-6714-B	Oil	LFP2258	E7410157	Air	LAF2745A ²
LF9080		LFP9001XL ^{14, 250}	<i>81, 92 w/Ford 172cid Engine</i>			E7410170	Fuel	G2932
29540496	Trans	LH4582G ²⁴	P101275	Air	LAF1275 ²	E7410062	Oil	PH2867
		LH4591G ²²	C5NN-6714-B	Oil	LFP2258	<i>EB12.4, EB16.4</i>		
<i>S Series (w/Caterpillar C12 Engine)</i>			<i>81, 92 w/Wisconsin V461D Engine</i>			E7410157	Air	LAF2745A ²
1R0749	Fuel	LFF2749 ²⁰	RV-38	Oil	LFP2255	E7410170	Fuel	G2932
1R0716	Oil	LFP4005	PACIFIC DIESEL CO. (GENERATOR)			E7410062	Oil	PH2867
1R1808		LFP4005RN ⁵⁹⁹	<i>30KW w/John Deere 4219 Diesel Engine</i>			<i>EB150SRS w/Mitsubishi L3E Engine</i>		
		LFP4005TRT ³	P101275	Air	LAF1275 ²	6644988	Air	LAF1720 ¹
		LFP4005XL ¹⁴	AR50041	Fuel	P1130	4780961		LAF2052 ²
29540494	Trans	LH4582G ²⁴	T19044	Oil	FP20	4787923	Hydraulic	LFH8593
29540493		LH4589G ²³	<i>35KW, 45KW w/John Deere 4239 Diesel Engine</i>				Oil	PH2867
		LH4591G ²²	AR50041	Fuel	P1130	<i>EB25.4, EB30.4, EB30.6, EB40.6</i>		
<i>S Series (w/Cummins M11 Engine)</i>			T19044	Oil	FP20	E7415256	Air	LAF8147 ²
WF2071	Coolant	LFW4071 ²⁸	<i>40KW, 50 KW w/John Deere 4276 Diesel Engine</i>			E7410170	Fuel	G2932
(FS1000); W/S	Fuel	LFF1000	AR50041	Fuel	P1130	E7410062	Oil	PH2867
W/S		LFF8020	T19044	Oil	FP20	<i>EB50.6, EB50.6C</i>		
LF3000	Oil	LFP3000	<i>60KW, 75KW w/John Deere 6414 Diesel Engine</i>			E6050036	Air	LAF1275 ²
		LFP3000XL ¹⁴	AR50041	Fuel	P1130	E741369300	Fuel	LFF4295
<i>Striker (w/Caterpillar C16 Engine)</i>			T19044	Oil	FP20	E7413694	Oil	LFP2221
1R0749	Fuel	LFF2749 ²⁰	AR50041	Fuel	P1130	SIRUS +		
1R0716	Oil	LFP4005	T19044	Oil	FP20	E7410157	Air	LAF2745A ²
1R1808		LFP4005RN ⁵⁹⁹	PALFINGER (LIFT TRUCK)			E7410170	Fuel	G2932
		LFP4005TRT ³	<i>CR50 w/ Duetz F4L2011 engine</i>			4787923	Hydraulic	LFH8593
		LFP4005XL ¹⁴		Air	LAF8148	E7410062	Oil	PH2867
29540494	Trans	LH4582G ²⁴		Fuel	G5/16CP ¹⁰⁹⁶	PIXALL (COMBINE)		
29540493		LH4589G ²³		Oil	LFF3518	<i>DB18 Cornstalker w/John Deere 6076 Engine</i>		
		LH4591G ²²		Oil	PH2816		Fuel	LFF1129
OWATONNA (SWATHERS & WINDROWERS)			PARSONS (TRENCHER INDUSTRIAL)				Hydraulic	LFP1652
<i>260</i>			<i>T130 Trencher w/Honda GX390 Engine</i>				Oil	PH720
	Air	LAF222 ²		Hydraulic	LFP1652	POCLAIN (EXCAVATOR)		
P112671		LAF2671	<i>T20 Trencher w/Honda GX620 Engine</i>			<i>1000 Series A w/2X Cummins KT1150-C450 Engine</i>		
<i>265 w/Ford 200cid Engine</i>				Hydraulic	LFH4955	G08505-69	Air	LAF9085 ¹
	Air	LAF222 ²	<i>T20 Trencher w/Kohler 20 hp Engine</i>			F08505-68		LAF9086 ²
<i>270 w/Ford 200cid Engine</i>				Oil	PH2835			LAF9086MXM ^{2, 268}
C4AZ-9365-A	Fuel	G6	<i>T500 w/John Deere 3164D Engine</i>			<i>1000 Series A w/2X Deutz BF12L413F Engine</i>		
C1AZ-6731-A	Oil	PH400 ²⁷⁵		Air	LAF222 ²	G08505-69	Air	LAF9085 ¹
C1AZ-6731-A		PH8A ¹⁴⁹⁶		Hydraulic	LFP1652	F08505-68		LAF9086 ²
<i>270 w/Gasoline Engine</i>			<i>T750 Trencher w/John Deere 4039 Engine</i>					LAF9086MXM ^{2, 268}
	Air	LAF1275 ²	<i>T750 Trencher w/John Deere 4219 Engine</i>			<i>115CL, 115P, 160CL, 160P w/Deutz BF6L913 Engine</i>		
<i>275 w/Diesel Engine</i>				Air	LAF222 ²	Z08505-62	Air	LAF6587 ²
	Air	LAF222 ²	<i>T80 Trencher w/Wisconsin Robin EY27W Engine</i>					LAF6587MXM ^{2, 268}
<i>275 w/Ford Gasoline Engine</i>				Hydraulic	LFP1652	X08505-61		LAF6834 ¹
	Air	LAF1275 ²	PEERLESS (LOADER)			L08505-50		LAF8513 ¹
	Hydraulic	LFH4209	<i>357, 2170B, 2770 w/Cummins Engine</i>			M08505-51		LAF9200 ²
<i>280, 281, 282 w/Diesel Engine</i>			300548601	Hydraulic	LH5007	N02505-74	Hydraulic	LH8094
	Air	LAF222 ²	300547101		PH400 ²⁷⁵	Z01505-80		LH8245
<i>280, 281, 282, 285 w/Gasoline Engine</i>			300547101		PH8A ¹⁴⁹⁶	<i>125 Series B w/Deutz Engine</i>		
	Air	LAF222 ²	<i>357, 2170B, 2770 w/John Deere Engine</i>			Z08505-62	Air	LAF6587 ²
<i>285 w/Perkins 4-236 Engine</i>			300548601	Hydraulic	LH5007			LAF6587MXM ^{2, 268}
P101222	Air	LAF222 ²	300547101		PH400 ²⁷⁵	X08505-61		LAF6834 ¹
26560017	Fuel	L296F ⁴¹	300547101		PH8A ¹⁴⁹⁶	L08505-50		LAF8513 ¹
2654407	Oil	LFP2292						
2654403		PH4403						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 41-Cartridge 250-11.9" Hgt. 268-Extended/Severe service 275-Primary 599-High capacity 1096-Clear Plastic 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
POCLAIN (EXCAVATOR)			POCLAIN (EXCAVATOR)			POCLAIN (EXCAVATOR)		
<i>125 Series B w/Deutz Engine (cont'd)</i>			<i>600, 600CK, 600CL w/2X Deutz F12L413 Engine</i>			<i>81 w/BF4L913 Engine</i>		
M08505-51	Air	LAF9200 ²	G08505-69	Air	LAF9085 ¹		Air	LAF8583 ²
N02505-74	Hydraulic	LH8094	F08505-68		LAF9086 ²			LAF9410 ¹
<i>125P, 125CK, 160CK, Series B</i>			<i>600CK w/2X Cummins NT855-C310 Engine</i>			<i>81Ck w/Cummins 4BT3.9 Engine</i>		
Z08505-62	Air	LAF6587 ² LAF6587MXM ^{2, 268}	G08505-69	Air	LAF9085 ¹		Air	LAF8583 ²
X08505-61		LAF6834 ¹	F08505-68		LAF9086 ²			LAF9410 ¹
G01505-64	Fuel	FP586F			LAF9086MXM ^{2, 268}	<i>85 Series B w/Deutz F5L912 Engine</i>		
Z01505-80	Hydraulic	LH8245	V13505-79	Coolant	LFW4744 ⁴	S08505-10	Air	LAF1544 ²
D08505-89	Oil	LFP8590	<i>60CL, 60C, 60P w/Deutz F4L912 Engine</i>			V04505-43		LAF3714 ²
<i>160CL, 160P w/Deutz BF6L913 Engine</i>			E02505-67	Air	LAF1722 ²	H10105-78		LAF8674 ¹
Z08505-62	Air	LAF6587 ² LAF6587MXM ^{2, 268}	E02505-66		LAF1723 ¹	V02505-81		LAF9410 ¹
X08505-61		LAF6834 ¹	H08505-01		LAF1725 ¹	N02505-74	Hydraulic	LH8094
L08505-50		LAF8513 ¹	Q02505-99		LAF9001 ²	Z0150580		LH8245
M08505-51		LAF9200 ²	R10505-86	Hydraulic	LH8532	R10505-86		LH8532
N02505-74	Hydraulic	LH8094	<i>60PL, 60CK, 70CK, Series B w/Deutz F4L912 Engine</i>			<i>90 ALT, 90 STD</i>		
Z0-150580		LH8245	H08505-01	Air	LAF1725 ¹	V04505-43	Air	LAF3714 ²
<i>170 Series B</i>			ARM1200-22		LAF9001 ²	H10505-78		LAF8674
M08505-51	Air	LAF9200	G01505-64	Fuel	FP586F	<i>90 Series A, 90 Series B w/Deutz F6L912 Engine</i>		
B10505-95	Fuel	LFF8092	R10105-86	Hydraulic	LH8532	S08505-10	Air	LAF1544 ²
<i>170CK w/Deutz 86L513R Engine</i>			E02432-52	Oil	PH2819	W04505-44		LAF8674 ¹
L0850550	Air	LAF8513 ¹	<i>610 Series B w/2X Deutz Engine</i>			V02505-81		LAF9410 ¹
M0850551		LAF9200 ²	G08505-69	Air	LAF9085 ¹	Z08505-62	Air	LAF6587 ²
B1050595	Fuel	LFF8092	F08505-68		LAF9086 ²			LAF6587MXM ^{2, 268}
N0250574	Hydraulic	LH8094			LAF9086MXM ^{2, 268}	X08505-61		LAF6834 ¹
R1350575	Oil	LFP2222	R13505-75	Oil	LFP2222	L08505-50		LAF8513 ¹
<i>220, 220CK w/Deutz F10L413 Engine</i>			<i>70 Series B w/Deutz F4L912 Engine</i>			M08505-51		LAF9200 ²
G08505-69	Air	LAF9085 ¹	F02505-67	Air	LAF1722 ²	<i>90CK, 90CL, 90P w/Deutz F5L912, F6L912 Engine</i>		
E08505-68		LAF9086 ²	E02505-66		LAF1723 ¹	S08505-10	Air	LAF1544 ²
		LAF9086MXM ^{2, 268}	H08505-01		LAF1725 ¹	V04505-43		LAF3714 ²
<i>220CL, 220R w/Deutz Engine</i>			Q02505-99		LAF9001 ²	H10105-78		LAF8674 ¹
N02505-74	Hydraulic	LH8094	N02505-74	Hydraulic	LH8094	V02505-81		LAF9410 ¹
<i>300 Series A w/Deutz F10L413 Engine</i>			R10505-86		LH8532	N02505-74	Hydraulic	LH8094
G08505-69	Air	LAF9085 ¹	<i>75 Series A, 75 Series B w/Deutz F5L912 Engine</i>			<i>E w/General Motors Engine</i>		
F08505-68		LAF9086 ²	S08505-10	Air	LAF1544 ²	M08505-28	Air	LAF6632 ²
		LAF9086MXM ^{2, 268}	W04505-44		LAF8674 ¹			LAF6632MXM ^{2, 268}
<i>300 Series A w/Deutz F12L413 Engine</i>			V02505-81		LAF9410 ¹	N08505-29		LAF6641 ¹
G08505-69	Air	LAF9085 ¹	<i>75CL, 75P w/Deutz F5L912, F6L912 Engine</i>			X08505-38		LAF9155 ²
F08505-68		LAF9086 ²	S08505-10	Air	LAF1544 ²			LAF9155MXM ^{2, 268}
		LAF9086MXM ^{2, 268}	V04505-43		LAF3714 ²	Z08505-39		LAF9159 ¹
Z01505-80	Hydraulic	LH8245	H10105-78		LAF8674 ¹	<i>FC30, FY30 w/Deutz F6L514 Engine</i>		
<i>350 Series B w/Deutz BF10L413F Engine</i>			V02505-81		LAF9410 ¹		Hydraulic	P4
G08505-69	Air	LAF9085 ¹	N02505-74	Hydraulic	LH8094	<i>H w/Deutz Engine</i>		
F08505-68		LAF9086 ²	Z01505-80		LH8245	D01505-61	Air	LAF234HD ²
		LAF9086MXM ^{2, 268}	<i>75CL, 75P, 85 Series B w/Deutz F6L912 Engine</i>			G08505-69		LAF9085 ¹
Z01505-80	Hydraulic	LH8245		Air	LAF1544 ²	F08505-68		LAF9086 ²
<i>400, 400CK, 400CL, 400CX w/Deutz BF12L413 Engine</i>					LAF1712			LAF9086MXM ^{2, 268}
E10505-06	Air	LAF1816 ¹			LAF1725 ¹	G01505-64	Fuel	FP586F
F10505-07		LAF1818 ²			LAF3714 ²	R13505-75	Oil	LFP2222
		LAF1818MXM ^{2, 268}			LAF8674 ¹	<i>H w/General Motors Engine</i>		
Z01505-80	Hydraulic	LH8245		Hydraulic	LH8094	Q01505-49	Air	LAF237 ²
					LH8245	X08505-38		LAF9155 ²
					LH8532			LAF9155MXM ^{2, 268}
						Z08505-39		LAF9159 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 4-Maintenance 1 oz. chemical 268-Extended/Severe service

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
POCLAIN (EXCAVATOR)			POCLAIN (EXCAVATOR)			POCLAIN (EXCAVATOR)		
<i>HC300, EC1000 w/Detroit Diesel 8V-71N Engine</i>			<i>R200, RC200, RC200L w/Deutz F6L413 Engine</i>			<i>S150, SC150, SC150K, SC150L w/Deutz F6L912 Engine (cont'd)</i>		
M08505-28	Air	LAF6632 ² LAF6632MXM ^{2, 268}	08505-1	Air	LAF1725 ¹ LAF9001 ²	K08505-61	Air	LAF6834 ¹
N08505-29		LAF6641 ¹	N02505-74	Hydraulic	LH8094	L08505-50		LAF8513 ¹
X08505-38		LAF9155 ²	Z01505-80		LH8545	Q02505-99		LAF9001 ²
		LAF9155MXM ^{2, 268}	RM2			M08505-51		LAF9200 ²
Z08505-39		LAF9159 ¹	L08505-50	Air	LAF1725 ¹	N02505-74	Hydraulic	LH8094
L w/Agrom Engine			L08505-50		LAF8513 ¹	Z01505-80		LH8245
F01505-40	Air	LAF1246 ²	M08505-51		LAF9200 ²	SCM1, SCM2		
W01432-87	Fuel	L296F ⁴¹	S150, SC150, SC150K, SC150L w/Deutz BF6L913 Engine			H08305-01	Air	LAF1725 ¹
L w/Deutz Engine			F08505-45	Air	LAF1720 ¹	Z08505-62		LAF6587 ²
F01505-40	Air	LAF1246 ²	H08305-01		LAF1725 ¹			LAF6587MXM ^{2, 268}
G01505-64	Fuel	FP586F	G02505-91		LAF2052 ²	K08505-61		LAF6834 ¹
R13505-75	Oil	LFP2222	Z08505-62		LAF6587 ²	Q02505-99		LAF9001 ²
LCL w/Deutz F6L912 Engine					LAF6587MXM ^{2, 268}	M08505-51		LAF9200
V02505-81	Air	LAF9410 ¹	K08505-61		LAF6834 ¹	SY30		
LY2P w/Deutz F5L912 Engine			L08505-50		LAF8513 ¹		Fuel	L3405F ¹⁰⁸
V02505-81	Air	LAF9410 ¹	Q02505-99		LAF9001 ²	8888-622		LFF3507
G01505-64	Fuel	FP586F	M08505-51		LAF9200 ²	8888-529	Oil	LP2210
K01505-21	Oil	LFP2222	N02505-74	Hydraulic	LH8094	TC, TY44, TY44E, TY44S w/Deutz F4L812D Engine		
LY2P w/Deutz F6L812 Engine			Z01505-80		LH8245	F02505-67	Air	LAF1722 ²
V02505-81	Air	LAF9410 ¹	S150, SC150, SC150K, SC150L w/Deutz F5L912 Engine			E02505-66		LAF1723 ¹
G01505-64	Fuel	FP586F	F08505-45	Air	LAF1720 ¹	Z01505-80	Hydraulic	LH8245
K01505-21	Oil	LFP2222	H08305-01		LAF1725 ¹	TC45, TC45S, TC45STY, TP45, TY45		
LY2P w/Deutz F6L912 Engine			G02505-91		LAF2052 ²	F02505-67	Air	LAF1722 ²
V02505-81	Air	LAF9410 ¹	Z08505-62		LAF6587 ²	E02505-66		LAF1723 ¹
G01505-64	Fuel	FP586F			LAF6587MXM ^{2, 268}	TCB, TCS, TYS w/Deutz F3L912 Engine		
K01505-21	Oil	LFP2222	K08505-61		LAF6834 ¹	F02505-67	Air	LAF1722 ²
LY2P, LC80, LY80 w/Agrom 6R316 Engine			L08505-50		LAF8513 ¹	E02505-66		LAF1723 ¹
F01505-40	Air	LAF1246 ²	Q02505-99		LAF9001 ²	N02505-74	Hydraulic	LH8094
	Oil	LP2210	M08505-51		LAF9200 ²	Z01505-80		LH8245
MC, M1, M2			N02505-74	Hydraulic	LH8094	TCB, TCS, TYS w/Deutz F4L812D Engine		
S08505-10	Air	LAF1544 ²	Z01505-80		LH8245	F02505-67	Air	LAF1722 ²
F02505-90		LAF1712 ²	S150, SC150, SC150K, SC150L w/Deutz F6L812 Engine			E02505-66		LAF1723 ¹
F08505-46		LAF1713 ¹	F08505-45	Air	LAF1720 ¹	N02505-74	Hydraulic	LH8094
H08505-01		LAF1725 ¹	H08305-01		LAF1725 ¹	Z01505-80		LH8245
MC100, MC100L w/Deutz F5L912 Engine			G02505-91		LAF2052 ²	TY2P, TC45A, TCS, TYS w/Agrom 4R316 Engine		
S08505-10	Air	LAF1544 ²	Z08505-62		LAF6587 ²	E02505-67	Air	LAF1722 ²
F02505-90		LAF1712 ²			LAF6587MXM ^{2, 268}	E02505-66		LAF1723 ¹
H08505-01		LAF1725 ¹	K08505-61		LAF6834 ¹	G01505-64	Fuel	FP586F
V02505-81		LAF9410 ¹	L08505-50		LAF8513 ¹		Oil	LP2210
MC100, MC100L w/Deutz F6L912 Engine			Q02505-99		LAF9001 ²	E02432-52		PH2819
	Air	LAF1544 ²	M08505-51		LAF9200 ²	TY30, TY45 w/Deutz F4L712 Engine		
		LAF3714 ²	N02505-74	Hydraulic	LH8094	F02505-67	Air	LAF1722 ²
		LAF8674 ¹	Z01505-80		LH8245	E02505-66		LAF1723 ¹
		LAF9410 ¹	S150, SC150, SC150K, SC150L w/Deutz F6L912 Engine			TY45 w/Deutz F4L812D Engine		
	Hydraulic	LH8094	F08505-45	Air	LAF1720 ¹	F02505-67	Air	LAF1722 ²
		LH8245	H08305-01		LAF1725 ¹	E02505-66		LAF1723 ¹
Premier, Vista			G02505-91		LAF2052 ²	POLARIS (LOADER)		
L08505-50	Air	LAF8513 ¹	Z08505-62		LAF6587 ²	ASL300 w/Caterpillar 3013 Engine		
G01505-64	Fuel	FP586F			LAF6587MXM ^{2, 268}	P821575	Air	LAF8195 ²
B10505-95		LFF8092	F08505-45	Air	LAF1720 ¹	P822858		LAF8690 ¹
Z01505-80	Hydraulic	LH8245	H08305-01		LAF1725 ¹	150-4140	Oil	LFP2253
		P52	G02505-91		LAF2052 ²			
D08505-89	Oil	LFP8590	Z08505-62		LAF6587 ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 41-Cartridge 108-Eco-Finer 268-Extended/Severe service

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
POSI-TRACK (SKID STEER LOADER)			PRENTICE (LOADER)			PRENTICE (LOGGING EQUIPMENT)		
<i>4500, 4520 w/John Deere 4045 Engine</i>			<i>240C w/Cummins 5.9 Engine (cont'd)</i>			<i>2290, 2390 Feller Buncher w/Caterpillar C9 Acert Engine</i>		
P182059	Air	LAF1544 ²	Pri.	Fuel	LFF3417			
P18052		LAF222 ²	Sec.		LFF3521	1421339	Air	LAF8669 ²
P828889		LAF4544 ²		Oil	LFP780	1421404		LAF8670 ¹
P829333		LAF4545 ¹			LFP780XL ¹⁴	1127448	Cabin Air	LAF8777
P119410		LAF9410	<i>630FB Feller Buncher w/Cummins 6CT 8.3 Engine</i>			(1R0762); Sec.	Fuel	LFF5804 ²⁰
FD7926	Base	LMB6926 ⁹⁴³	Pri.	Fuel	LFF3417	(3261644); Pri.		LFF6771SC
(138-3100); Pri.	Fuel	L3101F	Sec.		LFF3521	1R0792	Hydraulic	LFH4635
(159-6102); Sec.		L3102F		Oil	LFP2265	937521		LFH8217 ¹⁰⁷⁶
X13240015		LFF4295			LFP734	1261813		LFH9393 ¹¹⁸⁵
BF7925		LFF6925 ⁹⁴²	<i>ATL425 w/Cummins 6CT 8.3 Engine</i>			1R1808	Oil	LFP4005RN ⁵⁹⁹
FA57CC10	Hydraulic	LFH8740G	Pri.	Fuel	LFF3417			LFP4005TRT ³
2654407	Oil	LFP2292	Sec.		LFF3521			LFP4005XL ¹⁴
8944289310		PH2863B		Oil	LFP2265	<i>2391, 2491 Feller Bunchers w/Caterpillar C9 Acert Engine</i>		
7W2327		PH4403			LFP734			
<i>4810 w/Caterpillar 3054T Engine</i>			<i>ATL625, CR625 w/Cummins 8.3 Engine</i>			1421339	Air	LAF8669 ²
Pri.	Fuel	L3101F	Pri.	Fuel	LFF3417	1421404		LAF8670 ¹
Sec.		L3102F	Sec.		LFF3521	1127448	Cabin Air	LAF8777
	Oil	PH4403		Oil	LFP2265	(1R0762); Sec.	Fuel	LFF5804 ²⁰
<i>MD2810 w/Isuzu Engine</i>					LFP734	(3261644); Pri.		LFF6771SC
	Air	LAF1544	<i>CR410C, CRX410D, SPA410C, T410C, TMS410D w/Cummins 6BTA 5.9 Engine</i>			1R0792	Hydraulic	LFH4635
		LAF9410	Pri.	Fuel	LFF3417	937521		LFH8217 ¹⁰⁷⁶
	Fuel	LFF4295	Sec.		LFF3521	1261813		LFH9393 ¹¹⁸⁵
	Oil	PH2863B		Oil	LFP780	1R1808	Oil	LFP4005RN ⁵⁹⁹
<i>MD70 w/Isuzu 4JB1 Engine</i>					LFP780XL ¹⁴			LFP4005TRT ³
	Air	LAF222	<i>D100</i>			<i>2470C w/Caterpillar C6.6 Engine</i>		
	Fuel	LFF4295	Sec.	Fuel	261F	1421339	Air	LAF8669 ²
POWELL (HARVESTER)			Pri.		L274F	1421339		LAF8669MXM ^{2, 12, 599}
66				Oil	LP2279			
	Air	LAF222 ²	<i>D150 Loader w/Detroit Diesel Engine</i>			1421404		LAF8670 ¹
	Hydraulic	LFH4935	Sec.	Fuel	261F	25998229	Fuel	LFF5088 ²⁰
	Oil	LFP2258	Pri.		L274F	(3261643); Pri.		LFF6771 ¹⁷¹
POWELL (SPRAYERS)			K10	Hydraulic	LH4939	3416643	Hydraulic	LFH4972 ⁶¹⁰
<i>4500, 4520 w/John Deere 4045 Engine</i>				Oil	LP2279	1526902		LFH8417
P164384	Hydraulic	LFH4910	<i>D210 Loader w/Detroit Diesel D Engine</i>			2698325	Oil	LFP2698
POWER BOSS (SWEEPER INDUSTRIAL)				Air	LAF234HD ²	<i>2484C (w/Caterpillar C6.6 Acert Engine)</i>		
<i>TSS78HD</i>			Sec.	Fuel	261F	1421339	Air	LAF8669 ²
326483	Air	LAF1275 ²	Pri.		L274F	1421339		LAF8669MXM ^{2, 12, 599}
POWER TECH (GENERATOR)				Hydraulic	LP50910			
<i>PT-7CSi, PT-8CSi, PT-10CSi, PT-12CSi w/Caterpillar 3011 Engine</i>				Oil	LP2279	1421404		LAF8670 ¹
1504142	Fuel	LFF6965	<i>SPA210D, T210D, TMS210D w/Cummins 6BT 5.9 Engine</i>			25998229	Fuel	LFF5088 ²⁰
1504140	Oil	LFP2253	Pri.	Fuel	LFF3417	(3261643); Pri.		LFF6771 ¹⁷¹
POWER TRAC (EQUIPMENT)			Sec.		LFF3521	3416643	Hydraulic	LFH4972 ⁶¹⁰
<i>PT 1430 w/Deutz Engine</i>				Oil	LFP780	1526902		LFH8417 ¹¹³⁷
2339813	Air	LAF1733 ²			LFP780XL ¹⁴	2698325	Oil	LFP2698
K22001	Hydraulic	LFP1652	<i>T180D w/Cummins 4BT 3.9 Engine</i>			<i>2570C w/Caterpillar C7.1 Engine</i>		
PRENTICE (LOADER)			Pri.	Fuel	LFF3417	1421339	Air	LAF8669 ²
<i>210D Loader w/John Deere Diesel Engine</i>			Sec.		LFF3521	1421339		LAF8669MXM ^{2, 12, 599}
	Air	LAF234HD ²		Oil	LFP780	1421404		LAF8670 ¹
	Oil	FP20			LFP780XL ¹⁴	1526902	Hydraulic	LFH8417
<i>240C w/Cummins 5.9 Engine</i>			<i>T325 w/Cummins 6BT 5.9 Engine</i>			2698325	Oil	LFP2698
	Air	LAF1544 ²	Pri.	Fuel	LFF3417	1G8878	Trans	LFH4990
		LAF9410 ¹	Sec.		LFF3521	<i>2670C w/Caterpillar C7.1 Engine</i>		
				Oil	LFP780	1421339	Air	LAF8669 ²
					LFP780XL ¹⁴			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 171-With Sensor Port 599-High capacity 610-Charge Pump 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1076-Case Drain 1137-Pilot 1185-2" Threaded Pilot

P

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PRENTICE (LOGGING EQUIPMENT)			PRINCETON (LIFT TRUCK)			QUINCY (AIR COMPRESSOR)		
<i>2670C w/Caterpillar C7.1 Engine (cont'd)</i>			<i>PB65 w/Deutz F3L1011 or F4L1011 Engine</i>			<i>QS160G, QS160GS, QS160GU</i>		
1421339	Air	LAF8669MXM ^{2, 12, 599}	1402334	Air	LAF8114 ¹	21100	Air	LAF234HD ²
1421404		LAF8670 ¹	1348726	Sec.	LAF8143 ²	<i>QS175 w/John Deere 4219D Engine</i>		
1526902	Hydraulic	LFH8417		Fuel	261F	AR50041	Fuel	P1130
2698325	Oil	LFP2698		Oil	PH2816	T19044	Oil	FP20
1G8878	Trans	LFH4990	<i>PB65 w/Kubota V2003T Engine</i>			<i>QS250 w/Hercules G3400, D3400 Engine</i>		
<i>552 Series 2 Feller Buncher w/Caterpillar C9 Engine</i>			1402334	Air	LAF8114 ¹	Sec.	Fuel	261F
1421339	Air	LAF8669 ²	1348726	Sec.	LAF8143 ²	Pri.	Oil	L10F
1421404		LAF8670 ¹		Fuel	261F			LP38
1127448	Cabin Air	LAF8777		Oil	PH253 ¹⁴⁹⁶	<i>QS250D</i>		
(1R0762); Sec.	Fuel	LFF5804 ²⁰	<i>PB70 w/Caterpillar C3024CT Engine</i>			21097	Air	LAF237 ²
(3261644); Pri.		LFF6771SC	1402334	Air	LAF8114 ¹	(21368); Sec.	Fuel	L296F ⁴¹
1R0792	Hydraulic	LFH4635	1348726	Sec.	LAF8143 ²	(21367); Pri.		L3569F
937521		LFH8217 ¹⁰⁷⁶		Fuel	261F	<i>QS250G</i>		
1261813		LFH9393 ¹¹⁸⁵		Oil	PH2835	21097	Air	LAF237 ²
1R1808	Oil	LFP4005RN ⁵⁹⁹	<i>Z2-3 w/Kubota D1105 Engine</i>			<i>QS365D</i>		
		LFP4005TRT ³	Sec.	Fuel	261F		Oil	LP132 ^{148, 781}
		LFP4005XL ¹⁴		Oil	PH253 ¹⁴⁹⁶	<i>QS600 w/Detroit Diesel Engine</i>		
					PH2835 ²⁷⁵	20804	Air	LAF6769 ²
PRINCETON (LIFT TRUCK)			PRO-TEC (COMPACTOR ROLLER)					LAF6769MXM ^{2, 268}
<i>E2-3RVX w/Kubota V2003 Engine</i>			<i>Boxer 110 Roller w/Perkins 1004-40T Engine</i>			20803		LAF9373 ¹
1402334	Air	LAF8114 ¹	P777639	Air	LAF5932 ¹	Sec.	Fuel	261F ⁹⁷⁰
1348726		LAF8143 ²	P777638		LAF8149 ²	Sec.		262F ⁹⁷¹
Sec.	Fuel	261F		Fuel	L296F ⁴¹	Pri.		L274F ¹⁴⁵¹
	Oil	PH253 ¹⁴⁹⁶			LFF3504	Pri.		L552F ¹⁴⁵²
		PH2835 ²⁷⁵		Oil	PH4403		Oil	LP132 ⁷⁸¹
<i>PB40 w/Caterpillar 3013C Engine</i>			<i>Boxer 111, Boxer 114 w/Perkins 1006-60 Engine</i>			Eng.		LP132
Sec.	Fuel	261F	P777639	Air	LAF5932 ¹	<i>QS850 w/Detroit Diesel 6V-71N Engine</i>		
	Oil	PH2835	P777638		LAF8149 ²		Air	LAF4156 ¹
<i>PB50 w/Caterpillar 3024CT Engine</i>				Oil	LFP2292			LAF8133 ²
1402334	Air	LAF8114 ¹	<i>PR20, PR24 Road Star w/Perkins Engine</i>			(25014274); Pri.	Fuel	LFP815FN
1348726		LAF8143 ²	P777639	Air	LAF5932 ¹	Sec.		LFP816FN
Sec.	Fuel	261F	P777638		LAF8149 ²		Oil	LP132 ^{148, 781}
	Oil	PH2835		Fuel	LFF3504	<i>QS900D w/Detroit Diesel 8V-71 Engine</i>		
<i>PB50 w/Deutz F3L1011 Engine</i>				Oil	LFP2292	21098	Air	LAF1227 ²
1402334	Air	LAF8114 ¹	QUINCY (AIR COMPRESSOR)			21099		LAF727 ¹
1348726		LAF8143 ²	<i>QS1200D w/Detroit Diesel 12V-71 Engine</i>				Oil	LP132 ^{148, 781}
Sec.	Fuel	261F	21098	Air	LAF1227 ²	<i>T-10, T-60</i>		
	Oil	PH2816	21099		LAF727 ¹	110814	Oil	LFP2300
<i>PB50 w/Deutz F4L1011 Engine</i>				Oil	LP132 ⁷⁸¹	RACINE (HYDRAULIC SYSTEM)		
1402334	Air	LAF8114 ¹	Eng.		LP132	<i>Models with Racine OF-9A filter</i>		
1348726		LAF8143 ²	<i>QS160 w/Hercules D2300 Engine</i>				Hydraulic	LP6061
Sec.	Fuel	261F	Sec.	Fuel	261F	<i>Models with Racine OF-9B filter</i>		
	Oil	PH2816	Pri.		L10F		Hydraulic	LP6061
<i>PB50 w/Kubota V2003T Engine</i>			40-0000-401	Oil	LFP3411	<i>Models with Spin-on filter</i>		
1402334	Air	LAF8114 ¹			P7FF		Hydraulic	LP6005
1348726		LAF8143 ²	<i>QS160 w/Hercules G2300, D2300 Engine</i>			RACOR (FILTER HOUSING)		
Sec.	Fuel	261F	Sec.	Fuel	261F	<i>1000 FG</i>		
	Oil	PH253 ¹⁴⁹⁶	Pri.		L10F	2020PM	Fuel	L2020F-30
		PH2835 ²⁷⁵	40-0000-401	Oil	LFP3411	2020SM		L2020FN
<i>PB65 w/Caterpillar 3024CT Engine</i>					P7FF	<i>1000 FH</i>		
1402334	Air	LAF8114 ¹	<i>QS160D, QS160DS, QS160DU</i>			2020SM	Fuel	L2020FN
1348726		LAF8143 ²	21100	Air	LAF234HD ²	<i>120, 140 Series</i>		
Sec.	Fuel	261F	(21368); Sec.	Fuel	L296F ⁴¹	(R12P); Pri.	Fuel	LFF8677
	Oil	PH2835	(21367); Pri.		L3569F	<i>200 Series Spin-on</i>		
						(R24S); Model 220	Fuel	L3525F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 41-Cartridge 148-Engine

268-Extended/Severe service 275-Primary 599-High capacity 781-Compressor 970-3 3/4" Tall 971-7.8" Tall 1076-Case Drain 1185-2" Threaded Pilot

1451-5.75" O.D. 1452-8.25" Tall 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
RACOR (FILTER HOUSING)			RANGER (SKIDDER)			ROME (TRACTOR)		
<i>200 Series Spin-on (cont'd)</i>			<i>F665 w/Cummins 4BTA3.9 Engine (cont'd)</i>			<i>450C w/Cummins KT1150C Engine (cont'd)</i>		
(R26T); Model 225; W/S	Fuel	LFF8061	(1992366); Pri.	Fuel	LFF3417		Air	LAF9155MXM ^{2, 268}
W/S		LFF8061U ¹⁷¹	(1992367); Sec.		LFF3521	P114931		LAF9159 ¹
			12968480	Oil	LFP780	<i>475C w/Caterpillar 3408 Engine</i>		
<i>300 Series Spin-on</i>			<i>F666 w/Cummins 6BT5.9 Engine</i>					
(S3225P); Model 325; W/S	Fuel	LFF5849	2521683	Air	LAF7315 ¹	P117441	Air	LAF9155 ²
(S3226P); Model 330; W/S		LFF5850 ²⁴⁷	2521682		LAF9000 ²			LAF9155MXM ^{2, 268}
(S3226T); W/S		LFF5851 ⁵⁵³	(1992366); Pri.	Fuel	LFF3417	P114931		LAF9159 ¹
S3225T		LFF8041	(1992367); Sec.		LFF3521	SAME (TRACTOR)		
(R60S); Model 360; W/S		LFF8063	12968480	Oil	LFP780	<i>75, 85, 95 w/BF4M1012E Engine</i>		
(R90P); Model 390; W/S		LFF8064			LFP780XL ¹⁴	4252239	Oil	LP8700 ¹⁷⁵
(R90T); W/S		LFF8957 ¹³⁹	1992156	Trans	LFH4223	4252239	Oil	LP8700 ¹⁷⁵
					LFH4223XL ¹⁴	<i>95TB w/1000.4WT Euro 4 Engine</i>		
<i>400 Series Spin-on</i>			<i>F667 w/Cummins 6BTA5.9 Engine</i>					
(R60S); Model 460; W/S	Fuel	LFF8063	1991852	Air	LAF1787 ²	<i>Antares 110, Antares 130 w/1000.6A Engine</i>		
(R90P); Model 490; W/S		LFF8064	1991853		LAF1790 ¹	242493104	Air	LAF8583 ²
(R90T); W/S		LFF8957 ¹³⁹	(1992366); Pri.	Fuel	LFF3417	242491309		LAF9410 ¹
			(1992367); Sec.		LFF3521	243190601	Fuel	L296F ⁴¹
<i>4120 Series</i>			12968480	Oil	LFP780	4415540	Oil	LFP2258
(R120T); Pri.	Fuel	LFF8707	1992156	Trans	LFP780XL ¹⁴	<i>Antares 110, Antares 130 w/1000.6AT Engine</i>		
<i>500FG Series</i>			<i>F668 w/Cummins 6CTA8.3 Engine</i>					
(2010SM); W/S	Fuel	L2021F	12968382	Air	LAF6769 ²	242493104	Air	LAF8583 ²
<i>60 Series Spin-on</i>					LAF6769MXM ^{2, 268}	242491309		LAF9410 ¹
S3230P	Fuel	LFF8727	12968384		LAF9373 ¹	243190601	Fuel	L296F ⁴¹
<i>600 Series Spin-on</i>			(1992366); Pri.	Fuel	LFF3417	4415540	Oil	LFP2258
(R60S); Model 660; W/S	Fuel	LFF8063	(1992367); Sec.		LFF3521	<i>Argon 50 w/1053P Engine</i>		
(R90P); Model 690; W/S		LFF8064	1992235	Oil	LFP734	242492803	Air	LAF3714 ²
(R90T); W/S		LFF8957 ¹³⁹	1992156	Trans	LFH4223	242492801		LAF8674 ¹
					LFH4223XL ¹⁴	243190601	Fuel	L296F ⁴¹
<i>6400, 6401 Series Spin-on</i>			READ (SCREENER)			WK842/2		LFF3504
(S3226P); W/S	Fuel	LFF5850 ²⁴⁷	<i>RD-25B, RD-40B w/Lister TX2 Engine</i>			W1130	Oil	LFP2258
(S3226T); W/S		LFF5851 ⁵⁵³	12233-003	Air	LAF909	<i>Argon 60 w/1000.3A Engine</i>		
<i>800 Series</i>			351-29760	Fuel	L296F ⁴¹	242493104	Air	LAF8583 ²
2020PM	Fuel	L2020F-30	201-55370	Oil	PH2835	242491309		LAF9410 ¹
2020SM		L2020FN	<i>RD-90B, RD-95B w/Lister TX3 Engine</i>			4415540	Oil	LFP2258
<i>900 FG</i>			12233-003	Air	LAF909	<i>Argon 60 w/1000.3AT Engine</i>		
(2040SM); W/S	Fuel	LFF2040	351-29760	Fuel	L296F ⁴¹	242493104	Air	LAF8583 ²
<i>900 FH</i>			201-55370	Oil	PH2835	242491309		LAF9410 ¹
2040SM	Fuel	LFF2040N	REDBALL (SPRAYERS)			4415540	Oil	LFP2258
<i>F, MF Series Spin-on</i>			<i>7830 Sprayer w/John Deere 6068 Engine</i>			<i>Argon 70</i>		
(S3204P); Pri.	Fuel	LFF8050	P777868	Air	LAF8150 ²	242493104	Air	LAF8583 ²
(S3201T); W/S		LFF9013	P777869		LAF8693 ¹	946870	Fuel	LFF3504
<i>FR, MFR Series Spin-on</i>			(RE522878); Sec.	Fuel	L8868F	244193400	Oil	LFP2238
(S3204P); Pri.	Fuel	LFF8050	Pri.		L8872F	<i>Ariete 137</i>		
(S3201T); W/S		LFF9013	CSG150A10A	Hydraulic	LFH5876	(00107807); Sec.	Fuel	L3405F ¹⁰⁸
RAMROD (EQUIPMENT)			RE504836	Oil	LFP4836	244190411	Oil	LP2225
<i>Taskmaster</i>			ROCKET (MIXER)			<i>Aster 60</i>		
K22001	Hydraulic	LFP1652	<i>10 Yard truck mounted</i>			242493601	Air	LAF6587 ²
RANGER (SKIDDER)			<i>S-58</i>					LAF6587MXM ^{2, 268}
<i>F665 w/Cummins 4BTA3.9 Engine</i>			ROME (TRACTOR)			243190601	Fuel	L296F ⁴¹
961001	Air	LAF1725 ¹	<i>450C w/Cummins KT1150C Engine</i>				Oil	LFP2258
961000		LAF9001 ²	P117441	Air	LAF9155 ²	<i>Aster 670 Turbo</i>		
						242493104	Air	LAF8583 ²
						242491307		LAF9410 ¹
							Oil	LFP2258

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 108-Eco-Finer 139-Bowl 171-With Sensor Port 175-6" Tall 247-30 Micron 268-Extended/Severe service 553-Requires sediment bowl

R

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
SAME (TRACTOR)			SAME (TRACTOR)			SAME (TRACTOR)		
<i>Aster 70</i>			<i>Condor 55 Synchro (cont'd)</i>			<i>Dorado 65DTA w/1003.A5 Engine (cont'd)</i>		
242493104	Air	LAF8583 ²	242490802	Air	LAF1735 ¹		Oil	LFP2258
242491307		LAF9410 ¹	242491901		LAF8659 ²	<i>Dorado 70DT w/1000.4A5 Engine</i>		
243190601	Fuel	L296F ⁴¹	243190601	Fuel	L296F ⁴¹		Fuel	L296F ⁴¹
244193400	Oil	LFP2238	04415540	Oil	LFP2258		Oil	LFP2258
<i>Atlanta, Samecar 42, Samecar 45</i>			<i>Condor C</i>			<i>Dorando 50, 60, 70</i>		
	Fuel	L3401F ¹⁰⁸	242491706	Air	LAF1734 ²	242493104	Air	LAF8583 ²
00314130		L60F	243190601	Fuel	L296F ⁴¹	242491309		LAF8674 ¹
00314120		LFF3403	04415540	Oil	LFP2258		Fuel	L296F ⁴¹
00277930	Oil	P771A	244191501		LFP2538		Oil	LFP2538
<i>Aurora 45</i>			<i>Corsaro 60, Corsaro 70</i>			<i>Drago 100</i>		
	Air	LAF8659 ²		Air	LAF1544 ¹⁴⁵³	242491308	Air	LAF1544 ²
243191601	Fuel	L296F ⁴¹	242490601		LAF1722 ²	242490601		LAF1722 ²
	Oil	LFP2538	242490702		LAF1723 ¹	242490702		LAF1723 ¹
<i>Aurora, Aurora Vigneto, Falcon</i>					LAF9410	242491309		LAF9410 ¹
	Fuel	L296F ⁴¹	243190601	Fuel	L296F ⁴¹	243190601	Fuel	L296F ⁴¹
<i>Buffalo 120</i>					LFF3501	244191701	Oil	LFP2230
242491302	Air	LAF9410 ¹	04415540	Oil	LFP2258	<i>Drago 120</i>		
243191601	Fuel	L296F ⁴¹	244191501		LFP2538	242491308	Air	LAF1544 ²
243191301		LFF3501	<i>Corsaro 70 Frutteto</i>			242491309		LAF9410 ¹
24419501	Oil	LFP2538	242491308	Air	LAF1544 ²	243191301	Fuel	LFF3501
<i>Buffalo 130, Buffalo 130 Export</i>			242491102		LAF1842 ²		Oil	LFP2238
242491308	Air	LAF1544 ²	242491307		LAF9410 ¹	4115560		LFP3411
242493104		LAF8583 ²	243190601	Fuel	L296F ⁴¹	<i>Explorer 55, Explorer 65</i>		
242491302		LAF9410 ¹	04415540	Oil	LFP2258	243190601	Fuel	L296F ⁴¹
243191301	Fuel	LFF3501	<i>Corsaro 70 Synchro, DT</i>			04415540	Oil	LFP2258
4115560	Oil	LFP3411	242490608	Air	LAF1722 ²	<i>Explorer 75, 80, 90 Turbo</i>		
<i>Centaurio 60, 65</i>			242491102		LAF1842 ²	242493104	Air	LAF8583 ²
242490608	Air	LAF1722 ²	243190601	Fuel	L296F ⁴¹	242491307		LAF9410 ¹
242490704		LAF1723 ¹	04415540	Oil	LFP2258	243190601	Fuel	L296F ⁴¹
242991901		LAF8659 ²	<i>DA13, DA17, DA25DT, DA30, DA38, DA38DT, DA47, DA55T, DA67, DA240, DA360, DA480</i>				Oil	LFP2238
243191601	Fuel	L296F ⁴¹	<i>Sec.</i>			(4415670); exc. 90		LFP2258
		L3401F ¹⁰⁸	<i>Delfino, Delfino Frutteto, Delfino Italia, Delfino</i>			Turbo		LFP3411
00314130		L60F	<i>Sirenetta, Delfino 32, Delfino 35 w/DA952 Engine</i>			(4115560); 90 Turbo		LFP3411
00314120		LFF3403	242490801	Air	LAF1734 ²	<i>Explorer 80 II, Explorer 80 SP</i>		
244191401	Oil	LFP2221	242490802		LAF1735 ¹	242493104	Air	LAF8583 ²
244191501		LFP2538	242490101		LAF2745A ²	242491307		LAF9410 ¹
002377930		P771A	242491901		LAF8659	243190601	Fuel	L296F ⁴¹
<i>Centaurio 70 Export</i>			243190601	Fuel	L296F ⁴¹	4415670	Oil	LFP2258
242491308	Air	LAF1544 ²	244191401	Oil	LFP2221	<i>Explorer 90 II</i>		
242491307		LAF9410 ¹	00277930		P771A	242493104	Air	LAF8583 ²
243190601	Fuel	L296F ⁴¹	<i>Diamond 230, 230DTA w/BF6M1013EC Engine</i>			243190601	Fuel	L296F ⁴¹
00415540	Oil	LFP2258	495mm	Air	LAF1718 ²	244193400	Oil	LFP2238
<i>Centaurio 70 Special</i>					LAF1719 ¹	<i>Explorer w/60DT Series 3 Engine</i>		
242491308	Air	LAF1544 ²		Fuel	FP586F	243190601	Fuel	L296F ⁴¹
242491307		LAF9410 ¹		Oil	LFP2222	04415540	Oil	LFP2258
243190601	Fuel	L296F ⁴¹	<i>Dinosauro, Elefante TS, TSA, W</i>			<i>Falcon, Falcon C</i>		
04415540	Oil	LFP2258	(00107807); Sec.	Fuel	L61F	242490801	Air	LAF1734 ²
<i>Centurion 75</i>			244190411	Oil	LP2225	242490802		LAF1735 ¹
242490601	Air	LAF1722 ²	<i>Dorado 60DT w/1003.A5 Engine</i>			242491901		LAF8659
242490702		LAF1723 ¹		Air	LAF8148 ²	243190601	Fuel	L296F ⁴¹
243190601	Fuel	L296F ⁴¹		Fuel	L296F ⁴¹	244191501	Oil	LFP2538
04415540	Oil	LFP2258		Oil	LFP2258	<i>Fox 35</i>		
<i>Chingolato</i>			<i>Dorado 65DTA w/1003.A5 Engine</i>			243190601	Fuel	L296F ⁴¹
242491901	Air	LAF8659		Air	LAF8148 ²	244191401	Oil	LFP2258
<i>Condor 55 Synchro</i>				Fuel	L296F ⁴¹	<i>Fox 55</i>		
242490801	Air	LAF1734 ²				243190601	Fuel	L296F ⁴¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 41-Cartridge 108-Eco-Finer 1453-Up to 8/81

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
SAME (TRACTOR)			SAME (TRACTOR)			SAME (TRACTOR)		
<i>Fox 55 (cont'd)</i>			<i>Leone 70, Leone 75 (cont'd)</i>			<i>Rock 55, Rock 60, Rock 70 w/W1000.3A Engine</i>		
04415540	Oil	LFP2258	277930	Oil	P771A	243190601	Fuel	L296F ⁴¹
<i>Frutteto II 60, 75, 85 w/Perkins Engine</i>			<i>Leopard 80, Leopard 85, Leopard 85 Export</i>			Oil		
	Fuel	L296F ⁴¹	242490601	Air	LAF1722 ²	<i>Row Crop 80, 85</i>		
	Oil	PH4403	242490702		LAF1723 ¹	242491101	Air	LAF1842 ²
<i>Galaxy 170</i>			243190601	Fuel	L296F ⁴¹	243190601	Fuel	L296F ⁴¹
242492803	Air	LAF3714 ²	04415540	Oil	LFP2258	04415540	Oil	LFP2258
242493802		LAF8663 ¹	<i>Leopard 90 Turbo</i>			<i>Rubin 120, Rubin 135, Rubin 150, Rubin 160, Rubin 180, Rubin 200</i>		
242493801		LAF8664 ²	242491300	Air	LAF1544 ²	Fuel		
242492801		LAF8674 ¹	242491309		LAF9410 ¹	LFF3504		
24391301	Fuel	LFF3501	243191301	Fuel	LFF3501	244193400	Oil	LFP2238
<i>Golden 60, 65, 75, 85 w/1003A Engine</i>			244193400	Oil	LFP2238	<i>Same 450V, VDT, Agricolo DT, Atlanta V, VDT</i>		
	Fuel	LFF3504	<i>Leopard C</i>			Sec.	Fuel	L60F
	Oil	LFP2258	243190601	Fuel	L296F ⁴¹	Sec.		LFP1101F
<i>Golden 60, 65, 75, 85 w/W1004A Engine</i>			04415540	Oil	LFP2258		Oil	P771A
	Fuel	LFF3504	<i>Mercury 85 Export/Special</i>			<i>Saturno 80, Saturno 80 Synchro</i>		
	Oil	LFP2258	243190601	Fuel	L296F ⁴¹	242491102	Air	LAF1842 ²
<i>Hercules 160, Hercules 160 Export</i>			04415540	Oil	LFP2258	243190601	Fuel	L296F ⁴¹
242492803	Air	LAF3714 ²	<i>Minitauro 55</i>			04415540	Oil	LFP2258
242492801		LAF8674 ¹		Fuel	L3401F ¹⁰⁸	<i>Silver 100.4</i>		
242491307		LAF9410 ¹	(0034130); Sec.		L60F	242493104	Air	LAF8583 ²
243191301	Fuel	LFF3501	(0034120); Pri.		LFF3403	242491307		LAF9410 ¹
<i>Italia 35</i>			24491501	Oil	LFP2538	<i>Silver 100.6</i>		
243190601	Fuel	L296F ⁴¹	<i>Minitauro 60 Synchro</i>			242493104	Air	LAF8583 ²
<i>Jaguar 95 EXP</i>			243190601	Fuel	L296F ⁴¹	242491307		LAF9410 ¹
242490704	Air	LAF1723 ¹	04415540	Oil	LFP2258	244193400	Oil	LFP2238
242491309		LAF9410 ¹	<i>Minitauro 60, Minitauro 60 Frutteto</i>			<i>Silver 110, Silver 130</i>		
243191301	Fuel	LFF3501	242490608	Air	LAF1722 ²		Fuel	LFF3504
04115530	Oil	LFP2238	242490704		LAF1723 ¹	244193400	Oil	LFP2238
<i>Jaguar 95, Jaguar 100</i>			242491706		LAF1734 ²	<i>Silver 80</i>		
242490608	Air	LAF1722 ²	242490504		LAF1735 ¹	242493104	Air	LAF8583 ²
(242491310); w/cover		LAF8583 ²	242491101		LAF1842 ²	242491309		LAF9410 ¹
242491309		LAF9410 ¹	243190601	Fuel	L296F ⁴¹	244193400	Oil	LFP2238
243191301	Fuel	LFF3501	244191501	Oil	LFP2538	<i>Silver 90</i>		
04115530	Oil	LFP2238	<i>Minitauro C</i>			242493104	Air	LAF8583 ²
<i>Laser 100, Laser 110, Laser 130</i>			242490601	Air	LAF1722 ²	242491309		LAF9410 ¹
242490301	Air	LAF1544 ²	243190601	Fuel	L296F ⁴¹	244193400	Oil	LFP2238
(242491310); w/cover		LAF8583 ²	244191501	Oil	LFP2538	<i>Silver 95 w/1000.4T Engine</i>		
242491302		LAF9410 ¹	<i>MT60</i>				Air	LAF4544 ²
243191301	Fuel	LFF3501	P124033	Air	LAF1842 ²		Fuel	LAF4545 ¹
04115530	Oil	LFP2238		Fuel	L296F ⁴¹		Oil	L296F ⁴¹
<i>Laser 150 w/1056 PS Engine</i>				Oil	HP1		Oil	LFP2258
242492803	Air	LAF3714 ²	<i>Panther 88</i>			<i>Sirenetta</i>		
242493802		LAF8663	242490601	Air	LAF1722 ²	242491706	Air	LAF1734 ²
242493801		LAF8664 ²	242490702		LAF1723 ¹	242490504		LAF1735 ¹
242492801		LAF8674 ¹	243190601	Fuel	L296F ⁴¹	242490101		LAF2745A ²
243191301	Fuel	LFF3501		Oil	LFP2238	242490501		LAF8659
<i>Laser 90, Laser 100, Laser 110</i>			4115560		LFP3411	243190601	Fuel	L296F ⁴¹
242491301	Air	LAF1544 ²	<i>Panther 90, Panther 95</i>			244191401	Oil	LFP2258
242491309		LAF9410 ¹	242491308	Air	LAF1544 ²	<i>Solar 50, Solar 55, Solar 60</i>		
243191301	Fuel	LFF3501	242491309		LAF9410 ¹	243190601	Fuel	L296F ⁴¹
<i>Leone 70, Leone 75</i>			243191301	Fuel	LFF3501	244193400	Oil	LFP2238
242491310	Air	LAF8583 ²		Oil	LFP2238	24491501		LFP2538
242491309		LAF9410 ¹	4115560		LFP3411	<i>Solaris 25, Solaris 35, Solaris 45 w/Mitsubishi Engine</i>		
24319061	Fuel	L296F ⁴¹	<i>Rock 55, Rock 60, Rock 70 w/L1000.4A Engine</i>			P108736	Air	LAF8626
314120		L60F	243190601	Fuel	L296F ⁴¹	242491901		LAF8659
244191501	Oil	LFP2538		Oil	LFP2258			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 41-Cartridge 108-Eco-Finer

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
SAME (TRACTOR)			SAMSUNG (EXCAVATOR)			SAMSUNG (WHEEL LOADER)		
Solaris 25, Solaris 35, Solaris 45 w/Mitsubishi Engine (cont'd)			SE130LC-2, SE130LCM-2, SE130W-2 w/Cummins 4BTA3.9C Engine			SL120-2, ST120-2 w/Cummins 6BT5.9C Engine		
	Oil	PH2867		Air	LAF8668 ² LAF8674 ¹	9912-45700	Air	LAF6587 ² LAF6587MXM ^{2, 268}
Taurus 60 Export				Pri.	LFF3417	9912-45800	Fuel	LFF3417
242491308	Air	LAF1544 ²		Sec.	LFF3521		Fuel	LFF3521
242490601		LAF1722 ²	1030-61460	Hydraulic	LH22019 ¹¹³⁷		Oil	LFP780 LFP780XL ¹⁴
242490702		LAF1723 ¹		Oil	LFP3900		Trans	LFH22007
243190601	Fuel	L296F ⁴¹	SE210LC-2, SE210W, SE210W-2 w/Cummins 6BT5.9C Engine			247052		
04415540	Oil	LFP2258		Air	LAF6587 ² LAF6587MXM ^{2, 268} LAF6834 ¹	SL150-2 w/Cummins 6BTA5.9 Engine		
Taurus C				Pri.	LFF3417	9912-45700	Air	LAF6587 ² LAF6587MXM ^{2, 268}
242490608	Air	LAF1722 ²		Sec.	LFF3521	9912-45800	Fuel	LFF3417
243190601	Fuel	L296F ⁴¹		Oil	LFP780 LFP780XL ¹⁴		Oil	LFP780 LFP780XL ¹⁴
4415670	Oil	LFP2258	SE280LC SE280LC-2 w/Cummins 6CT8.3 Engine			ZF0750131033	Trans	LFH8593
244191501		LFP2538		Air	LAF6587 ² LAF6587MXM ^{2, 268} LAF6834 ¹	SL180-2 w/Cummins 6CT8.3 Engine		
Tiger 100, Tiger Six 105, Tiger Six 105 Export				Pri.	LFF3417	9912-45700	Air	LAF6587 ² LAF6587MXM ^{2, 268}
242491308	Air	LAF1544 ²		Sec.	LFF3521	9912-45800	Fuel	LFF3417
242491309		LAF9410 ¹		Oil	LFP780 LFP780XL ¹⁴		Oil	LFP780 LFP780XL ¹⁴
243190601	Fuel	L296F ⁴¹	SE350LC, SE350LC-2 w/Cummins LTA-10 Engine			ZF0750131033	Trans	LFH8593
243191301		LFF3501		Air	LAF5518 ² LAF5518MXM ² LAF5526 ¹	SL250-2 w/Cummins LTA10 Engine		
Titan 145				Pri.	LFF3417	9912-45700	Air	LAF6587 ² LAF6587MXM ^{2, 268}
242492803	Air	LAF3714 ²		Sec.	LFF3521	9912-45800	Fuel	LFF3417
242492801		LAF8674 ¹		Oil	LFP3000 LFP3000XL ¹⁴ LFP734		Oil	LFP3000 LFP3000XL ¹⁴
243191301	Fuel	LFF3501	SE450LC, SE450LC-2 w/Cummins M11 Engine			ZF0750131033	Trans	LFH8593
4415540	Oil	LFP2258		Air	LAF5518 ² LAF5518MXM ² LAF5526 ¹	SL250-2 w/Cummins LTA10 Engine		
Toro, Toro V, AT, TS				Pri.	LFF5D	9912-45700	Fuel	LFF5D
(00314130); Sec.	Fuel	L3401F ¹⁰⁸ L60F LFF3403		W/S	LFF8020 ¹²		Oil	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴
(00314120); Pri.			SE450LC, SE450LC-2 w/Cummins M11 Engine				Oil	LFP222 ² LFP2252
00277930	Oil	P771A		By-Pass	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴	SANDERS (CONCRETE SAW INDUSTRIAL)		
Trident 130, Trident 130 Export				By-Pass	LFP777XL ¹⁴	SS3800 w/Wisconsin D41770 Engine		
243191301	Fuel	LFF3501		W/S	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴		Air	LAF1275 ²
	Oil	LFP2238 LFP3411		W/S	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴	RV25; By-Pass	Oil	LFP2271
Vigneron 35, Vigneron 45, Vigneron 50				By-Pass	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴	SS6500 w/Wisconsin D465D1 Engine		
242491706	Air	LAF1734 ²		W/S	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴		Air	LAF222 ²
242490501		LAF8659		W/S	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴		Oil	LFP2252
243190601	Fuel	L296F ⁴¹		By-Pass	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴	SATOH (TRACTOR)		
244191501	Oil	LFP2538 ¹⁹		By-Pass	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴	Beaver, Beaver III, Buck		
04415540		PH253 ^{18, 1496} PH2835 ^{18, 275}		By-Pass	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴	19700034000	Air	LAF2745A ²
Vigneron 60, 62, 70				W/S	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴		Fuel	L3523F
242491308	Air	LAF1544 ²		W/S	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴	KK-96-9540-000	Oil	PH2808
242491309		LAF9410 ¹		W/S	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴	Bison, Stallion		
243190601	Fuel	L296F ⁴¹		W/S	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴		Fuel	L3523F
04415540	Oil	LFP2258		W/S	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴		Oil	PH2808
SAMSUNG (CRAWLER DOZER)				By-Pass	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴	Bull		
SD250 w/Cummins LT10C Engine				By-Pass	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴		Air	LAF1275 ²
Pri.	Fuel	LFF5D LFF8020 ¹²		By-Pass	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴		Fuel	L3523F
W/S	Hydraulic	LH4912 ¹⁰⁷⁷		By-Pass	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴		Oil	PH2808
	Oil	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴		By-Pass	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴		Air	LAF1275 ²
By-Pass				By-Pass	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴		Fuel	L3523F
By-Pass				By-Pass	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴		Fuel	L3523F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 14-Extended Life 18-Short 19-Long 41-Cartridge 108-Eco-Finer 268-Extended/Severe service 275-Primary 1077-Hyd. Tank 1137-Pilot 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
SATOH (TRACTOR)			SELICK (LIFT TRUCK)			SKY TRAK (TELESCOPIC HANDLER)			
<i>Bull (cont'd)</i>			<i>SG50R w/Perkins 1004-42 Engine</i>			<i>10042 w/Cummins 4BT/4BTA Turbo Engine (cont'd)</i>			
KK-96-9540-000	Oil	PH2808	P119539	Air	LAF1784 ¹	8320265	Hydraulic	LH5571G	
<i>S-550GELK, S-650G Bison w/1300 Engine</i>			P182062		LAF9538 ²		Oil	LFP3900	
	Fuel	G1 ⁵³¹			LAF9538MXM ^{2, 268}	(1319726);		Trans	LFH8728
0140200	Oil	PH2865	32912001	Fuel	LFF3504	13642-18990			LFH8799
SCAT TRAK (LOADER)				Oil	LFP2292 ⁷⁷⁷	(10731926);			
<i>1050 Scat Trak w/Kubota Engine</i>					PH4403 ¹⁴⁵⁴	9909-13461			
	Air	LAF1275 ²	<i>SG60 w/Perkins Engine</i>			<i>10042 w/Cummins QSB4.5 Engine</i>			
	Fuel	FP590F		Air	LAF1784 ¹	1101313	Air	LAF9543 ¹	
	Oil	PH253 ¹⁴⁹⁶			LAF9538 ²	1101312		LAF9547 ²	
		PH2835 ²⁷⁵			LAF9538MXM ^{2, 268}	8320265	Hydraulic	LH5571G	
<i>1300 Scat Trak w/Kubota V1902B Engine</i>				Oil	PH4403		Oil	LFP3970 ²⁹	
	Fuel	FP590F	<i>TMF40</i>					LFP6015 ³¹⁰	
		L549F				1319726	Trans	LFH8728	
	Oil	LFP3411		Air	LAF22029 ²	<i>10054 (w/Cummins QSB3.3 Engine)</i>			
<i>1350 Scat Trak w/Kubota Engine</i>					LAF8195 ²	1101313	Air	LAF9543 ¹	
	Air	LAF222 ²	<i>TMF55 w/Deutz F3L1011 Engine</i>			1101312		LAF9547 ²	
	Fuel	FP570F		Fuel	LFF3518	8320265	Hydraulic	LH5571G	
	Oil	PH253 ¹⁴⁹⁶		Oil	PH561	8036204	Oil	PH2835 ⁶⁷⁷	
		PH2835 ²⁷⁵	SHIBAURA (TRACTOR)			8036204		PH2835M ³¹⁰	
<i>1650 Scat Trak w/Kubota Engine</i>			<i>SD1540B</i>			1319726	Trans	LFH8728	
P101222	Air	LAF222 ²	140516030	Oil	PH2865	<i>10054 w/Cummins 4BT3.9, 4BTA3.9 Turbo Engine</i>			
	Fuel	FP570F	<i>SD2200, SD2500, SD4000</i>			8273237	Air	LAF1544 ²	
	Oil	PH253 ¹⁴⁹⁶	140516010	Oil	PH2865	8273238		LAF9410 ¹	
		PH2835 ²⁷⁵	<i>SE1300, SE1340, SE1600, SE1640</i>			(8274022); 1599-9908	Fuel	L3523F	
<i>2150 Scat Trak w/Kubota Engine</i>			140516030	Oil	PH2865	1-1598; Pri.		LFF3417	
	Air	LAF222 ²	<i>SE2200, SE2240, SE4000, SE4040</i>			1-1598; Sec.		LFF3521	
	Fuel	FP570F	140516010	Oil	PH2865	(8320270); 1599-9908;		LFF8062	
	Oil	PH253 ¹⁴⁹⁶	<i>SE6300, SE6340, SE8300, SE8340</i>			W/S			
		PH2835 ²⁷⁵	130336070	Fuel	L296F ⁴¹	8320265	Hydraulic	LH5571G	
<i>850 Scat Trak w/Kubota Engine</i>			<i>SU1300, SU1341, SU1540</i>				Oil	LFP3900	
	Air	LAF1275 ²	140516030	Oil	PH2865	(1319726);	Trans	LFH8728	
	Fuel	FP590F	SIMON (AERIAL WORK PLATFORM)			13642-18990		LFH8799	
	Hydraulic	LFP1652	2515			(8320254);			
	Oil	PH2808		Hydraulic	LFP1652	9909-13461			
SELICK (LIFT TRUCK)			SKY TRAK (TELESCOPIC HANDLER)			<i>10054 w/Cummins QSB4.5 Engine</i>			
<i>FG50</i>			32/21			1101313	Air	LAF9543 ¹	
	Air	LAF1784 ¹		Hydraulic	LFP1652	1101312		LAF9547 ²	
		LAF9538 ²	<i>Trailblazer 40 w/Wisconsin Engine</i>			8320265	Hydraulic	LH5571G	
		LAF9538MXM ^{2, 268}	P181050	Air	LAF1275 ²		Oil	LFP3970 ²⁹	
<i>Maxi Reach MR937</i>			By-Pass	Oil	LFP2271			LFP6015 ³¹⁰	
	Air	LAF1784 ¹	SKY TRAK (TELESCOPIC HANDLER)			1319726	Trans	LFH8728	
		LAF9538 ²	<i>10042 (w/Cummins QSB3.3 Engine)</i>			<i>3606 (w/Perkins 1004.42 Engine)</i>			
		LAF9538MXM ^{2, 268}	1101313	Air	LAF9543 ¹	8035098	Air	LAF4544 ²	
<i>SD120 w/Perkins 1004-42 Engine</i>			1101312		LAF9547 ²	8320265	Hydraulic	LH5571G	
	Air	LAF1784 ¹	8320265	Hydraulic	LH5571G		Oil	PH4403	
		LAF9538 ²	8036204	Oil	PH2835 ⁶⁷⁷	<i>4266 w/Cummins 4BT3.9 Turbo Engine</i>			
		LAF9538MXM ^{2, 268}	8036204		PH2835M ³¹⁰		Air	LAF4544 ²	
K23019	Hydraulic	PH725	1319726	Trans	LFH8728			LAF4544MXM ^{2, 268}	
	Oil	PH4403	<i>10042 w/Cummins 4BT/4BTA Turbo Engine</i>					LAF4545 ¹	
<i>SD50, SD60, SD80, SD100 w/Perkins 1004.4 Engine</i>			8273237	Air	LAF1544 ²	8274022	Fuel	L3523F	
	Hydraulic	PH725	8273238		LAF9410 ¹	(8320270); W/S		LFF8062	
	Oil	LFP2292	8274022	Fuel	L3523F	8320265	Hydraulic	LH5571G	
			(8320253); Pri.		LFF3417		Oil	LFP3900	
			(8320250); Sec.		LFF3521	1319726	Trans	LFH8728	
			(8320270); W/S		LFF8062				

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 29-1 1/8" Thread 41-Cartridge 268-Extended/Severe service 275-Primary 310-27mm Thread 531-Filter only 677-3/4" thread 777-6.8" Tall
 1454-5.1" Tall 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
SKY TRAK (TELESCOPIC HANDLER)			SKY TRAK (TELESCOPIC HANDLER)			SKY TRAK (TELESCOPIC HANDLER)		
<i>4270L, 4270H w/Cummins 4BT3.9 Turbo Engine</i>			<i>6036 w/Cummins 4BT3.9L Engine (cont'd)</i>			<i>8042, 8042L w/Cummins 4BT3.9 Turbo Engine</i>		
	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹	(8320265); S/N 14834-19983	Hydraulic	LH5571G	8273237	Air	LAF1544 ² LAF9410 ¹
8274022 (8320270); W/S	Fuel	L3523F LFF8062	(8320265); S/N 3617-14833		LH5571G	8273238		
8320265	Hydraulic	LH5571G	S/N 14834-19983	Oil	LFP3900 LFP3900	8274022	Fuel	L3523F LFF3417 LFF3521 LFF8062
	Oil	LFP3900	(1319726); S/N 14834-19983	Trans	LFH8728	(8320253); Pri. (8320250); Sec. (8320270); W/S		
1319726	Trans	LFH8728	(8320254); S/N 3617-14833		LFH8799	(10731926); 9909-13461 8320265	Hydraulic	LFH8799
<i>4290L, 4290H w/Cummins 4BT3.9 Turbo Engine</i>			<i>6036 w/Cummins QSB4.5 Engine</i>					
	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹	1101313	Air	LAF9543 ¹ LAF9547 ²	(1319726); 13462-18990	Trans	LFH8728
8274022 (8320270); W/S	Fuel	L3523F LFF8062	1101312		L3523F LH5571G	SKYJACK (AERIAL WORK PLATFORM)		
8320265	Hydraulic	LH5571G	8320265	Fuel	LFP3970 ²⁹ LFP6015 ³¹⁰	<i>1000 Series w/Ford USG413 Engine</i>		
	Oil	LFP3900	1319726	Oil	LFH8728	P102745	Air	LAF2745A ²
1319726	Trans	LFH8728	<i>6036 w/Perkins Engine</i>			97MM-6714-B1A	Oil	PH2835 PH400
<i>5028 w/Cummins 4B3.9 Engine</i>			<i>6042 (w/Cummins QSB 3.3 Engine)</i>			<i>600 Series</i>		
8273271	Air	LAF1784 ¹ LAF9538 ²	8273237	Air	LAF1544 ² LAF9410 ¹	12499-32430	Oil	PH2840
8273267 (8320253); Pri. (8320250); Sec. (8320270); W/S	Fuel	LFF3417 LFF3521 LFF8062	8273238		L296F ⁴¹	<i>800 Series w/Kubota DF750E Engine</i>		
8320265	Hydraulic	LH5571G	8825183	Fuel	LH5571G	P102745	Air	LAF2745A ²
	Oil	LFP3900	8320265	Hydraulic	PH4403	97MM-6714-B1A	Oil	PH2835 PH400
<i>6036 (w/Cummins QSB3.3 Engine)</i>			8320254	Oil	LFH8799	FL400A		
1101313	Air	LAF9543 ¹ LAF9547 ²	<i>6042 w/Cummins QSB4.5 Engine</i>			<i>SJ6826RT, SJ6832 w/Kubota D902 Engine</i>		
1101312		LH5571G	1101313	Air	LAF9543 ¹ LAF9547 ²	132913	Air	LAF8388 ² G115
8320265	Hydraulic	LH5571G	1101312	Hydraulic	LH5571G	108628	Hydraulic	LFP1652
8036204	Oil	PH2835 ⁶⁷⁷ PH2835M ³¹⁰	8320265	Oil	PH2835 ⁶⁷⁷ PH2835M ³¹⁰	147130	Oil	PH2808
8036204		LFH8728	8036204	Oil	PH2835 ⁶⁷⁷ PH2835M ³¹⁰	<i>SJ6826RT, SJ6832 w/Kubota DF972 Dual Fuel Engine</i>		
1319726	Trans	LFH8728	1319726	Trans	LFH8728	132913	Air	LAF8388 ²
<i>6036 w/Cummins 4B3.9 Engine</i>			<i>6042 w/Cummins QSB4.5 Engine</i>			108628	Hydraulic	LFP1652
8273271	Air	LAF1784 ¹ LAF9538 ²	1101313	Air	LAF9543 ¹ LAF9547 ²	147130	Oil	PH2808
8273267 (8320253); Pri. (8320250); Sec.	Fuel	LFF3417 LFF3521	1101312		L3523F LH5571G	<i>SJ7127, SJ7135 w/Kubota D1305 Engine</i>		
8320265	Hydraulic	LH5571G	8320265	Hydraulic	LH5571G	132913	Air	LAF8388 ²
	Oil	LFP3900		Oil	LFP3970 ²⁹ LFP6015 ³¹⁰	147130	Oil	PH2808
8320254	Trans	LFH8799	1319726	Trans	LFH8728	<i>SJ7127, SJ7135 w/Kubota DF972 Dual Fuel Engine</i>		
<i>6036 w/Cummins 4BT3.9L Engine</i>			<i>8042 w/Cummins QSB3.3 Engine</i>			132913	Air	LAF8388 ²
S/N 3617-14833	Air	LAF1544 ² LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹ LAF9410 ^{1, 611}	1101313	Air	LAF9543 ¹ LAF9547 ²	147130	Oil	PH2808
S/N 14834-19983			1101312		L3523F LH5571G	<i>SJ8831, SJ8841 w/GM 1.6L Engine</i>		
S/N 14834-19983			8320265	Hydraulic	LH5571G	142330	Air	LAF8195 ² LAF8690 ¹
S/N 14834-19983			8036204	Oil	PH2835 ⁶⁷⁷ PH2835M ³¹⁰	142352		LAF8690 ¹
S/N 3617-14833			8036204	Oil	PH2835 ⁶⁷⁷ PH2835M ³¹⁰	142301	Fuel	G6593
(8274022); S/N 14834-19983	Fuel	L3523F LFF3417 LFF3521 LFF8062	1319726	Trans	LFH8728	143538	Oil	PH47
(8320253); S/N 3617-14833; Pri. (8320250); S/N 3617-14833; Sec. (8320270); S/N 14834-19983; W/S			<i>8042 w/Cummins QSB4.5 Engine</i>			<i>SJ9250 W/GM 1.6L Engine</i>		
			1101313	Air	LAF9543 ¹ LAF9547 ²	142330	Air	LAF8195 ² LAF8690 ¹
			1101312		L3523F LH5571G	142352		LAF8690 ¹
			(70020348); 0160029593-ON	Fuel	LFF5421	142301	Fuel	G6593
			8320265	Hydraulic	LH5571G	143538	Oil	PH47
				Oil	LFP3970 ²⁹ LFP6015 ³¹⁰	<i>SJB40TB, SJB46TB w/Ford LRG425 Engine</i>		
			1319726	Trans	LFH8728	P821575	Air	LAF8195 ²
						P165332	Hydraulic	LFH4473 ⁶⁰⁷ LH4237 ⁷⁸³
						704559		PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
						FL1A	Oil	
						FL1A		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 29-1 1/8" Thread 41-Cartridge 268-Extended/Severe service 275-Primary 310-27mm Thread 607-Return 611-Axial Seal 677-3/4" thread 783-Pressure side 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
SKYJACK (AERIAL WORK PLATFORM)			SKYJACK (AERIAL WORK PLATFORM)			SNORKELIFT (AERIAL WORK PLATFORM)		
SJB46TK w/Deutz F3L1011F Engine			SKJB40F, SKJB40RT, SKJB40D w/Kubota D722 Engine (cont'd)			Pro 100, Pro 126 w/Cummins 3.9L Engine (cont'd)		
P828889	Air	LAF4544 ² LAF4544MXM ^{2, 268}		Oil	PH2808	Sec.	Fuel	LFF3521
P829333		LAF4545 ¹	SKYJACK (TELESCOPIIC HANDLER)				Hydraulic	LFH4955
117-4696	Fuel	LFF3518	VR1044D w/Cummins QSB3.3 Tier 3 Engine				Oil	LFP3900
P165332	Hydraulic	LFH4473 ⁶⁰⁷	59124677	Hydraulic	LFH5876 ⁶⁰⁷	Pro 66 w/Deutz F4L1011 Engine		
704559		LH4237 ⁷⁸³	13287305	Oil	PH2835		Air	LAF1784 ¹ LAF9538 ² LAF9538MXM ^{2, 268}
117-4416	Oil	PH2816	VR1056D w/Cummins QSB3.3 Tier 3 Engine				Fuel	FP586F
SJB46TK w/Ford LRG413 Engine			59124677	Hydraulic	LFH5876 ⁶⁰⁷		Oil	PH561
P821575	Air	LAF8195 ²	13287305	Oil	PH2835	SLA27, SLA35, SLA50 w/Wisconsin Engine		
P165332	Hydraulic	LFH4473 ⁶⁰⁷	VR642D w/Cummins QSB 3.3 Tier 3 Engine			(RV-52); By-Pass Oil LFP2271		
704559		LH4237 ⁷⁸³	59124677	Hydraulic	LFH5876 ⁶⁰⁷	SPRA-COUPÉ (SPRAYERS)		
FL1A	Oil	PH400 ²⁷⁵	13287305	Oil	PH2835	103, 104		
FL1A		PH8A ¹⁴⁹⁶	VR843D w/Cummins QSB 3.3 Tier 3 Engine			6646494	Air	LAF1275 ²
SJB60TB w/Kubota V2203T Engine			59124677	Hydraulic	LFH5876 ⁶⁰⁷	6511393	Fuel	G1/4
P821575	Air	LAF8195 ²	13287305	Oil	PH2835	115, 116, 120 w/Volkswagen Engine		
	Fuel	FP590F	ZB2044 (w/Cummins QSB4.5C Engine)			P101275	Air	LAF1275 ²
P165332	Hydraulic	LFH4473 ⁶⁰⁷	(4934879); W/S	Fuel	LFF1065 ²¹⁰	6511393	Fuel	G1/4
704559		LH4237 ⁷⁸³	3937736	Oil	LFP3970		Oil	PH561
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	SNOGO (SNOW REMOVER)			215, 218 w/Volkswagen Engine		
SJB60TB, SJB65TB w/Ford LRG425 Engine			MP-3D w/Cummins 6TC 8.3 Engine			6646494	Air	LAF1725 ¹
P821575	Air	LAF8195 ²		Air	LAF237 ²	6620654	Cabin Air	LAF6680
P165332	Hydraulic	LFH4473 ⁶⁰⁷	Pri.	Fuel	LFF3417	6511393	Fuel	G1/4
704559		LH4237 ⁷⁸³	Sec.		LFF3521		Oil	PH561
FL1A	Oil	PH400 ²⁷⁵		Oil	LFP3000	216, 220, 230 w/Volkswagen Engine		
FL1A		PH8A ¹⁴⁹⁶	SNORKELIFT (AERIAL WORK PLATFORM)			6646494	Air	LAF1275 ²
SJB66TK w/Deutz F4L1011F Engine			A42 w/Ford Engine			6620654	Cabin Air	LAF6680
P828889	Air	LAF4544 ² LAF4544MXM ^{2, 268}		Air	LAF1948 ¹ LAF281 ²	6511393	Fuel	G1/4
P829333		LAF4545 ¹		Oil	PH2835	6515541	Hydraulic	LFP1652
117-4696	Fuel	LFF3518	A50, A60 w/Wisconsin Robin Engine				Oil	PH561
P165332	Hydraulic	LFH4473 ⁶⁰⁷	RV-38	Oil	LFP2252	223, 233		
704559		LH4237 ⁷⁸³	A80 w/Deutz F4L1011 Engine			71321111	Hydraulic	LFP1652
117-4416	Oil	PH2816		Air	LAF1784 ¹ LAF9538 ² LAF9538MXM ^{2, 268}	3430, 3630 w/Peugeot Engine		
SJB66TK w/Ford LRG423 Engine				Fuel	FP586F	4280099B	Air	LAF1544 ² LAF1723 ¹
P821575	Air	LAF8195 ²		Hydraulic	LFH4955	6598898		LAF6680
P165332	Hydraulic	LFH4473 ⁶⁰⁷		Oil	PH561	6620654	Cabin Air	LAF6680
704559		LH4237 ⁷⁸³	A80 w/Deutz F4L912 Engine			3885315	Fuel	L296F ⁴¹
FL1A	Oil	PH400 ²⁷⁵	P119363	Air	LAF1544 ²	6515541	Hydraulic	LFP1652
FL1A		PH8A ¹⁴⁹⁶	1160243	Fuel	FP586F	2654407	Oil	LFP2292
SKJB40F, SKJB40RT, SKJB40D w/FordVSG413 Engine				Hydraulic	LFH4955	2654403		PH4403
			1160024	Oil	PH2819	3440, 3640 w/Perkins Engine		
P165332	Hydraulic	LFH4473 ⁶⁰⁷	ATB46N w/Kubota D905 Engine			4280099B	Air	LAF1544 ² LAF1723 ¹
704559		LH4237 ⁷⁸³	ATB60 w/Ford Engine			6598898		LAF6680
FL1A	Oil	PH400 ²⁷⁵		Air	LAF2745A ²	6620654	Cabin Air	LAF6680
FL1A		PH8A ¹⁴⁹⁶		Hydraulic	LFH4955	(26560145); Pri.	Fuel	L3101F
SKJB40F, SKJB40RT, SKJB40D w/Kubota D722 Engine				Oil	PH2819	(26560143); Sec.	Fuel	L3102F
			Pro 100, Pro 126 w/Cummins 3.9L Engine			6515541	Hydraulic	LFP1652
	Air	LAF22056 ¹ LAF8388 ²	Pri.	Fuel	LFF3417	2654407	Oil	LFP2292
	Fuel	L550F				2654403		PH4403
P165332	Hydraulic	LFH4473 ⁶⁰⁷	3650 w/Perkins 1104C Engine			WR127272	Air	LAF5932 ¹ LAF8149 ²
704559		LH4237 ⁷⁸³		Hydraulic	LFH4955	WR127271	Hydraulic	LFP1652

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 210-w/ Sensor 268-Extended/Severe service 275-Primary 607-Return 783-Pressure side 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
SPRA-COUBE (SPRAYERS)			SPRA-COUBE (SPRAYERS)			STEIGER (TRACTOR)		
4440, 4640 w/Perkins Engine			7460 w/Perkins 1106D Engine			Bearcat, Bearcat PT225, Bearcat PT250, Bearcat RC225, Bearcat ST 225 w/Caterpillar 3160 Engine (cont'd)		
4280099B	Air	LAF1544 ²	AG715586	Hydraulic	LFP2292 ¹⁹	18-498	Hydraulic	LFP3191
6598898		LAF1723 ¹	2654407	Oil	PH4403 ¹⁸	28-36	Oil	LFP3191TRT ³
6620654	Cabin Air	LAF6680	2654403			28-36		LFP3191XL ¹⁴
(26560145); Pri.	Fuel	L3101F	7650, 7655 w/Perkins 1106C Engine			Bearcat, Bearcat PT225, Bearcat PT250, Bearcat RC225, Bearcat ST225 w/Caterpillar 3160 Engine		
(26560143); Sec.		L3102F	C20500	Air	LAF2342 ²	P117439	Air	LAF6587 ²
6515541	Hydraulic	LFP1652	CF500		LAF2343 ¹			LAF6587MXM ^{2, 268}
2654407	Oil	LFP2292 ¹⁹	(26560145); Pri.	Fuel	L3101F	P119374		LAF6834 ¹
2654403		PH4403 ¹⁸	AG715586	Hydraulic	LFP2292 ¹⁹	383177R94	Cabin Air	LAF1967
4450, 4455 w/Perkins 1104C Engine			2654403	Oil	PH4403	(28-005); Sec.	Fuel	FP230F
			1194770	Trans	LFP2292	18-498	Hydraulic	LFP1652
P781039	Air	LAF5932 ¹	7650, 7655 w/Perkins 1106E Engine			H411272	Oil	LFP791
921999	Hydraulic	LAF8149 ²	C20500	Air	LAF2342 ²	70203C2	Trans	LFP791
2654407	Oil	LFP2292	CF500		LAF2343 ¹	CM250 Cougar Series IV w/Caterpillar 3306 Engine		
(29539579); Allison 1000/2000	Trans	LFP1652	(26560145); Pri.	Fuel	L3101F	54-304T1	Air	AF222
(29537965); Allison 1000/2000		LFP1652	AG715586	Hydraulic	LFP2292 ¹⁹	90-4203S1		LAF4306 ²
		T951 ⁶	2654403	Oil	PH4403	A77544	Coolant	LFW4071 ^{28, 205}
4460 w/Perkins 1104D Tier 3 Engine			1194770	Trans	LFP2292	Pri.	Fuel	L3531F
			7660 w/Perkins 1106D Engine			(28-25); Sec.		LFP440F
WR127272	Air	LAF5932 ¹	AG715586	Hydraulic	LFP2292	18-498	Hydraulic	LFP440F
WR127271		LAF8149 ²	2654407	Oil	LFP2292	28-36	Oil	LFP3191
6515541	Hydraulic	LFP1652	2654403		PH4403 ¹⁸	28-36		LFP3191TRT ³
	Oil	LFP2292	STEIGER (TRACTOR)			28-36		LFP3191XL ¹⁴
(WR129616); Allsion 1000/2000	Trans	LFP2292	Bearcat 1000 Series w/Cummins Engine			70203C2	Trans	LFP791
(29537965); Allsion 1000/2000		LFP2292	L102959	Air	LAF22036 ⁸⁵⁸	CM280, CM325, CS325, CS280 Cougar Series IV w/Caterpillar 3406 Engine		
		T951 ⁶	A77544	Coolant	LFW4071 ^{28, 205}	54-304T1	Air	AF222
4650 w/Perkins 1104C Engine			(90-3941T1); W/S	Fuel	LFF8020	90-4203S1		LAF4306 ²
			50-2689T91	Hydraulic	LP50910	A77544	Coolant	LFW4071 ^{28, 205}
WR127272	Air	LAF5932 ¹	1-2187	Oil	LFP670	(1-2334); Sec.	Fuel	LFF5823B
WR127271		LAF8149 ²	1346028C1		LFP670XL ¹⁴	W/S		LFF8030 ²⁴⁴
921999	Hydraulic	LFP1652	Bearcat 1000 w/Caterpillar Engine			18-498	Hydraulic	PH725
2654407	Oil	LFP2292	L102959	Air	LAF22036 ⁸⁵⁸	1-2335	Oil	LFP4005
(29539579); Allison 1000/2000	Trans	LFP2292	(28-25); Sec.	Fuel	LFP440F			LFP4005TRT ³
(29537965); Allison 1000/2000		LFP2292	50-2689T91	Hydraulic	LP50910	70203C2	Trans	LFP4005XL ¹⁴
		T951 ⁶	28-36	Oil	LFP3191	N9960		LP151
4655 w/Perkins 1104C Engine			28-36		LFP3191TRT ³	CM360, CS360 Panther Series IV w/Caterpillar 3406 Engine		
			28-36		LFP3191XL ¹⁴	54-304T1	Air	AF222
WR127272	Air	LAF5932 ¹	1346028C1	Trans	LFP3191XL ¹⁴	L102959		LAF22036 ⁸⁵⁸
WR127271		LAF8149 ²	Bearcat IV CM225, Bearcat IV KM225 w/Caterpillar 3306 Engine			90-4203S1		LAF4306 ²
6515541	Hydraulic	LFP1652	54-304T1	Air	AF222	A77544	Coolant	LFW4071 ^{28, 205}
1447031M1	Oil	LFP2292	90-4203S1		LAF4306 ²	Pri.	Fuel	L3531F
WR129616	Trans	LFP2292	A77544	Coolant	LFW4071 ^{28, 205}	(28-25); Sec.		LFP440F
4660 w/Perkins 1104D Tier 3 Engine			Pri.	Fuel	L3531F	18-498	Hydraulic	LFP440F
			(28-25); Sec.		LFP440F	28-36	Oil	LFP3191
WR127272	Air	LAF5932 ¹	18-498	Hydraulic	LFP440F	28-36		LFP3191TRT ³
WR127271		LAF8149 ²	28-36	Oil	LFP440F			LFP3191XL ¹⁴
6515541	Hydraulic	LFP1652	70203C2	Trans	LFP791	(1-2334); Sec.	Fuel	LFF5823B
1447031M1	Oil	LFP2292	Bearcat, Bearcat PT225, Bearcat PT250, Bearcat RC225, Bearcat ST 225 w/Caterpillar 3160 Engine			W/S		LFF8030 ²⁴⁴
WR129616	Trans	LFP2292	Bearcat, Bearcat PT225, Bearcat PT250, Bearcat RC225, Bearcat ST 225 w/Caterpillar 3160 Engine	Air	AF222	18-498	Hydraulic	LFP440F
7450 w/Perkins Diesel Engine					LAF1882 ²	1-2335	Oil	LFP4005
C20500	Air	LAF2342 ²			LAF1990 ¹			LFP4005TRT ³
CF500		LAF2343 ¹			LAF22036 ⁸⁵⁸			LFP4005XL ¹⁴
(26560145); Pri.	Fuel	L3101F	L102959	Hydraulic	LFP2292			LFP4005XL ¹⁴
AG715586	Hydraulic	LFP1652			LFP2292			LFP791
2654403	Oil	PH4403			LFP2292			LFP791
1194770	Trans	LFP2292			LFP2292			LFP791

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 6-Shallow Pan 14-Extended Life 18-Short 19-Long 28-Contains 1 oz. of chemical
 205-Maintenance 244-Secondary 268-Extended/Severe service 858-Hydraulic Tank

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
STEIGER (TRACTOR)			STEIGER (TRACTOR)			STEIGER (TRACTOR)		
<i>Cougar 1000 Series w/Caterpillar Engine</i>			<i>KM225 Bearcat Series IV w/Cummins L10 Engine (cont'd)</i>			<i>KR1225, KR1280 w/Cummins LT10 Engine (cont'd)</i>		
L102959	Air	LAF22036 ⁸⁵⁸		Oil	LFP670XL ¹⁴		Oil	LFP670XL ¹⁴
Pri. (28-25); Sec. 50-2689T91	Fuel	L3531F LFP440F	(90-1158T1); By-Pass		LFP777B LFP777XL ¹⁴	(90-1158T1); By-Pass		LFP777B LFP777XL ¹⁴
28-36	Hydraulic	LP50910	By-Pass 70203C2	Trans	LFP791	By-Pass		LFP791 ¹⁴⁵⁵
28-36	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	<i>KM280, KM325, KS280, KS325 Cougar Series IV w/Cummins Engine</i>			<i>Lion, Panther 1000 Series w/Caterpillar 3406 Engine</i>		
1346028C1	Trans	LFH4910	54-304T1	Air	AF222	L102959	Air	LAF22036 ⁸⁵⁸
<i>Cougar 1000 Series w/Cummins Engine</i>			90-4203S1		LAF4306 ²	90-4203S1		LAF4306 ²
L102959	Air	LAF22036 ⁸⁵⁸	A77544	Coolant	LFW4071 ^{28, 205}	18-1633	Breather	PH253 ^{858, 1497} PH2835 ^{726, 858}
A77544	Coolant	LFW4071 ^{28, 205}	(28-35); Pri.	Fuel	LFF5D	A77544	Coolant	LFW4071 ^{28, 205}
(90-3941T1); W/S	Fuel	LFF8020	18-498	Hydraulic	LFH4955	Pri. Sec.	Fuel	L3531F LFF5823B
50-2689T91	Hydraulic	LP50910	1-2187	Oil	LFP670 LFP670XL ¹⁴	50-1911T91	Hydraulic	LP509
1-2187	Oil	LFP670 LFP670XL ¹⁴	(90-1158T1); By-Pass		LFP777B LFP777XL ¹⁴	1-2335	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
1346028C1	Trans	LFH4910	By-Pass 70203C2	Trans	LFP791			
<i>Cougar PTA280, Cougar ST251, Cougar ST300 w/Caterpillar D333T Engine</i>			N9960		LP151			
P117437	Air	LAF6769 ² LAF6769MXM ^{2, 268}	<i>KM360, KS360 Panther Series IV w/Cummins Engine</i>			<i>Lion, Panther 1000 Series w/Cummins 855 Engine</i>		
P119373		LAF9373 ¹	54-304T1	Air	AF222	L102959	Air	LAF22036 ⁸⁵⁸
383711R94	Cabin Air	LAF1967	A77544	Coolant	LFW4071 ^{28, 205}	90-4203S1		LAF4306 ²
(28-25); Sec.	Fuel	LFP440F	(28-35); Pri.	Fuel	LFF5D	A77544	Coolant	LFW4071 ^{28, 205}
18-842	Hydraulic	LFH4213 LFH4955	18-498	Hydraulic	LFH4955	Pri.	Fuel	LFF5D LFF8020
	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	1-2187	Oil	LFP670 LFP670XL ¹⁴	(90-3941T1); W/S	Hydraulic	LP509
			(90-1158T1); By-Pass		LFP777B LFP777XL ¹⁴	50-1911T91	Hydraulic	LFP670 LFP670XL ¹⁴
			By-Pass 70203C2	Trans	LFP791	1-2187	Oil	LFP670 LFP670XL ¹⁴
<i>CP1325, 1360, 1400 Panther w/Caterpillar 3306 Engine</i>						(90-1158T1); By-Pass		LFP777B LFP777XL ¹⁴
L102959	Air	LAF22036 ⁸⁵⁸	<i>KP1325, 1360, 1400 w/Cummins NT885 Engine</i>			By-Pass		
A77544	Coolant	LFW4071 ^{28, 205}	90-4203S1	Air	LAF4306 ²	1346028C1	Trans	LFH4910
Pri. (1-2334); Sec. (90-3941T1); W/S	Fuel	L3531F LFF5823B LFF8030 ²⁴⁴	A77544	Coolant	LFW4071 ^{28, 205}	<i>PT270, PTA270 w/Caterpillar 3306 Engine</i>		
50-1911T91	Hydraulic	LP509	(28-35); Pri.	Fuel	LFP440F	54-304T1	Air	AF222
1-2335	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	50-1911T91	Hydraulic	LP509	7-101151		LAF1882 ²
			1-2187	Oil	LFP670 LFP670XL ¹⁴	7-1010		LAF1990 ¹
			(90-1158T1); By-Pass		LFP777B LFP777XL ¹⁴	L102959		LAF22036 ⁸⁵⁸
			By-Pass 70203C2	Trans	LFP791	(28-25); Sec.	Fuel	LFP440F
<i>CR1225, CR1280 w/Caterpillar 3306 Engine</i>			<i>KP525 Tiger Series IV w/Cummins KTA1150C Engine</i>			18-498	Hydraulic	LFH4955
L102959	Air	LAF22036 ⁸⁵⁸	54-304T1	Air	AF222	28-36	Oil	LFP3191
A77544	Coolant	LFW4071 ^{28, 205}	1-389851		LAF1812 ²	28-36		LFP3191TRT ³
Pri. (28-25); Sec.	Fuel	L3531F LFP440F	1-3899	Fuel	LAF4366 ¹			LFP3191XL ¹⁴
50-2689T91	Hydraulic	LP50910	(28-35); Pri.	Fuel	LFF5D			LFP791 ¹⁴⁵⁵
28-36	Oil	LFP3191	18-498	Hydraulic	LFH4955			
28-36		LFP3191TRT ³ LFP3191XL ¹⁴ LFP791 ¹⁴⁵⁵	1-2187	Oil	LFP670 LFP670XL ¹⁴			
			(90-1158T1); By-Pass		LFP777B LFP777XL ¹⁴			
			By-Pass 1-3984T1	Trans	LP151			
<i>KM225 Bearcat Series IV w/Cummins L10 Engine</i>			<i>KR1225, KR1280 w/Cummins LT10 Engine</i>					
54-304T1	Air	AF222	L102959	Air	LAF22036 ⁸⁵⁸			
90-4203S1		LAF4306 ²	A77544	Coolant	LFW4071 ^{28, 205}			
A77544	Coolant	LFW4071 ^{28, 205}	(28-35); Pri.	Fuel	LFF5D			
(28-35); Pri.	Fuel	LFF5D	50-2689T91	Hydraulic	LP50910			
18-498	Hydraulic	LFH4955	1-2187	Oil	LFP670			
1-2187	Oil	LFP670						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 28-Contains 1 oz. of chemical 205-Maintenance 244-Secondary
268-Extended/Severe service 726-400 858-Hydraulic Tank 1455-Transfer Case 1497-401

S

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
STEIGER (TRACTOR)			STEIGER (TRACTOR)			STEIGER (TRACTOR)		
<i>PTA296, PTA297, PTA310 w/Cummins V903 Engine</i>			<i>ST251 Cougar w/Cummins 855 Engine</i>			<i>ST310 Panther II w/Cummins 903 Engine (cont'd)</i>		
54-304T1	Air	AF222	54-304	Air	AF222		Air	LAF6632MXM ^{2, 268}
L102959		LAF22036 ⁸⁵⁸	45-252		LAF9155 ²	28-030		LAF6641 ¹
42-252S1		LAF9155 ²			LAF9155MXM ^{2, 268}	383711R94	Cabin Air	LAF1967
		LAF9155MXM ^{2, 268}	45-253		LAF9159 ¹	18-842	Hydraulic	LFH4955
42-253		LAF9159 ¹		Coolant	LFW4073 ²⁵⁵	1-2187	Oil	LFP670
A77544	Coolant	LFW4071 ^{28, 205}	18-498	Hydraulic	LFH4955	(90-1158T1); By-Pass		LFP670XL ¹⁴
(28-35); Pri.	Fuel	LFF5D	70203C2	Trans	LFP791	By-Pass		LFP777B
18-498	Hydraulic	LFH4955	<i>ST270 w/Caterpillar 3306 Engine</i>			28-18		LFP777XL ¹⁴
1-2187	Oil	LFP670	54-304T1	Air	AF222	70203C2	Trans	LP566
(90-1158T1); By-Pass		LFP670XL ¹⁴	7-101151		LAF1882 ²	<i>ST310, ST320 Panther III</i>		
By-Pass		LFP777B	7-1010		LAF1990 ¹	54-304	Air	AF222
70203C2	Trans	LFP791	(28-25); Sec.	Fuel	LFP440F			LAF9155 ^{2, 268}
N9960		LP151	18-498	Hydraulic	PH725	45-252		LAF9155 ²
<i>PTA325 Panther III w/Caterpillar 3406 Engine</i>			28-36	Oil	LFP3191	45-253		LAF9159 ¹
L102959	Air	LAF22036 ⁸⁵⁸	28-36		LFP3191TRT ³	A77544	Coolant	LFW4071 ^{28, 205}
45-252		LAF9155 ²			LFP3191XL ¹⁴	(156172); Pri.	Fuel	LFF5D
		LAF9155MXM ^{2, 268}	70203C2	Trans	LFP791		Hydraulic	LFH4955
45-253		LAF9159 ¹	<i>ST280 w/Caterpillar 3406 Engine</i>			1-2187	Oil	LFP670
	Cabin Air	LAF1967		Hydraulic	LFH4955	(90-1158T1); By-Pass		LFP670XL ¹⁴
A77574	Coolant	LFW4071 ^{28, 205}	<i>ST280 w/Cummins NT855 Engine</i>			By-Pass		LFP777B
Sec.	Fuel	LFF5823B		Hydraulic	LFH4955	28-18		LFP777XL ¹⁴
S-58	Hydraulic	LFH4955	<i>ST300 Cougar w/Caterpillar 3306 Engine</i>			<i>ST320 Turbo Tiger II w/Cummins 903 Engine</i>		
18-502	Trans	LFP1652	P117437	Air	LAF6769 ²	28-029	Air	LAF6632 ²
Allison		LP151			LAF6769MXM ^{2, 268}			LAF6632MXM ^{2, 268}
<i>Puma 1000 Series w/Cummins 8.3L Engine</i>			P119373		LAF9373 ¹	28-030	Cabin Air	LAF1967
90-6443T1	Air	LAF1864 ²	383711R94	Cabin Air	LAF1967	A77544	Coolant	LFW4071 ^{28, 205}
906555T1		LAF4173 ¹	(28-25); Sec.	Fuel	LFP440F	18-842	Coolant	LFW4071 ^{28, 205}
A77544	Coolant	LFW4071 ^{28, 205}		Hydraulic	LFH4213		Oil	LFH4955
(J925274); Pri.	Fuel	LFF3417	18-842		LFP3191	18-842	Hydraulic	LFH4955
(J903640); Sec.		LFF3521		Oil	LFP3191TRT ³	70203C2	Trans	LFP791
A77537	Oil	LFP734	<i>ST310 Cougar II w/Caterpillar D3306 Engine</i>			<i>ST325 Panther III w/Caterpillar 3406 Engine</i>		
1346028C1	Trans	LFH4910	P117437	Air	LAF6769 ²		Air	AF222
<i>RC210, ST210 Wildcat w/Caterpillar 3208 Engine</i>					LAF6769MXM ^{2, 268}	45-25251		LAF9155 ²
L102959	Air	LAF22036 ⁸⁵⁸	P119373		LAF9373 ¹			LAF9155MXM ^{2, 268}
45-213S1		LAF9200 ²	(28-25); Sec.	Fuel	LFP440F	45-253		LAF9159 ¹
383711R94	Cabin Air	LAF1967	D333T eng.	Hydraulic	LFH4213	54-304T1	Cabin Air	LAF22
(28-25); Sec.	Fuel	LFP440F	D3306 eng.	Oil	LFP3191	A77544	Coolant	LFW4071 ^{28, 205}
	Hydraulic	LFH4955	D3306 eng.		LFP3191TRT ³	(1-2334); Sec.	Fuel	LFF5823B
9N-5570	Oil	LFP5570 ⁹³⁸			LFP3191XL ¹⁴	18-498	Hydraulic	LFH4955
H411272		LFP791 ⁹³⁷	70203C2	Trans	LFP791	1-2335	Oil	LFP4005
70203C2	Trans	LFP791	<i>ST310 Cougar II w/Caterpillar D333T Engine</i>					LFP4005TRT ³
<i>ST220 w/Cummins Engine</i>			P117437	Air	LAF6769 ²	70203C2	Trans	LFP791
45-213S1	Air	LAF9200 ²			LAF6769MXM ^{2, 268}	<i>ST350 Panther w/Cummins V903 Engine</i>		
54-304T1	Cabin Air	LAF22	P119373		LAF9373 ¹	54-304	Air	AF222
	Coolant	LFW4073 ²⁵⁵	(28-25); Sec.	Fuel	LFP440F	45-252		LAF9155 ²
28-35	Fuel	LFF5	D333T eng.	Hydraulic	LFH4213			LAF9155MXM ^{2, 268}
18-498	Hydraulic	LFH4955	D3306 eng.	Oil	LFP3191	45-253		LAF9159 ¹
1-2187	Oil	LFP670	D3306 eng.		LFP3191TRT ³	A77544	Coolant	LFW4071 ^{28, 205}
		LFP670XL ¹⁴			LFP3191XL ¹⁴	(28-35); Pri.	Fuel	LFF5D
By-Pass		LFP777B	70203C2	Trans	LFP791	18-498	Hydraulic	LFH4955
By-Pass		LFP777XL ¹⁴	<i>ST310 Panther II w/Cummins 903 Engine</i>			1-4988		LP50910 ¹⁴⁵⁶
		LP566	28-029	Air	LAF6632 ²	1-2187	Oil	LFP670
								LFP670XL ¹⁴

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 28-Contains 1 oz. of chemical 205-Maintenance 255-Contains 3 oz. of chemical 268-Extended/Severe service 858-Hydraulic Tank 937-Early Production 938-Late Production 1456-Power Take Off

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
STEIGER (TRACTOR)			SULLAIR (AIR COMPRESSOR)			SULLAIR (AIR COMPRESSOR)		
<i>ST350 Panther w/Cummins V903 Engine (cont'd)</i>			10E			185Q w/John Deere 4219D Engine		
(90-1158T1); By-Pass	Oil	LFP777B		Air	LAF1966	P101222	Air	LAF222 ²
By-Pass		LFP777XL ¹⁴		Hydraulic	LP509 ⁷⁸¹	AR50041	Fuel	P1130
70203C2		LFP791 ¹⁴⁵⁵	1200H			T19044	Oil	FP20
28-18		LP566	2250051-238	Air	LAF3496 ²	210H w/Caterpillar 3044CT Engine		
<i>Super Wildcat RC200, ST200 w/Caterpillar 3150 Engine</i>			2250051-239		LAF3498 ¹	Pri.	Fuel	L3921F
L102959	Air	LAF22036 ⁸⁵⁸	12-50L Sulliscrew			Sec.		L6265F
09-026		LAF6587 ²	45143	Air	LAF66	250026982	Hydraulic	LFH6197 ⁷⁸¹
		LAF6587MXM ^{2, 268}		Hydraulic	LP509		Oil	LFP791
09-027		LAF6834 ¹	125Q w/Toyota Gasoline Engine			250DO, 250DD w/Detroit Diesel 3-53N Engine		
Sec.	Fuel	FP230F		Fuel	G1 ⁵³¹		Air	LAF1725 ¹
	Hydraulic	LFH4955	408107	Hydraulic	LFH4209			LAF9001 ²
28-004		LP509	150 w/Ford 172D Engine			375 Sulliscrew w/Detroit Diesel 4-53N Engine		
18-498		PH725		Oil	P2	P-40	Air	LAF4040
7020362	Trans	LFP791	150 w/Ford 172DD Engine			375 w/Caterpillar Engine		
<i>Tiger III ST450, Tiger III ST470 w/Caterpillar 3408 Engine</i>				Air	LAF1453	(2250118495); Pri.	Fuel	L3921F
54-304	Air	AF222		Fuel	L296F ⁴¹	375 w/John Deere Engine		
1-3898S1		LAF1812 ²		Oil	LFP2258	(2250118495); Pri.	Fuel	L3921F
1-3899		LAF4366 ¹	160Q w/Detroit Diesel Engine			600Q w/Detroit Diesel 4-53T Engine		
18-498	Hydraulic	LFH4955	P-40	Air	LAF4040	P117437	Air	LAF6769 ²
1-3984T1	Trans	LP151	160GOCM w/General Motors 4-181 Engine					LAF6769MXM ^{2, 268}
<i>Tiger III ST450, Tiger III ST470 w/Cummins KTA1150C Engine</i>				Air	LAF1725 ¹	P119373		LAF9373 ¹
54-304T1	Air	AF222			LAF9001 ²	N.F.P. S-28	Hydraulic	LFP1652
1-3898S1		LAF1812 ²	160Q w/John Deere 3164D Engine			750, 750D w/Detroit Diesel 6V-71 Engine		
1-3899		LAF4366 ¹	P101222	Air	LAF222 ²	46968	Air	LAF1810 ²
A77544	Coolant	LFW4071 ^{28, 205}	AR50041	Fuel	P1130			LAF1854 ¹
28-35	Fuel	LFF5	T19044	Oil	FP20	P-10		LAF4040
18-498	Hydraulic	LFH4955	16-75L			40926	Hydraulic	LP2297
1-2187	Oil	LFP670	47542	Air	LAF8668 ²	750, 750D w/Detroit Diesel 8V-71 Engine		
		LFP670XL ¹⁴	47543		LAF8674 ¹	46968	Air	LAF1810 ²
(90-1158T1); By-Pass		LFP777B	408107	Hydraulic	LFH4081			LAF1854 ¹
By-Pass		LFP777XL ¹⁴	250025-526		LFH8297	P-10		LAF4040
1-3984T1	Trans	LP151	16E, 25E			40926	Hydraulic	LP2297
STOW (CONCRETE SAW INDUSTRIAL)				Air	LAF1819 ^{2, 1457}	750Q w/Detroit Diesel 6V-92 Engine		
<i>Slicer 3 w/Wisconsin W41770 Engine</i>				Hydraulic	LP509 ⁷⁸¹	P124861	Air	LAF1810 ²
	Air	LAF1275 ²	170 w/General Motors Bedford Diesel Engine			85GP w/Chevrolet Engine		
	Fuel	G1 ⁵³¹		Oil	P72		Air	LAF1966
By-Pass	Oil	LFP2271	170 w/International Gas Engine				Fuel	G5/16 ²⁶³
<i>Slicer 4 w/Wisconsin V465B Engine</i>				Oil	LFP54		Oil	LP132
	Air	LAF1948 ¹	185 w/Caterpillar 2.2 Engine			F100D, F100D10, F100DN, F100DN10 w/Deutz F6L912 Engine		
		LAF281 ²		Air	LAF8148 ²	495mm	Air	LAF1718 ²
	Fuel	G1 ⁵³¹		Fuel	L296F ⁴¹			LAF1719 ¹
By-Pass	Oil	LFP2271		Hydraulic	LFH6197 ⁷⁸¹	F100P w/Perkins 6.354 Engine		
SULLAIR (AIR COMPRESSOR)				Oil	PH2835	495mm	Air	LAF1718 ²
<i>100 w/General Motors 4-153 Gas Engine</i>			185DUQ w/John Deere 4024 Engine					LAF1719 ¹
	Fuel	G3/8		Air	LAF8148 ²	F150D, F150D10 w/Deutz F5L413R Engine		
	Oil	PH454	(2250118495); Pri.	Fuel	L3921F		Air	LAF1726 ²
<i>100Q w/Kubota D1420B Engine</i>			Sec.		L8569F			LAF1727 ¹
	Fuel	L549F	250026982	Hydraulic	LFH6197 ⁷⁸¹	F180D, F180D10, F180D12, F180DN, F180DN10 w/Deutz F6L413R Engine		
	Oil	LFP3411 ¹⁴⁸		Oil	LFP8340	495mm	Air	LAF1718 ²
<i>1050 w/Detroit Diesel Engine</i>			185HDPO w/John Deere 4045D Engine					LAF1719 ¹
P-40	Air	LAF4040	2250102160	Air	LAF8148 ²	F230D, F230D10, F230D12, F230DN, F230DN10 w/Deutz F8L413Y Engine		
			(2250118495); Pri.	Fuel	LAF9332 ¹	495mm	Air	LAF1718 ²
			(RE60021); Sec.		L3921F			LAF1719 ¹
			250026982	Hydraulic	L8683F			
			RE59754	Oil	LFH6197 ⁷⁸¹			
					LFP5757			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 28-Contains 1 oz. of chemical 41-Cartridge 148-Engine 205-Maintenance 263-Hoses and clamps included
268-Extended/Severe service 531-Filter only 781-Compressor 858-Hydraulic Tank 1455-Transfer Case 1457-Compressor Partial

S

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
SULLAIR (AIR COMPRESSOR)			SULLAIR (AIR COMPRESSOR)			SULLAIR (GENERATOR)		
<i>F230D, F230D10, F230D12, F230DN, F230DN10 w/Deutz F8L413Y Engine (cont'd)</i>			<i>LS12 w/60 hp Engine</i>			<i>50KW w/Perkins 6.354 Engine (cont'd)</i>		
	Air	LAF1719 ¹	49301	Air	LAF9001 ¹⁷³	26560017	Fuel	L296F ⁴¹
			250025-526	Hydraulic	LFH8297	2654407	Oil	LFP2292
<i>F25E, F25E10, F35E, F35E10, S25E, S25E10</i>			<i>LS12 w/75 hp Engine</i>			<i>75KW w/Perkins TG354 Engine</i>		
	Air	LAF1741 ²	49301	Air	LAF9001 ¹⁷³	P101246	Air	LAF1246 ²
			250025-526	Hydraulic	LFH8297		Fuel	L296F ⁴¹
<i>F280D, F280D10, F280D12 w/Deutz BF8L413 Engine</i>			<i>LS16 w/100 hp Engine</i>				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Air	LAF1726 ² LAF1726 LAF1727 ¹	250025-524	Hydraulic	LFH8177	SUMITOMO (EXCAVATOR)		
<i>F28D, F40D w/Deutz F2L511D Engine</i>			<i>LS16 w/40-75 hp Engine</i>			<i>SH120-3 w/Isuzu 4BG1T 4.3L Engine</i>		
	Air	LAF1741 ²	47542	Air	LAF8668 ^{2, 173} LAF8674 ^{1, 173}	KRH1320 Air LAF5732 ¹ KRH0652 Fuel LAF5733 ²		
<i>F35D w/Deutz F2L912 Engine</i>			<i>LS20 w/100 hp Engine</i>			8941434790 Fuel FP588F ME056670 LFF5127		
	Air	LAF1720 ¹ LAF2052 ²	250025-526	Hydraulic	LFH8297	KHJ1493 Hydraulic LH22002 ¹¹³⁷ 8943212191 Oil LFP5748 KNH0403 LFP5919 ⁶⁵		
<i>F40E, F40E10, F50E, F50E10, S40E, S40E10, S50E, S50E10 w/Deutz Engine</i>			<i>LS20 w/125 hp Engine</i>			<i>SH200-3, SH200HD-3, SH200LC-3 w/Isuzu 6BG1T Engine</i>		
	Air	LAF1712 ² LAF1713 ¹	409854	Air	LAF1789 ¹ LAF8725	KRH1320 Air LAF5732 ¹ KRH0652 Fuel LAF5733 ²		
<i>F50D w/Deutz F3L912 Engine</i>			<i>LS20 w/150 hp Engine</i>			1132400791 Fuel LFF3415 ME056670 LFF5127		
	Air	LAF1720 ¹ LAF2052 ²	405158	Hydraulic	LFH8297	KBJ1691 Hydraulic LH22019 ¹¹³⁷ KRJ3836 LH5953 ⁶⁰⁷ KRH1253 Oil LFP734 (KRH1254); By-Pass LFP777B		
<i>F50P, F70P w/Perkins 4.236 Engine</i>			<i>Models w/Sullair Numbers</i>			<i>SH240-3 w/Isuzu 6BG1T Engine</i>		
	Air	LAF1720 ¹ LAF2052 ²	46968	Air	LAF1810 ² LAF1840 ¹ LAF1845 ² LAF1854 LAF4222	KBH0921 Air LAF5761 ² KBH0922 Fuel LAF5762 ¹ KSP0281 Fuel LFF3415 KHH10030 LFF5127 KRJ3836 Hydraulic LH5953 ⁶⁰⁷ KHH0533 Oil LFP7217		
<i>F70D, F70D10, F70DN, F70DN10</i>			<i>S130E, S130E10, S160E, S160E10, S200E, S200E10, S230E, S230E10</i>			<i>SH75X-3 w/Yanmar 4TNE98 Engine</i>		
387mm	Air	LAF1716 ² LAF1717 ¹	250025524	Hydraulic	LFH8177 LFH8222 LFH8297	Oil PH2808		
<i>F70E, F100E, F100E10, F70E10, F85E, F85E10, S100E, S100E10, S70E, S70E10, S85E, S85E10 w/Deutz Engine</i>			<i>S25E, S25E10, S35E, S35E10</i>			SWINGER (LOADER)		
	Air	LAF1720 ¹ LAF2052 ²	250025525		LAF1718 ² LAF1719 ¹	<i>110B</i>		
<i>FD25D w/Deutz F2L411 Engine</i>			<i>SK20E7, SK20E10, SK25E7, SK25E10, SK35E7, SK35E10</i>			Air LAF1275 ² Hydraulic LFH8740G		
	Air	LAF1741 ²	495mm	Air	LAF1718 ² LAF1719 ¹	<i>1600 w/Kubota V1505 Engine</i>		
<i>H1300Q w/Caterpillar 3408 Engine</i>			<i>SK70E7, SK70E10, SK70E13</i>			P181050 Air LAF1275 ²		
	Hydraulic	LFH4955 ^{1094, 1279}	<i>Sullimodule 250-330 CFM</i>			<i>2000, 2000AG w/Continental TMD27 Engine</i>		
<i>H750, H900, H1050 w/Caterpillar Engine</i>			P116446	Air	LAF1765 ¹ LAF1845 ² LAF6453 ² LAF6453MXM ^{2, 268}	Air LAF8114 ¹ LAF8143 ² Fuel L296F ⁴¹ Oil PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		
048463	Air	LAF1765 ¹	P124867			<i>2000, 3000 w/JD4045 Power Tech Engine</i>		
225005-1238		LAF3496 ²	P116453			Air LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹		
225005-1239		LAF3498 ¹	SULLAIR (GENERATOR)			<i>(RE60021); Sec.</i>		
048462		LAF6453 ²	<i>185KW w/John Deere 4219 Engine</i>			Fuel L8683F		
<i>LS10 w/25, 30 hp Engine</i>			<i>35KW w/Perkins 4.236 Engine</i>			<i>CG46CC5</i>		
42445	Air	LAF1966 ¹⁵ LAF222 ^{2, 173}	P101222	Air	LAF222 ²	Oil LFP2546 LFP5757		
4334		LAF222 ^{2, 173}	P26560017	Fuel	L296F ⁴¹			
250025-525	Hydraulic	LFH8222	2654407	Oil	LFP2292			
<i>LS10 w/40 hp Engine</i>			<i>50KW w/Perkins 6.354 Engine</i>					
40595	Air	LAF1246 ² LAF222 ^{2, 173}	P101222	Air	LAF222 ²			
4334		LAF222 ^{2, 173}						
250025-525	Hydraulic	LFH8222						
<i>LS12 w/40 hp Engine</i>								
250025-526	Hydraulic	LFH8297						
<i>LS12 w/50 hp Engine</i>								
49301	Air	LAF9001 ¹⁷³						
250025-526	Hydraulic	LFH8297						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 15-Standard 41-Cartridge 65-By-Pass 173-Heavy Duty 268-Extended/Severe service 275-Primary 607-Return 1094-For engine filters - see engine section. 1137-Pilot 1279-Compressor Lube 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
SWINGER (LOADER)			TAKEUCHI (EXCAVATOR)			TAKEUCHI (EXCAVATOR)		
<i>2000AG w/Cummins 3.3L Engine</i>			<i>TB030</i>			<i>TB135 w/Yanmar Engine (cont'd)</i>		
	Air	LAF8114 ¹		Air	LAF1275 ²	(129100-55650); S/N	Fuel	L549F
		LAF8143 ²		Fuel	L549F	-13514050		
	Oil	PH2835		Oil	PH2856A	S/N 13514051-		LFF8350
						129150-35150	Oil	PH2856A
TADANO (CRANE)			<i>TB035</i>			<i>TB1400 w/Isuzu 3AB1 Engine</i>		
<i>TL250</i>			5142150140	Air	LAF1275 ²	514215-0140	Air	LAF1275 ²
	Air	LAF1834 ²	12910055650	Fuel	L549F		Fuel	LFF4295
		LAF1835 ¹	12915035150	Oil	PH2856A	15510-35110	Hydraulic	LFP5570
ME064356	Oil	LP2545	<i>TB045 w/Yanmar 3TN100E Diesel Engine</i>				Oil	PH2840
<i>TR300E, TR400E w/Mitsubishi Engine</i>			1654699205	Air	LAF222 ²	<i>TB145 w/Yanmar Engine</i>		
30030-84100	Air	LAF8668 ²	11900055600	Fuel	LFF8350	11980812520	Air	LAF8195 ²
30030-84200		LAF8674 ¹	129150-35150	Oil	PH2808	1911102772		LAF8690 ¹
ME-056670	Fuel	LFF5127	<i>TB070, TB070W w/Nissan BD3004 Engine</i>			(129100-55650); S/N	Fuel	L549F
ME-064356	Oil	LP2545	16546-99209	Air	LAF222 ²	-14513260		
TAFE (TRACTOR)				Fuel	FP588F	(19802-55800); S/N		LFF8350
<i>25DI, 35DI, 45DI</i>			15208-W3401	Oil	HP1	14513261-		
1688092M2	Air	LAF1979 ²	<i>TB10 w/Yanmar Engine</i>			129150-35150	Oil	PH2856A
3610942-M91		LAF8218 ¹	124066-12510	Air	LAF2745A ²	<i>TB153FR w/Yanmar 4TNV88 Engine</i>		
<i>2800 CE, 3600 CE</i>			104500-55710	Fuel	L3541F	11980812520	Air	LAF8195 ²
P821575	Air	LAF8195 ²	15510-35110	Hydraulic	LFP5570	1911102772		LAF8690 ¹
	Oil	PH2876	124550-35110	Oil	PH2808	19802-55800	Fuel	LFF8350
<i>3500CE</i>			129150-35150		PH2856A	12915035151	Oil	PH2808
P822686	Air	LAF8388 ²	<i>TB108 w/Yanmar 2TNV70-PTB Engine</i>			<i>TB175 w/Yanmar 4TNV98 Engine</i>		
<i>4010 DE</i>			119655-12560	Air	LAF8388 ²	11900512571	Air	LAF8114 ¹
	Air	LAF1979 ²	124550-55700	Fuel	L4103F	12906212560		LAF8143 ²
<i>5000 DE w/Perkins 903 Engine</i>			1551035110	Hydraulic	LP6005	(11900055600); S/N	Fuel	LFF8350
	Fuel	L296F ⁴¹	11930535150	Oil	PH2876	-17512104		
	Oil	PH4403	<i>TB10S w/Yanmar Engine</i>			(11980255800); S/N		LFF8350
<i>7540</i>			124066-12510	Air	LAF2745A ²	17512105-		
	Fuel	L296F ⁴¹	104500-55710	Fuel	L3541F	12915035150	Oil	PH2856A
	Oil	LFP2292	15510-35110	Hydraulic	LFP5570	<i>TB180FR w/Yanmar 4TNV98 Engine</i>		
TAKEUCHI (EXCAVATOR)			124550-35110	Oil	LFP5522	11900512571	Air	LAF8114 ¹
<i>TB007 w/Yanmar 2TN68 Engine</i>			129150-35150		PH2808	12906212560		LAF8143 ²
124066-12510	Air	LAF2745A ²	<i>TB1140 w/Isuzu 4BG1T 4.3L Turbo</i>			11900055600	Fuel	LFF8350
124550-55700	Fuel	L4103F		Air	LAF4544 ²	12915035150	Oil	PH2856A
15510-35110	Hydraulic	LP6005			LAF4545 ¹	<i>TB22</i>		
119305-35150	Oil	PH2876		Fuel	FP588F		Air	LAF8630
<i>TB014, TB016 w/Yanmar Engine</i>				Oil	LFP7217	124550-55700	Fuel	L4103F
1911101342	Air	LAF22056 ¹	<i>TB1140 w/Isuzu BB-4BG1T Engine</i>			<i>TB2200D w/Isuzu 4 cyl. Diesel Engine</i>		
11965512560		LAF8388 ²	10604002F	Air	LAF4544 ²	514215-0140	Air	LAF1275 ²
12455055700	Fuel	L4103F			LAF4545 ¹	894143-4790	Fuel	LFF4295
11930535150	Oil	PH2876	8971725491	Fuel	FP588F	15510-35110	Hydraulic	LFP5570
<i>TB015 w/Yanmar Engine</i>			1132402321	Oil	LFP7217	988513-1060	Oil	LP2277
17002212530	Air	LAF2745A ²	<i>TB1200 w/Yanmar Engine</i>			<i>TB228 w/Yanmar 3TNV82A-BPTB Engine</i>		
12455055700	Fuel	L4103F	124066-12510	Air	LAF2745A ²	12900412520	Air	LAF8195 ²
1551035110	Hydraulic	LP6005	<i>TB1200AL w/Isuzu 2AB1 Engine</i>			12915035160	Oil	PH2808
11930535150	Oil	PH2876	514215-0140	Air	LAF1275 ²	<i>TB235 w/Yanmar 3TNV88-BPTB Engine</i>		
<i>TB020 w/Kubota D11053 Engine</i>				Oil	PH2840		Air	LAF8195 ²
15501-11080	Air	LAF2745A ²	<i>TB125</i>			12915035160	Oil	PH2808
16271-43560	Fuel	L4103F	11980812520	Air	LAF8195 ²	<i>TB25, TB025 w/Yanmar Engine</i>		
16271-32090	Oil	PH2808	1911102772		LAF8690 ¹	(514215-0140); TB25	Air	LAF1275 ²
<i>TB025</i>			12455055700	Fuel	L4103F	124550-55700	Fuel	L549F
5142150140	Air	LAF1275 ²	12915035150	Oil	PH2856A	124550-35110	Oil	PH2808
12910055650	Fuel	L549F	<i>TB135 w/Yanmar Engine</i>			129150-35150		PH2856A
1551035110	Hydraulic	LP6005	11980812520	Air	LAF8195 ²	<i>TB250 w/Yanmar 4TNV88-BPTB Engine</i>		
12915035150	Oil	PH2856A	1911102772		LAF8690 ¹		Air	LAF8195 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 41-Cartridge

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TAKEUCHI (EXCAVATOR)			TAKEUCHI (LOADER)			TAKEUCHI (LOADER)		
<i>TB250 w/Yanmar 4TNV88-BPTB Engine (cont'd)</i>			<i>TL130 w/Yanmar 4TNV84T Engine</i>			<i>TL26, TL126 w/Isuzu 4JB1 Engine (cont'd)</i>		
12915035160	Oil	PH2808	(11900512571); S/N	Air	LAF8114 ¹	1551101001	Hydraulic	LH4256
<i>TB25FR w/Yanmar 3TNE78A Engine</i>			21300004-21301932		LAF8143 ²	587310-3370	Oil	PH2801
129150-35150	Oil	PH2808	(12906212560); S/N		LAF8148 ²	<i>TW50 w/Perkins 404C-22 Engine</i>		
<i>TB28FR w/Yanmar 3TNE82 Engine</i>			21300004-21301932		LAF8148 ²	2991546	Air	LAF8148 ²
129150-35150	Oil	PH2808	(12993512520); S/N		PH2808	2991557		LAF9332 ¹
<i>TB35, TB035, TB36 w/Yanmar Engine</i>			21301933-			<i>TW60 w/Deutz TD2009 L04 Engine</i>		
514215-0140	Air	LAF1275 ²	12915035152	Oil	PH2808	2991546	Air	LAF8148 ²
124550-55700	Fuel	L4103F	<i>TL140 w/Isuzu 4JG1TP Engine</i>			2991557		LAF9332 ¹
129100-55650		L549F	11911712560	Air	LAF4544 ²	<i>TW65 w/Deutz TD2011 Engine</i>		
124550-35110	Oil	LFP5522			LAF4544MXM ^{2, 268}		Air	LAF4544 ²
129150-35150		PH2808	11911712570		LAF4545 ¹			LAF4545 ¹
<i>TB36S w/Yanmar 3T84HLE Engine</i>			8971725491	Fuel	FP588F	<i>TW80 w/Deutz BF4L2011 Engine</i>		
12476412510	Air	LAF1275 ²	1551101001	Hydraulic	LH4256	2610831	Fuel	LFF4806 ¹⁶⁹
12915035152	Oil	PH2808	5873103370	Oil	PH2801	TARGET (CONCRETE SAW INDUSTRIAL)		
<i>TB45 w/Isuzu C240 Engine</i>			<i>TL150 w/Yanmar 4TNE106T Engine</i>			TL150		
514215-0140	Air	LAF1275 ²	11911712560	Air	LAF4544 ²		Fuel	G1/4
894143-4790	Fuel	LFF4295			LAF4544MXM ^{2, 268}		Oil	PH2814
	Oil	LFP2261	11911712570		LAF4545 ¹	<i>TL150 w/Yanmar 4TNE106T Engine</i>		
<i>TB53FR w/Yanmar 4TNE88 Engine</i>			(12390755800); S/N	Fuel	LFF3396		Fuel	G1/4
11980812520	Air	LAF8195 ²	21500628-		LFF8350		Oil	PH2808
1911102772		LAF8690 ¹	(11900055600); S/N			<i>TL20</i>		
(12910055650); S/N	Fuel	L549F	-21500627			P101275	Air	LAF1275 ²
-15810674			1551101001	Hydraulic	LH4256	<i>TL220 w/Yanmar 4TNV84T Engine</i>		
(11980255800); S/N		LFF8350	11900535100	Oil	PH2808		Air	LAF1948 ¹
15810675-			<i>TL20</i>					LAF281 ²
129150-35150	Oil	PH2856A		Air	LAF1275 ²			LAF8195 ²
<i>TB650 w/Yanmar Engine</i>				Oil	PH2819			LAF8690 ¹
	Air	LAF2745A ²	<i>TL220 w/Yanmar 4TNV84T Engine</i>				Fuel	G1/4
	Fuel	L3541F	1551102600	Hydraulic	LH22002		Oil	LFP2271
	Oil	PH2867	12915035152	Oil	PH2808	<i>TL220, TL230, TL240 w/Yanmar Engine</i>		
<i>TB68S w/Nissan Engine</i>			<i>TL220, TL230, TL240 w/Yanmar Engine</i>			<i>TL220, TL230, TL240 w/Yanmar Engine</i>		
16546-99204	Air	LAF1793 ¹	C14200/4	Air	LAF8749 ²		Air	LAF1948 ¹
16546-99205		LAF222 ²	Cf200		LAF8750 ¹			LAF281 ²
	Fuel	L4367F		Fuel	FP590F			LAF8114 ¹
16403-Z7000		LFF3553		Hydraulic	LH4256			LAF8143 ²
15209-C8602	Oil	LFP3712	1551101001	Oil	PH2808		Fuel	G1/4
<i>TB80 w/Yanmar 4TNE98 Engine</i>			<i>TL230 w/Kubota V3307 Engine</i>				By-Pass	LFP2271
	Fuel	LFF8350	1663143560	Fuel	FP591F	<i>TL230 w/Kubota V3307 Engine</i>		
129150-35150	Oil	PH2808	1551102600	Hydraulic	LH22002		Fuel	G1/4
<i>TB800 w/Yanmar Engine</i>			1C02032430	Oil	PH253 ¹⁴⁹⁶		Oil	PH400 ²⁷⁵
124066-12510	Air	LAF2745A ²			PH2835 ²⁷⁵			PH8A ¹⁴⁹⁶
	Fuel	L3541F	<i>TL230 w/Yanmar 4TNV98 Engine</i>			TAYLOR (TRACTOR)		
124550-35110	Oil	LFP5522	1551102600	Hydraulic	LH22002	<i>AT-220, IT-220 w/Detroit Diesel 6-71N Engine</i>		
TAKEUCHI (LOADER)			12915035160	Oil	PH2808	Trans LP151		
<i>TL120 w/Yanmar 4TNV84T Engine</i>			1550020150	Trans	T614	<i>Challenger Loader, Super Challenger w/Ford 172 Engine</i>		
11900512571	Air	LAF8114 ¹	<i>TL250 w/Kubota V3800DI-T Engine</i>			P122510	Air	LAF1275 ²
12906212560		LAF8143 ²	129948-12621	Air	LAF3947 ²		Oil	PH400 ²⁷⁵
11980255801	Fuel	FP590F	129948-12630		LAF3948 ¹			PH8A ¹⁴⁹⁶
1551102600	Hydraulic	LH22002	16631-43560	Fuel	FP591F	<i>Super Challenger</i>		
1551100200		LH4256	1551102600	Hydraulic	LH22002	P122510	Air	LAF1275 ²
12915035160	Oil	PH2808	1C020-32430	Oil	PH253 ¹⁴⁹⁶		Oil	PH400 ²⁷⁵
<i>TL130 w/Yanmar 3TNE98 Engine</i>					PH2835 ²⁷⁵			PH8A ¹⁴⁹⁶
12993512520	Air	LAF8148 ²	<i>TL26, TL126 w/Isuzu 4JB1 Engine</i>					
11980255800	Fuel	LFF8350	16546-99205	Air	LAF222 ²			
1551101001	Hydraulic	LH4256	16546-99204		LAF8526 ¹			
12915035150	Oil	PH2856A	X13240015	Fuel	LFF4295			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 169-1 Per Package 268-Extended/Severe service 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TAYLOR MACHINE (EQUIPMENT)			TCM (LIFT TRUCK)			TCM (WHEEL LOADER)		
<i>Challenger Loader w/Ford 172 Engine</i>			<i>FG14, FG15, FCG15 w/Nissan J15 Engine</i>			<i>850-2 w/Nissan FE6T Engine</i>		
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Air	AF92		Air	LAF9000
				Oil	PH561		Fuel	FP588F
<i>Models w/Detroit Diesel 4-53 Engine</i>			<i>FG25 w/Nissan Engine</i>			<i>850-2 w/Nissan PD604 Engine</i>		
	Air	LAF2020		Air	AF376 ¹⁴⁵⁸ LAF1974 ⁹¹¹	20801-03171	Air	LAF6769MXM ^{2, 268} LAF9373 ¹
	Trans	LP151		Oil	PH561			
<i>TEH300L Forklift w/Detroit Diesel Engine</i>			<i>FG25N3</i>			<i>860, 860-2, 870 w/Nissan Engine</i>		
4044407	Air	LAF7315 ¹ LAF9000 ²		Air	LAF22029 ² LAF8195 ² LAF8690 ¹	P181046	Air	LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹
4044406	Trans	LP132				P119373		
<i>Tiger Cat 845 Fellerbuncher w/Cummins 6BTA 5.9 Engine</i>			<i>FG30, FCG30, FCG35 w/Nissan H30 Engine</i>			<i>E830 w/Isuzu 4BG1T 4.3L Turbo Diesel Engine</i>		
P165879	Hydraulic	PH725		Fuel	G243		Air	LAF1544 ² LAF1933 ¹
<i>TY250M Forklift w/Detroit Diesel Engine</i>			<i>FG30N9</i>				Fuel	FP588F
	Trans	LP132		Air	LAF22029 ² LAF8195 ² LAF8690 ¹	P163419	Hydraulic	LFH4961
<i>TYB180M Forklift w/Detroit Diesel Engine</i>			<i>FGC20</i>			<i>E835, E840 w/Isuzu 6BG1 Engine</i>		
	Air	LAF2020					Air	LAF234HD ²
	Hydraulic	LFP1652 ¹⁰⁷⁷					Fuel	LFF3510
	Trans	LP151				P163419	Hydraulic	LFH4961
<i>Y10BW Forklift w/Detroit Diesel Engine</i>			<i>P121200</i>				Oil	LFP5919
	Air	LAF1616	TCM (WHEEL LOADER)			TENNANT (SWEEPER INDUSTRIAL)		
	Hydraulic	LFP1652 ¹⁰⁷⁷	<i>810A</i>			<i>235 w/Diesel Engine</i>		
	Trans	LP151	25591-02551A	Air	LAF1275 ²		Air	LAF2745A ²
TCM (LIFT TRUCK)			20801-02111	Fuel	FP588F		Hydraulic	LFH4929
<i>FCD20, FCD23</i>			3918204	Hydraulic	LFP3191TRT ³ LFP3191XL ¹⁴		Oil	PH2808
20801-02021	Fuel	FP588F	3918204	Oil	LFP3191	<i>235 w/Gas Engine</i>		
12163-82301	Oil	PH2808	20801-01211		PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Air	AF215
<i>FCD25, FCD28</i>			<i>820</i>				Hydraulic	LFH4929
20801-02021	Fuel	FP588F	(20801-03131); -S/N	Air	LAF1275 ²		Oil	PH2835
12163-82301	Oil	PH2808	62710265		LAF1275 ²	<i>240 w/Kohler Engine</i>		
<i>FD100, FD115, FD135, FD160, FD180 w/Isuzu DA640 Engine</i>			(25591-02551A); S/N		LAF1275 ²		Air	AF5HD LAF121
9142151321	Air	LAF234HD ²	62710266-				Hydraulic	LFH4929
9885131111	Fuel	L3528F	20801-02021	Fuel	FP588F		Oil	PH400
<i>FD200L, FD250L w/Isuzu E110 Engine</i>			<i>820-2 w/Isuzu 4BC2 Engine</i>			<i>240 w/Onan Engine</i>		
9885131111	Fuel	L3528F	20801-01021	Oil	P52		Air	AF5HD LAF121
	Oil	LP5902	20801-01031	Oil	LP2256		Hydraulic	LFH4929
<i>FD25, FD30 w/Isuzu Engine</i>			<i>830, 830-2 w/Isuzu 6BB1 Engine</i>				Oil	PH400
	Air	AF92 ⁶⁹⁸	20801-03091	Air	LAF1246 ²	<i>250</i>		
	Fuel	FP588F	20801-01031	Oil	LP2256		Air	AF5HD
20801-01031	Oil	LP2256 LP2263 LP2277	<i>835 w/Isuzu 6BD1 Engine</i>				Hydraulic	LFP1652
9885111610			20801-03081	Air	LAF234HD ²		By-Pass	PB50
<i>FD3025 w/Isuzu Engine</i>			Z-1-13240-041-0	Fuel	FP588F	<i>255/255II</i>		
	Air	AF92 ⁶⁹⁸	Z-1-13240-062-0	Oil	LFP6007		Air	LAF1275 ²
	Fuel	FP588F	<i>840 w/Isuzu Engine</i>				Fuel	G1 ⁵³¹
20801-01031	Oil	LP2256 LP2263 LP2277	Z1132400680	Fuel	LFF3415 LFF3553		Hydraulic	LFP1652
9885111610			<i>840, 840-2 w/Isuzu 6BD1T Engine</i>			<i>260</i>		
<i>FD35, FD38, FD40, FD40Z, FD70Z</i>			2080103101	Air	LAF8668 ² LAF8674 ¹		Air	AF132
1878100751	Oil	LP2256	P108674		FP588F	58122	Oil	PH2835
<i>FD35, FD50, FD60 w/Isuzu DA220 Engine</i>			Z-1-13240-041-0	Fuel	LFP6007	<i>265</i>		
	Fuel	L3528F	Z-1-13240-062-0	Oil	LFP6007		Air	AF132
<i>FG10, FGC10 w/Nissan D11 Engine</i>			<i>850 w/Nissan PD604 Engine</i>				Oil	PH2835
	Oil	PH561	2080103101	Air	LAF8668 ² LAF8674 ¹	<i>265 w/Ford Engine</i>		
			P108674				Air	AF5HD LAF121

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 268-Extended/Severe service 275-Primary 531-Filter only 698-With Metal End Cap 911-5" Tall 1077-Hyd. Tank 1458-6 3/4" Height 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TENNANT (SWEEPER INDUSTRIAL)			TENNANT (SWEEPER INDUSTRIAL)			TEREX (ARTICULATED DUMP TRUCK)		
<i>265 w/Ford Engine (cont'd)</i>			<i>8400 w/Gas Engine</i>			<i>2566C, 3066C w/Cummins LTA10 Engine</i>		
	Hydraulic	LFP1652		Air	LAF1275 ²	9396294	Air	LAF6632 ²
D1PZ-6731-A	Oil	PH561		Fuel	G475			LAF6632MXM ^{2, 268}
<i>275</i>				Hydraulic	LFH4959	9396295		LAF6641 ¹
	Air	LAF1275 ²	<i>86 w/Kohler Engine</i>			<i>3303 w/Detroit Diesel Engine</i>		
	Fuel	G1 ⁵³¹	23792	Air	AF5HD	9396294	Air	LAF6632 ²
	Hydraulic	LFP1652	47352	Oil	PH400			LAF6632MXM ^{2, 268}
58122	Oil	PH2835	<i>91</i>			9396295		LAF6641 ¹
<i>280 w/Gas Engine</i>				Air	LAFP4 ¹⁴⁶¹	5573014	Trans	LP151
	Hydraulic	LFP1652		Oil	P3	<i>3305 w/Cummins Engine</i>		
By-Pass	Oil	PB50	<i>92, 92GR w/Continental Engine</i>			9039992	Air	LAF879 ¹
	Trans	LFH4929		Air	LAF1275 ²	9039993		LAF880 ²
<i>280 w/Perkins Diesel Engine</i>			By-Pass	Hydraulic	LFH4929	<i>3305, 3305B, 3307, 3311, 3315 w/Detroit Diesel Engine</i>		
	Air	LAF1275 ²		Oil	PB50	<i>3309 w/Detroit Diesel 16V-71T Engine</i>		
	Hydraulic	LFP1652	<i>92SE</i>			9039992	Air	LAF879 ¹
	Oil	PH4403	55740	Air	LAF1275 ²	9039993		LAF880 ²
<i>285 w/Diesel Engine</i>			<i>95 w/Kubota Engine</i>			5573014	Trans	LP151
	Air	LAF1275 ²		Air	LAF222 ²	<i>3310E w/Detroit Diesel 16VA020130 Engine</i>		
	Hydraulic	LFP1652	55740	Hydraulic	LFP1652	9038349	Air	LAF1816 ¹
<i>355</i>			<i>95 w/Perkins Engine</i>			9059562		LAF1818 ²
	Air	LAF1275 ²		Air	LAF222 ²			LAF1818MXM ^{2, 268}
	Fuel	G475		Fuel	L296F ⁴¹	15267046	Hydraulic	LP229
	Hydraulic	LFH4209	55740	Hydraulic	LFP1652	5573014	Trans	LP151
	Oil	PH2808		Oil	PH4403	<i>3311D, 3311C w/Detroit Diesel 16V-92TA Engine</i>		
<i>360, 365</i>			<i>97 w/Gas Engine</i>			9049489	Air	LAF9085 ¹
	Air	LAF1275 ²		Air	LAF1275 ²	9038899		LAF9086 ²
	Hydraulic	LFH4929		Fuel	G475			LAF9086MXM ^{2, 268}
<i>520 w/Onan Engine</i>			55740	Hydraulic	LFP1652	9038953	Hydraulic	LP229
67718-2	Hydraulic	LFH4929		Oil	PH400 ²⁷⁵	5573014	Trans	LP151
	Oil	PH400		PH8A ¹⁴⁹⁶		<i>3310E w/Detroit Diesel 16VA020130 Engine</i>		
<i>528</i>			<i>97 w/Perkins Engine</i>			9038349	Air	LAF1816 ¹
	Air	LAF1275 ²		Air	LAF222 ²	9059562		LAF1818 ²
	Hydraulic	LFH4209		Hydraulic	LFH4929			LAF1818MXM ^{2, 268}
(58122); Diesel	Oil	PH2835		Oil	PH4403	15267046	Hydraulic	LP2854
<i>540E</i>			TEREX (AERIAL WORK PLATFORM)			23049374	Trans	LH4262
67718-2	Hydraulic	LFH4929	<i>TB60 w/Ford LRG 425 2.5L Engine</i>			<i>3311D, 3311C w/Detroit Diesel 16V-92TA Engine</i>		
<i>550</i>				Air	LAF8114 ¹	9049489	Air	LAF9085 ¹
Gas	Air	LAF1275 ²		Oil	LAF8143 ²	9038899		LAF9086 ²
Diesel	Fuel	LAF222 ²		PH400 ²⁷⁵				LAF9086MXM ^{2, 268}
Diesel	Fuel	L296F ^{18, 41}	TEREX (ARTICULATED DUMP TRUCK)			9038953	Hydraulic	LP229
55740	Hydraulic	LFH4209 ¹⁴⁵⁹	<i>2366, 2566 w/Deutz BF6413FR Engine</i>			5573014	Trans	LP151
67718-2	Hydraulic	LFH4929 ¹⁴⁶⁰		Air	LAF6769 ²	<i>3311E w/Cummins KTA38C Engine</i>		
<i>600</i>				Oil	LAF6769MXM ^{2, 268}	23018852	Trans	LH4263
	Air	LAF1275 ²		LAF9373 ¹		<i>3360 w/Cummins KTTA19C Engine</i>		
	Hydraulic	LFH4929		LFF3806 ¹⁷⁰		15270188	Air	LAF8150 ²
	Oil	PH24		LFF4806 ¹⁶⁹		15270189		LAF8693 ¹
<i>80, 90</i>				Hydraulic	LH4239	<i>TA25 w/Cummins QSC8.3 Engine</i>		
23792	Air	AF5HD		Oil	LFP2222	P777868	Air	LAF8150 ²
	Oil	P3		Trans	LFH8595	P777869		LAF8693 ¹
<i>800, 810</i>						15500391	Fuel	LFF1022
	Air	LAF222 ²	<i>2566C, 3066C w/Cummins LT10 Engine</i>			LF3000	Oil	LFP3000
<i>8400 w/Diesel Engine</i>			9396294	Air	LAF6632 ²	15273572	Trans	LFH8490
	Hydraulic	LFH4959		LAF6632MXM ^{2, 268}		<i>TA27 w/Cummins QSM11 Engine</i>		
	Oil	PH2808	9396295	LAF6641 ¹		P777868	Air	LAF8150 ²
						P777869		LAF8693 ¹
						15500391	Fuel	LFF1022
						15500647	Oil	LFP9001 ²⁵⁰
						15500647		LFP9001TRT ³
						15273572	Trans	LFP9001XL ^{14, 250}
								LFH8490

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 18-Short 41-Cartridge 169-1 Per Package 170-2 Per Package 250-11.9"

Hgt. 268-Extended/Severe service 275-Primary 531-Filter only 1459-Sump 1460-Deluxe 1461-Farr 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TEREX (ARTICULATED DUMP TRUCK)			TEREX (ARTICULATED DUMP TRUCK)			TEREX (EXCAVATOR)		
<i>TA30</i>			<i>TR70 (w/Detroit Diesel 12V 2000 Series Engine)</i>			<i>HR11 w/Mitsubishi L3E Engine</i>		
P777868	Air	LAF8150 ²				5501660948	Air	LAF5749 ¹
P777869		LAF8693 ¹		Oil	LFP2248	5501660947		LAF5771 ²
WF2077	Coolant	LFW4685 ²⁴⁹			LFP958F	5527655811	Fuel	G2932
FS1022	Fuel	LFF1022	TEREX (CRAWLER TRACTOR)			MD135737	Oil	PH2867
LF9001	Oil	LFP9001 ²⁵⁰	<i>82-20 w/Detroit Diesel 6-71 Engine</i>			<i>HR12</i>		
		LFP9001TRT ³		Air	LAF1767 ¹	5501660948	Air	LAF5749 ¹
LF9001		LFP9001XL ^{14, 250}			LAF1812 ²	5501660947		LAF5771 ²
15273572	Trans	LFH8490	5573014	Torque Converter	LP151	5411656567	Fuel	LFF3518
<i>TA30 w/Cummins QSM 10.8L Diesel Engine</i>			<i>82-20 w/Detroit Diesel 6V91 Engine</i>			<i>HR14 w/Mitsubishi S4L2 Diesel Engine</i>		
	Air	LAF8150		Air	LAF263 ²	5501648498	Air	LAF5844 ¹
		LAF8693 ¹			LAF6632 ²	5501648497		LAF8147 ²
	Coolant	LFW4685 ²⁴⁹			LAF6632MXM ^{2, 268}	5527662013	Oil	PH2808
	Fuel	LFF1022			LAF6641 ¹	MD135737		PH2867
	Oil	LFP9001 ²⁵⁰		Hydraulic	LP229	<i>HR16 w/Mitsubishi S4L2 Diesel Engine</i>		
		LFP9001TRT ³			LP151	5501648498	Air	LAF5844 ¹
		LFP9001XL ^{14, 250}		Trans	LP151	5501648497		LAF8147 ²
	Trans	LFH8490	<i>82-20B w/Detroit Diesel 6V-71T Engine</i>			5527662013	Oil	PH2808
<i>TA35 w/Detroit 60 Series Engine</i>			9036293	Air	LAF1767 ¹	MD135737		PH2867
9396292	Air	LAF9155 ²	69038907		LAF1812 ²	<i>HR18 w/Mitsubishi S4Q2 Engine</i>		
		LAF9155MXM ^{2, 268}	9038953	Hydraulic	LP229	5501648498	Air	LAF5844 ¹
9396293		LAF9159 ¹	5573014	Trans	LP151	5501648497		LAF8147 ²
23507545	Coolant	LFW4744 ⁴	<i>82-30, 82-30B w/Detroit Diesel 6-71 Engine</i>			5527662013	Oil	PH2808
(23512317); W/S Pri.	Fuel	LFF8010	9030538	Air	LAF263HD	<i>HR20 w/Mitsubishi Engine</i>		
(23518482); Sec.		LFP815FN	(9034222); S/N		LAF6632 ^{2, 12}	5527657691	Air	LAF5844 ¹
15265318	Hydraulic	LH4239 ¹⁰⁷⁷	42592-42596		LAF6632MXM ^{2, 12, 268}	5501648497		LAF8147
23527033	Oil	LFP2160	S/N 42592-42596		LAF6641 ^{1, 12}	(5527662013); S/N	Oil	PH2808
		LFP2160TRT ³				330/01000-1500		
		LFP2160XL ¹⁴	9034223	Hydraulic	LP229	<i>HR32 w/Deutz BF4M1012 Engine</i>		
15273572	Trans	LFH8490	9190077	Torque Converter	LP151	5501660912	Air	LAF3947 ²
<i>TA40 w/Detroit 60 Series Engine</i>						5501660914		LAF3948 ¹
	Air	LAF9155 ²	<i>82-40 w/Detroit Diesel 8V-71 Engine</i>			5501661034	Cabin Air	LAF8999
		LAF9155MXM ^{2, 268}	9036293	Air	LAF1767 ¹	S/N 330/01000-1500	Fuel	LFF3518
		LAF9159 ¹	9038907		LAF1812 ²	(5411642211); S/N	Oil	PH2816
	Coolant	LFW4744 ⁴	9034222		LAF6632 ²	330/0501		PH2819
	Fuel	LFF8010			LAF6632MXM ^{2, 268}	(5411316400); S/N		
W/S Pri.		LFP815FN	9034223		LAF6641 ¹	330/01000-1500		
Sec.		LFP816FN	9190077	Hydraulic	LP229	<i>TC15 w/Mitsubishi L3E Engine</i>		
	Hydraulic	LH4239 ¹⁰⁷⁷		Torque Converter	LP151		Air	LAF22056 ¹
	Oil	LFP2160	<i>82-50 w/Detroit Diesel 12V-71 Engine</i>				Fuel	LAF8388 ²
		LFP2160TRT ³	9036293	Air	LAF1767 ¹		Oil	G2932 ⁹²⁷
		LFP2160XL ¹⁴	69038907		LAF1812 ²			
	Trans	LFH8490	6439400	Trans	LP151			
<i>TR100 w/Cummins KTA38C Engine</i>			<i>82-80 w/Detroit Diesel 6-71 Engine</i>			<i>TC16 w/Mitsubishi L3E Engine</i>		
(3313306); Pri.	Fuel	LFF202	9190077	Hydraulic	LP229		Air	LAF22056 ¹
3309437		LFF5740 ²⁰		Trans	LP151		Fuel	LAF8388 ²
3313287	Oil	LFP670	TEREX (EXCAVATOR)				Oil	PH2867
3313287		LFP670XL ¹⁴	<i>HR 3.7 w/Mitsubishi S4L2 Engine</i>					
<i>TR100 w/Detroit Diesel 16V 2000 Series Engine</i>				Air	LAF8147 ²	<i>TC25 w/Mitsubishi S3L2 Engine</i>		
Sec.	Fuel	LFP959F		Oil	PH2867	5501648498	Air	LAF5844 ¹
(23530643); Sec.		LFP959FHE ²⁰	<i>HR1.6</i>			5501648497		LAF8147
5361840001	Oil	LFP2248		Air	LAF22056 ¹		Oil	PH2867
23530642		LFP958F			LAF8388	<i>TC35 w/Mitsubishi S4L2 Engine</i>		
<i>TR70 (w/Detroit Diesel 12V 2000 Series Engine)</i>						5501648497	Air	LAF511 ²
Sec.	Fuel	LFP959FHE ²⁰				5501648498		LAF5844 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 20-High efficiency 249-No chemical 250-11.9" Hgt. 268-Extended/Severe service 927-In-line 1077-Hyd. Tank

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TEREX (EXCAVATOR)			TEREX (LOADER)			TEREX (LOADER)		
<i>TC35 w/Mitsubishi S4L2 Engine (cont'd)</i>			<i>72-21AA w/Detroit Diesel 3-71 Engine (cont'd)</i>			<i>TX760B w/Perkins 1104D-44T Engine</i>		
30A4000102	Oil	PH2867 ¹⁹	(9038907); S/N 62577-	Air	LAF1812 ²	6190627M1	Air	LAF4544 ²
30A402100		PH2876 ¹⁸	9190077	Hydraulic	LP229	6190628M1		LAF4545 ¹
<i>TC37 w/Mitsubishi S4L2 Diesel Engine</i>			5573014	Torque Converter	LP151		Base	LMB6926 ⁹⁴³
	Air	LAF5844 ¹	<i>72-31, 72-41 w/Detroit Diesel 4-71 Engine</i>				Fuel	LFF6925 ⁹⁴²
		LAF8147 ²	9052907	Air	LAF1810 ²		Oil	PH4403
	Oil	PH2867 ¹⁹	9030895		LAF241HD	<i>TX860, TX860SB w/Perkins 1004-40T Engine</i>		
<i>TE210 w/Deutz TCD2013 Tier 3 Engine</i>			9190077	Hydraulic	LP229	P828889	Air	LAF4544 ²
	Air	LAF6098 ²	5573014	Trans	LP151	P829333		LAF4545 ¹
		LAF6099 ¹	<i>72-31B w/Detroit Diesel 4-71 Engine</i>				Fuel	L296F ⁴¹
(S3226P); W/S	Fuel	LFF5850 ²⁰⁶		Air	LAF1810 ²		Oil	PH4403
W/S		LFF5850U ⁸⁴⁹			LAF1854 ¹	<i>TX860B, TX870, TX870B w/Perkins 1104D-44T Engine</i>		
	Oil	LFP2222		Trans	LP151	P828889	Air	LAF4544 ²
<i>TW110 w/Deutz TCD2012 L04 Tier 3 Engine</i>			<i>72-51 w/Detroit Diesel 6-71 Engine</i>			P829333		LAF4545 ¹
5501660924	Air	LAF9100	9190077	Hydraulic	LP229		Base	LMB6926 ⁹⁴³
5501660922		LAF9101		Trans	LP151		Fuel	LFF6925 ⁹⁴²
	Oil	LFP2222	<i>72-51B w/Detroit Diesel 6V-71T Engine</i>			3515328M92	Hydraulic	LFH4910
<i>TW70 w/Yanmar 4TNV88 Engine</i>			9036293	Air	LAF1767 ¹		Oil	PH4403
	Air	LAF8749 ²	9038907		LAF1812 ²	<i>TX970 Elite, TX970B w/Perkins 1104D-44T Engine</i>		
		LAF8750 ¹	9038953	Hydraulic	LP229	P828889	Air	LAF4544 ²
	Cabin Air	LAF8999 ²	5573014	Trans	LP151	P829333		LAF4545 ¹
<i>TW85 w/Deutz TCD2012 L04 Tier 3 Engine</i>			<i>72-61, 72-71 w/Detroit Diesel 8V-71 Engine</i>				Base	LMB6926 ⁹⁴³
5501661034	Air	LAF8999	9036293	Air	LAF1767 ¹		Fuel	LFF6925 ⁹⁴²
5501660924		LAF9100 ¹	9038907		LAF1812 ²	3515328M92	Hydraulic	LFH4910
5501660922		LAF9101 ²	9038953	Hydraulic	LP229		Oil	PH4403
	Oil	LFP2222	5573014	Trans	LP151	TEREX (SCRAPER)		
<i>TXC225LC-1</i>			<i>72-71B w/Detroit Diesel 8V-92T Engine</i>			<i>S-11E, S-11E Series B w/Detroit Diesel Engine</i>		
5501661034	Air	LAF8999	9036293	Air	LAF1767 ¹	5574214	Power Steering	P92
(65125035016); W/S	Fuel	LFF1001	9038907		LAF1812 ²	5573014	Torque Converter	LP151
47100093	Oil	LFP780	9053259		LAF8407 ²			
		LFP780XL ¹⁴	9053258		LAF8407MXM ^{2, 268}	<i>S-23E w/Detroit Diesel 8V-71T Engine</i>		
			9003531	Hydraulic	LP229	9049489	Air	LAF9085 ¹
<i>TXC255LC-2 w/Doosan DLO-6 Engine</i>			5573014	Trans	LP151	8994736		LAF9086 ²
47400039	Air	LAF3781 ^{1, 241}	<i>72-81 w/Detroit Diesel 12V-71 Engine</i>					LAF9086MXM ^{2, 268}
47400040		LAF4498 ^{2, 208}	P101240	Air	LAF241HD ¹²	9038900		LAF9155 ²
65125035026	Fuel	LFF5485	9036278		LAF9085 ¹			LAF9155MXM ^{2, 268}
24711154	Hydraulic	LH22019 ¹¹³⁷	9035429		LAF9086 ²	9049488		LAF9159 ¹
					LAF9086MXM ^{2, 268}	9038953	Hydraulic	LP229
<i>TXC420LC-2 w/Doosan DV11 Engine</i>					LP151	5573014	Trans	LP151
47400038	Air	LAF8150 ²	<i>SKL834 w/Deutz F4M2011 F Engine</i>			<i>S-24, SS-24 w/Detroit Diesel 12V-71 Engine</i>		
47400037		LAF8693 ¹	5501660912	Air	LAF3947 ²	9028638	Air	LAF263HD
K1006529	Fuel	LFF9769	<i>SLK873 w/Perkins 1006-60T Engine</i>			9030854		LAF290A
24711154	Hydraulic	LH22019 ¹¹³⁷	5501660932	Air	LAF2342 ²	9035428		LAF9085 ¹
TEREX (LOADER)			5501660934		LAF2343 ¹	9035429		LAF9086 ²
<i>72-10AA w/Detroit Diesel 3-53 Engine</i>				Base	LMB6926 ⁹⁴³			LAF9086MXM ^{2, 268}
P101234	Air	LAF234HD ²		Fuel	LFF6925 ⁹⁴²			
	Torque Converter	LP151	5568656314	Oil	PH4403	9190077	Hydraulic	LP229 ¹¹
<i>72-20CA w/Detroit Diesel 4-71 Engine</i>			<i>TX760 w/Perkins 1004-42 Engine</i>				Torque Converter	LP151
9038896	Air	LAF241HD	6190627M1	Air	LAF4544 ²	<i>S-24B w/Detroit Diesel 12V-71 Engine</i>		
	Torque Converter	LP151	6190628M1		LAF4545 ¹	9038900	Air	LAF9155 ²
				Fuel	L296F ⁴¹			LAF9155MXM ^{2, 268}
<i>72-21AA w/Detroit Diesel 3-71 Engine</i>				Oil	PH4403	9049488		LAF9159 ¹
9036293	Air	LAF1767 ¹						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 12-Optional 14-Extended Life 18-Short 19-Long 41-Cartridge 206-Bowl type 208-19" Hgt. 241-17.5" Hgt. 268-Extended/Severe service 849-Bowless type 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1137-Pilot

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TEREX (SCRAPER)			TEREX (SCRAPER)			TERRAMITE (EQUIPMENT)		
<i>S-24B w/Detroit Diesel 12V-71 Engine (cont'd)</i>			<i>TS24B w/Detroit Diesel 6V-71T Engine</i>			<i>T9 w/Perkins 103.15 Engine</i>		
9003531	Hydraulic	LP229	9038900	Air	LAF9155 ^{2, 1128}	22002C	Hydraulic	LFP1652
5573014	Trans	LP151			LAF9155MXM ^{2, 268, 112}	140516130	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
<i>S-32 w/Detroit Diesel 12V-71 Engine</i>			9049488		LAF9159 ¹	<i>TSS36 Sweeper w/Deutz 45 hp Engine</i>		
9028638	Air	LAF263HD	5573014	Trans	LP151	921999	Hydraulic	LFP1652
9030854		LAF290A	<i>TS32 w/Detroit Diesel 12V-71 Engine</i>			<i>TSS36, TSS38 Sweepers w/Kubota 37 hp Engine</i>		
9190077	Hydraulic	LP229	P101240	Air	LAF241HD ¹²	921999	Hydraulic	LFP1652
	Torque Converter	LP151		Hydraulic	LP229	<i>TSS38 Sweeper w/Deutz F3L1011 Engine</i>		
<i>S-32 w/Detroit Diesel 16V-71 Engine</i>				Trans	LP151		Air	LAF8114 ¹ LAF8143 ²
P101240	Air	LAF241HD ¹²	<i>TS32 w/Detroit Diesel 8V-71 Engine</i>				Fuel	FP586F
	Torque Converter	LP151	P101240	Air	LAF241HD ¹²		Hydraulic	LFP1652
<i>S-35E w/Detroit Diesel 12V-71 Engine</i>				Hydraulic	LP229		Oil	PH561
5573014	Torque Converter	LP151		Torque Converter	LP151	<i>TX25 Excavator w/Isuzu 3LB1 Engine</i>		
<i>S-7 w/Detroit Diesel 4-71 Engine</i>			TEREX (TELESCOPIC HANDLER)				Oil	PH2808
	Air	LAF262HD	<i>3013 w/Perkins 1004.42 Engine</i>			THOMAS (LOADER)		
9190077	Hydraulic	LP229		Air	LAF1246 ² LAF4155 ¹	<i>105, 115 w/Kubota V1305B Engine</i>		
<i>Tandem 14 w/Three Detroit Diesel Engine</i>			Pri.	Fuel	L3101F L3102F	18717	Oil	PH2808
9030244	Air	LAF262HD	Sec.		LHF4471	<i>1200S/S w/Lister SR3 Engine</i>		
	Trans	LP151		Hydraulic	PH4403		Fuel	L3514F
<i>TS14 w/Detroit Diesel Engine</i>				Oil			Oil	P2470
9028637	Air	LAF262HD	TEREX ASV (LOADER)			<i>1200S/S w/Wisconsin VH4D Engine</i>		
P119379		LAF8513 ¹	<i>PT50 w/Caterpillar 3024C Diesel Engine</i>			P101275	Air	LAF1275 ²
P109200		LAF9200 ²		Air	LAF8114 ¹ LAF8143 ² LFP2253	P-4	Oil	LAFP4 P106
9190077	Hydraulic	LP229	<i>PT60 w/Caterpillar 3024C Diesel Engine</i>			<i>1200S/S w/Wisconsin VH4DLPG Engine</i>		
	Torque Converter	LP151		Air	LAF8114 ¹ LAF8143 ² LFP2253	RV28	Oil	P70
<i>TS14B w/Detroit Diesel 4-71 Engine</i>			<i>RC50 w/Caterpillar 3024C Diesel Engine</i>			<i>133 w/Kubota Engine</i>		
P119379	Air	LAF8513 ¹		Air	LAF8114 ¹ LAF8143 ² LFP2253	31788	Air	LAF1948 ¹
P109200		LAF9200 ²				31787	Fuel	LAF281 ² FP570F
	Torque Converter	LP151	<i>RC60 w/Caterpillar 3024C Diesel Engine</i>			35243	Hydraulic	LFP4910
<i>TS18 w/Detroit Diesel 8V-71N Engine</i>				Air	LAF8114 ¹ LAF8143 ² LFP2253		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
9035992		LAF9155 ^{2, 268, 113, 112}	<i>RC60 w/Caterpillar 3024C Diesel Engine</i>			<i>1700S/S w/Wisconsin VG4DLPG Engine</i>		
9035993		LAF9159 ¹		Air	LAF8114 ¹ LAF8143 ² LFP2253	RV28	Oil	P70
5574212	Power Steering	P92	<i>TERRAMITE (EQUIPMENT)</i>			<i>175 Turbo Hi-Lift w/Kubota V2003T Engine</i>		
<i>TS24 w/Detroit Diesel 12V-71 Engine</i>			<i>Roller Paver w/B & S Vanguard 18 hp Engine</i>			W/S	Fuel	LFF8060
5574212	Power Steering	P92 ¹¹³⁶		Air	LAF1918	35243	Hydraulic	LFP4910
<i>TS24 w/Detroit Diesel Engine</i>				Oil	PH2835 PH3656		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
9208638	Air	LAF263HD ¹¹²⁸	<i>T5C Loader w/B & S 18 hp IC Engine</i>			<i>183, 283 w/Kubota Engine</i>		
	Hydraulic	LP229 ¹¹	394018	Air	LAF1918	31788	Air	LAF1948 ¹
	Torque Converter	LP151	22002C	Hydraulic	LFP1652	31787	Fuel	LAF281 ² FP570F
<i>TS24B w/Detroit Diesel 12V-71 Engine</i>				Oil	PH2835 PH3656	35243	Hydraulic	LFP4910
9038900	Air	LAF9155 ² LAF9155MXM ^{2, 268}	492932	Trans	LFP4209		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
9049488		LAF9159 ¹	<i>T7 w/Kohler Engine</i>			<i>2200 Skid Steer Loader w/Kubota V3300TE Engine</i>		
9038953	Hydraulic	L552F LP229 ¹¹	22002C	Hydraulic	LFP1652	P828889	Air	LAF4544 ² LAF4544MXM ^{2, 268}
	Trans	LP151	<i>T7 w/Perkins 103.10 Engine</i>			P829333	Hydraulic	LAF4545 ¹
			22002C	Hydraulic	LFP1652		Hydraulic	LFP4910
			140516990	Oil	PH2840		Oil	PH253 ¹⁴⁹⁶

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 12-Optional 268-Extended/Severe service 275-Primary 1128-Rear 1136-Front 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
THOMAS (LOADER)			THOMAS (LOADER)			THOMAS (LOADER)		
<i>2200 Skid Steer Loader w/Kubota V3300TE Engine (cont'd)</i>			<i>T137 w/Kubota V1903E Engine</i>			<i>T250 w/Kubota V3300T Engine</i>		
	Oil	PH2835 ²⁷⁵	42418	Air	LAF8195 ²	44909	Air	LAF4544 ²
			42417		LAF8690 ¹	44908		LAF4545 ¹
<i>2250S/S w/Lister SR4 Engine</i>			42561	Fuel	LFF3553	42561	Fuel	LFF3553
	Fuel	L296F ⁴¹	35243	Hydraulic	LFH4910	35243	Hydraulic	LFH4910
	Oil	P2470	11495	Oil	PH400 ²⁷⁵	44901	Oil	PH253 ¹⁴⁹⁶
<i>2250S/S w/Wisconsin VG4D Engine</i>			11495		PH8A ¹⁴⁹⁶			PH2835 ²⁷⁵
RV28	Oil	P70	<i>T173HL, T203HD w/Kubota V2203 Engine</i>			<i>T255 w/Kubota V3300T Engine</i>		
<i>2250S/S w/Wisconsin VG4DLPG Engine</i>			31788	Air	LAF1948 ¹	44909	Air	LAF4544 ²
RV28	Oil	P70	31787		LAF281 ²	44908		LAF4545 ¹
<i>245 w/Kubota V3300T Engine</i>			21677	Fuel	FP570F	42561	Fuel	LFF3553
35243	Hydraulic	LFH4910			L549F	44908	Hydraulic	LFH4910 ¹⁵
<i>Pro Tough 1300 w/Kubota V1903E Engine</i>			35243	Hydraulic	LFH4910	43541		LFH5659 ¹⁴⁶²
42418	Air	LAF8195 ²		Oil	LFP3411	44901	Oil	PH253 ¹⁴⁹⁶
42417		LAF8690 ¹	11495		PH400 ²⁷⁵			PH2835 ²⁷⁵
42561	Fuel	LFF3553	11495		PH8A ¹⁴⁹⁶	<i>T35S</i>		
35243	Hydraulic	LFH4910	<i>T185 Turbo w/Kubota V2003T Engine</i>				Fuel	FP588F
11495	Oil	PH400 ²⁷⁵	47741	Air	LAF8114 ¹	18717	Oil	PH2808
11495		PH8A ¹⁴⁹⁶	47742		LAF8143 ²	<i>T81</i>		
<i>Pro Tough 1700 w/Kubota V2203E Engine</i>			42561	Fuel	LFF3553	9027	Air	LAF1915
42418	Air	LAF8195 ²	35243	Hydraulic	LFH4910 ¹⁵	8724	Hydraulic	LFP1652
42417		LAF8690 ¹	43541		LFH5659 ¹⁴⁶²	18717	Oil	PH2808
42561	Fuel	LFF3553		Oil	PH253 ¹⁴⁹⁶	<i>T83 w/Kubota D850B Engine</i>		
35243	Hydraulic	LFH4910			PH2835 ²⁷⁵	6275	Air	LAF1275 ²
11495	Oil	PH400 ²⁷⁵	<i>T205 Turbo w/Kubota V203T Engine</i>			8724	Hydraulic	LFP1652
11495		PH8A ¹⁴⁹⁶	47741	Air	LAF8114 ¹	18717	Oil	PH2808
<i>Pro Tough 2200 w/Kubota V3300T Engine</i>			47742		LAF8143 ²	<i>T83S</i>		
44909	Air	LAF4544 ²	42561	Fuel	LFF3553		Air	LAF2745A ²
44908		LAF4545 ¹	35243	Hydraulic	LFH4910 ¹⁵		Hydraulic	LFP1652
42561	Fuel	LFF3553	43541		LFH5659 ¹⁴⁶²	18717	Oil	PH2808
35243	Hydraulic	LFH4910		Oil	PH253 ¹⁴⁹⁶	<i>T95 w/Kubota D722B Engine</i>		
44901	Oil	PH253 ¹⁴⁹⁶			PH2835 ²⁷⁵	43333	Air	LAF8388
		PH2835 ²⁷⁵	<i>T225 w/Kubota V3300T Engine</i>			42561	Fuel	LFF3553
<i>S-S 700 w/Lister Engine</i>			44909	Air	LAF4544 ²	35243	Hydraulic	LFH4910
P101222	Air	LAF222 ²	44908		LAF4545 ¹		Oil	PH2808
7111/296	Fuel	L296F ⁴¹	42561	Fuel	LFF3553	TIGERCAT (LOGGING EQUIPMENT)		
62200-G2	Hydraulic	LFH4943	35243	Hydraulic	LFH4910	<i>230 Loader w/Cummins 6BTA5.9 Engine</i>		
201-26020	Oil	P2470	44901	Oil	PH253 ¹⁴⁹⁶	Pri.	Fuel	LFF3417
<i>S-S 700 w/Wisconsin TJD Engine</i>					PH2835 ²⁷⁵	Sec.		LFF3521
TJE1	Air	LAF1915	<i>T233HD w/Kubota S2800B Engine</i>			P16-5878	Hydraulic	LFH4902
62200-G2	Hydraulic	LFH4943	31788	Air	LAF1948 ¹		Oil	LFP780
<i>T103 w/Kubota D1402B Engine</i>			31787		LAF281 ²			LFP780XL ¹⁴
(6275); -S/N LC000631	Air	LAF1275 ²	21677	Fuel	FP570F	<i>630 Grapple Skidder w/Cummins 6CT8.3 Engine</i>		
			35243	Hydraulic	LFH4910	Pri.	Fuel	LFF3417
S/N LC000632-		LAF1948 ¹		Oil	LFP3411	Sec.		LFF3521
		LAF281 ²	11495		PH400 ²⁷⁵		Oil	LFP2265 ⁶⁵
	Fuel	L549F	11495		PH8A ¹⁴⁹⁶	<i>720B Feller Buncher w/Cummins 6BTA5.9 Engine</i>		
35243	Hydraulic	LFH4910	<i>T243 w/Deutz Engine</i>				Air	LAF6587
	Oil	LFP3411	42402	Air	LAF8148 ²			LAF6587MXM ²⁶⁸
<i>T133 w/Kubota D1902B Engine</i>			42403		LAF9332 ¹	Pri.	Fuel	LFF3417
(6505); -S/N LE003831	Air	LAF1948 ¹	1174696	Fuel	LFF3806 ¹⁷⁰	Sec.		LFF3521
S/N LE003832-		LAF222			LFF4806 ¹⁶⁹		Hydraulic	LFH4902
		LAF281 ²	35243	Hydraulic	LFH4910		Oil	LFP780
	Fuel	L549F		Oil	PH2816			LFP780XL ¹⁴
35243	Hydraulic	LFH4910	<i>T245HDS w/Deutz BF4M1011F Engine</i>			<i>720D Feller Buncher w/Cummins 6BT5.9 Tier 2 Engine</i>		
11495	Oil	PH400 ²⁷⁵		Fuel	LFF3518	49767	Air	LAF4140 ²
11495		PH8A ¹⁴⁹⁶		Oil	PH561			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 15-Standard 41-Cartridge 65-By-Pass 169-1 Per Package 170-2 Per Package 268-Extended/Severe service 275-Primary
1462-Hi-Flow 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TIGERCAT (LOGGING EQUIPMENT)			TIMBERJACK (LOGGING EQUIPMENT)			TIMBERJACK (LOGGING EQUIPMENT)		
720D Feller Buncher w/Cummins 6BT5.9 Tier 2 Engine (cont'd) (3991498); W/S			200C, 201 w/Ford 4-172 Engine (cont'd)			360		
	Fuel	LFF9616 ²¹⁰		Oil	LFP2258	(228468); Models (w/Vickers Hydraulics)	Hydraulic	LP468
	Hydraulic	LFH5876			P2	P-142	Trans	LFH4210
3949561	Oil	LFP780 LFP780XL ¹⁴		Oil	LFP2258	380 w/Detroit Diesel 4-53N Engine		
845 Feller Buncher w/Cummins 6CT8.3 Engine			205C, 215C w/Ford 4-220 Diesel Engine			408481	Air	LAF7315 ¹
	Air	LAF6769 ² LAF6769MXM ^{2, 268} LAF9373 ¹		Fuel	L23F	408480		LAF9000 ²
				Oil	LFP2258	380B w/Cummins 6BT5.9 Engine		
Pri.	Fuel	LFF3417	C2TZ-6731-A		LP70V	8410616	Air	LAF1834 ²
Sec.		LFF3521	EPN-6731-A		P772	8410617		LAF1835 ¹
	Hydraulic	LFH8399	207 w/Perkins Engine			380C w/Cummins 6BT 5.9 Engine		
	Oil	LFP2265 ⁶⁵		Oil	P771	408481	Air	LAF7315 ¹
M760 Mulcher w/Caterpillar C12 Engine			208 Series w/Perkins 4.236 Engine			408480		LAF9000 ²
	Fuel	LFF2749 ²⁰ LFF8707		Air	LAF1246 ²	430 Loader w/Cummins 6BT 5.9 Engine		
(133-5673); Pri.						Sec.	Fuel	LFF3417
P164384	Hydraulic	LFH4910 LFH5876	402540	Fuel	L23F	Sec.		LFF3521
AY003				Oil	LFP2258		Oil	LFP780
1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	C2TZ-6731-A		LP70V	450 w/Cummins V378 Engine		
			EPN-6731-B		P772	408481	Air	LAF7315 ¹
			225 Series w/Perkins 4.236 Engine			408480		LAF9000 ²
				Air	LAF1246 ²		Coolant	LFW4071 ²⁸
			225C, 230C w/Detroit Diesel 3-53 Engine			450 w/Detroit Diesel 4-53N Engine		
			P101246	Air	LAF1246 ²		Air	LAF1834 ²
			P-16, UC, U		LAF1616			LAF1835 ¹
			225D w/Detroit Diesel 3-53 Engine			450, 450C Skidder w/Cummins 6BT 5.9 Engine		
			403836	Air	LAF234HD ²	408481	Air	LAF7315 ¹
			230A w/Cummins 4BT 3.9 Engine			408480		LAF9000 ²
				Air	LAF237 ²	450B, 450C, 480C w/Cummins 6BTA5.9L Engine		
16729	Hydraulic	LFH4204 ¹⁰⁷⁷					Air	LAF1834 ²
T420 w/Cummins Engine			240 Series w/Detroit Diesel 3-53T Engine					LAF1835 ¹
	Air	LAF1834 ² LAF1835 ¹		Air	LAF237 ²			LAF8114 ¹
								LAF8143 ²
85419	Hydraulic	LFH3990-03	240 Series w/Detroit Diesel 4-53 Engine					LAF8143 ²
16729		LFH4204 ¹⁰⁷⁷		Air	LAF237 ²			
T430, T440 w/Cummins Engine			240B Skidder w/Cummins 4BTA 3.9 Engine			W/S	Fuel	LFF1131 ¹²
	Air	LAF1834 ² LAF1835 ¹	Sec.	Fuel	LFF3417	460 w/John Deere 6068T Engine		
			Sec.		LFF3521	Sec.	Fuel	L3887F
	Hydraulic	LFH4204 ¹⁰⁷⁷		Hydraulic	LH4391	Pri.		L8242F
				Oil	LFP3900		Oil	LFP5757
16729	Hydraulic	LFH4204 ¹⁰⁷⁷	250 w/Ford 4-220 Diesel Engine			520 w/Detroit Diesel 6V-53 Engine		
T435, T435C, T445, T445B, T450C, T445C, T455C w/Cummins 6CT 8.3 Engine			402540	Fuel	L23F	8410616	Air	LAF1834 ²
88544	Air	LAF1834 ²		Oil	LFP2258	8410617		LAF1835 ¹
88545		LAF1835 ¹	C2TZ-6731-A		LP70V	550 w/Cummins V555 Engine		
Pri.	Fuel	LFF3417	EPN-6731-B		P772		Coolant	LFW4071 ²⁸
Sec.		LFF3521	2518, 2520 w/John Deere 6466T Engine			550 w/Detroit Diesel 6V-53N Engine		
85419	Hydraulic	LFH3990-03	110930	Hydraulic	LFH4915	403755	Hydraulic	LP132
16070	Oil	LFP3000 LFP3000XL ¹⁴	325, 330, 404 w/Detroit Diesel 3-53 Engine				Trans	LP151
T445E w/Valmet 603 Engine			P-142	Hydraulic	LFH4210	608 Fellerbuncher w/Cummins 6BTA 5.9 Engine		
P179778	Air	LAF1725 ¹	330 Loader w/Cummins 6BT 5.9 Engine			408481	Air	LAF7315 ¹
P181065		LAF9001 ²	Sec.	Fuel	LFF3417	408480		LAF9000 ²
P165876	Hydraulic	LFH5876	Sec.		LFF3521		Fuel	LFF3417
TF815C w/Cummins 6CT8.3 Engine				Oil	LFP780	Sec.		LFF3521
	Air	LAF1834 ² LAF1835 ¹	350 Series w/Detroit Diesel 3-53 Engine				Oil	LFP780
			Turbo	Air	LAF1834 ²	618, 628 Fellerbunchers w/Cummins 6CTA 8.3 Engine		
			Turbo		LAF1835 ¹		Air	LAF7315 ¹
			w/o Turbo		LAF7315 ¹	408481		LAF9000 ²
			w/o Turbo		LAF9000 ²	408480		
			411531	Hydraulic	LH4391		Oil	LFP734
TIMBERJACK (LOGGING EQUIPMENT)								
200C, 201 w/Ford 4-172 Engine								
	Fuel	L296F ⁴¹						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 41-Cartridge 65-By-Pass 210-w/ Sensor 268-Extended/Severe service 1077-Hyd. Tank

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TIMBERJACK (LOGGING EQUIPMENT)			TORO (LOADER)			TOWMOTOR (LIFT TRUCK)		
850, 950 w/Cummins 6CTA8.3 Engine			Dingo 322, Dingo 323 w/Kohler Command Engine (cont'd)			421 (cont'd)		
	Air	LAF1834 ² LAF1835 ¹	540110	Hydraulic	LFP1652	38660	Oil	P7FF
933C w/Volvo TD71A Engine			5205002	Oil	PH2835	347003	Trans	P92
			Dingo TX413 w/Honda GX390 Engine			422S		
	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	17210-ZE3-505	Air	LAF5023 ¹³⁵³	321504	Hydraulic	LFH1700 ¹¹
Models w/Canister Reservoir			540110	Hydraulic	LFP1652	(68147); By-Pass	Oil	PB50 ⁹⁵⁹
101948	Hydraulic	LP164	Dingo TX420 w/Kohler Command 20 hp Engine			(329868); All others	Trans	LP50910 ⁵⁹⁰
Models w/Vickers Hydraulics			2408303	Air	LAF5802	S/N 84K, 85K, 86K;		P92
228467	Hydraulic	LH4914	863010	Hydraulic	LFH4209	Hydrostatic		
228468		LP468	5205002	Oil	PH2835	440		
			Dingo TX425 w/Kohler Command 25 hp Engine			347003		
			2408303	Air	LAF5802		Trans	P92
			863010	Hydraulic	LFH4209	441		
			5205002	Oil	PH2835	347003	Hydraulic	P92
TIPTON (DUST COLLECTOR)			Dingo TX427 w/Kohler Command Pro CH740 Engine			(68147); By-Pass		
Models with Tipton Air Filters			5205002	Oil	PH2835	460, 461		
FC15-1001	Air	LAF3586	Dingo TX525 w/Kubota D722 Engine			67765		
			987612	Fuel	G1 ⁵³¹		Air	LAF863 ¹⁴⁶³
			(638300); W/S		LFF8255	68660	Oil	P7FF
			863010	Hydraulic	LFH4209	By-Pass		PB50
			5205002	Oil	PH2835	347003	Trans	P92
TMX (MINI EXCAVATOR)			Dingo TX525 w/Kubota D902-E3B Diesel Engine			462S		
w/Honda GX690 Engine)			W/S		LFF8255	67765	Air	LAF863 ¹⁴⁶³
	Oil	PH2808		Hydraulic	LFH4209	68660	Oil	P7FF
w/Kohler 20 hp Command Pro V-Twin				Oil	PH2835	By-Pass		PB50
1205002	Oil	PH2814	TRX15, TRX19 w/Kawasaki Engine			347003	Trans	P92
w/Robin OHV Engines V-Twin			49065-7007	Oil	PH3656	462S		
	Oil	PH2840	TRX26 w/Kawasaki FX730V Engine			67765	Air	LAF863 ¹⁴⁶³
			49065-7007	Oil	PH3656	321504	Hydraulic	LFH1700 ¹¹
TORIT (DUST COLLECTOR)			TOWMOTOR (LIFT TRUCK)			(68147); By-Pass	Oil	PB50 ⁹⁵⁹
ECB002 Environmental Control Booth			3515			347003	Trans	P92
8PP19215-01	Air	LAF1851	(68147); By-Pass	Oil	PB50 ⁹⁵⁹	480P		
ECB003 Environmental Control Booth			390, 391			67765	Air	LAF863 ¹⁴⁶³
8PP19215-01	Air	LAF1851	67765	Air	LAF863 ¹⁴⁶³	68660	Oil	P7FF
ECB004 Environmental Control Booth			68660	Oil	P7FF	500, 500P		
8PP19215-01	Air	LAF1851	392S			67765	Air	LAF863 ¹⁴⁶³
Models using Torit Air Cleaners			By-Pass				Hydraulic	LP1653 ¹¹
8PP18583-01	Air	LAF1773	400P			67765		
8PP20306-00		LAF1851	(68147); By-Pass	Oil	P7FF	68660	Oil	P7FF
8PP20112-00		LAF1881				501		
TD162 Dust Collector			410			67765	Air	LAF863 ¹⁴⁶³
8PP18803-00	Air	LAF1881	411			68660	Oil	P7FF
TD486 Dust Collector			(68147); By-Pass			(347003); Hydrostatic	Trans	P92
8PP18803-00	Air	LAF1881	420			501P		
TD573 Dust Collector			421			67765	Air	LAF863 ¹⁴⁶³
8PP19215-01	Air	LAF1851	421			68660	Oil	P7FF
TD650 Dust Collector			421			502P		
8PP18803-00	Air	LAF1881	421			67765	Air	LAF863 ¹⁴⁶³
TD970 Dust Collector			421				Hydraulic	LP1653 ¹¹
8PP18803-00	Air	LAF1881	421			(68147); By-Pass	Oil	PB50 ⁹⁵⁹
TORO (LOADER)			421			502S		
Dingo 220 w/Kohler CH20 Engine			(68147); By-Pass			67765	Air	LAF863 ¹⁴⁶³
4208303	Air	AF217	410			321504	Hydraulic	LFH1700 ¹¹
2405002	Fuel	G1/4	(68147); By-Pass			32564	Oil	LP1653 ¹¹
540110	Hydraulic	LFP1652	411			(68147); By-Pass	Oil	PB50 ⁹⁵⁹
5205002	Oil	PH2835	411			329868	Trans	LP50910
Dingo 320D w/Kubota D722E Engine			(68147); By-Pass			347003		P92
987612	Fuel	G1 ⁵³¹	347003			510P		
(638300); W/S		LFF8255	420			67765	Air	LAF863 ¹⁴⁶³
863010	Hydraulic	LFH4209	420			321504	Hydraulic	LFH1700 ¹¹
5205002	Oil	PH2835	421			32564	Oil	LP1653 ¹¹
Dingo 322, Dingo 323 w/Kohler Command Engine			421			(68147); By-Pass	Oil	PB50 ⁹⁵⁹
2405002	Fuel	G1/4	67765			510P		
			67765			67765	Air	LAF863 ¹⁴⁶³
			67765			321504	Hydraulic	LFH1700 ¹¹
			67765			32564	Oil	LP1653 ¹¹
			67765			(68147); By-Pass	Oil	PB50 ⁹⁵⁹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 11-Power Steering 14-Extended Life 531-Filter only 590-Hydrostatic 959-On models with triangular base bracket, make certain that mounting bolts do not contact filter 1353-Round 1463-With United 250C3,-S

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TOWMOTOR (LIFT TRUCK)			TOWMOTOR (LIFT TRUCK)			TOWMOTOR (LIFT TRUCK)		
540S			950S			AMP25		
343007	Air	LAF1823 ¹	(85261); S/N 71L1-290	Air	LAF240	636083	Hydraulic	LP468
348547		LAF7533		Hydraulic	LP6005 ¹¹	636372	Oil	P71
321504	Hydraulic	LFH1700 ¹¹	960P			B10-12, BMS		
32564		LP1653 ¹¹	656140	Air	LAF702	665459	Air	LAF1246 ²
(68147); By-Pass	Oil	P7FF	348547		LAF7533	Sec.	Fuel	262F
321504	Trans	LP50910	321504	Hydraulic	LFH1700 ¹¹	665934	Hydraulic	LFP1652 ¹¹⁰⁰
590S			(68147); By-Pass	Oil	PB50 ⁹⁵⁹	5J8879		LH4914 ¹¹⁰⁰
(68147); By-Pass	Oil	P7FF	A10, A12			By-Pass	Oil	P3
347003	Trans	P92	636083	Hydraulic	LP468			P771A
600D w/Continental HD-260 Engine			S/N 610043-	Oil	P3	636083	Trans	LP468
348547	Air	LAF7533	A15 Thru A24			329868		LP50910
68660	Oil	P7FF	5J8879	Hydraulic	LH4914 ¹¹⁰⁰	B15 Thru B18		
600S			636083		LP468	665459	Air	LAF1246 ²
343007	Air	LAF1823 ¹	636372	Oil	P71	Sec.	Fuel	262F
348547		LAF7533	AF40, AF46, AF52, AF60 w/International Engine			Sec.		FP230F
321504	Hydraulic	LFH1700 ¹¹	636083	Hydraulic	LP468			L296F ⁴¹
32564		LP1653 ¹¹	636372	Oil	P71	665934	Hydraulic	LFP1652 ¹¹⁰⁰
(68147); By-Pass	Oil	P7FF	AH40, AH46, AH52, AH60 w/Caterpillar D330 Engine			636083		LP468
329868	Trans	LP50910	(1P2299); Sec.	Fuel	LFP440F	9L9200	Oil	LFP791
601P			5S484	Oil	LP161	(636372); By-Pass		P71
67765	Air	LAF863 ¹⁴⁶³	AH40, AH60 w/Caterpillar Engine			B15 thru B20		
(68147); By-Pass	Hydraulic	LP1653 ¹¹	687743	Air	LAF234HD ²	687743	Air	LAF234HD ²
	Oil	PB50 ⁹⁵⁹	(9L9100); Sec.	Fuel	FP230F	(9L9100); Sec.	Fuel	FP230F
670S			636083	Hydraulic	LP468	665934	Hydraulic	LFP1652 ¹²⁵⁵
343007	Air	LAF1823 ¹	9L9200	Oil	LFP791	636083		LP468
67765		LAF863 ¹⁴⁶³	Also See Caterpillar			9L9200	Oil	LFP791
321504	Hydraulic	LFH1700 ¹¹	(68147); By-Pass	Oil	PB50 ⁹⁵⁹	B20 Thru B25		
32564		LP1653 ¹¹	AM25			665459	Air	LAF1246 ²
(68147); By-Pass	Oil	P7FF	687743	Air	LAF234HD ²	687743		LAF234HD ²
329868	Trans	LP50910	(9L9100); Sec.	Fuel	FP230F	(632315); Sec.	Fuel	262F
680P			665934	Hydraulic	LFP1652 ¹¹⁰⁰	(9L9100); Sec.		FP230F
67765	Air	LAF863 ¹⁴⁶³	636083		LP468	665934	Hydraulic	LFP1652 ¹²⁵⁵
32564	Hydraulic	LP1653 ¹¹	9L9200	Oil	LFP791	5J8879		LH4914 ¹¹⁰⁰
(68147); By-Pass	Oil	P7FF	636372		P71	9L9200	Oil	LFP791
329868	Trans	LP50910	AM30			(636372); By-Pass		P71
750S, 760P			687743	Air	LAF234HD ²	M30, M40, M50		
656140	Air	LAF702	(9L9100); Sec.	Fuel	FP230F	347003	Hydraulic	P92
348547		LAF7533	636083	Hydraulic	LP468	T165, T180, T200, T225, T250, T300, T400		
321504	Hydraulic	LFH1700 ¹¹	9L9200	Oil	LFP791	315405	Air	LAF240
32564		LP1653 ¹¹	636372		P71		Hydraulic	LP1653 ¹¹
(68147); By-Pass	Oil	PB50 ⁹⁵⁹	AM36, AM40				Oil	P7FF
329868	Trans	LP50910	(9L-9100); Sec.	Fuel	FP230F	T30, T40, T50, T60		
750S, 760P			636083	Hydraulic	LP468	333660	Air	AF101 ¹⁸¹
656140	Air	LAF702	9N-5680	Oil	LFP791	343007		LAF1823 ¹
348547		LAF7533	AM36, AM40, AM46, AM52, AM60 w/Caterpillar D330 Engine			67765		LAF863 ²
321504	Hydraulic	LFH1700 ¹¹	687743	Air	LAF234HD ²	321504	Hydraulic	LFH1700 ¹¹
32564		LP1653 ¹¹	(1P2299); Sec.	Fuel	LFP440F	342499		LFH4988
(68147); By-Pass	Oil	PB50 ⁹⁵⁹	636083	Hydraulic	LP468	By-Pass	Oil	PB50
850S w/International Engine			5S484	Oil	LP161		Trans	LH4914
	Air	LAF240	AM36, AM40, AM46, AM52, AM60 w/International Engine			636083		LP468
85261	Hydraulic	LP6005 ¹¹	687743	Air	LAF234HD ²	329868		LP509
	Oil	P138	(1P2299); Sec.	Fuel	LFP440F	T30B, T35B, T40B, T45B, T50B, T60B		
860P			636083	Hydraulic	LP468	(8N-85504); T50B only	Air	LAF1820 ²
656140	Air	LAF702	5S484	Oil	LP161	(343007); T60B		LAF1823 ¹
348547		LAF7533	AM36, AM40, AM46, AM52, AM60 w/International Engine					
321504	Hydraulic	LFH1700 ¹¹	687743	Air	LAF234HD ²			
(68147); By-Pass	Oil	PB50 ⁹⁵⁹	636083	Hydraulic	LP468			
			636372	Oil	P71			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 11-Power Steering 41-Cartridge 181-Single 959-On models with triangular base bracket, make certain that mounting bolts do not contact filter
1100-Clutch 1255-With oil clutch 1463-With United 250C3,-S

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TOWMOTOR (LIFT TRUCK)			TOWMOTOR (LIFT TRUCK)			TOYOTA (LIFT TRUCK)		
<i>T30B, T35B, T40B, T45B, T50B, T60B (cont'd)</i>			<i>V41B, V51B, V55B, V60B (cont'd)</i>			<i>02-3FD33, 02-3FD35 w/Toyota 2H Diesel Engine (cont'd)</i>		
7N-9027	Air	LAF2519 ¹	329060	Oil	PH400 ²⁷⁵			
(676987); S/N 48G, 95H, 45S, 46S, 47S, 48S only; Sec.	Fuel	L296F ⁴¹	329060		PH8A ¹⁴⁹⁶	40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
321504	Hydraulic	LFH1700 ¹¹	329868	Trans	LP509	<i>02-3FG20, 02-3FGL20, 02-3FG25 w/Toyota 4P Gasoline Engine</i>		
363992		LFH4268	347003		P92	17801-30240-71	Air	LAF1964
347003		P92	<i>V60C, V70C, V80C</i>			15601-96101	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
(68147); By-Pass; T50B only	Oil	PB50	656140	Air	LAF1968	15601-96101		
<i>U6, U8</i>			9J750	Hydraulic	LH5461	40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
636083	Hydraulic	LP468	364464	Oil	PH400 ²⁷⁵	<i>02-4FD20 w/Toyota 2J Diesel Engine</i>		
(634615); S/N 620001-	Oil	P3	364464	Trans	PH8A ¹⁴⁹⁶	17801-30240-71	Air	LAF1964
<i>V100, V120, V140</i>			<i>V60D, V70D, V80D</i>			15601-96101	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
689407	Air	LAF1275 ²	8N-5504	Air	LAF1820 ²	15601-96101		
676987	Fuel	L296F ⁴¹	7N-9027		LAF2519 ¹	40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
665934	Hydraulic	LFP1652 ¹²⁵⁵		Hydraulic	LFP2275	<i>02-4FD20, 02-4FD25 w/Toyota 2J Diesel Engine</i>		
<i>V160, V180, V200, V225, V250, V300</i>			364464	Oil	PH400 ²⁷⁵	17801-30240-71	Air	LAF1964
687743	Air	LAF234HD ²	694229		PH4403		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
(1P2299); Sec.	Fuel	LFP440F	364464		PH8A ¹⁴⁹⁶	40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
665934	Hydraulic	LFP1652 ¹²⁵⁵	TOYOTA (LIFT TRUCK)			<i>02-4FD23 w/Toyota 2J Diesel Engine</i>		
9L9200	Oil	LFP791	<i>02-2FDC20, 20-2FDC25 w/Toyota 2J Diesel Engine</i>				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
(695823); w/Funk tran.	Trans	LFH4922	675022054071	Hydraulic	LH5931 ⁶⁰⁷	40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
<i>V30, V40, V50</i>			15601-96101	Oil	PH400 ²⁷⁵	<i>02-4FG14 w/Toyota 4P Gas Engine</i>		
333660	Air	AF101	15601-96101		PH8A ¹⁴⁹⁶		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
343007		LAF1823 ¹	15601-96101		PH253 ¹⁴⁹⁶	<i>02-4FG15 w/Toyota 4P Gas Engine</i>		
656140		LAF702	40150-30370-71	Trans	PH2835 ²⁷⁵		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
343008		LAF863	<i>02-2FG20, 02-2FG25 w/Toyota 4P Gasoline Engine</i>				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
676987	Fuel	L296F ⁴¹	17801-30240-71	Air	LAF1964	<i>02-4FG18 w/Toyota 4P Gas Engine</i>		
351504	Hydraulic	LFH1700 ¹¹	15601-96101	Oil	PH400 ²⁷⁵		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
337778	Oil	P772	15601-96101		PH8A ¹⁴⁹⁶	<i>02-4FG20, 02-4FG23, 02-4FG25 w/Toyota 4P Gasoline Engine</i>		
(68147); By-Pass		PB50	15601-96101		PH253 ¹⁴⁹⁶	17801-45020	Air	AF342
314361		PH400 ^{275, 1100}	40150-30370-71	Trans	PH2835 ²⁷⁵	15601-96101	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
314361		PH8A ^{1100, 1496}	<i>02-2FG32, 02-2FG35, 02-2FG40 Toyota 2F Engines</i>			15601-96101		
5J8879	Trans	LH4914	17801-30240-71	Air	LAF1964	40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
329868		LP509	15601-96101	Oil	PH400 ²⁷⁵	<i>02-5FD10, 02-5FD20, 02-5FD23, 02-5FD25, 02-5FD28, 02-5FD30 w/Toyota 1Z Diesel Engine</i>		
347003		P92	15601-96101		PH8A ¹⁴⁹⁶	17801-23000-71	Air	LAF1477
<i>V30B, V35B, V40B V45B, V50B</i>			<i>02-2FGE30 w/Toyota 2F Gasoline Engine</i>				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
343007	Air	LAF1823 ¹	17801-30240-71	Air	LAF1964	40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
(676987); Diesel	Fuel	L296F ⁴¹		Oil	PH400 ²⁷⁵	<i>02-5FD14, 02-5FD15, 02-5FD18, 02-5FD20, 02-5FD23, 02-5FD25 w/Toyota 4P Gasoline Engine</i>		
(68147); By-Pass	Oil	PB50	40150-30370-71	Trans	PH253 ¹⁴⁹⁶	17801-23000-71	Air	LAF1477
329868	Trans	LP509			PH8A ¹⁴⁹⁶		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
347003		P92	<i>02-3FD10-18 w/Toyota 2J Diesel Engine</i>			15601-96101		
<i>V41, V51, V60</i>			17801-30240-71	Air	LAF1964	40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
656140	Air	LAF702		Oil	PH400 ²⁷⁵	<i>02-5FD14, 02-5FD15, 02-5FD18, 02-5FD20, 02-5FD23, 02-5FD25 w/Toyota 4P Gasoline Engine</i>		
321504	Hydraulic	LFH1700 ¹¹			PH8A ¹⁴⁹⁶	17801-23000-71	Air	LAF1477
347003		P92	40150-30370-71	Trans	PH253 ¹⁴⁹⁶	15601-96101	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
(68147); By-Pass	Oil	PB50			PH2835 ²⁷⁵	15601-96101		
314361		PH400 ^{275, 1100}	<i>02-3FD23 w/Toyota 2J Diesel Engine</i>			40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
314361		PH8A ^{1100, 1496}		Oil	PH400 ²⁷⁵	<i>02-5FD28, 02-5FD30 w/Toyota 1Z Diesel Engine</i>		
5J8879	Trans	LH4914	17801-30240-71	Air	LAF1964		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
329868		LP509			PH8A ¹⁴⁹⁶		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>V41B, V51B, V55B, V60B</i>			<i>02-3FD25 w/Toyota 2J Diesel Engine</i>			<i>02-5FD14, 02-5FD15, 02-5FD18, 02-5FD20, 02-5FD23, 02-5FD25 w/Toyota 4P Gasoline Engine</i>		
656140	Air	LAF702		Oil	PH400 ²⁷⁵	17801-23000-71	Air	LAF1477
(321504); S/N 74P, 77P only	Hydraulic	LFH1700 ¹¹			PH8A ¹⁴⁹⁶	15601-96101	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
(68147); By-Pass	Oil	PB50	40150-30370-71	Trans	PH253 ¹⁴⁹⁶	15601-96101		
					PH2835 ²⁷⁵	40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 11-Power Steering 41-Cartridge 275-Primary 607-Return 1100-Clutch 1255-With oil clutch 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TOYOTA (LIFT TRUCK)			TOYOTA (LIFT TRUCK)			TOYOTA (LIFT TRUCK)		
<i>02-5FG33, 02-5FG35</i>			<i>2FG28, 2FG30 w/Toyota 5R Engine (cont'd)</i>			<i>3FD33, 3FD35, 3FD40 w/Toyota 2F Engine</i>		
17801-23000-71	Air	LAF1477	15601-78101-71	Oil	PH400 ²⁷⁵	23612-24550-71	Air	LAF1933 ^{1, 57}
17801-23001-71		LAF8638	15601-78101-71		PH8A ¹⁴⁹⁶	17752-20540-71		LAF222 ^{2, 57}
15600-41010	Oil	PH400 ²⁷⁵	<i>2FG32, 2FG35, 2FG40 w/Toyota 2F Gas Engine</i>			<i>3FD50, 3FD60 w/Toyota 2F Engine</i>		
15600-41010		PH8A ¹⁴⁹⁶	17801-30240-71	Air	LAF1964	17752-20540-71	Air	LAF222 ²
<i>02-5FG40, 02-5FG45, 42-5FG33, 42-5FG35, 42-5FG40, 42-5FG45</i>			15601-96101	Oil	PH400 ²⁷⁵	67502-20540-71	Hydraulic	LH5931
17801-23000-71	Air	LAF1477	15601-96101		PH8A ¹⁴⁹⁶	15600-41010	Oil	PH400 ²⁷⁵
17801-23001-71		LAF8638	<i>2JD18, 2JD25</i>			15600-41010		PH8A ¹⁴⁹⁶
15600-41010	Oil	PH400 ²⁷⁵	23612-24550-71	Air	LAF1933 ¹	40150-30370-71	Trans	PH253 ¹⁴⁹⁶
15600-41010		PH8A ¹⁴⁹⁶	23303-64010	Fuel	G2920			PH2835 ²⁷⁵
<i>02-FD18, 02-FD23 w/Toyota 2J Diesel Engine</i>			15600-41010	Oil	PH400 ²⁷⁵	<i>3FD50, 3FD60 w/Toyota 2H Engine</i>		
17801-30240-71	Air	LAF1964	15600-41010		PH8A ¹⁴⁹⁶	23303-56031	Fuel	FP588F
15601-96101	Oil	PH400 ²⁷⁵	<i>2SD7, 2SD10 w/Toyota 2J Gas Engine</i>			67502-20540-71	Hydraulic	LH5931
15601-96101		PH8A ¹⁴⁹⁶		Air	LAF222 ²	15601-68010	Oil	LFP923
40150-30370-71	Trans	PH253 ¹⁴⁹⁶	15601-78101-71	Oil	PH400 ²⁷⁵	40150-30370-71	Trans	PH253 ¹⁴⁹⁶
<i>02-FDC20, 02-FDC25 w/Toyota 2J Diesel Engine</i>			15601-78101-71		PH8A ¹⁴⁹⁶	<i>3FD80 w/Toyota 2D Engine</i>		
W/S	Fuel	LFF4294 ¹⁹	<i>2SG7, 2SG10 w/Toyota 2J Engine</i>			67502-20540-71	Hydraulic	LH5931
		LFF4296 ¹⁸		Air	LAF222 ²	40150-30370-71	Trans	PH253 ¹⁴⁹⁶
	Oil	PH400 ²⁷⁵	15601-78101-71	Oil	PH400 ²⁷⁵			PH2835 ²⁷⁵
		PH8A ¹⁴⁹⁶	15601-78101-71		PH8A ¹⁴⁹⁶	<i>3FG10 w/Toyota 4P Gas Engine</i>		
	Trans	PH253 ¹⁴⁹⁶	15601-78101-71	Oil	PH400 ²⁷⁵	17801-45020	Air	AF342
<i>02-FG18, 02-FG23 w/Toyota 4P Gas Engine</i>			15601-78101-71		PH8A ¹⁴⁹⁶	40150-30370-71	Oil	PH253 ¹⁴⁹⁶
17801-45020	Air	AF342	<i>2SG7, 2SG10 w/Toyota 4P Gas Engine</i>			40150-30370-71	Trans	PH253 ¹⁴⁹⁶
15601-96101	Oil	PH400 ²⁷⁵		Air	LAF222 ²			PH2835 ²⁷⁵
15601-96101		PH8A ¹⁴⁹⁶	15601-78101-71	Oil	PH400 ²⁷⁵	<i>3FG10 w/Toyota LP Engine</i>		
40150-30370-71	Trans	PH253 ¹⁴⁹⁶	15601-78101-71		PH8A ¹⁴⁹⁶	17801-45020	Air	AF342
<i>20C, 25C, 30C w/Toyota 5R Engine</i>			17801-23000-71	Air	LAF1477	40150-30370-71	Oil	PH253 ¹⁴⁹⁶
17801-31010	Air	AF341	17801-23001-71		LAF8638			PH2835 ²⁷⁵
<i>2FBC10, 2FBE10, 2FBE13, 2FBC15, 2FBE15, 2FBE18, 2FBC20, 2FBC25, 2FBC20, 2FBC25 Electric</i>			<i>2TD20, 25 w/Toyota 1DZ Engine</i>			40150-30370-71	Trans	PH253 ¹⁴⁹⁶
67502-20540-71	Hydraulic	LH5931	17801-23000-71	Air	LAF1477			PH2835 ²⁷⁵
<i>2FD100, 2FD115, 2FD135 w/Toyota 2D Engine</i>			17801-23001-71		LAF8638	<i>3FG20, 3FG25 w/Toyota 2JT Diesel Engine</i>		
67502-20540-71	Hydraulic	LH5931	15601-33021	Oil	PH561	17752-20540-71	Air	LAF222 ²
40150-30370-71	Trans	PH253 ¹⁴⁹⁶	<i>2TG20, 25 w/Toyota 1DZ Engine</i>			23303-56031	Fuel	FP588F
<i>2FD150, 2FD180, 2FD200 w/Toyota Hino H06-T Diesel Engine</i>			17801-23000-71	Air	LAF1477	15601-78101-71	Oil	PH400 ²⁷⁵
23613-44790-71	Air	LAF8668 ²	17801-23001-71		LAF8638	15601-78101-71		PH8A ¹⁴⁹⁶
<i>2FG28, 2FG30 w/Toyota 2J Engine</i>			(17801-23001-71); S/N 8912 up			<i>3FG20, 3FG25, 3FG33, 3FG35, 3FG40 w/Toyota 2F, 4P, 5R Engine</i>		
17752-20540-71	Air	LAF222 ^{2, 57}	(17801-23001-71); S/N 8912 up	Oil	PH561	23612-24550-71	Air	LAF1933 ^{1, 57}
15601-78101-71	Oil	PH400 ²⁷⁵	(15601-33021); S/N 8912 up			17801-30240-71		LAF1964
15601-78101-71		PH8A ¹⁴⁹⁶	<i>3FD28 w/Toyota 2J Diesel Engine</i>			17752-20540-71	Hydraulic	LH5931
<i>2FG28, 2FG30 w/Toyota 4P Engine</i>			17801-30240-71	Air	LAF1964	67502-20540-71	Oil	PH253 ¹⁴⁹⁶
17752-20540-71	Air	LAF222 ^{2, 57}	17752-20540-71		LAF222 ²	15600-41010		PH400 ²⁷⁵
15601-78101-71	Oil	PH400 ²⁷⁵	23303-56031	Fuel	FP588F	15600-41010		PH8A ¹⁴⁹⁶
15601-78101-71		PH8A ¹⁴⁹⁶	15601-78101-71	Oil	PH400 ²⁷⁵	<i>3FG33, 3FG35, 3FG40 w/Toyota 2H Engine</i>		
<i>2FG28, 2FG30 w/Toyota 5P Engine</i>			15601-78101-71		PH8A ¹⁴⁹⁶	23612-24550-71	Air	LAF1933 ¹
17752-20540-71	Air	LAF222 ^{2, 57}	<i>3FD33 w/Toyota 2H Diesel Engine</i>			17752-20540-71		LAF222 ²
15601-78101-71	Oil	PH400 ²⁷⁵	23612-24550-71	Air	LAF1933 ¹	67502-20540-71	Hydraulic	LH5931
15601-78101-71		PH8A ¹⁴⁹⁶	17801-30240-71		LAF1964	15600-41010	Oil	PH400 ²⁷⁵
<i>2FG28, 2FG30 w/Toyota 5R Engine</i>			17752-20540-71		LAF222 ²	15600-41010		PH8A ¹⁴⁹⁶
17752-20540-71	Air	LAF222 ^{2, 57}	23303-56031	Fuel	FP588F	40150-30370-71	Trans	PH253 ¹⁴⁹⁶
			15601-68010	Oil	LFP923			PH2835 ²⁷⁵

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 18-Short 19-Long 57-Partial 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TOYOTA (LIFT TRUCK)			TOYOTA (LIFT TRUCK)			TOYOTA (LIFT TRUCK)		
3FG50, 3FG60 w/Toyota 2H Engine			5FD10, 5FD14, 5FD15, 5FD18, 5FD20, 5FD23, 5FD25, 5FD28, 5FD30 w/Toyota 1Z Engine (cont'd)			5FG10, 5FG14, 5FG15, 5FG18, 5FG20, 5FG23, 5FG25, 5FG28, 5FG30 w/Toyota 1Z Engine (cont'd)		
23303-56031	Fuel	FP588F	15600-41010	Oil	PH8A ¹⁴⁹⁶	23303-64010	Fuel	G2920
67502-20540-71	Hydraulic	LH5931	40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	15600-41010	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
15601-68010	Oil	LFP923				15600-41010	Oil	PH400 ²⁷⁵ PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵				40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
3FGC30 w/Toyota 2J Engine			5FD10, 5FD14, 5FD15, 5FD18, 5FD20, 5FD23, 5FD25, 5FD28, 5FD30 w/Toyota 2J Engine			5FG10, 5FG14, 5FG15, 5FG18, 5FG20, 5FG23, 5FG25, 5FG28, 5FG30 w/Toyota 2J Engine		
17752-20540-71	Air	LAF222 ²	23303-64010	Fuel	G2920	17801-23000-71	Air	LAF1477
23303-56031	Fuel	FP588F	15600-41010	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	23303-64010	Fuel	G2920
15601-78101-71	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	15600-41010	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
15601-78101-71	Oil	PH8A ¹⁴⁹⁶				15600-41010	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
3TG35, 3TG45 w/Toyota 2H Diesel Engine			5FD33, 5FD35, 5FD40, 5FD45 w/Toyota 11Z Diesel Engine			5FG33, 5FG35, 5FG40, 5FG45 w/Toyota 11Z Diesel Engine		
	Oil	LFP923	17801-23000-71	Air	LAF1477	23303-64010	Fuel	G2920
40-2FG7, 40-2FG9 w/Toyota 4P Engine			15600-41010	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	15600-41010	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
67502-20540-71	Hydraulic	LH5931	15600-41010	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
15601-78001-71	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵						
40-3FD50, 40-3FD60 w/Toyota 2D Engine			5FD40 w/Toyota 4Y Engine			5FG10, 5FG14, 5FG15, 5FG18, 5FG20, 5FG23, 5FG25, 5FG28, 5FG30 w/Toyota 4Y Gas Engine		
67502-20540-71	Hydraulic	LH5931	17743-U1100-71	Air	LAF8730 ² LAF8731 ¹	23303-64010	Fuel	G2920
40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	17744-U1100-71	Air	LAF8730 ² LAF8731 ¹	15600-41010	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
			23303-76002-71	Fuel	G2920	67502-20540-71	Hydraulic	LH5931
42-5FG14, 42-5FG15, 42-5FG18, 42-5FG28, 42-5FG30 w/Toyota 4Y Gas Engine			15600-76003-71	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
17801-23000-71	Air	LAF1477 LAF8638	15600-76003-71	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶			
17801-23001-71	Air	LAF8638	32670-12620-71	Trans	PH2814			
15601-33021	Oil	PH561	5FD50, 5FD60, 5FD70 w/Toyota 12Z Diesel Engine			5FG10, 5FG13, 5FG15 w/Toyota 4Y Gas Engine		
4FD20, 4FD23, 4FD25 w/Toyota 2J Diesel Engine				Air	LAF1246 ²	17801-23000-71	Air	LAF1477
W/S	Fuel	LFF4294 ¹⁹ LFF4296 ¹⁸	15600-41010	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	67502-20540-71	Hydraulic	LH5931
67502-20540-71	Hydraulic	LH5931	15600-41010	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	15601-33021	Oil	PH561
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	5FDC20, 5FDC23, 5FDC25, 5FDC28, 5FDC30 w/Toyota 2J Diesel Engine			5FG18, 5FG20, 5FG23, 5FG25, 5FG28, 5FG30 w/Toyota 2J Diesel Engine		
	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	17801-23000-71	Air	LAF222 ² LAF8639 ² LAF8644 ¹	17752-20540-71	Air	LAF222 ² LAF5042
4FG10, 4FG14, 4FG15, 4FG20, 4FG23, 4FGC20, 4FG25 w/Toyota 4P Gas Engine			17804-23000-71	Fuel	G2920	17808-23800-71	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
17801-45020	Air	AF342 LAF222 ²	15600-41010	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	15600-41010	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
17752-20540-71	Air	LAF222 ²	15600-41010	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
15601-78001-71	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	5FG18, 5FG20, 5FG23, 5FG25, 5FG28, 5FG30 w/Toyota 4Y Gas Engine		
15601-78001-71	Oil	PH8A ¹⁴⁹⁶						
4FG10, 4FG14, 4FG15, 4FG20, 4FG23, 4FGC20, 4FG25 w/Toyota 5P Gas Engine			5FDC20, 5FDC25, 5FDC30 w/Toyota 4Y Gas Engine			5FG18, 5FG20, 5FG23, 5FG25, 5FG28, 5FG30 w/Toyota 4Y Gas Engine		
17801-45020	Air	AF342 LAF222 ²	17801-23000-71	Air	LAF1477	17801-23000-71	Air	LAF1477 LAF5042
17752-20540-71	Air	LAF222 ²	15601-33021	Oil	PH561	17808-23800-71	Oil	PH561
15601-78001-71	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	15601-33021	Oil	PH561
15601-78001-71	Oil	PH8A ¹⁴⁹⁶				40150-30370-71	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
4FG10, 4FG14, 4FG15, 4FG20, 4FGC20 w/Toyota 2JT Engine			5FDF10, 5FDF20 w/Toyota 5K Engine			5FGF20 w/Toyota 5K Engine		
17752-20540-71	Air	LAF222 ²	17801-23001-71	Air	LAF222 ²		Air	LAF1477
23303-56031	Fuel	FP588F	90915-03001	Oil	PH2840		Oil	PH2840
15601-78101-71	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	5FG10, 5FG14, 5FG15, 5FG18 w/Toyota 5K Engine			6FD25 w/Toyota 4Y Diesel Engine		
15601-78101-71	Oil	PH8A ¹⁴⁹⁶	17801-23001-71	Air	LAF222 ²	17743-23600-71	Air	LAF8687 ² LAF8688 ¹
			90915-03001	Oil	PH2840	17744-23600-71	Air	LAF8687 ² LAF8688 ¹
5FD10, 5FD14, 5FD15, 5FD18, 5FD20, 5FD23, 5FD25, 5FD28, 5FD30 w/Toyota 1Z Engine			5FG10, 5FG14, 5FG15, 5FG18, 5FG20, 5FG23, 5FG25, 5FG28, 5FG30 w/Toyota 1Z Engine			6FD25 w/Toyota 5K Diesel Engine		
	Air	LAF222 ²	17801-23000-71	Air	LAF1477	17743-23600-71	Air	LAF8687 ² LAF8688 ¹
	Fuel	G2920				17744-23600-71	Air	LAF8687 ² LAF8688 ¹
15600-41010	Oil	PH400 ²⁷⁵				7FDU35, 7FDU45 w/Toyota 13Z or 15Z Engine		
						15600-7600371	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
						15600-7600371	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 18-Short 19-Long 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TOYOTA (LIFT TRUCK)			TOYOTA (LIFT TRUCK)			TOYOTA (LIFT TRUCK)		
7FDU35, 7FDU45 w/Toyota 13Z or 15Z Engine (cont'd)			8FGU30, 8FGCU30 w/Toyota 4Y Engine			FDC33, FDC35, FDC40, FDC45 w/Toyota 2H Diesel Engine (cont'd)		
	Trans	G2920	17743U223071	Air	LAF8730 ²			
			17744U110071		LAF8731 ¹		Trans	PH2835 ²⁷⁵
7FDU50, 7FDU60 w/Toyota 13Z or 15Z Engine			326701262071 Hydraulic PH2816			FDE35, FGE35 w/Toyota 2F Gas Engine		
15600-7600371	Oil	PH400 ²⁷⁵	8FGU32, 8FGCU32 w/Toyota 4Y Engine			23612-24550-71	Air	LAF1933 ¹
15600-7600371		PH8A ¹⁴⁹⁶	17743U223071	Air	LAF8730 ²	17801-30240-71		LAF1964
	Trans	G2920	17744U110071		LAF8731 ¹	17752-20540-71		LAF222 ²
7FDU70, 7FDU80 w/Toyota 13Z or 15Z Engine			326701262071 Hydraulic PH2816			67502-20540-71 Hydraulic LH5931		
15600-7600371	Oil	PH400 ²⁷⁵	FBA10, FBA20, FBA30, FBCA30 Electric			15600-41010	Oil	PH400 ²⁷⁵
15600-7600371		PH8A ¹⁴⁹⁶	67502-20540-71 Hydraulic LH5931			15600-41010		PH8A ¹⁴⁹⁶
	Trans	G2920	FBA15 Electric			FDE35, FGE35 w/Toyota 2H Engine		
8DFU15 w/Toyota 1DZ Engine			67502-20540-71 Hydraulic LH5931			23612-24550-71 Air LAF1933 ¹		
17743U223071	Air	LAF8730 ²	FBA25 Electric			17752-20540-71		LAF222 ²
17744U110071		LAF8731 ¹	67502-20540-71 Hydraulic LH5931			67502-20540-71	Hydraulic	LH5931
233037600271	Fuel	G2920	FBRE10 Electric			15601-68010	Oil	LFP923
326701262071	Hydraulic	PH2816	67502-20540-71 Hydraulic LH5931			FGC10, FGC15, FGC20, FTC25 w/Toyota 5R Engine		
809157601071	Oil	PH2835	FBRE13 Electric			15600-41010 Oil PH400 ²⁷⁵		
8DFU18 w/Toyota 1DZ Engine			67502-20540-71 Hydraulic LH5931			15600-41010 PH8A ¹⁴⁹⁶		
17743U223071	Air	LAF8730 ²	FBRE15 Electric			FGC18, FGC28, FGC33 w/Toyota 4P Gas Engine		
17744U110071		LAF8731 ¹	67502-20540-71 Hydraulic LH5931			23612-24550-71	Air	LAF1933 ¹
233037600271	Fuel	G2920	FBRE18 Electric			17752-20540-71		LAF222 ²
326701262071	Hydraulic	PH2816	67502-20540-71 Hydraulic LH5931				Oil	PH253 ^{18, 1496}
809157601071	Oil	PH2835	FBRE20 Electric					PH2835 ^{18, 275}
8DFU20 w/Toyota 1DZ Engine			67502-20540-71 Hydraulic LH5931			15601-78001-71 PH400 ²⁷⁵		
17743U223071	Air	LAF8730 ²	FBRE25 Electric			15601-78001-71 PH8A ¹⁴⁹⁶		
17744U110071		LAF8731 ¹	67502-20540-71 Hydraulic LH5931			FGC18, FGC28, FGC33 w/Toyota 5P Gas Engine		
233037600271	Fuel	G2920	FBRE28 Electric			23612-24550-71 Air LAF1933 ¹		
326701262071	Hydraulic	PH2816	67502-20540-71 Hydraulic LH5931			17752-20540-71 LAF222 ²		
809157601071	Oil	PH2835	FD70 w/Toyota 2F Engine			Oil PH253 ^{18, 1496}		
8DFU25 w/Toyota 1DZ Engine			177522-054071 Air LAF222 ²			PH2835 ^{18, 275}		
17743U223071	Air	LAF8730 ²	67502-20540-71 Hydraulic LH5931			PH400 ²⁷⁵		
17744U110071		LAF8731 ¹	15600-41010 Oil PH400 ²⁷⁵			PH8A ¹⁴⁹⁶		
233037600271	Fuel	G2920	15600-41010 Oil PH8A ¹⁴⁹⁶			15601-78001-71 PH400 ²⁷⁵		
326701262071	Hydraulic	PH2816	FD70 w/Toyota 2H Engine			15601-78001-71 PH8A ¹⁴⁹⁶		
809157601071	Oil	PH2835	23612-24550-71 Air LAF1933 ¹			FGC25 w/Toyota SR Engine		
8DFU30, 8DFU32 w/Toyota 1DZ Engine			17801-30240-71 LAF1964			15601-96101 Oil HP1		
17743U223071	Air	LAF8730 ²	17752-20540-71 LAF222 ²			FGC33, FGC35, FGC40, FGC45 w/Toyota 2, 2H Diesel Engine		
17744U110071		LAF8731 ¹	23303-56031 Fuel FP588F			23303-56031 Fuel FP588F		
233037600271	Fuel	G2920	15601-68010 Oil LFP923			67502-20540-71 Hydraulic LH5931		
326701262071	Hydraulic	PH2816	FDC33, FDC35, FDC40, FDC45 w/Toyota 2F Gas Engine			15601-68010 Oil LFP923		
809157601071	Oil	PH2835	23612-24550-71 Air LAF1933 ¹			40150-30370-71 Trans PH253 ¹⁴⁹⁶		
8FGU15, 8FGCU15 w/Toyota 4Y Engine			17801-30240-71 LAF1964			PH2835 ²⁷⁵		
17743U223071	Air	LAF8730 ²	17752-20540-71 LAF222 ²			FGC33, FGC35, FGC40, FGC45 w/Toyota 2F Gas Engine		
17744U110071		LAF8731 ¹	67502-20540-71 Hydraulic LH5931			15600-41010 Oil PH400 ²⁷⁵		
326701262071	Hydraulic	PH2816	15600-41010 Oil PH8A ¹⁴⁹⁶			15600-41010 PH8A ¹⁴⁹⁶		
8FGU18 w/Toyota 4Y Gas Engine			40150-30370-71 Trans PH253 ¹⁴⁹⁶			40150-30370-71 Trans PH253 ¹⁴⁹⁶		
17743U223071	Air	LAF8730 ²	PH2835 ²⁷⁵			PH2835 ²⁷⁵		
17744U110071		LAF8731 ¹	FDC33, FDC35, FDC40, FDC45 w/Toyota 2H Diesel Engine			17801-45020 Air AF342		
326701262071	Hydraulic	PH2816	23612-24550-71 Air LAF1933 ¹			67502-20540-71 Hydraulic LH5931		
8FGU20, 8FGCU20 w/Toyota 4Y Engine			17752-20540-71 LAF222 ²			15601-96101 Oil PH400 ²⁷⁵		
17743U223071	Air	LAF8730 ²	23303-56031 Fuel FP588F			15601-96101 PH8A ¹⁴⁹⁶		
17744U110071		LAF8731 ¹	67502-20540-71 Hydraulic LH5931			Trans PH253 ¹⁴⁹⁶		
326701262071	Hydraulic	PH2816	15601-68010 Oil LFP923			PH2835 ²⁷⁵		
8FGU25, 8FGCU25 w/Toyota 4Y Engine			40150-30370-71 Trans PH253 ¹⁴⁹⁶			FGL18, FGL23 w/Toyota 4P LP Gas Engine		
17743U223071	Air	LAF8730 ²	FDC33, FDC35, FDC40, FDC45 w/Toyota 2H Diesel Engine			17801-45020 Air AF342		
17744U110071		LAF8731 ¹	23612-24550-71 Air LAF1933 ¹			67502-20540-71 Hydraulic LH5931		
326701262071	Hydraulic	PH2816	17752-20540-71 LAF222 ²			15601-96101 Oil PH400 ²⁷⁵		
8FGU25, 8FGCU25 w/Toyota 4Y Engine			23303-56031 Fuel FP588F			15601-96101 PH8A ¹⁴⁹⁶		
17743U223071	Air	LAF8730 ²	67502-20540-71 Hydraulic LH5931			Trans PH253 ¹⁴⁹⁶		
17744U110071		LAF8731 ¹	15601-68010 Oil LFP923			PH2835 ²⁷⁵		
326701262071	Hydraulic	PH2816	40150-30370-71 Trans PH253 ¹⁴⁹⁶			JD12, JD18 ALL		
8FGU25, 8FGCU25 w/Toyota 4Y Engine						23612-24550-71 Air LAF1933 ¹		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 18-Short 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TOYOTA (LIFT TRUCK)			TRAK INTERNATIONAL (TELESCOPIC HANDLER)			TRENCOR, INC. (TRENCHER INDUSTRIAL)		
<i>JD12, JD18 ALL (cont'd)</i>			<i>Sky Trak 5028 w/Cummins 3.9L Engine</i>			<i>1060 w/Caterpillar 3406B eng.</i>		
17752-20540-71	Air	LAF222 ²		Air	LAF1784 ¹ LAF9538 ² LAF9538MXM ^{2, 268}	Pri.	Fuel	L3531F LFF5823B
15601-78001-71	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶				Sec.	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
<i>SD7, SDK6, SDK8 ALL</i>						<i>460HD w/Cummins 3.9 eng.</i>		
	Air	LAF222 ²	Pri.				Air	LAF1544 LAF9410
	Fuel	FP588F	Sec.		L3523F LFF3417 LFF3521		Fuel	LFF3417 LFF3521
	Oil	PH253 ^{18, 1496} PH2835 ^{18, 275} PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	8320265	Hydraulic	LH5571G		Oil	LFP3900
15601-78001-71				Oil	LFP3900	<i>560 Chain Trencher w/Cummins 6BTA 5.9 eng.</i>		
15601-78001-71			<i>Sky Trak 5030 w/Ford Diesel Engine</i>				Air	LAF1544 LAF9410
<i>TG20 ALL</i>				Air	LAF3710 ¹ LAF3717 ² L296F ⁴¹	Pri.	Fuel	LFF3417 LFF3521
17752-20540-71	Air	LAF222 ²		Fuel	LFH4988		Oil	LFP3900
(23303-56031); Diesel	Fuel	FP588F		Hydraulic	LFH4988	<i>780 w/Caterpillar 3306B eng.</i>		
	Oil	PH253 ^{18, 1496} PH2835 ^{18, 275} PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	Pri.	Fuel	L3531F LFP440F
15601-78001-71				Trans	LFP2258	Sec.	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
15601-78001-71			<i>Sky Trak 6036 w/Cummins 3.9L Turbo Engine</i>			<i>860B w/Caterpillar 3306B eng.</i>		
TOYOTA (LOADER)				Air	LAF1544 ² LAF9410 ^{1, 611} LAF9542 ² LAF9543 ¹	Pri.	Fuel	L3531F LFP440F
<i>SDK7, SDK8 w/Toyota 2J2.5 D Engine</i>				Fuel	LFF3417 LFF3521	Sec.	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
177522054071	Air	LAF222 ²	8320265	Hydraulic	LH5571G	<i>860B w/Caterpillar 3306B eng.</i>		
2330356031	Fuel	FP588F		Oil	LFP3900	Pri.	Fuel	L3531F LFP440F
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Trans	LFH8728 ⁹³⁸ LFH8799 ⁹³⁷	Sec.	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
TRAK INTERNATIONAL (TELESCOPIC HANDLER)						TROJAN (LOADER)		
<i>Sky Trak 10042 w/Cummins 3.9L Engine</i>						<i>104 w/Hercules DD298 Engine</i>		
	Air	LAF1544 ² LAF9410 ^{1, 611} LAF9542 ² LAF9543 ¹				Sec.	Fuel	261F
	Fuel	LFF3417 LFF3521					Oil	LP38
Pri.						<i>124 w/Detroit Diesel Engine</i>		
Sec.						P101246	Air	LAF1246 ²
8320265	Hydraulic	LH5571G				<i>124 w/International Engine</i>		
	Oil	LFP3900				P101246	Air	LAF1246 ²
	Trans	LFH8728 ⁹³⁸ LFH8799 ⁹³⁷				<i>1500Z w/Cummins Engine</i>		
<i>Sky Trak 10054 w/Cummins 3.9L Engine</i>						0746555	Air	LAF1544 ² LAF9410 ¹
	Air	LAF1544 ² LAF9410 ^{1, 611} LAF9542 ²				0746554	Fuel	LFF3417 LFF3521
Pri.	Fuel	LFF3417 LFF3521				(4614878); Pri.		
Sec.						(4614879); Sec.		
8320265	Hydraulic	LH5571G				4618907	Oil	LFP3900
	Oil	LFP3900				<i>1700, 1900 w/Detroit Diesel 4-53 Engine</i>		
	Trans	LFH8728 ⁹³⁸ LFH8799 ⁹³⁷				2092442	Hydraulic	LP4420
<i>Sky Trak 5025 w/Ford Diesel Engine</i>						215502	Trans	LP151
8273237	Air	LAF1948 ¹ LAF281 ¹				<i>1700, 1900 w/Perkins 6-354 Engine</i>		
	Fuel	L296F ⁴¹					Fuel	L296F ⁴¹
	Hydraulic	LFP449					Oil	P72 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Oil	LFP2258				<i>1700Z w/Cummins Engine</i>		
	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵				0746931	Air	LAF1725 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 18-Short 41-Cartridge 181-Single 268-Extended/Severe service 275-Primary 611-Axial Seal 937-Early Production 938-Late Production 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TROJAN (LOADER)			TROJAN (LOADER)			TROJAN (WHEEL LOADER)		
<i>1700Z w/Cummins Engine (cont'd)</i>			<i>404 w/Cummins NH-250 Engine</i>			<i>164, 164A w/Detroit Diesel 3-71 Engine</i>		
4618802	Air	LAF9001 ²		Air	LAF250HD	2036852	Air	LAF264
(4614878); Pri.	Fuel	LFF3417	P-48		LAF480	Sec.	Fuel	261F
(4614879); Sec.		LFF3521		Trans	LP151		Oil	LP38
4618907	Oil	LFP3900	<i>404 w/Detroit Diesel Engine</i>			<i>164, 164A w/Hercules D-298H Engine</i>		
<i>1900Z w/Cummins Engine</i>				Trans	LP151		Air	LAF264
6953104	Air	LAF6587 ²	<i>4500Z w/Cummins LT-10-C250 Engine</i>			Sec.	Fuel	261F
		LAF6587MXM ^{2, 268}	4610575	Air	LAF6769 ²		Oil	LP38
6953105		LAF6834 ¹			LAF6769MXM ^{2, 268}	<i>164, 164A w/Hercules GO-298 Engine</i>		
(4614878); Pri.	Fuel	LFF3417	4610573		LAF9373 ¹		Oil	LP38
(4614879); Sec.		LFF3521	4611847	Coolant	LFW4071 ^{28, 205}	<i>1700Z w/Deutz Engine</i>		
4614877	Oil	LFP780	(4609279); W/S	Fuel	LFF8000 ⁶²⁸	0746931	Air	LAF1725 ¹
		LFP780XL ¹⁴	6954962	Oil	LFP670	4795772	Fuel	FP586F
<i>2000D w/Cummins VT504C Engine</i>			(6960390); By-Pass		LFP670XL ¹⁴	4795837	Oil	LFP2222
(6953107); S/N	Air	LAF6769 ²	By-Pass		LFP777B	<i>1900Z w/Deutz Engine</i>		
20-2000-		LAF6769MXM ^{2, 268}	By-Pass		LFP777XL ¹⁴	0746931	Air	LAF1725 ¹
S/N 20-2000-		LAF9373 ¹	4606669	Trans	LFH5937	4795772	Fuel	FP586F
6953106			<i>5500Z w/Cummins NTA-855-C335 Engine</i>			4795837	Oil	LFP2222
6960402	Coolant	LFW4073 ²⁵⁵	4600179	Air	LAF1765 ¹	<i>2000 w/Cummins Engine</i>		
(2078834); Pri.	Fuel	LFF5D	4600180		LAF6453 ²	P117439	Air	LAF6587 ²
6960401	Oil	LFP734			LAF6453MXM ^{2, 268}			LAF6587MXM ^{2, 268}
(6960390); By-Pass		LFP777B	4609146	Coolant	LFW4071 ^{28, 205}	P119374		LAF6834 ¹
By-Pass		LFP777XL ¹⁴	(2078834); Pri.	Fuel	LFF5D	<i>2000 w/Cummins V-470C Engine</i>		
<i>204</i>			6954962	Oil	LFP670	VF-120A	Air	LAF120A
P101237	Air	LAF237 ²	(6960390); By-Pass		LFP670XL ¹⁴		Hydraulic	LP50910
<i>204 w/Hercules GO-339 Engine</i>			By-Pass		LFP777B		Trans	LP151
	Oil	LP38	<i>7500 w/Cummins Engine</i>			<i>2000Z w/Deutz Engine</i>		
<i>204 w/International U-372 Engine</i>			6953107	Air	LAF6769 ²	0747092	Air	LAF8674 ¹
By-Pass	Oil	L24A			LAF6769MXM ^{2, 268}	4795772	Fuel	FP586F
<i>204A w/Cummins Engine</i>			6953031		LAF9373 ¹	(4795837); S/N	Oil	LFP2222
158876	Air	LAF234HD ²	6960402	Coolant	LFW4073 ²⁵⁵	3146001-S/N 3147900		P71
	Hydraulic	LP6005	(2078834); Pri.	Fuel	LFF5D	0794367	<i>204 w/Detroit Diesel 3-71 Engine</i>	
	Power Steering	LH4914	6954962	Oil	LFP670	2036852	Air	LAF264
	Torque Converter	LP151	<i>LT-400 w/Hercules QLXD.5 Engine</i>			<i>204A w/Detroit Diesel 4-71 Engine</i>		
<i>2500 w/Deutz Engine</i>				Oil	P71	P101237	Air	LAF237 ²
0747092	Air	LAF8674 ¹	TROJAN (WHEEL LOADER)				Hydraulic	LP6005
<i>2500, 3000 w/Cummins 903 Engine</i>			TROJAN (WHEEL LOADER)			<i>2500 w/Detroit Diesel 6V-71 Engine</i>		
P117437	Air	LAF6769 ²	<i>104 w/Hercules GO-260 Engine</i>			P117443	Air	LAF6632 ²
		LAF6769MXM ^{2, 268}		Oil	P3			LAF6632MXM ^{2, 268}
P119373		LAF9373 ¹	<i>124 w/Hercules GO-298 Engine</i>			P119372		LAF6641 ¹
<i>3000 w/Detroit Diesel 6V-71 Engine</i>				Oil	LP38	<i>3500Z w/Deutz Engine</i>		
P117443	Air	LAF6632 ²	<i>134, 134A w/Detroit Diesel Engine</i>			0746931	Air	LAF1725 ¹
		LAF6632MXM ^{2, 268}		Torque Converter	LH4914			LAF8617 ²
P119372		LAF6641 ¹	<i>134, 134A w/International Engine</i>			0796293	Fuel	L61F
228467	Hydraulic	LH4914		Torque Converter	LH4914	4795837	Oil	LFP2222
6955303	Trans	LP151	<i>1500Z w/Deutz Engine</i>			<i>400 w/Cummins V8-265 Engine</i>		
<i>4000 w/Detroit Diesel 8V-71 Engine</i>			0746555	Air	LAF1544 ²		Air	LAF120A
P117443	Air	LAF6632 ²	0746554		LAF9410 ¹	<i>4000 w/Cummins 855 Engine</i>		
		LAF6632MXM ^{2, 268}	4795772	Fuel	FP586F	P117443	Air	LAF6632 ²
P119372		LAF6641 ¹	4795837	Oil	LFP2222	P119372		LAF6632MXM ^{2, 268}
<i>4000, 6000 w/Cummins V8-265 Engine</i>			<i>154 w/Hercules GO-339 Engine</i>			<i>7500 w/Detroit Diesel Engine</i>		
	Hydraulic	LP6061		Oil	P4	6953030	Air	LAF6632 ²
								LAF6632MXM ^{2, 268}
						6953031		LAF6641 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 28-Contains 1 oz. of chemical 205-Maintenance 255-Contains 3 oz. of chemical 268-Extended/Severe service 628-Tall version of LFF8020

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TROJAN (WHEEL LOADER)			TYLER (EQUIPMENT)			TYM (TRACTOR)		
7500 w/Detroit Diesel Engine (cont'd)			Titan w/Caterpillar 3208 Engine			T330, T333 w/Kubota D1503EB Engine (cont'd)		
(6954847); Pri.	Fuel	LFP815FN	P525947	Air	LAF1849 ²		Oil	PH2835 ²⁷⁵
(6954525); Sec.		LFP816FN			LAF1849MXM ^{2, 268}			
	Hydraulic	LH4398			LAF1956 ¹			
6960327	Oil	LFP670	TYM (TRACTOR)			T350, T353 w/Mitsubishi S4L2 Engine		
		LFP670XL ¹⁴	<i>M390, M430</i>			P821575	Air	LAF8195 ²
6955303		LP132	15001023290	Fuel	L4103F	13151035040		LAF8690 ¹
<i>LA-40 w/Hercules IXB-4 Engine</i>			15645153410	Hydraulic	LFH8217	31A6200317	Fuel	L3541F
	Oil	P7FF	15001673990	Oil	PH253 ¹⁴⁹⁶	14722302100	Hydraulic	LFH8329
<i>LHM-75, LMS-75, LM-75 w/Hercules JXD-4 Engine</i>					PH2835 ²⁷⁵	11930535150	Oil	PH2876
	Oil	P4	<i>T233 HST w/Mitsubishi S3L Engine</i>			<i>T354 w/Yanmar 3TNV88C Engine</i>		
<i>M-1 Loadster</i>			13151035020	Air	LAF8195 ²	<i>T390, T400 w/Kubota V1903 Engine</i>		
	Oil	P150	13151035040		LAF8690 ¹	15131023290	Fuel	L549F
<i>T-18 w/Chrysler Industrial-30 Engine</i>				Fuel	L3541F	(15645153410); - S/N	Hydraulic	LFH8217
	Oil	P7FF	14722302100	Hydraulic	LFH8329	X010000		
TWIN DISC (EQUIPMENT)			11930535150	Oil	PH2876	15001673990	Oil	PH253 ¹⁴⁹⁶
340L Special Torque CF-10059-TC1L			<i>T234 w/Mitsubishi S3L2 Engine</i>			<i>T420 w/Perkins 404D-22 Engine</i>		
	Torque Converter	P92		Oil	PH2876	W/S	Fuel	LFF8060
512, 514	Oil	LP161	<i>T254 w/Yanmar 3TNV80F Engine</i>			1504140	Oil	LFP2253
				Oil	PH2876	15001673990		PH253 ^{12, 1496}
5F-1305	Torque Converter	P92	<i>T273 w/Mitsubishi S3L2 Engine</i>					PH2835 ^{12, 275}
			P821575	Air	LAF8195 ²	<i>T430, T431 w/Kubota V2203 Engine</i>		
MG-514	Oil	LP2279	13151035040		LAF8690 ¹	15131023290	Fuel	L549F
				Fuel	L3541F	15645153410	Hydraulic	LFH8217
MG-518, MG-530	Oil	LP132	14722302100	Hydraulic	LFH8329	15001673990	Oil	PH253 ¹⁴⁹⁶
			11930535150	Oil	PH2876			PH2835 ²⁷⁵
MG-540	Oil	LP161	<i>T280</i>			<i>T431</i>		
			15001673990	Oil	PH253 ¹⁴⁹⁶	15131023290	Fuel	L549F
Models with Racine hydraulic OF-9A filter	Hydraulic	LP6061	17321-32430		PH2835 ²⁷⁵	15645153410	Hydraulic	LFH8217
Models with Racine hydraulic OF-9B filter	Hydraulic	LP6061	<i>T290</i>			15001673990	Oil	PH253 ¹⁴⁹⁶
			14161010081	Air	LAF1275 ²			PH2835 ²⁷⁵
			14571000010	Fuel	L3541F	<i>T433 w/Caterpillar C2.2 Diesel Engine</i>		
			15001673990	Oil	PH253 ¹⁴⁹⁶	P822769	Air	LAF8114 ¹
					PH2835 ²⁷⁵	P822768		LAF8143 ²
TYLER (EQUIPMENT)			<i>T293 w/Mitsubishi S3L2 Engine</i>			676987	Fuel	L296F ⁴¹
Flex-Air 4300, 4330 w/Caterpillar 3208 Engine .			13151035020	Air	LAF8195 ²	1504140	Oil	LFP2253
P525947	Air	LAF1849 ²	13151035040		LAF8690 ¹	<i>T433 w/Perkins 404D-22 Diesel Engine</i>		
		LAF1849MXM ^{2, 268}	14722302100	Hydraulic	LFH8329	P822769	Air	LAF8114 ¹
		LAF1956 ¹	11930535150	Oil	PH2876	P822768		LAF8143 ²
<i>Patriot 150 w/Deutz B6FM1013 Engine</i>						676987	Fuel	L296F ⁴¹
P181034	Air	LAF6587	<i>T300 w/Kubota D1503 Engine</i>			1504140	Oil	LFP2253
		LAF6587MXM ²⁶⁸	14161010081	Air	LAF1275 ²	<i>T450 w/Kubota V2203 Engine</i>		
<i>Patriot II w/John Deere Engine</i>			14571000010	Fuel	L3541F	15131023290	Fuel	L549F
29359A	Trans	LFH4990 ⁵⁹⁰	15001673990	Oil	PH253 ¹⁴⁹⁶	(15645153410); - S/N	Hydraulic	LFH8217
<i>Patriot w/John Deere Engine</i>					PH2835 ²⁷⁵	X010000		
P119778	Air	LAF1725 ¹	<i>T300 w/Mitsubishi S4L Engine</i>			15001673990	Oil	PH253 ¹⁴⁹⁶
P182063		LAF9001 ²	31A402100	Oil	PH2876			PH2835 ²⁷⁵
FA356610	Hydraulic	LFP1652	<i>T300HST</i>			<i>T451 w/Kubota V2203 Engine</i>		
29359A	Trans	LFH4990 ⁵⁹⁰	14161010081	Air	LAF1275 ²	15131023290	Fuel	L549F
<i>Patriot XL, XZ w/John Deere Engine</i>			14571000010	Fuel	L3541F	15645153410	Hydraulic	LFH8217
29359A	Trans	LFH4990 ⁵⁹⁰	15001673990	Oil	PH253 ¹⁴⁹⁶	15001673990	Oil	PH253 ¹⁴⁹⁶
					PH2835 ²⁷⁵			PH2835 ²⁷⁵
<i>Titan 3300, 4300 w/Caterpillar 3208 Engine</i>			14722302100	Trans	LFH8329 ⁵⁹⁰	<i>T454 w/Yanmar 4TNV88C Engine</i>		
	Air	LAF1859 ²	<i>T330, T333 w/Kubota D1503EB Engine</i>				Oil	PH2876
		LAF1956 ¹	14722302100	Hydraulic	LFH8329	<i>T500 w/Perkins 404D-22 Engine</i>		
			15001673990	Oil	PH253 ¹⁴⁹⁶	W/S	Fuel	LFF8060
						1504140	Oil	LFP2253

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 14-Extended Life 41-Cartridge 268-Extended/Severe service 275-Primary 590-Hydrostatic 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
TYM (TRACTOR)			URSUS (TRACTOR)			VALTRA (TRACTOR)			
<i>T500 w/Perkins 404D-22 Engine (cont'd)</i>			<i>3502, 3512, 3514 w/Perkins 3152 Engine (cont'd)</i>			<i>A72w/ w/33DTA Engine</i>			
15001673990	Oil	PH253 ^{12, 1496} PH2835 ^{12, 275}	2654408	Oil	PH4408	V37352500	Air	LAF3236 ²⁷⁵ LAF3237 ¹	
<i>T503 w/Caterpillar C2.2 Engine</i>			3822	Fuel	L296F ⁴¹	V37352700	(V836867595); Sec.	Fuel	L3880F
P822769	Air	LAF8114 ¹	2654403	Oil	PH4403	<i>C100, C130</i>			
P827653		LAF8143 ²	<i>4512, 4514 w/Perkins 4236 Engine</i>			(836866575); Pri.	Fuel	L4109F	
676987	Fuel	L296F ⁴¹	102556M91	Air	LAF1246 ²	V836662580	Oil	LFP8501	
1504140	Oil	LFP2253	26560017	Fuel	L296F ⁴¹	<i>N101C/N</i>			
15001673990		PH253 ^{12, 1496} PH2835 ^{12, 275}	2654408	Oil	PH4408	V36539700	Air	LAF5454 ²⁴⁴	
<i>T503 w/Perkins 404D-22 Engine</i>			<i>4822 w/Perkins Engine</i>			(836866575); Pri.	Fuel	L4109F	
P822769	Air	LAF8114 ¹	2654403	Oil	PH4403	V836662580	Oil	LFP8501	
P827653		LAF8143 ²	<i>5312, 5314 w/Perkins 4236 Engine</i>			<i>N111 H</i>			
676987	Fuel	L296F ⁴¹	102556M91	Air	LAF1246 ²	V36539700	Air	LAF5454 ²⁴⁴	
1504140	Oil	LFP2253	26560017	Fuel	L296F ⁴¹	(836866575); Pri.	Fuel	L4109F	
15001673990		PH253 ^{12, 1496} PH2835 ^{12, 275}	2654408	Oil	PH4408	V836662580	Oil	LFP8501	
<i>T550, T580 w/John Deere 3029D Engine</i>			VALTRA (TRACTOR)			<i>N121 H</i>			
(RE60021); Sec.	Fuel	L8683F	<i>600, 700 w/320 DSRE Engine</i>			V36539700	Air	LAF5454 ²⁴⁴	
15645153410	Hydraulic	LFH8217	836640251	Fuel	LFF3504	(836866575); Pri.	Fuel	L4109F	
R19044	Oil	FP20	<i>6200, 6200R w/420 DSRE Engine</i>			V836662580	Oil	LFP8501	
<i>T554 w/Yanmar 4TNV86T Engine</i>			(836859302); Pri.	Fuel	L8679F	<i>N121 w/44Cw/A Engine</i>			
	Oil	PH2808	836339371		LFF3501	(V836867595); Sec.	Fuel	L3880F	
<i>T603 w/Caterpillar C2.2 Engine</i>			<i>6250</i>			Oil	LFP8501		
P827653	Air	LAF8148 ²	836015106	Fuel	L296F ^{18, 41}	<i>N141 Series w/49Cw/A Engine</i>			
676987	Fuel	L296F ⁴¹	(836859302); Pri.		L8679F	V36539700	Air	LAF5454 ²⁴⁴	
1504140	Oil	LFP2253	836339371		LFF3501	(V836867595); Sec.	Fuel	L3880F	
<i>T603 w/Perkins 404D-22 Engine</i>			<i>6300, 6400 w/420 Dw/RE Engine</i>			836662580	Oil	LFP8501	
P827653	Air	LAF8148 ²	835331343	Fuel	FP586F	<i>N141A w/49Cw/A Engine</i>			
676987	Fuel	L296F ⁴¹	<i>6350, 6550, 6650</i>			(V836867595); Sec.	Fuel	L3880F	
1504140	Oil	LFP2253	835331343	Fuel	FP586F	Oil	LFP8501		
<i>T654 w/Deutz TCD2.9 Engine</i>			<i>6800, 6850 w/420 Dw/RIE Engine</i>			<i>N82 w/44DTA Engine</i>			
	Air	LAF5934 ²⁷⁵ LAF5938 ²⁴⁴	835331343	Fuel	FP586F		Air	LAF3236 ²⁷⁵ LAF3237 ¹	
	Oil	PH2816	836647133	Oil	LFP8501	<i>N92 w/44DTA Engine</i>			
<i>T700 w/John Deere 3029D Engine</i>			<i>800, 900 w/420 DSRE Engine</i>				Air	LAF3236 ²⁷⁵ LAF3237 ¹	
(RE60021); Sec.	Fuel	L8683F	836339371	Fuel	LFF3501	<i>S230, S240, S260, S280 w/Sisu 645 ESBAE Engine</i>			
(RE62418); W/S		LFF8215	<i>8050, 8120, 8150, 8350 w/620 DSRE, DSRIE Engine</i>			20288700	Air	LAF6098 ²	
16991673990	Oil	FP20	835331343	Fuel	FP586F	V2028880		LAF6099 ¹	
<i>T723 w/Perkins 1103C-33T Engine</i>			836339371		LFF3501	(836866575); Pri.	Fuel	L4109F	
7W2327	Oil	PH4403	836647133	Oil	LFP8501	<i>S240, S280 w/84ETA Engine</i>			
<i>T754 w/Deutz TCD2.9 Engine</i>			<i>8450, 8550 w/620 DSRE, Dw/RE Engine</i>			V20288700	Air	LAF6098 ²	
	Air	LAF5934 ²⁷⁵ LAF5938 ²⁴⁴	(836859302); Pri.	Fuel	L8679F	V20288800		LAF6099 ¹	
	Oil	PH2816	836339371		LFF3501	(836866575); Pri.	Fuel	L4109F	
<i>T903, T1003 w/Caterpillar 3054C Engine</i>			836647133	Oil	LFP8501	V20159108	Oil	LFP3354	
	Base	LMB6926 ⁹⁴³	<i>8750 w/634DS Engine</i>			<i>T120, T130, T140 w/620 DSRE, 620 DSRAE Engine</i>			
	Fuel	LFF6925 ⁹⁴²	(836859302); Pri.	Fuel	L8679F	(836866575); Pri.	Fuel	L4109F	
7W2326	Oil	LFP2292	836339371		LFF3501	V836662580	Oil	LFP8501	
<i>T903, T1003 w/Perkins 1104D44T Engine</i>			836647133	Oil	LFP8501	<i>T121, T131 w/66CTA-4V Engine</i>			
	Base	LMB6926 ⁹⁴³	<i>8850 w/634DS Engine</i>			(V836867595); Sec.	Fuel	L3880F	
	Fuel	LFF6925 ⁹⁴²	35807241	Air	LAF8648 ¹	Oil	LFP8501		
7W2326	Oil	LFP2292	35807231		LAF8977 ²	<i>T140e</i>			
URSUS (TRACTOR)			836339371	Fuel	LFF3501	(836866575); Pri.	Fuel	L4109F	
<i>3502, 3512, 3514 w/Perkins 3152 Engine</i>			3618662M1	Hydraulic	LH4166	V836662580	Oil	LFP8501	
102556M91	Air	LAF1246 ²	836647133	Oil	LFP8501	<i>T151E, T161 w/66CTA-4V Engine</i>			
26560017	Fuel	L296F ⁴¹	<i>8950 w/620 DSBIE Engine</i>			(V836867595); Sec.	Fuel	L3880F	
			836339371	Fuel	LFF3501				
			836647133	Oil	LFP8501				

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 18-Short 41-Cartridge 244-Secondary 275-Primary 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VALTRA (TRACTOR)			VERMEER (EQUIPMENT)			VERMEER (EQUIPMENT)		
<i>T151E, T161 w/66CTA-4V Engine (cont'd)</i>			<i>186 Stump Cutter</i>			<i>935 Chipper w/Deutz F3L1011 Engine (cont'd)</i>		
	Oil	LFP8501	27151001	Air	LAF1918	200867004	Air	LAF9538 ²
<i>T160, T170 w/634 DSRAE Engine</i>			2683001	Hydraulic	LFP1652			LAF9538MXM ^{2, 268}
(836866575); Pri.	Fuel	L4109F	<i>206 w/Kohler M205 Engine</i>				Fuel	FP586F
V836662580	Oil	LFP8501		Air	AF216	2683001	Hydraulic	LFP1652
<i>T171, T181 w/74CTA-4V Engine</i>				Hydraulic	LFP1652		Oil	PH561
(V836867595); Sec.	Fuel	L3880F		Oil	PH2835	<i>BC1000XL Chipper w/Cummins B3.3L Turbo Diesel Engine</i>		
	Oil	LFP8501	<i>2460A w/Wisconsin V465 Engine</i>				Air	LAF4544 ²
<i>T180, T190 w/74ETA Engine</i>			752-10	Hydraulic	LFP1652		LAF4545 ¹	
(836866575); Pri.	Fuel	L4109F	<i>2465 w/Wisconsin V465D Engine</i>			W/S	Fuel	LFF9594
V836662580	Oil	LFP8501		Air	LAF222 ²		Hydraulic	LFP1652
<i>T191 w/SISU 74CTA 4V Engine</i>				Hydraulic	LFP1652		Oil	PH2835
(V836867595); Sec.	Fuel	L3880F		Oil	LFP2252	<i>BC1200XL w/Cummins B3.3L Diesel Engine</i>		
	Oil	LFP8501	<i>252 Stump Cutter w/Kohler Command 25HP Engine</i>			P781098	Air	LAF5568
<i>X100</i>			215773003	Air	AF217		LAF5569 ¹	
V20339371	Fuel	LFF3501	2683001	Hydraulic	LFP1652	(FS19594); W/S	Fuel	LFF9594
<i>X110</i>				Oil	PH2814		Oil	PH2835
V20339371	Fuel	LFF3501	<i>502 Stump Cutter</i>			<i>BC1500 w/John Deere 4045H Engine</i>		
<i>X120</i>			97406003	Air	LAF1784 ¹		Air	LAF9543 ¹
V20339371	Fuel	LFF3501	97611005		LAF9538 ²		LAF9547 ²	
V20147133	Oil	LFP8501			LAF9538MXM ^{2, 268}	Sec.	Fuel	L8557F
VERMEER (EQUIPMENT)			2683001	Hydraulic	LFP1652		Hydraulic	LFH4929
<i>1102 Stump Cutter w/Perkins 4.236 Engine</i>					LFP1652		Oil	LFP4836
	Air	LAF1544 ²	<i>620 Brush Cutter w/Honda Engine</i>			<i>BC1800XL w/John Deere 4045T</i>		
		LAF9410 ¹	2683001	Hydraulic	LFP1652		Air	LAF6922
<i>1220, 1230, 1250 Chipper w/Perkins 4.236 Engine</i>			<i>620 Brush Cutter w/Kohler M20S Engine</i>				LAF6923 ¹	
P182054	Air	LAF1246 ²	2683001	Hydraulic	LFP1652	<i>BC-2000 w/Cummins 5.9L Engine</i>		
2683001	Hydraulic	LFP1652	<i>620I Brush Cutter w/Kohler Engine</i>			P181046	Air	LAF6769 ²
<i>1250 Brush Chipper w/Ford Engine</i>			2683001	Hydraulic	LFP1652		LAF6769MXM ^{2, 268}	
P182054	Air	LAF1246 ²	<i>625 Brush Cutter w/Kohler Command 22 hp Engine</i>			P119373		LAF9373 ¹
	Hydraulic	LFP1652	2683001	Hydraulic	LFP1652	<i>BC900XL (w/Kohler CH1000 Command Pro Engine)</i>		
<i>147H w/Kohler K-321 Engine</i>			<i>625 Brush Cutter w/Kohler Command 25 hp Engine</i>			P821575	Air	LAF8195 ²
235116	Air	AF213			LFP1652		LAF8690 ¹	
2683001	Hydraulic	LFP1652	905427005	Air	LAF2745A ²		Fuel	G115
<i>1560 w/wisconsin V465D Engine</i>			2683001	Hydraulic	LFP1652		Hydraulic	LFP1652 ¹
	Air	LAF222 ²	<i>625 Brush Cutter w/Perkins Engine</i>				Oil	PH2835
	Hydraulic	LFP1652	905427005	Air	LAF2745A ²	<i>CC-135 Concrete Cutter w/Detroit Diesel 3-53 Engine</i>		
	Oil	LFP2252	2683001	Hydraulic	LFP1652		Air	LAF9085 ¹
<i>1600 Chipper w/Ford 300 Gas Engine</i>			<i>665A w/Wisconsin V465D Engine</i>				LAF9086 ²	
P101246	Air	LAF1246 ²		Air	LAF222 ⁶²⁵		LAF9086MXM ^{2, 268}	
	Fuel	G6		Oil	LFP2252	82494003	Hydraulic	LFH4988
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>665B, 672 Stump Cutter w/Deutz BF4L1011 Engine</i>			2708001		LFH7355 ⁶⁰⁷
<i>1600 w/Deutz Engine</i>			2683001	Hydraulic	LFP1652	2683001		LFP1652 ¹⁴⁶⁴
	Air	LAF1246 ²	<i>665B, 672 Stump Cutter w/Wisconsin Engine</i>			81902001	Trans	LFH4959 ⁵⁹⁰
<i>1600, 1600A Chipper w/Perkins 4.236 Engine</i>			2683001	Hydraulic	LFP1652	<i>CC-135A w/Deutz Engine</i>		
P181246	Air	LAF1246 ²	<i>671 Chipper w/Detroit Diesel 4-53 Engine</i>			2708001	Hydraulic	LFH7355 ⁶⁰⁷
<i>1800 Brush Chipper w/Cummins 4BTA3.9 Engine</i>					LFP1652	81902001	Trans	LFH4959 ⁵⁹⁰
Pri.	Fuel	LFF3417	<i>671 Chipper w/Detroit Diesel 6V71 Engine</i>			<i>CC-145 Concrete Cutter</i>		
Sec.		LFF3521	P117331	Air	LAF241HD	100489013	Air	LAF1846 ²
2683001	Hydraulic	LFP1652	752-10	Hydraulic	LFP1652	100489009		LAF503 ¹
	Oil	LFP3900	<i>906 Chipper</i>			102318005	Breather	PH253 ^{858, 1497}
<i>1800 Brush Chipper w/John Deere 4045T Engine</i>			<i>935 Chipper w/Deutz F3L1011 Engine</i>				PH2835 ^{726, 858}	
2683001	Hydraulic	LFP1652	97406003	Air	LAF1784 ¹	81902001	Hydraulic	LFH4959 ¹⁴⁶⁵
<i>1800 Brush Chipper w/Perkins 4.236 Engine</i>					LFP1652			
2150007	Air	LAF1246 ²			LFP1652			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 268-Extended/Severe service 275-Primary 590-Hydrostatic 607-Return 625-Standard filter 726-400 858-Hydraulic Tank 1464-Surge Tank 1465-Cutter Pump 1496-Alternate 1497-401

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VERMEER (EQUIPMENT)			VERMEER (EQUIPMENT)			VERMEER (EQUIPMENT)		
<i>CC-145 Concrete Cutter (cont'd)</i>			<i>D6 Navigator w/Kubota D1105B Engine</i>			<i>M450 Trencher w/Ford Diesel Engine</i>		
2708001	Hydraulic	LFH7355 ⁶⁰⁷	905427005	Air	LAF2745A ²	P101222	Air	LAF222
81902001	Trans	LFH4959 ⁵⁹⁰	218420073	Fuel	FP590F	16010	Fuel	L296F ⁴¹
<i>CC-90 w/Perkins 4.236T Engine</i>			<i>D7X11, D7X11A w/Kubota D1505 Diesel Engine</i>			<i>M455A Trencher w/John Deere 3164D Engine</i>		
81902001	Hydraulic	LFH4959	2683001	Hydraulic	LFP1652	752-10	Hydraulic	LFP1652
2683001		LFP1652	218420035	Oil	PH2808		Oil	LFP2258
<i>CX254 Mini Excavator w/Kubota V2003T Engine</i>			<i>DC-4A Compactor w/Hatz ZG40 Engine</i>			<i>M465, M470 Trencher w/Ford Engine</i>		
P772579	Air	LAF8148 ²		Air	LAF8195 ²	2146007	Air	LAF222 ²
P775300		LAF9332 ¹		Fuel	FP590F	2683001	Hydraulic	LFP1652
	Oil	PH253 ¹⁴⁹⁶		Hydraulic	LFP1652	<i>M455A w/Deutz Engine</i>		
		PH2835 ²⁷⁵	<i>FT115 Trencher w/Cummins 4BTA3.9L Engine</i>			2150007	Air	LAF1246 ²
<i>D10A Navigator Drill w/Cummins 3.9L Engine</i>			<i>FT75 Trencher w/John Deere 3179T Engine</i>			15047001	Fuel	FP586F
	Air	LAF4544 ²		Oil	PH2835	2683001	Hydraulic	LFP1652
		LAF4544MXM ^{2, 268}	<i>M-460</i>			15048001	Oil	PH2819
2708001	Hydraulic	LFH7355	901489007	Air	LAF1725 ¹	<i>M465, M470 Trencher w/Ford Engine</i>		
<i>D14, D-24 Drill w/Cummins 6BT5.9L Engine</i>			901489003	Air	LAF9001 ²	<i>M475 Trencher w/Deutz F4L912 Engine</i>		
	Air	LAF1725 ¹	Sec.	Fuel	LFF3417	P101246	Air	LAF1246 ²
		LAF9001 ²	Sec.		LFF3521	K-22001	Hydraulic	LFP1652
<i>D16X15 Drill</i>				Oil	LFP3900	<i>M475 Trencher w/Ford 192 Engine</i>		
P821575	Air	LAF8195 ²	<i>LM20 w/Onan Gas Engine</i>			P101246	Air	LAF1246 ²
<i>D16X20 Navigator Drill w/Perkins Engine</i>				Hydraulic	LFP1652		Hydraulic	LFP1652
97406003	Air	LAF1784 ¹		Oil	PH400	<i>M475 Trencher w/Ford 254 Diesel Engine</i>		
200867004		LAF9538 ²	<i>LM35 w/Deutz Engine</i>			C9NN-6714-A	Oil	LFP2258
		LAF9538MXM ^{2, 268}		Air	LAF222 ²	P101246	Air	LAF1246 ²
81902001	Hydraulic	LFH4959 ⁶¹⁰	RSE 30-10	Hydraulic	LFP1652	<i>M475 Trencher w/Perkins Diesel Engine</i>		
2683001		LFP1652	<i>LM40 w/Deutz F3L104 Engine</i>			C7NN-9276-4	Fuel	L296F ⁴¹
<i>D24A Navigator Drill w/Cummins 6BT5.9L Engine</i>				Air	LAF222 ²	K-22001	Hydraulic	LFP1652
	Air	LAF4544 ²		Hydraulic	LFP1652	C9NN-6714-4	Oil	LFP2258
		LAF4544MXM ^{2, 268}	<i>LM42 Trencher w/Deutz F3L1011 Engine</i>			2701E-6731-A		LP70V
		LAF4545 ¹	P181050	Air	LAF1275 ²	<i>M475 Trencher w/Perkins Diesel Engine</i>		
<i>D24X26 Navigator w/Cummins 4BTA3.9 Engine</i>			26830001	Hydraulic	LFP1652		Air	LAF1246 ²
	Air	LAF1725 ¹	<i>LS300</i>				Hydraulic	LFP1652
		LAF9001 ²	1551	Hydraulic	LFP1652	<i>M475A w/Deutz F4L912 Engine</i>		
<i>D24X40 Navigator Drill w/Cummins 4BTA3.9L Engine</i>			<i>M12 Auger Backfiller</i>				Air	LAF1246 ²
	Air	LAF4544 ²		Hydraulic	LFP1652	2683001	Hydraulic	LFP1652
		LAF4544MXM ^{2, 268}	<i>M17A Trencher w/Kohler Engine</i>			<i>M475A w/John Deere 4239 Engine</i>		
		LAF4545 ¹		Air	AF213		Air	LAF1246 ²
2708001	Hydraulic	LFH7355	<i>M18H w/Wisconsin VF4D Engine</i>			2683001	Hydraulic	LFP1652
81902001	Trans	LFH4959 ⁵⁹⁰	752-10	Hydraulic	LFP1652	<i>M485 Trencher w/Ford 254 Diesel Engine</i>		
<i>D4 Navigator w/Kohler 1848 18 hp Engine</i>			<i>M30 Trencher w/Wisconsin VH4D Engine</i>			P101246	Air	LAF1246 ²
	Hydraulic	LFP1652		Hydraulic	LFP1652	C7NN-9276-4	Fuel	L296F ⁴¹
89110001	Oil	PH2835	<i>M418 Trencher w/Wisconsin TJD Engine</i>			K-22001	Hydraulic	LFP1652
<i>D50X100 Navigator Drill w/Cummins 6BT5.9L Engine</i>				Hydraulic	LFP1652	C9NN-6714-4	Oil	LFP2258
	Air	LAF4544 ²	<i>M437, M437A Trencher w/Wisconsin VG4D 37 hp Engine</i>			2701E-6731-A		LP70V
		LAF4544MXM ^{2, 268}	P101275	Air	LAF1275 ²	<i>M485 Trencher w/Ford Diesel Engine</i>		
		LAF4545 ¹		Hydraulic	LFP1652		Air	LAF1246 ²
Pri.	Fuel	LFF3417	<i>M440 w/Ford 134 Gas Engine</i>				Fuel	L296F ⁴¹
W/S		LFF8062	C9NN-6714-A	Oil	LFP2258		Oil	LFP2258
81902001	Hydraulic	LFH4959		Trans	LFP1652	<i>M485 Trencher w/Ford Gas Engine</i>		
	Oil	LFP780	<i>M450 Trencher w/Ford 192 Gas Engine</i>				Air	LAF1246 ²
<i>D6 Navigator w/Kohler 1848 18 hp Engine</i>			P101222	Air	LAF222 ²		Fuel	L296F ⁴¹
	Hydraulic	LFP1652	16010	Fuel	L296F ⁴¹	<i>M495 Trencher</i>		
89110001	Oil	PH2835	752-10	Hydraulic	LFP1652	2150007	Air	LAF1246 ²
				Oil	LFP2258	81902001	Hydraulic	LFH4959

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 275-Primary 590-Hydrostatic 607-Return 610-Charge Pump 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VERMEER (EQUIPMENT)			VERMEER (EQUIPMENT)			VERMEER (EQUIPMENT)		
<i>M50 w/Ford Diesel Engine</i>			<i>RTX350 Trencher w/Cummins A Series Engine</i>			<i>T450 Trencher w/John Deere 4239 Engine (cont'd)</i>		
P101222	Air	LAF222 ²	AF26168	Air	LAF5325 ²		Hydraulic	LFH4471
16010	Fuel	L296F ⁴¹	(FS1235); W/S	Fuel	LFF8060	<i>T455, T455S Trencher w/John Deere 4045 Engine</i>		
	Oil	LFP2258	LF16034	Oil	PH2808	901498007	Air	LAF1725 ¹
<i>M50 w/Ford Gas Engine</i>			<i>RTX450 (w/Deutz F3L2011 Engine)</i>			97406003		LAF1784 ¹
P101222	Air	LAF222 ²		Air	LAF8195 ²	901498003		LAF9001 ²
	Fuel	L296F ⁴¹			LAF8690 ¹	200867004		LAF9538 ²
	Hydraulic	LFP1652		Fuel	LFF3518			LAF9538MXM ^{2, 268}
	Oil	LFP2258		Oil	PH2816	81902001	Hydraulic	LFH4959
<i>M50H Trencher w/Ford 192 Diesel Engine</i>			<i>S450TX (w/Kohler Command Pro Engine)</i>			<i>T455, T455S Trencher w/John Deere 4045T Engine</i>		
	Hydraulic	LFP1652	4708303	Air	AF217 ⁵⁸⁹	<i>Engine</i>		
<i>M50H Trencher w/Ford 192 Gas Engine</i>			4708302		LAF5802 ⁵⁸⁸	901498007	Air	LAF1725 ¹
	Hydraulic	LFP1652	1205002	Oil	PH2814	97406003		LAF1784 ¹
<i>M-5850, M-7850 Tractors</i>			<i>S600TX (w/Kubota D1105 Engine)</i>			901498003		LAF9001 ²
200867004	Air	LAF9538 ²		Fuel	FP590F	200867004		LAF9538 ²
		LAF9538MXM ^{2, 268}		Oil	PH2808			LAF9538MXM ^{2, 268}
81902001	Hydraulic	LFH4959	<i>S800TX (w/Kubota V1505 Engine)</i>			81902001	Hydraulic	LFH4959
2708001		LFH7355		Air	LAF8195 ²	<i>T555 Trencher w/Cummins 6BT5.9L Engine</i>		
66728001	Oil	FP20			LAF8690 ¹		Air	LAF1846 ²
<i>Navigator w/Deutz Diesel Engine</i>			<i>SC252 Stump Grinder w/Kohler Engine</i>					LAF503 ¹
	Air	LAF9538 ²	AF25551	Air	LAF8195 ²	<i>T600, T600A w/Ford 240 Gas Engine</i>		
		LAF9538MXM ^{2, 268}			LAF8690 ¹		Air	LAF1246 ²
2708001	Hydraulic	LFH7355	2683001	Hydraulic	LFP1652		Fuel	G1 ⁵³¹
	Oil	PH561	1205001	Oil	PH2814			G6
<i>P-24X40A Navigator Drill</i>			<i>SP24 Plow</i>				Hydraulic	LFP1652
P119778	Air	LAF1725 ¹			LFP1652		Oil	PH400 ²⁷⁵
P181063		LAF9001 ²	VR461D	Oil	LFP2252			PH8A ¹⁴⁹⁶
SE10	Hydraulic	LFH4268	VR465D		PH400 ²⁷⁵	<i>T600B w/Ford 6-192 Engine</i>		
<i>PT-5800 Combo</i>			VR465D		PH8A ¹⁴⁹⁶		Air	LAF1246 ²
81902001	Hydraulic	LFH4959	<i>T1455 Trencher</i>				Hydraulic	LFP1652
<i>PTX44 (w/Kubota WG1605 Engine)</i>			73113001	Hydraulic	LFH4990	FL-4	Oil	LFP2258
P821575	Air	LAF8195 ²	102618005		PH253 ^{603, 1496}	<i>T600C Trencher w/Detroit Diesel 3-71 Engine</i>		
		LAF8690 ¹			PH2835 ^{275, 603}		Air	LAF237 ²
	Oil	PH2808	<i>T218 Trencher/Plow</i>				Hydraulic	LFP1652
<i>RT450, RTX450 w/Deutz Engine</i>				Hydraulic	LFP1652	<i>T600C w/Detroit Diesel 4-53 Engine</i>		
P821575	Air	LAF8195 ²	<i>T300A w/Wisconsin VH4D Engine</i>			P101237	Air	LAF237 ²
P822858		LAF8690 ¹		Air	LAF1275 ²		Hydraulic	LFP1652
	Oil	PH2816		Hydraulic	LFP1652	<i>T600C w/Ford 240 Gas Engine</i>		
<i>RT650 w/Deutz BF4L2011 Engine</i>			<i>T300B w/Hatz Engine</i>			P101237	Air	LAF237 ²
53629013	Fuel	LFF3518		Air	LAF1275 ²		Hydraulic	LFP1652
53629029	Oil	PH561		Fuel	L274F	C1AZ-6731-A	Oil	PH400 ²⁷⁵
<i>RTX1250 Trencher w/Cummins QSB4.5TAA Engine</i>				Hydraulic	LFP1652	C1AZ-6731-A		PH8A ¹⁴⁹⁶
(4989106); Sec.	Fuel	LFF5421	<i>T300B w/Wisconsin VH4D Engine</i>			<i>T600D w/Detroit Diesel Engine</i>		
(3973233); W/S		LFF9732	P101275	Air	LAF1275 ²		Air	LAF237 ²
3937736	Oil	LFP3970		Hydraulic	LFP1652		Hydraulic	LFP1652
<i>RTX150 (w/KohlerCH20 Engine)</i>			<i>T400A Trencher w/Detroit Diesel 2-53 Engine</i>			<i>T655 w/Caterpillar 3116 Engine</i>		
4508302	Air	AF215 ⁶⁰⁶		Air	LAF1246 ²		Air	LAF8513 ¹
4708303		AF217 ⁵⁸⁹		Hydraulic	LFP1652			LAF9200 ²
4708303		LAF5802 ⁵⁸⁸	<i>T400A w/Ford 192 Diesel Engine</i>			<i>T658 w/Caterpillar 3116 Engine</i>		
1205002	Oil	PH2814		Air	LAF222 ²		Air	LAF8513 ¹
<i>RTX250 (w/Kohler Command Pro Engine)</i>				Hydraulic	LFP1652			LAF9200 ²
4708303	Air	AF217 ⁵⁸⁹	FL-4	Oil	LFP2258	<i>T658XL w/Caterpillar 3116 Engine</i>		
4708302		LAF5802 ⁵⁸⁸	<i>T400B Trencher w/Deutz F4L912 Engine</i>				Air	LAF8513 ¹
1205002	Oil	PH2814		Hydraulic	LFP1652			LAF9200 ²
<i>RTX350 Trencher w/Cummins A Series Engine</i>			<i>T450 Trencher w/John Deere 4239 Engine</i>			<i>T755 Trencher w/Caterpillar 3116 Engine</i>		
				Air	LAF1246 ²		Air	LAF8513 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 275-Primary 531-Filter only 588-7" x 2.92" 589-7" x 2.55" 603-Tank Breather 606-6" x 3" 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VERMEER (EQUIPMENT)			VERMEER (EQUIPMENT)			VERMEER (EQUIPMENT)		
<i>T755 Trencher w/Caterpillar 3116 Engine (cont'd)</i>			<i>V3550, V3550A w/Deutz F3L1011 Engine (cont'd)</i>			<i>V6050 w/Deutz F4L1011 Engine (cont'd)</i>		
	Air	LAF9200 ²	2708001	Hydraulic	LFH7355		Air	LAF9538 ²
<i>T755 Trencher w/Caterpillar C9 ACERT Tier 3 Engine</i>				Oil	PH561			LAF9538MXM ^{2, 268}
1R1808	Oil	LFP4005RN ⁵⁹⁹	<i>V4150, V4150A Trencher w/Deutz F3L1011 Engine</i>				Oil	PH561
<i>T800, T800A, T800B Trencher w/Detroit Diesel 4-53 Engine</i>			2146007	Air	LAF222 ²	<i>V6050 w/John Deere Engine</i>		
P101240	Air	LAF241HD		Fuel	FP586F		Air	LAF222 ²
		LAF9085 ¹	2708001	Hydraulic	LFH7355	<i>V7550, V8050 Trencher w/John Deere 4239 Engine</i>		
		LAF9086 ²		Oil	PH561	200867004	Air	LAF9538 ²
		LAF9086MXM ^{2, 268}	<i>V430 Trencher w/VM Diesel Engine</i>					LAF9538MXM ^{2, 268}
2708001	Hydraulic	LFH7355		Air	LAF1275 ²	<i>V-800B Trencher w/Detroit Diesel Engine</i>		
2683001		LFP1652		Fuel	L296F ⁴¹		Air	LAF9085 ¹
<i>T800C, T800HT Trencher w/Detroit Diesel 6V53 Engine</i>			1551	Hydraulic	LFP1652			LAF9086 ²
			<i>V430 w/Wisconsin VH4D Engine</i>					LAF9086MXM ^{2, 268}
				Fuel	G1 ⁵³¹	<i>V-8100 Trencher w/Cummins 4BT3.9L Engine</i>		
	Air	LAF9085 ¹	<i>V430A Trencher w/Deutz F2L511 Engine</i>				Air	LAF4544 ²
		LAF9086 ²		Air	LAF222			LAF4544MXM ^{2, 268}
		LAF9086MXM ^{2, 268}	1551	Hydraulic	LFP1652			LAF4545 ¹
	Hydraulic	LFH5068-10 ⁶⁰⁹	<i>V430A Trencher w/Wisconsin VH4D Engine</i>			<i>V8550, V8550A Trencher w/Cummins 4BT3.9L Engine</i>		
<i>T-850 Trencher w/Detroit Diesel 6V-92TA Engine</i>				Air	LAF222 ²		Air	LAF4544 ²
28918005	Air	LAF9085 ¹	1551	Hydraulic	LFP1652			LAF4544MXM ^{2, 268}
28918009		LAF9086 ²	<i>V434 Trencher w/Ford Engine</i>					LAF4545 ¹
		LAF9086MXM ^{2, 268}	P101275	Air	LAF1275 ²			LFF3521
2683001	Breather	LFP1652 ¹⁴⁶⁶	<i>V434 w/Perkins 4.108 Engine</i>			SE10	Hydraulic	LFH4268
81902001	Hydraulic	LFH4959	P101275	Air	LAF1275 ²	2708001		LFH7355
2708001		LFH7355	P103712		LAF712	ZSE10	Oil	LFH8740G
<i>T-955 Trencher w/Caterpillar 3406 Engine</i>			26560017	Fuel	L296F ⁴¹	VERSATILE (COMBINE)		
28918005	Air	LAF9085 ¹	2654403	Oil	PH4403	<i>420 w/Chrysler 318 Industrial Engine</i>		
28918009		LAF9086 ²	<i>V440 Trencher w/Perkins 4.108 Engine</i>			P101246	Air	LAF1246 ²
		LAF9086MXM ^{2, 268}		Air	LAF1275 ²			LAF222 ²
<i>TC23, TC33 Compactor w/Deutz F1L210 Engine</i>			<i>V450 w/Deutz F4L912 Engine</i>			Gas	Fuel	G6
905427005	Air	LAF2745A ²	2683001	Hydraulic	LFP1652		Oil	P76
<i>TC-4A Compactor w/Hatz 20 hp Engine</i>			<i>V450 w/John Deere 4239 Engine</i>			<i>420 w/Chrysler 6 cyl. Engine</i>		
2146007	Air	LAF222 ²		Air	LAF1246 ²	P101222	Air	LAF1246 ²
2683001	Hydraulic	LFP1652		Oil	FP20	Gas	Fuel	G6
<i>TG-400, TG-400L Tub Grinder w/Caterpillar 3406B Engine</i>			<i>V454A Trencher w/Deutz F3L912 Engine</i>				Oil	P76
				Oil	PH2819	<i>42PTM w/Chrysler 6 cyl. Engine</i>		
	Air	LAF9085 ¹	<i>V4750 Trencher w/Deutz F4L1011 Engine</i>			P101222	Air	LAF222 ²
		LAF9086 ²	2146007	Air	LAF222 ²	Gas	Fuel	G6
		LAF9086MXM ^{2, 268}		Fuel	LFF3518		Oil	P76
<i>TS44A w/Kohler 18 hp Engine</i>			2708001	Hydraulic	LFH7355	<i>5000 w/Ford V8-360 Engine</i>		
89107001	Air	AF216	2683001		LFP1652	(FG1); Gas	Fuel	G6
2683001	Hydraulic	LFP1652		Oil	PH561	FL1A	Oil	PH400 ²⁷⁵
	Oil	PH2835	<i>V5050 Trencher w/Deutz F4L1011 Engine</i>			FL1A		PH8A ¹⁴⁹⁶
<i>TS44T, TS66T</i>				Fuel	LFF3518	VERSATILE (SPRAYERS)		
2683001	Hydraulic	LFP1652	2708001	Hydraulic	LFH7355	<i>SX275 w/Cummins QSB6.7L Engine</i>		
<i>V1550 Trencher w/Kohler 18S Magnum Engine</i>			2683001		LFP1652	P777868	Air	LAF8150 ²
89107001	Air	AF216		Oil	PH561	P777869		LAF8693 ¹
89110001	Oil	PH2835	<i>V5750 Trencher w/Cummins 4B3.9L Engine</i>			FF5421	Fuel	LFF5421
<i>V1850 Trencher w/Kohler 18 hp Engine</i>				Air	LAF1246 ²	(FS19732); W/S		LFF9732
	Air	AF217	2683001	Hydraulic	LFP1652	CSG150A10A	Hydraulic	LFH5876
	Oil	PH2814	<i>V6050 w/Deutz F4L1011 Engine</i>					
<i>V3550, V3550A w/Deutz F3L1011 Engine</i>				Air	LAF222 ²			
	Air	LAF222 ²						
	Fuel	FP586F						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 275-Primary 531-Filter only 599-High capacity 609-1 1/2" x 16 Thread 1466-Hydraulic Vent 1496-Alternate

V

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VERSATILE (SPRAYERS)			VERSATILE (TRACTOR)			VERSATILE (TRACTOR)		
<i>SX275 w/Cummins QSB6.7L Engine (cont'd)</i>			<i>1156 w/Cummins KTA19A Engine (cont'd)</i>			<i>2290 w/Cummins QSM11 Engine (cont'd)</i>		
LF3970	Oil	LFP3970	63297	Hydraulic	LH4994 ⁶⁰⁷	V30924	Air	LAF9086MXM ^{2, 268}
29540496	Trans	LH4582G ²⁴	31133	Oil	LFP670	9672301	Coolant	LFW4071 ^{28, 205}
29540493		LH4589G ²³	(57124); By-Pass		LFP670XL ¹⁴	(V88834); 2240 only	Fuel	LFF3521
		LH4591G ²²	By-Pass		LFP777B	(V79080); W/S	Oil	LFF8000 ⁶²⁸
					LFP777XL ¹⁴	9703112	Oil	LFP3000
VERSATILE (SWATHERS & WINDROWERS)			<i>150 w/Perkins 4.236 Engine</i>			<i>2335 w/Cummins Engine</i>		
<i>330 w/Ford 4 cyl. eng.</i>			P119539	Air	LAF1784 ¹	V30927	Air	LAF9085 ¹
	Air	LAF222	352103V1		LAF222 ²	V30924		LAF9086 ²
	Oil	PH400 ²⁷⁵	P119538		LAF9538 ²	V30924		LAF9086MXM ^{2, 268}
		PH8A ¹⁴⁹⁶	7111/296	Fuel	LAF9538MXM ²⁶⁸	9672301	Coolant	LFW4071 ^{28, 205}
<i>400, 440 w/Ford eng.</i>			V6502	Hydraulic	L296F ⁴¹	(V88834); 2240 only	Fuel	LFF3521
	Air	LAF222	2654403	Oil	LH4924	(V79080); W/S	Oil	LFF8000 ⁶²⁸
	Hydraulic	LFP1652	<i>160 w/Waukesha VRD220SA Engine</i>			9703112	Oil	LFP3000
	Oil	PH400 ²⁷⁵	P119539	Air	LAF1784 ¹	<i>2335 w/Cummins QSM11 Engine</i>		
		PH8A ¹⁴⁹⁶	P119538		LAF9538 ²	V30927	Air	LAF9085 ¹
<i>4750</i>			(V67673); W/S	Fuel	LAF9538MXM ²⁶⁸	V30924		LAF9086 ²
	Air	LAF1784 ¹	177429		LFF1131	V30924		LAF9086MXM ^{2, 268}
		LAF9538	V6502	Hydraulic	P1130	9672301	Coolant	LFW4071 ^{28, 205}
		LAF9538MXM	865466614	Oil	LH4924	(V88834); 2240 only	Fuel	LFF3521
	Fuel	LFF3501	865466614		PH400 ²⁷⁵	(V79080); W/S	Oil	LFF8000 ⁶²⁸
<i>V4700</i>			86017005	Trans	PH8A ¹⁴⁹⁶	9703112	Oil	LFP3000
	Air	LAF1784 ¹	2145, 2160, 2180, 2210 w/Genesis 7.5L Engine		LP2320 ⁵⁹⁰	<i>2360 w/Cummins Engine</i>		
		LAF9538	9823782	Air	LAF1771 ¹³⁵¹	V30927	Air	LAF9085 ¹
		LAF9538MXM	9846494		LAF3655 ²	V30924		LAF9086 ²
	Hydraulic	LP2320	E7HT-8A424-BA	Coolant	LFW4072 ¹⁸²	V30924		LAF9086MXM ^{2, 268}
	Oil	LFP3900	861361		LFW4074 ⁶²⁷	9672301	Coolant	LFW4071 ^{28, 205}
VERSATILE (TRACTOR)				Fuel	LFF1223	(V88834); 2240 only	Fuel	LFF3521
<i>1150 w/Cummins KTA1150 Engine</i>			(87840136); W/S		LFF8063	(V79080); W/S	Oil	LFF8000 ⁶²⁸
V63971	Air	LAF1812 ²	W/S		LFF8063U ¹²	9703112	Oil	LFP3000
V63972		LAF4366 ¹	9821387	Hydraulic	LFH4990 ¹¹¹⁴	<i>2360 w/Cummins N14 Engine</i>		
	Coolant	LFW4071 ^{28, 205}	9821388		LFH5659 ¹¹⁶⁵	V30927	Air	LAF9085 ¹
(61559); Pri.	Fuel	LFF202	86018758		LFH8294 ¹¹¹⁴	V30924		LAF9086 ²
63297	Hydraulic	LH4994 ⁶⁰⁷	86605897	Oil	LFP950	V30924		LAF9086MXM ^{2, 268}
31133	Oil	LFP670	<i>2240, 2270, 2310 w/Cummins Engine</i>			9672301	Coolant	LFW4071 ^{28, 205}
(57124); By-Pass		LFP670XL ¹⁴	V30927	Air	LAF9085 ¹	(V88834); 2240 only	Fuel	LFF3521
By-Pass		LFP777B	V30924		LAF9086 ²	(V79080); W/S	Oil	LFF8000 ⁶²⁸
		LFP777XL ¹⁴			LAF9086MXM ^{2, 268}	9703112	Oil	LFP3000
<i>1156 w/Cummins KTA1150 Engine</i>			9672301	Coolant	LFW4071 ^{28, 205}	<i>2375 w/Cummins Engine</i>		
V63971	Air	LAF1812 ²	(V88834); 2240 only	Fuel	LFF3521	V95611	Air	LAF1465 ²
V63972		LAF4366 ¹	(V79080); W/S		LFF8000 ⁶²⁸	V95612		LAF1854 ¹
		LAF5154	9703112	Oil	LFP3000	(86021254); W/S	Fuel	LFF1000
	Coolant	LFW4071 ^{28, 205}			LFP3000XL ¹⁴	9703112	Oil	LFP3000
(61559); Pri.	Fuel	LFF202	<i>2290 w/Cummins Engine</i>					LFP3000XL ¹⁴
63297	Hydraulic	LH4994 ⁶⁰⁷	V30927	Air	LAF9085 ¹	<i>2375 w/Cummins QSM11 Engine</i>		
31133	Oil	LFP670	V30924		LAF9086 ²	V95611	Air	LAF1465 ²
(57124); By-Pass		LFP670XL ¹⁴	V30924		LAF9086MXM ^{2, 268}	V95612		LAF1854 ¹
By-Pass		LFP777B	9672301	Coolant	LFW4071 ^{28, 205}	(86021254); W/S	Fuel	LFF1000
		LFP777XL ¹⁴	(V88834); 2240 only	Fuel	LFF3521	9703112	Oil	LFP3000
<i>1156 w/Cummins KTA19A Engine</i>			(V79080); W/S		LFF8000 ⁶²⁸	<i>2425 w/Cummins N14 Engine</i>		
V63971	Air	LAF1812 ²	9703112	Oil	LFP3000	V95611	Air	LAF1465 ²
V63972		LAF4366 ¹	<i>2290 w/Cummins QSM11 Engine</i>			V95612		LAF1854 ¹
		LAF5154	V30927	Air	LAF9085 ¹	(86021254); W/S	Fuel	LFF1000
	Coolant	LFW4071 ^{28, 205}	V30924		LAF9086 ²	9703112	Oil	LFP3000
(61559); Pri.	Fuel	LFF202				<i>2425 w/Cummins QSM11 Engine</i>		
			<i>2290 w/Cummins QSM11 Engine</i>			V95611	Air	LAF1465 ²
			V30927	Air	LAF9085 ¹	V95612		LAF1854 ¹
			V30924		LAF9086 ²	(86021254); W/S	Fuel	LFF1000

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 14-Extended Life 22-2" or 7" Sump High Capacity 23-2" or 7" Sump Standard Capacity 24-4" Sump 28-Contains 1 oz. of chemical 41-Cartridge 182-Contains 2 oz. of chemical 205-Maintenance 268-Extended/Severe service 275-Primary 590-Hydrostatic 607-Return 627-5 oz. of chemical 628-Tall version of LFF8020 1114-Standard Flow 1165-Mega Flow 1351-Inside 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VERSATILE (TRACTOR)			VERSATILE (TRACTOR)			VERSATILE (TRACTOR)		
2425 w/Cummins N14 Engine (cont'd)			435, 485, 535 w/Cummins QXS15 Engine			700 w/Cummins V555 Engine		
	Oil	LFP3000XL ¹⁴	P181039	Air	LAF9155 ²	V608T118	Fuel	LFF5
250 w/Cummins QSC8.3 Engine			P182039		LAF9155MXM ²	15801	Hydraulic	LFH4955
3401544	Oil	LFP3000XL ¹⁴			LAF9159 ¹	V36169		LP2320 ⁶⁰⁷
256, 276 w/Cummins 4BT3.9L Engine			4907485	Coolant	LFW2126 ²⁵⁵	V15799		LP50910 ¹¹¹⁹
V90183	Air	LAF1725 ¹	1000HF	Fuel	L2020FN	V15798	Oil	LP566
V103344		LAF9001 ²	(FS1040); W/S		LFF1007 ²¹⁰	SW2854	Trans	LFP1652
(V88833); Pri.	Fuel	LFF3417	P179763	Hydraulic	LFH8417G	700 w/Cummins V8-555 Engine		
(V88834); Sec.		LFF3521		Oil	LFP9000 ⁷²³	V608T118	Fuel	LFF5
W/S		LFF8062			LFP9000XL ^{14, 723}	15801	Hydraulic	LFH4955
V79446	Hydraulic	LFH4910	450, 450DT (w/Cummins QSX15 Engine)			V36169		LP2320 ⁶⁰⁷
V36169		LP2320 ⁶⁰⁷	4907485	Coolant	LFW2126 ²⁵⁵	V15799		LP50910 ¹¹¹⁹
V88835	Oil	LFP3900		Fuel	L2020FN ¹⁴⁶⁷	V15798	Oil	LP566
260 (w/Cummins QSL Engine)			LF9080	Oil	LFP9001 ²⁵⁰	SW2854	Trans	LFP1652
W/S	Fuel	LFF9732	LF9080		LFP9001XL ^{14, 250}	750 II w/Cummins Engine		
	Oil	LFP3000XL ¹⁴	500 w/Cummins V8-504 Engine			30986	Air	LAF1451
276II w/Cummins 4BT3.9L Engine			30986	Air	LAF1451	V608T118	Fuel	LFF5
375272	Air	LAF1725 ¹	9672301	Coolant	LFW4071 ²⁸	V36169	Hydraulic	LP2320 ⁶⁰⁷
83977315	Fuel	LFF3521	25881		LFW4744 ⁴	V15799		LP50910 ¹¹¹⁹
86017005	Hydraulic	LP2320	V608T118	Fuel	LFF5	V31138	Oil	LFP670
83977314	Oil	LFP3411	86017005	Hydraulic	LP2320			LFP670XL ¹⁴
V88835		LFP3900	15799		LP50910	V2854	Trans	LFP1652
276II w/Ford 4.4L Engine			V602T121	Oil	LP613	750 II w/Cummins N855 Engine		
375272	Air	LAF1725 ¹	500, 550 (w/Cummins ISX Engine)			30986	Air	LAF1451
86570171	Fuel	LFF3501	4907485	Coolant	LFW2126 ²⁵⁵	V608T118	Fuel	LFF5
86017005	Hydraulic	LP2320	4907485	Fuel	L2020FN	V36169	Hydraulic	LP2320 ⁶⁰⁷
86546609	Oil	LFP2238	LF14000NN	Oil	LFP9001 ²⁵⁰	V15799		LP50910 ¹¹¹⁹
280 w/Cummins QSC8.3 Engine			LF14000NN		LFP9001XL ^{14, 250}	V31138	Oil	LFP670
3401544	Oil	LFP3000XL ¹⁴	500DT, 550DT (w/Cummins QSX15 Engine)					LFP670XL ¹⁴
290 (w/Cummins QSL Engine)			4907485	Coolant	LFW2126 ²⁵⁵	V2854	Trans	LFP1652
W/S	Fuel	LFF9732		Fuel	L2020FN ¹⁴⁶⁷	800, 825 w/Cummins Engine		
	Oil	LFP3000XL ¹⁴	LF9080	Oil	LFP9001 ²⁵⁰	V608T118	Fuel	LFF5
305, 340, 375 w/Cummins QSM11 Engine			LF9080		LFP9001XL ^{14, 250}		Hydraulic	LFH4955 ⁶⁰⁷
3100304	Coolant	LFW4071 ^{28, 205}	535 w/Cummins QSX15 Engine			V15799		LP50910 ¹¹¹⁹
1000HF	Fuel	L2020FN	2020TM	Fuel	L2020FN	V31133	Oil	LFP670
(FS1003); W/S		LFF1003 ²⁰⁹	LF9080	Oil	LFP9001 ²⁵⁰			LFP670XL ¹⁴
3101869	Oil	LFP9001 ²⁵⁰	LF9080		LFP9001XL ^{14, 250}	(V19567); By-Pass		LFP777B
		LFP9001TRT ³	555 w/Cummins VT555C Engine			By-Pass		LFP777XL ¹⁴
3101869		LFP9001XL ^{14, 250}	V30986	Air	LAF1451	800, 825 w/Cummins N855 Engine		
310 (w/Cummins QSL Engine)			V57994		LAF8513 ¹	V608T118	Fuel	LFF5
W/S	Fuel	LFF9732	V57993		LAF9200 ²		Hydraulic	LFH4955 ⁶⁰⁷
	Oil	LFP3000XL ¹⁴	9672301	Coolant	LFW4071 ^{28, 205}	V15799		LP50910 ¹¹¹⁹
350 (w/Cummins QSX11.9 Engine)			V26206		LFW4074 ⁶²⁷	V31133	Oil	LFP670
LF9080	Oil	LFP9001 ²⁵⁰	V608T118	Fuel	LFF5			LFP670XL ¹⁴
LF9080		LFP9001XL ^{14, 250}	V36169	Hydraulic	LP2320 ⁶⁰⁷	(V19567); By-Pass		LFP777B
375 (w/Cummins QSX11.9 Engine)			V15799		LP50910 ¹¹¹⁹	By-Pass		LFP777XL ¹⁴
LF14000NN	Oil	LFP9001 ²⁵⁰	V58125	Oil	LFP734	835, 855 w/Cummins NTA855 Engine		
LF14000NN		LFP9001XL ^{14, 250}	(V57124); By-Pass		LFP777B	V30986	Air	LAF1451
400 (w/Cummins QSX11.9 Engine)			By-Pass		LFP777XL ¹⁴	V30927		LAF9085 ¹
3680433	Coolant	LFW2126 ²⁵⁵	575 w/Cummins QSX15 Engine			V30924		LAF9086 ²
3101869	Oil	LFP9001 ²⁵⁰		Air	LAF9155			LAF9086MXM ^{2, 268}
3101869		LFP9001XL ^{14, 250}			LAF9155MXM	V26206	Coolant	LFW4071 ^{28, 205}
400 w/Cummins QSM11 Engine					LAF9159	V104040		LFW4073 ²⁵⁵
(FS1003); W/S	Fuel	LFF1003 ²⁰⁹	FS1007	Coolant	LFP9000 ⁷²³	(V608R118); Pri.	Fuel	LFF5D
3101869	Oil	LFP9001 ²⁵⁰	FS1007		LFW2126 ²⁵⁵	(V79080); W/S		LFF8000 ⁶²⁸
		LFP9001TRT ³	(FS1007); W/S	Fuel	LFF1007 ²¹⁰	V36169	Hydraulic	LP2320 ⁶⁰⁷
3101869		LFP9001XL ^{14, 250}	FS1007	Oil	LFP9000XL ^{14, 723}	V15799		LP509 ¹¹¹⁹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 14-Extended Life 28-Contains 1 oz. of chemical 205-Maintenance

209-Square sensor port 210-w/ Sensor 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 607-Return 627-5 oz. of chemical

628-Tall version of LFF8020 723-13.9" Hgt. 1119-Suction Line 1467-Racor 1000H housing

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VERSATILE (TRACTOR)			VERSATILE (TRACTOR)			VERSATILE (TRACTOR)		
<i>856 w/Cummins L10 Engine (cont'd)</i>			<i>876 w/Cummins Engine (cont'd)</i>			<i>900, 900I, 900II w/Cummins Engine (cont'd)</i>		
(86546603); 12 Spd.	Trans	LFP1652	V104040	Coolant	LFW4073 ²⁵⁵	86546603	Hydraulic	LFP1652
<i>875 w/Cummins Engine</i>			(V608T118); Pri.	Fuel	LFF5D	(86017005); - S/N		LP2320 ⁶⁰⁷
V30986	Air	LAF1451	(V79080); W/S		LFF8000 ⁶²⁸	9003070301		
V30927		LAF9085 ¹	V36169	Hydraulic	LP2320 ⁶⁰⁷	V15799		LP509 ¹¹¹⁹
V30924		LAF9086 ²	9703112	Oil	LFP3000	V15798	Oil	LP566
		LAF9086MXM ^{2, 268}	V31133		LFP3000XL ¹⁴	<i>900, 900I, 900II w/Cummins V903 Engine</i>		
V26206	Coolant	LFW4071 ^{28, 205}	(V57124); By-Pass		LFP670	9672301	Coolant	LFW4071 ²⁸
V104040		LFW4073 ²⁵⁵	By-Pass		LFP670XL ¹⁴	V104040		LFW4073 ²⁵⁵
(V608R118); Pri.	Fuel	LFF5D	By-Pass		LFP777B	(V608T118); Pri.	Fuel	LFF5D
(V79080); W/S		LFF8000 ⁶²⁸	(V79446); 15 Spd.	Trans	LFP777XL ¹⁴	86546603	Hydraulic	LFP1652
V36169	Hydraulic	LP2320 ⁶⁰⁷	9821388		LFP1652	(86017005); - S/N		LP2320 ⁶⁰⁷
V15799		LP509 ¹¹¹⁹	(86546603); 12 Spd.			9003070301		LP509 ¹¹¹⁹
V31133	Oil	LFP670	<i>876 w/Cummins L10 Engine</i>			V15799		LP566
(V57124); By-Pass		LFP670XL ¹⁴	V105382	Air	LAF5154	V15798	Oil	LP566
By-Pass		LFP777B	V30927		LAF9085 ¹	<i>9280 w/Cummins L10 Engine</i>		
By-Pass		LFP777XL ¹⁴	V30924		LAF9086 ²	V95611	Air	LAF1465 ²
V2854	Trans	LFP1652			LAF9086MXM ^{2, 268}	V95612		LAF1854 ¹
<i>875 w/Cummins NT855 Engine</i>			V26206	Coolant	LFW4071 ^{28, 205}	(V30927); 9280		LAF9085 ¹
V30986	Air	LAF1451	V104040		LFW4073 ²⁵⁵	(V30924); 9280		LAF9086 ²
V30927		LAF9085 ¹	(V608T118); Pri.	Fuel	LFF5D	9280		LAF9086MXM ^{2, 268}
V30924		LAF9086 ²	(V79080); W/S		LFF8000 ⁶²⁸	V26206	Coolant	LFW4071 ²⁸
		LAF9086MXM ^{2, 268}	V36169	Hydraulic	LP2320 ⁶⁰⁷	W/S	Fuel	LFF1000
V26206	Coolant	LFW4071 ^{28, 205}	9703112	Oil	LFP3000	(V79080); W/S		LFF8000 ⁶²⁸
V104040		LFW4073 ²⁵⁵	V31133		LFP3000XL ¹⁴	W/S		LFF90013
(V608R118); Pri.	Fuel	LFF5D	(V57124); By-Pass		LFP670	9706161	Hydraulic	LFH8880G
(V79080); W/S		LFF8000 ⁶²⁸	By-Pass		LFP670XL ¹⁴	9703112	Oil	LFP3000
V36169	Hydraulic	LP2320 ⁶⁰⁷	By-Pass		LFP777B	<i>9282</i>		
V15799		LP509 ¹¹¹⁹	(V79446); 15 Spd.	Trans	LFP777XL ¹⁴	V30927	Air	LAF9085 ¹
V31133	Oil	LFP670	9821388		LFP1652	V30924		LAF9086 ²
(V57124); By-Pass		LFP670XL ¹⁴	(86546603); 12 Spd.					LAF9086MXM ²⁶⁸
By-Pass		LFP777B	<i>876 w/Cummins LT10A Engine</i>			9672301	Coolant	LFW4071 ²⁸
By-Pass		LFP777XL ¹⁴	V105382	Air	LAF5154	W/S	Fuel	LFF1000
V2854	Trans	LFP1652	V30927		LAF9085 ¹	W/S		LFF8020
<i>875 w/Cummins NTA855 Engine</i>			V30924		LAF9086 ²	9706161	Hydraulic	LFH8880G
V30986	Air	LAF1451			LAF9086MXM ^{2, 268}		Oil	LFP3000
V30927		LAF9085 ¹	V26206	Coolant	LFW4071 ^{28, 205}	<i>935, 950 w/Cummins V903 Engine</i>		
V30924		LAF9086 ²	V104040		LFW4073 ²⁵⁵	(V79080); 935; W/S	Fuel	LFF8000 ⁶²⁸
		LAF9086MXM ^{2, 268}	(V608T118); Pri.	Fuel	LFF5D	30986	Air	LAF1451
V26206	Coolant	LFW4071 ^{28, 205}	(V79080); W/S		LFF8000 ⁶²⁸	30927		LAF9085 ¹
V104040		LFW4073 ²⁵⁵	V36169	Hydraulic	LP2320 ⁶⁰⁷	30924		LAF9086 ²
(V608R118); Pri.	Fuel	LFF5D	9703112	Oil	LFP3000			LAF9086MXM ^{2, 268}
(V79080); W/S		LFF8000 ⁶²⁸	V31133		LFP3000XL ¹⁴	9672301	Coolant	LFW4071 ²⁸
V36169	Hydraulic	LP2320 ⁶⁰⁷	(V57124); By-Pass		LFP670	V26206		LFW4074 ⁶²⁷
V15799		LP509 ¹¹¹⁹	By-Pass		LFP670XL ¹⁴	25881		LFW4744 ⁴
V31133	Oil	LFP670	By-Pass		LFP777B	(V608T118); Pri.	Fuel	LFF5D
(V57124); By-Pass		LFP670XL ¹⁴	By-Pass		LFP777XL ¹⁴	15801	Hydraulic	LFH4955
By-Pass		LFP777B	(V79446); 15 Spd.	Trans	LFP777XL ¹⁴	86017005		LP2320 ⁶⁰⁷
By-Pass		LFP777XL ¹⁴	9821388		LFP1652	15799		LP50910 ¹¹¹⁹
V2854	Trans	LFP1652	(86546603); 12 Spd.			86546625	Oil	LFP670
<i>876 w/Cummins Engine</i>			<i>900, 900I, 900II w/Cummins Engine</i>					LFP670XL ¹⁴
V105382	Air	LAF5154	9672301	Coolant	LFW4071 ²⁸	(86546626); By-Pass;		LFP777B
V30927		LAF9085 ¹	V104040		LFW4073 ²⁵⁵	950		LFP777XL ¹⁴
V30924		LAF9086 ²	(V608T118); Pri.	Fuel	LFF5D	By-Pass		
		LAF9086MXM ^{2, 268}				SW2854	Trans	LFP1652

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 4-Maintenance 1 oz. chemical 14-Extended Life 28-Contains 1 oz. of chemical 205-Maintenance 255-Contains 3 oz. of chemical
 268-Extended/Severe service 607-Return 627-5 oz. of chemical 628-Tall version of LFF8020 1084-Power Shift 1119-Suction Line

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VERSATILE (TRACTOR)			VERSATILE (TRACTOR)			VERSATILE (TRACTOR)		
<i>936 w/Cummins Engine</i>			<i>946, 956, 976 w/Cummins NTA855 Engine (cont'd)</i>			<i>D-145 w/Cummins V8-185 Engine</i>		
V95611	Air	LAF1465 ²	By-Pass	Oil	LFP777XL ¹⁴	601T125	Air	LAF265HD
V95612		LAF1854 ¹	9821388	Power Steering	LFH5659	1567	Hydraulic	LP509
V105382		LAF5154	(V79446); 15 Spd.	Trans	LFH4910	602T121	Oil	LP613
(V30927); D451207-		LAF9085 ¹	(86546603); 12 Spd.		LFP1652	<i>G-100 w/Chrysler Gas Engine</i>		
(V30924); D451207-		LAF9086 ²				Gas	Fuel	G5/16 ²⁶³
D451207-		LAF9086MXM ^{2, 268}	<i>9480, 9680, 9880 w/Cummins NTA855 Engine</i>				Oil	P76
V26206	Coolant	LFW4071 ^{28, 205}	V95611	Air	LAF1465 ²	VERSATRAC (EQUIPMENT)		
V104040		LFW4073 ²⁵⁵	V95612		LAF1854 ¹	<i>6100 w/Volkswagen 126A Engine</i>		
(V26206); 936		LFW4074 ⁶²⁷	(V30927); 9280		LAF9085 ¹		Air	AF128
(V79080); W/S	Fuel	LFF8000 ⁶²⁸	(V30924); 9280		LAF9086 ²	VIBROMAX (CONSTRUCTION EQUIPMENT)		
V62075	Hydraulic	LP2320	9280		LAF9086MXM ^{2, 268}	<i>102 Compactor w/Hatz 2G40H Engine</i>		
(9703112); 976	Oil	LFP3000 ¹⁸¹	V26206	Coolant	LFW4071 ²⁸		Air	LAF8824
976		LFP3000XL ^{14, 181}	W/S	Fuel	LFF1000	<i>1102 Compactor w/Deutz Engine</i>		
V31133		LFP670	(V79080); W/S		LFF8000 ⁶²⁸	<i>1102 Compactor w/Deutz Engine</i>		
(V57124); By-Pass		LFP670XL ¹⁴	W/S		LFF90013	4021/19504	Air	LAF1714 ²
By-Pass		LFP777B	9706161	Hydraulic	LFH8880G	3216100-R1		LAF1715 ¹
9821388	Power Steering	LFP777XL ¹⁴	9703112	Oil	LFP3000	3219421-R1		LAF1720 ¹
		LFH5659			LFP3000XL ¹⁴	3226416-R1		LAF2052 ²
(V79446); 15 Spd.	Trans	LFH4910	<i>955 w/Cummins NTA855 Engine</i>			P150564	Fuel	FP585F
(86546603); 12 Spd.		LFP1652	W/S	Fuel	LFF8000 ¹²	P1350575	Oil	LFP2222
<i>945, 975 w/Cummins NT855 Engine</i>			V608T118	Fuel	LFF5	<i>1102D Compactor w/Deutz Engine</i>		
W/S	Fuel	LFF8000 ¹²	30986	Air	LAF1451	D56453	Air	LAF1544 ²
V608T118	Fuel	LFF5	30927		LAF9085 ¹	N8153		LAF9410 ¹
30986	Air	LAF1451	30924		LAF9086 ²	<i>1102D Compactors w/Cummins 5.9L Engine</i>		
30927		LAF9085 ¹	9672301	Coolant	LFW4071 ²⁸	D56453	Air	LAF1544 ²
30924		LAF9086 ²	V104040		LFW4073 ²⁵⁵	N8153		LAF9410 ¹
		LAF9086MXM ^{2, 268}	(V26206); 945		LFW4074 ⁶²⁷	<i>1102PD Compactor w/Deutz Engine</i>		
9672301	Coolant	LFW4071 ²⁸	V36169	Hydraulic	LP2320 ⁶⁰⁷	D56453	Air	LAF1544 ²
V104040		LFW4073 ²⁵⁵	V15799		LP50910 ¹¹¹⁹	N8153		LAF9410 ¹
(V26206); 945		LFW4074 ⁶²⁷	31133	Oil	LFP670	<i>1102PD Compactors w/Cummins 5.9L Engine</i>		
V36169	Hydraulic	LP2320 ⁶⁰⁷	(57124); By-Pass		LFP670XL ¹⁴	D56453	Air	LAF1544 ²
V15799		LP50910 ¹¹¹⁹	By-Pass		LFP777B	N8153		LAF9410 ¹
31133	Oil	LFP670	86546603	Trans	LFP777XL ¹⁴	<i>1105, 1405, 1805 Compactors w/Cummins 5.9L Engine</i>		
(57124); By-Pass		LFP670XL ¹⁴			LFP1652	P772555	Air	LAF8822 ²
By-Pass		LFP777B	<i>B125, G125, M125 w/Ford 391 Engine</i>			<i>121 Compactor w/Deutz F1L411 Engine</i>		
86546603	Trans	LFP777XL ¹⁴	601T152	Air	LAF234HD ²		Fuel	LFF3806 ¹⁷⁰
<i>946, 956, 976 w/Cummins NTA855 Engine</i>			Gas	Fuel	G6			LFF4806 ¹⁶⁹
V95611	Air	LAF1465 ²	1567	Hydraulic	LP509		Oil	PH561
V95612		LAF1854 ¹		Oil	P2	<i>121 Compactor w/Kohler Engine</i>		
V105382		LAF5154	<i>B185 w/Cummins V8-185 Engine</i>			D-82571	Air	LAF2745A ²
(V30927); D451207-		LAF9085 ¹	601T125	Air	LAF265HD	<i>1402D, 1402PD Compactors w/Deutz Engine</i>		
(V30924); D451207-		LAF9086 ²	<i>D100 w/Ford Diesel Engine</i>			3219421-R1	Air	LAF1720 ¹
D451207-		LAF9086MXM ^{2, 268}	Sec.	Fuel	L296F ⁴¹	3226416-R1		LAF2052 ²
				Oil	P72	P150564	Fuel	FP585F
V26206	Coolant	LFW4071 ^{28, 205}	<i>D118, M118 w/Cummins V6-140 Engine</i>			4022/19101	Oil	LFP8590
V104040		LFW4073 ²⁵⁵	601T141	Air	LAF66	<i>1405 Roller w/Cummins 5.9L Engine</i>		
(V26206); 936		LFW4074 ⁶²⁷	1567	Hydraulic	LP509	P772555	Air	LAF8822 ²
(V79080); W/S	Fuel	LFF8000 ⁶²⁸	<i>D118, M118 w/Cummins V6-352 Diesel Engine</i>			<i>2000 w/Deutz BF6L913 Engine</i>		
V62075	Hydraulic	LP2320	V601T125	Air	LAF265HD	4022/19505	Air	LAF1720 ¹
(9703112); 976	Oil	LFP3000 ¹⁸¹	134692	Cabin Air	LAF6680	4999/50341	Fuel	FP586F
976		LFP3000XL ^{14, 181}	(V608T118); Pri.	Fuel	LFF5D	4022/19101	Oil	LFP8590
V31133		LFP670	<i>D118, M118 w/Cummins V8-185 Engine</i>			<i>251 w/Hatz Engine</i>		
(V57124); By-Pass		LFP670XL ¹⁴	601T141	Air	LAF66	(3146927-R1); S/N	Air	LAF1710 ²
		LFP777B	1567	Hydraulic	LP509	840327500-		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 14-Extended Life 28-Contains 1 oz. of chemical 41-Cartridge 169-1 Per Package 170-2 Per Package 181-Single
 205-Maintenance 255-Contains 3 oz. of chemical 263-Hoses and clamps included 268-Extended/Severe service 607-Return 627-5 oz. of chemical 628-Tall
 version of LFF8020 1119-Suction Line

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VIBROMAX (CONSTRUCTION EQUIPMENT)			VOLVO (ARTICULATED DUMP TRUCK)			VOLVO (SKID STEER LOADER)		
251 w/Hatz Engine (cont'd)			MT41			MC115C w/JCB Dieselmex TC55 Engine		
	Fuel	L60F	P781098	Air	LAF5568 ²		Air	LAF4544MXM ^{2, 268}
499950336	Oil	LFP2221	P781102		LAF5569 ¹	MC125C, MCT125C (w/JCB Dieselmex TC55 Engine)		
602BD, 602BPD, 602D, 602PD Compactors w/Cummins 3.9L Engine			(1393640); W/S	Fuel	LFF3579	11883618	Air	LAF4544 ²
			(1393640); W/S		LFF8064			LAF4544MXM ^{2, 268}
A173291	Air	LAF1784 ¹	VOLVO (COMPACTOR)			11883619	Oil	LAF4545 ¹
A173290		LAF9538 ²	SD100D w/Cummins QSB4.5T Engine					LFP3050
		LAF9538MXM ^{2, 268}	59877779	Hydraulic	LFH4471	MC125C, MCT125C (w/JCB Dieselmex TC68 Engine)		
602BD, 602BPD, 602D, 602PD Compactors w/Deutz Engine			59764498		LFP1652 ⁶⁰⁷	11883618	Air	LAF4544 ²
					LFP3970 ⁶⁰⁷			LAF4544MXM ^{2, 268}
4021/19504	Air	LAF1714 ²	SD116DX, SD116F w/Cummins ISB6.7 Engine			11883619	Oil	LAF4545 ¹
3216100-R1		LAF1715 ¹	59877779	Hydraulic	LFH4471			LFP3050
P150564	Fuel	FP585F	59764498		LFP1652 ⁶⁰⁷	MC135C, MCT135C (w/JCB Dieselmex TC68 Engine)		
4999/50338	Oil	PH2819			LFP3970 ⁶⁰⁷	11883618	Air	LAF4544 ²
606 Roller w/Cummins 3.9L Engine			SD160DX w/Cummins QSB6.7 Engine					LAF4544MXM ^{2, 268}
C16400	Air	LAF9101 ²	59877779	Hydraulic	LFH4471	11883619	Oil	LAF4545 ¹
			59764498		LFP1652 ⁶⁰⁷			LFP3050
752, 752B Compactors w/Cummins 3.9L Engine			SD200DX w/Cummins QSB6.7 Tier 3 Engine			MC155C (w/JCB Dieselmex TC68 Engine)		
A173291	Air	LAF1784 ¹	59877779	Hydraulic	LFH4471	11883618	Air	LAF4544 ²
A173290		LAF9538 ²	59764498		LFP1652 ⁶⁰⁷			LAF4544MXM ^{2, 268}
		LAF9538MXM ^{2, 268}	SD25D, SD25F w/Kubota V2203 Engine			11883619	Oil	LAF4545 ¹
VOLVO (ARTICULATED DUMP TRUCK)			54477161	Fuel	G5/16 ²⁶³			LFP3050
A20 w/Volvo TD71G Engine					LFF3553	MC60 w/Kubota V2203 Engine		
(4785748-7); 495mm	Air	LAF1718 ²	SD70D, SD70F w/Cummins B4.5T Engine			(11711183); Sec.	Fuel	L3920F
4785749-5		LAF1719 ¹	- S/N 200660	Air	LAF4544 ²	11036607	Hydraulic	LFH4990
		LAF1751 ⁶⁷⁹	- S/N 200660		LAF4544MXM ^{2, 268}	11711396	Oil	PH253 ¹⁴⁹⁶
A20C w/Volvo TD71G Engine			To S/N 200660	Fuel	LAF4545 ¹			PH2835 ²⁷⁵
(4785748-7); 495mm	Air	LAF1718 ²	(58827932); - S/N		L3523F	MC60B w/Volvo D2.2A Engine		
4785749-5		LAF1719 ¹	200660		LAF4545 ¹	14519262	Air	LAF8114 ¹
8152009-0		LAF1751 ⁶⁷⁹	(58887936); Charge Pump	Hydraulic	LFH4428	14519261		LAF8143 ²
A25, A25B w/Volvo TD71K Engine			(59764498); Return		LFP1652	11713229	Oil	PH2808
(4785748-7); 495mm	Air	LAF1718 ²	991208615	Oil	LFP3900	MC60B w/Volvo D2.2D 134CID Diesel Engine		
4785749-5		LAF1719 ¹	SD77F w/Cummins B4.5T Engine			14519262	Air	LAF8114 ¹
4881323-2		LAF1751	58827932	Fuel	L3523F	14519261		LAF8143 ²
4771473-8		LAF8645	58887936	Hydraulic	LFH4428 ⁶¹⁰		Oil	PH2808
A25C w/Volvo TD73KCE Engine			59764498		LFP1652 ^{607, 1119}	MC70 w/Kubota V2003T Engine		
(4785748-7); 495mm	Air	LAF1718 ²	13284716	Oil	LFP3000	11711497	Air	LAF8148 ²
4785749-5		LAF1719 ¹	LF9009		LFP3000XL ¹⁴	11711496		LAF9332 ¹
4881323-2		LAF1751 ⁶⁷⁹	VOLVO (EQUIPMENT)			(11711183); Sec.	Fuel	L3920F
A25D w/Volvo D10B Engine			MW500 Milling Eqpt w/Deutz TCD2012 Diesel Engine			11036607	Hydraulic	LFH4990
11707077	Air	LAF2513 ⁸⁵⁸	2908237	Air	LAF2342 ²	11711396	Oil	PH253 ¹⁴⁹⁶
11703980		LAF3699 ⁵⁵⁴	2908238		LAF2343 ¹			PH2835 ²⁷⁵
11033996		LAF8150 ²		Fuel	LFF7687	MC70B w/Volvo D2.0A Engine		
11033997		LAF8693 ¹	W/S		LFF9737	11883618	Air	LAF4544 ²
A25D w/Volvo D10BACE2 Engine			W/S		LFF9737U	11883619		LAF4545 ¹
8152009	Air	LAF1751 ⁶⁷⁹		Oil	PH2819	11713229	Oil	PH2808
11707077		LAF2513 ⁸⁵⁸	MW500 w/Deutz TCD2012 Engine			MC80, MC90, MC110 w/Perkins 1004.42 Engine		
11703980		LAF3699	2908237	Air	LAF2342 ²	11711497	Air	LAF8148 ²
11120653		LAF8150 ²	2908238		LAF2343 ¹	11711496		LAF9332 ¹
11033997		LAF8693 ¹	11711074	Fuel	LFF7687	11036607	Hydraulic	LFH4990
A25D w/Volvo D9A Engine						11841688		LFH5876
11707077	Air	LAF2513 ⁸⁵⁸				11711977	Oil	PH4403
11703980		LAF3699 ⁵⁵⁴						
11033996		LAF8150 ²						
11120653		LAF8150 ^{2, 181}						
11033997		LAF8693 ¹						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 181-Single 263-Hoses and clamps included 268-Extended/Severe service 275-Primary 554-Recirculation 607-Return 610-Charge Pump 679-Axle 858-Hydraulic Tank 1119-Suction Line 1496-Alternate

V

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO (SKID STEER LOADER)			VOLVO BM (ARTICULATED DUMP TRUCK)			VOLVO BM (ARTICULATED DUMP TRUCK)		
<i>MC80B w/Volvo D3.4A Engine</i>			<i>425, 425B w/Scania DS11 Engine (cont'd)</i>			<i>DR860, DR860T, DR860TC, DR860TL w/TD50A, TD50B Engine</i>		
11883618	Air	LAF4544 ²	466987-5	Fuel	FP586F	6644988-5	Air	LAF1720 ¹
11883619		LAF4545 ¹	79011572	Hydraulic	LH8094	7362224		LAF2052 ²
11713229	Oil	PH2808	Turbo	Oil	LFP2221	66392036		LAF5827
<i>MC85C, MCT85C (w/Perkins 404D-22T Engine)</i>			Turbo		PH2840	6639203-6	Breather	LAF5827 ⁸⁵⁸
14519262	Air	LAF8114 ¹	79211272	Trans	LP151	66058603	Fuel	L60F
14519261		LAF8143 ²	<i>435 w/Cummins KT1150 Engine</i>			7952104		LF3526
<i>MC90B, MC110B w/Volvo D3.4A Engine</i>				Air	LAF290A	62103593	Hydraulic	LH8245
11883618	Air	LAF4544 ²	79011572	Hydraulic	LH8094	73516072		LP468
11883619		LAF4545 ¹	79211272		LP151	4785974	Oil	LFP2234
11713229	Oil	PH2808	<i>440 w/Cummins NT-855 Engine</i>			6617801	Trans	LP2219
<i>MC95C, MCT95C (w/Perkins 404D-22T Engine)</i>				Air	LAF263HD	<i>DR860S, DR861 w/Volvo Engine</i>		
14519262	Air	LAF8114 ¹	79011572	Hydraulic	LH8094	(6644990-1); 387mm	Air	LAF1716 ²
14519261		LAF8143 ²	79211272	Trans	LP151	4785746-1		LAF1717 ¹
<i>MTC125C w/Dieselmax TC55 Engine</i>			<i>441, 442, 442B, 443 w/Scania DS14A Engine</i>			66392036		LAF5827
	Oil	LFP3050	79200549	Air	LAF9155 ²	6639203-6	Breather	LAF5827 ⁸⁵⁸
<i>MTC135C w/Dieselmax TC68 Engine</i>					LAF9155MXM ^{2, 268}	466987-5	Fuel	FP586F
11883618	Air	LAF4544 ²	79200556		LAF9159 ¹	795210-4		LF3526
11883619		LAF4545 ¹		Fuel	FP586F	6210359	Hydraulic	LH8245
	Oil	LFP3050	79011572	Hydraulic	LH8094	4785974-9	Oil	LFP2234
VOLVO BM (ARTICULATED DUMP TRUCK)			Turbo	Oil	LFP2221	47879234	Trans	LFH8593
<i>412, 412A, 412B w/Scania Engine</i>			Turbo		PH2840	4786819-5		LP2219
	Air	LAF6769		Trans	LP151	<i>R35 324TD w/Cummins KT19C Engine</i>		
		LAF6769MXM ²⁶⁸	<i>445, 550 w/Detroit Diesel Engine</i>			48811749	Air	LAF9155 ²
	Fuel	FP586F	79200549	Air	LAF9155 ²			LAF9155MXM ^{2, 268}
		L296F ⁴¹			LAF9155MXM ^{2, 268}	48811756		LAF9159 ¹
79011572	Hydraulic	LH8094	79200556		LAF9159 ¹	4059721	Hydraulic	LH4232
Turbo (7907823-4); Turbo	Oil	LFP2221	79011572	Hydraulic	LH8094	4009444		LP229 ¹⁰⁷⁷
349619-7	Trans	LH8504	79011572	Trans	LP151	12000200	Oil	LFP670
<i>414, 414B w/Scania Engine</i>			<i>540 w/Cummins KT1150 Engine</i>			(4713921); By-Pass		LFP670XL ¹⁴
	Air	LAF3702 ²	79200549	Air	LAF9155 ²			LFP8642
		LAF3702			LAF9155MXM ^{2, 268}	<i>R50 324/326LD w/Cummins VTA28C Engine</i>		
		LAF6769 ²	79200556		LAF9159 ¹	40822223	Air	LAF5069 ²
		LAF6769MXM ^{2, 268}	7901157	Hydraulic	LH8094			LAF5069MXM ^{2, 268}
		LAF9373 ¹	79011572	Trans	LP151	4031215		LAF5070 ¹
	Fuel	FP586F	<i>550 w/Detroit Diesel 16V-71N Engine</i>			12967020	Coolant	LFW4072 ¹⁸²
79011572	Hydraulic	LH8094	79200549	Air	LAF9155 ²	4059721	Hydraulic	LH4232
Turbo (79078234); Turbo	Oil	LFP2221			LAF9155MXM ^{2, 268}	4009444		LP229
	Trans	LH8504	79200556		LAF9159 ¹	12000200	Oil	LFP670
<i>420 w/Scania Engine</i>			79011572	Hydraulic	LH8094	(4054554); By-Pass; 324LD		LFP670XL ¹⁴
	Fuel	FP586F		Trans	LP151	By-Pass (4713921); By-Pass; 326LD		LFP777B
		L3405F ¹⁰⁸	<i>DR826</i>					LFP777XL ¹⁴
Sec. Pri.		L61F	(6644990-1); 387mm	Air	LAF1716 ²			LFP8642
		LFF3507	4785746-1		LAF1717 ¹	<i>R65 w/Cummins VTA28C Engine</i>		
79011572	Hydraulic	LH8094	6644988-5		LAF1720 ¹	40822223	Air	LAF5069 ²
Turbo (79078234); Turbo	Oil	LFP2221	7362224-3		LAF2052 ²			LAF5069MXM ^{2, 268}
	Trans	LH8504	466987-5	Fuel	FP586F	4031215		LAF5070 ¹
		LP151			L3401F ¹⁰⁸	12967020	Coolant	LFW4072 ¹⁸²
<i>425, 425B w/Scania DS11 Engine</i>					L60F	12000200	Oil	LFP670
	Air	LAF9085 ¹	4785974-9	Oil	LFP2234	(4054554); By-Pass; 324LD		LFP670XL ¹⁴
		LAF9086 ²	4786819-5	Trans	LP2219			LFP777B
		LAF9086MXM ^{2, 268}						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 108-Eco-Finer 182-Contains 2 oz. of chemical 268-Extended/Severe service 858-Hydraulic Tank 1077-Hyd. Tank

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO BM (ARTICULATED DUMP TRUCK)			VOLVO BM (EXCAVATOR)			VOLVO BM (LOADER)		
<i>R85 w/Cummins VTA28C Engine (cont'd)</i>			<i>GM616B, 646B w/TD45, TD45B Engine (cont'd)</i>			<i>LM1254, LM1640, LM1641</i>		
By-Pass (4713921); By-Pass; 326LD	Oil	LFP777XL ¹⁴ LFP8642	(48044069); S/N 59800-47879234	Oil	PH444	11033838-1	Air	LAF3701
<i>R85 316ND w/Cummins VTA28C Engine</i>			<i>GM646 w/Volvo TD42 Engine</i>			<i>LM1640 Series 1442-on</i>		
48811749	Air	LAF9155 ² LAF9155MXM ^{2, 268}	66449885	Air	LAF1720 ¹	(6644990); 387mm	Air	LAF1716 ²
48811756		LAF9159 ¹	73622243		LAF2052 ²	4785746		LAF1717 ¹
12565210	Coolant	LFW4075 ⁶⁴⁴	7952104	Fuel	LFF3526	7243004	Fuel	FP585F
12000200	Oil	LFP670 LFP670XL ¹⁴ LFP8642	62103593	Hydraulic	LH8245	795210		LFF3526
(4713921); By-Pass			47868195		LP2219	4785974	Oil	LFP2234
VOLVO BM (COMBINE)			<i>KL121, KL121B w/Volvo D100B Engine</i>			<i>LM218 w/1113 Engine</i>		
<i>S840</i>			<i>KL130, KL131 w/Volvo D70 Engine</i>					
7354867	Air	LAF8632	823701	Air	LAF3701		Fuel	L296F ^{41, 528} L3401F ¹⁰⁸ L60F ⁷¹⁵ LFF3403
7243004	Fuel	FP585F		Fuel	L296F ⁴¹		Oil	LFP2538
323139	Hydraulic	LFH4224		Oil	LFP2234		Trans	LP2219
7423135	Oil	LFP2234	VOLVO BM (LOADER)			<i>LM620, LM621, LM622, LM640, LM641, LM642</i>		
VOLVO BM (EXCAVATOR)			<i>280C, 280C w/Cummins NTA855 Engine</i>					
<i>GM616 w/Volvo D42 Engine</i>			Hydraulic			LH4911		
4785610	Air	LAF1714 ²	<i>380, w/380 w/Cummins VTA28C Engine</i>			<i>LM620, LM621, LM622, LM640, LM641, LM642</i>		
47856117		LAF1715 ¹	48811749	Air	LAF9155 ²	2654407	Oil	LFP2292
7362101		LAF702	48811756		LAF9155MXM ^{2, 268}	4785610	Air	LAF1714 ²
6648845	Fuel	L296F ⁴¹	965899	Trans	LAF9159 ¹	4785611-7		LAF1715 ¹
6210359	Hydraulic	LH8245	<i>5350, 5350B</i>				Fuel	LAF702 ¹⁸¹
142682624		LH8698	(4785748-7); 495mm	Air	LAF1718 ²			L296F ^{41, 528} L60F ⁷¹⁵
48046510	Oil	HP1	4785749-5		LAF1719 ¹	11996150	Hydraulic	LH8245 ⁶⁰⁷
47868195	Trans	LP2219	48813232		LAF1751	4787923-4	Trans	LFH8593
<i>GM616B w/Volvo D42 Engine</i>			47714738		LAF8645	<i>LM841, LM845, LM846 w/D50B, D60A Engine</i>		
4785610	Air	LAF1714 ²	466987-5	Fuel	FP585F	6621505	Air	LAF1246 ¹⁸¹
4785611-7		LAF1715 ¹	7952104		LFF3526	6644988-5		LAF1720 ¹
7952104	Fuel	LFF3526	7423135	Oil	LFP2234	7362224		LAF2052 ²
6210359	Hydraulic	LH8245	466634-3		LFP3191	4669875	Fuel	FP586F
142682624		LH8698	466634-3		LFP3191TRT ³	66058603		L60F
47868195		LP2219	(4713921); By-Pass		LFP3191XL ¹⁴	11996150	Hydraulic	LH8245 ⁶⁰⁷
48046510	Oil	HP1			LFP8642	142682624		LH8698
47879234	Trans	LFH8593	<i>EL70 w/TD45B Engine</i>			4785974-9	Oil	LFP2234
<i>GM616B, 646B w/D45, D45B Engine</i>			11110149	Air	LAF1720 ¹	4786819-5	Trans	LP2219
47856109	Air	LAF1714 ²	362224		LAF2052 ²	<i>P654 w/heel Loaders w/D47B, D50A Engine</i>		
47856117		LAF1715 ¹	466987	Fuel	FP585F	820580	Air	AF112
4669875	Fuel	FP586F	4804406	Oil	PH444	7243004	Fuel	FP586F
62103593	Hydraulic	LH8245	4787923	Trans	LFH8593	6603091		L61F
(48046510); -S/N 59799	Oil	HP1	<i>EL70C</i>			7423135	Oil	LFP2234
(48044069); S/N 59800-		PH444	11110149	Air	LAF1720 ¹	6612598		LFP2292
47879234	Trans	LFH8593	362224-8		LAF2052 ²	6617506	Trans	LP151
<i>GM616B, 646B w/TD45, TD45B Engine</i>			11706667	Fuel	FP585F	<i>P854 w/D70A Engine</i>		
66449885	Air	LAF1720 ¹	11700375	Oil	PH2008	820580	Air	AF112
73622243		LAF2052 ²	4787923	Trans	LFH8593	814774		LAF8514
4669875	Fuel	FP586F	<i>LM1240, LM1241 w/Volvo D70B Engine</i>			7243004	Fuel	FP586F
62103593	Hydraulic	LH8245	(6644990-1); 387mm	Air	LAF1716 ²	7236628		L296F ⁴¹
(48046510); -S/N 59799	Oil	HP1	11033781-3		LAF1717 ¹	7423135	Oil	LFP2234
				Fuel	FP586F	6617506	Trans	LP151
			11996150	Hydraulic	LH8245 ⁶⁰⁷	<i>ZL302C</i>		
			4786974-9	Oil	LFP2234	2905298	Fuel	LFF3501
			6617801	Trans	LP2219	2900776	Oil	PH2903

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 41-Cartridge 108-Eco-Finer 181-Single 268-Extended/Severe service 528-CAV Fuel System 607-Return 644-Contains 6 oz. of chemical 715-Bosch

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO BM (LOADER)			VOLVO BM (TRACTOR)			VOLVO BM (WHEEL LOADER)		
<i>ZL402C</i>			<i>2200, 2204</i>			<i>4400 w/TD42 eng.</i>		
5048480	Air	LAF1710 ²	4785610-9	Air	LAF1714 ²	387mm	Air	LAF1716
2905298	Fuel	LFF3501	4785611-7		LAF1715 ¹			LAF1717
2904941	Oil	PH3656	621158-5	Fuel	L296F ⁴¹			LAF1751
<i>ZL502C</i>				Hydraulic	LP214			LAF5827
2903849	Air	LAF3947 ²	480440-6	Oil	PH4403	LAF8628		LAF8645
2903850		LAF3948 ¹	<i>2250, 2254</i>				Fuel	FP586F
2905298	Fuel	LFF3501		Air	LAF1714 ²			L296F ⁴¹
2904941	Oil	PH3656			LAF1715 ¹			LFF3526
VOLVO BM (LOGGING EQUIPMENT)				Fuel	L296F ⁴¹		Hydraulic	LFH8593
<i>F665, F666 Skidders w/Cummins Engine</i>				Hydraulic	LP214		Oil	LFP2234
M12968480	Oil	LFP780	<i>2650, 2654</i>			<i>4500, 4500B w/TD70G, TD70H eng.</i>		
		LFP780XL ¹⁴	6644988-5	Air	LAF1720 ¹	387mm	Air	LAF1716
M1992156	Trans	LFH4223	7362224-3		LAF2052 ²			LAF1717
		LFH4223XL ¹⁴	477143-8		LAF8645			LAF1718
<i>F667 w/Cummins Engine</i>			466987-5	Fuel	FP586F	495mm		LAF1719
M1991852	Air	LAF1787 ²	4785974-9	Oil	LFP2234			LAF1751
M1991853		LAF1790 ¹	4787923-4	Trans	LFH8593			LAF5827
M12968480	Oil	LFP780	VOLVO BM (WHEEL LOADER)					LAF8628
		LFP780XL ¹⁴	<i>3500 w/Volvo eng.</i>			LAF8645		LAF8645
M1992156	Trans	LFH4223	495mm	Air	LAF1718		Fuel	FP586F
		LFH4223XL ¹⁴			LAF1719			L296F ⁴¹
<i>SM660, SM661, SM665, SM667, SM668 w/1113, 1113A Engine</i>				Fuel	FP586F		Hydraulic	LFF3526
				Oil	LFP2234			LFH8593
	Fuel	L296F ⁴¹			LP509			LH8245
		L60F	<i>4200, 4200B w/Perkins 4.236 eng.</i>				Oil	LFP2234
	Hydraulic	LP151		Air	LAF1714			LFP3191
	Oil	LFP2292			LAF1715			LFP3191TRT ³
6617801	Trans	LP2219			LAF1751 ¹⁴⁹¹			LFP3191XL ¹⁴
<i>SM868, SM870, SM871, SM880</i>					LAF8628	<i>4600, 4600B w/TD100A, TD100G eng.</i>		
6621505	Air	LAF1246 ²	From S/N 2055		LAF8645	495mm	Air	LAF1718
6644988-5		LAF1720 ¹	S/N 2054 On	Fuel	FP586F			LAF1719
7362224-3		LAF2052 ²			L296F ⁴¹	LAF1751		LAF8628
	Fuel	FP585F		Hydraulic	LFH8593 ¹⁴⁹²		Fuel	FP586F
		L60F			LH8245			LFF3526
	Hydraulic	LP151		Oil	HP1 ¹⁴⁹⁰		Hydraulic	LFH8593
4785974	Oil	LFP2234			PH253 ^{1491, 1496}			LH4246
	Trans	LP2219			PH2835 ^{275, 1491}			LH8245
					PH4403			LFP2234
<i>SM911 w/TD42 Engine</i>			4200B		PH444	TD100A	Oil	LFP3191
	Air	LAF1720 ¹	<i>4300, 4300B w/TD45 eng.</i>			TD100G		LFP3191TRT ^{3, 149}
		LAF2052 ²		Air	LAF1720			LFP3191XL ¹⁴
	Fuel	L296F ⁴¹			LAF1751	<i>6300 Backhoe Loader</i>		
<i>SM971, SM980 w/D70 Engine</i>					LAF2052		Air	LAF1720
6644988-5	Air	LAF1720 ¹			LAF5827			LAF1751
736222-4		LAF2052 ²			LAF8628			LAF2052
466987-5	Fuel	FP585F		Fuel	LAF8645			LAF8628
4785974-9	Oil	LFP2234			FP586F		Fuel	FP586F
6617801	Trans	LP2219			L296F ⁴¹		Hydraulic	LFH8593
VOLVO BM (TRACTOR)					LFF3526			LH8245
<i>2005, 2105</i>				Hydraulic	LFH8593		Oil	PH444
6644988-5	Air	LAF1720 ¹			LH8245	WACKER (EQUIPMENT)		
7362224-3		LAF2052 ²		Oil	HP1	<i>G125 Generator w/Perkins 1006 Engine</i>		
477143-8		LAF8645	From S/N 59882		LP2219		Air	LAF1833 ¹
466987-5	Fuel	FP586F			PH444		Fuel	L3101F
4785974-9	Oil	LFP2234						
4787923-4	Trans	LFH8593						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 41-Cartridge 275-Primary 1490-4200 1491-4200B (Brake) 1492-4200B 1493-TD100G 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
WACKER (EQUIPMENT)			WACKER NEUSON (EXCAVATOR)			WACKER NEUSON (WHEEL LOADER)		
<i>G125 Generator w/Perkins 1006 Engine (cont'd)</i>			<i>8003 (w/Yanmar 4TNV98 Engine)</i>			<i>WL37 (w/Deutz TD2011 Engine)</i>		
Sec.	Fuel	L3102F	1000113383	Air	LAF4544 ²	1000000365	Air	LAF8148
	Oil	PH4403	1000113384		LAF4545 ¹			LAF9332 ¹
<i>LT4 Light Tower, LTP4 Light Tower w/Kubota D905-D10 Engine</i>			<i>803 (w/Yanmar 3TN70 Engine)</i>			<i>WL50 (w/Deutz BF4M2011 or TD2011 Engine)</i>		
	Fuel	FP570F		Fuel	L4103F	1000000365	Air	LAF8148
		L550F		Oil	PH2876			LAF9332 ¹
	Oil	PH2808	<i>9503 (w/Deutz TCD2012 Engine)</i>			1000000365	Oil	PH2816
<i>RD15 w/Hatz 2G40 Engine</i>						WAGNER (TRACTOR)		
UCMX1518-410	Hydraulic	LFH8534	1000113383	Air	LAF4544 ²	<i>FT-4, FT-5 w/Deutz Engine</i>		
			1000113384		LAF4545 ¹		Fuel	L61F
<i>RD29 Roller w/Hatz 2M31 Engine</i>						1567	Hydraulic	LP509
00952900	Air	LAF8089					Trans	LP151
<i>RD880 Roller</i>						<i>HST-1</i>		
AE10	Hydraulic	LFP1652					Hydraulic	LFH4209
<i>VPG-160KB, VPG-260, VRG-240 w/Kohler Engine</i>			WACKER NEUSON (SKID STEER LOADER)			<i>HST-1A Loaders w/Deutz Engine</i>		
236840	Air	AF210	<i>ST35 w/Perkins 854F-E34TTF Tier 4 Engine</i>				Hydraulic	LFP1652
WACKER NEUSON (DUMPER)							Trans	LFH4935
<i>1501 (w/Yanmar 3TNV76 Engine)</i>						<i>SF-17, WC-17 Compactors</i>		
1000147873	Fuel	L4103F	1000000365	Air	LAF8148	<i>WC17</i>		
			1000087796		LAF9332 ¹		Air	LAF263HD
1000003052	Oil	PH2876	<i>ST45 w/Perkins 854F-E34TTF Tier 4 Engine</i>				Hydraulic	LP509
<i>3001 (w/Yanmar 3TNV88 Engine)</i>							Trans	LP151
	Air	LAF8114 ¹	1000087796	Air	LAF8148	<i>ST-5AS Loader w/Caterpillar 3306 Engine</i>		
		LAF8143 ²	1000000365		LAF9332 ¹		Air	LAF334 ²
	Oil	PH2808	1000087796	Air	LAF8148			LAF334MXM ^{2, 268}
<i>5001 (w/Deutz D2011 Engine)</i>			<i>SW24 w/Perkins 854 Tier 4 Engine</i>					LAF335 ¹
	Air	LAF8148 ²	1000000365	Air	LAF8148	<i>WC-20 Compactor w/Detroit Diesel 4-71N Engine</i>		
		LAF9332 ¹	1000087796	Air	LAF9332 ¹		Air	LAF8514
Sec.	Fuel	FP587F	<i>SW28 w/Perkins 854 Tier 4 Engine</i>				Hydraulic	LP509
	Oil	PH2816 ¹	1000000365	Air	LAF8148		Trans	LP164
			1000087796	Air	LAF9332 ¹	WALDON (LIFT TRUCK)		
WACKER NEUSON (EXCAVATOR)			WACKER NEUSON (WHEEL LOADER)			<i>100H Sweeper</i>		
<i>1404 (w/Yanmar 3TNV80F Engine)</i>			<i>750T (w/Deutz D2011 Engine)</i>			<i>P101275</i>		
	Fuel	L4103F		Air	LAF8148 ²		Air	LAF1275 ²
	Oil	PH2876			LAF9332 ¹	<i>1600</i>		
<i>28Z3 (w/Yanmar 3TNV76 Engine)</i>						<i>250C5-S</i>		
1000147873	Fuel	L4103F	Sec.				Air	LAF131
				Fuel	FP587F	<i>5000 w/Ford 4-172 Diesel Engine</i>		
1000003052	Oil	PH2876		Oil	PH2816 ¹	<i>P101275</i>		
<i>3503 (w/Yanmar 4TNV88 Engine)</i>						<i>1567</i>		
1000004567	Air	LAF5844 ¹	<i>850 (w/Deutz D2011 Engine)</i>			<i>1509</i>		
1000004566		LAF8147		Air	LAF8148 ²	<i>C1AZ-6731-A</i>		
	Oil	PH2903			LAF9332 ¹	<i>C1AZ-6731-A</i>		
<i>38Z3 (w/Yanmar 3TNV88 Engine)</i>							Oil	PH400 ²⁷⁵
1000004567	Air	LAF5844 ¹	<i>WL18 (w/Perkins 403C-11 Engine)</i>					PH8A ¹⁴⁹⁶
		LAF8147 ²	1000052549	Air	LAF5844 ¹	<i>5000 w/Wisconsin VG4D Engine</i>		
	Oil	PH2903 ¹			LAF8147	<i>Hydraulic</i>		
<i>50Z3 (w/Yanmar 4TNV88 Engine)</i>								LP50910
1000004567	Air	LAF5844 ¹	<i>WL25 (w/Perkins 404D-15 Engine)</i>			<i>60 w/Ford 4-172 Diesel Engine</i>		
1000004566		LAF8147	1000052549	Air	LAF8147	<i>1567</i>		
	Oil	PH2903	1000000290	Fuel	L296F ⁴¹	<i>1509</i>		
<i>6003 (w/Yanmar 4TNV98 Engine)</i>							Oil	LFP2258
1000113383	Air	LAF4544 ²	<i>WL30 (w/Perkins 404C-22 or 404D-22 Engine)</i>			<i>C5NN-6714-A</i>		
		LAF4545 ¹	1000000365	Air	LAF8148	<i>Sweepmaster w/Cummins 4B3.9 Engine</i>		
	Oil	PH2903			LAF9332 ¹	<i>Air</i>		
<i>6503 (w/Yanmar 4TNV98 Engine)</i>								LAF1784 ¹
1000113383	Air	LAF4544 ²	<i>WL36 (w/Perkins 404D-22 Engine)</i>			<i>LAF9538²</i>		
		LAF4545 ¹		Air	LAF8148	<i>LAF9538MXM^{2, 268}</i>		
	Oil	PH2903			LAF9332 ¹	WALDON (WHEEL LOADER)		
1000113384						<i>5000 w/Ford Engine</i>		
				Oil	PH2835	<i>P101246</i>		
						Air		LAF1246 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 41-Cartridge 268-Extended/Severe service 275-Primary 1496-Alternate

W

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
WALDON (WHEEL LOADER)			WEBBER (LIFT TRUCK)			WH MANUFACTURING CO. (EQUIPMENT)		
5000 w/Ford Engine (cont'd)			5000 w/General Motors 6-250 Engine			WRH18FT Big Boy Spreader w/Caterpillar 3208 Engine		
P101222	Air	LAF222 ²	P101222	Air	LAF222 ²		Air	LAF6587 ²
C1AZ-6731-A	Oil	PH400 ²⁷⁵		Fuel	G5/16 ²⁶³			LAF6587MXM ^{2, 268}
C1AZ-6731-A		PH8A ¹⁴⁹⁶		Oil	PH454			LAF6834 ¹
6000 w/Ford 4-172 Engine			Tow-A-Scoop w/John Deere Engine				Fuel	LFP440F
C1AZ-6731-A	Oil	PH400 ²⁷⁵	P101222	Air	LAF222 ²		Hydraulic	LFH4955
C1AZ-6731-A		PH8A ¹⁴⁹⁶	AR50041	Fuel	P1130		Oil	LFP5570
6000C w/Cummins 3.9L Engine			T19044					
	Air	LAF1784 ¹	WESTERBEKE (GENERATOR)			WHITE (COMBINE)		
		LAF9538 ²	10.0 BEG, 12.5 BEG, 15.0 BEG, 8.0 BEG			2500 w/Cummins 6C8.3 Engine		
		LAF9538MXM ^{2, 268}	36918	Oil	PH2808	70269244	Air	LAF1882 ²
8500 w/Cummins 4BT3.9 Engine			10.0 BTD, 11.0 BTD, 11.0 WMD, 12.5 WMD, 4.4 BCD, 4.4 WMD, 5.0 BCDA, 5.0 BCDB, 7.6 BTD, 8.0 BCDT, 8.			70264113	Air	LAF1990 ¹
077917	Air	LAF1544 ²				Pri.	Fuel	LFF3417
077925		LAF9410 ¹	36918	Oil	PH2808	Sec.		LFF3521
8500B w/Perkins Engine			10.0 BTDA, 12.5 BTDB, 12.6 BTD, 15.0 BTDC, 8.0 BTDA					LFP255F
077917	Air	LAF1544 ²						LFP734
077925		LAF9410 ¹	36918	Oil	PH2808	2600 w/Diesel Engine		
WAYNE (EQUIPMENT)			12.5 BTD, 12.5 BTDA, 15.0 BTD, 15.0 BTDA, 15.0 BTDB			70269244	Air	LAF1882 ²
20 w/Hercules JXD Engine			35828			70264113	Air	LAF1990 ¹
	Oil	P4			PH2801	Pri.	Fuel	LFF3417
450 w/Chrysler Industrial 8A Engine			12.5 BTG, 15.0 BTG, 4.5 BCGB, 4.5 BCGTC, 7.0 BCGB, 7.2 BCGTC, 8.5 BTG, 8.5 BTGA, 9.6 BCGTC			Sec.		LFF3521
544 w/Onan Engine			36918					LFP255F
604913	Air	LAF25			PH2808		Oil	LFP734
	Hydraulic	LFP791	15.0 WTA-WTF, 20.0 WTA-WTF			5542 w/Gas Engine		
550 w/Chrysler Industrial 52 Engine			24363			1156603	Air	LAF1246 ²
44791	Oil	LP38		Fuel	FP570F	159045-A	Oil	PH400 ²⁷⁵
654 w/Onan Engine			16655			159045-A	Oil	PH8A ¹⁴⁹⁶
	Hydraulic	LFP791			PH400 ²⁷⁵	7300 w/A-1 Diesel Engine		
					PH8A ¹⁴⁹⁶	1156603	Air	LAF1246 ²
836, 900 w/Chrysler 6 cyl. Engine			20.0 BED, 20.0 BEDA, 25.0 BED, 32.0 BED, 32.0 WTA-WTF			159045-A	Oil	PH400 ²⁷⁵
43852	Air	LAF702				159045-A	Oil	PH8A ¹⁴⁹⁶
44791	Hydraulic	LFP791		Fuel	FP570F	7300 w/Gas Engine		
	Oil	LP38	20.0 BEG, 25.0 BEG, 4.5 BCGTE, 7.2 BCGTE			1156603	Air	LAF1246 ²
945 w/Perkins 4 cyl. Engine			36918			159045-A	Oil	PH400 ²⁷⁵
(P101222); Rear eng.-Perkins 4 cyl.	Air	LAF222 ²			PH2808	159045-A	Oil	PH8A ¹⁴⁹⁶
250C13-S		LAF744	32.0 BEDA			7800 w/A-1 Diesel Engine		
	Fuel	L296F ⁴¹	14776	Fuel	L296F ⁴¹	1156603	Air	LAF1246 ²
			5.0 BCG			159045-A	Oil	PH400 ²⁷⁵
44791	Hydraulic	LFP791	36918	Oil	PH2808	159045-A	Oil	PH8A ¹⁴⁹⁶
	Oil	LP70V	WESTERN TOOL CO. (TRACTOR)			30-3024725	Trans	LP509 ⁵⁹⁰
Front eng.-Perkins 6 cyl.		P72	Pony Golf Car w/Kohler K-91 Engine			7800 w/Gas Engine		
984 Sweeper			230840			1156603	Air	LAF1246 ²
250C13-S	Air	LAF744	WH MANUFACTURING CO. (EQUIPMENT)			159045-A	Oil	PH400 ²⁷⁵
	Hydraulic	LFP791	Maxi Sweep 6330 w/Cummins Engine			159045-A	Oil	PH8A ¹⁴⁹⁶
993AH w/Perkins 6-354 Engine			Air			30-3024725	Trans	LP509 ⁵⁹⁰
250C13-S	Air	LAF744 ¹²⁴¹			LAF1544 ²	8600 w/Chrysler Engine		
2650017	Fuel	L296F ⁴¹			LAF9410 ¹	31-2755011	Air	LAF1725 ¹
2654407	Oil	PH299	SH250 Seal King w/Wisconsin W2-1230 Engine			31-2755007	Air	LAF9001 ²
WEBBER (LIFT TRUCK)			By-Pass			8600 w/Perkins Diesel Engine		
4000 w/Ford 200 Engine			Spread King w/Cummins 6B 5.9 Engine			31-2755087	Air	LAF8668 ²
P101222	Air	LAF222 ²			LAF6587 ²	2755077		LAF8674 ¹
	Fuel	G7			LAF6587MXM ^{2, 268}	867014	Fuel	L296F ⁴¹
	Oil	PH400 ²⁷⁵			LAF6834 ¹	31-2752257	Oil	LFP2292
		PH8A ¹⁴⁹⁶	Pri.	Fuel	LFF3417	8700 w/Perkins Diesel Engine		
			Sec.		LFF3521	31-2755017	Air	LAF1725 ¹
				Oil	LFP3900			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 263-Hoses and clamps included 268-Extended/Severe service 275-Primary 590-Hydrostatic 1241-Dry 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
WHITE (COMBINE)			WHITE (LIFT TRUCK)			WHITE (TRACTOR)		
<i>8700 w/Perkins Diesel Engine (cont'd)</i>			<i>MA-70, MA-80, MA-90, MA-100 w/Continental F227 Engine (cont'd)</i>			<i>170 Workhorse, 195 Workhorse w/Cummins Engine</i>		
31-7761680	Air	LAF1872	35A-5533	Oil	PH8A ¹⁴⁹⁶	30-3448177	Coolant	LFW4071 ²⁸
31-2755007		LAF9001 ²	<i>MY40 w/Perkins Engine</i>			30-3438430		LFW4073 ²⁵⁵
867014	Fuel	L296F ⁴¹	35A-7351	Air	AF70	(30-3437582); Pri.	Fuel	LFF3417
30-3119475	Hydraulic	LFP791	10A-14489	Oil	LFP2258	(30-3437574); Sec.		LFF3521
31-2752257	Oil	LFP2292	865701	Trans	P2	72509129	Hydraulic	LH4985
<i>8800 w/Chrysler Engine</i>			<i>MY50 w/Perkins Engine</i>			30-3506517	Oil	LFP3000
31-2755011	Air	LAF1725 ¹	35A-7351	Air	AF70	30-3436861		LFP3000XL ¹⁴
31-2755007		LAF9001 ²	10A-14489	Oil	LFP2258			LFP734
<i>8800 w/Perkins Diesel Engine</i>			40-0000407	Trans	PH400 ²⁷⁵	<i>185, FB185 w/Cummins 8.3L Engine</i>		
31-7761680	Air	LAF1872	40-0000407		PH8A ¹⁴⁹⁶	30-3448177	Coolant	LFW4071 ²⁸
2755087		LAF8668 ²	WHITE (LOADER)			(72501531); Pri.	Fuel	LFF3417
2755077		LAF8674 ¹	<i>2/78, 4/78LL</i>			(72501530); Sec.		LFF3521
867014	Fuel	L296F ⁴¹	<i>200 Swinger Loader</i>			72509129	Hydraulic	LH4985
30-3119475	Hydraulic	LFP791	159012-A	Air	LAF1246 ²	30-3436861	Oil	LFP734
31-2752257	Oil	LFP2292	163953-AS	Fuel	L296F ⁴¹	30-3119475	Trans	LFP791
(30-3024725); -S/N	Trans	LP50910	10A-14489	Oil	LFP2258	<i>2-105 w/Perkins 6.354 Diesel Engine</i>		
62001			<i>2-63-17 w/Diesel Engine</i>			20-7002174	Air	LAF1467 ²
<i>8900, 8920 w/Perkins 6.354 Engine</i>			Sec.	Fuel	P1130	72162545		LAF1846 ²
31-7761680	Air	LAF1872	40-0000407	Oil	PH400 ²⁷⁵	30-3002136		LAF503 ¹
31-2755087		LAF8668 ²	40-0000407		PH8A ¹⁴⁹⁶	167068A		LAF8663 ¹
31-2755077		LAF8674 ¹	<i>2-80-17, 4-80-17 w/White 293DB Diesel Engine</i>			20-7002174		LAF8668 ²
7111/296	Fuel	L296F ⁴¹		Fuel	P1130	867014	Fuel	L296F ⁴¹
30-3119475	Hydraulic	LFP791	40-0000409	Hydraulic	PH253 ^{1099, 1496}	W/S		LFF1131
2654403	Oil	PH4403	WHITE (TRACTOR)			30-3024425	Hydraulic	LP509
<i>9700 w/Perkins V8-354 Engine</i>			<i>100, 120, 140 w/Cummins 5.9L Engine</i>			30-3022161		LP50910
31-7761680	Air	LAF1872	72162545	Air	LAF1846 ²	31-2752257	Oil	LFP2292
31-2772597		LAF6769 ²	72163296		LAF503 ¹	72161316	Trans	PH253 ¹⁴⁹⁶
		LAF6769MXM ^{2, 268}	(72501531); Pri.	Fuel	LFF3417	<i>2-110 All</i>		
31-2772607		LAF9373 ¹	(72501530); Sec.		LFF3521	72162545	Air	LAF1846 ²
31-2795397	Fuel	FP586F	72501530		LFF3521	72163296		LAF503 ¹
31-2773457		LFF3501	72509129	Hydraulic	LH4985	20-7100980	Fuel	L296F ⁴¹
31-2752257	Oil	LFP2292	72501532	Oil	LFP780	(72501530); W/S		LFF1131
30-3024725	Trans	LP50910 ⁵⁹⁰	<i>125 Workhorse, 145 Workhorse w/Cummins Engine</i>			31-2752257	Oil	LFP2292
<i>9720 w/Perkins TV8-640 Engine</i>			72161316	Trans	LFP791	72161316	Trans	PH253 ¹⁴⁹⁶
31-7761680	Air	LAF1872			PH2835 ²⁷⁵	<i>2-135</i>		
31-2772597		LAF6769 ²	<i>160 w/Cummins 8.3L Engine</i>			30-3216535	Air	LAF4121 ²
		LAF6769MXM ^{2, 268}	30-3448177	Coolant	LFW4071 ²⁸	W/S	Fuel	LFF1131
31-2772607		LAF9373 ¹	(30-3437582); Pri.	Fuel	LFF3417	20-0006803		P1130
31-2795397	Fuel	FP586F	(30-3437574); Sec.		LFF3521	72509129	Hydraulic	LH4985
31-2773457		LFF3501	72509129	Hydraulic	LH4985	40-0000406	Oil	PH444
31-2752257	Oil	LFP2292	30-3455696	Oil	LFP780	<i>2-150 w/D585 Engine</i>		
30-3024725	Trans	LP50910 ⁵⁹⁰	<i>170 w/Cummins 8.3L Engine</i>			20-0006803	Fuel	P1130
WHITE (LIFT TRUCK)			72162545	Air	LAF1846 ²	30-3024725	Hydraulic	LP509
<i>MA-30, MA-40, MA-50, MA-60 w/Continental F163 Engine</i>			72163296		LAF503 ¹	40-0000409		PH253 ^{1423, 1496}
10P-1873	Air	AF70	(30-3437574); Sec.		LFF3417			PH2835 ^{275, 1423}
664578		LAF1275 ²	72509129	Hydraulic	LH4985	30-3119475	Oil	LFP791
35A-5533	Oil	PH400 ²⁷⁵	30-3455696	Oil	LFP780	<i>2-155</i>		
35A-5533		PH8A ¹⁴⁹⁶	<i>185 w/Cummins 8.3L Engine</i>			30-3216535	Air	LAF4121 ²
35A-5533	Trans	PH400 ²⁷⁵	30-3448177	Coolant	LFW4071 ²⁸	W/S	Fuel	LFF1131
35A-5533		PH8A ¹⁴⁹⁶	(72501531); Pri.	Fuel	LFF3417	20-0006803		P1130
<i>MA-70, MA-80, MA-90, MA-100 w/Continental F227 Engine</i>			(72501530); Sec.		LFF3521	72509129	Hydraulic	LH4985
10P-2881	Air	LAF222 ²	72509129	Hydraulic	LH4985	40-0000406	Oil	PH444
35A-5533	Oil	PH400 ²⁷⁵	30-3436861	Oil	LFP734			
			30-3119475	Trans	LFP791			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 28-Contains 1 oz. of chemical 41-Cartridge 255-Contains 3 oz. of chemical 268-Extended/Severe service 275-Primary 590-Hydrostatic 1099-Torque Converter 1423-Hydra-Power Drive 1496-Alternate

W

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
WHITE (TRACTOR)			WHITE (TRACTOR)			WHITE (TRACTOR)		
<i>2-180 w/Caterpillar 3208 Engine</i>			<i>2-88 w/Perkins Engine (cont'd)</i>			<i>4-225 w/Caterpillar 3208 Engine (cont'd)</i>		
30-3216535	Air	LAF4121 ²	20-7100980	Fuel	L296F ⁴¹	30-3498425	Oil	LFP6007
W/S	Fuel	LFF1131	72509129	Hydraulic	LH4985	30-3119475	Trans	LFP791
(30-3498387); Sec.		LFP440F	31-2752257	Oil	LFP2292	<i>4-270 w/Caterpillar 3306 Engine</i>		
		P1130	72161316	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	30-3393356	Air	LAF9085 ¹
30-3119475	Hydraulic	LFP791 ¹⁴²³	<i>4/78 17</i>			20-7002187		LAF9086 ²
30-3343111		LH4985	(867014); Sec.	Fuel	L296F ⁴¹	LAF9086MXXM ^{2, 268}		
30-3498409	Oil	LFP5570	40-0000409	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	(71367686); W/S	Fuel	LFF1131
<i>2-30, 2-35 w/Iseki Engine</i>						(30-3498433); Sec.		LFP440F
	Air	LAF1275 ²	<i>4-150 w/Caterpillar 3208 Engine</i>				Oil	LFP3191
<i>2-32 w/Isuzu Engine</i>			30-3130479	Air	LAF863 ²	LFP3191TRT ³		
33-0071420	Air	LAF1275 ²	(71367686); W/S	Fuel	LFF1131	LFP3191XL ¹⁴		
33-0071307	Fuel	L549F	(30-3498387); Sec.		LFP440F	<i>60 American Series, 80 American Series w/Cummins 4B3.9L Engine</i>		
<i>2-50 w/158 Diesel Engine</i>			30-3024725	Hydraulic	LP509	30-3480917	Air	LAF1784 ¹
867014	Fuel	L296F ⁴¹	30-3022161		LP50910	(72501531); Pri.	Fuel	LFF3417
40-0000407	Oil	PH400 ²⁷⁵	40-0000409		PH253 ^{1423, 1496}	(72501530); Sec.		LFF3521
40-0000407		PH8A ¹⁴⁹⁶	<i>4-155</i>			30-3455696	Oil	LFP780
<i>2-55 w/Isuzu Engine</i>			W/S	Fuel	LFF1131	LFP780XL ¹⁴		
33-0055123	Oil	LP2277	20-0006803		P1130	72161316	Trans	PH253 ¹⁴⁹⁶
<i>2-60 w/Diesel Engine</i>			40-0000406	Oil	PH444	PH2835 ²⁷⁵		
159045AS	Fuel	L296F ⁴¹	<i>4-175 w/Caterpillar 3208 Engine</i>			<i>6045, 6065</i>		
	Oil	PH400 ²⁷⁵	30-3090620	Air	LAF7933 ¹	70251397	Fuel	L296F ⁴¹
		PH8A ¹⁴⁹⁶	30-3089258		LAF9961 ²	10A14373	Oil	LFP2258
<i>2-62 w/Isuzu Engine</i>			(71367686); W/S	Fuel	LFF1131	<i>6085, 6090 w/Perkins 1004-4 Engine</i>		
33-0037931	Fuel	L3528F	(30-3498387); Sec.		LFP440F	P772550	Air	LAF8583 ²
33-0037958	Oil	LP2277	30-3024725	Hydraulic	LP509	72270877		LAF9410
<i>2-65 w/Isuzu Engine</i>			40-0000409		PH253 ^{1423, 1496}	70251397	Fuel	L296F ⁴¹
33-0055123	Oil	LP2277	<i>4-180 w/Caterpillar 3208 Engine</i>			<i>6105</i>		
<i>2-70 w/A-1 6 cyl. Diesel Engine</i>			30-3498409	Oil	LFP5570	P772550	Air	LAF8583 ²
159013A	Air	LAF2338 ²	30-3119475		LFP791	72270877		LAF9410
177429	Fuel	P1130	31-2752257	Trans	LFP2292 ¹¹³⁶	<i>6124 w/Cummins 5.9L Engine</i>		
40-0000406	Oil	PH444	(71367686); W/S	Fuel	LFF1131	72162545	Air	LAF1846 ²
40-0000409	Trans	PH253 ¹⁴⁹⁶	(30-3498387); Sec.		LFP440F	72162546		LAF503 ¹
		PH2835 ²⁷⁵	30-3024725	Hydraulic	LP509	(72501531); Pri.	Fuel	LFF3417
<i>2-70 w/A-1 6 cyl. Gas Engine</i>			40-0000409		PH253 ^{1423, 1496}	(72501530); Sec.		LFF3521
159012A	Air	LAF222 ²	<i>4-210 w/Caterpillar 3208 Engine</i>			W/S		LFF8062
155618A	Oil	LFP2292	30-3090620	Air	LAF7933 ¹	3902287M1	Hydraulic	LH4594 ¹⁰⁸¹
40-0000409	Trans	PH253 ¹⁴⁹⁶	30-3089258		LAF9961 ²	(72509129); -S/N		LH4985
		PH2835 ²⁷⁵	W/S	Fuel	LFF1131	602001		
<i>2-75 w/Isuzu Engine</i>			(30-3498387); Sec.		LFP440F	72501532	Oil	LFP780
33-0037931	Fuel	L3528F	30-3024725	Hydraulic	LP509	LFP780XL ¹⁴		
72165040	Oil	LP2256	40-0000409		PH253 ^{1423, 1496}	<i>6125, 6145T w/Cummins 5.9 Engine</i>		
<i>2-85 w/Perkins 354 Diesel Engine</i>			<i>4-225 w/Caterpillar 3208 Engine</i>			72162545	Air	LAF1846 ²
72162545	Air	LAF1846 ²	30-3498409	Oil	LFP5570	72162546		LAF503 ¹
20-7002174		LAF1976 ²	30-3119475		LFP791	(72501531); Pri.	Fuel	LFF3417
30-3002136		LAF503 ¹	31-2752257	Trans	LFP2292 ¹¹³⁶	(72501530); Sec.		LFF3521
167068A		LAF8663 ¹	<i>4-225 w/Caterpillar 3208 Engine</i>			W/S		LFF8062
20-7002172		LAF8668 ²	30-3090620	Air	LAF7933 ¹	303506517	Hydraulic	LFH4990
867014	Fuel	L296F ⁴¹	30-3089258		LAF9961 ²	72509129		LH4985
W/S		LFF1131	W/S	Fuel	LFF1131	72501532	Oil	LFP780
30-3024725	Hydraulic	LP509	(30-3498387); Sec.		LFP440F	LFP780XL ¹⁴		
31-2752257	Oil	LFP2292	30-3498409	Oil	LFP5570	<i>6144 w/Cummins 6BTA5.9 Engine</i>		
40-0000409	Trans	PH253 ¹⁴⁹⁶	30-3119475	Trans	LFP791	72162545	Air	LAF1846 ²
		PH2835 ²⁷⁵	<i>4-225 w/Caterpillar 3208 Engine</i>			72162546		LAF503 ¹
<i>2-88 w/Perkins Engine</i>			30-3393356	Air	LAF9085 ¹	(72501531); Pri.	Fuel	LFF3417
72162545	Air	LAF1846 ²	20-7002187		LAF9086 ²	(72501530); Sec.		LFF3521
72163296		LAF503 ¹	<i>4-210 w/Caterpillar 3208 Engine</i>					
			30-3090620	Air	LAF7933 ¹	<i>6144 w/Cummins 6BTA5.9 Engine</i>		
			30-3089258		LAF9961 ²	72162545	Air	LAF1846 ²
			W/S	Fuel	LFF1131	72162546		LAF503 ¹
			(30-3498387); Sec.		LFP440F	(72501531); Pri.	Fuel	LFF3417
			30-3498409	Oil	LFP5570	(72501530); Sec.		LFF3521
			30-3119475	Trans	LFP791	<i>6144 w/Cummins 6BTA5.9 Engine</i>		
			<i>4-225 w/Caterpillar 3208 Engine</i>			72162545	Air	LAF1846 ²
			30-3393356	Air	LAF9085 ¹	72162546		LAF503 ¹
			20-7002187		LAF9086MXXM ^{2, 268}	(72501531); Pri.	Fuel	LFF3417
			(71367686); W/S	Fuel	LFF1131	(72501530); Sec.		LFF3521

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 41-Cartridge 268-Extended/Severe service 275-Primary 1081-Right Hand Pump 1136-Front 1423-Hydra-Power Drive 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
WHITE (TRACTOR)			WHITE (TRACTOR)			WIGGINS (LIFT TRUCK)		
<i>6144 w/Cummins 6BTA5.9 Engine (cont'd)</i>			<i>80 American Series (cont'd)</i>			<i>W106Y, W126WT, W126Y, W146WT, W146Y, W156WT, W156Y, W166Y, W186Y, W206Y, W226Y, W256Y, W308Y w/Detroit 8.2L Diesel Engine (cont'd)</i>		
W/S	Fuel	LFF8062	(72501530); Sec.	Fuel	LFF3521	(PF35); W166Y,	Oil	PH1218
3902287M1	Hydraulic	LH4594 ¹⁰⁸¹	30-3455696	Oil	LFP780	W186Y,	Oil	
(72509129); -S/N		LH4985			LFP780XL ¹⁴	W206Y, W226Y only	Trans	LP151
602001			<i>8310, 8410</i>					
72501532	Oil	LFP780	3902783-M1	Air	LAF4601 ²			
		LFP780XL ¹⁴	3902782-M1		LAF4602 ¹			
<i>6175, 6195 w/Cummins 8.3L Engine</i>			(72501531); Pri.	Fuel	LFF3417	5575224		
72162545	Air	LAF1846 ²	(72501530); Sec.		LFF3521	<i>W106Y, W126WT, W126Y, W146WT, W146Y, W156WT, W156Y, W166Y, W186Y, W206Y, W226Y, W256Y, W308Y w/Ford 370 Gas Engine</i>		
72162546		LAF503 ¹	3902287M1	Hydraulic	LH4594	(P16); W256Y, W308Y	Air	LAF1616
(72501531); Pri.	Fuel	LFF3417	72501532	Oil	LFP780	only		
(72501530); Sec.		LFF3521			LFP780XL ¹⁴			
74394407		LFP255F	<i>8510, 8610, 8710, 8810</i>					
303506517	Hydraulic	LH4990	5016603-M1	Air	LAF1819 ²	C4AZ-9365-A	Fuel	G5/16 ²⁶³
72509129		LH4985	5016604-M1		LAF1922 ¹	OFM202-10	Hydraulic	G6 ²⁴⁴
72501533	Oil	LFP3000	72509505	Coolant	LFW4074 ⁶²⁷		Oil	P137
		LFP3000XL ¹⁴	(72501531); Pri.	Fuel	LFF3417			LFP2292
<i>6215</i>			(72501530); Sec.		LFF3521	<i>W106Y, W126WT, W126Y, W146WT, W146Y, W156WT, W156Y, W166Y, W186Y, W206Y, W226Y, W256Y, W308Y w/Ford 380 Diesel Engine</i>		
(72501531); Pri.	Fuel	LFF3417	3902287M	Hydraulic	LH4594	P12-U	Air	LAF1212
(72501530); Sec.		LFF3521	3919562	Oil	LFP2265	P101246		LAF1246 ²
74394407		LFP255F	<i>FB16 w/Mitsubishi Engine</i>			P118159		LAF234HD ²
(303506517); S/N	Hydraulic	LH4990	33-0111104	Air	LAF2745A ²	(2701E-9150-B); Sec.	Fuel	G5/16 ²⁶³
602001-		LH4985		Oil	PH2876			L296F ⁴¹
(72509129); -S/N			<i>FB21 w/Iseki Engine</i>			350577	Hydraulic	LP6005
602001			33-0083852	Fuel	L3541F	OFM202-10		P137
72501533	Oil	LFP3000	33-0083836	Oil	PH2835	2703E-6731-A	Oil	P72
		LFP3000XL ¹⁴	<i>FB31 w/Iseki Engine</i>			5575224	Trans	LP151
<i>6410, 6510</i>			33-0083054	Fuel	L549F	350577		LP6005
3901476M1	Air	LAF9100 ¹	<i>FB37 w/Isuzu Engine</i>			OFM202-10		
3901475M1		LAF9101 ²	33-0083054	Fuel	L549F	2703E-6731-A	Oil	P72
(72501531); Pri.	Fuel	LFF3417		Oil	PH2801	5575224	Trans	LP151
(72501530); Sec.		LFF3521	<i>FB43 w/Iseki Diesel Engine</i>			350577		LP6005
72515699	Oil	LFP3900	33-0143006	Fuel	FP588F	<i>W106Y, W126WT, W126Y, W146WT, W146Y, W156WT, W156Y, W166Y, W186Y, W206Y, W226Y, W256Y, W308Y w/Ford 6-300 Gas Engine</i>		
<i>6710 w/Cummins 5.9 Engine</i>			33-0143863	Oil	P52	P101246	Air	LAF1246 ²
(3901477M1); 6810	Air	LAF2342 ²	<i>w/Isuzu Engine</i>				Fuel	G5/16 ²⁶³
(3901478M1); 6810		LAF2343 ¹	33-0037931	Fuel	L3528F	C4AZ-9365-A		G6 ²⁴⁴
(3901476M1); 6710		LAF9100 ¹	33-0037958	Oil	LP2277	350577	Hydraulic	LP6005
(3901475M1); 6710		LAF9101 ²				OFM202-10		P137
(72501531); Pri.	Fuel	LFF3417	WIGGINS (LIFT TRUCK)			D5ZZ-6731-A	Oil	LFP3712
(72501530); Sec.		LFF3521	<i>W106Y, W126WT, W126Y, W146WT, W146Y, W156WT, W156Y, W166Y, W186Y, W206Y, W226Y, W256Y, W308Y w/Detroit 3-53 Diesel Engine</i>			5575224	Trans	LP151
3902287M1	Hydraulic	LH4594	P118159	Air	LAF234HD ²	350577		LP6005
72501532	Oil	LFP780	P32-U		LAF320	<i>W106Y, W126WT, W126Y, W146WT, W146Y, W156WT, W156Y, W166Y, W186Y, W206Y, W226Y, W256Y, W308Y w/Perkins 4.236 Diesel Engine</i>		
(72516556); S/N		LFP780XL ¹⁴	350577	Hydraulic	LP6005	(P101246); W106Y,	Air	LAF1246 ²
J117019			OFM202-10		P137	W126Y, W146Y,		
<i>6810 w/Cummins 5.9 Engine</i>			5575224	Trans	LP151	W156Y only	Fuel	G5/16 ²⁶³
(3901477M1); 6810	Air	LAF2342 ²	350577		LP6005	(26560017); Sec.		L296F ⁴¹
(3901478M1); 6810		LAF2343 ¹	<i>W106Y, W126WT, W126Y, W146WT, W146Y, W156WT, W156Y, W166Y, W186Y, W206Y, W226Y, W256Y, W308Y w/Detroit 8.2L Diesel Engine</i>			OFM202-10	Hydraulic	P137
(3901476M1); 6710		LAF9100 ¹	P32	Air	LAF320	2654407	Oil	LFP2292
(3901475M1); 6710		LAF9101 ²	(5574961); Pri.	Fuel	L274F	2654408		PH4408
(72501531); Pri.	Fuel	LFF3417	Pri.		L274F1	5575224	Trans	LP151
(72501530); Sec.		LFF3521	OFM202-10	Hydraulic	P137	350577		LP6005
3902287M1	Hydraulic	LH4594						
72501532	Oil	LFP780						
(72516556); S/N		LFP780XL ¹⁴						
J117019								
<i>80 American Series</i>								
30-3480917	Air	LAF1784 ¹						
(72501531); Pri.	Fuel	LFF3417						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 244-Secondary 263-Hoses and clamps included 627-5 oz. of chemical 1081-Right Hand Pump

W

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
WIGGINS (LIFT TRUCK)			WIGGINS (LIFT TRUCK)			WIGGINS (LIFT TRUCK)		
<i>W106Y, W126WT, W126Y, W146WT, W146Y, W156WT, W156Y, W166Y, W186Y, W206Y, W226Y, W256Y, W308Y w/Perkins 6.354 Diesel Engine</i>			<i>W664, W864, W1064 w/Ford 256 Diesel Engine</i>			<i>W66ST, W66WT, W86ST, W86WT, W106ST, W106WT w/Perkins 4.236 Diesel Engine (cont'd)</i>		
P12-U	Air	LAF1212	P101246	Air	LAF1246 ²	350577	Trans	LP6005
P101246	Fuel	G5/16 ²⁶³	(DONN-9N074-B); Sec.	Fuel	L296F ⁴¹	<i>W66ST, W66WT, W86ST, W86WT, W106ST, W106WT w/Perkins 6.354 Diesel Engine</i>		
(26560017); Sec.	Hydraulic	P137	350577	Hydraulic	LP6005	P12-U	Air	LAF1212
OFM202-10	Oil	LFP2292	C9NN-6714-A	Oil	LFP2258	P101246	Fuel	G5/16 ²⁶³
5575224	Trans	LP151	5575224	Trans	LP151	P118159	Fuel	L296F ⁴¹
350577		LP6005	<i>W664, W864, W1064 w/Ford 380 Diesel Engine</i>			(26560017); Sec.	Hydraulic	LP6005
<i>W46, W56, W66, W46ATS, W56ATS, W66ATS, W356LW w/Ford 256 Diesel Engine</i>			P12-U	Air	LAF1212	350577	Hydraulic	LP6005
P101246	Air	LAF1246 ²	P101246	Fuel	LAF1246 ²	2703E-6731-A	Oil	P72
(DONN-9N074-B); Sec.	Fuel	G5/16 ²⁶³	5575224	Trans	LP151	<i>W664, W864, W1064 w/Ford 6-300 Gas Engine</i>		
350577	Hydraulic	LP6005	P101246	Air	LAF1246 ²	<i>W66ST, W66WT, W86ST, W86WT, W106ST, W106WT w/Detroit 3-53 Diesel Engine</i>		
C9NN-6714-A	Oil	LFP2258	C4AZ-9365-A	Fuel	G5/16 ²⁶³	P118159	Air	LAF234HD ²
<i>W46, W56, W66, W46ATS, W56ATS, W66ATS, W356LW w/Ford 6-300 Gas Engine</i>			350577	Hydraulic	LP6005	350577	Hydraulic	LP6005
P101246	Air	LAF1246 ²	D5ZZ-6731-A	Oil	LFP3712	5575224	Trans	LP151
(26560017); Sec.	Fuel	G5/16 ²⁶³	5575224	Trans	LP151	<i>W66ST, W66WT, W86ST, W86WT, W106ST, W106WT w/Ford 380 Diesel Engine</i>		
350577	Hydraulic	LP6005	<i>W664, W864, W1064 w/Ford 6-300 Gas Engine</i>			<i>Wrangler 4550 w/Deutz BF4M2011 Engine</i>		
C4AZ-9365-A	Fuel	G6 ²⁴⁴	P101246	Air	LAF1246 ²	528741D1	Air	LAF5934 ²
350577	Hydraulic	LP6005	C4AZ-9365-A	Fuel	G5/16 ²⁶³	528742D1	Air	LAF5938 ²
D5ZZ-6731-A	Oil	LFP3712	350577	Hydraulic	LP6005	WR139681	Oil	PH2816
350577	Trans	LP6005	<i>W66ST, W66WT, W86ST, W86WT, W106ST, W106WT w/Detroit 3-53 Diesel Engine</i>			<i>Wrangler 4560 w/Deutz TD2011 Engine</i>		
<i>W46, W56, W66, W46ATS, W56ATS, W66ATS, W356LW w/Perkins 4.203 Diesel Engine</i>			5575224	Trans	LP151	528741D1	Air	LAF5934 ²
P101222	Air	LAF222 ²	350577	Hydraulic	LP6005	528742D1	Air	LAF5938 ²
(26560017); Sec.	Fuel	G5/16 ²⁶³	5575224	Trans	LP151	WR139681	Oil	PH2816
350577	Hydraulic	LP6005	<i>W66ST, W66WT, W86ST, W86WT, W106ST, W106WT w/Ford 380 Diesel Engine</i>			<i>Wrangler Loader w/Ford 172 Gas Engine</i>		
26540154	Oil	LP70V	P12-U	Air	LAF1212	P101275	Air	LAF1275 ²
2654403	Oil	PH4403	P101246	Fuel	LAF1246 ²	(FG-23); Gas	Fuel	G6
<i>W46, W56, W66, W46ATS, W56ATS, W66ATS, W356LW w/Perkins 4.236 Diesel Engine</i>			P118159	Fuel	LAF234HD ²	Hydraulic	Hydraulic	LP50910
P12-U	Air	LAF1212	(2701E-9150-B); Sec.	Fuel	G5/16 ²⁶³	FL-1A	Oil	PH400 ²⁷⁵
P101246	Fuel	G5/16 ²⁶³	350577	Hydraulic	L296F ⁴¹	FL-1A	Oil	PH8A ¹⁴⁹⁶
(26560017); Sec.	Hydraulic	LP6005	2703E-6731-A	Oil	P72	<i>Wrangler w/John Deere 4039D Engine</i>		
350577	Hydraulic	LP6005	5575224	Trans	LP151	P182052	Air	LAF222 ²
2654407	Oil	LFP2292	350577	Hydraulic	LP6005		Oil	FP20
2654408	Oil	PH4408	<i>W66ST, W66WT, W86ST, W86WT, W106ST, W106WT w/Ford 6-300 Gas Engine</i>			WILLMAR (SPRAYERS)		
<i>W53ATS, W63ATS, W83ATS w/Ford Engine</i>			P101246	Air	LAF1246 ²	<i>7200, 7250, 7400, 7450 Ranger w/Cummins 5.9L Engine</i>		
P101246	Air	LAF1246 ²	C4AZ-9365-A	Fuel	G5/16 ²⁶³		Air	LAF1481 ²
(DONN-9N074-B); Sec.	Fuel	G5/16 ²⁶³	350577	Hydraulic	G6 ²⁴⁴	Pri.	Fuel	LAF8339 ¹
350577	Hydraulic	LP6005	D5ZZ-6731-A	Oil	LFP3712	Sec.	Fuel	LFF3417
C5NN-6714-B	Trans	LFP2258	350577	Trans	LP6005	W/S	Fuel	LFF3521
<i>W664, W864, W1064 w/Detroit Diesel 3-53 Diesel Engine</i>			<i>W66ST, W66WT, W86ST, W86WT, W106ST, W106WT w/Perkins 4.236 Diesel Engine</i>				Hydraulic	LFF8062
P118159	Air	LAF234HD ²	P12-U	Air	LAF1212		Oil	LFF8740G ⁶⁰⁷
P32-U	Fuel	LAF320	P101246	Fuel	LAF1246 ²		Oil	LFP780XL ¹⁴
350577	Hydraulic	LP6005	(26560017); Pri.	Fuel	G5/16 ²⁶³		Trans	LFF4959
5575224	Trans	LP151	350577	Hydraulic	L296F ⁴¹	<i>745 Sprayer w/John Deere 4039D Engine</i>		
			2654407	Oil	LFP2292	P182054	Air	LAF1246 ²
			2654408	Oil	PH4408	WR25412	Hydraulic	LFF780XL ¹⁴
							Oil	FP20
						<i>765 Sprayer w/John Deere 4045T Engine</i>		
						P182054	Air	LAF1246 ²
						WR27271	Hydraulic	LFF9001 ²
						WR25412	Hydraulic	LFF8740G

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 244-Secondary 263-Hoses and clamps included 268-Extended/Severe service 275-Primary 607-Return 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
WILLMAR (SPRAYERS)			WINPOWER (GENERATOR)			WINPOWER (GENERATOR)		
<i>785 Air Track w/Cummins 5.9 Engine</i>			<i>DR100A4 w/Allis-Chalmers 11000 Engine</i>			<i>GR25H4 w/Hercules G2300 Engine</i>		
P182054	Air	LAF1246 ²	Sec.	Fuel	261F		Oil	LFP3411
WR28654		LAF237 ²	Sec.		FP230F			P7FF
Pri.	Fuel	LFF3417	Pri.		L274F	<i>GR30H4 w/Hercules G2300 Engine</i>		
Sec.		LFF3521	Pri.		L274F1	40-0000626	Air	AF70
WR25412	Hydraulic	LFH8740G		Oil	LP132	40-0000401	Oil	LFP3411
	Oil	LFP780	Turbo		P2	<i>GR40H4 w/Hercules G3400 Engine</i>		
		LFP780XL ¹⁴	<i>DR110H4 w/Hercules D4800T Engine</i>				Oil	LP38
<i>8100 w/Cummins Engine</i>			40-0000619	Air	LAF1853	<i>GR45H4 w/Hercules G3400 Engine</i>		
W/S	Fuel	LFF8062	(40-0002514); Sec.	Fuel	FP230F	40-0000626	Air	AF70
	Hydraulic	LFH4959 ⁶⁰⁷	40-0000406	Oil	PH444	40-0000401	Oil	LFP3411
		LFH8740G ⁶¹⁰	<i>DR125H4 w/Hercules D4800TA Engine</i>			<i>GR50H4 w/Hercules G3400 Engine</i>		
	Oil	LFP780	40-0000619	Air	LAF1853		Oil	LP38
		LFP780XL ¹⁴	(40-0002514); Sec.	Fuel	FP230F	<i>GR55H4 w/Hercules G3400 Engine</i>		
<i>8200, 8400 w/Cummins Engine</i>			40-0000406	Oil	PH444	40-0000626	Air	AF70
	Air	LAF5255	<i>DR15H4 w/Hercules D1700 Engine</i>			40-0000401	Oil	LFP3411
Pri.	Fuel	LFF3417	(266537); Sec.	Fuel	L296F ⁴¹	<i>GR7514 w/International UV549 Engine</i>		
Sec.		LFF3521		Oil	P7FF		Oil	P119
	Oil	LFP780	<i>DR25H4 w/Hercules D2300 Engine</i>			<i>TD14L4-J, TDR9L4-J w/Lister ST-2 Engine</i>		
		LFP780XL ¹⁴	(266537); Sec.	Fuel	L296F ⁴¹	201-55370	Oil	PH2835
<i>8450 w/Cummins Engine</i>				Oil	LFP3411	WIRTGEN (EQUIPMENT)		
Pri.	Fuel	LFF3417	<i>DR40H4 w/Hercules D3400 Engine</i>			<i>W500 Milling Machine w/Iveco Engine</i>		
Sec.		LFF3521	Sec.	Fuel	L296F ⁴¹	276-	Air	LAF1544 ²
	Oil	LFP780		Oil	LP38	-276		LAF1714 ²
		LFP780XL ¹⁴	<i>DR4514 w/Iveco NEF45AM1</i>			-276		LAF1715 ¹
<i>8500 w/Cummins 6BTA5.9L Engine</i>			(504107584); Sec.	Fuel	L3880F	(76495); 276-		LAF9410 ¹
(516180); In-Line	Fuel	L3523F	2992242	Oil	LFP6015	36519	Hydraulic	LH4230
W/S		LFF8062	<i>DR50A4 w/Allis-Chalmers 2900 Engine</i>			HC9800FKT4H		LH4252
P170311	Hydraulic	LFH22028 ¹⁴⁷⁹	Sec.	Fuel	FP230F	30294		LH4266
FA57CC10		LFH8740G ¹⁴⁷⁸		Oil	LFP3411	56561	Oil	LFP2241
	Oil	LFP780	<i>DR60A4 w/Allis-Chalmers 3500 Engine</i>			WOODS & COPELAND (TRACTOR)		
		LFP780XL ¹⁴	Sec.	Fuel	FP230F	<i>320, 450, 450C w/Cummins Engine</i>		
<i>8600 Eagle Sprayer w/Cummins 8.3 Engine</i>				Oil	LFP3411		Air	LAF6632 ²
	Air	LAF8673 ²	<i>DR6514 w/Iveco NEF45SM2</i>					LAF6632MXM ^{2, 268}
		LAF8689 ¹	8041642	Air	LAF4544 ²			LAF6641 ¹
WF2074	Coolant	LFW4074 ⁶²⁷	(504107584); Sec.	Fuel	L3880F			LAF9155 ²
FS1022	Fuel	LFF1022	2992242	Oil	LFP6015			LAF9155MXM ^{2, 268}
P170311	Hydraulic	LFH22028	<i>DR75A4 w/Allis-Chalmers 3500 Engine</i>				Trans	LAF9159 ¹
	Oil	LFP3000	Sec.	Fuel	FP230F	WORTHINGTON (AIR COMPRESSOR)		
		LFP3000XL ¹⁴		Oil	LFP3411	<i>1150 w/Turbo V8 Engine</i>		
WINCO (GENERATOR)			<i>DR9014 w/Iveco NEF45TM1X</i>				Air	LAF4156 ¹
<i>PSS12 w/Onan P224 Engine</i>			8041322	Air	LAF8149 ²			LAF8133 ²
122-0323	Oil	PH400	(504107584); Sec.	Fuel	L3880F	<i>1200</i>		
<i>PSS20 w/Ford VSG-411 Engine</i>			2992242	Oil	LFP6015		Air	LAF4156 ¹
	Oil	PH400	<i>DR90H4 w/Hercules D4800T Engine</i>					LAF8133 ²
<i>PSS20LS w/Ford LSG-423 Engine</i>			40-0000619	Air	LAF1853	<i>125</i>		
	Oil	PH400 ²⁷⁵	(40-0002514); Sec.	Fuel	FP230F		Air	LAF210 ¹⁴⁸
		PH8A ¹⁴⁹⁶	40-0000406	Oil	PH444	<i>750 w/Detroit Diesel Engine</i>		
<i>PSS35 w/Ford LSG-423 Engine</i>			<i>GR100K4 w/Waukesha F817GU Engine</i>			P101234	Air	LAF234HD ²
	Oil	PH400 ²⁷⁵	119764	Oil	L1656-0	XCMG (XUZHOU CONSTRUCTION MACHINERY) (BACKHOE LOADER)		
		PH8A ¹⁴⁹⁶	<i>GR20H4 w/Hercules G1600 Engine</i>			<i>XT860, XT870 w/Cummins QSB 4.5L Engine</i>		
<i>PSS70LS w/Ford LSG-875 Engine</i>			40-0000626	Air	AF70	W/S	Fuel	LFF9608
	Oil	PH400 ²⁷⁵	40-0000407	Oil	PH400 ²⁷⁵		Oil	LFP3900
		PH8A ¹⁴⁹⁶	40-0000407		PH8A ¹⁴⁹⁶	WORTHINGTON (AIR COMPRESSOR)		
<i>PSS8 w/B&S 16 hp Engine</i>			<i>GR20W4 w/Wisconsin V465D Engine</i>					
491056	Oil	PH2835	RV-38-S3	Oil	LFP2252	<i>1150 w/Turbo V8 Engine</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 148-Engine 268-Extended/Severe service 275-Primary 607-Return 610-Charge Pump 627-5 oz. of chemical 1478-Hyd. Return 1479-Hyd. Pump 1496-Alternate

W

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
XTREME (TELESCOPIC HANDLER)			YALE & TOWNE (LIFT TRUCK)			YALE & TOWNE (LIFT TRUCK)		
XR1267, XR1270 w/Perkins Tier 3 Engine			2000 w/Detroit Diesel 4-71 Engine (cont'd)			60		
P181059	Air	LAF1544 ²		Trans	LP151		Breather	LAF1671
P119410		LAF9410 ¹	2000Z Loader w/Deutz Engine			Opt.	Oil	P71
	Oil	LFP2292	747093	Air	LAF3714 ²	6000 w/Cummins V8-265 Engine		
XR1524, XR1534 w/Perkins Tier 3 Engine			747092		LAF8674 ¹	6900732	Hydraulic	LP6061
P181059	Air	LAF1544 ²	204 w/Cummins JF6B1, JN6 Engine			60U w/Chrysler Engine		
P119410		LAF9410 ¹	6950026	Hydraulic	LFH4943		Oil	P7FF
2656F843	Fuel	LPF5088 ²⁰	204 w/Hercules G0339 Engine			8000 w/Detroit Diesel 12V-71 Engine		
	Oil	LFP2292	6950026	Hydraulic	LFH4943	2070279	Hydraulic	LP50910
XR2045, XR2050 w/Perkins 1104D-44T Engine				Torque Converter	LP151	All models		
P181059	Air	LAF1544 ²	204 w/IH U372 Engine				Oil	HP1
P119410		LAF9410 ¹	6950026	Hydraulic	LFH4943	C180 w/Cummins Engine		
2656F843	Fuel	LPF5088 ²⁰		Torque Converter	LP151		Air	LAF265HD
	Oil	LFP2292				G62 w/Continental 124 Engine		
XR3034 w/Perkins Tier 3 Engine			204, 204A w/Detroit Diesel 3-71, 4-71 Engine			GC020, GC030 w/Mazda 1600 Engine		
P181059	Air	LAF1544 ²	P101237	Air	LAF237 ²	9015154-00	Air	LAF1275 ²
P119410		LAF9410 ¹	P17665		LAF264	9005064-01	Hydraulic	HP1
2656F843	Fuel	LPF5088 ²⁰	6950026	Hydraulic	LFH4943	9015174-00	Oil	PH2903
	Oil	LFP2292	2500, 3000 w/Cummins 903 Engine			GC60, GC70, GC80 w/Ford 192 Gasoline Engine		
XR621 w/Perkins 1104D-44T Engine			P117437	Air	LAF6769 ²	5160428-24	Air	AF52
P181059	Air	LAF1544 ²			LAF6769MXM ^{2, 268}	5095818-01		LAF131
P119410		LAF9410 ¹	2500, 3000 w/Detroit Diesel 6V-71 Engine			5134988-01	Hydraulic	HP1
	Oil	LFP2292	P117443	Air	LAF6632 ²		Oil	PH253 ¹⁴⁹⁶
XR842 w/Perkins Tier 3 Engine					LAF6632MXM ^{2, 268}		Trans	PH2835 ²⁷⁵
P181059	Air	LAF1544 ²	P119372		LAF6641 ¹	GDP050 w/Mazda Diesel Engine		
P119410		LAF9410 ¹	3000 Loader, 3000C Shovel w/Cummins V903C Engine			900999300	Hydraulic	LP8455
	Oil	LFP2292	P117437	Air	LAF6769 ²	1305-23-802	Oil	LFP8703
XRM945, XRM1045 w/Perkins Engine					LAF6769MXM ^{2, 268}	GL035A, GL040A w/Mazda 1600 Engine		
P181059	Air	LAF1544 ²	P119373		LAF9373 ¹	9015154-00	Air	LAF1275 ²
P119410		LAF9410 ¹	304, 304A w/Cummins Engine			9005064-01	Hydraulic	HP1
	Oil	LFP2292	6950026	Hydraulic	LFH4943	9015174-00	Oil	PH2903
YALE & TOWNE (LIFT TRUCK)			304, 304A w/Detroit Diesel 4-71 Engine			GLC060-080 w/4 cyl. Ford Engine		
104 w/Detroit Diesel 3-71 Engine			P101246	Air	LAF1246 ²	5160428-24	Air	AF52
104 w/Hercules DD298 Engine					LAF1246 ²	5095818-01		LAF131
124 w/Detroit Diesel 3-53, 3-71 Engine			6950026	Hydraulic	LFH4943	5134988-01	Oil	HP1
P101246	Air	LAF1246 ²	400 w/Cummins V8-265 Engine			GP020, GP030 w/Mazda 1600 Engine		
164, 164A w/Detroit Diesel 3-71, 4-71 Engine			P117443	Air	LAF120A	9015154-00	Air	LAF1275 ²
P17665	Air	LAF264			LAF6632 ²		Hydraulic	HP1
1700, 1700C, 1900, 1900C w/Detroit Diesel 4-53 Engine					LAF6632MXM ^{2, 268}	9015174-00	Oil	PH2903
		LAF264	P119372		LAF6641 ¹		Trans	PH253 ¹⁴⁹⁶
2080764	Hydraulic	LP560	4000 w/Cummins 855 Engine					PH2835 ²⁷⁵
1700, 1900 w/Perkins 6.354 Engine			4000 w/Cummins V8-265 Engine			GP030-040, GP040-060		
2080764	Hydraulic	LP560	6900732	Hydraulic	LP6061	9015154-00	Air	LAF1275 ²
2000 Loader w/Cummins Engine			4000 w/Detroit Diesel 8V-53N Engine				Trans	PH253 ¹⁴⁹⁶
P117439	Air	LAF6587 ²	6900732	Hydraulic	LP6061			PH2835 ²⁷⁵
		LAF6587MXM ^{2, 268}	4000 w/Detroit Diesel 8V-71 Engine			GP040-080 w/Ford 192 Gasoline Engine		
P119374		LAF6834 ¹	P117443	Air	LAF6632 ²	5160428-24	Air	AF52
2000 w/Cummins V555 Engine					LAF6632MXM ^{2, 268}	5095818-01		LAF131
6953104	Air	LAF6587 ²	P119372		LAF6641 ¹		Hydraulic	HP1
		LAF6587MXM ^{2, 268}	404 w/Cummins NH250 Engine			5134988-01	Oil	HP1
6953105		LAF6834 ¹		Air	LAF480	KGP51-40 Thru KBP51-80 w/Chrysler Engine		
2080764	Hydraulic	LP560		Trans	LP151		Oil	P7FF
2000 w/Detroit Diesel 4-71 Engine			404 w/Detroit Diesel 4-71, 6-71, 8V-71 Engine			Models w/Chrysler Industrial-30 Engine		
2080764	Hydraulic	LP560		Trans	LP151		Air	LAF121 ¹²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 12-Optional 20-High efficiency 268-Extended/Severe service 275-Primary 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
YALE & TOWNE (LIFT TRUCK)			YANMAR (EXCAVATOR)			YANMAR (EXCAVATOR)		
<i>Models w/Continental F-124 Engine</i>			<i>B22 w/Yanmar 3TNE78 eng. (cont'd)</i>			<i>SV100 (w/4TNNV98T Engine)</i>		
	Air	AF70 ¹²		Oil	PH2808		Fuel	FP590F
<i>Models w/Purolator P-142</i>			<i>B22, B22.1 S/N 900999</i>				Oil	PH2808
	Trans	LFH4210		Air	LAF2745A	<i>Vio15 w/3TNE68 eng.</i>		
<i>Models w/United 250C5S filter</i>				Fuel	L4103F		Air	LAF1275
5095818-01	Air	LAF131		Oil	PH2856A		Fuel	L4103F
<i>Models w/Vickers hydraulics</i>			<i>B22.2 S/N 920000</i>				Hydraulic	LFH4933
923069	Hydraulic	LH4914		Air	LAF2745A		Oil	PH2808
<i>RT40 w/Detroit Diesel 4-71 Engine</i>				Fuel	L4103F	<i>Vio17 (w/3TNNV70-XBV Engine)</i>		
P117439	Air	LAF6587 ²	<i>B22.2B w/Yanmar 3TNE78A eng.</i>				Oil	PH2867
		LAF6587MXM ^{2, 268}		Air	LAF2745A	<i>Vio17 w/Yanmar Engine</i>		
		LAF6834 ¹		Fuel	L4103F		Oil	PH2867
<i>Some models</i>				Oil	PH2808	<i>Vio20 w/3TNE68 eng.</i>		
5007551	Air	AF5HD	<i>B25 w/Yanmar eng.</i>				Air	LAF1275
649710-1	Breather	LAF1672 ⁸⁵⁸		Air	LAF1275	<i>Vio20.2 w/3TNE74 eng.</i>		
<i>Y-18 Chrysler Industrial-30 Engine</i>				Fuel	L4103F		Fuel	L4103F
	Oil	P7FF		Oil	PH2876		Oil	PH2808
YAMAHA (GENERATOR)			<i>B27, B27.2</i>			<i>Vio20.3 w/ 3TNNV76T eng.</i>		
<i>EDL5500DV</i>				Air	LAF1275		Fuel	L4103F
YF-55621-10-80	Air	LAF2745A ²		Fuel	LAF2745A		Oil	PH2876
YF-58413-24-30	Oil	PH2808		Fuel	L4103F	<i>Vio27.3 w/3TNNV82A eng.</i>		
YANMAR (CARRIER)				L549F			Air	LAF8195 ²
<i>C12W, C20R, C20W, C25R, C30R</i>				Oil	PH2808		Oil	PH2876
	Air	LAF2745A	<i>B27.2B w/Yanmar 3TNE82A eng.</i>			<i>Vio27.5 w/3TNNV82A eng.</i>		
	Oil	PH2808		Air	LAF1275	12908712510	Air	LAF8195 ²
<i>C50R</i>				Fuel	L4103F		LAF8690 ¹	
	Air	LAF1544 ²		Oil	PH2808	11980255801	Fuel	FP590F
		LAF1723 ¹				12915035153	Oil	PH2808
	Fuel	G6324	<i>B2X w/3TNA72L eng.</i>			<i>Vio30 w/3TNE82A eng.</i>		
	Oil	PH2863B		Air	LAF2745A		Air	LAF1275
YANMAR (EXCAVATOR)				Oil	PH2808		Fuel	L4103F
<i>B08 w/3TNN66E eng.</i>			<i>B3</i>				Oil	PH2808
	Oil	LFP5522		Air	LAF1275	<i>Vio35 w/3TNE82A eng.</i>		
		PH2808		Oil	PH2808		Fuel	L4103F
<i>B10.2 w/3T72LTBS eng.</i>			<i>B37, B37.2 w/Yanmar 3TNE84E, 3TNE88 engs.</i>				Oil	PH2808
	Air	LAF2745A		Air	LAF1275	<i>Vio35.3 w/ 3TNNV82A eng.</i>		
	Oil	PH2808		Fuel	L549F		Air	LAF8195 ²
<i>B12, B14</i>				Oil	PH2808		Oil	PH2876
	Air	LAF2745A	<i>B5, B6 w/4TN84E eng.</i>			<i>Vio35.5 w/Yanmar 3TNNV70 Engine</i>		
	Fuel	L4103F		Air	LAF1275	12908712510	Air	LAF8195 ²
	Oil	PH2808		Oil	LFP5522		LAF8690 ¹	
<i>B15 w/ 3TNE68 eng.</i>			<i>B50, B50.2 w/Yanmar 4TN84E, 4TNE88B engs.</i>			11980255801	Fuel	FP590F
	Air	LAF1275		Air	LAF1275	12915035153	Oil	PH2808
	Fuel	L4103F		Fuel	L549F	<i>Vio40, Vio40.2 w/3TNE88 eng.</i>		
	Oil	PH2808		Oil	PH2808		Air	LAF1275
<i>B17, B17.2</i>			<i>B5X w/4TN82L eng.</i>				Fuel	L549F
	Air	LAF2745A		Air	LAF1275		Oil	PH2808
	Fuel	L4103F		Oil	PH2808	<i>Vio45, Vio45.5 w/4TNNV88 eng.</i>		
	Oil	PH2808	<i>B7E w/4TNE98E eng.</i>			12908712510	Air	LAF8195 ²
<i>B19</i>				Oil	PH2808		LAF8690 ¹	
	Air	LAF2745A	<i>CBL40 Backhoe w/3TNNV8484 eng.</i>			11980255801	Fuel	FP590F
	Fuel	L4103F		Air	LAF8195 ²	12915035153	Oil	PH2808
	Oil	PH2808	<i>SV08-1 (w/2TE76L Engine)</i>			<i>Vio50, Vio50.2 w/4TNE88 eng.</i>		
<i>B22 w/Yanmar 3TNE78 eng.</i>			11965512560	Air	LAF8388		Air	LAF1275
	Air	LAF1275	12455055700	Fuel	L4103F		Fuel	L549F
	Fuel	L4103F		Oil	PH2876		Oil	PH2808

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 12-Optional 268-Extended/Severe service 858-Hydraulic Tank

Y

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
YANMAR (EXCAVATOR)			YANMAR (EXCAVATOR)			YANMAR (SKID STEER LOADER)		
<i>Vio55-5 w/ 4TNV88-PBV eng.</i>			<i>YB35</i>			<i>T175, T210 w/4TNY98 Engine (cont'd)</i>		
	Air	LAF8195 ²		Air	LAF1275		Oil	PH2808
	Fuel	FP590F		Oil	PH2808	<i>T210, T270 w/Yanmar 4TNV98 Engine</i>		
		LFF8350	<i>YB401W w/4TN82E eng.</i>			C15300	Air	LAF3947 ²
	Oil	PH2808		Air	LAF1275	CF300		LAF3948 ¹
<i>VIO70 w/Yanmar 4TNE98E Diesel Engine</i>				Hydraulic	LFH4933	1725510038	Hydraulic	LFH4972
	Air	LAF1275		Oil	LFP5522	12915035153	Oil	PH2808
	Oil	PH2808	<i>YB451.2</i>			YANMAR (TRACTOR)		
<i>Vio75 w/Yanmar 4TNE98E Engine</i>				Air	LAF1275	<i>4510 w/Kubota D905 Engine</i>		
	Air	LAF8114 ¹		Oil	PH2856A	M806419	Oil	PH2808
		LAF8143 ²	<i>YB501.2</i>			<i>AF1088ex w/Yanmar 4TNE106 Engine</i>		
	Fuel	LFF8350		Air	LAF1275	119005-35100	Oil	PH2808
	Oil	PH2808		Fuel	L549F	<i>AF1110ex w/Yanmar 4TNE106T Engine</i>		
<i>Vio75C w/Yanmar 4TNV98Z Engine</i>				Oil	PH2856A	119005-35100	Oil	PH2808
12906212560	Air	LAF8143 ²	YANMAR (SKID STEER LOADER)			<i>F13, F14, F15, F16, F18, F20, F22, F24, F26, F28, F30</i>		
12390755801	Fuel	LFF3396	<i>S165 w/Yanmar 4TNV88 Engine</i>			104500-55710	Fuel	L3541F ¹⁴⁸¹
	Oil	PH2808		Air	LAF3947 ²			L3556F ¹⁴⁸⁰
					LAF3948 ¹			L4103F ¹⁴⁸²
	Air	LAF8114 ¹		Hydraulic	LFH4972	124550-55700		
		LAF8143 ²		Oil	PH2808	194250-48310	Hydraulic	LFH4929
	Oil	PH2808	<i>S165R w/4TNV88 Engine</i>			12455035110	Oil	PH2808
<i>YB10</i>			17255102050	Air	LAF3947 ²	<i>F145</i>		
	Air	LAF2745A	17255102060		LAF3948 ¹	104500-55710	Fuel	L3541F ¹⁴⁸¹
	Fuel	L3541F	1725510038	Hydraulic	LFH4972	124550-55700		L4103F ¹⁴⁸²
	Oil	PH2808	12915035153	Oil	PH2808		Oil	PH2808
<i>YB120</i>			<i>S165R-1 w/Yanmar 4TNV98C Tier 4 Engine</i>			<i>F32, F37, F42 w/Yanmar 3TNE84 Engine</i>		
	Air	LAF2745A	184146	Air	LAF3947 ²	129100-55650	Fuel	L549F
	Oil	PH2808	184195		LAF3948 ¹	129150-35151	Oil	PH2808
<i>YB1200</i>			074830	Hydraulic	LFH4972	<i>F32, F37, F42 w/Yanmar 3TNE88 Engine</i>		
	Fuel	L3541F	195568	Oil	PH2808	129100-55650	Fuel	L549F
	Oil	PH2808	<i>S190R w/4TNV98 Engine</i>			129150-35151	Oil	PH2808
<i>YB121.2, YB151.2</i>			17255102050	Air	LAF3947 ²	<i>F32, F37, F42 w/Yanmar 4TNE84 Engine</i>		
	Air	LAF8630	17255102060		LAF3948 ¹	129100-55650	Fuel	L549F
	Fuel	L4103F	184195		LAF3948 ¹	129150-35151	Oil	PH2808
	Oil	PH2808	(104045); W/S	Fuel	LFF8062	<i>F320 w/Yanmar 3TNE84 Engine</i>		
<i>YB201</i>			1725510038	Hydraulic	LFH4972	129100-55650	Fuel	L549F
	Air	LAF8630	12915035153	Oil	PH2808	129150-35151	Oil	PH2808
	Fuel	L4103F	<i>S220R, S270R w/4TNV98 Engine</i>			<i>F360 w/Yanmar 3TNE88 Engine</i>		
	Oil	PH2808	17255102050	Air	LAF3947 ²	129100-55650	Fuel	L549F
<i>YB20R, YB25, YB25L, YB30, YB31</i>			17255102060		LAF3948 ¹	129150-35151	Oil	PH2808
	Oil	PH2808	1725510038	Hydraulic	LFH4972	<i>F420 w/Yanmar 4TNE84 Engine</i>		
<i>YB231, YB281</i>			12915035153	Oil	PH2808	129100-55650	Fuel	L549F
	Fuel	L549F	<i>S270V w/Yanmar 4TNV98T Engine</i>			129150-35151	Oil	PH2808
<i>YB25</i>			184146	Air	LAF3947 ²	<i>Fe240H, Fe280H w/Yanmar 3TNE78A Engine</i>		
	Air	LAF2745A	184195		LAF3948 ¹	119810-55650	Fuel	L4103F
	Oil	PH2808	(104045); W/S	Fuel	LFF8062	129150-35151	Oil	PH2808
<i>YB251, YB401, YB451</i>			074830	Hydraulic	LFH4972	<i>Fe240H, Fe280H w/Yanmar 3TNE82A Engine</i>		
	Fuel	L549F	195568	Oil	PH2808	119810-55650	Fuel	L4103F
	Oil	PH2808	<i>T175 w/Yanmar 4TNV98 Engine</i>			129150-35151	Oil	PH2808
<i>YB25E</i>			C15300	Air	LAF3947 ²	<i>FX21, FX28 w/Yanmar 3TNE78A Engine</i>		
	Air	LAF1275	CF300		LAF3948 ¹	119810-55650	Fuel	L4103F
	Oil	PH2808	1725510038	Hydraulic	LFH4972	129150-35151	Oil	PH2808
<i>YB301, YB351, YB451</i>			12915035153	Oil	PH2808	<i>FX21, FX28 w/Yanmar 3TNE82A Engine</i>		
	Air	LAF1275	<i>T175, T210 w/4TNY98 Engine</i>			119810-55650	Fuel	L4103F
	Fuel	L4103F		Air	LAF3947 ²	129150-35151	Oil	PH2808
	Oil	PH2808			LAF3948 ¹	<i>FX215, FX235, FX255, FX285, FX305, FX315</i>		
				Hydraulic	LFH4972	104500-55710	Fuel	L3541F ¹⁴⁸¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 1480-2.27" x 1.14" 1481-2.72" x 1.38" 1482-3.5" x 1.4"

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
YANMAR (TRACTOR)			YANMAR (TRACTOR)			YANMAR (TRACTOR)		
<i>FX215, FX235, FX255, FX285, FX305, FX315 (cont'd)</i>			<i>YM1600, YM1600D, YM1601, YM1601D, YM1602, YM1602</i>			<i>YM3000, YM3000D w/3T84 Engine (cont'd)</i>		
124550-55700	Fuel	L4103F ¹⁴⁸²	104500-55701	Fuel	L3541F		Air	LAF22037 ²
129100-55650		L549F ¹⁴⁸³	119660-35150	Oil	PH2808	124550-55700	Fuel	L4103F
12455035110	Oil	PH2808	<i>YM165, TM165D w/Yanmar 3T13A Engine</i>			119810-55650		L549F
<i>FX32</i>			104500-55710	Fuel	L3541F	194464-48310	Hydraulic	HP1
12910055650	Fuel	L549F	124450-35100	Oil	PH2808	124550-35110	Oil	PH2808
19425048310	Hydraulic	LHF4929	<i>YM169, YM169D w/3T72HA Engine</i>			<i>YM3220, YM3220D, YM4220, YM4220D</i>		
12455035110	Oil	PH2808	124550-35110	Oil	LFP5522	<i>YM330, YM330D</i>		
<i>GT14 w/Yanmar 2T75 U-N Engine</i>			<i>YM1700, YM1700D, YM1702, YM1702D, YM1720, YM1720D</i>			124550-55700	Fuel	L4103F
	Air	LAF2745A ²	104500-55701	Fuel	L3541F	194464-48310	Hydraulic	HP1
104500-55710	Fuel	L3541F	119660-35150	Oil	PH2808	K-22001		LFP1652
124450-35100	Oil	PH2808	<i>YM180, YM180D, YM186, YM186D w/3T72HA Engine</i>			124550-35110	Oil	PH2808
<i>Ke140, Ke160, Ke200H w/Yanmar 3TN66 Engine</i>			124550-55700	Fuel	L4103F	<i>YM336, YM336D w/3T84A-N Engine</i>		
119660-35150	Oil	PH2808	124550-35110	Oil	PH2808	124550-55700	Fuel	L4103F
119305-35150		PH2876	<i>YM1810, YM1810D w/3T75 Engine</i>			124550-35110	Oil	PH2808
<i>Ke140, Ke160, Ke200H w/Yanmar 3TNE68 Engine</i>			121450-12510	Air	LAF2745A ²	<i>YT347 w/Yanmar 4TNV98 Engine</i>		
119660-35150	Oil	PH2808	104500-55701	Fuel	L3541F		Oil	PH2808
119305-35150		PH2876	119810-55650		L549F	<i>YT359 w/Yanmar 4TNV98C Engine</i>		
<i>Ke140, Ke160, Ke200H w/Yanmar 3TNE74 Engine</i>			124450-35110	Oil	PH2808	<i>YTB800-1</i>		
124550-55700	Fuel	L4103F	<i>YM187, YM187D</i>				Air	LAF2745A ²
119660-35150	Oil	PH2808	124550-55700	Fuel	L4103F		Fuel	L3541F
119305-35150		PH2876	124550-35110	Oil	PH2808	YANMAR (WHEEL LOADER)		
<i>Lx4100 w/Yanmar 4TNV88 engine</i>			<i>YM195, YM195D</i>			V3-3		
	Fuel	FP590F	104500-55710	Fuel	L3541F		Air	LAF8195 ²
	Oil	PH2808	K-22001	Hydraulic	LFP1652		Fuel	L549F
<i>Lx4500 w/Yanmar 4TNV88 engine</i>			124450-35100	Oil	PH2808		Oil	PH2808
	Fuel	FP590F	<i>YM2001, YM2001D w/3T82 Engine</i>			V3-5, V4-5 w/3TNE84T eng.		
	Oil	PH2808	124756-12510	Air	LAF8630		Air	LAF8195 ²
<i>Lx4900 w/Yanmar 4TNV84T engine</i>			119810-55650	Fuel	L549F		Fuel	L549F
	Fuel	FP590F	124550-35110	Oil	PH2808		Oil	PH2808
	Oil	PH2808	<i>YM2020, YM2020D</i>			V4-6 w/Yanmar 4TNV88T Engine		
<i>YM122, YM135, YM135D, YM140, YM140D, YM140R, YM146, YM147, YM147D, YM155, YM155D, YM165D</i>			19446448310	Hydraulic	HP1	119808-12520	Air	LAF8195 ²
104500-55710	Fuel	L3541F	124450-35100	Oil	PH2808		Oil	PH2808
	Hydraulic	PH400 ²⁷⁵	<i>YM220, YM220D w/3T72HA Engine</i>			ZETOR (TRACTOR)		
		PH8A ¹⁴⁹⁶	124550-35110	Oil	PH2808	10520, 10540		
124450-35100	Oil	PH2808	<i>YM226, YM226D w/3T72HA Engine</i>			10011907	Air	LAF1720 ¹
<i>YM1301, YM1301D w/3T70 Engine</i>			124550-55700	Fuel	L4103F	10011906		LAF2052 ²
121450-12510	Air	LAF2745A ²	124550-35110	Oil	PH2808	68016093	Oil	LFP950
104500-55710	Fuel	L3541F	<i>YM240, YM240D</i>			<i>10541 Proxima Plus w/1305 Engine</i>		
124450-35110	Oil	PH2808	104500-55710	Fuel	L3541F	CF400	Air	LAF9100 ¹
<i>YM1401, YM1401D</i>			K-22001	Hydraulic	LFP1652	C16400		LAF9101 ²
12406612510	Air	LAF2745A ²	124450-35100	Oil	PH2808	68016093	Oil	LFP950
10450055710	Fuel	L3541F	<i>YM2500</i>			<i>10742 w/Z1305 Engine</i>		
12455035110	Oil	PH2808	121120-12900	Air	LAF1275 ²	C20500	Air	LAF2342 ²
<i>YM1500, YM1500D, YM1501, YM1501D</i>			124550-55700	Fuel	L4103F	CF500		LAF2343 ¹
104500-55701	Fuel	L3541F	119810-55650		L549F	<i>11050 Silver Series</i>		
12445035100	Oil	PH2808	194464-48310	Hydraulic	HP1	CF400	Air	LAF9100 ¹
<i>YM1510, YM1510D</i>			124550-35110	Oil	PH2808	C16400		LAF9101 ²
12406612510	Air	LAF2745A ²	<i>YM276, YM276D w/3T84HA Engine</i>			68016093	Oil	LFP950
10450055710	Fuel	L3541F	124550-55700	Fuel	L4103F	<i>12011, 12012</i>		
12445035100	Oil	PH2808	194464-48310	Hydraulic	HP1		Hydraulic	LHF4207
<i>YM3000, YM3000D w/3T84 Engine</i>			124550-35110	Oil	PH2808		Oil	PH2819
			<i>YM3000, YM3000D w/3T84 Engine</i>			<i>12045, 16045</i>		
			121120-12900	Air	LAF1275 ²		Fuel	L60F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 275-Primary 1482-3.5" x 1.4" 1483-3.5" x 2" 1496-Alternate

Off-Highway Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ZETOR (TRACTOR)			ZETOR (TRACTOR)					
<i>12045, 16045 (cont'd)</i>			<i>8520, 8540, 8620, 8640, 9620, 9640, 9520, 9540</i>					
	Trans	LFH4207 ¹¹	10011907	Air	LAF1720 ¹			
<i>16245</i>			10011906		LAF2052 ²			
	Air	LAF8668 ²	4061130	Oil	LFP950			
		LAF8674 ¹	<i>8701</i>					
	Oil	LFP2258	WGA462K	Air	LAF8603			
<i>3321, 3341</i>			<i>SPLIT OUT</i>					
72010793	Oil	FP20		Oil	PH4403			
<i>3340, 4340, 3320, 4320</i>								
WGA1091S	Air	LAF8803 ¹						
77010793	Oil	FP20						
<i>4321, 4341, 5321, 5341, 6321, 6341</i>								
	Air	LAF8587 ¹						
		LAF8802 ²						
72010793	Oil	FP20						
<i>5201, 5211, 5245, 6201</i>								
	Fuel	L60F						
<i>5320, 5340, 6320, 6340</i>								
79011285	Air	LAF8587 ¹						
79011284		LAF8802 ²						
WGA1091S		LAF8803 ¹						
72010793	Oil	FP20						
<i>5321, 5341, 6321, 6341</i>								
72010793	Oil	FP20						
<i>6421, 6441</i>								
79011285	Air	LAF8587 ¹						
79011284		LAF8802 ²						
931260	Fuel	L61F						
68016093	Oil	LFP950						
<i>7320, 7340</i>								
79011285	Air	LAF8587 ¹						
72010793	Oil	FP20						
<i>7321, 7341</i>								
72010793	Oil	FP20						
<i>7421, 7441</i>								
79011285	Air	LAF8587 ¹						
79011284		LAF8802 ²						
931260	Fuel	L61F						
68016093	Oil	LFP950						
<i>7520, 7540</i>								
10011907	Air	LAF1720 ¹						
10011906		LAF2052 ²						
Sec.	Fuel	L61F						
68106093	Oil	LFP950						
<i>7620, 7640</i>								
10011907	Air	LAF1720 ¹						
10011906		LAF2052 ²						
68016093	Oil	LFP950						
<i>8040 w Z1305 Engne</i>								
C20500	Air	LAF2342 ²						
CF500		LAF2343 ¹						
<i>8421, 8441</i>								
79011285	Air	LAF8587 ¹						
79011284		LAF8802 ²						
931260	Fuel	L61F						
68016093	Oil	LFP950						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.


1-Inner 2-Outer 11-Power Steering

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ACR EASE (LAWN MOWER & GARDEN TRACTOR)			AGCO (LAWN MOWER & GARDEN TRACTOR)			AGCO (LAWN MOWER & GARDEN TRACTOR)		
<i>C60K w/Kohler Command 18 hp V-Twin Engine</i>			<i>1823, 2023 w/Kohler Command 23 hp V-Twin Engine (cont'd)</i>			<i>ZT1638, ZT1644 w/Kohler Command 16 hp Engine</i>		
	Oil	PH2814				5205002	Oil	PH2835
<i>MR44K w/Kohler Command 18 hp V-Twin Engine</i>			1205001	Oil	PH2814 ¹⁸	<i>ZT1850 w/B&S 16 hp Engine</i>		
	Oil	PH2814	5205002		PH2835 ¹⁹	492932	Oil	PH3656
<i>MR55B w/B&S 22 hp V-Twin Engine</i>			<i>1825H w/Kohler Command 25 hp V-Twin Engine</i>			<i>ZT1850 w/B&S 18 hp Engine</i>		
	Oil	PH2840	4708303	Air	AF217 ⁵⁸⁹	394018	Air	LAF1918
<i>MR55K w/Kohler Command 20 hp V-Twin Engine</i>			2408303		LAF5802 ⁵⁸⁸	493629	Fuel	G6529
	Oil	PH2814	2405002	Fuel	G1/4	492932	Oil	PH3656
<i>MR55KE w/Kohler Command 20 hp V-Twin Engine</i>					G1/4P	AGCO ALLIS (LAWN MOWER & GARDEN TRACTOR)		
	Oil	PH2814	2405010		G115			
<i>Pro60K w/Kohler Command 18 hp V-Twin Engine</i>			5205002	Oil	PH2835	<i>1316H w/B&S 16 hp Engine</i>		
	Oil	PH2814	<i>1827H w/Kohler Command 27 hp V-Twin Engine</i>			<i>491056</i>		
AGCO (LAWN MOWER & GARDEN TRACTOR)			4708303	Air	AF217 ⁵⁸⁹		Oil	PH2835
			2408303		LAF5802 ⁵⁸⁸		492932	
<i>1606H w/Kohler Command 16 hp V-Twin Engine</i>			2405002	Fuel	G1/4	<i>1614H w/Kohler 14 hp Engine</i>		
5205002	Oil	PH2835			G1/4P	<i>5205002</i>		
<i>1616 w/B&S Vanguard 16 hp Engine</i>					G115	<i>1614VH w/B&S 14 hp Engine</i>		
394018	Air	LAF1918	2405010		PH2835	394018	Air	LAF1918
2505003	Fuel	G115	5205002	Oil	PH2835	491056	Oil	PH2835
492932	Oil	PH3656	<i>2027H w/Kohler Command 27 hp V-Twin Engine</i>			492932		PH3656
<i>1620 w/B&S 20 hp V-Twin Engine</i>			2405002	Fuel	G1/4	<i>1615G, 1615H w/B&S 15 hp Engine</i>		
	Air	LAF1918			G1/4P	394018	Air	LAF1918
	Fuel	G115	2405010		G115	491056	Oil	PH2835
	Oil	PH3656	5205002	Oil	PH2835	492932		PH3656
<i>1721 w/B&S 21 hp Engine</i>			<i>2027LC w/Kawasaki 27 hp Liquid Cooled V-Twin Engine</i>			<i>1615H w/Kohler 15 hp Engine</i>		
392642	Air	LAF1918		Fuel	G115	5205002	Oil	PH2835
2405002	Fuel	G1/4	49065-2078	Oil	PH2840	<i>1616H w/B&S 16 hp Engine</i>		
		G1/4P	<i>515 w/B&S 15 hp Engine</i>			394018	Air	LAF1918
		G115	492932	Oil	PH3656	491056	Oil	PH2835
2505003		PH2835	<i>516H w/Kohler Command 16 hp V-Twin Engine</i>			492932		PH3656
5205002	Oil	PH3656	5205004	Oil	PH2835	<i>1716G, 1716H w/B&S 16 hp Engine</i>		
492432		PH3656	<i>518H w/B&S Vanguard 18 hp V-Twin Engine</i>			394018	Air	LAF1918
<i>1722 w/B&S 22 hp Engine</i>			392642	Air	LAF1918	491056	Oil	PH2835
392642	Air	LAF1918	2505003	Fuel	G115	1719168	Trans	LFH5809 ⁵⁹⁰
2405002	Fuel	G1/4	492432	Oil	PH3656	<i>1717H w/Kawasaki 17 hp Engine</i>		
		G1/4P	<i>518H w/Kohler Command 18 hp V-Twin Engine</i>				Air	LAF8338
		G115	392642	Air	LAF1918		Fuel	G115
2505003		PH2835	2505003	Fuel	G115	49065-2062	Oil	PH2840
5205002	Oil	PH3656	492432	Oil	PH3656	<i>1718H w/B&S 18 hp Engine</i>		
492432		PH3656	<i>520 w/B&S ELS 20 hp Engine</i>			394018	Air	LAF1918
<i>1723H w/B&S Vanguard 23 hp V-Twin Engine</i>			492932	Oil	PH3656	491056	Oil	PH2835
392642	Air	LAF1918	<i>520H w/B&S Intek 20 hp V-Twin Engine</i>			1719168	Trans	LFH5809 ⁵⁹⁰
2405002	Fuel	G1/4	392642	Air	LAF1918	<i>1720H w/B&S 20 hp Engine</i>		
		G1/4P	2505003	Fuel	G115	4929322	Oil	PH3656
		G115	2505003	Fuel	G115	<i>1918, 1918H w/B&S 18 hp Engine</i>		
2505002	Oil	PH2835	492432	Oil	PH3656	394018	Air	LAF1918
492432		PH3656	<i>522H w/B&S Intek 22 hp V-Twin Engine</i>			71671234	Hydraulic	PH2814
<i>1820H w/Kohler Command 20 hp V-Twin Engine</i>			392642	Air	LAF1918	491056	Oil	PH2835 ¹⁹
2405002	Fuel	G1/4	2505003	Fuel	G115	492932		PH3656 ¹⁸
		G1/4P	492432	Oil	PH3656	71650594	Trans	PH253 ^{590, 1496}
1205001	Oil	PH2814	<i>524 w/B&S ELS 24 hp Engine</i>					PH2835 ^{275, 590}
<i>1823, 2023 w/Kohler Command 23 hp V-Twin Engine</i>			492932	Oil	PH3656	<i>1918, 1920, 1920H w/Kohler Engine</i>		
	Air	AF217	<i>524H w/B&S Intek 24 hp V-Twin Engine</i>			4708302	Air	AF213 ⁵⁹¹
4708303		AF217	392642	Air	LAF1918	4708303		AF217 ⁵⁸⁹
2405002	Fuel	G1/4	2505003	Fuel	G115	71671234	Hydraulic	PH2814
		G1/4P	492432	Oil	PH3656	1205001	Oil	PH2814
2505003		G115						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 18-Short 19-Long 275-Primary 588-7" x 2.92" 589-7" x 2.55" 590-Hydrostatic 591-6" O.D. 1496-Alternate



Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
AGCO ALLIS (LAWN MOWER & GARDEN TRACTOR)			ALLIS-CHALMERS (LAWN MOWER & GARDEN TRACTOR)			ALLIS-CHALMERS (LAWN MOWER & GARDEN TRACTOR)		
<i>1918, 1920, 1920H w/Kohler Engine (cont'd)</i>			<i>1920 w/Kohler Engine (cont'd)</i>			<i>AC130 w/B&S ELS 24 hp Engine</i>		
5205002	Oil	PH2835		Trans	PH2835 275, 590	695396	Oil	PH3656
71650594	Trans	PH253 590, 1496 PH2835 275, 590	<i>310 w/Kohler K241 10 hp Engine</i>			<i>Some models</i>		
<i>2020 w/Kohler 20 hp Engine</i>			<i>312 w/Kohler K301 12 hp Engine</i>			ALTOZ (LAWN & TURF EQUIPMENT)		
4708303	Air	AF217		Air	AF213	<i>XC S w/Kawasaki Engine</i>		
5205002	Oil	PH2835	71650594	Trans	PH253 590, 1496 PH2835 275, 590		Air	LAF8195 ² LAF8690 ¹
<i>2020LC w/Kawasaki Engine</i>			<i>312 w/Kohler K331 12.5 hp Engine</i>				Fuel	G6529
49065-2062	Oil	PH2840		Air	AF213		Oil	PH2840
71650594	Trans	PH253 590, 1496 PH2835 275, 590	71650594	Trans	PH253 590, 1496 PH2835 275, 590	<i>XC Z w/Kawasaki Engine</i>		
<i>2024D w/950D Engine</i>			<i>314</i>				Air	LAF8195 ² LAF8690 ¹
Don. P822686	Air	LAF8388 ²	71650594	Trans	PH253 590, 1496 PH2835 275, 590		Fuel	G6529
Daihatsu 5601-87703	Oil	PH2840					Oil	PH2840
<i>2025 w/Kohler Command 25 hp Engine</i>			<i>410 w/Kohler K241S 10 hp Engine</i>			<i>XP S w/Briggs & Stratton Commercial Engine</i>		
2408303	Air	LAF5802		Air	AF213		Fuel	G6529
2405002	Fuel	G1/4 G1/4P	<i>410M, 410S, 414S, 416H, 416S w/16 hp Engine</i>				Oil	PH3656
2405002	Oil	PH2814		Air	AF215	<i>XP Z w/B&S VanGuard Engine</i>		
71650594	Trans	PH253 590, 1496 PH2835 275, 590	<i>416 w/Kohler K341S 16 hp Engine</i>				Fuel	G6529
<i>413H w/Kohler 12.5 hp Engine</i>			Kohler 277138	Air	AF214		Oil	PH3656
5205002	Oil	PH2835		Fuel	G5/16 ²⁶³ G5/16CP ¹⁰⁹⁶	<i>XP Z w/Kawasaki Engine</i>		
ALLIS-CHALMERS (LAWN MOWER & GARDEN TRACTOR)			71650594	Oil	PH2835 590		Air	LAF8195 ² LAF8690 ¹
<i>1613G, 1613H w/B&S Engine</i>			71650594	Trans	PH253 590, 1496 PH2835 275, 590		Fuel	G6529
	Fuel	G454	<i>612G, 612H w/B&S Engine</i>				Oil	PH2840
<i>1814 w/B&S Engine</i>				Fuel	G454	ARIENS (LAWN MOWER & GARDEN TRACTOR)		
	Fuel	G454	<i>616 w/Onan Engine</i>			<i>1842 w/Kohler Courage 18 hp Engine</i>		
<i>1816 w/B&S Engine</i>			71650594	Trans	PH253 590, 1496 PH2835 275, 590	<i>2505022 Fuel G115</i>		
	Fuel	G454	<i>620</i>			<i>1205012 Oil PH2814</i>		
<i>1817H w/Kohler Engine</i>			Onan CCKB Engine	Trans	PH253 1496 PH2835 275	<i>1942 w/Kohler Courage 19 hp Engine</i>		
	Air	AF215	Onan CCKB Engine			<i>2505022 Fuel G115</i>		
	Fuel	G454	<i>620 w/Onan CCKB Engine</i>			<i>1205012 Oil PH2814</i>		
<i>1914 w/Kohler Engine</i>				Fuel	G1/4 G1/4P	<i>2046 w/Kohler Courage 20 hp Engine</i>		
	Air	AF216	71650594	Trans	PH253 590, 1496 PH2835 275, 590	<i>2505022 Fuel G115</i>		
71671234	Hydraulic	PH2814	<i>710 w/Kohler K241 10 hp Engine</i>			<i>1205012 Oil PH2814</i>		
71650954	Trans	PH253 590, 1496 PH2835 275, 590	Kohler 235116	Air	AF213	<i>2554 w/Kohler Courage 25 hp V-Twin Engine</i>		
<i>1916 w/Kohler Engine</i>			<i>716, 916, 919 w/16 hp Engine</i>			<i>1205012 Oil PH2814</i>		
	Air	AF216		Air	AF215	<i>9020 w/Onan Engine</i>		
71671234	Hydraulic	PH2814	<i>720 w/Onan CCKBMS Engine</i>			<i>Onan 122B-323 Oil PH400</i>		
71650954	Trans	PH253 590, 1496 PH2835 275, 590	Onan 122B-323	Oil	PH400	<i>AG18 w/Kohler Courage 18 hp Engine</i>		
<i>1918 w/Kohler Engine</i>			<i>723 w/Onan Engine</i>			<i>2505022 Fuel G115</i>		
	Air	AF215	Onan 122B-323	Oil	PH400	<i>1205001 Oil PH2814¹⁸</i>		
71671234	Hydraulic	PH2814	<i>916 w/Kohler Engine</i>			<i>5205022 PH2835¹⁹</i>		
	Oil	PH2835	71650594	Trans	PH253 590, 1496 PH2835 275, 590	<i>AG19 w/Kohler Courage 19 hp Engine</i>		
71650594	Trans	PH253 590, 1496 PH2835 275, 590	<i>920</i>			<i>2505022 Fuel G115</i>		
<i>1920 w/Kohler Engine</i>			71650954	Trans	PH253 590, 1496 PH2835 275, 590	<i>1205001 Oil PH2814¹⁸</i>		
	Air	AF215	<i>AC130 w/B&S ELS 23 hp Engine</i>			<i>5205022 PH2835¹⁹</i>		
71671234	Hydraulic	PH2814	695396	Oil	PH3656	<i>APH20 w/Kohler Courage 20 hp Engine</i>		
	Oil	PH2835	<i>920</i>			<i>2505022 Fuel G115</i>		
71650594	Trans	PH253 590, 1496	<i>AC130 w/B&S ELS 23 hp Engine</i>			<i>1205001 Oil PH2814¹⁸</i>		
<i>1920 w/Kohler Engine</i>			<i>920</i>			<i>5205022 PH2835¹⁹</i>		
	Air	AF215	<i>AC130 w/B&S ELS 23 hp Engine</i>			<i>EXR1540 w/Kohler 15 hp Engine</i>		
71671234	Hydraulic	PH2814	695396	Oil	PH3656		Oil	PH2835
	Oil	PH2835	<i>920</i>					
71650594	Trans	PH253 590, 1496	<i>AC130 w/B&S ELS 23 hp Engine</i>					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 18-Short 19-Long 263-Hoses and clamps included 275-Primary 590-Hydrostatic 1096-Clear Plastic 1496-Alternate


Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ARIENS (LAWN MOWER & GARDEN TRACTOR)			ARIENS (LAWN MOWER & GARDEN TRACTOR)			BAD BOY (LAWN MOWER & GARDEN TRACTOR)		
<i>GT18 w/Kohler K482 18 hp V-Twin</i>			<i>Zoom 34 w/B&S I/C Engine</i>			<i>Lightning Z Series w/Kohler 30 hp Engine (cont'd)</i>		
4508302	Air	AF215	492932	Oil	PH3656	5205002	Oil	PH2835
277233	Oil	PH400	<i>Zoom 42 XL w/Kawasaki 22 hp V Twin Engine</i>			Trans LFP2287 ²⁴²		
<i>GT20 w/Kohler Engine</i>			Oil PH2840			<i>Maverick (w/Kawasaki FS730 Engine)</i>		
4508302	Air	AF215	<i>Zoom 42, Zoom 50 w/Kohler Courage Engine</i>			49065-7007	Oil	PH3656
277233	Oil	PH400	2505022	Fuel	G115	<i>Maverick (w/Kohler Confidant Series Engine)</i>		
<i>HT16 w/Kohler Engine</i>			1205001	Oil	PH2814 ¹⁸		Fuel	G115
	Oil	PH2835	5205002		PH2835 ¹⁹	1205001	Oil	PH2814
<i>HT18</i>			<i>Zoom 48 XL w/Kawaski 24 hp V Twin Engine</i>			<i>MZ Magnum Series w/B&S ELS Engine</i>		
Kohler 4508302	Air	AF215		Oil	PH2840		Fuel	G6529
<i>Max Zoom 2552, 2560 w/Kohler Courage 25 hp Engine</i>			<i>Zoom 50 w/Kawasaki 22 hp V Twin Engine</i>				Oil	PH3656
				Oil	PH2840	<i>MZ Magnum Series w/Kawasaki FR Series Engine</i>		
21537000	Air	LAF8195 ²	<i>Zoom 54 XL w/Kawasaki 24 hp V Twin Engine</i>			49019-7005	Fuel	G6529
21536900		LAF8690 ¹		Oil	PH2840		Oil	PH3656
21397200	Oil	PH2814	BAD BOY (LAWN MOWER & GARDEN TRACTOR)			<i>MZ Series w/B&S Pro 27 hp Engine</i>		
<i>Max Zoom 48, Max Zoom 52 w/Kohler Courage Engine</i>			<i>CZT Series w/Kohler 27 hp Engine</i>				Fuel	G6529
	Fuel	G115		Air	LAF8195 ²	492932	Oil	PH3656
21397200	Oil	PH2814			LAF8690 ¹	<i>MZ Series w/Kawasaki 22, 26 hp Engine</i>		
<i>Max Zoom 60 w/Kohler Courage Pro Engine</i>			1205001	Oil	PH2814		Fuel	G6529
	Fuel	G115	5205002		PH2835		Oil	PH2840
21397200	Oil	PH2814		Trans	LFP2287 ²⁴²	<i>Outlaw (w/Briggs & Stratton 810cc EFI Engine)</i>		
<i>Pro Zoom w/Kawasaki FH 23 hp Engine</i>			<i>CZT w/B&S Engine</i>			110137044	Air	LAF8195 ²
	Fuel	G115		Fuel	G6529	110137045	Oil	PH3656
	Oil	PH2840	492932	Oil	PH3656	<i>Outlaw (w/Kawasaki FX691V Engine)</i>		
<i>Pro Zoom w/Kawasaki FX 27 hp Engine</i>			<i>Diesel Series w/Caterpillar Engine</i>			110137044	Air	LAF8195 ²
	Air	LAF5325 ²		Fuel	L296F ⁴¹	110137045		LAF8690 ¹
	Fuel	G115	1504140	Oil	LFP2253	490197005	Fuel	G6529
	Oil	PH2840	<i>ELITE ZT (w/Kawasaki FR730 Engine)</i>			49065-2080	Oil	PH2840
<i>S14 Hydro-Static w/Kohler K321S Engine</i>			490197005	Fuel	G6529	<i>Outlaw (w/Kawasaki FX730V Engine)</i>		
Kohler 235116	Air	AF213	490657007	Oil	PH3656	110137044	Air	LAF8195 ²
<i>S16 Hydro-Static w/Kohler Engine</i>			<i>ELITE ZT (w/Kohler Confidant Series Engine)</i>			110137045		LAF8690 ¹
	Trans	PH253 ¹⁴⁹⁶		Fuel	G115	490197005	Fuel	G6529
		PH2835 ²⁷⁵	1205001	Oil	PH2814	49065-2080	Oil	PH2840
		PH710 ⁵⁹⁰	<i>Lightning Z Series w/B&S 32 hp Vanguard Engine</i>			<i>Outlaw (w/Kohler Confidant Series Engine)</i>		
<i>Sierra 1648H w/B&S 16 hp Engine</i>				Air	LAF8195 ²	1205001	Fuel	G115
492932	Oil	PH3656			LAF8690 ¹	1205001	Oil	PH2814 ⁵⁹³
<i>YT1232HK, YT1238HK, YT1438HK w/Kohler Engine</i>				Fuel	G115	5205002		PH2835 ⁵⁹⁴
	Oil	PH2835	9Y4493	Oil	PH2835	<i>Outlaw Extreme (w/Briggs & Stratton Vanguard Engine)</i>		
<i>Zoom 2042 XL w/Kohler Courage 20 hp V-Twin Engine</i>			<i>Lightning Z Series w/Kawasaki 26 hp Engine</i>			110137044	Air	LAF8195 ²
2505022	Fuel	G115		Air	LAF8195 ²	110137045		LAF8690 ¹
1205001	Oil	PH2814 ¹⁸	490652078	Oil	PH2840	492932	Oil	PH3656
5205002		PH2835 ¹⁹		Trans	LFP2287 ²⁴²	<i>Outlaw Extreme (w/Kawaski FX850 Engine)</i>		
<i>Zoom 2350 w/Kohler Courage 23 hp V-Twin Engine</i>			<i>Lightning Z Series w/Kawasaki FX850V 31 hp Engine</i>			110137044	Air	LAF8195 ²
2505022	Fuel	G115	110137038	Air	LAF5325 ²	110137045		LAF8690 ¹
1205001	Oil	PH2814 ¹⁸			LAF8195 ²	490197005	Fuel	G6529
5205002		PH2835 ¹⁹	490652078	Oil	LAF8690 ¹	49065-2080	Oil	PH2840
<i>Zoom 2548 XL w/Kohler Courage 25 hp V-Twin Engine</i>				Trans	LFP2287 ²⁴²	<i>Outlaw Extreme (w/Kohler Command Pro EFI Engine)</i>		
2505022	Fuel	G115	<i>Lightning Z Series w/Kohler 30 hp Engine</i>			110137044	Air	LAF8195 ²
1205001	Oil	PH2814 ¹⁸		Air	LAF8195 ²	110137045		LAF8690 ¹
5205002		PH2835 ¹⁹	1205001	Oil	LAF8690 ¹	2405003S	Fuel	G6384
					PH2814	1205001	Oil	PH2814 ⁵⁹³
						5205002		PH2835 ⁵⁹⁴

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 18-Short 19-Long 41-Cartridge 242-10 Micron 275-Primary 590-Hydrostatic 593-2.65" Tall 594-3.11" tall 1496-Alternate



Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BAD BOY (LAWN MOWER & GARDEN TRACTOR)			BANDIT INDUSTRIES (CHIPPER & MULCHER)			BIGDOG (LAWN MOWER & GARDEN TRACTOR)		
<i>Outlaw Series w/B&S 30 hp Engine</i>			<i>1290 Drum Chipper w/Cummins 4B3.9 Engine</i>			<i>R754 Diablo w/Kawasaki FX691V 24 hp Engine</i>		
P821575	Air	LAF8195 ²	Pri.	Fuel	LFF3417 ^{595, 596}		Air	LAF8195 ²
P822858		LAF8690 ¹	Sec.		LFF3521			LAF8690 ¹
	Fuel	G115		Oil	LFP3900		Fuel	G115
492932	Oil	PH3656	<i>1290 Drum Chipper w/Perkins 4.236 Engine</i>			49065-2080	Oil	PH2840
<i>Outlaw Series w/B&S 36 hp Vanguard Engine</i>				Fuel	L296F ⁴¹	<i>R754 PowerBar w/Kawasaki FR691 24hp Engine</i>		
	Air	LAF8195 ²		Oil	LFP2292 ¹⁷		Fuel	G115
		LAF8690 ¹			PH4403 ⁵⁹⁷	49065-7007	Oil	PH3656
	Fuel	G115	<i>1690 Drum Chipper w/Cummins 4B3.9 Engine</i>			<i>R760 Diablo w/Kawasaki FX730V 26 hp Engine</i>		
9Y4493	Oil	PH2835	Pri.	Fuel	LFF3417 ^{595, 596}		Air	LAF8195 ²
<i>Outlaw Series w/Kawasaki 31 hp Engine</i>			Sec.		LFF3521			LAF8690 ¹
110137038	Air	LAF5325 ²		Oil	LFP3900		Fuel	G115
490652078	Oil	PH2840	<i>1690 Drum Chipper w/Perkins 4.236 Engine</i>			49065-2080	Oil	PH2840
<i>Outlaw Series w/Kohler EFI Engine</i>				Fuel	L296F ⁴¹	<i>R760 Power Bar w/Kawasaki FR730 26 hp Engine</i>		
	Air	LAF8195 ²		Oil	LFP2292 ¹⁷		Air	LAF8195 ²
		LAF8690 ¹			PH4403 ⁵⁹⁷			LAF8690 ¹
	Fuel	G6384	<i>65 XP Brush Bandit w/B&S Vanguard 35 hp V-Twin</i>				Fuel	G115
1205001	Oil	PH2814		Oil	PH3656	49065-2080	Oil	PH2840
5205002		PH2835	<i>65 XP Brush Bandit w/Kohler Command Pro 27 hp V-Twin</i>			<i>T36, T48, T54 w/Kawasaki FS series Engine</i>		
<i>Outlaw XP (w/Briggs & Stratton Vanguard Engine)</i>				Oil	PH3656	490197005	Fuel	G6529
110137044	Air	LAF8195 ²	<i>65 XP Brush Bandit w/Kohler Command Pro 38 hp V-Twin</i>			490657007	Oil	PH3656
110137045		LAF8690 ¹		Oil	PH3656	<i>X1060 Diablo w/Kawasaki FX850V 27hp Engine</i>		
492932	Oil	PH3656					Air	LAF8195 ²
063801400	Trans	LFP2287	<i>90 Bush Bandit w/Deutz F3L1011 Engine</i>					LAF8690 ¹
<i>Outlaw XP (w/Kawasaki FX850 Engine)</i>			Sec.	Fuel	FP586F		Fuel	G115
110137044	Air	LAF8195 ²		Oil	PH561	49065-2080	Oil	PH2840
110137045		LAF8690 ¹	BIGDOG (LAWN MOWER & GARDEN TRACTOR)			<i>X1072 Diablo w/Kawasaki FX1000DFI 37 hp Engine</i>		
490197005	Fuel	G6529	<i>A336 w/Kawasaki FR541V 15hp Engine</i>				Air	LAF8195 ²
49065-2080	Oil	PH2840	490197005	Fuel	G6529			LAF8690 ¹
063801400	Trans	LFP2287	490657007	Oil	PH3656		Fuel	G115
<i>Pup Series w/Kohler 30 hp Engine</i>			<i>A342 w/Kawasaki FR600 18 hp Engine</i>			49065-2080	Oil	PH2840
	Air	LAF8195 ²	490197005	Fuel	G6529	BOBCAT (LAWN MOWER & GARDEN TRACTOR)		
		LAF8690 ¹	490657007	Oil	PH3656	<i>CRZ (w/Kawasaki FR600V Engine)</i>		
1205001	Oil	PH2814	<i>A346 w/Kawasaki FR651V 22 hp Engine</i>			490657007	Oil	PH3656
5205002		PH2835	490197005	Fuel	G6529	<i>CRZ (w/Kawasaki FR651V Engine)</i>		
	Trans	LFP2287 ²⁴²	490657007	Oil	PH3656	490657007	Oil	PH3656
<i>ZT ELITE w/B&S ELS Engine</i>			<i>C142, C146, C154 w/B&S Engine</i>			<i>CRZ (w/Kawasaki FR691V Engine)</i>		
	Fuel	G6529		Fuel	G6529	490657007	Oil	PH3656
492932	Oil	PH3656		Oil	PH3656	<i>Fast Cat Pro w/Kawasaki 17 hp V-Twin Engine</i>		
<i>ZT ELITE w/Kawasaki FR Series Engine</i>			<i>C154 w/Kawasaki FR651V Engine</i>				Air	LAF8195 ²
	Fuel	G6529	490197005	Fuel	G6529		Fuel	G115
063540000	Oil	PH2835	490657007	Oil	PH3656		Oil	PH2840
<i>ZT ELITE w/Kohler 27 hp Engine</i>			<i>R748 PowerBar w/Kawasaki FR651V Engine</i>			<i>Fast Cat Pro w/Kawasaki 19 hp V-Twin Engine</i>		
	Fuel	G6529		Fuel	G115		Air	LAF8195 ²
063540000	Oil	PH2835	49065-7007	Oil	PH3656		Fuel	G115
<i>ZT Series w/B&S 27 hp Pro Series Engine</i>			<i>R748, R754, R760 w/B&S Engine</i>				Oil	PH2840
695666	Fuel	G6529		Fuel	G6529	<i>Fast Cat RZ w/B&S ELS 22 hp V-Twin Engine</i>		
492932	Oil	PH3656		Oil	PH3656		Air	LAF8195 ²
<i>ZT Series w/Kohler 27 hp Engine</i>			<i>R748, R754, R760 w/Kohler Courage Engine</i>				Fuel	G115
	Fuel	G115	2405022	Fuel	G115	<i>Fast Cat RZ w/B&S ELS 26 hp V-Twin Engine</i>		
1205001	Oil	PH2814	2505001	Oil	PH2814		Air	LAF8195 ²
5205002		PH2835					Fuel	G115

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 17-Long version 41-Cartridge 242-10 Micron 595-With drain 596-13/16"-18 Thread 597-Short version

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BOBCAT (LAWN MOWER & GARDEN TRACTOR)			BOBCAT (LAWN MOWER & GARDEN TRACTOR)			BOBCAT (LAWN MOWER & GARDEN TRACTOR)		
<i>Fast Cat RZ w/B&S ELS 26 hp V-Twin Engine (cont'd)</i>			<i>Predator Pro w/Generac 30 hp Engine</i>			<i>Pro Cat SE w/Kohler Command CV740 Engine (cont'd)</i>		
	Oil	PH2840		Air	LAF8195 ²		Oil	PH2835
<i>Fast Cat RZ w/B&S Profession Series 22-28 hp Engine</i>				Fuel	G115	<i>Pro Cat w/Kawasaki 19 hp V-Twin Engine</i>		
	Fuel	G115		Oil	PH2835 ²⁷¹		Air	LAF8195 ²
	Oil	PH3656		Oil	PH2840 ⁵⁹⁸		Oil	PH2840
<i>Fast Cat RZ w/Kawasaki FR651V Engine</i>			<i>Predator Pro w/Generac 33 hp Engine</i>			<i>Pro Cat w/Kawasaki 21 hp V-Twin Engine</i>		
	Fuel	G115		Air	LAF8195 ²		Air	LAF8195 ²
49065-7008	Oil	PH3656		Fuel	G115		Oil	PH2840
<i>Fast Cat RZ w/Kawasaki FR691V Engine</i>				Oil	PH2835 ²⁷¹	<i>Pro Cat w/Kawasaki 25 hp V-Twin Engine</i>		
	Fuel	G115	<i>Predator Pro w/Kawasaki 26 hp Liquid Cooled V-Twin Engine</i>				Air	LAF5325 ²
49065-7008	Oil	PH3656		Air	LAF8195 ²		Oil	PH2840
<i>Fast Cat w/B&S Intek 21 hp V-Twin Engine</i>				Fuel	G115	<i>Pro Cat w/Kawasaki FX651V Engine</i>		
	Fuel	G115		Oil	PH2835 ²⁷¹		Air	LAF8195 ²
	Oil	PH3656		Oil	PH2840 ⁵⁹⁸		Oil	PH2840
<i>Fast Cat w/B&S Vanguard 23 hp Engine</i>			<i>Predator Pro w/Kawasaki 37 hp V-Twin Engine</i>			<i>Pro Cat w/Kawasaki FX731V Engine</i>		
	Air	LAF8195 ²		Air	LAF8195 ²		Air	LAF8195 ²
	Fuel	G115		Fuel	G115	<i>Pro Cat w/Kawasaki FX801V 29 hp Engine</i>		
	Oil	PH3656		Oil	PH2835 ²⁷¹		Air	LAF5325 ²
<i>Fast Cat w/Kawasaki 17 hp V-Twin Engine</i>				Oil	PH2840 ⁵⁹⁸		Oil	PH2840
	Air	LAF8388 ^{2, 193}	<i>Predator Pro w/Kawasaki FX1000V Engine</i>			<i>Pro Cat w/Kohler Command Pro 27 hp V-Twin Engine</i>		
	Fuel	G115	110137038	Air	LAF5325 ²		Air	LAF8195 ²
	Oil	PH2840	110137044		LAF8195 ²		Fuel	G115
<i>Fast Cat w/Kawasaki 19 hp V-Twin Engine</i>			490652078	Oil	PH2840		Oil	PH2835
	Air	LAF8388 ^{2, 193}	<i>Predator Pro w/Kawasaki FX921V Engine</i>			<i>Pro Cat w/Kohler Command Pro Engine</i>		
	Fuel	G115	110137038	Air	LAF5325 ²		Air	LAF8195 ²
	Oil	PH2840	110137044		LAF8195 ²		Fuel	G115
<i>Fast Cat w/Kawasaki FH541V Engine</i>				Oil	PH2840		Oil	PH2835
	Air	LAF8388 ^{2, 193}	<i>Predator Pro w/Kohler Command CV750 Engine</i>			<i>XRZ (w/Kawasaki FR651V Engine)</i>		
	Fuel	G115	AF25551	Air	LAF8195 ²	490657007	Oil	PH3656
	Oil	PH2840	1205001	Oil	PH2814 ¹⁸	<i>XRZ (w/Kawasaki FR691V Engine)</i>		
<i>Fast Cat w/Kawasaki FH580V Engine</i>			5205002		PH2835 ¹⁹	490657007	Oil	PH3656
	Air	LAF8388 ^{2, 193}	<i>Pro Cat SE (w/Kawasaki FX730V Engine)</i>			<i>XRZ (w/Kawasaki FR730V Engine)</i>		
	Fuel	G115	110137038	Air	LAF5325 ²	490657007	Oil	PH3656
	Oil	PH2840	110137044		LAF8195 ²	BOLENS (LAWN MOWER & GARDEN TRACTOR)		
<i>Fast Cat w/Kawasaki FX541V Engine</i>			490652078	Oil	PH2840	<i>1000 w/Wisconsin 10 hp Engine</i>		
	Air	LAF8195 ²	<i>Pro Cat SE (w/Kawasaki FX801V Engine)</i>				Air	LAF225
	Fuel	G115	110137038	Air	LAF5325 ²	<i>1050 w/Wisconsin 10 hp Engine</i>		
	Oil	PH2840	110137044		LAF8195 ²		Air	LAF225
<i>Fast Cat w/Kawasaki FX600V Engine</i>				Oil	PH2840	<i>1050 w/Wisconsin 12 hp Engine</i>		
	Air	LAF8195 ²	<i>Pro Cat SE w/Kawasaki FX651V Engine</i>				Air	LAF225
	Fuel	G115	110137038	Air	LAF5325 ²	<i>1053 w/Wisconsin 10 hp Engine</i>		
	Oil	PH2840	110137044		LAF8195 ²		Air	LAF225
<i>Fast Cat w/Kawasaki FX651V Engine</i>				Oil	PH2840	<i>1053 w/Wisconsin TRA10D 10 hp Engine</i>		
	Air	LAF8195 ²	<i>Pro Cat SE w/Kawasaki FX691V Engine</i>				Air	LAF225
	Fuel	G115	110137038	Air	LAF5325 ²	<i>1054 w/Wisconsin 10 hp Engine</i>		
	Oil	PH2840	110137044		LAF8195 ²		Air	LAF225
<i>Fast Cat w/Kawasaki FX691V Engine</i>				Oil	PH2840	<i>1054 w/Wisconsin 12 hp Engine</i>		
	Air	LAF8195 ²	<i>Pro Cat SE w/Kohler Command CV680 Engine</i>				Air	LAF225
	Fuel	G115		Air	LAF8195 ²	<i>1055G10 w/Tecumseh HH100 10 hp Engine</i>		
	Oil	PH2840		Fuel	G115	Tecumseh 32008	Air	AF213
<i>Predator Pro LP (w/Generac GTV990 Engine)</i>				Oil	PH2835	<i>Pro Cat SE w/Kohler Command CV740 Engine</i>		
	Air	LAF8195 ²		Air	LAF8195 ²	<i>1055G10 w/Tecumseh HH100 10 hp Engine</i>		
	Oil	PH2835 ²⁷¹		Fuel	G115	<i>Tecumseh 32008</i>		
	Oil	PH2840 ⁵⁹⁸						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
2-Outer 18-Short 19-Long 193-External Mounted 271-3" O.D. 598-2.67" O.D.

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BOLENS (LAWN MOWER & GARDEN TRACTOR)			BOLENS (LAWN MOWER & GARDEN TRACTOR)			BOLENS (LAWN MOWER & GARDEN TRACTOR)		
<i>1058 w/B&S 11 hp Engine</i>			<i>16 (cont'd)</i>			<i>2389 w/Kohler K582S Engine (cont'd)</i>		
	Trans	PH710 ⁵⁹⁰	B&S 7 h.p.	Trans	PH2835 ²⁷⁵		Oil	PH400
<i>1220 w/Tecumseh HH140 14 hp Engine</i>			<i>1656 w/Tecumseh HH160 16 hp Engine</i>			<i>5017H w/Kohler KT17 Engine</i>		
Tecumseh 32008	Air	AF213	32008	Air	AF213	1726450	Trans	PH710 ⁵⁹⁰
<i>1225 w/Wisconsin S12D 12.5 hp Engine</i>			<i>1658 w/Tecumseh OH160 16 hp Engine</i>			<i>5117H w/Kohler 17 hp Engine</i>		
	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Trans	PH710 ⁵⁹⁰	1756522	Air	LAF2745A ²
				Air	AF213	1726450	Trans	PH710 ⁵⁹⁰
<i>1225 w/Wisconsin TRA12D 12 hp Engine</i>			<i>166 w/B&S 7 hp Engine</i>			<i>5118H w/Kohler 18 hp Engine</i>		
	Air	LAF189		Trans	PH710 ⁵⁹⁰	45-083-02	Air	AF215
	Trans	PH710 ⁵⁹⁰	<i>1660 w/Kohler K341AQS Engine</i>			1726450	Trans	PH710 ⁵⁹⁰
<i>1250 w/Wisconsin 12 hp Engine</i>			<i>1661 w/Tecumseh OH160 16 hp Engine</i>			<i>5120H w/Mitsubishi 20 hp Diesel Engine</i>		
Wisc. LO-175B	Air	LAF189		Trans	PH710 ⁵⁹⁰	45-083-02	Air	AF215
Wisc. LO-173B		LAF225		Air	AF213	1874139	Oil	PH2808
	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>1666 w/Kohler KT17 17 hp Twin</i>			1726450	Trans	PH710 ⁵⁹⁰
				Air	AF217	<i>850, 900 w/Wisconsin Engine</i>		
<i>1253, 1255 w/Tecumseh HH120 12 hp Engine</i>			<i>1666 w/Onan BFMS Engine</i>				Air	LAF225
	Air	AF213		Trans	PH710 ⁵⁹⁰		Trans	PH710 ⁵⁹⁰
<i>1254 w/Wisconsin 12 hp Engine</i>			<i>1668 w/B&S 16 hp Engine</i>			<i>G10, G14</i>		
Wisc. LO-175B	Air	LAF189	1726450	Trans	PH710 ⁵⁹⁰	Kohler 236840	Air	AF210
Wisc. LO-173B		LAF225				Tecumseh 32008		AF213
<i>1256 w/Wisconsin 12 hp Engine</i>			<i>1702 w/Iseki Diesel Engine</i>			<i>G152, G172</i>		
Wisc. LO-175B	Air	LAF189	1872002	Air	LAF2745A ²		Air	LAF2745A ²
Wisc. LO-173B		LAF225		Fuel	L3556F		Oil	PH2808
<i>1256 w/Wisconsin TRA12D 12 hp Engine</i>			1874139	Oil	PH2808	<i>G242</i>		
Wisc. LO-175B	Air	LAF189	<i>1704 w/Iseki Diesel Engine</i>				Oil	PH561
Wisc. LO-173B		LAF225	1872002	Air	LAF2745A ²	<i>GT16, QT16 w/Onan Engine</i>		
<i>1257 w/Tecumseh HH120 12 hp Engine</i>				Fuel	L3556F		Trans	PH710 ⁵⁹⁰
	Air	AF213	1874139	Oil	PH2808	<i>H16</i>		
<i>1258 w/Tecumseh OH120 12 hp Engine</i>			<i>180 w/Kohler K482S 18 hp Twin</i>			Kohler 236840	Air	AF210
	Air	AF213	Kohler 277138	Air	AF214	Tecumseh 32008		AF213
<i>1260 w/Tecumseh OH120 12 hp Engine</i>			Kohler 277233	Oil	PH400	<i>HT18 w/Kohler K482S 18 hp V-Twin Engine</i>		
	Air	AF213	<i>1858 w/Tecumseh OH180 18 hp Engine</i>			Kohler 277138	Air	AF214
<i>140</i>				Air	AF213		Trans	PH710 ⁵⁹⁰
Kohler 236840	Air	AF210		Trans	PH710 ⁵⁹⁰	<i>HT20 w/Kohler K532S 20 hp V-Twin Engine</i>		
<i>1453, 1456 w/Tecumseh HH140 14 hp Engine</i>			<i>1886 Husky w/Kohler 18 hp Engine</i>			Kohler 277138	Air	AF214
	Air	AF213	Kohler 277138	Air	AF214	Kohler 277233	Oil	PH400
<i>1455, 1476, 1477 w/Wisconsin S14D 14 hp Engine</i>			Kohler 277233	Oil	PH400	1719859	Trans	PH710 ⁵⁹⁰
Wisc. LO-175B	Air	LAF189		Trans	PH710 ⁵⁹⁰	BUNTON (LAWN MOWER & GARDEN TRACTOR)		
	Trans	PH710 ⁵⁹⁰	<i>1886SHT18 w/Kohler K82S Engine</i>			<i>BBMC20 Chain, BBMC25 Chain w/Kohler Command 20 hp V-Twin</i>		
<i>1458 w/Tecumseh OH140 Engine</i>				Air	AF214		Air	AF215
	Trans	PH710 ⁵⁹⁰	277233	Oil	PH400	<i>1205001</i>		
<i>1461 w/Tecumseh OH140 14 hp Engine</i>			<i>194 w/Wisconsin 12 hp Engine</i>				Oil	PH2814
	Air	AF213		Trans	PH710 ⁵⁹⁰	<i>BBMC20 Chain, BBMC25 Chain w/Kohler Command 25 hp V-Twin</i>		
<i>1467 w/B&S 17 hp Engine</i>			<i>197 w/Wisconsin 12.5 hp Engine</i>				Air	AF215
394018	Air	LAF1918		Trans	PH710 ⁵⁹⁰	1205001	Oil	PH2814
<i>1502 w/Mitsubishi 15 hp Diesel</i>			<i>198 w/Wisconsin 14 hp Engine</i>			<i>BBMH20 Hydraulic, BBMH25 Hydraulic w/Kohler Command 20 hp V-Twin</i>		
1872002	Air	LAF2745A ²		Trans	PH710 ⁵⁹⁰		Air	AF215
1874139	Oil	PH2808	<i>2086, 2087 w/Kohler K532S 20 hp Engine</i>			1205001	Oil	PH2814
<i>1502H w/Mitsubishi 15 hp Diesel</i>			Kohler 277138	Air	AF214	<i>BBMH20 Hydraulic, BBMH25 Hydraulic w/Kohler Command 20 hp V-Twin</i>		
1872002	Air	LAF2745A ²	Kohler 277233	Oil	PH400		Air	AF215
1874139	Oil	PH2808		Trans	PH710 ⁵⁹⁰	1205001	Oil	PH2814
<i>1556</i>			<i>2389 w/Kohler K532S Engine</i>			<i>BBMH20 Hydraulic, BBMH25 Hydraulic w/Kohler Command 25 hp V-Twin Engine</i>		
	Air	AF213		Air	AF217		Air	AF215
	Trans	PH710 ⁵⁹⁰		Oil	PH400	1205001	Oil	PH2814
<i>16</i>			<i>2389 w/Kohler K582S Engine</i>					
B&S 7 h.p.	Trans	PH253 ¹⁴⁹⁶		Air	AF217			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
2-Outer 275-Primary 590-Hydrostatic 1496-Alternate

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BUNTON (LAWN MOWER & GARDEN TRACTOR)			BUNTON (LAWN MOWER & GARDEN TRACTOR)			BUSH HOG (LAWN MOWER & GARDEN TRACTOR)		
<i>BG36 w/Kawasaki 14 hp Engine</i>			<i>Missile w/Generac 26 hp Engine</i>			<i>CZ2349, CZ2355 w/Kohler CV23S 23 hp Engine</i>		
	Oil	PH2840		Air	LAF8195 ²	2508301	Air	LAF8195 ²
<i>BG36 w/Kawasaki 15 hp Engine</i>					LAF8690 ¹	2508304		LAF8690 ¹
	Oil	PH2840	70185	Oil	PH2840	2405010	Fuel	G115
<i>BG48 w/Kawasaki 14 hp Engine</i>			<i>Missile w/Generac 33 hp Engine</i>			1205001	Oil	PH2814
	Oil	PH2840		Air	LAF8195 ²	<i>CZ2555 w/Kawasaki 25 hp V-Twin Engine</i>		
<i>BG48 w/Kawasaki 15 hp Engine</i>					LAF8690 ¹		Air	LAF8195 ²
	Oil	PH2840	70185	Oil	PH2840			LAF8690 ¹
<i>BG52 w/Kawasaki 14 hp Engine</i>			<i>Missile w/Kawasaki 26 hp Engine</i>				Fuel	G6529
	Oil	PH2840		Oil	PH2840		Oil	PH2840
<i>BG52 w/Kawasaki 15 hp Engine</i>			<i>Missile w/Kawasaki FX1000V 37 hp Engine</i>			<i>CZ2555 w/Kawasaki FH721 31 hp Engine</i>		
	Oil	PH2840		Air	LAF5325 ²	110137020	Air	LAF8195 ²
<i>BG52 w/Kohler Command 14 hp Engine</i>			70185	Oil	PH2840	110137019		LAF8690 ¹
	Oil	PH2814	<i>Models with Tecumseh eng.</i>			490197001	Fuel	G6529
<i>BHT36, BHT48, BHT52, BHT61 w/B&S Vanguard 16 hp Engine</i>			Tecumseh 32008	Air	AF213	490652078	Oil	PH2840
Early Model	Air	LAF1918	<i>Rocket w/B&S Intek 21 hp V-Twin Engine</i>			<i>CZ2561 w/Kawasaki 25 hp V-Twin Engine</i>		
	Oil	PH2835	492932	Oil	PH3656		Air	LAF8195 ²
Zinga BE10-18	Trans	LFH5809	<i>Rocket w/Kawasaki KAI 17 hp V-Twin Engine</i>					LAF8690 ¹
<i>BHT36, BHT48, BHT52, BHT61 w/Kawasaki 14 hp Engine</i>			38666	Fuel	G6529		Fuel	G6529
	Oil	PH2840	2722214	Oil	PH2840		Oil	PH2840
Zinga BE10-18	Trans	LFH5809	<i>Rocket w/Kawasaki KAI 19 hp V-Twin Engine</i>			<i>CZ2561 w/Kawasaki FH721 31 hp Engine</i>		
<i>BHT36, BHT48, BHT52, BHT61 w/Kohler Command 14 hp Engine</i>			38666	Fuel	G6529	110137020	Air	LAF8195 ²
Zinga BE10-18	Trans	LFH5809	2722214	Oil	PH2840	110137019		LAF8690 ¹
<i>Bullet w/Kawasaki KAI 15 hp Engine</i>			<i>Torpedo Estate Series w/B&S 20 hp Engine</i>			490197001	Fuel	G6529
490652078	Oil	PH2840	841023	Oil	PH3656	490652078	Oil	PH2840
<i>BZT Liquid-Cooled w/Daihatsu DM950D Engine</i>			<i>Torpedo w/Kawasaki 19 hp V-Twin Engine</i>			<i>CZ2561 w/Kohler Command Pro 25 hp Engine</i>		
820263	Air	LAF8388 ²	38666	Fuel	G6529	2508301	Air	LAF8195 ²
15601-87703	Oil	PH2840	2722214	Oil	PH2840	2508304		LAF8690 ¹
<i>BZT Liquid-Cooled w/Daihatsu DM950G Engine</i>			2720396	Trans	LFH5809 ⁵⁹⁰	2405010	Fuel	G115
820263	Air	LAF8388 ²	<i>Torpedo w/Kawasaki 21 hp V-Twin Engine</i>			1205001	Oil	PH2814
15601-87703	Oil	PH2840	38666	Fuel	G6529	<i>EC2561 w/Kohler 25 hp Engine</i>		
<i>BZT Zero Turn w/Kohler 20 hp Engine</i>			2722214	Oil	PH2840	2508301	Air	LAF8195 ²
4708303	Air	AF217	2720396	Trans	LFH5809 ⁵⁹⁰	2508304		LAF8690 ¹
2405002	Fuel	G1/4 G1/4P	<i>Torpedo w/Kawasaki 25 hp V-Twin Engine</i>			2405010	Fuel	G115
			38666	Fuel	G6529	1205001	Oil	PH2814
1205001	Oil	PH2814	2722214	Oil	PH2840	<i>EC2655, EC2661 w/Kawasaki FX730V 26 hp Engine</i>		
5205002	Oil	PH2835	2720396	Trans	LFH5809 ⁵⁹⁰		Air	LAF8195 ²
<i>BZT Zero Turn w/Kohler 22 hp Engine</i>			<i>Torpedo w/Kohler Command Pro 27 hp V-Twin Engine</i>				Fuel	G6529
4708303	Air	AF217		Air	LAF8160 ²		Oil	PH2840
2405002	Fuel	G1/4 G1/4P			LAF8195 ²	<i>ES1744 w/B&S Intek 17.5 hp Engine</i>		
				Oil	PH2814	695666	Fuel	G6529
1205001	Oil	PH2814	BUSH HOG (LAWN MOWER & GARDEN TRACTOR)			696854	Oil	PH3656
5205002	Oil	PH2835	<i>CZ2149 w/Kawasaki 21 hp V-Twin Engine</i>			<i>ES1844 w/B&S Vanguard 18 hp V-Twin Engine</i>		
<i>BZT Zero Turn w/Kohler 25 hp Engine</i>				Air	LAF8195 ²	696854	Oil	PH3656
4708303	Air	AF217			LAF8690 ¹	<i>ES1852 w/B&S Vanguard 18 hp V-Twin Engine</i>		
2405002	Fuel	G1/4 G1/4P		Fuel	G6529	696854	Oil	PH3656
				Oil	PH2840	<i>ES2044 w/B&S Engine</i>		
1205001	Oil	PH2814	<i>CZ2149 w/Kawasaki FH641V 23 hp Engine</i>			696854	Oil	PH3656
5205002	Oil	PH2835	110137020	Air	LAF8195 ²	<i>ES2044 w/Kohler Courage SV710S 20 hp Engine</i>		
<i>BZT1250 w/Kohler 25 hp Engine</i>			110137019		LAF8690 ¹	2505022	Fuel	G115
1205001	Oil	PH2814	490197001	Fuel	G6529	1205001	Oil	PH2814
5205002	Oil	PH2835	490652078	Oil	PH2840	<i>ES2052 w/B&S Vanguard 20 hp V-Twin Engine</i>		
						696854	Oil	PH3656
						<i>ES2052 w/Honda GXV620 20 hp Engine</i>		
						15400-PR3-004	Oil	PH2808

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 590-Hydrostatic



Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BUSH HOG (LAWN MOWER & GARDEN TRACTOR)			BUSH HOG (LAWN MOWER & GARDEN TRACTOR)			BUSH HOG (LAWN MOWER & GARDEN TRACTOR)		
<i>ES2052 w/Honda GXV620K1 20 hp Engine</i>			<i>M2254, M2260, M2354, M2360, M2554, M2560, M2672, M2673 w/Kohler Engine (cont'd)</i>			<i>PZ2755 w/Kohler Command Pro CV740S 27 hp V-Twin Engine (cont'd)</i>		
15400-PFB-004	Oil	PH2876	2405002	Fuel	G1/4 G1/4P G6384	2508304	Air	LAF8690 ¹
<i>ES2052 w/Kohler Courage SV710S 20 hp V-Twin Engine</i>			0450905002			2405010	Fuel	G115
4508302	Air	AF215	1205001	Oil	PH2814 ¹⁸ PH2835 ¹⁹	1205001	Oil	PH2814
2405010	Fuel	G115	5205002			<i>PZ2861 w/Kohler Command Pro 28 hp V-Twin Engine</i>		
1205001	Oil	PH2814 ¹⁸	<i>M2355A, M2561, M2661, M2673, M2761 w/Kohler Engine</i>				Air	LAF8195 ² LAF8690 ¹
5205002		PH2835 ¹⁹	<i>(AF25551); Opt.</i>				Fuel	G6384
<i>ES2244, ES2252 w/B&S ELS 22 hp Engine</i>			2405002	Fuel	G1/4 G1/4P		Oil	PH2814
695666	Fuel	G6529	<i>P5225 w/Briggs & Stratton Commercial Series Engine</i>			<i>PZ2861 w/Kohler CV745S EFI 28 hp Engine</i>		
696854	Oil	PH3656				2508304	Air	LAF8195 ²
<i>ES2352 w/Kohler SV820 Courage Pro 23 hp V-Twin Engine</i>			1205001	Oil	PH2814 ¹⁸ PH2835 ¹⁹	2508301		LAF8690 ¹
2405010	Fuel	G115	<i>M2555K, M2561K w/Kawasaki Engine</i>			2405003	Fuel	G6384
2505034	Oil	PH2835	49065-2080	Oil	PH2840	1205001	Oil	PH2814
<i>ES2452 w/Kawasaki 24 hp Engine</i>			<i>P5525 w/Briggs & Stratton Commercial Series Engine</i>			<i>PZ2873 w/Kohler Command Pro 27 hp V-Twin Engine</i>		
	Air	LAF8195 ²		Oil	PH3656		Air	LAF8195 ² LAF8690 ¹
	Fuel	G6529	<i>P6124 w/Kawasaki w/FS730V Engine</i>				Fuel	G6384
	Oil	PH2840	49067-7007	Oil	PH3656		Oil	PH2814
<i>HD-12</i>			<i>P6126 w/Kohler KT745 Engine</i>			<i>PZ2873 w/Kohler CV745S EFI 28 hp Engine</i>		
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	1205002	Oil	PH2814 ⁵⁹³ PH2835 ⁵⁹⁴	2508304	Air	LAF8195 ²
<i>HS1642 w/Honda GXV530 16 hp Engine</i>			52 050 02			2508301		LAF8690 ¹
15400-PFB-004	Oil	PH2876	<i>P6127 w/Briggs & Stratton Commercial Series Engine</i>			2405003	Fuel	G6384
<i>HS1736 w/B&S Intek 17.5 hp Engine</i>				Oil	PH3656	1205001	Oil	PH2814
695666	Fuel	G6529	<i>PZ2555 w/Kawasaki 25 hp V-Twin Engine</i>			<i>PZ3061, PZ3073 w/Kohler Command Pro VC750S 30 hp Engine</i>		
696854	Oil	PH3656				2508301	Air	LAF8195 ²
<i>HS1736 w/B&S Intek 18.0 hp Engine</i>				Air	LAF8195 ² LAF8690 ¹	2508304		LAF8690 ¹
695666	Fuel	G6529		Fuel	G6529	2405010	Fuel	G115
696854	Oil	PH3656		Oil	PH2840	1205001	Oil	PH2814
<i>HS1736 w/B&S Intek 18.0 hp Engine</i>			<i>PZ2555 w/Kawasaki FH721 27 hp Engine</i>			<i>PZ6127 (w/Kawasaki FX850V Engine)</i>		
695666	Fuel	G6529	110137020	Air	LAF8195 ² LAF8690 ¹	110137020	Air	LAF8195 ²
696854	Oil	PH3656	110137019			110137019	Fuel	G115
<i>HS1742 w/B&S Intek 17.5 hp Engine</i>			490197001	Fuel	G6529	1205001	Oil	PH2814
695666	Fuel	G6529	490652078	Oil	PH2840	<i>PZ6127 (w/Kohler CV752 Engine)</i>		
696854	Oil	PH3656	<i>PZ2561 w/Kawasaki 25 hp V-Twin Engine</i>			110137020	Air	LAF8195 ²
<i>HS1742 w/B&S Intek 18.0 hp Engine</i>				Air	LAF8195 ² LAF8690 ¹	110137019		LAF8690 ¹
695666	Fuel	G6529		Fuel	G6529	2505008	Fuel	G115
696854	Oil	PH3656		Oil	PH2840	1205001	Oil	PH2814
<i>HS1836 w/B&S Intek 17.5 hp Engine</i>			<i>PZ2561 w/Kawasaki FH721 27 hp Engine</i>			<i>PZ7326 (w/Briggs & Stratton Vanguard Engine)</i>		
695666	Fuel	G6529	110137020	Air	LAF8195 ² LAF8690 ¹	110137020	Air	LAF8195 ²
696854	Oil	PH3656	110137019			110137019		LAF8690 ¹
<i>HS1836 w/B&S Intek 18.0 hp Engine</i>			490197001	Fuel	G6529	2505008	Fuel	G115
695666	Fuel	G6529	490652078	Oil	PH2840	1205001	Oil	PH2814
696854	Oil	PH3656	<i>PZ2661 w/Kawasaki 26 hp Engine</i>			<i>PZ7327 (w/Kawasaki FX850V Engine)</i>		
<i>HS1842 w/B&S Intek 17.5 hp Engine</i>				Oil	PH2840	110137020	Air	LAF8195 ²
695666	Fuel	G6529				110137019		LAF8690 ¹
696854	Oil	PH3656		Air	LAF8195 ²	2505008	Fuel	G115
<i>HS1842 w/B&S Intek 18.0 hp Engine</i>			<i>PZ2755 w/Kohler Command Pro CV740S 27 hp V-Twin Engine</i>			<i>PZ7327 (w/Kohler CV752 Engine)</i>		
695666	Fuel	G6529	2508301	Air	LAF8195 ²	110137020	Air	LAF8195 ²
696854	Oil	PH3656				110137019		LAF8690 ¹
<i>HS1842 w/B&S Intek 18.0 hp Engine</i>						<i>PZ7327 (w/Kohler CV752 Engine)</i>		
695666	Fuel	G6529				110137020	Air	LAF8195 ²
696854	Oil	PH3656				110137019		LAF8690 ¹
<i>HS2042 w/Kohler Courage SV710 20 hp V-Twin Engine</i>						2505008	Fuel	G115
2505022	Fuel	G115				1205001	Oil	PH2814
1205001	Oil	PH2814				<i>PZ7327 (w/Kohler CV752 Engine)</i>		
<i>M2254, M2260, M2354, M2360, M2554, M2560, M2672, M2673 w/Kohler Engine</i>			<i>PZ2755 w/Kohler Command Pro CV740S 27 hp V-Twin Engine</i>			<i>PZ7327 (w/Kohler CV752 Engine)</i>		
Opt.	Air	LAF8195 ²	2508301	Air	LAF8195 ²	110137020	Air	LAF8195 ²
						110137019		LAF8690 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 18-Short 19-Long 275-Primary 593-2.65" Tall 594-3.11" tall 1496-Alternate

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BUSH HOG (LAWN MOWER & GARDEN TRACTOR)			CASE (LAWN MOWER & GARDEN TRACTOR)			COUNTRY CLIPPER (LAWN MOWER & GARDEN TRACTOR)		
<i>PZ7327 (w/Kohler CV752 Engine) (cont'd)</i>			<i>2510 Colt</i>			<i>JAZee Boss w/Kohler Command Pro 27 hp Engine</i>		
2505008	Fuel	G115	A-70090	Air	AF213		Air	LAF8195 ²
1205001	Oil	PH2814	<i>442 w/Kohler 12 hp Engine</i>			1205001	Oil	PH2814 ¹⁸
<i>TC180 w/B&S 18 hp Engine</i>			A-70090	Air	AF213	5205002		PH2835 ¹⁹
	Oil	PH2835	<i>444 w/Kohler 14 hp Engine</i>			<i>JAZee Boss w/Kohler Command Pro EFI 28 hp Engine</i>		
<i>TC200 w/Kawasaki 20 hp Engine</i>			A-70090	Air	AF213		Air	LAF8195 ²
Zinga BE10-18	Hydraulic	LFH5809		Trans	PH253 ¹⁴⁹⁶		Oil	PH2814 ¹⁸
	Oil	PH2840			PH2835 ²⁷⁵	1205001		PH2835 ¹⁹
Zinga BE10-18	Trans	LFH5809			PH710 ⁵⁹⁰	5205002		
<i>TC220 w/Kohler 22 hp Engine</i>			<i>448 w/Onan 18 hp Engine</i>			<i>JAZee Charger w/Kawasaki V-Twin Engine</i>		
Kohler 1205001	Oil	PH2814		Oil	PH400		Air	LAF8195 ^{2, 600}
Zinga BE10-18	Trans	LFH5809	<i>644 w/Kohler K321A 14 hp</i>				Oil	LAF8388 ^{2, 601}
<i>ZT18, ZT22, ZT25 w/Kohler Engine</i>			A-70090	Air	AF213		Oil	PH2840
1205001	Oil	PH2814	<i>646 w/Onan CCKA-MS Engine</i>			<i>JAZee Charger w/Kohler Command Pro Engine</i>		
Zinga BE10-18	Trans	LFH5809	A-70090	Air	AF213		Air	LAF8195 ^{2, 600}
<i>ZT180, ZT230, ZT250 w/Kohler 18 hp Engine</i>			CONVERTIBLE MOWER (LAWN MOWER & GARDEN TRACTOR)				Oil	LAF8388 ^{2, 601}
4708303	Air	AF217	<i>LP17KAW w/Kawasaki 17 hp V-Twin Engine</i>			1205001	Oil	PH2814 ¹⁸
2405010	Fuel	G115		Oil	PH2840	5205002		PH2835 ¹⁹
1205001	Oil	PH2814 ¹⁸	<i>LP17KOH w/Kohler Command 17 hp V-Twin Engine</i>			<i>JAZee ONE w/B&S ELS 18.5 hp Engine</i>		
5205002		PH2835 ¹⁹		Oil	PH2814	492932	Oil	PH3656
<i>ZT180, ZT230, ZT250 w/Kohler 23 hp Engine</i>			<i>LP19KAW w/Kawasaki 19 hp V-Twin Engine</i>			<i>JAZee ONE w/B&S ELS 20 hp Engine</i>		
4708303	Air	AF217		Oil	PH2814	492932	Oil	PH3656
2405010	Fuel	G115	<i>LP20KOH w/Kohler Command 20 hp V-Twin Engine</i>			<i>JAZee PRO w/B&S Vanguard 23 hp V-Twin Engine</i>		
1205001	Oil	PH2814 ¹⁸		Oil	PH2840	492932	Oil	PH3656
5205002		PH2835 ¹⁹	<i>LP22KOH w/Kohler Command 22 hp V-Twin Engine</i>			<i>JAZee PRO w/Kawasaki 21 hp V-Twin Engine</i>		
<i>ZT180, ZT230, ZT250 w/Kohler 25 hp Engine</i>				Oil	PH2814	490652078	Oil	PH2840
4708303	Air	AF217	<i>LP25KAW w/Kawasaki 25 hp V-Twin Engine</i>			<i>JAZee PRO w/Kohler Command 23 hp V-Twin Engine</i>		
2405010	Fuel	G115		Oil	PH2840	1205001	Oil	PH2814
1205001	Oil	PH2814 ¹⁸	<i>LP25KOH w/Kohler Command 25 hp V-Twin Engine</i>			<i>JAZee PRO w/Kohler Courage Pro 23 hp Engine</i>		
5205002		PH2835 ¹⁹		Oil	PH2814		Air	LAF8195 ²
<i>ZT1800 w/Kohler 18 hp Engine</i>			<i>LP28KOH w/Kohler Command 28 hp V-Twin Engine</i>			1205001	Oil	PH2814 ¹⁸
	Oil	PH2835		Oil	PH2814	5205002		PH2835 ¹⁹
<i>ZT30D w/Lister Petter Engine</i>			<i>LP29KA w/Kawasaki FX801V 29 hp Engine</i>			<i>JAZee Pro w/Kohler Courage Pro 27 hp V-Twin Engine</i>		
P182050	Air	LAF1275 ²		Air	LAF5325 ²		Air	LAF8195 ²
CASE (LAWN MOWER & GARDEN TRACTOR)			COUNTRY CLIPPER (LAWN MOWER & GARDEN TRACTOR)			1205001	Oil	PH2814 ¹⁸
<i>107, 117 w/Tecumseh 7 hp Engine</i>			<i>LP30KOH w/Kohler Command 30 hp V-Twin Engine</i>			5205002		PH2835 ¹⁹
	Trans	PH253 ¹⁴⁹⁶		Oil	PH2814	<i>JAZee w/B&S ELS 18.5 hp Engine</i>		
		PH2835 ²⁷⁵	<i>LP30KAW w/Kohler Command 30 hp V-Twin Engine</i>			492932	Oil	PH3656
		PH710 ⁵⁹⁰		Oil	PH2840	<i>JAZee w/B&S ELS 20 hp Engine</i>		
<i>120, 150, 155 w/Kohler 10 hp Engine</i>			<i>LP30KOH w/Kohler Command 30 hp V-Twin Engine</i>			492932	Oil	PH3656
A-70090	Air	AF213		Oil	PH2814	<i>JAZee w/B&S ELS 22 hp V-Twin Engine</i>		
<i>190, 195 w/Kohler 12 hp Engine</i>			COUNTRY CLIPPER (LAWN MOWER & GARDEN TRACTOR)			492932	Oil	PH3656
A-70090	Air	AF213	<i>JAZee Boss w/Kawasaki 31 & 37 hp Engine</i>			<i>JAZee w/B&S ELS 25 hp Engine</i>		
<i>210 w/Kohler K241A 10 hp</i>			JAZee Boss w/Kawasaki 31 & 37 hp Engine	Air	LAF5325 ²	492932	Oil	PH3656
A-70090	Air	AF213	AF26168	Fuel	G115	<i>JAZee w/Kohler Courage Engine</i>		
<i>220 w/Kohler 10 hp Engine</i>				Oil	PH2840	1205001	Oil	PH2814
A-70090	Air	AF213	<i>JAZee Boss w/Kawaski 25 & 26 hp Engine</i>			<i>Wrangler w/Kohler 18 hp Engine</i>		
	Trans	PH253 ¹⁴⁹⁶		Air	LAF8195 ²		Oil	PH2835
		PH2835 ²⁷⁵		Fuel	G6529	CRAFTSMAN (LAWN MOWER & GARDEN TRACTOR)		
		PH710 ⁵⁹⁰		Oil	PH2840	<i>DGS 6500 w/B&S ELS V-Twin 26 hp Engine</i>		
<i>222 w/Kohler 12 hp Engine</i>			JAZee Boss w/Kawaski 25 & 26 hp Engine	Air	LAF8195 ²	841023	Oil	PH3656
A-70090	Air	AF213		Fuel	G6529			
<i>224 w/Kohler K321A 14 hp</i>				Oil	PH2840			
A-70090	Air	AF213						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 18-Short 19-Long 275-Primary 590-Hydrostatic 600-10.8" Tall 601-7.3" Tall 1496-Alternate



Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CRAFTSMAN (LAWN MOWER & GARDEN TRACTOR)			CRAFTSMAN (LAWN MOWER & GARDEN TRACTOR)			CUB CADET (LAWN MOWER & GARDEN TRACTOR)		
<i>DGS6500, GS6500, w/Kohler Courage Pro 26 hp Engine</i>			<i>YS4000 w/B&S Intek 21 hp Engine</i>			<i>100 w/Kohler K301 12 hp</i>		
			696854	Oil	PH3656	IH385163-R1	Air	AF210 ⁶⁰²
2408303	Air	LAF5802	<i>YS4500 w/B&S Intek Engine</i>			IH 385168-R1		AF213 ⁵⁹¹
2405002	Fuel	G1/4	493629	Fuel	G6529	<i>1000, 1200 w/Kohler K241A Engine</i>		
		G1/4P	492932	Oil	PH3656		Trans	PH253 ¹⁴⁹⁶
5205002	Oil	PH2835	<i>YS4500 w/Kohler Courage Pro 20, 21 hp Engine</i>					PH2835 ²⁷⁵
<i>DLS3500 w/B&S Intek Plus 20 hp Engine</i>			5205002	Oil	PH2835	7233014		PH710 ⁵⁹⁰
696854	Oil	PH3656	<i>YS4500 w/Kohler Courage Pro 26 hp Engine</i>			<i>104 w/Kohler K161 7 hp</i>		
<i>DYS 4500 w/B&S Intek V-Twin 22 hp Engine</i>			2405002	Fuel	G1/4	IH385163-R1	Air	AF210 ⁶⁰²
841023	Oil	PH3656			G1/4P	IH 385168-R1		AF213 ⁵⁹¹
<i>DYS4500 w/Kohler Pro V-Twin 25 hp Engine</i>			5205002	Oil	PH2835	<i>104 w/Kohler K301 12 hp</i>		
		PH2814	<i>YS5500 w/B&S Intek 24 hp Engine</i>			IH385163-R1	Air	AF210 ⁶⁰²
<i>Excellerator, Excellerator GT GT5000 w/Kohler Courage 26 hp Engine</i>			493629	Fuel	G6529	IH 385168-R1		AF213 ⁵⁹¹
			492932	Oil	PH3656	<i>105 w/Kohler K161 7 hp</i>		
2505008	Fuel	G115	<i>YS5500 w/Kohler Courage Pro 26 hp Engine</i>			IH385163-R1	Air	AF210 ⁶⁰²
1205001	Oil	PH2814	5205002	Oil	PH2835	IH 385168-R1		AF213 ⁵⁹¹
<i>GT5000 w/Kohler Pro V-Twin 26 hp Engine</i>			<i>YT3000 w/B&S Engine</i>			7233014	Trans	PH710 ⁵⁹⁰
696854	Oil	PH3656		Fuel	G6529 ¹⁹	<i>105 w/Kohler K301 12 hp</i>		
<i>GT6000 w/Kohler Courage 26hp Engine</i>				Oil	PH3656 ¹⁸	IH385163-R1	Air	AF210 ⁶⁰²
10205012	Oil	PH2814	<i>YT3000 w/Kohler Engine</i>			IH 385168-R1		AF213 ⁵⁹¹
<i>GTS5000 w/Kohler Courage V-Twin 26 hp Engine</i>			1205012	Oil	PH2814 ¹⁸	7233014	Trans	PH710 ⁵⁹⁰
10205012	Oil	PH2814	5205002		PH2835 ¹⁹	<i>106 w/Kohler K161 7 hp</i>		
<i>LT1000 w/B&S I/C 18 hp Engine</i>			<i>YT4000 w/B&S Platinum V-Twin 24 hp Engine</i>			IH385163-R1	Air	AF210 ⁶⁰²
394358	Fuel	G6529	696854	Oil	PH3656	IH 385168-R1		AF213 ⁵⁹¹
492932	Oil	PH3656	<i>YT4500 w/B&S Platinum Engine</i>			<i>106 w/Kohler K301 12 hp</i>		
<i>LT1000 w/B&S Intek 16 hp Engine</i>				Fuel	G6529	IH385163-R1	Air	AF210 ⁶⁰²
394358	Fuel	G6529	696854	Oil	PH3656	IH 385168-R1		AF213 ⁵⁹¹
492932	Oil	PH3656	<i>YT4500 w/Kohler Courage Plus Engine</i>			<i>107 w/Kohler K161 7 hp</i>		
<i>LT1500 w/B&S Intek 17.5 hp Engine</i>				Fuel	G115	IH385163-R1	Air	AF210 ⁶⁰²
696854	Oil	PH3656	1205001	Oil	PH2814 ¹⁸	IH 385168-R1		AF213 ⁵⁹¹
<i>LT2000 w/B&S Gold Engine</i>			5205002		PH2835 ¹⁹	7233014	Trans	PH710 ⁵⁹⁰
696854	Oil	PH3656	<i>YTS3000 w/B&S 21 hp Engine</i>			<i>108 w/Kohler K241 10 hp</i>		
<i>LT2000 w/B&S Intek 20 hp Engine</i>			492932	Oil	PH3656		Air	AF213
394358	Fuel	G6529	<i>YTS4000 w/B&S Platinum V-Twin 24 hp Engine</i>			<i>109 w/Kohler K241 10 hp</i>		
696854	Oil	PH3656		Fuel	G6529	IH385163-R1	Air	AF210 ⁶⁰²
<i>LT3000 w/B&S Intek 20 hp Engine</i>			696854	Oil	PH3656	IH 385168-R1		AF213 ⁵⁹¹
394358	Fuel	G6529	<i>YTS4500 w/Kohler V Twin Pro 26 HP Engine</i>			7233014	Trans	PH710 ⁵⁹⁰
696854	Oil	PH3656		Fuel	G115	<i>109 w/Kohler K301 12 hp</i>		
<i>LTS2000 w/B&S 19.5 hp Engine</i>			1205001	Oil	PH2814 ¹⁸	IH385163-R1	Air	AF210 ⁶⁰²
841023	Oil	PH3656	5205002		PH2835 ¹⁹	IH 385168-R1		AF213 ⁵⁹¹
<i>Models with Lauson-Tecumseh eng.</i>			<i>ZTL7000 w/B&S Platinum Engine</i>			7233014	Trans	PH710 ⁵⁹⁰
Tecumseh 32355	Air	AF208		Oil	PH3656	<i>122 w/Kohler K161 7 hp</i>		
Tecumseh 32008		AF213	<i>ZTL7500 w/Kohler Courage Pro Engine</i>			IH385163-R1	Air	AF210 ⁶⁰²
<i>MTS5500 w/B&S ELS V-Twin 26 hp Engine</i>				Oil	PH2814 ¹⁸	IH 385168-R1		AF213 ⁵⁹¹
841023	Oil	PH3656			PH2835 ¹⁹	<i>122 w/Kohler K301 12 hp</i>		
<i>PGT9000 w/B&S ELS V-Twin 28 hp Engine</i>			<i>ZTS6000 w/B&S Platinum 21 hp Engine</i>			IH385163-R1	Air	AF210 ⁶⁰²
696854	Oil	PH3656	696854	Oil	PH3656	IH 385168-R1		AF213 ⁵⁹¹
<i>PYT9000 w/B&S ELS V-Twin 24 hp Engine</i>			<i>ZTS6000 w/B&S Platinum V-Twin 26 hp Engine</i>			<i>124 w/Kohler K161 7 hp</i>		
696854	Oil	PH3656	696854	Oil	PH3656	IH385163-R1	Air	AF210 ⁶⁰²
<i>PZT9000 w/B&S ELS V-Twin 22 hp Engine</i>			<i>ZTS6000 w/Kohler Courage 26 hp Engine</i>			IH 385168-R1		AF213 ⁵⁹¹
696854	Oil	PH3656		Oil	PH2814	<i>124 w/Kohler K301 12 hp</i>		
<i>PZT9000 w/B&S ELS V-Twin 26 hp Engine</i>			<i>ZTS7500 w/B&S ELS 21 hp Engine</i>			IH385163-R1	Air	AF210 ⁶⁰²
696854	Oil	PH3656	696854	Oil	PH3656	IH 385168-R1		AF213 ⁵⁹¹
<i>Revolution w/B&S Platinum V-Twin 22 hp Engine</i>			<i>ZTS7500 w/Kohler Courage 26 hp Engine</i>			<i>125 w/Kohler K161 7 hp</i>		
696854	Oil	PH3656		Oil	PH2814 ¹⁸	IH385163-R1	Air	AF210 ⁶⁰²
					PH2835 ¹⁹	IH 385168-R1		AF213 ⁵⁹¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

18-Short 19-Long 275-Primary 590-Hydrostatic 591-6" O.D. 602-4.4" O.D. 1496-Alternate

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CUB CADET (LAWN MOWER & GARDEN TRACTOR)			CUB CADET (LAWN MOWER & GARDEN TRACTOR)			CUB CADET (LAWN MOWER & GARDEN TRACTOR)		
<i>125 w/Kohler K161 7 hp (cont'd)</i>			<i>1450 w/Kohler K321 14 hp (cont'd)</i>			<i>1535, 1541 w/Kohler Engine</i>		
7233014	Trans	PH710 ⁵⁹⁰		Air	AF214		Air	AF215
<i>125 w/Kohler K301 12 hp</i>			7233014	Trans	PH710 ⁵⁹⁰		Oil	PH2835
IH385163-R1	Air	AF210 ⁶⁰²	<i>1450 w/Kohler K341 16 hp</i>			7233014	Trans	PH710 ⁵⁹⁰
IH 385168-R1		AF213 ⁵⁹¹		Air	AF213	<i>1641 w/B&S Engine</i>		
7233014	Trans	PH710 ⁵⁹⁰			AF214	7233014	Trans	PH710 ⁵⁹⁰
<i>1250 w/Kohler Engine</i>			7233014	Trans	PH710 ⁵⁹⁰	<i>1650 w/Kohler K301 12 hp</i>		
235116	Air	AF213	<i>147 w/Kohler K321 14 hp</i>				Air	AF213
277138		AF214	7233014	Trans	PH710 ⁵⁹⁰			AF214
395789R2	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ PH710 ⁵⁹⁰	<i>147 w/Kohler K321 14 hp Engine</i>			395789R2	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ PH710 ⁵⁹⁰
7233014				Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	7233014		
<i>126 w/Kohler K161 7 hp</i>			<i>147 w/Kohler K-321-A Engine</i>			<i>1650 w/Kohler K321 14 hp</i>		
IH385163-R1	Air	AF210 ⁶⁰²	IH 385168-R1	Air	AF213		Air	AF213
IH 385168-R1		AF213 ⁵⁹¹	7233014	Trans	PH710 ⁵⁹⁰			AF214
7233014	Trans	PH710 ⁵⁹⁰	<i>149 w/Kohler K321 14 hp</i>			395789R2	Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ PH710 ⁵⁹⁰
<i>126 w/Kohler K301 12 hp</i>			7233014	Trans	PH710 ⁵⁹⁰	7233014		
IH385163-R1	Air	AF210 ⁶⁰²	<i>149 w/Kohler K321 14 hp Engine</i>			<i>1650 w/Kohler K341 16 hp</i>		
IH 385168-R1		AF213 ⁵⁹¹		Trans	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Air	AF213
7233014	Trans	PH710 ⁵⁹⁰						AF214
<i>127 w/Kohler K161 7 hp</i>			<i>149 w/Kohler K-321-A Engine</i>			7233014	Trans	PH710 ⁵⁹⁰
IH385163-R1	Air	AF210 ⁶⁰²	IH 385168-R1	Air	AF213	<i>169</i>		
IH 385168-R1		AF213 ⁵⁹¹	7233014	Trans	PH710 ⁵⁹⁰	<i>IH 395789-R2</i>		
7233014	Trans	PH710 ⁵⁹⁰	<i>1515 w/Kohler 15 hp Engine</i>			IH 395789-R2	Trans	PH710 ⁵⁹⁰
<i>128 w/Kohler K301 12 hp</i>			1205001	Oil	PH2814	<i>1720 w/Kohler Engine</i>		
IH385163-R1	Air	AF210 ⁶⁰²	5205002		PH2835	759-3359	Air	AF215
IH 385168-R1		AF213 ⁵⁹¹	<i>1517 w/Kohler 17 hp Engine</i>			1205002	Oil	PH2835
<i>129 w/Kohler K301 12 hp</i>			1205001	Oil	PH2814	<i>1782 w/Kubota Engine</i>		
IH385163-R1	Air	AF210 ⁶⁰²	5205002		PH2835		Air	LAF2745A ²
IH 385168-R1		AF213 ⁵⁹¹	<i>1525 w/Kawasaki 15 hp Engine</i>			13351-43010	Fuel	G1 ⁵³¹ G5/16 ²⁶³ G5/16CP ¹⁰⁹⁶ L550F
7233014	Trans	PH710 ⁵⁹⁰	49019-7001	Fuel	G6529			
<i>1315, 1320 w/Kohler 12.5 hp Engine</i>			49065-2078	Oil	PH2840	15231-43560	Oil	PH2808
1205008	Oil	PH2814	<i>1525 w/Kawasaki 17 hp Engine</i>				Trans	PH710 ⁵⁹⁰
1205002		PH2835	49019-7001	Fuel	G6529	<i>1811, 1820</i>		
<i>1340 w/Kohler Engine</i>			49065-2078	Oil	PH2840	<i>IH 61606-C1</i>		
	Air	AF216	<i>1525 w/Kawasaki 19 hp Engine</i>			<i>IH 723-3014</i>		
1205002	Oil	PH2835	49019-7001	Fuel	G6529	<i>1860 w/Kohler Engine</i>		
	Trans	PH710 ⁵⁹⁰	49065-2078	Oil	PH2840	759-3359	Air	AF215
<i>1350 w/Kohler Engine</i>			<i>1527 w/Kawasaki 15 hp Engine</i>			1205002	Oil	PH2835
235116	Air	AF213	49019-7001	Fuel	G6529	<i>1862 w/Kohler Engine</i>		
277138		AF214	49065-2078	Oil	PH2840	759-3359	Air	AF215
7233014	Trans	PH710 ⁵⁹⁰	<i>1527 w/Kawasaki 17 hp Engine</i>			1205002	Oil	PH2835
<i>1415 w/Kohler Engine</i>			49019-7001	Fuel	G6529	<i>1863, 1864 w/Kohler Engine</i>		
	Air	AF215	49065-2078	Oil	PH2840	4708303	Air	AF217
	Oil	PH2835	<i>1527 w/Kawasaki 19 hp Engine</i>			1205008	Oil	PH2814
<i>1420 w/Kohler Engine</i>			49019-7001	Fuel	G6529	7233014	Trans	PH710 ⁵⁹⁰
	Air	AF215	49065-2078	Oil	PH2840	<i>1882 w/Kohler Engine</i>		
	Oil	PH2835	<i>1529 w/Kawasaki 15 hp Engine</i>			759-3359	Air	AF215
<i>1440 w/B&S Engine</i>			49019-7001	Fuel	G6529	1205002	Oil	PH2835
7233014	Trans	PH710 ⁵⁹⁰	49065-2078	Oil	PH2840	<i>2072 w/Kohler Engine</i>		
<i>1450 w/Kohler K301 12 hp</i>			<i>1529 w/Kawasaki 17 hp Engine</i>			5205002	Oil	PH2835
	Air	AF213	49019-7001	Fuel	G6529	<i>2082 w/Kohler Engine</i>		
		AF214	49065-2078	Oil	PH2840	759-3359	Air	AF215
7233014	Trans	PH710 ⁵⁹⁰	<i>1529 w/Kawasaki 19 hp Engine</i>			1205002	Oil	PH2835
<i>1450 w/Kohler K321 14 hp</i>			49019-7001	Fuel	G6529			
	Air	AF213	49065-2078	Oil	PH2840			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 263-Hoses and clamps included 275-Primary 531-Filter only 590-Hydrostatic 591-6" O.D. 602-4.4" O.D. 1096-Clear Plastic 1496-Alternate

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CUB CADET (LAWN MOWER & GARDEN TRACTOR)			CUB CADET (LAWN MOWER & GARDEN TRACTOR)			CUB CADET (LAWN MOWER & GARDEN TRACTOR)		
<i>2084 w/Kohler Engine</i>			<i>3165 w/B&S 16 hp Engine</i>			<i>7192, 7193, 7194, 7195</i>		
4708303	Air	AF217	394018	Air	LAF1918	10300511200	Air	LAF8620 ²
<i>2130 w/Kohler Engine</i>			<i>3186 w/Kohler 18 hp Engine</i>			<i>7232, 7233, 7234</i>		
4708301	Air	AF216	492932	Oil	PH3656	MM404879	Fuel	L3556F
7233014	Trans	PH710 ⁵⁹⁰	7233014	Trans	PH710 ⁵⁹⁰	11812303000	Hydraulic	LP6005
<i>2140 w/Onan Engine</i>			<i>3204 w/Kohler 20 hp Engine</i>			<i>7260 w/26 hp Engine</i>		
122073702	Oil	PH2840	47-083-03	Air	AF217	10300511200	Air	LAF8620 ²
<i>2145 w/Onan Engine</i>			<i>3225 w/Kohler 22 hp V-Twin Engine</i>			<i>7265</i>		
122073702	Oil	PH2840	12-050-08	Oil	PH2814	MM404879	Fuel	L3556F
7233014	Trans	PH710 ⁵⁹⁰	7233014	Trans	PH710 ⁵⁹⁰	19642509000	Hydraulic	LFH8835
<i>2155 w/Kohler 15 hp Engine</i>			<i>3235 w/Kohler 25 hp Engine</i>			<i>7272, 7273, 7274</i>		
759-3547	Air	AF216	47-083-03	Air	AF217	MD134953	Oil	PH2808
12-050-08	Oil	PH2814	12-050-08	Oil	PH2814	(19632558000); 7233, 7235	Trans	LP6005 ⁵⁹⁰
7233014	Trans	PH710 ⁵⁹⁰	7233014	Trans	PH710 ⁵⁹⁰	<i>7252, 7254 w/Kawasaki FD711 Engine</i>		
<i>2164 w/B&S 16 hp Engine</i>			<i>4814R w/Kohler Engine</i>			<i>7260 w/26 hp Engine</i>		
394018	Air	LAF1918	5205002	Oil	PH2835	10300511200	Air	LAF8620 ²
492932	Oil	PH3656	<i>4816 w/B&S Engine</i>			MM404879	Fuel	L3556F
923-3014	Trans	PH710 ⁵⁹⁰	491056	Oil	PH2835	19642509000	Hydraulic	LFH8835
<i>2165 w/B&S Engine</i>			<i>5234D, 5364D w/Diahsu Diesel</i>			<i>7265</i>		
7233014	Trans	PH710 ⁵⁹⁰	7513194	Air	LAF8388 ²	MD134953	Oil	PH2808
<i>2166 w/Kohler 16 hp Engine</i>			<i>5252 w/Kohler 25 hp Engine</i>			<i>(19632558000); 7265</i>		
2405002	Fuel	G1/4 G1/4P	7233014	Hydraulic	PH710 ⁶⁰³	<i>7264</i>		
1205008	Oil	PH2814	1560187703	Oil	PH2840	7513194	Air	LAF8388 ²
923-3014	Trans	PH710 ⁵⁹⁰	<i>5254 w/Kohler 25 hp Engine</i>			7230405	Hydraulic	LFP1652
<i>2182 Super w/Kubota 21 hp Diesel</i>			<i>5416, 5418 w/B&S Engine</i>			820314	Oil	PH2840
7233014	Trans	PH710 ⁵⁹⁰	491056	Oil	PH2835	7233014	Trans	PH710 ⁵⁹⁰
<i>2182 w/Kubota 21 hp Engine</i>			<i>6284D w/Caterpillar Engine</i>			<i>7265</i>		
7233014	Trans	PH710 ⁵⁹⁰	7513194	Air	LAF8388 ²	10300511200	Air	LAF8620 ²
<i>2185 w/Kohler Engine</i>			<i>682, 682 Cadet, 682 Cub Cadet</i>			MM404879	Fuel	L3556F
4708303	Air	AF217	7230405	Hydraulic	LFP1652	19642509000	Hydraulic	LFH8835
7233014	Trans	PH710 ⁵⁹⁰	2201523	Oil	PH2835	MD134953	Oil	PH2808
<i>2186 w/Kohler 18 hp Engine</i>			<i>70, 71, 72, 73 w/Kohler K161 7 hp Engine</i>			<i>(19632558000); 7265</i>		
2405002	Fuel	G1/4 G1/4P	7233014	Trans	PH710 ⁵⁹⁰	<i>7272, 7273, 7274</i>		
1205008	Oil	PH2814	<i>682, 782, 982</i>			10310511200	Air	LAF8620 ²
923-3014	Trans	PH710 ⁵⁹⁰	7233014	Trans	PH710 ⁵⁹⁰	MM404879	Fuel	L3556F
<i>2284 w/Kohler 22 hp V-Twin Engine</i>			<i>7000, 7200, 7205</i>			19642509000	Hydraulic	LFH8835
4708303	Air	AF217	10300511200	Air	LAF8620 ²	MD134953	Oil	PH2808
7233014	Oil	PH2814	MM404879	Fuel	L3556F	(19632558000); 7273, 7275	Trans	LP6005 ⁵⁹⁰
<i>2518 w/Kohler 20 hp Engine</i>			<i>7070, 7170, 7270 w/Kohler K161 7 hp Engine</i>			<i>7275 w/Misubishi Engine</i>		
2405002	Fuel	G1/4 G1/4P	IH 385163-R1	Air	AF210	10310511200	Air	LAF8620 ²
1205008	Oil	PH2814	11812303000	Hydraulic	LP6005	MM404879	Fuel	L3556F
923-3014	Trans	PH710 ⁵⁹⁰	MD134953	Oil	PH2808	19642509000	Hydraulic	LFH8835
			(19632558000); 7205	Trans	LP6005 ⁵⁹⁰	30A4000100	Oil	PH2867

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
2-Outer 275-Primary 590-Hydrostatic 603-Tank Breather 1496-Alternate

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CUB CADET (LAWN MOWER & GARDEN TRACTOR)			CUB CADET (LAWN MOWER & GARDEN TRACTOR)			CUB CADET (LAWN MOWER & GARDEN TRACTOR)		
7300			<i>Enforcer w/Kohler Command Engine</i>			<i>GT2000, GTX2000 w/Kohler Command 23 HP Engine</i>		
10310511200	Air	LAF8620 ²	4708303	Air	AF217 ⁶⁰⁵	2405010	Fuel	G115
MM404879	Fuel	L3556F	2408303		LAF5802 ⁶⁰⁴	1205008	Oil	PH2814
19642509000	Hydraulic	LFH8835	2505008	Fuel	G1/4	<i>GT2100, GT2200 w/Kohler Courage Engine</i>		
30A4000100	Oil	PH2867			G1/4P	2405010	Fuel	G115
(19632558000); 7305	Trans	LP6005 ⁵⁹⁰	1205001	Oil	PH2814	1205008	Oil	PH2814
<i>7305 w/Mitsubishi Engine</i>			<i>FMZ50 w/Kohler Courage Twin cyl. 22 hp Engine</i>			<i>GT2100, GTX2100 w/Kohler 23 HP Engine</i>		
10310511200	Air	LAF8620 ²	2505022	Fuel	G115	4788303	Air	AF217
MM404879	Fuel	L3556F		Oil	PH2814	2405010	Fuel	G115
19642509000	Hydraulic	LFH8835	<i>GT 1554 w/Kohler Courage 27 hp V-Twin Engine</i>			1205008	Oil	PH2814
30A4000100	Oil	PH2867	2408305S	Air	LAF5802	<i>GT3204, GT3235 w/Kohler Engine</i>		
(19632558000); 7305	Trans	LP6005 ⁵⁹⁰	2405010	Fuel	G115	4708303	Air	AF217 ⁵⁸⁹
<i>7305 w/Toyota Engine</i>			1205008	Oil	PH2814	2405010	Fuel	G115
10310511200	Air	LAF8620 ²	<i>GT 2542 w/Kohler Command 20 hp V-Twin Engine</i>			7233014	Hydraulic	PH710 ⁶⁰³
MM404879	Fuel	L3556F	4708303	Air	AF217 ⁵⁸⁹	1205008	Oil	PH2814
19642509000	Hydraulic	LFH8835	2405010	Fuel	G115	<i>GTX 1054 w/Kohler Courage 27 hp V-Twin Engine</i>		
30A4000100	Oil	PH2867	7233014	Hydraulic	PH710 ⁶⁰³	2505022	Fuel	G115
(19632558000); 7305	Trans	LP6005 ⁵⁹⁰	1205008	Oil	PH2814	1205001	Oil	PH2814
7360			<i>GT 2544 w/Kohler Command 22 hp V-Twin Engine</i>			<i>GTX2000 w/20hp Kohler Courage V-Twin OHV</i>		
10310511200	Air	LAF8620 ²	4708303	Air	AF217 ⁵⁸⁹		Air	AF217
MM320886	Fuel	L3541F	2405010	Fuel	G115	2505022	Fuel	G115
MD134953	Oil	PH2808	7233014	Hydraulic	PH710 ⁶⁰³	1205001	Oil	PH2814
<i>7530 w/Mitsubishi Engine</i>			1205008	Oil	PH2814	<i>GT2100 w/23hp Kohler Courage V-Twin OHV</i>		
MM404879	Fuel	L3556F	<i>GT 2550 w/Kohler Command 21 hp V-Twin Engine</i>				Air	AF217
19642509000	Hydraulic	LFH8835	4708303	Air	AF217 ⁵⁸⁹	2505022	Fuel	G115
MD162326	Oil	PH2808	2405010	Fuel	G115	1205001	Oil	PH2814
<i>7532 w/Mitsubishi Engine</i>			7233014	Hydraulic	PH710 ⁶⁰³	<i>I1046 w/Kohler Courage 20 hp Engine</i>		
MM404879	Fuel	L3556F	1205001	Oil	PH2814	2505022	Fuel	G115
19642509000	Hydraulic	LFH8835	<i>GT 2550 w/Kohler Command 22 hp V-Twin Engine</i>			5205002	Oil	PH2835
MD162326	Oil	PH2808	4708303	Air	AF217 ⁵⁸⁹	<i>LT1040 w/Kohler Command 18 hp Engine</i>		
<i>782, 782 Cadet, 782 Cub Cadet, 784, 784 Cadet</i>			2405010	Fuel	G115	2505007	Fuel	G6529
	Hydraulic	PH253 ¹⁴⁹⁶	7233014	Hydraulic	PH710 ⁶⁰³	1205001	Oil	PH2814
		PH2835 ²⁷⁵	1205001	Oil	PH2814	<i>LT1040 w/Kohler Courage 18 hp Engine</i>		
<i>800 w/Kohler K181 8 hp Engine</i>			<i>GT 2554 w/Kohler Command 23 hp V-Twin Engine</i>			2505022	Fuel	G115
	Air	AF211	4708303	Air	AF217 ⁵⁸⁹	5205002	Oil	PH2835
		AF213	2405002	Fuel	G1/4	<i>LT1042, LT1045 w/Kohler 19 hp Engine</i>		
<i>8354, 8454 w/Daewoo Diesel Engine</i>					G1/4P	2505022	Fuel	G115
E6300-11081	Air	LAF8212 ²	2405010		G115	5205002	Oil	PH2835
84612-43160	Fuel	L549F	1205008	Oil	PH2814	<i>LT1042, LT1045 w/Kohler 20 hp Engine</i>		
E6201-32443	Oil	PH2801	<i>GT 3100 w/Kohler Command 22 hp V-Twin Engine</i>			2505022	Fuel	G115
86			4708303	Air	AF217 ⁵⁸⁹	5205002	Oil	PH2835
IH 548436-R1	Air	AF211	2405010	Fuel	G115	<i>LT1046 w/Kohler Courage 25 hp Engine</i>		
IH 385168-R1		AF213	7233014	Hydraulic	PH710 ⁶⁰³	2505022	Fuel	G115
<i>982, 982 Cadet, 982 Cub Cadet</i>			1205008	Oil	PH2814	5205002	Oil	PH2835
	Hydraulic	PH253 ¹⁴⁹⁶	<i>GT 3200 w/Kohler Command 25 hp V-Twin Engine</i>			<i>LT1048, LT1050 w/Kohler 23 hp Engine</i>		
		PH2835 ²⁷⁵	4708303	Air	AF217 ⁵⁸⁹	2505022	Fuel	G115
<i>Enforcer w/Kawasaki 19 hp Engine</i>			2405010	Fuel	G115	5205002	Oil	PH2835
490197001	Fuel	G6529	7233014	Hydraulic	PH710 ⁶⁰³	<i>LT1048, LT1050 w/Kohler 28 hp Engine</i>		
49065-2080	Oil	PH2840	1205008	Oil	PH2814	2505022	Fuel	G115
<i>Enforcer w/Kawasaki 21 hp Engine</i>			<i>GT1654 w/Kohler 27 hp Engine</i>			5205002	Oil	PH2835
490197001	Fuel	G6529	2408303	Air	LAF5802	<i>LT2042, LT2542 w/Kohler 18 hp Engine</i>		
49065-2080	Oil	PH2840	2405002	Fuel	G1/4	4708303	Air	AF217 ⁵⁸⁹
<i>Enforcer w/Kawasaki 23 hp Engine</i>					G1/4P	2405010	Fuel	G115
490197001	Fuel	G6529	1205008	Oil	PH2814	7233014	Hydraulic	PH710 ⁶⁰³
49065-2080	Oil	PH2840				1205008	Oil	PH2814

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 275-Primary 589-7" x 2.55" 590-Hydrostatic 603-Tank Breather 604-2.92" Tall 605-2.55" Tall 1496-Alternate

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CUB CADET (LAWN MOWER & GARDEN TRACTOR)			CUB CADET (LAWN MOWER & GARDEN TRACTOR)			CUB CADET (LAWN MOWER & GARDEN TRACTOR)		
<i>LTX 1045 w/Kohler Courage 20 hp Engine</i>			<i>RTZ50 w/B&S 17 hp Engine</i>			<i>SLTX1054 w/Kohler Courage 26 hp V-Twin Engine</i>		
2505022	Fuel	G115	691035	Fuel	G6529	2505022	Fuel	G115
1205001	Oil	PH2814	492932	Oil	PH3656	1205001	Oil	PH2814
<i>LTX1040 w/Kohler Courage 19 hp Engine</i>			<i>RZT 42 w/Kohler Courage 20 hp Engine</i>			<i>Super Garden Tractor 2182 w/Kubota 21 hp Engine</i>		
2505022	Fuel	G115	2505022	Fuel	G115	<i>Kubota 70000-11221 Air LAF2745A²</i>		
1205001	Oil	PH2814	5205002	Oil	PH2835	<i>Kubota 70000-15241 Oil PH2808</i>		
<i>LTX1040 w/Kohler Courage 20 hp Engine</i>			<i>RZT 50 w/B&S Intek 22 hp V-Twin Engine</i>			<i>IH 723-3014 Trans PH710⁵⁹⁰</i>		
2505022	Fuel	G115	691035	Fuel	G6529	<i>Tank LZ 60 Commercial (w/Kohler CV740 Engine)</i>		
1205001	Oil	PH2814	492932	Oil	PH3656	2508301	Air	LAF8195 ²
<i>LTX1042 w/Kawasaki Engine</i>			<i>RZT 50 w/Kohler Courage Engine</i>			2508304		LAF8690 ¹
490197001	Fuel	G6529	490197001	Fuel	G115	1205001	Oil	PH2814
490652078	Oil	PH2840	5205007	Oil	PH2835	<i>Tank LZ54 Commercial (w/Kawasaki FX850V Engine)</i>		
<i>LTX1042 w/Kohler Courage 19 hp Engine</i>			<i>RZT 54 w/Kohler Courage Engine</i>			110137044	Air	LAF8195 ²
2505022	Fuel	G115	490197001	Fuel	G115	49065-7010	Oil	PH2840
1205001	Oil	PH2814	5205007	Oil	PH2835	<i>Tank LZ54 Commercial (w/Kohler CV730 Engine)</i>		
<i>LTX1042 w/Kohler Courage 20 hp Engine</i>			<i>RZT S w/Kohler Courage 22 hp Engine</i>			2508301	Air	LAF8195 ²
2505022	Fuel	G115	490197001	Fuel	G115	2508304		LAF8690 ¹
1205001	Oil	PH2814	5205007	Oil	PH2835	1205001	Oil	PH2814
<i>LTX1046 w/Kawasaki Engine</i>			<i>RZT S w/Kohler Courage 23 hp Engine</i>			1205001	Oil	PH2814
490197001	Fuel	G6529	490197001	Fuel	G115	<i>Tank M54, M60 w/Kohler Command Engine</i>		
490652078	Oil	PH2840	5205007	Oil	PH2835		Air	LAF8195 ²
<i>LTX1046KW w/Kawasaki Engine</i>			<i>RZT S w/Kohler Courage 25 hp Engine</i>					LAF8690 ¹
490197001	Fuel	G6529	490197001	Fuel	G115	2505008	Fuel	G1/4
490657007	Oil	PH3656	5205007	Oil	PH2835			G1/4P
<i>LTX1050 w/Kawasaki 22 hp V-Twin Engine Engine</i>			<i>RZT50 w/Kawasaki 22 hp V-Twin Engine OHV Engine</i>			CP752-30	Hydraulic	LFH4209
49019-7001	Fuel	G6529	49019-7001	Fuel	G6529	CP752-10		LFP1652
	Oil	PH2840	49065-2078	Oil	PH2840	1205001	Oil	PH2814 ¹⁸
<i>LTX1050 w/Kohler Courage 22 hp V-Twin Engine Engine</i>			<i>RZT50 w/Kawasaki FR651V Engine</i>			5205004		PH2835 ¹⁹
2505022	Fuel	G115	49019-7005	Fuel	G6529	<i>Tank M60 w/Kawasaki 31 hp Engine</i>		
1205001	Oil	PH2814	49065-7007	Oil	PH3656	AF26168	Air	LAF5325 ²
<i>LTX1050KW w/Kawasaki Engine</i>			<i>RZT50 w/Kawasaki FR691V Engine</i>			49065-2078	Oil	PH2840
490197001	Fuel	G6529	49019-7005	Fuel	G6529	<i>Tank M60 w/Kawasaki 37 hp Engine</i>		
490657007	Oil	PH3656	49065-7007	Oil	PH3656	AF26168	Air	LAF5325 ²
<i>Recon 48 w/Kohler Command 23 hp V-Twin Engine</i>			<i>RZT54 w/Kawasaki 24 hp V-Twin Engine Engine</i>			49065-2078	Oil	PH2840
P821575	Air	LAF8195 ²	490197001	Fuel	G6529	<i>Tank M72 w/Kawasaki 31 hp Engine</i>		
P822878		LAF8690 ¹	490652078	Oil	PH2840	AF26168	Air	LAF5325 ²
2505008	Fuel	G1/4	<i>RZT54 w/Kawasaki FR651V Engine</i>			49065-2078	Oil	PH2840
		G1/4P	49019-7005	Fuel	G6529	<i>Tank M72 w/Kawasaki 37 hp Engine</i>		
120501	Oil	PH2814 ¹⁸	49065-7007	Oil	PH3656	AF26168	Air	LAF5325 ²
5205004		PH2835 ¹⁹	<i>RZT54 w/Kawasaki FR691V Engine</i>			49065-2078	Oil	PH2840
<i>Recon 60 w/Kohler Command 25 hp V-Twin Engine</i>			49065-7007	Oil	PH3656	<i>Tank S w/Kawasaki 31 HP Engine</i>		
P821575	Air	LAF8195 ²	<i>SLT1550 w/Kohler 25 hp Engine</i>			110137039	Air	LAF5325 ²
P822878		LAF8690 ¹	2505022	Fuel	G115	4910197001	Fuel	G6529
2505008	Fuel	G1/4	5205002	Oil	PH2835		Oil	PH2840
		G1/4P	<i>SLT1554 w/Kohler 27 hp Engine</i>			<i>Tank S w/Kawasaki 37 HP Engine</i>		
120501	Oil	PH2814 ¹⁸	2408303	Air	LAF5802	110137039	Air	LAF5325 ²
5205004		PH2835 ¹⁹	2405002	Fuel	G1/4	4910197001	Fuel	G6529
<i>RTZ42 w/B&S 17 hp Engine</i>			1205008	Oil	PH2814		Oil	PH2840
691035	Fuel	G6529	<i>SLTX 1050 w/Kohler Courage 25 HP V-Twin Engine</i>			<i>Tank S w/Yanmar diesel Engine</i>		
492932	Oil	PH3656	2505022	Fuel	G115	11980255801	Fuel	FP590F
<i>RTZ42 w/B&S 22 hp Engine</i>			1205001	Oil	PH2814	12915035153	Oil	PH2808
691035	Fuel	G6529				<i>Tank SZ 60 Commercial (w/Kawasaki FX850V Engine)</i>		
492932	Oil	PH3656				110137044	Air	LAF8195 ²
						110137045		LAF8690 ¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 18-Short 19-Long 590-Hydrostatic

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CUB CADET (LAWN MOWER & GARDEN TRACTOR)			CUB CADET (LAWN MOWER & GARDEN TRACTOR)			DEUTZ-ALLIS (LAWN MOWER & GARDEN TRACTOR)		
<i>Tank SZ 60 Commercial (w/Kawasaki FX850V Engine) (cont'd)</i>			<i>Z Force S w/Kohler Command Engine</i>			3018		
49065-7010	Oil	PH2840	2508301	Air	LAF8195 ²	Kohler 4508302	Air	AF215
<i>Tank SZ54 Commercial (w/Kawasaki FX850V Engine)</i>			2508304		LAF8690 ¹	FC1316		
110137044	Air	LAF8195 ²	2505022	Fuel	G6529	B & S 491056	Oil	PH2835
110137045		LAF8690 ¹	1205001	Oil	PH2814	DIXIE CHOPPER (LAWN MOWER & GARDEN TRACTOR)		
49065-7010	Oil	PH2840	<i>Z Force S w/Kohler Courage Engine</i>			2550 Silver Eagle w/Kohler Command 25 hp V-Twin Engine		
<i>Tank SZ54 Commercial (w/Kohler CV742 Engine)</i>				Fuel	G115	4508302	Air	AF215
2508301	Air	LAF8195 ²		Oil	PH2814 ¹⁸	2405010	Fuel	G115
2508304		LAF8690 ¹			PH2835 ¹⁹	1205001	Oil	PH2814
1205001	Oil	PH2814	<i>Z Force w/Kawasaki 15 hp Engine</i>			68140	Trans	LFH5809 ⁵⁹⁰
<i>The Tank M48, M54, M60 w/Kawasaki Engine</i>			<i>Z42 w/Kohler 15 hp Engine</i>			2772 Silver Eagle (w/Kawasaki FX Series Engine)		
	Air	LAF8195 ²	52-050-02	Oil	PH2835	OE3557	Air	LAF8195 ²
		LAF8690 ¹	<i>Z48 w/Kohler 18 hp Engine</i>			OE3656		LAF8690 ¹
CP752-30	Hydraulic	LFH4209	45-083-02	Air	AF215		Fuel	G6529
K22002		LFP1652	12-050-01	Oil	PH2814		Oil	PH2840
	Oil	PH2840	<i>Z54 w/Kohler Engine</i>			2772 Silver Eagle (w/Kohler EFI Engine)		
<i>XT1 ENDURO SERIES (w/Kohler 7000 Series Engine)</i>			45-083-02	Air	AF215	OE3557	Air	LAF8195 ²
2405010	Fuel	G115	12-050-01	Oil	PH2814	OE3656		LAF8690 ¹
1205008	Oil	PH2814 ⁵⁹⁷	<i>Z-Force S w/Kawasaki 22 hp V-Twin Engine</i>				Fuel	G1/4
5205002		PH2835 ¹⁷	49065-2078	Oil	PH2840	1205001	Oil	PH2814 ⁵⁹³
<i>XT2 ENDURO SERIES (w/Kawasaki FR Series Engine)</i>			49065-7007		PH3656	5205002		PH2835 ⁵⁹⁴
490191055	Fuel	G6529	<i>ZTT50 w/Kohler Courage 20 H.P Engine</i>			Classic HP w/Generac 27 hp Engine		
49067-7007	Oil	PH3656 ⁵⁹⁷	2505008	Fuel	G115	OE3557	Air	LAF8195 ²
<i>XT2 ENDURO SERIES (w/Kohler 7000 Series Engine)</i>			1205008	Oil	PH2814 ¹⁸	OE3656		LAF8690 ¹
2405010	Fuel	G115	5205004		PH2835 ¹⁹	O70185D	Oil	PH2840
1205008	Oil	PH2814 ⁵⁹⁷	<i>ZTT50 w/Kohler Courage 25 H.P Engine</i>			68140	Trans	LFH5809 ⁵⁹⁰
5205002		PH2835 ¹⁷	2505008	Fuel	G115	Classic HP w/Generac 33 hp Engine		
<i>XT3 ENDURO SERIES (w/Kohler Command Twin Engine)</i>			1205008	Oil	PH2814 ¹⁸	OE3557	Air	LAF8195 ²
2405010	Fuel	G115	5205004		PH2835 ¹⁹	OE3656		LAF8690 ¹
1205008	Oil	PH2814 ⁵⁹⁷	<i>ZTT42 w/Kohler Courage 18 hp Engine</i>			O70185D	Oil	PH2840
5205002		PH2835 ¹⁷	2505008	Fuel	G115	68140	Trans	LFH5809 ⁵⁹⁰
<i>Z-Force 44 w/Kohler Courage Pro 20 hp V-Twin Engine</i>			1205008	Oil	PH2814 ¹⁸	Classic HP w/Kohler 30 hp Engine		
2408303	Air	LAF5802	5205004		PH2835 ¹⁹	2508301	Air	LAF8195 ²
2405010	Fuel	G115	<i>ZTT46 w/Kohler Courage 20 H.P Engine</i>			2508304		LAF8690 ¹
1205008	Oil	PH2814 ⁵⁹⁷	2505008	Fuel	G115	1205001	Oil	PH2814
5205002		PH2835 ¹⁷	1205008	Oil	PH2814 ¹⁸	68140	Trans	LFH5809 ⁵⁹⁰
<i>Z Force S w/Kawasaki FR651V Engine</i>			5205004		PH2835 ¹⁹	Classic w/Generac 27 hp Engine		
49019-7005	Fuel	G6529	<i>ZTT46 w/Kohler Courage 25 H.P Engine</i>			OE3557	Air	LAF8195 ²
49065-7007	Oil	PH3656	2505008	Fuel	G115	OE3656		LAF8690 ¹
<i>Z Force S w/Kawasaki FR651V LPG Engine</i>			1205008	Oil	PH2814 ¹⁸	O70185D	Oil	PH2840
49019-7005	Fuel	G6529	5205004		PH2835 ¹⁹	68140	Trans	LFH5809 ⁵⁹⁰
49065-7007	Oil	PH3656	DEUTZ-ALLIS (LAWN MOWER & GARDEN TRACTOR)			Classic w/Kohler Command 25 hp V-Twin Engine		
<i>Z Force S w/Kawasaki FR691V Engine</i>			1616					
49019-7005	Fuel	G6529	B & S 491056	Oil	PH2835	OE3557	Air	LAF8195 ²
49065-7007	Oil	PH3656	1814					
<i>Z Force S w/Kawasaki FR730V 26 hp Engine</i>			B & S 491056	Oil	PH2835	OE3656		LAF8690 ¹
49019-7005	Fuel	G6529	1816					
49065-7007	Oil	PH3656	B & S 491056	Oil	PH2835	1205001	Oil	PH2814
<i>Z Force S w/Kawasaki FR730V 26 hp Engine</i>			1817					
49019-7005	Fuel	G6529	Kohler 4508302	Air	AF215	68140	Trans	LFH5809 ⁵⁹⁰
49065-7007	Oil	PH3656	3016					
			B & S 491056	Oil	PH2835	Iron Eagle w/Guardian 25 hp Engine		
						2505022	Fuel	G115
						1205001	Oil	PH2814
						Iron Eagle w/Kohler Command 20 hp V-Twin Engine		
						2505022	Fuel	G115
						1205001	Oil	PH2814

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 17-Long version 18-Short 19-Long 590-Hydrostatic 593-2.65" Tall 594-3.11" tall 597-Short version

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DIXIE CHOPPER (LAWN MOWER & GARDEN TRACTOR)			DIXIE CHOPPER (LAWN MOWER & GARDEN TRACTOR)			DIXON (LAWN MOWER & GARDEN TRACTOR)		
<i>Iron Eagle w/Kohler Command 23 hp V-Twin Engine</i>			<i>XCaliber 3074 w/Generac gas Engine (cont'd)</i>			<i>24/54 w/Kawasaki FR730V Engine</i>		
2505022	Fuel	G115	OE3656	Air	LAF8690 ¹	49019-1055	Fuel	G6529
1205001	Oil	PH2814	070185D	Oil	PH2840		Oil	PH3656
<i>Iron Eagle w/Kohler Command 25 hp V-Twin Engine</i>			<i>XCaliber 3074 w/Generac LP Engine</i>			<i>25/48 w/Kohler Courage V-Twin 25 hp Engine</i>		
2505022	Fuel	G115	OE3557	Air	LAF8195 ²	2505008	Fuel	G115
1205001	Oil	PH2814	OE3656		LAF8690 ¹	1205001	Oil	PH2814
<i>LX2002-42</i>			<i>XCaliber 4074 w/Kohler 40 hp Engine</i>			<i>26/54 w/Kawasaki 26 hp Engine</i>		
Kohler 1205001	Oil	PH2814	070185D	Oil	PH2840	49019-1055	Fuel	G6529
<i>Magnum 2250, Magnum 2460 w/Kawasaki Engine</i>			<i>XCaliber w/Caterpillar Diesel Engine</i>			<i>Black Bear w/Kawasaki 17 hp V-Twin Engine</i>		
	Oil	PH2840 ⁵⁹⁸ PH3656 ²⁷¹	68140	Trans	LFH5809 ⁵⁹⁰	49065-2071	Oil	PH2840
<i>Magnum 2750, Magnum 2760 w/B&S 27 hp Engine</i>			<i>XCaliber w/Generac 30 hp Engine</i>			<i>Black Bear w/Kawasaki 19 hp V-Twin Engine</i>		
492932	Oil	PH3656	OE3557	Air	LAF8195 ²	49019-1055	Fuel	G6529
<i>Realtree w/Guardian 27 hp Engine</i>			<i>XCaliber w/Generac 33 hp Engine</i>			<i>Black Bear w/Kohler Command Pro Engine</i>		
OE3557	Air	LAF8195 ²	OE3656		LAF8690 ¹		Hydraulic	LFH5809
OE3656		LAF8690 ¹	68140	Trans	LFH5809 ⁵⁹⁰	49065-2071	Oil	PH2840
68140	Trans	LFH5809 ⁵⁹⁰	<i>XCaliber w/Generac 33 hp Engine</i>			<i>Conquest w/B&S Professional series 24 hp Engine</i>		
<i>Silver Eagle w/Generac 27 hp Engine</i>			<i>XCaliber w/Generac 33 hp Engine</i>			<i>DX100 Series w/Kawasaki FX651V Engine</i>		
OE3557	Air	LAF8195 ²	OE3557	Air	LAF8195 ²			
OE3656		LAF8690 ¹	OE3656		LAF8690 ¹		Hydraulic	LFH5809
070185D	Oil	PH2840	070185D	Oil	PH2840		Oil	PH2814 ¹⁸ PH2835 ¹⁹
68140	Trans	LFH5809 ⁵⁹⁰	68140	Trans	LFH5809 ⁵⁹⁰		Trans	LFH5809
<i>Silver Eagle w/Kohler Command 25 hp V-Twin Engine</i>			<i>XCaliber w/Generac 33 hp Engine</i>			<i>DX100 Series w/Kawasaki FX691V Engine</i>		
4508302	Air	AF215	OE3557	Air	LAF8195 ²			
2405010	Fuel	G115	OE3656		LAF8690 ¹	493629	Fuel	G6529
1205001	Oil	PH2814	070185D	Oil	PH2840	492932	Oil	PH3656
68140	Trans	LFH5809 ⁵⁹⁰	68140	Trans	LFH5809 ⁵⁹⁰	<i>DX100 Series w/Kawasaki FX651V Engine</i>		
<i>X2000-50</i>			<i>XTreme w/Generac 33 hp Engine</i>			<i>DX100 Series w/Kawasaki FX691V Engine</i>		
Kohler 1205001	Oil	PH2814	OE3557	Air	LAF8195 ²		Air	LAF8195 ² LAF8690 ¹
<i>X2002-50</i>			<i>XW2000-60</i>			<i>DX100 Series w/Kawasaki FX691V Engine</i>		
Kohler 1205001	Oil	PH2814	Kohler 1205001	Oil	PH2814	490197001	Fuel	G6529
<i>X2002-60</i>			<i>XW2002-60</i>			<i>DX100 Series w/Kawasaki FX730V Engine</i>		
Kohler 1205001	Oil	PH2814	Kohler 1205001	Oil	PH2814	49065-2078	Oil	PH2840
<i>XCaliber 2750W/ 2760W/ 3360W w/Generac 27 through 33 HP Engine</i>			<i>XXW4000-72 Twin Engine</i>			<i>DX100 Series w/Kawasaki FX730V Engine</i>		
OE3557	Air	LAF8195 ²	Don. P182050	Air	LAF1275 ²		Air	LAF8195 ² LAF8690 ¹
OE3656		LAF8690 ¹	Kohler 1205001	Oil	PH2814	490197001	Fuel	G6529
070185D	Oil	PH2840	<i>ZEE 1-1942 w/B&S 19.5 HP Engine</i>			<i>DX200 Series (w/Kawasaki FX Series Engine)</i>		
68140	Trans	LFH5809 ⁵⁹⁰	493629	Fuel	G6529	49065-2078	Oil	PH2840
<i>XCaliber 3066 w/Generac gas Engine</i>			492932	Oil	PH3656		Air	LAF8195 ² LAF8690 ¹
OE3557	Air	LAF8195 ²	<i>ZEE 1-2342 w/B&S Intek 23 HP Engine</i>			<i>Grizzly w/Honda GXV24 Engine</i>		
OE3656		LAF8690 ¹	493629	Fuel	G6529	2508301	Air	LAF8195 ² LAF8690 ¹
070185D	Oil	PH2840	492932	Oil	PH3656	2508304	Oil	PH2867 ¹⁹ PH2876 ¹⁸
68140	Trans	LFH5809 ⁵⁹⁰	<i>ZEE 1-2348 w/B&S Intek 23 HP Engine</i>			<i>Grizzly w/Kohler Command Pro 23-30 hp Engine</i>		
<i>XCaliber 3066 w/Generac LP Engine</i>			493629	Fuel	G6529	2508301	Air	LAF8195 ² LAF8690 ¹
OE3557	Air	LAF8195 ²	492932	Oil	PH3656	2508304	Fuel	G115
OE3656		LAF8690 ¹	DIXON (LAWN MOWER & GARDEN TRACTOR)					
070185D	Oil	PH2840	<i>22/46 w/Kohler Courage V-Twin 22 hp Engine</i>					
68140	Trans	LFH5809 ⁵⁹⁰	2505008	Fuel	G115			
<i>XCaliber 3074 w/Generac gas Engine</i>			1205001	Oil	PH2814			
OE3557	Air	LAF8195 ²						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 18-Short 19-Long 271-3" O.D. 590-Hydrostatic 598-2.67" O.D.

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DIXON (LAWN MOWER & GARDEN TRACTOR)			DIXON (LAWN MOWER & GARDEN TRACTOR)			DR (LAWN MOWER & GARDEN TRACTOR)		
<i>Grizzly w/Kohler Command Pro 23-30 hp Engine (cont'd)</i>			<i>SpeedZTR w/B&S ELS Twin 22 hp Engine</i>			<i>FBM150E w/Kawasaki 15 hp V-Twin Engine</i>		
492836	Fuel	G5/16 ²⁶³	492932	Oil	PH3656		Oil	PH2840
492836		G5/16CP ¹⁰⁹⁶	<i>SpeedZTR w/B&S Intek 16.5 hp Engine</i>			<i>FBM170E w/Kawasaki 17 hp V-Twin Engine</i>		
24005003S		G6384	696854	Oil	PH3656		Oil	PH2840
2505028	Oil	PH2835	<i>SpeedZTR w/B&S Intek 19 hp Engine</i>			<i>FBM171E w/Kawasaki 17 hp V-Twin Engine</i>		
<i>Kodiak SE w/B&S Vanguard 23 hp V-Twin Engine</i>			696854	Oil	PH3656		Oil	PH2840
18045	Hydraulic	LFH5809	<i>SpeedZTR w/Kawasaki 17 hp V-Twin Engine</i>			<i>Versa-Pro Z w/B&S ELS 19.5 hp Engine</i>		
492932	Oil	PH3656		Oil	PH2840		Oil	PH3656
18045	Trans	LFH5809	<i>SpeedZTR w/Kawasaki FR651V 22 hp Engine</i>			<i>Versa-Pro Z w/B&S ELS 22 hp V-Twin Engine</i>		
<i>Kodiak SE w/Kohler Command 25 hp V-Twin Engine</i>			490197001	Fuel	G6529		Oil	PH3656
			490657007	Oil	PH3656	ENCORE (LAWN MOWER & GARDEN TRACTOR)		
			<i>SpeedZTR w/Kawasaki FR691V 24 hp Engine</i>			<i>Fuzion w/Kawasaki Engine</i>		
2508301	Air	LAF8195 ²	490197001	Fuel	G6529		Oil	PH2840
2508304		LAF8690 ¹	490657007	Oil	PH3656	<i>Prowler w/Kawasaki Engine</i>		
2405010	Fuel	G115	<i>SpeedZTR w/Kohler Courage Pro 24 hp V-Twin Engine</i>				Air	LAF8195 ²
492836		G5/16 ²⁶³	12005-001	Oil	PH2814		Oil	LAF8690 ¹
24005003S		G6384	<i>SpeedZTR w/Kohler Courage Pro Twin 25 hp Engine</i>				Oil	PH2840
18045	Hydraulic	LFH5809	12005-001	Oil	PH2814	<i>X-Treme w/Kawasaki Engine</i>		
2505028	Oil	PH2835	<i>SpeedZTR w/Kohler Courage Pro Twin 27 hp Engine</i>				Oil	PH2840
18045	Trans	LFH5809	12005-001	Oil	PH2814	EXCEL (LAWN MOWER & GARDEN TRACTOR)		
<i>Kodiak w/Honda GXV620 20 hp Engine</i>			<i>SpeedZTR w/Kohler Courage Pro Twin 27 hp Engine</i>			<i>2500 w/Kohler Engine</i>		
18045	Hydraulic	LFH5809	12005-001	Oil	PH2814		Air	AF215
15400-PR3-004	Oil	PH2808	<i>UltraZTR w/Kohler Courage Pro 25 hp Engine</i>				Fuel	G1/4
18045	Trans	LFH5809	12005-001	Oil	PH2814			G1/4P
<i>Kodiak w/Kawasaki 21 hp V-Twin Engine</i>			<i>UltraZTR w/Kohler Courage Pro 27 hp Engine</i>				Hydraulic	LFP449
49019-1055	Fuel	G6529	12005-001	Oil	PH2814	<i>251K/TS, 260K/TS w/Kohler Engine</i>		
18045	Hydraulic	LFH5809	<i>WalkAbout w/Kohler Command Pro 15 hp Engine</i>				Air	AF215
49065-2071	Oil	PH2840	2508301	Air	LAF8195 ²		Fuel	G1/4
18045	Trans	LFH5809	2508304		LAF8690 ¹			G1/4P
<i>Kodiak w/Yanmar Diesel Engine</i>			2405010	Fuel	G115		Hydraulic	LFP449
	Air	LAF8195 ²	492836		G5/16 ²⁶³	<i>251K/TS, 260K/TS w/Kohler Engine</i>		
2508304		LAF8690 ¹	24005003S		G6384		Oil	PH2835
18045	Hydraulic	LFH5809	2505028	Oil	PH2835	<i>272, 275, 285 w/Kohler Engine</i>		
	Oil	PH2876	<i>WalkAbout w/Kohler Command Pro 18 hp Engine</i>			Don. P101275	Air	LAF1275 ²
18045	Trans	LFH5809	2508301	Air	LAF8195 ²		Fuel	G1/4
<i>Ram Mag w/Honda GXV620 20 hp Engine</i>			2508304		LAF8690 ¹			G1/4P
15400PR3004	Oil	PH2808	2405010	Fuel	G115		Hydraulic	LFP449
<i>Ram Mag w/Kawasaki 21 hp Engine</i>			492836		G5/16 ²⁶³		Oil	PH400
49019-1055	Fuel	G6529	24005003S		G6384	<i>295 Hustler w/Continental Engine</i>		
49065-2071	Oil	PH2840	2505028	Oil	PH2835	Don. P101275	Air	LAF1275 ²
<i>Ram Mag w/Kohler Courage V-Twin OHV 24 hp Engine</i>			<i>ZTR 2301, ZTR 4422 w/Kohler CV14S 14 hp Engine</i>				Fuel	G1/4
2505008	Fuel	G115		Fuel	G115			G1/4P
5205004	Oil	PH2835	5205002	Oil	PH2835		Hydraulic	LFP449
<i>Ram Ultra w/Kohler Courage Pro V-Twin 25 hp Engine</i>			18045	Trans	LFH5809 ⁵⁹⁰	By-Pass	Oil	PB50
2505028	Oil	PH2835	<i>ZTR 4423 w/B&S 15 hp Engine</i>			<i>305</i>		
<i>Ram Ultra w/Kohler Courage Pro V-Twin 27 hp Engine</i>				Oil	PH2835		Air	LAF222 ²
2505028	Oil	PH2835	18045	Trans	LFH5809 ⁵⁹⁰		Hydraulic	LFP449
<i>Ram w/B&S ELS 26 hp Engine</i>			<i>ZTR 5020 w/B&S 20 hp Engine</i>			<i>305D w/Ruggerini Engine</i>		
492932	Oil	PH3656		Oil	PH3656		Fuel	L296F ⁴¹
<i>RamZTR w/B&S Professional series 26 hp Engine</i>			18045	Trans	LFH5809 ⁵⁹⁰	<i>320, 340 w/Kubota Engine</i>		
493629	Fuel	G6529	<i>ZTR 5424 w/B&S 17 hp Engine</i>				Air	LAF1275 ²
492932	Oil	PH3656		Oil	PH3656		Fuel	FP590F
			18045	Trans	LFH5809 ⁵⁹⁰			G5/16 ²⁶³
								G5/16CP ¹⁰⁹⁶

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 41-Cartridge 263-Hoses and clamps included 590-Hydrostatic 1096-Clear Plastic

D

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
EXCEL (LAWN MOWER & GARDEN TRACTOR)			EXMARK (LAWN MOWER & GARDEN TRACTOR)			EXMARK (LAWN MOWER & GARDEN TRACTOR)		
320, 340 w/Kubota Engine (cont'd)			Explorer EXS-20KC-2 w/Kohler Command 20 hp V-Twin Engine (cont'd)			Lazer Z EFI w/Kohler 28 hp Engine		
	Oil	PH2808		Oil	PH2835	AF25551	Air	LAF8195 ² LAF8690 ¹
400, 440 w/Ford Industrial Gas Engine				Trans	LFH5809 ⁵⁹⁰		Oil	PH2835
	Air	LAF1275 ²	FrontRunner w/B&S Vanguard 31 hp Engine			513211	Trans	LFH5809 ⁵⁹⁰
	Fuel	G5/16 ²⁶³	1031327	Air	LAF22056 ¹	Lazer Z Liquid Cooled w/Kawasaki Engine		
	Oil	PH400	1031326		LAF8388 ²		Air	LAF22056 ¹ LAF8388 ²
4100 w/Kohler Engine			695666	Fuel	G6529		Oil	PH2840
	Air	LAF1275 ²	492932	Oil	PH3656	513211	Trans	LFH5809 ⁵⁹⁰
	Fuel	G1/4 G1/4P	FrontRunner w/Kohler Command 27 hp V-Twin Engine			Lazer Z w/B&S Engine		
	Hydraulic	LFP449		Air	LAF22056 ¹		Air	LAF8388 ²
	Oil	PH400	1031326		LAF8388 ²		Oil	PH2840
4200 w/Kubota Engine			2405002	Fuel	G1/4 G1/4P	Lazer Z w/Diahsu Diesel Engine		
	Air	LAF1275 ²			PH2814		Air	LAF8388 ²
	Oil	PH2808	1205001	Oil	PH2814		Oil	PH2840
4300, 4500 w/Ford Industrial Gas Engine			513211	Trans	LFH5809 ⁵⁹⁰	Lazer Z w/Kawasaki 22 hp Engine		
	Air	LAF1275 ²	FrontRunner w/Kubota 25 hp Engine				Air	LAF8195 ² LAF8690 ¹
	Fuel	G5/16 ²⁶³	1031327	Air	LAF22056 ¹		Oil	PH2840
	Oil	PH400	1031326		LAF8388 ²	513211	Trans	LFH5809 ⁵⁹⁰
4400 w/Kubota Engine			15853-32430	Oil	PH2876	Lazer Z w/Kohler Engine		
	Air	LAF1275 ²	Lazer Z Advantage w/Kawasaki 26 hp Liquid V-Twin Engine			AF25551	Air	LAF8195 ² LAF8690 ¹
	Oil	PH2808	1031326	Air	LAF22056 ¹	1205012	Oil	PH2814 ¹⁸ PH2835 ³¹
602			1031326		LAF8388 ²	513211	Trans	LFH5809 ⁵⁹⁰
	Hydraulic	LFP449	490197001	Fuel	G6529	Lazer Z XS w/Briggs & Stratton Vanguard 31 hp Engine		
602D			490652078	Oil	PH2840	P821575	Air	LAF8195 ² LAF8690 ¹
	Air	LAF222 ²	Lazer Z Advantage w/Kawasaki 28 hp Engine			493629	Fuel	G6529
602D w/Ruggerini Engine			1031326	Air	LAF22056 ¹	493932	Oil	PH3656
	Fuel	L296F ⁴¹	1031326		LAF8388 ²	Lazer Z XS w/Briggs & Stratton Vanguard 35 hp Engine		
	Hydraulic	PH725	490197001	Fuel	G6529	P821575	Air	LAF8195 ² LAF8690 ¹
	Oil	PH2835	490652078	Oil	PH2840	493629	Fuel	G6529
Shortcut 1500 w/Kawasaki 14 hp Engine			Lazer Z Advantage w/Kohler 25 hp Engine			493932	Oil	PH3656
49065-2071	Oil	PH2840	1031327	Air	LAF22056 ¹	Lazer Z XS w/Kawasaki 29 hp Engine		
Shortcut 1500 w/Kawasaki 17 hp Engine			1031326		LAF8388 ²	P821575	Air	LAF8195 ² LAF8690 ¹
49065-2071	Oil	PH2840	2405002	Fuel	G1/4 G1/4P	490652078	Oil	PH2840
Shortcut 1500 w/Kohler 20 hp Engine			1205001	Oil	PH2814	Lazer Z XS w/Kubota Diesel Engine		
120-5001	Oil	PH2814	Lazer Z CT w/B&S Vanguard 18 hp Engine			P821575	Air	LAF8195 ² LAF8690 ¹
Shortcut 1500 w/Kohler 22 hp Engine			394018	Air	LAF1918		Fuel	G1 ⁵³¹
120-5001	Oil	PH2814	493629	Fuel	G6529	70000-15241	Oil	PH2808
EXMARK (LAWN MOWER & GARDEN TRACTOR)			493932	Oil	PH3656	Lazer ZHP w/Kawasaki 19 hp Engine		
32-12.5K-5 w/Kawasaki FB460 12.5 hp Engine			513211	Trans	LFH5809 ⁵⁹⁰		Air	LAF22056 ¹ LAF8388 ²
	Fuel	G115	Lazer Z CT w/B&S Vanguard 21 hp Engine			490652078	Oil	PH2840
	Oil	PH2840	493629	Fuel	G6529	513211	Trans	LFH5809 ⁵⁹⁰
32-12.5K-5 w/Kohler CV12.5T 12.5 hp Engine			492932	Oil	PH3656	Lazer ZHP w/Kawasaki 23 hp Engine		
	Fuel	G115	Lazer Z CT w/B&S Vanguard 23 hp Engine				Air	LAF22056 ¹ LAF8388 ²
	Oil	PH2835	493629	Fuel	G6529		Oil	PH2840
32-8.5-5 w/B&S 196702 8.5 hp Engine			492932	Oil	PH3656			LAF22056 ¹ LAF8388 ²
	Fuel	G115	Lazer Z D-series w/Kubota Diesel Engine					
Explorer EXS-20KC w/Kohler Command 20 hp V-Twin Engine			1032146	Hydraulic	LFH4209	Lazer Z EF1 w/Kohler 26 hp Engine		
	Air	AF217 ⁵⁸⁹	Lazer Z CT w/B&S Vanguard 23 hp Engine			AF25551	Air	LAF8195 ² LAF8690 ¹
Explorer EXS-20KC-2 w/Kohler Command 20 hp V-Twin Engine			493629	Fuel	G6529		Oil	PH2835
	Air	AF215	492932	Oil	PH3656	513211	Trans	LFH5809 ⁵⁹⁰
	Fuel	G115	Lazer Z D-series w/Kubota Diesel Engine			Lazer ZHP w/Kawasaki 23 hp Engine		
			1032146	Hydraulic	LFH4209		Air	LAF22056 ¹ LAF8388 ²
			Lazer Z EF1 w/Kohler 26 hp Engine					
			AF25551	Air	LAF8195 ² LAF8690 ¹			
				Oil	PH2835			
			513211	Trans	LFH5809 ⁵⁹⁰			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 18-Short 31-Tall 41-Cartridge 263-Hoses and clamps included 531-Filter only 589-7" x 2.55" 590-Hydrostatic

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
EXMARK (LAWN MOWER & GARDEN TRACTOR)			EXMARK (LAWN MOWER & GARDEN TRACTOR)			EXMARK (LAWN MOWER & GARDEN TRACTOR)		
<i>Lazer ZHP w/Kawasaki 23 hp Engine (cont'd)</i>			<i>Metro M5214K5 w/Kawasaki FC420V 14 hp Engine</i>			<i>Turf Ranger TR20KC w/Kohler Command 20 hp V-Twin Engine (cont'd)</i>		
490652078	Oil	PH2840		Fuel	G115		Air	AF217 ⁵⁸⁹
513211	Trans	LFH5809 ⁵⁹⁰		Oil	PH2840		Fuel	G115
<i>Lazer ZHP w/Kawasaki DFI 29 hp Engine</i>			<i>Metro M5214KO5 w/Kohler CV14T 14 hp Engine</i>			<i>Turf Ranger TR20KC w/Kohler Command 20 hp V-Twin Engine (cont'd)</i>		
	Air	LAF22056 ¹ LAF8388 ²		Fuel	G115	513211	Trans	LFH5809 ⁵⁹⁰
490191055	Fuel	G6529		Oil	PH2835	<i>Turf Tracer 52 w/Kawasaki Engine</i>		
490652078	Oil	PH2840	<i>Metro M5216BV5 w/B&S 16 hp Engine</i>				Air	LAF22056 ¹ LAF8388 ²
513211	Trans	LFH5809 ⁵⁹⁰		Air	LAF1918		Fuel	G6529
<i>Lazer ZHP w/Kohler Command Engine</i>				Fuel	G115		Oil	PH2840
1031327	Air	LAF22056 ¹	<i>Midsized Walker 48 w/Kawasaki Engine</i>			Kawasaki	Oil	PH2840
1031326	Air	LAF8388 ²	49065-20057	Oil	PH2840	49065-20057	Trans	LFH5809 ⁵⁹⁰
1205001	Oil	PH2814	<i>Navigator w/Kohler Command Engine</i>			<i>Turf Tracer 60 w/Kohler Engine</i>		
513211	Trans	LFH5809 ⁵⁹⁰		Air	LAF22056 ¹ LAF8388 ²	Kohler 4508302	Air	AF215 LAF22056 ¹ LAF8388 ²
<i>Lazer ZXP w/B&S Engine</i>			2405002	Fuel	G1/4 G1/4P		Fuel	G6529
	Air	LAF8388 ²	1205001	Oil	PH2814	513211	Trans	LFH5809 ⁵⁹⁰
	Oil	PH2840	<i>Phazer w/Kawasaki 19 hp V-Twin Engine</i>			<i>Turf Tracer HP THP15KA363 w/Kawasaki 15 hp V-Twin Engine</i>		
<i>Lazer ZXP w/Daihatsu Diesel Engine</i>				Air	LAF22056 ¹ LAF8388 ²		Air	LAF22056 ¹ LAF8388 ²
	Air	LAF8388 ²	1031326	Air	LAF8388 ²		Fuel	G6529
	Oil	PH2840	490197001	Fuel	G6529		Oil	PH2840
<i>Metro M3612.5K5 w/Kawasaki FB460V 12.5 hp Engine</i>			490652078	Oil	PH2840	513211	Trans	LFH5809 ⁵⁹⁰
	Fuel	G115	<i>Pioneer E & S series w/Kawasaki 20 hp Engine</i>			<i>Turf Tracer HP THP17KA483 w/Kawasaki 17 hp V-Twin Engine</i>		
	Oil	PH2840	490197001	Fuel	G6529		Air	LAF8195 ²
<i>Metro M3612.5KO5 w/Kohler CV12.5T 12.5 hp Engine</i>				Oil	PH2840		Oil	PH2814
	Fuel	G115	<i>Pioneer E & S series w/Kawasaki 22 hp Engine</i>			<i>Turf Tracer HP THP17KA523 w/Kawasaki 17 hp V-Twin Engine</i>		
	Oil	PH2835	490197001	Fuel	G6529		Oil	PH2840
<i>Metro M3614K5 w/Kawasaki FC420V 14 hp Engine</i>				Oil	PH2840	<i>Turf Tracer HP THP19KAE483 w/Kawasaki 19 hp V-Twin Engine</i>		
	Fuel	G115	<i>Quest w/B&S ELS 20 hp V-Twin Engine</i>				Air	AF215 ⁶⁰⁶ AF217 ⁵⁸⁹
	Oil	PH2840	695666	Fuel	G6529		Fuel	G115
<i>Metro M3614KO5 w/Kohler CV14T 14 hp Engine</i>			492056	Oil	PH3656		Oil	PH2835
	Fuel	G115	<i>Quest w/B&S ELS 22 hp V-Twin Engine</i>				Trans	LFH5809 ⁵⁹⁰
	Oil	PH2835	695666	Fuel	G6529	<i>Turf Tracer HP w/Kawasaki 16-20 hp Engine</i>		
<i>Metro M4812.5K5 w/Kawasaki FB460V 12.5 hp Engine</i>			492056	Oil	PH3656		Oil	PH2840
	Fuel	G115	<i>Quest w/B&S ELS 24 hp V-Twin Engine</i>			<i>Turf Tracer TT16BV, TTH16BV w/B&S 16 hp Engine</i>		
	Oil	PH2840	695666	Fuel	G6529		Air	LAF1918
<i>Metro M4812.5KO5 w/Kohler CV12.5T 12.5 hp Engine</i>			492056	Oil	PH3656		Fuel	G115
	Fuel	G115	<i>Quest w/Exmark V-Twin 708cc Engine</i>				Oil	PH2835
	Oil	PH2835	120-4276	Oil	PH2840	513211	Trans	LFH5809 ⁵⁹⁰
<i>Metro M4814K5 w/Kawasaki FC420V 14 hp Engine</i>			<i>Turf Ranger 52 w/Kawasaki Engine</i>			<i>Turf Tracer TT18KC</i>		
	Fuel	G115	Kawasaki	Oil	PH2840		Air	AF215 ⁶⁰⁶ AF217 ⁵⁸⁹
	Oil	PH2840	49065-20057	Oil	PH2840		Fuel	G115
<i>Metro M4814KO5 w/Kohler CV14T 14 hp Engine</i>			513211	Trans	LFH5809 ⁵⁹⁰	513211	Trans	LFH5809 ⁵⁹⁰
	Fuel	G115	<i>Turf Ranger 60 w/Kohler Engine</i>			<i>Turf Tracer TT18KC</i>		
	Oil	PH2835	Kohler 4508302	Air	AF215		Air	AF215 ⁶⁰⁶ AF217 ⁵⁸⁹
<i>Metro M4816BV5 w/B&S 16 hp Engine</i>				Oil	PH2835		Fuel	G115
	Air	LAF1918	513211	Trans	LFH5809 ⁵⁹⁰		Oil	PH2835
	Fuel	G115	<i>Turf Ranger TR20KC w/Kohler Command 20 hp V-Twin Engine</i>			513211	Trans	LFH5809 ⁵⁹⁰
	Oil	PH2835		Air	AF215 ⁶⁰⁶			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 589-7" x 2.55" 590-Hydrostatic 606-6" x 3"

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
EXMARK (LAWN MOWER & GARDEN TRACTOR)			EXMARK (LAWN MOWER & GARDEN TRACTOR)			EXMARK (LAWN MOWER & GARDEN TRACTOR)		
<i>Turf Tracer TT20KC w/Kohler Command 20 hp V-Twin Engine</i>			<i>Viking V3614K5 w/Kawasaki FC420V 14 hp Engine</i>			<i>Viking V5214KO5 w/Kohler CV14T 14 hp Engine (cont'd)</i>		
	Air	AF215 ⁶⁰⁶ AF217 ⁵⁸⁹		Fuel	G115		Oil	PH2835
	Fuel	G115	513211	Oil	PH2840	513211	Trans	LFH5809 ⁵⁹⁰
	Oil	PH2835	<i>Viking V3614KH w/Kawasaki FC420V 14 hp Engine</i>			<i>Viking V5214KOH w/Kohler Engine</i>		
513211	Trans	LFH5809 ⁵⁹⁰		Fuel	G115		Fuel	G115
<i>Turf Tracer TTH18KC w/Kohler Command 18 hp V-Twin Engine</i>				Oil	PH2840	513211	Oil	PH2835
	Air	AF215 ⁶⁰⁶ AF217 ⁵⁸⁹	513211	Trans	LFH5809 ⁵⁹⁰	513211	Trans	LFH5809 ⁵⁹⁰
	Fuel	G115	<i>Viking V3614KO5 w/Kohler CV14T 14 hp Engine</i>			<i>Viking V5216BVH w/B&S 16 hp Engine</i>		
	Oil	PH2835		Fuel	G115		Air	LAF1918
513211	Trans	LFH5809 ⁵⁹⁰	513211	Oil	PH2835		Fuel	G115
<i>Turf Tracer TTH20KC w/Kohler Command 20 hp V-Twin Engine</i>			513211	Trans	LFH5809 ⁵⁹⁰	513211	Oil	PH2835
	Air	AF215 ⁶⁰⁶ AF217 ⁵⁸⁹	<i>Viking V4812.5K5 w/Kawasaki FB460V 12.5 hp Engine</i>			FERRIS INDUSTRIES (LAWN MOWER & GARDEN TRACTOR)		
	Fuel	G115		Fuel	G115	<i>Comfort Control DD w/Kawasaki 19 hp Engine</i>		
	Oil	PH2835	513211	Oil	PH2840		Air	LAF22056 ¹ LAF8388 ²
513211	Trans	LFH5809 ⁵⁹⁰	<i>Viking V4812.5KO5 w/Kohler CV12.5T 12.5 hp Engine</i>			49019-7001	Fuel	G6529
<i>Turf Tracer w/Kawasaki 15 hp Engine</i>				Trans	LFH5809 ⁵⁹⁰	49065-2078	Oil	PH2840
1031327	Air	LAF22056 ¹		Fuel	G115	<i>Comfort Control DD w/Kawasaki 25 hp Engine</i>		
1031326		LAF8388 ²		Oil	PH2835		Air	LAF22056 ¹ LAF8388 ²
49019-7001	Fuel	G6529	513211	Trans	LFH5809 ⁵⁹⁰	49019-7001	Fuel	G6529
49065-2078	Oil	PH2840	<i>Viking V4814K5 w/Kawasaki FC420V 14 hp Engine</i>			49065-2078	Oil	PH2840
	Trans	LFH5809 ⁵⁹⁰		Fuel	G115	<i>Evolution w/Kawasaki 19 hp V-Twin Engine</i>		
<i>Turf Tracer w/Kawasaki 17 hp Engine</i>				Oil	PH2840		Oil	PH2840
1031327	Air	AF215 LAF22056 ¹	513211	Trans	LFH5809 ⁵⁹⁰	<i>Evolution w/Kawasaki 27 hp Engine</i>		
1031326		LAF8388 ²	<i>Viking V4814KH w/Kawasaki FC420V 14 hp Engine</i>				Oil	PH2840
49019-7001	Fuel	G6529		Fuel	G115	<i>F160Z (w/Briggs & Stratton Vanguard 810 Engine)</i>		
49065-2078	Oil	PH2840		Oil	PH2840		Air	LAF8195 ²
	Trans	LFH5809 ⁵⁹⁰	513211	Trans	LFH5809 ⁵⁹⁰		Fuel	G115
<i>Turf Tracer w/Kawasaki 19 hp Engine</i>			<i>Viking V4814KO5 w/Kohler CV14T 14 hp Engine</i>				Oil	PH3656
1031327	Air	LAF22056 ¹		Fuel	G115	<i>F160Z (w/Kawasaki FX730V Engine)</i>		
1031326		LAF8388 ²		Oil	PH2835		Air	LAF8195 ²
49019-7001	Fuel	G6529	513211	Trans	LFH5809 ⁵⁹⁰		Oil	PH2840
49065-2078	Oil	PH2840	<i>Viking V4816BVH w/B&S 16 hp Engine</i>			<i>F210Z (w/Briggs & Stratton Vanguard 810 Engine)</i>		
<i>Turf Tracer w/Kohler CV640 20 hp Engine</i>				Air	LAF1918		Air	LAF8195 ²
	Air	LAF8195 ²		Fuel	G115		Fuel	G115
	Oil	PH2814	513211	Oil	PH2835		Oil	PH3656
<i>Vantage w/Kawasaki 20-24 hp Engine</i>				Oil	PH2835	<i>F210Z (w/Kawasaki FX801V Engine)</i>		
1031326	Air	LAF8388	513211	Trans	LFH5809 ⁵⁹⁰		Air	LAF8195 ²
490652078	Oil	PH2840	<i>Viking V5214K5 w/Kawasaki FC420V 14 hp Engine</i>				Oil	PH2840
<i>Viking V3612.5K5 w/Kawasaki FB460V 12.5 hp Engine</i>				Fuel	G115	<i>F800X w/Briggs & Stratton Vanguard Engine</i>		
	Fuel	G115		Oil	PH2840	AF25551	Air	LAF8195 ² LAF8690 ¹
	Oil	PH2840	513211	Trans	LFH5809 ⁵⁹⁰	(AF25552); Opt.		LAF8690 ¹
513211	Trans	LFH5809 ⁵⁹⁰	<i>Viking V5214KH w/Kawasaki FC420V 14 hp Engine</i>				Fuel	G115
<i>Viking V3612.5KO5 w/Kohler CV12.5T 12.5 hp Engine</i>				Fuel	G115	492932	Oil	PH3656
	Fuel	G115		Oil	PH2840	<i>HydroCut w/Kawasaki 13 hp Engine</i>		
	Oil	PH2835	513211	Trans	LFH5809 ⁵⁹⁰	49019-7001	Fuel	G6529
513211	Trans	LFH5809 ⁵⁹⁰	<i>Viking V5214KO5 w/Kohler CV14T 14 hp Engine</i>			49065-2078	Oil	PH2840
<i>Viking V3612.5KO5 w/Kohler CV12.5T 12.5 hp Engine</i>				Fuel	G115	<i>IS1500Z w/Kawasaki 19 hp V-Twin Engine</i>		
	Fuel	G115		Oil	PH2840	AF25551	Air	LAF8195 ² LAF8690 ¹
	Oil	PH2835	513211	Trans	LFH5809 ⁵⁹⁰	(AF25552); Opt.		LAF8690 ¹
513211	Trans	LFH5809 ⁵⁹⁰		Fuel	G115			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 589-7" x 2.55" 590-Hydrostatic 606-6" x 3"

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FERRIS INDUSTRIES (LAWN MOWER & GARDEN TRACTOR)			FERRIS INDUSTRIES (LAWN MOWER & GARDEN TRACTOR)			FORD (LAWN MOWER & GARDEN TRACTOR)		
<i>IS1500Z w/Kawasaki 19 hp V-Twin Engine (cont'd)</i>			<i>IS4500Z w/B&S Vanguard 35 hp V-Twin Engine (cont'd)</i>			LGT12, LGT120		
49019-7001	Fuel	G6529				4708301	Air	AF216
49065-2078	Oil	PH2840		Fuel	G115	LGT12H, LGT125		
<i>IS1500Z w/Kawasaki 26 hp Engine</i>			492932	Oil	PH3656	251398	Air	AF217
AF25551 (AF25552); Opt.	Air	LAF8195 ² LAF8690 ¹	<i>IS500Z w/B&S ELS 24 hp V-Twin Engine</i>			E7NN6714DA	Trans	PH710 ⁵⁹⁰
49019-7001	Fuel	G6529	492932	Oil	PH3656	LGT14, LGT14H		
49065-2078	Oil	PH2840	<i>IS500Z w/B&S ELS 26 hp V-Twin Engine</i>			4708301	Air	AF216
<i>IS1500ZX w/B&S Vanguard 28 hp V-Twin Engine</i>			492932	Oil	PH3656	E7NN6714DA	Trans	PH710 ⁵⁹⁰
AF25551 (AF25552); Opt.	Air	LAF8195 ² LAF8690 ¹	<i>IS5100Z w/Caterpillar 3013C Engine</i>			LGT140		
	Fuel	G115	AF25551 (AF25552); Opt.	Air	LAF8195 ² LAF8690 ¹	4708301	Air	AF216
492932	Oil	PH3656	1504142	Fuel	LFF6965	E7NN6714DA	Trans	PH710 ⁵⁹⁰
<i>IS2000Z w/B&S 32 hp Engine</i>			2201523	Oil	PH2835	LGT145		
AF25551 (AF25552); Opt.	Air	LAF8195 ² LAF8690 ¹	<i>IS700Z w/Briggs & Stratton Vanguard Engine</i>			4708301	Air	AF216
	Fuel	G115	AF25551 (AF25552); Opt.	Air	LAF8195 ² LAF8690 ¹	E7NN6714DA	Trans	PH710 ⁵⁹⁰
492932	Oil	PH3656	492932	Fuel	G115	LGT14D, LGT16D		
<i>IS2000Z w/B&S Vanguard 30 hp V-Twin Engine</i>				Oil	PH3656	SBA360720020	Fuel	L3556F
AF25551 (AF25552); Opt.	Air	LAF8195 ² LAF8690 ¹	<i>ProCut 22 Model H2222K w/Kohler 22 hp Engine</i>			F0NN6714BA	Oil	PH2840
	Fuel	G115	120-5001	Oil	PH2814	LGT165		
492932	Oil	PH3656	<i>ProCut 32 Model H3225K w/Kohler 25 hp Engine</i>			251398	Air	AF217 ⁵⁸⁹
<i>IS2000Z w/B&S Vanguard 30 hp V-Twin Engine</i>			120-5001	Oil	PH2814	309998	Air	AF215 ⁶⁰⁶
AF25551 (AF25552); Opt.	Air	LAF8195 ² LAF8690 ¹	<i>ProCut Z Model PCZ2561 w/Kohler 25 hp Engine</i>			E7NN6714DA	Trans	PH710 ⁵⁹⁰
	Fuel	G115	120-5001	Oil	PH2814	LGT17, LGT17H		
492932	Oil	PH3656	<i>SRS Z2 w/Briggs & Stratton Vanguard Engine</i>			309998	Air	AF215
<i>IS2000Z w/Kawasaki engine</i>			AF25551 (AF25552); Opt.	Air	LAF8195 ² LAF8690 ¹	E7NN6714DA	Trans	PH710 ⁵⁹⁰
AF25551 (AF25552); Opt.	Air	LAF8195 ² LAF8690 ¹	492932	Oil	PH3656	LGT18H		
	Fuel	G115	<i>SRS Z2 w/Kawasaki FX801V Engine</i>			309998	Air	AF215
	Oil	PH2840	49065-2078	Oil	PH2840	5205002	Oil	PH2835
<i>IS2100Z w/Briggs & Stratton Vanguard 810EFI Engine</i>			FORD (LAWN MOWER & GARDEN TRACTOR)			E7NN6714DA	Trans	PH710 ⁵⁹⁰
	Air	LAF8195 ² LAF8690 ¹	<i>80 w/Kohler 8 hp Engine</i>			LGT195		
	Fuel	G115	Kohler 231847			251398	Air	AF217
	Oil	PH3656	<i>85 w/B&S 8 hp Engine</i>			276513	Oil	PH400
<i>IS3000Z w/B&S 30 hp Engine</i>			Kohler 231847			E7NN6714A	Trans	PH710 ⁵⁹⁰
AF25551 (AF25552); Opt.	Air	LAF8195 ² LAF8690 ¹	<i>CM222, CM224, CM272, CM274 w/Ford Industrial Engine</i>			LS25, LS35		
	Fuel	G115	86512888	Air	LAF8426		Fuel	G2900
492932	Oil	PH3656	SBA360720020	Fuel	L3556F	KOH1205001	Oil	PH2814
<i>IS3000Z w/B&S 32 hp Engine</i>			F0NN6714BA	Oil	PH2840	LS45, LS55		
AF25551 (AF25552); Opt.	Air	LAF8195 ² LAF8690 ¹	SBA340500890	Trans	LPH6201 ⁵⁹⁰	251398	Air	AF217
	Fuel	G115	<i>GT65, GT75 Diesel</i>				Fuel	G2900
492932	Oil	PH3656		Air	LAF8473	KOH1205001	Oil	PH2814
<i>IS3100Z w/Kawasaki FX1000V 37 hp Engine</i>			SBA360720020	Fuel	L3556F	LT12.5A		
AF26168	Air	LAF5325 ²	F0NN6714BA	Oil	PH2840		Air	LAF5773
49019-7001	Fuel	G6529	SBA340500890	Trans	LPH6201 ⁵⁹⁰	YT12.5, YT14 w/Kohler Engine		
49065-2078	Oil	PH2840	<i>GT85, GT95 w/Kohler Engine</i>			2505002	Fuel	G2900
<i>IS3100Z w/Kawasaki V-Twin 26 hp Engine</i>			309998	Air	AF215	5205002	Oil	PH2835
AF25551 (AF25552); Opt.	Air	LAF8195 ² LAF8690 ¹	2505002	Fuel	G6529	YT16, YT16H, YT18H w/Kohler Engine		
	Fuel	G6529	5205002	Oil	PH2835	309998	Air	AF215
49065-2078	Oil	PH2840	SBA340500890	Trans	LPH6201 ⁵⁹⁰	2505002	Fuel	G2900
<i>IS4500Z w/B&S Vanguard 35 hp V-Twin Engine</i>			<i>LGT100</i>			5205002	Oil	PH2835
AF25551 (AF25552); Opt.	Air	LAF8195 ² LAF8690 ¹	251398	Air	AF217	GIANT (LAWN MOWER & GARDEN TRACTOR)		
						M3213K, M3613K, M4813K w/Kawasaki FC400V 13 hp Engine		
							Oil	PH2840

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 589-7" x 2.55" 590-Hydrostatic 606-6" x 3"

F

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GIANT (LAWN MOWER & GARDEN TRACTOR)			GRASSHOPPER (LAWN MOWER & GARDEN TRACTOR)			GRASSHOPPER (LAWN MOWER & GARDEN TRACTOR)		
M3614KOH, M4814KOH, M5214KOH w/Kohler Command CV14 14 hp Engine			225 (w/Kohler Command Pro Engine) (cont'd)			612 w/B&S 12.5 hp Engine (cont'd)		
	Oil	PH2835	52 050 02	Oil	PH2835		Trans	LFF4295 ⁵⁹⁰
M5214K w/Kawasaki FC420V 14 hp Engine			225V (w/Kohler Confident Engine)			616 w/B&S Engine		
	Oil	PH2840	1205002	Oil	PH2814	491056	Oil	PH2835
M5218BIC, M6118BIC w/B&S Vanguard 18 hp V-Twin Engine			226V (w/Briggs & Stratton Commercial 810cc V-Twin Engine)			618 w/Kohler 18 hp Engine		
	Air	LAF1918	492932	Oil	PH3656	5205002	Oil	PH2835
	Oil	PH2835	226V w/B&S Professional Series 26 hp V-Twin Engine			620 w/Kohler 20 hp Command Pro. Engine		
GILSON (LAWN MOWER & GARDEN TRACTOR)			492932 Oil PH3656			1205001 Oil PH2814 ¹⁸		
723 w/Kohler 10 hp Engine			227 w/Kohler Command Pro 27 hp V-Twin Engine			5205002 Oil PH2835 ¹⁹		
	Air	AF213	AF2551	Air	LAF8195 ²	718 w/B&S Engine		
750 w/Kohler 12 hp Engine			5205002	Oil	PH2835	394018	Air	LAF1918
	Air	AF213	321D, 322D w/Kubota Diesel Engine			491056	Oil	PH2835
774, 867 w/B&S 12 hp Engine			AF2551	Air	LAF8195 ²	718 w/Kohler Magnum M18 18 hp Twin		
	Trans	PH710 ⁵⁹⁰	100937		LAF8690 ¹	5205002 Oil PH2835		
GIZMOW (LAWN MOWER & GARDEN TRACTOR)			101000	Fuel	G1 ⁵³¹	720 w/Onan Performer P220G 20 hp Twin		
F5225KH w/Kohler Command 25 hp V-Twin Engine			100800	Oil	PH2808	1220645 Oil PH2835		
	Oil	PH2814	325D w/Kubota Diesel Engine			122-0406 Trans LFH5809 ⁵⁹⁰		
F5227KH w/Kohler Command 27 hp V-Twin Engine			AF2551	Air	LAF8195 ²	721, 725 w/Kubota Engine		
	Oil	PH2814	70000-15241	Oil	PH2808	Air LAF2745A ²		
F6127KH w/Kohler Command 27 hp V-Twin Engine			327 w/Kawasaki 27 hp Engine			Oil PH2808		
	Oil	PH2814	327K (w/Kohler Command Pro Engine)			Trans LFH5809 ⁵⁹⁰		
	Oil	PH2814		Air	LAF8195 ²	721D w/Kubota Diesel Engine		
GRASSHOPPER (LAWN MOWER & GARDEN TRACTOR)					LAF8690 ¹	Air LAF2745A ²		
120 w/B&S 20 hp Engine			52 050 02	Oil	PH2835	Oil LAF8195 ²		
492932	Oil	PH3656	329 w/Kubota Diesel Engine			LAF8690 ¹		
120 w/Kohler Command Pro 20 hp Engine			AF2551	Air	LAF8195 ²	70000-15241 Oil PH2808		
5205002	Oil	PH2835	70000-15241	Oil	PH2808	Trans LFH5809 ⁵⁹⁰		
120K w/Kohler Command Pro 18 hp Engine			329 w/Kubota gas Engine			722D2, 725D w/Kubota Diesel Engine		
5205002	Oil	PH2835	AF2551	Air	LAF8195 ²	AF2551 Air LAF8195 ²		
124 w/B&S ELS 24 hp V-Twin Engine			70000-15241	Oil	PH2808	LAF8690 ¹		
492932	Oil	PH3656	329B w/B&S Vanguard 29 hp Engine			70000-15241 Oil PH2808		
125 (w/Kohler Confident Engine)			AF2551	Air	LAF8195 ²	723 w/Kohler Command 23 hp Engine		
1205002	Oil	PH2814	492932	Oil	PH3656	AF2551 Air LAF8195 ²		
126 (w/Briggs & Stratton 810cc Vanguard Engine)			P821575	Air	LAF8195 ²	LAF8690 ¹		
492932	Oil	PH3656	428D w/Kubota Diesel Engine			5205002 Oil PH2835		
218 w/Kohler Command Pro 18 hp Engine			493932	Oil	PH3656	725G2 w/Kubota Gas Engine		
AF2551	Air	LAF8195 ²	AF2551	Air	LAF8195 ²	AF2551 Air LAF8195 ²		
5205002	Oil	PH2835	100937		LAF8690 ¹	70000-15241 Oil PH2808		
220 w/Kohler Command 20 hp V-Twin Engine			101004	Fuel	FP590F	725K w/Kohler Command 25 Engine		
AF2551	Air	LAF8195 ²	70000-15241	Oil	PH2808	120-5001 Oil PH2814		
5205002	Oil	PH2835	430D w/Kubota diesel Engine			727K w/Kohler Command 27 hp Engine		
223 w/Kohler Command Pro 23 hp V-Twin Engine			AF2551	Air	LAF8195 ²	Air LAF8195 ²		
AF2551	Air	LAF8195 ²	100937		LAF8690 ¹	LAF8690 ¹		
5205002	Oil	PH2835	70000-15241	Oil	PH2808	5205002 Oil PH2835		
225 (w/Kohler Command Pro Engine)			432 w/Kubota gas Engine			727KW w/Kawasaki 27 hp Engine		
	Air	LAF8195 ²	AF2551	Air	LAF8195 ²	AF2551 Air LAF8195 ²		
	Air	LAF8690 ¹	70000-15241	Oil	PH2808	49065-2078 Oil PH2840		
	Oil	PH2835	612 w/B&S 12.5 hp Engine			729 w/B&S Vanguard 29 hp Engine		
	Oil	PH2835	491056	Oil	PH2835	P821575 Air LAF8195 ²		
	Oil	PH2835		Oil	PH2835	LAF8690 ¹		
	Oil	PH2835		Oil	PH2835	493932 Oil PH3656		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 18-Short 19-Long 531-Filter only 590-Hydrostatic

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GRASSHOPPER (LAWN MOWER & GARDEN TRACTOR)			GRAVELY (LAWN MOWER & GARDEN TRACTOR)			GRAVELY (LAWN MOWER & GARDEN TRACTOR)		
<i>729 w/Kubota Gas Engine</i>			<i>252M w/Kohler Command 25 hp Engine</i>			<i>Pro Master Series w/Kohler EFI Engine</i>		
AF25551	Air	LAF8195 ² LAF8690 ¹	1205001	Oil	PH2814		Air	LAF8195 ² LAF8690 ¹
70000-15241	Oil	PH2808	<i>252M w/Kohler Command 27 hp Engine</i>				Fuel	G115
<i>735 w/B&S Vanguard 35 hp Engine</i>			<i>262MXDZ w/Kohler Command 25 hp Engine</i>			2505028	Oil	PH2835
P821575	Air	LAF8195 ² LAF8690 ¹	1205001	Oil	PH2814	<i>Professional G Series Tractors</i>		
493932	Oil	PH3656	<i>262MXDZ w/Kohler Command 27 hp Engine</i>			39306	Hydraulic	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
<i>928D w/Kubota Diesel Engine</i>			<i>34Z, 44Z, 48Z w/Kawasaki 19 hp Engine</i>			<i>Pro-Master 260 (w/Kawasaki FX Series Engine)</i>		
100936	Air	LAF8195 ² LAF8690 ¹	49019-7001	Fuel	G6529		Fuel	G6529
100937		LAF8823 ²	49065-2078	Oil	PH2840		Oil	PH2840
100939			<i>408 w/Kohler K181, K181T Engine</i>			<i>Promaster 260Z w/Kohler Command CV25S 25 hp Engine</i>		
101004	Fuel	FP590F		Air	AF211		Air	LAF8195 ²
70000-15241	Oil	PH2808	<i>450 w/Onan Engine</i>				Oil	PH2814
<i>930D w/Kubota Diesel Engine</i>				Oil	PH400	1205001	Oil	PH2814
100936	Air	LAF8195 ² LAF8690 ¹	<i>500, 810, 812, 814 w/Kohler Engine</i>			<i>Promaster 260Z w/Robin EH65V 22 hp Engine</i>		
100937		LAF8823 ²	10900P1	Air	AF213	261-65902-A0	Oil	PH2840
100939			<i>8120, 8121 w/Kohler K301 Engine</i>			<i>Promaster 272 w/Kawasaki FX 31 hp Engine</i>		
101004	Fuel	FP590F	235116	Air	AF213		Air	LAF5325 ²
70000-15241	Oil	PH2808	<i>816, 817 w/Onan Engine</i>				Fuel	G115
<i>932 w/Kubota Gas Engine</i>			10900P1	Air	AF213		Oil	PH2840
AF25551	Air	LAF8195 ²	<i>816S w/B&S Engine</i>			<i>Promaster 320HD w/Kawasaki FX751V 27 hp Engine</i>		
70000-15241	Oil	PH2808	10900P1	Air	AF213		Air	LAF5325 ²
GRAVELY (LAWN MOWER & GARDEN TRACTOR)			<i>Compact-Pro 44 w/Kawasaki FX Series Engine</i>				Fuel	G115
<i>144M w/Kawasaki 19 hp Engine</i>				Air	LAF22056 ^{1, 12} LAF8388 ²	49065-2080	Oil	PH2840
AF25551	Air	LAF8195 ² LAF8690 ¹		Fuel	G115	<i>Promaster Rapid XZ w/Kohler Command 27 hp Engine</i>		
AF25552		PH2840		Oil	PH2840		Fuel	G115
49065-2078	Oil	PH2840	<i>GC900 w/Renault Engine</i>				Oil	PH2835
9414200	Trans	LFP1652 ⁵⁹⁰		Air	AF70	2505028	Oil	PH2835
<i>144M w/Kawasaki 21 hp Engine</i>				Oil	PH2814	<i>Promaster Rapid XZ w/Kohler Command 30 hp Engine</i>		
AF25551	Air	LAF8195 ² LAF8690 ¹	<i>Model L</i>				Fuel	G115
AF25552		PH2840	10900P1	Air	AF213	2505028	Oil	PH2835
49065-2078	Oil	PH2840	12722	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>Pro-Ride 254, Pro-Ride 260, Pro-Ride 266 w/Kawasaki FX Series Engine</i>		
9414200	Trans	LFP1652 ⁵⁹⁰	<i>Models with Gravely Air</i>				Air	LAF5325 ²
<i>148M w/Kawasaki 19 hp Engine</i>			13042P1	Air	LAF8743		Fuel	G115
AF25551	Air	LAF8195 ² LAF8690 ¹	<i>PM 320HD w/Kohler CV740S Command 27 hp V-Twin Engine</i>				Oil	PH2840
AF25552		PH2840		Air	LAF8195 ² LAF8690 ¹		Trans	LFH5809 ⁵⁹⁰
49065-2078	Oil	PH2840		Oil	PH2835	<i>ProSeries Mowers</i>		
9414200	Trans	LFP1652 ⁵⁹⁰	5205002	Oil	PH2835	47195	Trans	PH2827
<i>148M w/Kawasaki 21 hp Engine</i>			<i>PM3084 Turf w/Kawaski FX Series Engine</i>			<i>ProStance 1934FX, 1948FL, 1952FX w/Kawasaki KAI 19 hp V-Twin Engine</i>		
AF25551	Air	LAF8195 ² LAF8690 ¹		Air	LAF5325 ²		Air	LAF22056 ¹ LAF8388 ²
AF25552		PH2840		Fuel	G115	49019-7001	Fuel	G6529
49065-2078	Oil	PH2840		Oil	PH2840	49065-2078	Oil	PH2840
9414200	Trans	LFP1652 ⁵⁹⁰	<i>Pro Master Series w/Daihatsu Diesel Engine</i>			<i>Pro-Stance 34FX w/Kawaski FX Series Engine</i>		
<i>152MXDZ w/Kawasaki 19 hp Engine</i>				Oil	PH2840		Air	LAF22056 ¹ LAF8388 ²
AF25551	Air	LAF8195 ² LAF8690 ¹	9414200	Trans	LFP1652 ⁵⁹⁰	49019-7001	Fuel	G6529
AF25552		PH2840	<i>Pro Master Series w/Kawasaki Engine</i>			49065-2078	Oil	PH2840
49065-2078	Oil	PH2840		Air	LAF5325 ²			
9414200	Trans	LFP1652 ⁵⁹⁰		Fuel	G115			
<i>152MXDZ w/Kawasaki 21 hp Engine</i>				Oil	PH2840			
AF25551	Air	LAF8195 ² LAF8690 ¹		Trans	LFH5809 ⁵⁹⁰			
AF25552		PH2840						
49065-2078	Oil	PH2840						
9414200	Trans	LFP1652 ⁵⁹⁰						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 12-Optional 275-Primary 590-Hydrostatic 1496-Alternate

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GRAVELY (LAWN MOWER & GARDEN TRACTOR)			GRAVELY (LAWN MOWER & GARDEN TRACTOR)			GRAVELY (LAWN MOWER & GARDEN TRACTOR)		
Pro-Stance 48FL, 52FL, 61FL w/Kawasaki FX Series Engine			Pro-Turn 460 w/Kawasaki FX Series Engine (cont'd)			ZT48HD, ZT52HD, ZT60HD w/Kawasaki FR730V 24 hp Engine		
	Air	LAF5325 ²		Oil	PH2840	49019-7005	Fuel	G6529
	Fuel	G115	Pro-Turn 472 Commercial w/Kawasaki FX Series Engine			49065-7007	Oil	PH3656
	Oil	PH2840		Air	LAF5325 ²	ZT60HD 991091 w/Kohler Courage Pro27 hp Engine		
Pro-Stance 52FL, Pro-Stance 61FL w/Kohler Command EFI Engine			Gas	Fuel	G115	2505034	Oil	PH2835
	Air	LAF8195 ² LAF8690 ¹		Oil	PH2840	GREAT DANE (LAWN MOWER & GARDEN TRACTOR)		
	Fuel	G115	Pro-Walk Series w/Kawasaki FS Series Engine			Brutus w/Kawasaki 25 hp V-Twin Engine		
	Oil	PH2814		Oil	PH2840	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
Pro-Turn 148, Pro-Turn 152 w/Kawasaki FX691V 24hp Engine			ZT HD w/Kawasaki 23, 24 & 26 hp V-Twin			490652078	Oil	PH2840
	Air	LAF8195 ² LAF8690 ¹	490197001	Fuel	G6529	Brutus w/Kohler Command 27 hp V-Twin Engine		
	Fuel	G115	490652078	Oil	PH2840 ⁵⁹⁸	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Oil	PH2840	490657007		PH3656 ²⁷¹	490652078 Oil PH2840		
Pro-Turn 160 w/Kawasaki FX730V 26 hp Engine			ZT XL w/Kawasaki 22, 23 & 24 hp V-Twin			Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
AF25551	Air	LAF8195 ² LAF8690 ¹	490197001	Fuel	G6529	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
AF25552	Fuel	G115	490652078	Oil	PH2840 ⁵⁹⁸	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
49065-2080	Oil	PH2840	490657007		PH3656 ²⁷¹	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
Pro-Turn 252, 260, 272 Commercial w/Kawasaki FX Series Engine			ZT1734, ZT1734XL w/Kohler Courage 17 hp Engine			Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Air	LAF5325 ²	2505008	Fuel	G115	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Fuel	G115	1205001	Oil	PH2814	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Oil	PH2840	ZT1842XL, ZT2448XL w/B&S ELS Twin 18 hp Engine			Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
Pro-Turn 252, 262 Commercial w/Kohler Command EFI Engine			696854	Oil	PH3656	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Air	LAF8195 ² LAF8690 ¹	ZT1842XL, ZT2448XL w/B&S ELS Twin 24 hp Engine			Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Fuel	G115	696854	Oil	PH3656	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Oil	PH2840	ZT2040 w/Kohler Courage 20 hp			Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Air	LAF8195 ² LAF8690 ¹	2505008	Fuel	G115	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Fuel	G115	1205001	Oil	PH2814	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Oil	PH2814	ZT2250 w/Kohler Courage 22 hp			Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
Pro-Turn 260 & 266 Commercial w/Kawasaki 27 & 31 hp Engine			2505008	Fuel	G115	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Air	LAF5325 ²	1205001	Oil	PH2814	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Fuel	G115	ZT2548XL w/Kohler Courage ProTwin 25 hp Engine			Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Oil	PH2840	1205001	Oil	PH2814	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
Pro-Turn 452 w/Kawasaki FX751V Engine			ZT2552HD w/Kohler Courage Pro 25 hp V-Twin Engine			Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Air	LAF5325 ²	2505008	Fuel	G115	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Fuel	G115	1205001	Oil	PH2814	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Oil	PH2840	ZT2554XL w/Kohler Courage 25 hp V-Twin Engine			Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
Pro-Turn 452 w/Kohler Command EFI Engine			1205001	Oil	PH2814	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Air	LAF8195 ² LAF8690 ¹	ZT2760HD w/Kohler Courage Pro 27 hp V-Twin Engine			Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Fuel	G115	2505008	Fuel	G115	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Oil	PH2814	1205001	Oil	PH2814	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
Pro-Turn 460 Commercial w/Kohler EFI Engine			ZT42, ZT50 w/Kawasaki FR Series Engine			Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Air	LAF8195 ² LAF8690 ¹	49019-7005	Fuel	G6529	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Fuel	G115	49065-7007	Oil	PH3656	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Oil	PH2814	ZT44HD 991090 w/Kawasaki FR691V 23 hp Engine			Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
Pro-Turn 460 w/Kawasaki FX Series Engine			49019-7005	Fuel	G6529	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Air	LAF5325 ²	49065-7007	Oil	PH3656	Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		
	Fuel	G115				Opt. LAF22056 ¹ LAF8195 ² LAF8388 ² LAF8690 ¹		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 271-3" O.D. 598-2.67" O.D.

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HECK (LAWN MOWER & GARDEN TRACTOR)			HUSQVARNA (LAWN MOWER & GARDEN TRACTOR)			HUSQVARNA (LAWN MOWER & GARDEN TRACTOR)		
73906 w/B&S Vanguard 16 hp V-Twin Engine			BZ6127, BZ7234 w/Daihatsu Diesel Turbo 34 hp Engine			IZ-6125 w/Kohler Command 25 hp V-Twin Engine (cont'd)		
	Air	LAF1918						
	Oil	PH2835	2508301	Air	LAF8195 ²	12005001	Oil	PH2814
739061 w/B&S I/C 16 hp Engine			2508304			IZC-5223 w/B&S V-Twin 23 hp Engine		
	Air	LAF1918	490652071	Oil	PH2840	492932	Oil	PH3656
	Oil	PH2835	EZ4624 w/B&S ELS 24 hp Engine			LGT24K54 w/Kawasaki FR series 24 hp Engine		
HONDA (LAWN MOWER & GARDEN TRACTOR)			492932			Fuel		
2113			Oil			G115		
BE10-18			EZ4824 w/B&S Endurance 24 hp Engine			490657007		
	Trans	PH2835 ⁵⁹⁰	492932			Oil		
H6522 w/Honda GD1250 22 hp V-Twin Diesel			Oil			LGT2554 w/Kohler Courage 25 hp V-Twin Engine		
15400-PR3-004	Oil	PH2808	EZ4824, 4824K w/Kohler Courage 24 hp Engine			2505008		
25641-VE4-003	Trans	LFH5809 ⁵⁹⁰	2505008			Fuel		
HA4118 w/Honda GXV620 18 hp V-Twin Engine			2505028			Oil		
15400-PR3-004	Oil	PH2808	EZ5224, EZ6124 w/Kohler Courage 24 hp Engine			2505001		
25641-VE4-003	Trans	LFH5809 ⁵⁹⁰	2505008			Fuel		
HRC7018 w/Honda GXV390DA2 18 hp V-Twin Engine			2505028			Oil		
15400-PR3-004	Oil	PH2808	EZ5226, EZ5426 w/B&S ELS 26 hp Engine			2505008		
25641-VE4-003	Trans	LFH5809 ⁵⁹⁰	492932			Fuel		
HRC7020 w/Honda GXV620QWC 20 hp V-Twin Engine			GT-160 w/B&S Engine			1205001		
15400-PR3-004	Oil	PH2808	B & amp; S 491056			Oil		
25641-VE4-003	Trans	LFH5809 ⁵⁹⁰	GT-180 w/B&S Engine			2505028		
HT3813, HT4213 w/Honda GX360 13 hp Engine			Oil			PH2835		
25641-VE4-003	Trans	LFH5809 ⁵⁹⁰	GTH-200 w/B&S 18 hp Engine			LTH-130 w/Kohler 13 hp Engine		
HUSKY (LAWN MOWER & GARDEN TRACTOR)			492932			Oil		
1256			Oil			PH2835		
1886			GTH-225, GTH-250 w/Kohler Command 22 hp Engine			LTH-140 w/Kohler 14 hp Engine		
	Air	AF214	1205001			Oil		
	Trans	PH710 ⁵⁹⁰	Oil			PH2835		
HT16, HT18			GTH-225, GTH-250 w/Kohler Command 25 hp Engine			LTH-150 w/Kohler 15 hp Engine		
	Air	AF214	1205001			Oil		
	Trans	PH710 ⁵⁹⁰	Oil			PH2835		
HUSQVARNA (LAWN MOWER & GARDEN TRACTOR)			GTH26V52LS w/Kawasaki FR Series Engine			LTH-1538 w/B&S Intek Single cyl. 15.5 hp Engine		
2042LS, 2246LS, 2348LS w/B&S Endurance 20-23 hp Engine			490657007			Fuel		
492932	Oil	PH3656	GTH27V48LS w/B&S Endurance twin 27 hp Engine			490191055		
2346XLS w/B&S Vanguard 23 hp Engine	Oil	PH3656	492932			Fuel		
2748GLS, 2754GLS w/B&S 27 hp Engine	Oil	PH3656	IZ-4217 w/Kawasaki KAI V-Twin 17 hp Engine			492932		
492932	Oil	PH3656	490652071			Oil		
BZ6127, BZ7234 w/Daihatsu Diesel Turbo 27 hp Engine			IZ-4819 w/Kawasaki KAI V-Twin 19 hp Engine			LZ-30 w/Kohler CV747S V-Twin 30 hp Engine		
2508301	Air	LAF8195 ²	490191055			2508301		
2508304		LAF8690 ¹	490652071			Air		
490652071	Oil	PH2840	IZ-4821 w/Kawasaki V-Twin 21 hp Engine			LAF8195 ²		
			490191055			LAF8690 ¹		
			490652071			Oil		
			IZ-5223 w/Briggs & Stratton Vanguard 23 hp V-Twin Engine			PH2814		
			2508301			Air		
			2508304			LAF8195 ²		
			492932			LAF8690 ¹		
			IZ-5223 w/Kohler V-Twin 23 hp Engine			PH3656		
			2508301			Air		
			2508304			LAF8195 ²		
			12005001			LAF8690 ¹		
			IZ-6125 w/Kohler Command 25 hp V-Twin Engine			PH2814		
			2508301			Air		
			2508304			LAF8195 ²		
						LAF8690 ¹		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 18-Short 19-Long 590-Hydrostatic

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HUSQVARNA (LAWN MOWER & GARDEN TRACTOR)			HUSQVARNA (LAWN MOWER & GARDEN TRACTOR)			HUSQVARNA (LAWN MOWER & GARDEN TRACTOR)		
<i>MZ-5225 w/Kohler Courage Pro 25 hp Engine</i>			<i>RZ-4222 w/B&S Endurance Engine (cont'd)</i>			<i>YTH-2448 w/B&S Intek 22, 24 hp Engines</i>		
2505028	Oil	PH2835	49065-7007	Oil	PH3656	531307049	Fuel	G115
<i>MZ-6128ZT w/B&S Endurance V twin 28 HP Engine</i>			<i>RZ-4621 w/B&S Endurance Engine</i>			<i>YTH-2452XLS w/Kawasaki FR series 24 hp Engine</i>		
49019-7005	Fuel	G6529	49065-7007	Fuel	G6529			
49065-7007	Oil	PH3656	<i>RZ4623 w/Kohler 23 hp V-Twin Engine</i>			531307049	Fuel	G115
<i>M-ZT 52 w/B&S Endurance Engine</i>			2505008	Fuel	G115	490657007	Oil	PH3656
			1205001	Oil	PH2814 ¹⁸	<i>YTH-24K48 w/Kohler 24 hp V twin Engine</i>		
<i>M-ZT 61 w/B&S Endurance Engine</i>			2505028		PH2835 ¹⁹	2505008	Fuel	G115
			<i>RZ-4824 w/Kawasaki FR series 24 hp Engine</i>			1205001	Oil	PH2814 ¹⁸
			2505008	Fuel	G115	2505028		PH2835 ¹⁹
<i>PZ-5426FX w/Kawasaki FX730 26 hp Engine</i>			49065-7007	Oil	PH3656	<i>YTH-24V42LS w/Kawasaki FR series 24 hp Engine</i>		
			<i>RZ-5424 w/Kawasaki FR series 24 hp Engine</i>					
2505008	Air	LAF8195 ²	2505008	Fuel	G115	531307049	Fuel	G115
49065-2080	Fuel	G115	49065-7007	Oil	PH3656	490657007	Oil	PH3656
<i>PZ-6029FX w/Kawasaki FX801 29 hp Engine</i>			<i>RZ-5424 w/Kohler Courage 24 hp V-Twin Engine</i>			<i>YTH-24V48LS w/Kawasaki FR series 24 hp Engine</i>		
			2505008	Fuel	G115			
2505008	Fuel	G115	12005001	Oil	PH2814	531307049	Fuel	G115
49065-2080	Oil	PH2840	<i>RZ5426 w/Kohler 26 hp V twin Engine</i>			490657007	Oil	PH3656
<i>PZ-6030CV w/Kohler Command Pro 30 hp Engine</i>			2505008	Fuel	G115	<i>YTH-2554 w/B&S Intek V-Twin 24 hp Engine</i>		
			1205001	Oil	PH2814 ¹⁸	695666	Fuel	G6529
			2505028		PH2835 ¹⁹	492932	Oil	PH3656
<i>PZ-6034FX w/Kawasaki FX921V 31 hp Engine</i>			<i>YT-130 w/Kawasaki Engine</i>			<i>YTH-26V54 w/B&S Intek V twin Engine</i>		
			Kawasaki 49065-2071	Oil	PH2840	531307049	Fuel	G115
110137038	Air	LAF5325 ²	<i>YT-140H w/Kawasaki Engine</i>			531307043	Oil	PH3656
P821575		LAF8195 ²	Kawasaki 49065-2071	Oil	PH2840	<i>Z-4219 w/B&S 19 hp Engine</i>		
2505008	Fuel	G115	<i>YT-180 w/Kohler 18 hp Engine</i>			492932	Oil	PH3656
49065-2080	Oil	PH2840		Oil	PH2835	<i>Z4220 w/Kohler Courage 20 hp Engine</i>		
<i>PZ-6054 w/Kawasaki FX921V 31 hp Engine</i>			<i>YTH-150 w/Kohler 15 hp Engine</i>			2505008	Fuel	G115
				Oil	PH2835	12005001	Oil	PH2814
P821575	Air	LAF5325 ²	<i>YTH-1542XP w/Kawasaki V-Twin 15 hp Engine</i>			<i>Z-4619 w/B&S 19 hp Engine</i>		
2505008	Fuel	G115	490191055	Fuel	G6529	492932	Oil	PH3656
49065-2080	Oil	PH2840	490652071	Oil	PH2840	<i>Z-4824 w/B&S ELS Twin 24 hp Engine</i>		
<i>PZ-7234FX w/Kawasaki FX921V 31 hp Engine</i>			<i>YTH-180 w/Kohler 18 hp Engine</i>			492932	Oil	PH3656
				Oil	PH2835	<i>Z-5426 w/B&S ELS Twin 26 hp Engine</i>		
P821575	Air	LAF5325 ²	<i>YTH-20K46 w/Kohler Courage 20 hp Engine</i>			492932	Oil	PH3656
2505008	Fuel	G115	12005001	Oil	PH2814	<i>ZTH2254 w/B&S ELS 23 hp Engine</i>		
49065-2080	Oil	PH2840	<i>YTH-2146XP w/Kawasaki V-Twin 21 hp Engine</i>			531307043	Oil	PH3656
<i>PZT-4822 w/Kawasaki FX22-FX26 hp Engine</i>			490191055	Fuel	G6529	<i>ZTH-5222 w/Kohler Command 22, 25 hp Engines</i>		
			490652071	Oil	PH2840	1205001	Oil	PH2814
<i>PZT-5224 w/Kawasaki FX22-FX26 hp Engine</i>			<i>YTH-21K46 w/Kohler 21 hp Engine</i>			<i>ZTH-5225 w/Kohler Command 22, 25 hp Engines</i>		
			12005001	Oil	PH2814	1205001	Oil	PH2814
2505008	Fuel	G115	<i>YTH-2242T w/B&S Intek 22, 24 hp Engines</i>			<i>ZTH-6125 w/Kohler Command 22, 25 hp Engines</i>		
49065-2080	Oil	PH2840	531307049	Fuel	G115	1205001	Oil	PH2814
<i>PZT-6126 w/Kawasaki FX22-FX26 hp Engine</i>			531307043	Oil	PH3656	HUSTLER (LAWN MOWER & GARDEN TRACTOR)		
			<i>YTH-22V42 w/B&S Intek V twin Engine</i>			3200, 3400 w/Kubota D905B, D1105B Engine		
<i>PZT-6128 w/B&S 28 hp Commercial Engine</i>			531307049	Fuel	G115			
			531307043	Oil	PH3656			
<i>Rider 155, Rider AWD w/Kohler Command 15 hp Engine</i>			<i>YTH-2348 w/B&S ELS V twin 22 HP Engine</i>				Fuel	FP590F
			531307043	Oil	PH3656		Oil	PH2808
12005001	Oil	PH2814	<i>YTH-2348 w/B&S Intek V-Twin 23 hp Engine</i>			<i>4500 w/Ford Engine</i>		
<i>RZ-4219 w/B&S Professional Series Engine</i>			695666	Fuel	G6529	32029	Air	LAF1275 ²
			492932	Oil	PH3656	65730	Hydraulic	LFH4922
49065-7007	Oil	PH3656	<i>YTH-23V48 w/B&S Intek V twin Engine</i>			44693	Oil	PH400
<i>RZ-4222 w/B&S Endurance Engine</i>			531307049	Fuel	G115	<i>4600 w/Kubota V1205, V1505 Engines</i>		
			531307043	Oil	PH3656	32029	Air	LAF1275 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
2-Outer 18-Short 19-Long

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HUSTLER (LAWN MOWER & GARDEN TRACTOR)			HUSTLER (LAWN MOWER & GARDEN TRACTOR)			HUSTLER (LAWN MOWER & GARDEN TRACTOR)		
<i>4600 w/Kubota V1205, V1505 Engines (cont'd)</i>			<i>Fas Trak w/Kohler Courage 19 hp Engine</i>			<i>SS (w/Kawasaki FX Series Engine) (cont'd)</i>		
42341	Fuel	FP590F		Air	LAF8195 ²	490652078	Oil	PH2840
65730	Hydraulic	LFH4922			LAF8690 ¹	768341	Trans	LFF4295
16271-32090	Oil	PH2808		Oil	PH2814	<i>Super 104 (w/Briggs & Stratton Vanguard Engine)</i>		
<i>ATZ w/Kawasaki FX1000V Engine</i>			<i>Fast Trac Z w/Honda 16, 18, 20 hp Engine</i>			785261	Air	LAF8195 ²
2508301	Air	LAF8195 ²		Oil	PH2808	785279		LAF8690 ¹
2508304		LAF8690 ¹	<i>FASTRAC SD (w/Kawasaki FS Series Engine)</i>			772079	Oil	PH2840
772079	Oil	PH2840	49065-7007	Oil	PH3656	<i>Super 104 w/Kawasaki FX1000V Engine</i>		
<i>ATZ w/Kohler Command 27 hp V-Twin Engine</i>			<i>FASTRAC SDX (w/Kawasaki FX Series Engine)</i>			785261	Air	LAF8195 ²
785261	Air	LAF8195 ²	P821575	Air	LAF8195 ²	785279		LAF8690 ¹
785279		LAF8690 ¹	P822858		LAF8690 ¹	772079	Oil	PH2840
747303	Oil	PH2814	49065-2078	Oil	PH2840	<i>Super Mini Z HT w/Honda 24 hp V-Twin Engine</i>		
<i>Fas Trak Super Duty w/Kawasaki KAI 17 hp V-Twin Engine</i>			<i>FasTrak w/Kohler 15, 17 hp Engine</i>			785261	Air	LAF8195 ²
785261	Air	LAF8195 ²	785261	Air	LAF8195 ²	785279		LAF8690 ¹
785279		LAF8690 ¹	785279		LAF8690 ¹		Oil	PH2840
772079	Oil	PH2840	747303	Oil	PH2814			PH2867 ¹⁹
<i>Fas Trak Super Duty w/Kawasaki KAI 19 hp V-Twin Engine</i>			<i>FasTrak, Mini FasTrak w/Kohler 15-20 hp Engine</i>					PH2876 ¹⁸
785261	Air	LAF8195 ²	747303	Oil	PH2814	<i>Super Mini Z HT w/Kawasaki 23 hp V-Twin Engine</i>		
785279		LAF8690 ¹	<i>Hydrostatic 272 Lawn Mower w/Kohler 17 hp Engine</i>				Air	LAF8195 ²
772079	Oil	PH2840		Air	AF214		Oil	LAF8690 ¹
<i>Fas Trak Super Duty w/Kawasaki KAI 21 hp V-Twin Engine</i>				Hydraulic	LFP1652	<i>Super Mini Z HT w/Kawasaki 25 hp Engine</i>		
785261	Air	LAF8195 ²		Oil	PH400	785261	Air	LAF8195 ²
785279		LAF8690 ¹	<i>Mini Z w/Honda 24 hp V-Twin Engine</i>			785279		LAF8690 ¹
772079	Oil	PH2840	785261	Air	LAF8195 ²	772079	Oil	PH2840
<i>Fas Trak Super Duty w/Kawasaki KAI 23 hp V-Twin Engine</i>			785279		LAF8690 ¹			PH2867 ¹⁹
785261	Air	LAF8195 ²		Oil	PH2876 ¹⁸			PH2876 ¹⁸
785279		LAF8690 ¹	<i>Mini Z w/Kawasaki 19 hp V-Twin Engine</i>			<i>Super Mini Z HT w/Kohler 27 hp Engine</i>		
772079	Oil	PH2840	785261	Air	LAF8195 ²	785261	Air	LAF8195 ²
<i>Fas Trak Super Duty w/Kawasaki KAI 25 hp V-Twin Engine</i>			785279		LAF8690 ¹	785279		LAF8690 ¹
785261	Air	LAF8195 ²	772079	Oil	PH2840	747303	Oil	PH2814
785279		LAF8690 ¹	<i>Mini Z w/Kawasaki 23 hp V-Twin Engine</i>			<i>Super Z HYPERDRIVE (w/Briggs & Stratton Vanguard Engine)</i>		
772079	Oil	PH2840	785261	Air	LAF8195 ²		Air	LAF8195 ²
<i>Fas Trak w/Honda 16 hp Engine</i>			785279		LAF8690 ¹		Fuel	G115
	Oil	PH2867 ¹⁹	772079	Oil	PH2840	492932	Oil	PH3656
		PH2876 ¹⁸	<i>Mini Z w/Kohler Command 20 hp V-Twin Engine</i>			<i>Super Z w/Caterpillar 3013 Engine</i>		
<i>Fas Trak w/Honda 18 hp V-Twin Engine</i>			785261	Air	LAF8195 ²	785261	Air	LAF8195 ²
	Oil	PH2867 ¹⁹	785279		LAF8690 ¹			LAF8690 ¹
		PH2876 ¹⁸	747303	Oil	PH2814	676987	Fuel	L296F ⁴¹
<i>Fas Trak w/Honda 20 hp V-Twin Engine</i>			<i>RAPTOR (w/Kohler 7000 Series Engine)</i>			1504140	Oil	PH253 ¹⁴⁹⁶
	Oil	PH2867 ¹⁹	2505022	Fuel	G1/4			PH2835 ²⁷⁵
		PH2876 ¹⁸	2505022		G115	<i>Super Z w/Kawasaki FX850V or FX1000V Engines</i>		
<i>Fas Trak w/Kawasaki 19 hp V-Twin Engine</i>			52 050 02	Oil	PH2835	110137038	Air	LAF5325 ²
785261	Air	LAF8195 ²	<i>RAPTOR SD (w/Kohler 7000 Series Engine)</i>			49019-7001	Fuel	G6529
785279		LAF8690 ¹	2505022	Fuel	G1/4	490652080	Oil	PH2840
772079	Oil	PH2840	2505022		G115	<i>Super Z w/Kohler 27 & 30 hp Engines</i>		
<i>Fas Trak w/Kawasaki 21 hp V-Twin Engine</i>			52 050 02	Oil	PH2835	2508301	Air	LAF8195 ²
785261	Air	LAF8195 ²	<i>Sport w/B&S Engine</i>			2508304		LAF8690 ¹
785279		LAF8690 ¹		Oil	PH3656	1205016	Oil	PH2814
772079	Oil	PH2840	<i>Sport w/Honda GXV530 Engine</i>			<i>Super Z w/Kohler Command EFI Engine</i>		
<i>Fas Trak w/Kawasaki 21 hp V-Twin Engine</i>				Oil	PH2876	2508301	Air	LAF8195 ²
785261	Air	LAF8195 ²	<i>Sport w/Kawaski FR Series 18-22 hp Engines</i>			2508304		LAF8690 ¹
785279		LAF8690 ¹		Oil	PH2840	2405003	Fuel	G6384
772079	Oil	PH2840	<i>SS (w/Kawasaki FX Series Engine)</i>			1205016	Oil	PH2814
			P821575	Air	LAF8195 ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 18-Short 19-Long 41-Cartridge 275-Primary 1496-Alternate

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HUSTLER (LAWN MOWER & GARDEN TRACTOR)			HUSTLER (LAWN MOWER & GARDEN TRACTOR)			INGERSOLL-RAND (LAWN MOWER & GARDEN TRACTOR)		
<i>TrimStar Walk Behind w/Kawasaki 13-17 hp Engines</i>			<i>Z4 w/Kawasaki 23, 25, 27 hp Engines</i>			<i>5012, 5016 w/B&S Engine (cont'd)</i>		
772079	Oil	PH2840	785261	Air	LAF8195 ²		Oil	PH2835
<i>X-ONE (w/Briggs & Stratton Vanguard Engine)</i>			785279		LAF8690 ¹	<i>5018 w/Kohler Engine</i>		
	Air	LAF8195 ²		Oil	PH2840		Air	AF216
	Oil	PH3656	INGERSOLL-RAND (LAWN MOWER & GARDEN TRACTOR)				Oil	PH2835
<i>X-ONE (w/Kawasaki FX Series Engine)</i>			1114			<i>6018 w/Onan 18 hp Engine</i>		
	Air	LAF8195 ²		Oil	PH2835		Air	LAF1782
	Oil	PH2840	1212G, 1212H				Fuel	G115
<i>X-ONE Series w/Kawasaki 24,26 or 31 hp Engines</i>			1214				Hydraulic	LFH4209
110137038	Air	LAF5325 ²		Fuel	G115		Oil	PH2835
785261		LAF8195 ²	1214			<i>646</i>		
785279		LAF8690 ¹		Oil	PH2835		Air	LAF1782
49019-7001	Fuel	G6529	220 w/Kohler Engine				Oil	PH2835
	Oil	PH2840		Air	AF213	<i>648 w/Kohler Engine</i>		
<i>X-ONE w/Kawasaki 31 hp Engine</i>			222 w/Kohler Engine				Air	AF215
110137038	Air	LAF5325 ²		Air	AF213	<i>810</i>		
<i>Z Pro Series w/B&S ELS 23 hp Engine</i>			224 w/Kohler Engine			INTERNATIONAL HARVESTER (LAWN MOWER & GARDEN TRACTOR)		
841023	Oil	PH3656		Air	AF213	<i>1000 w/Kohler K-241-A Engine</i>		
<i>Z Pro Series w/B&S Vanguard 23 hp Engine</i>			3012, 3014, 4014 w/Kohler Engine			395789R2	Trans	PH710 ⁵⁹⁰
841023	Oil	PH3656		Fuel	G115	<i>1200 w/Kohler K-241-A Engine</i>		
<i>Z Pro Series w/B&S Vanguard 32 hp Engine</i>			3016 PS w/Onan Performer P216G 16 hp Twin Engine			395789R2	Trans	PH710 ⁵⁹⁰
841497	Air	LAF8195 ²		Air	LAF1782	<i>1250 w/Kohler K301-A, K321-A, K314-A Engine</i>		
821136		LAF8690 ¹		Oil	PH2835	235116	Air	AF213
841023	Oil	PH3656	3018 PS w/Onan Performer P218G 18 hp Twin Engine			277138	Air	AF214
<i>Z Pro Series w/B&S Vanguard 35 hp Engine</i>				Fuel	G115	395789R2	Trans	PH710 ⁵⁹⁰
841497	Air	LAF8195 ²		Oil	PH2835	<i>1420 w/Kohler Engine</i>		
821136		LAF8690 ¹	3118 w/Onan Engine			759-3359	Air	AF215
<i>Z Pro Series w/Kawasaki 26 hp Engine</i>				Fuel	G115	1205002	Oil	PH2835
110137020	Air	LAF8195 ²		Oil	PH2835	<i>1440 w/B&S Engine</i>		
110137019		LAF8690 ¹	4016 w/Onan Performer P216G 16 hp Twin Engine				Trans	PH710 ⁵⁹⁰
772079	Oil	PH2840		Air	LAF1782	<i>1450 w/Kohler K301-A, K321-A, K314-A Engine</i>		
<i>Z Pro Series w/Kohler 30 hp Engine</i>				Oil	PH2835	235116	Air	AF213
2508301	Air	LAF8195 ²	4020 PS w/Onan Performer P220G 20 hp Twin Engine			277138	Air	AF214
2508304		LAF8690 ¹		Air	LAF1782	395789R2	Trans	PH710 ⁵⁹⁰
1205016	Oil	PH2814		Fuel	G115	<i>1535 w/Kohler Engine</i>		
<i>Z, Super Z, Super Z XR7 w/Honda GX670 24 hp Engine</i>				Oil	PH2835	759-3359	Air	AF215
785261	Air	LAF8195 ²	4118 w/Onan Engine			1205002	Oil	PH2835
785279		LAF8690 ¹		Fuel	G115	<i>1541 w/Kohler Engine</i>		
	Oil	PH2867 ¹⁹		Oil	PH2835	759-3359	Air	AF215
		PH2876 ¹⁸	4120 w/Onan Engine			1205002	Oil	PH2835
<i>Z, Super Z, Super Z XR7 w/Kawasaki 23,25 & 26 hp Engines</i>				Fuel	G115	<i>1641</i>		
785261	Air	LAF8195 ²		Oil	PH2835		Trans	PH710 ⁵⁹⁰
785279		LAF8690 ¹	444 w/Kohler Engine			<i>1650 w/Kohler K301-A, K321-A, K314-A Engine</i>		
49065-2071	Oil	PH2840		Air	AF213	235116	Air	AF213
<i>Z, Super Z, Super Z XR7 w/Kohler 27 & 28 hp EFI Engines</i>			446 w/Kohler Engine			277138	Air	AF214
785261	Air	LAF8195 ²		Air	AF215	395789R2	Trans	PH710 ⁵⁹⁰
785279		LAF8690 ¹	448 w/Kohler Engine			<i>1535 w/Kohler Engine</i>		
24050035	Fuel	G6384		Air	AF215	759-3359	Air	AF215
1205001	Oil	PH2814	5012, 5016 w/B&S Engine			1205002	Oil	PH2835
				Air	LAF1918	<i>1541 w/Kohler Engine</i>		
						1205002	Oil	PH2835
						<i>1641</i>		
							Trans	PH710 ⁵⁹⁰
						<i>1650 w/Kohler K301-A, K321-A, K314-A Engine</i>		
						235116	Air	AF213
						277138	Air	AF214
						395789R2	Trans	PH710 ⁵⁹⁰
						<i>682, 782, 982</i>		
						61606C1	Air	AF215
						395789R2	Hydraulic	PH710
						<i>800 w/Kohler Engine</i>		
						231847	Air	AF211
						385168R1		AF213

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 18-Short 19-Long 590-Hydrostatic

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (LAWN MOWER & GARDEN TRACTOR)			JACOBSEN (LAWN MOWER & GARDEN TRACTOR)			JACOBSEN (LAWN MOWER & GARDEN TRACTOR)		
<i>Cub 154 Lo-Boy</i>			<i>CommandER 3500 w/Kubota V2003 Engine (cont'd)</i>			<i>HR4600 w/Kubota Engine (cont'd)</i>		
-S/N 20744	Air	LAF1915				AE10L	Hydraulic	LFH8335
376373R91	Hydraulic	LH8446		Hydraulic	LFH8534	2811255		LFP2546
<i>Cub 185 Lo-Boy w/C-60 Gas Engine</i>				Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	70000-74034	Oil	PH2808
376373R91	Hydraulic	LH8446	<i>Commercial 60 Kohler 277138 Engine</i>			<i>HR5111, ST5111 w/Kubota V2203B Engine</i>		
<i>Cub, Cub Lo-Boy w/C-60 Gas Engine</i>			<i>Kohler 277138</i>			549633	Air	LAF222 ²
376373R91	Hydraulic	LH8446	Kohler 277233	Air	AF214	556418	Hydraulic	LFH4961 ⁶⁰⁸
<i>Deluxe Garden Tractor w/Kohler K-241 Engine</i>			<i>Kohler 277233</i>			555771		LFH4988 ⁶⁰⁷
385168R1	Air	AF213	<i>D-10, E-10, F-10, G-10 w/Diesel Engine</i>			70050-02326		LFP449 ⁶⁰⁹
<i>Farmall Cub w/C-60 Gas Engine</i>				Fuel	L296F ⁴¹	555773	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
376373R91	Hydraulic	LH8446		Oil	LFP2258	<i>HR6010 w/Perkins 404C Turbo Engine</i>		
JACOBSEN (LAWN MOWER & GARDEN TRACTOR)			<i>D-10, E-10, F-10, G-10 w/Gasoline Engine</i>			<i>HR6010 w/Perkins 404C Turbo Engine</i>		
<i>100C w/Kohler K161S 7 hp Engine</i>				Oil	LFP2258	178025	Hydraulic	LFH4915
230840	Air	AF210	<i>F-10 w/Perkins 4.236 Engine</i>			<i>HR9016, HR9016 Turbo w/Kubota V3300 Engine</i>		
<i>1671G w/Kohler Magnum M16QS 16 hp Engine</i>			549633	Air	LAF222 ²	5003370	Air	LAF4544 ²
4508302	Air	AF215	Perkins 26560017	Fuel	L296F ⁴¹	45310071A	Fuel	FP587F
549597	Hydraulic	LFH4209	Perkins 2654403	Oil	PH4403	5002693	Hydraulic	LFH4902 ⁶⁰⁷ LFH4972 ⁶¹⁰
<i>1684D w/Kubota D600B Engine</i>			<i>F133 w/Kohler K482 18 hp Twin Engine</i>			5003691		PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
15222-11222	Air	LAF2745A ²	Kohler 277138	Air	AF214	5003207	Oil	
550489	Fuel	L550F	Kohler 277233	Oil	PH400	<i>LF100 w/Kubota D950 Engine</i>		
549597	Hydraulic	LFH4209	<i>G20D w/Perkins 3.152 Engine</i>			549593	Air	LAF1275 ²
554011	Oil	PH2808		Fuel	L296F ⁴¹ LFF3501	550489	Fuel	L550F
<i>2015 w/Onan B48M Engine</i>				Oil	PH4408	554011	Oil	PH2808
	Oil	PH400	<i>Garden Tractor 53039, 53050, 53077, 53082, 53088, 53092, 53245, 53300, 53330 w/Kohler K-241 Engine</i>			<i>LF3400 w/Kubota V1505E/TE Engine</i>		
<i>2315 w/Kubota D950 Engine</i>			Kohler 235116	Air	AF213	5000919	Air	LAF8195 ²
549593	Air	LAF1275 ²	<i>Greens King IV w/Kohler Magnum M16S 16 hp Engine</i>			557772	Hydraulic	LFH4967 ⁶⁰⁷ LFP2546 ⁶¹⁰
550489	Fuel	L550F	Kohler 235116	Air	AF213	2811255		
554630	Hydraulic	LFH8204	<i>Greens King IV w/Kubota D600B Engine</i>			<i>LF3800 w/Kubota V1505E/TE Engine</i>		
554011	Oil	PH2808	502619	Air	LAF2745A ²	5000919	Air	LAF8195 ²
<i>62228 w/Kohler Magnum M16QS 16 hp Engine</i>			554011	Oil	PH2808	557772	Hydraulic	LFH4967 ⁶⁰⁷ LFP2546 ⁶¹⁰
Kohler 4508302	Air	AF215	<i>Greens King w/Kohler K301 12 hp Engine</i>			2811255		
549597	Hydraulic	LFH4209	Kohler 235116	Air	AF213	<i>LF3810 w/Kubota V1505 Engine</i>		
<i>62229 w/Kohler D600B Engine</i>			<i>Grounds Groomer w/Kohler K662 24 hp Twin Engine</i>			549593	Air	LAF1275 ²
502619	Air	LAF2745A ²	A-296441	Air	AF5HD	549597	Hydraulic	LFH4209 ³⁰
549597	Hydraulic	LFH4209	<i>GT-12 w/Kohler Engine</i>			550556	Oil	PH2808
554011	Oil	PH2808	Kohler 230840	Air	AF210	<i>LF4675 w/Kubota V1505TE Engine</i>		
<i>67773 w/Kohler Magnum M16QS 16 hp Engine</i>			<i>GT-16 w/Kohler K321 14 hp Engine</i>			5000919	Air	LAF8195 ²
Kohler 4508302	Air	AF215		Air	AF213 AF214	557772	Hydraulic	LFH4967 ⁶⁰⁷ LFP2546 ⁶¹⁰
549597	Hydraulic	LFH4209	<i>GT-16 w/Kohler K341 16 hp Engine</i>			2811255		
<i>AR522 w/Kubota V2403MT Engine</i>				Air	AF213 AF214	<i>LF4677 w/Kubota V1505TE Engine</i>		
P822769	Air	LAF8114 ¹	<i>HF-15, HR-15 w/Perkins 4.236 Engine</i>			5000919	Air	LAF8195 ²
P822786		LAF8143 ²	549633	Air	LAF222 ²	557772	Hydraulic	LFH4967 ⁶⁰⁷ LFP2546 ⁶¹⁰
555771	Hydraulic	LFH4988	Perkins 26560017	Fuel	L296F ⁴¹	<i>LF4677 w/Kubota V1505TE Engine</i>		
70000-74035	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	S58	Hydraulic	LFH7355	5000919	Air	LAF8195 ²
<i>Chief, 53034, 53074 w/Kohler K-181 Engine</i>			Perkins 2654403	Oil	PH4403	557772	Hydraulic	LFH4967 ⁶⁰⁷ LFP2546 ⁶¹⁰
Kohler 231847	Air	AF211	<i>HR4600 w/Kubota Engine</i>			2811255		
<i>CommandER 3500 w/Kubota V2003 Engine</i>			TA040-93231	Air	LAF8195 ²	<i>Parkway 213 w/Kubota D1105 Engine</i>		
	Fuel	FP588F	70000-43081	Fuel	FP590F		Air	LAF8195 ²
							Fuel	L550F
							Hydraulic	LFH8534
							Oil	PH2808

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 30-1" x 12 Thread 41-Cartridge 275-Primary 607-Return 608-1 3/8" x 12 Thread 609-1 1/2" x 16 Thread 610-Charge Pump 1496-Alternate

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JACOBSEN (LAWN MOWER & GARDEN TRACTOR)			JOHN DEERE (AERATOR)			JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)		
<i>R311 w/Kubota V2203M Engine</i>			<i>4710 w/John Deere Engine</i>			<i>1200A Bunker Rake w/Kawasaki Engine (cont'd)</i>		
549633	Air	LAF222 ²	RE65880	Air	LAF3532 ² LAF3533 ¹	M113621	Air	LAF8388 ²
555771	Hydraulic	LFH4988 ⁶⁰⁷	(RE62419); Sec.	Fuel	L3887F	AM116304	Fuel	G115
2811255		LFP2546 ⁶¹⁰	RE59754	Oil	LFP5757	AT38431	Hydraulic	LFP1652
<i>Super LF1880 w/Kubota D1105E Engine</i>			JOHN DEERE (LAND CLEARING SAW)			AM107423	Oil	PH2840
5000919	Air	LAF8195 ²	<i>636M w/18hp Kawasaki FS600V</i>			<i>125 w/B&S 22 hp Engine</i>		
	Fuel	L550F		Fuel	G115	AM116304	Fuel	G115
557759	Oil	PH2808		Oil	PH3656	AM125424	Oil	PH3656
<i>SV2322 w/Kubota D905B Engine</i>			JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)			<i>130</i>		
Kubota 15222-11222	Air	LAF2745A ²	<i>108</i>			AM38708	Fuel	G1 ⁵³¹ G1/4 G1/4P
550489	Fuel	L550F	<i>AM37540</i>			<i>135 (w/Briggs & Stratton Engine)</i>		
554011	Oil	PH2808	<i>95001-190000</i>			AM116304	Fuel	G115
<i>SV3422 w/Ford VSG411 Engine</i>			<i>AM38708</i>			AM125424	Oil	PH3656
502619	Air	LAF2745A ²	<i>110 w/Kohler K181S 8 hp Engine</i>			<i>140 w/Kohler K301 14 hp Engine</i>		
	Fuel	G475	<i>(AM30800); -S/N</i>			AM31400	Air	AF213
	Oil	PH400	<i>100000</i>			AM38441	Hydraulic	PH710
<i>T422D w/Kubota D950 Engine</i>			<i>(AM31400); S/N</i>			AM31205	Trans	PH710 ⁵⁹⁰
549593	Air	LAF1275 ²	<i>100001-</i>			<i>1420, 1420 Series II w/Gas Engine</i>		
550489	Fuel	L550F	<i>111</i>			M131802	Air	LAF8195 ²
554630	Hydraulic	LFH8204	<i>AM37816</i>			M131803		LAF8690 ¹
554011	Oil	PH2808	<i>95001-190000</i>			AM876035	Fuel	G1 ⁵³¹
<i>TF60 w/Kubota D600B Engine</i>			<i>AM38708</i>			M806418	Oil	PH2876
502619	Air	LAF2745A ²	<i>111H</i>			<i>1435, 1435 Series II Front Mower w/Yanmar Diesel Engine</i>		
554630	Hydraulic	LFH8204	<i>AM37816</i>			M131802	Air	LAF8195 ²
554011	Oil	PH2808	<i>112 w/Tecumseh 10 hp Engine</i>			M131803		LAF8690 ¹
<i>T-Plex 185 w/Kubota Z851 Engine</i>			<i>(AM31000); -S/N</i>			CH15553	Fuel	L3541F
	Air	LAF2745A ²	<i>100000</i>			M806418	Oil	PH2876
	Fuel	G115 L550F	<i>(AM31400); S/N</i>			<i>1445, 1445 Series II Front Mower w/Yanmar Diesel Liquid Engine</i>		
	Hydraulic	LFH8534	<i>100001-</i>			M131802	Air	LAF8195 ²
	Oil	PH2808	<i>112L w/Kawasaki 12 hp Engine</i>			M131803		LAF8690 ¹
<i>Tri-King w/Kubota Engine</i>			<i>AM38708</i>			M801101	Fuel	L4103F
502619	Air	LAF2745A ²	<i>AM107423</i>			MIU800645		LFF8350
550489	Fuel	L550F	<i>115 w/B&S 19 hp Engine</i>			M806419	Oil	PH2808
549597	Hydraulic	LFH4209	<i>AM125424</i>			<i>145 w/B&S 22 hp Engine</i>		
554011	Oil	PH2808	<i>116, 116H</i>			AM116304	Fuel	G115
<i>Turf Cat C417D w/Kubota D600B Engine</i>			<i>AM38708</i>			AM125424	Oil	PH3656
502619	Air	LAF2745A ²	<i>120 w/Kohler K301 12 hp Engine</i>			<i>14PZ, 14SZ Push Mowers w/B&S Engine</i>		
550489	Fuel	L550F	<i>AM31400</i>			LG491588	Air	LAF4512
549597	Hydraulic	LFH4209	<i>AM38441</i>			<i>1545, 1545 Series II w/Yanmar 29 hp Diesel Engine</i>		
554011	Oil	PH2808	<i>AM31205</i>			M131802	Air	LAF8195 ²
<i>Turf Cat C420G w/Kubota G600B Engine</i>			<i>1200 Bunker Rake w/B&S Engine</i>			M131803		LAF8690 ¹
502619	Air	LAF2745A ²	<i>LG394018</i>			M801101	Fuel	L4103F
549597	Hydraulic	LFH4209	<i>M123378</i>			M811031		LFF8350
554011	Oil	PH2808	<i>M113621</i>			M806419	Oil	PH2808
<i>Turf Cat w/Onan Engine</i>			<i>AM116304</i>			<i>1550 w/Yanmar Engine</i>		
Onan 122-0406	Oil	PH2835	<i>AT38431</i>				Air	LAF8195 ² LAF8690 ¹
<i>Turf King w/Kohler K301 12 hp Engine</i>			<i>AM125424</i>				Fuel	L4103F
Kohler 235116	Air	AF213	<i>1200A Bunker Rake w/Kawasaki Engine</i>				Oil	PH2876
<i>Versatile Turf G w/Kubota D600B Engine</i>			<i>LG394018</i>			<i>155C w/B&S 25 hp Engine</i>		
76611-58420	Air	LAF2745A ²	<i>M123378</i>			AM116304	Fuel	G115
16231-43563	Fuel	L550F	<i>M113621</i>					
549597	Hydraulic	LFH4209	<i>AM116304</i>					
70000-74034	Oil	PH2808	<i>AT38431</i>					
			<i>AM125424</i>					
			<i>1200A Bunker Rake w/Kawasaki Engine</i>					
			<i>LG394018</i>					
			<i>M123378</i>					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 531-Filter only 590-Hydrostatic 607-Return 610-Charge Pump 611-Axial Seal

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)			JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)			JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)		
<i>155C w/B&S 25 hp Engine (cont'd)</i>			<i>190C w/25 hp Engine</i>			<i>2653A w/Yanmar 3TNE68 Engine</i>		
AM125424	Oil	PH3656	AM116304	Fuel	G115	M123378	Air	LAF22056 ¹
<i>1565, 1565 Series II w/Yanmar 38 hp OHV Diesel Liquid Engine</i>			AM107423	Oil	PH2840	MM113621		LAF8388 ²
M131802	Air	LAF8195 ²	<i>200, 208 w/Kohler K181 8 hp Engine</i>			CH15553	Fuel	L3541F
M131803		LAF8690 ¹	AM31400	Air	AF213	M801101		L4103F
M801101	Fuel	L4103F	<i>21 Inch Silver JA60, JA62, JA65 Push Mower</i>			AM102723	Hydraulic	LFH8329
M811031		LFF8350	LG491588	Air	LAF4512	M806418	Oil	PH2876
M806419	Oil	PH2808	<i>21 Inch Silver JS60, JS61, JS63 Push Mower</i>			<i>2653B w/Yanmar TNV70-XJGM Engine</i>		
<i>1570 (w/Yanmar 3TNV88C Engine)</i>			LG491588	Air	LAF4512	M123378	Air	LAF22056 ¹
M131802	Air	LAF8195 ²	<i>210 w/Kohler K241 10 hp Engine</i>			MM113621		LAF8388 ²
M131803		LAF8690 ¹	M47494	Air	AF217	M801101	Fuel	L4103F
MIU800645	Fuel	LFF8350	<i>2243 Gas Engine</i>			AM102723	Hydraulic	LFH8329
M806419	Oil	PH2808	AM38708	Fuel	G1/4 G1/4P	M806418	Oil	PH2876
<i>1575 (w/Yanmar 3TNV88C Engine)</i>			<i>2243 w/Kawasaki 18 hp V-Twin Liquid</i>			<i>285 w/Kawasaki 18 hp V-Twin Liquid Engine</i>		
M131802	Air	LAF8195 ²	AM107423	Oil	PH2840		Fuel	G115
M131803		LAF8690 ¹	AET10701	Trans	LFH22052 ⁵⁹⁰	AM107423	Oil	PH2840
MIU800645	Fuel	LFF8350	<i>2243 w/Kawasaki 18 hp V-Twin Liquid</i>			AM103027	Trans	LFP8230
M806419	Oil	PH2808		Fuel	G1 ⁵³¹	<i>300 w/Kohler K341 16 hp Engine</i>		
<i>1580 (w/Yanmar 3TNV88C Engine)</i>			<i>2243 w/Yanmar 18 hp OHV Diesel Liquid Engine</i>			AM31400	Air	AF213
M131802	Air	LAF8195 ²	AM108242	Air	LAF22047 ²	M47494		AF217 ⁵⁸⁹
M131803		LAF8690 ¹	M94734		LAF2746 ¹	AM38441	Hydraulic	PH710
MIU800645	Fuel	LFF8350	M801101	Fuel	L4103F	<i>314 w/Kohler 14 hp Engine</i>		
M806419	Oil	PH2808	M806418	Oil	PH2876	AM31400	Air	AF213
<i>1585 (w/Yanmar 3TNV88C Engine)</i>			AET10701	Trans	LFH22052 ⁵⁹⁰	M47494		AF217 ⁵⁸⁹
M131802	Air	LAF8195 ²	<i>240, 245 w/Kawasaki 14 hp Engine</i>			AM38441	Hydraulic	PH710
M131803		LAF8690 ¹	(M97211); 240, 245 only	Air	LAF22045	<i>316 w/Kohler K341A 16 hp Engine</i>		
MIU800645	Fuel	LFF8350	(M97266); 260 only		LAF22049	HE1402628	Air	LAF1782
M806419	Oil	PH2808	AM116304	Fuel	G115	(AM38708); -S/N	Fuel	G1/4
<i>160, 165 w/Kawasaki 12.5 hp Engine</i>			AM107423	Oil	PH2840	420000		G1/4P G115
AM38708	Fuel	G1/4 G1/4P	AM103027	Trans	LFP8230	(AM116304); S/N		
AM107423	Oil	PH2840	<i>2500B Gas w/Kawasaki FD620D Engine</i>			420001-		
AM39653	Trans	PH710 ⁵⁹⁰	MIU11376	Air	LAF8421	AM101207	Oil	PH2835
<i>1600 Turbo Series II w/Yanmar 4TN84T Engine</i>			Am116304	Fuel	G115	AM39653	Trans	PH710 ⁵⁹⁰
AP33330	Air	LAF8148 ²	AM102723	Hydraulic	LFH8329	<i>317 w/18 hp Engine</i>		
AP33331		LAF9332 ¹	AM107423	Oil	PH2840	HE1402628	Air	LAF1782
T111383	Fuel	L549F	<i>2500B, 2500E w/Yanmar TNV70-XJGM Engine</i>			AM116304	Fuel	G115
AL77061	Hydraulic	LFH4428	M123378	Air	LAF22056 ¹	AM101207	Oil	PH2835
M801002	Oil	PH2808	M113621		LAF8388 ²	AM39653	Trans	PH710 ⁵⁹⁰
<i>1600, 1620 w/Yanmar 4TNE88 Engine</i>			CH15553	Fuel	L3541F	<i>317 w/Kohler KT17 17 hp Twin Engine</i>		
RE68049	Air	LAF8114 ¹	AM102723	Hydraulic	LFH8329	AM100137	Air	LAF1915
T111383	Fuel	L549F	M806418	Oil	PH2876	AT39653	Trans	PH710 ⁵⁹⁰
AL77061	Hydraulic	LFH4428	<i>2500E Gas w/Kawasaki FD620D Engine</i>			<i>318 w/Onan Performer P218G 18 hp Twin Engine</i>		
M801002	Oil	PH2808	MIU11376	Air	LAF8421	HE1401228	Air	LAF1782
<i>170, 175 w/Kawasaki 14 hp Engine</i>			AM102723	Hydraulic	LFH8329		Fuel	G115
M97211	Air	LAF22045	AM107423	Oil	PH2840	AM101207	Oil	PH2835
AM107423	Oil	PH2840	<i>265</i>			AT39653	Trans	PH710 ⁵⁹⁰
<i>180, 185 w/Kawasaki 17 hp Engine</i>			M97266	Air	LAF22049	<i>32 Inch Commercial Mower w/Kawasaki FB460V Engine</i>		
M97266	Air	LAF22049	AM116304	Fuel	G115	AM101054	Oil	PH2840
AM107423	Oil	PH2840	AM107423	Oil	PH2840	<i>320, 325 w/Kawasaki 18 hp V-Twin Liquid Engine</i>		
<i>1905 w/Yanmar 2190 cc 41.5 hp Diesel Engine</i>			AM103027	Trans	LFP8230	(M97266); 325 only	Air	LAF22049
DMU210613	Air	LAF8114 ¹	<i>2653 w/Yanmar Diesel Engine</i>			AM116304	Fuel	G115
DMU210614		LAF8143 ²	M117254	Air	LAF8421	AM107423	Oil	PH2840
M811031	Fuel	LFF8350	G116304	Fuel	G115	AM103027	Trans	LFP8230
M806419	Oil	PH2808	AET10701	Hydraulic	LFH22052	<i>325 w/Kawasaki 18 hp V-Twin Liquid Engine</i>		
				Oil	PH2876			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 531-Filter only 589-7" x 2.55" 590-Hydrostatic

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)			JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)			JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)		
<i>3215, 3235</i>			<i>400 w/Kohler K532S 20 hp Twin Engine (cont'd)</i>			<i>647, 647A w/Kawasaki 19 hp V-Twin Engine (cont'd)</i>		
AM108184	Air	LAF8118 ²	(AM100137); S/N	Air	LAF1915	AM107423	Oil	PH2840
AM108185		LAF8119 ¹	80000-			AM131054	Trans	LFH8459 ⁵⁹⁰
M801101	Fuel	L4103F ⁶¹²	(AM34770); S/N	Oil	PH400	<i>648M, 652M w/Kawasaki FX691V engine</i>		
T111383		L549F ⁶¹³	80001-				Fuel	G115
RE39527	Hydraulic	LFH4990	AM39653	Trans	PH710 ⁵⁹⁰		Oil	PH3656
M801002	Oil	PH2808	<i>420 w/Onan B48G 20 hp Twin Engine</i>			<i>648R w/Kawasaki FX651V Engine</i>		
<i>322 w/Yanmar 18 hp OHV Diesel Liquid Engine</i>			HE1402628	Air	LAF1782	MIU12457	Air	LAF8195 ²
AM108242	Air	LAF22047 ²	(AM38708); -S/N	Fuel	G1/4	MIU12458		LAF8690 ¹
		LAF2746 ¹	420000			AM116304	Fuel	G115
AM876035	Fuel	G1 ⁵³¹	(AM116304); S/N			AM125424	Oil	PH3656
		G5/16 ²⁶³	420001-; Gas			<i>652B w/Kawasaki FX691V Engine</i>		
		G5/16CP ¹⁰⁹⁶				MIU12457	Air	LAF8195 ²
AM101378	Oil	PH2808	AM101207	Oil	PH2835	MIU12458		LAF8690 ¹
M806418		PH2876	AM39653	Trans	PH710 ⁵⁹⁰	AM116304	Fuel	G115
AM39653	Trans	PH710 ⁵⁹⁰	<i>425 w/Kawasaki 20 hp V-Twin Liquid Engine</i>			AM125424	Oil	PH3656
<i>3225C, 3235C w/Yanmar 3TNV84/T Engine</i>			M117254	Air	LAF8421	<i>652R EFI w/ Kohler ECV740 Engine</i>		
RE68049	Air	LAF8114 ¹	AM116304	Fuel	G115	M131802	Air	LAF8195 ²
RE68048		LAF8143 ²	AM107423	Oil	PH2840	M131803		LAF8690 ¹
M811031	Fuel	LFF8350	AM116156	Trans	LFH8459	AM119567	Oil	PH3656
RE69054	Hydraulic	LFH4959	<i>430 w/Yanmar 20 hp OHV Diesel Liquid Engine</i>			<i>652R, 661R w/Kawasaki FX730V Engine</i>		
M806419	Oil	PH2808	AM108242	Air	LAF22049	M144100	Air	LAF8195 ²
<i>3245C w/Yanmar 3TNV84T 40.5 HP Turbo Diesel Engine</i>			AM100258		LAF8301 ¹⁸¹	M144098		LAF8690 ¹
RE68049	Air	LAF8114 ¹	AM101004	Fuel	LFF1006	AM119567	Oil	PH3656
RE68048		LAF8143 ²	AM101378	Oil	PH2808	<i>657, 657A, 667, 667A w/Kawasaki 23 hp V-Twin Engine</i>		
M811031	Fuel	LFF8350	M806418		PH2876	M144100	Air	LAF8195 ²
RE69054	Hydraulic	LFH4959	AM39653	Trans	PH710 ⁵⁹⁰	144098		LAF8690 ¹
M806419	Oil	PH2808	<i>445 w/Kawasaki 20 hp V-Twin Liquid Engine</i>			AM116304	Fuel	G115
<i>330, 332 w/Yanmar 16 hp OHV Diesel Liquid Engine</i>			M117254	Air	LAF8421	AM107423	Oil	PH2840
(AM108242); 332 only	Air	LAF22047 ²	AM107423	Oil	PH2840	AM131054	Trans	LFH8459 ⁵⁹⁰
		LAF2746 ¹	AM116156	Trans	LFH8459	<i>66, 68 Riding Mower</i>		
(AM101283); 330 only		LAF8732	<i>455 Diesel</i>			AM100137	Air	LAF1915
M801101	Fuel	L4103F	AM108243	Air	LAF5852		Fuel	G1 ⁵³¹
AM101378	Oil	PH2808	CH15553	Fuel	L3541F	(AM38708); S/N		G1/4
M806418		PH2876	AM101378	Oil	PH2808	55001-		G1/4P
AM39653	Trans	PH710 ⁵⁹⁰	M806418		PH2876	<i>661R w/Kawasaki FX730V Engine</i>		
<i>3325, 3365</i>			AM116156	Trans	LFH8459	M144100	Air	LAF8195 ²
PMAF1824	Air	LAF1948 ¹	<i>48 Inch Commercial Mower w/Kawasaki FB460V Engine</i>			M144098		LAF8690 ¹
PMAF1823K		LAF281 ²	(AM101054);	Oil	PH2840	AM119567	Oil	PH3656
AM101004	Fuel	LFF1006	w/Kawasaki FC540V			<i>717, 717A Z-Trak w/Kawasaki FH601V 19 hp Engine</i>		
AT120444	Hydraulic	LFH8324	eng.			M147272	Fuel	G6529
M806419	Oil	PH2808	AM101054		PH2840	AM107423	Oil	PH2840
AM102723	Trans	LFH8329 ⁵⁹⁰	<i>52 Inch Commercial Mower w/Kawasaki FB460V Engine</i>			AM131054	Trans	LFH8459 ⁵⁹⁰
<i>335 w/Kawasaki 17 hp Engine</i>			(AM101054);	Oil	PH2840	(M131053); -S/N		LFP2287 ⁵⁹⁰
AM107423	Oil	PH2840	w/Kawasaki FC540V			020000		
<i>345</i>			eng.			<i>7200 Trim Mower w/Yanmar Engine</i>		
AM116304	Fuel	G115	AM101054		PH2840	RE68049	Air	LAF8114 ¹
AM107423	Oil	PH2840	<i>638M w/Kawasaki FS600V engine</i>			RE68048		LAF8143 ²
<i>36 Inch Commercial Mower w/Kawasaki FB460V Engine</i>				Fuel	G115	MIU800645	Fuel	LFF8350
AM101054	Oil	PH2840		Oil	PH3656	M806419	Oil	PH2808
<i>400 w/Kohler K532S 20 hp Twin Engine</i>			<i>647, 647A w/Kawasaki 19 hp V-Twin Engine</i>					
(M47494); -S/N 80000	Air	AF217 ⁵⁸⁹	M144100	Air	LAF8195 ²			
			M144098		LAF8690 ¹			
			AM116304	Fuel	G115			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 181-Single 263-Hoses and clamps included 531-Filter only 589-7" x 2.55" 590-Hydrostatic 612-1.4" O.D. 613-2" O.D. 1096-Clear Plastic

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)			JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)			JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)		
<i>727, 727A Z-Trak w/Kawasaki FH680V 23 hp Engine</i>			<i>8700, 8800 w/Yanmar 3TNV84HT Engine (cont'd)</i>			<i>F525 Front Mower w/Kawasaki 17 hp Engine (cont'd)</i>		
M144100	Air	LAF8195 ²	M806419	Oil	PH2808	(AM38708); -S/N	Fuel	G1/4
M144098		LAF8690 ¹	<i>8800 Trim Mower w/Yanmar Engine</i>			100000		G1/4P
AM116304	Fuel	G115	RE68049	Air	LAF8114 ¹	AM107423	Oil	PH2840
AM107423	Oil	PH2840	RE68048		LAF8143 ²	<i>F620, F680 Z-Trak w/Kohler Command 22 hp V-Twin Engine</i>		
AM131054 (M131053); -S/N 020000	Trans	LFH8459 ⁵⁹⁰ LFP2287 ⁵⁹⁰	MIU800645	Fuel	LFF8350	M47494	Air	AF217
<i>737, 757 Z-Trak w/Kawasaki 23 & 25 hp Engines</i>			RE69054	Hydraulic	LFH4959	AM116304	Fuel	G115
AM116304	Fuel	G115	M806419	Oil	PH2808	AM125424	Oil	PH3656
AM107423	Oil	PH2840	<i>9009A (w/Yanmar Diesel Engine)</i>			AM39653	Trans	PH710 ⁵⁹⁰
AM39653	Trans	PH710 ⁵⁹⁰	M806419	Air	LAF8114 ¹	<i>F687 w/Kohler CH23S Engine</i>		
<i>7500, 7500E w/Yanmar Diesel Engine</i>			RE68049	Oil	PH2808	M47494	Air	AF217
RE68049	Air	LAF8114 ¹	RE68048		LAF8143 ²	AM116304	Fuel	G115
RE68048		LAF8143 ²	MIU800645	Fuel	LFF8350	AM125424	Oil	PH3656
MIU800645	Fuel	LFF8350	RE69054	Hydraulic	LFH4959	AM39653	Trans	PH710 ⁵⁹⁰
RE69054	Hydraulic	LFH4959	M806419	Oil	PH2808	<i>F710 Front Mower w/Kawasaki 17.5 hp V-Twin Liquid Engine</i>		
M806419	Oil	PH2808	<i>D105 w/B&S 17.5 H.P. Engine</i>			M97266	Air	LAF22049
<i>7700 w/Yanmar 3TNV84T Engine</i>			AM116304	Fuel	G115	AM116304	Fuel	G115
RE68049	Air	LAF8114 ¹	AM125424	Oil	PH3656	AM107423	Oil	PH2840
RE68048		LAF8143 ²	<i>D110 w/B&S 19 H.P. Engine</i>			<i>F725 Front Mower w/Kawasaki 20 hp V-Twin Engine</i>		
MIU800645	Fuel	LFF8350	AM116304	Fuel	G115	AM116304	Fuel	G115
RE69054	Hydraulic	LFH4959	AM125424	Oil	PH3656	AM107423	Oil	PH2840
M806419	Oil	PH2808	<i>D120 w/B&S 21 H.P. Engine</i>			<i>F735 w/Yanmar 22 hp OHV Diesel Liquid Engine</i>		
<i>777, 797 Z-Trac w/Kawasaki 27 hp V-Twin Liquid Engine</i>			AM116304	Fuel	G115	M123378	Air	LAF22056 ¹
M144100 (M144098); Std.	Air	LAF8195 ² LAF8690 ^{1, 614}	AM125424	Oil	PH3656	AM116304	Fuel	LAF8388 ²
AM116304	Fuel	G115	<i>D130 w/B&S 22 H.P. V-Twin Engine</i>			M806418	Oil	PH2876
AM107423	Oil	PH2840	AM116304	Fuel	G115	AM103027	Trans	LFP8230 ⁵⁹⁰
(AM131054); S/N 020001-	Trans	LFH8459 ⁵⁹⁰	AM125424	Oil	PH3656	<i>F910 Front Mower w/Onan P220G 20 hp Engine</i>		
(M131053); -S/N 020000		LFP2287 ⁵⁹⁰	<i>D155 w/B&S 24 H.P. V-Twin Engine</i>			AM101812	Air	LAF8420
<i>7H17, 7H19 w/Kawasaki 17 hp V-Twin Engine</i>			AM116304	Fuel	G115	AM101126	Fuel	G1/4 G1/4P
AM116304	Fuel	G115	AM125424	Oil	PH3656	TY9425	Oil	PH400 ²⁷⁵
M131053	Hydraulic	LFP2287	<i>D170 w/B&S 26 H.P. V-Twin Engine</i>			TY9425		PH8A ¹⁴⁹⁶
AM107423	Oil	PH2840	AM116304	Fuel	G115	AM39653	Trans	PH710 ⁵⁹⁰
<i>8000E w/Yanmar 3TNV84T Engine</i>			AM125424	Oil	PH3656	<i>F911 Front Mower w/Kawasaki 22 hp V-Twin Engine</i>		
RE68049	Air	LAF8114 ¹	<i>D150 w/B&S 22 H.P. V-Twin Engine</i>				Air	LAF2746 ¹
RE68048		LAF8143 ²	AM116304	Fuel	G115			LAF5852 ²
MIU800645	Fuel	LFF8350	AM125424	Oil	PH3656	AM107423	Oil	PH2840
AM102723	Hydraulic	LFH8329	<i>D155 w/B&S 24 H.P. V-Twin Engine</i>			AM39653	Trans	PH710 ⁵⁹⁰
M806419	Oil	PH2808	AM116304	Fuel	G115	<i>F912 Front Mower w/Yanmar 20 hp OHV Diesel Liquid Engine</i>		
<i>8500, 8500E w/Yanmar 3TNV84T Engine</i>			AM125424	Oil	PH3656	AM108243	Air	LAF5852
RE68049	Air	LAF8114 ¹	<i>D170 w/B&S 26 H.P. V-Twin Engine</i>			(AM876035); Gas	Fuel	G1 ⁵³¹
RE68048		LAF8143 ²	AM116304	Fuel	G115	AM101378	Oil	PH2808
MIU800645	Fuel	LFF8350	AM125424	Oil	PH3656	AM39653	Trans	PH710 ⁵⁹⁰
RE69054	Hydraulic	LFH4959	<i>D170 w/B&S 26 H.P. V-Twin Engine</i>			<i>F915 Front Mower w/Yanmar 17 hp OHV Diesel Liquid Engine</i>		
M806419	Oil	PH2808	AM116304	Fuel	G115	AM108243	Air	LAF5852
<i>8700, 8800 w/Yanmar 3TNV84HT Engine</i>			AM125424	Oil	PH3656	AM101378	Oil	PH2808
RE68049	Air	LAF8114 ¹	<i>D150 w/B&S 22 H.P. V-Twin Engine</i>					
RE68048		LAF8143 ²	AM116304	Fuel	G115			
MIU800645	Fuel	LFF8350	AM125424	Oil	PH3656			
RE69054	Hydraulic	LFH4959	<i>D155 w/B&S 24 H.P. V-Twin Engine</i>					
M806419	Oil	PH2808	AM116304	Fuel	G115			
<i>8700, 8800 w/Yanmar 3TNV84HT Engine</i>			AM125424	Oil	PH3656			
RE68049	Air	LAF8114 ¹	<i>D170 w/B&S 26 H.P. V-Twin Engine</i>					
RE68048		LAF8143 ²	AM116304	Fuel	G115			
MIU800645	Fuel	LFF8350	AM125424	Oil	PH3656			
RE69054	Hydraulic	LFH4959	<i>D150 w/B&S 22 H.P. V-Twin Engine</i>					
<i>8700, 8800 w/Yanmar 3TNV84HT Engine</i>			AM116304	Fuel	G115			
RE68049	Air	LAF8114 ¹	AM125424	Oil	PH3656			
RE68048		LAF8143 ²	<i>D155 w/B&S 24 H.P. V-Twin Engine</i>					
MIU800645	Fuel	LFF8350	AM116304	Fuel	G115			
RE69054	Hydraulic	LFH4959	AM125424	Oil	PH3656			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 275-Primary 531-Filter only 590-Hydrostatic 614-Dual 1496-Alternate

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)			JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)			JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)		
<i>F915 Front Mower w/Yanmar 17 hp OHV Diesel Liquid Engine (cont'd)</i>			<i>GT245 w/Kawasaki 20 hp Engine (cont'd)</i>			<i>LA135, LA135SE w/B&S 22 hp V-Twin Engine (cont'd)</i>		
AM39653	Trans	PH710 ⁵⁹⁰	AM107423	Oil	PH2840	AM125424	Oil	PH3656
<i>F930 Front Mower w/Onan Performer P224G 24 hp Twin Engine</i>			<i>GX255 w/Kawasaki 20 hp V-Twin Engine</i>			<i>LA140 w/B&S 23 hp Engine</i>		
AM101812	Air	LAF8420	AM116304	Fuel	G115	AM116304	Fuel	G115
AM101126	Fuel	G1/4 G1/4P	AM107423	Oil	PH2840	AM125424	Oil	PH3656
TY9425	Oil	PH400 ²⁷⁵	<i>GX325 w/Kawasaki 18 hp Engine</i>			<i>LA145 w/B&S Intek 22 hp Engine</i>		
TY9425	Oil	PH8A ¹⁴⁹⁶	AM116304	Fuel	G115	AM116304	Fuel	G115
AM39653	Trans	PH710 ⁵⁹⁰	AM107423	Oil	PH2840	AM125424	Oil	PH3656
<i>F932 Front Mower w/Yanmar 28 hp Diesel Liquid Engine</i>			<i>GX355 w/Yanmar 18 hp Engine</i>			<i>LA150 w/B&S 25 hp Engine</i>		
	Air	LAF2746 ¹ LAF5852 ² LAF8118 ² LAF8119 ¹	M806418	Oil	PH2876	AM116304	Fuel	G115
(AM876035); Gas	Fuel	G1 ⁵³¹	<i>GX85, SX85 Riding Mower</i>			AM125424	Oil	PH3656
AM101378	Oil	PH2808	LG496894	Air	LAF5773	AM125424	Oil	PH3656
AM39653	Trans	PH710 ⁵⁹⁰	AM116304	Fuel	G115	<i>LA165 w/B&S ELS 24 hp V-Twin Engine</i>		
<i>F935 Front Mower w/Yanmar 22 hp OHV Diesel Liquid Engine</i>			<i>HD45 w/Kawasaki 14 hp Engine</i>			AM116304	Fuel	G115
	Air	LAF2746 ¹ LAF5852 ² LAF8118 ² LAF8119 ¹	M97211	Air	LAF22045	AM125424	Oil	PH3656
AM101004	Fuel	LFF1006	<i>L100 w/B&S Engine</i>			<i>LA175 w/B&S 26 hp V-Twin Engine</i>		
AM101378	Oil	PH2808	AM38708	Fuel	G6529	AM116304	Fuel	G115
AM39653	Trans	PH710 ⁵⁹⁰	AM125424	Oil	PH3656	AM125424	Oil	PH3656
<i>G110 w/Kohler 25 hp Engine</i>			<i>L108 w/B&S 18.5 hp Engine</i>			<i>LT133 w/Kohler Command 13 hp Engine</i>		
M47497	Air	AF217 ^{2, 589}	AM116304	Fuel	G115	AM119567	Oil	PH3656
AM116304	Fuel	G115	AM125424	Oil	PH3656	<i>LT150G, LT150H</i>		
AM125424	Oil	PH3656	<i>L110 w/Kohler Engine</i>			AM107314	Fuel	G6529
<i>G15, G18 w/Kohler Command Pro 15 hp Engine</i>			AM125424	Oil	PH3656	AM125424	Oil	PH3656
AM116304	Fuel	G115	<i>L111 w/B&S 20 hp V Twin Engine</i>			<i>LT155 w/Kohler Command CV15S 15 hp Engine</i>		
AM125424	Oil	PH3656	AM116304	Fuel	G115	AM125424	Oil	PH3656
<i>GS25</i>			AM125424	Oil	PH3656	<i>LT160 w/Kohler Command CV460S 16 hp Engine</i>		
M97211	Air	LAF22045	<i>L118 w/B&S 22 hp V Twin Engine</i>			AM107314	Fuel	G6529
<i>GS75, HD75 w/Kawasaki 17 hp Engine</i>			AM116304	Fuel	G115	AM125424	Oil	PH3656
M97266	Air	LAF22049	AM125424	Oil	PH3656	<i>LT166, LTR166 w/B&S 16 hp Twin Engine</i>		
<i>GT225 w/Kohler Command 16 hp Engine</i>			<i>L120, L130 w/B&S Engine</i>			LG394018	Air	LAF1918
AM116304	Fuel	G115	AM116304	Fuel	G115	LG493629	Fuel	G6529
(AM125424); S/N 010001-	Oil	PH3656	AM125424	Oil	PH3656	AM125424	Oil	PH3656
<i>GT235 w/B&S Vanguard 18 hp V-Twin Engine</i>			<i>L130 w/Kohler 23 hp Engine</i>			<i>LT170</i>		
LG394018	Air	LAF1918	GY20576	Air	LAF5802 ⁵⁸⁸	LG394018	Air	LAF1918
AM116304	Fuel	G115	AM116304	Fuel	G115	AM107314	Fuel	G6529
(AM125424); S/N 010001-	Oil	PH3656	AM125424	Oil	PH3656	AM125424	Oil	PH3656
<i>GT242, GT262, GT275 w/Kawasaki 14 hp Engine</i>			<i>LA100 w/B&S 17 hp Engine</i>			<i>LT180, LTR180</i>		
(M97266); GT262, GT275 only	Air	LAF22049	AM116304	Fuel	G115	AM107423	Oil	PH2840
AM116304	Fuel	G115	AM125424	Oil	PH3656	<i>LX166</i>		
AM107423	Oil	PH2840	<i>LA105 w/B&S Intek 19.5 hp OHV Engine</i>			AM394018	Air	LAF1918
<i>GT245 w/Kawasaki 20 hp Engine</i>			AM116304	Fuel	G115	AM116304	Fuel	G115
AM116304	Fuel	G115	AM125424	Oil	PH3656	AM125424	Oil	PH3656
			<i>LA115 w/B&S Intek 19.5 hp OHV Engine</i>			<i>LX172, LX176 w/Kawasaki 14 hp Engine</i>		
			AM116304	Fuel	G115	M97211	Air	LAF22045
			AM125424	Oil	PH3656	AM116304	Fuel	G115
			<i>LA120, LA130 w/B&S 21 hp Engine</i>			AM107423	Oil	PH2840
			AM116304	Fuel	G115	<i>LX173 w/Kohler 15 hp Engine</i>		
			AM125424	Oil	PH3656	AM101207	Oil	PH2835
			<i>LA125 w/B&S Intek 21 hp OHV Engine</i>			<i>LX178 w/Kawasaki 15 hp V-Twin Engine</i>		
			AM116304	Fuel	G115	M115978	Air	LAF8338
			AM125424	Oil	PH3656	AM116304	Fuel	G115
			<i>LA135, LA135SE w/B&S 22 hp V-Twin Engine</i>			AM107423	Oil	PH2840
			AM116304	Fuel	G115			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 275-Primary 531-Filter only 588-7" x 2.92" 589-7" x 2.55" 590-Hydrostatic 1496-Alternate

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)			JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)			JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)		
<i>LX186 w/Kawasaki 17 hp V-Twin Engine</i>			<i>S240 w/Kawasaki FS600V Engine</i>			<i>X495, X595 w/Yanmar 24 hp OHV Diesel Liquid Engine (cont'd)</i>		
M97266	Air	LAF22049	AM116304	Fuel	G115	CH15553	Fuel	L3541F
AM116304	Fuel	G115	AM125424	Oil	PH3656	M806418	Oil	PH2876
AM107423	Oil	PH2840	<i>S80, S82 Riding Mower</i>			AM131054	Trans	LFH8459 ⁵⁹⁰
<i>LX188 w/Kawasaki 17 hp V-Twin Engine</i>			AM38708	Fuel	G1/4 G1/4P	<i>X500, X530, X534 w/Kawasaki FH721V 25 hp Engine</i>		
M115978	Air	LAF8338	<i>SST16, SST18 w/B&S 16 & 18 hp Engine</i>			AM116304	Fuel	G115
AM116304	Fuel	G115	LG394018	Air	LAF1918	AM107423	Oil	PH2840
AM107423	Oil	PH2840	<i>STX30, STX38, STX46 w/Kohler 9 hp Engine</i>			<i>X500, X530, X534 w/Kawasaki FS730V 26 hp Engine</i>		
<i>LX255 w/Kohler Command Pro 15 hp Engine</i>			AM101207	Oil	PH2835	AM116304	Fuel	G115
AM116304	Fuel	G115	<i>WG32, WG36A, WG48A w/Kohler FS481V Engine</i>			AM107423	Oil	PH2840
	Oil	PH2835	AM125424	Oil	PH3656	<i>X520, X540 w/Kawasaki 26 hp V-Twin Liquid Engine</i>		
<i>LX277, LX279 w/Kawasaki 17 hp Engine</i>			<i>WH61A, WHP61A w/Kawasaki FS691V Engine</i>			AM116304	Fuel	G115
AM116304	Fuel	G115	AM125424	Oil	PH3656	AM107423	Oil	PH2840
AM107423	Oil	PH2840	<i>X300, X300R, X304 w/Kawasaki FH491V 17 HP Engine</i>			<i>X700 w/Kawasaki 23 hp V-Twin Engine</i>		
<i>LX280 w/Kawasaki 18 hp Engine</i>			AM125424	Oil	PH3656	AM116304	Fuel	G115
AM116304	Fuel	G115	M131053	Trans	LFP2287 ⁵⁹⁰	AM107423	Oil	PH2840
AM107423	Oil	PH2840	<i>X300, X300R, X304 w/Kawasaki FS541V 18 HP Engine</i>			AM131054	Trans	LFH8459 ⁵⁹⁰
<i>LX288 w/B&S Vanguard 18 hp V-Twin Engine</i>			<i>X300, X300R, X304 w/Kawasaki FS541V 18 HP Engine</i>			<i>X710 w/Kawasaki 22 hp Engine</i>		
	Air	LAF1918	AM116304	Fuel	G115	AM136739	Fuel	G115
AM116304	Fuel	G115	AM107423	Oil	PH2840	AM107423	Oil	PH2840
AM101207	Oil	PH2835	<i>X300, X300R, X304 w/Kawasaki FS541V 18 HP Engine</i>			AM131054	Trans	LFH8459 ⁵⁹⁰
AM125424	Oil	PH3656	AM116304	Fuel	G115	<i>X720, X724, X728 w/Kawasaki 27 hp V-Twin Liquid Engine</i>		
<i>LX289 w/Kawasaki 17 hp Engine</i>			AM125424	Oil	PH3656	AM118131	Fuel	G6342
AM116304	Fuel	G115	<i>X310 (w/18.5 HP Engine)</i>			AM107423	Oil	PH2840
AM107423	Oil	PH2840	AM116304	Fuel	G115	<i>X729 w/Kawasaki 27 hp V-Twin Liquid Engine</i>		
<i>M653 Z-Trak w/Kohler Command 23 hp V-Twin Engine</i>			AM125424	Oil	PH3656	AM117584	Fuel	G6342
M47494	Air	AF217	<i>X320, X324 w/Kawasaki 22 hp V-Twin Engine</i>			AM107423	Oil	PH2840
AM116304	Fuel	G115	AM116304	Fuel	G115	AM131054	Trans	LFH8459 ⁵⁹⁰
AM125424	Oil	PH3656	AM107423	Oil	PH2840	<i>X730, X734 w/Kawasaki 25.5 hp Engine</i>		
<i>M655, M665 Z-Trak w/Kohler Command 25 hp V-Twin Engine</i>			AM125424	Oil	PH3656	AM136739	Fuel	G115
AM116304	Fuel	G115	<i>X340 w/Kawasaki 25 hp V-Twin Engine</i>			AM107423	Oil	PH2840
AM101207	Hydraulic	PH2835	AM116304	Fuel	G115	AM131054	Trans	LFH8459 ⁵⁹⁰
AM125424	Oil	PH3656	AM107423	Oil	PH2840	<i>X730, X734 w/Kawasaki 25.5 hp Engine</i>		
<i>R70, R72 Riding Mower</i>			<i>X360 w/Kawasaki 22 hp V-Twin Engine</i>			AM136739	Fuel	G115
AM38708	Fuel	G1 ⁵³¹ G1/4 G1/4P	AM116304	Fuel	G115	AM107423	Oil	PH2840
			AM107423	Oil	PH2840	AM131054	Trans	LFH8459 ⁵⁹⁰
			AM125424	Oil	PH3656	<i>X738, X739 w/Kawasaki 25.5 hp Engine</i>		
<i>R92, S92 Riding Mower</i>			<i>X465 w/Kawasaki Engine</i>			AM117584	Fuel	G6342 ⁶¹⁵
AM38708	Fuel	G1 ⁵³¹ G1/4 G1/4P	AM116304	Fuel	G115	AM107423	Oil	PH2840 ⁶¹⁵
			AM131054	Hydraulic	LFH8459	AM131054	Trans	LFH8459 ^{590, 615}
			AM107423	Oil	PH2840	<i>X740, X744, X748 w/Yanmar 23 H.P OHV Diesel Liquid Engine</i>		
<i>RX63 Riding Mower</i>			<i>X475, X575 w/Kawasaki 23 hp V-Twin Liquid Engine</i>			M123378	Air	LAF22056 ¹
AM38708	Fuel	G1/4 G1/4P	AM107423	Oil	PH2840	M113621		LAF8388 ²
			AM131054	Trans	LFH8459 ⁵⁹⁰	M801101	Fuel	L4103F
<i>RX73, RX75, SX75 Riding Mower</i>			<i>X485, X585 w/Kawasaki 25 hp V-Twin Liquid Engine</i>			M806418	Oil	PH2876
AM38708	Fuel	G1 ⁵³¹ G1/4 G1/4P	AM118131	Fuel	G6342	AM131054	Trans	LFH8459 ⁵⁹⁰
			AM107423	Oil	PH2840	<i>X749 w/Yanmar 24 hp OHV Diesel Liquid Engine</i>		
			AM131054	Trans	LFH8459 ⁵⁹⁰	M123378	Air	LAF22056 ¹
<i>RX85, SX85 Riding Mower</i>			<i>X495, X595 w/Yanmar 24 hp OHV Diesel Liquid Engine</i>			M113621		LAF8388 ²
AM38708	Fuel	G1/4 G1/4P	AM118131	Fuel	G6342	M801101	Fuel	L4103F
			AM107423	Oil	PH2840	M806418	Oil	PH2876
<i>RX95, SX95, SRX95 Riding Mower</i>			AM131054	Trans	LFH8459 ⁵⁹⁰	AM131054	Trans	LFH8459 ⁵⁹⁰
AM38708	Fuel	G1/4 G1/4P	M123378	Air	LAF22056 ¹			
			M113621		LAF8388 ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 531-Filter only 590-Hydrostatic 615-2013 up

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)			JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)			JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)		
<i>X750, X754 w/Yanmar 24 hp Diesel Engine</i>			<i>Z625 EZTrak (w/Cyclonic 25 HP Engine) (cont'd)</i>			<i>Z920M w/Kawasaki Engine (cont'd)</i>		
M123378	Air	LAF22056 ¹		Oil	PH3656	AM116304	Fuel	G115
M113621		LAF8388 ²	<i>Z645 EZTrak w/27 HP Engine</i>			AM107423	Oil	PH2840
M806418	Oil	PH2876	AM116304	Fuel	G115	<i>Z920R w/Kawasaki Engine</i>		
AM131054	Trans	LFH8459 ⁵⁹⁰		Oil	PH3656	MIU12457	Air	LAF8195 ²
<i>X758 w/Yanmar 24 hp Diesel Engine</i>			<i>Z655 EZTrak w/27 HP Engine</i>			MIU12458		LAF8690 ¹
M123378	Air	LAF22056 ¹	AM116304	Fuel	G115	AM116304	Fuel	G115
M113621		LAF8388 ²		Oil	PH3656	AM107423	Oil	PH2840
M806418	Oil	PH2876	<i>Z665 EZ-Trak w/27 HP Engine</i>			<i>Z925 w/Kawasaki 27hp Engine</i>		
AM131054	Trans	LFH8459 ⁵⁹⁰	AM116304	Fuel	G115	MU11747	Air	LAF5325 ²
<i>X950R (w/Diesel Engine)</i>			AM125424	Oil	PH3656	AM116304	Fuel	G115
M123378	Air	LAF22056 ¹	<i>Z710A, Z720A Z Trak w/Kohler Courage Pro Engine</i>			AM107423	Oil	PH2840
M113621		LAF8388	M144100	Air	LAF8195 ²	<i>Z925A EFI w/Kohler 27 hp EFI Engine</i>		
M801101	Fuel	L4103F	M144098		LAF8690 ¹	M144100	Air	LAF8195 ²
M806418	Oil	PH2876	AM116304	Fuel	G115	M144098		LAF8690 ¹
<i>Z245 EZ-Trak w/B&S 23 hp V Twin Engine</i>			AM125424	Oil	PH3656	AM119567	Oil	PH3656
AM116304	Fuel	G115	<i>Z810A, Z820A w/Kawasaki 22 & 25 hp Engine</i>			<i>Z925M Flex Fuel w/Kohler Engine</i>		
AM125424	Oil	PH3656	M144100	Air	LAF8195 ²	M144100		LAF8690 ¹
<i>Z335E w/M40 Intek Engine</i>			M144098		LAF8690 ¹	AM119567	Oil	PH3656
AM116304	Fuel	G115	AM116304	Fuel	G115	<i>Z925M EFI w/Kohler Engine</i>		
AM125424	Oil	PH3656	AM107423	Oil	PH2840	M144100	Air	LAF8195 ²
<i>Z355E w/M44 Intek Engine</i>			<i>Z830A w/Kawasaki 27 hp Engine</i>			M144098		LAF8690 ¹
AM116304	Fuel	G115	MU11747	Air	LAF5325 ²	AM119567	Oil	PH3656
AM125424	Oil	PH3656	AM116304	Fuel	G115	<i>Z930A w/Kawasaki FX801V 29 hp Engine</i>		
<i>Z425 w/B&S Vanguard 23 hp V-Twin Engine</i>			AM107423	Oil	PH2840	MU11747	Air	LAF5325 ²
AM116304	Fuel	G115	<i>Z840A w/Kawasaki 26 hp Engine</i>			AM116304	Fuel	G115
AM131054	Hydraulic	LFH8459	M144100	Air	LAF8195 ²	AM107423	Oil	PH2840
GY20577	Oil	PH3656	M144098		LAF8690 ¹	<i>Z930M EFI w/Kohler Engine</i>		
<i>Z435 w/John Deere M44 Cyclonic Engine</i>			AM116304	Fuel	G115	M144100	Air	LAF8195 ²
	Fuel	G115	AM107423	Oil	PH2840	M144098		LAF8690 ¹
	Oil	PH3656	<i>Z850A w/Kawasaki 31 hp Engine</i>			AM119567	Oil	PH3656
<i>Z445 w/Kawasaki 25 hp V-Twin Engine</i>			MU11747	Air	LAF5325 ²	<i>Z930M w/Kawasaki FX801V Engine</i>		
AM116304	Fuel	G115	AM116304	Fuel	G115	MIU12457	Air	LAF8195 ²
AM107423	Oil	PH2840	AM107423	Oil	PH2840	MIU12458		LAF8690 ¹
AM131054	Trans	LFH8459 ⁵⁹⁰	<i>Z860A w/Kawasaki 34 hp Engine</i>			AM116304	Fuel	G115
<i>Z465 EX-Trak w/Kawasaki 25 hp V-Twin Engine</i>			MU11747	Air	LAF5325 ²	AM107423	Oil	PH2840
AM116304	Fuel	G115	AM116304	Fuel	G115	<i>Z930R w/Kawasaki FX801V Engine</i>		
AM131054	Hydraulic	LFH8459	AM107423	Oil	PH2840	MIU12457	Air	LAF8195 ²
AM107423	Oil	PH2840	<i>Z910A w/Kawaski 22 hp Engine</i>			MIU12458		LAF8690 ¹
<i>Z510A EZ-Trak w/Kohler 22 hp Engine</i>			MIU12457	Air	LAF8195 ²	AM116304	Fuel	G115
AM116304	Fuel	G115	MIU12458		LAF8690 ¹	AM107423	Oil	PH2840
AM125424	Oil	PH3656	AM116304	Fuel	G115	<i>Z950M w/Kawasaki FX850V Engine</i>		
<i>Z520A EZ-Trak w/Kohler 25 hp Engine</i>			AM125424	Oil	PH3656	M131802	Air	LAF8195 ²
AM116304	Fuel	G115	<i>Z915B w/Kohler Engine</i>			M131803		LAF8690 ¹
AM125424	Oil	PH3656	M144100	Air	LAF8195 ²	AM116304	Fuel	G115
<i>Z525E w/M44 ELS Engine</i>			M144098		LAF8690 ¹	AM107423	Oil	PH2840
AM116304	Fuel	G115	AM119567	Oil	PH3656	<i>Z950R w/Kawasaki FX850V Engine</i>		
AM125424	Oil	PH3656	<i>Z920A w/Kawaski 26 hp Engine</i>			M131802	Air	LAF8195 ²
<i>Z535M w/M44 Cyclonic Engine</i>			MIU12457	Air	LAF8195 ²	M131803		LAF8690 ¹
AM116304	Fuel	G115	MIU12458		LAF8690 ¹	AM116304	Fuel	G115
AM125424	Oil	PH3656	AM116304	Fuel	G115	AM107423	Oil	PH2840
<i>Z540M, Z540R w/Kawasaki FS730V Engine</i>			AM125424	Oil	PH3656	<i>Z960R w/Kawasaki FX921V Engine</i>		
AM116304	Fuel	G115	MIU12457	Air	LAF8195 ²	MIU12457	Air	LAF8195 ²
AM125424	Oil	PH3656	MIU12458		LAF8690 ¹	MIU12458	Fuel	LAF8690 ¹
<i>Z625 EZTrak (w/Cyclonic 25 HP Engine)</i>			AM116304	Fuel	G115	AM116304	Fuel	G115

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 590-Hydrostatic

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (LAWN MOWER & GARDEN TRACTOR)			KEE (LAWN MOWER & GARDEN TRACTOR)			KUBOTA (LAWN MOWER & GARDEN TRACTOR)		
<i>Z960R w/Kawasaki FX921V Engine (cont'd)</i>			<i>HVG52161 w/B&S Vanguard 16 hp Engine (cont'd)</i>			<i>F2560 w/D1005E Engine (cont'd)</i>		
AM107423	Oil	PH2840		Fuel	G115	12581-43012	Fuel	G1 ⁵³¹
<i>Z970A w/Kawaski FX1000V Engine</i>				Oil	PH2835	HH150-32094	Oil	PH2808
MU11747	Air	LAF5325 ²	<i>HVG61201 w/B&S Vanguard 20 hp Engine</i>			HH660-36060	Trans	PH2827 ⁵⁹⁰
AM116304	Fuel	G115		Air	LAF1918	<i>F2560 w/D1105E Engine</i>		
AM107423	Oil	PH2840		Fuel	G115	(67980-82630); S/N	Air	LAF4629 ¹
<i>Z970R w/Kawasaki FX1000V Engine</i>				Oil	PH2835	-10401		LAF4629 ¹
MU12457	Air	LAF8195 ²	<i>MKW36121 w/Kawasaki FB460V 12.5 hp Engine</i>			(6C060-99410); S/N		LAF4629 ¹
MU12458		LAF8690 ¹		Fuel	G115	10402-		
AM116304	Fuel	G115		Oil	PH2840	12581-43012	Fuel	G1 ⁵³¹
AM107423	Oil	PH2840	<i>MKW36141 w/Kawasaki FB420V 14 hp Engine</i>			HH150-32094	Oil	PH2808
<i>Z997 w/Yanmar 3TNV82A Diesel Engine</i>				Fuel	G115	HH660-36060	Trans	PH2827 ⁵⁹⁰
M131802	Air	LAF8195 ²		Oil	PH2840	<i>F2560E w/Kubota Diesel Engine</i>		
M131803		LAF8690 ¹	<i>MKW48121 w/Kawasaki FB460V 12.5 hp Engine</i>			6C060-99410	Air	LAF4629 ²
MU800645	Fuel	LFF8350		Fuel	G115	12581-43012	Fuel	G1 ⁵³¹
M806419	Oil	PH2808		Oil	PH2840	HH150-32094	Oil	PH2808
<i>Z997 Z-Trak w/Yanmar 3TN82A Engine</i>			<i>MKW48141 w/Kawasaki FP420V 14 hp Engine</i>			HH660-36060	Trans	PH2827 ⁵⁹⁰
M131802	Air	LAF8195 ²		Fuel	G115	<i>F2680E w/D1105E3-FM3 Engine</i>		
M131803		LAF8690 ¹		Oil	PH2840	6C060-99410	Air	LAF4629 ²
M811031	Fuel	LFF8350	<i>MKW48141 w/Kohler Command CV14S 14 hp Engine</i>			12581-43012	Fuel	G1 ⁵³¹
M806419	Oil	PH2808				HH150-32094	Oil	PH2808
<i>Z997R w/Yanmar 3TNV88C Engine</i>				Fuel	G115	HH660-36060	Trans	PH2827 ⁵⁹⁰
M131802	Air	LAF8195 ²		Oil	PH2835	<i>F2690, F2690E (w/ Kubota D1105E4 Engine)</i>		
M131803		LAF8690 ¹	<i>ZT Max w/Kohler 25 hp Engine</i>			6C060-99410	Air	LAF4629 ²
MU800645	Fuel	LFF8350	102606	Trans	LFH5809	12581-43012	Fuel	G1 ⁵³¹
M806419	Oil	PH2808	KEES (SEE YAZOO/KEES)			HH150-32094	Oil	PH2808
KEE (LAWN MOWER & GARDEN TRACTOR)			KUBOTA (LAWN MOWER & GARDEN TRACTOR)			HH660-36060	Trans	PH2827 ⁵⁹⁰
<i>HKH52181 w/Kohler Command CV18S 18 hp V-Twin Engine</i>			<i>F1900E</i>			<i>F2880 w/D1105E2 Engine</i>		
	Air	AF215 ⁶⁰⁶ AF217 ⁵⁸⁹	15852-11080	Air	LAF8620 ²	6C060-99410	Air	LAF4629 ²
	Fuel	G115	13351-43010	Fuel	G5/16 ²⁶³ G5/16CP ¹⁰⁹⁶	12581-43012	Fuel	G1 ⁵³¹
	Oil	PH2835	13351-43010			15241-32090	Oil	PH2808
<i>HKH61201 w/Kohler Command CV20S 20 hp V-Twin Engine</i>			<i>F2000, F2100, F2100E w/D950FM Engine</i>			66021-36060	Trans	PH2827 ⁵⁹⁰
	Air	AF215 ⁶⁰⁶ AF217 ⁵⁸⁹	766110-58420	Air	LAF2745A ²	<i>F3060 w/Kubota V1305-FM Diesel Engine</i>		
	Fuel	G115	15231-43560	Fuel	L550F	T0070-16323	Air	LAF8772
	Oil	PH2835	66021-36060	Hydraulic	PH2827	12581-43012	Fuel	G1 ⁵³¹
<i>HKW36141 w/Kawasaki FB420V 14 hp Engine</i>			70000-15241	Oil	PH2808	16271-32090	Oil	PH2808
	Fuel	G115	<i>F2260 w/D1005 Engine</i>			66021-36060	Trans	PH2827 ⁵⁹⁰
	Oil	PH2840	(67980-82630); S/N	Air	LAF4629 ¹	<i>F3080 w/Kubota D1305 Engine</i>		
<i>HKW48141 w/Kawasaki FB420V 14 hp Engine</i>			-10401		LAF4629 ¹	(T0070-16323); - S/N	Air	LAF8772
	Fuel	G115	(6C060-99410); S/N			10987		
	Oil	PH2840	10402-			12581-43012	Fuel	G1 ⁵³¹
<i>HKW52141 w/Kawasaki FB420V 14 hp Engine</i>			12581-43012	Fuel	G1 ⁵³¹	16271-32090	Oil	PH2808
	Fuel	G115	66021-36060	Hydraulic	PH2827	HH660-36060	Trans	PH2827 ⁵⁹⁰
	Oil	PH2840	15241-32099	Oil	PH2808	<i>F3680 w/Kubota V1505 Engine</i>		
<i>HVG48161 w/B&S Vanguard 16 hp Engine</i>			<i>F2400 w/Kubota D1105FM 24 H.P Engine</i>			12581-43012	Fuel	G1 ⁵³¹
	Air	LAF1918	70000-11221	Air	LAF2745A ²	15241-32090	Oil	PH2808
	Fuel	G115	124550-55700	Fuel	L4103F	HH660-36060	Trans	PH2827 ⁵⁹⁰
	Oil	PH2840	66021-36060	Hydraulic	PH2827	<i>F3990 (w/Kubota V1505TE4 Engine)</i>		
<i>HVG52161 w/B&S Vanguard 16 hp Engine</i>			16271-32090	Oil	PH2808	TA040-93220	Air	LAF8195 ²
	Air	LAF1918	<i>F2560 w/D1005E Engine</i>			TA040-93230	Air	LAF8690 ¹
	Fuel	G115	(67980-82630); S/N	Air	LAF4629 ¹	12581-43012	Fuel	G1 ⁵³¹
	Oil	PH2835	-10401		LAF4629 ¹	15241-32090	Oil	PH2808
<i>HVG52161 w/B&S Vanguard 16 hp Engine</i>			10402-		LAF4629 ¹	HH660-36060	Trans	PH2827 ⁵⁹⁰
	Air	LAF1918	(6C060-99410); S/N			<i>FZ2100 w/Kubota D905 21 hp Diesel Engine</i>		
			10402-			15852-11080	Air	LAF8620 ²
						16271-43560	Fuel	L4103F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 263-Hoses and clamps included 531-Filter only 589-7" x 2.55" 590-Hydrostatic 606-6" x 3" 1096-Clear Plastic

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KUBOTA (LAWN MOWER & GARDEN TRACTOR)			KUBOTA (LAWN MOWER & GARDEN TRACTOR)			KUBOTA (LAWN MOWER & GARDEN TRACTOR)		
<i>FZ2100 w/Kubota D905 21 hp Diesel Engine (cont'd)</i>			<i>GR2020 (w/Kohler GH630 Engine)</i>			<i>T1880 w/GH540V Engine</i>		
30401-37580	Hydraulic	PH2808	E7188-32110	Oil	PH2814	E7188-32110	Oil	PH2814
16271-32090	Oil	PH2808	HHK20-36990	Trans	LFH6201 ⁵⁹⁰	<i>T2080 w/GH710V Engine</i>		
66021-36060	Trans	PH2827 ⁵⁹⁰	<i>GR2100 w/D782 Engine</i>			E7188-32110	Oil	PH2814
<i>FZ2400 w/Kubota D1105F 24 hp Diesel Engine</i>			12581-43012	Fuel	G1 ⁵³¹	<i>T2380 w/GH720V Engine</i>		
15852-11080	Air	LAF8620 ²	15853-32430	Oil	PH2876	E7188-32110	Oil	PH2814
16271-43560	Fuel	L4103F	<i>GR2110 w/Kubota D782 21 hp Diesel Engine</i>			<i>TG1860, TG1860A, TG1860B w/D722E Diesel Engine</i>		
30401-37580	Hydraulic	PH2808	K1211-82320	Air	LAF8388 ²	K1211-82320	Air	LAF8388 ²
16271-32090	Oil	PH2808	12581-43012	Fuel	G1 ⁵³¹	12581-43012	Fuel	G5/16 ²⁶³
66021-36060	Trans	PH2827 ⁵⁹⁰	HH150-32430	Oil	PH2876	15853-32430	Oil	PH2808
<i>G1700, G1900 w/3 cyl. Engine</i>			<i>GR2120 (w/Kubota D782 Engine)</i>			<i>TG1860, TG1860A, TG1860B w/WG590V Engine</i>		
15852-11080	Air	LAF8620 ²	K1211-82320	Air	LAF8388 ²	12499-32430	Oil	PH2840
13351-43010	Fuel	G5/16 ²⁶³	12581-43012	Fuel	G1 ⁵³¹	<i>WG14 w/Kawasaki FS481V Engine</i>		
13351-43010		G5/16CP ¹⁰⁹⁶	HH150-32430	Oil	PH2876		Fuel	G6529 ²⁴²
70000-15241	Oil	PH2808	Hhk20-36990	Trans	LFH6201 ⁵⁹⁰		Oil	PH3656
<i>G1800, G1800E, GF1800, GF1800E w/D662 Diesel Engine</i>			<i>L2600 w/Kubota D1403-AE Diesel Engine</i>			<i>WH15 w/Kawasaki FS541V Engine</i>		
15852-11081	Air	LAF8620 ²	TA040-93230	Air	LAF8195 ²		Fuel	G6529 ²⁴²
12581-43012	Fuel	G5/16 ²⁶³	TA040-93220		LAF8690 ¹		Oil	PH3656
13351-43010		G5/16CP ¹⁰⁹⁶	T0070-16323		LAF8772 ¹⁸¹	<i>WHF19 w/Kawasaki FX600V Engine</i>		
66021-36060	Hydraulic	PH2827	15521-43160	Fuel	L549F		Air	LAF22056 ¹
70000-15241	Oil	PH2808	33960-82630	Hydraulic	LFH22003		Fuel	LAF8388 ²
<i>G1900 HST</i>			70000-74035	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Fuel	G6529 ²⁴²
	Air	LAF8620 ²	<i>L3000 w/Kubota D1503E Engine</i>				Oil	PH2840
12581-43012	Fuel	G5/16 ²⁶³	TA040-93230	Air	LAF8195 ²	<i>Z723 (w/Kohler Comand Pro GH680V Engine)</i>		
13351-43010		G5/16CP ¹⁰⁹⁶	TA040-93220		LAF8690 ¹	2505002	Fuel	G6529
70000-15241	Oil	PH2808	T0070-16323		LAF8772 ¹⁸¹	E7188-32110	Oil	PH2814
<i>G2000, G2000S</i>			15521-43160	Fuel	L549F	<i>Z724 (w/Kohler Command Pro GH730V Engine)</i>		
	Air	LAF8620 ²	33960-82630	Hydraulic	LFH22003	2505002	Fuel	G6529
12581-43012	Fuel	G5/16 ²⁶³	70000-74035	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	E7188-32110	Oil	PH2814
13351-43010		G5/16CP ¹⁰⁹⁶	<i>T1400H w/GH400V-L Engine</i>			<i>Z724X w/Kawasaki GH735V Engine</i>		
70000-15241	Oil	PH2808	15852-11080	Air	LAF8620 ²		Oil	PH2840
<i>G2160 w/Kubota D782 21 hp Diesel Liquid Engine</i>				Fuel	G1 ⁵³¹	<i>Z725 (w/Kohler Command Pro GH740V Engine)</i>		
K1211-82320	Air	LAF8388 ²	<i>T1460, T1560</i>			2505002	Fuel	G6529
12581-43012	Fuel	G5/16 ²⁶³	12499-32430	Oil	PH2840	E7188-32110	Oil	PH2814
13351-43010		G5/16CP ¹⁰⁹⁶	<i>T1570 w/GH430V Engine</i>			<i>ZD1211 (w/Kubota D1105-E4 Engine)</i>		
66021-36060	Hydraulic	PH2827	E7194-32110	Oil	PH2835	HH150-32094	Oil	PH2808
15853-32430	Oil	PH2808	<i>T1600H w/Z482 Engine</i>			<i>ZD18 w/Kubota D722 18 hp Diesel Liquid Engine</i>		
<i>G2460 Gasoline</i>			15852-11080	Air	LAF8620 ²	12581-43012	Fuel	G5/16 ²⁶³
K1211-82320	Air	LAF8388 ²	13351-43010	Fuel	G5/16 ²⁶³	12581-43012		G5/16CP ¹⁰⁹⁶
12581-43012	Fuel	G5/16 ²⁶³	13351-43010		G5/16CP ¹⁰⁹⁶	15853-32430	Oil	PH2808
13351-43010		G5/16CP ¹⁰⁹⁶	70000-15241	Oil	PH2808	<i>ZD21, ZD28 w/Kubota D782 21 hp Diesel Liquid Engine</i>		
15853-32430	Oil	PH2808	<i>T1670 w/GH430V Engine</i>			K1211-82320	Air	LAF8388 ²
<i>G3200, G4200, 4200H, G5200H, G6200H</i>			E7194-32110	Oil	PH2835	12581-43012	Fuel	G5/16 ²⁶³
15852-11080	Air	LAF8620 ²	<i>T1700H, T1700HX w/GH540V Engine</i>			12581-43012		G5/16CP ¹⁰⁹⁶
15231-43560	Fuel	L550F	12499-11210	Air	LAF1790 ¹	70000-15241	Oil	PH2808
70000-15241	Oil	PH2808	12499-32430	Oil	PH2840	<i>ZD221 w/Kubota D782 21 hp Diesel Liquid Engine</i>		
66021-36060	Trans	PH2827	<i>T1760, T1760A, T1760B w/WG510-V Engine</i>			12499-32430	Oil	PH2840
<i>GR2000 w/Kohler Engine</i>			12499-32430	Oil	PH2840	<i>T1770 w/GH500V Engine</i>		
E7188-32110	Oil	PH2814	<i>T1770 w/GH500V Engine</i>			490652078	Oil	PH2840
<i>GR2000G w/GH630-C8 Engine</i>			<i>T1870 w/GH531V Engine</i>			<i>ZD25F w/D1005-E2 Engine</i>		
E7188-32110	Oil	PH2814	12499-32430	Oil	PH2840	K1211-82320	Air	LAF8388 ²
<i>GR2010 w/GH630 Engine</i>			<i>T1870A w/GH630V Engine</i>			12581-43012	Fuel	G1 ⁵³¹
12581-43012	Fuel	G5/16 ²⁶³	E7194-32110	Oil	PH2835	12581-43012		PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
E7188-32110	Oil	PH2814	<i>T1870A w/GH630V Engine</i>			<i>ZD221 w/Kubota D782 21 hp Diesel Liquid Engine</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 181-Single 242-10 Micron 263-Hoses and clamps included 275-Primary 531-Filter only 590-Hydrostatic 1096-Clear Plastic 1496-Alternate

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KUBOTA (LAWN MOWER & GARDEN TRACTOR)			KUBOTA (LAWN MOWER & GARDEN TRACTOR)			LAWN-BOY (LAWN MOWER & GARDEN TRACTOR)		
<i>ZD25F w/D1005-E2 Engine (cont'd)</i>			<i>ZP330 w/Kubota WG972 LPG Engine</i>			<i>C-71 w/C-71 Engine</i>		
15241-32090	Oil	PH2808	12581-43012	Fuel	G1 ⁵³¹		Air	AF210
<i>ZD321 w/Kubota D782 21 hp Diesel Liquid Engine</i>			<i>Hh150-32430</i>			<i>ET-1 Edger w/C-71 Engine</i>		
K7561-82360	Air	LAF22056 ¹	LAND PRIDE (LAWN MOWER & GARDEN TRACTOR)			Air AF210		
K1211-82320		LAF8388 ²	<i>ACCU Z w/Honda 24 hp Engine</i>			<i>Z3400 HLX w/Honda 16 hp V-Twin Engine</i>		
12581-43012	Fuel	G1 ⁵³¹	839-323C	Air	LAF8195 ²	15400PT7005	Oil	PH2808
HH150-32430	Oil	PH253 ¹⁴⁹⁶	839-374C		LAF8690 ¹	15400PFB014		PH2876
		PH2835 ²⁷⁵	831-038C	Oil	PH2876	<i>Z3500 HLX w/Kawasaki 21 hp V-Twin Engine</i>		
<i>ZD323 w/Kubota D902 23 hp Diesel Liquid Engine</i>			<i>ACCU Z w/Kawasaki 23 & 25 hp Engine</i>			490652080 Oil PH2840		
K3181-82240	Air	LAF5771 ²	839-323C	Air	LAF8195 ²	LESCO (LAWN MOWER & GARDEN TRACTOR)		
12581-43012	Fuel	G1 ⁵³¹	839-374C		LAF8690 ¹	<i>Walk-Behind Mower w/Kawasaki 14 & 17 hp Engine</i>		
HH150-32430	Oil	PH2876	831-034C	Oil	PH2840	49065-2071 Oil PH2840		
<i>ZD326 w/Kubota D1005 26 hp Diesel Liquid Engine</i>			<i>ACCU Z w/Kawasaki 31 hp Engine</i>			MASSEY FERGUSON (LAWN MOWER & GARDEN TRACTOR)		
K3181-82240	Air	LAF5771 ²	831-034C	Oil	PH2840	<i>2300 Series w/B&S Professional Series 21, 24, 26 hp Engine</i>		
15241-32094	Oil	PH2808	<i>ACCU Z w/Kohler 27-30 hp Engine</i>				Fuel	G115
<i>ZD331 w/Kubota D1305 31 hp Diesel Liquid Engine</i>			839-323C	Air	LAF8195 ²		Oil	PH3656
K3181-82240	Air	LAF5771 ²	839-374C		LAF8690 ¹	<i>2500 Series w/B&S Professional Series Engine</i>		
15241-32094	Oil	PH2808	831-062C	Oil	PH2814		Fuel	G115
<i>ZG123S Kommander w/Kohler 23 hp Engine</i>			<i>RAZOR Z w/B&S 20-26 hp Engine</i>				Oil	PH3656
	Fuel	G115	831-053C	Oil	PH3656	<i>2500 Series w/B&S Professional Series Engine</i>		
	Oil	PH2814	<i>RAZOR Z w/Honda GX610, GX620, GX670 Engines</i>				Fuel	G115
<i>ZG124E Kommander w/Kohler 24 hp Engine</i>			831-038C	Oil	PH2876		Oil	PH3656
	Fuel	G115	<i>RAZOR Z w/Kawasaki Engine</i>			<i>2500 Series w/Kohler Courage 23 hp Engine</i>		
	Oil	PH2814	831-034C	Oil	PH2840	1205001	Oil	PH2814
<i>ZG127E Kommander w/Kohler 27 hp Engine</i>			<i>RAZOR ZXT Pro w/B&S ELS 26 hp Engine</i>			<i>2514, 2516 w/B&S 14 & 16 hp Engine</i>		
	Fuel	G115	695666	Fuel	G6529	394018	Air	LAF1918
	Oil	PH2814	696854	Oil	PH3656	491056	Oil	PH2835
<i>ZG127S Kommander w/Kohler 27 hp Engine</i>			<i>ZSR Razor w/Kawasaki 24 or 26 hp Engine</i>			<i>2520, 2522, 2524 w/B&S V Twin OHV Engine</i>		
	Fuel	G115	49065-2080	Oil	PH2840	392642	Air	LAF1918
	Oil	PH2814	<i>ZXT Pro w/Kawasaki 25 -31 hp Engine</i>			2505003	Fuel	G115
<i>ZG20 w/GH630 Engine</i>			839-323C	Air	LAF8195 ²	492432	Oil	PH3656
E7194-32110	Oil	PH2840	839-374C		LAF8690 ¹	<i>2526, 2626 w/Honda GXV530 Engine</i>		
66021-36060	Trans	PH2827 ⁵⁹⁰	49065-2080	Oil	PH2840		Oil	PH2808
<i>ZG222 w/Kubota KGZ770-E2-M3 22 hp V-Twin Engine</i>			<i>ZXTZ Pro w/Honda GXV670 Engine</i>			<i>2600 Series w/B&S Professional Series Engine</i>		
6C060-99410	Air	LAF4629 ²		Oil	PH2808		Fuel	G115
12687-43020	Fuel	G6529	LASTEC (LAWN MOWER & GARDEN TRACTOR)				Oil	PH3656
HH150-32430	Oil	PH2876	<i>61 Series w/Kohler Command Pro 28 hp V-Twin Engine</i>			<i>2600 Series w/B&S Vanguard 20 hp Engine</i>		
<i>ZG227 w/Kubota KGZ770-E2-M2 27 hp V-Twin Engine</i>				Oil	PH2814		Fuel	G115
6C060-99410	Air	LAF4629 ²	<i>73 Series w/B&S 35 hp Engine</i>				Oil	PH3656
12687-43020	Fuel	G6529		Oil	PH3656	<i>2615 w/Kohler 15 hp Engine</i>		
HH150-32430	Oil	PH2876	<i>73 Series w/Kawasaki 29 hp V Twin Liquid Engine</i>			5205002	Oil	PH2835
<i>ZG23F w/Kubota GH680 23 hp Gas Engine</i>				Oil	PH2840	<i>2618, 2816 w/B&S 16 & 18 hp Engine</i>		
E7194-32110	Oil	PH2840	<i>73 Series w/Kohler Command Pro 28 hp V Twin Engine</i>			394018	Air	LAF1918
66021-36060	Trans	PH2827 ⁵⁹⁰		Oil	PH2814	491056	Oil	PH2835
<i>ZG30 w/Kubota GH680 Engine</i>			<i>80 Series w/Yanmar Diesel Engine</i>			<i>2620 w/B&S 20 hp Engine</i>		
E7194-32110	Oil	PH2840		Oil	PH2814	492932	Oil	PH3656
66021-36060	Trans	PH2827 ⁵⁹⁰	<i>61 Series w/Kohler Command Pro 28 hp V-Twin Engine</i>			<i>2622 w/B&S 22 hp Engine</i>		
<i>ZG327 w/Kubota KGZ770-E2-M1 Engine</i>				Oil	PH2814	492932	Oil	PH3656
12581-43012	Fuel	G1 ⁵³¹	<i>73 Series w/B&S 35 hp Engine</i>			<i>2700 Series w/B&S Professional Series Engine</i>		
HH150-32094	Oil	PH2808		Oil	PH2808 ⁶¹⁷		Fuel	G115
<i>ZG332 w/Kubota WG972GEZ Engine</i>				Oil	PH2867 ⁶¹⁶	<i>2717 w/Kawasaki 17 hp Engine</i>		
12581-43012	Fuel	G1 ⁵³¹	<i>73 Series w/B&S 35 hp Engine</i>			492936	Oil	PH3656 ¹⁸
Hh150-32430	Oil	PH2876	<i>73 Series w/Kawasaki 29 hp V Twin Liquid Engine</i>			<i>2700 Series w/B&S Professional Series Engine</i>		
				Oil	PH2840	49065-2071 Oil PH2840		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 18-Short 275-Primary 531-Filter only 590-Hydrostatic 616-2.5" O.D. 617-3.12" O.D. 1496-Alternate



Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MASSEY FERGUSON (LAWN MOWER & GARDEN TRACTOR)			MASSEY FERGUSON (LAWN MOWER & GARDEN TRACTOR)			MTD (LAWN MOWER & GARDEN TRACTOR)		
<i>2718, 2720 w/B&S 18 & 20 hp Engine</i>			<i>3900 Series (w/Briggs & Stratton Commerical Series Engine)</i>			<i>Z2554 w/Kohler Command 25 hp Engine</i>		
394018	Air	LAF1918				K22001	Hydraulic	LFP1652
(2505003); Plastic	Fuel	G115		Oil	PH3656	120-5001	Oil	PH2814
492932	Oil	PH3656	<i>3900 Series (w/Briggs & Stratton Vanguard V-Twin Engine)</i>			<i>Z2560 w/Kohler Command 25 hp Engine</i>		
<i>2723 w/B&S 23 hp Engine</i>						K22001	Hydraulic	LFP1652
2405002	Fuel	G1/4 G1/4P G115	P821575	Air	LAF8195 ²	120-5001	Oil	PH2814
2405010			695666	Fuel	G6529	NATIONAL MOWER (LAWN & TURF EQUIPMENT)		
5205002	Oil	PH2835	492932	Oil	PH3656	<i>8400 w/B&S Vanguard 16 hp V Twin Engine</i>		
<i>2800 Series w/B&S Professional Series 30 hp Engine</i>			<i>3900 Series w/B&S Vanguard 28 hp Engine</i>				Oil	PH3656
	Fuel	G115		Fuel	G115	<i>Hydro 70 w/B&S Engine</i>		
491056	Oil	PH2835 ¹⁹	491056	Oil	PH2835 ¹⁹		Oil	PH3656
492936		PH3656 ¹⁸	492936		PH3656 ¹⁸	NEW HOLLAND (LAWN MOWER & GARDEN TRACTOR)		
<i>2818 w/Kohler 18 hp Engine</i>			<i>4900 Series (w/Briggs & Stratton Van Guard V-Twin Engine)</i>			<i>G4010 w/Kohler Courage 19 hp Engine</i>		
4708303	Air	AF217	P821575	Air	LAF8195 ²	2505022	Fuel	G115
1205001	Oil	PH2814	695666	Fuel	G115	1205001	Oil	PH2814
<i>2818, 2918 w/B&S 18 hp Engine</i>			492932	Oil	PH3656	<i>G4020 w/Kohler Courage SV610 21 hp Engine</i>		
394018	Air	LAF1918	<i>FC23</i>			2505022	Fuel	G115
491056	Oil	PH2835 ¹⁹	3608255M1	Fuel	L3541F	1205001	Oil	PH2814
492936		PH3656 ¹⁸	3710280M2	Oil	LFP8176	<i>G4030 w/Kohler Courage 23 hp V-Twin Engine</i>		
<i>2820, 2823 w/Kohler 20 & 23 hp Engine</i>			<i>FC33</i>			2505022	Fuel	G115
4708303	Air	AF217	3608255M1	Fuel	L3541F	1205001	Oil	PH2814
2405002	Fuel	G1/4 G1/4P G115	3710280M2	Oil	LFP8176	<i>G4035 w/Kohler Courage SV730 25 hp V-Twin Engine</i>		
2505003			3703386M1	Trans	LFH22120 ⁵⁹⁰	2505022	Fuel	G115
1205001	Oil	PH2814 ¹⁸	3703386M1		LFH4926 ⁵⁹⁰	1205001	Oil	PH2814
5205002		PH2835 ¹⁹	<i>MF-10, MF-12 w/Lauson-Tecumseh Engine</i>			<i>G5030 w/Kawasaki FX751V 27 hp Engine</i>		
<i>2825, 2827 w/Kohler V Twin Engine</i>			Lauson 32355	Air	AF208	110137038	Air	LAF5325 ²
2405002	Fuel	G1/4 G1/4P G115	1034214-M91		AF213	490197001	Fuel	G6529
2405010				Trans	PH710 ⁵⁹⁰	AUB21535800	Oil	PH2840
5205002	Oil	PH2835	<i>MF-14 w/Kohler K321S Engine</i>			AUB180909	Trans	LFH5809
<i>2900 Series w/B&S Professional Series 27 hp Engine</i>			1034214-M91	Air	AF210	<i>G5035 w/Kawasaki FX850V 31 hp Engine</i>		
	Fuel	G115	(1035991-M1); -S/N 8290		PH710 ⁵⁹⁰	110137038	Air	LAF5325 ²
491056	Oil	PH2835 ¹⁹		Trans	PH710 ⁵⁹⁰	490197001	Fuel	G6529
492936		PH3656 ¹⁸	<i>MF-7</i>			AUB180909	Hydraulic	LFH5809
<i>2920 w/Kohler 20 hp Engine</i>						490652078	Oil	PH2840
4708302	Air	AF213 ⁵⁹¹	<i>(1035991-M1); -S/N 8290</i>			AUB180909	Trans	LFH5809
4708303		AF217 ⁵⁸⁹	<i>ZT2050 w/B&S 20 hp Engine</i>			<i>G6030 w/Diesel Engine</i>		
1205001	Oil	PH2814		Oil	PH3656	SBA314531176	Air	LAF8195 ²
5205002		PH2835	<i>ZT2450 w/B&S ELS 24 hp Engine</i>			SBA314531177		LAF8690 ¹
<i>2927LC w/Kawasaki FD750D 27 hp Engine</i>						87300039	Fuel	L3556F
	Fuel	G115	<i>ZT29, ZT33</i>			87415600	Oil	PH2835
49065-2078	Oil	PH2840	3608255M1	Fuel	L3541F	<i>GF22</i>		
<i>2927LC w/Kohler 27 hp Engine</i>			3609410M1	Oil	LFP8176	TR98D3596	Trans	PH710 ⁵⁹⁰
2405002	Fuel	G1/4 G1/4P G115	MTD (LAWN MOWER & GARDEN TRACTOR)			<i>GT18, GT22 w/Kohler Engine</i>		
2405010			<i>10 w/Tecumseh 10 hp Engine</i>			86546596	Air	AF217 ⁵⁸⁹
5205002	Oil	PH2835	L-T 32008	Air	AF213	2408303		LAF5802 ⁵⁸⁸
<i>3000 Series w/Kawasaki FX651 Engine</i>			<i>16 w/B&S Engine</i>			1205001	Oil	PH2814
	Fuel	G6529		Trans	PH710 ⁵⁹⁰	TR98D3596	Trans	PH710 ⁵⁹⁰
	Oil	PH2840	<i>2054F w/Kohler Command 20 hp Engine</i>			<i>GT20</i>		
			K22001	Hydraulic	LFP1652	TR98D3596	Trans	PH710 ⁵⁹⁰
			<i>Gold w/Kohler Courage Engine</i>			<i>GT20A, GT22A w/Kohler Engine</i>		
				Fuel	G115	2408303	Air	LAF5802 ⁵⁸⁸
			1205001	Oil	PH2814	2405002	Fuel	G1/4

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 18-Short 19-Long 588-7" x 2.92" 589-7" x 2.55" 590-Hydrostatic 591-6" O.D.

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
NEW HOLLAND (LAWN MOWER & GARDEN TRACTOR)			NEW HOLLAND (LAWN MOWER & GARDEN TRACTOR)			RHINO (LAWN MOWER & GARDEN TRACTOR)		
<i>GT20A, GT22A w/Kohler Engine (cont'd)</i>			<i>S14 w/Kohler 14 hp Engine</i>			<i>Twister w/Kohler or Kawasaki Engine</i>		
	Fuel	G1/4P	213188	Air	AF213		Fuel	G115
1205001	Oil	PH2814	178562	Trans	PH710 ⁵⁹⁰	w/ Kohler eng.	Oil	PH2814
TR98D3596	Trans	PH710 ⁵⁹⁰	POULAN (LAWN MOWER & GARDEN TRACTOR)			w/ Kawasaki eng.	Oil	PH2840
<i>LS25, LS35 w/Kohler Engine</i>			<i>300EX w/B&S 19.5 hp Intek AVS Engine</i>			<i>Typhoon w/Kohler Command Pro 30 hp Engine</i>		
	Fuel	G2900	492932	Oil	PH3656	P821575	Air	LAF8195 ²
1205001	Oil	PH2814	<i>500EX w/B&S 19.5 hp Intek AVS Engine</i>				Fuel	LAF8690 ¹
<i>LS45, LS55 w/Kohler Engine</i>			492932	Oil	PH3656		Oil	G115
4708303	Air	AF217	<i>700EX w/B&S 22 hp Intek OHV Engine</i>				Oil	PH2814 ¹⁸
	Fuel	G2900	492932	Oil	PH3656	ROOF (LAWN MOWER & GARDEN TRACTOR)		
1205001	Oil	PH2814	<i>PRO11, PRO12</i>			<i>F133 w/Kohler K482 Engine</i>		
<i>MC22, MC28, MC35</i>				Fuel	G115		Air	AF214
SBA314531174	Air	LAF4629 ²	<i>PRO14, PRO18, PRO20</i>				Oil	PH400
SBA360720020	Fuel	L3556F	Kohler 5205002	Oil	PH2835	SABRE (LAWN MOWER & GARDEN TRACTOR)		
(86546618); MC28 only	Oil	PH253 ¹⁴⁹⁶	POWER KING (LAWN MOWER & GARDEN TRACTOR)			<i>1338G</i>		
(SBA140517020); MC35 only		PH253 ¹⁴⁹⁶	<i>1212, 1214 w/Kohler 12 hp Engine</i>			LG496894	Air	LAF5773
MC28 only		PH2835 ²⁷⁵	Kohler 4708301	Air	AF216	AM38708	Fuel	G1/4
MC35 only		PH2835 ²⁷⁵	Kohler 5205002	Oil	PH2835			G1/4P
(86546623); MC22 only		PH2840	<i>1218 w/Kohler 18 hp Engine</i>			<i>1438G</i>		
SBA340500770	Trans	LHF6201 ⁵⁹⁰	Kohler 4508302	Air	AF215	LG496894	Air	LAF5773
<i>MY16 w/Kohler Command CV460 16 hp Engine</i>			5205002	Oil	PH2835	AM38708	Fuel	G1/4
2505007	Fuel	G6529	<i>1220HV w/Kohler Command 20 hp Engine</i>					G1/4P
1205001	Oil	PH2814	120-5001	Oil	PH2814	<i>1438HS</i>		
<i>MY17 w/Kawasaki 17 hp V-Twin Engine</i>			<i>1614 w/Kohler 14 hp Engine</i>			LG496894	Air	LAF5773
49019700	Fuel	G6529	Kohler 4708301	Air	AF216	AM38708	Fuel	G1/4
490652078	Oil	PH2840	5205002	Oil	PH2835			G1/4P
<i>MY19 w/Kawasaki 19 hp V-Twin Engine</i>			<i>1618 w/Kohler 18 hp Engine</i>			<i>15.538G, 15.538H, 15.542G, 15.542H</i>		
49019700	Fuel	G6529	Kohler 4508302	Air	AF215	LG496894	Air	LAF5773
490652078	Oil	PH2840	5205002	Oil	PH2835	AM38708	Fuel	G1/4
<i>MZ14H w/B&S 14 hp Engine</i>			<i>1620GV, 1622HV, UT622HV w/Kohler Command 20 & 22 hp Engines</i>					G1/4P
394358	Fuel	G6529	120-5001	Oil	PH2814	<i>1538G, 1538H, 1542G, 1542H, 1546H</i>		
492932	Oil	PH3656	<i>2414 w/Kohler 14 hp Engine</i>			LG496894	Air	LAF5773
<i>MZ16H w/B&S Vanguard16 hp Engine</i>			Kohler 4708301	Air	AF216	AM38708	Fuel	G1/4
394358	Fuel	G6529	5205002	Oil	PH2835			G1/4P
492932	Oil	PH3656	<i>2418 w/Kohler 18 hp Engine</i>			<i>1638H, 1642G, 1642H, 1646H</i>		
<i>MZ17H w/Kohler Command 18 hp Engine</i>			Kohler 4508302	Air	AF215	LG496894	Air	LAF5773
	Fuel	G6529	5205002	Oil	PH2835	AM38708	Fuel	G1/4
W/S	Oil	LFF9013	<i>Loader Hydraulic</i>					G1/4P
	Oil	PH2814	Parker 921999	Hydraulic	LFP1652	LG491056	Oil	PH2835
<i>MZ17H w/Kohler CV492 17 hp Engine</i>			<i>UT620 w/B&S Diahatsu DM950D Engine</i>			<i>1642H, 1646H V-Twin</i>		
2505007	Fuel	G6529	820263	Air	LAF8388 ²	LG394018	Air	LAF1918 ⁶¹⁸
(1208312); W/S		LFF9013	15601-87703	Oil	PH2840	AM116304	Fuel	G115
1205001	Oil	PH2814	RHINO (LAWN MOWER & GARDEN TRACTOR)			AM125424	Oil	PH3656
<i>MZ18H w/B&S Vanguard 18 hp Engine</i>			<i>Tomado w/Kawasaki FX730 26 hp Engine</i>			<i>1742GS, 1742HS</i>		
394358	Fuel	G6529	P821575	Air	LAF8195 ²	LG496894	Air	LAF5773
492932	Oil	PH3656			LAF8690 ¹	AM38708	Fuel	G1/4
<i>MZ19H w/Kawasaki 19 hp V-Twin Engine</i>				Fuel	G115			G1/4P
49019700	Fuel	G6529		Oil	PH2840	AM125424	Oil	PH3656
490652078	Oil	PH2840	<i>S12 w/Kohler 12 hp Engine</i>			<i>1842GV, 1848GV, 1842HV, 1848HV</i>		
<i>S12 w/Kohler 12 hp Engine</i>			213188	Air	AF213	LG394018	Air	LAF1918
	Trans	PH710 ⁵⁹⁰	178562	Trans	PH710 ⁵⁹⁰	AM116304	Fuel	G115
						AM125424	Oil	PH3656

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 18-Short 19-Long 275-Primary 590-Hydrostatic 618-7" x 2 1/4" 1496-Alternate

N

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
SABRE (LAWN MOWER & GARDEN TRACTOR)			SCAG (LAWN MOWER & GARDEN TRACTOR)			SCAG (LAWN MOWER & GARDEN TRACTOR)		
<i>1846HV</i>			<i>STC Series Tiger Cub or Tiger Cat (cont'd)</i>			<i>Turf Tiger (cont'd)</i>		
LG394018	Air	LAF1918	Honda eng.	Oil	PH2808 ⁶¹⁷	Caterpillar Diesel	Oil	LFP2253
AM116304	Fuel	G115	Kohler eng.		PH2814	Kohler eng.		PH2814
AM125424	Oil	PH3656	Kawasaki eng.		PH2840	Kawasaki eng.		PH2840
<i>2048HV</i>			Honda eng.		PH2867	Briggs & Stratton eng.		PH3656
LG394018	Air	LAF1918	Briggs & Stratton eng.		PH3656	<i>Turf Tiger (w/Briggs & Stratton Vanguard Engine)</i>		
AM116304	Fuel	G115	482770	Trans	LFH5809 ⁶²⁰		Air	LAF8195 ²
AM125424	Oil	PH3656	4846201		LFP2287 ⁶²¹		Oil	LAF8690 ¹
<i>2254HV</i>			<i>STG Series w/Kawasaki Engine</i>			48758	Hydraulic	LFP1652
AM116304	Fuel	G115	AF25551	Air	LAF8195 ²		Oil	PH3656
LG492932	Oil	PH3656	Kawasaki 49065-2071	Oil	PH2840	<i>Turf Tiger (w/Kawasaki FD750 or FD791 Engine)</i>		
<i>2554HV</i>			<i>STHM Series w/Kohler Command 23 hp V-Twin Engine</i>			110137020	Air	LAF8195 ²
AM116304	Fuel	G115	Kohler 4508302	Air	AF215	110137019	Fuel	LAF8690 ¹
LG492932	Oil	PH3656	Gas	Fuel	G115		Oil	G115
SCAG (LAWN MOWER & GARDEN TRACTOR)				Oil	PH2814	5205002	Oil	PH2835
<i>Cheetah (w/Kohler Command EFI Engine)</i>			<i>SW, SWZ Series w/Kawasaki Engine</i>			<i>Turf Tiger II (w/Kawasaki Engine)</i>		
AF25551	Air	LAF8195 ² LAF8690 ⁶¹⁹		Fuel	G6529		Air	LAF8195 ² LAF8690 ¹
2405003S	Fuel	G6384	Kawasaki 49065-2071	Oil	PH2840	48758	Hydraulic	LFP1652
52 050 02	Oil	PH2835 ⁶¹⁹	<i>SW, SWZ Series w/Kohler Engine</i>			490652078	Oil	PH2840
<i>Cheetah w/B&S Vanguard Engine</i>			Kohler 4508302	Air	AF215	<i>Turf Tiger II (w/Kohler Engine)</i>		
	Fuel	G115		Fuel	G115		Air	LAF8195 ² LAF8690 ¹
	Oil	PH3656	<i>SZC Series Z Cat</i>				Fuel	G115
<i>Cheetah w/Kawasaki FX850 & FX921 Engines</i>				Fuel	G1/4 G1/4P	48758	Hydraulic	LFP1652
AF26168	Air	LAF5325 ² LAF8195 ²	Honda eng.	Oil	PH2808	1205001	Oil	PH2814 ⁵⁹³
AF25551	Fuel	G115	Kawasaki eng.		PH2840	5205002		PH2835 ⁵⁹⁴
Kawasaki 49065-2071	Oil	PH2840	48462-01	Trans	LFP2287 ⁵⁹⁰	<i>Turf Tiger w/Caterpillar C1.1 Engine</i>		
<i>Freedom (w/Briggs & Stratton Commercial Engine)</i>			<i>Tiger Cat (w/Kawasaki FX series engine)</i>			P822686	Air	LAF8388 ²
	Oil	PH3656	P821575	Air	LAF8195 ²	1504140	Oil	LFP2253
<i>Freedom (w/Kawasaki FR or FS Series Engine)</i>				Fuel	G115	48758	Trans	LFP1652 ⁵⁹⁰
490197005	Fuel	G6529	490652078	Oil	PH2840	<i>V Pro w/Kawasaki Engine</i>		
490657007	Oil	PH3656	<i>Tiger Cat (w/Kohler Command EFI Engine)</i>				Oil	PH2840
<i>Freedom (w/Kohler 7000 Series Engine)</i>			AF25551	Air	LAF8195 ²	<i>V Ride w/Kawasaki FX Series Engines</i>		
1205001	Oil	PH2814 ⁵⁹³ PH2835 ⁵⁹⁴	AF25551		LAF8690 ⁶¹⁹	AF26168	Air	LAF5325 ²
<i>Freedom Z w/B&S ELS 20 hp & 26 hp Engines</i>			2405003S	Fuel	G6384	AF25551		LAF8195 ²
	Fuel	G115	5205002	Oil	PH2835	49065-2078	Oil	PH2840
	Oil	PH3656	<i>Tiger Cat (w/Kubota Gas or Propane Engine)</i>			<i>Wild Cat Series</i>		
<i>Freedom Z w/Kawasaki 17 hp & 19 hp V-Twin Engines</i>				Oil	PH2808	P822686	Air	LAF8388 ²
	Oil	PH2840	<i>Tiger Cat II (w/Kawasaki FX Series Engine)</i>				Fuel	G1/4 G1/4P
<i>Patriot (w/Kawasaki FX Series Engine)</i>			AF25551	Air	LAF8195 ² LAF8690 ¹	Kohler eng.	Oil	PH2814
490652078	Oil	PH2840	AF25552		LAF8690 ¹	Kawasaki eng.		PH2840
<i>SabreTooth Tiger w/Vanguard 31 hp Diesel Engine</i>			4846201	Hydraulic	LFP2287	48462-01	Trans	LFP2287 ⁵⁹⁰
AF25551	Air	LAF8195 ² LAF8388 ²	490652078	Oil	PH2840	SCHWEISS (LAWN MOWER & GARDEN TRACTOR)		
P822686	Hydraulic	LFP1652	<i>Tiger Cat II (w/Kohler EFI Engine)</i>			<i>2360 w/Kohler K582S 23 hp Twin Engine</i>		
48758	Oil	PH2840	AF25551	Air	LAF8195 ² LAF8690 ¹		Air	LAF2745A ²
<i>STC Series Tiger Cub or Tiger Cat</i>			48462-01	Hydraulic	LFP2287	<i>2372 w/Kohler 23 hp Engine</i>		
Opt.	Air	LAF8195 ²	5205002	Oil	PH2835 ⁵⁹⁴		Air	LAF2745A ²
			<i>Turf Tiger</i>			<i>625-Z w/Kohler 25 hp Engine</i>		
			AF25551	Air	LAF8195 ² LAF8690 ¹	70954N	Air	LAF8195 ²
				Fuel	G1/4 G1/4P G6384 ⁶²²			
			48758	Hydraulic	LFP1652			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 590-Hydrostatic 593-2.65" Tall 594-3.11" tall 617-3.12" O.D. 619-Inner if equipped 620-3/4" Thread Hydrostatic 621-1" Thread Hydrostatic 622-Fuel Injected Kohler Engine

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
SCOTT'S (LAWN MOWER & GARDEN TRACTOR)			SIMPLICITY (LAWN MOWER & GARDEN TRACTOR)			SIMPLICITY (LAWN MOWER & GARDEN TRACTOR)		
<i>S1642</i>			<i>Champion w/B&S Professional Series 24 hp Engine (cont'd)</i>			<i>Conquest w/Kohler Courage 23 hp V-Twin Engine</i>		
AM116304	Fuel	G115	492932	Oil	PH3656	2505022	Fuel	G115
AM125424	Oil	PH3656				1205001	Oil	PH2814
<i>S1742</i>			<i>Champion w/B&S Professional Series 27 hp Engine</i>			<i>Contender (w/Briggs & Stratton Commercial Series Engine)</i>		
LG496894	Air	LAF5773	493629	Fuel	G6529	493629	Fuel	G6529
AM116304	Fuel	G115	492932	Oil	PH3656	492932	Oil	PH3656
AM125424	Oil	PH3656						
<i>S2046</i>			<i>Champion w/B&S Vanguard 26 hp Engine</i>			<i>Coronet w/B&S OHV 13 hp Engine</i>		
AM116304	Fuel	G115	394018	Air	LAF1918	492932	Oil	PH3656
AM125424	Oil	PH3656	492932	Oil	PH3656			
<i>S2048</i>			<i>Champion XT (w/Briggs & Stratton Commercial Series Engine)</i>			<i>Coronet w/Kohler Command 16 hp V-Twin Engine</i>		
M47494	Air	AF212	493629	Fuel	G6529	492932	Oil	PH3656
AM116304	Fuel	G115	492932	Oil	PH3656			
AM125424	Oil	PH3656						
<i>S2554</i>			<i>Citation w/B&S 21, 23, 25 hp Engines</i>			<i>Courier (w/Briggs & Stratton Professional Series Engine)</i>		
AM116304	Fuel	G115		Air	LAF1918	493629	Fuel	G6529
AM125424	Oil	PH3656	493629	Fuel	G6529	492932	Oil	PH3656
			492932	Oil	PH3656			
SIMPLICITY (LAWN MOWER & GARDEN TRACTOR)			<i>Citation w/B&S Commercial Series Engine</i>			<i>Derby Colt ZT2148 w/Kohler Courage 21 hp Engine</i>		
<i>4040 w/Onan Engine</i>			493629	Fuel	G6529			
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	492932	Oil	PH3656		Oil	PH2814
<i>9020 w/Onan Engine</i>			<i>Citation w/Kawasaki Engine</i>			<i>Derby Colt ZT2348T w/Kohler Command 23 hp V Twin Engine</i>		
122B-323	Oil	PH400		Fuel	G6529			
171439	Trans	PH710 ⁵⁹⁰		Oil	PH2840 ⁵⁹⁸		Oil	PH2814
<i>9523, 9528 w/Toyosha 2 cyl. Engine</i>			<i>Citation w/Kohler Courage 20 hp Engine</i>			<i>Derby Colt ZT2352 w/Kohler Command 23 hp V Twin Engine</i>		
	Air	LAF1275 ²	2505008	Fuel	G115			
	Fuel	FP590F	5205004	Oil	PH2835		Oil	PH2814
<i>Axion w/B&S ELS 20 & 24 hp Engines</i>			<i>Citation XT (w/Briggs & Stratton Commercial Series Engine)</i>			<i>Derby Morgan TW0261 w/B&S Vanguard 20 hp V Twin Engine</i>		
493629	Fuel	G6529	493629	Fuel	G6529			
492932	Oil	PH3656	492932	Oil	PH3656		Oil	PH3656
<i>Axion w/B&S Professional Series Engine</i>			<i>Cobalt w/B&S Vanguard Engine</i>			<i>Derby Stallion ZT2354 w/Kohler Command 23 hp V Twin Engine</i>		
493629	Fuel	G6529	AF25551	Air	LAF8195 ² LAF8690 ¹		Oil	PH2814
492932	Oil	PH3656	2505008	Fuel	G115			
<i>Broadmoor Front Cut w/B&S Vanguard Engine</i>			490652078	Oil	PH2840		Oil	PH2814
	Air	LAF1918	<i>Cobalt w/Kawasaki Engine</i>			<i>Derby Stallion ZT2561 w/Kohler Command 25 hp V Twin Engine</i>		
491056	Oil	PH2835	AF25551	Air	LAF8195 ² LAF8690 ¹			
492932	Oil	PH3656					Oil	PH2814
<i>Broadmoor w/B&S 12.5 hp Engine</i>			2505008	Fuel	G115	<i>Derby Stallion ZT2761F w/Kohler Command 25 hp V Twin Engine</i>		
	Air	LAF1918	490652078	Oil	PH2840			
492932	Oil	PH3656	<i>Cobalt ZTR w/Kohler Command 27 hp Engine</i>			<i>Javelin ZTR w/B&S 20 & 22 hp Engines</i>		
<i>Broadmoor w/B&S Professional Series Engine</i>			4508302	Air	AF215 ²⁶⁵ LAF8195 ² LAF8690 ¹		Air	LAF1918
	Fuel	G115	AF25551			2505008	Fuel	G115
492932	Oil	PH3656				492932	Oil	PH3656
<i>Broadmoor w/B&S Vanguard 16, 18, 20 & 22 hp Engines</i>			2505008	Fuel	G115	<i>Javelin ZTR w/Kohler Courage 20 hp Engine</i>		
394018	Air	LAF1918	5205004	Oil	PH2835	2505008	Fuel	G115
	Fuel	G115	<i>Conquest w/B&S Professional Series 24 hp Engine</i>			5205004	Oil	PH2835
491056	Oil	PH2835	493629	Fuel	G6529	<i>Land Lord w/B&S Vanguard 16 H.P & 18 hp Engines</i>		
492932	Oil	PH3656	492932	Oil	PH3656		Air	LAF1918
<i>Broadmoor w/Kohler 12.5 hp Engine</i>			<i>Conquest w/B&S Vanguard 21 & 23 hp V-Twin Engine</i>			491056	Oil	PH2835
	Oil	PH2835	394018	Air	LAF1918	492932	Oil	PH3656
<i>Champion w/B&S Professional Series 24 hp Engine</i>				Fuel	G115	1719168	Trans	LFH5809 ⁵⁹⁰
493629	Fuel	G6529	492932	Oil	PH3656	<i>Land Lord w/Kohler 14 hp Engine</i>		
							Oil	PH2835

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 265-3" Tall 275-Primary 590-Hydrostatic 598-2.67" O.D. 1496-Alternate



Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
SIMPLICITY (LAWN MOWER & GARDEN TRACTOR)			SIMPLICITY (LAWN MOWER & GARDEN TRACTOR)			SNAPPER (LAWN MOWER & GARDEN TRACTOR)		
<i>Legacy w/Kawasaki 20 hp Engine</i>			<i>Sovereign w/Kohler Command 18 & 20 hp V-Twin Engines</i>			<i>285Z w/B&S Engine</i>		
49065-2071	Oil	PH2840				695396	Oil	PH3656
1650954	Trans	PH253 ^{590, 1496} PH2835 ^{275, 590}	4508302	Air	AF215 ⁶⁰⁶ AF217 ⁵⁸⁹	<i>300Z w/B&S Professional Series Engine</i>		
<i>Legacy XL w/Kawasaki FD750D 27 hp V-Twin Engine</i>			4708303			695396	Oil	PH3656
	Fuel	G115	5205002	Oil	PH2835	<i>355Z w/B&S ELS OHV 18 hp V-Twin Engine</i>		
49065-2078	Oil	PH2840	<i>Sunstar w/Kohler Command 18 & 20 hp V-Twin Engines</i>			695396	Oil	PH3656
<i>Legacy, Legacy XL w/Daihatsu/Briggs DM950D Engine</i>			4508302	Air	AF215 ⁶⁰⁶ AF217 ⁵⁸⁹	<i>355Z w/B&S ELS OHV 24 hp V-Twin Engine</i>		
820263	Air	LAF22056 ¹ LAF8388 ²	4708303			696854	Oil	PH3656
15601-87703	Oil	PH2840	5205002	Oil	PH2835	<i>360Z (w/Briggs & Stratton Professional Series Engine)</i>		
1650954	Trans	PH253 ^{590, 1496} PH2835 ^{275, 590}	<i>ZT1500 w/B&S Professional Series 20 hp Engine</i>				Oil	PH3656
<i>Legacy, Legacy XL w/Kohler Command 20, 25 & 37 hp Engines</i>			493629	Fuel	G6529	<i>400Z (w/Briggs & Stratton Commercial Series Engine)</i>		
4708303	Air	AF217 ⁵⁸⁹ LAF1918 ⁶¹⁸	492932	Oil	PH3656		Oil	PH3656
394018			<i>ZT1500 w/Kawasaki FR Series Engine</i>			<i>400Z (w/Kawasaki FR Series Engine)</i>		
2405002	Fuel	G1/4 G1/4P G115	490677008	Oil	PH3656	<i>400Z Series w/B&S ELS OHV 24 hp V-Twin Engine</i>		
2405010			<i>ZT1500, ZT2000 w/B&S V-Twin Engine</i>			<i>400Z w/B&S Professional Series Engine</i>		
120-5001	Oil	PH2814	493629	Fuel	G6529	695396	Oil	PH3656
5205002		PH2835	492932	Oil	PH3656	<i>400Z w/B&S Professional Series Engine</i>		
1650954	Trans	PH253 ^{590, 1496} PH2835 ^{275, 590}	<i>ZT2000 w/B&S Professional Series 26 hp Engine</i>			695396	Oil	PH3656
<i>Loader</i>			493629	Fuel	G6529	<i>500Z w/B&S ELS OHV 26 hp V-Twin Engine</i>		
BE10-18	Trans	LFH5809	492932	Oil	PH3656	<i>500Z w/B&S Professional Series 26 hp Engine</i>		
<i>Pow-R-Max w/Onan CCKB Engine</i>			<i>ZT2500 w/B&S Professional Series 24, 27 hp Engine</i>			<i>500Z w/B&S Professional Series 26 hp Engine</i>		
Gas	Fuel	G5/16 ²⁶³	493629	Fuel	G6529	<i>550Z (w/Briggs & Stratton Commercial Series Engine)</i>		
	Trans	PH710 ⁵⁹⁰	492932	Oil	PH3656		Oil	PH3656
<i>Prestige w/B&S Professional Series 30 hp Engine</i>			<i>ZT3000, ZT4000 w/B&S ELS 24 hp Engine</i>			<i>550Z (w/Kawasaki FR Series Engine)</i>		
2405010	Fuel	G115	493629	Fuel	G6529	<i>GT500 w/Kohler Command 25 hp Engine</i>		
5205004	Oil	PH2835	492932	Oil	PH3656	4708303	Air	AF217 ⁶⁰⁵
<i>Prestige w/Kohler Command Engine</i>			<i>ZT4000 w/B&S Professional Series Engine</i>			2408303		LAF5802 ⁶⁰⁴
4708303	Air	AF217 ⁵⁸⁹ LAF1918 ⁶¹⁸	493629	Fuel	G6529	2405002	Fuel	G1/4 G1/4P
394018			492932	Oil	PH3656	<i>1205001</i>		
2405010	Fuel	G115	SNAPPER (LAWN MOWER & GARDEN TRACTOR)			<i>Oil</i>		
120-5001	Oil	PH2814	<i>150Z Series w/B&S ELS 20 hp V-Twin Engine</i>			<i>PH2814</i>		
5205002		PH2835		Fuel	G6529	<i>GT600 w/B&S Vanguard 27 hp Diesel Engine</i>		
1650954	Trans	PH253 ^{590, 1496} PH2835 ^{275, 590}	695396	Oil	PH3656	P821575	Air	LAF8195 ²
<i>Regent w/B&S Professional Series Engine</i>			<i>150Z Series w/B&S ELS 24 hp V-Twin Engine</i>			492932	Oil	PH3656
493629	Fuel	G6529		Fuel	G6529	<i>LT100 w/B&S ELS 23 hp Engine</i>		
492932	Oil	PH3656	695396	Oil	PH3656	695396	Oil	PH3656
<i>Regent EX w/B&S Professional Series Engine</i>			<i>200Z w/B&S Professional Series Engine</i>			<i>LT100 w/B&S ELS 24 hp Engine</i>		
493629	Fuel	G6529		Fuel	G6529	695396	Oil	PH3656
492932	Oil	PH3656	695396	Oil	PH3656	<i>LT125 w/B&S 23 hp ELS Engine</i>		
<i>Regent w/B&S Vanguard 20, 22 & 24 hp Engines</i>			<i>200Z w/Kawasaki FR Series Engine</i>			695666	Fuel	G6529
394018	Air	LAF1918		Fuel	G6529	696854	Oil	PH3656
	Fuel	G115	49065-7007	Oil	PH3656	<i>LT125 w/B&S Professional Series Engine</i>		
492932	Oil	PH3656	<i>250Z w/B&S ELS OHV 18.5 hp Engine</i>			695666	Fuel	G6529
<i>Regent w/Kohler Courage 16, 18 & 20 hp V-Twin Engines</i>			695396	Oil	PH3656	696854	Oil	PH3656
5205002	Oil	PH2835	<i>250Z w/B&S ELS OHV 20 hp Engine</i>			<i>LT200 w/B&S Intek OHV 18.5 hp Engine</i>		
			695396	Oil	PH3656	695666	Fuel	G6529
			<i>250Z w/B&S ELS OHV 22 hp Engine</i>			695396	Oil	PH3656
			695396	Oil	PH3656	<i>LT200 w/B&S Intek OHV 20 hp Engine</i>		
						695666	Fuel	G6529
						695396	Oil	PH3656

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 263-Hoses and clamps included 275-Primary 589-7" x 2.55" 590-Hydrostatic 604-2.92" Tall 605-2.55" Tall 606-6" x 3" 618-7" x 2 1/4" 1496-Alternate

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
SNAPPER (LAWN MOWER & GARDEN TRACTOR)			SNAPPER (LAWN MOWER & GARDEN TRACTOR)			SNAPPER (LAWN MOWER & GARDEN TRACTOR)		
<i>LT200 w/B&S Intek OHV 22 hp Engine</i>			<i>S200X w/Kawasaki FH721V 25 hp Engine</i>			<i>SPX series w/B&S Professional Series Engine</i>		
695666	Fuel	G6529	5023141	Air	LAF5325²		Oil	PH3656
695396	Oil	PH3656	5021357	Hydraulic	LFH4209	<i>SW20 w/Kawasaki 13 hp & 17 hp Engines</i>		
<i>LT2346 AWS w/B&S ELS 23 hp V-Twin Engine</i>			490652078	Oil	PH2840		Oil	PH2840⁵⁹⁸ PH3656
<i>LT300 w/B&S Vanguard OHV 20 hp Engine</i>			<i>S200X w/Kawasaki FX751V 27 hp Engine</i>			490567007		
394018	Air	LAF1918	5023141	Air	LAF5325²	<i>SW25 (w/Kawasaki FS Series Engine)</i>		
491056	Oil	PH2835	5021357	Hydraulic	LFH4209	49065-7007	Oil	PH3656
<i>Models with Eaton Hydrostatic Transaxle</i>			<i>S200X w/Kohler 27 hp Engine</i>			<i>SW30 w/Kawasaki Engine</i>		
Eaton 130144	Hydraulic	PH2827	5022892X1	Air	LAF8195²		Air	LAF22056¹ LAF8388²
<i>NXT series w/B&S Professional Series Engine</i>			5022892X2		LAF8690¹		Oil	PH2840⁵⁹⁸ PH3656
<i>RE200 w/B&S Intek OHV 13 hp Engine</i>			5021357	Hydraulic	LFH4209	490567007		
492932	Oil	PH3656	490652078	Oil	PH2840	<i>SW35 (w/Kawasaki FX Series Engine)</i>		
<i>Rear Eng. Rider w/B&S I/C OHV 11.5 hp Engine</i>			<i>S200xt Pro Series w/B&S Vanguard Engine</i>				Air	LAF22056¹ LAF8388²
695396	Oil	PH3656	2508301	Air	LAF8195²			
<i>Rear Eng. Rider w/B&S I/C OHV AVS 12.5 hp Engine</i>			2501304		LAF8690¹	490652078	Oil	PH2840
695396	Oil	PH3656		Fuel	G115	<i>YT400 w/B&S Professional Series Engine</i>		
<i>Rear Eng. Rider w/B&S Intek OHV AVS 17 hp Engine</i>			492932	Oil	PH3656	394018	Air	LAF1918
695666	Fuel	G6529	<i>S200xt Pro Series w/Kawasaki FX801 Engine</i>			492932	Oil	PH3656
696854	Oil	PH3656	5023141	Air	LAF5325²	<i>YT400 w/B&S Vanguard OHV 23 hp Engine</i>		
<i>Rear Eng. Rider w/Tecumseh Engine</i>			490652078	Oil	PH2840	394018	Air	LAF1918
35102	Air	LAF22048	<i>S200xt Pro Series w/Kohler Command Pro EFI Engine</i>			492932	Oil	PH3656
<i>S125XT (w/Briggs & Stratton Commercial Series Engine)</i>			2508301	Air	LAF8195²	<i>Z1402B w/Kohler Command CV14 14 hp Engine</i>		
492932	Oil	PH3656	2508304		LAF8690¹	5205002	Oil	PH2835
<i>S125XT (w/Kawasaki FS Series Engine)</i>			24050035	Fuel	G6384	<i>Z1802K, Z2002K w/Kohler MV18 & MV20 Twin Engines</i>		
490657007	Oil	PH3656	5205002	Oil	PH2835	4508302	Air	AF215
<i>S150X Pro Series w/Kawasaki FH641V 21 hp Engine</i>			<i>S200xtp Pro Series w/B&S Propane Engine</i>			5205002	Oil	PH2835
5023141	Air	LAF5325²	2508301	Air	LAF8195²	<i>ZU2003K, ZU2013K w/Kohler Magnum MV20 20 hp Twin Engine</i>		
5021334X1	Oil	PH2840	2501304		LAF8690¹	4508302	Air	AF215
1719168	Trans	LFH5809	492932	Oil	PH3656	5205002	Oil	PH2835
<i>S150X Pro Series w/Kawasaki FH721V 25 hp Engine</i>			<i>S50X w/B&S 24 hp Extended Life Series Engine</i>			SPARTAN (LAWN MOWER & GARDEN TRACTOR)		
5023141	Air	LAF5325²	696854	Oil	PH3656	<i>RT-HD Series w/Kohler 7000 Series Engine</i>		
5021334X1	Oil	PH2840	<i>S50XT w/B&S Professional Series Engine</i>			1205001	Oil	PH2814⁵⁹³
1719168	Trans	LFH5809		Fuel	G115	5205002		PH2835⁵⁹⁴
<i>S150X Pro Series w/Kawasaki FH721V 25 hp Engine</i>			696854	Oil	PH3656	<i>RT-PRO w/Briggs & Stratton Commercial Series Engine</i>		
5023141	Air	LAF5325²	<i>S50XT w/Kawasaki FX600V Engine</i>				Oil	PH3656
5021334X1	Oil	PH2840	P822686	Air	LAF22056^{1,12} LAF8388²	<i>SRT-PRO Series w/Briggs & Stratton Vanguard engine</i>		
1719168	Trans	LFH5809		Fuel	G115	P821575	Air	LAF8195²
<i>S150X w/Kohler 23 hp & 27 hp Engines</i>				Oil	PH3656	492932	Oil	PH3656
5022892X1	Air	LAF8195²	<i>S75x Pro Series w/Kawasaki FS671V Engine</i>			<i>SRT-PRO Series w/Kohler Confident Engine</i>		
5022892X2		LAF8690¹	P822686	Air	LAF22056^{1,12} LAF8388²	1205001	Oil	PH2814
5021144X1	Oil	PH2814		Fuel	G115	5205002		PH2835
1719168	Trans	LFH5809	49067-7007	Oil	PH3656	<i>SRT-XD Series w/Briggs & Stratton Vanguard Engine</i>		
<i>S150XT (w/Briggs & Stratton 810cc EFI Engine)</i>			<i>S800X w/B&S Vanguard 31 hp Engine</i>				Air	LAF8195²
492932	Oil	PH3656	5022892X1	Air	LAF8195²		Fuel	G115
<i>S150XT (w/Kawasaki FX Series Engine)</i>			490197001	Fuel	G6529		Oil	PH3656
492932	Oil	PH3656	490652078	Oil	PH2840	<i>Series #3 33" Hi-Vac w/Kohler 14 hp Engine</i>		
<i>S175X Pro Series w/Yanmar Diesel Engine</i>			<i>S800X w/Kawasaki 28 hp Engine</i>					
	Oil	PH2876	5022892X1	Air	LAF8195²			
1719168	Trans	LFH5809		Fuel	G115			
<i>S200X w/B&S 32 hp Engine</i>				Oil	PH3656			
5021357	Hydraulic	LFH4209	<i>Series #3 33" Hi-Vac w/Kohler 14 hp Engine</i>					
492932	Oil	PH3656		Oil	PH2835			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 12-Optional 593-2.65" Tall 594-3.11" tall 598-2.67" O.D.

S

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
STEINER (LAWN MOWER & GARDEN TRACTOR)			STEINER (LAWN MOWER & GARDEN TRACTOR)			TORO (LAWN MOWER & GARDEN TRACTOR)		
<i>202, 220, 230 w/Onan P220 Engine</i>			<i>Model 420 w/Onan Performer P220G 20 hp Twin Engine</i>			<i>216 Reelmaster w/Perkins 16.5 hp Engine (cont'd)</i>		
	Air	LAF1782		Air	LAF1872		Fuel	L3541F
	Oil	PH2835		Fuel	G115		Hydraulic	LFP1652
<i>220 w/Kubota Engine</i>				Oil	PH2835		Oil	PH2827
	Fuel	G1/4 G1/4P	<i>Model 425 w/Onan Performer P224G 24 hp Twin Engine</i>			<i>220 Groundsmaster w/Onan Engine</i>		
	Oil	PH2808		Air	LAF1872		Oil	PH400
<i>235 (w/Kubota D1105E Diesel Engine)</i>				Fuel	G115	<i>223D Reelmaster w/Mitsubishi Engine</i>		
	Fuel	FP590F ⁵⁸⁷		Oil	PH2835		Oil	PH2808
	Oil	PH2808	SWISHER (LAWN MOWER & GARDEN TRACTOR)			<i>2300D Reelmaster w/Perkins 100 Engine</i>		
<i>410 w/Onan P216 Engine</i>			<i>Z Max w/B&S ELS Vtwin 27 hp Engine</i>				Hydraulic	LFP1652
	Fuel	G1/4 G1/4P		Oil	PH3656		Oil	PH2827
	Oil	PH2835	<i>ZT2450A w/B&S ELS 24 hp V Twin Engine</i>			<i>300 Groundsmaster w/Ford 45 hp Engine</i>		
<i>415 w/Kohler 23 hp Engine</i>				Oil	PH3656		Air	LAF1275 ²
2408303	Air	LAF5802	<i>ZT2452 w/B&S ELS 24 hp V Twin Engine</i>				Fuel	G475
	Fuel	G1/4		Oil	PH3656		Hydraulic	LFP1652
1205001	Oil	PH2814	<i>ZT2454 w/B&S ELS 24 hp V Twin Engine</i>				Oil	PH400
<i>420D w/Kubota D600B 16.5 hp Diesel Engine</i>				Oil	PH3656	<i>300 Groundsmaster w/Mitsubishi 25 hp Engine</i>		
	Air	LAF2745A ²	<i>ZT2660B w/B&S ELS 26 hp V Twin Engine</i>				Air	LAF1275 ²
	Fuel	G1 ⁵³¹		Oil	PH3656	(638300); W/S	Fuel	LFF8255
	Oil	PH2903	<i>ZT2766 w/B&S ELS 27 hp V Twin Engine</i>			678110	Hydraulic	LFP2287
<i>430 Max w/Generac 33 hp Engine</i>				Oil	PH3656		Oil	PH2808
	Fuel	G115	<i>ZT2766KP w/Kohler Courage 27 hp V Twin Engine</i>			<i>3000 Greens Master w/Kohler 16 hp Engine</i>		
AE25	Hydraulic	LFH4209		Oil	PH3656		Air	AF215
	Oil	PH2840	TORO (LAWN MOWER & GARDEN TRACTOR)				Fuel	G1 ⁵³¹
<i>430 Max w/Kohler 27 hp Engine</i>			<i>117 Groundsmaster</i>				Hydraulic	PH725
	Air	LAF5802		Oil	PH2814	<i>3000 Hydro Jet Aerator w/Onan Engine</i>		
	Fuel	G1/4	TORO (LAWN MOWER & GARDEN TRACTOR)				Fuel	G115
AE25	Hydraulic	LFH4209	<i>117 Groundsmaster</i>			678110	Hydraulic	LFP2287
	Oil	PH2814		Air	AF215 ⁶⁰⁶		Oil	PH400
<i>430 Max w/Kubota 21 hp Diesel Engine</i>				Fuel	LAF2745A ²	<i>3000D Greens Master w/Mitsubishi 17 hp Engine</i>		
70000-11221	Air	LAF2745A ²		Fuel	G1/4		Air	LAF1275 ²
	Fuel	G1/4		Hydraulic	LFP1652		Fuel	G1 ⁵³¹
1585399179	Oil	PH2876	<i>118 Riding Mower w/Kohler Engine</i>				Hydraulic	PH725
<i>430 Max w/Kubota 25 hp Gas Engine</i>				Oil	PH2835		Oil	PH2808
70000-11221	Air	LAF2745A ²	<i>17-44 HXL w/B&S 17 hp Engine</i>			<i>30156 w/Kohler Engine</i>		
	Fuel	G1/4		Oil	PH3656		Oil	PH2835
AE25	Hydraulic	LFH4209	<i>200 Groundsmaster w/Mitsubishi 23 & 25 hp Engines</i>			<i>30175 Proline w/Kohler Engine</i>		
	Oil	PH2876		Air	LAF6300 ²		Air	AF215
<i>430 Max w/Onan P220 Performer Engine</i>				Fuel	G1 ⁵³¹	678110	Hydraulic	LFP2287
140-1228	Air	LAF1782		Hydraulic	PH710		Oil	PH2835
AE25	Hydraulic	LFH4209		Oil	PH2808	<i>30185 Proline w/Kohler Engine</i>		
122-0645	Oil	PH2835	<i>2000 Sand Pro w/Kohler Engine</i>				Oil	PH2835
<i>440-34 w/Kohler Command Pro Engine</i>				Hydraulic	LFH4209	<i>30185 Proline w/Kohler Engine</i>		
	Air	LAF8195 ²		Air	AF215	678110	Hydraulic	LFP2287
	Fuel	G115		Fuel	G1 ⁵³¹		Oil	PH2835
AE25	Hydraulic	LFH4209	<i>216 Reelmaster w/Kohler Engine</i>			<i>30190 Proline w/Kohler Engine</i>		
	Oil	PH2814		Hydraulic	LFP1652		Air	AF215
<i>440-40 w/Kohler Command Pro Engine</i>				Oil	PH2808	678110	Hydraulic	LFP2287
	Air	LAF8195 ²	<i>216 Reelmaster w/Perkins 16.5 hp Engine</i>				Oil	PH2835
	Fuel	G115		Air	LAF2745A ²	<i>30718 Proline w/Kohler Engine</i>		
AE25	Hydraulic	LFH4209		Hydraulic	LFP1652		Air	AF215
	Oil	PH2814		Oil	PH2808		Oil	PH2835
<i>440-40 w/Kohler Command Pro Engine</i>			<i>216 Reelmaster w/Perkins 16.5 hp Engine</i>			<i>3100 Greens Master w/B&S Vanguard 16 hp Engine</i>		
	Air	LAF8195 ²		Air	LAF2745A ²		Air	LAF1918
	Fuel	G115		Hydraulic	LFP1652		Fuel	G1/4 G1/4P
AE25	Hydraulic	LFH4209		Oil	PH2808	863010	Hydraulic	LFH4209 PH725
	Oil	PH2814		Air	LAF2745A ²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
2-Outer 531-Filter only 587-Spin-on 606-6" x 3"

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TORO (LAWN MOWER & GARDEN TRACTOR)			TORO (LAWN MOWER & GARDEN TRACTOR)			TORO (LAWN MOWER & GARDEN TRACTOR)		
3100 Greens Master w/B&S Vanguard 16 hp Engine (cont'd)			5100D Reelmaster w/Mitsubishi 23 hp Engine			Greensmaster		
	Oil	PH2835		Air	LAF1275 ²		Hydraulic	LFH4955
314 w/Kohler Engine			(638300); W/S	Fuel	LFF8255	GT2100 w/Kohler 23 hp V-Twin Engine		
5205002	Oil	PH2835	751310	Hydraulic	LFH4439	2505008	Fuel	G115
3200 Greens Master w/Perkins Engine				Oil	PH2808		Oil	PH2814
932195	Air	LAF8388 ²	751330	Trans	LFH8329	GT2200 w/Kohler 25 hp V-Twin Engine		
751310	Hydraulic	LFH4439	1104146		LFP2546	2505008	Fuel	G115
322D Groundsmaster w/Mitsubishi Engine			520H Wheelhorse w/Onan 20 hp Engine				Oil	PH2814
	Air	LAF1275 ²		Air	LAF1782	LX420 w/Kohler Courage 18 hp Engine		
(638300); W/S	Fuel	LFF8255	122-0800	Oil	PH2835	2505008	Fuel	G115
678110	Hydraulic	LFP2287			PH400	5205002	Oil	PH2835
	Oil	PH2808	79-5270	Trans	PH710 ⁵⁹⁰	LX420 w/Kohler Courage 20 hp Engine		
3280D Greens Master w/Kubota Engine			520Lxi w/Kawasaki Engine			2505008	Fuel	G115
TA040-93231	Air	LAF8195 ²	49065-2071	Oil	PH2840	5205002	Oil	PH2835
70000-14658	Fuel	G5/16 ²⁶³	523Dxi w/Daihatsu/Briggs Diesel Engine			LX420 w/Kohler Courage 22 hp Engine		
70000-14658 (R12T); W/S		G5/16CP ¹⁰⁹⁶	820263	Air	LAF8388 ²	2505008	Fuel	G115
795270	Hydraulic	LPH8678	15601-87703	Oil	PH2840	5205002	Oil	PH2835
	Oil	PH2867	580D Groundsmaster w/Mitsubishi Engine			LX423, LX427 w/Kohler Courage 19 hp Engine		
335D Reelmaster w/Peugeot-Citroen XUD9 Engine			992143	Oil	LFP3828	2505008	Fuel	G115
	Air	LAF1275 ²	(691900); UP TO 1998	Air	LAF1246 ²	5205002	Oil	PH2835
	Fuel	L296F ⁴¹	705730	Fuel	LFF8307	LX425 w/Kohler Courage 20 hp Engine		
863010	Hydraulic	LFH4209	(492500); UP TO 1998	Oil	PH2819	2505008	Fuel	G115
350 Reelmaster			6500D Reelmaster w/Peugeot-Citroen XUD9 Engine			5205002	Oil	PH2835
	Air	LAF1275 ²		Fuel	L296F ⁴¹	LX426, LX466 w/B&S Intek engs.		
(60-5470); W/S	Fuel	FP941F	70 Professional			695666	Fuel	G6529
49-2500	Oil	LFP791		Air	AF210	492932	Oil	PH3656
86-3010	Trans	LFP1652	72 Groundsmaster w/Continental R839 Engine			LX460 w/Kohler Courage 18 hp Engine		
450 Reelmaster				Oil	PH2814	2505008	Fuel	G115
	Air	LAF1275 ²	72 Groundsmaster w/Mitsubishi Engine			5205002	Oil	PH2835
(60-5470); W/S	Fuel	FP941F		Air	LAF1275 ²	LX460 w/Kohler Courage 20 hp Engine		
863010	Hydraulic	LFH4209	W/S	Fuel	LFF1131	2505008	Fuel	G115
86-6110		LFH8705		Hydraulic	PH710	5205002	Oil	PH2835
49-2500	Oil	LFP791		Oil	PH2808	LX460 w/Kohler Courage 22 hp Engine		
4500D Groundsmaster w/Kubota V2003 Engine			7210 Groundsmaster w/Kubota Engine			2505008	Fuel	G115
1083814	Air	LAF8148 ²	1083810	Air	LAF8195 ²	5205002	Oil	PH2835
1083816		LAF9332 ¹	1109049	Fuel	FP587F	LX465 w/Kohler Courage Engine		
987612	Fuel	G5/16 ²⁶³	987612 (989764); W/S		G1 ⁵³¹	2505008	Fuel	G115
70000-14658 (989764); W/S		G5/16CP ¹⁰⁹⁶		Hydraulic	LFH8329	5205002	Oil	PH2835
751310	Hydraulic	LFH4439		Oil	PH2808	LX468 w/Kohler Courage 22 hp V-Twin Engine		
942621		LFH4473	8000 Series Direct Collect (w/Kohler Command Pro Engine)			2505008	Fuel	G115
232300	Oil	PH253 ¹⁴⁹⁶	1205001	Oil	PH2814	5205002	Oil	PH2835
455 Groundsmaster w/Peugeot 55 hp Engine			A Series, B Series, C Series, D Series			LX500 w/Kohler Courage 18 hp Engine		
	Air	LAF1275 ²		Oil	P4	2505008	Fuel	G115
	Fuel	L296F ⁴¹	GMT200, HTM175			5205002	Oil	PH2835
	Hydraulic	LFP1652		Hydraulic	PH710 ⁶⁰³	LX500 w/Kohler Courage 22 hp Engine		
5000 Sand Pro w/B&S Vanguard 16 hp Engine			GrandStand (w/Kohler Command EFI Engine)			2505008	Fuel	G115
	Air	LAF1918 ⁶¹⁸		Air	LAF8195 ²	5205002	Oil	PH2835
		LAF2745A ^{2, 623}	5205002	Oil	LAF8690 ¹	Multi Pro 5700D w/Kubota Diesel Engine		
	Hydraulic	LFH4209	GrandStand w/Kawasaki Engine			1083810	Air	LAF8195 ²
492932	Oil	PH3656		Air	LAF8388 ^{2, 601}	1109049	Fuel	FP587F
				Oil	PH2840	987612 (989764); W/S		G1 ⁵³¹
						1083841	Oil	LFF8678
								PH2808

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 263-Hoses and clamps included 275-Primary 531-Filter only 590-Hydrostatic 601-7.3" Tall 603-Tank Breather 618-7" x 2 1/4" 623-7.38" Tall 1096-Clear Plastic 1496-Alternate

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TORO (LAWN MOWER & GARDEN TRACTOR)			TORO (LAWN MOWER & GARDEN TRACTOR)			TORO (LAWN MOWER & GARDEN TRACTOR)		
<i>TE-10, TE-12, Super Professional 1000, 1200</i>			<i>Titan ZX5400 (w/Kohler Confidant Series Engine)</i>			<i>Z300 w/Kawasaki 19 hp Engine</i>		
	Air	AF213	<i>(cont'd)</i>			490197001	Fuel	G6529
<i>Timecutter MX4250 w/Toro V-Twin 708cc Engine</i>			5205002	Oil	PH2835 ⁵⁹⁴	490652078	Oil	PH2840
	Oil	PH2840	<i>Titan ZX5400 w/Kohler Courage Pro 23 hp Engine</i>			<i>Z400,Z450 w/Kawasaki Engine</i>		
<i>Timecutter SS4200 w/Toro 452cc Engine</i>			1205001	Oil	PH2814	490197001	Fuel	G6529
	Oil	PH2840	<i>Titan ZX5420 w/Kawasaki FR691V 24 hp Engine</i>			490652078	Oil	PH2840
<i>TimeCutter SS4235, TimeCutter SS4260 w/Kawasaki Engine</i>				Fuel	G115	<i>Z4200 w/Kohler Courage 19 hp Engine</i>		
	Oil	PH2840	490657007	Oil	PH3656	2505022	Fuel	G115
<i>TimeCutter SS5000 w/Kawasaki FR651V 22HP Engine</i>			<i>Titan ZX6000 (w/Kohler Confidant Series Engine)</i>			1205001	Oil	PH2814
	Fuel	G115	1205001	Oil	PH2814 ⁵⁹³	<i>Z480 w/B&S ELS 18 hp Engine</i>		
490657007	Oil	PH3656	5205002		PH2835 ⁵⁹⁴	492932	Oil	PH3656
<i>TimeCutter SS5060 w/Kawasaki 24 hp V-Twin Engine</i>			<i>Titan ZX6000 w/Kohler Courage Pro 25 hp Engine</i>			<i>Z4800, Z5200 w/B&S ELS series engs.</i>		
	Oil	PH2840	1205001	Oil	PH2814	695666	Fuel	G6529
<i>Timecutter SW4200 w/Toro V-Twin 708cc Engine</i>			<i>Titan ZX6020 w/Kawasaki FR730V Engine</i>			492932	Oil	PH3656
120-4276	Oil	PH2840		Fuel	G115	<i>Z4800K, Z5200K w/Kohler Courage Pro engs.</i>		
<i>Timecutter SW5000 w/Toro V-Twin 708cc Engine</i>			490657007	Oil	PH3656	1205001	Oil	PH2814
120-4276	Oil	PH2840	<i>Titan ZX6050 w/Kawasaki FS730V 26 hp Engine</i>			2505034		PH2835
<i>Timecutter SWX4250 w/Toro V-Twin 708cc Engine</i>				Oil	PH2840	<i>Z500 w/Kohler Engine</i>		
120-4276	Oil	PH2840	<i>Turf Pro 84</i>				Oil	PH2814 ¹⁸
<i>Timecutter SWX5050 w/Toro V-Twin 708cc Engine</i>			23-9740	Hydraulic	LFH4209			PH2835 ¹⁹
120-4276	Oil	PH2840	<i>TurfMaster w/Kawasaki FJ180V</i>			<i>Z5000 w/Kohler Courage 21 hp Engine</i>		
<i>Timecutter Z4235 w/Kawasaki 22 hp V-Twin Engine</i>			49065-2078	Oil	PH2840	2505022	Fuel	G115
	Oil	PH2840	<i>Z Master Commercial w/Kawasaki Engine</i>			1205001	Oil	PH2814
<i>Timecutter Z5000 /Kohler Courage 21 hp Engine</i>			AF26168	Air	LAF5325 ²	<i>Z5030 Timecutter w/Kohler Twin 23 hp Engine</i>		
1205001	Oil	PH2814	P821575		LAF8195 ²	1205001	Oil	PH2814
<i>TimeCutter Z5035 w/Kawasaki 24 hp V-Twin Engine</i>			490197001	Fuel	G6529	<i>Z5030 w/Kohler Courage 23 hp V-Twin Engine</i>		
	Oil	PH2840	490652078	Oil	PH2840	2505022	Fuel	G115
<i>Timecutter Z5060 w/Kohler Courage 25 hp Engine</i>			<i>Z Master Commercial w/Kohler Engine</i>			1205001	Oil	PH2814 ¹⁸
1205001	Oil	PH2814		Air	LAF8195 ²	5205002		PH2835 ¹⁹
<i>Titan MX MX4880 w/Kawasaki 22 hp Engine</i>				Fuel	G115	<i>Z550 w/Kawasaki Engine</i>		
490657007	Oil	PH3656			PH2835	490652078	Oil	PH2840
<i>Titan MX4800 (w/Kohler Confidant Series Engine)</i>			5205007	Oil	PH2835	<i>Z550 w/Kohler Engine</i>		
1205001	Oil	PH2814	<i>Z Master Commercial w/Kubota diesel Engine</i>				Oil	PH2814 ¹⁸
<i>Titan MX5400 (w/Kohler Confidant Series Engine)</i>				Air	LAF8195 ²			PH2835 ¹⁹
1205001	Oil	PH2814			LAF8690 ¹	<i>Z580 w/Kawasaki DFI Engine</i>		
<i>Titan MX5480, Titan MX6080 w/Kawasaki engs.</i>				Fuel	L550F	AF26168	Air	LAF5325 ²
490657007	Oil	PH3656		Oil	PH2808	490652078	Oil	PH2840
<i>Titan MX6000 (w/Kohler Confidant Series Engine)</i>			<i>Z Master Professional Series (w/Kawasaki FX Series Engine)</i>			<i>Z590D w/Daihatsu Diesel Engine</i>		
1205001	Oil	PH2814		Air	LAF8195 ²		Air	LAF22056 ¹
5205002	Oil	PH2835 ⁵⁹⁴			LAF8690 ¹		Oil	LAF8388 ²
<i>Titan ZX4800 (w/Kohler Confidant Series Engine)</i>				Fuel	G6529	TROY-BILT (LAWN MOWER & GARDEN TRACTOR)		
1205001	Oil	PH2814		Oil	PH2840	<i>Bronco w/Kohler 20 hp Engine</i>		
<i>Titan ZX4820 w/Kawasaki 22 hp Engine</i>			<i>Z Master Professional Series (w/Kohler Command Pro EFI Engine)</i>				Fuel	G115
490657007	Oil	PH3656		Air	LAF8195 ²	1205001	Oil	PH2814
<i>Titan ZX5000 w/B&S ELS 22 hp Engine</i>					LAF8690 ¹	<i>Bronco w/Kohler Courage 18 hp V-Twin Engine</i>		
	Oil	PH3656		Fuel	G6384		Fuel	G115
<i>Titan ZX5020 w/Kohler Coutage Pro 23 hp Engine</i>			52 050 02	Oil	PH2835		Oil	PH2814
2505034	Oil	PH2835	<i>Z Master Professional Series (w/Kubota Diesel Engine)</i>			<i>Colt XP w/Kohler 20 hp Engine</i>		
<i>Titan ZX5400 (w/Kohler Confidant Series Engine)</i>				Air	LAF8195 ²		Fuel	G115
1205001	Oil	PH2814 ⁵⁹³			LAF8690 ¹	1205001	Oil	PH2814
				Fuel	L550F	<i>Horse, Horse XP w/Kohler Courage 22 hp DOHC Engine</i>		
				Oil	PH2808 ⁶¹⁷		Fuel	G115
					PH2876 ⁶²⁴			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 18-Short 19-Long 593-2.65" Tall 594-3.11" tall 617-3.12" O.D. 624-2.65" O.D.

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TROY-BILT (LAWN MOWER & GARDEN TRACTOR)			WALKER (LAWN MOWER & GARDEN TRACTOR)			WOODS (LAWN MOWER & GARDEN TRACTOR)		
<i>Horse, Horse XP w/Kohler Courage 22 hp DOHC Engine (cont'd)</i>			<i>Model MW15 w/Kawasaki 15 hp V-Twin Engine</i>			<i>6140 w/B&S 14 hp Engine</i>		
1205001	Oil	PH2814		Oil	PH2840	394018	Air	LAF1918
<i>Mustang XP w/Kohler 25 hp Engine</i>			<i>Super B w/Kohler Command 27 hp V-Twin Engine</i>				Fuel	G115
	Fuel	G115		Oil	PH2814	491056	Oil	PH2835
1205001	Oil	PH2814	<i>Super B w/Kohler Command Pro 26 hp V-Twin Engine</i>			<i>6140 w/B&S 16 hp Engine</i>		
<i>Pony w/B&SPowerbuilt 17.5 hp Engine</i>				Oil	PH2814	394018	Air	LAF1918
	Fuel	G115	WHEEL HORSE (LAWN MOWER & GARDEN TRACTOR)				Fuel	G115
1205001	Oil	PH3656				<i>212H, 212-5</i>		
WALKER (LAWN MOWER & GARDEN TRACTOR)				Oil	PH2840	<i>6140 w/B&S 18 hp Engine</i>		
<i>Model MB w/B&S Vanguard 18 hp V-Twin Engine</i>			<i>244H, 244-5</i>			394018	Air	LAF1918
	Oil	PH3656		Oil	PH2840		Fuel	G115
<i>Model MB w/Kohler Command 18 hp V-Twin Engine</i>			<i>416H, 520H w/Onan Engine</i>			491056	Oil	PH2835
	Oil	PH2814 ¹⁸ PH2835 ¹⁹	<i>140-2628</i>				Air	LAF1918
<i>Model MBS w/Kohler Command Pro 27 hp Engine</i>			<i>C141 w/Kohler Engine</i>				Fuel	G115
	Oil	PH2814 ¹⁸ PH2835 ¹⁹		Air	AF213	491056	Oil	PH2835
<i>Model MBS w/Kohler Command Pro EFI 26 hp Engine</i>			<i>Charger 10, Charger 12</i>			<i>6160 w/B&S 16 hp Engine</i>		
	Oil	PH2814 ¹⁸ PH2835 ¹⁹		Trans	PH710 ⁵⁹⁰	394018	Air	LAF1918
<i>2405003</i>			<i>Charger 8</i>				Fuel	G115
	Fuel	G6384		Air	AF213	491056	Oil	PH2835
	Oil	PH2814 ¹⁸ PH2835 ¹⁹	<i>Charger 9</i>			<i>6160 w/B&S 18 hp Engine</i>		
<i>Model MC w/Kohler Command 20 hp V-Twin Engine</i>				Trans	PH710 ⁵⁹⁰	394018	Air	LAF1918
	Oil	PH2814 ¹⁸ PH2835 ¹⁹		Air	AF211		Fuel	G115
<i>Model MD w/Kubota D722 Engine</i>			<i>D160 w/Onan Engine</i>			491056	Oil	PH2835
	Fuel	L550F		Air	AF215	<i>6180 w/B&S 14 hp Engine</i>		
	Oil	PH2808		Fuel	G454	394018	Air	LAF1918
<i>Model MS w/Kawasaki 13 hp Engine</i>			<i>D200 w/Kohler Engine</i>				Fuel	G115
	Oil	PH2840		Oil	PH400	491056	Oil	PH2835
<i>Model MT w/Kohler Aegis 25 hp Liquid V-Twin Engine</i>			<i>Electro GT12, Electro GT14</i>			<i>6180 w/B&S 16 hp Engine</i>		
	Oil	PH2814 ¹⁸ PH2814 PH2835 ¹⁹		Trans	PH710 ⁵⁹⁰	394018	Air	LAF1918
<i>Model MT w/Kohler Aegis 31 hp EFI Liquid-Cooled Engine</i>			WHITE (LAWN MOWER & GARDEN TRACTOR)				Fuel	G115
	Oil	PH2814 ¹⁸ PH2814 PH2835 ¹⁹	<i>FST14 w/B&S Engine</i>			491056	Oil	PH2835
<i>Model MT w/Kohler Command 23 hp V-Twin Engine</i>			<i>492932</i>			<i>6182 w/Kohler 18 hp Engine</i>		
	Fuel	G6384		Oil	PH2835	5205002	Oil	PH2835
	Oil	PH2814 ¹⁸ PH2835 ¹⁹	<i>GT1650 w/B&S Engine</i>			<i>6182 w/Kohler 20 hp Engine</i>		
<i>Model MT w/Kohler Command Pro EFI 26 hp Engine</i>			<i>492932</i>			<i>5205002</i>		
	Fuel	G6384		Trans	PH710 ⁵⁹⁰	<i>6200 w/Kohler 18 hp Engine</i>		
	Oil	PH2814 ¹⁸ PH2835 ¹⁹	<i>GT180, GT185 w/B&S Engine</i>			5205002	Oil	PH2835
<i>2405003</i>			<i>492932</i>			<i>6200 w/Kohler 20 hp Engine</i>		
	Oil	PH2814 ¹⁸ PH2835 ¹⁹	<i>LT16, LT19 w/B&S Engine</i>			5205002	Oil	PH2835
<i>Model MT w/Kohler Command Pro 26 hp Engine</i>			<i>LT165 w/B&S Engine</i>			<i>6210 w/Kawasaki FD620 Engine</i>		
	Fuel	G6384		Oil	PH2835		Oil	PH2840
	Oil	PH2814 ¹⁸ PH2835 ¹⁹	<i>492932</i>			<i>6250 w/Kubota WG750B Engine</i>		
<i>2405003</i>			<i>492932</i>				Oil	PH2808
	Fuel	G6384	<i>LT165 w/B&S Engine</i>			<i>CZ1736K w/Kawasaki KAI 17 hp V-Twin Engine</i>		
	Oil	PH2814 ¹⁸ PH2835 ¹⁹		Oil	PH2835	49065-2078	Oil	PH2840
<i>2405003</i>			<i>492932</i>			<i>CZ1942K, CZ1948K w/Kawasaki KAI 19 hp V-Twin Engine</i>		
	Fuel	G6384		Oil	PH2835	49065-2078	Oil	PH2840
	Oil	PH2814 ¹⁸ PH2835 ¹⁹	<i>492932</i>			<i>CZ2136B w/B&S Intek 21 hp Engine</i>		
	Oil	PH2814 ¹⁸ PH2835 ¹⁹		Oil	PH2835	492932	Oil	PH3656

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
18-Short 19-Long 590-Hydrostatic

Lawn and Garden



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
WOODS (LAWN MOWER & GARDEN TRACTOR)			WORLDLAWN (LAWN MOWER & GARDEN TRACTOR)			WRIGHT (LAWN MOWER & GARDEN TRACTOR)		
<i>FE21B w/Vanguard OHV V-Twin 21 hp Engine</i>			<i>Cobra (w/Kawasaki FX Series Engine) (cont'd)</i>			<i>Velke w/Kawasaki FS Series Engine (cont'd)</i>		
70311	Fuel	G6529	490652078	Oil	PH2840	34490002	Trans	LFF4295 ⁵⁹⁰
70939	Oil	PH2835	<i>Diamondback (w/Kawasaki FX691V Engine)</i>			YAMAHA (LAWN MOWER & GARDEN TRACTOR)		
423361	Trans	LFH5809 ⁵⁹⁰	490652078	Power Steering	PH2840	<i>YT5700 w/Yamaha 16 hp Engine</i>		
<i>FZ21D w/Kubota 3 cyl. 21 hp Engine</i>			<i>Diamondback XL (w/Kawasaki FS691V Engine)</i>			<i>3FV-13440-000</i>		
70649	Air	LAF2745A ²	490657007	Oil	PH3656	<i>PH7028</i>		
70659	Fuel	G1 ⁵³¹	<i>Diamondback XL (w/Briggs & Stratton Engine)</i>			<i>YT6700, YT6800 w/Yamaha 18 hp Engine</i>		
70666		L550F		Oil	PH3656	<i>3FV-13440-000</i>		
70127	Oil	PH2808	<i>Kingcobra (w/Kawasaki FX Series Engine)</i>			YANMAR (LAWN MOWER & GARDEN TRACTOR)		
<i>FZ23B w/B&S Vanguard 23 hp V-Twin Engine</i>			<i>P821575</i>			<i>GT14 w/Yanmar Engine</i>		
70311	Fuel	G6529	P821575	Air	LAF8195 ²	<i>12445-35100</i>		
70939	Oil	PH2835	P821575		LAF8690 ¹	YARD SHARK (LAWN MOWER & GARDEN TRACTOR)		
<i>FZ23B w/Kubota D902 diesel Engine</i>			P821575	Fuel	G115 ¹	<i>YS01532B w/Kohler Command Pro 15 hp Engine</i>		
75214	Air	LAF8195 ²	P821575	Oil	PH2840 ¹	<i>Oil</i>		
75215		LAF8690 ¹	<i>Viper WRZ5024KW w/Kawasaki FR691V Engine</i>			<i>PH2814</i>		
	Fuel	G1 ⁵³¹		Fuel	G6529	<i>YS01536B w/Kohler Command Pro 15 hp Engine</i>		
15853-32430	Oil	PH2876		Oil	PH3656	<i>Oil</i>		
<i>FZ28K w/Kawasaki OHV V-Twin 28 hp Engine</i>			<i>Viper WYRZ5026BS w/B&S ELS Engine</i>			<i>PH2814</i>		
75214	Air	LAF8195 ²		Fuel	G115	<i>YS01536H w/Kohler Command Pro 15 hp Engine</i>		
75215		LAF8690 ¹		Oil	PH3656	<i>Oil</i>		
72859	Oil	PH2840	<i>WY4215KW w/Kawasaki FH430V 15 hp Engine</i>			<i>PH2814</i>		
<i>MZ1952K w/Kawasaki 19 hp V-Twin Engine</i>				Oil	PH2840	<i>YS01848B w/Kohler Command Pro 18 hp Engine</i>		
4114746	Air	LAF8195 ²	<i>WY4817KW w/Kawasaki FH541 17 hp Engine</i>			<i>Oil</i>		
4114747		LAF8690 ¹		Oil	PH2840	<i>PH2814</i>		
38666	Fuel	G6529	<i>WY4818KE w/Kohler CV493 18 hp Engine</i>			<i>YS01848H w/Kohler Command Pro 18 hp Engine</i>		
2722214	Oil	PH2840		Oil	PH2814	<i>Oil</i>		
<i>MZ2061 w/Yanmar 2V750 Engine</i>			<i>WYZ5221KW-H w/Kawasaki 21 hp V-Twin Engine</i>			<i>PH2814</i>		
870119N	Air	LAF8388 ²		Oil	PH2840	<i>YS01852B w/Kohler Command Pro 18 hp Engine</i>		
	Oil	PH2876	<i>WYZ5223KW-H w/Kawasaki 23 hp V-Twin Engine</i>			<i>Oil</i>		
<i>MZ2561K w/Kawasaki 25 hp V-Twin Engine</i>				Oil	PH2840	<i>PH2814</i>		
4114746	Air	LAF8195 ²	<i>WYZ6025KW-H w/Kawasaki 25 hp V-Twin Engine</i>			<i>YS01852H w/Kohler Command Pro 18 hp Engine</i>		
4114747		LAF8690 ¹		Oil	PH2840	<i>Oil</i>		
38666	Fuel	G6529	<i>WYZ6027KW-H w/Kawasaki 27 hp V-Twin Engine</i>			<i>PH2814</i>		
2722214	Oil	PH2840		Oil	PH2840	<i>YSH2051Z w/Honda 20 hp V-Twin Engine</i>		
<i>MZ2652G w/Generac GTV760 26 hp Engine</i>			WRIGHT (LAWN MOWER & GARDEN TRACTOR)			<i>Oil</i>		
P821575	Air	LAF8195 ²	<i>Mid Mount Z Series w/B&S Cyconic Series Engine</i>			<i>PH2808</i>		
	Fuel	G115		Fuel	G115	<i>YSH2460Z w/Honda 24 hp V-Twin Engine</i>		
	Oil	PH2840		Oil	PH3656	<i>Oil</i>		
4135663	Oil	PH2840		Oil	PH2840	<i>PH2808</i>		
<i>MZ2761 w/Kohler Command CV740 27 hp Engine</i>			34490002	Trans	LFF4295 ⁵⁹⁰	<i>YSK2151Z w/Kawasaki 21 hp V-Twin Engine</i>		
4114746	Air	LAF8195 ²	<i>Stander RH w/Kawasaki FS Series Engine</i>			<i>Oil</i>		
4114747		LAF8690 ¹		Air	LAF8388 ²	<i>PH2840</i>		
38666	Fuel	G6529		Oil	PH2840	<i>PH2840</i>		
842502	Oil	PH2814	34490002	Trans	LFF4295 ⁵⁹⁰	<i>YZK2560Z w/Kawasaki 25 hp V-Twin Engine</i>		
<i>MZ3361G, MZ3372G w/Generac 33 hp Engine</i>			<i>Stander RH w/Kawasaki FX Series Engine</i>			<i>Oil</i>		
P821575	Air	LAF8195 ²		Oil	PH2840	YARD-MAN (LAWN MOWER & GARDEN TRACTOR)		
	Fuel	G115		Trans	LFF4295 ⁵⁹⁰	<i>3620</i>		
4135663	Oil	PH2840	<i>Stander X w/Kawasaki FX Series Engine</i>			<i>Trans</i>		
<i>WORLDLAWN (LAWN MOWER & GARDEN TRACTOR)</i>				Oil	PH2840	<i>PH710⁵⁹⁰</i>		
<i>Cobra (w/Kawasaki FX Series Engine)</i>			34490002	Trans	LFF4295 ⁵⁹⁰	<i>3630, 3640 w/Kohler Engine</i>		
490652078	Air	LAF8195 ²	<i>Stander ZK w/Kawasaki FX Series Engine</i>			<i>Kohler 235116</i>		
490652078		LAF8690 ¹		Oil	PH2840	<i>Air</i>		
490652078	Fuel	G115 ¹		Trans	LFF4295 ⁵⁹⁰	<i>AF213</i>		
			<i>Velke w/Kawasaki FS Series Engine</i>			<i>X694G w/Kohler 15 hp Engine</i>		
				Oil	PH2840	<i>Oil</i>		
			34490002	Trans	LFF4295 ⁵⁹⁰	YAZOO/KEES (LAWN MOWER & GARDEN TRACTOR)		
			<i>Model 62 w/Daihatsu/Briggs DM950D Engine</i>			<i>820263</i>		
				Oil	PH2840	<i>Air</i>		
				Trans	LFF4295 ⁵⁹⁰	<i>15601-87703</i>		
			<i>SV24B3 w/Kawasaki 9 hp Engine</i>			<i>Oil</i>		
				Oil	PH2840	<i>PH2840</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 531-Filter only 590-Hydrostatic



Lawn and Garden

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
YAZOO/KEES (LAWN MOWER & GARDEN TRACTOR)								
<i>YHRLK23 Mower w/Kohler Command 18 hp V-Twin Engine</i>								
	Air	AF217						
	Oil	PH2835						
610018	Trans	LFH3653-25 ⁵⁹⁰						
<i>YHRLK23 Mower w/Kohler Command 22 hp V-Twin Engine</i>								
	Air	AF217						
	Oil	PH2814						
610018	Trans	LFH3653-25 ⁵⁹⁰						
<i>YHRLK23 Mower w/Kohler Command 25 hp V-Twin Engine</i>								
2408303	Air	LAF5802						
1205001	Oil	PH2814						
610018	Trans	LFH3653-25 ⁵⁹⁰						
<i>YHRLK23 Mower w/Kohler Magnum 20 hp Twin</i>								
	Air	AF215						
	Oil	PH2835						
610018	Trans	LFH3653-25 ⁵⁹⁰						
ZIPPER (LAWN MOWER & GARDEN TRACTOR)								
<i>STS23 w/Kohler Command 23 hp V-Twin Engine</i>								
	Oil	PH2814						
<i>STS28 LP w/Kawasaki 28 hp V-Twin Engine</i>								
	Oil	PH2840						
<i>STS28 w/Kawasaki 28 hp V-Twin Engine</i>								
	Oil	PH2840						
<i>VR3150 LP w/Kawasaki 31 hp V-Twin Engine</i>								
	Oil	PH2840						
<i>VR3150 w/Kawasaki 31 hp V-Twin Engine</i>								
	Oil	PH2840						
<i>VR3160 LP w/Kawasaki 31 hp V-Twin Engine</i>								
	Oil	PH2840						
<i>VR3160 w/Kawasaki 31 hp V-Twin Engine</i>								
	Oil	PH2840						



Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
590-Hydrostatic

The Impact of Dents on Canister Filters

Filter manufacturers often receive used filters involved in warranty investigations due to a crack in a filter canister. In many cases the crack is located within or near a dent in the canister. This evidence predominantly indicates that the dent caused the crack and that the failure was not within the control of the filter manufacturer. Once the steel canister is dented, a concentration of stress in the canister material is created, making the canister more susceptible to fatigue.

The fatigue to the material results from the pressure pulses within the system. The pressure is regulated by a pressure regulating valve. This valve is spring operated and intermittently opens and closes to regulate the pressure. Once the pressure exceeds the setting of the spring in the regulating valve, the valve will open and relieve pressure until the spring can expand and close the valve. This function is repeated continuously during the operation of the system, creating a pulsing effect. The canister of the filters is subjected to the same pulsation. However, unlike the spring in the pressure regulating valve, the canister material is susceptible to failure after such fatigue.

Filters are designed with a low carbon steel to resist fatigue and are formed so the stress created by the pulses in the system are equalized over the surface area of the canister. A dent provides an area of stress concentration from pressure pulses and can greatly shorten the fatigue life of the canister.

Filters that are dented prior to or during installation should not be used. Filters dented after installation should be replaced immediately. The cost of replacing a dented filter is much less than the cost of the damages that could result from a dented filter that fails during service. If you receive filters that were dented prior to your receipt, you should contact your filter supplier for corrective action.

La importancia de las abolladuras en los filtros

Los fabricantes de filtros a menudo reciben filtros usados que están en proceso de investigación por garantía debido a rajaduras en el bote. En muchos casos la rajadura está localizada cerca o en una abolladura en el bote. Esta evidencia predominantemente indica que la abolladura causó la rajadura y que la falla no está dentro del control del fabricante del filtro. Una vez que la lámina del bote sufre una abolladura se crea una concentración de esfuerzos en el bote, haciendo al bote más susceptible a la fatiga.

La fatiga del material del bote es el resultado de los pulsos de presión dentro del sistema. La presión está controlada mediante una válvula reguladora de presión. Esta válvula está operada por un resorte e intermitentemente abre y cierra para regular la presión. Una vez que la presión excede el ajuste del resorte en la válvula reguladora, la válvula abrirá y aliviará la presión hasta que el resorte pueda regresar y cerrar la válvula. Esta función se repite continuamente durante la operación del sistema creando un efecto de pulsación. El bote del filtro está sujeto a la misma pulsación. Sin embargo, a diferencia del resorte de la válvula reguladora de presión, el material del bote está expuesto a fallar debido a dicha fatiga.

Los filtros están fabricados con lámina de acero de bajo contenido de carbono para resistir la fatiga y están diseñados de tal manera que el esfuerzo creado por los pulsos de presión se distribuya uniformemente en toda la superficie del bote. Una abolladura provoca un área de concentración de esfuerzos y puede acortar significativamente la vida a la fatiga del bote.

Los filtros abollados antes y durante la instalación no deben ser usados. Los filtros abollados después de la instalación deben ser reemplazados inmediatamente. El costo del reemplazo de un filtro abollado es mucho menor que el costo de los daños que pudieran resultar por un filtro abollado que falle cuando esté en servicio. Si a usted le entregan filtros que están abollados, antes de recibirlos usted debe contactar a su proveedor de filtros para pedirle una acción correctiva.

Les conséquences d'enfoncements sur les filtres à cartouche

Les fabricants de filtres reçoivent souvent des filtres usagés qu'ils doivent évaluer dans le cadre de leur garantie en raison d'une fissure dans la cartouche du filtre. Dans de nombreux cas, la fissure se trouve au niveau ou à proximité d'un enfoncement dans la cartouche. Cet état de fait indique généralement que l'enfoncement est à l'origine de la fissure et que la défaillance ne relève pas du contrôle du fabricant du filtre. Un enfoncement dans la cartouche en acier crée une concentration de contraintes dans le matériau de la cartouche, ce qui rend la cartouche plus sensible à la fatigue.

La fatigue du matériau est causée par des pulsations de la pression au sein du système. La pression est régulée par un régulateur. Ce régulateur, actionné par un ressort, s'ouvre et se ferme par intermittence pour réguler la pression. Lorsque la pression dépasse le réglage du ressort dans le régulateur, celui-ci s'ouvre pour réduire la pression. La baisse de pression détend le ressort qui referme alors le régulateur. Cette alternance se répète en continu pendant le fonctionnement du système, créant ainsi un effet de pulsations. La cartouche du filtre est soumise à ces mêmes pulsations. Cependant, contrairement au ressort du régulateur, le matériau de la cartouche est susceptible de défaillances en raison d'un phénomène de fatigue.

Les filtres sont fabriqués avec un acier à faible teneur en carbone pour résister à la fatigue et ils sont formés de sorte que les contraintes créées par les pulsations dans le système soient distribuées uniformément sur la surface entière de la cartouche. L'apparition d'un enfoncement produit une zone de concentration des contraintes dues aux pulsations et peut raccourcir considérablement la durée de vie en fatigue de la cartouche.


Les filtres qui sont bosselés avant ou pendant leur installation ne doivent pas être utilisés. Les filtres bosselés après leur installation doivent être remplacés immédiatement. Le coût de remplacement d'un filtre bosselé est bien inférieur au coût des dommages susceptibles de survenir en cas de défaillance d'un filtre bosselé durant le fonctionnement. En cas de réception de filtres déjà bosselés, contacter votre fournisseur de filtres pour qu'il prenne des mesures correctives.

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ALLIS-CHALMERS (ENGINE DIESEL)			ALLIS-CHALMERS (ENGINE DIESEL)			ALLIS-CHALMERS (ENGINE DIESEL)		
<i>10000 Series</i>			<i>16000 Series (cont'd)</i>			<i>25000 61381 Series (cont'd)</i>		
4055633	Air	LAF1616 ¹²	(4028945); Sec.	Fuel	FP230F	P10-1240	Air	LAF241HD ¹²
4053618		LAF210 ¹²	(74055565); Pri.		L3568F	4052520		LAF250HD ¹²
634446		LAF24 ¹²	Sec.		L540F	4379069		LAF263HD ¹²
4052677		LAF240 ¹²			LFP255F	70632707		LAF320 ¹²
113616-1		LAF66 ¹²			LP151	185824		LAF4040 ¹²
P10-0689		LAF689 ¹²				4393504	Coolant	LFW4073 ²⁵⁵
4393504	Coolant	LFW4073 ²⁵⁵	634446	Air	LAF24 ¹²	Sec.	Fuel	261F
(74056633); Sec.			4051918		LAF240HD ^{2, 12}	(4056632); Sec.		262F
(4056632); -S/N	Fuel	261F	4052678		LAF250HD ¹²	(4028945); Sec.		FP230F
10-13927; Sec.		262F	4379068		LAF262 ¹²	Pri.		L3568F
(4028945); S/N		FP230F	4055126		LAF265HD ¹²	Sec.		L540F
10-13927-; Sec.		FP230F	185824		LAF4040 ¹²		Oil	LFP670
Sec.		FP230F	P01-9175		LAF75 ¹²			LFP670XL ¹⁴
(5573482); Pri.		L274F	4393504	Coolant	LFW4073 ²⁵⁵	74371021		LP151
(5573482); -S/N		L274F	(74056633); Sec.	Fuel	261F	Turbo		P2
10-13927; Pri.		L274F	(74055920); Sec.		262F		2800	
(5574961); Pri.		L274F1	(4028945); Sec.		FP230F		Sec.	Fuel
Sec.		L540F	(74055565); Pri.		L3568F	74027979	Oil	FP230F
74371021	Oil	LP151	Sec.		L540F			LFP3411
					LFP255F		2800MKII	
<i>11000 Series</i>			74371021	Oil	LP151	3046858	Air	LAF1246 ¹²
4055633	Air	LAF1616 ¹²	<i>19000 Series</i>			4055633		LAF1616 ¹²
4053618		LAF210 ¹²	P-32-U	Air	LAF320 ¹²	244728		LAF234HD ^{2, 12}
634446		LAF24 ¹²	P10-1066		LAF66 ¹²	(4028945); Sec.	Fuel	FP230F
4052677		LAF240 ¹²	4393504	Coolant	LFW4073 ²⁵⁵	74024232		P1130
113616-1		LAF66 ¹²	(74056633); Sec.	Fuel	261F	(4060879); By-Pass	Oil	1041
P10-0689		LAF689 ¹²	(74055920); Sec.		262F	4023548		PH52
4393504	Coolant	LFW4073 ²⁵⁵	(4028945); Sec.		FP230F	2900		
(74056633); Sec.	Fuel	261F	(7405565); Pri.		L3568F	(4028945); Sec.	Fuel	FP230F
(4056632); -S/N		262F	Sec.		L540F	74024232		P1130
10-13927; Sec.		FP230F			LP151	(4060879); By-Pass	Oil	1041
(4028945); S/N		FP230F	74371021	Oil		74027979		LFP3411
10-13927-; Sec.		FP230F	<i>1BD38</i>			<i>2900MKII</i>		
Sec.		L274F	(74056633); Sec.	Fuel	261F	3046858	Air	LAF1246 ¹²
(5573482); Pri.		L274F	74502499	Oil	P3	4055633		LAF1616 ¹²
(5573482); -S/N		L274F	<i>21000 6138T Series</i>			244728		LAF234HD ^{2, 12}
10-13927; Pri.		L274F1	4052677	Air	LAF240 ¹²	(4028945); Sec.	Fuel	FP230F
(5574961); Pri.		L540F	P10-1240		LAF241HD ¹²	74024232		P1130
Sec.		LP151	4052520		LAF250HD ¹²	(4060879); By-Pass	Oil	1041
74371021	Oil		4379069		LAF263HD ¹²	4023548		PH52
<i>15000 Series</i>			70632707		LAF320 ¹²	2BD77		
4393504	Coolant	LFW4073 ²⁵⁵	185824		LAF4040 ¹²	(74056633); Sec.	Fuel	261F
(74056633); Sec.	Fuel	261F	4393504	Coolant	LFW4073 ²⁵⁵	74502499	Oil	P3
(5573482); Pri.		L274F	Sec.	Fuel	261F	2BDMR77		
(5574961); Pri.		L274F1	(4056632); Sec.		262F	(74056633); Sec.	Fuel	261F
74371021	Oil	LP151	(4028945); Sec.		FP230F	74502499	Oil	P3
<i>16000 Series</i>			Pri.		L3568F	3400		
634446	Air	LAF24 ¹²	Sec.		L540F	Sec.	Fuel	FP230F
4052677		LAF240 ¹²			LFP670	74027979	Oil	LFP3411
4051918		LAF240HD ^{2, 12}			LFP670XL ¹⁴	3400MKII		
4052678		LAF250HD ¹²			LP151	(4028945); Sec.	Fuel	FP230F
4379068		LAF262 ¹²			P2	(4024223); W/S		LFF1131
4055126		LAF265HD ¹²				74024232		P1130
185824		LAF4040 ¹²				4023548	Oil	PH52
P01-9175		LAF75 ¹²				3500		
4393504	Coolant	LFW4073 ²⁵⁵				Sec.	Fuel	FP230F
(74056633); Sec.	Fuel	261F	<i>25000 61381 Series</i>			74027979	Oil	LFP3411
(74055920); Sec.		262F	4052677	Air	LAF240 ¹²			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 12-Optional 14-Extended Life 255-Contains 3 oz. of chemical



Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ALLIS-CHALMERS (ENGINE DIESEL)			ALLIS-CHALMERS (ENGINE DIESEL)			ALLIS-CHALMERS (ENGINE DIESEL)		
3500MKII			4DA482 (cont'd)			6851		
(4028945); Sec. (4024223); W/S 74024232	Fuel	FP230F LFF1131 P1130	(5573482); Pri. (5574961); Pri.	Fuel	L274F L274F1	Sec.	Coolant	LFW4074 ⁶²⁷
4023548	Oil	PH52	4DAMR182				Fuel	FP230F LFP255F
3700			(74056633); Sec. (74502495); By-Pass	Fuel Oil	261F P4		Oil	LFP670 LFP670XL ¹⁴
(4024223); W/S 74024232	Fuel	LFF1131 P1130	4DC645			6B		
4023548	Oil	PH52	(74056633); Sec. (70059898); Sec.	Fuel	261F 262F	(5573482); Sec. (5574961); Pri.	Fuel	L274F L274F1
3700MKII			74320512	Oil	L26	74320512	Oil	L26
(4024223); W/S 74024232	Fuel	LFF1131 P1130	6000			6BD230		
4023548	Oil	PH52	P-17665 (70465583); Sec. 74507143	Air Fuel	LAF264 ¹² 261F L1133F	(74056633); Sec. (5573482); Pri. (5574961); Pri.	Fuel	261F L274F L274F1
3750			(5573482); Pri. (5574961); Pri. (74348147); Pri.	Fuel	L274F L274F1 L3567F	(74502495); By-Pass	Oil	P4
(4024223); W/S 74024232	Fuel	LFF1131 P1130	61000 Series			6BD273		
4023548	Oil	PH52	4393504 (74055920); Sec. Pri. Sec.	Coolant Fuel	LFW4073 ²⁵⁵ 262F L3568F L540F	(74056633); Sec. (5573482); Pri. (5574961); Pri.	Fuel	261F L274F L274F1
4331			74371021	Oil	LP151	(4357147); By-Pass	Oil	L24A
(4028945); Sec. 4027979	Fuel Oil	FP230F LFP3411	6120T			6D		
433T			Sec.	Coolant	LFW4074 ⁶²⁷	(5573482); Sec. (5574961); Pri.	Fuel	L274F L274F1
(4028945); Sec. 4027979	Fuel Oil	FP230F LFP3411	Sec.	Fuel	FP230F FP251F	74320512	Oil	L26
4BD153			Sec.	Oil	LFP670 LFP670XL ¹⁴ LP151	6D1516		
(74048789); Pri. (74502499); By-Pass	Fuel Oil	L3564F P3	6138I			4051919	Air	LAF230 ¹²
4BD175			Sec.	Coolant	LFW4074 ⁶²⁷	(74056633); Sec. (5573482); Pri. (5574961); Pri.	Fuel	261F L274F L274F1
(74056633); Sec. (5573482); Pri. (5574961); Pri.	Fuel	261F L274F L274F1	74371021	Oil	LFP670 LFP670XL ¹⁴ LP151	74371021	Oil	LP151
(74502495); By-Pass	Oil	P4	649-I			6D317		
4BD182			Sec.	Fuel	FP230F LFF1129 P1130	(74056633); Sec. (5573482); Pri. (5574961); Pri.	Fuel	261F L274F L274F1
(74056633); Sec. (5573482); Pri. (5574961); Pri.	Fuel	261F L274F L274F1	74024232	Oil	1041 PH52	6DA230		
(74502495); By-Pass	Oil	P4	(70299641); By-Pass	Oil	L24A	(74056633); Sec. (74371164); Pri. (4357147); By-Pass 74502495	Fuel Oil	261F L3570F L24A P4
4BDMR153			649T			6DA273		
(74056633); Sec. (5573482); Pri. (5574961); Pri.	Fuel	261F L274F L274F1	Sec.	Fuel	FP251F LFF1129	(74371499); Sec. (74371164); Pri.	Fuel	262F L3570F
(70299641); By-Pass	Oil	L24A	By-Pass	Oil	1041 PH52	74371021	Oil	LP151
4D1344			65000 Series			6DA779		
(74056633); Sec. (5573482); Pri. (5574961); Pri.	Fuel	261F L274F L274F1	4393504 (74055920); Sec. Pri. Sec.	Coolant Fuel	LFW4073 ²⁵⁵ 262F L3568F L540F	(74367714); Sec. (74371164); Pri.	Fuel	262F L3570F
74348261	Oil	LP112	74371021	Oil	LP151	74371021	Oil	LP151
4DA153			670T			6DA844		
(74056633); Sec. (74371164); Pri. (74502495); By-Pass	Fuel Oil	261F L3570F P4	74024232	Fuel	LFF1129 P1130	(74371499); Sec. (74371164); Pri.	Fuel	262F L3570F
4DA182				Oil	PH52	74371021	Oil	LP151
(74056633); Sec. (74371164); Pri. (74502495); By-Pass	Fuel Oil	261F L3570F P4	6DA970			(74367714); Sec. (74371164); Pri.	Fuel	262F L3570F
4DA482				Oil	PH52			
(74056633); Sec.	Fuel	261F						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
12-Optional 14-Extended Life 255-Contains 3 oz. of chemical 627-5 oz. of chemical



Engine Applications

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ALLIS-CHALMERS (ENGINE DIESEL)			ALLIS-CHALMERS (ENGINE DIESEL)			ALLIS-CHALMERS (ENGINE DIESEL)		
<i>6DA970 (cont'd)</i>			<i>6DCS844</i>			<i>8DAS1125</i>		
74371021	Oil	LP151	(70059898); Sec.	Fuel	262F	74320512	Oil	L26 ⁶⁵
<i>6DAM844</i>			<i>6DS844</i>			<i>8DASM1125</i>		
(74056633); Sec.	Fuel	261F	(70059898); Sec.	Fuel	262F	74320512	Oil	L26
(74502495); By-Pass	Oil	P4	74320512	Oil	L26	<i>8DASMR1125</i>		
<i>6DAMR273</i>			<i>6DT317</i>			<i>8DAT1125</i>		
(74056633); Sec.	Fuel	261F	(74056633); Sec.	Fuel	261F	74320512	Oil	L26
74502495	Oil	P4	(74355944); In-Line		FP953F ²⁴⁴	74320512	Oil	L26 ⁶⁵
<i>6DAMR779</i>			(5573482); Pri.		L274F	74371021		LP151
(74056633); Sec.	Fuel	261F	(5574961); Pri.		L274F1	<i>8DATR1125</i>		
(74502495); By-Pass	Oil	P4	74320512	Oil	L26 ⁶⁵	74320512	Oil	L26
<i>6DAMR844</i>			<i>6DT468</i>			<i>8DC1125</i>		
(74056633); Sec.	Fuel	261F	(74056633); Sec.	Fuel	261F	74320512	Oil	L26 ⁶⁵
(74502495); By-Pass	Oil	P4	(74355944); In-Line		FP953F ²⁴⁴	74371021		LP151
<i>6DAS844</i>			(5573482); Pri.		L274F	<i>8DC1290</i>		
(74371499); Sec.	Fuel	262F	(5574961); Pri.		L274F1	(70059898); Sec.	Fuel	262F
(74371164); Pri.		L3570F	74320512	Oil	L26 ⁶⁵	(74371164); Pri.		L3570F
74371021	Oil	LP151	<i>6DTM317</i>			74320512	Oil	L26
<i>6DASM844</i>			(74056633); Sec.	Fuel	261F	<i>8DC2505</i>		
(74371499); Sec.	Fuel	262F	(74355944); In-Line		FP953F ²⁴⁴	(74367714); Sec.	Fuel	262F
(74371164); Pri.		L3570F	(5573482); Pri.		L274F	(74371164); Pri.		L3570F
74371021	Oil	LP151	(5574961); Pri.		L274F1	74371021	Oil	LP151
<i>6DAT779</i>			74320512	Oil	L26 ⁶⁵	<i>8DCMR2505</i>		
(74056633); Sec.	Fuel	261F	<i>6DTM468</i>			(74056633); Sec.	Fuel	261F
(74502495); By-Pass	Oil	P4	(74056633); Sec.	Fuel	261F	(74371164); Pri.		L3570F
<i>6DC</i>			(74355944); In-Line		FP953F ²⁴⁴	<i>8DCMSR2505</i>		
(5573482); Sec.	Fuel	L274F	(5573482); Pri.		L274F	(74056633); Sec.	Fuel	261F
(5574961); Pri.		L274F1	(5574961); Pri.		L274F1	(74371164); Pri.		L3570F
74320512	Oil	L26	74320512	Oil	L26 ⁶⁵	<i>8DCS1125</i>		
<i>6DC1879</i>			<i>6DTMR317</i>			74320512	Oil	L26 ⁶⁵
(7431074-2); Sec.	Fuel	L4118F	(74056633); Sec.	Fuel	261F	74371021		LP151
74320512	Oil	L26 ⁶⁵	(74355944); In-Line		FP953F ²⁴⁴	<i>8DCS2505</i>		
<i>6DC844</i>			(5573482); Pri.		L274F	(74367714); Sec.	Fuel	262F
(74367714); Sec.	Fuel	262F	(5574961); Pri.		L274F1	(74371164); Pri.		L3570F
(74371164); Pri.		L3570F	74320512	Oil	L26 ⁶⁵	74371021	Oil	LP151
74371021	Oil	LP151	<i>6DTMR468</i>			<i>ADS516</i>		
<i>6DC970</i>			(74056633); Sec.	Fuel	261F	4051919	Air	LAF230 ¹²
(70059898); Sec.	Fuel	262F	(74355944); In-Line		FP953F ²⁴⁴	(74056633); Sec.	Fuel	261F
74320512	Oil	L26	(5573482); Pri.		L274F	(4028945); Sec.		FP230F
<i>6DCB1879</i>			(5574961); Pri.		L274F1	(5573482); Pri.		L274F
(7431074-2); Sec.	Fuel	L4118F	74320512	Oil	L26 ⁶⁵	(5574961); Pri.		L274F1
74320512	Oil	L26 ⁶⁵	<i>7000</i>			74371021	Oil	LP151
<i>6DCBMR1879</i>			P-17665	Air	LAF264 ¹²	<i>AS516</i>		
(7431074-2); Sec.	Fuel	L4118F	(70465583); Sec.	Fuel	261F	4051919	Air	LAF230 ¹²
74320512	Oil	L26 ⁶⁵	74507143		L1133F	(74056633); Sec.	Fuel	261F
<i>6DCBMR1879 Supercharged</i>			(5573482); Pri.		L274F	(4028945); Sec.		FP230F
(7431074-2); Sec.	Fuel	L4118F	(5574961); Pri.		L274F1	(5573482); Pri.		L274F
74320512	Oil	L26 ⁶⁵	(74348147); Pri.		L3567F	(5574961); Pri.		L274F1
<i>6DCMR1879</i>			<i>8DA1125</i>			74371021	Oil	LP151
(7431074-2); Sec.	Fuel	L4118F	74320512	Oil	L26 ⁶⁵	<i>D153</i>		
74320512	Oil	L26 ⁶⁵	74371021		LP151	(74367714); Sec.	Fuel	262F
<i>6DCS1879</i>			<i>8DAM1125</i>			(74508845); Pri.		L3564F
(7431074-2); Sec.	Fuel	L4118F	74320512	Oil	L26	74502499	Oil	P3
74320512	Oil	L26 ⁶⁵	<i>8DAMR1125</i>			<i>D175</i>		
<i>6DCS1879 Supercharged</i>			74320512	Oil	L26	(74367714); Sec.	Fuel	262F
(7431074-2); Sec.	Fuel	L4118F				(74048789); Pri.		L3564F
74320512	Oil	L26 ⁶⁵						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
12-Optional 65-By-Pass 244-Secondary



Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ALLIS-CHALMERS (ENGINE DIESEL)			ALLIS-CHALMERS (ENGINE DIESEL)			ALLIS-CHALMERS (ENGINE GASOLINE)		
<i>D175 (cont'd)</i>			<i>HD516 (cont'd)</i>					
(74512207); By-Pass	Oil	PB50	(5573482); Pri.	Fuel	L274F	6PCS1879		
<i>D230</i>			(5574961); Pri.		L274F1	74320512 Oil L26 ⁹³³		
(74367714); Sec.	Fuel	262F	74371021	Oil	LP151	8MO1290		
(74048789); Pri.		L3564F	<i>HD844</i>			74320512 Oil L26 ⁹³³		
	Oil	PH400 ²⁷⁵	(74371499); Sec.	Fuel	262F	8MOS1290		
<i>D262T</i>			(74371164); Pri.		L3570F	74320512 Oil L26 ⁹³³		
		PH8A ¹⁴⁹⁶	74371021	Oil	LP151	8PC2505		
P01-9175	Air	LAF75 ¹²	<i>HDS844</i>			74320512 Oil L26 ⁶⁵		
(74367714); Sec.	Fuel	262F	(74371499); Sec.	Fuel	262F	8PCS2505		
(4025230); Sec.		FP230F	(74371164); Pri.		L3570F	74320512 Oil L26 ⁶⁵		
(74048789); Pri.		L3564F	74371021	Oil	LP151	<i>B230</i>		
74027979	Oil	LFP3411	<i>HDT844</i>			(74502495); By-Pass Oil P4		
74508865		P92	(74371499); Sec.	Fuel	262F	<i>E263</i>		
<i>D273</i>			(74371164); Pri.		L3570F	(74503973); By-Pass Oil P71		
	Air	LAF689 ¹²	74371021	Oil	LP151	<i>E563</i>		
		LAF75 ¹²	<i>TD844</i>			(74613117); By-Pass Oil P71		
(74367714); Sec.	Fuel	262F	(74371499); Sec.	Fuel	262F	<i>E60</i>		
(74048789); Pri.		L3564F	(74371164); Pri.		L3570F	(74503973); By-Pass Oil P71		
74371021	Oil	LP151	74371021	Oil	LP151	<i>G138</i>		
<i>D344</i>			<i>TDS516</i>			74511629 Oil HP1		
(74056633); Sec.	Fuel	261F	4051919	Air	LAF230 ¹²	(74613117); By-Pass Oil P71		
(4362332); Sec.		262F	(74056633); Sec.	Fuel	261F	<i>G149</i>		
(5573482); Pri.		L274F	(4028945); Sec.		FP230F	74511629 Oil HP1		
(5574961); Pri.		L274F1	(5573482); Pri.		L274F	(74313117); By-Pass Oil P71		
(74348147); Pri.		L3567F	(5574961); Pri.		L274F1	<i>G153</i>		
74348261	Oil	LP112	74371021	Oil	LP151	74511629 Oil HP1		
<i>D516</i>			<i>TDS844</i>			(74502495); By-Pass Oil P4		
4051919	Air	LAF230 ¹²	(74371499); Sec.	Fuel	262F	<i>G160</i>		
(74056633); Sec.	Fuel	261F	(74371164); Pri.		L3570F	74511629 Oil HP1		
(4028945); Sec.		FP230F	74371021	Oil	LP151	(74502495); By-Pass Oil P4		
(5573482); Pri.		L274F	ALLIS-CHALMERS (ENGINE GASOLINE)			<i>G2200</i>		
(5574961); Pri.		L274F1				Oil LFP3411		
74371021	Oil	LP151	<i>4B153</i>			<i>G226</i>		
<i>D716</i>			74511629 Oil HP1			74511629 Oil HP1		
4051919	Air	LAF230 ¹²	(74502495); By-Pass		P4	<i>G230</i>		
(74056633); Sec.	Fuel	261F	<i>4B182</i>			74511629 Oil HP1		
(4028945); Sec.		FP230F	(74502495); By-Pass	Oil	P4	<i>G2500</i>		
(5573482); Pri.		L274F				Oil LFP3411		
(5574961); Pri.		L274F1	<i>4MO645</i>			<i>G262</i>		
74371021	Oil	LP151	74320512	Oil	L26 ⁶⁵	74511629 Oil HP1		
<i>D844</i>			<i>6B230</i>			LFP3411		
(74371499); Sec.	Fuel	262F	(74502495); By-Pass	Oil	P4	<i>G2800</i>		
(74371164); Pri.		L3570F	(74502495); By-Pass	Oil	P4	4027979 Oil LFP3411		
74371021	Oil	LP151	<i>6B273</i>			4035556 PH52		
<i>EA262</i>			(74502495); By-Pass Oil P4			<i>HP236</i>		
(74048789); Pri.	Fuel	L3564F	<i>6MO672</i>			74320512 Oil L26 ⁶⁵		
<i>EB262</i>			74320512 Oil L26 ⁶⁵			<i>HP326</i>		
(74048789); Pri.	Fuel	L3564F	<i>6MO779</i>			(53141); By-Pass Oil L24A		
<i>H262</i>			74320512 Oil L26 ⁶⁵			<i>HP351</i>		
(74048789); Pri.	Fuel	L3564F	<i>6MO893</i>			(53141); By-Pass Oil L24A		
<i>HB262</i>			74320512 Oil L26 ⁶⁵			<i>JL1335</i>		
(74048789); Pri.	Fuel	L3564F	<i>6MO970</i>			(53141); By-Pass Oil L24A		
<i>HD516</i>			74320512 Oil L26 ⁹³³			<i>K428</i>		
4051919	Air	LAF230 ¹²	<i>6PC1879</i>			(4362332); Sec. Fuel 262F		
(74056633); Sec.	Fuel	261F	74320512	Oil	L26 ⁹³³	(53141); By-Pass Oil L24A		
(4028945); Sec.		FP230F						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 12-Optional 65-By-Pass 275-Primary 933-9.6" By-Pass 1496-Alternate



Engine Applications

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ALLIS-CHALMERS (ENGINE GASOLINE)			BRIGGS & STRATTON (ENGINE)			BRIGGS & STRATTON (ENGINE)		
L525			100200-100299 3.5 hp Engine			252400-252499 11 hp Engine		
(53141); By-Pass	Oil	L24A	Air AF205			Air AF206		
L844			100900-100999 3.5 hp Engine			252700-252799 Series 11 hp Engine		
(74503973); By-Pass	Oil	P71	Air AF205			Air LAF8284		
L90			110900-110999 4 hp Engine			253700-253707 Series 11 hp Engine		
(74503973); By-Pass	Oil	P71	Air AF205			Air LAF8284		
LO525			111200-111299 4 hp Engine			254400-254499 11 hp Engine		
(53141); By-Pass	Oil	L24A	Air AF205			Air AF206		
W226			111900-111999 4 hp Engine			256700 Series w/11 hp		
	Oil	HP1	Air AF205			Air LAF8284		
ALSTHOM (ENGINE)			112200-112299 4 hp Engine			282700, 283700, 286700 12, 12 1/2 hp Vertical Shaft Engine		
120X14			Air AF205			Air LAF5773		
	Oil	LP2210	114000 Series Single Cylinder "L" Head			3 Cylinder Liquid Coolant 3/LC Diesel, Diesel Turbo		
272A, 372A, 472A			Air LAF8284			Air LAF8388		
	Oil	LFP2221	11900 4 hp Engine			Oil PH2840		
672A, 872, 872A			130200-130299 5 hp Engine			3 Cylinder Liquid Cooled Gas 3/LC		
	Fuel	L296F ⁴¹	Air AF205			Air LAF8388		
		L50F	LAF4512			Fuel G1/4		
	Oil	LFP2234	130900-130999 5 hp Engine			Oil PH2835		
Agrom 01			Air AF205			PH2840		
Agrom 02			131200-131299 5 hp Engine			301430 12 hp Engine		
	Oil	PH299	Air AF205			Air AF206		
Agrom 100-R6			131400-131499 5 hp Engine			302400-302499 12 hp Engine		
	Oil	PH253 ¹⁴⁹⁶	131900-131999 5 hp Engine			Air AF206		
		PH2835 ²⁷⁵	Air AF205			325430 15 hp Engine		
	Fuel	L50F	170400-170499 7 hp Engine			Air AF206		
	Oil	P52	Air AF204			326430 16 hp Engine		
Agrom ARD40			AF206			Air AF206		
	Oil	LP2210	171400-171499 7 hp Engine			60100-61199 2 hp Engine		
ARMSTRONG-SIDDELEY (ENGINE INDUSTRIAL)			Air AF204			Air AF205		
1-cyl. Diesel 6-11hp			190400-190499 8 hp Engine			80200-80399 3 hp Engine		
	Oil	P52	Air AF204			Air AF205		
			AF206			80307-80702 3 hp, 60307-60702 3.5 hp		
2-cyl. Diesel 14-22hp			190700, 191700, 192700, 193700 8 hp Engine			Air AF210		
	Oil	P52	Air LAF5796			80400-80499 3 hp Vertical Shaft Engine		
3-cyl. Diesel 20-33hp			195400-195499 8 hp Engine			Air AF205		
	Oil	P52	Air AF206			80602, 80802, 84502, 84902		
ASJ3			196700, 257700, 259700 8.5, 10.5, 11.5 hp Vertical Shaft Engine			Air AF210		
ASJ4			Air LAF5800			81200-81299 3 hp Engine		
	Oil	P52	220400-220499 10 hp Engine			Air AF205		
ASJW3			Air AF206			81300-81499		
	Oil	P52	220700-220799 Series 10 hp Engine			Air AF205		
ASJW4			Air LAF8284			92900-92999 3.5 hp Engine		
	Oil	P52	221400-221499 10 hp Engine			Air AF205		
ARROW (ENGINE)			Air AF206			93500-93599 3.5 hp Engine		
VR260			222400-222499 10 hp Engine			Air AF205		
	Oil	PH400 ²⁷⁵	Air AF206			Diamond Plus 15.5 hp Model 28N700		
		PH8A ¹⁴⁹⁶	243400-243499 10 hp Engine			Oil PH3656		
VR380			Air AF206			Diamond Plus 18 hp Models 422700, 422707, 422777		
	Oil	PH400 ²⁷⁵	251400 10 hp Engine			Oil PH2835		
		PH8A ¹⁴⁹⁶	Air AF206			Diamond Plus 19 hp Model 42A700		
			251700 11 hp Engine			Oil PH2835		
			Air AF206			PH3656		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
41-Cartridge 275-Primary 1496-Alternate

A

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BRIGGS & STRATTON (ENGINE)			BRIGGS & STRATTON (ENGINE)			BRIGGS & STRATTON (ENGINE)		
Diamond Plus 20 hp Model 460700			I/C 16 hp Twin II Models 402700, 402707			Vanguard 15 hp OHC Models 28Q700, 28Q777		
	Oil	PH2835 PH3656		Air Oil	LAF1918 PH2835		Air Oil	LAF1918 PH2835
Extended Life Series 15 hp eng. Model 28AH00			I/C 18 hp Twin II Models 422700, 422707, 422777			Vanguard 16 hp V-Twin Models 303400, 303440, 303442, 303447		
	Fuel	G6529		Air	LAF1918		Air	LAF1918
	Oil	PH3656		Oil	PH2835		Oil	PH2835
Extended Life Series 16 hp eng. Model 28BH00			I/C 3 hp Engine					
	Fuel	G6529		Air	LAF4512		Air	LAF1918
	Oil	PH3656	I/C 5 hp Engine			Vanguard 16 hp V-Twin Models 303700, 303770, 303772, 303777		
Extended Life Series 16 hp eng. Model 28CH00								
	Fuel	G6529		Air	LAF4512		Air	LAF1918
	Oil	PH3656	Intek 11-13 hp Engine			Vanguard 18 hp V-Twin Models 350400, 350442, 350447		
Extended Life Series 16 hp eng. Model 31J700			Intek 15.5, 17, 17.5 hp Engine					
	Fuel	G6529		Fuel	G6529		Air	LAF1918
	Oil	PH3656		Oil	PH3656		Oil	PH2835
Extended Life Series 17 hp eng. Model 31K700			Intek 16-18 hp ELS Engine			Vanguard 18 hp V-Twin Models 350700, 350777		
	Fuel	G6529		Fuel	G6529		Air	LAF1918
	Oil	PH3656		Oil	PH3656		Oil	PH2835
Extended Life Series 18 hp eng. Model 31L700			Intek 18-26 hp V-Twin Engine			Vanguard 2 Cylinder Liquid Cooled 2/LC		
	Fuel	G6529		Fuel	G6529		Air	LAF8388 LAF8690 ¹
	Oil	PH3656		Oil	PH3656		Fuel	G6529
Extended Life Series 18 hp eng. Model 31M700			Power Built 10, 11, 12.5 hp			Vanguard 20 hp V-Twin Models 351447, 351700, 351772, 351777		
	Fuel	G6529		Oil	PH3656		Oil	PH3656
	Oil	PH3656	Power Built 14 hp Twin II Models 400700, 402707					
Extended Life Series 18 hp eng. Model 40F700			Power Built 16 hp Twin II Models 402700, 402707					
	Fuel	G6529		Air	LAF1918		Air	LAF1918
	Oil	PH3656		Oil	PH2835		Oil	PH2835
Extended Life Series 20 hp eng. Model 40G700			Power Built 18 hp Twin II Models 422700, 422707, 422777			Vanguard 21 & 23 hp V-Twin		
	Fuel	G6529					Air	LAF1918 LAF22056 ¹ LAF8388 ⁹³⁴
	Oil	PH3656		Oil	PH2835		Oil	PH3656
Extended Life Series 22 hp eng. Model 40H700			Professional Series 20 thru 30 HP			Vanguard 5 hp Models 104700, 261700, 290700, 294700, 303700, 350700		
	Fuel	G6529		Oil	PH2835 PH3656			
	Oil	PH3656	Quantum 3.5 hp Engine					
Extended Life Series 24 hp eng. Model 446600						Vanguard 810 V-Twin		
	Fuel	G6529		Air	LAF4512 LAF5781		Air	LAF8195 ² LAF8690 ¹
	Oil	PH3656	Quantum 5 hp Models 130200, 130299			Vanguard 9 hp Model 161400		
Extended Life Series 26 hp eng. Model 446700								
	Fuel	G6529		Air	LAF4512		Fuel	G115
	Oil	PH3656	Standard Performance 18 hp Twin II Models 422400, 422437, 422442, 422447			Vanguard Commercial Power 25-35 hp Big Block V-Twin		
Extended Life Series 26 hp eng. Model 446800								
	Fuel	G6529		Oil	LAF1918 PH2835		Air	LAF5799
	Oil	PH3656	Vanguard 12, 14, 16 hp Engine					
Extended Life Series 27 hp eng. Model 446900								
	Fuel	G6529		Air	LAF5801		Air	LAF8195 ² LAF8690 ¹
	Oil	PH3656	Vanguard 12.5 hp V-Twin Models 290400, 290447			Vanguard 9 hp Model 161400		
Extended Life Series 6 hp eng. Models 125300, 125400								
	Air	LAF4512		Air	LAF1918		Fuel	G115
I/C 14 hp Twin II Models 400400, 400437			Vanguard 13 hp Model 28P777			Vanguard 12.5 hp V-Twin Models 290400, 290447		
	Air	LAF1918		Air	LAF1918		Oil	PH3656
	Oil	PH2835		Oil	PH2835	BRITISH LEYLAND (ENGINE INDUSTRIAL)		
I/C 14 hp Twin II Models 400700, 400707			Vanguard 14 hp OHV Models 261700, 261772, 261776, 261777, 294442, 294777			2.2L		
	Oil	PH2835				Oil P52		
I/C 16 hp Twin II Models 402400, 402417, 403437, 403447						600		
	Air	LAF1918		Air	LAF1918 LAF5801	7111/296	Fuel	L296F ⁴¹
	Oil	PH2835		Oil	PH2835	7111/44		L50F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 41-Cartridge 934-H.D.

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
BRITISH LEYLAND (ENGINE INDUSTRIAL)			CASE (ENGINE DIESEL)			CASE (ENGINE DIESEL)		
650			336BDT (cont'd)			6-590/6B-5.9		
7111/296	Fuel	L296F ⁴¹	(A-58712); Pri.	Fuel	LFP3301F	D56453	Air	LAF1544 ^{2, 12}
7111/44		L50F		Oil	PH400 ^{275, 936}	A47032		LAF1924 ²
680			400			(J925274); Pri.	Fuel	LFF3417
7111/296	Fuel	L296F ⁴¹	Sec.	Fuel	261F	Sec.		LFF3521
7111/44		L50F					Oil	LFP780
800X			400D					LFP780XL ¹⁴
7111/296	Fuel	L296F ⁴¹	Sec.	Fuel	261F	6-830/6C8.3		
7111/44		L50F		Oil	LP2264	S238646	Air	LAF1813 ²
850			401B			(J925274); Pri.	Fuel	LFF3417
7111/296	Fuel	L296F ⁴¹	(D45161); Sec.	Fuel	261F	Sec.		LFF3521
7111/44		L50F	Sec.		FP1127F	J919562	Oil	LFP2265 ⁹³⁸
944			401BD					LFP734 ⁹³⁷
7111/296	Fuel	L296F ⁴¹	(A-58712); Pri.		LFP3301F	6T-590/6BT-5.9		
7111/44		L50F	A-20822	Oil	P119	D56453	Air	LAF1544 ^{2, 12}
AD400			401BD			A47032		LAF1924 ²
	Fuel	L296F ⁴¹	(D45161); Sec.	Fuel	261F	(J925274); Pri.	Fuel	LFF3417
	Oil	P52	Sec.		FP1127F	Sec.		LFF3521
Beaver			401BD				Oil	LFP780
	Oil	P71	(A-58712); Pri.		LFP3301F			LFP780XL ¹⁴
Cheetah			409			6T-830/6CT-8.3		
	Oil	P71	A-20822	Oil	P119	S238646	Air	LAF1813 ²
Hippo			4-390/4B3.9			(J925274); Pri.	Fuel	LFF3417
7111/296	Fuel	L296F ⁴¹	(J925274); Pri.	Fuel	LFF3521	Sec.		LFF3521
7111/44		L50F	Sec.	Oil	LFP3900	J919562	Oil	LFP2265 ⁹³⁸
OE138			451BD					LFP734 ⁹³⁷
	Oil	P771A	Sec.	Fuel	FP1127F	6TA-590/6BTA-5.9		
PDI			451BD			D56453	Air	LAF1544 ^{2, 12}
	Oil	P71	(A-58712); Pri.	Fuel	LFP3301F	A47032		LAF1924 ²
PSI			451BDT			(J925274); Pri.	Fuel	LFF3417
	Oil	P71	A-75294	Oil	PH675	Sec.		LFF3521
CASE (ENGINE DIESEL)			451BDT				Oil	LFP780
251D			451BDT					LFP780XL ¹⁴
	Oil	LP2264	Sec.	Fuel	FP1127F	6TA-830/6CTA-8.3		
301BD			451BDT			S238646	Air	LAF1813 ²
	Oil	P2 ⁹³⁵	(A-58712); Pri.	Fuel	LFP3301F	(J925274); Pri.	Fuel	LFF3417
Sec.	Fuel	FP1127F	A-75294	Oil	PH675	Sec.		LFF3521
(A-58712); Pri.		LFP3301F				J919562	Oil	LFP2265 ⁹³⁸
3-290			4T-390/4BT3.9					LFP734 ⁹³⁷
	Fuel	LFF3521	(J925274); Pri.	Fuel	LFF3417	909B		
	Oil	LFP3900	Sec.	Oil	LFF3521	Sec.	Fuel	L274F
336B			4TA-390/4BTA3.9			Sec.		L274F1
	Oil	P2 ⁹³⁵	(J925274); Pri.	Fuel	LFF3417	A20822	Oil	P119
Sec.	Fuel	FP1127F	Sec.	Oil	LFF3521	By-Pass		P71
(A-58712); Pri.		LFP3301F			LFP3900	A267D		
	Oil	PH400 ^{275, 936}	500			(A7627); Sec.	Fuel	261F
		PH8A ^{936, 1496}	Sec.	Fuel	L274F		Oil	P2 ⁹³⁵
336BD			500				Oil	LP2264 ⁶⁵
	Oil	P2 ⁹³⁵	Sec.	Oil	P71	A301BD		
Sec.	Fuel	FP1127F	Sec.	Fuel	L274F	Sec.	Fuel	FP1127F
(A-58712); Pri.		LFP3301F	Sec.	Oil	P71	Pri.		LFP3301F
	Oil	PH400 ^{275, 936}	609			A146696	Oil	PH400 ²⁷⁵
		PH8A ^{936, 1496}	Sec.	Fuel	L274F	A146696		PH8A ¹⁴⁹⁶
336BDT			609			A301D		
	Oil	P2 ⁹³⁵	Sec.	Oil	P71	(A7627); Sec.	Fuel	261F
Sec.	Fuel	FP1127F					Oil	P2 ⁹³⁵

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 12-Optional 14-Extended Life 41-Cartridge 65-By-Pass 275-Primary 935-Requires use of Case A21473 gasket not supplied. 936-1970-on 937-Early Production 938-Late Production 1496-Alternate

B

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CASE (ENGINE DIESEL)			CASE (ENGINE GASOLINE)			CASE (ENGINE GASOLINE)		
A377			419			A377LPG (cont'd)		
Sec. (A58712); Pri.	Fuel	FP1127F LFP3301F		Oil	LP2264		Oil	PH725 ⁹⁴⁰
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶					Oil	PH400 ^{275, 936} PH8A ^{936, 1496}
A377D			600			G126		
Sec. (A58712); Pri.	Fuel	FP1127F LFP3301F		Oil	P71	A146696	Oil	PH400 ^{275, 939} PH400 ²⁷⁵
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	P71	A146696		PH8A ^{939, 1496} PH8A ¹⁴⁹⁶
A401D			A251G			G126B		
(A7627); Sec.	Fuel	261F		Oil	P2 ⁹³⁵ PH400 ^{275, 939}	A146696	Oil	PH400 ^{275, 939} PH400 ²⁷⁵
A146696	Oil	P119 PH400 ²⁷⁵ PH725 PH8A ¹⁴⁹⁶	A146696		PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	A146696		PH8A ^{939, 1496} PH8A ¹⁴⁹⁶
A146696			A146696		PH8A ^{939, 1496}	A146696		
A451D			A251LPG			G148		
(A7627); Sec.	Fuel	261F		Oil	P2 ⁹³⁵	A146696		PH400 ^{275, 939} PH400 ²⁷⁵
A20822	Oil	P119				A146696		PH8A ^{939, 1496} PH8A ¹⁴⁹⁶
A504BD			A251S			G148B		
S/N 2523871-; Sec. (A58712); S/N 2523871-; Pri. (A64453); S/N 2523871- (A62423); -S/N 2523871	Fuel	FP1127F LFP3301F		Oil	LP2264 ⁶⁵ P2 ⁹³⁵	A146696	Oil	PH400 ^{275, 939} PH400 ²⁷⁵
	Oil	PH24 PH444	A146696		P2 ⁹³⁵ PH400 ^{275, 939} PH400 ²⁷⁵ PH8A ¹⁴⁹⁶ PH8A ^{939, 1496}	A146696		PH8A ^{939, 1496} PH8A ¹⁴⁹⁶
A504BDT			A284G			G159		
S/N 2523871-; Sec. (A58712); S/N 2523871-; Pri. (A64453); S/N 2523871- (A62423); -S/N 2523871	Fuel	FP1127F LFP3301F		Oil	P2 ⁹³⁵ PH400 ^{275, 939} PH400 ²⁷⁵ PH8A ^{939, 1496} PH8A ¹⁴⁹⁶	A146696	Oil	PH400 ^{275, 939} PH400 ²⁷⁵ PH8A ^{939, 1496} PH8A ¹⁴⁹⁶
	Oil	PH24 PH444	A146696		PH8A ¹⁴⁹⁶	A146696		
A504D			A284LP			G159LPG		
(A7627); Sec.	Fuel	261F	A146696		P2 ⁹³⁵ PH400 ²⁷⁵	A146696	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
A20822	Oil	P119	A146696		PH400 ^{275, 939} PH8A ^{939, 1496} PH8A ¹⁴⁹⁶	A146696		
G188D			A284LPG			G164		
(A7627); Sec. (A39867); Sec. (A39868); Pri. (A37187); Sec. A146696 A146696	Fuel	261F FP862F FP863F L296F ⁴¹	A146696		P2 ⁹³⁵ PH400 ^{275, 939} PH400 ²⁷⁵ PH8A ^{939, 1496} PH8A ¹⁴⁹⁶		Oil	PH400 ^{275, 939} PH8A ^{939, 1496} PH8A ¹⁴⁹⁶
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	A146696		PH8A ¹⁴⁹⁶			
G207D			A377G			G188B		
(A7627); Sec. (A39867); Sec. (A39868); Pri. A146696 A146696	Fuel	261F FP862F FP863F		Oil	PH725 ⁹⁴⁰ P119 PH400 ^{275, 936} PH8A ^{936, 1496}	A146696	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶				A146696		
CASE (ENGINE GASOLINE)			A377LP			G201B		
251G				Oil	PH725	A146696	Oil	PH400 ^{275, 939} PH400 ²⁷⁵
	Oil	LP2264 ⁶⁵ P2 ⁹³⁵		Oil	P119	A146696		PH8A ^{939, 1496} PH8A ¹⁴⁹⁶
400				Oil	PH400 ^{275, 936} PH8A ^{936, 1496}	A146696		
	Oil	LP2264						
CATERPILLAR (ENGINE INDUSTRIAL)			A377LPG			3003		
				Oil	P119 ⁹⁴¹	1504142	Fuel	LFF6965
						1504140	Oil	LFP2253

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

41-Cartridge 65-By-Pass 275-Primary 935-Requires use of Case A21473 gasket not supplied. 936-1970-on 939-Later models 940-1964-69 941-1959-69 1496-Alternate



Engine Applications

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (ENGINE INDUSTRIAL)			CATERPILLAR (ENGINE INDUSTRIAL)			CATERPILLAR (ENGINE INDUSTRIAL)		
3011C			3054C			3116 (cont'd)		
2465011	Air	LAF6205 ²	(1106326); Opt.	Air	LAF4544 ²	(1R0750); Sec.	Fuel	LFF3347 ⁹⁴⁴
1504142	Fuel	LFF6965			LAF4544MXM ^{2, 12, 291}	(1R0751); Sec.		LFF4783 ^{20, 945}
2201523	Oil	PH2835						LFF9003 ¹²
3013			1106331		LAF4545 ^{1, 12}	1R0739	Oil	LFP3191
1504142	Fuel	LFF6965		Base	LMB6926 ⁹⁴³	3126		
1504140	Oil	LFP2253	(1006374); Pri.	Fuel	L3101F	(1174098); Pri.	Fuel	L8682F
3013C			(1005593); Sec.		L3102F	(1R0753); Sec.		LFF5322 ¹⁹
1504142	Fuel	LFF6965			LFF6925 ⁹⁴²	(1466695); W/S		LFF9011
2201523	Oil	PH2835	7W2326	Oil	LFP2292 ¹⁹	1R0739	Oil	LFP3191TRT ^{3, 29}
3014			7W2327		PH4403 ¹⁸			LFP3191XL ^{14, 29}
517951	Fuel	LFF3886	3054E			1R0716		LFP4005 ⁶⁴³
1504140	Oil	LFP2253	(1106326); Opt.	Air	LAF4544 ²			LFP4005TRT ³
3024					LAF4544MXM ^{2, 12, 291}			LFP4005XL ^{14, 643}
676269	Fuel	L296F ⁴¹	1106331		LAF4545 ^{1, 12}	3126B		
1504142		LFF6965		Base	LMB6926 ⁹⁴³	(1R0751); Sec.	Fuel	LFF4783 ²⁰
1504140	Oil	LFP2253	(1006374); Pri.	Fuel	L3101F	(1R0769); Pri.		LFF6771 ¹⁷¹
3024C			(1005593); Sec.		L3102F	(1335673); Pri.		LFF8707 ⁹⁴⁶
676269	Fuel	L296F ⁴¹			LFF6925 ⁹⁴²	1R0739	Oil	LFP3191TRT ^{3, 29}
1504142		LFF6965	7W2326	Oil	LFP2292 ¹⁹			LFP3191XL ^{14, 29}
1504140	Oil	LFP2253	7W2327		PH4403 ¹⁸	1R0716		LFP4005 ⁶⁴³
3034C			3056					LFP4005TRT ³
676269	Fuel	L296F ⁴¹	(1006374); Pri.	Fuel	L3101F	(1R0710); Sec.	Fuel	FP230F
1504142		LFF6965	(1005593); Sec.		L3102F	(9M2341); Pri.		L3531F
1504140	Oil	LFP2253	7W2326	Oil	LFP2292 ¹⁹	1R0734	Oil	LFP791
3034			7W2327		PH4403 ¹⁸	3150		
(1383100); Pri.	Fuel	L3101F	3056E			2N1990	Air	LAF506 ¹²
(1596102); Sec.		L3102F	(1383100); Pri.	Fuel	L3101F	(1R0710); Sec.	Fuel	FP230F
7W2327	Oil	PH4403	(1454501); Sec.		L3102F	(9M2341); Pri.		L3531F
3044C			1R0739	Oil	LFP3191	1R0734	Oil	LFP791
(1106326); Opt.	Air	LAF4544 ²	1R0739		LFP3191TRT ³	3160		
		LAF4544MXM ^{2, 12, 291}	7W2327		LFP3191XL ¹⁴	3N2896	Air	AF5HD ¹²
1106331		LAF4545 ^{1, 12}			PH4403	2N1990		LAF506 ¹²
(2339856); Sec.	Fuel	L6265F	3114			(1R0710); Sec.	Fuel	FP230F
1R0734	Oil	LFP791	8N4901	Air	LAF1963 ¹	(9M2341); Pri.		L3531F
3046			6I2499		LAF4499 ²	1R0734	Oil	LFP791
517951	Fuel	LFF3886			LAF4499MXM ^{2, 268}	3176		
1R0713	Oil	LFP5570	6I2500		LAF4500 ¹	(5M7650); Pri.	Fuel	L3531F
1R0734		LFP791	7W5389		LAF47 ²	8N0205		LFF1201
3054			(5M7650); Pri.	Fuel	L3531F	(1335673); Pri.		LFF8707
(1106326); Opt.	Air	LAF4544 ²	(1174089); Pri.		L8682F	1R0716	Oil	LFP4005
		LAF4544MXM ^{2, 12, 291}	(8N9803); W/S		LFF1131	(1W8845); By-Pass		LFP4005XL ¹⁴
1106331		LAF4545 ^{1, 12}	(1R0750); Sec.		LFF3347 ⁹⁴⁴			LFP777B
	Base	LMB6926 ⁹⁴³	(1R0751); Sec.		LFF4783 ⁹⁴⁵	3176B		
(1006374); Pri.	Fuel	L3101F	W/S		LFF8030 ¹²	8N0205	Fuel	LFF1201
(1005593); Sec.		L3102F			LFF9003 ¹²	(1R0749); Sec.		LFF2749 ²⁰
		LFF6925 ⁹⁴²	9N6007	Oil	LFP6007	(1R0712); Sec.		LFF5823B
7W2327	Oil	PH4403 ¹⁸	3116			(1335673); Pri.		LFF8707
3054B			8N4901	Air	LAF1963 ¹	1R0716	Oil	LFP4005
(1106326); Opt.	Air	LAF4544 ²	6I2499		LAF4499 ²	(1R0716); Sec.		LFP4005TRT ³
		LAF4544MXM ^{2, 12, 291}			LAF4499MXM ^{2, 268}			LFP4005XL ¹⁴
1106331		LAF4545 ^{1, 12}	6I2500		LAF4500 ¹	3176C		
	Base	LMB6926 ⁹⁴³	7W5389		LAF47 ²	6I2505	Air	LAF4504 ¹
(1006374); Pri.	Fuel	L3101F	(5M7650); Pri.	Fuel	L3531F	6I2506		LAF4506 ¹
(1005593); Sec.		L3102F	(1174089); Pri.		L8682F	(9M2342); Pri.	Fuel	L3531F
		LFF6925 ⁹⁴²						
7W2326	Oil	LFP2292 ¹⁹						
7W2327		PH4403 ¹⁸						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 18-Short 19-Long 20-High efficiency 29-1 1/8" Thread
 41-Cartridge 171-With Sensor Port 268-Extended/Severe service 291-Extended/Severe service 643-1 1/2" Thread 942-Used with LMB6926 conversion kit
 943-Spin-on conversion base 944-1"-14 Thread 945-7/8" Thread 946-3126E

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
3176C (cont'd)			3304 (cont'd)			3306B (cont'd)		
8N0205 (1R0749); Sec. (1335673); Pri. 1R0716	Fuel	LFF1201 ¹² LFF2749 ²⁰ LFF8707	4L9853 9S9972 (5M7650); Pri. (8N9803); W/S 8N0205 (1R0750); Sec. W/S	Air	LAF853 ¹² LAF9972 ¹ L3531F LFF1131 LFF1201 LFF3347 ²⁰ LFF8030 ¹² LFF9003 ¹² LFP440F	1R0739 1R0739	Oil	LFP3191 ²⁹ LFP3191TRT ^{3,29} LFP3191XL ^{14,29} LFP4005TRT ³ LFP4005XL ^{14,643}
(1W8845); By-Pass By-Pass	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B LFP777XL ¹⁴	(1R0711); Sec.			3406		
3196			1R0658 1R0658	Oil	LFP3191 ²⁹ LFP3191TRT ^{3,29} LFP3191XL ^{14,29} LFP4005XL ^{14,643}	4N0015 6N6444 1P7360 1P7716	Air	LAF15 ^{12,949} LAF1847 ¹ LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2,268} LAF8483 ² LAF8483MXM ^{2,268} LAF9085 ¹ LAF9086 ² LAF9086MXM ^{2,268} LAF9155 ² LAF9155MXM ^{2,268} LAF9159 ¹
8N0205 1R0749 (1335673); Pri. 1R0716	Fuel	LFF1201 ¹² LFF2749 ²⁰ LFF8707	3306			1P8483		LAF8483 ² LAF8483MXM ^{2,268} LAF9085 ¹ LAF9086 ² LAF9086MXM ^{2,268} LAF9155 ² LAF9155MXM ^{2,268} LAF9159 ¹
(1W8845); By-Pass	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B	2S5648 4M9334	Air	LAF268 ¹² LAF334 ² LAF334MXM ^{2,268} LAF335 ¹ LAF45 ² LAF46 ¹ LAF47 ² LAF48 ¹ LAF851 ¹² LAF852 ¹²	6N6065 6N6064		LAF9085 ¹ LAF9086 ² LAF9086MXM ^{2,268} LAF9155 ² LAF9155MXM ^{2,268} LAF9159 ¹
3204			4M9335 7M9045 7M9046 4M8047 2S1285 4L9851 4L9852		LAF268 ¹² LAF334 ² LAF334MXM ^{2,268} LAF335 ¹ LAF45 ² LAF46 ¹ LAF47 ² LAF48 ¹ LAF851 ¹² LAF852 ¹²	6N6071		LAF9155 ² LAF9155MXM ^{2,268} LAF9159 ¹
4N0313 4N0326 (5M7650); Pri. (1R0750); Sec. W/S	Air	LAF8549 ¹ LAF8550 ²	4M9335 7M9045 7M9046 4M8047 2S1285 4L9851 4L9852		LAF268 ¹² LAF334 ² LAF334MXM ^{2,268} LAF335 ¹ LAF45 ² LAF46 ¹ LAF47 ² LAF48 ¹ LAF851 ¹² LAF852 ¹²	6N6072		LAF9159 ¹
(1R0740); Sec.	Fuel	L3531F LFF3347 ²⁰ LFF8030 ¹² LFF9003 ^{12,275} LFP440F	4M9335 7M9045 7M9046 4M8047 2S1285 4L9851 4L9852		LAF268 ¹² LAF334 ² LAF334MXM ^{2,268} LAF335 ¹ LAF45 ² LAF46 ¹ LAF47 ² LAF48 ¹ LAF851 ¹² LAF852 ¹²	1W5518 9N3368	Coolant	LFW4073 ²⁵⁵ LFW4744 ⁴
9N6007	Oil	LFP6007	(5M7650); Pri. (8N9803); W/S 8N0205 (1R0749); Sec. (1R0750); Sec. W/S	Fuel	L3531F LFF1131 LFF1201 LFF2749 ^{19,20} LFF3347 ^{18,20} LFF8030 ¹² LFF9003 ¹² LFP440F	(5M7650); Pri. (1R0749); Sec. (1R0712); Sec.	Fuel	L3531F LFF2749 ²⁰ LFF5823B
3208			(1R0711); Sec.				Oil	LFP4005TRT ³
3N2896 7N1225 7W5317	Air	AF5HD ¹² LAF1801 ¹² LAF334 ² LAF334MXM ^{2,268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2,268} LAF4502 ¹ LAF506 ¹² LAF9972 ¹	1R0739 1R0739 1R0716	Oil	LFP3191 ²⁹ LFP3191TRT ^{3,29} LFP3191XL ^{14,29} LFP4005 ⁶⁴³ LFP4005TRT ³ LFP4005XL ^{14,643}	3406B		
251286 6I2501		L3531F LFF1131 LFF3347 ²⁰ LFF8030 ¹² LFF9003 ¹² LFP440F	(5M7650); Pri. (8N9803); W/S (1R0750); Sec. W/S			4N0015 6N6444 1P7360 1P7716	Air	LAF15 ^{12,949} LAF1847 ¹ LAF7360 ¹ LAF7716 ² LAF7716MXM ^{2,268} LAF8482 ¹ LAF8483 ² LAF8483MXM ^{2,268} LAF9085 ¹ LAF9086 ² LAF9086MXM ^{2,268} LAF9155 ² LAF9155MXM ^{2,268} LAF9159 ¹
6I2502 ZN1990 9S9972 (5M7650); Pri. (8N9803); W/S (1R0750); Sec. W/S	Fuel	L3531F LFF1131 LFF3347 ²⁰ LFF8030 ¹² LFF9003 ¹² LFP440F	(1R0711); Sec.			6N6072		LAF9159 ¹
(1R0711); Sec.	Oil	LFP5570 ¹⁷⁴ LFP6007 ¹⁷⁵	1R0713 1R0714			1W5518 9N3368	Coolant	LFW4073 ²⁵⁵ LFW4744 ⁴
3304			4M8047 4M8048 4L9851 (3S9606); Opt.			1W5518 9N3368		LFW4073 ²⁵⁵ LFW4744 ⁴
7W5317	Air	LAF334 ² LAF334MXM ^{2,268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2,268} LAF4502 ¹ LAF47 ² LAF48 ¹ LAF851 ¹² LAF8514	(5M7650); Pri. (8N9803); W/S 8N0205 (1R0749); Sec.	Fuel	L3531F LFF1131 LFF1201 LFF2749 ^{19,20} LFF9003 ¹² LFF9006 LFF906 LFP440F	(5M7650); Pri. (1R0749); Sec.	Fuel	L3531F LFF2749 ²⁰
2S1286 6I2501		LAF334 ² LAF334MXM ^{2,268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2,268} LAF4502 ¹ LAF47 ² LAF48 ¹ LAF851 ¹² LAF8514	(1290372); W/S (1290373); W/S (1R0711); Sec.			1R0716	Oil	LFP4005 LFP4005TRT ³
6I2502 4M8047 4M8048 4L9851 (3S9606); Opt.		LAF334 ² LAF334MXM ^{2,268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2,268} LAF4502 ¹ LAF47 ² LAF48 ¹ LAF851 ¹² LAF8514	(1R0749); Sec.			3406C		
3304			(1R0749); Sec.			(5M7650); Pri. (1R0749); Sec.	Fuel	L3531F LFF2749 ²⁰
7W5317	Air	LAF334 ² LAF334MXM ^{2,268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2,268} LAF4502 ¹ LAF47 ² LAF48 ¹ LAF851 ¹² LAF8514	(1290372); W/S (1290373); W/S (1R0711); Sec.			1R0716	Oil	LFP4005 LFP4005TRT ³
2S1286 6I2501		LAF334 ² LAF334MXM ^{2,268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2,268} LAF4502 ¹ LAF47 ² LAF48 ¹ LAF851 ¹² LAF8514	(1R0749); Sec.			3406E		
6I2502 4M8047 4M8048 4L9851 (3S9606); Opt.		LAF334 ² LAF334MXM ^{2,268} LAF335 ¹ LAF4501 ² LAF4501MXM ^{2,268} LAF4502 ¹ LAF47 ² LAF48 ¹ LAF851 ¹² LAF8514	(1R0749); Sec.			(5M7650); Pri. (1R0749); Sec.	Fuel	L3531F LFF2749 ²⁰

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 18-Short 19-Long 20-High efficiency 29-1 1/8" Thread 174-5" Hgt. 175-6" Tall 255-Contains 3 oz. of chemical 268-Extended/Severe service 275-Primary 643-1 1/2" Thread 949-Filter without foam wrap, For replacement foam blanket use [LAF15F].

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
3406E (cont'd)			3412C (cont'd)			3508B		
1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	6N6072	Air	LAF9155MXM ^{2, 268} LAF9159 ¹	8N6309	Air	LAF1826 ²
3408 Series			9N3368	Coolant	LFW4744 ⁴	8N-2555		LAF1826F ⁹⁵⁰
4N0015	Air	LAF15 ^{12, 949}	(5M7650); Pri.	Fuel	L3531F	8N2556		LAF3048 ^{1, 951}
6N6444		LAF1847 ¹	(1R0749); Sec.		LFF2749 ²⁰	4P0710		LAF5081 ²
1W2516		LAF2516 ²	(1R0712); Sec.		LFF5823B	4P0711	Fuel	LAF5082 ¹
		LAF2516MXM ^{2, 268}	(1335673); Pri.		LFF8707	(5M7650); Pri.		L3531F
1P8482		LAF8482 ¹	(1290372); W/S		LFF9006	(1R-0755); Sec.		LFF4102
1P8483		LAF8483 ²	(1290373); W/S		LFF906	(1R0756); Sec.		LFF871
		LAF8483MXM ^{2, 268}	1R0716	Oil	LFP4005	1R0716	Oil	LFP4005
		LAF9155 ²			LFP4005TRT ³			LFP4005TRT ³
		LAF9155MXM ^{2, 268}			LFP4005XL ¹⁴			LFP4005XL ¹⁴
		LAF9159 ¹	3412E			7N7500		LP2247
6N6072		LAF9159 ¹	4N0015	Air	LAF15 ¹²	3512		
1W5518	Coolant	LFW4073 ²⁵⁵	8N6309		LAF1826 ²	8N6309	Air	LAF1826 ²
(5M7650); Pri.	Fuel	L3531F	8N-2555		LAF1826F ⁹⁵⁰	6N6444		LAF1847 ¹
(1R0749); Sec.		LFF2749 ²⁰	6N6444		LAF1847 ¹	8N2556		LAF3048 ^{1, 951}
	Oil	LFP4005XL ¹⁴	6I2505		LAF4505 ²	(5M7650); Pri.	Fuel	L3531F
3412					LAF4505MXM ^{2, 268}	(1R-0755); Sec.		LFF4102
4N0015	Air	LAF15 ¹²	6I2506		LAF4506 ¹	(1R0718); Sec.		LFF870 ⁴¹
8N6309		LAF1826 ²	1P8482		LAF8482 ¹	1R0716	Oil	LFP4005
8N-2555		LAF1826F ⁹⁵⁰	1P8483		LAF8483 ²			LFP4005TRT ³
6N6444		LAF1847 ¹			LAF8483MXM ^{2, 268}	3512B		
6I2505		LAF4505 ²	6N6071		LAF9155 ²	8N6309	Air	LAF1826 ²
		LAF4505MXM ^{2, 268}			LAF9155MXM ^{2, 268}	8N-2555		LAF1826F ⁹⁵⁰
		LAF4506 ¹	6N6072		LAF9159 ¹	8N2556		LAF3048 ^{1, 951}
		LAF8482 ¹	9N3368	Coolant	LFW4744 ⁴	(5M7650); Pri.	Fuel	L3531F
		LAF8483 ²	(5M7650); Pri.	Fuel	L3531F	(1R-0755); Sec.		LFF4102
		LAF8483MXM ^{2, 268}	(1R0749); Sec.		LFF2749 ²⁰	(1R0756); Sec.		LFF871
		LAF9155 ²	(1R0712); Sec.		LFF5823B	1R0716	Oil	LFP4005
		LAF9155MXM ^{2, 268}	(1335673); Pri.		LFF8707			LFP4005TRT ³
		LAF9159 ¹	(1290372); W/S		LFF9006			LFP4005XL ¹⁴
		LAF9159 ¹	(1290373); W/S		LFF906	7N7500		LP2247
		LAF9159 ¹	1R0716	Oil	LFP4005	3512C		
9N3368	Coolant	LFW4744 ⁴			LFP4005TRT ³	4P0710	Air	LAF5081 ^{2, 952}
(5M7650); Pri.	Fuel	L3531F	3456			1R0749	Fuel	LFF2749 ²⁵
(1R0749); Sec.		LFF2749 ²⁰	(1R0749); Sec.	Fuel	LFF2749 ²⁰	(1335673); Pri.		LFF8707
(1R0712); Sec.		LFF5823B	(1335673); Pri.		LFF8707	(1335673); Pri.		LFF8707U ⁶⁸⁹
(1335673); Pri.		LFF8707	1R0716	Oil	LFP4005	1R1808	Oil	LFP4005RN ⁵⁹⁹
(1290372); W/S		LFF9006			LFP4005TRT ³			LFP4005TRT ³
(1290373); W/S		LFF906			LFP4005XL ¹⁴			LFP4005XL ¹⁴
1R0716	Oil	LFP4005			LFP4005XL ¹⁴	3516		
		LFP4005TRT ³	3508			8N6309	Air	LAF1826 ²
3412C			8N6309	Air	LAF1826 ^{2, 12}	8N-2555		LAF1826F ⁹⁵⁰
4N0015	Air	LAF15 ¹²	8N-2555		LAF1826F ⁹⁵⁰	8N2556		LAF3048 ^{1, 951}
8N6309		LAF1826 ²	8N2556		LAF3048 ^{1, 951}	4P0710		LAF5081 ²
8N-2555		LAF1826F ⁹⁵⁰	(5M7650); Pri.	Fuel	L3531F	4P0711		LAF5082 ¹
6N6444		LAF1847 ¹	(8N9803); W/S		LFF1131	(5M7650); Pri.	Fuel	L3531F
6I2505		LAF4505 ²	(1R-0755); Sec.		LFF4102	(1R-0755); Sec.		LFF4102
		LAF4505MXM ^{2, 268}	(1R0756); Sec.		LFF871	(1R0718); Sec.		LFF870 ⁴¹
		LAF4506 ¹	1R0716	Oil	LFP4005	1R0716	Oil	LFP4005
		LAF8482 ¹			LFP4005TRT ³			LFP4005TRT ³
		LAF8483 ²			LFP4005XL ¹⁴			LFP4005XL ¹⁴
		LAF8483MXM ^{2, 268}	7N7500		LP2247	3516B		
		LAF9155 ²				8N6309	Air	LAF1826 ²
3412C						8N-2555		LAF1826F ⁹⁵⁰
4N0015	Air	LAF15 ¹²						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 20-High efficiency 25-Engine mounted 41-Cartridge 255-Contains 3 oz. of chemical 268-Extended/Severe service 599-High capacity 689-Bowless 949-Filter without foam wrap, For replacement foam blanket use [LAF15F]. 950-Soot Blanket 951-Attached 952-Generator Set

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (ENGINE INDUSTRIAL)			CATERPILLAR (ENGINE INDUSTRIAL)			CATERPILLAR (ENGINE INDUSTRIAL)		
3516B (cont'd)			C12 (cont'd)			C18		
8N2556	Air	LAF3048 ^{1, 951}	6I2506	Air	LAF4505MXM ^{2, 268}	1063973	Air	LAF3884 ¹
4P0710		LAF5081 ²	9N3717	Coolant	LAF4506 ¹	6I2509		LAF4509 ²
4P0711		LAF5082 ¹	9N3368		LFW4071 ²⁸	6I2510		LAF4510 ¹
(5M7650); Pri.	Fuel	L3531F	(1R0749); Sec.	Fuel	LFW4744 ⁴	1063969		LAF5022 ²
(1R-0755); Sec.		LFF4102	(1R0762); Sec.		LFF2749 ²⁰	(2465009); Opt.		LAF5022MXM ^{2, 268}
(1R0756); Sec.		LFF871	(1R0716)	Oil	LFF5804	(2465010); Opt.		LAF5568 ^{2, 952}
2P4005	Oil	LFP4005	(1W8845); By-Pass		LFP4005	1517737		LAF5569 ^{1, 952}
		LFP4005TRT ³	By-Pass		LFP777B ¹²	1890202		LAF8765 ^{2, 952}
		LFP4005XL ¹⁴			LFP777XL ^{12, 14}	9N3717	Coolant	LFW4071 ²⁸
7N7500		LP2247	C13			C2.2		
3516C			(6I2505); Opt.	Air	LAF4505 ²	(9M2342); Pri.	Fuel	L3531F
1R0726	Oil	LP2247			LAF4505MXM ^{2, 268}	(1R0769); Pri.		LFF6771 ¹⁷¹
3606			(6I2506); Opt.		LAF4506 ¹	(1335637); Pri.		LFF8707
(1R-0725); Sec.	Fuel	L8716F	(1R0749); Sec.	Fuel	LFF2749 ²⁰	Pri.		LFF8707U ⁶⁸⁹
1W4136	Oil	LP3660	(1335673); Pri.		LFF8707 ¹²	(1290372); W/S		LFF9006
3612			1R0716	Oil	LFP4005	(1290373); W/S		LFF906
1W4136	Oil	LP3660			LFP4005TRT ³	1R0716	Oil	LFP4005
3616			By-Pass		LFP4005XL ¹⁴			LFP4005TRT ³
(1R-0725); Sec.	Fuel	L8716F			LFP777B	C2.4		
1W4136	Oil	LP3660	C15			676987	Fuel	L296F ⁴¹
403C15			2465009	Air	LAF5568 ²	2201523	Oil	PH2835
67-6987	Fuel	L296F ⁴¹	2465010		LAF5569 ¹	C2.4		
220-1523	Oil	PH2835	1517737		LAF8765 ^{2, 952}	1G-7206	Fuel	G800
C0.5			1890202		LAF8766 ^{1, 952}	1561200		L8706F
2667143	Oil	PH2840	(9M2342); Pri.	Fuel	L3531F	3830339	Oil	LFP2253
C0.7			(1R0769); Pri.		LFF6771 ¹⁷¹	C27		
2667143	Oil	PH2840	(1335673); Pri.		LFF8707U ⁶⁸⁹	9N3718	Coolant	LFW4072 ¹⁸²
C1.1			(1290372); W/S		LFF9006	1R0755	Fuel	LFF4102
246-5011	Air	LAF6205 ²	(1290373); W/S		LFF906	(1R0771); Pri.		LFF6771 ¹⁷¹
676987	Fuel	L296F ⁴¹	1R0716	Oil	LFP4005	(1335673); Pri.		LFF8707
150-4142		LFF6965	1R1808		LFP4005RN ⁵⁹⁹	(1335673); Pri.		LFF8707U ⁶⁸⁹
220-1523	Oil	PH2835			LFP4005TRT ³	1R0716	Oil	LFP4005
C1.5			C16			1R1808		LFP4005RN ⁵⁹⁹
1978561	Air	LAF8147	1063973	Air	LAF3884 ¹			LFP4005TRT ³
67-6987	Fuel	L296F ⁴¹	6I2509		LAF4509 ²	C3.3		
220-1523	Oil	PH2835	6I2510		LAF4510 ¹	7W-2327	Oil	PH4403
C1.6			1063969		LAF5022 ²	C3.4		
337854	Fuel	L296F ⁴¹	(2465009); Opt.		LAF5022MXM ^{2, 268}	(2339856); Sec.	Fuel	L6265F
2908029	Oil	PH2835	(2465010); Opt.		LAF5568 ^{2, 952}		Oil	LFP734
C1.7			1517737		LAF5569 ^{1, 952}	C32		
1561200	Fuel	L8706F	1890202		LAF8765 ^{2, 952}	9N-3367	Coolant	LFW2055 ⁹⁵³
3376969	Oil	LFP2253	9N3717	Coolant	LAF8766 ^{1, 952}	9N-3368		LFW4744 ⁴
C10			(9M2342); Pri.	Fuel	LFW4071 ²⁸	1R-0755	Fuel	LFF4102 ²⁰
6I2505	Air	LAF4505 ²	(1R0769); Pri.		L3531F	(1R-0769); Pri.		LFF6771 ¹⁷¹
		LAF4505MXM ^{2, 268}	(1335637); Pri.		LFF6771 ¹⁷¹	(1335673); Pri.		LFF8707
6I2506		LAF4506 ¹	Pri.		LFF8707	(1335673); Pri.		LFF8707U ⁶⁸⁹
9N3717	Coolant	LFW4071 ²⁸	(1290372); W/S		LFF8707U ⁶⁸⁹	1R-0716	Oil	LFP4005
9N3368		LFW4744 ⁴	(1290373); W/S		LFF9006	1R1808		LFP4005RN ⁵⁹⁹
2W4234	Fuel	LFF1201	1R0716	Oil	LFF906			LFP4005TRT ³
(1R0762); Sec.		LFF5804			LFP4005	1R-0716		LFP4005XL ¹⁴
1R0716	Oil	LFP4005	C175-16			C4.4		
(1W8845); By-Pass		LFP777B ¹²	1059741	Air	LAF5452	(110-6326); 8" Hsg.	Air	LAF4544 ²
By-Pass		LFP777XL ^{12, 14}	7W4103		LAF5452W	8 in.		LAF4544MXM ^{2, 268}
C12						(110-6331); 8 in.		LAF4545 ¹
6I2505	Air	LAF4505 ²						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 41-Cartridge 171-With Sensor Port 182-Contains 2 oz. of chemical 268-Extended/Severe service 599-High capacity 689-Bowless 951-Attached 952-Generator Set 953-Pre-Charge



Engine Applications

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (ENGINE INDUSTRIAL)			CATERPILLAR (ENGINE INDUSTRIAL)			CATERPILLAR (ENGINE INDUSTRIAL)		
<i>C4.4 (cont'd)</i>			<i>D315</i>			<i>D349</i>		
(123-2367); 7 in.	Air	LAF8148 ²	7B8264	Fuel	L3565F	6L4714	Air	LAF4714 ¹²
(123-2368); 7 in.		LAF9332 ¹	5S0484	Oil	LP161	1N8165		LAF9155 ^{2, 12}
	Base	LMB6926 ⁹⁴³			LP165 ⁶⁵			LAF9155MXM ^{2, 12, 291}
	Fuel	LFF6925 ⁹⁴²	<i>D318</i>			1N8164		LAF9159 ^{1, 12}
7W-2326	Oil	LFP2292		Air	LAF1012HD ¹²	(4H8792); Sec.	Fuel	364F
<i>C6.6</i>			7B8264	Fuel	L3565F	1R0659	Oil	LP161
269-8325	Oil	LFP2698	5S0484	Oil	LP161	<i>D353</i>		
<i>C7</i>					LP165 ⁶⁵	4L8466	Air	LAF1215HD ¹²
9N3718	Coolant	LFW4072 ¹⁸²	<i>D320</i>			5L1203		LAF203 ¹²
1R0751	Fuel	LFF4783 ^{20, 25}	(9H4729); Sec.	Fuel	364F	6L3313		LAF290A ¹²
W/S		LFF8020 ⁶⁸⁹	5S0484	Oil	LP161	6L4714		LAF4714 ¹²
(1986378); W/S		LFF9013	<i>D330</i>			1P8482		LAF8482 ¹
	Oil	LFP3191XL ¹⁴	4L9851	Air	LAF851 ¹²	1P8483		LAF8483 ²
1R1807		LFP3236	(9H4729); Sec.	Fuel	364F			LAF8483MXM ^{2, 268}
		LFP3236TRT ³	(8N9803); W/S		LFF1131	2M2626		LAF8514 ⁹⁵⁴
<i>C7.1</i>			W/S		LFF8030 ¹²	4L9853		LAF853 ¹²
2698325	Oil	LFP2698	(1R0711); Sec.		LFF9003 ¹²	(6H5932); Sec.	Fuel	364F
<i>C9</i>			5S0484	Oil	LP161	(9M2341); Pri.		L3531F
1327167	Air	LAF4509 ²	<i>D333</i>			W/S		LFF8030 ¹²
612510		LAF4510 ¹	4L9851	Air	LAF851 ¹²	(1R0711); Sec.		LFF9003 ¹²
9N3717	Coolant	LFW4071 ²⁸	4L9852		LAF852 ¹²	1R0716	Oil	LFP440F
9N3368		LFW4744 ⁴	(9H4729); Sec.	Fuel	364F			LFP4005
(1R0751); Sec.	Fuel	LFF4783 ²⁰	(8N9803); W/S		LFF1131			LFP4005TRT ³
(1335673); Pri.		LFF8707	W/S		LFF8030 ¹²			LFP4005XL ¹⁴
(1335673); Pri.		LFF8707U ⁶⁸⁹	(1R0711); Sec.		LFF9003 ¹²			LP163
1R1808	Oil	LFP4005RN ⁵⁹⁹	1R0659	Oil	LP161	<i>D353C</i>		
		LFP4005TRT ³	<i>D333C</i>			4L8466	Air	LAF1215HD ¹²
		LFP4005XL ¹⁴	4L9851	Air	LAF851 ¹²	5L1203		LAF203 ¹²
<i>C9.3</i>			4L9852		LAF852 ¹²	6L3313		LAF290A ¹²
1327167	Air	LAF4509 ²	(9H4729); Sec.	Fuel	364F	6L4714		LAF4714 ¹²
612510		LAF4510 ¹	(8N9803); W/S		LFF1131	1P8482		LAF8482 ¹
(1R0749); Sec.	Fuel	LFF2749 ²⁰	W/S		LFF8030 ¹²	1P8483		LAF8483 ²
(1R0750); Pri.		LFF3347	(1R0711); Sec.		LFF9003 ¹²			LAF8483MXM ^{2, 268}
(326-1643); Pri.		LFF6771 ¹⁷¹	5S0484	Oil	LFP440F	2M2626		LAF8514 ⁹⁵⁴
1R0716	Oil	LFP4005	(1R0711); Sec.		LFP440F	4L9853		LAF853 ¹²
1R1808		LFP4005RN ⁵⁹⁹	1R0659	Oil	LP161	(6H5932); Sec.	Fuel	364F
		LFP4005TRT ³	<i>D342</i>			(9M2341); Pri.		L3531F
		LFP4005XL ¹⁴	(6H5931); Sec.	Fuel	364F	W/S		LFF8030 ¹²
<i>CPT372</i>			5S0484	Oil	LP161	(1R0711); Sec.		LFF9003 ¹²
(1R0749); Sec.	Fuel	LFF2749 ²⁰	<i>D343</i>			1R0716	Oil	LFP440F
1R0716	Oil	LFP4005	4L9853	Air	LAF853 ¹²			LFP4005
		LFP4005TRT ³	(6H5932); Sec.	Fuel	364F			LFP4005TRT ³
		LFP4005XL ¹⁴	W/S		LFF8030 ¹²			LFP4005XL ¹⁴
<i>D13000</i>			(1R0711); Sec.		LFF9003 ¹²			LP163
4W4840	Oil	LP161	1R0721	Oil	LP163	<i>D353D</i>		
159150		LP165 ⁶⁵	<i>D346</i>			4L8466	Air	LAF1215HD ¹²
8B5935		LP1655	6L4714	Air	LAF4714 ¹²	5L1203		LAF203 ¹²
<i>D17000</i>			(4H8792); Sec.	Fuel	364F	6L3313		LAF290A ¹²
4W4840	Oil	LP161	1R0721	Oil	LP161	6L4714		LAF4714 ¹²
159150		LP165 ⁶⁵	<i>D348</i>			1P8482		LAF8482 ¹
8B5935		LP1655	6L4714	Air	LAF4714 ¹²	1P8483		LAF8483 ²
<i>D311</i>			(4H8792); Sec.	Fuel	364F			LAF8483MXM ^{2, 268}
7B8262	Fuel	L3565F	1R0721	Oil	LP163	2M2626		LAF8514 ⁹⁵⁴
5S0484	Oil	LP161	<i>D348</i>			4L9853		LAF853 ¹²
		LP165 ⁶⁵	6L4714	Air	LAF4714 ¹²			
			(4H8792); Sec.	Fuel	364F			
			1R0721	Oil	LP163			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 20-High efficiency 25-Engine mounted 28-Contains 1 oz. of chemical 65-By-Pass 171-With Sensor Port 182-Contains 2 oz. of chemical 268-Extended/Severe service 291-Extended/Severe service. 599-High capacity 689-Bowless 942-Used with LMB6926 conversion kit 943-Spin-on conversion base 954-10.5" O.D.

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
D353D (cont'd)			D399 (cont'd)			SCT673		
(6H5932); Sec. (9M2341); Pri. W/S	Fuel	364F L3531F LFF8030 ¹² LFF9003 ¹² LFP440F	1R0659 1R0721	Oil	LP161 LP163	(9M2342); Pri. (1R0749); Sec.	Fuel	L3531F LFF2749 ²⁰
(1R0711); Sec. 1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LP163	G3406 1P8482 7W5313	Air	LAF8482 ¹ LAF8483 ² LAF8483MXM ^{2, 268}	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
1R0721			1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	SPF343		
D353E			G3408			SPS342		
4L8466 5L1203 6L3313 6L4714 1P8482 1P8483	Air	LAF1215HD ¹² LAF203 ¹² LAF290A ¹² LAF4714 ¹² LAF8482 ¹ LAF8483 ² LAF8483MXM ^{2, 268}	6N6444 7W5313	Air	LAF1847 ¹ LAF8483 ² LAF8483MXM ^{2, 268}	(9M2342); Pri. (1R0749); Sec.	Fuel	L3531F LFF2749 ²⁰
2M2626 4L9853 (6H5932); Sec. (9M2341); Pri. W/S	Fuel	364F L3531F LFF8030 ¹² LFF9003 ¹² LFP440F	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
(1R0711); Sec. 1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LP163	G3412			SPS343		
1R0721			8N6309 8N-2555 4W5228 1R0749 1R0716	Air	LAF1826 ¹² LAF1826F ⁹⁵⁰ LAF5228 ^{2, 12}	1R0755 2P4005	Fuel	LFF4102 LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
D379			G3508			SPT342		
6L4714 4L9853 (5L7564); Sec.	Air	LAF4714 ¹² LAF853 ¹²	8N6309 8N-2555 4P2839	Air	LAF1826 ¹² LAF1826F ⁹⁵⁰	1R0755 2P4005	Fuel	LFF4102 LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
1R0659 1R0721	Oil	LP161 LP163	4P2839	Oil	LP2247	SPT343		
D379A			G3512			SUF557		
6L4714 4L9853 (5L7564); Sec.	Air	LAF4714 ¹² LAF853 ¹²	8N6309 8N-2555 7N7500	Air	LAF1826 ¹² LAF1826F ⁹⁵⁰	(1R0749); Sec. (1335673); Pri.	Fuel	LFF2749 ²⁰ LFF8707
1R0659 1R0721	Oil	LP161 LP163	7N7500	Oil	LP2247	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
D379B			G3516			CATERPILLAR (ENGINE NATURAL GAS)		
6L4714 4L9853 (5L7564); Sec.	Air	LAF4714 ¹² LAF853 ¹²	8N6309 8N-2555 6N6444 7W5313	Air	LAF1826 ¹² LAF1826F ⁹⁵⁰ LAF1847 ¹ LAF8483 ² LAF8483MXM ^{2, 268}	330		
1R0659 1R0721	Oil	LP161 LP163	7N7500	Oil	LP2247	9N3368 Coolant LFW4744 ⁴		
D398			G3612			3304		
5L1203 6L4714 4L9853 (5L7564); Sec.	Air	LAF203 ¹² LAF4714 ¹² LAF853 ¹²	105-9741 7W4103 179-1502	Air	LAF5452 LAF5452W	4L9852 9N3366 9N3368	Air	LAF852 ¹² LFW4074 ⁶²⁷ LFW4744 ⁴
1R0659 1R0721	Oil	LP161 LP163	179-1502	Oil	LP3660	1R0739 1R0739 1R0716	Oil	LFP3191 LFP3191TRT ³ LFP4005 ⁶⁴³ LFP4005TRT ³ LFP4005XL ¹⁴
D399			SBF214			3406		
6L4714 (5L7564); Sec.	Air	LAF4714 ¹²	(1R0749); Sec. (1335673); Pri. Pri.	Fuel	LFF2749 ²⁰ LFF8707 LFF8707U ⁶⁸⁹	1P8482 1R0716	Air	LAF8482 ¹ LFP4005 LFP4005XL ¹⁴
	Fuel	364F	1R0716	Oil	LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 20-High efficiency
 268-Extended/Severe service 627-5 oz. of chemical 643-1 1/2" Thread 689-Bowless 950-Soot Blanket 954-10.5" O.D.

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (ENGINE NATURAL GAS)			CATERPILLAR (ENGINE NATURAL GAS)			CATERPILLAR (ENGINE TRUCK)		
3408			G343			1693 Series		
6N6444	Air	LAF1847 ¹	4L9852	Air	LAF852 ¹²	9L3420	Air	LAF263HD ¹²
7W5313		LAF8483 ²	4L9853		LAF853 ¹²	4L9853		LAF853 ¹²
		LAF8483MXM ^{2, 268}	1R0721	Oil	LP163	(6H5932); Sec.	Fuel	364F
1R0716	Oil	LFP4005	G349			(9M2342); Opt.		L3531F
		LFP4005TRT ³	4L9852	Air	LAF852 ¹²	(1R0711); Sec.		LFP440F
		LFP4005XL ¹⁴	5S0484	Oil	LP161	1R0740	Oil	LFP4005
3412			G353					LFP4005TRT ³
8N5313	Air	LAF8483 ²	(4L9853); S/N 64B1-	Air	LAF853 ¹²	1R0721		LFP4005XL ¹⁴
	Oil	LFP4005XL ¹⁴	1R0721	Oil	LP163			LP163
3512			G353D			3054		
8N-2555	Air	LAF1826F ⁹⁵⁰	(4L9853); S/N 64B1-	Air	LAF853 ¹²	676987	Fuel	L296F ⁴¹
8N5313		LAF8483 ²	1R0721	Oil	LP163	7W2326	Oil	LFP2292 ¹⁹
		LAF8483MXM ^{2, 268}	G379			3100 Series		
7N7500	Oil	LP2247	(7M7727); Opt.	Air	LAF7727	(1R0710); Sec.	Fuel	FP230F
3516			4L9853		LAF853 ¹²	9L9200	Oil	LFP791
6N6444	Air	LAF1847 ¹	5S0484	Oil	LP161	3114		
8N5313		LAF8483 ²	1R0721		LP163	6I4783	Fuel	LFF4783 ²⁰
		LAF8483MXM ^{2, 268}	G398			1R0739	Oil	LFP3191
7N7500	Oil	LP2247	5L1203	Air	LAF203 ¹²	1R0739		LFP3191TRT ³
3612			6L4714		LAF4714 ¹²			LFP3191XL ¹⁴
8N6309	Air	LAF1826 ²	(7M7727); Opt.		LAF7727	3116		
8N-2555		LAF1826F ⁹⁵⁰	4L9853		LAF853 ¹²	9N6123	Coolant	LFW4744 ⁴
6N6444		LAF1847 ¹	5S0484	Oil	LP161	(8N9803); W/S	Fuel	LFF1131
8N5313		LAF8483 ²	1R0721		LP163	(1R-0750); Sec.		LFF3347 ^{20, 944}
		LAF8483MXM ^{2, 268}	G399			W/S		LFF8030 ¹²
7N7500	Oil	LP2247	5L1203	Air	LAF203 ¹²	(1R0740); Sec.		LFP440F
4800			6L4714		LAF4714 ¹²	1R0739	Oil	LFP3191TRT ³
1R0729	Oil	LP165	5S0484	Oil	LP161			LFP3191XL ¹⁴
C10			1R0721		LP163	3126		
	Oil	LFP4005TRT ³	CATERPILLAR (ENGINE TRUCK)			(9M2342); Pri.	Fuel	L3531F
		LFP4005XL ¹⁴	1100 Series			(1R0751); Sec.		LFF4783 ^{18, 20}
C12			(1R0710); Sec.	Fuel	FP230F	(1335673); Pri.		LFF8707 ⁹⁴⁶
	Oil	LFP4005TRT ³	1R0734	Oil	LFP791	(1986378); W/S		LFF9013
G3306			1673 Series			1R0739	Oil	LFP3191 ²⁹
4L9852	Air	LAF852 ¹²	4M9334	Air	LAF334 ^{2, 12}	3126B		
9N3366	Coolant	LFW4074 ⁶²⁷	Opt.		LAF334MXM ^{2, 268}	(9M2342); Pri.	Fuel	L3531F
9N3368		LFW4744 ⁴	(4L9852); S/N 1L		LAF852 ¹²	(1466695); W/S		LFF9011 ¹²
1R0739	Oil	LFP3191	(9H4729); Sec.	Fuel	364F	(1986378); W/S		LFF9013
1R0739		LFP3191TRT ³	(9M2342); Pri.		L3531F	1R0739	Oil	LFP3191 ²⁹
		LFP3191XL ¹⁴	(6N7617); W/S		LFF1131 ¹²	3126E		
1R0716	Oil	LFP4005	(1R0740); Sec.		LFP440F	(9M2342); Pri.	Fuel	L3531F
		LFP4005TRT ³	(5S0484); S/N 1L,	Oil	LP161	(1R0751); Sec.		LFF4783 ²⁰
		LFP4005XL ¹⁴	69D, 76R		LP163	W/S		LFF8020 ^{244, 689}
G333 Series			1R0721		LP163	(1335673); Pri.		LFF8707 ⁹⁴⁶
4L9851	Air	LAF851 ¹²	1674 Series			(1466695); W/S		LFF9011
4L9852		LAF852 ¹²	4M9334	Air	LAF334 ^{2, 12}	(1986378); W/S		LFF9013
5S0484	Oil	LP161	Opt.		LAF334MXM ^{2, 268}	1R0739	Oil	LFP3191 ²⁹
G342			4L9853		LAF853 ¹²	3126E		
4L9853	Air	LAF853 ¹²	(1R0740); Sec.	Fuel	LFP440F	(9M2342); Pri.	Fuel	L3531F
5S0484	Oil	LP161	5S0484	Oil	LP161	(1R0751); Sec.		LFF4783 ²⁰
G342F			1676 Series			W/S		LFF8020 ^{244, 689}
4L9853	Air	LAF853 ¹²	4L9853	Air	LAF853 ¹²	(1335673); Pri.		LFF8707 ⁹⁴⁶
5S0484	Oil	LP161	(9M2342); Opt.		L3531F	(1466695); W/S		LFF9011
G342F			(1R0740); Sec.		LFP440F	(1986378); W/S		LFF9013
4L9853	Air	LAF853 ¹²	1R0721	Oil	LP163	1R0739	Oil	LFP3191
5S0484	Oil	LP161	CATERPILLAR (ENGINE TRUCK)			1R0739		LFP3191TRT ³
			1674 Series					LFP3191XL ¹⁴
			1676 Series			3176		
			4L9853	Air	LAF853 ¹²	7W5317	Air	LAF334 ^{2, 12}
			(9M2342); Opt.		L3531F	Opt.		LAF334MXM ^{2, 268}
			(1R0740); Sec.		LFP440F	959972		LAF9972 ^{1, 12}
			1R0721	Oil	LP163	(1R0749); Sec.	Fuel	LFF2749 ²⁰
			CATERPILLAR (ENGINE TRUCK)			(1R0712); Sec.		LFF5823B
			1674 Series				Oil	LFP4005TRT ³
			1676 Series					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 18-Short 19-Long 20-High efficiency 29-1 1/8" Thread 41-Cartridge 244-Secondary 268-Extended/Severe service 627-5 oz. of chemical 689-Bowless 944-1"-14 Thread 946-3126E 950-Soot Blanket

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CATERPILLAR (ENGINE TRUCK)			CATERPILLAR (ENGINE TRUCK)			CHRYSLER (ENGINE INDUSTRIAL)		
<i>3176 (cont'd)</i>			<i>3408 Series (cont'd)</i>			<i>361-4 (cont'd)</i>		
By-Pass	Oil	LFP777XL ¹⁴		Oil	LFP8469 ⁸⁷⁰	1679479	Oil	P92
<i>3176B</i>			<i>C10</i>			<i>413-2</i>		
(9M2342); Pri. 1R0749	Fuel	L3531F LFF2749 ²⁰	(9M2341); Pri. (1R0749); Sec. (1335673); Pri.	Fuel	L3531F LFF2749 ²⁰ LFF8707		Fuel	G6
(1W8845); By-Pass	Oil	LFP777B LFP777XL ¹⁴		Oil	LFP8469 ⁸⁷⁰	(2129023); By-Pass 1679479	Oil	P4 P92
By-Pass						<i>413-3</i>		
<i>3208 Series</i>			<i>C11</i>				Fuel	G6
(9M-2341); Pri. (6N7617); W/S (1R0750); Sec. W/S	Fuel	L3531F LFF1131 LFF3347 ²⁰ LFF8030 ¹² LFF9003 ¹² LFP440F	(9M2342); Pri. (1R0749); Sec. (1335673); Pri. 1R0716	Fuel	L3531F LFF2749 ²⁰ LFF8707 ¹²	(2129023); By-Pass 1679479	Oil	P4 P92
(1R0740); Sec. 1R0713 (1R0714); w/o Turbo (1R0734); S/N 3241-5335	Oil	LFP5570 LFP6007 ⁹⁴⁷ LFP791	By-Pass		LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴ LFP777B	<i>712-162</i>		
<i>3306B</i>			<i>C12</i>			<i>712-176</i>		
4M9334	Air	LAF334 ^{2, 12} LAF334MXM ^{2, 268}	(9M9341); Pri. 8N0205 (1752949); W/S (1335673); Pri.	Fuel	L3531F LFF1201 LFF8030 LFF8707 ¹²	(2128752); By-Pass 1679479	Oil	P4 P92
Opt. (6N7617); W/S (1R0750); Sec. W/S	Fuel	LFF1131 LFF3347 ^{18, 20} LFF8030 ¹²		Oil	LFP4005XL ¹⁴ LFP8469 ⁸⁷⁰	<i>H170</i>		
(1R0739); S/N 63Z1-18734 (1R0739); S/N 63Z1-18734 S/N 6321-18734 1R0716	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP4005 ⁶⁴³ LFP4005XL ¹⁴ LP161				<i>H170, HB170, HB246, HB361, HB383 Gasoline</i>		
(5S-0484); S/N 69D							Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>3406</i>			<i>C13</i>			<i>H225</i>		
4L9853	Air	LAF853 ¹²	(9M2342); Pri.	Fuel	L3531F	2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
(9M2341); Pri.	Fuel	L3531F				<i>H318</i>		
	Oil	LFP8469 ⁸⁷⁰				2129023 1679479 1679479	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>3406B</i>			<i>C15</i>			<i>H318, HB318, HC318, HT318 Gasoline</i>		
4L9853	Air	LAF853 ¹²	(1R0749); Sec. (1752949); W/S (1335673); Pri.	Fuel	LFF2749 ²⁰ LFF8030 LFF8707		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
(1R0712); Sec.	Fuel	LFF5823B		Oil	LFP4005XL ¹⁴ LFP8469 ⁸⁷⁰	<i>H361</i>		
1R0716	Oil	LFP4005 LFP4005XL ¹⁴ LFP8469 ⁸⁷⁰				2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>3406C</i>			<i>C16</i>			<i>H383</i>		
4L9853	Air	LAF853 ¹²	(1R0749); Sec. (1752949); W/S	Fuel	LFF2749 ²⁰ LFF8030	2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
9N3368	Coolant	LFW4744 ⁴		Oil	LFP4005XL ¹⁴ LFP8469 ⁸⁷⁰	<i>H413</i>		
(1R0712); Sec.	Fuel	LFF5823B				2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Oil	LFP4005XL ¹⁴ LFP8469 ⁸⁷⁰				<i>H426</i>		
<i>3406E</i>			<i>C17</i>			<i>H440</i>		
9N3368	Coolant	LFW4744 ⁴	9N-6123	Coolant	LFW4074 ⁹⁵³	2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Oil	LFP8469 ⁸⁷⁰	1R0739	Oil	LFP3191	<i>HA225</i>		
<i>3408 Series</i>			1R0739	Oil	LFP3191TRT ³	2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
5L1203	Air	LAF203 ¹²	<i>C9</i>			<i>H440</i>		
9N3368	Coolant	LFW4744 ⁴	1R0751	Fuel	LFF4783 ²⁰ LFF8030	2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
(1R0712); Sec.	Fuel	LFF5823B	(1752949); W/S			<i>H440</i>		
1R0716	Oil	LFP4005 LFP4005TRT ³	1R0716	Oil	LFP4005	<i>H440</i>		
			CHRYSLER (ENGINE INDUSTRIAL)					
			<i>225</i>					
			2129023			Oil P76		
			<i>318-3</i>					
						Fuel G6		
						Oil P76		
			<i>361-4</i>					
						Fuel G6		
			(2129023); By-Pass			Oil P4		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 18-Short 20-High efficiency 268-Extended/Severe service 275-Primary 643-1 1/2" Thread 870-4.65" O.D. 947-02Z Engine 953-Pre-Charge 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CHRYSLER (ENGINE INDUSTRIAL)			CHRYSLER (ENGINE INDUSTRIAL)			CHRYSLER (ENGINE INDUSTRIAL)		
<i>HA225 (cont'd)</i>			<i>HC426</i>			<i>IND30</i>		
	Oil	PH8A ¹⁴⁹⁶	2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	1140836 (1821552); By-Pass	Oil	LP38 P7FF
<i>HA273</i>			<i>HT318</i>			<i>IND31</i>		
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	2129023	Oil	P76	1140836 (1821552); By-Pass	Oil	LP38 P7FF
<i>HB170</i>			<i>HT361</i>			<i>IND32</i>		
	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	P92	1140836 (1821552); By-Pass	Oil	LP38 P7FF
<i>HB225</i>			<i>HT413</i>			<i>IND32A</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	1140836 (1821552); By-Pass	Oil	LP38 P7FF
<i>HB318</i>			<i>IND12</i>			<i>IND33</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵	1140836 (1821552); By-Pass	Oil	LP38 P7FF
<i>HB361</i>			<i>IND12A</i>			<i>IND34</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵	1610435	Oil	LP38
<i>HB361, HB383, HC361, HT361 Natural & LP Gas</i>			<i>IND13</i>			<i>IND36</i>		
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Fuel	G6	1610435	Oil	LP38
<i>HB383</i>			<i>IND13A</i>			<i>IND5</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P90 ⁹⁵⁶	1821552	Oil	P7FF
<i>HB413</i>			<i>IND14</i>			<i>IND52</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P90 ⁹⁵⁶	1610435 (1821552); By-Pass	Oil	LP38 ⁹⁵⁵ P7FF
<i>HB426</i>			<i>IND14A</i>			<i>IND53</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P90 ⁹⁵⁶	1610435 (1821552); By-Pass	Oil	LP38 ⁹⁵⁵ P7FF
<i>HC170</i>			<i>IND15</i>			<i>IND54</i>		
	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Fuel	G6	1610435 (1821552); By-Pass	Oil	LP38 ⁹⁵⁵ P7FF
<i>HC225</i>			<i>IND15A</i>			<i>IND56</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P90 ⁹⁵⁶	1610435	Oil	LP38
<i>HC318</i>			<i>IND16</i>			<i>IND56A</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P7FF ⁹⁵⁷	1610435	Oil	LP38
<i>HC361</i>			<i>IND16A</i>			<i>IND5A</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P7FF ⁹⁵⁷	1821552	Oil	P7FF
1679479		PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P7FF ⁹⁵⁷	1821552	Oil	P7FF
1679479		PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P7FF ⁹⁵⁷	1821552	Oil	P7FF
<i>HC413</i>			<i>IND18</i>			<i>IND6</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P7FF ⁹⁵⁷	1821552	Oil	P7FF
<i>HC426</i>			<i>IND18A</i>			<i>IND6A</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P7FF ⁹⁵⁷	1821552	Oil	P7FF
<i>HC431</i>			<i>IND19A</i>			<i>IND7</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P7FF ⁹⁵⁷	1821552	Oil	P7FF
<i>HC4361</i>			<i>IND20</i>			<i>IND7A</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P7FF ⁹⁵⁷	1140836 1821552	Oil	LP38 ¹² P7FF
1679479		PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P7FF ⁹⁵⁷	1821552	Oil	P7FF
1679479		PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P7FF ⁹⁵⁷	1821552	Oil	P7FF
<i>HC4361</i>			<i>IND21</i>			<i>IND8</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P7FF ⁹⁵⁷	By-Pass	Oil	LP38 ⁹⁵⁵ P7FF ⁹⁵⁷
1679479		PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P7FF ⁹⁵⁷	By-Pass	Oil	LP38 ⁹⁵⁵ P7FF ⁹⁵⁷
1679479		PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P7FF ⁹⁵⁷	By-Pass	Oil	LP38 ⁹⁵⁵ P7FF ⁹⁵⁷
<i>HC4361</i>			<i>IND22</i>			<i>IND8A</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP38 ⁹⁵⁵ P7FF ⁹⁵⁷	1140836 1821552	Oil	LP38 ¹² P7FF
<i>HC4361</i>			<i>IND24</i>			<i>IND908A</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP38	925809	Oil	P71
<i>HC4361</i>			<i>IND24</i>			<i>IND931</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP38	921178	Oil	P70
<i>HC4361</i>			<i>IND24</i>			<i>IND933</i>		
2129023	Oil	P76 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP38	2129023	Oil	LP38 ⁹⁵⁵

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

12-Optional 275-Primary 955-Purolator P800 Housing 956-By-Pass Purolator P900 Housing 957-Purolator P700 Housing 1496-Alternate

C

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CHRYSLER (ENGINE INDUSTRIAL)			CLARK (ENGINE)			CONTINENTAL TELEDYNE (ENGINE DIESEL)		
<i>LH318</i>			<i>RA Gasoline Eng.</i>					
2129023	Oil	P76		Oil	P4	<i>JD382</i>		
<i>Models with Donaldson Air Cleaner</i>			CONTINENTAL TELEDYNE (ENGINE DIESEL)			Sec. Fuel 261F		
P101240	Air	LAF241HD ¹²				Pri. L3570F		
(P101243); Opt.		LAF5255				JD382L2160 Oil LP132		
<i>Models with Purolator Lube Hsg.</i>			<i>4W1770</i>			<i>JD403</i>		
By-Pass	Oil	LP38 ⁹⁵⁵	LO-177	Air	LAF1275 ^{2, 12}	Sec. Fuel 261F		
		P7FF ⁹⁵⁷	(RV52); By-Pass	Oil	LFP2271	JD382L2160 Oil LP132		
		P90 ⁹⁵⁶	RV51		LP2278 ⁹⁵⁸	<i>LD478</i>		
CHRYSLER (ENGINE)			<i>ED201</i>					
<i>6-251</i>			Sec. Fuel 261F					
	Oil	PH400 ²⁷⁵	ED201L4010	Oil	P4	<i>LDS478</i>		
		PH8A ¹⁴⁹⁶	<i>ED208</i>			Oil P71		
<i>6-251-1</i>			Sec. Fuel 261F			<i>RD572</i>		
	Oil	PH400 ²⁷⁵	ED201L4010	Oil	P4	Oil P71		
		PH8A ¹⁴⁹⁶	<i>ED223</i>			<i>RD600</i>		
<i>6-251-2</i>			Sec. Fuel 261F			(RD6F5060); Sec. Fuel 262F		
	Oil	PH400 ²⁷⁵	ED201L4010	Oil	P4	RD6L5030 Oil P71		
		PH8A ¹⁴⁹⁶	<i>GD</i>			<i>RD6572</i>		
<i>6-251-3</i>			Sec. Fuel 261F			Oil P71		
	Oil	PH400 ²⁷⁵	In-Line		FP953F ²⁴⁴	<i>SD6802</i>		
		PH8A ¹⁴⁹⁶	Pri.		L3570F	Sec. Fuel 262F		
<i>V8-273A</i>			GD157L200	Oil	P4	(SD802F3030); Pri. L3570F		
	Oil	PH400 ²⁷⁵	TD600L4000		P71	<i>SD802</i>		
		PH8A ¹⁴⁹⁶	<i>GD157</i>			Sec. Fuel 262F		
<i>V8-360 5.9L</i>			In-Line			(SD802F3030); Pri. L3570F		
	Oil	PH253 ¹⁴⁹⁶	Pri.		FP953F ²⁴⁴	<i>TD427</i>		
		PH2835 ²⁷⁵	GD157L200	Oil	P4	TD427F432 Air LAF1246 ¹²		
	Oil	PH400 ²⁷⁵	TD600L4000		P71	Sec. Fuel 261F		
		PH8A ¹⁴⁹⁶	<i>GD193</i>			In-Line FP953F ²⁴⁴		
<i>V8-360-1</i>			Sec. Fuel G22077			Pri. L3570F		
	Oil	PH400 ²⁷⁵	(GD193F305); Pri.		L3564F	Oil P71		
		PH8A ¹⁴⁹⁶	GD193L302	Oil	P4	<i>TD600</i>		
<i>V8-360-3</i>			<i>HD</i>			Sec. Fuel 262F		
	Oil	PH400 ²⁷⁵	Sec.		261F	TD600L5010 Fuel L43F		
		PH8A ¹⁴⁹⁶	In-Line		FP953F ²⁴⁴	<i>TD6427</i>		
<i>V8-383</i>			(SD802F3030); Pri.			TD427F432 Air LAF1246 ¹²		
	Oil	PH400 ²⁷⁵	GD157L200	Oil	P4	Sec. Fuel 261F		
		PH8A ¹⁴⁹⁶	TD600L4000		P71	In-Line FP953F ²⁴⁴		
<i>V8-400</i>			<i>HD243</i>			Pri. L3570F		
	Oil	PH400 ²⁷⁵	Sec.		261F	Oil P71		
		PH8A ¹⁴⁹⁶	In-Line		FP953F ²⁴⁴	<i>TMD13</i>		
<i>V8-413</i>			Pri.			Oil PH400 ²⁷⁵		
	Oil	PH400 ²⁷⁵	Sec.		261F	PH8A ¹⁴⁹⁶		
		PH8A ¹⁴⁹⁶	In-Line		FP953F ²⁴⁴	<i>TMD20</i>		
<i>V8-440</i>			Pri.			Oil PH400 ²⁷⁵		
	Oil	PH400 ²⁷⁵	(HD260F4190); Sec.		261F	PH8A ¹⁴⁹⁶		
		PH8A ¹⁴⁹⁶	In-Line		FP953F ²⁴⁴	<i>TMD27</i>		
<i>V8-440-1</i>			Pri.			Fuel L296F ⁴¹		
	Oil	PH400 ²⁷⁵	GD157L200	Oil	P4	Oil PH400 ²⁷⁵		
		PH8A ¹⁴⁹⁶	TD600L5010		P71	PH8A ¹⁴⁹⁶		
<i>V8-440-3</i>			<i>HD277</i>			Oil LFF1006		
	Oil	PH400 ²⁷⁵	Sec.		261F	Oil PH400 ²⁷⁵		
		PH8A ¹⁴⁹⁶	In-Line		FP953F ²⁴⁴	PH8A ¹⁴⁹⁶		
<i>V8-5.7L HEMI MAGNUM</i>			Pri.			Oil LP132		
	Oil	PH253 ¹⁴⁹⁶	Sec.		261F	<i>VD603</i>		
		PH2835 ²⁷⁵	JD382L2160	Oil	LP132	Oil P71		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 12-Optional 41-Cartridge 244-Secondary 275-Primary 955-Purolator P800 Housing 956-By-Pass Purolator P900 Housing 957-Purolator P700 Housing 958-13/16" Thread 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CONTINENTAL TELEDYNE (ENGINE DIESEL)			CONTINENTAL TELEDYNE (ENGINE GASOLINE)			CONTINENTAL TELEDYNE (ENGINE GASOLINE)		
VD8603	Oil	P71	F227 (cont'd)			J403		
			TD600L4000	Oil	P71		Oil	LP132
ZD129			F244			K6227		
RD6F453	Air	AF5HD ¹²		Oil	P71		Oil	P71
	Oil	P3	F245			K6290		
ZD129F				Oil	P71		Oil	P71
RD6F453	Air	AF5HD ¹²	F4124			K6330		
	Fuel	L43F	(F600L4340); By-Pass	Oil	PB50 ⁹⁵⁹		Oil	P71
ZD144			F4140			K6363		
	Oil	P3	(F600L4340); By-Pass	Oil	PB50 ⁹⁵⁹		Oil	P71
CONTINENTAL TELEDYNE (ENGINE GASOLINE)			F4162			L478		
			(F600L4340); By-Pass	Oil	PB50 ⁹⁵⁹		Oil	P71
B371			F4163			L6478		
	Oil	P71	(F600L4340); By-Pass	Oil	PB50 ⁹⁵⁹		Oil	P71
B427			F4262			M271		
	Oil	P71	(F600L4340); By-Pass	Oil	PB50 ⁹⁵⁹		Oil	P71
B600			F600			M290		
	Oil	P71	F600F431	Air	AF101 ¹²		Oil	P71
B6371			F6186			M330		
	Oil	P71	By-Pass	Oil	P3 PB50		Oil	P71
B6427			F6209			M6271		
	Oil	P71		Oil	P4		Oil	P71
B672			F6226			M6290		
	Oil	P71		Oil	P4		Oil	P71
E201			F6227			M6330		
	Oil	P4		Oil	P71		Oil	P71
E208			F6244			M6363		
	Oil	P4		Oil	P71		Oil	P71
E223			F6245			N4062		
	Oil	P4		Oil	P71		Oil	P3
F124			FO6226			N56		
	Oil	P3 PB50		Oil	P4		Oil	P3
By-Pass			FO6245			N62		
F135				Oil	P71		Oil	P3
F140L225	Oil	P3	G134			R14		
GD157L200		P4		Oil	P4	R688L00300	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
F140			G157			R513		
	Oil	P3 PB50		Oil	P4	R600L444	Oil	P71
By-Pass			G193			R572		
F162				Oil	P3	R600L444	Oil	P71
	Oil	P3 PB50	G234			R600		
By-Pass				Oil	P4	R600L444	Oil	P71
F163			G257			R602		
	Oil	P3 PB50		Oil	P4	R600L444	Oil	P71
By-Pass			G4193			R6513		
F186				Oil	P3 PB50 ⁹⁵⁹	R600L444	Oil	P71
	Oil	P3 PB50	(F600L4340); By-Pass			R6572		
By-Pass			H227			R600L444	Oil	P71
F209				Oil	P71	R6602		
	Oil	P4	H243			R600L444	Oil	P71
F226				Oil	P71	S280		
GD157L200	Oil	P4	H260				Oil	P71
TD600L4000		P71		Oil	P71	S6749		
F227			J382				Oil	P71
GD157L200	Oil	P4		Oil	LP132			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

12-Optional 275-Primary 959-On models with triangular base bracket, make certain that mounting bolts do not contact filter 1496-Alternate



Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CONTINENTAL TELEDYNE (ENGINE GASOLINE)			CUMMINS (ENGINE INDUSTRIAL)			CUMMINS (ENGINE INDUSTRIAL)		
			<i>B4.5, B4.5T</i>			<i>QSC Tier 4</i>		
S6820				Fuel	L3523F	W/S	Fuel	LFF1065 ²¹⁰
	Oil	P71			LFF3521	W/S		LFF9732
S749			W/S		LFF9608		Oil	LFP3000
	Oil	P71	W/S		LFF9616 ²¹⁰			LFP3000XL ¹⁴
S820				Oil	LFP3900	<i>QSC8.3L</i>		
	Oil	P71	<i>ISB 5.9L 24 Valve 1998-on</i>				Coolant	LFW4071 ²⁸
T371			W/S	Fuel	LFF1003 ²⁰⁹		Fuel	LFF1022
T371L5000	Oil	P71	W/S	Fuel	L1261F		Oil	LFP3000
T6371			W/S		LFF9519			LFP3000XL ¹⁴
T371L5000	Oil	P71		Oil	LFP3970	<i>QSF2.8 Final Tier 4</i>		
TM13			<i>ISBE 3.9L</i>			(3973233); W/S	Fuel	LFF9732
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Fuel	LFF5485	<i>QSK19 Tier 3</i>		
				Oil	LFP6015		Fuel	LFF5644
TM20			<i>ISC 8.3L 24 Valve 1998-on</i>				Oil	LFP9001 ²⁵⁰
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	W/S	Fuel	LFF9519			LFP9001TRT ³
				Oil	LFP3000			LFP9001XL ^{14, 250}
TM27					LFP3000XL ¹⁴	<i>QSK30</i>		
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>KT-1150, KTA-1150, KTA19-C/L</i>			Pri.	Fuel	LFF202
				Coolant	LFW4071 ²⁸			LFF5740 ²⁰
U501			Pri.	Fuel	LFF5D		Oil	LFP670
U501L5000	Oil	P71	W/S		LFF8020			LFP670XL ¹⁴
U6501			W/S		LFF90011	By-Pass		LFP777B
U501L5000	Oil	P71		Oil	LFP670	By-Pass		LFP777XL ¹⁴
V603					LFP670XL ¹⁴	<i>QSK45</i>		
	Oil	P71	By-Pass		LFP777B	W/S	Fuel	LFF1021
V8603			By-Pass		LFP777XL ¹⁴		Oil	LFP9024
	Oil	P71	<i>KV38</i>			<i>QSK60</i>		
Y400			W/S	Fuel	LFF1021		Coolant	LFW4075 ⁶⁴⁴
Y400F404	Air	LAF121 ¹²		Oil	LFP670	W/S	Fuel	LFF1021
Y4069					LFP670XL ¹⁴			LFF5644
	Oil	P3 P71	By-Pass		LFP777B		Oil	LFP9024
			By-Pass		LFP777XL ¹⁴	<i>QSL Tier 3</i>		
Y4091			<i>QSB3.3 Tier 3</i>			W/S	Fuel	LFF1003 ²⁰⁹
	Oil	P3 P71		Oil	PH2835	Sec.		LFF5488
			<i>QSB4 Tier 3</i>			W/S		LFF9732
Y4112			W/S	Fuel	LFF5421		Oil	LFP3000
	Oil	P3 P71			LFF9732			LFP3000XL ¹⁴
				Oil	LFP3970	<i>QSL9 Tier 4</i>		
Z145			<i>QSB5.9L</i>			W/S	Fuel	LFF1065 ²¹⁰
	Oil	P3	W/S	Fuel	L1261F	Sec.		LFF5488
				Oil	LFP3970	W/S		LFF9732
CUMMINS (ENGINE INDUSTRIAL)			<i>QSB5.9TAA</i>				Oil	LFP3000
A1400, A1700, A2000, A2300, A2300T, A900				Fuel	L3523F			LFP3000XL ¹⁴
W/S	Fuel	LFF8060	W/S		LFF9616 ²¹⁰	<i>QSX11.9</i>		
	Oil	PH2808		Oil	LFP780		Coolant	LFW2125 ⁵⁵⁵
B3.3, B3.3T					LFP780XL ¹⁴			LFW2126 ²⁵⁵
	Fuel	FP588F L3523F LFF9594	<i>QSB6.7L Tier 3</i>					LFW2127 ^{14, 249}
W/S		PH2835	W/S	Fuel	LFF5421	W/S	Fuel	LFF1007 ²¹⁰
	Oil				LFF9732		Oil	LFP9001 ²⁵⁰
B3.3TAA Tier 3 eng.				Oil	LFP3970			LFP9001TRT ³
	Fuel	FP588F L3523F LFF9594			LFP6015			LFP9001XL ^{14, 250}
W/S		PH2835	<i>QSB6.7L Tier 4</i>			<i>QSX15</i>		
	Oil		W/S	Fuel	LFF1065 ²¹⁰	4907485	Coolant	LFW2125 ⁸⁰⁶
			Sec.		LFF5632	4907485		LFW2126 ²⁵⁵
				Oil	LFP3970	3680434		LFW2127 ^{14, 249}
					LFP6015	3331096	Fuel	LFF1007

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 209-Square sensor port 210-w/Sensor 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 275-Primary 555-Extended Life w/ controlled release chemical 644-Contains 6 oz. of chemical 806-Need Release 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CUMMINS (ENGINE INDUSTRIAL)			CUMMINS (ENGINE MARINE)			CUMMINS (ENGINE MARINE)		
<i>QSX15 (cont'd)</i>			6C			<i>KTA19M (cont'd)</i>		
3406810	Oil	LFP9000 ⁷²³	3924893	Air	LAF3661	3313279	Oil	LFP670
3406810		LFP9000XL ^{14, 723}	(3925274); Pri.	Fuel	LFF3417 ¹⁸⁰	(3313283); By-Pass		LFP670XL ¹⁴
3406809		LFP9001 ²⁵⁰	(3903640); Sec.		LFF3521 ¹⁸⁰	By-Pass		LFP777B
		LFP9001TRT ³	(3903202); W/S		LFF8062 ¹²			LFP777XL ¹⁴
3406809		LFP9001XL ^{14, 250}	3825970	Oil	LFP3000	KTA2300M KT38		
V-903, VT-903, VT15			6CT			3315115	Coolant	LFW4073 ²⁵⁵
	Coolant	LFW4071 ²⁸	3924893	Air	LAF3661	(3313306); Pri.	Fuel	LFF202
Pri.	Fuel	LFF5D	3903640	Fuel	LFF3521 ¹⁸¹	3313279	Oil	LFP670
W/S		LFF8020	(3903202); W/S		LFF8062 ¹²	(3313283); By-Pass		LFP670XL ¹⁴
W/S		LFF90011	3825970	Oil	LFP3000	By-Pass		LFP777B
	Oil	LFP670	KT1150M KT19			By-Pass		LFP777XL ¹⁴
By-Pass		LFP670XL ¹⁴	3315116	Coolant	LFW4071 ²⁸	KTA3067M KTA50		
By-Pass		LFP777B	(156172); Pri.	Fuel	LFF5D	3315115	Coolant	LFW4073 ²⁵⁵
		LFP777XL ¹⁴	3313279	Oil	LFP670	(3313306); Pri.	Fuel	LFF202
		LP566	(3313283); By-Pass		LFP670XL ¹⁴	3309437		LFF5740 ²⁰
			By-Pass		LFP777B	3313282	Oil	LFP670
					LFP777XL ¹⁴	(3313283); By-Pass		LFP670XL ¹⁴
VT-1710, VTA-1710, VTA28-C			KT19M			By-Pass		LFP777B
	Coolant	LFW4073 ²⁵⁵		Air	LAF2079	By-Pass		LFP777XL ¹⁴
Pri.	Fuel	LFF202	3315116	Coolant	LFW4071 ²⁸	KTA38M		
		LFF5740 ²⁰	(156172); Pri.	Fuel	LFF5D		Air	LAF2079
	Oil	LFP670	(3308638); W/S		LFF8020 ¹²	3315115	Coolant	LFW4073 ²⁵⁵
By-Pass		LFP670XL ¹⁴	W/S		LFF90011 ¹²	(3313306); Pri.	Fuel	LFF202
By-Pass		LFP777B	3313279	Oil	LFP670	3309437		LFF5740 ²⁰
		LFP777XL ¹⁴	(3313283); By-Pass		LFP670XL ¹⁴	3313279	Oil	LFP670
			By-Pass		LFP777B	(3313283); By-Pass		LFP670XL ¹⁴
					LFP777XL ¹⁴	By-Pass		LFP777B
CUMMINS (ENGINE MARINE)			KT2300M KT38			By-Pass		LFP777XL ¹⁴
3A1.7			3315115	Coolant	LFW4073 ²⁵⁵	KTA50M		
1401089	Air	AF5HD ¹²⁶⁷	(3313306); Pri.	Fuel	LFF202	Opt.	Air	LAF8047
1401204		LAF222 ^{2, 15}	3313279	Oil	LFP670	(3313306); Pri.	Fuel	LFF202
1491758	Fuel	LFF1005	(3313283); By-Pass		LFP670XL ¹⁴	3309437		LFF5740 ²⁰
1220550	Oil	LFP2267	By-Pass		LFP777B	3313282	Oil	LFP670
4A2.3			By-Pass		LFP777XL ¹⁴	(3313283); By-Pass		LFP670XL ¹⁴
1401089	Air	AF5HD ¹²⁶⁷			LFP670	By-Pass		LFP777B
1401539		LAF1784 ¹			LFP670XL ¹⁴			LFP777XL ¹⁴
1401204		LAF222 ^{2, 15}			LFP777B			LFP670XL ¹⁴
1401540		LAF9538 ²			LFP777XL ¹⁴			LFP777B
		LAF9538MXM ^{2, 268}						LFP777XL ¹⁴
1491758	Fuel	LFF1005	KT38M			N855M N14		
1491802		LFF1129		Air	LAF2079		Air	LAF928 ¹²
1220550	Oil	LFP2267	3315115	Coolant	LFW4073 ²⁵⁵		Coolant	LFW4071 ²⁸
4B			(3313306); Pri.	Fuel	LFF202	3315116		LFF5D
3903640	Fuel	LFF3521 ¹⁸¹	3313279	Oil	LFF5740 ²⁰	(156172); Pri.	Fuel	LFF8020 ¹²
(3903202); W/S		LFF8062 ¹²	(3313283); By-Pass		LFP670	(3308638); W/S		LFF90011 ¹²
			By-Pass		LFP670XL ¹⁴	W/S		LFP3000
					LFP777B	3318853	Oil	LFP3000XL ¹⁴
					LFP777XL ¹⁴			LFP670
4BT			KTA1150M KT19					LFP670XL ¹⁴
(3903640); Sec.	Fuel	LFF3521 ¹⁸⁰	3315116	Coolant	LFW4071 ²⁸	(3313283); By-Pass		LFP777B
3903640		LFF3521 ¹⁸¹	(156172); Pri.	Fuel	LFF5D	By-Pass		LFP777XL ¹⁴
3908616	Oil	LFP3900	3313279	Oil	LFP670	158139		LP566
			(3313283); By-Pass		LFP670XL ¹⁴	NTA855M		
			By-Pass		LFP777B		Air	LAF928 ¹²
					LFP777XL ¹⁴	3315116	Coolant	LFW4071 ²⁸
4BTA3.9			KTA19M			(156172); Pri.	Fuel	LFF5D
(3925274); Pri.	Fuel	LFF3417 ¹⁸⁰		Air	LAF2079	(3308638); W/S		LFF8020 ¹²
(3903640); Sec.		LFF3521 ¹⁸⁰	3315116	Coolant	LFW4071 ²⁸	W/S		LFF90011 ¹²
3903640		LFF3521 ¹⁸¹	(156172); Pri.	Fuel	LFF5D	3318853	Oil	LFP3000
(3903202); W/S		LFF8062 ¹²	(3308638); W/S		LFF8020 ¹²			
3908616	Oil	LFP3900	W/S		LFF90011 ¹²			
6B								
3924893	Air	LAF3661						
(3925274); Pri.	Fuel	LFF3417 ¹⁸⁰						
(3903640); Sec.		LFF3521 ¹⁸⁰						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 15-Standard 20-High efficiency 28-Contains 1 oz. of chemical 180-Dual Filter 181-Single 250-11.9" Hgt. 255-Contains 3 oz. of chemical 268-Extended/Severe service 723-13.9" Hgt. 1267-Automotive

C

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CUMMINS (ENGINE MARINE)			CUMMINS (ENGINE MARINE)			CUMMINS (ENGINE NATURAL GAS)		
<i>NTA855M (cont'd)</i>			<i>VTA1710M VT28</i>			<i>GTA855B</i>		
3313279	Oil	LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴ LP566	3315115	Coolant	LFW4073 ²⁵⁵	114500-003	Air	LAF2521 ¹²
(3313283); By-Pass			(3313306); Pri.	Fuel	LFF202		Coolant	LFW2055
By-Pass			3309437		LFF5740 ²⁰	3318318		LFW4075 ⁶⁴⁴
158139			3313279	Oil	LFP670	3606712	Fuel	LFF5080 ⁶⁴⁷
			(3313283); By-Pass		LFP670XL ¹⁴	3313279	Oil	LFP670
			By-Pass		LFP777B	3313279		LFP670XL ¹⁴
					LFP777XL ¹⁴			
<i>V504M</i>			<i>VTA28M</i>			<i>ISLG</i>		
3315116	Coolant	LFW4071 ²⁸		Air	LAF9544 ¹²		Coolant	LFW4074 ⁶²⁷
(156172); Pri.	Fuel	LFF5D				LF9009	Oil	LFP3000
(3308638); W/S		LFF8020 ¹²	3315115	Coolant	LFW4073 ²⁵⁵	<i>L10</i>		
W/S		LFF90011 ¹²	(3313306); Pri.	Fuel	LFF202	3315116	Coolant	LFW4071 ²⁸
3313281	Oil	LFP734	3309437		LFF5740 ²⁰	3318318		LFW4075 ⁶⁴⁴
173174		LP613	3313279	Oil	LFP670	3313279	Oil	LFP670
			(3313283); By-Pass		LFP670XL ¹⁴	(3313283); By-Pass		LFP777B
			By-Pass		LFP777B	CUMMINS (ENGINE TRUCK)		
					LFP777XL ¹⁴	<i>4B</i>		
<i>V555M</i>			<i>VTA903M</i>			<i>4B</i>		
3315116	Coolant	LFW4071 ²⁸	3315116	Coolant	LFW4071 ²⁸	(3925274); Pri.	Fuel	LFF3417 ¹⁸⁰
(156172); Pri.	Fuel	LFF5D	(156172); Pri.	Fuel	LFF5D	(3903640); Sec.		LFF3521 ¹⁸⁰
(3308638); W/S		LFF8020 ¹²	3313279	Oil	LFP670	3908616	Oil	LFP3900
W/S		LFF90011 ¹²	(3313283); By-Pass		LFP670XL ¹⁴	<i>4BT</i>		
3313281	Oil	LFP734	By-Pass		LFP777B	(3925274); Pri.	Fuel	LFF3417 ¹⁸⁰
(3313283); By-Pass		LFP777B	158139		LFP777XL ¹⁴	(3903202); W/S		LFF8062 ¹²
By-Pass		LFP777XL ¹⁴			LP566	<i>6B</i>		
158139		LP566				3903640	Fuel	LFF3521 ¹⁸¹
						(3903202); W/S		LFF8062 ¹²
						3908615	Oil	LFP780
<i>V903M</i>			CUMMINS (ENGINE NATURAL GAS)					LFP780XL ¹⁴
3315116	Coolant	LFW4071 ²⁸	<i>743</i>	Air	LAF8120	<i>6BT</i>		
(156172); Pri.	Fuel	LFF5D	90610036			(3925274); Pri.	Fuel	LFF3417 ¹⁸⁰
3313279	Oil	LFP670	3606712	Fuel	LFF5080 ⁶⁴⁷	(3903640); Sec.		LFF3521 ¹⁸⁰
(3313283); By-Pass		LFP670XL ¹⁴				3903640		LFF3521 ¹⁸¹
By-Pass		LFP777B				(3903202); W/S		LFF8062 ¹²
158139		LFP777XL ¹⁴				3908615	Oil	LFP780
		LP566						LFP780XL ¹⁴
						<i>6BT</i>		
						(3925274); Pri.	Fuel	LFF3417 ¹⁸⁰
						(3903640); Sec.		LFF3521 ¹⁸⁰
						3903640		LFF3521 ¹⁸¹
						(3903202); W/S		LFF8062 ¹²
						3908615	Oil	LFP780
								LFP780XL ¹⁴
						<i>6BTA5.9</i>		
						(3925274); Pri.	Fuel	LFF3417 ¹⁸⁰
						(3903640); Sec.		LFF3521 ¹⁸⁰
						3903640		LFF3521 ¹⁸¹
						(3903202); W/S		LFF8062 ¹²
						3908615	Oil	LFP780
								LFP780XL ¹⁴
						<i>6C</i>		
						3315116	Coolant	LFW4071 ²⁸
						3903640	Fuel	LFF3521 ¹⁸¹
							Oil	LFP3000XL ¹⁴
						3313281		LFP734
						<i>6CT</i>		
						3315116	Coolant	LFW4071 ²⁸
						(3925274); Pri.	Fuel	LFF3417 ¹⁸⁰
						(3903640); Sec.		LFF3521 ¹⁸⁰
							Oil	LFP3000XL ¹⁴
						3313281		LFP734
						<i>6CTA8.3</i>		
							Coolant	LFW4071 ²⁸
						Pri.	Fuel	LFF3417 ¹⁸⁰
								LFF3521 ¹⁸¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

12-Optional 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 180-Dual Filter 181-Single 255-Contains 3 oz. of chemical 627-5 oz. of chemical 644-Contains 6 oz. of chemical 647-Natural Gas

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CUMMINS (ENGINE TRUCK)			CUMMINS (ENGINE TRUCK)			CUMMINS (ENGINE TRUCK)		
<i>6CTA8.3 (cont'd)</i>			<i>ISM (cont'd)</i>			<i>ISX12G (cont'd)</i>		
Sec. W/S	Fuel	LFF3521 ¹⁸⁰ LFF8062 ¹²	3406810 3406809	Oil	LFP9000XL ^{14, 723} LFP9001 ²⁵⁰	LF9080	Oil	LFP9001XL ^{14, 250}
	Oil	LFP3000 LFP3000XL ¹⁴ LFP734	3406809		LFP9001TRT ³ LFP9001XL ^{14, 250}	<i>IXL</i>		
<i>ISB 4.5L Euro 5</i>			<i>ISX</i>			3100304	Coolant	LFW4071 ²⁸
4989106	Fuel	LFF5421	3680315	Coolant	LFW2125 ⁵⁵⁵	3800394	Fuel	LFF1022
4897833		LFF5485	3680433		LFW2126 ²⁵⁵	3908616	Oil	LFP3000 LFP3000XL ¹⁴
(3973233); W/S		LFF9732	3680434		LFW2127 ^{14, 249}	<i>K6 Series</i>		
4989314	Oil	LFP6015	FS19728 (FS19727); Davco opt. (FS19729); W/S (3331096); W/S	Fuel	L3578FXL ^{14, 748} L5467FNXL ¹⁴ L9729F LFF1007 ⁹⁶¹ LFF2201 ⁹⁶² LFF2203 ⁷⁹⁷	3315116	Coolant	LFW4071 ²⁸
<i>ISB 6.7L</i>						154709 (3308638); W/S W/S	Fuel	LFF5 LFF8020 ¹² LFF90011 ¹²
FS1065	Fuel	LFF1065	3331096		LFP9001 ²⁵⁰	3313279	Oil	LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴
3959612		LFF5488	3331096		LFP9001TRT ³	(3313283); By-Pass By-Pass		
4934845		LFF5632	3331096		LFP9001XL ^{14, 250}	<i>KT450</i>		
3937736	Oil	LFP3970	3101869	Oil	LFP9001TRT ³ LFP9001XL ^{14, 250}	3315116	Coolant	LFW4071 ²⁸
<i>ISB4</i>			<i>ISX 11.9</i>			154709 (3308638); W/S W/S	Fuel	LFF5 LFF8020 ¹² LFF90011 ¹²
4897833	Fuel	LFF5485	4907485	Coolant	LFW2126 ²⁵⁵	3313279	Oil	LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴
4897898	Oil	LFP6015	(2864993); Sec. LF9001	Fuel	LFF6776	(3313283); By-Pass By-Pass		
<i>ISBE</i>			<i>ISX 12</i>			<i>KTA525</i>		
4897833	Fuel	LFF5485	4907485	Coolant	LFW2126 ²⁵⁵	3315116	Coolant	LFW4071 ²⁸
4897898	Oil	LFP6015	(2864993); Sec. LF9001	Fuel	LFF6776	154709 (3308638); W/S W/S	Fuel	LFF5 LFF8020 ¹² LFF90011 ¹²
<i>ISBe4</i>						3313279	Oil	LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴
4897833	Fuel	LFF5485	LF9001	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	(3313283); By-Pass By-Pass		
4897898	Oil	LFP6015	<i>ISX 15</i>			<i>KTA600</i>		
<i>ISL</i>						<i>KTA525</i>		
(4934879); W/S	Fuel	LFF1065 ²¹⁰	4907485	Coolant	LFW2126 ²⁵⁵	3315116	Coolant	LFW4071 ²⁸
3315116	Coolant	LFW4071 ²⁸	(2864993); Sec. LF9080	Fuel	LFF6776	154709 (3308638); W/S W/S	Fuel	LFF5 LFF8020 ¹² LFF90011 ¹²
(3161407); W/S (FS1003); W/S 3800394 (FS5636); Sec.	Fuel	LFF1000 ⁹²⁵ LFF1003 ²⁰⁹ LFF1022 LFF5488	LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	3313279	Oil	LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴
3318853	Oil	LFP3000	<i>ISX 15</i>			<i>KTA600</i>		
3401544		LFP3000XL ¹⁴	4907485	Coolant	LFW2126 ²⁵⁵	3315116	Coolant	LFW4071 ²⁸
<i>ISL9</i>						154709 (3308638); W/S W/S	Fuel	LFF5 LFF8020 ¹² LFF90011 ¹²
3100304	Coolant	LFW4071 ²⁸	3680434	Coolant	LFW2127 ^{14, 249}	3313279	Oil	LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴
(4934879); W/S (4940647); Sec.	Fuel	LFF1065 ²¹⁰ LFF5488 ⁹⁶⁰	3685306	Fuel	LFF5686 LFF6776	(3313283); By-Pass By-Pass		
3401544	Oil	LFP3000XL ¹⁴	(2864993); Sec. 3406810 3406810 3406809	Oil	LFP9000 ⁷²³ LFP9000XL ^{14, 723} LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	3313279	Oil	LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴
<i>ISLG</i>			<i>ISX Enforcer</i>			<i>KTC450</i>		
WF2126	Coolant	LFW2126 ^{255, 865}	3680315	Coolant	LFW2125 ⁵⁵⁵	3315116	Coolant	LFW4071 ²⁸
3315116		LFW4071 ^{28, 864}	3680433		LFW2126 ²⁵⁵	154709 (3308638); W/S W/S	Fuel	LFF5 LFF8020 ¹² LFF90011 ¹²
NG5900	Fuel	LFF5080 ⁶⁴⁷	3680434		LFW2127 ^{14, 249}	3313279	Oil	LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴
LF9009	Oil	LFP3000XL ^{14, 313}	FS19728 (FS19727); Davco opt. (FS19729); W/S (3331096); W/S	Fuel	L3578FXL ^{14, 748} L5467FNXL ¹⁴ L9729F LFF1007 ⁹⁶¹	(3313283); By-Pass By-Pass		
LF9080		LFP9001 ^{250, 810} LFP9001TRT ³ LFP9001XL ^{14, 250, 810}	3101869	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	3315116	Coolant	LFW4071 ²⁸
LF9080			3101869			154709 (3308638); W/S W/S	Fuel	LFF5 LFF8020 ¹² LFF90011 ¹²
<i>ISM</i>			<i>ISX12G</i>			<i>L10</i>		
3100304	Coolant	LFW4071 ²⁸	WF2126	Coolant	LFW2126 ²⁵⁵	3315115	Coolant	LFW4073 ²⁵⁵
3098689		LFW4685 ²⁴⁹ LFW4685XL ^{14, 249} LFW6500 ⁵⁵⁵	WF2127		LFW2127 ^{14, 249}	154709 (3308638); W/S W/S	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²
3098688			NG5900	Fuel	LFF5080 ⁶⁴⁷	<i>L10</i>		
(3406889); W/S	Fuel	LFF1003 ²⁰⁹ LFF1022 LFF1282	LF9080	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³	<i>L10</i>		
3800394 (3843447); W/S			<i>ISX12G</i>			<i>L10</i>		
3406810	Oil	LFP9000 ⁷²³	WF2126	Coolant	LFW2126 ²⁵⁵	<i>L10</i>		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 28-Contains 1 oz. of chemical 180-Dual Filter 209-Square sensor port 210-w/
Sensor 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 313-2 1/4" Thread 555-Extended Life w/ controlled release chemical 647-Natural Gas
723-13.9" Hgt. 748-Optional Davco 797-1" x 14 thread 810-M92 x 2.56H Thread 864-11/16 x 16 Thread 865-M36 x 2.0 Thread 925-Long version, short version
[LFF1001]. 960-Before 2015 961-M85 Thread 962-M72 Thread 963-For longer version use [LFF5002]

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CUMMINS (ENGINE TRUCK)			CUMMINS (ENGINE TRUCK)			CUMMINS (ENGINE TRUCK)		
<i>L10 (cont'd)</i>			<i>Medium Vee VT350 (cont'd)</i>			<i>NH855 Series (cont'd)</i>		
3825970	Oil	LFP3000 LFP3000XL ¹⁴ LFP670XL ¹⁴ LFP777XL ¹⁴	158139	Oil	LP566	158139	Oil	LP566
By-Pass			<i>Medium Vee VT903</i>			<i>NT Big Cam IV Series</i>		
<i>LT10</i>			3315116	Coolant	LFW4071 ²⁸	3315116	Coolant	LFW4071 ²⁸
3315115	Coolant	LFW4073 ²⁵⁵	154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²	3315114	Coolant	LFW4074 ⁶²⁷
154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²	(3308638); W/S			154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²
(3308638); W/S			W/S			W/S		
W/S			3313279	Oil	LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴ LP566	W/S		
3825970	Oil	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴	(3313283); By-Pass			3318853	Oil	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴
3313279			By-Pass			3313279		
(3313283); By-Pass			158139			(3313283); By-Pass		
By-Pass			<i>N14</i>			<i>By-Pass</i>		
<i>LT A10 Series</i>			3315116	Coolant	LFW4071 ²⁸	<i>NH855 Series</i>		
3315116	Coolant	LFW4071 ²⁸	3318318		LFW4075 ⁶⁴⁴	3315116	Coolant	LFW4071 ²⁸
3315115			(3889716); W/S	Fuel	LFF1000 ⁹²⁵ LFF8000 ⁶²⁸ LFF90013	154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²
154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²	(3831132); W/S			W/S		
(3308638); W/S			W/S			W/S		
W/S			3318853	Oil	LFP3000 LFP3000XL ¹⁴	3318853	Oil	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴ LP566
3825970	Oil	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴	<i>N14 Plus</i>			<i>NTC250</i>		
3313279			3315116	Coolant	LFW4071 ²⁸	3315116	Coolant	LFW4071 ²⁸
(3313283); By-Pass			3318318		LFW4075 ⁶⁴⁴	154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²
By-Pass			(3889716); W/S	Fuel	LFF1000 ⁹²⁵ LFF8000 ⁶²⁸ LFF90013	W/S		
			(3831132); W/S			W/S		
			W/S			3318853	Oil	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴ LP566
			3318853	Oil	LFP3000 LFP3000XL ¹⁴	<i>NTC290</i>		
			<i>NH230</i>			<i>NTC300</i>		
			3315116	Coolant	LFW4071 ²⁸	3315116	Coolant	LFW4071 ²⁸
			154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²	154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²
			(3308638); W/S			W/S		
			W/S			W/S		
			3313279	Oil	LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴ LP566	3318853	Oil	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴ LP566
			(3313283); By-Pass			3313279		
			By-Pass			(3313283); By-Pass		
			158139			By-Pass		
			<i>NH250</i>			<i>NTC250</i>		
			3315116	Coolant	LFW4071 ²⁸	3315116	Coolant	LFW4071 ²⁸
			154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²	154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²
			(3308638); W/S			W/S		
			W/S			W/S		
			3313279	Oil	LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴ LP566	3318853	Oil	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴ LP566
			(3313283); By-Pass			3313279		
			By-Pass			(3313283); By-Pass		
			158139			By-Pass		
			<i>NH855 Series</i>			<i>NTC300</i>		
			3315116	Coolant	LFW4071 ²⁸	3315116	Coolant	LFW4071 ²⁸
			154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²	154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²
			(3308638); W/S			W/S		
			W/S			W/S		
			3313279	Oil	LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴	3318853	Oil	LFP3000 LFP3000XL ¹⁴ LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴ LP566
			(3313283); By-Pass			W/S		
			By-Pass			W/S		
			By-Pass			3318853	Oil	LFP3000 LFP3000XL ¹⁴

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

12-Optional 14-Extended Life 28-Contains 1 oz. of chemical 182-Contains 2 oz. of chemical 255-Contains 3 oz. of chemical 627-5 oz. of chemical 628-Tall version of LFF8020 644-Contains 6 oz. of chemical 925-Long version, short version [LFF1001]. 963-For longer version use [LFF5002]

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
CUMMINS (ENGINE TRUCK)			CUMMINS (ENGINE TRUCK)			DAEWOO (ENGINE)		
<i>NTC300 (cont'd)</i>			<i>QSM11 (cont'd)</i>			<i>D1146TC</i>		
3313279	Oil	LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴ LP566	3406809	Oil	LFP9001XL ^{14, 250}	W/S	Fuel	LFF1001
(3313283); By-Pass By-Pass 158139			<i>SIGNATURE 600</i>			<i>P180LE</i>		
				Coolant	LFW2125 ⁵⁵⁵ LFW2126 ²⁵⁵ LFW2127 ^{14, 249}		Oil	LFP8925
						<i>P222LE</i>		
			W/S	Fuel	LFF1007 ²¹⁰		Oil	LFP8925
<i>NTC350</i>				Oil	LFP9001 ²⁵⁰ LFP9001TRT ³ LFP9001XL ^{14, 250}	DAVEY PAXMAN (ENGINE INDUSTRIAL)		
3315116	Coolant	LFW4071 ²⁸	<i>Small Vee Series</i>			<i>1D Loco</i>		
154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²	<i>3315116</i>				Oil	P92
W/S				Coolant	LFW4071 ²⁸	<i>2VSO</i>		
W/S			3315116	Coolant	LFW4071 ²⁸		Oil	P4 ⁹⁶⁴
3318853	Oil	LFP3000 LFP3000XL ¹⁴	154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²	<i>BTH 1800hp</i>		
3313279		LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴ LP566	(3308638); W/S W/S				Oil	P92
(3313283); By-Pass By-Pass 158139			3313281	Oil	LFP734 LFP777B LFP777XL ¹⁴ LP566 LP613	<i>RPB</i>		
			(3313283); By-Pass By-Pass 158139 173174				Oil	P771A
<i>NTC400</i>			<i>V555</i>			<i>YL</i>		
3315116	Coolant	LFW4071 ²⁸	3315116	Coolant	LFW4071 ²⁸	<i>YLX</i>		
154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²	154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²		Oil	P52
W/S			(3308638); W/S W/S			DETROIT DIESEL (ENGINE)		
W/S			3313281	Oil	LFP734 LFP777B LFP777XL ¹⁴ LP566	<i>12V-149 1788 SERIES</i>		
3318853	Oil	LFP3000 LFP3000XL ¹⁴	W/S			(6436719); Sec.	Fuel	L624F L624FP ⁹⁶⁵ L632F LFP958F LFP959F LFP959FHE ²⁰
3313279		LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴ LP566	(3313283); By-Pass By-Pass 158139			(6436874); Pri. (25014341); Pri. (25013535); Sec. Sec.		
(3313283); By-Pass By-Pass 158139			158139			25010495	Oil	LFP911 LFP911XL ¹⁴ LP132
<i>NTTC475</i>			<i>V6-150</i>			<i>5573014</i>		
3315116	Coolant	LFW4071 ²⁸	3315116	Coolant	LFW4071 ²⁸	<i>12V-71, 12V-71T 852</i>		
154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²	154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²		Fuel	L541F L552F L624F L624FP L632F LFP958F LFP959F LFP959FHE ²⁰
(3308638); W/S W/S			(3308638); W/S W/S			Pri.		
3313279	Oil	LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴ LP566	3313281	Oil	LFP734 LFP777B LFP777XL ¹⁴ LP613	Sec.		
(3313283); By-Pass By-Pass 158139			(3313283); By-Pass By-Pass 173174			Sec.	Oil	LFP911 LFP911XL ¹⁴ LP132 P71
<i>PT270</i>			<i>V8-210</i>			<i>12V-92, 12V-92T 1104</i>		
3315116	Coolant	LFW4071 ²⁸	3315116	Coolant	LFW4071 ²⁸		Fuel	L541F L624F L624FP LFP958F LFP959F LFP959FHE ²⁰
154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²	154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²	Sec.		
W/S			(3308638); W/S W/S			Sec.	Oil	LFP911 LFP911XL ¹⁴ LP132 P71
W/S			3313281	Oil	LFP734 LFP777B LFP777XL ¹⁴ LP613	<i>16V-149 2384 SERIES</i>		
3318853	Oil	LFP3000 LFP3000XL ¹⁴	(3313283); By-Pass By-Pass 173174			(6436719); Sec.	Fuel	L624F
3313279		LFP670 LFP670XL ¹⁴ LFP777B LFP777XL ¹⁴ LP566	<i>VT225</i>					
(3313283); By-Pass By-Pass 158139			3315116	Coolant	LFW4071 ²⁸			
<i>QSM11</i>			154709	Fuel	LFF5 ⁹⁶³ LFF8020 ¹² LFF90011 ¹²			
(3161407); W/S (3406889); W/S	Fuel	LFF1000 ⁹²⁵ LFF1003 ²⁰⁹	W/S					
3406809	Oil	LFP9001 ²⁵⁰ LFP9001TRT ³	3313281	Oil	LFP734 LFP777B LFP777XL ¹⁴ LP566			
			(3313283); By-Pass By-Pass 158139					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 209-Square sensor port 210-w/ Sensor 249-No chemical 250-11.9" Hgt. 255-Contains 3 oz. of chemical 555-Extended Life w/ controlled release chemical 925-Long version, short version [LFF1001]. 963-For longer version use [LFF5002] 964-With Fram Housing 965-Pleated paper



Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DETROIT DIESEL (ENGINE)			DETROIT DIESEL (ENGINE)			DETROIT DIESEL (ENGINE)		
<i>16V-149 2384 SERIES (cont'd)</i>			<i>2-53 106 SERIES (cont'd)</i>			<i>4-51 204 SERIES (cont'd)</i>		
(6436874); Pri. (25014341); Pri. (25013535); Sec. Sec. 25010495	Fuel	L624FP ⁹⁶⁵ L632F LFP958F LFP959F LFP959FHE ²⁰	5574978 5572288 (5572425); By-Pass	Oil	LP2279 P70 ⁶⁵ P71	(5573482); Pri. (5574961); Pri. W/S W/S (6438839); Pri. (6438840); Sec. 5572510	Fuel	L274F L274F1 LFF8010 ¹² LFF9002 ¹² LFP815FN LFP816FN
5573014 (5572425); By-Pass	Oil	LFP911 LFP911XL ¹⁴ LP132 P71	(5574961); Pri. Pri. (25010959); Sec. (25011011); Pri. 25010495	Fuel	L274F1 LFF90012 ¹² LFP928F LFP936F ⁹⁶⁶	4-53, 4-53T 212 Series	Oil	P90 ⁶⁵
<i>16V-71, 16V-71T 1136</i>			<i>2-71 142 SERIES</i>					
	Fuel	L541F L624F L624FP L632F LFP958F LFP959F LFP959FHE ²⁰	5573014 (5572425); By-Pass	Oil	LFP911 LFP911XL ¹⁴ LP132 P71		Fuel	261F 262F L274F L274F1 L540F LFF90012 LFP928F LFP936F
Pri. Sec. Sec.			<i>30 7.3L Series</i>				Oil	LFP911 LFP911XL ¹⁴ LP132
				Fuel	L3580F	Pri. Sec.		LFP911 LFP911XL ¹⁴ LP132
				Oil	LFP2286 LFP2286XL ¹⁴			
			<i>3-53, 3-53T 159 Series</i>					
	Oil	LFP911 LFP911XL ¹⁴ LP132 P71	Sec. Sec. Pri. Pri. Sec. Pri. Sec. Pri.	Fuel	261F ⁹⁷⁰ 262F ⁹⁷¹ L274F L274F1 ⁹⁶⁹ L540F ⁹⁷¹ LFF90012 LFP928F LFP936F	<i>4-71, 4-71T 284 Series</i>		
<i>16V-92, 16V-92T 1472</i>				Oil	LFP947 LP132 ⁹⁶⁸ LP2279 ⁹⁶⁷		Fuel	L540F
Pri. Sec. Sec.	Fuel	L541F L624F L624FP L632F LFP958F LFP959F LFP959FHE ²⁰	<i>3-71 213 SERIES</i>				Fuel	261F ⁹⁷³ 262F L14F ⁹⁷⁴ L274F ⁹⁷² L274F1 LFF90012 LFP928F LFP936F
			(5574961); Pri. Pri. (25010959); Sec. (25011011); Pri. 25010495	Fuel	L274F1 LFF90012 ¹² LFP928F LFP936F ⁹⁶⁶		Oil	LFP911 LFP911XL ¹⁴ LP132 P71
<i>2000 Series</i>				Oil	LFP911 LFP911XL ¹⁴ LP132 ⁷⁸⁷ P71	<i>50 8.5L SERIES</i>		
Sec. Sec.	Fuel	LFP958F LFP959F LFP959FHE ²⁰	5573014 (5572425); By-Pass			(23512317); W/S (23516189); W/S (23514654); W/S W/S (23518481); Pri. (23518482); Sec. 23518480	Fuel	LFF8010 LFF8011 ^{12, 976} LFF8064 LFF9002 LFP815FN LFP816FN
	Oil	LFP2248	<i>4.0 LITER PHASER SERIES</i>				Oil	LFP2160 LFP2160TRT ³ LFP2160XL ¹⁴
<i>20V-149 2980 SERIES</i>			26561117	Fuel	L296F ⁴¹	<i>50G 8.5L Natural Gas Series</i>		
(6436719); Sec.	Fuel	L624F L624FP ⁹⁶⁵ L632F LFP958F LFP959F LFP959FHE ²⁰	2654407 2654403	Oil	LFP2292 PH4403		Oil	LFP2160 LFP2160TRT ³ LFP2160XL ¹⁴
(6436874); Pri. (25014341); Pri. (25013535); Sec. Sec. 25014306	Oil	LFP911 LFP911XL ¹⁴	<i>40 7.6L, 8.7L Series</i>					
				Fuel	FP251F ⁹⁷⁵ LFF3349 LFF3545	<i>55 12.0L Series</i>		
<i>2-53 106 SERIES</i>				Oil	LFP2244 ⁹⁷⁵ LFP2285 LFP2285XL ¹⁴	W/S W/S Pri. Sec.	Fuel	LFF8010 LFF9002 LFP815FN LFP816FN
(5573261); Sec. (5573482); Pri. (5574961); Pri. W/S W/S (6438839); Pri. (6438840); Sec. 25011106	Fuel	261F L274F L274F1 LFF8010 ¹² LFF9002 ¹² LFP815FN LFP816FN	<i>4000 Series</i>				Oil	LFP912
			Sec. Sec.	Fuel	LFF4102D LFP959F LFP959FHE ²⁰	<i>6.0 LITER PHASER SERIES</i>		
			<i>4-51 204 SERIES</i>					
	Oil	LFP947	(5573261); Sec.	Fuel	261F	26561117 2654407	Fuel	L296F ⁴¹ LFP2292

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 41-Cartridge 65-By-Pass 787-9" Tall 965-Pleated paper 966-Std. length, [LFP815FN] may be used if space permits 967-5.86" Tall Cartridge 968-9" tall cartridge 969-Sock type 970-3 3/4" Tall 971-7.8" Tall 972-1951 On 973-1957 On 974-From 1951 975-From 1994 976-Detroit Diesel Engine utilizing Cummins Base.

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DETROIT DIESEL (ENGINE)			DETROIT DIESEL (ENGINE)			DETROIT DIESEL (ENGINE)		
6.0 LITER PHASER SERIES (cont'd)			6V-53, 6V-53T 318 Series (cont'd)			8V-71, 8V-71T 568 Series		
2654403	Oil	PH4403		Oil	LFP911XL ¹⁴ LP132 P71		Fuel	262F L274F L274F1 L540F L541F L552F L624F L624FP
60 11.1L, 12.7L Series			6V-71, 6V-71N, 6V-71T 426 Series					LFF8010 LFF8011 LFF8064 LFF9002 LFP815FN LFP816FN ⁷³⁰
2004-on; Sec.	Fuel	LFF6816		Fuel	262F L274F L274F1 L540F L541F L552F L624F L624FP			LFF8010 LFF9002 LFP815FN LFP816FN
2004-on; Sec.		LFF6816XL ¹⁴			LFF8010 LFF9002 LFP815FN LFP816FN	W/S		LFP911 LFP911XL ¹⁴ LP132 P71
W/S		LFF8010				W/S		
W/S		LFF8011				(6438839); Pri.		
W/S		LFF8064				Sec.		
W/S		LFF9002						
(6438839); Pri.		LFP815FN						
Sec.		LFP816FN ⁷³⁰						
	Oil	LFP2160 ⁶⁹¹ LFP2160TRT ³ LFP2160XL ^{14, 690} LFP777B ⁹⁷⁷ LFP777XL ^{14, 977} LFP911 ⁹⁷⁷ LFP911XL ^{14, 977}						
By-Pass								
By-Pass								
6-110 660 SERIES			6V-92, 6V-92T 6V-92TA 552 Series			8V-92, 8V-92T 736 Series		
(5574917); Sec.	Fuel	262F L274F L274F1 L540F LFF8010 ¹² LFF9002 ¹² LFP815FN LFP816FN		Fuel	L540F L552F LFF8010 LFF9002 LFP815FN LFP816FN		Fuel	L540F L552F LFF8010 LFF9002 LFP815FN LFP816FN
(5573482); Pri.								
(5574961); Pri.								
(5574508); Sec.								
W/S								
W/S								
(6438839); Pri.						(6438839); Pri.		
(6438840); Sec.						Sec.		
5573014	Oil	LP132 P71						
(5572425); By-Pass								
6-71, 6-71E, 6-71N, 6-71T 426 Series			8.2 Litre Fuel Pincher			Detroit Diesel DD13 Engine		
	Fuel	262F L14F L274F L274F1 L540F L552F LFF8010 LFF9002 LFP815FN LFP816FN		Air	LAF558		Coolant	LW4076XL ¹⁴
				Fuel	L540F L552F LFF90012 LFF937 LFP928F LFP936F	A4720900651	Fuel	L5091F ^{721, 722} L5104F ⁹²⁶ L9915F
W/S						W/S	Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰
W/S								
(6438839); Pri.								
Sec.								
	Oil	LFP911 LFP911XL ¹⁴ LP132 LP2266 P71						
6V-53, 6V-53T 318 Series			8V-149 1192			Detroit Diesel DD15 Engine		
	Fuel	261F 262F L274F L274F1 L540F L552F LFF8010 LFF9002 LFP815FN LFP816FN		Fuel	LFP958F LFP959F LFP959FHE ²⁰	A4720900651	Coolant	LW4076XL ¹⁴
						W/S	Fuel	L5091F ^{721, 722} L5104F ⁹²⁶ L9915F
W/S							Oil	LP5090 ⁷¹⁹ LP5090A ⁷²⁰
W/S								
(6438839); Pri.								
Sec.								
	Oil	LFP911						
8V-53 424 SERIES			8V-53 424 SERIES			DEUTZ (ENGINE DIESEL)		
	Fuel	262F ⁹⁷¹ L540F ⁹⁷¹ L552F LFF8010 ¹² LFF9002 ¹² LFP815FN LFP816FN		Fuel	262F ⁹⁷¹ L540F ⁹⁷¹ L552F LFF8010 ¹² LFF9002 ¹² LFP815FN LFP816FN	A10L814		
W/S						A12L614		
W/S						A10L814		
(6438839); Pri.						(1168398); Sec. Fuel L60F		
Sec.						(1168407); Pri. Fuel L61F		
						(1168469); By-Pass Oil LP2210		
						A12L614		
						(1168398); Sec. Fuel L60F		
						(1168407); Pri. Fuel L61F		
						(1168469); By-Pass Oil LP2210		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 20-High efficiency 690-1993-on 691-1993 On 719-OEM Version 720-Value
 Version 721--2013 722-Kit, contains 3-elements 730--2004 926-2013 - 971-7.8" Tall 977-From 1993

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DEUTZ (ENGINE DIESEL)			DEUTZ (ENGINE DIESEL)			DEUTZ (ENGINE DIESEL)		
<i>A12L714</i>			<i>A3L712 (cont'd)</i>			<i>A4M517 (cont'd)</i>		
(1168398); Sec.	Fuel	L60F	H9.28/1	Oil	P49 ¹²	(1168469); Opt.	Oil	LP2210 ⁹⁷⁸
(1168407); Pri.		L61F	<i>A3L812</i>			<i>A5L911</i>		
(1168469); By-Pass	Oil	LP2210	(1160217); Sec.	Fuel	L60F	1160243	Fuel	FP586F
<i>A12L814</i>			(1168398); Pri.		L61F	1160024	Oil	PH2819
(1168398); Sec.	Fuel	L60F	1168443	Oil	P49 ¹²	<i>A5L912</i>		
(R1H4115); Pri.		L61F	1174418		PH2819	1160243	Fuel	FP586F
(1168469); By-Pass	Oil	LP2210	<i>A3L812D</i>			1172715		L8105F
<i>A1L410</i>			(1160217); Sec.	Fuel	L60F	1160024	Oil	PH2819
1174423	Fuel	FP586F	(1168398); Pri.		L61F	<i>A6L514</i>		
1174416	Oil	PH2840	1168443	Oil	P49 ¹²	1160243	Fuel	FP586F
<i>A1L514</i>			1174418		PH2819	(8H4120); Sec.		L60F
Q05H4115	Fuel	L60F	<i>A3L911</i>			(1168398); Pri.		L61F
<i>A1L612</i>			Q1H4117	Fuel	FP586F	1160025	Oil	LFP2222
Q05H4115	Fuel	L60F	A1H4123	Oil	PH2819	E1214		P4
<i>A1L712</i>			<i>A3L912</i>			(P2H4120); By-Pass		P71
Q05H4115	Fuel	L60F	Q1H4117	Fuel	FP586F			P92
<i>A1L812</i>			A1H4123	Oil	PH2819	<i>A6L614</i>		
Q05H4115	Fuel	L60F	<i>A3M417</i>			(8H4120); Sec.	Fuel	L60F
<i>A2L310</i>			Sec.	Fuel	L60F	(1168398); Pri.		L61F
1160217	Fuel	L60F	Pri.		L61F	(1168469); By-Pass	Oil	LP2210
3357457	Oil	P178	<i>A4L514</i>			<i>A6L712</i>		
<i>A2L514</i>			1168398	Fuel	L61F	1168398	Fuel	L61F
Sec.	Fuel	L60F	1160025	Oil	LFP2222	<i>A6L714</i>		
(1168398); Pri.		L61F	1163465		LP2211 ⁶⁵	(8H4120); Sec.	Fuel	L60F
(1168469); By-Pass	Oil	LP2210	<i>A4L612</i>			(1168398); Pri.		L61F
<i>A2L612</i>			1174423	Fuel	FP586F	(1168469); By-Pass	Oil	LP2210
	Fuel	L60F	Sec.		L60F	<i>A6L812</i>		
H9.28/1	Oil	P49 ¹²	Pri.		L61F	1160243	Fuel	FP586F
<i>A2L712</i>			H9.28/1	Oil	P49 ¹²	1138398		L61F
Sec.	Fuel	L60F	<i>A4L712</i>			1174421	Oil	LFP2222
(1168398); Pri.		L61F	(1160038); Sec.	Fuel	L60F	1168443		P49
H9.28/1	Oil	P49 ¹²	(1168398); Pri.		L61F	<i>A6L812D</i>		
<i>A2L812</i>			H9.28/1	Oil	P49 ¹²	1160243	Fuel	FP586F
2133558	Fuel	FP587F	<i>A4L812</i>			1138398		L61F
Sec.		L60F	(1160038); Sec.	Fuel	L60F	1174421	Oil	LFP2222
(1168398); Pri.		L61F	(1168398); Pri.		L61F	1168443		P49
		LFF3504	1168443	Oil	P49 ¹²	<i>A6L911</i>		
H9.28/1	Oil	P49 ¹²	A1H4123		PH2819	1160243	Fuel	FP586F
<i>A2L911</i>			<i>A4L812D</i>			1174421	Oil	LFP2222
1161341	Fuel	FP587F	(1160038); Sec.	Fuel	L60F	<i>A6L912</i>		
1168398		L61F	(1168398); Pri.		L61F	1160243	Fuel	FP586F
<i>A2L912</i>			1168443	Oil	P49 ¹²	1172715		L8105F
1161341	Fuel	FP587F	A1H4123		PH2819	1174421	Oil	LFP2222
1168398		L61F	<i>A4L911</i>			<i>A6M517</i>		
1172715		L8105F	1174423	Fuel	FP586F	1174423	Fuel	FP586F
<i>A3L514</i>			1168398		L61F	(1168398); Sec.		L61F
(1160038); Sec.	Fuel	L60F	1160024	Oil	PH2819	(1168407); Pri.		L61F
(1168398); Pri.		L61F	<i>A4L912</i>			(1168469); By-Pass	Oil	LP2210
H9.28/1	Oil	P49 ¹²	1174423	Fuel	FP586F	<i>A6M617</i>		
<i>A3L612</i>			1174482		FP587F	(8H4120); Sec.	Fuel	L60F
(1160038); Sec.	Fuel	L60F	1168398		L61F	(1168398); Pri.		L61F
(1168398); Pri.		L61F	1160024	Oil	PH2819	(P3H4120); By-Pass	Oil	LP2210
H9.28/1	Oil	P49 ¹²	<i>A4M517</i>			<i>A8L614</i>		
<i>A3L712</i>			1160243	Fuel	FP586F	(1168398); Sec.	Fuel	L61F
(1160038); Sec.	Fuel	L60F	(1160038); Sec.		L60F	(R1H4115); Pri.		L61F
(1168398); Pri.		L61F	(1168398); Pri.		L61F	(1168469); By-Pass	Oil	LP2210

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

12-Optional 65-By-Pass 978-By-Pass Filter

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DEUTZ (ENGINE DIESEL)			DEUTZ (ENGINE DIESEL)			DEUTZ (ENGINE DIESEL)		
A8L714			BF16M716			BF4M1011F (cont'd)		
(8H4120); Sec.	Fuel	L60F	(1168398); Sec.	Fuel	L61F	1174416	Oil	PH2816
(1168398); Pri.		L61F	(1168407); Pri.		L61F	1174417		PH561
(1168469); By-Pass	Oil	LP2210	1161212	Oil	LP161	BF4M1012		
A8M517			1168446		LP614	1174423	Fuel	FP586F
(8H4120); Sec.	Fuel	L60F	BF3L2011			1180596		LFF3518
(R1H4115); Pri.		L61F	2133558	Fuel	FP587F	1174421	Oil	LFP2222
(1168469); By-Pass	Oil	LP2210	1174483		LFF3504	4252239		LP8700 ¹⁷⁵
A8M617			1174416	Oil	PH2816	4208014		LP8992 ¹⁰⁸
(8H4120); Sec.	Fuel	L60F	1180815		PH3656	1174418		PH2819
(R1H4115); Pri.		L61F	BF3L914			BF4M1012C		
(P3H4120); By-Pass	Oil	LP2210	1174423	Fuel	FP586F	1174423	Fuel	FP586F
B12L714			1174418	Oil	PH2819	1180596		LFF3518
(1168398); Sec.	Fuel	L60F	BF3M2011			1174421	Oil	LFP2222
(1168407); Pri.		L61F	2133558	Fuel	FP587F	4252239		LP8700 ¹⁷⁵
(1168469); By-Pass	Oil	LP2210	1174483		LFF3504	4208014		LP8992 ¹⁰⁸
B6L513R			1174416	Oil	PH2816	1174418		PH2819
1174422	Fuel	LFF8092	1180815		PH3656	BF4M1012E		
1174421	Oil	LFP2222	BF4L1011			1174423	Fuel	FP586F
BA12L614			1174423	Fuel	FP586F	1180596		LFF3518
(1168398); Sec.	Fuel	L61F	1174483		LFF3504	1174421	Oil	LFP2222
(R1H4115); Pri.		L61F	1174691		LFF3518	4252239		LP8700 ¹⁷⁵
(1168469); By-Pass	Oil	LP2210	1174696		LFF3806 ¹⁷⁰	4208014		LP8992 ¹⁰⁸
BA16M528					LFF4806 ¹⁶⁹	1174418		PH2819
1160035	Fuel	L8966F	1174416	Oil	PH2816	BF4M1012EC		
BA16M528F			1174417		PH561	1174423	Fuel	FP586F
1160035	Fuel	L8966F	BF4L2011			1180596		LFF3518
BA8M517			2133558	Fuel	FP587F	1174421	Oil	LFP2222
(8H4120); Sec.	Fuel	L60F	1174483		LFF3504	4252239		LP8700 ¹⁷⁵
(R1H4115); Pri.		L61F	1174416	Oil	PH2816	4208014		LP8992 ¹⁰⁸
(1168469); By-Pass	Oil	LP2210	1180815		PH3656	1174418		PH2819
BF10L413			BF4L913			BF4M1013		
1174422	Fuel	LFF8092	1174423	Fuel	FP586F	1180597	Fuel	FP585F
1174421	Oil	LFP2222	1174421	Oil	LFP2222	1172715		L8105F
BF10L513			BF4L914			1174691		LFF3518
1160243	Fuel	FP586F	1174423	Fuel	FP586F	1174421	Oil	LFP2222
1160025	Oil	LFP2222	1174418	Oil	PH2819	1182553		PH2819
BF12L413			BF4M1010			BF4M1013C		
1174422	Fuel	LFF8092	1174423	Fuel	FP586F	1180597	Fuel	FP585F
1174421	Oil	LFP2222	1174691		LFF3518	1172715		L8105F
BF12L513			1174418	Oil	PH2819	1174691		LFF3518
1160243	Fuel	FP586F	BF4M1010C			1174421	Oil	LFP2222
1160025	Oil	LFP2222	1174423	Fuel	FP586F	BF4M1013E		
BF12L614			1174691		LFF3518	1180597	Fuel	FP585F
(1168398); Sec.	Fuel	L61F	1174418	Oil	PH2819	1172715		L8105F
(R1H4115); Pri.		L61F	BF4M1011			1174691		LFF3518
(1168469); By-Pass	Oil	LP2210	1174483	Fuel	LFF3504	1174421	Oil	LFP2222
BF12L714			1174691		LFF3518	BF4M1013EC		
(1168398); Sec.	Fuel	L60F	1174696		LFF3806 ¹⁷⁰	1180597	Fuel	FP585F
(1168407); Pri.		L61F			LFF4806 ¹⁶⁹	1172715		L8105F
(1168469); By-Pass	Oil	LP2210	1174416	Oil	PH2816	1174691		LFF3518
BF12M716			1174417		PH561	1174421	Oil	LFP2222
(1168398); Sec.	Fuel	L61F	BF4M1011F			BF4M1013FC		
(1168407); Pri.		L61F	1174483	Fuel	LFF3504	1182550	Fuel	FP586F
1161212	Oil	LP161	1174691		LFF3518	1172715		L8105F
1168446		LP614	1174696		LFF3806 ¹⁷⁰	1174691		LFF3518
					LFF4806 ¹⁶⁹	1174421	Oil	LFP2222

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 108-Eco-Finer 169-1 Per Package 170-2 Per Package 175-6" Tall



Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DEUTZ (ENGINE DIESEL)			DEUTZ (ENGINE DIESEL)			DEUTZ (ENGINE DIESEL)		
<i>BF4M1013FC (cont'd)</i>			<i>BF6M1013 (cont'd)</i>			<i>BF8M1015C</i>		
1182553	Oil	PH2819	1174691	Fuel	LFF3518	1174423	Fuel	FP586F
<i>BF4M2011</i>			1174421	Oil	LFP2222	1174422		LFF8092
1174482	Fuel	FP587F	<i>BF6M1013C</i>			1173765	Oil	LFP8590
1174416	Oil	PH2816	1180597	Fuel	FP585F	<i>BF8M716</i>		
<i>BF4M2012</i>			1172715		L8105F	1168398	Fuel	L61F
1174423	Fuel	FP586F	1174691		LFF3518	1161212	Oil	LP161
1174418	Oil	PH2819	1174421	Oil	LFP2222	1168446		LP614
<i>BF4M2013</i>			<i>BF6M1013E</i>			<i>D2008L3, D2008L4</i>		
	Fuel	L6916F LFF7687	1180597	Fuel	FP585F	1174423	Fuel	FP586F
(1182945); 8 Valve (4252239); 16 Valve	Oil	LFP8590 LP8700 ¹⁷⁵	1172715		L8105F	4112261	Oil	PH453
			1174691		LFF3518	<i>D2009L3</i>		
<i>BF4M4011</i>			1174421	Oil	LFP2222	1174423	Fuel	FP586F
2133558	Fuel	FP587F	<i>BF6M1013EC</i>			1174416	Oil	PH2816
1174483		LFF3504	1180597	Fuel	FP585F	<i>D2009L4</i>		
1174416	Oil	PH2816	1172715		L8105F	1174423	Fuel	FP586F
1180815		PH3656	1174691		LFF3518	1174416	Oil	PH2816
			1174421	Oil	LFP2222	<i>D2011</i>		
<i>BF6L413</i>			<i>BF6M1013FC</i>			1174416	Oil	PH2816
1174423	Fuel	FP586F	1172715	Fuel	L8105F	<i>D914</i>		
1168398		L61F	1181245		LFF7687	1183360	Fuel	FP586F
1174422		LFF8092	1174421	Oil	LFP2222	<i>F10L312</i>		
1174421	Oil	LFP2222	<i>BF6M1015</i>			1168398	Fuel	L61F
<i>BF6L513R/R</i>			1174423	Fuel	FP586F	1160025	Oil	LFP2222
1160243	Fuel	FP586F	1174422		LFF8092	<i>F10L413</i>		
1160025	Oil	LFP2222	1173765	Oil	LFP8590	2133558	Fuel	FP587F L3405F ¹⁰⁸ L61F L61F LFF3504 LFF3507 LFF8092
<i>BF6L912</i>			<i>BF6M1015C</i>			(1168398); Pri. Sec.		
1160243	Fuel	FP586F ¹⁸¹ FP587F FP587F LFF3504	1174423	Fuel	FP586F	1168409		
(2133558); Pri. (2133943); Sec. Pri.			1174422		LFF8092	1174422		
1174421	Oil	LFP2222	1173765	Oil	LFP8590	1160025	Oil	LFP2222
			<i>BF6M2012 C/E</i>			<i>F10L413V</i>		
<i>BF6L913</i>			1174423	Fuel	FP586F	2133558	Fuel	FP587F L3405F ¹⁰⁸ L61F L61F LFF3504 LFF3507 LFF8092
1160243	Fuel	FP586F FP587F FP587F LFF3504	1174421	Oil	LFP2222	(1168398); Pri. Sec.		
(2133558); Pri. (2133943); Sec. Pri.			1174421	Oil	LFP2222	1168409		
1174421	Oil	LFP2222	<i>BF6M2013 C/CR</i>			1174422		
1173765		LFP8590	2931095	Oil	LFP2222 LP8741 ¹⁰²	1160025	Oil	LFP2222
			<i>BF6M2013</i>			<i>F10L413V</i>		
<i>BF6L913T</i>			2931095	Oil	LFP2222 LP8741 ¹⁰²	2133558	Fuel	FP587F L3405F ¹⁰⁸ L61F L61F LFF3504 LFF3507 LFF8092
1160243	Fuel	FP586F FP587F FP587F LFF3504	<i>BF6M716</i>			(1168398); Pri. Sec.		
(2133558); Pri. (2133943); Sec. Pri.			1168398	Fuel	L61F	1168409		
1174421	Oil	LFP2222	1161212	Oil	LP161	1174422		
1173765		LFP8590	1168446		LP614	1160025	Oil	LFP2222
			<i>BF8L413</i>			<i>F10L714</i>		
<i>BF6L914/C</i>			1174423	Fuel	FP586F	Sec. Pri. (P3H4120); By-Pass	Fuel	L60F L61F LP2210
1174423	Fuel	FP586F	1174421	Oil	LFP2222	<i>F10L814</i>		
1174421	Oil	LFP2222	<i>BF8L513/LC</i>			(1168398); Sec. (1168407); Pri. (1168469); By-Pass	Fuel	L60F L61F LP2210
<i>BF6M1012C/E</i>			1160243	Fuel	FP586F	<i>F12L312</i>		
1180597	Fuel	FP585F	1160025	Oil	LFP2222	1168398	Fuel	L61F
1174691		LFF3518	<i>BF8L610</i>			1160025	Oil	LFP2222
1174421	Oil	LFP2222	Q1H4117	Fuel	FP586F	<i>F12L413</i>		
4208015		LP8993 ¹⁰⁸	1173430	Oil	LFP2222	2133558	Fuel	FP587F L3405F ¹⁰⁸ L61F
<i>BF6M1013</i>			<i>BF8L610C</i>			(1168398); Pri.		
1180597	Fuel	FP585F	Q1H4117	Fuel	FP586F			
1172715		L8105F	1173430	Oil	LFP2222			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
102-8.31" Tall 108-Eco-Finer 175-6" Tall 181-Single

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DEUTZ (ENGINE DIESEL)			DEUTZ (ENGINE DIESEL)			DEUTZ (ENGINE DIESEL)		
<i>F12L413 (cont'd)</i>			<i>F1L511W</i>			<i>F2L612</i>		
Sec.	Fuel	L61F LFF3504	1161341	Fuel	FP587F		Fuel	L60F
1168409		LFF3507	1164626	Oil	PH2816	H9.28/1	Oil	P49 ¹²
1174422		LFF8092	<i>F1L514</i>			<i>F2L712</i>		
1160025	Oil	LFP2222	Q05H4115	Fuel	L60F	Sec.	Fuel	L60F
<i>F12L413V</i>			<i>F1L612</i>			(1168398); Pri.		
2133558	Fuel	FP587F L3405F ¹⁰⁸	Q05H4115	Fuel	L60F	H9.28/1	Oil	P49 ¹²
(1168398); Pri.		L61F	<i>F1L712</i>			<i>F2L812</i>		
Sec.		L61F	Q05H4115	Fuel	L60F	(2133943); Sec.	Fuel	FP586F
1168409		LFF3504	<i>F1L812</i>			(2133558); Pri.		FP587F
1174422		LFF3507	Q05H4115	Fuel	L60F	2133558		FP587F
1160025	Oil	LFF8092	<i>F1M417</i>			Sec.		L60F
<i>F12L614</i>			Q05H4115	Fuel	L60F	(1168398); Pri.		L61F
(1168398); Sec.	Fuel	L60F	<i>F2L1011</i>			(Q1H4115); Opt.		L61F
(1168407); Pri.		L61F	11744231	Fuel	FP586F	Pri.		LFF3504
(1168469); By-Pass	Oil	LP2210	1174483		LFF3504	150201110		LFF3507
<i>F12L714</i>			1174691		LFF3806 ¹⁷⁰	H9.28/1	Oil	P49 ¹²
(1168398); Sec.	Fuel	L60F	1174969		LFF4806 ¹⁶⁹	<i>F2L911</i>		
(1168407); Pri.		L61F	1180815	Oil	PH3656	1161341	Fuel	FP587F
(1168469); By-Pass	Oil	LP2210	1172346		PH561	1168398		L61F
<i>F12L814</i>			<i>F2L2011</i>			<i>F2L912</i>		
(1168398); Sec.	Fuel	L60F	2133558	Fuel	FP587F	1161341	Fuel	FP587F
(1168407); Pri.		L61F	1174416	Oil	PH2816	1168398		L61F
(1168469); By-Pass	Oil	LP2210	1180815		PH3656	1172715		L8105F
<i>F12L814</i>			<i>F2L208</i>			<i>F2LM1011</i>		
(1168398); Sec.	Fuel	L60F	1174691	Fuel	LFF3518	11744231	Fuel	FP586F
(R1H4115); Pri.		L61F	29353002	Oil	PH253 ¹⁴⁹⁶	1174483		LFF3504
(1168469); By-Pass	Oil	LP2210	1174416		PH2816	1174691		LFF3518
<i>F12M716</i>			<i>F2L310</i>			1174969		LFF3806 ¹⁷⁰
(1168398); Sec.	Fuel	L61F	1160217	Fuel	L60F	1180815	Oil	PH3656
(1168407); Pri.		L61F	3357457	Oil	P178	1172346		PH561
1161212	Oil	LP161	<i>F2L410D</i>			<i>F2M1008</i>		
1168446		LP614	1161341	Fuel	FP587F	12851312	Air	LAF8792 ¹²
<i>F1L208</i>			1160024	Oil	PH2819	12850069	Oil	PH2903 ⁶⁸⁰
1174691	Fuel	LFF3518	<i>F2L410W</i>			12850312		PH3942 ⁶⁷⁷
29353002	Oil	PH253 ¹⁴⁹⁶	1161341	Fuel	FP587F	<i>F2M1008F</i>		
1174416		PH2816	1160024	Oil	PH2819	1180596	Fuel	LFF3518
<i>F1L210</i>			<i>F2L411</i>			1174416	Oil	PH2816 ⁶⁷⁷
1161341	Fuel	FP587F	1174423	Fuel	FP586F	1180815		PH3656 ⁶⁷⁷
1174691		LFF3518	1161341		FP587F	<i>F2M2011</i>		
29353002	Oil	PH253 ¹⁴⁹⁶	1174691		LFF3518	2133558	Fuel	FP587F
<i>F1L410</i>			1174416	Oil	PH2816	1174416	Oil	PH2816
1174423	Fuel	FP586F	<i>F2L511</i>			1180815		PH3656
1174416	Oil	PH2840	1161341	Fuel	FP587F	<i>F2M417</i>		
<i>F1L410D</i>			1172346	Oil	PH561	Q05H4115	Fuel	L60F
1161341	Fuel	FP587F	<i>F2L511D</i>			<i>F3L1011</i>		
1160024	Oil	PH2819	1161341	Fuel	FP587F	1160023	Fuel	FP586F
<i>F1L410W</i>			1172346	Oil	PH561	1174483		LFF3504
1161341	Fuel	FP587F	<i>F2L511W</i>			1174691		LFF3518
1160024	Oil	PH2819	1161341	Fuel	FP587F	1174696		LFF3806 ¹⁷⁰
<i>F1L411</i>			1164626	Oil	PH2816	<i>F2M2011</i>		
1174423	Fuel	FP586F	<i>F2L514</i>			1180815	Oil	PH3656
1161341		FP587F	Sec.	Fuel	L60F	1174417		PH561
1174691		LFF3518	(1168398); Pri.		L61F	<i>F3L2011</i>		
1174416	Oil	PH2816	(1168469); By-Pass	Oil	LP2210	2133558	Fuel	FP587F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

12-Optional 108-Eco-Finer 169-1 Per Package 170-2 Per Package 275-Primary 677-3/4" thread 680-20mm thread 1496-Alternate

D

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DEUTZ (ENGINE DIESEL)			DEUTZ (ENGINE DIESEL)			DEUTZ (ENGINE DIESEL)		
<i>F3L2011 (cont'd)</i>			<i>F3M1011</i>			<i>F4L812 (cont'd)</i>		
1174416	Oil	PH2816	1160023	Fuel	FP586F		Fuel	LFF5826
1180815		PH3656	1174483		LFF3504	1168443	Oil	P49 ¹²
<i>F3L310</i>			1174691		LFF3518	A1H4123		PH2819
	Fuel	L60F	1174696		LFF3806 ¹⁷⁰	<i>F4L812D</i>		
3357457	Oil	P178			LFF4806 ¹⁶⁹		Fuel	LFF5826
		P4 ⁹⁷⁹	1180815	Oil	PH3656	1168443	Oil	P49
3357461		PH253 ¹⁴⁹⁶	1174417		PH561	1162024		PH2819
		PH2835 ²⁷⁵	<i>F3M2011</i>			<i>F4L813</i>		
<i>F3L514</i>			2133558	Fuel	FP587F		Oil	P49
(1160038); Sec.	Fuel	L60F	1174416	Oil	PH2816	<i>F4L911</i>		
(1168398); Pri.		L61F	1180815		PH3656	1174423	Fuel	FP586F
H9.28/1	Oil	P49 ¹²	<i>F3M417</i>			1168398		L61F
<i>F3L612</i>			Sec.	Fuel	L60F	1160024	Oil	PH2819
(1160038); Sec.	Fuel	L60F	Pri.		L61F	<i>F4L912</i>		
(1168398); Pri.		L61F	<i>F3M716</i>			1174423	Fuel	FP586F
H9.28/1	Oil	P49 ¹²	1168398	Fuel	L61F	1174482		FP587F
<i>F3L712</i>				Oil	LP2225	1168398		L61F
(1160038); Sec.	Fuel	L60F	<i>F4L1011</i>			1160024	Oil	PH2819
(1168398); Pri.		L61F	1174423	Fuel	FP586F	<i>F4L913</i>		
H9.28/1	Oil	P49 ¹²	1174483		LFF3504	1160243	Fuel	FP586F ¹⁸¹
<i>F3L811</i>			1174691		LFF3518	(2133558); Pri.		FP587F
1168443	Oil	P49	1174417	Oil	PH561	(2133943); Sec.		FP587F
1162024		PH2819	<i>F4L2011</i>			1172715		L8105F
<i>F3L812</i>			2133558	Fuel	FP587F	Pri.		LFF3504
(1160217); Sec.	Fuel	L60F	1174416	Oil	PH2816	1162024	Oil	PH2819
(1168398); Pri.		L61F	1180815		PH3656	<i>F4L914</i>		
(Q1H4115); Opt.		L61F	<i>F4L310</i>			1181917	Fuel	FP586F
Pri.		LFF3507	1168398	Fuel	L61F	1182001	Oil	PH2819
		LFF5826	3357457	Oil	P178	<i>F4M1008</i>		
1168443	Oil	P49 ¹²	3357461		PH253 ¹⁴⁹⁶	12851312	Air	LAF8792 ¹²
1174418		PH2819			PH2835 ²⁷⁵	12850069	Oil	PH2903 ⁶⁸⁰
<i>F3L812D</i>			<i>F4L512</i>			12850312		PH3942 ⁶⁷⁷
	Fuel	LFF5826	Sec.	Fuel	FP586F	<i>F4M1008F</i>		
1168443	Oil	P49	Pri.		L60F	1180596	Fuel	LFF3518
1162024		PH2819	<i>F4L514</i>			1174416	Oil	PH2816 ⁶⁷⁷
<i>F3L911</i>			1168398	Fuel	L61F	1180815		PH3656 ⁶⁷⁷
Q1H4117	Fuel	FP586F	1160025	Oil	LFP2222	<i>F4M1012</i>		
A1H4123	Oil	PH2819	1163465		LP2211 ⁶⁵	4252239	Oil	LP8700 ¹⁷⁵
<i>F3L912</i>			<i>F4L612</i>			<i>F4M2011</i>		
Q1H4117	Fuel	FP586F	1174423	Fuel	FP586F	2133558	Fuel	FP587F
A1H4123	Oil	PH2819	Sec.		L60F	1174416	Oil	PH2816
<i>F3L913</i>			Pri.		L61F	1180815		PH3656
1174423	Fuel	FP586F	H9.28/1	Oil	P49 ¹²	<i>F4M716</i>		
1172715		L8105F	<i>F4L712</i>			1168398	Fuel	L61F
1162024	Oil	PH2819	(1160038); Sec.	Fuel	L60F		Oil	LP2225
<i>F3L914</i>			(1168398); Pri.		L61F	<i>F5L413</i>		
1174423	Fuel	FP586F	H9.28/1	Oil	P49 ¹²	1160243	Fuel	FP586F
1174418	Oil	PH2819	<i>F4L811D</i>			1172715		L8105F
<i>F3M1008</i>			1168443	Oil	P49	1173430	Oil	LFP2222
12851312	Air	LAF8792 ¹²	1162024		PH2819	<i>F5L413R</i>		
12850069	Oil	PH2903 ⁶⁸⁰	<i>F4L812</i>			1160243	Fuel	FP586F
12850312		PH3942 ⁶⁷⁷	(1160038); Sec.	Fuel	L60F	1172715		L8105F
<i>F3M1008F</i>			(1168398); Pri.		L61F	1173430	Oil	LFP2222
1180596	Fuel	LFF3518	(Q1H4115); Opt.		L61F	<i>F5L911</i>		
1174416	Oil	PH2816 ⁶⁷⁷	Pri.		LFF3507	1160243	Fuel	FP586F
1180815		PH3656 ⁶⁷⁷	<i>F4L812</i>			1160024	Oil	PH2819

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

12-Optional 65-By-Pass 169-1 Per Package 170-2 Per Package 175-6" Tall 181-Single 275-Primary 677-3/4" thread 680-20mm thread 979-Optional By-Pass Filter 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DEUTZ (ENGINE DIESEL)			DEUTZ (ENGINE DIESEL)			DEUTZ (ENGINE DIESEL)		
<i>F5L912</i>			<i>F6L812D (cont'd)</i>			<i>F8L714 (cont'd)</i>		
1160243	Fuel	FP586F	1168469	Oil	P71	Pri.	Fuel	L61F
1172715		L8105F	1160024		PH2819	(P3H4120); Opt.	Oil	P71 ⁹⁷⁸
1174421	Oil	LFP2222	<i>F6L911</i>					
1160024		PH2819	1160243	Fuel	FP586F	<i>F8L714A</i>		
<i>F6L312</i>			1174421	Oil	LFP2222	Sec.	Fuel	L60F
1168398	Fuel	L61F	<i>F6L912</i>			Pri.		L61F
1173430	Oil	LFP2222	1160243	Fuel	FP586F ¹⁸¹	<i>F8L812</i>		
<i>F6L413</i>			(2133558); Pri.		FP587F	Sec.	Fuel	L60F
1174423	Fuel	FP586F	(2133943); Sec.		FP587F	(1168398); Pri.		L61F
(2133558); Pri.		FP587F	Pri.		LFF3504	1168469	Oil	P71
(2133943); Sec.		FP587F	1174421	Oil	LFP2222	1160024		PH2819
1172715		L8105F	<i>F6L913</i>			<i>F8L814</i>		
Pri.		LFF3504	1174423	Fuel	FP586F	Sec.	Fuel	L60F
1160025	Oil	LFP2222	1172715		L8105F	(1168407); Pri.		L61F
1160024		PH2819	1174421	Oil	LFP2222	P3H4120	Oil	P71
<i>F6L514</i>			<i>F6M517</i>			<i>F8M517</i>		
1160243	Fuel	FP586F	1174423	Fuel	FP586F	(8H4120); Sec.	Fuel	L60F
(8H4120); Sec.		L60F	(1168398); Sec.		L61F	(R1H4115); Pri.		L61F
(1168398); Pri.		L61F	(1168407); Pri.		L61F	(1168469); By-Pass	Oil	LP2210
1160025	Oil	LFP2222	(1168469); By-Pass	Oil	LP2210	<i>F8M617</i>		
E1214		P4	<i>F6M617</i>			(8H4120); Sec.	Fuel	L60F
(P2H4120); By-Pass		P71	(8H4120); Sec.	Fuel	L60F	(R1H4115); Pri.		L61F
		P92	(1168398); Pri.		L61F	(P3H4120); By-Pass	Oil	LP2210
<i>F6L613</i>			(P3H4120); By-Pass	Oil	LP2210	<i>T12M320</i>		
Sec.	Fuel	L60F	<i>F6M716</i>			(W2H4115); Pri.	Fuel	L8966F
Pri.		L61F	1168398	Fuel	L61F	<i>T12M420</i>		
<i>F6L614</i>				Oil	LP2225	(W2H4115); Pri.	Fuel	L8966F
(8H4120); Sec.	Fuel	L60F	<i>F8L312</i>			<i>T12M526</i>		
(1168398); Pri.		L61F		Fuel	L61F	(W2H4115); Pri.	Fuel	L8966F
(1168469); By-Pass	Oil	LP2210	<i>F8L413</i>			<i>T12M625</i>		
<i>F6L712</i>			1174423	Fuel	FP586F	(W2H4115); Pri.	Fuel	L8966F
Sec.	Fuel	L60F	(2133558); Pri.		FP587F	<i>T4M233</i>		
(1168398); Pri.		L61F	(2133943); Sec.		FP587F	Sec.	Fuel	L43F
H10.50X	Oil	P122	1172715		L8105F	Pri.		L60F
P3H4120		P71	Pri.		LFF3504	<i>L61F</i>		
<i>F6L714</i>			1160025	Oil	LFP2222	<i>T8M233</i>		
(8H4120); Sec.	Fuel	L60F	1160024		PH2819	Sec.	Fuel	L43F
(1168398); Pri.		L61F	<i>F8L413, F8L413F</i>			Pri.		L60F
(1168469); By-Pass	Oil	LP2210	1174423	Fuel	FP586F	<i>L61F</i>		
<i>F6L714A</i>			1174422		FP587F	<i>TCD2.9</i>		
P3H4120	Oil	P71	1183574	Oil	LFP2222	1174416	Oil	PH2816
<i>F6L811</i>			1182001		PH2819	<i>TCD2010 w/Tier 3</i>		
1160024	Oil	PH2819	<i>F8L513</i>			1181245	Fuel	LFF7687
<i>F6L812</i>			1174423	Fuel	FP586F	181749	Oil	LFP2222
Sec.	Fuel	L60F	1168398		L61F	<i>TCD2011</i>		
(1168398); Pri.		L61F	1172715		L8105F	1174416	Oil	PH2816
Pri.		LFF3507	1174421	Oil	LFP2222	<i>TCD2012 w/2 Valve</i>		
		LFF5826	<i>F8L610</i>				Fuel	FP586F
1168469	Oil	P49	Q1H4117	Fuel	FP586F		Oil	LFP2222
1160024		P71	1173430	Oil	LFP2222	<i>TCD2012 w/4 Valve</i>		
<i>F6L812D</i>			<i>F8L614</i>				Oil	LP8700 ¹⁷⁵
Sec.	Fuel	L60F	(1168398); Sec.	Fuel	L61F	<i>TCD2013 w/2 Valve</i>		
(1168398); Pri.		L61F	(R1H4115); Pri.		L61F	1181749	Oil	LFP2222 ³⁰
		LFF5826	(1168469); By-Pass	Oil	LP2210	1182945		LFP8590 ²⁹
A15H4123	Oil	LFP2222	<i>F8L714</i>			<i>TCD2013 w/4 Valve</i>		
			Sec.	Fuel	L60F		Oil	LP8700 ¹⁷⁵

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 29-1 1/8" Thread 30-1" x 12 Thread 175-6" Tall 181-Single 978-By-Pass Filter



Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
DEUTZ (ENGINE DIESEL)			DIAMOND REO (ENGINE)			DORMAN (ENGINE)		
<i>TCDD2015</i>			Models with REO engs. OA-110, -130, -145, OH-160, -170, -186 eng. OV-195 eng. 57 OH-200 eng. (cont'd)			6DA (cont'd)		
1181917	Fuel	FP586F					Oil	PH8A ¹⁴⁹⁶
1174421	Oil	LFP2222						
<i>TCDD3.6</i>				Oil	P4		Fuel	L296F ⁴¹
1174416	Oil	PH2816	OA-255, -292 eng.		P4		Oil	PH400 ²⁷⁵
<i>TCDD4.1</i>			OA-331 eng.		P4			PH8A ¹⁴⁹⁶
1174482	Fuel	FP587F	OH-160, -170 eng.		P4 ⁹⁸²			
1182672		LFF5874			P71		Oil	PH400 ²⁷⁵
1174421	Oil	LFP2222 ⁹⁸⁰			P92			PH8A ¹⁴⁹⁶
<i>TCDD6.1 L6</i>			Models with REO engs. OV-207, -220, -225, -230LPG, -235, -250 eng. 57			6LB, 6LBT		
1182672	Fuel	LFF5874					Fuel	L23F
1174421	Oil	LFP2222 ⁹⁸⁰						
<i>TCDD7.8</i>				Air	AF5HD			
1182672	Fuel	LFF5874 ⁵⁸⁷		Breather	LAF1671		Fuel	L23F
1174421	Oil	LFP2222 ³⁰	OA-225, -292 eng.	Oil	P4			
		LFP8590 ⁹⁸¹	OA-331 eng.		P4		Fuel	L23F
					P71		Oil	LP2219
					P92			
<i>TD2009</i>			DORMAN (ENGINE)			6LEV, 6YLET		
1174483	Fuel	FP586F	12JT				Fuel	L296F ⁴¹
04112261	Oil	LFP2221 ²⁶⁶		Oil	LFP2234			
1174416		PH2816 ²⁷¹	12Q, 12QT				Fuel	L296F ⁴¹
<i>TD2009L3</i>				Fuel	LFF3501		Oil	LFP2234
1174423	Fuel	FP586F		Oil	LP2219 ⁹⁸⁴			
1174416	Oil	PH2816	2DL, 2DW, 2DWD				Oil	LP2219 ⁹⁸⁴
<i>TD2009L4</i>				Oil	P771A			
1174423	Fuel	FP586F	2LB, 2LD				Fuel	L296F ⁴¹
1174416	Oil	PH2816	3DA				Oil	P71
<i>TD2010 w/Tier 3</i>				Fuel	L296F ⁴¹			
1181245	Fuel	LFF7687	3DL				Oil	P771A
181749	Oil	LFP2222	3LB, 3LD					
<i>TD2015</i>			4AJ				Fuel	L296F ⁴¹
1181917	Fuel	FP586F		Oil	P771A			
1174421	Oil	LFP2222	4DA				Fuel	L296F ⁴¹
<i>TM233</i>				Fuel	L296F ⁴¹		Oil	LFP2230
Sec.		L43F	4DL					
Pri.		L60F		Fuel	L296F ⁴¹			
		L61F		Oil	PH400 ²⁷⁵		Fuel	L296F ⁴¹
<i>TM325</i>					PH8A ¹⁴⁹⁶		Oil	LFP2230
1168470	Fuel	L43F	4DS, 4DWD, 4DWDD					
Q1H4115		L61F		Oil	P771A		Fuel	L296F ⁴¹
P3H4120	Oil	P71	4LB				Oil	LFP2238
<i>TM425</i>				Fuel	L23F			
1168470	Fuel	L43F	4LD, 4LDT					
Q1H4115		L61F		Fuel	L23F			
P3H4120	Oil	P71		Oil	LP2219			
<i>TM525</i>								
1168470	Fuel	L43F	5LB				Fuel	L296F ⁴¹
Q1H4115		L61F		Fuel	L23F		Oil	LFP2241 ⁹⁸⁵
P3H4120	Oil	P71	5LD					
DIAMOND REO (ENGINE)				Fuel	L23F		Fuel	L296F ⁴¹
Models with REO engs. OA-110, -130, -145, OH-160, -170, -186 eng. OV-195 eng. 57 OH-200 eng.				Oil	LP2219		Oil	LFP2241
	Oil	P92 ⁹⁸³	6DA					
OH-195 eng.	Oil	P92		Fuel	L23F		Fuel	L296F ⁴¹
	Air	AF5HD		Oil	LP2219		Oil	LFP2241
	Breather	LAF1671						
OV-195 eng. 57		LAF1671		Oil	PH400 ²⁷⁵		Fuel	L3515F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

30-1" x 12 Thread 41-Cartridge 266-3.75" O.D. 271-3" O.D. 275-Primary 587-Spin-on 980-3.7" O.D. 981-1 1/8 x 16" thread 982-From 1958 983-Early 63 984-1960 On 985-5/83 On 1496-Alternate



Engine Applications

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FIAT (ENGINE)			FORD (ENGINE DIESEL INDUSTRIAL)			FORD (ENGINE DIESEL INDUSTRIAL)		
8205 6 Cyl. (cont'd)			192 BSD332 3.2L			242 Four (cont'd)		
	Fuel	LFF3502	D6NN9R500B	Air	LAF3710 ¹	D9NN6714AA	Oil	LP70V
	Oil	LFP2229	D6NN9601B		LAF3717 ²	D9NN6714AA		PH400 ²⁷⁵
8210			EDPN9N074AA	Fuel	L296F ^{41, 986}			PH8A ¹⁴⁹⁶
	Fuel	L3515F	E4NN6714AA	Oil	PH253 ^{987, 1496}	254 DSD442 4.2L		
		LFF3502			PH2835 ^{275, 987}	2701E9150B	Fuel	L296F ⁴¹
	Oil	LFP2229			PH400 ^{275, 986}	C9NN6714A	Oil	LFP2258
8215 6 Cyl.					PH8A ^{986, 1496}	2701E6731A		LP70V
	Fuel	L3515F	201 BSD-333			2703E6731A		P72
		LFF3502	D6NN9R500B	Air	LAF3710 ¹			PH400 ^{32, 275}
	Oil	LFP2229	D6NN9601B		LAF3717 ²			PH8A ^{32, 1496}
8220, 8360 6 Cyl.			EDPN9N074AA	Fuel	L296F ^{41, 986}	256 BSD442 4.2L		
	Oil	LFP2229		Oil	LFP2258	D6NN9R500A	Air	LAF3707 ¹
8365 6 Cyl.			C5TE6744A		P114	D6NN9601B		LAF3717 ²
	Fuel	L3515F	E4NN6714AA		PH253 ^{987, 1496}	EDPN9N074AA	Fuel	L296F ^{41, 986}
		LFF3502			PH2835 ^{275, 987}	D5NN6714A	Oil	LFP3411
	Oil	LFP2229	D9NN6714EA		PH400 ^{275, 986}	C1AZ6731A		PH400 ^{275, 986}
FORD (ENGINE DIESEL INDUSTRIAL)			D9NN6714EA		PH8A ^{986, 1496}	C1AZ6731A		PH400 ²⁷⁵
144 2.4L			D9NN6714EA			C1AZ6731A		PH8A ^{986, 1496}
	Fuel	L296F ^{41, 181}	201 BSD-333H/3.3L			C1AZ6731A		PH8A ¹⁴⁹⁶
		L296F ⁴¹	D6NN9R500B	Air	LAF3710 ¹	268 BSD444		
D0NN9N074B	Oil	LFP2258	D6NN9601B		LAF3717 ²	D1NN9R500A	Air	LAF323 ¹
C7TZ6731A		LP70V	EDPN9N074AA	Fuel	L296F ^{41, 986}	D1NN9601A		LAF8552 ²
144 2.4L, YSD-635M/3.5L				Oil	LFP2258	EDPN9N074AA	Fuel	L296F ⁴¹
	Fuel	L296F ^{41, 181}	C5TE6744A		P114	D5NN6714A	Oil	LFP3411
		L296F ⁴¹	E4NN6714AA		PH253 ^{987, 1496}	C1AZ6731A		PH400 ²⁷⁵
D0NN9N074B	Oil	LFP2258			PH2835 ^{275, 987}	C1AZ6731A		PH8A ¹⁴⁹⁶
		LP70V			PH400 ^{275, 986}	268 BSD444T		
C7TZ6731A		LP70V			PH8A ^{986, 1496}	D1NN9R500A	Air	LAF323 ¹
158D			220 Four			D1NN9601A		LAF8552 ²
D0NN9N074B	Fuel	L296F ⁴¹		Oil	PH400 ²⁷⁵	EDPN9N074AA	Fuel	L296F ⁴¹
C5TE6744A	Oil	P114			PH8A ¹⁴⁹⁶	D5NN6714A	Oil	LFP3411
		PH400 ^{32, 275}	EPN99162A	Fuel	L23F	C1AZ6731A		PH400 ²⁷⁵
		PH400 ²⁷⁵	2701E9176B		L296F ⁴¹	C1AZ6731A		PH8A ¹⁴⁹⁶
		PH8A ^{32, 1496}	S/N 400,001-		L296F ⁴¹	268 BSD444TS/4.4L		
		PH8A ¹⁴⁹⁶	C7TZ6731A	Oil	LP70V	D1NN9R500A	Air	LAF323 ¹
168 SSD327/2.7L			EPN6731B		P771A	D1NN9601A		LAF8552 ²
D0NN9N074B	Fuel	L296F ⁴¹			P772	EDPN9N074AA	Fuel	L296F ⁴¹
172 Four					P820	D5NN6714A	Oil	LFP3411
	Fuel	L296F ⁴¹	224 SSD-437			C1AZ6731A		PH400 ²⁷⁵
	Oil	LFP2258	D0NN9N074B	Fuel	L296F ^{41, 986}	C1AZ6731A		PH8A ¹⁴⁹⁶
175 BSD329 2.9L			224 SSD-437M/3.7L			2701E		
D6NN9601B	Air	LAF3717 ²	D0NN9N074B	Fuel	L296F ^{41, 986}	(CAPN99162A); Sec.	Fuel	261F
EDPN9N074AA	Fuel	L296F ^{41, 986}	233 Four			D0NN9N074B		L296F ⁴¹
E4NN6714AA	Oil	PH253 ^{987, 1496}	D0NN9B618B	Air	LAF131 ¹²	C7TZ6731A	Oil	LP70V
		PH2835 ^{275, 987}	D0NN9N074B	Fuel	L296F ⁴¹	D9AE6714AA		PH400 ²⁷⁵
		PH400 ^{275, 986}	C9NN6714A	Oil	LFP2258	D9AE6714AA		PH8A ¹⁴⁹⁶
		PH8A ^{986, 1496}	2401E			2702E		
175D			D0NN9N074B	Fuel	L296F ⁴¹	(CAPN99162A); Sec.	Fuel	261F
D0NN9N074B	Fuel	L296F ⁴¹	C7TZ6731A	Oil	LP70V	D0NN9N074B		L296F ⁴¹
C5TE6744A	Oil	P114	2402E			C7TZ6731A	Oil	LP70V
		PH400 ^{32, 275}	D0NN9N074B	Fuel	L296F ⁴¹	D9AE6714AA		PH400 ²⁷⁵
		PH400 ²⁷⁵	C7TZ6731B	Oil	P72	D9AE6714AA		PH8A ¹⁴⁹⁶
		PH8A ^{32, 1496}	242 Four			2703E		
		PH8A ¹⁴⁹⁶	Sec.	Fuel	L23F ⁹⁸⁹	(CAPN99162A); Sec.	Fuel	261F
183 Three			Pri.		L23F	Pri.		L274F
D0NN9N074B	Fuel	L296F ⁴¹			L296F ^{41, 988}	Pri.		L274F1
C9NN6714A	Oil	LFP2258			L296F ⁴¹			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 12-Optional 32-Remote mounted 41-Cartridge 181-Single 275-Primary 986-Romeo Built 987-Basildon Built 988-69 on 989-Up to 69 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (ENGINE DIESEL INDUSTRIAL)			FORD (ENGINE DIESEL INDUSTRIAL)			FORD (ENGINE DIESEL INDUSTRIAL)		
<i>2703E (cont'd)</i>			<i>335 SSD655M (cont'd)</i>			<i>401 BSD666T/6.6L (cont'd)</i>		
D0NN9N074B	Fuel	L296F ⁴¹	D0NN9N074B	Fuel	L296F ⁴¹	(D5NN9R500C); Turbo	Air	LAF937 ¹
C7TZ6731A	Oil	LP70V	C9NN6714A	Oil	LFP2258	D8NN9176AA	Fuel	LFF3501
C7TZ6731B		P72	D9FL6731B		PH400 ²⁷⁵	E0NN6714AA	Oil	PH6714
			D9FL6731B		PH8A ¹⁴⁹⁶	<i>401 BSD666TI/6.6L</i>		
<i>2704E</i>			<i>335 SSD655MT/5.5L</i>			D8NN9V618AA Air LAF1813 ²		
(CAPN99162A); Sec.	Fuel	261F	D0NN9B618B	Air	LAF131 ¹²	D8NN9R500AA		LAF1814 ¹
Pri.		L274F	D0NN9N074B	Fuel	L296F ⁴¹	D8NN4176AA	Fuel	LFF3501
Pri.		L274F1	C9NN6714A	Oil	LFP2258	D8NN6714AA	Oil	PH6715
D0NN9N074B		L296F ⁴¹			PH400 ²⁷⁵	<i>420</i>		
C7TZ6731A	Oil	LP70V			PH8A ¹⁴⁹⁶	D0NN9B618B	Air	LAF131 ¹²
C7TZ6731B		P72	<i>360</i>			D0NN9N074B	Fuel	L296F ⁴¹
<i>2704ET</i>			785F6714AA3A Oil LFP8507			C9NN6714A	Oil	LFP2258
D0NN9N074B	Fuel	L296F ⁴¹			PH400 ²⁷⁵	<i>515</i>		
C7TZ6731B	Oil	P72			PH8A ¹⁴⁹⁶	D0NN9B618B	Air	LAF131 ¹²
<i>2711E</i>			<i>362</i>			D0NN9N074B	Fuel	L296F ⁴¹
EPN99162A	Fuel	L23F	785F6714AA3A	Oil	LFP8507	C9NN6714A	Oil	LFP2258
D0NN9N074B		L296F ⁴¹	<i>362 DSD659/5.9L</i>			<i>535</i>		
C7TZ6731A	Oil	LP70V	2701E9150B	Fuel	L296F ⁴¹	D0NN9B618B	Air	LAF131 ¹²
		PH400 ²⁷⁵	2703E6731A	Oil	P72	D0NN9N074B	Fuel	L296F ⁴¹
		PH8A ¹⁴⁹⁶			PH400 ^{32, 275}	C9NN6714A	Oil	LFP2258
<i>2712E</i>					PH8A ^{32, 1496}	<i>7HN</i>		
EPN99162A	Fuel	L23F	<i>363 DSD660/6.0L</i>				Oil	P4
D0NN9N074B		L296F ⁴¹	(C7TZ9365A); Sec.			<i>8ENN</i>		
C7TZ6731A	Oil	LP70V			P72		Oil	P4
		PH400 ²⁷⁵	<i>365</i>			<i>8MNN</i>		
		PH8A ¹⁴⁹⁶	785F6714AA3A	Oil	LFP8507		Oil	P4
<i>2713E</i>			<i>380</i>			<i>8NNN</i>		
EPN99162A	Fuel	L23F	785F6714AA3A	Oil	LFP8507		Oil	P3
D0NN9N074B		L296F ⁴¹	<i>380 DSD662/6.2L</i>			<i>8RNN</i>		
C7TZ6731B	Oil	P72	C7NN9176A	Fuel	L296F ⁴¹		Oil	P4
		PH400 ²⁷⁵	C9NN6714A	Oil	LFP2258	<i>BSD450 Turbo 5.0L</i>		
		PH8A ¹⁴⁹⁶	2703E6731A		P72	F2NN6714AA	Oil	LFP950
<i>2714E</i>			FL-300		PH253 ¹⁴⁹⁶	<i>BSD675 Turbo 7.5L</i>		
EPN99162A	Fuel	L23F			PH2835 ²⁷⁵	D8NN9176A	Fuel	LFF3501
D0NN9N074B		L296F ⁴¹			PH400 ^{32, 275}	F2NN6714AB	Oil	LFP950
C7TZ6731B	Oil	P72			PH8A ^{32, 1496}	E7NN6714AA	Oil	PH6715
		PH400 ²⁷⁵	<i>401</i>			<i>DD</i>		
		PH8A ¹⁴⁹⁶	D0NN9B618B	Air	LAF131 ¹²		Fuel	L296F ⁴¹
<i>2715E</i>			D0NN9N074B	Fuel	L296F ⁴¹		Oil	LFP2258
EPN99162A	Fuel	L23F	C9NN6714A	Oil	LFP2258	<i>DE</i>		
D0NN9N074B		L296F ⁴¹	<i>401 BSD666.6L</i>				Fuel	L296F ⁴¹
C7TZ6731B	Oil	P72	(E6NN9B618BB); Turbo	Air	LAF2540 ²		Oil	LFP2258
		PH400 ²⁷⁵	(D1NN9R500A); w/o Turbo		LAF323 ¹	<i>X</i>		
		PH8A ¹⁴⁹⁶	(D1NN9601A); w/o Turbo		LAF8552 ²	Sec.	Fuel	L23F
<i>2802E</i>			(D5NN9R500C); Turbo		LAF937 ¹		Oil	P772
C7TZ6731B	Oil	P72	D8NN9176AA	Fuel	LFF3501	<i>Y</i>		
<i>330 Six</i>			E0NN6714AA	Oil	PH6714	Sec.	Fuel	L23F
EPN99162A	Fuel	L23F	<i>401 BSD666T/6.6L</i>			Pri.	Fuel	L274F
	Oil	P72	(E6NN9B618BB); Turbo	Air	LAF2540 ²	Pri.	Fuel	L274F1
<i>335 SSD655</i>			(D1NN9R500A); w/o Turbo		LAF323 ¹		Oil	LP70V
D0NN9B618B	Air	LAF131 ¹²	(D1NN9601A); w/o Turbo		LAF8552 ²	FORD (ENGINE DIESEL)		
D0NN9N074B	Fuel	L296F ⁴¹				<i>230</i>		
C9NN6714A	Oil	LFP2258					Oil	LP70V
D9FL6731B		PH400 ²⁷⁵				<i>330</i>		
D9FL6731B		PH8A ¹⁴⁹⁶					Fuel	L23F
<i>335 SSD655M</i>								L274F
D0NN9B618B	Air	LAF131 ¹²						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 12-Optional 32-Remote mounted 41-Cartridge 275-Primary 1496-Alternate



Engine Applications

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (ENGINE DIESEL)			FORD (ENGINE GASOLINE INDUSTRIAL)			FORD (ENGINE GASOLINE INDUSTRIAL)		
330 (cont'd)			104GF V-4			240 SIX (cont'd)		
	Fuel	L274F1		Oil	P114		Oil	P49
	Oil	LP70V			PH253 ¹⁴⁹⁶		Oil	PH400 ²⁷⁵
363					PH2835 ²⁷⁵			PH8A ¹⁴⁹⁶
	Oil	P72	134 FOUR			250GF		
	Fuel	L296F ⁴¹		Oil	LFP2258		Oil	PH400 ²⁷⁵
401 6.6L			140 2.3L FOUR			PH8A ¹⁴⁹⁶		
	Fuel	LFF1223		Oil	PH400 ²⁷⁵	256GF		
		LFF3806 ¹⁷⁰			PH8A ¹⁴⁹⁶		Oil	LFP2258
		LFF8061	158G			2602E		
		LFF8061U ¹⁷¹		Oil	P114		Oil	PH400 ²⁷⁵
		LFF8063	158GF			PH8A ¹⁴⁹⁶		
		LFF8063U ¹⁷¹		Oil	LFP2258	2613E		
	Oil	LFP781 ⁹⁹³	170 SIX				Oil	PH400 ²⁷⁵
		PH6714 ⁹⁹⁴		Fuel	G16			PH8A ¹⁴⁹⁶
420 6.9L				Oil	PH400 ²⁷⁵	2614E		
	Fuel	LFP811F			PH8A ¹⁴⁹⁶		Oil	PH400 ²⁷⁵
	Oil	LFP784		Oil	PH400 ²⁷⁵			PH8A ¹⁴⁹⁶
445 7.3L					PH8A ¹⁴⁹⁶	2615E		
	Fuel	LFF5824B	172 Four				Oil	PH400 ²⁷⁵
	Oil	LFP784		Oil	P2			PH8A ¹⁴⁹⁶
445 7.3L Powerstroke					PH400 ²⁷⁵	262 Six		
	Coolant	LFW4071 ²⁸			PH8A ¹⁴⁹⁶		Oil	P49
	Fuel	L3580F ⁹⁹⁷	192G				Oil	P49
		L4595F		Oil	LFP2258	2625E		
		L4596F ⁹⁹⁶			P114		Oil	PH400 ²⁷⁵
		L5788F ⁹⁹⁶	192LPG					PH8A ¹⁴⁹⁶
	Oil	LFP2286		Oil	LFP2258	2653E		
		LFP2286XL ¹⁴			P114		Oil	PH400 ²⁷⁵
476 7.8L			200					PH8A ¹⁴⁹⁶
	Coolant	LFW4072 ¹⁸²		Fuel	G16	2655E		
	Fuel	LFF1223		Oil	PH400 ²⁷⁵		Oil	PH400 ²⁷⁵
		LFF3806 ¹⁷⁰			PH8A ¹⁴⁹⁶			PH8A ¹⁴⁹⁶
		LFF8061		Oil	PH400 ²⁷⁵	2656E		
		LFF8061U ¹⁷¹			PH8A ¹⁴⁹⁶		Oil	PH400 ²⁷⁵
		LFF8063	200GF					PH8A ¹⁴⁹⁶
		LFF8063U ¹⁷¹		Oil	PH400 ²⁷⁵	289 Six		
	Oil	LFP781			PH8A ¹⁴⁹⁶		Oil	P49
FD1060 5.9L			201GF					PH400 ²⁷⁵
	Air	LAF1878		Oil	LFP2258			PH8A ¹⁴⁹⁶
		LAF3585 ¹	223 Six			292 V8		
W/S	Fuel	LFF8062		Oil	PH400 ²⁷⁵		Oil	PH400 ²⁷⁵
	Oil	LFP780	S/N 390001-up		PH400 ²⁷⁵			PH8A ¹⁴⁹⁶
		LFP780XL ¹⁴			PH8A ¹⁴⁹⁶		Fuel	G124
FD1460 8.3L			S/N 390001-up	Oil	PH8A ¹⁴⁹⁶		Oil	P49
	Air	LAF1878			P49			PH400 ^{275, 990}
		LAF3585 ¹		Fuel	G124			PH8A ^{990, 1496}
W/S	Fuel	LFF8062		Oil	P2		Oil	P49
	Oil	LFP3000		Oil	PH400 ²⁷⁵	300 Six		
		LFP3000XL ¹⁴			PH8A ¹⁴⁹⁶		Oil	P49
			233G					PH400 ²⁷⁵
				Oil	P114			PH8A ¹⁴⁹⁶
			240 SIX			300HD Six		
104 V-4				Fuel	G16		Fuel	G6367
	Oil	P114		Oil	PH400 ²⁷⁵		Fuel	G800
		PH253 ¹⁴⁹⁶			PH8A ¹⁴⁹⁶		Fuel	G475
		PH2835 ²⁷⁵						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 14-Extended Life 28-Contains 1 oz. of chemical 41-Cartridge 170-2 Per Package 171-With Sensor Port 182-Contains 2 oz. of chemical 275-Primary 990-Use if spin-on kit was installed 993-9/86 On 994-From 9/86 996-1999 On 997-From 1999 1496-Alternate

F

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (ENGINE GASOLINE INDUSTRIAL)			FORD (ENGINE GASOLINE INDUSTRIAL)			FORD (ENGINE GASOLINE INDUSTRIAL)		
<i>300HD Six (cont'd)</i>			<i>330HD V8 (cont'd)</i>			<i>352 V8 (cont'd)</i>		
	Fuel	G454		Oil	P2		Oil	PH8A ¹⁴⁹⁶
	Fuel	G16		Oil	P49			
	Fuel	G473		Oil	P2	<i>360 V8</i>	Fuel	G16
	Oil	P49 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶			PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	P49 PH400 ^{275, 990} PH400 ²⁷⁵ PH8A ^{990, 1496} PH8A ¹⁴⁹⁶
	Fuel	G16	<i>330MD V8</i>	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Oil	P49 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	P2 PH400 ^{275, 990, 991} PH8A ^{990, 991, 1496}			
<i>300LD Six</i>						<i>360GP V8</i>		
	Fuel	G6367		Oil	P49		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Fuel	G800		Oil	P2			
	Fuel	G475			PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>361 V8</i>		
	Fuel	G454					Oil	PH299 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Fuel	G16	<i>332 V8</i>	Oil	P2		Fuel	G16
	Fuel	G473			PH400 ^{275, 990} PH8A ^{990, 1496}		Oil	P2
	Oil	P49 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	P2		Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Fuel	G16			PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>390 V8</i>		
	Oil	P49 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>351GM 5.8L V8</i>	Oil	PH48 ²⁷⁵ PH820 ¹⁴⁹⁶		Oil	P49 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>302GM 5.0L V8</i>				Fuel	G6367		Fuel	G16
	Fuel	G6367		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶			
	Fuel	G800		Fuel	G800	<i>390GP V8</i>	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Fuel	G475		Fuel	G475			
	Fuel	G779		Fuel	G454			
	Fuel	G454		Fuel	G473			
	Fuel	G473		Fuel	G16 ⁹⁹²	<i>391 V8</i>		
	Oil	P49		Fuel	G476		Oil	PH299
	Fuel	G16		Fuel	G779		Oil	P2
	Oil	P2		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>351GP 5.8L V8</i>			<i>400 V8</i>		
<i>302GP 5.0L V8</i>				Oil	PH48 ²⁷⁵ PH820 ¹⁴⁹⁶		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Fuel	G6367		Fuel	G6367		Fuel	G475
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Fuel	G454
	Fuel	G800		Fuel	G800		Fuel	G473
	Fuel	G475		Fuel	G475		Fuel	G473
	Fuel	G779		Fuel	G454		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Fuel	G454		Fuel	G473			
	Fuel	G473		Fuel	G16 ⁹⁹²	<i>401 V8</i>		
	Oil	P49		Fuel	G16 ⁹⁹²		Fuel	LFF762
	Fuel	G16		Fuel	G476		Breather	LAF1975
	Oil	P2		Fuel	G779		Fuel	L93FP
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Air	LAF237 ¹²
<i>330HD V8</i>			<i>352 V8</i>			-S/N R80, 001; Sec. S/N R80, 001-	Fuel	L93FP LFF762
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	P2 PH400 ²⁷⁵		Oil	LFP2258

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 12-Optional 275-Primary 990-Use if spin-on kit was installed 991-Medium duty 992-Exc. 73-75 4 bbl. 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (ENGINE GASOLINE INDUSTRIAL)			FORD (ENGINE GASOLINE INDUSTRIAL)			FORD (ENGINE GASOLINE INDUSTRIAL)		
<i>401 V8 (cont'd)</i>			<i>7HT</i>			<i>DSG423 2.3L</i>		
CFPN6731B	Oil	P114 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	P4	FL910	Oil	PH2835
								E
				Oil	P4		Oil	LFP2258
<i>460 V8 7.5L</i>			<i>899A</i>			<i>EAF</i>		
	Fuel	G6367		Oil	P4		Oil	P2
	Oil	HP1	<i>8ENN337</i>			<i>EAG</i>		
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	P4		Oil	P2
	Oil	PH400 ^{275, 998} PH8A ^{998, 1496}	<i>8EQ</i>			<i>EAM</i>		
	Fuel	G800	<i>8MB</i>			<i>EBR</i>		
	Fuel	G16		Oil	P4		Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Fuel	G16	<i>8MNN254</i>					
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	P4	<i>EBS</i>		
				Oil	P4		Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>460GM 7.5L V8</i>			<i>8N</i>					
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	APN6731B	Oil	P3	<i>EBT</i>		
			<i>8NNN120</i>					
<i>460GP 7.5L V8</i>				Oil	P3		Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>8RNN239</i>					
				Oil	P4			
<i>475 V8</i>			<i>8RT</i>			<i>EBV</i>		
	Fuel	LFF762		Oil	P4		Oil	P2
	Oil	P114	<i>91 V-4</i>			<i>EBW</i>		
	Breather	LAF1975		Fuel	G5/16 ²⁶³		Oil	P2
	Fuel	L93FP		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>EBZ</i>		
	Air	LAF237 ¹²					Oil	P2
-S/N R80, 001; Sec. S/N R80, 001-	Fuel	L93FP LFF762	<i>C4PA</i>			<i>ECR</i>		
	Oil	LFP2258 P114		Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>ECS</i>		
CFPN6731B							Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>477 V8</i>			<i>C4PB</i>					
	Oil	PH299		Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>ECS2V</i>		
	Fuel	LFF762					Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Fuel	L93FP	<i>C4PC</i>			<i>ECS4V</i>		
	Oil	P114		Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶			
	Breather	LAF1975	<i>C5PF</i>				Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Air	LAF237 ¹²		Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>ECT</i>		
-S/N R80, 001; Sec. S/N R80, 001-	Fuel	L93FP LFF762					Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Oil	LFP2258 P114	<i>C5PG</i>			<i>ECT4V</i>		
CFPN6731B				Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>534 V8</i>			<i>C5PG</i>					
	Oil	PH299		Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>ECW</i>		
	Fuel	LFF762					Oil	P2
	Fuel	L93FP	<i>CSG850M</i>			<i>ECY</i>		
	Oil	P114		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	P2
	Air	LAF237 ¹²				<i>EDL</i>		
-S/N R80, 001; Sec. S/N R80, 001-	Fuel	L93FP LFF762		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶			
	Oil	LFP2258 P114	<i>D</i>				Oil	P2
CFPN6731B				Oil	LFP2258 P2		Oil	P2
<i>7HNN226</i>			<i>DSG416 1.6L</i>					
	Oil	P4	FL910	Oil	PH2835		Oil	P114

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 12-Optional 263-Hoses and clamps included 275-Primary 998-Normal service 1496-Alternate

F

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (ENGINE GASOLINE INDUSTRIAL)			FORD (ENGINE GASOLINE INDUSTRIAL)			FORD (ENGINE GASOLINE INDUSTRIAL)		
<i>EDL2V</i>	Oil	P114	<i>EFY (cont'd)</i>	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>GSG640 4.0L (cont'd)</i>	Oil	PH500 PH820 ¹⁴⁹⁶
<i>EDL4V</i>	Oil	P114	<i>EFZ</i>	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>J</i>	Oil	P2
<i>EDM</i>	Oil	P114	<i>EGA</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>JA</i>	Oil	P2
<i>EDM2V</i>	Oil	P114	<i>EGU</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>JA215</i>	Oil	P2
<i>EDM4V</i>	Oil	P114	<i>EGV</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>JB</i>	Oil	P2
<i>EDN</i>	Oil	P114	<i>EGW</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>JB317</i>	Oil	P2
<i>EDN4V</i>	Oil	P114	<i>EGY</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>JBN</i>	Oil	P2
<i>EEH</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>EGZ</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>JC279</i>	Oil	P4
<i>EEJ</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>EHC</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>JC5</i>	Oil	P2
<i>EEK</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>EHF</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>JCN</i>	Oil	P2
<i>EEN</i>	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>EHV</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>JD</i>	Oil	P2
<i>EER</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>ESG642</i>	Oil	PH400	<i>JE</i>	Oil	P2
<i>EET</i>	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>ET60R1</i>	Oil	P2	<i>JE134</i>	Oil	P2
<i>EEV</i>	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>F</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>JF</i>	Oil	P2
<i>EEW</i>	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>G</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>JG</i>	Oil	P2
<i>EFU</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>GSG640 4.0L</i>	Oil	PH48 ²⁷⁵	<i>JH</i>	Oil	P2
<i>EFV</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>FL820S</i>	Oil	PH48 ²⁷⁵	<i>JJ</i>	Oil	P2
<i>EFW</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶				<i>JL</i>	Oil	P2
<i>EFY</i>	Oil	P2				<i>K</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
						<i>L</i>	Oil	P2 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
						<i>LRG-423 2.3L I-4</i>	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
						<i>LRG425</i>	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
						<i>LSG423</i>	Fuel	G5/16 ²⁶³
							Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 263-Hoses and clamps included 275-Primary 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
FORD (ENGINE GASOLINE INDUSTRIAL)			FORD (ENGINE GASOLINE)			GMC (ENGINE DIESEL)		
LSG875			370 V8			D478 (cont'd)		
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	PH299 PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	PF-132W (5574961); Pri.	Oil Fuel	LP132 L274F1
M			370 V8 6.1L			D637		
	Oil	P114		Oil	P2	(5573482); Pri.	Fuel	L274F
N				Fuel	G22 LFF3806 ¹⁷⁰	(TP-540X); Sec.	Fuel	L540F
	Oil	P114		Oil	PH299	PF-132W (5574961); Pri.	Oil Fuel	LP132 L274F1
Q				Oil	PH299	DH478		
	Oil	P114		Fuel	G6367	(5573482); Pri.	Fuel	L274F
VSG411				Fuel	LFF4806 ¹⁶⁹	PF-132W	Oil	LP132
	Fuel	G475	389XD V8			(TP-540X); Sec.	Fuel	L540F
	Oil	PH400		Oil	PH299	(5574961); Pri.	Fuel	L274F1
VSG413			415 V10 6.8L			DH637		
	Oil	PH400		Fuel	G6367	(5573482); Pri.	Fuel	L274F
VSG413I				Fuel	G6393 ⁹⁹⁵	(TP-540X); Sec.	Fuel	L540F
	Oil	PH400		Oil	PH48 ^{275, 758} PH820 ^{758, 1496}	PF-132W (5574961); Pri.	Oil Fuel	LP132 L274F1
WSG1068 V10 6.8L			GENERAC (ENGINE)			GMC (ENGINE GASOLINE)		
	Oil	PH48 ²⁷⁵ PH820 ¹⁴⁹⁶	GN190, GN220, GN480, GN570			200 V6		
WSG858M				Air	LAF4512	PF-40	Oil	PH47
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	PH2840	GF-471	Fuel	G471
FORD (ENGINE GASOLINE)			GN320, GN360			229 V6		
215 6 cyl.				Air	LAF4512	GF-471	Fuel	G471
	Fuel	G124		Oil	PH2840	PF-40	Oil	PH47
	Oil	P2	GN724			230 6 cyl.		
226 6 cyl.				Air	LAF5810	GF-427	Fuel	G470
	Oil	P71		Oil	PH2840	PF-25	Oil	PH454
239 V8			GSH220, GSV220 7.8 hp			PF-35	Oil	PH1218
	Oil	P2		Oil	PH2840	7013404	Fuel	G22
	Oil	P4	GSH410, GSV410 14 hp			231 V6		
	Oil	P71		Oil	PH2840	GF-471	Fuel	G471
254 6 cyl.			GTH530, GTV530 18 hp			GF-470	Fuel	G470
	Oil	P4		Oil	PH2840	PF-40	Oil	PH47
255 V8 4.2L			GTH760, GTV760 27 hp			248 6 cyl.		
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	PH2840	GF-124	Fuel	G124
	Fuel	G475		Oil	PH2840	5572425	Oil	P71
256 V8			GMC (ENGINE DIESEL)			250 6 cyl.		
	Oil	P2	6.2L V8			PF-25	Oil	PH454
260 V8				Fuel	LFF1006	GF-427	Fuel	G470
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	PH1218	7013404	Fuel	G22
272 V8				Fuel	LFF1005 LFP943F ^{244, 587} LFP944F ²⁷⁵	PF-35	Oil	PH1218
	Fuel	G124	6.5L V8			267 V8		
	Oil	P2		Fuel	L3546F ¹⁰⁰⁰	PF-25	Oil	PH454
279 V8				Oil	PH1218	GF-471	Fuel	G471
	Oil	P2	D351			270 6 cyl.		
289 V8				(5573482); Pri.	Fuel	PF-122	Oil	P122
	Fuel	G16		(TP-540X); Sec.	Fuel	GF-124	Fuel	G124
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		PF-132W (5574961); Pri.	Fuel	(5572425); By-Pass	Oil	P71
317 V8			D478			283 V8		
	Oil	P2		(5573482); Pri.	Fuel	GF-157	Fuel	G6
				(TP-540X); Sec.	Fuel	PF-141	Oil	P141
				PF-132W (5574961); Pri.	Fuel	288 V8		
					Fuel	GF-124	Fuel	G124
					Fuel	PF-122	Oil	P122
					Fuel		Breather	LAF1671 ⁸⁵⁸
					Fuel	GF-94	Fuel	G1 ⁵³¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

169-1 Per Package 170-2 Per Package 244-Secondary 275-Primary 531-Filter only 587-Spin-on 758-1998 On 858-Hydraulic Tank 995-2004 On 1000-OEM style, Filter and cap assembly [L3546FC]. 1496-Alternate

F

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GMC (ENGINE GASOLINE)			GMC (ENGINE GASOLINE)			GMC (ENGINE GASOLINE)		
<i>292 6 cyl. 4.8L</i>			<i>327 V8</i>			<i>396 V8 (cont'd)</i>		
PF-35	Oil	PH1218	GF-157	Fuel	G6	PF-832	Oil	PH832
GF-62C	Fuel	G6	PF-141	Oil	P141	GF-427	Fuel	G470
GF-470	Fuel	G470	<i>336 V8</i>			7013404	Fuel	G22
PF-832	Oil	PH832	GF-124	Fuel	G124	<i>4.3L</i>		
PF-25	Oil	PH454	PF-122	Oil	P122	PF47	Oil	PH47 ¹⁸
PF-166	Oil	P166		Breather	LAF1671 ⁸⁵⁸	PF52		PH51A ¹⁹
7013404	Fuel	G22	GF-94	Fuel	G1 ⁵³¹	<i>4.3L High Output</i>		
PF-132	Oil	LP132	<i>347 V8</i>			PF47	Oil	PH47 ¹⁸
<i>302 6 cyl.</i>			GF-124	Fuel	G124	PF52		PH51A ¹⁹
GF-124	Fuel	G124	PF-122	Oil	P122	<i>400 V8</i>		
P-117	Oil	P71		Breather	LAF1671 ⁸⁵⁸	GF-471	Fuel	G471
<i>305 V8</i>			GF-94	Fuel	G1 ⁵³¹	PF-35	Oil	PH1218
GF-481	Fuel	G481	<i>350 V8 5.7L</i>			GF-427	Fuel	G470
PF-1218	Oil	PH1218	GF-481	Fuel	G481	<i>401 V6</i>		
PF-25	Oil	PH454	PF-1218	Oil	PH1218	GF-157	Fuel	G6
GF-471	Fuel	G471	PF-832	Oil	PH832	PF-132W	Oil	LP132
GF-470	Fuel	G470	GF-471	Fuel	G471	T-552	Fuel	L552F
<i>305A V6</i>			GF-157	Fuel	G6	<i>401M V6</i>		
GF-124	Fuel	G124	GF-470	Fuel	G470	GF-157	Fuel	G6
PF-122	Oil	P122	GF-441	Fuel	G441	PF-132W	Oil	LP132
<i>305B V6</i>			PF-166	Oil	P166	T-552	Fuel	L552F
PF-132W	Oil	LP132	GF-94	Fuel	G1 ⁵³¹	<i>427 6 cyl.</i>		
GF-157	Fuel	G6	7013404	Fuel	G22	GF-124	Fuel	G124
<i>305C V6</i>			PF-141	Oil	P141	P-117	Oil	P71
GF-147	Fuel	G470	<i>351 V6</i>			<i>427 V8 7.0L</i>		
PF-30	Oil	PH24	GF-157	Fuel	G6	25055052	Fuel	G481
PF-132W	Oil	LP132	PF-132W	Oil	LP132	PF-832	Oil	PH832
GF-94	Fuel	G1 ⁵³¹	<i>351C V6</i>			PF-35	Oil	PH1218
GF-124	Fuel	G124	GF-157	Fuel	G6	PF-166	Oil	P166
GF-157	Fuel	G6	PF-30	Oil	PH24	<i>432 V6</i>		
<i>305D V6</i>			GF-94	Fuel	G1 ⁵³¹	GF-157	Fuel	G6
GF-124	Fuel	G124	GF-124	Fuel	G124	PF-132W	Oil	LP132
PF-132W	Oil	LP132	<i>351M V6</i>			<i>454 V8 7.4L</i>		
PF-122		P122	PF-132W	Oil	LP132	GF-481	Fuel	G481
<i>305E V6</i>			GF-94	Fuel	G1 ⁵³¹	PF-1218	Oil	PH1218
PF-30	Oil	PH24	GF-157	Fuel	G6	PF-832	Oil	PH832
PF-132W	Oil	LP132	<i>360 6 cyl.</i>			GF-471	Fuel	G471
PF-122		P122	GF-124	Fuel	G124	GF-427	Fuel	G470
GF-94	Fuel	G1 ⁵³¹	P-117	Oil	P71	GF-441	Fuel	G441
GF-124		G124	<i>366 V8 6.0L</i>			PF-166	Oil	P166
<i>307 V8</i>			25055052	Fuel	G481	<i>478 V6</i>		
PF-35	Oil	PH1218	PF-832	Oil	PH832	T-552	Fuel	L552F
7013404	Fuel	G22	PF-35	Oil	PH1218	GF-157	Fuel	G6
GF-427	Fuel	G470	GF-157	Fuel	G6	PF-132W	Oil	LP132
PF-141	Oil	P141	GF-427	Fuel	G470	<i>478M V6</i>		
<i>316 V8</i>			PF-166	Oil	P166	T-552	Fuel	L552F
GF-124	Fuel	G124	<i>370 V8</i>			GF-157	Fuel	G6
PF-122	Oil	P122	GF-124	Fuel	G124	PF-132W	Oil	LP132
	Breather	LAF1671 ⁸⁵⁸	PF-122	Oil	P122	<i>503 6 cyl.</i>		
GF-94	Fuel	G1 ⁵³¹		Breather	LAF1671 ⁸⁵⁸	GF-124	Fuel	G124
<i>324 V8</i>			GF-94	Fuel	G1 ⁵³¹	P-117	Oil	P71
GF-124	Fuel	G124	<i>379 V6</i>			<i>637 V8</i>		
PF-122	Oil	P122	GF-157	Fuel	G6	GF-157	Fuel	G6
	Breather	LAF1671 ⁸⁵⁸	<i>396 V8</i>			PF-132W	Oil	LP132
GF-94	Fuel	G1 ⁵³¹	PF-35	Oil	PH1218	TP-540X	Fuel	L540F
			PF-166	Oil	P166			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

18-Short 19-Long 531-Filter only 858-Hydraulic Tank

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GMC (ENGINE GASOLINE)			GRAY (ENGINE DIESEL)			GRAY (ENGINE GASOLINE)		
702 V12			6D844 (cont'd)			175 V8 (cont'd)		
854347	Fuel	G124		Oil	LP151		Fuel	G6 ⁹
854569		G6	D129			178 V8		
PF-132W	Oil	LP132	Sec.	Fuel	261F		Fuel	G124 ¹⁰⁰¹
LST 6.0L				Oil	P4			G6 ⁹
PF48	Oil	PH48	D187			188 V8		
Vortec 1.6L Industrial			Sec.	Fuel	261F		Fuel	G124 ¹⁰⁰¹
PF47	Oil	PH47 ¹⁸		Oil	P4			G6 ⁹
PF52		PH51A ¹⁹	GRAY (ENGINE GASOLINE)			195 V8		
Vortec 2.4L Industrial			100				Fuel	G124 ¹⁰⁰¹
	Oil	PH47		Oil	P4			G6 ⁹
Vortec 3.0L Industrial			104			215 V8		
PF1218	Oil	PH1218 ¹⁷		Oil	P4		Fuel	G124 ¹⁰⁰¹
PF454		PH454 ¹⁸	109					G6 ⁹
Vortec 4.3L Industrial			By-Pass	Oil	P4	220 V8		
PF47	Oil	PH47 ¹⁸	110				Fuel	G124 ¹⁰⁰¹
PF52		PH51A ¹⁹		Oil	P4			G6 ⁹
Vortec 5.7L Industrial			112			226		
PF1218	Oil	PH1218		Oil	P4		Oil	P4
PF454		PH454 ¹⁸	115			229		
GRAY (ENGINE DIESEL)				Oil	P4		Fuel	G124 ¹⁰⁰¹
181 w/Roosamaster			116					G6 ⁹
Sec.	Fuel	L93FP		Oil	P4	232 6 cyl.		
220 Diesel			118				Fuel	G124 ¹⁰⁰¹
	Fuel	L50F		Oil	P4			G6 ⁹
	Oil	P72	120			238 V8		
330 Diesel				Oil	P4		Fuel	G124 ¹⁰⁰¹
	Fuel	L50F	125 6 cyl.					G6 ⁹
	Oil	P72		Oil	P71	244		
4D227			125 V8				Oil	P4
Sec.	Fuel	261F		Fuel	G124 ¹⁰⁰¹	260 V8		
	Oil	LP132			G6 ⁹		Fuel	G124 ¹⁰⁰¹
		LP151	135 6 cyl.					G6 ⁹
4D260				Oil	P4	280 V8		
	Oil	P71	135 V8				Fuel	G124 ¹⁰⁰¹
4D277				Fuel	G124 ¹⁰⁰¹			G6 ⁹
Sec.	Fuel	261F	136 V8			304 V8		
	Oil	LP132		Fuel	G124 ¹⁰⁰¹		Fuel	G124 ¹⁰⁰¹
		LP151			G6 ⁹			G6 ⁹
6D427			138 V8			310 V8		
Sec.	Fuel	262F		Fuel	G124 ¹⁰⁰¹		Fuel	G124 ¹⁰⁰¹
	Oil	P71			G6 ⁹			G6 ⁹
6D516T			140			330		
Sec.	Fuel	FP230F		Oil	P4		Oil	P4
	Oil	LP132	150			427		
		LP151		Oil	P4	Sec.	Fuel	262F
6D572							Oil	P4
Sec.	Fuel	262F	160 6 cyl.			45		
	Oil	P71		Oil	P4	50		
6D802			162				Oil	P4
Sec.	Fuel	262F	By-Pass	Oil	P4	620		
	Oil	P71			PH24		Oil	P4
6D844			170 V8			70		
Sec.	Fuel	262F		Fuel	G124 ¹⁰⁰¹			
Pri.		L3568F			G6 ⁹	75		
Sec.		L540F	175 V8				Oil	P4
	Oil	LP132		Fuel	G124 ¹⁰⁰¹		Oil	P4

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
9-3.5" Tall 17-Long version 18-Short 19-Long 1001-1" Long

G

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
GRAY (ENGINE GASOLINE)			GRAY (ENGINE GASOLINE)			GRAY (ENGINE GASOLINE)		
80			CF238 V8			Phantom 112		
	Oil	P4		Fuel	G124 ¹⁰⁰¹ G6 ⁹		Oil	P4
85						Phantom 125 V8		
	Oil	P4	CH185				Fuel	G124 ¹⁰⁰¹ G6 ⁹
90				Oil	PH24			
	Oil	P4	CH195 V8			Phantom 135 v		
91				Fuel	G124 ¹⁰⁰¹ G6 ⁹		Oil	P4
	Oil	P4				Phantom 135 V8		
A1-180 V8			CH220 V8				Fuel	G124 ¹⁰⁰¹ G6 ⁹
	Fuel	G124 ¹⁰⁰¹ G6 ⁹		Fuel	G124 ¹⁰⁰¹ G6 ⁹			
A136 V8			CH238 V8			Phantom 140		
	Fuel	G124 ¹⁰⁰¹ G6 ⁹		Fuel	G124 ¹⁰⁰¹ G6 ⁹		Oil	P4
	Oil	PH24				Phantom 45		
A160 V8			CH280 V8				Oil	P4
	Fuel	G124 ¹⁰⁰¹ G6 ⁹		Fuel	G124 ¹⁰⁰¹ G6 ⁹	Phantom 62		
							Oil	P4
	Fuel	G124 ¹⁰⁰¹ G6 ⁹	CH310 V8			Phantom 620		
C138 V8				Fuel	G124 ¹⁰⁰¹ G6 ⁹		Oil	P4
	Fuel	G124 ¹⁰⁰¹ G6 ⁹				Phantom 75		
			Espress 244				Oil	P4
C138B V8				Oil	P4	Racing 244		
	Fuel	G124 ¹⁰⁰¹ G6 ⁹	Express 140				Oil	P4
				Oil	P4	Racing 91		
C175 V8			Express 162			Sea Scout		
	Fuel	G124 ¹⁰⁰¹ G6 ⁹	By-Pass	Oil	P4 PH24		Oil	P4
						Sea Scout 91		
C178 V8			Express 226			By-Pass	Oil	P4 PH24
	Fuel	G124 ¹⁰⁰¹ G6 ⁹		Oil	P4			
			Express 330			Super 330		
C178B V8				Oil	P4		Oil	P4
	Fuel	G124 ¹⁰⁰¹ G6 ⁹	Express 427			Super 427		
				Oil	P71	Sec.	Fuel	262F
C188 V8			Express 69				Oil	P4
	Fuel	G124 ¹⁰⁰¹ G6 ⁹		Oil	P4	HATZ (ENGINE)		
			Fireball 140			1D20, 1D30, 1D31, 1D40, 1D41, 1D60, 1D80, 1D81		
C215 V8				Oil	P4		Air	LAF8599
	Fuel	G124 ¹⁰⁰¹ G6 ⁹	Fireball 160 6 cyl.				Fuel	G5/16 ²⁶³
				Oil	P4	2G30, 2G40		
C238 V8			Fireball 50				Oil	PH2814
	Fuel	G124 ¹⁰⁰¹ G6 ⁹		Oil	P4	2L30C, H2L30C, 2L30S/Z, 2L40S		
			Fireball 90				Air	LAF8089 LAF8736
C280 V8				Oil	P4		Fuel	FP586F LFF3518
	Fuel	G124 ¹⁰⁰¹ G6 ⁹	Light 69				Oil	LFP2538
				Oil	P4	2L41C, 3L41C, 4L41C Silent PACK		
C310 V8			Lugger 112				Air	LAF8089 LAF8736
	Fuel	G124 ¹⁰⁰¹ G6 ⁹		Oil	P4		Fuel	FP586F LFF3518
CF185			Lugger 162				Oil	LFP2538
	Oil	PH24	By-Pass	Oil	P4 PH24	2M40, 3M40, 4M40		
CF195 V8			Lugger 226				Air	LAF8089
	Fuel	G124 ¹⁰⁰¹ G6 ⁹		Oil	P4		Fuel	LFF3518
			Lugger 244				Oil	LFP2538
CF220 V8			Lugger 330					
	Fuel	G124 ¹⁰⁰¹ G6 ⁹		Oil	P4		Air	LAF8089
				Oil	P71		Fuel	LFF3518
							Oil	LFP2538

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
9-3.5" Tall 263-Hoses and clamps included 1001-1" Long

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HATZ (ENGINE)			HATZ (ENGINE)			HERCULES (ENGINE DIESEL)		
<i>2M41, 3M41, 4M41</i>			<i>V105 (cont'd)</i>			<i>D2300 3-cyl. (cont'd)</i>		
	Air	LAF8089		Oil	LP2214	285253-BS	Oil	LP38
	Fuel	LFF3518	<i>V108</i>			(47247-BS); By-Pass		P7FF
	Oil	LFP2538		Fuel	L60F	<i>D3000 6-cyl.</i>		
<i>2W35, 3W35, 4W35</i>				Oil	LFP2538	40-0000-627D	Air	AF5HD ¹²
	Fuel	LFF3504	<i>V95</i>			(83249-BS); Sec.	Fuel	261F
	Oil	LFP2221		Fuel	L60F	(173250-BS); In-Line		FP953F ²⁴⁴
<i>3L30C, H3L30C, 3L30S/Z, H3L30S/Z, 3L40C, 3L40S</i>				Oil	LP2214	(89279-BS); Pri.		L10F
	Air	LAF8089	<i>Z100, Z105R</i>			(266537); Sec.		L296F ⁴¹
	Fuel	FP586F		Fuel	L60F	(266536-AS); Pri.		L3569F
	Fuel	LFF3518	<i>Z108</i>			(180261-B); Pri.		L3570F
	Oil	LFP2538		Fuel	L60F	40-0000-401	Oil	LFP3411
<i>4L30C, 4L30S/Z, 4L40S</i>				Oil	LFP2221	146420-DS		LP38
	Air	LAF8089	<i>Z782, Z788, Z789, Z790</i>					P92
	Fuel	FP586F		Air	LAF8736	<i>D3000T 6-cyl.</i>		
	Fuel	LFF3518		Fuel	L60F	40-0000-627D	Air	AF5HD ¹²
	Oil	LFP2538		Oil	LFP2221	(83249-BS); Sec.	Fuel	261F
<i>A1D35, A1D41</i>				Fuel	L60F	(173250-BS); In-Line		FP953F ²⁴⁴
	Fuel	G5/16 ²⁶³		Oil	LP2214	(89279-BS); Pri.		L10F
<i>D108</i>				Fuel	L60F	(266537); Sec.		L296F ⁴¹
	Fuel	L60F		Oil	LP2214	(266536-AS); Pri.		L3569F
	Oil	LFP2213	HERCULES (ENGINE DIESEL)			(180261-B); Pri.		L3570F
<i>D95</i>			<i>D1500 3-cyl.</i>			40-0000-401	Oil	LFP3411
	Fuel	L60F	(147363-A); Sec.	Fuel	261F	146420-DS		LP38
	Oil	LP2214	(89279-BS); Pri.	L10F	L10F			P92
<i>E108</i>			(266537-AS); Sec.	L296F ⁴¹	L296F ⁴¹	<i>D3400 6-cyl.</i>		
	Fuel	L60F	(266536-AS); Pri.	L3569F	L3569F	(83249-BS); Sec.	Fuel	261F
	Oil	LFP2221	40-0000-401	LFP3411	LFP3411	(173250-BS); In-Line		FP953F ²⁴⁴
<i>E571, E573, E671, E673</i>			285253-BS	LP38	LP38	(89279-BS); Pri.		L10F
	Air	LAF8736	(47247-BS); By-Pass	P7FF	P7FF	(266537); Sec.		L296F ⁴¹
	Fuel	G5/16 ²⁶³	<i>D1700 3-cyl.</i>			(266536-AS); Pri.		L3569F
<i>E71, ES71, E75, ES75, E79, ES79</i>			(147363-A); Sec.	Fuel	261F	(180261-B); Pri.		L3570F
	Fuel	L60F	(89279-BS); Pri.	L10F	L10F	40-0000-401	Oil	LFP3411
<i>E780, ES780, E785, ES785, E786, ES786</i>			(266537-AS); Sec.	L296F ⁴¹	L296F ⁴¹	290383		LP132
	Fuel	L60F	(266536-AS); Pri.	L3569F	L3569F	146420-DS		LP38
<i>E80, E80G, ES81, E85, E85G, E85FG, ES85, E89, E89G, E89FG, ES89</i>			40-0000-401	LFP3411	LFP3411			P92
	Fuel	L60F	285253-BS	LP38	LP38	<i>D426</i>		
<i>E95</i>			(47247-BS); By-Pass	P7FF	P7FF		Oil	LP155 ⁶⁵
	Fuel	L60F	<i>D2000 3-cyl.</i>			<i>D426T</i>		
	Oil	LP2214	40-0000-627D	Air	AF5HD ¹²		Oil	LP155 ⁶⁵
<i>E950</i>			(147363-A); Sec.	Fuel	261F	<i>D4800 6-cyl.</i>		
	Air	LAF8736	(173250-BS); In-Line	FP953F ²⁴⁴	FP953F ²⁴⁴		Air	LAF1853
	Oil	LFP2221	(89279-BS); Pri.	L10F	L10F		Fuel	FP230F ¹⁸¹
<i>HE780</i>			(266537-AS); Sec.	L296F ⁴¹	L296F ⁴¹	(40-0002512); Pri.		FP251F
	Fuel	L60F	(266536-AS); Pri.	L3569F	L3569F	(40-0002510); Sec.		FP603
<i>Supra 1D41S</i>			40-0000-401	LFP3411	LFP3411	(173250-BS); In-Line		FP953F ²⁴⁴
	Air	LAF8599	285253-BS	LP38	LP38	40-0000-406	Oil	PH444
	Fuel	LAF8736	(47247-BS); By-Pass	P7FF	P7FF	<i>DD130 3-cyl.</i>		
	Fuel	G115	<i>D2300 3-cyl.</i>			Sec.	Fuel	261F
<i>Supra 1D60, 1D80</i>			(147363-A); Sec.	Fuel	261F	Pri.		L10F
	Air	LAF8599	(40-0002514); Sec.	FP230F ¹²	FP230F ¹²	By-Pass	Oil	P7FF
	Fuel	LAF8736	(173250-BS); In-Line	FP953F ²⁴⁴	FP953F ²⁴⁴	<i>DD149 3-cyl.</i>		
	Fuel	G5/16 ²⁶³	(89279-BS); Pri.	L10F	L10F	Sec.	Fuel	261F
<i>V105</i>			(266537-AS); Sec.	L296F ⁴¹	L296F ⁴¹	In-Line		FP953F ²⁴⁴
	Fuel	L60F	(266536-AS); Pri.	L3569F	L3569F	Pri.		L10F
	Fuel	L60F	40-0000-401	LFP3411	LFP3411	(266537-AS); Sec.		L296F ⁴¹
	Fuel	L60F		LFP3411	LFP3411	By-Pass	Oil	P7FF

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

12-Optional 41-Cartridge 65-By-Pass 181-Single 244-Secondary 263-Hoses and clamps included

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HERCULES (ENGINE DIESEL)			HERCULES (ENGINE DIESEL)			HERCULES (ENGINE DIESEL)		
<i>DD149H 3-cyl.</i>			<i>DD298 6-cyl. (cont'd)</i>			<i>DNX V8D 8-cyl.</i>		
Sec.	Fuel	261F	(266537-AS); Sec.	Fuel	L296F ⁴¹	Pri.	Fuel	L10F
In-Line		FP953F ²⁴⁴	Pri.		L3570F	(32243-BS); By-Pass	Oil	P71
Pri.		L10F	290283-DS	Oil	LP132	<i>DNX V8DTS 8-cyl.</i>		
(266537-AS); Sec.		L296F ⁴¹	285253-BS		LP38	Pri.	Fuel	L10F
By-Pass	Oil	P7FF	<i>DD298H 6-cyl.</i>			(32243-BS); By-Pass	Oil	P71
<i>DD169 3-cyl.</i>			Sec.	Fuel	261F	<i>DNX V8S 8-cyl.</i>		
Sec.	Fuel	261F	In-Line		FP953F ²⁴⁴	Pri.	Fuel	L10F
In-Line		FP953F ²⁴⁴	(266537-AS); Sec.		L296F ⁴¹	(32243-BS); By-Pass	Oil	P71
Pri.		L10F	Pri.		L3570F	<i>DOOB 3-cyl.</i>		
(266537-AS); Sec.		L296F ⁴¹	290283-DS	Oil	LP132		Oil	LP155 ⁶⁵
By-Pass	Oil	P7FF	285253-BS		LP38	<i>DOOC 3-cyl.</i>		
<i>DD169H 3-cyl.</i>			<i>DD298HT 6-cyl.</i>				Oil	LP155 ⁶⁵
Sec.	Fuel	261F	Sec.	Fuel	261F	<i>DOOD 3-cyl.</i>		
In-Line		FP953F ²⁴⁴	In-Line		FP953F ²⁴⁴		Oil	LP155 ⁶⁵
Pri.		L10F	(266537-AS); Sec.		L296F ⁴¹	<i>DRX 6-cyl.</i>		
(266537-AS); Sec.		L296F ⁴¹	Pri.		L3570F		Oil	LP155 ⁶⁵
By-Pass	Oil	P7FF	290283-DS	Oil	LP132	<i>DRXC 6-cyl.</i>		
<i>DD173 3-cyl.</i>			285253-BS		LP38	Sec.	Fuel	262F
Sec.	Fuel	261F	<i>DD339 6-cyl.</i>			Pri.	Oil	L3570F
In-Line		FP953F ²⁴⁴	Sec.	Fuel	261F		Oil	LP155 ⁶⁵
(266537-AS); Sec.		L296F ⁴¹	In-Line		FP953F ²⁴⁴	<i>DWX Series 6-cyl.</i>		
Pri.		L3567F	(266537-AS); Sec.		L296F ⁴¹		Oil	LP155 ⁶⁵
By-Pass	Oil	P7FF	Pri.		L3570F	<i>TCD1468 8-cyl.</i>		
<i>DD198 3-cyl.</i>			290283-DS	Oil	LP132	Pri.	Fuel	L10F
Sec.	Fuel	261F	285253-BS		LP38	(32243-BS); By-Pass	Oil	P71
In-Line		FP953F ²⁴⁴	<i>DD339H 6-cyl.</i>			HERCULES (ENGINE GASOLINE)		
(266537-AS); Sec.		L296F ⁴¹	Sec.	Fuel	261F	<i>C2-90 2 cyl.inder</i>		
Pri.		L3567F	In-Line		FP953F ²⁴⁴		Air	LAF121
By-Pass	Oil	P7FF	(266537-AS); Sec.		L296F ⁴¹		Oil	LP2211 ⁶⁵
<i>DD198H 3-cyl.</i>			Pri.		L3570F	<i>C2-90D 2 cyl.inder</i>		
Sec.	Fuel	261F	290283-DS	Oil	LP132		Air	LAF121
In-Line		FP953F ²⁴⁴	285253-BS		LP38		Oil	LP2211 ⁶⁵
(266537-AS); Sec.		L296F ⁴¹	<i>DFX 6-cyl.</i>			<i>CV4-180 4-cyl.</i>		
Pri.		L3567F		Oil	LP155 ⁶⁵		Air	AF101
By-Pass	Oil	P7FF	<i>DHX 6-cyl.</i>				Oil	LP2211 ⁶⁵
<i>DD226 3-cyl.</i>				Oil	LP155 ⁶⁵	<i>G1400</i>		
Sec.	Fuel	261F	<i>DIX4 3-cyl.</i>			40-0000-407	Oil	PH400 ²⁷⁵
In-Line		FP953F ²⁴⁴		Oil	P92	40-0000-407		PH8A ¹⁴⁹⁶
(266537-AS); Sec.		L296F ⁴¹	<i>DIX4B 3-cyl.</i>			<i>G1500 3-cyl.</i>		
Pri.		L3567F		Oil	P92	40-0000-401	Oil	LFP3411
By-Pass	Oil	P7FF	<i>DIX4D 3-cyl.</i>			285253-BS		LP38
<i>DD226H 3-cyl.</i>				Oil	P92	(47247-BS); By-Pass		P7FF
Sec.	Fuel	261F	<i>DIX6 6-cyl.</i>			<i>G1700 3-cyl.</i>		
In-Line		FP953F ²⁴⁴		Oil	P92	40-0000-401	Oil	LFP3411
(266537-AS); Sec.		L296F ⁴¹	<i>DIX60 6-cyl.</i>			285253-BS		LP38
Pri.		L3567F		Oil	P92	(47247-BS); By-Pass		P7FF
By-Pass	Oil	P7FF	<i>DIX6272 6-cyl.</i>			<i>G2000 4-cyl.</i>		
<i>DD260 6-cyl.</i>				Oil	P92	40-0000-401	Oil	LFP3411
Sec.	Fuel	261F	<i>DIX6D 6-cyl.</i>			285253-BS		LP38
In-Line		FP953F ²⁴⁴		Oil	P92	(47247-BS); By-Pass		P7FF
(266537-AS); Sec.		L296F ⁴¹	<i>DJX 6-cyl.</i>			<i>G2300 4-cyl.</i>		
Pri.		L3570F		Oil	LP155 ⁶⁵	40-0000-401	Oil	LFP3411
By-Pass	Oil	LP38	<i>DNX V8 8-cyl.</i>			285253-BS		LP38
<i>DD298 6-cyl.</i>			Pri.	Fuel	L10F	(47247-BS); By-Pass		P7FF
Sec.	Fuel	261F	(32243-BS); By-Pass	Oil	P71	<i>G298 6-cyl.</i>		
In-Line		FP953F ²⁴⁴				(59365-CS); By-Pass	Oil	P3

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

41-Cartridge 65-By-Pass 244-Secondary 275-Primary 1496-Alternate



Engine Applications

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HERCULES (ENGINE GASOLINE)			HERCULES (ENGINE GASOLINE)			HERCULES (ENGINE GASOLINE)		
<i>G298 6-cyl. (cont'd)</i>			<i>HSD437 4-cyl. (cont'd)</i>			<i>QXC 6-cyl.</i>		
(47362-BS); By-Pass	Oil	P4	40-0000-401	Oil	LFP3411	(47362-BS); By-Pass	Oil	P4
<i>G298H 6-cyl.</i>			<i>HXB 6-cyl.</i>			<i>QXD 6-cyl.</i>		
(59365-CS); By-Pass	Oil	P3	(32243-BS); By-Pass	Oil	P71	(47247-BS); By-Pass	Oil	P7FF
(47362-BS); By-Pass	Oil	P4	<i>HXC 6-cyl.</i>			<i>QXD 6-cyl.</i>		
<i>G3000 6-cyl.</i>			(32243-BS); By-Pass	Oil	P71	(59365-CS); By-Pass	Oil	P3
By-Pass	Oil	LP38	<i>HXCL 6-cyl.</i>			(47362-BS); By-Pass	Oil	P4
		P4	(32243-BS); By-Pass	Oil	P71	(47247-BS); By-Pass	Oil	P7FF
<i>G339H 6-cyl.</i>			<i>HXD 6-cyl.</i>			<i>QXD3 6-cyl.</i>		
285253-BS	Oil	LP38	(32243-BS); By-Pass	Oil	P71	(32243-BS); By-Pass	Oil	P71
(59365-CS); By-Pass	Oil	P3	<i>HXE 6-cyl.</i>			<i>QXLD 6-cyl.</i>		
(47362-BS); By-Pass	Oil	P4	(32243-BS); By-Pass	Oil	P71	(28751-BS); By-Pass	Oil	L24A
<i>G3400 6-cyl.</i>			<i>HXLD 6-cyl.</i>			<i>QXLD3 6-cyl.</i>		
40-0000-627D	Air	AF5HD ¹²	(32243-BS); By-Pass	Oil	P71		Oil	P90 ⁶⁵
By-Pass	Oil	LP38	<i>HXLE 6-cyl.</i>			<i>QXLD3ER Military 6-cyl.</i>		
		P4	(32243-BS); By-Pass	Oil	P71	(47362-BS); By-Pass	Oil	P4
<i>G3400LPG 6-cyl.</i>			<i>IXB 4-cyl.</i>			<i>QXLDER Military 6-cyl.</i>		
40-0000-627D	Air	AF5HD ¹²	By-Pass	Oil	L24A	(255247); By-Pass	Oil	LP2210
By-Pass	Oil	LP38	(47247-BS); By-Pass	Oil	P7FF	<i>RXB 6-cyl.</i>		
		P4	<i>IXB3 4-cyl.</i>			(32243-BS); By-Pass	Oil	P71
<i>GO130 3-cyl.</i>			By-Pass	Oil	P3	<i>RXC 6-cyl.</i>		
By-Pass	Oil	P7FF	<i>IXBER Military 4-cyl.</i>			(32243-BS); By-Pass	Oil	P71
<i>GO149 3-cyl.</i>			40-0000-407	Oil	P70 ⁶⁵	<i>RXL 6-cyl.</i>		
By-Pass	Oil	P7FF	<i>IXLB 4-cyl.</i>				Oil	156
<i>GO149A 3-cyl.</i>				Oil	P2	<i>RXLC 6-cyl.</i>		
By-Pass	Oil	P7FF	<i>JX4C 4-cyl.</i>			(32243-BS); By-Pass	Oil	P71
<i>GO149H 3-cyl.</i>			(255247); By-Pass	Oil	P4	<i>RXLD 6-cyl.</i>		
By-Pass	Oil	P7FF	<i>JX4D 4-cyl.</i>			(32243-BS); By-Pass	Oil	P71
<i>GO169 3-cyl.</i>			(255247); By-Pass	Oil	P4	<i>RXLDH 6-cyl.</i>		
By-Pass	Oil	P7FF	<i>JX4E 4-cyl.</i>			(32243-BS); By-Pass	Oil	P71
<i>GO169H 3-cyl.</i>			(255247); By-Pass	Oil	P4	<i>TDXB 6-cyl.</i>		
By-Pass	Oil	P7FF	<i>JXB 6-cyl.</i>			(32243-BS); By-Pass	Oil	P71
<i>GO173 4-cyl.</i>			(255247); By-Pass	Oil	P4	<i>TDXC 6-cyl.</i>		
(255247); By-Pass	Oil	P4	<i>JXC 6-cyl.</i>			(32243-BS); By-Pass	Oil	P71
<i>GO198 4-cyl.</i>			(255247); By-Pass	Oil	P4	<i>WX 6-cyl.</i>		
(47362-B); By-Pass	Oil	P4	<i>JXD 6-cyl.</i>			(255247); By-Pass	Oil	P4
(47247-BS); By-Pass	Oil	P7FF	(255247); By-Pass	Oil	P4	(32243-BS); By-Pass	Oil	P71
<i>GO198AH 4-cyl.</i>			(47247-BS); By-Pass	Oil	P7FF	<i>WXC3 6-cyl.</i>		
(47362-B); By-Pass	Oil	P4	<i>JXDER 6-cyl.</i>			(255247); By-Pass	Oil	P4
(47247-BS); By-Pass	Oil	P7FF	By-Pass	Oil	LP2210	<i>WXL 6-cyl.</i>		
<i>GO226 4-cyl.</i>			<i>JXE 6-cyl.</i>			(255247); By-Pass	Oil	P4
(47362-B); By-Pass	Oil	P4	(255247); By-Pass	Oil	P4	(32243-BS); By-Pass	Oil	P71
(47247-BS); By-Pass	Oil	P7FF	<i>JXLA2ER Military 6-cyl.</i>			<i>WXL 6-cyl.</i>		
<i>GO226AH 4-cyl.</i>			By-Pass	Oil	LP2210	(255247); By-Pass	Oil	P4
(47362-B); By-Pass	Oil	P4	<i>JXLD 6-cyl.</i>			<i>ZXAER Military 4-cyl.</i>		
(47247-BS); By-Pass	Oil	P7FF		Oil	P90 ⁶⁵	59365-CS	Oil	P3
<i>GO260 6-cyl.</i>			<i>JXLDER 6-cyl.</i>			39256-C	Oil	P70
(255247); By-Pass	Oil	P4	By-Pass	Oil	LP2210	<i>ZXB 4-cyl.</i>		
<i>GO298 6-cyl.</i>			<i>L237 6-cyl.</i>				Oil	P7FF
(59365-CS); By-Pass	Oil	P3	(28751-BS); By-Pass	Oil	L24A	HINO (ENGINE)		
(47362-BS); By-Pass	Oil	P4	(255247); By-Pass	Oil	P4	<i>DS50A</i>		
<i>GO339 6-cyl.</i>			<i>QXA 6-cyl.</i>				Fuel	L5945F
285253-BS	Oil	LP38	(47362-BS); By-Pass	Oil	P4		Oil	LP2256
(59365-CS); By-Pass	Oil	P3	(47247-BS); By-Pass	Oil	P7FF	<i>EC100</i>		
(47362-BS); By-Pass	Oil	P4	<i>QXB 6-cyl.</i>				Fuel	L3528F
<i>HSD437 4-cyl.</i>			(47362-BS); By-Pass	Oil	P4		Oil	LP2256
(40-0002-514); Sec.	Fuel	FP230F	(47247-BS); By-Pass	Oil	P7FF			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
12-Optional 65-By-Pass

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
HINO (ENGINE)			HONDA (ENGINE DIESEL)			HONDA (ENGINE GASOLINE)		
EC300	Oil	LP2256	GD1250 22 hp			GX390 8 thru 13 hp (cont'd)		
			15400PR3004	Oil	PH2808	15400-679-033	Oil	PH2808
EH100	Fuel	L3528F	15400-ZJ1-004		PH2867	15400-Z31-004		PH2867
	Oil	LP2256	HONDA (ENGINE GASOLINE)			GX610 18 hp		
			GCV160			15400PR3004	Oil	PH2808
EH300	Fuel	L3528F	17211ZL8000	Air	LAF4512	GX610K1 18 hp		
	Oil	LP2256	GCV530 16 hp			15400PLMA01	Oil	PH2867 ¹⁹
			15400PLMA01	Oil	PH2867 ¹⁹	15400PFB004		PH2876 ¹⁸
H06C-TB, H06C-TH	Air	LAF1813 LAF1814	15400PFB004		PH2876 ¹⁸	GX620 20 hp		
	Fuel	LFF5 LFP1101F	GCV530 16.5 hp			15400PR3004	Oil	PH2808
By-Pass	Oil	LFP2262 LFP734	15400PLMA01	Oil	PH2867 ¹⁹	GX620K1 20 hp		
			15400PFB004		PH2876 ¹⁸	15400PLMA01	Oil	PH2867 ¹⁹
H06C-TM, H06C-TN	Air	LAF1768 ² LAF1936	GX110 3.5 hp			15400PFB004		PH2876 ¹⁸
	Fuel	LFF5 LFP1101F	17210ZE0505	Air	LAF22024 ¹⁰⁰²	GX630		
By-Pass	Oil	LFP2262 LFP734	17210ZE1505		LAF22025	15400PLMA01	Oil	PH2867 ¹⁹
			GX110 4 hp			15400PFB004		PH2876 ¹⁸
			17210ZE0505	Air	LAF22024 ¹⁰⁰²	GX660		
			17210ZE1505		LAF22025	15400PLMA01	Oil	PH2867 ¹⁹
By-Pass	Oil	LFP2262 LFP734	GX120 3.5 hp			15400PFB004		PH2876 ¹⁸
			17210ZE0505	Air	LAF22024 ¹⁰⁰²	GX670		
			17210ZE1505		LAF22025	15400PLMA01	Oil	PH2867 ¹⁹
H06C-TP	Air	LAF1936	GX120 4 hp			15400PFB004		PH2876 ¹⁸
	Fuel	LFF5 LFP1101F	17210ZE0505	Air	LAF22024 ¹⁰⁰²	GX690		
By-Pass	Oil	LFP2262 LFP734			LAF22025 ¹⁰⁰³	15400PLMA01	Oil	PH2867 ¹⁹
			GX140 5 hp			15400PFB004		PH2876 ¹⁸
			GX140 5.5 hp			GXV160		
			17210ZE1820	Air	LAF22025	17220ZE2505	Air	LAF5024
H07C, H07CT	Air	LAF1813 LAF1814	GX160 5 hp			GXV530 16 hp		
	Fuel	LFF5 LFP1101F			LAF22025 ¹⁰⁰³	15400PLMA01	Oil	PH2867 ¹⁹
By-Pass	Oil	LFP2262 LFP734	GX160 5.5 hp			15400PFB004		PH2876 ¹⁸
By-Pass		LFP777B	17210ZE1820	Air	LAF22025	GXV530 16.5 hp		
J05C-TB	Fuel	LFF3553	GX200			15400PLMA01	Oil	PH2867 ¹⁹
					LAF22025 ¹⁰⁰³	15400PFB004		PH2876 ¹⁸
J08C-TD, J08C-TE	Air	LAF1936	GX240 8 thru 13 hp			GXV610 18 hp		
	Fuel	LFP1101F	17210ZE3505	Air	LAF5023	15400PR3004	Oil	PH2808
			17220ZE2505		LAF5024	GXV620 20 hp		
W04C-T, W04C-TA	Air	LAF1946 LAF1957	15400-679-033	Oil	PH2808	15400PR3004	Oil	PH2808
	Fuel	LFF3553 LFF5	15400-Z31-004		PH2867	GXV630		
	Oil	LFP2535 LFP5930	GX340 8 thru 13 hp			15400PLMA01	Oil	PH2867 ¹⁹
			17210ZE3505	Air	LAF5023	15400PFB004		PH2876 ¹⁸
W04C-TH, W04C-TI	Air	LAF1768 ²	17220ZE2505		LAF5024	GXV670		
	Fuel	LFF3553 LFF5	15400-679-033	Oil	PH2808	15400PLMA01	Oil	PH2867 ¹⁹
	Oil	LFP2535	15400-Z31-004		PH2867	15400PFB004		PH2876 ¹⁸
			GX360 8 thru 13 hp			GXV690		
W06D-TI	Oil	LFP5930	17210ZE3505	Air	LAF5023	15400PLMA01	Oil	PH2867 ¹⁹
			17220ZE2505		LAF5024	15400PFB004		PH2876 ¹⁸
			15400-679-033	Oil	PH2808	ILO-ROCKWELL (ENGINE)		
			15400-Z31-004		PH2867	DL660		
			GX390 8 thru 13 hp				Fuel	LFF3509
			17210ZE3505	Air	LAF5023	INTERNATIONAL HARVESTER (ENGINE DIESEL)		
			17220ZE2505		LAF5024	C-157		
			15400-679-033	Oil	PH2808	398080R2	Oil	LFP54
			15400-Z31-004		PH2867			
			GX390 8 thru 13 hp					
			17210ZE3505	Air	LAF5023			
			17220ZE2505		LAF5024			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
2-Outer 18-Short 19-Long 1002-2.02" Tall 1003-2.73" Tall

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (ENGINE DIESEL)			INTERNATIONAL HARVESTER (ENGINE)			INTERNATIONAL HARVESTER (ENGINE)		
<i>C-175</i>			<i>C-153</i>			<i>D-155 (cont'd)</i>		
398080R2	Oil	LFP54		Oil	P127	3144477R92	Fuel	L296F ⁴¹
323842R91		P127 ⁶⁵	<i>C-164, U-164</i>			398080R2	Oil	LFP54
<i>C-200</i>			<i>C-169, U-169</i>			<i>D-166</i>		
398080R2	Oil	LFP54		Oil	P127		Fuel	L10F
INTERNATIONAL HARVESTER (ENGINE)				Oil	P127		Oil	P335
<i>4-152</i>			<i>C-221</i>			<i>D-170</i>		
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LFP54 P335	461236C1	Air	LAF1128 ¹²
<i>4-196</i>			<i>C-240</i>			447417C1		LAF575 ¹²
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	P335	465249C1		LAF6587 ^{2, 12}
<i>420 6.9L</i>			<i>C-248</i>					LAF6587MXM ^{2, 12, 291}
	Air	LAF588	<i>C-248</i>			472098C1		LAF928 ¹²
	Fuel	LFP811F	From S/N 59394			462816C1	Coolant	LFW4744 ⁴
	Oil	LFP784	S/N 59394 On			(702251C1); Pri.	Fuel	FP251F
<i>444 7.3L</i>			<i>C-263</i>			(674293C1); Sec.		LFF4293
	Fuel	LFF1223 LFF5824B LFF5824U ¹⁷¹ LFF8063 LFF8063U ¹⁷¹ LFP811F		Oil	LFP54 P335	Pri.		LFF8050 ¹²
	Oil	LFP784	<i>C-264</i>			427207C2	Oil	LFP880
W/S				Oil	P150	<i>D-179</i>		
W/S			<i>C-282</i>			(313248R2); Sec.	Fuel	FP587F
<i>530E</i>			<i>C-291</i>			(3136187R91); Pri.		FP587F
	Coolant	LFW4075 ⁶⁴⁴ LFW4744 ⁴		Oil	LFP54 P335	3144477R92		L296F ⁴¹
	Fuel	LFF3349	<i>C-301</i>			398080R2	Oil	LFP54
	Oil	LFP2285 LFP2285XL ¹⁴		Oil	LFP54 P335	3136046R93		LFP5853
<i>BD-220</i>			<i>C-372</i>			3136046R93		PH2819
S/N 9504 On	Oil	P150		Oil	L24A P137	<i>D-188</i>		
From S/N 9504		P335	<i>C-350</i>			304101R91	Fuel	L10F
<i>BD-240</i>			<i>C-372</i>			323827R1	Oil	P335
	Oil	P335		Oil	LFP54 P335	<i>D-190</i>		
<i>BD-264 Diesel Eng.</i>			<i>C-60, UC-60</i>			461236C1	Air	LAF1128 ¹²
	Fuel	L50F		Hydraulic	LH8446	447417C1		LAF575 ¹²
	Oil	LP155	<i>D-1091, U-1091, UD-1091, UDT-1091</i>			465249C1		LAF6587 ^{2, 12}
<i>BD-264 Gas Eng.</i>			<i>D-1091, U-1091, UD-1091, UDT-1091</i>					LAF6587MXM ^{2, 12, 291}
From S/N 8413	Oil	P150		Fuel	L664F	472098C1		LAF928 ¹²
S/N 8413 On		P335		Oil	LP146-1	462816C1	Coolant	LFW4744 ⁴
<i>C-113</i>			<i>D-150</i>			(702251C1); Pri.	Fuel	FP251F
S/N 97938 On	Oil	P127	461236C1	Air	LAF1128 ¹²	(674293C1); Sec.		LFF4293
From S/N 97938		P150	447417C1		LAF575 ¹²	Pri.		LFF8050 ¹²
<i>C-123, U-123</i>			465249C1		LAF6587 ^{2, 12}	427207C2	Oil	LFP880
	Oil	P127			LAF6587MXM ^{2, 12, 291}	<i>D-206</i>		
<i>C-135, UC-135</i>			472098C1		LAF928 ¹²		Fuel	FP587F
	Oil	P127	462816C1	Coolant	LFW4744 ⁴			L296F ⁴¹
<i>C-146</i>			(702251C1); Pri.	Fuel	FP251F		Oil	L61F
By-Pass	Oil	LFP2271	(674293C1); Sec.		LFF4293			LFP54
		P127	Pri.		LFF8050 ¹²	<i>D-236, UD-236</i>		
<i>C-152</i>			427207C2	Oil	LFP880		Fuel	FP251F
S/N 121022 On	Oil	P127	<i>D-155</i>					FP625
From S/N 121022		P150	(313248R2); Sec.	Fuel	FP587F			L10F
			(3136187R91); Pri.		FP587F			LFF8050
								LFP255F
								LFP440F
								P335
						<i>D-239, DT-239</i>		
							Fuel	FP587F
								L296F ⁴¹

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 41-Cartridge 65-By-Pass 171-With Sensor Port 275-Primary 291-Extended/Severe service. 644-Contains 6 oz. of chemical 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (ENGINE)			INTERNATIONAL HARVESTER (ENGINE)			INTERNATIONAL HARVESTER (ENGINE)		
<i>D-239, DT-239 (cont'd)</i>			<i>D-354</i>			<i>D-817, DT-817, DT-817B, DT-817C, DTI-817C, MDT-817, U-817, U-817B, UD-817, UDT-817, UD-817B, UDT-81 (cont'd)</i>		
	Oil	LFP54 LFP5853 PH2819	309243C91	Air	LAF909 ¹²			
			796051R91	Fuel	L296F ⁴¹			
			795840R91	Oil	P72	Pri.	Fuel	LFF8050
<i>D-248</i>			<i>D-358, DT-358, UD-358</i>				Oil	LFP4005SC ⁷¹¹ LP146-1
	Fuel	L663F		Fuel	FP587F L296F ⁴¹	<i>DT-360, DTA-360</i>		
	Oil	LP155 P150		Oil	LFP54		Fuel	LFF3349 LFF3545 ¹⁰⁰⁴ LFF5D LFF8349
<i>D-264</i>			<i>D-360, UD-360, UDT-360</i>			Pri.		
	Fuel	L663F	Sec.	Fuel	FP251F FP603 FP625 LFF3349 LFF8050	Pri.	Oil	LFP2244 LFP6241 PH675
	Oil	LP155						
<i>D-268</i>			<i>D-361, DT-361, UD-361, UDT-361</i>			<i>DT-408, DTA-408</i>		
3132428R92	Fuel	FP587F		Fuel	FP251F FP625 L10F L664F LFF8050 LFP255F LFP440F		Coolant	LFW4685 ²⁴⁹ LFW4685XL ^{14, 249} LFW4744 ⁴
528250R1	Oil	LFP54	Pri.				Fuel	LFF3349 LFF3545 LFF8349
<i>D-281</i>				Oil	LFP2244 PH675		Oil	LFP2285 LFP2285XL ¹⁴
	Fuel	L663F	<i>D-407, DT-407, UD-407, UDT-407</i>			<i>DT-429, UDT-429</i>		
	Oil	LP155		Oil	P335		Fuel	FP251F FP625 L10F L664F LFF8050 LFP440F
<i>D-282, DT-282, UD-282</i>			<i>D-414, DT-414, UD-414, UDT-414</i>			Pri.		
	Fuel	FP251F FP625 L10F LFF8050 LFP255F LFP440F		Fuel	FP251F FP625 FP603 FP625 LFF8050 LFP255F LFP440F	Sec.	Oil	LP146-1
Pri.								
Sec.			<i>D-436, DT-436</i>			<i>DT-466, DT-466B, DT-466C, DTA-466, DTA-466C, DTI-466, DTI-466C, DVT-466</i>		
	Oil	P335 PH675		Fuel	FP251F FP625 FP603 FP625 LFF8050 LFP255F LFP440F	Pri.		
<i>D-301</i>			<i>D-436, DT-436</i>			Sec.	Oil	LFP2244
(304101R91); Sec.	Fuel	L10F		Fuel	FP251F FP625 FP603 FP625 LFF8050 LFP255F LFP440F		Air	LAF7640 LAF928 LAF942 LAF9545 ²
(306353R91); Pri.		L10F						
(70690H); By-Pass	Oil	L24A	<i>D-461</i>				Coolant	LFW4744 ⁴
323827R91		P335		Fuel	L663F		Fuel	FP251F FP603 FP625 LFF3349 LFF3545 ¹⁰⁰⁵ LFF3579 LFF5D LFF8050 LFF8349
675616-C91		PH675		Oil	LP146-1	Sec.		
<i>D-304</i>			<i>D-461</i>			W/S		
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶				S/N 618496 On; Pri.		
<i>D-310</i>			<i>D-491, UD-491</i>			Pri.		
(3132428R1); Sec.	Fuel	FP587F FP587F L296F ⁴¹ L61F		Fuel	L664F LP146-1		Oil	LFP2285 ¹⁰⁰⁵ LFP2285XL ^{14, 100} LFP6241 PH675
(3136187R91); Pri.				Oil				
3144477R92			<i>D-817, DT-817, DT-817B, DT-817C, DTI-817C, MDT-817, U-817, U-817B, UD-817, UDT-817, UD-817B, UDT-81</i>			From S/N 567491		
3132015R92				Fuel	FP251F L664F LFF4293	From S/N 567491		
528250R91	Oil	LFP54				<i>DT-466E 1996-on</i>		
<i>D-312, UD-312</i>			<i>D-817, DT-817, DT-817B, DT-817C, DTI-817C, MDT-817, U-817, U-817B, UD-817, UDT-817, UD-817B, UDT-81</i>				Air	LAF1953 LAF1953MXM
Sec.	Fuel	FP251F FP603 FP625 LFF8050						
Pri.								
	Oil	PH675						
<i>D-335</i>			<i>D-817, DT-817, DT-817B, DT-817C, DTI-817C, MDT-817, U-817, U-817B, UD-817, UDT-817, UD-817B, UDT-81</i>					
	Oil	LP155		Fuel	L664F			
<i>D-345</i>			<i>D-817, DT-817, DT-817B, DT-817C, DTI-817C, MDT-817, U-817, U-817B, UD-817, UDT-817, UD-817B, UDT-81</i>					
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LP146-1			
<i>D-350, UD-350</i>			<i>D-817, DT-817, DT-817B, DT-817C, DTI-817C, MDT-817, U-817, U-817B, UD-817, UDT-817, UD-817B, UDT-81</i>					
	Fuel	L663F		Fuel	FP251F L664F LFF4293			
	Oil	LP155						
			Sec.					

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 41-Cartridge 249-No chemical 275-Primary 711-Short can version 1004-Bus appl.

1005-1994 On 1006-1994-on 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (ENGINE)			INTERNATIONAL HARVESTER (ENGINE)			INTERNATIONAL HARVESTER (ENGINE)		
<i>DT-466E 1996-on (cont'd)</i>			<i>DV-550, DV-550B, DV-550BTC (cont'd)</i>			<i>MAXXFORCE 13 (cont'd)</i>		
	Coolant	LFW4071 ²⁸ LFW4075 ⁶⁴⁴ LFW4744 ⁴	Sec.	Fuel	FP251F FP603 L664F L877F	3004473C91	Fuel	L7694F
W/S	Fuel	LFF3349 LFF3579	Sec.		LFF4293	(2606467C91); By-Pass	Oil	LP8213
W/S		LFF3579U	Pri.		LFF8050	<i>MaxxForce 15</i>		
Pri.		LFF8349	Sec.		LFF8258		Fuel	LFF2749 ²⁰
	Oil	LFP2285 LFP2285XL ¹⁴		Oil	LFP880		Oil	LFP4005RN ⁵⁹⁹ LFP4005TRT ³ LFP4005XL ¹⁴
<i>DT-466E 2004-on</i>			<i>DVT-573, DVTI-573</i>			<i>MAXXFORCE 7</i>		
W/S	Fuel	L9684F		Air	LAF160 LAF241HD LAF5255 LAF6769 LAF6769MXM	(1878042C91); W/S	Fuel	L5086F
	Oil	LFP9025 LFP9035 ²⁷⁷ LP4083				1840752C91	Oil	LP2017
<i>DT-530, DTA-530</i>						<i>MAXXFORCE 9 9.3L</i>		
	Coolant	LFW4685 ²⁴⁹ LFW4685XL ^{14, 249} LFW4744 ⁴	Sec.	Fuel	FP625 L664F LFF4293 LFF8050	(1878042C91); W/S	Fuel	L5086F
	Fuel	LFF3349 LFF3545	Pri.		LP146-1	1842639C91	Oil	LFP9025
	Oil	LFP2285 LFP2285XL ¹⁴		Oil	LP146-1	<i>MAXXFORCE DT</i>		
<i>DT-530E 1996-on</i>			<i>DVT-573B</i>			<i>SD-240</i>		
	Air	LAF1953 LAF1953MXM	(702251C1); Pri.	Fuel	FP251F LFF8050 ¹² LFP255F LFP925F	(1878042C91); W/S	Fuel	L5086F
	Coolant	LFW4071 ²⁸ LFW4075 ⁶⁴⁴ LFW4744 ⁴	Pri.		LFP4005SC ⁷¹¹ LP146-1	(1677004C91); W/S W/S	Oil	LFP9025
W/S	Fuel	LFF3349 LFF3579 LFF3579U	(359251C1); W/S (684206C1 602998C91)	Oil	LFP4005SC ⁷¹¹ LP146-1	1814562C1	Oil	LFP2286 LFP2286XL ¹⁴
W/S	Oil	LFP2285 LFP2285XL ¹⁴				<i>T444E 7.3L</i>		
<i>DT-570, HT-570 2004-</i>			<i>DVT-800, UDV-800, V-800</i>			<i>U-175</i>		
W/S	Fuel	L9684F		Air	LAF2526 LAF8047 LAF928 LAF9544	323942R91	Oil	P127 ⁶⁵
	Oil	LFP9025 LP4083			LFW4744 ⁴	<i>U-2, U-2A</i>		
<i>DV-462, DV-462B</i>				Coolant	LFW4744 ⁴	S/N 5942 On; By-Pass	Oil	LFP2271
	Air	LAF1128 LAF642	Sec.	Fuel	FP251F FP603 FP625 LFF4293 LFF5 LFF8050 LFP255F	S/N 5942 On		P127
Sec.	Fuel	FP251F FP603 L664F L877F			LFP4005SC ⁷¹¹ LP146-1	From S/N 5941	Oil	P150
Sec.		LFF4293 LFF8050 LFF8258				<i>U-21</i>		
Pri.		LFF8258				376375R91	Oil	P150
From S/N 5118; Sec.	Oil	LFP880				<i>U-220, UB-220</i>		
<i>DV-550, DV-550B, DV-550BTC</i>							Oil	L24A P150
	Air	LAF1128 LAF241HD LAF642 LAF6587 LAF6587MXM LAF942				<i>U-240</i>		
						(996709R91); By-Pass	Oil	L24A
						<i>U-264, U-264-6</i>		
							Oil	P150
						<i>U-269</i>		
						(996709R91); By-Pass	Oil	L24A
						<i>U-281</i>		
						376375R91	Oil	P150
						<i>U-282</i>		
						(996709R91); By-Pass	Oil	L24A
						<i>U-301</i>		
						(304101R91); Sec.	Fuel	L10F
						(306353R91); Pri.	Fuel	L10F
						323827R91	Oil	P335
						<i>U-308</i>		
							Oil	L24A
						<i>U-372, UR-372</i>		
							Oil	L24A

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

3-Extended Life w/ Time Release Technology 4-Maintenance 1 oz. chemical 12-Optional 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 65-By-Pass 249-No chemical 277-92mm x 2 Thread 281-2007-09 599-High capacity 644-Contains 6 oz. of chemical 711-Short can version 1007-Dealer Installed

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (ENGINE)			INTERNATIONAL HARVESTER (ENGINE)			INTERNATIONAL HARVESTER (ENGINE)		
<i>U-372, UR-372 (cont'd)</i>			<i>UD-144A</i>			<i>UD-301 (cont'd)</i>		
	Oil	P137	704640R91	Fuel	L50F	(70690H); By-Pass	Oil	L24A
<i>U-4</i>			705730R91	Oil	P771A	398080R92		LFP54
(538836R1); S/N 2730-; By-Pass (376374R91); S/N 2730- (376375R91); -S/N 2729	Oil	LFP2271	<i>UD-14A</i>			323827R91		P335
		P127 ⁶⁵	(259479R92); S/N 35900-; Pri. (259479R92); Sec.	Fuel	L663F	<i>UD-370</i>		
		P150	S/N 501-35899	Hydraulic	P346	(259479R92); Pri.	Fuel	L663F
<i>U-406</i>			(262146R94); S/N 35900-38499	Oil	LP146	(259479R92); Sec.		L663F
(996709R91); By-Pass	Oil	L24A	(602998C91); S/N 38450- (376376R91); S/N 20001-35899		LP146-1	<i>UD-466, UDT-466</i>		
<i>U-446</i>					LP155 ⁶⁵		Air	LAF7640
918266R93	Oil	PH400 ²⁷⁵	<i>UD-16</i>					LAF928
918266R93		PH8A ¹⁴⁹⁶	(323960R91); Sec. (349280R91); Pri.	Fuel	L664F			LAF942
<i>U-450, UR-450</i>			(262146R94); S/N 5055- (376376R91); S/N 501-5054	Oil	LP146			LAF9545 ²
		P137			LP155 ⁶⁵	S/N 13715 On	Fuel	FP251F
		P150	<i>UD-166</i>			Sec.		FP603
<i>U-501, UR-501</i>			(304101R91); Sec. (306353R91); Pri.	Fuel	L10F	From S/N 13715		FP625
	Oil	P137	323827R91	Oil	P335	Pri.		LFF8050
		P150	<i>UD-170</i>				Oil	LFP2244
<i>U-6</i>			(702251C1); Pri.	Fuel	FP251F			LFP6241
(376375R91); S/N 2327-	Oil	P150	Pri.		LFF8050 ¹²			PH675
<i>U-9</i>			<i>UD-178</i>			<i>UD-525</i>		
376376R91	Oil	LP155 ⁶⁵	(259480R92); Pri. (259492R91); Sec.	Fuel	L664F	(323960R92); Sec. (349280R91); Pri.	Fuel	L664F
<i>UB-220</i>			376376R91	Oil	LP155 ⁶⁵	602998C91	Oil	LP146-1
(996709R91); -S/N 428023; By-Pass	Oil	L24A	<i>UD-18A</i>			<i>UD-554</i>		
<i>UB-240</i>			(323960R92); Sec. (349280R91); Pri. (602998C91); S/N 27877- (376376R91); S/N 501-27876	Fuel	L664F	(323960R92); Sec. (349280R91); Pri.	Fuel	L664F
(996709R91); By-Pass	Oil	L24A			LP146-1	602998C91	Oil	LP146-1
323827R91		P335	<i>UD-218</i>			<i>UD-573, UDT-573, UDT-573B, UDVT-573</i>		
<i>UB-264</i>			(259480R92); Pri. (259492R91); Sec.	Fuel	L664F		Air	LAF942
323827R91	Oil	P335	376376R91	Oil	LP155 ⁶⁵	From S/N 870	Fuel	FP251F
<i>UC-135B</i>			(323960R92); Sec. (349280R91); Pri. (602998C91); S/N 27877- (376376R91); S/N 501-27876	Fuel	L664F	S/N 871 On		L10F
(538836R1); S/N 12400-; By-Pass (323942R91); -S/N 12399	Oil	LFP2271			LP146-1	Sec.		L664F
		P127 ⁶⁵	<i>UD-218A</i>			Pri.		LFF4293
<i>UC-153</i>			(259480R92); Sec. (349280R91); Pri. (602998C91); S/N 27877- (376376R91); S/N 501-27876	Fuel	L664F		Oil	LFF8050
(538836R1); S/N 57582-; By-Pass (323942R91); -S/N 57581	Oil	LFP2271			LP155 ⁶⁵			LFP4005SC ⁷¹¹
		P127 ⁶⁵	<i>UD-24</i>					LP146-1
<i>UC-221</i>			(259480R92); Sec. (349280R91); Pri. (602998C91); S/N 2148- (376376R91); S/N 501-2147	Fuel	L664F	<i>UD-6</i>		
323827R91	Oil	P335			LP146	Pri.	Fuel	L267F
<i>UC-263</i>			(259479R92); Pri. (259479R92); Sec. (376376R91); S/N 501-1916	Fuel	L663F	(259479R92); Sec.		L663F
3223827R91	Oil	P335			LP155 ⁶⁵	376376R91	Oil	LP155 ⁶⁵
<i>UC-301</i>			<i>UD-264</i>			<i>UD-6A</i>		
323827R91	Oil	P335	(259479R92); Pri. (259479R92); Sec. (376376R91); S/N 501-1916	Fuel	L663F	(259479R92); S/N 35900-; Pri. (259479R92); Sec.	Fuel	L663F
<i>UC-60</i>					LP155 ⁶⁵	(262146R94); S/N 35900-38499	Oil	LP146
376373R91	Hydraulic	LH8446	<i>UD-281-4</i>			(602998C91); S/N 38450- (376376R91); S/N 20001-35899		LP146-1
<i>UD-14</i>			(259479R92); Pri. (259479R92); Sec.	Fuel	L663F	<i>UD-9, UD-9A</i>		
Pri. (259479R92); Sec. 376376R91	Fuel	L267F			L663F		Fuel	L267F
	Oil	LP155 ⁶⁵	<i>UD-301</i>				Oil	L663F
			(304101R91); Sec. (306353R91); Pri.	Fuel	L10F			LP155
					L10F	<i>UDT-436</i>		
			<i>UD-301</i>			(702143C1); Pri.	Fuel	FP625

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 12-Optional 65-By-Pass 275-Primary 711-Short can version 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
INTERNATIONAL HARVESTER (ENGINE)			ISUZU (ENGINE INDUSTRIAL & MARINE)			ISUZU (ENGINE)		
<i>UDT-436 (cont'd)</i>			<i>3KC1 QT23</i>			<i>3KR1, 3KR2 QT35</i>		
(674293C1); Sec. Pri.	Fuel	LFF4293 LFF8050 ¹²		Air	LAF1275		Air	LAF1275
675617C91	Oil	PH675		Fuel	L3541F LFF4295		Fuel	L4103F LFF4295
<i>UDVT-1089</i>				Oil	PH2867		Oil	PH2867
(323960R92); Pri.	Fuel	L664F	<i>3LD1</i>			<i>3LA1, 3LB1</i>		
602998C91	Oil	LP146-1		Air	LAF8630		Air	LAF2745A
<i>UV-345</i>				Fuel	L3541F L4103F		Fuel	L3541F
216139R91	Oil	P138		Oil	PH2808		Oil	PH2808
<i>V-537</i>			<i>4BA1</i>			<i>4BB1 3.9L QD90</i>		
466400C1	Air	LAF466 ¹²		Fuel	FP588F L3575F		Air	LAF1246
(296951R91); Sec. 244458R92	Fuel	L93FP LFF5		Oil	LP2263		Fuel	L3575F LFF4295
427207C2	Oil	LFP880		Oil	LP2263		Oil	LFP2261 LFP5748 LP2277
<i>V8-266</i>			<i>4FB1</i>			<i>4BB1 QD90</i>		
	Oil	PH400 ^{275, 999} PH8A ^{999, 1496}		Fuel	LFF4295		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>4HK1-TC</i>			<i>4BD1 3.9L QD100</i>		
<i>V8-304</i>				Oil	LFP7217		Air	LAF1246
	Oil	PH400 ^{275, 999} PH8A ^{999, 1496}	<i>4JG1</i>				Fuel	L3575F LFF3415 LFF4295
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	PH2801		Oil	LFP2261 LFP5748 LP2277
<i>V8-345</i>			<i>4JJ1-TC</i>			<i>4BD1-PW</i>		
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	LFP7217		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶
<i>V8-392</i>			<i>4LE1</i>			<i>4BD1T 3.9L QD100T</i>		
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Fuel	FP588F L4103F		Air	LAF1800 LAF1947
	Oil	PH400 ^{275, 1008} PH8A ^{1008, 1496}		Oil	PH2808 PH2903		Fuel	FP588F L3575F
<i>V8-404</i>			<i>4LE2</i>				Oil	LFP2261 LFP2270 LFP5748 LP2277
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Fuel	FP588F	<i>4BG1, 4BG1T</i>		
<i>V8-446</i>			<i>6WG1T</i>				Fuel	L3575F LFF3415
	Oil	PH400 ^{275, 999} PH8A ^{999, 1496}	1132402322	Oil	LFP7217		Oil	LFP5748 LFP7217 LP2277
<i>VT-275 4.5L</i>			<i>C190</i>			<i>4BD2T, 4BD2TC 3.9L</i>		
	Fuel	L4604F ¹⁹⁵		Fuel	LFF4295		Air	LAF1800 LAF1947
	Oil	LP2029		Oil	LP2263		Fuel	FP588F
<i>VT-365 6.0L</i>			<i>C223</i>				Oil	LFP734
W/S	Fuel	L4596F		Oil	PH2863B	<i>4JA1</i>		
	Oil	LP2017		Oil	PH2863B		Air	LAF222
ISUZU (ENGINE INDUSTRIAL & MARINE)			ISUZU (ENGINE)				Fuel	FP588F PH2801
<i>2AB1 QD27</i>			<i>D500</i>				Fuel	L3575F LFF4295
	Fuel	LFF4295		Fuel	L3528F		Oil	LFP2261 LFP8416 LP2277
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Oil	LP2256	<i>4JB1, 4JC1 QD63, QD70</i>		
<i>3AB1 QD40</i>			<i>10PD1</i>				Air	LAF2530 LAF2532
	Fuel	LFF4295		Oil	LP8723		Fuel	FP588F
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>2KC1 QT15</i>				Oil	PH2801
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>2YA1, 3YA1</i>				Fuel	L3541F
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Fuel	L3541F		Oil	PH2840
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Oil	PH2840			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
12-Optional 195-Kit, Primary/Secondary 275-Primary 999-1 Quart 1008-1967-80 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ISUZU (ENGINE)			ISUZU (ENGINE)			IVECO (ENGINE)		
4JB1, 4JC1 QD63, QD70 (cont'd)			6SA1, 6SA1T QD170, QD170T			8060.24/25, 8062.24/25 (cont'd)		
	Fuel	LFF4295		Air	LAF1544		Fuel	LFF3504
	Oil	PH2801		Fuel	L3528F		Oil	LFP2241
4LC1				Fuel	LFF3415	8140.21		
	Air	LAF1275		Fuel	LFF4295		Fuel	LFF3504
	Fuel	L3541F		Oil	LFP6007		Oil	LFP2241
	Oil	PH2808		Oil	LP2256	8140.27		
6BB1 5.8L QD130			6SB1PPB				Oil	LFP2241
	Air	LAF1246	W/S	Fuel	LFF4294	820, 821 Series		
		LAF1544		Oil	LFP6007		Fuel	LFF3502
	Fuel	L3528F	By-Pass		LFP777B		Oil	LFF3508
		LFF3415	By-Pass		LFP777XL ¹⁴		Oil	LFP2229
		LFF4295	6SDIT				Oil	LP132
	Oil	LFP6007	W/S	Fuel	LFF4294	8210, 8220, 8360		
		LP2256		Oil	LFP6007		Fuel	LFF3502
6BD1 5.8L QD145			By-Pass		LFP777B		Oil	LFP2229
	Air	LAF1246	By-Pass		LFP777XL ¹⁴	8210.42		
		LAF1544	8MA1				Fuel	LFF3502
	Fuel	L3528F		Fuel	L3528F	8210I, 8220I		
		LFF3415	C221				Oil	LFP2229
		LFF4295		Oil	LP2263	822, 822M		
	Oil	LFP6007	C330				Fuel	FP586F
		LP2256		Fuel	L3575F		Oil	LFF3502
6BD1T 5.8L QD145T				Oil	LP2263		Oil	LFP2222
	Air	LAF1246		Oil	LP2277		Oil	LFP2229
		LAF1544	DA120, DA220			8220, 8222		
	Fuel	L3528F		Fuel	L3528F		Oil	LFP2229
		LFF3415		Oil	L61F	8220.22		
		LFF4295		Oil	LP4389		Fuel	LFF3502
	Oil	LFP5919	DA640				Oil	LFP2229
		LFP6007		Fuel	L3528F	828, 828MTCA		
		LFP734		Oil	LP2256		Fuel	LFF3502
		LP2256	E120, E120T				Oil	LFP2229
6BG1, 6BG1T QD165T				Oil	LFP8224	8280.22 Turbo		
	Air	LAF1544		Oil	LP5902		Fuel	LFF3502
	Fuel	LFF3415	P381				Oil	LFP3583
	Oil	LFP2262		Fuel	LFF4136	8280M		
		LFP6007		Oil	LFP734		Fuel	LFF3502
		LFP7217	By-Pass		LFP777B		Oil	LFP3583
6BG1TC			By-Pass		LFP777XL ¹⁴	8281M, 8281SRM		
	Fuel	LFF3415	IVECO (ENGINE)				Fuel	LFF3502
	Oil	LFP2262	213, 214, 230			8360		
		LFP6007		Fuel	261F		Fuel	LFF3502
6HE1TC 7.1L				Oil	LP2225		Oil	LFP2229
	Air	LAF1834 ²	303			8361M, 8361SI, 8361SM, 8361SRM		
	Fuel	LFF3415		Fuel	LFF3508		Fuel	LFF3502
	Oil	LFP2262	305D				Oil	LFP2229
		LFP6007		Fuel	261F	8460.21		
6HH1T			8045 SERIES				Fuel	LFF3502
8-94396-375-1	Oil	LFP5965		Fuel	L296F ⁴¹	CO3-1, CO3-C		
6HK1X, 6HK1Y, 6HK1TC				Oil	LFF3504		Fuel	LFF3502
1132401601	Oil	LFP6007		Oil	LFP2241		Oil	LFP2230
1132402322		LFP7217	806, 852			CO4D		
6RB1, 6RB1T				Fuel	L296F ⁴¹		Fuel	261F
	W/S	LFF4294		Oil	LFP2238	CURSOR 10		
	Oil	LFP8224	8060.24/25, 8062.24/25				Air	LAF6632
				Fuel	L296F ⁴¹		Oil	LFP7174

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
2-Outer 14-Extended Life 41-Cartridge



Engine Applications

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
IVECO (ENGINE)			JOHN DEERE (ENGINE)			JOHN DEERE (ENGINE)		
CURSOR 13			145 (cont'd)			248 (cont'd)		
	Air	LAF6632		Oil	FP20 ¹⁰⁰⁹		Oil	P144 ¹⁰¹⁰
	Oil	LFP7174			P144 ¹⁰¹⁰			276D, 276T
DF			152D				Oil	FP20
	Oil	LP2210	S/N 36471-40000-	Air	LAF222	3009D PowerTech		
L63S				Fuel	L296F ⁴¹		Fuel	L4103F
	Oil	LP2225		Oil	FP20 ¹⁰⁰⁹		Oil	PH2808
M42S					P144 ¹⁰¹⁰	3011D, 3012D PowerTech		
	Oil	LP2225	155				Fuel	L4103F
NEF45 SERIES				Fuel	L1168F ¹⁰¹⁰		Oil	PH2856A
8041642	Air	LAF4544 ²			L296F ^{41, 1009}	3013, 3016		
8031211		LAF8148		Oil	FP20 ¹⁰⁰⁹		Fuel	LFF8350
8041322		LAF8149 ²			P144 ¹⁰¹⁰		Oil	PH2808
		LAF9332 ¹	164D			3014D, 3015D PowerTech		
504107584	Fuel	L3880F		Fuel	L296F ⁴¹		Fuel	L549F
2992242	Oil	LFP6015		Oil	FP20		Oil	PH2856A
NEF67 TE2X			164G			3029D, 3029T PowerTech		
8041642	Air	LAF4544 ²		Oil	FP20	Sec.	Fuel	L3887F ¹⁷⁵
8031211		LAF8148	165				Oil	L8683F ⁸
8041322		LAF8149 ²	-S/N 11000	Air	LAF1275			FP20
		LAF9332 ¹	S/N 35000-		LAF222	303		
504107584	Fuel	L3880F		Fuel	L1168F ¹⁰¹⁰		Air	LAF1246
		LFF5485			L296F ^{41, 1009}		Fuel	L296F ⁴¹
	Oil	LFP6015		Oil	FP20 ¹⁰⁰⁹		Oil	FP20
					P144 ¹⁰¹⁰			P144
X200			180			3164D		
	Fuel	FP586F		Air	LAF222		Fuel	L296F ⁴¹
	Oil	LFP2222		Oil	FP20 ¹⁰⁰⁹		Oil	FP20
		PH2819			P144 ¹⁰¹⁰	3164G		
J.C.B. (ENGINE)			202				Oil	FP20
AC1, AC2				Air	LAF222	3179D		
	Air	LAF1766		Fuel	L296F ⁴¹		Oil	FP20
	Fuel	L3514F		Oil	FP20 ¹⁰⁰⁹	3179T		
	Oil	P2470			P144 ¹⁰¹⁰		Oil	FP20
Dieselmex TC/TCA			217			329D		
	Oil	LFP3050		Air	LAF222		Air	LAF234HD ²
Ecomax 4.4, Ecomax 4.8				Oil	FP20 ¹⁰⁰⁹		Fuel	L296F ⁴¹
	Oil	LFP3050			P144 ¹⁰¹⁰		Oil	FP20
JCB (ENGINE)			219			329G		
DIESELMAX 444				Air	LAF1246		Air	LAF1246
Pri.	Fuel	L3924F			LAF222		Fuel	L296F ⁴¹
	Oil	LFP3050		Fuel	L296F ⁴¹		Oil	FP20
DIESELMAX 448				Oil	FP20 ¹⁰⁰⁹	329L		
	Oil	LFP3050			P144 ¹⁰¹⁰		Oil	FP20
Ecomax 4.4, Ecomax 4.8			232			341G		
32004133	Oil	LFP3050		Fuel	L1168F ¹⁰¹²		Air	LAF1246
JOHN DEERE (ENGINE)					L296F ^{41, 1011}		Oil	FP20
115				Oil	FP20	359D, 359T		
	Air	LAF1275			P144		Oil	FP20
	Oil	FP20 ¹⁰⁰⁹	239D, 239T			362G		
		P144 ¹⁰¹⁰		Oil	FP20		Air	LAF1246
135			248			S/N 24430-	Oil	LAF234HD ²
	Air	LAF1275		Air	LAF1246			FP20
	Oil	FP20			LAF222			P189
145				Fuel	L1168F ¹⁰¹⁰	362L		
S/N 40001-	Air	LAF1275			L296F ^{41, 1009}		Oil	FP20
S/N 36471-40000		LAF863		Oil	FP20 ¹⁰⁰⁹			P189

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 8-4.5" Tall 41-Cartridge 175-6" Tall 1009-63 on 1010-Up to 63 1011-1963 On 1012-From 1963

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (ENGINE)			JOHN DEERE (ENGINE)			JOHN DEERE (ENGINE)		
4019T, 4020D, 4020T PowerTech			4045DFM70, 4045TFM75 Marine			531A, 531T		
	Fuel	L549F		Air	LAF4544 ²		Oil	PH725
	Oil	PH2856A			LAF4544MXM ^{2, 268}	531D		
4024 PowerTech 2.4L					LAF4545 ¹		Oil	P346 PH725
Sec.	Fuel	L8569F	4045H			6059D, 6059T		
Sec.		L8891F		Oil	LFP4836	Sec.	Fuel	L3887F
	Oil	LFP8340					Oil	FP20
4039, 4039T				Air	LAF2530 LAF2534	6068 CNG		
Sec.	Fuel	L3887F ¹⁷⁵	Sec.	Fuel	L3887F	6068 PowerTech PVX Tier 4		
		L8683F ⁸		Oil	LFF1129		Oil	LFP5757
	Oil	FP20	4045T			RE541746		
4039DFM Marine				Air	LAF2530 LAF2534		Fuel	LFF6929 ¹⁰¹⁴ LFF6929 ¹⁰¹⁴
	Fuel	LFF1129	Sec.	Fuel	L3887F		Oil	LFP9279
	Oil	FP20		Oil	LFF1129	6068 Tier II 2 Valve		
4045 PowerTech M Tier III				Oil	LFP5757	Sec.	Fuel	L3887F
	Fuel	L8892F	4045TFM			Pri.		L4109F
	Oil	LFP4836		Air	LAF2530 LAF2534	Sec.		L8557F
4045 PowerTech Plus Tier III			Sec.	Fuel	L3887F	Pri.		L8563F
Pri.	Fuel	L8868F L8872F L8892F ¹⁰¹³		Oil	LFF1129	Pri.		L8872F
	Oil	LFP4836	404A, 404T			6068 Tier II 4 valve		
4045 Tier II 2 Valve				Air	LAF1246	Sec.	Fuel	L8557F
Sec.	Fuel	L3887F		Oil	PH725	Pri.		L8867F
Pri.		L4109F	404D			Pri.		L8868F
Sec.		L8557F		Air	LAF234HD ²	W/S		LFF8215
4045 Tier II 4 valve			-S/N 214999	Fuel	L1168F		Oil	LFP4836
Pri.	Fuel	L4109F	S/N 215000-28000; W/S		LFF3540	6068D, 6068T		
Sec.		L8557F	-S/N 335845	Oil	FP20		Fuel	LFF1129
		L8868F	S/N 335846-		PH725		Oil	FP20
	Oil	LFP4836	414D, 414T			6068DFM, 6068TFM		
4045D				Oil	FP20		Fuel	LFF1129
	Air	LAF2530 LAF2534	4219D				Oil	FP20
Sec.	Fuel	L3887F		Fuel	L296F ⁴¹	6068H		
		LFF1129		Oil	FP20		Fuel	LFF1129
	Oil	LFP5757	4219G				Oil	FP20
4045D, 4045T PowerTech				Oil	FP20	6076A, 6076AFN, 6076H, 6076T		
Sec.	Fuel	L3887F	4239-SER.			Sec.	Fuel	L3887F
		L8683F		Oil	FP20		Oil	LFF1129
W/S		LFF8215	4276D, 4276T				Oil	PH720
	Oil	LFP5757		Oil	FP20	6081A, 6081H, 6081T PowerTech		
4045D, 4045T, 4045TFM			466A, 466D, 466T			Pri.	Air	LAF8780
	Air	LAF2530 LAF2534	By-Pass	Oil	LFP777B PH720 PH725		Fuel	L8138F
Sec.	Fuel	L3887F	5030 PowerTech 3.0L					LFF1129
		LFF1129	Sec.	Fuel	L8569F		Oil	PH720
	Oil	LFP5757		Oil	LFP8340	6090 PowerTech Plus Tier III		
4045DFM50, 4045TFM50 Marine			531				Fuel	LFF6929 ¹⁰¹⁴
	Air	LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹		Air	LAF414 ¹ LAF926		Oil	LP5979
	Fuel	L8683F		Oil	FP20 P189 PH725	6090 PowerTech PVX/PSX Tier 4		
	Oil	LFP5757				Sec.	Fuel	LFF6963 LFF6964
							Oil	LFP5214

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 8-4.5" Tall 41-Cartridge 175-6" Tall 268-Extended/Severe service 1013-Reverse Flow 1014-Kit, cartridge and spin-on filter

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
JOHN DEERE (ENGINE)			JOHN DEERE (ENGINE)			KAWASAKI (ENGINE)		
6090 PowerTech PVX/PSX Tier 4 (cont'd)			6404A, 6404T (cont'd)			FD1000D 29.5 hp		
	Oil	LP5979		Oil	PH725		Oil	PH2840
6090 Tier 3 eng.			6404D			FD440V Liquid V-Twin		
	Fuel	LFF6929 ¹⁰¹⁴		Fuel	L1168F	110132146	Air	LAF8338
	Oil	LP5979		Oil	FP20	490652071	Oil	PH2840
6101A, 6101H			6414-SER			FD501V Liquid V-Twin		
	Fuel	LFF1129		Oil	FP20	110132146	Air	LAF8338
	Oil	LFP3000	6466A, 6466D, 6466T			490191055	Fuel	G6529
		LFP3000XL ¹⁴	By-Pass			490652071	Oil	PH2840
6105A, 6105H PowerTech			6531, 6531A, 6531D, 6531T			FD590V Liquid V-Twin		
Sec.	Fuel	LFF3291		Oil	LFP777B	FD601V Liquid V-Twin		
From S/N 007566;		LFF8064			PH720	490191055	Fuel	G6529
W/S					PH725	490652071	Oil	PH2840
	Oil	LFP5723				FE290R		
6125A, 6125H PowerTech						FH490V 16.5 hp		
From S/N 007566;	Fuel	L5087F		Air	LAF414 ¹	FS730V V-Twin OHV Vertical 4-Cycle		
Sec.		LFF3291			LAF7933	LAF22056 ¹		
S/N 007567 On		LFF3550 ²⁴⁴		Oil	FP20	LAF8388		
W/S		LFF7284	6619A, 6619D, 6619-T			PH3656		
S/N 007567 On; W/S		LFF7415		Oil	PH720			
From S/N 007566;		LFF8064			PH725			
W/S	Oil	LFP5723	8955A			FX1000V V-Twin OHV Vertical 4-Cycle		
6135 PowerTech Plus Tier III						110137038		
049932 On	Fuel	L5087F		Coolant	LFW4074 ⁶²⁷	Air		
From 049931; W/S		LFF7284		Oil	PH725	LAF5325		
	Oil	LFP6930	8955T			LAF8195 ²		
6135 PowerTech Tier III			W/S			LAF8690 ¹		
	Fuel	L5087F		Fuel	LFF1131	490197001		
		LFF3550 ²⁴⁴		Oil	PH720	Fuel		
		LFF6963	92			G6529		
		LFF6964			PH725	Oil		
	Oil	LFP6930	955T			PH2840		
6135 Tier 4 eng.						FX1000V-DFI V-Twin OHV Vertical 4-Cycle		
	Fuel	L5087F		Oil	PH720	110137038		
		LFF3550 ²⁴⁴			PH725	Air		
		LFF6963	KAWASAKI (ENGINE)			LAF5325		
		LFF6964	FB460V			LAF8195 ²		
	Oil	LFP6930	490652071			LAF8690 ¹		
619A			FC150V			490197001		
	Oil	PH720		Oil	PH2840	Fuel		
		PH725	FC290V			G6529		
6329D			490652071			Oil		
	Fuel	L296F ⁴¹	FC401V			PH2840		
	Oil	FP20	110132141	Air	LAF22045	FX541V V-Twin OHV Vertical 4-Cycle		
6329G, 6329L			110132143		LAF22049	110137044		
	Oil	FP20	490652071	Oil	PH2840	Air		
6351A, 6351T			FC420V			LAF8195 ²		
	Oil	PH725	110132141	Air	LAF22045	LAF8388		
6359-SER.				Oil	PH2840	LAF8690 ¹		
	Oil	FP20	FC500V 17 hp			490197001		
6362G, 6362L			490652071	Oil	PH2840	Fuel		
	Oil	FP20	FC540V			G6529		
		P189		Air	LAF22049	Oil		
6404A, 6404T			490652071	Oil	PH2840	PH2840		
	Air	LAF1246				490652078		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 41-Cartridge 244-Secondary 627-5 oz. of chemical 1009-63 on 1010-Up to 63 1014-Kit, cartridge and spin-on filter

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KAWASAKI (ENGINE)			KOHLER (ENGINE)			KOHLER (ENGINE)		
<i>FX691D V-Twin OHV Horizontal 4-Cycle</i>			<i>AEGIS Series 17-31 hp (cont'd)</i>			<i>K161, K161T</i>		
110137044	Air	LAF8195 ²		Fuel	G6384		Air	AF210
110137045		LAF8690 ¹		Oil	PH2814			AF211
490197001	Fuel	G6529			PH2835			AF213
490652078	Oil	PH2840	<i>Command Pro Series 11-17 hp</i>					AF214
<i>FX691V V-Twin OHV Vertical 4-Cycle</i>				Air	AF216	<i>K181, K181S, K181T</i>		
110137044	Air	LAF8195 ²			AF217		Air	AF210
110137045		LAF8690 ¹		Fuel	G1/4			AF211
490197001	Fuel	G6529		Oil	PH2814			AF213
490652078	Oil	PH2840			PH2835			AF216
<i>FX730V V-Twin OHV Vertical 4-Cycle</i>			<i>Command Pro Series 18-40 hp</i>					LAF8310
110137044	Air	LAF8195 ²		Air	AF215 ⁶⁰⁶	<i>K241, K241A, K241P, K241S</i>		
110137045		LAF8690 ¹			AF217 ⁵⁸⁹		Air	AF213
490197001	Fuel	G6529			LAF5802 ⁵⁸⁸			AF214
490652078	Oil	PH2840			LAF8195 ²			AF216
<i>FX751V V-Twin OHV Vertical 4-Cycle</i>					LAF8690 ¹			AF217
110137044	Air	LAF8195 ²		Fuel	G115	<i>K301, K301A, K301AS, K301S, K321, K321A, K321S</i>		
110137045		LAF8690 ¹			G5/16 ²⁶³			
490652078	Oil	PH2840			G5/16CP ¹⁰⁹⁶		Air	AF213
<i>FX751V-DFI V-Twin OHV Vertical 4-Cycle</i>				Oil	G6384			AF214
110137044	Air	LAF8195 ²	<i>Command Series 11-18 hp</i>					AF216
110137045		LAF8690 ¹		Air	AF216	<i>K341, K341L, K341S</i>		
490652078	Oil	PH2840			AF217		Air	AF213
<i>FX850 DFI 31 hp</i>				Fuel	G1/4			AF214
110137044	Air	LAF5325		Oil	PH2814			AF215
110137045		LAF8195 ²			PH2835			AF216
	Oil	LAF8690 ¹	<i>Command Series 20-27 hp</i>					AF217
		PH2840		Air	AF215	<i>K400</i>		
<i>FX850V V-Twin LPG OHV Vertical 4-Cycle</i>					AF216		Air	AF215
490652080	Oil	PH2840			AF217	<i>K482, K482S</i>		
<i>FX850V V-Twin OHV Vertical 4-Cycle</i>				Fuel	LAF5802		Air	AF214
110137044	Air	LAF8195 ²			G1/4			AF217
110137045		LAF8690 ¹		Oil	G6384		Oil	PH400
490652078	Oil	PH2840			PH2814	<i>K532, K532S</i>		
<i>FX921V V-Twin OHV Vertical 4-Cycle</i>					PH2835		Air	AF214
110137038	Air	LAF5325	<i>Confidant Series</i>					AF217
110137044		LAF8195 ²		Fuel	G115		Oil	PH400
110137045		LAF8690 ¹		Oil	PH2814	<i>K550</i>		
490197001	Fuel	G6529			PH2835		Air	AF101
490652078	Oil	PH2840	<i>Courage Pro 20-27 hp SV810, SV820, SV830</i>			<i>K660</i>		
<i>FX921V-DFI V-Twin OHV Vertical 4-Cycle</i>				Oil	PH2835	277138	Air	AF214
110137038	Air	LAF5325	<i>Courage Series OHV 15-22 hp</i>			271276		AF5HD
110137044		LAF8195 ²		Fuel	G115	277233	Oil	PH400
110137045		LAF8690 ¹		Oil	PH2814	<i>K91, K91T, K91RT</i>		
490652078	Oil	PH2840	<i>Courage Twin Series 20-27 hp</i>				Air	AF210
KOHLER (ENGINE)				Fuel	G115			AF211
<i>6600 Series</i>				Oil	PH2814 ¹⁸	<i>KDW1003</i>		
1205001	Fuel	PH2814 ¹⁸			PH2835		Air	LAF8147
5205002	Oil	PH2835 ¹⁹	<i>K101, K121</i>				Oil	LAF8792
<i>7000 Series</i>				Air	AF210 ¹⁰¹⁵			PH3942
1205001	Oil	PH2814 ¹⁸	<i>K141, K141T</i>			<i>KDW1603</i>		
5205002		PH2835 ¹⁹		Air	AF210		Air	LAF8147
<i>AEGIS Series 17-31 hp</i>					AF211	<i>KDW2204/KDW2204T</i>		
	Air	LAF8195 ²			AF213		Air	LAF8148
		LAF8690 ¹			LAF8310	<i>KDW702</i>		
	Fuel	G1/4					Air	LAF8792
		G115						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 18-Short 19-Long 263-Hoses and clamps included 588-7" x 2.92" 589-7" x 2.55" 606-6" x 3" 1015-1959 On 1096-Clear Plastic

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOHLER (ENGINE)			KOMATSU (ENGINE)			KOMATSU (ENGINE)		
<i>KDW702 (cont'd)</i>			4D94			<i>S4D120 (cont'd)</i>		
	Oil	PH3942		Fuel	FP588F		Fuel	LP161
<i>Magnum Series 8-20 hp</i>				Oil	LFP2312		Oil	LFP2312
	Air	AF213 AF215	4D95L			S4D155		
	Fuel	G6529		Fuel	FP588F		Air	LAF6769 LAF6769MXM ²⁶⁸ LAF9373
	Oil	PH2835		Oil	LFP6240		Coolant	LFW4073 ²⁵⁵
<i>TH16 OHC</i>			610T				Fuel	L61F
	Fuel	G115		Coolant	LFW4072 ¹⁸²		Oil	LP161
	Oil	PH2814		Fuel	LFF4296			
<i>TH18 OHC</i>			614TA			S4D95-L		
	Fuel	G115		Coolant	LFW4072 ¹⁸²		Fuel	LFF4296
	Oil	PH2814		W/S	LFF4294		Oil	LFP2312
<i>Triad Series 16-23 hp</i>			6D105			S6D102E, SA6D102E		
	Fuel	G6529		Fuel	LFF4296		Oil	LFP780
	Oil	PH2814 PH3656		Oil	LFP5120B	S6D105		
KOMATSU (ENGINE)			NH220				Fuel	LFF4296
	Coolant	LFW4073 ²⁵⁵		Air	LAF8558 LAF8559		Oil	LFP5120B
16D125	Fuel	LFF4294		Coolant	LFW4073 ²⁵⁵	S6D110, SA6D110		
W/S	Oil	LFP5120B		Fuel	L3519F LFF4294		Coolant	LFW4072 ¹⁸²
2D92				Oil	LFP670 LFP670XL ¹⁴ LP5100		Fuel	LFF4296 LFF5926
2D94						W/S	Oil	LFP5120B
2D94-2						S6D125, S6DA125		
3D94, 3D94-2							Coolant	LFW4073 ²⁵⁵
3D95S						W/S	Fuel	LFF4294 LFF5926
410T							Oil	LFP5120B LFP670 LFP670XL ¹⁴
4D105, S4D105-3						S6D140		
4D120							Coolant	LFW4073 ²⁵⁵
						Pri.	Fuel	LFF202
							Oil	LFP670 LFP670XL ¹⁴
						S6D155, SA6D155		
							Air	LAF2821
							Coolant	LFW4073 ²⁵⁵
							Fuel	L61F LFF4294
							Oil	LFP670 LFP670XL ¹⁴ LP161 LP163
						S6D170, SA6D170		
							Coolant	LFW2055
						W/S	Fuel	LFF4294 LFF5926
						W/S	Oil	LFP670 LFP670XL ¹⁴
						S6D95-L, SA6D95-L		
							Coolant	LFW4072 ¹⁸²
							Fuel	FP588F LFF4296
							Oil	LFP54 LFP6240

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 14-Extended Life 182-Contains 2 oz. of chemical 255-Contains 3 oz. of chemical 268-Extended/Severe service

K

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KOMATSU (ENGINE)			KUBOTA (ENGINE)			KUBOTA (ENGINE)		
SA12V140			D722E (cont'd)			V1305, VH1305		
Pri.	Fuel	LFF202		Oil	PH2808		Fuel	FP590F
	Oil	LFP670 LFP670XL ¹⁴	D750				Oil	PH2808
SA6D108				Air	LAF2745A	V1501		
WS	Fuel	LFF4294		Fuel	FP590F L550F		Oil	LFP3411 PH2808
KUBOTA (ENGINE)				Oil	PH2808	V1502BC		
D1005, D1005E, DH1005			D782			P119776	Air	LAF1275 ⁶²⁵
	Fuel	FP590F		Air	LAF4629	V1505, V1505E		
	Oil	PH2808		Oil	PH2876		Fuel	FP590F L550F
D1100			D850				Oil	PH2808
	Fuel	FP590F		Fuel	FP590F L550F	V1505-E3		
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	PH2808		Oil	PH2808
D1101			D905, DH905			V1701		
	Oil	LFP3411		Fuel	FP590F		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
D1102				Oil	PH2808	V1702		
	Oil	LFP3411 PH561	D950				Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
D1105				Fuel	FP590F L550F	V1702B		
	Fuel	FP590F		Oil	PH2808		Fuel	L549F
	Oil	PH2808	DF750E				Oil	LFP3411 PH2808
D1301			DF972, DG972			V1703		
	Oil	LFP3411		Oil	PH2808		Fuel	FP590F
D1302			F2302				Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
	Oil	LFP3411 PH561		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	V1902		
D1402			F2803B, F2803E				Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
	Oil	LFP3411 PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Fuel	L549F	V1902B		
D1403, D1403E				Oil	LFP2221		Fuel	L549F
	Fuel	FP590F	S2502				Oil	LFP3411 PH2808
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Fuel	FP570F	V1903, V1903E		
D1803E2, D1803E3				Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Fuel	FP590F
	Fuel	L549F	S2600				Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Fuel	FP570F	V2006-M		
D3000				Oil	LFP3411 PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Fuel	L549F
	Fuel	L296F ⁴¹	S2600A				Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
	Oil	LFP3411		Fuel	FP570F	V2203		
D3200				Oil	LFP3411 PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Fuel	FP590F
	Fuel	L296F ⁴¹	S2800B				Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
	Oil	LFP3411		Fuel	FP570F	V2203-D1E		
D600			S2802				Fuel	FP590F
	Fuel	L550F		Fuel	FP570F		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
	Oil	PH2808		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	V2203E		
D600B			V1200				Fuel	FP590F
	Oil	PH2808		Fuel	FP570F		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
D650			V1205, V1205E, VH1205				Fuel	FP590F
	Oil	PH2808		Oil	PH2808	V2403-M		
D722				Fuel	FP590F		Oil	PH253 ¹⁴⁹⁶
	Fuel	L550F		Oil	PH2808			
	Oil	PH2808						
D722E				Fuel	FP590F		Oil	PH253 ¹⁴⁹⁶
	Fuel	L550F						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 14-Extended Life 41-Cartridge 275-Primary 625-Standard filter 1496-Alternate



Engine Applications

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
KUBOTA (ENGINE)			LEROI (ENGINE)			LISTER PETTER (ENGINE)		
V2403-M (cont'd)			H-2000, L-3000, L-3460, L-4000 (cont'd)			AV1, AVA1 (cont'd)		
	Oil	PH2835 ²⁷⁵		Oil	LP165 ¹⁰¹⁷		Fuel	L3514F
V2607DIT-E3B			H-844, H-884				Oil	P2470
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Oil	LP163 LP165	AV2, AVA2		
V3007DIT-E3			RX, RA Series				Air	LAF1766 ¹⁴⁸⁴ LAF8625 ¹⁴⁸⁵
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Oil	LP2210		Fuel	L3514F
V3300E, V3300TE			TH-540				Oil	P2470 P52
	Fuel	FP591F	TH-844, TH-884			B2, B2M, B2T, B3, B3M, B3T, B4, B4M, B4T		
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Oil	LP2210		Oil	P52
V3307DI-T			LISTER PETTER (ENGINE)			BA, BA1, BA2		
	Fuel	FP591F	353				Air	LAF5827
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Air	LAF1766 ¹⁴⁸⁴ LAF8625 ¹⁴⁸⁵		Fuel	L3514F
V4000				Fuel	L23F ¹⁰²⁰ L296F ^{41, 1019}	BS649		
	Fuel	L296F ⁴¹		Oil	P52		Air	LAFPA4
	Oil	LFP3411				351-29760	Fuel	L296F ⁴¹
V4300TA			354			201-55370	Oil	PH2835
	Fuel	L296F ⁴¹		Air	LAF1766 ¹⁴⁸⁴ LAF8625 ¹⁴⁸⁵	CD4, CDT4		
	Oil	LFP3411		Fuel	LFF3512		Air	LAF1544
V800			367				Fuel	FP587F
	Fuel	L550F					Oil	LFP950
	Oil	PH2808		Air	LAF1766 ¹⁴⁸⁴	CD6, CDT6		
WG750B, WG750E				Fuel	L23F L3514F		Fuel	FP587F
	Oil	PH2808		Oil	P52	CR3		
Z400			3X90				Fuel	L296F ⁴¹
	Fuel	L550F		W/S	LFF8060	CRK3		
	Oil	PH2808		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Air	LAF222
Z482, Z482E			4X90				Fuel	FP587F
	Fuel	L550F		W/S	LFF8060	CS4, CS6, CTS6		
	Oil	PH2808 PH2876		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Fuel	L296F ⁴¹
Z482B			AA1, AB, AB1				Oil	LFP8507
	Air	LAF8388				DA		
	Fuel	FP590F G2978		Air	LAF1275 LAF8574 ¹		Fuel	L3514F
	Oil	PH2808		Fuel	L3514F	DKL4/50		
Z600			AB1W			352-43760	Fuel	L23F
	Oil	PH2808		Fuel	L3514F		Oil	PH561
LEROI (ENGINE)			AC1, AC1W, AC1Z, AC1ZS			DPV30		
D-1000				Air	LAF1275 LAF8574 ¹	201-13116	Fuel	L3514F
	Oil	LP161 ¹⁰¹⁶ LP165 ¹⁰¹⁷		Fuel	L3514F	HA2		
D-123			AC2, AC2W				Air	LAF1766 LAF8625 ¹⁴⁸⁵
	Oil	L24A		Air	LAF1275 LAF8574 ¹		Fuel	L23F ¹⁰²⁰ L296F ^{41, 1019}
D-133				Fuel	L3514F		Oil	P52
	Oil	L24A P7FF ¹⁰¹⁸	AD1			HA3		
F-1500				Air	LAF225		Air	LAF1766 ¹⁴⁸⁴ LAF8625 ¹⁴⁸⁵
	Oil	LP161 ¹⁰¹⁶ LP165 ¹⁰¹⁷		Fuel	L3514F		Fuel	L23F ¹⁰²⁰ L296F ^{41, 1019}
F-540			AV1, AVA1				Oil	P52
	Oil	LP161		Oil	PH2835	HA4		
H-2000, L-3000, L-3460, L-4000				Air	LAF1766 ¹⁴⁸⁴ LAF5827 LAF8625 ¹⁴⁸⁵		Air	LAF1766 ¹⁴⁸⁴ LAF8625 ¹⁴⁸⁵
	Oil	LP161 ¹⁰¹⁶					Fuel	L23F ¹⁰²⁰

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 41-Cartridge 275-Primary 1016-1953 On 1017-From 1953 1018-1947 On 1019-7/62 on 1020-Up to 7/62 1484-5.50 x4.5 1485-8.25 x3.87

1496-Alternate

K

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
LISTER PETTER (ENGINE)			LISTER PETTER (ENGINE)			LISTER PETTER (ENGINE)		
<i>HA4 (cont'd)</i>			<i>HRS6, HRS6A</i>			<i>LPA2, LPA3 (cont'd)</i>		
	Fuel	L296F ^{41, 1019}		Fuel	L296F ⁴¹		Oil	PH253 ¹⁴⁹⁶ PH2814 PH2835 ²⁷⁵ PH3656
	Oil	P52	<i>HRW2</i>					
<i>HA6</i>				Air	LAF8625 ¹⁴⁸⁵			
	Fuel	L296F ⁴¹ LFF3512		Fuel	L23F L296F ⁴¹	<i>LPW2, LPWS2</i>		
<i>HB2</i>			<i>HRW3</i>				Air	LAF1275
	Air	LAF1766 ¹⁴⁸⁴ LAF8625 ¹⁴⁸⁵		Air	LAF8625 ¹⁴⁸⁵		Fuel	L3514F
	Fuel	L23F ¹⁰²⁰ L296F ^{41, 1019}		Fuel	L23F L296F ⁴¹		Oil	PH253 ¹⁴⁹⁶ PH2814 PH2835 ²⁷⁵ PH3656
	Oil	P52	<i>HRW4</i>					
<i>HB3</i>				Air	LAF8625 ¹⁴⁸⁵			
	Air	LAF1766 ¹⁴⁸⁴ LAF8625 ¹⁴⁸⁵		Fuel	L23F L296F ⁴¹	<i>LPW3</i>		
	Fuel	L23F ¹⁰²⁰ L296F ^{41, 1019}	<i>HW2 ROOTES-LISTER</i>				Air	LAF1275
	Oil	P52		Fuel	L23F L296F ⁴¹	<i>W/S</i>	Fuel	L3514F LFF8060
<i>HB4</i>			<i>HW3 ROOTES-LISTER</i>				Oil	LFP8507 PH253 ¹⁴⁹⁶ PH2814 PH2835 ²⁷⁵ PH3656
	Air	LAF1766 ¹⁴⁸⁴ LAF8625 ¹⁴⁸⁵		Fuel	L23F L296F ⁴¹	<i>LPW4, LPWS4</i>		
	Fuel	L23F ¹⁰²⁰ L296F ^{41, 1019} LFF3512		Oil	P52		Air	LAF1275 LAF8097
	Oil	P52	<i>HW4, HW6</i>			<i>W/S</i>	Fuel	L3514F LFF8060
<i>HB6</i>				Fuel	L296F ⁴¹		Oil	LFP8507 PH2814 PH2835
	Fuel	L296F ⁴¹ LFF3512		Oil	LP2309 ¹⁰²¹	<i>LPWG2, LPWG3, LPWG4 Alpha Series</i>		
<i>HH6</i>			<i>JA6</i>				Fuel	L3514F
	Air	LAF689		Fuel	L296F ⁴¹		Oil	PH2814 PH3656
<i>HL3, HL4, HL6, HLT6</i>			<i>LD1</i>			<i>LPWT4</i>		
	Fuel	L296F ⁴¹		Air	LAF1766 ¹⁴⁸⁴ LAF8625 ¹⁴⁸⁵		Air	LAF1275 LAF222
<i>HR2, HR2A</i>				Fuel	L3514F		Fuel	L3514F LFF8060
	Air	LAF1246 LAF234HD ² LAF8625 ¹⁴⁸⁵		Oil	P2470 PH2835	<i>W/S</i>	Oil	PH253 ¹⁴⁹⁶ PH2814 PH2835 ²⁷⁵
	Fuel	L296F ⁴¹	<i>LD2</i>			<i>LR1, LR2</i>		
	Oil	P52		Air	LAF1766 ¹⁴⁸⁴ LAF8625 ¹⁴⁸⁵		Air	LAF1246 LAF1275 LAF1766 ¹⁴⁸⁴ LAF8625 ¹⁴⁸⁵
<i>HR3, HR3A</i>				Fuel	L3514F		Fuel	L3514F
	Air	LAF1246 LAF234HD ² LAF8625 ¹⁴⁸⁵		Oil	P2470 PH2835		Oil	P2470 PH2835
	Fuel	L296F ⁴¹	<i>LD3</i>			<i>LR3</i>		
	Oil	P52		Air	LAF1766 ¹⁴⁸⁴ LAF8625 ¹⁴⁸⁵		Air	LAF1246 LAF1275
<i>HR4, HR4A</i>				Fuel	L3514F		Fuel	L3514F
	Fuel	L23F L296F ⁴¹		Oil	P2470 PH2835		Oil	P2470 PH2835
<i>HR5, HR5A</i>			<i>LOC1, LOC2</i>			<i>LR3</i>		
	Air	LAF8625 ¹⁴⁸⁵		Air	LAF2745A ²		Air	LAF1246 LAF1275
	Fuel	L23F L296F ⁴¹	<i>LOCX4/50</i>				Fuel	L3514F
<i>HR6</i>			352-43760	Fuel	L23F		Oil	P2470 PH2835
	Air	LAF8625 ¹⁴⁸⁵		Oil	PH561	<i>LS1, LS3</i>		
	Fuel	L23F L296F ⁴¹	<i>LPA2, LPA3</i>			201-13116	Fuel	L3514F
				Air	LAF1275			
				Fuel	L3514F			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

2-Outer 41-Cartridge 275-Primary 1019-7/62 on 1020-Up to 7/62 1021-1965-on 1022-July 1962-on 1484-5.50 x4.5 1485-8.25 x3.87 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
LISTER PETTER (ENGINE)			LISTER PETTER (ENGINE)			LISTER PETTER (ENGINE)		
LT1			<i>PDV6, PDV8, PDVM6, PDVM8 (cont'd)</i>			<i>RMR (cont'd)</i>		
	Air	LAF1751		Oil	P52		Air	LAF5827
		LAF225	<i>PH1, PH1W</i>				Fuel	LAF8625 ¹⁴⁸⁵
	Fuel	L3514F		Air	LAF1766 ¹⁴⁸⁴		Fuel	L3514F ¹⁰²³
	Oil	PH2835			LAF1784 ¹		Oil	P52
LT2, LT3					LAF8572	SD2		
	Fuel	L3514F			LAF8625 ¹⁴⁸⁵		Fuel	L3514F
LV1, LV2				Fuel	L3514F	SD3		
	Air	LAF225		Oil	P2470	201-13116	Fuel	L3514F
	Fuel	L3514F	<i>PH2, PH2W</i>			<i>SL1, SL2, SL3, SL4</i>		
MOC				Air	LAF1766 ¹⁴⁸⁴		Air	LAF1766 ¹⁴⁸⁴
	Air	LAF2745A ²			LAF1784 ¹		Fuel	L3514F
MR3MA					LAF8572		Oil	P2470
	Fuel	L296F ⁴¹			LAF8625 ¹⁴⁸⁵			PH2835
	Oil	P52		Fuel	L3514F	SLM4		
P600/2, P600/3, P600TS				Oil	P52		Fuel	L23F ¹⁰¹⁰
	Air	LAF8097	PH3 ROOTES-LISTER					L296F ^{41, 1009}
	Fuel	L3514F		Fuel	L23F		Oil	P2470 ¹⁰¹⁰
	Oil	PH2835			L296F ⁴¹	SR2		
PAV4					L50F		Air	LAF1246
	Oil	P2470	PHJ					LAF1275
PAZ, PAZ1				Fuel	L3514F			LAF1766 ¹⁴⁸⁴
	Air	LAF1766 ¹⁴⁸⁴		Oil	P2470		Fuel	L296F ⁴¹
		LAF5827	PJ1, PJ1W					L3514F
		LAF8625 ¹⁴⁸⁵		Air	LAF1766 ¹⁴⁸⁴		Oil	P2470
	Fuel	L3514F			LAF1784 ¹			PH2835
	Oil	P2470			LAF8572	SR2Z, SR3Z		
PC1, PC2				Fuel	L3514F		Fuel	L3514F
	Air	LAF1766 ¹⁴⁸⁴		Oil	P2470		Oil	P2470
		LAF8625 ¹⁴⁸⁵	PJ2, PJ2W			SR3		
	Fuel	L3514F		Air	LAF1766 ¹⁴⁸⁴		Air	LAF1246
	Oil	P2470			LAF1784 ¹			LAF1275
		P52			LAF8572			LAF1766 ¹⁴⁸⁴
PC3, PC4					LAF8625 ¹⁴⁸⁵		Fuel	L296F ⁴¹
	Air	LAF8625 ¹⁴⁸⁵		Fuel	L3514F			L3514F
	Oil	LP2309		Oil	P52		Oil	P2470
		P2470	PJ3, PJ3W, PJ4, PJ4W					PH2835
		P52		Air	LAF1544	SR3M, SR4MA		
PD1, PD2, PD3, PD4					LAF1784 ¹		Fuel	L296F ⁴¹
	Air	LAF8625 ¹⁴⁸⁵			LAF222			L3514F
	Oil	LP2309			LAF5827		Oil	P2470
		P2470			LAF8572	SR4		
		P52			LAF8625 ¹⁴⁸⁵		Air	LAF1246
PDL30					LAF9410			LAF1275
397079	Air	LAF1275 ²		Fuel	L3514F ¹⁰²³			LAF1766 ¹⁴⁸⁴
397080		LAF8574 ¹		Oil	P52		Fuel	L296F ⁴¹
351-29760	Fuel	L296F ⁴¹	PJZ, PJWZ					L3514F
352-31720	Oil	P52		Fuel	L3514F		Oil	P2470
PDM2, PDM3, PDM4				Oil	P52			PH2835
	Air	LAF8625 ¹⁴⁸⁵	PS3			SRMR		
	Oil	LP2309		Air	LAF222		Air	LAF8625 ¹⁴⁸⁵
		P2470			LAF5827		Oil	P2470
		P52			LAF8625 ¹⁴⁸⁵			P52
PDV6, PDV8, PDVM6, PDVM8				Fuel	L3514F ¹⁰²³	ST1		
	Air	LAF8625 ¹⁴⁸⁵		Oil	P52		Air	AF215
	Oil	LP2309	RMR					LAF1275
		P2470		Air	LAF222			LAF222

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 41-Cartridge 1009-63 on 1010-Up to 63 1023-late 1969 On 1484-5.50 x4.5 1485-8.25 x3.87

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
LISTER PETTER (ENGINE)			LISTER PETTER (ENGINE)			LOMBARDINI (ENGINE)		
<i>ST1 (cont'd)</i>			<i>TS1</i>			<i>5LD825-2, 5LD825-2L (cont'd)</i>		
	Air	LAF225 LAF8098		Air	LAF1275 LAF8097 ² LAF8098 ¹ LAF8148 ² LAF9332 ¹		Oil	PH400
	Fuel	L3514F				<i>5LD825-3, 5LD825-4, 5LD825-4L</i>		
	Oil	PH2835					Fuel	FP586F
<i>ST1A</i>				Fuel	L296F ⁴¹	<i>6LD260, 6LD260C, 6LD325, 6LD325C, 6LD360C, 6LD360V</i>		
	Air	AF102 LAF8098		Oil	PH2835		Oil	PH2816
	Fuel	L3514F	<i>TS2</i>			<i>7LD600, 7LD600 F/I</i>		
	Oil	PH2814		Air	LAF1275 LAF8097 ² LAF8098 ¹ LAF8148 ² LAF9332 ¹		Fuel	LFF4806 ¹⁶⁹
<i>ST2</i>						<i>8LD600-2, 8LD655-2, 8LD655-2L, 8LD740-2</i>		
	Air	AF215 LAF1275 LAF222 LAF225 LAF8098					Oil	PH2816
	Fuel	L3514F		Fuel	L296F ⁴¹	<i>9LD560-2</i>		
	Oil	PH2835		Oil	PH2835		Oil	PH2816
<i>ST3</i>			<i>TS3</i>			<i>9LD625, 9LD625-3</i>		
	Air	AF215 LAF1275 LAF222 LAF225 LAF8098		Air	LAF1275 LAF8097 ² LAF8098 ¹ LAF8148 ² LAF9332 ¹		Oil	PH2816
	Fuel	L3514F				<i>IM250</i>		
	Oil	PH2835					Oil	PH3942
<i>ST3A29</i>			<i>TX2</i>			<i>IM300</i>		
	Air	AF102		Air	LAF1275 LAF8097 ² LAF8098 ¹ LAF8148 ² LAF9332 ¹		Oil	PH3942
<i>STW2, STW3</i>						<i>IM350</i>		
	Fuel	L296F ⁴¹ L3514F		Fuel	L296F ⁴¹		Oil	PH3942
	Oil	PH2835		Oil	PH2835	<i>LDA672 1975-on</i>		
<i>SW2MA</i>			<i>TX3</i>			<i>LDA673, LDA674</i>		
7111/296	Fuel	L296F ⁴¹		Air	LAF8097 ² LAF8098 ¹ LAF8148 ² LAF9332 ¹		Air	LAF1734
201-13117		L3514F					Fuel	FP586F L60F
204-51980	Oil	P2470					Oil	PH2840
<i>TL3</i>				Fuel	L296F ⁴¹	<i>LDA78/2</i>		
	Fuel	L296F ⁴¹		Oil	PH2835		Fuel	L60F
	Oil	PH2835	LOMBARDINI (ENGINE)				Oil	L60F
<i>TR1</i>			<i>10LD 400.3</i>			<i>LDA78/74</i>		
	Air	LAF1275 LAF8097 LAF8098					Fuel	LFF3509
	Fuel	L296F ⁴¹		Fuel	FP586F	<i>LDA832</i>		
	Oil	PH2835		Oil	PH2816		Fuel	L60F
<i>TR2</i>			<i>10LD360-2, 10LD400-2, 10LD560-2</i>				Oil	PH2840
	Air	LAF1275 LAF8097 LAF8098				<i>LDA833</i>		
	Fuel	L296F ⁴¹					Air	LAF1734
	Oil	PH2835					Fuel	L296F ⁴¹
<i>TR3</i>			<i>11LD523.3, 11LD524.3</i>				Oil	PH2840
	Air	LAF1275 LAF8097 LAF8098				<i>LDA834</i>		
	Fuel	L296F ⁴¹					Fuel	FP586F L60F
	Oil	PH2835					Oil	PH2840 ¹⁰²⁴
<i>TR3</i>			<i>5LD675-2</i>			<i>LDA883</i>		
	Air	LAF1275 LAF8097 LAF8098					Fuel	L60F
	Fuel	L296F ⁴¹		Fuel	FP586F		Oil	PH2840
	Oil	PH2835		Oil	PH2816	<i>LDA90, LDA90/2</i>		
<i>TR3</i>			<i>5LD675-3, 5LD675-4</i>			<i>LDA90/4</i>		
	Air	LAF1275 LAF8097 LAF8098					Fuel	LFF3509
	Fuel	L296F ⁴¹					Oil	PH2840
	Oil	PH2835				<i>LDA95</i>		
<i>TR3</i>			<i>5LD825-2, 5LD825-2L</i>				Fuel	L60F LFF3509
	Air	LAF1275 LAF8097 LAF8098						
	Fuel	L296F ⁴¹		Fuel	FP586F			
	Oil	PH2835		Oil	PH400			
				Fuel	FP586F			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 2-Outer 41-Cartridge 169-1 Per Package 1024-1975 On

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
LOMBARDINI (ENGINE)			M.A.N. (ENGINE)			M.A.N. (ENGINE)		
LDA95/2	Fuel	LFF3509	D0843M	Fuel	L60F	D2542	Oil	LP3365
LDM, LDR	Fuel	L61F		Oil	LP614	D2542M, D2542MLE		
LDM102/2, LDM108/4, LDM125/4	Fuel	L61F	D0846	Fuel	L60F		Fuel	L3405F L61F LFF3507
LDR102/2, LDR108/4, LDR125/4	Fuel	L61F		Oil	LP614		Oil	LP2235
LDW1003 FOCS PLUS	Fuel	LFF3518		Fuel	L3405F L61F LFF3507	D2548	Oil	LP3365
	Oil	PH3942		Oil	LP614	D2555		
LDW1203, LDW1303, LDW1503	Fuel	FP586F L296F ⁴¹	D1246M	Fuel	L61F		Fuel	L3405F L61F LFF3507
	Oil	PH2903		Oil	LP2210		Oil	LP2235
LDW1204 FOCS, 1204T FOCS	Oil	PH2903	D1546	Fuel	L3405F L61F LFF3507	D2556MT	Fuel	L3405F L61F LFF3507
LDW1404 FOCS PLUS	Fuel	LFF3518		Oil	LP614		Oil	LP2235
	Oil	PH2903	D1548M, D1548MT			D2565MF		
LDW1503B	Air	LAF5844 ¹ LAF8147		Fuel	L61F		Fuel	L3401F L60F LFF3403
	Fuel	FP586F LFF8092	D2066	Oil	LP2210			
	Oil	LFP2238		Fuel	L6161F ¹⁴⁵	D2566		
LDW2204, LDW2204T CHD Plus	Fuel	FP586F L296F ⁴¹	D2066 EURO 4/5	Oil	LP7329		Fuel	L3405F L61F LFF3507
	Oil	PH2903		Oil	LP7329		Oil	LP2235
LDW502, LDW602, LDW702, LDW903 FOCS Plus	Fuel	LFF3518	D2146HM, D2146MT			D2658M2		
	Oil	PH3942		Fuel	L3405F L61F LFF3507		Fuel	L3405F L61F LFF3507
LGW523	Oil	PH3942		Oil	LP614		Oil	LP2226
M.A.N. (ENGINE)			D2156MT, D2156MTN1			D2676 EURO 4/5		
D0022M, D0024M	Fuel	L60F		Fuel	L3405F L61F LFF3507	D2758		
D0026M To-5/1960	Fuel	L60F		Oil	LP614		Fuel	L3405F L61F LFF3507
	Oil	LP614	D2356HM2				Oil	LP2226
D0026M1	Fuel	L60F		Fuel	L3405F L61F LFF3507	D2840, D2840L, D2840LX		
	Oil	LP614		Oil	LP614		Fuel	L3405F L61F LFF3507
D0224M	Fuel	LFF3504	D2530				Oil	LP2235
D0226M	Fuel	L3405F L61F LFF3507	D2530MTA			D2842		
	Oil	LP614		Oil	LP2235		Fuel	L3405F L61F LFF3507
D0824, D0826	Fuel	FP587F	D2538				Oil	LP2235
	Oil	LFP8099		Oil	LP3365	D2848		
D0836HMV, D0836M2	Fuel	L60F	D2538MT				Fuel	L3405F L61F LFF3507
	Oil	LP614		Oil	LP2235		Oil	LP2235
			D2540			D2855		
				Oil	LP3365		Fuel	L3405F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 41-Cartridge 145-Pre-Screen

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
M.A.N. (ENGINE)			MACK (ENGINE)			MACK (ENGINE)		
<i>D2855 (cont'd)</i>			<i>ASET AI, AMI, AC 10/2002- (cont'd)</i>			<i>E6-325, E6-325R (cont'd)</i>		
	Fuel	L61F LFF3507	Pri.	Fuel	LFF3477 ⁷⁶³ LFF4470		Oil	LFP3191TRT ³ LFP3191XL ¹⁴
	Oil	LP2217	Sec.		LFF4471	<i>E6-350, E6-350R</i>		
<i>D2858</i>				Oil	LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LP3964 ¹⁰²⁷ LP3985 ¹⁰²⁶		Coolant	LFW4422 ⁴⁹⁴ LFW4860 ²⁸
	Fuel	L3405F L61F LFF3507				W/S	Fuel	LFF8040 LFF9005 LFP219F LFP219F
	Oil	LP2226				Sec.		LFP431F
<i>D2866, D2866I, D2866L, D2866LX, D2866T</i>			<i>E3-165, E3-175, E3-180, E3-190, E3-210, E3-220</i>				Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
	Fuel	FP587F L3405F L61F LFF3507	Sec.	Fuel	LFP218F LFP219F			LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
	Oil	LP2235		Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	<i>E7-250, E7-300, E7-350, E7-400, E7-427, E7-460</i>		
<i>D2868 EURO 5</i>			<i>E4-210 SCANIA</i>				Coolant	LFW4422 ⁴⁹⁴
	Oil	LP7329		Coolant	LFW4860 ²⁸	W/S	Fuel	LFF8040 LFF9005 LFP219F LFP431F
<i>D2876</i>			W/S	Fuel	LFF8040 LFF9005 LFP218F LFP219F	W/S		
	Fuel	FP587F	Sec.			Sec.		LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP2232
	Oil	LP2235		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵		Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP2232
<i>D2886</i>			<i>E5</i>			<i>E7-355/380, E7-330/350, E7-310/330 Maxi Cruise</i>		
	Fuel	FP587F		Coolant	LFW4860 ²⁸	Pri.	Fuel	LFF4470 LFF4471 LFF8472
	Oil	LP8107	Sec.	Fuel	LFP218F LFP219F	Sec.		LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP2232
<i>D3256 U12D</i>				Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	W/S		
	Fuel	L3405F L61F LFF3507					Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP2232
	Oil	LP2217	<i>E6-200, E6-250, E6-260, E6-275</i>					
<i>D720, D797</i>				Coolant	LFW4422 ⁴⁹⁴	<i>E7-EUP</i>		
	Fuel	L296F ⁴¹	W/S	Fuel	LFF8040 LFF9005 LFP219F LFP431F	Pri.	Fuel	LFF4470 LFF4471 LFF8472
<i>D9306, D9306T</i>			W/S			Sec.		LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LP2232 LP2273
	Oil	LFP5084	Sec.			W/S		
<i>D9308, D9308T, Ti</i>				Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴			
<i>DO216</i>			<i>E6-300, E6-315</i>					
	Fuel	L296F ⁴¹		Coolant	LFW4422 ⁴⁹⁴ LFW4860 ²⁸			
	Oil	LFP2538	W/S	Fuel	LFF8040 LFF9005 LFP218F LFP219F LFP431F			
<i>DO83</i>			Sec.					
	Fuel	FP587F L60F		Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴			
	Oil	LFP8099 P847	<i>E9-400, E9-440, E9-450, E9-500</i>					
M.T.U. (ENGINE)				Coolant	LFW4422 ⁴⁹⁴ LFW4860 ²⁸			
<i>12V-2000</i>			W/S	Fuel	LFF8040 LFF9005 LFP218F LFP219F LFP431F			
	Fuel	LFF3368 ¹⁰²⁵ LFP959FHE ²⁰	W/S					
(23518529); Sec.			Sec.					
<i>12V-4000</i>				Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴			
20922801	Fuel	LFF3368 ¹⁰²⁵						
5241840101	Oil	LFP912						
<i>16V-2000</i>			<i>E6-325, E6-325R</i>					
	Fuel	LFF3368 ¹⁰²⁵		Coolant	LFW4422 ⁴⁹⁴			
<i>18V-2000</i>			W/S	Fuel	LFF8040 LFF9005 LFP219F LFP431F			
	Fuel	LFF3368 ¹⁰²⁵	W/S					
MACK (ENGINE)			Sec.					
<i>ASET AI, AMI, AC 10/2002-</i>				Oil	LFP3191	<i>EC6-265, EC6-330, EC6-350, EC6-350R</i>		
Sec.	Fuel	LFF3476					Coolant	LFW4422 ⁴⁹⁴ LFW4860 ²⁸
						W/S	Fuel	LFF8040

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

3-Extended Life w/ Time Release Technology 14-Extended Life 20-High efficiency 28-Contains 1 oz. of chemical 41-Cartridge 275-Primary 494-Contains 4 oz. of chemical 763-w/ Drain 1025-With common rail injection 1026-11/11/03 On 1027-From 11/11/03 1496-Alternate



Engine Applications

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACK (ENGINE)			MACK (ENGINE)			MACK (ENGINE)		
<i>EC6-265, EC6-330, EC6-350, EC6-350R (cont'd)</i>			<i>EM6-285, EM6-285R</i>			<i>EMC6-250, EMC6-285, EMC6-285R, EMC6-300L (cont'd)</i>		
W/S	Fuel	LFF9005		Coolant	LFW4422 ⁴⁹⁴			
Sec.		LFP218F			LFW4860 ²⁸		Fuel	LFP219F
		LFP219F	W/S	Fuel	LFF8040	Sec.		LFP431F
Sec.		LFP431F	W/S		LFF9005		Oil	LFP3191
	Oil	LFP3191	Sec.		LFP218F			LFP3191TRT ³
		LFP3191TRT ³	Sec.		LFP219F			LFP3191XL ¹⁴
		LFP3191XL ¹⁴			LFP431F			LP2232
		LP2232			LFP3191	<i>EMC9-400, EMC9-400R</i>		
<i>EM6-210</i>					LFP3191TRT ³		Coolant	LFW4422 ⁴⁹⁴
	Coolant	LFW4422 ⁴⁹⁴			LFP3191XL ¹⁴	W/S		LFF8040
		LFW4860 ²⁸			LP2232	W/S	Fuel	LFF9005
W/S	Fuel	LFF8040	<i>EM6-300, EM6-300L, EM6-300R, EM6-300T</i>			Sec.		LFP219F
W/S		LFF9005		Coolant	LFW4422 ⁴⁹⁴		Oil	LFP3191
Sec.		LFP218F			LFW4860 ²⁸			LFP3191TRT ³
		LFP219F	W/S	Fuel	LFF8040			LFP3191XL ¹⁴
Sec.		LFP431F	W/S		LFF9005			LP2232
	Oil	LFP3191	Sec.		LFP218F	<i>EN-291</i>		
		LFP3191TRT ³	Sec.		LFP219F		Oil	P4
		LFP3191XL ¹⁴			LFP431F	<i>EN-331</i>		
		LP2232			LFP3191		Oil	P4
<i>EM6-237, EM6-237R</i>					LFP3191TRT ³	<i>EN-414</i>		
	Coolant	LFW4422 ⁴⁹⁴			LFP3191XL ¹⁴		Oil	P4
		LFW4860 ²⁸			LP2232	<i>EN-465</i>		
W/S	Fuel	LFF8040	<i>EM7-250, EM7-275, EM7-300, EM7-350</i>				Fuel	L91F
W/S		LFF9005		Coolant	LFW4422 ⁴⁹⁴	<i>END-475</i>		
Sec.		LFP218F	W/S	Fuel	LFF8040	237GB13	Fuel	L91F
		LFP219F	W/S		LFF9005	<i>END-673, ENDT-673, ENDLT-673 Series</i>		
Sec.		LFP431F	Sec.		LFP219F		Coolant	LFW4422 ⁴⁹⁴
	Oil	LFP3191			LFP431F			LFW4860 ²⁸
		LFP3191TRT ³			LFP3191	W/S	Fuel	L91F
		LFP3191XL ¹⁴			LFP3191TRT ³	W/S		LFF8040
		LP2232			LFP3191XL ¹⁴	Sec.		LFF9005
<i>EM6-250, EM6-250L, EM6-250R</i>					LP2232	Sec.		LFP218F
	Coolant	LFW4422 ⁴⁹⁴	<i>EM7-MAXADINE</i>			Sec.		LFP219F
		LFW4860 ²⁸	Sec.	Fuel	LFP218F	Sec.		LFP219F
W/S	Fuel	LFF8040			LFP219F		Oil	LFP431F
W/S		LFF9005	Sec.		LFP431F			1041
Sec.		LFP218F			LFP3191			LFP3191
		LFP219F			LFP3191TRT ³			LFP3191TRT ³
Sec.		LFP431F			LFP3191XL ¹⁴			LFP3191XL ¹⁴
	Oil	LFP3191			LP2232			LP32
		LFP3191TRT ³	<i>EM9-400R</i>			<i>END-675, ENDT-675 Series</i>		
		LFP3191XL ¹⁴		Coolant	LFW4422 ⁴⁹⁴		Coolant	LFW4422 ⁴⁹⁴
		LP2232	W/S	Fuel	LFF8040			LFW4860 ²⁸
<i>EM6-275, EM6-275L, EM6-275R</i>			W/S		LFF9005	W/S	Fuel	L91F
	Coolant	LFW4422 ⁴⁹⁴	Sec.		LFP219F	W/S		LFF8040
		LFW4860 ²⁸			LFP431F	Sec.		LFF9005
W/S	Fuel	LFF8040			LFP3191	Sec.		LFP218F
W/S		LFF9005			LFP3191TRT ³	Sec.		LFP219F
Sec.		LFP218F			LFP3191XL ¹⁴	Sec.		LFP431F
		LFP219F	<i>EMC6-250, EMC6-285, EMC6-285R, EMC6-300L</i>				Oil	1041
Sec.		LFP431F		Coolant	LFW4422 ⁴⁹⁴			LFP3191
	Oil	LFP3191			LFW4860 ²⁸			LFP3191TRT ³
		LFP3191TRT ³	W/S	Fuel	LFF8040			LFP3191XL ¹⁴
		LFP3191XL ¹⁴	W/S		LFF9005			LP32
		LP2232	Sec.		LFP218F			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

3-Extended Life w/ Time Release Technology 14-Extended Life 28-Contains 1 oz. of chemical 494-Contains 4 oz. of chemical

M

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACK (ENGINE)			MACK (ENGINE)			MACK (ENGINE)		
<i>END-711, END-711B</i>			<i>ENDT-864-A (cont'd)</i>			<i>ETAY-676, ETAY-676D (cont'd)</i>		
W/S	Fuel	L91F ¹⁰²⁸ LFF8040 LFF9005 LFP218F LFP219F	W/S	Fuel	LFF8040 LFF9005 LFP218F LFP219F	W/S	Fuel	LFF8040 LFF9005 LFP219F LFP431F
W/S			Sec.			Sec.		LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
Sec.	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴		Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴		Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
<i>END-864</i>			<i>ENDT-866, ENDT-866C</i>			<i>ETAZ-673A, ETAZB-673A</i>		
	Air	LAFV140A		Coolant	LFW4860 ²⁸		Coolant	LFW4422 ⁴⁹⁴ LFW4860 ²⁸
237GB13	Fuel	L91F L91F ¹⁰²⁹ LFF8040 ¹² LFF9005 ¹² LFP218F LFP219F	W/S	Fuel	LFF8040 LFF9005 LFP218F LFP219F	W/S	Fuel	LFF8040 LFF9005 LFP218F LFP219F LFP431F
237GB29A			Sec.			Sec.		LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
(483GB433B); W/S				Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴		Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
W/S								
(483GB441); Sec.								
(483GB444); Pri.								
<i>END-865, ENDT-865, ENDDT-865, ENDTB-865 Series</i>			<i>ENDTB-675</i>			<i>ETY-675, ETY-675B</i>		
	Coolant	LFW4860 ²⁸	25MF436	Coolant	LFW4422 ⁴⁹⁴		Coolant	LFW4422 ⁴⁹⁴
W/S	Fuel	LFF8040 LFF9005 LFP218F LFP219F	(483GB433B); W/S	Fuel	LFF8040 ¹² LFF9005 ¹² LFP219F LFP431F	W/S	Fuel	LFF8040 LFF9005 LFP219F LFP431F
W/S			W/S			W/S		
Sec.	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	(483GB444); Pri. (483GB440); Sec.	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	Sec.	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
			485GB3191B					
			485GB3191B					
<i>ENDL-711</i>			<i>ENDTB-676</i>			<i>ETZ-477, ETZ-477B</i>		
W/S	Fuel	L91F ¹⁰²⁸ LFF8040 LFF9005 LFP218F LFP219F	W/S	Fuel	LFF8040 LFF9005 LFP219F LFP431F	W/S	Fuel	LFF8040 LFF9005 LFP218F LFP219F
W/S			Sec.			W/S		
Sec.	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴		Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	Sec.	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵
<i>ENDT-475</i>			<i>ENF-377</i>			<i>ETZ-673A, ETZ-673C</i>		
25MF435	Coolant	LFW4860 ²⁸		Oil	P92		Coolant	LFW4422 ⁴⁹⁴
(483GB433B); W/S	Fuel	LFF8040 ¹² LFF9005 ¹² LFP218F LFP219F	<i>ET-673, ETB-673</i>			W/S	Fuel	LFF8040 LFF9005 LFP219F LFP431F
W/S			<i>ET-673, ETB-673</i>			W/S		
(483GB441); Sec.			<i>ET-673, ETB-673</i>			Sec.	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
(483GB444); Pri.			<i>ET-673, ETB-673</i>					
(6432PER17); Turbo	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>ET-673, ETB-673</i>					
Turbo			<i>ET-673, ETB-673</i>					
<i>ENDT-676, ENDT-676A</i>			<i>ETAY-673B, ETAY-673E</i>			<i>ETZ-675</i>		
	Coolant	LFW4860 ²⁸		Coolant	LFW4422 ⁴⁹⁴		Coolant	LFW4422 ⁴⁹⁴
W/S	Fuel	LFF8040 LFF9005 LFP218F LFP219F	W/S	Fuel	LFF8040 LFF9005 LFP219F LFP431F	W/S	Fuel	LFF8040 LFF9005 LFP219F LFP431F
W/S			Sec.			W/S		
Sec.	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴		Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	Sec.	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
<i>ENDT-864</i>			<i>ETAY-676, ETAY-676D</i>			<i>EZ4-210 SCANIA</i>		
(483GB433B); W/S	Fuel	LFF8040 ¹² LFF9005 ¹² LFP218F LFP219F	W/S	Fuel	LFF8040 LFF9005 LFP219F LFP431F		Coolant	LFW4860 ²⁸
W/S			Sec.			W/S	Fuel	LFF8040 LFF9005
(483GB441); Sec.				Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	W/S		
(483GB444); Pri.								
<i>ENDT-864-A</i>			<i>ETAY-676, ETAY-676D</i>			<i>EZ4-210 SCANIA</i>		
	Coolant	LFW4860 ²⁸		Coolant	LFW4422 ⁴⁹⁴		Coolant	LFW4860 ²⁸

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 28-Contains 1 oz. of chemical 275-Primary 494-Contains 4 oz. of chemical 1028-From 1966 1029-With PSJ or PSM Pump 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MACK (ENGINE)			MERCEDES-BENZ (ENGINE)			MERCEDES-BENZ (ENGINE)		
<i>EZ4-210 SCANIA (cont'd)</i>			<i>MB851 (cont'd)</i>			<i>MBE926/OM926LA</i>		
Sec.	Fuel	LFP218F LFP219F		Fuel	LFF3403 LFF3507		Fuel	L8701F ²⁴⁴ LP8741 ¹⁰²
	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	<i>MB852</i>			<i>OM312</i>		
<i>Maxidyne 300</i>				Fuel	L3401F L3405F LFF3403 LFF3507		Fuel	L60F L61F
	Coolant	LFW4422 ⁴⁹⁴	<i>MB853</i>			<i>OM314</i>		
W/S	Fuel	LFF8040 LFF9005 LFP219F LFP431F		Fuel	L3401F L3405F LFF3403 LFF3507		Fuel	L3401F L3405F LFF3403 LFF3507
Sec.	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	<i>MB854</i>				Oil	LP2211 LP2214 ¹⁰³⁰ LP2214X
<i>MP7, MP8</i>				Fuel	L3401F L3405F LFF3403 LFF3507	<i>OM315</i>		
	Coolant	LFW5141 ²⁸ LFW5141XL ^{14, 249} LFW6501 ⁵⁵⁵	<i>MB856</i>				Fuel	L61F
	Fuel	L3578FN LFF3358 LFF8059		Fuel	L3401F L3405F LFF3403 LFF3507	<i>OM321</i>		
W/S	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LP3985	<i>MB861</i>				Fuel	L61F
Sec.				Fuel	L3401F L3405F LFF3403 LFF3507	<i>OM322</i>		
MERCEDES-BENZ (ENGINE)			<i>MB862</i>			<i>OM326</i>		
<i>CM636V13</i>				Fuel	L3401F L3405F LFF3403 LFF3507		Fuel	L3405F LFF3507 LP2226
	Fuel	L60F	<i>MB863</i>			<i>OM327</i>		
<i>D3250</i>				Fuel	L3401F L3405F LFF3403 LFF3507		Fuel	L3405F LFF3507 LP2210
	Fuel	L60F	<i>MB864</i>			<i>OM352</i>		
<i>L3000D</i>				Fuel	L3401F L3405F LFF3403 LFF3507	Except OM352A	Oil	LFP2251 LP2220 ¹⁰³⁰ LP2220X LP2226 ¹⁰³¹
<i>L311</i>				Fuel	L3401F L3405F LFF3403 LFF3507	<i>OM352A</i>		
<i>L312</i>				Fuel	L3401F L3405F LFF3403 LFF3507		Fuel	L3401F L60F LFF3403
<i>L315</i>				Fuel	L3401F L3405F LFF3403 LFF3507	Except OM352A	Oil	LFP2251 LP2220 ¹⁰³⁰ LP2220X LP2226 ¹⁰³¹
<i>L319, O319</i>				Fuel	L3401F L3405F LFF3403 LFF3507	<i>OM355</i>		
<i>L325</i>				Fuel	L3401F L3405F LFF3403 LFF3507		Fuel	L3405F LFF3507
<i>M202B</i>				Fuel	L3401F L3405F LFF3403 LFF3507		Oil	LP2210 ¹⁰³³ LP2218 ¹⁰³²
<i>M203B</i>				Fuel	L3401F L3405F LFF3403 LFF3507	<i>OM355LA</i>		
	Fuel	L60F L61F	<i>MBE4000</i>				Fuel	L3405F LFF3507
<i>MB846A</i>				Fuel	L8994F LP5048		Oil	LP2210 ¹⁰³³ LP2218 ¹⁰³²
<i>MB846AB</i>			<i>MBE900/OM904LA 4 cyl. 4.3L</i>			<i>OM360</i>		
	Fuel	L61F		Fuel	L8701F ²⁴⁴ LP8700 ¹⁷⁵		Fuel	L3405F LFF3507
<i>MB851</i>			<i>MBE900/OM906LA 6 cyl. 6.4L</i>				Oil	LP2218 ¹⁰³²
	Fuel	L3401F L3405F		Fuel	L8701F ²⁴⁴ LP8741 ¹⁰²		Fuel	L3405F LFF3507

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

3-Extended Life w/ Time Release Technology 14-Extended Life 28-Contains 1 oz. of chemical 102-8.31" Tall 175-6" Tall 244-Secondary 249-No chemical
275-Primary 494-Contains 4 oz. of chemical 555-Extended Life w/ controlled release chemical 1030-78 on 1031-Up to 77 1032-4/78 on 1033-Up to 3/78
1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MERCEDES-BENZ (ENGINE)			MERCEDES-BENZ (ENGINE)			MERCEDES-BENZ (ENGINE)		
<i>OM360 (cont'd)</i>			<i>OM422 (cont'd)</i>			<i>OM457, OM457LA/hLA</i>		
	Oil	LP2210 ¹⁰³³ LP2218 ¹⁰³²		Fuel	LFF3403 ¹⁰³⁷ LFF3507 ¹⁰³⁶		Fuel	L8994F
<i>OM362A, OM362LA</i>				Oil	LP2235 P8170	<i>OM460LA</i>		
	Fuel	L3401F LFF3403	403 184 0025				Fuel	L8994F
	Oil	LP815	<i>OM422A</i>				Oil	LP5048
<i>OM364</i>				Fuel	L3401F L3405F LFF3403 ¹⁰³⁷ LFF3507 ¹⁰³⁶	<i>OM501LA</i>		
	Fuel	L3401F LFF3403					Fuel	L8994F
	Oil	LP2214 LP2214X	403 184 0025	Oil	LP2235 P8170	<i>OM601</i>		
<i>OM366</i>			<i>OM422LA</i>				Fuel	LFF8963
	Fuel	L3401F L3405F LFF3403		Fuel	L3401F L3405F LFF3403 ¹⁰³⁷ LFF3507 ¹⁰³⁶		Oil	P829
	Oil	LFP2251 LP2214 ¹⁰³⁴ LP2214X LP2220 ¹⁰³⁵ LP2220X LP815	403 184 0025	Oil	LP2235 P8170	<i>OM621</i>		
<i>OM401</i>			<i>OM423</i>				Fuel	FP901F L3401F LFF3403
	Fuel	L3401F L3405F LFF3403 LFF3507	403 184 0025	Oil	LP2235 P8170		Oil	LP2211 P3 P825
	Oil	LP2220Z LP815	<i>OM423LA</i>			<i>OM636</i>		
<i>OM402</i>				Fuel	L3405F LFF3507		Fuel	L60F L61F
	Fuel	L3401F LFF3403		Oil	LP2235 P8170	<i>OM904LA</i>		
403 184 0025	Oil	LP815 P8170	403 184 0025	Oil	LP2235 P8170		Fuel	L8701F ²⁴⁴
<i>OM403</i>			<i>OM424, OM424A</i>				Oil	LP8700 ¹⁷⁵
	Fuel	L3405F LFF3507		Fuel	L3405F LFF3507	<i>OM906</i>		
	Oil	LP2235 P8170	403 184 0025	Oil	LP2235 P8170		Fuel	L8701F ²⁴⁴
403 184 0025	Oil	LP2235 P8170	<i>OM426LA</i>				Oil	LP8741 ¹⁰²
<i>OM404</i>			403 184 0025	Oil	P8170	<i>OM906LA</i>		
	Fuel	L3401F L60F LFF3403	<i>OM427, OM427H, OM427HA</i>				Fuel	L8701F ²⁴⁴
	Oil	LP2235 P8170		Fuel	L3405F LFF3507	<i>OM926LA</i>		
<i>OM407</i>			<i>OM442</i>				Oil	LP8741 ¹⁰²
	Fuel	L3401F L60F LFF3403	403 184 0025	Oil	P8170	<i>110</i>		
	Oil	LP2235	<i>OM442A</i>				Fuel	G124
<i>OM421</i>			403 184 0025	Oil	P8170		Oil	PH454
	Fuel	L3405F LFF3507	<i>OM442LA</i>			<i>140</i>		
403 184 0025	Oil	LP815 P8170		Fuel	L3405F LFF3507	7013404	Fuel	G22
<i>OM422</i>			403 184 0025	Oil	LP2235 P8170	54111	Oil	PH454 ¹⁰³⁸
	Fuel	L3401F L3405F		Oil	LP2235	<i>150</i>		
	Oil	LP2235	<i>OM443LA</i>			7013404	Fuel	G22
<i>OM427</i>			403 184 0025	Oil	P8170	54111	Oil	PH454 ¹⁰³⁸
	Fuel	L3405F LFF3507	<i>OM444, OM444A, OM444LA</i>			<i>160</i>		
	Oil	LP815 P8170		Fuel	L3405F LFF3507	7013404	Fuel	G22
403 184 0025	Oil	LP815 P8170		Oil	LP2235	54111	Oil	PH454 ¹⁰³⁸
<i>OM442</i>			<i>OM447HA</i>			<i>190</i>		
	Fuel	L3401F L3405F	w/o Gskt.	Fuel	LFF3507		Oil	PH454 ³²
	Oil	LP2235		Oil	LP2235	<i>198</i>		
							Oil	PH454 ³²
						<i>200</i>		
						5651369	Fuel	G470
						5650658		G6

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 32-Remote mounted 102-8.31" Tall 175-6" Tall 244-Secondary 1032-4/78 on 1033-Up to 3/78 1034-10/88c 1035-Up to 9/88 1036-7/82 on 1037-Up to 6/82
 1038-If space permits, use long length [PH1218].

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MERCURISER (ENGINE MARINE)			MERCURY MARINE (ENGINE MARINE)			MINNEAPOLIS-MOLINE (ENGINE DIESEL)		
200 (cont'd)			Verado 4 Cyl. 135-200 H.P. Engine			DHD504-6A (cont'd)		
Verado B53338	Oil	LFP3830 P141 PH454 1038	35-877767K01	Oil	LFP3830	Pri.	Fuel	L296F 41
205			MINNEAPOLIS-MOLINE (ENGINE DIESEL)			Oil		
41815	Oil	PH51A	D206			LFP2258		
215			Sec.			Fuel 261F		
803470	Oil	PH253 1496 PH2835 275	D206-4			Oil LFP2258		
225			Sec.			Fuel 261F		
803470	Oil	PH253 1496 PH2835 275	D206A4			Oil LFP2258		
35866340Q		PH454	Sec.			Fuel 261F		
260			D206B4			Oil LFP2258		
52731	Oil	PH1218	Sec.			Fuel 261F		
320 EFI			D283			Oil LFP2258		
5651369	Fuel	G470 G6 LFF3808	D283-4A			Fuel 261F		
5650658			Sec.			Fuel 261F		
3560494	Oil	P141 PH454 1038	D336			Oil LP224		
340			D336-4			Fuel 261F		
5651369	Fuel	G470 G6 LFF3808	Sec.			Oil LP224		
5650658			D336-4A			Fuel 261F		
3560494	Oil	P141 PH454 1038	Sec.			Fuel 261F		
390			D336A4			Oil LP224		
5651369	Fuel	G470 G6 LFF3808	D336A4A			Fuel 261F		
5650658			Sec.			Fuel 261F		
3560494	Oil	P141 PH1218 PH454 1038	D425			Oil LFP2258		
470			D425-6A			Fuel 261F		
B54111	Oil	PH454	D425A6			Fuel 261F		
485			D425B6			Oil LFP2258		
B54111	Oil	PH454	Sec.			Fuel 261F		
5.0L			D504-6			Fuel 261F		
3560494	Fuel	LFF3808	Sec.			Fuel L296F 41		
14957	Oil	LFP2274	Pri.			Oil LFP2258		
60			D504A6			Oil LFP2258		
803470	Oil	PH253 1496 PH2835 275	D504A6			Fuel 261F		
35-822626T2		PH2867	Sec.			Fuel L296F 41		
80			DHD504-6A			Oil LFP2258		
803470	Oil	PH253 1496 PH2835 275	Sec.			Fuel 261F		
90			DHD504-6A			Oil LFP2258		
	Oil	PH2814	Sec.			Fuel 261F		
MERCURISER (ENGINE)			MERCURY MARINE (ENGINE MARINE)			MINNEAPOLIS-MOLINE (ENGINE GASOLINE)		
150 Verado			Verado 4 Cyl. 135-200 H.P. Engine			1200		
	Oil	LFP3830	35-877767K01			10A2684 Oil L26		
175 Verado			DHD504-6A			1210		
	Oil	LFP3830	Sec.			10A2684 Oil L26		
200 Verado			DHD504-6A			1212A		
	Oil	LFP3830	Sec.			10A2684 Oil L26		
			DHD504-6A			1600		
			Sec.			10A2684 Oil L26		
			DHD504-6A			1600-12		
			Sec.			10A2684 Oil L26		
			DHD504-6A			1600-12A		
			Sec.			10A2684 Oil L26		
			DHD504-6A			165A		
			Sec.			Oil LFP2258		
			DHD504-6A			165A4		
			Sec.			Oil LFP2258		
			DHD504-6A			206L4		
			Sec.			Oil LFP2258		
			DHD504-6A			206M4		
			Sec.			Oil LFP2258		
			DHD504-6A			206N4		
			Sec.			Oil LFP2258		
			DHD504-6A			220-4		
			Sec.			Oil LFP2258		
			DHD504-6A			220-4A		
			Sec.			Oil LFP2258		
			DHD504-6A			222A4		
			Sec.			Oil LFP2258		
			DHD504-6A			283E		
			Sec.			Oil LP224		
			DHD504-6A			283E4		
			Sec.			Oil LP224		
			DHD504-6A			336		
			Sec.			Oil LP224		
			DHD504-6A			336-4		
			Sec.			Oil LP224		
			DHD504-6A			336-4A		
			Sec.			Oil LP224		
			DHD504-6A			336A		
			Sec.			Oil LP224		
			DHD504-6A			336A4		
			Sec.			Oil LP224		
			DHD504-6A			336A4A		
			Sec.			Oil LP224		
			DHD504-6A			425A6		
			Sec.			Oil LFP2258		
			DHD504-6A			425B6		
			Sec.			Oil LFP2258		
			DHD504-6A			504		
			Sec.			Oil LP224		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
41-Cartridge 275-Primary 1038-If space permits, use long length [PH1218]. 1496-Alternate

M

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MINNEAPOLIS-MOLINE (ENGINE GASOLINE)			MITSUBISHI (ENGINE DIESEL)			MITSUBISHI (ENGINE DIESEL)		
			<i>4D31CT (cont'd)</i>			<i>6D31</i>		
504-6			ME014833	Oil	LFP2255	ME035393	Fuel	LFF3886
	Oil	LFP2258	ME014838		LFP5010	ME013343	Oil	LFP3307
504-6A			<i>4D33</i>			ME014838		LFP5010
	Oil	LFP2258	ME016823	Fuel	LFF3527	ME084530		LFP6007
504A6			ME013343	Oil	LFP3307	<i>6D31T</i>		
	Oil	LFP2258	<i>4D34T</i>			ME035393	Fuel	LFF3886
605A6A			ME016823	Fuel	LFF3527	ME013343	Oil	LFP3307
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	ME013343	Oil	LFP3307	ME014838		LFP5010
605B			<i>4D35</i>			ME084530		LFP6007
10A10423	Oil	LP224	ME016823	Fuel	LFF3527	<i>6D34</i>		
605B6A			ME013343	Oil	LFP3307	ME035393	Fuel	LFF3886
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶	<i>4DR5</i>			ME088532	Oil	LFP8752
800			ME014833	Oil	LFP2255	<i>6D34CT</i>		
10A2684	Oil	L26	<i>4M40T</i>			ME035393	Fuel	LFF3886
800-6			ME013343	Oil	LFP3307	ME088532	Oil	LFP8752
10A2684	Oil	L26	<i>6D10</i>			<i>6D34T</i>		
800-6A			ME034481	Oil	LP5900	ME035393	Fuel	LFF3886
10A2684	Oil	L26	<i>6D14</i>			ME088532	Oil	LFP8752
805			ME034878	Oil	LFP6007	<i>6DR5</i>		
10A2684	Oil	L26	(ME034879); By-Pass		LFP777B	ME016823	Fuel	LFF3527
HD220-4A			By-Pass		LFP777XL ¹⁴	<i>6DS7</i>		
HD504-6A			ME034481	Oil	LP5900	ME016823	Fuel	LFF3527
HD504A6A			<i>6D14C</i>			<i>6DS70C</i>		
	Oil	LFP2258	ME034878	Oil	LFP6007	ME023835	Fuel	L5944F
M220B4			(ME034879); By-Pass		LFP777B	ME016823		LFF3527
M220B4A			By-Pass		LFP777XL ¹⁴	ME021074	Oil	LP5900
	Oil	LFP2258	ME034481	Oil	LP5900	<i>6M60TL</i>		
	Oil	LFP2258	<i>6D14T</i>			ME074013	Oil	LFP2440 ⁶⁵
	Oil	LFP2258	ME034878	Oil	LFP6007	<i>8DC11</i>		
	Oil	LFP2258	(ME034879); By-Pass		LFP777B	ME056670	Fuel	LFF5127
	Oil	LFP2258	By-Pass		LFP777XL ¹⁴	ME064356	Oil	LP2545
	Oil	LFP2258	ME034481	Oil	LP5900	<i>8DC4</i>		
	Oil	LFP2258	<i>6D15T</i>			ME064356	Oil	LP2545
	Oil	LFP2258	ME023835	Fuel	L5944F	<i>8DC8</i>		
	Oil	LFP2258	ME035829		LFF3886	ME056670	Fuel	LFF5127
	Oil	LFP2258	ME034481	Oil	LP5900	ME064356	Oil	LP2545
	Oil	LFP2258	<i>6D16</i>			<i>8DC9</i>		
	Oil	LFP2258	ME035829	Fuel	LFF3886	ME056670	Fuel	LFF5127
	Oil	LFP2258	ME074013	Oil	LFP2440 ⁶⁵	ME064356	Oil	LP2545
	Oil	LFP2258	<i>6D16T</i>			<i>8DC9T</i>		
	Oil	LFP2258	ME035829	Fuel	LFF3886	ME056670	Fuel	LFF5127
	Oil	LFP2258	ME074013	Oil	LFP2440 ⁶⁵	ME064356	Oil	LP2545
	Oil	LFP2258	<i>6D20</i>			<i>ESL6</i>		
	Oil	LFP2258	ME064356	Oil	LP2545	ME006066	Fuel	LFF8350
	Oil	LFP2258	<i>6D21</i>			ME014833	Oil	LFP2255
	Oil	LFP2258	ME064356	Oil	LP2545	<i>ESL8</i>		
	Oil	LFP2258	<i>6D22</i>			ME006066	Fuel	LFF8350
	Oil	LFP2258	ME056670	Fuel	LFF5127	ME014833	Oil	LFP2255
	Oil	LFP2258	ME064356	Oil	LP2545	<i>ESL9</i>		
	Oil	LFP2258	<i>6D22T</i>			ME006066	Fuel	LFF8350
	Oil	LFP2258	ME056670	Fuel	LFF5127	ME014833	Oil	LFP2255
	Oil	LFP2258	ME064356	Oil	LP2545	<i>K3D</i>		
	Oil	LFP2258	<i>6D22TC</i>			MM404879	Fuel	L3556F
	Oil	LFP2258	ME056670	Fuel	LFF5127	MM404889		L550F
	Oil	LFP2258	ME064356	Oil	LP2545	MD013805	Oil	PH2808
	Oil	LFP2258				MD135737		PH2867

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

14-Extended Life 65-By-Pass 275-Primary 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MITSUBISHI (ENGINE DIESEL)			MITSUBISHI (ENGINE DIESEL)			MITSUBISHI (ENGINE DIESEL)		
K3E			S12A2			S6A3TA		
MM404879	Fuel	L3556F	47220-38801	Air	LAF8634 ²	32540-11600	Oil	LFP6007
MM404889		L550F	32540-11600	Oil	LFP6007	S6B3		
MD013805	Oil	PH2808	S12A2PT			32540-11600	Oil	LFP6007
MD135737		PH2867	47220-38801	Air	LAF8634 ²	S6B3PTA		
K4D			32540-11600	Oil	LFP6007	32540-11600	Oil	LFP6007
MM404879	Fuel	L3556F	S12A2PTA			S6E2		
MM404889		L550F	47220-38801	Air	LAF8634 ²		Air	LAF1544 ²
MD013805	Oil	PH2808	32540-11600	Oil	LFP6007		Fuel	LFF8307
MD135737		PH2867	S3F			34740-00100	Oil	LFP950
K4E			52402-00100	Air	LAF9085 ¹	S6E2T		
MM404879	Fuel	L3556F	3446200300	Fuel	LFF8307		Air	LAF1544 ²
MM404889		L550F	34740-00010	Oil	PH2819		Fuel	LFF8307
MD013805	Oil	PH2808	S3L			34740-00100	Oil	LFP950
MD135737		PH2867	30A40-00102	Oil	PH2867 ¹⁹	S6F		
L2A			31A402100		PH2876 ¹⁸	34740-00100	Oil	LFP950
MM435190	Fuel	G2932	S3L2			S6FT		
MM404879		L3556F	30A40-00102	Oil	PH2867 ¹⁹	34740-00100	Oil	LFP950
MM433093		L549F	31A402100		PH2876 ¹⁸	MWM MURPHY DIESEL (ENGINE)		
MD134953	Oil	PH2808	S4E			11, 12		
MD013661		PH2811	3446200300	Fuel	LFF8307		Oil	LP2328
MD135737		PH2867	34740-00010	Oil	PH2819	111, 112		
L2C			S4E2				Oil	LP2328
MM435190	Fuel	G2932	3446200300	Fuel	LFF8307	120		
MM404879		L3556F	34740-00010	Oil	PH2819		Oil	LP2328
MM433093		L549F	S4F			121, 122, 124		
MD134953	Oil	PH2808	3446200300	Fuel	LFF8307		Oil	LP2272
MD013661		PH2811	34740-00010	Oil	PH2819	21, 21G		
MD135737		PH2867	S4FT			S/N 16147A On	Oil	LP2272
L2E			3446200300	Fuel	LFF8307	From S/N 16146A		LP2328
MM435190	Fuel	G2932	34740-00010	Oil	PH2819	22, 22G		
MM404879		L3556F	S4K, S4K-DT				Oil	LP2272
MM433093		L549F	3423000800	Air	LAF1804 ²	221, 221G		
MD134953	Oil	PH2808	3436200101	Fuel	LFF3886		Oil	LP2272
MD013661		PH2811	ME014833	Oil	LFP2255	222, 222G		
MD135737		PH2867	S4L2				Oil	LP2272
L3A			30A40-00102	Oil	PH2867 ¹⁹	224, 224G		
MM435190	Fuel	G2932	31A402100		PH2876 ¹⁸		Oil	LP2272
MM404879		L3556F	S4Q2			24, 24G		
MM433093		L549F	34462-00300	Fuel	LFF8307		Oil	LP2272
MD134953	Oil	PH2808	MD162326	Oil	PH2808	321, 322, 324		
MD013661		PH2811	30A40-00102		PH2867		Oil	LP2272
MD135737		PH2867	S4Q2T			4.07TCE		
L3C			34462-00300	Fuel	LFF8307		Oil	LFP3943
MM435190	Fuel	G2932	MD162326	Oil	PH2808	4.08TCE		
MM404879		L3556F	30A40-00102		PH2867		Oil	LFP3943
MM433093		L549F	S4S			4.10T		
MD134953	Oil	PH2808	3446200300	Fuel	LFF8307		Oil	LFP2222
MD013661		PH2811	32A40-00100	Oil	LFP3828	4.12TCE		
MD135737		PH2867	S6A2				Oil	LFP2222
L3E			32540-11600	Oil	LFP6007	AKD10D, AKD10V		
MM435190	Fuel	G2932	S6A2PT				Fuel	L60F
MM404879		L3556F	32540-11600	Oil	LFP6007		Oil	LP2211
MM433093		L549F	S6A2PTA			AKD1105-2		
MD134953	Oil	PH2808	32540-11600	Oil	LFP6007		Oil	LFP2221
MD013661		PH2811	S6A3					LFP2221
MD135737		PH2867	32540-11600	Oil	LFP6007			P178

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 1-Inner 2-Outer 18-Short 19-Long

M

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MWM MURPHY DIESEL (ENGINE)			MWM MURPHY DIESEL (ENGINE)			MWM MURPHY DIESEL (ENGINE)		
AKD1105D, KD1105D			D232 V-6, D232 V-8			G232 V-12, TGB232 V-12 (cont'd)		
	Fuel	L60F		Oil	LP161		Oil	LFP2222
	Oil	LFP2213 LP2214	D233 V-8			G232 V-6, G232 V-8		
AKD1105S, AKD1105V, KD1105S, KD1105V			D234 V-8, D234 V-12				Air	LAF1720 LAF2052
	Fuel	L60F	495mm	Air	LAF1718 LAF1719		Fuel	L8965F LFF8092
	Oil	LFP2538 LP2214 ¹⁰³⁹		Fuel	L8965F LFF8092	KD12D, KD12V		
AKD1105Z, KD1105Z							Fuel	L60F
	Oil	P178	D301-2			LKA, LKB		
AKD112D, AKD112V, KD112D, KD112V				Fuel	L60F		Fuel	LFF3503
	Fuel	L60F		Oil	P3	ME621T, ME622T		
AKD312D, AKD312V			D302-1				Oil	LP2272
	Fuel	L60F		Oil	LFP2221	MP12		
AKD412AV, AKD412SV, AKD412V, KD412V			D308-2, KD308-2				Oil	LP2272
	Fuel	L60F L61F		Oil	LFP2221 P178	MP122, MP124		
	Oil	LP614	D308-3				Oil	LP2272
AKD412D, KD412D				Oil	LFP2213 LP2214	MP21, MP21G, MP21T		
	Fuel	L60F				S/N 16147A On	Oil	LP2272
AKD9Z, AKD9ZB, BAKD9Z			D308-4, D308-6			MP22, MP22G, MP22T		
	Fuel	L60F		Fuel	L60F		Oil	LP2272
D208-2				Oil	LFP2538 LP2214 ¹⁰³⁹	MP221, MP221G		
	Oil	LFP2221 P178	D325-3				Oil	LP2272
D208-3				Oil	LFP2213 LP2214	MP221T		
	Oil	LFP2213 LP2214				S/N 16147A On	Oil	LP2272
D208-4, D208-6			D325-4, D325-6			MP222, MP222G, MP222T		
	Fuel	L60F		Fuel	L60F		Oil	LP2272
	Oil	LFP2538 LP2214 ¹⁰³⁹		Oil	LFP2538 LP2214 ¹⁰³⁹	MP224, MP224G, MP224T		
D225-2			D327-2, TD327-3			MP24, MP24G, MP24T		
	Oil	LFP2221 P178		Fuel	FP586F	MP321, MP322, MP324		
				Oil	LFP2221		Oil	LP2272
D225-3			D327-4, D327-6			MPABB, MPABD		
	Oil	LFP2213 LP2214		Fuel	FP586F L61F LFF3518	MPBB, MPBBB, MPBBBT, MPBBB, MPBBBDT, MPBBT		
				Oil	LFP2538		Oil	LP2272
D225-4, D225-6			D916-2			MPBD, MPBDT		
	Fuel	L60F					Oil	LP2272
	Oil	LFP2538 LP2214 ¹⁰³⁹		Fuel	LFF3518	MPCBB, MPCBD		
				Oil	LFP2221		Oil	LP2272
D226-2			D916-3			Sprinter 4.07CTA		
	Fuel	L3405F LFF3507		Fuel	LFF3518		Fuel	FP891
	Oil	LFP2221		Oil	LFP2213		Oil	LFP3943
D226-3			D916-4, D916-6			T234 V-6, TBD234 V-6		
	Fuel	L3405F LFF3507		Fuel	FP586F	495mm	Air	LAF1718 LAF1719
	Oil	LFP2213	D932 V-6, D936 V-8, D936 V-12				Fuel	L8965F LFF8092
D226-4, D226-6				Fuel	L3405F LFF3507 LFF8092	TBD234 V-8, TBD234 V-12		
	Fuel	L296F ⁴¹ L60F	G232 V-12, TGB232 V-12				Air	LAF1726 LAF1727
	Oil	LFP2538		Air	LAF1714 LAF1715		Fuel	L8965F LFF8092
D232 V-12, TD232 V-12, TBD232 V-12				Fuel	L8965F LFF8092	TD/TBD602-12, TD/TBD602-16		
	Fuel	L61F					Fuel	L8966F
	Oil	LP2217						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

41-Cartridge 1039-From 1968

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
MWM MURPHY DIESEL (ENGINE)			NEW HOLLAND (ENGINE DIESEL)			NISSAN (ENGINE)		
TD208-4, TD208-6			LP7675S1DS			NE6T (cont'd)		
	Oil	LFP2538 LP2214 ¹⁰³⁹		Air	LAF1544 ¹⁸¹ LAF8668 ² LAF8674 ¹		Coolant	LFW4744 ⁴
TD226-4				Fuel	L296F ⁴¹	Sec.	Fuel	LFP440F
	Fuel	L60F	1909100	Fuel	L296F ⁴¹	NE6TA		
	Oil	LFP3411	LP80311DS				Coolant	LFW4073 ²⁵⁵
TD226-6				Air	LAF1246 ¹² LAF1544 ²	Sec.	Fuel	LFP440F
	Fuel	L3405F LFF3507	Turbo	Fuel	L296F ⁴¹	SD16		
	Oil	LFP2222 LFP3411	(1901603); w/o Turbo (1907583); Turbo	Oil	LFP2230 LFP2241	SD25		
TD232 V-6, TD232 V-8			LP80411DS			16403-Z7000	Fuel	FP588F
	Fuel	L3405F L61F LFF3507	Turbo	Air	LAF1246 ¹² LAF1544 ²	15209-J1800	Oil	PH561
	Oil	LP161 LP614	(1901603); w/o Turbo (1907583); Turbo	Fuel	L296F ⁴¹	TD42T		
				Oil	LFP2230 LFP2241		Air	LAF1800
TDB616-V16			LP8041S1DS				Fuel	LFF3343
	Air	LAF8657	Turbo	Air	LAF1246 ¹² LAF1544 ²	OLIVER (ENGINE)		
NANNI (ENGINE DIESEL)				Fuel	L296F ⁴¹	166HC, Super 166HC, 166L		
2.45HE			(1901603); w/o Turbo (1907583); Turbo	Oil	LFP2230 LFP2241		Oil	156
W67/1	Oil	PH2876	LP8061S12			177HC, Super 177HC, 177L		
2.50HE				Air	LAF8668 ² LAF8674 ¹	188HC, Super 188HC, 188L		
W67/1	Oil	PH2876		Fuel	L296F ⁴¹		Oil	156
3.100HE				Oil	LFP2230 LFP2241	199HC, Super 199HC, 199L		
W814/80	Oil	PH2808	LP8061S13				Oil	700
3.110HE				Air	LAF8668 ² LAF8674 ¹	550HC		
W814/80	Oil	PH2808		Fuel	L296F ⁴¹	66		
3.75HE				Oil	LFP2230 LFP2241	66HC, Super 66HC		
W814/80	Oil	PH2808	LP8061SR				Oil	156
4.440E				Air	LAF8668 ² LAF8674 ¹	77HC, Super 77HC		
WDK725	Fuel	FP587F		Fuel	L296F ⁴¹		Oil	156
4.440ESC				Oil	LFP2230 LFP2241	880HC		
WDK725	Fuel	FP587F	LP8061SR				Oil	156
W940/5	Oil	PH2819		Air	LAF8668 ² LAF8674 ¹	88HC, Super 88HC		
5.250TDI				Fuel	L296F ⁴¹		Oil	156
WK818/80	Fuel	LFF8350		Oil	LFP2230 LFP2241	950HC		
W920/80	Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵	NISSAN (ENGINE)			99HC, Super 99HC		
6.660E				Fuel	L296F ⁴¹		Oil	700
WDK725	Fuel	FP587F	FD35T			Super 55HC		
6.660LE				Fuel	FP588F		Oil	156
WDK725	Fuel	FP587F	FE6TA			OMC (ENGINE MARINE)		
NEW HOLLAND (ENGINE DIESEL)				Air	LAF9000	3.0L Cobra		
LP74501DS				Coolant	LFW4073 ²⁵⁵	173232		
	Air	LAF1544 ^{2, 12}		Fuel	FP588F LFP440F	4.3L Cobra		
1909100	Fuel	L296F ⁴¹	Sec.			173834		
LP7450S1DS			NE6			PH51A		
	Air	LAF1544 ^{2, 12}		Air	LAF7315 LAF9000	ONAN (ENGINE)		
1909100	Fuel	L296F ⁴¹		Coolant	LFW4073 ²⁵⁵ LFW4744 ⁴	15HK, 15HQ		
LP76751DS				Fuel	LFP440F	B48M-GA018		
	Air	LAF1544 ¹⁸¹ LAF8668 ² LAF8674 ¹	Sec.	Oil	LFP5963		Air	AF215
1909100	Fuel	L296F ⁴¹	NE6T				Oil	PH2835
				Air	LAF7315 LAF9000	DJ60, DJ120, DJ130		
				Coolant	LFW4073 ²⁵⁵		Oil	PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 4-Maintenance 1 oz. chemical 12-Optional 41-Cartridge 181-Single 255-Contains 3 oz. of chemical 275-Primary 1039-From 1968

1496-Alternate

M

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ONAN (ENGINE)			ONAN (ENGINE)			PACCAR (ENGINE DIESEL)		
L317D-1			<i>NH Rec. Vehicle</i>			<i>MX 12.9L</i>		
	Air	AF5HD LAF222		Air	LAF73 PH400	1643070 (1643072); By-Pass	Oil	LP6043 LP8213
	Fuel	LFF1005	<i>P216, P218, P220</i>			<i>MX13</i>		
	Oil	LFP2267		Air	LAF1782 LAF8420	1649751 1852006	Coolant	LFW4686XL ^{14, 249}
L317D-M				Oil	PH2835	1643070 (1643072); By-Pass	Fuel	L7663F LP6043 LP8213
L423D-B			<i>P224</i>			<i>PX5</i>		
	Fuel	LFF1005 LFF1129		Air	LAF1782 PH400	(1814637); W/S 1706238	Fuel	LFF1003 ²⁰⁹ LFP6015
	Oil	LFP2267	<i>Performer OHV20</i>			<i>PX6 6.7L</i>		
L423D-I				Oil	PH2840	(4934879); W/S (4934845); Sec. 3937736	Fuel	LFF1065 ²¹⁰ LFF5632 LFP3970
	Air	AF5HD LAF1784 ¹ LAF222 LAF281 LAF9538 LAF9538MXM ²⁶⁸	<i>T260G</i>			<i>PX7</i>		
	Fuel	LFF1005 LFF1129		Air	LAF73	LF3970	Oil	LFP3970
	Oil	LFP2267	<i>TE750</i>			P & H CO (ENGINE)		
L423D-M			<i>287C</i>			<i>PX8 8.3L</i>		
	Fuel	LFF1005 LFF1129		Fuel	261F L3570F	(3329289); W/S (4934879); W/S (4940647); Sec. 3401544	Fuel	LFF1000 LFF1065 ²¹⁰ LFF5488 LFP3000XL ¹⁴
	Oil	LFP2267		Oil	P71	<i>PX9</i>		
L423D-P			<i>287C18, 287C18A</i>			PERKINS (ENGINE)		
	Fuel	LFF1005 LFF1129		Fuel	262F L3570F L93FP	<i>1006 TG1, 1006 TG2, 1006 6TW</i>		
	Oil	LFP2267		Oil	P71	3401544 Oil LFP3000XL ¹⁴		
L634D-1			<i>387C</i>					
	Air	AF5HD LAF1784 ¹ LAF222 LAF281 LAF9538 LAF9538MXM ²⁶⁸		Fuel	261F L3570F	Air LAF1544 LAF4544 ² LAF4544MXM ^{2, 268} LAF4545 ¹		
	Fuel	LFF1005 LFF1129	<i>387C18, 387C18A, 387C18T</i>			Pri. Fuel L3101F Sec. Fuel L3102F LFF3504		
	Oil	LFP2267		Oil	P71	Oil PH4403		
L634D-1			<i>387H18, 387H18T</i>			<i>102/4, 103/6, 103/9, 103/10, 103/12, 103/13, 103/15, 104/19, 104/22</i>		
	Air	AF5HD LAF1246		Fuel	L93FP	Oil PH253 ¹⁴⁹⁶ PH2835 ²⁷⁵ PH2840		
	Fuel	LFF1129	<i>487C</i>			<i>102-05</i>		
	Oil	LFP2267		Oil	P71	Fuel L3541F Oil PH2840		
L634T-1			<i>487C18, 487C18A, 487C18T, 487H18, 487H18T</i>			<i>1104C-44</i>		
	Fuel	LFF1129		Fuel	L93FP	Fuel LFF6925 ⁹⁴²		
	Oil	LFP2267		Oil	LP2210	Oil LFP2292 PH4403		
L634T-A			<i>687C</i>			<i>1104C-44T</i>		
	Air	AF5HD LAF210 LAF281		Oil	P71	Fuel LFF6925 ⁹⁴²		
	Fuel	LFF1129	<i>687C18, 687C18A, 687C18T, 687H18, 687H18T</i>			Oil LFP2292 PH4403		
	Oil	LFP2267		Fuel	L93FP	PACCAR (ENGINE DIESEL)		
L634T-P			<i>FR 4.5L</i>			<i>1104D</i>		
	Air	AF5HD LAF1246 LAF281		Fuel	LFF5485	Fuel LFF5088		
	Fuel	LFF1129		Oil	LFP6015	Oil LFP2292		
	Oil	LFP2267	<i>GR 6.7L</i>			<i>1104D-44T</i>		
	Fuel	LFF1129		Fuel	LFF5485	Fuel LFF5088		
	Oil	LFP2267		Oil	LFP6015	Oil LFP2292		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 14-Extended Life 209-Square sensor port 210-w/ Sensor 249-No chemical 268-Extended/Severe service 275-Primary 942-Used with LMB6926 conversion kit 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PERKINS (ENGINE)			PERKINS (ENGINE)			PERKINS (ENGINE)		
1104D-44TA			4.154M			4.300, 4.300TA (cont'd)		
	Fuel	LFF5088		Fuel	L23F ¹⁰⁴²		Oil	P72
	Oil	LFP2292			L296F ⁴¹	4.318		
1106C-E60TA					L50F ¹⁰⁴²		Fuel	L296F ⁴¹
	Oil	PH4403		Oil	LFP2292 ¹⁰⁴⁰		Oil	LFP2292
1306 TAG, Peregrine					P72 ¹⁰⁴²			P771A
	Air	LAF6769	4.165					P772
		LAF6769MXM			P771A ¹⁰⁴²	4.99		
	Coolant	LFW4074 ⁶²⁷		Oil	LFP2292		Fuel	L23F
	Fuel	FP625			P771A		Oil	LP70V
		LFF3349			PH4403		Fuel	L50F
	Oil	LFP2244	4.192, 4A.192, P4.192, P4.192Y				Oil	P772
2006 TG1A, 2006 TG2A							Fuel	L296F ⁴¹
	Air	LAF8649		Fuel	L23F		Oil	LFP2230
		LAF8649			L296F ⁴¹	4.99V 1964-on		
	Fuel	LFF4036A			L50F		Fuel	L23F
	Oil	LFP2473		Oil	LP70V		Oil	P820
2006 TTAG					P72	402C-05, 403C-07		
	Fuel	LFF4036A			P771A		Oil	PH2840
	Oil	LFP2473			P772	403C-11, 403C-15		
		LP2232			PH4408		Fuel	L296F ⁴¹
2006-12T, 2006-12TA, 2006-12TW, 2006-12TWH			4.203				Oil	PH2835
	Fuel	L296F ⁴¹		Fuel	L23F	404C-15		
	Oil	LFP2292			L296F ⁴¹		Fuel	L296F ⁴¹
		PH4403			L50F		Oil	PH2835
3.152, 3.152Y				Oil	LP70V	404C-22		
	Oil	P772			P72		Fuel	L296F ⁴¹
	Fuel	L23F			P771A		Oil	PH2835
	Fuel	L296F ^{41, 1041}			P772	404C-22T		
	Oil	PH4408 ¹⁰⁴⁰			PH4408		Fuel	L296F ⁴¹
3008 TAG, 3012 TAG, 3012 TWG			4.236, 4.236M				Oil	PH2835
	Fuel	LFF4036A		Fuel	L23F	404D-22		
	Oil	LFP2473			L296F ⁴¹		Fuel	FP588F
4.107, 4.107M				Oil	LFP2292		Oil	L296F ⁴¹
	Fuel	L23F			P72		Oil	PH2835
	Fuel	L23F			P771A	404D-22T		
		L296F ⁴¹			PH4403		Fuel	FP588F
	Oil	LP70V	4.248				Oil	L296F ⁴¹
		P771A		Fuel	L296F ⁴¹	504.2, 504.2LR, 504.2T Prima		
		P772			LFP2292		Fuel	FP587F
4.108				Oil	P72	6.247		
	Fuel	L23F			P771A		Oil	LFP2292
		L296F ⁴¹			PH4403	6.288		
	Oil	LFP2230					Fuel	L296F ⁴¹
		LFP2292 ¹⁰⁴⁰	4.270, 4.270D				Oil	P72
		LFP2292		Fuel	L23F	6.305		
		LP70V			L296F ⁴¹		Fuel	L23F
		P72			L3401F		Oil	L296F ⁴¹
		P820 ¹⁰⁴²			L50F		Fuel	L23F
		PH4403 ¹⁰⁴⁰			L60F		Oil	L296F ⁴¹
		PH4403			LFF3403		Oil	LFP2230
4.154				Oil	P72		Oil	LP70V
	Fuel	L23F ¹⁰⁴²			P771A		P72	
		L296F ⁴¹	4.288			6.305I		
		L50F ¹⁰⁴²		Fuel	L296F ⁴¹		Fuel	L50F
26560017		L50F ¹⁰⁴²			P72		Oil	P72
	Oil	LFP2292 ¹⁰⁴⁰	4.300, 4.300TA			6.354, 6.354M		
		P72 ¹⁰⁴²		Fuel	L296F ⁴¹		Fuel	L296F ⁴¹
		P771A ¹⁰⁴²						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

41-Cartridge 627-5 oz. of chemical 1040-73 on 1041-62 on 1042-Up to 73

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
PERKINS (ENGINE)			PERKINS (ENGINE)			PERKINS (ENGINE)		
6.354, 6.354M (cont'd)			F3, F4			T6.354, T6.354M (cont'd)		
	Fuel	L50F		Fuel	L23F		Oil	LFP2292
	Oil	LFP2292		Oil	P771A			P72
			F4.152			V8.510, V8.510TA, V8.510V		
				Oil	P772		Fuel	L296F ⁴¹
				Fuel	L23F			L50F
6.354.4, T6.354.4				Fuel	L296F ^{41, 1045}		Oil	LFP2292
	Fuel	L296F ⁴¹		Oil	PH4408 ¹⁰⁴³			LP70V
	Oil	PH4403	L4, L4M					P72
6.372				Fuel	L50F	V8-540		
	Fuel	L296F ⁴¹		Oil	P72		Fuel	L61F
		L50F			P771A			LFF3504
	Oil	LFP2292	L4-7				Oil	LFP2292
				Fuel	L50F	V8-605		
				Oil	P72		Oil	LFP2292 ¹⁰⁴⁰
					P771A			P72 ¹⁰⁴²
6.440, T6.440, V6.440			P3			V8-640		
	Fuel	LFF3501		Fuel	L23F		Fuel	L296F ⁴¹
	Oil	LFP2292		Oil	P771A			LFF3501
704-26, 704-30T			P3.144				Oil	LFP2292
	Fuel	L296F ⁴¹		Fuel	L23F	ROBIN SUBARU (ENGINE)		
	Oil	PH4403		Oil	P72 ¹⁰⁴⁶	EH18		
903-27			P4				Oil	PH2840
	Fuel	L296F ⁴¹		Fuel	L23F	EH63, EH64, EH65, EH72		
	Oil	PH4403		Oil	L50F		Oil	PH2840
A4.21				Oil	P52	ROLLS ROYCE (ENGINE)		
	Fuel	L23F	P6			500KVA		
		L296F ⁴¹		Fuel	L50F		Air	LAF6769
		L50F		Oil	P72			LAF6769MXM
	Oil	P72	Phaser 120Ti, Phaser 145T, Phaser 160T, Phaser 180Ti, Phaser 125 1991					LAF9373
		P772			P771A		Fuel	LFF4036A
		PH4408					Oil	LFP2473
A4.212			C Range					
	Fuel	L296F ⁴¹		Fuel	L296F ⁴¹		Fuel	L50F
	Oil	PH4403		Oil	PH4403		Oil	LP8505
A4.300, 4.300TA			Phaser 90, Phaser 110T			C4, C6, C8 Diesel		
	Fuel	L296F ⁴¹		Fuel	L296F ⁴¹		Fuel	L50F
	Oil	P771A		Oil	PH4403		Oil	LFP2473
A4.318			R6					LP8505
	Fuel	L296F ⁴¹		Fuel	L296F ⁴¹	C6 & FL Series 168		
	Oil	LFP2292 ¹⁰⁴⁰		Oil	L50F		Fuel	LFF3512
		P771A ¹⁰⁴²		Oil	P72	C6 Series		
		PH4403 ¹⁰⁴⁰			P771A		Air	LAF1766
B3.153			S6			C6NFL		
	Fuel	L23F ¹⁰⁴⁴		Fuel	L296F ⁴¹		Air	LAF265HD
		L296F ^{41, 1043}			L50F		Fuel	LFF3512
	Oil	P772 ¹⁰⁴⁴		Oil	P72		Oil	LFP2473
		PH4408 ¹⁰⁴³			P771A	C6NFR		
C6-220, C6-305, C6-350			T3.152.4				Air	LAF230
	Oil	LP8505		Fuel	L296F ⁴¹		Fuel	LFF3512
D3.152				Oil	LFP2292		Oil	LFP2473
	Fuel	L296F ⁴¹	T4.108			C6SFL		
	Oil	LFP2292		Fuel	L296F ⁴¹		Fuel	LFF3512
D3.152UR				Oil	LFP2292		Oil	LFP2473
	Fuel	L296F ⁴¹	T6.354, T6.354M			C6TFL, SF65CN, SF65CT, MK4		
	Oil	P772		Fuel	L296F ⁴¹		Oil	LFP2473
		PH4408						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

41-Cartridge 1040-73 on 1042-Up to 73 1043-1973 On 1044-From 1973 1045-1962 On 1046-60 on

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
ROLLS ROYCE (ENGINE)			RUGGERINI (ENGINE)			SAME (ENGINE)		
CV8, CV12			RD95/2, RD951/2			983L 3 CYL. (cont'd)		
	Fuel	LFF4036A		Fuel	L60F		Air	LAF8659
	Oil	LFP2473	RDM901, RDM901/2				Fuel	L296F ⁴¹
Eagle MKIII Range				Fuel	LFF3518		Oil	LFP2258
	Fuel	LFF4036A	RF81, RF89, RF100, RF109, RF120, RF130, RF139, RF140, RF148, RF149					LFP2538
	Oil	LFP2473				984L 4 CYL.		
		LP8505		Fuel	LFF3518		Air	LAF1722
Eagle Range 205, 220, 260, 265L, 265Li, 265Li-S, 280, 290, 290L, 300, 300Li, 320, 320Li, 325LE, 340				Oil	PH2835		Fuel	L296F ⁴¹
			RM80, RM270				Oil	LFP2258
	Fuel	L296F ⁴¹		Fuel	LFF3518	985L 5 CYL.		
	Oil	LFP2473	RP170, RP178				Air	LAF1722
		LP8505		Fuel	L60F		Fuel	L296F ⁴¹
Models w/Torque Converter			RP280, RP320, RP328, RP360, RP380, RP388					LFF3501
	Oil	LP2219		Fuel	LFF3518	986L 6 CYL.		
				Oil	PH2835		Air	LAF1722
S2 Series			RP500, RP600				Fuel	L296F ⁴¹
	Air	LAF8625		Fuel	FP587F			LFF3501
RUGGERINI (ENGINE)				Fuel	PH4408	SA1050V, SA1053V		
CRD100, CRD951			RW220, RW268, RW270				Fuel	L61F
	Fuel	L60F		Fuel	LFF3518			LFP1101F ¹⁰⁴⁸
CRD100/2, CRD951/2				Oil	PH2814		Oil	LP2225
	Fuel	LFF3518	RW280, RW320, RW328, RW360			SA954V, SA1004V		
	Oil	PH2835		Fuel	LFF3518		Fuel	L3401F
D101			RW380, RW388, RW450, RW458					L60F
	Fuel	LFF3518		Fuel	LFF3518			LFF3403
	Oil	PH2835		Oil	PH2835		Oil	P771A
MD150, MD151, MD156, MD159, MD170S, MD190, MD191, MD196, MD199			SAME (ENGINE)			STANDARD (ENGINE)		
	Oil	PH2814	1053L 3 CYL.			129 SERIES		
MD300, MD301, MD350, MD351				Air	LAF1722		Oil	P3
	Fuel	LFF3518			LAF1734	D29		
	Oil	PH2814			LAF1735 ¹		Oil	P3
MM150				Fuel	L296F ⁴¹	TECUMSEH (ENGINE)		
	Fuel	LFF3518		Oil	LFP2258	Enduro VT 18, Enduro VT 20, Enduro VT 22		
P101, P101L					LFP2538		Oil	PH3656
	Fuel	L60F	1054L 4 CYL.			H30, H3.5, LEV115, ECV120		
P101/2, P101/2L				Air	LAF1722		Air	LAF5803
	Fuel	LFF3518			LAF1734	HH100, VH100, HH120, HH150, HH160		
	Oil	PH2835			LAF1735 ¹		Air	AF213
P105/2, P105/2L, P105/2R					LAF8659	HH80, VH80		
	Fuel	LFF3518		Fuel	L296F ⁴¹		Air	AF211
	Oil	PH2835		Oil	LFP2258	LAV35, LAV40, LAV50, ECH90, ECV100		
RD100/2, RD113, RD115					LFP2538		Air	LAF22088
	Fuel	L60F	1055L 5 CYL.			OHH50, VLV40, 50, 60, 65, 126 4 & 5.5 hp		
RD180, RD181				Air	LAF1734		Air	LAF5716
	Oil	PH2814 ¹⁰⁴⁷			LAF1735 ¹	OHV 10, 12.5, 15, 16, 16.5 hp Engine		
RD200, RD201, RD210, RD211, RD218				Fuel	L296F ⁴¹		Air	LAF5798
	Oil	PH2814			LFF3501	OURM40, 50, ELV100, OURM120		
RD220, RD240, RD248, RD270			982L 2 CYL.				Air	LAF22087
	Fuel	LFF3518		Air	LAF1722	TVS100, TVS105, TVS120		
	Oil	PH2814			LAF8659		Air	LAF22048
RD850, RD900, RD901, RD920				Fuel	L296F ⁴¹	TVT691/VTX691 V-Twin		
	Oil	PH4408		Oil	LFP2258		Fuel	G115
RD92/2, RD92/2L, RD901/2, RD952			983L 3 CYL.				Oil	PH3656
	Fuel	LFF3518		Air	LAF1722	TVXL840, XL 4 hp Engine		
					LAF1734		Air	LAF5794
					LAF1735 ¹			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
1-Inner 41-Cartridge 1047-2/83 On 1048-9/1965 On

R

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
TORO (ENGINE)			VM MOTORI (ENGINE)			VM MOTORI (ENGINE)		
452cc			1051SU, 1052SU (cont'd)			1306V, 1308V (cont'd)		
120-4276	Oil	PH2840		Oil	PH48		Oil	PH2819
V-Twin 708cc			1053SU			1310V, 1312V, 2300		
120-4276	Oil	PH2840		Fuel	L296F ⁴¹ , 1052 LFF3518 ¹⁰⁵⁵		Air	LAF8668 LAF8674
UNIVERSAL (ENGINE MARINE)				Oil	LFP8507		Fuel	FP586F LFF3502
Atomic Four			1054SU, 1056SU				Oil	LFP2222
	Oil	P70		Air	LAF1722	153DAN, 154DAN, 156DAN		
VALMET (ENGINE)				Fuel	FP586F LFF3501		Fuel	FP586F
309				Oil	LFP8507		Oil	LFP8507
	Fuel	L3401F L60F LFF3403	106SU			195SV		
	Oil	P771A		Fuel	FP586F ¹⁰⁵⁴		Fuel	L296F ⁴¹ , 1057 LFF3518 ¹⁰⁵⁶
310				Fuel	L296F ⁴¹ , 1052 LFF3501 ¹⁰⁵² LFP1101F ¹⁰⁵³	20DA/SL, 22DA/SL		
	Fuel	L296F ⁴¹		Oil	LFP8507		Fuel	L60F
	Oil	P771A	10DA/NSL			210		
	Fuel	L23F ¹⁰⁴⁹ L3401F L60F ¹⁰⁴⁹ LFF3403 ¹⁰⁴⁹		Fuel	L60F		Fuel	L60F
310B			110DA/NSL			2200		
	Oil	P771A		Fuel	L60F		Fuel	FP586F LFF3502
	Fuel	L296F ⁴¹	112				Oil	PH2819
	Oil	P771A		Fuel	L296F ⁴¹ , 1052 LFF3518 ¹⁰⁵⁶	295SV		
311C, 311CS				Oil	PH48		Fuel	L296F ⁴¹ , 1052 LFF3518 ¹⁰⁵⁶
	Fuel	L296F ⁴¹	114			298SV		
411, 411D				Fuel	L296F ⁴¹ , 1052 LFF3518 ¹⁰⁵⁶		Fuel	L296F ⁴¹
	Oil	P771A		Oil	LFP8507	30DAN		
411A			1151SU, 1152SU				Fuel	L3401F L60F LFF3403
	Oil	P771A		Fuel	L296F ⁴¹ , 1052 LFF3518 ¹⁰⁵⁵	310, 410		
411AB, 411ABS, 411AS				Oil	PH48		Fuel	L3401F L60F LFF3403
	Fuel	L296F ⁴¹	1152DAN, 1153DAN			35DA/SL, 50DA/SL		
	Oil	P771A		Fuel	L296F ⁴¹ , 1052 LFF3518 ¹⁰⁵⁵		Fuel	L3401F L60F LFF3403
411B				Oil	PH48	395		
	Oil	P771A	1154DAN				Fuel	L296F ⁴¹ , 1052 LFF3518 ¹⁰⁵⁶
	Fuel	L296F ⁴¹ , 1050		Air	LAF1722		Oil	LFP8507
411BS				Fuel	FP586F LFF3501		Fuel	L296F ⁴¹ , 1052 LFF3518 ¹⁰⁵⁶
	Fuel	L296F ⁴¹ , 1051		Oil	LFP8507		Oil	LFP8507
411C, 411CS, 411CX			1156 DAN			413, 413 Marine		
	Fuel	L296F ⁴¹		Air	LAF1544 LAF1722 LAF9410		Fuel	L3405F L61F LFF3507
611C, 611CS				Fuel	FP586F LFF3501		Oil	P771A
	Fuel	L296F ⁴¹		Oil	LFP8507	45 DAN		
VM MOTORI (ENGINE)			116, 116DAN			60 DAN		
101SU, 102SU				Fuel	FP586F LFP8507		Fuel	L60F
	Fuel	LFF3518 ¹⁰⁵⁴	12DA, 15DA				Fuel	L3401F L60F LFF3403 LFF3518
	Fuel	L296F ⁴¹ , 1052 LFF4136 ¹⁰⁵³		Fuel	L60F	413, 413 Marine		
	Oil	PH48	1306V, 1308V				Oil	P771A
103SU, 104SU				Fuel	FP586F LFF3502		Oil	P771A
	Fuel	LFF3518 ¹⁰⁵⁴		Oil	LFP8507		Oil	P771A
	Fuel	L296F ⁴¹ , 1052 LFF4136 LFP1101F ¹⁰⁵³		Fuel	FP586F LFF3502		Oil	P771A
	Oil	LFP8507		Fuel	FP586F LFF3502		Oil	P771A
1051SU, 1052SU				Fuel	FP586F LFF3502		Oil	P771A
	Fuel	L296F ⁴¹ , 1052 LFF3518 ¹⁰⁵⁵		Fuel	FP586F LFF3502		Oil	P771A

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

41-Cartridge 1049-From 1967 1050-1967 On 1051-1974 On 1052-5/1974 On 1053-From 10/1969 1054-10/1969-4/1974 1055-From 5/1974 1056-From 4/1974 1057-5/1979 On

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VM MOTORI (ENGINE)			VM MOTORI (ENGINE)			VOLKSWAGEN (ENGINE DIESEL)		
60 DAN Marine			HR692			1471cc		
	Fuel	L3405F L61F LFF3507		Fuel	LFF3501	(068115561); 1471cc	Oil	PH2815 ¹⁴⁹⁶ PH561 ²⁷⁵
	Oil	P771A		Oil	LFP2292	(068115561); 1471cc		
613			HR694, HR694HT			ADE w/1.9L Engine		
	Fuel	FP586F ¹⁰⁵⁸ L3405F L61F ¹⁰⁵⁹ LFF3507 ¹⁰⁵⁹		Fuel	FP587F LFF3501	068127177B	Fuel	FP587F
	Oil	LP2225		Oil	LFP2292 PH4403	068115561B	Oil	PH2815 ¹⁴⁹⁶ PH561 ²⁷⁵
951SU, 952SU			SUN 2105			ADG w/1.9L Engine		
	Fuel	LFF3518 ¹⁰⁵⁴		Fuel	L296F ⁴¹	068127177B	Fuel	FP587F
	Fuel	L296F ^{41, 1052} LFF4136 ¹⁰⁵³		Oil	LFP8507	068115561B	Oil	PH2815 ¹⁴⁹⁶ PH561 ²⁷⁵
	Oil	PH48	SUN 3105, SUN 4105, SUN 6105			ADK w/1.6L Engine		
953SU, 954SU, 956SU			RA394			AFD w/1.9L Engine		
	Fuel	LFF3518 ¹⁰⁵⁴		Air	LAF8583 LAF9410	068127177B	Fuel	FP587F
	Fuel	L296F ^{41, 1052} LFP1101F ¹⁰⁵³		Fuel	LFF3501	068115561B	Oil	PH2815 ¹⁴⁹⁶ PH561 ²⁷⁵
	Oil	LFP8507	T1054SU Turbo, T1056SU Turbo, T1156DAN Turbo			VOLKSWAGEN (ENGINE GASOLINE)		
D706 IE/LTE 1993-			Turbo			ADF w/1.8L Engine		
	Oil	LFP2292 PH4403		Air	LAF1544 LAF9410	056115561G	Oil	PH561
HR192A			T1056			ADH w/1.8L Engine		
	Fuel	L296F ⁴¹		Fuel	FP586F LFF3501	056115561G	Oil	PH561
HR292A			T1056			VOLVO (ENGINE)		
	Fuel	L296F ⁴¹		Oil	LFP8507	B14, B14A		
HR392A, HR392HRT, HR392SRI			T1056			Oil		
	Fuel	L296F ⁴¹		Air	LAF1722	LP70V		
	Oil	PH561		Fuel	FP586F LFF3501	B16B, B18, B20, B20A, B20B, B20E, B27E		
HR392SHIR			T1154 DAN/S, T1156 DAN/S			Oil		
	Fuel	L296F ⁴¹		Air	LAF1544 LAF9410	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		
HR394HP, HR394HPT			T1154 DAN/S, T1156 DAN/S			B36AB, B36AV		
	Fuel	L296F ⁴¹		Fuel	FP586F LFF3501	Oil		
	Oil	PH561		Oil	LFP8507	LP70V		
HR488, HR492			T11306V Turbo, T11308V Turbo, T11310V Turbo, T11312V Turbo			D100, TD100		
	Fuel	FP587F LFF3501 PH4403		Air	LAF8668 LAF8674		Fuel	FP586F
	Oil	PH4403		Fuel	FP586F LFF3502		Oil	LFP2234
HR494H/HT, HR494P			T11306V, T11308V, T11310V, T11312V, T11316V			D100A, TD100A, TD100B, TD100C		
	Fuel	L296F ⁴¹		Oil	LFP2222		Fuel	FP586F
	Oil	PH2815 ¹⁴⁹⁶ PH561 ²⁷⁵		Fuel	FP586F LFF3502		Oil	LFP2234 LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
HR494HPT			T11316V Turbo			D11, VED11		
	Fuel	FP587F		Air	LAF8668 LAF8674		Coolant	LFW5875 ⁸⁴⁶
HR588, HR588H, HR588HT			Turbotronic 638			Davco opt.		
	Fuel	LFF3501		Fuel	FP586F LFF3502		Fuel	L3578FN LFF3294 LFF8059
	Oil	LFP2292		Oil	LFP2222		Sec.	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642
HR592, HR592H/HT			Turbotronic 638			By-Pass		
	Fuel	LFF3501		Fuel	FP586F LFF3502	D12, D12D, VED12, VED12C		
	Oil	LFP2292		Oil	LFP2222		Coolant	LFW5142XL ^{14, 249} LFW5875 ¹⁰⁶⁰
HR594, HR594HT			Turbotronic 638					
	Fuel	FP587F LFF3501		Fuel	FP587F			
	Oil	LFP2292 PH4403		Oil	LFP2292			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

3-Extended Life w/ Time Release Technology 14-Extended Life 41-Cartridge 249-No chemical 275-Primary 846-Contains 3 oz. chemical 1052-5/1974 On 1053-From 10/1969 1054-10/1969-4/1974 1058-10/1968 On 1059-From 10/1968 1060-From 2003 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO (ENGINE)			VOLVO (ENGINE)			VOLVO (ENGINE)		
<i>D12, D12D, VED12, VED12C (cont'd)</i>			<i>D50, D50A, D50B, TD50, TD50A, TD50B</i>			<i>TD101F, TD101G</i>		
Sec.	Fuel	L3578FN LFF3294 LFF5874 LFF8059		Fuel	FP586F L61F		Air	LAF3701
				Oil	LFP2234		Fuel	FP585F
By-Pass	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	<i>D60, D60A, TD60, TD60A, TD60B, TD60C, TD60D</i>				Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
				Air	LAF3701	<i>TD120C, TD120D, TD120E, TD120F, TD120G, TD120HD, TD121, TD121F, TD121G</i>		
<i>D120, D120A, TD120, TD120A</i>				Fuel	FP586F		Air	LAF3701
	Fuel	FP586F		Oil	LFP2234		Fuel	FP586F
	Oil	LFP2234			LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴		Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
<i>D12A</i>			<i>D67A, D67B, D67C, TD67A, TD67B, TD67C</i>			<i>TD122</i>		
Sec.	Fuel	L3578FN LFF3294 LFF8059		Fuel	L50F		Air	LAF1727 LAF1751
				Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Fuel	FP585F
By-Pass	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	<i>D6B</i>				Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
				Fuel	LFF5784		Trans	LH4246
<i>D12B</i>			By-Pass		LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	<i>TD123</i>		
Sec.	Fuel	L3578FN LFF3294 LFF8059	<i>D6D</i>				Fuel	FP586F
			11708555 (11110474); W/S	Fuel	LFF5645 ²⁴⁴ LFF9753 ¹⁰⁶¹		Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642
By-Pass	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	<i>D70, D70A, D70B, TD70, TD70A, TD70B, TD70C, TD70D, TD70E</i>			By-Pass		
				Fuel	FP586F	<i>TD164KAE</i>		
<i>D12C</i>				Oil	LFP2234		Fuel	FP586F
Sec.	Fuel	L3578FN LFF3294 LFF8059	<i>D7A, D7C</i>				Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
				Fuel	L3578FN LFF5784 LFF8064	<i>TD61A, TD61AG, TD61AP, TD61AW</i>		
By-Pass	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	W/S		LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642		Air	LAF3701
				Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642		Fuel	FP586F
<i>D16, D16E, VED16</i>			By-Pass		LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642		Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642
Sec.	Coolant	LFW5875 ⁸⁴⁶	<i>D96, D96B, D96C, TD96B, TD96D</i>			By-Pass		
	Fuel	LFF3294 LFF8059		Fuel	L61F	<i>TD73</i>		
By-Pass	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	<i>DTD100</i>				Fuel	FP586F
					L61F		Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642
<i>D36A, D39A</i>			<i>TAD1241GE</i>			By-Pass		
	Fuel	L296F ⁴¹		Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP3236 LFP3236TRT ³ LFP8642	<i>TID121LG, TID121KG</i>		
	Oil	P771A			LFP8642	466634	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
<i>D39C, D39D</i>			By-Pass		LFP8642	466634		
	Fuel	L296F ⁴¹	<i>TD100G, TD100GPP, TID100KG, TID100KPP</i>			<i>TID162AG</i>		
	Oil	PH4403		Air	LAF3701		Air	LAF3701
<i>D47A, TD47A</i>				Fuel	FP585F		Fuel	FP586F
By-Pass	Fuel	L50F L60F			LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴		Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
				Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	<i>TID71AG</i>		
<i>D47B, TD47B</i>					LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴		Air	LAF3701
	Fuel	L61F						
	Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

3-Extended Life w/ Time Release Technology 14-Extended Life 41-Cartridge 244-Secondary 275-Primary 846-Contains 3 oz. chemical 1061-w/ Sensor Port 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO (ENGINE)			VOLVO PENTA (ENGINE INDUSTRIAL & MARINE)			VOLVO PENTA (ENGINE INDUSTRIAL & MARINE)		
<i>TID71AG (cont'd)</i>			<i>TAD1242GE (cont'd)</i>			<i>TAMD120B (cont'd)</i>		
	Fuel	FP586F	By-Pass	Oil	LFP8642	466634-3	Oil	LFP3191
	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	<i>TAD1630</i>			466634-3		LFP3191TRT ³ LFP3191XL ¹⁴
By-Pass			466987	Fuel	FP585F	<i>TAMD121C</i>		
<i>VD7,VED7</i>			466634	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	842280	Air	LAF8810 ¹²
	Fuel	FP585F	466634			4669873	Fuel	FP586F
	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	<i>TAD1631</i>			466634-3	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
By-Pass			466987	Fuel	FP585F	<i>TAMD121D</i>		
<i>VE12</i>			466634	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	842280	Air	LAF8810 ¹²
	Fuel	FP586F	<i>TAD1640GE</i>			4669873	Fuel	FP586F
	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	Sec.	Fuel	LFF8059	466634-3	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
By-Pass				Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	<i>TAMD122A</i>		
<i>VE7</i>			By-Pass			842280	Air	LAF8810
	Fuel	FP586F	<i>TAD1641GE</i>			466987	Fuel	FP586F
	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	8193841 (20430751); Sec. 478736	Fuel	LFF5874 LFF8059	466634-3	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
By-Pass			478736	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	<i>TAMD122AF</i>		
<i>VED11</i>			(477556); By-Pass			842280	Air	LAF8810
	Coolant	LFW5875 ⁸⁴⁶	<i>TAD740GE</i>			466987	Fuel	FP586F
Sec.	Fuel	LFF8059	3825133	Fuel	FP586F	466634-3	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	466634	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	<i>TAMD122C</i>		
By-Pass			466634			842280	Air	LAF8810
<i>VED12</i>			(477556); By-Pass			466987	Fuel	FP586F
3917924 (8193841); Sec. 3945966 (20430751); Sec. 477556 21707136	Fuel	L2020FN-30 LFF5874 LFF8038 LFF8059	<i>TAMD100</i>			466634-3	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
	Oil	LFP3191 LFP3236	8758500	Air	LAF1998	<i>TAMD122D</i>		
<i>VED7</i>			466987	Fuel	FP586F	842280	Air	LAF8810
	Coolant	LFW5875 ⁸⁴⁶	466634-3	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	466987	Fuel	FP586F
	Fuel	FP586F	<i>TAMD102D</i>			466634-3	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642	3825133	Fuel	FP586F	<i>TAMD122E</i>		
By-Pass			<i>TAMD103AA</i>			842280	Air	LAF8810
VOLVO PENTA (ENGINE INDUSTRIAL & MARINE)			3825133	Fuel	FP586F	847741	Oil	LFP6007
<i>TAD1232</i>			<i>TAMD120A</i>			<i>TAMD122F</i>		
466987	Fuel	FP585F	8758500	Air	LAF1998 LAF8810	3825133	Fuel	FP586F
466634	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	842280			847741	Oil	LFP6007
466634			243004	Fuel	FP586F L61F	<i>TAMD122G</i>		
			233897			842280	Air	LAF8810
			423135	Oil	LFP2234 LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	466987	Fuel	FP586F LFF8774
<i>TAD1242GE</i>			<i>TAMD120B</i>			864315		LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642
(20430751); Sec.	Fuel	LFF8059	8758500	Air	LAF1998 LAF8810	466634-3	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴	842280			<i>TAMD122H</i>		
			243004	Fuel	FP586F L61F	842280	Air	LAF8810
			233897			466987	Fuel	FP586F
			423135	Oil	LFP2234	864315		LFF8774
						466634-3	Oil	LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴ LFP8642
						<i>TAMD122I</i>		
						466634-3		LFP3191 LFP3191TRT ³ LFP3191XL ¹⁴
						(471392); By-Pass		LFP8642
						<i>TAMD122J</i>		
						842280	Air	LAF8810

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 846-Contains 3 oz. chemical



Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO PENTA (ENGINE INDUSTRIAL & MARINE)			VOLVO PENTA (ENGINE INDUSTRIAL & MARINE)			VOLVO PENTA (ENGINE INDUSTRIAL & MARINE)		
<i>TAMD162B (cont'd)</i>			<i>TAMD40B</i>			<i>TAMD62A</i>		
466987	Fuel	FP586F	8758500	Air	LAF1998	3825133	Fuel	FP586F
864315		LFF8774	838593-2	Fuel	FP587F	466634	Oil	LFP3191
466634-3	Oil	LFP3191	860874		LFF3504	466634		LFP3191TRT ³
466634-3		LFP3191TRT ³	471034-9	Oil	LFP2257			LFP3191XL ¹⁴
		LFP3191XL ¹⁴	<i>TAMD41A</i>			3827069		PH47 ⁶⁵
(471392); By-Pass		LFP8642	838593-2	Fuel	FP587F	<i>TAMD63LA</i>		
<i>TAMD162C</i>			860874		LFF3504	3825133	Fuel	FP586F
842280	Air	LAF8810	471034-9	Oil	LFP2257	466634	Oil	LFP3191
466987	Fuel	FP586F	<i>TAMD41B</i>			466634		LFP3191TRT ³
864315		LFF8774	838593-2	Fuel	FP587F			LFP3191XL ¹⁴
466634-3	Oil	LFP3191	860874		LFF3504	3827069		PH47 ⁶⁵
466634-3		LFP3191TRT ³	471034-9	Oil	LFP2257	<i>TAMD63PA</i>		
		LFP3191XL ¹⁴	<i>TAMD41D</i>			3825133	Fuel	FP586F
(471392); By-Pass		LFP8642	838593-2	Fuel	FP587F	466634	Oil	LFP3191
<i>TAMD163AA</i>			860874		LFF3504	466634		LFP3191TRT ³
842280	Air	LAF8810	471034-9	Oil	LFP2257			LFP3191XL ¹⁴
466987	Fuel	FP586F	<i>TAMD41HA</i>			3827069		PH47 ⁶⁵
864315		LFF8774	3825133	Fuel	FP586F	<i>TAMD70A</i>		
466634-3	Oil	LFP3191	860874		LFF3504	842280	Air	LAF8810
466634-3		LFP3191TRT ³	471034-9	Oil	LFP2257	243004	Fuel	FP586F
		LFP3191XL ¹⁴	<i>TAMD41LA</i>			7111/296		L296F ⁴¹
(471392); By-Pass		LFP8642	3825133	Fuel	FP586F	423135	Oil	LFP2234
<i>TAMD22PB</i>			860874		LFF3504	<i>TAMD70B</i>		
860874	Fuel	LFF3504	471034-9	Oil	LFP2257	842280	Air	LAF8810
<i>TAMD30A</i>			<i>TAMD41MA</i>			243004	Fuel	FP586F
3825133	Fuel	FP586F	3825133	Fuel	FP586F	7111/296		L296F ⁴¹
1266286-2	Oil	PH253 ¹⁴⁹⁶	860874		LFF3504	423135	Oil	LFP2234
		PH2835 ²⁷⁵	471034-9	Oil	LFP2257	<i>TAMD70C</i>		
<i>TAMD31A</i>			<i>TAMD41MB</i>			842280	Air	LAF8810
829913-3	Fuel	FP586F	3825133	Fuel	FP586F	243004	Fuel	FP586F
1266286	Oil	PH253 ¹⁴⁹⁶	860874		LFF3504	7111/296		L296F ⁴¹
		PH2835 ²⁷⁵	471034-9	Oil	LFP2257	423135	Oil	LFP2234
<i>TAMD31B</i>			<i>TAMD41PA</i>			<i>TAMD70D</i>		
829913-3	Fuel	FP586F	3825133	Fuel	FP586F	842280	Air	LAF8810
1266286	Oil	PH253 ¹⁴⁹⁶	860874		LFF3504	243004	Fuel	FP586F
		PH2835 ²⁷⁵	471034-9	Oil	LFP2257	7111/296		L296F ⁴¹
<i>TAMD31D</i>			<i>TAMD42WJA</i>			423135	Oil	LFP2234
829913-3	Fuel	FP586F	838593-2	Fuel	FP587F	<i>TAMD70E</i>		
1266286	Oil	PH253 ¹⁴⁹⁶	4785974	Oil	LFP2234	842280	Air	LAF8810
		PH2835 ²⁷⁵	<i>TAMD60A</i>			4669875	Fuel	FP586F
<i>TAMD31LA</i>			842280	Air	LAF8810	4785974	Oil	LFP2234
3825133	Fuel	FP586F	3825133	Fuel	FP586F	471034		LFP2257
<i>TAMD31MA</i>			4785974-9	Oil	LFP2234	<i>TAMD71 Series</i>		
3825133	Fuel	FP586F	<i>TAMD60B</i>			466987-5	Fuel	FP586F
<i>TAMD31PA</i>			842280	Air	LAF8810	864315		LFF8774
3825133	Fuel	FP586F	3825133	Fuel	FP586F	847741	Oil	LFP6007
<i>TAMD31S</i>			4785974-9	Oil	LFP2234	3827069		PH47 ⁶⁵
829913-3	Fuel	FP586F	<i>TAMD60C</i>			<i>TAMD72 Series</i>		
1266286	Oil	PH253 ¹⁴⁹⁶	842280	Air	LAF8810	466987-5	Fuel	FP586F
		PH2835 ²⁷⁵	3825133	Fuel	FP586F	864315		LFF8774
<i>TAMD40A</i>			4785974-9	Oil	LFP2234	847741	Oil	LFP6007
8758500	Air	LAF1998	<i>TAMD61A</i>			3827069		PH47 ⁶⁵
838593-2	Fuel	FP587F	8758500	Air	LAF1998	<i>TAMD73 Series</i>		
860874		LFF3504	3825133	Fuel	FP586F	466987-5	Fuel	FP586F
471034-9	Oil	LFP2257	847741	Oil	LFP6007	864315		LFF8774

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

3-Extended Life w/ Time Release Technology 14-Extended Life 41-Cartridge 65-By-Pass 275-Primary 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO PENTA (ENGINE INDUSTRIAL & MARINE)			VOLVO PENTA (ENGINE INDUSTRIAL & MARINE)			VOLVO PENTA (ENGINE INDUSTRIAL & MARINE)		
<i>TAMD73 Series (cont'd)</i>			<i>TMD120A (cont'd)</i>			<i>TMD40A</i>		
847741	Oil	LFP6007	233897	Fuel	L61F	838593-2	Fuel	FP587F
3827069		PH47 ⁶⁵	423135	Oil	LFP2234	860874		LFF3504
<i>TAMD74 Series</i>			466634-3		LFP3191	471034-9	Oil	LFP2257
466987-5	Fuel	FP586F	466634-3		LFP3191TRT ³	<i>TMD40B</i>		
864315		LFF8774			LFP3191XL ¹⁴	838593-2	Fuel	FP587F
847741	Oil	LFP6007	<i>TMD120B</i>			860874		LFF3504
3827069		PH47 ⁶⁵	842280	Air	LAF8810	471034-9	Oil	LFP2257
<i>THAMD70B</i>			243004	Fuel	FP586F	<i>TMD40C</i>		
3825133	Fuel	FP586F	233897		L61F	838593-2	Fuel	FP587F
4785974	Oil	LFP2234	423135	Oil	LFP2234	860874		LFF3504
<i>THAMD70C</i>			466634-3		LFP3191	471034-9	Oil	LFP2257
3825133	Fuel	FP586F	466634-3		LFP3191TRT ³	<i>TMD41A</i>		
4785974	Oil	LFP2234			LFP3191XL ¹⁴	838593-2	Fuel	FP587F
<i>TMD96B</i>			<i>TMD121C</i>			860874		LFF3504
Pri.	Fuel	L60F	842280	Air	LAF8810	471034-9	Oil	LFP2257
Sec.		L60F	466987	Fuel	FP586F	<i>TMD41B</i>		
<i>TMD100A</i>			466634-3	Oil	LFP3191	838593-2	Fuel	FP587F
8758500	Air	LAF1998	466634-3		LFP3191TRT ³	860874		LFF3504
842280		LAF8810			LFP3191XL ¹⁴	471034-9	Oil	LFP2257
243004	Fuel	FP586F	<i>TMD122A</i>			<i>TMD41D</i>		
233897		L61F	842280	Air	LAF8810	838593-2	Fuel	FP587F
423135	Oil	LFP2234	466987	Fuel	FP586F	860874		LFF3504
<i>TMD100C</i>			466634-3	Oil	LFP3191	471034-9	Oil	LFP2257
842280	Air	LAF8810 ¹²	466634-3		LFP3191TRT ³	<i>TMD41H</i>		
4669873	Fuel	FP586F			LFP3191XL ¹⁴	838593-2	Fuel	FP587F
466634-3	Oil	LFP3191	<i>TMD122C</i>			860874		LFF3504
466634-3		LFP3191TRT ³	842280	Air	LAF8810	471034-9	Oil	LFP2257
		LFP3191XL ¹⁴	466987	Fuel	FP586F	<i>TMD41LA</i>		
<i>TMD102A</i>			466634-3	Oil	LFP3191	860874	Fuel	LFF3504
842280	Air	LAF8810	466634-3		LFP3191TRT ³	<i>TMD41M</i>		
466987	Fuel	FP586F			LFP3191XL ¹⁴	838593-2	Fuel	FP587F
466634-3	Oil	LFP3191	<i>TMD22A</i>			860874		LFF3504
466634-3		LFP3191TRT ³	860874	Fuel	LFF3504	471034-9	Oil	LFP2257
		LFP3191XL ¹⁴	<i>TMD22B</i>			<i>TMD41P</i>		
<i>TMD102D</i>			860874	Fuel	LFF3504	838593-2	Fuel	FP587F
842280	Air	LAF8810	<i>TMD30A</i>			860874		LFF3504
466987	Fuel	FP586F	3825133	Fuel	FP586F	471034-9	Oil	LFP2257
466634-3	Oil	LFP3191	<i>TMD31A</i>			<i>TMD70</i>		
466634-3		LFP3191TRT ³	829913-3	Fuel	FP586F	842280	Air	LAF8810
		LFP3191XL ¹⁴	1266286	Oil	PH253 ¹⁴⁹⁶	243004	Fuel	FP586F
<i>TMD103A</i>					PH2835 ²⁷⁵	7111/296		L296F ⁴¹
842280	Air	LAF8810	<i>TMD31B</i>			423135	Oil	LFP2234
466987	Fuel	FP586F	829913-3	Fuel	FP586F	<i>TMD70A</i>		
466634-3	Oil	LFP3191	1266286	Oil	PH253 ¹⁴⁹⁶	842280	Air	LAF8810
466634-3		LFP3191TRT ³			PH2835 ²⁷⁵	243004	Fuel	FP586F
		LFP3191XL ¹⁴	<i>TMD31D</i>			7111/296		L296F ⁴¹
<i>TMD103C</i>			829913-3	Fuel	FP586F	423135	Oil	LFP2234
842280	Air	LAF8810	1266286	Oil	PH253 ¹⁴⁹⁶	<i>TMD70B</i>		
466987	Fuel	FP586F			PH2835 ²⁷⁵	842280	Air	LAF8810
466634-3	Oil	LFP3191	<i>TMD31LA</i>			243004	Fuel	FP586F
466634-3		LFP3191TRT ³	3825133	Fuel	FP586F	7111/296		L296F ⁴¹
		LFP3191XL ¹⁴	<i>TMD40</i>			423135	Oil	LFP2234
<i>TMD120A</i>			838593-2	Fuel	FP587F	<i>TMD70C</i>		
842280	Air	LAF8810	860874		LFF3504	842280	Air	LAF8810
243004	Fuel	FP586F	471034-9	Oil	LFP2257	243004	Fuel	FP586F

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

3-Extended Life w/ Time Release Technology 12-Optional 14-Extended Life 41-Cartridge 65-By-Pass 275-Primary 1496-Alternate



Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
VOLVO PENTA (ENGINE INDUSTRIAL & MARINE)			VOLVO PENTA (ENGINE MARINE)			VOLVO PENTA (ENGINE MARINE)		
<i>TMD70C (cont'd)</i>			7.4G			AQ115A		
7111/296	Fuel	L296F 41	3850559	Oil	PH1218 17 PH454 18	1266286	Oil	PH253 1496 PH2835 275 PH2904 275
423135	Oil	LFP2234	8.1G			3517857		
<i>TMD96</i>			(3852413); W/S			BB115A		
Pri.	Fuel	L60F	3850559	Oil	LFF5766 PH1218	418432	Oil	PH253 1496 PH2835 275 PH2904 275
Sec.		L60F	8.2G			3517857		
<i>TMD96A</i>			(3852413); W/S			BB115B		
Pri.	Fuel	L60F	3850559	Oil	LFF5766 PH1218	418432	Oil	PH253 1496 PH2835 275 PH2904 275
Sec.		L60F	AD31A			3517857		
<i>TMD96B</i>			829913-3			BB115C		
Pri.	Fuel	L60F	1266286	Oil	FP586F PH253 1496 PH2835 275	418432	Oil	PH253 1496 PH2835 275 PH2904 275
Sec.		L60F	AD31B			418432		
VOLVO PENTA (ENGINE MARINE)			3825133			3517857		
<i>230A</i>			829913-3			MD100A		
3517857	Oil	PH2904 275	AD31D			8758500		
<i>230B</i>			3825133			842280		
3517857	Oil	PH2904 275	AD31L			243004		
<i>230SP</i>			829913-3			233897		
1266286	Oil	PH253 1496 PH2835 275	1266286			423135		
<i>250</i>			AD31P			MD100B		
1266286	Oil	PH253 1496 PH2835 275	829913-3			8758500		
<i>4.3Gi</i>			1266286			842280		
841750	Oil	PH51A	AD31PA			243004		
<i>430</i>			3825133			233897		
855686-2	Fuel	LFF3808	AD40A			423135		
	Oil	PH51A	838593			MD11		
<i>434A</i>			860874			897321		
855686-2	Fuel	LFF3808	471034			Oil		
	Oil	PH51A	AD40B			PH253 1496 PH2835 275		
<i>5.0 FI</i>			838593			MD17		
(3852413); W/S	Fuel	LFF5766	860874			897321		
835779	Oil	PH400 275 PH8A 1496	471034			Oil		
835779			AD41			MD19		
<i>5.7G</i>			838593			6613665-6		
3850559	Oil	PH1218 17 PH454 18	860874			233897-8		
835440			471034			1266286		
<i>5.8 FI</i>			AD41A			Oil		
(3852413); W/S	Fuel	LFF5766	838593			PH253 1496 PH2835 275		
835779	Oil	PH400 275 PH8A 1496	860874			Waukesha (Engine)		
835779			471034			135DK SERIES		
<i>500</i>			AD41B			Sec.		
855686	Fuel	LFF3808	860874			Fuel		
835440	Oil	PH454	AD41D			261F 261F 262F 262F L3567F L93FP L93FP		
<i>570</i>			838593			Oil		
855686	Fuel	LFF3808	860874			L1656-0 1062 L1656-0 P71 1063 P71		
835440	Oil	PH454	471034			P71		
<i>570DP</i>			AD41LA			135GK		
855686	Fuel	LFF3808	860874			Oil		
835440	Oil	PH454	AD41P			L1656-0 1062 L1656-0 P71 1063 P71		
<i>571</i>			838593			135GZ SERIES		
855686	Fuel	LFF3808	860874			Oil		
835440	Oil	PH454	471034			L1656-0 1062		
AQ100			3517857			Oil		
			PH2904 275			L1656-0 1062		

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
17-Long version 18-Short 41-Cartridge 275-Primary 1062-15.5" Long 1063-8" Hgt. 1496-Alternate

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
WAUKESHA (ENGINE)			WAUKESHA (ENGINE)			WAUKESHA (ENGINE)		
<i>135GZ SERIES (cont'd)</i>			<i>180GL (cont'd)</i>			<i>197DLC (cont'd)</i>		
	Oil	L1656-0 P71 ¹⁰⁶³ P71		Oil	P4		Fuel	L93FP
							Oil	L93FP P71
<i>140GK</i>			<i>185DA</i>			<i>197DLCS</i>		
	Oil	L1656-0 ¹⁰⁶² L1656-0 P71 ¹⁰⁶³ P71	In-Line Pri.	Fuel	FP953F ²⁴⁴ L3567F	Pri.	Fuel	L3564F ¹⁰⁶⁴ L3564F L3567F L93FP
				Oil	700 P71		Oil	L93FP P71
<i>140GZ</i>			<i>185DL SERIES</i>			<i>197DLCSM</i>		
	Oil	L1656-0 ¹⁰⁶² L1656-0 P71 ¹⁰⁶³ P71	In-Line Pri.	Fuel	FP953F ²⁴⁴ L3567F	Pri.	Fuel	L3564F ¹⁰⁶⁴ L3564F L3567F L93FP
				Oil	700 P71		Oil	L93FP P71
<i>140GZU</i>			<i>185GL SERIES</i>			<i>197DLCSM</i>		
	Oil	L1656-0 ¹⁰⁶² L1656-0 P71 ¹⁰⁶³ P71		Oil	700	Pri.	Fuel	L3564F ¹⁰⁶⁴ L3564F L3567F L93FP
							Oil	L93FP P71
<i>145GK</i>			<i>190DLC SERIES</i>			<i>6BA</i>		
	Oil	L1656-0 ¹⁰⁶² L1656-0 P71 ¹⁰⁶³ P71	Sec. In-Line Pri.	Fuel	261F 261F FP953F ²⁴⁴ L3567F L3570F L3570F L93FP		Oil	P4 P71
<i>145GZ SERIES</i>			<i>190GLB SERIES</i>			<i>6BC</i>		
	Oil	L1656-0 ¹⁰⁶² L1656-0 P71 ¹⁰⁶³ P71		Oil	700 L93FP P71		Oil	P4 P71
<i>148DK</i>			<i>195DLC SERIES</i>			<i>6BK</i>		
	Fuel	262F					Oil	P4 P71
	Oil	L1656-0 P71						
<i>148DKB SERIES</i>			<i>195GLB SERIES</i>			<i>6BM</i>		
	Fuel	262F	Sec. In-Line Pri.	Fuel	261F 261F FP953F ²⁴⁴ L3567F L3570F L3570F L93FP		Oil	P4 P71
	Oil	L1656-0 P71						
<i>180DA</i>			<i>195G, 195GK, 195GKA, 195GL Gasoline</i>			<i>6BZ</i>		
In-Line Pri.	Fuel	FP953F ²⁴⁴ L3567F		Oil	700 P4 P71		Oil	P4 P71
	Oil	700 P71						
<i>180DLC</i>			<i>195GK</i>			<i>6LRD SERIES</i>		
In-Line Pri.	Fuel	FP953F ²⁴⁴ L3567F		Oil	700 P4 P71		Oil	L1656-0
	Oil	700 P71					Oil	L1656-0
<i>180GK SERIES</i>			<i>195GL SERIES</i>			<i>6MK</i>		
	Oil	700 P4		Oil	700 P4 P71		Oil	P4 ¹⁰⁶⁵ P4 P71 ¹⁰⁶³ P71
<i>180GKB</i>			<i>197DLC</i>			<i>6MZ</i>		
In-Line Pri.	Fuel	FP953F ²⁴⁴ L3567F					Oil	P4 ¹⁰⁶⁵ P4 P71 ¹⁰⁶³ P71
	Oil	700 P71						
<i>180GL</i>			<i>195GLB SERIES</i>			<i>6MZA</i>		
	Oil	700		Oil	700 P4 P71		Oil	P4 ¹⁰⁶⁵ P4 P71 ¹⁰⁶³ P71
<i>180GL</i>			<i>197DLC</i>			<i>6MZR</i>		
	Oil	700	Pri.	Fuel	L3564F ¹⁰⁶⁴ L3564F L3567F		Oil	P4 ¹⁰⁶⁵ P4 P71 ¹⁰⁶³ P71

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 244-Secondary 1062-15.5" Long 1063-8" Hgt. 1064-4" Tall 1065-4.87" Hgt.



Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
WAUKESHA (ENGINE)			WAUKESHA (ENGINE)			WAUKESHA (ENGINE)		
6NK			F-1905C, F-1905D, F-1905DS, F-1905G, F-1905GR			FCL (cont'd)		
	Air	LAF250HD					Oil	P7FF
	Oil	L1656-0 L26		Air	LAF250HD	FCS		
6NKDB				Oil	L1656-0 L1874T L26		Oil	P4 P70 P7FF
	Air	LAF250HD	F283G			FCX		
	Oil	L1656-0 L26		Oil	PH400 ²⁷⁵ PH8A ¹⁴⁹⁶		Oil	P4 P70 P7FF
6NKH			F2894D			FK		
	Air	LAF250HD		Oil	L1656-0			
	Oil	L1656-0 L26	F2894DS				Oil	P4 P70 P7FF
6NKRB				Oil	L1656-0	FL		
	Air	LAF250HD	F2894G					
	Oil	L1656-0 L26	F-2895, F-2896 Series				Oil	P4 P70 P7FF
6SRK SERIES				Air	LAF5831 LAF9180	FS		
	Oil	P4 ¹⁰⁶⁵ P4 P71 ¹⁰⁶³ P71	F-3335D				Oil	P4 P70 P7FF
6WAK				Air	LAF9180	H1077DSIM		
	Oil	L1656-0 L26	F-3335DM				Air	LAF9180
6WAK, 6WAL Series				Oil	L1656-0		Fuel	262F
	Air	LAF250HD	F3520G				Oil	L1874T LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
	Oil	L1656-0 L26	F-3521G, F-3521GSI			1R0716		
				Air	LAF9180			
				Oil	L1656-0			
6WAKD SERIES			F475D			H540, H570, H844, H884, H884G Gasoline		
	Air	LAF250HD		Air	LAF241HD		Oil	LP163
	Fuel	262F FP953F ²⁴⁴ L3567F	F475DS			H-866 DSU		
In-Line Pri.				Air	LAF241HD		Air	LAF9180
	Oil	L1656-0 L26 P71	F476D			ICK		
				Air	LAF241HD		Oil	P4 P70 P7FF
			F476DS					
6WAKH Series			F-554G			L-1616 Series		
	Oil	L1656-0 P71		Oil	L1656-0 P71		Air	LAF9180
F1197D			F673D				Fuel	262F
	Air	LAF250HD		Air	LAF241HD		Oil	L1874T LFP4005 LFP4005TRT ³ LFP4005XL ¹⁴
	Fuel	262F FP953F ²⁴⁴ L3567F	F673DS			1R0716		
In-Line Pri.				Air	LAF241HD			
	Oil	L1656-0 P71	F674D			L-5100 Series		
				Air	LAF241HD		Oil	L1645C
F1197DS			F674DS			L5100GR		
	Air	LAF250HD		Air	LAF241HD		Oil	L1656-0
	Fuel	262F FP953F ²⁴⁴ L3567F	F-817G, F-817GU			L-5108 Series		
In-Line Pri.				Oil	L1656-0 P71		Air	LAF9180
	Oil	L1656-0 P71	FC				Oil	L1645C
F1197G			FCL			L5788D		
	Oil	L1656-0 P71		Oil	P4 P70 P7FF		Air	LAF250HD
							Fuel	L43F
			FCL				Oil	L1656-0
				Oil	P4 P70	L5788DS		
							Air	LAF250HD

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

3-Extended Life w/ Time Release Technology 14-Extended Life 244-Secondary 275-Primary 1063-8" Hgt. 1065-4.87" Hgt. 1496-Alternate



Engine Applications

O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	
WAUKESHA (ENGINE)			WAUKESHA (ENGINE)			WISCONSIN (ENGINE INDUSTRIAL)			
<i>L5788DS (cont'd)</i>			<i>VR SERIES</i>			<i>TE, TF, TFPD, TH, THD, TJD</i>			
	Fuel	L43F		Air	LAF1725 ¹		Air	LAF1915	
	Oil	L1656-0			LAF9001 ²		Oil	P3	
<i>L5788G</i>			<i>VRD155, VRG155</i>			<i>THPD, THOM, TR-10D, TRA-10D, TRA-12D</i>			
	Air	LAF250HD		Air	LAF9538		Air	LAF225	
	Oil	L1656-0			LAF9538MXM	<i>V460D, V461D, V465D</i>			
<i>L-5790, L5792 Series</i>			<i>VRD232U</i>				Air	LAF1915	
	Air	LAF5831		Air	LAF9001 ⁶²⁵		Oil	LAF222	
		LAF9180		Oil	PH400 ^{275, 1499}	S/N 3377815- -S/N 3377815 -S/N 3377815		LFP2252	
	Fuel	262F			PH444 ¹⁰⁶⁶			LFP2252	
	Oil	L1656-0			PH8A ^{677, 1496}			PH400 ²⁷⁵	
<i>L5790DSIM</i>			<i>VRD283, VRG283</i>					PH8A ¹⁴⁹⁶	
Sec.	Fuel	L540F		Air	LAF9001 ²	<i>VE4, VE4D, VF4, VF4D, VG4D, VH4, VH4D</i>			
	Oil	L1656-0		Oil	PH400 ²⁷⁵		Oil	P106 ¹⁰⁶⁸	
<i>L-6670 Series</i>					PH444	By-Pass Oil LFP2271 ¹⁰⁶⁹			
	Air	LAF5831			PH8A ¹⁴⁹⁶	<i>W2-1230 Serial #5996538 & Up</i>			
		LAF9180					Oil	LP2278	
<i>L7040G</i>				Air	LAF9001 ⁶²⁵	<i>W2-1230 Thru Serial #5995537</i>			
	Oil	L1656-0		Oil	PH400 ^{275, 1499}		Oil	LP2278	
<i>L-7042 Series</i>					PH444 ¹⁰⁶⁶	<i>W2-1235, W4-2460, W2-1250</i>			
	Air	LAF9180			PH8A ^{677, 1496}		Air	AF213	
	Oil	L1645C					Oil	LAF1275	
		L1656-0		Air	LAF1725	By-Pass Oil LFP2271			
<i>LRD</i>					LAF9001 ²	LP2278			
	Oil	L1656-0		Oil	PH400 ²⁷⁵	<i>W2-280, W2-880, W4-1770</i>			
<i>LRDB</i>					PH444		Air	AF213	
	Oil	L1656-0			PH8A ¹⁴⁹⁶		Oil	LAF1275	
<i>LRO</i>			<i>XAH</i>					LAF1915	
	Oil	L1656-0		Oil	P4 ¹⁰⁶⁵			LAF222	
<i>LRORB</i>					P4		Oil	LFP2221	
	Oil	L1656-0			P7FF ¹⁰⁶⁷			LP2278	
<i>LROU</i>			<i>ZAH</i>			WISCONSIN (ENGINE)			
	Oil	L1656-0		Oil	P4 ¹⁰⁶⁵	<i>F14D</i>			
<i>LRZB</i>					P4		Air	LAF189	
	Oil	L1656-0			P70			LAF1915	
<i>P-2154 Series</i>			WESTPORT (ENGINE)			<i>LC4D</i>			
	Oil	L1874T			P7FF ¹⁰⁶⁷		Oil	P70	
		LFP4005		<i>GX</i>			<i>MTHD</i>		
		LFP4005TRT ³			LFW2127 ^{14, 249}		Air	LAF222	
		LFP4005XL ¹⁴			LFF5080 ⁶⁴⁷		Oil	P3	
<i>P-9390 Series</i>				Oil	LFP9001 ²⁵⁰	<i>MVE</i>			
	Oil	L1645C			LFP9001TRT ³		Oil	P70	
		L1656-0			LFP9001XL ^{14, 250}	<i>MVE4D</i>			
							Oil	P70	
<i>URD232</i>			WISCONSIN (ENGINE INDUSTRIAL)			<i>MVF</i>			
By-Pass	Oil	PB50	<i>ACN, AD, AE, AEH, AEN, AENL, AENLD</i>				Oil	P70	
<i>VHP12, VHP16</i>				Air	LAF189	<i>MVF4D</i>			
	Oil	L1645C			LAF1915		Oil	P70	
<i>VLRDB</i>			<i>AENS, AFH, AGH, AGN, AGND, AHH, BKN</i>			<i>MVG4D</i>			
	Air	LAF250HD		Air	LAF1915		Oil	P70	
	Fuel	L43F	<i>AK, AKN, BKN, HACN, HBKN, HS-7D, HS-8D</i>			<i>MVH</i>			
	Oil	L1656-0		Air	LAF225		Oil	P70	
		LP4452	<i>S-7D, S-8D, S-10D, S-12D, S-14D</i>			<i>MVH4D</i>			
<i>VLROB SERIES</i>				Air	LAF189		Oil	P70	
	Air	LAF250HD			LAF1915	<i>S10</i>			
	Fuel	L43F			LAF225		Air	LAF225	
	Oil	L1656-0							
		LP4452							

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.

1-Inner 2-Outer 3-Extended Life w/ Time Release Technology 14-Extended Life 249-No chemical 250-11.9" Hgt. 275-Primary 625-Standard filter 647-Natural Gas 677-3/4" thread 1065-4.87" Hgt. 1066-7/8" x 16 Thread 1067-4.2" Hgt. 1068-Late 1069-81 on 1496-Alternate 1499-3/4" Thread"

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
WISCONSIN (ENGINE)			YANMAR (ENGINE DIESEL)			YANMAR (ENGINE DIESEL)		
S12			2V78			3TN75EG2 (cont'd)		
	Air	LAF189	119305-35150	Oil	PH2876	124450-35150	Oil	PH2808
VA4			3T13A			129150-35150 PH2856A		
	Oil	P106 ¹⁰⁶⁸	124450-35100	Oil	PH2808	3TN75ES		
VAH4			3T72HA			121120-12901	Air	LAF1275 ²
	Oil	P106 ¹⁰⁶⁸	124450-35110	Oil	LFP5522	119810-55650	Fuel	L4103F
VG4D, VG4DG-LPG			3T72HLE			129150-35150	Oil	PH2856A
	Oil	P106 ¹⁰⁷¹	171022-12530	Air	LAF2745A ²	3TN78ES		
	Air	LAF1275	104500-55710	Fuel	L3541F	124450-35150	Oil	PH2808
		LAF1915	124550-35110	Oil	PH2808	3TN78RJB		
		LAF222	3T75HA			124450-35150	Oil	PH2808
By-Pass	Oil	LFP2271 ¹⁰⁷⁰	124450-35110	Oil	LFP5522	3TN82ES		
VH4			3T75HLE			121120-12901	Air	LAF1275 ²
	Oil	P106 ¹⁰⁶⁸	129350-12900	Air	LAF8630	129100-55650	Fuel	L549F
By-Pass	Oil	LFP2271 ¹⁰⁶⁹	104500-55710	Fuel	L3541F	124450-35150	Oil	PH2808
VH4D, VH4DG-LPG			124550-35110 PH2808			3TN82G1		
	Oil	P106	3T80LE			121120-12901	Air	LAF1275 ²
	Air	LAF1275	15401-11080	Air	LAF1275 ^{2, 12}	129100-55650	Fuel	L549F
		LAF1915	124550-55700	Fuel	L4103F	124450-35150	Oil	PH2808
		LAF222	124450-35110	Oil	PH2808	3TN82G2		
By-Pass	Oil	LFP2271 ¹⁰⁷⁰	3T844HLEG1			121120-12901	Air	LAF1275 ²
		LP2278 ¹⁰⁷²	121120-12901	Air	LAF1275 ²	129100-55650	Fuel	L549F
		P3	104500-55710	Fuel	L3541F	124450-35150	Oil	PH2808
		P70	124550-35110	Oil	PH2808	3TN82TEG1		
VP4, VP4D, VR4, VR4D			3T844HLES			121120-12901	Air	LAF1275 ²
	Oil	P106 ¹⁰⁷³	121120-12901	Air	LAF1275 ²	129100-55650	Fuel	L549F
YANMAR (ENGINE DIESEL)			104500-55710	Fuel	L3541F	124450-35150	Oil	PH2808
2QM15			124550-35110	Oil	PH2808	3TN82TEG2		
104500-55710	Fuel	L3541F	3T90LE			121120-12901	Air	LAF1275 ²
124450-35100	Oil	PH2808	15401-11080	Air	LAF1275 ^{2, 12}	129100-55650	Fuel	L549F
2QM20			124550-55700	Fuel	L4103F	124450-35150	Oil	PH2808
104500-55710	Fuel	L3541F	124450-35110	Oil	PH2808	3TN82TES		
124450-35100	Oil	PH2808	3TDV84			121120-12901	Air	LAF1275 ²
2T72HLE			11980255800	Fuel	LFF8350	129100-55650	Fuel	L549F
171022-12530	Air	LAF2745A ²	12915035151	Oil	PH2808	124450-35150	Oil	PH2808
104500-55710	Fuel	L3541F	3TN66			3TN84EG1		
124550-35110	Oil	PH2808	124450-35150	Oil	PH2808	121120-12901	Air	LAF1275 ²
2T75HLE			3TN66EG2			129100-55650	Fuel	L549F
171022-12530	Air	LAF2745A ²	119860-12510	Air	LAF8620 ²	129150-35150	Oil	PH2856A
104500-55710	Fuel	L3541F	124550-55700	Fuel	L4103F	3TN84EG2		
124550-35110	Oil	PH2808	124450-35150	Oil	PH2808	121120-12901	Air	LAF1275 ²
2T90LE			3TN66ES			129100-55650	Fuel	L549F
15401-11080	Air	LAF1275 ^{2, 12}	119860-12510	Air	LAF8620 ²	129150-35150	Oil	PH2856A
124550-55700	Fuel	L4103F	124550-55700	Fuel	L4103F	3TN84ES		
124450-35110	Oil	PH2808	124450-35150	Oil	PH2808	121120-12901	Air	LAF1275 ²
2TNE68EG2A			3TN674G2A			129100-55650	Fuel	L549F
124550-55700	Fuel	L4103F	119655-12560	Air	LAF8388 ²	129150-35150	Oil	PH2856A
119305-35150	Oil	PH2876	124550-55700	Fuel	L4103F	3TNA72EG2		
2TNE68ESA			119305-35150	Oil	PH2876	119860-12510	Air	LAF8620 ²
124550-55700	Fuel	L4103F	3TN75EG1			124550-55700	Fuel	L4103F
119305-35150	Oil	PH2876	121120-12901	Air	LAF1275 ²	124450-35150	Oil	PH2808
2TNV70			124550-55700	Fuel	L4103F	3TNA72ES		
11981055650	Fuel	L4103F	124450-35150	Oil	PH2808	119860-12510	Air	LAF8620 ²
11930535150	Oil	PH2876	129150-35150		PH2856A	124550-55700	Fuel	L4103F
2V750H			3TN75EG2			124450-35150	Oil	PH2808
119305-35151	Oil	PH2876	121120-12901	Air	LAF1275 ²	3TNA82		
			124550-55700	Fuel	L4103F	121120-12901	Air	LAF1275 ²

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
 2-Outer 12-Optional 1068-Late 1069-81 on 1070-1981 On 1071-Late 62 1072-1985 On 1073-Late 1962 On

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
YANMAR (ENGINE DIESEL)			YANMAR (ENGINE DIESEL)			YANMAR (ENGINE DIESEL)		
3TNA82 (cont'd)			3TNE84G1A (cont'd)			4TN82TEG1 (cont'd)		
129100-55650	Fuel	L549F	129150-35151	Oil	PH2808	129150-35150	Oil	PH2856A
124450-35150	Oil	PH2808	3TNE84G2A			4TN82TES		
3TNC78EG1			119808-12520	Air	LAF8195 ²	121120-12901	Air	LAF1275 ²
121120-12901	Air	LAF1275 ²	129100-55650	Fuel	L549F	129100-55650	Fuel	L549F
119810-55650	Fuel	L4103F	129150-35151	Oil	PH2808	129150-35150	Oil	PH2856A
129150-35150	Oil	PH2856A	3TNE84SA			4TN84EG1		
3TNC78EG2			119808-12520	Air	LAF8195 ²	121120-12901	Air	LAF1275 ²
121120-12901	Air	LAF1275 ²	129100-55650	Fuel	L549F	129100-55650	Fuel	L549F
119810-55650	Fuel	L4103F	129150-35151	Oil	PH2808	129150-35150	Oil	PH2856A
129150-35150	Oil	PH2856A	3TNE84TG1A			4TN84EG2		
3TNC78ES			119808-12520	Air	LAF8195 ²	121120-12901	Air	LAF1275 ²
121120-12901	Air	LAF1275 ²	129100-55650	Fuel	L549F	129100-55650	Fuel	L549F
119810-55650	Fuel	L4103F	129150-35151	Oil	PH2808	129150-35150	Oil	PH2856A
129150-35150	Oil	PH2856A	3TNE84TSA			4TN84ES		
3TNE68G1A			119808-12520	Air	LAF8195 ²	121120-12901	Air	LAF1275 ²
119655-12560	Air	LAF8388 ²	129100-55650	Fuel	L549F	129100-55650	Fuel	L549F
124550-55700	Fuel	L4103F	129150-35151	Oil	PH2808	129150-35150	Oil	PH2856A
119305-35150	Oil	PH2876	3TNE88G1A			4TN84TEG1		
3TNE68G2A			119808-12520	Air	LAF8195 ²	121120-12901	Air	LAF1275 ²
119655-12560	Air	LAF8388 ²	129100-55650	Fuel	L549F	129100-55650	Fuel	L549F
124550-55700	Fuel	L4103F	129150-35151	Oil	PH2808	129150-35150	Oil	PH2856A
119305-35150	Oil	PH2876	3TNE88SA			4TN84TEG2		
3TNE68SA			119808-12520	Air	LAF8195 ²	121120-12901	Air	LAF1275 ²
119655-12560	Air	LAF8388 ²	129100-55650	Fuel	L549F	129100-55650	Fuel	L549F
124550-55700	Fuel	L4103F	129150-35151	Oil	PH2808	129150-35150	Oil	PH2856A
119305-35150	Oil	PH2876	3TNM68			4TN84TES		
3TNE74SA			119305-35150	Oil	PH2876	121120-12901	Air	LAF1275 ²
119655-12560	Air	LAF8388 ²	3TNM76 MINI			129100-55650	Fuel	L549F
124550-55700	Fuel	L4103F	119305-35150	Oil	PH2876	129150-35150	Oil	PH2856A
119305-35150	Oil	PH2876	3TNV70			4TNE106		
3TNE75ES			11981055650	Fuel	L4103F	119000-55600	Fuel	LFF8350
124550-55700	Fuel	L4103F	11930535150	Oil	PH2876	119005-35100	Oil	PH2808
124450-35150	Oil	PH2808	3TNV76			4TNE106T		
3TNE78AG1A			11981055650	Fuel	L4103F	119000-55600	Fuel	LFF8350
119808-12520	Air	LAF8195 ²	11930535150	Oil	PH2876	119005-35100	Oil	PH2808
119810-55650	Fuel	L4103F	3TNV84			4TNE84G1A		
129150-35151	Oil	PH2808	11980255800	Fuel	LFF8350	119808-12520	Air	LAF8195 ²
3TNE78AG2A			12915035151	Oil	PH2808	129100-55650	Fuel	L549F
119808-12520	Air	LAF8195 ²	3TNV94			129150-35151	Oil	PH2808
119810-55650	Fuel	L4103F	11980255800	Fuel	LFF8350	4TNE84G2A		
129150-35151	Oil	PH2808	12915035151	Oil	PH2808	119808-12520	Air	LAF8195 ²
3TNE78ASA			4TN82EG1			129100-55650	Fuel	L549F
119808-12520	Air	LAF8195 ²	121120-12901	Air	LAF1275 ²	129150-35151	Oil	PH2808
119810-55650	Fuel	L4103F	129100-55650	Fuel	L549F	4TNE84RG1A		
129150-35151	Oil	PH2808	129150-35150	Oil	PH2856A	119808-12520	Air	LAF8195 ²
3TNE82AG1A			4TN82EG2			129100-55650	Fuel	L549F
119808-12520	Air	LAF8195 ²	121120-12901	Air	LAF1275 ²	129150-35151	Oil	PH2808
119810-55650	Fuel	L4103F	129100-55650	Fuel	L549F	4TNE84SA		
129150-35151	Oil	PH2808	129150-35150	Oil	PH2856A	119808-12520	Air	LAF8195 ²
3TNE82ASA			4TN82ES			129100-55650	Fuel	L549F
119808-12520	Air	LAF8195 ²	121120-12901	Air	LAF1275 ²	129150-35151	Oil	PH2808
119810-55650	Fuel	L4103F	129100-55650	Fuel	L549F	4TNE84TSA		
129150-35151	Oil	PH2808	129150-35150	Oil	PH2856A	119808-12520	Air	LAF8195 ²
3TNE84G1A			4TN82TEG1			129100-55650	Fuel	L549F
119808-12520	Air	LAF8195 ²	121120-12901	Air	LAF1275 ²	129150-35151	Oil	PH2808
129100-55650	Fuel	L549F	129100-55650	Fuel	L549F			

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
2-Outer

Engine Applications



O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.	O.E.M. No.	Type	Part No.
YANMAR (ENGINE DIESEL)								
4TNE88G1A								
119808-12520	Air	LAF8195 ²						
129100-55650	Fuel	L549F						
129150-35151	Oil	PH2808						
4TNE88SA								
119808-12520	Air	LAF8195 ²						
129100-55650	Fuel	L549F						
129150-35151	Oil	PH2808						
4TNE94EG1A								
119000-55600	Fuel	LFF8350						
129150-35151	Oil	PH2808						
4TNE94ESA								
119000-55600	Fuel	LFF8350						
129150-35151	Oil	PH2808						
4TNE98EG1A								
119000-55600	Fuel	LFF8350						
129150-35151	Oil	PH2808						
4TNE98ESA								
119000-55600	Fuel	LFF8350						
129150-35151	Oil	PH2808						
4TNV94								
11980255800	Fuel	LFF8350						
12915035151	Oil	PH2808						
6T95LE								
126650-12620	Air	LAF1246 ²						
6T95LTE								
126650-12620	Air	LAF1246 ²						
TS105								
104500-55170	Fuel	L3541F						
TS130								
104500-55170	Fuel	L3541F						
TS155								
104500-55170	Fuel	L3541F						
TS180								
104500-55170	Fuel	L3541F						
ZENITH (ENGINE INDUSTRIAL)								
ZPP410 Hyundai Engine								
26300-35502	Oil	PH2808						
ZPP413 Nissan Engine								
	Oil	PH2840						
ZPP416 Hyundai Engine								
26300-35502	Oil	PH2808						
ZPP420 Hyundai Engine								
26300-35502	Oil	PH2808						

Se reporter à table de matière pour les notes en bas de page en français. Utilize el contenido para ver notas a pie.
2-Outer

LUBERFINER® filter products manufactured or sold by Champion Laboratories, Inc. are warranted to their original purchaser to be free from defects in material and workmanship for the duration of the original equipment recommended change interval and **LUBERFINER®** hard parts (filters and hard parts are collectively referred to as “Products”) are warranted to their original purchaser to be free from defects in material and workmanship for one (1) year from the later of the date of purchase or the date of installation. This warranty covers properly installed or utilized Products, installed in vehicles as cataloged by the then applicable **LUBERFINER®** product catalog (“Covered Products”). This warranty does not cover any Product that: a) has been subject to misuse, neglect, negligence, accident or casualty; b) has been improperly installed; c) has been installed into an engine which is not referenced as a conforming application by the then applicable **LUBERFINER®** catalog; or d) has remained in service beyond the original equipment recommended change interval.

Any Covered Product which is determined by Champion Laboratories, Inc. to be defective will be replaced at no charge. In the event of an engine or equipment failure directly caused by a Covered Product, Champion Laboratories, Inc. will provide the lesser of the: i) restoration of the engine or equipment to a condition equivalent to that existing just prior to the failure or ii) cash payment of the fair market value of the vehicle. **TO THE FULLEST EXTENT ALLOWED UNDER APPLICABLE LAW, CHAMPION LABORATORIES, INC. DISCLAIMS ALL IMPLIED WARRANTIES AND CONDITIONS AND ANY AND ALL CONSEQUENTIAL, INCIDENTAL AND SPECIAL DAMAGES.** Some jurisdictions do not permit the exclusion of such warranties or damages, so this disclaimer may not apply to you.

You must cooperate with Champion Laboratories, Inc.'s claims management process. Please submit claims to Champion Laboratories, Inc. within 30 days after discovery of damage. Champion Laboratories, Inc. reserves the right to examine the engine, equipment and filter to determine the amount of damage and whether such damage was caused by a defective Covered Product. Therefore, claimants must take steps necessary to preserve the engine and/or equipment and the filter during the claims investigation period.

To initiate a claim in the United States, call 800-882-0890 or email: claims@champlabs.com.

To initiate a claim outside of the United States, call 419-293-5570 or email: claims@champlabs.com.

This warranty gives you specific legal rights. You may have other rights which vary from jurisdiction to jurisdiction.

VEHICLE MANUFACTURERS' WARRANTIES

In the United States: Use of **LUBERFINER®** products will not void your Original Equipment warranty. A manufacturer may not require the use of any brand of filter unless either the manufacturer provides the filter for free-of-charge under term of the warranty or the manufacturer successfully demonstrates to the Federal Trade Commission that its product will not work properly without a specified item or service. To date, the FTC has not made any such determination for filtration products. If a manufacturer makes a claim that using a **LUBERFINER®** product will void or has voided your warranty, ask the manufacturer to provide this statement in writing.

Outside of the United States: **LUBERFINER®** processes warranty claims on a world-wide basis. Check the terms of your Original Equipment warranty which may require the use of a specific brand of filter for a valid warranty claim and may limit or void the warranty as a result of the use or installation of other filters

Los productos de filtrado **LUBERFINER®** fabricados o vendidos por Champion Laboratories, Inc. se garantizan ante el comprador original como libre de defectos en los materiales y en la mano de obra durante el período de validez del intervalo de cambio recomendado del equipo original y las piezas rígidas **LUBERFINER®** (los filtros y las piezas rígidas se conocen colectivamente como “Productos”) se garantizan ante el comprador original como libre de defectos en los materiales y en la mano de obra durante un período de un (1) año a partir de la fecha de compra o la fecha de instalación, la que ocurra después. Esta garantía cubre los Productos correctamente instalados o utilizados, instalados en vehículos catalogados por el catálogo de productos **LUBERFINER®** aplicables en ese momento (“Productos Cubiertos”). Esta garantía no cubre ningún Producto que: a) haya estado sujeto a uso indebido, abandono, negligencia, accidente o siniestro; b) haya sido instalado incorrectamente; c) haya sido instalado en un motor que no está listado como aplicación compatible por el catálogo de **LUBERFINER®** aplicable en esos momentos; o d) haya permanecido en servicio más allá del intervalo de cambio recomendado del equipo original.

Cualquier Producto Cubierto que Champion Laboratories, Inc. hubiera determinado como defectuoso será reemplazado sin costo alguno. En el caso de una falla del motor o equipo directamente causado por un Producto Cubierto, Champion Laboratories, Inc. proporcionará el menor entre: i) la restauración del motor o equipo a una condición equivalente a aquella existente justo antes de la falla, o ii) un pago en efectivo del justo valor de mercado del vehículo. **AL GRADO MÁXIMO PERMITIDO BAJO LAS LEYES APLICABLES, CHAMPION LABORATORIES, INC. RENUNCIA A CUALQUIER GARANTÍA IMPLÍCITA Y CONDICIÓN, Y A CUALQUIERA Y TODO DAÑO RESULTANTE, INCIDENTAL Y ESPECIAL.** Algunas jurisdicciones no permiten la exclusión de tales garantías o daños, de modo que este descargo podría no aplicarse a su caso particular.

Usted deberá cooperar con el proceso de administración de reclamos de Champion Laboratories, Inc. Envíe los reclamos a Champion Laboratories, Inc. dentro de los 30 días de haber descubierto los daños. Champion Laboratories, Inc. se reserva el derecho de examinar el motor, equipo y filtro para determinar la cantidad de daños y si estos fueron causados por un Producto Cubierto defectuoso. Por lo tanto, los reclamantes deberán tomar los pasos necesarios para proteger el motor y/o equipo, así como el filtro durante el período de investigación de reclamos

Para iniciar un reclamo en los Estados Unidos, llame al 800-882-0890 o envíe un mensaje por correo electrónico: claims@champlabs.com.

Para iniciar un reclamo fuera de los Estados Unidos, llame al 419-293-5570 o envíe un mensaje por correo electrónico: claims@champlabs.com.

Esta garantía le otorga derechos legales específicos. Usted puede tener otros derechos que varían de una jurisdicción a otra.

GARANTÍAS DE LOS FABRICANTES DE VEHÍCULOS

En los Estados Unidos : El uso de productos **LUBERFINER®** no anularán la garantía de su Equipo Original. Un fabricante no puede requerir el uso de ninguna marca de filtro a menos que dicho fabricante proporcione el filtro gratuitamente bajo los términos de la garantía o dicho fabricante demuestre satisfactoriamente ante la Comisión Federal de Comercio que su producto no funcionará correctamente sin un artículo o servicio especificado. Hasta la fecha, la FTC no ha hecho una determinación tal para los productos de filtración. Si un fabricante hace un reclamo que el uso de un producto **LUBERFINER®** anulará o ha anulado su garantía, solicite que el fabricante proporcione esta declaración por escrito.

Fuera de los Estados Unidos: **LUBERFINER®** procesa reclamos bajo la garantía a nivel mundial. Consulte los términos de la garantía de su Equipo Original que podría requerir el uso de una marca específica de filtro para realizar un reclamo válido bajo la garantía como resultado del uso o instalación de otros filtros

Les filtres **LUBERFINER®** fabriqués ou vendus par Champion Laboratories, Inc. sont garantis exempts de vices de matériau et de fabrication pour l'acquéreur initial pour la durée de l'intervalle recommandé pour le remplacement de l'équipement d'origine. Les pièces dures **LUBERFINER®** (les filtres et les pièces dures seront mentionnés ci-dessous sous le nom de « Produits ») sont garanties exemptes de vices de matériau et de fabrication pour l'acquéreur initial pendant un (1) an à compter soit de la date d'achat, soit de la date d'installation, selon la dernière de ces deux dates. Cette garantie couvre les produits correctement installés et utilisés, installés dans des véhicules comme l'indique le catalogue des produits **LUBERFINER®** en vigueur au moment de l'installation (« Produits couverts »). Cette garantie ne couvre aucun produit qui a) aurait fait l'objet d'un usage abusif ou négligent, d'un manque d'entretien ou ayant été impliqué dans un accident; b) aurait été mal installé; c) aurait été installé dans un moteur qui n'est pas mentionné comme application conforme dans le catalogue **LUBERFINER®** en vigueur au moment de l'installation; ou d) qui serait resté en service au-delà de l'intervalle de remplacement recommandé pour l'équipement d'origine.

Tout produit couvert qui serait jugé défectueux par Champion Laboratories, Inc. sera remplacé gratuitement. Au cas où une défaillance d'un moteur ou d'un équipement serait causée directement par le produit couvert, Champion Laboratories, Inc. offrira la valeur la moindre des deux options qui suivent : i) remise du moteur ou du matériel en l'état équivalent à celui existant juste avant la défaillance ou ii) paiement en liquide de la juste valeur marchande du véhicule. **CHAMPION LABORATORIES, INC. REJETTE, DANS TOUTE LA MESURE AUTORISÉE PAR LES LOIS EN VIGUEUR, TOUTES LES GARANTIES ET CONDITIONS IMPLICITES ET TOUS LES DOMMAGES CONSÉCUTIFS, ACCESSOIRES ET PARTICULIERS.** Certaines juridictions interdisent l'exclusion de telles garanties ou dommages, auquel cas il est possible que cette exonération de responsabilité ne s'applique pas à votre cas.

Vous devez respecter scrupuleusement le processus de gestion des réclamations établi par Champion Laboratories, Inc. Veuillez soumettre vos réclamations auprès de Champion Laboratories, Inc. dans les trente jours qui suivent la découverte des dommages. Champion Laboratories, Inc. se réserve le droit d'examiner le moteur, le matériel et le filtre pour déterminer l'importance des dommages et si ces dommages ont été causés par un Produit couvert défectueux. Par conséquent, les personnes se réclamant de la garantie doivent prendre les mesures nécessaires pour conserver le moteur et/ou le matériel et le filtre pour toute la durée de la période d'enquête faisant suite à la réclamation.

Pour lancer un processus de réclamation aux États-Unis, veuillez composer le 800-882-0890 ou envoyer un courriel à : claims@champlabs.com.

Pour lancer un processus de réclamation en dehors des États-Unis, veuillez composer le 419-293-5570 ou envoyer un courriel à : claims@champlabs.com.


Cette garantie vous donne des droits légaux spécifiques. Vous pouvez avoir d'autres droits qui varient d'une juridiction à l'autre.

GARANTIES DU CONSTRUCTEUR DU VÉHICULE

Aux États-Unis : L'utilisation de produits **LUBERFINER®** n'annulera pas votre garantie pour l'équipement d'origine. Un constructeur ne peut exiger l'utilisation de quelque marque de filtre que ce soit à moins que le constructeur ne le fournisse sans frais dans le cadre de la garantie ou que le constructeur ait réussi à prouver à la Federal Trade Commission que ce produit ne pourra pas fonctionner correctement sans un article ou un service spécifié. À ce jour, la FTC n'a pris aucune décision concernant les produits de filtration. Si un constructeur déclare que l'utilisation d'un produit **LUBERFINER®** aura pour effet d'annuler la garantie ou a annulé la garantie, demandez au constructeur de vous remettre une copie écrite de cette déclaration.

En dehors des États-Unis : **LUBERFINER®** traite les réclamations en garantie à l'échelle mondiale. Consultez les termes de la garantie de votre équipement d'origine qui pourrait exiger l'utilisation d'une marque particulière de filtre pour que la réclamation en garantie soit valable ou qui pourrait limiter ou annuler la garantie du fait de l'utilisation ou de l'installation d'autres filtres.

BUILT TO DO MORE®



AIR FILTERS

Heavy duty engines rely on a mixture of air and diesel to generate power. Luber-finer® air filters capture harmful particles that can damage expensive engines. Cleaner air can help increase engine efficiency and lead to greater fleet uptime.

FILTROS DE AIRE

Los motores para servicios pesados dependen de una mezcla de aire y diésel para generar energía. Los filtros de aire Luber-finer® atrapan partículas nocivas que pueden dañar los motores costosos. El aire más limpio puede ayudar a aumentar la eficiencia del motor y da lugar a un tiempo de actividad más prolongado.

FILTRES À AIR

Les moteurs à usage intensif produisent de l'énergie grâce à un mélange d'air et de diesel. Les filtres à air Luber-finer® attrapent les particules dangereuses qui peuvent endommager les moteurs onéreux. De l'air plus propre peut aider à augmenter l'efficacité du moteur et la disponibilité des véhicules de service.



HYDRAULIC FILTERS

Modern hydraulic systems need clean fluid to operate safely and effectively. Efficient filtration reduces wear, guards against system failure and promotes maximum equipment performance and uptime. Minimize contaminants and protect your investment with reliable Luber-finer® filtration.

FILTROS HIDRÁULICOS

Los sistemas hidráulicos modernos necesitan de fluido limpio para funcionar con seguridad y efectividad. La filtración eficiente reduce el desgaste, protege contra las fallas del sistema y fomenta el máximo rendimiento y tiempo de actividad del equipo. Minimice los contaminantes y proteja su inversión con filtración confiable Luber-finer®.

FILTRES HYDRAULIQUES

Les systèmes hydrauliques modernes ont besoin de liquide propre pour fonctionner sans danger et efficacement. Une filtration efficace peut réduire l'usure, protéger contre une défaillance du système et permet une performance et une période de disponibilité maximum de l'équipement. Réduisez les polluants et protégez votre investissement avec la filtration fiable Luber-finer®.



COOLANT FILTERS

An improperly maintained cooling system can result in costly repairs and downtime. Luber-finer® coolant filters and system solutions help protect your investment. Luber-finer® coolant system products can help reduce fleet costs, downtime and prolong the life of your equipment.

FILTROS DE REFRIGERANTE

Un sistema de enfriamiento mantenido indebidamente puede dar lugar a reparaciones y tiempo de inactividad costosos. Los filtros de refrigerante y soluciones de sistemas Luber-finer® ayudan a proteger su inversión. Los productos para el sistema de enfriamiento Luber-finer® pueden ayudar a reducir los costos de la flota, el tiempo de inactividad y prolongar la vida de su equipo.

FILTRES À LIQUIDE DE REFOUDDISSEMENT

Un système de refroidissement qui n'est pas entretenu correctement peut entraîner des réparations coûteuses et une période d'indisponibilité. Les filtres à liquide de refroidissement et les solutions pour systèmes Luber-finer® aident à protéger votre investissement. Les produits de système de refroidissement Luber-finer® aident à réduire les coûts des parcs automobiles, la période d'indisponibilité et augmentent la durée de vie de votre équipement.

LUBER FINER®

BUILT TO DO MORE®



© 2018, Champion Laboratories, Inc.
 An ISO14001 and ISO/TS16949 registered company
 200 S. 4th Street Albion, IL 62806-1313
 Hotline: 800-882-0890 or 618-445-6011

Phone - Customer Service U.S.A./Canada:..... 1.800.851.3641
 Fax - for Orders U.S.A./Canada: 1.800.545.1508
 Phone - Outside U.S.A./Canada: 1.618.445.6011
 Fax - Outside U.S.A./Canada: 1.618.445.4040
 Technical Assistance(English): 1.800.882.0890